

# CITATION REPORT

List of articles citing

## Prediction of protein conformation

DOI: 10.1021/bi00699a002  
Biochemistry, 1974, 13, 222-45.

**Source:** <https://exaly.com/paper-pdf/11867317/citation-report.pdf>

**Version:** 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #    | Paper  | IF  | Citations |
|------|--|-----|-----------|
| 2235 | Structural Requirements for Class II Molecule Recognition by Antibodies and T Cell Antigen Receptors. <b>1989</b> , 46, 49-84  |     |           |
| 2234 | Structure and Regulation of Internal Image Idiotypes. <b>1990</b> , 48, 185-208  |     | 3         |
| 2233 | Structural studies of human-liver alcohol-dehydrogenase isoenzymes. <b>1974</b> , 50, 215-25   |     | 46        |
| 2232 | Comparison of predicted and experimentally determined secondary structure of adenylyl kinase. <b>1974</b> , 250, 140-2   |     | 178       |
| 2231 | The coenzyme-binding domains of glutamate dehydrogenases. <b>1974</b> , 252, 542-6   |     | 85        |
| 2230 | On the mechanism of interaction between histone I and DNA and histone III and DNA. <b>1974</b> , 47, 309-15  |     | 8         |
| 2229 | Structure of the antitumor protein neocarzinostatin. Amino acid sequence. <b>1974</b> , 164, 379-85  |     | 45        |
| 2228 | Reaction of human chorionic somatomammotropin and human pituitary growth hormone with tetranitromethane at 0 degrees C. <b>1974</b> , 165, 255-62  |     | 15        |
| 2227 | The primary structure of the 16 S rRNA binding protein S 8 from Escherichia coli ribosomes. <b>1974</b> , 48, 114-6  |     | 18        |
| 2226 | Glutamine synthetase of Bacillus stearothermophilus. II. Regulation and thermostability. <i>Biochemistry</i> , <b>1974</b> , 13, 3215-21   | 3.2 | 27        |
| 2225 | The single-disulphide intermediates in the refolding of reduced pancreatic trypsin inhibitor. <b>1974</b> , 87, 603-24   |     | 99        |
| 2224 | Beta-sheet aggregation proposed in sickle cell hemoglobin. <b>1974</b> , 61, 87-94   |     | 10        |
| 2223 | Conformational parameters for amino acids in helical, beta-sheet, and random coil regions calculated from proteins. <i>Biochemistry</i> , <b>1974</b> , 13, 211-22   | 3.2 | 2039      |
| 2222 | Research of specific constraints in pair association of amino acids. <b>1974</b> , 56, 1045-51   |     | 4         |
| 2221 | Amino-acid sequence of dihydrofolate reductase from a methotrexate-resistant mutant of Streptococcus faecium and identification of methionine residues at the inhibitor binding site. <b>1974</b> , 71, 3001-5 |     | 56        |
| 2220 | Further comparison of predicted and experimentally determined structure of adenylyl kinase. <b>1974</b> , 71, 4217-20  |     | 16        |
| 2219 | Analysis of Conformations of Amino Acid Residues and Prediction of Backbone Topography in Proteins. <b>1974</b> , 12, 239-286  |     | 203       |

|      |   |      |
|------|---|------|
| 2218 | Assessment of some problems associated with prediction of the three-dimensional structure of a protein from its amino-acid sequence. <b>1975</b> , 72, 1221-5   | 55   |
| 2217 | Sidechain torsional potentials and motion of amino acids in proteins: bovine pancreatic trypsin inhibitor. <b>1975</b> , 72, 2002-6   | 191  |
| 2216 | Conformation of the Helix-Coil-Helix Polypeptide. <b>1975</b> , 7, 444-448  | 1    |
| 2215 | Infrared spectroscopic studies of solvent-induced conformational changes in globular proteins. <b>1975</b> , 393, 274-83  | 8    |
| 2214 | Comparison of the predicted and observed secondary structure of T4 phage lysozyme. <b>1975</b> , 405, 442-51  | 2905 |
| 2213 | Covalent lipoprotein from the outer membrane of Escherichia coli. <b>1975</b> , 415, 335-77   | 477  |
| 2212 | Primary Structures of the Crystallin A Chains of Seven Mammalian Species. <b>1975</b> , 53, 237-242   | 44   |
| 2211 | Conformational Studies of Ovine Lutropin (Luteinizing Hormone) and Its Native and Chemically Modified Subunits by Circular Dichroism and Ultraviolet Absorption Spectroscopy. <b>1975</b> , 53, 243-254 | 38   |
| 2210 | A prediction of the structure of tobacco-mosaic-virus protein. <b>1975</b> , 53, 397-404  | 27   |
| 2209 | [Conformation analysis of L-pyroglutamic acid N-methylamide by depolarized Rayleigh diffusion, vibration spectroscopy, and conformational energy calculation]. <b>1975</b> , 14, 1569-79                | 100  |
| 2208 | Computer analyses of characteristic infrared bands of globular proteins. <b>1975</b> , 14, 1465-71  | 64   |
| 2207 | Poly(L-valine). Conformational dependence on the degree of polymerization: infrared studies. <b>1975</b> , 14, 1755-67  | 12   |
| 2206 | Studies on cytochrome c. XI. Circular dichroism studies on synthetic peptides related to the C-terminal region of baker's yeast iso-1-cytochrome c. <b>1975</b> , 14, 2075-2093                         | 10   |
| 2205 | The molecular structure of the receptor-ionophore complex at the neuromuscular junction. <b>1975</b> , 51, 111-26   | 7    |
| 2204 | A hypothesis for the pathway of the thermally-induced unfolding of bovine pancreatic ribonuclease. <b>1975</b> , 53, 403-20   | 66   |
| 2203 | Structure of chicken muscle triose phosphate isomerase determined crystallographically at 2.5 angstrom resolution using amino acid sequence data. <b>1975</b> , 255, 609-14                             | 628  |
| 2202 | Beta structures of alternating polypeptides and their possible prebiotic significance. <b>1975</b> , 256, 383-7   | 237  |
| 2201 | Synthetic substrate for cyclic AMP-dependent protein kinase. <b>1975</b> , 257, 416-8   | 91   |

|      |  |     |      |
|------|--|-----|------|
| 2200 | Determination of the complete amino acid sequence of protein S21 from Escherichia coli ribosomes. <b>1975</b> , 356, 1955-76   |     | 39   |
| 2199 | The primary structure of the 5s rRNA binding protein L25 of Escherichia coli ribosomes. <b>1975</b> , 356, 1343-52   |     | 33   |
| 2198 | The evolution of dehydrogenases and kinases. <b>1975</b> , 3, 111-40   |     | 63   |
| 2197 | Serum Albumin. <b>1975</b> , 133-181   |     | 175  |
| 2196 | Analysis of the conformation of polypeptides : the combined use of energy computations and nuclear magnetic resonance studies. <b>1975</b> , 57, 471-82  |     | 6    |
| 2195 | Sequence diagrams and the presentation of structural and evolutionary relationships among proteins. <b>1975</b> , 57, 271-6  |     | 2    |
| 2194 | Complexes of DNA with histones f2a2 and f3. Circular dichroism studies. <i>Biochemistry</i> , <b>1975</b> , 14, 4179-85 <sub>3,2</sub>   |     | 35   |
| 2193 | Intermolecular contacts of deoxyhemoglobin S: a hypothesis and search for possible anti-sickling agents. <b>1975</b> , 63, 232-8   |     | 7    |
| 2192 | D-Trp8-somatostatin: an analog of somatostatin more potent than the native molecule. <b>1975</b> , 65, 746-51  |     | 136  |
| 2191 | Logical analysis of the mechanism of protein folding III. Prediction of the strong long-range interactions. <b>1975</b> , 94, 257-81   |     | 18   |
| 2190 | Conformational prediction and circular dichroism studies on the lac repressor. <b>1975</b> , 96, 29-45   |     | 85   |
| 2189 | Energetics of folding of a lysozyme beta-bend. <b>1975</b> , 92, 567-72  |     | 7    |
| 2188 | Relationship between alpha-helical propensity and formation of the ribonuclease-S complex. <b>1975</b> , 95, 497-511   |     | 30   |
| 2187 | Avidin. <b>1975</b> , 29, 85-133   |     | 1341 |
| 2186 | Experimental and theoretical aspects of protein folding. <b>1975</b> , 29, 205-300   |     | 746  |
| 2185 | Conformational properties of bovine plasma albumin with a cleaved internal peptide bond. <i>Biochemistry</i> , <b>1975</b> , 14, 5579-86   | 3.2 | 20   |
| 2184 | Interaction of histone f2a1 fragments with deoxyribonucleic acid. Circular dichroism and thermal denaturation studies. <i>Biochemistry</i> , <b>1975</b> , 14, 1445-54                         | 3.2 | 22   |
| 2183 | The predicted secondary structure of the N-terminal sequence of the lac repressor and proposed models for its complexation to the lac operator. <i>Biochemistry</i> , <b>1975</b> , 14, 1057-9 | 3.2 | 12   |

|      |   |     |     |
|------|---|-----|-----|
| 2182 | Nuclear magnetic resonance studies on the solution conformation of histone IV fragments obtained by cyanogen bromide cleavage. <i>Biochemistry</i> , <b>1975</b> , 14, 1184-9 | 3.2 | 15  |
| 2181 | Chemical modifications of functional residues of fd gene 5 DNA-binding protein. <i>Biochemistry</i> , <b>1975</b> , 14, 907-17  | 3.2 | 118 |
| 2180 | The primary structure of protein L27 from the peptidyl-tRNA binding site of Escherichia coli ribosomes. <b>1975</b> , 59, 96-9  |     | 34  |
| 2179 | Primary structure of protein S18 from the small Escherichia coli ribosomal subunit. <b>1975</b> , 59, 217-20  |     | 51  |
| 2178 | The primary structure of protein L30 from Escherichia coli ribosomes. <b>1975</b> , 60, 153-5   |     | 24  |
| 2177 | The primary structure of protein S9 from the 30S subunit of Escherichia coli ribosomes. <b>1975</b> , 52, 139-40  |     | 39  |
| 2176 | Primary structure of ribosomal protein S6 from the wild type and a mutant of Escherichia coli. <b>1975</b> , 56, 259-62   |     | 38  |
| 2175 | The primary structure of the 5S RNA binding protein L18 from Escherichia coli ribosomes. <b>1975</b> , 56, 359-61   |     | 42  |
| 2174 | Comparison between histones FV and F2a2 of chicken erythrocyte. I. Structure, stability and conformation of the free proteins. <b>1975</b> , 395, 5-15                        |     | 8   |
| 2173 | The amino acid sequence of the Azotobacter vinelandii flavodoxin. <b>1975</b> , 66, 639-44  |     | 9   |
| 2172 | 2 Evolutionary and Structural Relationships among Dehydrogenases. <b>1975</b> , 61-102  |     | 339 |
| 2171 | Transcarboxylase: role of biotin, metals, and subunits in the reaction and its quaternary structure. <b>1976</b> , 4, 47-122  |     | 42  |
| 2170 | Subunit structure of human erythrocyte glycoporphin A. <i>Biochemistry</i> , <b>1976</b> , 15, 1137-44  | 3.2 | 209 |
| 2169 | Studies on secondary structure in chicken egg-white lysozyme after reductive cleavage of disulfide bonds. <i>Biochemistry</i> , <b>1976</b> , 15, 2906-12                     | 3.2 | 38  |
| 2168 | Recent Studies of the Circular Dichroism and Optical Rotatory Dispersion of Biopolymers. <b>1976</b> , 11, 223-286  |     | 26  |
| 2167 | The structure of dehydrogenases. <b>1976</b> , 1, 227-230   |     |     |
| 2166 | The structure of dehydrogenases. <b>1976</b> , 1, 227-230   |     | 2   |
| 2165 | A re-examination of the conformation of secretin in water. <b>1976</b> , 5 Suppl, 195S-200S   |     | 19  |

|      |  |    |
|------|--|----|
| 2164 | Primary structure of bacteriophage T4 internal protein II and characterization of the cleavage upon phage maturation. <b>1976</b> , 102, 349-65  | 27 |
| 2163 | Amino acid sequences from the gene F (capsid) protein of bacteriophage phiX174. <b>1976</b> , 107, 433-43  | 16 |
| 2162 | Nucleotide and amino acid sequences of gene G of omegaX174. <b>1976</b> , 108, 519-33  | 53 |
| 2161 | A sequential polyheptapeptide as a model for the double-stranded alpha-helical coiled-coil structure of tropomyosin. <b>1976</b> , 72, 581-8   | 12 |
| 2160 | Conformation of snake toxins [proceedings]. <b>1976</b> , 14, 410-1  |    |
| 2159 | Studies of virus structure by laser-Raman spectroscopy. II. MS2 phage, MS2 capsids and MS2 RNA in aqueous solutions. <b>1976</b> , 102, 103-24   | 47 |
| 2158 | The evolutionary origin of proinsulin. Amino acid sequence homology with the trypsin-related serine proteases detected and evaluated by new statistical methods. <b>1976</b> , 106, 639-61 | 39 |
| 2157 | Predicted structure for aldolase. <b>1976</b> , 106, 903-11  | 27 |
| 2156 | Mutational amino acid replacements in <i>Neurospora crassa</i> NADP-specific glutamate dehydrogenase. <b>1976</b> , 106, 1-22  | 44 |
| 2155 | Spectrophotometric pH titrations and nitration with tetranitromethane of the tyrosyl residues in yeast phosphoglycerate kinase. <b>1976</b> , 445, 342-9                                   | 14 |
| 2154 | An essential tryptophan in the active site of phospholipase A2 from the venom of <i>Bitis gabonica</i> . <b>1976</b> , 438, 424-36   | 21 |
| 2153 | Prevalence of alpha-helical form in avian lens proteins. <b>1976</b> , 23, 9-14  | 36 |
| 2152 | Primary structure of the 16S rRNA binding protein S15 from <i>Escherichia coli</i> ribosomes. <b>1976</b> , 64, 307-9  | 28 |
| 2151 | The primary structure of protein L16 located at the peptidyltransferase center of <i>Escherichia coli</i> ribosomes. <b>1976</b> , 68, 105-9   | 69 |
| 2150 | Primary structure of protein S20 from the small ribosomal subunit of <i>Escherichia coli</i> . <b>1976</b> , 68, 110-4   | 28 |
| 2149 | Primary structure of protein L33 from the large subunit of the <i>Escherichia coli</i> ribosome. <b>1976</b> , 68, 115-8   | 43 |
| 2148 | The primary structure of the 5 S RNA binding protein L5 of <i>Escherichia coli</i> ribosomes. <b>1976</b> , 69, 240-5  | 32 |
| 2147 | Primary structure of protein S13 from the small ribosomal subunit of <i>Escherichia coli</i> . <b>1976</b> , 71, 251-5   | 17 |

|      |   |     |
|------|---|-----|
| 2146 | Structural basis for the specificity of phosphorylcholine-binding immunoglobulins. <b>1976</b> , 13, 945-9  | 116 |
| 2145 | Prediction of the conformation of the histones. <b>1976</b> , 16, 1201-38   | 115 |
| 2144 | Opiate receptor affinity of peptides related to Leu-enkephalin. <b>1976</b> , 71, 175-9   | 72  |
| 2143 | Lipotropin: precursor to two biologically active peptides. <b>1976</b> , 69, 950-6  | 152 |
| 2142 | Prediction of the secondary structure of mouse nerve growth factor and its comparison with insulin. <b>1976</b> , 70, 805-11  | 22  |
| 2141 | PROTEINS FROM THERMOPHILIC MICROORGANISMS. <b>1976</b> , 147-187  | 13  |
| 2140 | Protein folding. <b>1976</b> , 1, 49-50   | 7   |
| 2139 | Protein cleavage during virus assembly: a novel specificity of assembly dependent cleavage in bacteriophage T4. <b>1976</b> , 73, 4205-9                                | 22  |
| 2138 | Somatostatin conformation: evidence for a stable intramolecular structure from circular dichroism, diffusion, and sedimentation equilibrium. <b>1976</b> , 73, 1199-202 | 65  |
| 2137 | Amino-acid sequence of tropomyosin-binding component of rabbit skeletal muscle troponin. <b>1976</b> , 73, 1902-6   | 104 |
| 2136 | The prediction of the conformation of membrane proteins from the sequence of amino acids. <b>1976</b> , 153, 729-32   | 24  |
| 2135 | Location of the carbohydrate groups of ovomucoid. <b>1976</b> , 159, 335-45   | 42  |
| 2134 | Repressors. <b>1976</b> , 30, 1-99  | 137 |
| 2133 | Biosynthetic origin and receptor conformation of methionine enkephalin. <b>1976</b> , 260, 165-6  | 166 |
| 2132 | Protein-folding dynamics. <b>1976</b> , 260, 404-6  | 549 |
| 2131 | Overlapping genes in bacteriophage phiX174. <b>1976</b> , 264, 34-41  | 308 |
| 2130 | Interaction of apoprotein from porcine high-density lipoprotein with dimyristoly lecithin. 2. Nature of lipid-protein interaction. <b>1976</b> , 64, 549-63             | 70  |
| 2129 | Determination of the amino-acid sequence of the ribosomal protein S8 of Escherichia coli. <b>1976</b> , 66, 49-56   | 24  |

|      |   |    |
|------|---|----|
| 2128 | Amino-acid sequence of a coelenterate toxin: toxin II from <i>Anemonia sulcata</i> . <b>1976</b> , 68, 193-8  | 76 |
| 2127 | Conformational studies on murein-lipoprotein from the outer membrane of <i>Escherichia coli</i> . <b>1976</b> , 70, 601-10                                    | 39 |
| 2126 | A pH-dependent interaction between histones H2A and H2B involving secondary and tertiary folding. <b>1976</b> , 71, 337-50                                    | 90 |
| 2125 | Magnetic studies on the ferri-haem undecapeptide of cytochrome c. <b>1976</b> , 71, 613-6   | 23 |
| 2124 | An assessment of protein secondary structure prediction methods based on amino acid sequence. <b>1976</b> , 439, 261-73                                       | 83 |
| 2123 | In vitro activation of glycoprotein hormones. Hybridization of subunits from thyrotropin, lutropin and human choriongonadotropin. <b>1976</b> , 446, 262-76   | 24 |
| 2122 | Conformational studies of corticotropin1-32 and constitutive peptides by circular dichroism. <b>1976</b> , 439, 219-31  | 45 |
| 2121 | Conformational dependence on pH in tripeptides. <b>1976</b> , 453, 133-8  | 8  |
| 2120 | Further characterization studies of the alpha-amylase protein inhibitor of gel electrophoretic mobility 0.19 from the wheat kernel. <b>1976</b> , 420, 288-97 | 46 |
| 2119 | Studies on the conformation of secretin. <b>1976</b> , 5, 275-282   | 9  |
| 2118 | The two beta forms of poly(L-glutamic acid). <b>1976</b> , 15, 419-55   | 79 |
| 2117 | Studies of peptide conformation: backbone folding of tetrapeptide derivatives in methanol and water. <b>1976</b> , 15, 1701-15                                | 25 |
| 2116 | An easy method for retrieving atomic coordinates from CPK space-filling molecular models. <b>1976</b> , 15, 1825-33   | 3  |
| 2115 | Heat stability of <i>Clostridium tartarivorum</i> ferredoxin: Application of structure predicting models. <b>1976</b> , 7, 595                                |    |
| 2114 | Prediction of the secondary and tertiary structure of plastocyanin. <b>1976</b> , 4, 123-30   | 11 |
| 2113 | On the molecular mechanism of interaction between the neurophysins and oxytocin and vasopressin. <b>1976</b> , 63, 33-48                                      | 3  |
| 2112 | Hemerythrin: alternative oxygen carrier. <b>1976</b> , 192, 335-44  | 68 |
| 2111 | The conformational potential of porcine proinsulin C-peptide. <b>1976</b> , 357, 107-16   | 9  |



|      |   |     |
|------|---|-----|
| 2110 | Human high density apolipoprotein A-I-lysolecithin-lecithin and sphingomyelin complexes. A method for high yield recombinations to lipoprotein complexes of reproducible stoichiometry. <b>1976</b> , 357, 127-37 | 17  |
| 2109 | Primary structure of protein L10 from the large subunit of Escherichia coli ribosomes. <b>1976</b> , 357, 1751-70   | 59  |
| 2108 | SHORT COMMUNICATION. <b>1977</b> , 358, 521-536   |     |
| 2107 | Sequence determination of protein S9 from the Escherichia coli ribosome. <b>1977</b> , 358, 1415-30   | 20  |
| 2106 | SOME ASPECTS OF THE STRUCTURE AND CONFORMATIONAL PROPERTIES OF SERUM ALBUMIN. <b>1977</b> , 53-84   | 103 |
| 2105 | Solubilization and purification of the plasma membrane ATPase from Schizosaccharomyces pombe [proceedings]. <b>1977</b> , 85, 974-5   |     |
| 2104 | An approach toward the determination of the tertiary structure of MS2 coat protein [proceedings]. <b>1977</b> , 85, 1030-1  |     |
| 2103 | Lipid-protein interactions between human apolipoprotein A-I and defined sphingomyelin species. A <sup>13</sup> C-NMR spectroscopic study. <b>1977</b> , 358, 1-11   | 22  |
| 2102 | Protein folding. <b>1977</b> , 10, 239-52   | 261 |
| 2101 | The complete amino acid sequence of protein S16 from Escherichia coli. <b>1977</b> , 358, 989-1002  | 14  |
| 2100 | Primary structure of the membranous segment of cytochrome b5. <b>1977</b> , 74, 3725-9  | 77  |
| 2099 | Influence of peptides structurally related to ACTH and MSH on active avoidance behaviour in rats. A structure-activity relationship study. <b>1977</b> , 4, 140-52  | 63  |
| 2098 | Structural convergence during protein evolution. <b>1977</b> , 74, 2820-4   | 25  |
| 2097 | Conformation of beta-endorphin and beta-lipotropin: formation of helical structure in methanol and sodium dodecyl sulfate solutions. <b>1977</b> , 74, 3235-8   | 62  |
| 2096 | Local interactions in bends of proteins. <b>1977</b> , 74, 4126-9   | 92  |
| 2095 | Amino acid sequence of a myosin fragment that contains SH-1, SH-2, and Ntau-methylhistidine. <b>1977</b> , 74, 4281-4   | 89  |
| 2094 | Amino acid sequence of human prothrombin fragments 1 and 2. <b>1977</b> , 74, 1969-72   | 73  |
| 2093 | Primary structure of protein S13 from the small subunit of escherichia coli ribosomes. <b>1977</b> , 358, 843-63  | 20  |

|      |   |     |     |
|------|---|-----|-----|
| 2092 | Occurrence of phosphorylated residues in predicted beta-turns: implications for beta-turn participation in control mechanisms. <b>1977</b> , 79, 341-6  |     | 109 |
| 2091 | Peptide chain conformation and the glycosylation of glycoproteins. <b>1977</b> , 76, 1051-5   |     | 107 |
| 2090 | Synthesis of leucine enkephalin derivatives: structure-function studies. <b>1977</b> , 76, 129-35   |     | 17  |
| 2089 | The primary structure of the coat protein of Pseudomonas aeruginosa RNA-bacteriophage PP7 [proceedings]. <b>1977</b> , 85, 972-4  |     | 1   |
| 2088 | Conformation studies of biologically active fragments of bovine growth hormone. <i>Biochemistry</i> , <b>1977</b> , 16, 2110-8  | 3.2 | 25  |
| 2087 | Raman spectroscopy: a conformational probe in biochemistry. <b>1977</b> , 4, 229-80   |     | 83  |
| 2086 | A proton magnetic resonance study of the conformation of methionine-enkephalin as a function of pH. <i>Biochemistry</i> , <b>1977</b> , 16, 1462-6  | 3.2 | 50  |
| 2085 | Conformation of cyclic peptides. 9. Cyclodimerization of a hexapeptide unit at high concentration. Rationalization in terms of the conformation of the cyclic dodecapeptide. <b>1977</b> , 99, 7698-704 |     | 24  |
| 2084 | Conformations of synthetic tetradecapeptide renin substrate and of angiotensin I in aqueous solution. <i>Biochemistry</i> , <b>1977</b> , 16, 2606-11   | 3.2 | 25  |
| 2083 | Interaction of DNA with poly(L-Lys-L-Ala-Gly) and poly(L-Lys-L-Ala-L-Pro). Circular dichroism and thermal denaturation studies. <i>Biochemistry</i> , <b>1977</b> , 16, 2287-99                         | 3.2 | 11  |
| 2082 | Purification of crystallization of transaldolase isozyme I and evidence for different genetic origin of isozymes I and III in <i>Candida utilis</i> . <b>1977</b> , 178, 69-78                          |     | 8   |
| 2081 | Pyruvate carboxylase: isolation of the biotin-containing tryptic peptide and the determination of its primary sequence. <b>1977</b> , 183, 113-22   |     | 74  |
| 2080 | Optical properties of an outer membrane lipoprotein from <i>Escherichia coli</i> . <b>1977</b> , 465, 650-6   |     | 16  |
| 2079 | Circular dichroism studies on proteolytic cleavage fragments from rabbit IgG. <b>1977</b> , 14, 263-8   |     | 14  |
| 2078 | Raman spectra of bird and reptile lens proteins. <b>1977</b> , 24, 321-34   |     | 44  |
| 2077 | Primary structure of protein S12 from the small <i>Escherichia coli</i> ribosomal subunit. <b>1977</b> , 73, 12-7   |     | 36  |
| 2076 | Prediction of secondary structures in proteins from the <i>Escherichia coli</i> 30 S ribosomal subunit. <b>1977</b> , 77, 301-7   |     | 13  |
| 2075 | Comparison between human normal and S <sub>Leif</sub> haemoglobins by circular dichroism and differential absorption studies. <b>1977</b> , 84, 375-8   |     | 4   |

|      |  |     |
|------|--|-----|
| 2074 | The primary structure of the initiation factor IF-3 from Escherichia coli. <b>1977</b> , 79, 269-75  | 53  |
| 2073 | Studies on the conformation of beta-endorphin and its constituent fragments in water and trifluorethanol by CD spectroscopy. <b>1977</b> , 74, 185-9 | 35  |
| 2072 | Comparison of the N-terminal sequences of aspartate and ornithine carbamoyltransferases of Escherichia coli. <b>1977</b> , 81, 28-32                 | 27  |
| 2071 | Predictions for secondary structures of six proteins from the 50 S subunit of the Escherichia coli ribosome. <b>1977</b> , 81, 204-13                | 22  |
| 2070 | The flexible nature of a critical peptide region common to all Elapidae "short" neurotoxins. <b>1977</b> , 83, 202-6                                 | 13  |
| 2069 | Structure of the peptidoglycan of bacterial cell wassl. II. <b>1977</b> , 117, 955-74  | 35  |
| 2068 | Invariant features of the structure of pancreatic ribonuclease. A test of different predictive models. <b>1977</b> , 109, 185-93                     | 81  |
| 2067 | Triplet information in helix prediction applied to the analysis of super-secondary structures. <b>1977</b> , 109, 251-74                             | 115 |
| 2066 | Evolution of serum albumin. <b>1977</b> , 112, 543-58  | 62  |
| 2065 | Secondary structural prediction of proteins from their amino acid sequence. <b>1977</b> , 2, 128-131   | 69  |
| 2064 | The beta structure: inter-strand correlations. <b>1977</b> , 117, 821-4  | 29  |
| 2063 | Beta-turns in proteins. <b>1977</b> , 115, 135-75  | 899 |
| 2062 | Snake toxin secondary structure predictions. Structure activity relationships. <b>1977</b> , 115, 177-93   | 139 |
| 2061 | On the conformation of proteins: towards the prediction of strand arrangements in beta-pleated sheets. <b>1977</b> , 113, 401-18                     | 16  |
| 2060 | Automatic identification of secondary structure in globular proteins. <b>1977</b> , 114, 181-239   | 461 |
| 2059 | A folding model of alpha-lactalbumin deduced from the three-state denaturation mechanism. <b>1977</b> , 114, 241-58                                  | 150 |
| 2058 | Characterization of coronavirus II. Glycoproteins of the viral envelope: tryptic peptide analysis. <b>1977</b> , 77, 650-60                          | 97  |
| 2057 | Primary structure of human platelet factor 4. <b>1977</b> , 11, 893-8  | 79  |

|      |  |     |
|------|--|-----|
| 2056 | An Information Theoretical Approach to the Determination of the Secondary Structure of Globular Proteins. <b>1977</b> , 46-57  | 1   |
| 2055 | Immunoglobulins III. Comparative Biochemistry and Evolution. <b>1977</b> , 223-284   | 1   |
| 2054 | Sequence structure relationships in metalloproteins-I. A predictive model of hemerythrin. <b>1977</b> , 7, 117-28  |     |
| 2053 | An analysis of non-bonded energy of proteins. <b>1977</b> , 67, 567-84   | 50  |
| 2052 | Equivalency of linear least squares curve fitting and reciprocal functions in protein circular dichroic spectra analysis. <b>1977</b> , 7, 223-7   | 4   |
| 2051 | Evaluation of secondary structure predictions in proteins. <b>1977</b> , 491, 333-8  | 26  |
| 2050 | The secondary structure of myelin basic protein extracted by deoxycholate. <b>1977</b> , 491, 581-90   | 41  |
| 2049 | Amino acid sequence of Cro regulatory protein of bacteriophage lambda. <b>1977</b> , 270, 275-7  | 103 |
| 2048 | ACTH: a short introductory review. <b>1977</b> , 297, 3-26   | 373 |
| 2047 | Structure-function relationships in lipotropins. <b>1977</b> , 297, 63-83  | 41  |
| 2046 | Structural studies on the coat protein of alfalfa mosaic virus. The complete primary structure. <b>1977</b> , 72, 63-78  | 52  |
| 2045 | The phosphoenolpyruvate-dependent phosphotransferase system of <i>Staphylococcus aureus</i> . 1. Amino-acid sequence of the phosphocarrier protein HPr. <b>1977</b> , 75, 275-86   | 67  |
| 2044 | A kinetic study of the pH-dependent properties of the ferric undecapeptide of cytochrome c (microperoxidase). <b>1977</b> , 77, 193-9  | 76  |
| 2043 | Ionization behaviour of native apolipoproteins and of their complexes with lecithin. 1. Calorimetric and potentiometric titration of the native apoA-I protein and of the apoA-I protein-dimyristoyl lecithin complex. <b>1977</b> , 79, 251-7 | 13  |
| 2042 | Ionization behaviour of native apolipoproteins and of their complexes with lecithin. 2. Potentiometric titration of the native apo-A-II, apoC-I, apoC-III proteins and of their complexes with dimyristoyl lecithin. <b>1977</b> , 79, 259-64  | 6   |
| 2041 | Conformational features of bradykinin. A circular dichroism study of the aromatic side-chains. <b>1977</b> , 81, 395-401   | 17  |
| 2040 | Immunological properties of two related fragments from human and equine growth hormones. <b>1977</b> , 7, 701-4  | 13  |
| 2039 | The random coil goes to beta transition of copolymers of L-lysine and L-isoleucine: potentiometric titration and circular dichroism studies. <b>1977</b> , 16, 17-32   | 11  |

|      |  |     |
|------|--|-----|
| 2038 | Influence of local interactions on protein structure. I. Conformational energy studies of N-acetyl-N'-methylamides of Pro-X and X-Pro dipeptides. <b>1977</b> , 16, 811-43         | 247 |
| 2037 | Viscosity and potentiometric measurements of poly(L-histidyl-L-alanyl-alpha-L-glutamic acid) and poly(L-lysyl-L-alanyl-alpha-L-glutamic acid). <b>1977</b> , 16, 1541-55           | 6   |
| 2036 | Rotational isomerism of N-acetylamino acid methylamides having serine, tyrosine, histidine, and proline residues as revealed by Raman spectroscopy. <b>1977</b> , 16, 1795-1813    | 6   |
| 2035 | Conformational properties of L-leucine, L-isoleucine, and L-norleucine side chains in L-lysine copolymers. <b>1977</b> , 16, 1815-26   | 40  |
| 2034 | Theoretical conformational analysis of Asn1, Val5 angiotensin II. <b>1977</b> , 16, 1929-43  | 45  |
| 2033 | Calculation and use of protein-derived conformation-related spectra for the estimate of the secondary structure of proteins from their infrared spectra. <b>1977</b> , 16, 2549-63 | 40  |
| 2032 | Structural rules for globular proteins. <b>1977</b> , 16, 23-32  | 54  |
| 2031 | Regeln für Strukturen globulärer Proteine. <b>1977</b> , 89, 24-33   | 12  |
| 2030 | Prediction for secondary structures of ten proteins from the 50S subunit of the Escherichia coli ribosome. <b>1977</b> , 7, 191-204  | 8   |
| 2029 | [Lipid-protein-interactions of human apolipoproteins-structural aspects and models of lipoproteins (author's transl)]. <b>1977</b> , 55, 149-60                                    | 1   |
| 2028 | Phylogenetic studies of two rubredoxins from sulfate reducing bacteria. <b>1977</b> , 9, 111-9   | 21  |
| 2027 | The evolution of muscular parvalbumins investigated by the maximum parsimony method. <b>1977</b> , 9, 131-58   | 125 |
| 2026 | Higher frequencies of transitions among point mutations. <b>1977</b> , 9, 159-80   | 71  |
| 2025 | Use of Chou-Fasman amino acid conformational parameters to analyze the organization of the genetic code and to construct protein genealogies. <b>1977</b> , 10, 7-47               | 29  |
| 2024 | Early evolution of cellular electron transport: molecular models for the ferredoxin-rubredoxin-flavodoxin region. <b>1978</b> , 9, 27-37   | 14  |
| 2023 | Proteolysis and flash photolysis of bacteriorhodopsin in purple membrane fragments. <b>1978</b> , 4, 301-13  | 11  |
| 2022 | The covalent and tertiary structure of bovine liver rhodanese. <b>1978</b> , 273, 124-9  | 281 |
| 2021 | Synthesis and characterization of a metal-binding peptide fragment of human carbonic anhydrase B. <b>1978</b> , 7, 313-332   | 1   |

|      |   |     |
|------|---|-----|
| 2020 | On the computation of the tertiary structure of globular proteins. <b>1978</b> , 72, 443-57   | 31  |
| 2019 | NMR spectroscopy of large peptides and small proteins. <b>1978</b> , 30, 151-184  | 13  |
| 2018 | Solution properties of a cell wall protein from <i>Acetabularia (Polyphysa) cliftonii</i> . <b>1978</b> , 93, 443-461   | 3   |
| 2017 | Serum albumin domain secondary structure prediction. <b>1978</b> , 536, 106-11  | 16  |
| 2016 | The status of tyrosyl residues in a Formosan cobra cardiotoxin. <b>1978</b> , 535, 178-87   | 13  |
| 2015 | Structural stability of glycophorin. Effects of heat and guanidine . HCl. <b>1978</b> , 533, 478-86   | 9   |
| 2014 | The conformation of cardiotoxins and neurotoxins from snake venoms. <b>1978</b> , 533, 80-9   | 34  |
| 2013 | Renaturation of a reduced Taiwan cobra cardiotoxin. <b>1978</b> , 533, 105-11   | 5   |
| 2012 | Circular dichroic properties of rat liver arginase. <b>1978</b> , 9, 757-9  | 8   |
| 2011 | The amino-acid sequence of S-100 protein (PAP I-b protein) and its relation to the calcium-binding proteins. <b>1978</b> , 89, 379-88   | 283 |
| 2010 | Actin amino-acid sequences. Comparison of actins from calf thymus, bovine brain, and SV40-transformed mouse 3T3 cells with rabbit skeletal muscle actin. <b>1978</b> , 90, 451-62   | 177 |
| 2009 | Structure-activity relationships for the lipid-mobilising action of locust adipokinetic hormone. Synthesis and activity of a series of hormone analogues. <b>1978</b> , 89, 195-202   | 60  |
| 2008 | Laser-Raman spectroscopy of biomolecules. XI. Conformational study of poly(L-valine) and copolymers of L-valine and L-alanine. <b>1978</b> , 17, 125-143  | 25  |
| 2007 | Aromatic side-chain contributions to the far ultraviolet circular dichroism of peptides and proteins. <b>1978</b> , 17, 1451-1467   | 238 |
| 2006 | Influence of local interactions on protein structure. II. Conformational energy studies of N-acetyl-N <sup>?</sup> -methylamides of Ala-X and X-Ala dipeptides. <b>1978</b> , 17, 1849-1869                                   | 41  |
| 2005 | Influence of local interactions on protein structure. III. Conformational energy studies of N-acetyl-N <sup>?</sup> -methylamides of Gly-X and X-Gly dipeptides. <b>1978</b> , 17, 1871-1884                                  | 35  |
| 2004 | Influence of local interactions on protein structure. IV. Conformational energy studies of N-acetyl-N <sup>?</sup> -methylamides of Ser-X- and X-Ser dipeptides. <b>1978</b> , 17, 1885-1890                                  | 22  |
| 2003 | The effect of homologous amino acid replacement on the conformation of oligopeptides. III. CD studies on co-oligopeptides of methionine and valine or methionine and glycine in organic solution. <b>1978</b> , 17, 2213-2224 | 16  |

|      |  |     |      |
|------|--|-----|------|
| 2002 | Conformational properties of the N-terminal residues of S-peptide. I. The ribonuclease S? system. <b>1978</b> , 17, 2525-2543  |     | 5    |
| 2001 | Conformational properties of the N-terminal residues of S-peptide. II. The guanidine hydrochloride-water-trifluoroethanol system. <b>1978</b> , 17, 2545-2559                  |     | 12   |
| 2000 | Circular dichroic analysis of protein conformation: inclusion of the beta-turns. <b>1978</b> , 91, 13-31   |     | 1058 |
| 1999 | Conformational preferences of amino acids in globular proteins. <i>Biochemistry</i> , <b>1978</b> , 17, 4277-85  | 3.2 | 606  |
| 1998 | Conformation of naturally-occurring peptides in surfactant solution: its relation to the structure-forming potential of amino acid sequence. <b>1978</b> , 82, 85-91           |     | 45   |
| 1997 | Predicted beta-turns in peptide and glycopeptide anti-freezes. <b>1978</b> , 81, 1352-6  |     | 6    |
| 1996 | Polyconfiguron-model for the A-protein of coliphage MS2. <b>1978</b> , 83, 863-8   |     | 2    |
| 1995 | Conformational prediction and circular dichroism studies on ribosomal protein S4 from <i>Escherichia coli</i> . <b>1978</b> , 23, 359-73                                       |     | 11   |
| 1994 | Conformation of snake toxic polypeptides studied by a method of prediction and circular dichroism. <b>1978</b> , 60, 505-16  |     | 43   |
| 1993 | The hemoglobin of the common sting-ray, <i>Dasyatis sabina</i> : structural and functional properties. <b>1978</b> , 60, 189-93  |     | 8    |
| 1992 | At least six different actins are expressed in a higher mammal: an analysis based on the amino acid sequence of the amino-terminal tryptic peptide. <b>1978</b> , 126, 783-802 |     | 650  |
| 1991 | Complete primary structure of the small outer capsid (soc) protein of bacteriophage T4. <b>1978</b> , 120, 249-63  |     | 6    |
| 1990 | Designation of sequences involved in the "coiled-coil" interdomainal connections in fibrinogen: constructions of an atomic scale model. <b>1978</b> , 120, 311-25              |     | 175  |
| 1989 | Packing of alpha-helices: geometrical constraints and contact areas. <b>1978</b> , 119, 537-55   |     | 342  |
| 1988 | Structure of bovine liver rhodanese. <b>1978</b> , 123, 557-594  |     | 162  |
| 1987 | A survey of amino acid side-chain interactions in 21 proteins. <b>1978</b> , 118, 289-304  |     | 59   |
| 1986 | Structure of the lysozyme from bacteriophage T4: an electron density map at 2.4 A resolution. <b>1978</b> , 118, 81-98   |     | 116  |
| 1985 | Analysis of the accuracy and implications of simple methods for predicting the secondary structure of globular proteins. <b>1978</b> , 120, 97-120                             |     | 4206 |

|      |  |     |  |     |
|------|--|-----|--|-----|
| 1984 | Structure of prealbumin: secondary, tertiary and quaternary interactions determined by Fourier refinement at 1.8 Å. <b>1978</b> , 121, 339-56  |     |  | 713 |
| 1983 | The double helix coiled coil structure of murein lipoprotein from <i>Escherichia coli</i> . <b>1978</b> , 121, 493-506   |     |  | 43  |
| 1982 | An analysis of the structure of triose phosphate isomerase and its comparison with lactate dehydrogenase. <b>1978</b> , 119, 329-51  |     |  | 40  |
| 1981 | On the evolution of myoglobin. <b>1978</b> , 283, 61-163   |     |  | 85  |
| 1980 | Detection and characterization of the intermediate on the folding pathway of human alpha-lactalbumin. <i>Biochemistry</i> , <b>1978</b> , 17, 3753-8   | 3.2 |  | 100 |
| 1979 | Tyrosyl-base-phenylalanyl intercalation in gene 5 protein-DNA complexes: proton nuclear magnetic resonance of selectively deuterated gene 5 protein. <i>Biochemistry</i> , <b>1978</b> , 17, 5038-45 | 3.2 |  | 36  |
| 1978 | Conformation of cyclic peptides. 10. Conformational averaging in peptides with the sequence cyclo-(Gly-D-Xxx-L-Yyy) <sub>2</sub> . <b>1978</b> , 100, 4289-4295                                      |     |  | 22  |
| 1977 | Human insoluble lens protein. II. Isolation and characterization of a 9600 dalton polypeptide. <b>1978</b> , 26, 445-59  |     |  | 60  |
| 1976 | Stability and troponin-T binding properties of rabbit skeletal alpha-tropomyosin fragments. <b>1978</b> , 87, 95-8   |     |  | 19  |
| 1975 | Polypeptide secondary structure may direct the specificity of prohormone conversion. <b>1978</b> , 87, 111-4   |     |  | 39  |
| 1974 | Salt-induced conformational changes in, and secondary structure analysis of, halophile ribosomal 'A' proteins equivalent to EL7/EL12. <b>1978</b> , 85, 279-82                                       |     |  | 4   |
| 1973 | The evolution of elongation factors Tu and G by gene duplication. <b>1978</b> , 92, 200-2  |     |  | 11  |
| 1972 | The Chou-Fasman secondary structure prediction method with an extended data base. <b>1978</b> , 93, 19-24  |     |  | 56  |
| 1971 | The hydrophobic anchor of small-intestinal sucrase--isomaltase: N-terminal sequence of isomaltase subunit. <b>1978</b> , 96, 183-8   |     |  | 86  |
| 1970 | Association of the major coat protein of fd bacteriophage with phospholipid vesicles. <b>1978</b> , 510, 18-37   |     |  | 34  |
| 1969 | The interaction of bee melittin with lipid bilayer membranes. <b>1978</b> , 510, 75-86   |     |  | 216 |
| 1968 | The intramembranous segment of human erythrocyte glycophorin A. <b>1978</b> , 185, 21-9  |     |  | 73  |
| 1967 | Fluorimetric studies of actin labeled with dansyl aziridine. <b>1978</b> , 185, 285-99   |     |  | 38  |



|      |  |     |
|------|--|-----|
| 1966 | Sequence Homologies in Helical Segments from $\beta$ Keratin. <b>1978</b> , 48, 160-162  | 5   |
| 1965 | Frñjahrstagung der Gesellschaft frñBiologische Chemie. <b>1978</b> , 359,  |     |
| 1964 | SociñBelge De Biochimie Belgische Vereniging Voor Biochemie. <b>1978</b> , 86, 837-974   |     |
| 1963 | Nucleotide sequence of the O gene and of the origin of replication in bacteriophage lambda DNA. <b>1978</b> , 5, 3141-56   | 84  |
| 1962 | Amino acid sequences of alpha-helical segments from S-carbosymethylkerateine-A. Complete sequence of a type-I segment. <b>1978</b> , 173, 373-85   | 45  |
| 1961 | Three neurotoxins from the venom of a sea snake <i>Astrotia stokesii</i> , including two long-chain neurotoxic proteins with amidated C-termini. <b>1978</b> , 175, 507-17                     | 28  |
| 1960 | Prediction of protein structure from amino acid sequence. <b>1978</b> , 6, 1119-23   | 1   |
| 1959 | Evidence for an essential arginine recognition site on adenosine 3':5'-cyclic monophosphate-dependent protein kinase of rabbit skeletal muscle. <b>1978</b> , 173, 441-7                       | 27  |
| 1958 | Amino acid sequences of the two polypeptide chains in beta1-bungarotoxin from the venom of <i>Bungarus multicinctus</i> . <b>1978</b> , 83, 101-15   | 100 |
| 1957 | Proposed knobs-into-holes packing for several membrane proteins. <b>1978</b> , 2, 1-16   | 21  |
| 1956 | Amino acid sequence of tyrosinase from <i>Neurospora crassa</i> . <b>1978</b> , 75, 3635-9   | 89  |
| 1955 | Common ancestor for concanavalin A and lentil lectin?. <b>1978</b> , 75, 1136-9  | 56  |
| 1954 | Insulin-like growth factor: a model for tertiary structure accounting for immunoreactivity and receptor binding. <b>1978</b> , 75, 180-4   | 233 |
| 1953 | Studies on the ferredoxin-ferredoxin-NADP reductase complex: kinetic and solvent perturbation studies on the location of sulfhydryl and aromatic amino acid residues. <b>1978</b> , 84, 707-17 | 23  |
| 1952 | CHEMISTRY AND BIOCHEMISTRY OF SNAKE VENOM NEUROTOXINS. <b>1978</b> , 261-292   | 4   |
| 1951 | Primary structure of the Hong Kong (H3) haemagglutinin. <b>1979</b> , 35, 51-6   | 51  |
| 1950 | SHORT COMMUNICATION. <b>1979</b> , 360, 1497-1516  | 4   |
| 1949 | Principles of Protein Structure. <b>1979</b> ,   | 821 |

|      |   |     |
|------|---|-----|
| 1948 | Conformational analysis of serum apolipoprotein All in lipoprotein complexes with bifunctional crosslinking reagents. <b>1979</b> , 360, 691-707                                  | 10  |
| 1947 | Peptidkonformationen, VI. Festlegung von intramolekularen Wasserstoffbrücken in cyclo(-Phe-Gly-Xxx-Val-Ala-) durch <sup>1</sup> H-NMR-Spektroskopie. <b>1979</b> , 112, 3538-3551 | 18  |
| 1946 | Use of amide <sup>1</sup> H-nmr titration shifts for studies of polypeptide conformation. <b>1979</b> , 18, 299-311   | 106 |
| 1945 | Conformational energy calculations with averaged potential functions: Application to the repeat peptides of elastin. <b>1979</b> , 18, 359-372                                    | 3   |
| 1944 | The conformation and aggregation of bovine $\beta$ -casein A. I. Molecular aspects of thermal aggregation. <b>1979</b> , 18, 1105-1121  | 108 |
| 1943 | Application of fluorescence spectroscopy to the study of proteins at interfaces. <b>1979</b> , 72, 265-278  | 58  |
| 1942 | Comparison of the predicted model of alpha-lytic protease with the x-ray structure. <b>1979</b> , 279, 165-8  | 44  |
| 1941 | Antiparallel and parallel beta-strands differ in amino acid residue preferences. <b>1979</b> , 282, 109-11  | 177 |
| 1940 | A novel enzyme in rat brain converting beta-endorphin into methionine enkephalin: affinity chromatography and specificity. <b>1979</b> , 33, 1233-7                               | 9   |
| 1939 | The kinetics of Schiff-base formation during reconstitution of D-serine apodehydratase from Escherichia coli with pyridoxal 5'-phosphate. <b>1979</b> , 94, 207-14                | 8   |
| 1938 | 270-MHz <sup>1</sup> H nuclear-magnetic-resonance study of Met-enkephalin in water. Conformational behaviour as a function of pH. <b>1979</b> , 95, 367-76                        | 32  |
| 1937 | The quaternary structure of bovine alpha-crystallin. Surface probing by limited proteolysis in vitro. <b>1979</b> , 96, 431-40  | 53  |
| 1936 | Trans-membrane translocation of proteins. The direct transfer model. <b>1979</b> , 97, 175-81   | 307 |
| 1935 | Complete amino acid sequence of the myoglobin from the Pacific sei whale, Balaenoptera borealis. <b>1979</b> , 577, 464-74  | 7   |
| 1934 | Beta-structures of polypeptides with L-and D-residues. Part II. Statistical analysis and enrichment in enantiomer. <b>1979</b> , 13, 47-56  | 29  |
| 1933 | Conformational analysis of a snake neurotoxin by prediction from sequence, circular dichroism, and raman spectroscopy. <b>1979</b> , 193, 407-14                                  | 15  |
| 1932 | Effect of nitration on prolactin activities. <b>1979</b> , 192, 112-9   | 11  |
| 1931 | Studies on the structural requirements of a microsomal cAMP-independent protein kinase. <b>1979</b> , 106, 76-80  | 51  |

|      |   |     |     |
|------|---|-----|-----|
| 1930 | Predicted secondary structures of amino-terminal extension sequences of secreted proteins. <b>1979</b> , 103, 308-13                                    |     | 156 |
| 1929 | Experimental studies of protein folding and unfolding. <b>1978</b> , 33, 231-97   |     | 434 |
| 1928 | Structural features determining the site specificity of a rat liver cAMP-independent protein kinase. <b>1979</b> , 87, 114-20                           |     | 60  |
| 1927 | Involvement of arginine residues in the binding site of cholera toxin subunit B. <b>1979</b> , 91, 1005-10  |     | 36  |
| 1926 | Prediction of beta-turns. <b>1979</b> , 26, 367-83  |     | 337 |
| 1925 | Conservation of chain reversal regions in proteins. <b>1979</b> , 26, 385-99  |     | 20  |
| 1924 | Binding of mammalian ribosomes to MS2 phage RNA reveals an overlapping gene encoding a lysis function. <b>1979</b> , 18, 247-56                         |     | 120 |
| 1923 | Primary structure of rabbit alpha-lactalbumin. <i>Biochemistry</i> , <b>1979</b> , 18, 5182-91  | 3.2 | 48  |
| 1922 | Probable mechanism of enzyme evolution: how did EBG of E. coli originate?. <b>1979</b> , 5, 1263-71   |     | 1   |
| 1921 | On the structure of proteoglycan core. <b>1979</b> , 1, 89-92   |     | 7   |
| 1920 | Structure of bovine beta-lactoglobulin at 6A resolution. <b>1979</b> , 131, 375-97  |     | 50  |
| 1919 | The "cytochrome b5 fold": structure of a novel protein superfamily. <b>1979</b> , 135, 639-50   |     | 75  |
| 1918 | Immunological studies on erabutoxin b, a sea snake toxin. Attempts to locate the amino acid residues determining antigenicity. <b>1979</b> , 17, 571-82 |     | 15  |
| 1917 | A Hong Kong influenza hemagglutinin light chain: amino acid sequence of cyanogen bromide fragment CN2. <b>1979</b> , 95, 107-18                         |     | 13  |
| 1916 | Beta-turns in nascent procollagen are sites of posttranslational enzymatic hydroxylation of proline. <b>1979</b> , 76, 5119-23                          |     | 32  |
| 1915 | Complete amino acid sequence of a histidine-rich proteolytic fragment of human ceruloplasmin. <b>1979</b> , 76, 1668-72                                 |     | 30  |
| 1914 | Vibrational analysis of peptides, polypeptides, and proteins: Characteristic amide bands of beta-turns. <b>1979</b> , 76, 774-7                         |     | 131 |
| 1913 | beta-Endorphin: formation of alpha-helix in lipid solutions. <b>1979</b> , 76, 3656-9   |     | 58  |

|      |  |     |
|------|--|-----|
| 1912 | Evidence for internal homology in bovine preproparathyroid hormone. <b>1979</b> , 76, 1469-71  | 15  |
| 1911 | Complexity transmission during replication. <b>1979</b> , 76, 2288-92  | 4   |
| 1910 | Amino acid sequence homology between histone H5 and murine leukemia virus phosphoprotein p12. <b>1979</b> , 203, 1346-8  | 17  |
| 1909 | Studies on the physicochemical structure and stability of an active fragment (T2A) of colicin E3. <b>1980</b> , 87, 761-9  | 8   |
| 1908 | Liquid Phase Peptide Synthesis by Fragment Condensation on Soluble Polymer Support. IV. Relative Reactivities of N-t-Butoxycarbonyl-(Boc)amino Acids and Boc-Oligopeptide Acids in Their Esterification with Soluble Chloromethylated Polystyrene. <b>1980</b> , 53, 2405-2406           | 1   |
| 1907 | Liquid-phase Peptide Synthesis by Fragment Condensation on a Soluble Polymer Support. III. The Influence of the Content and the Chain Length of a Peptide Anchored to a Soluble Polymer Support on the Reactivity of the Amino-free Terminal of the Peptide. <b>1980</b> , 53, 1028-1033 | 11  |
| 1906 | Secondary-structure prediction from the sequence of Drosophila melanogaster (fruitfly) alcohol dehydrogenase. <b>1980</b> , 187, 884-6   | 56  |
| 1905 | Localization of the amino acid substitution site in a new variant of human serum albumin, albumin Mexico-2. <b>1980</b> , 77, 2505-9   | 21  |
| 1904 | Primary structure of elongation factor Tu from Escherichia coli. <b>1980</b> , 77, 1326-30   | 191 |
| 1903 | Identification of a region susceptible to proteolysis in myosin subfragment-2. <b>1980</b> , 77, 2010-3  | 30  |
| 1902 | Partial amino acid sequence of human factor D:homology with serine proteases. <b>1980</b> , 77, 1116-9   | 22  |
| 1901 | Sequences of the recA gene and protein. <b>1980</b> , 77, 2611-5   | 263 |
| 1900 | Conformational studies of the synthetic precursor-specific region of preproparathyroid hormone. <b>1980</b> , 77, 3983-7   | 107 |
| 1899 | Evolution of the amino acid substitution in the mammalian myoglobin gene. <b>1980</b> , 15, 197-218  | 22  |
| 1898 | New fluorogenic substrates for a rat brain proline endopeptidase. <b>1980</b> , 105, 58-64   | 22  |
| 1897 | Hydrogen exchange in hydrated films of proteins. Application to the E. coli lac repressor core. <b>1980</b> , 12, 279-84   | 5   |
| 1896 | Protein chemical approaches for the investigation of T4-head morphogenesis. <b>1980</b> , 12, 225-38   | 9   |
| 1895 | Binding of nicotinamide-adenine dinucleotide to rabbit muscle aldolase. <b>1980</b> , 612, 455-9   | 4   |

|      |  |        |
|------|--|--------|
| 1894 | Conformation of colipase. Prediction of the secondary structure, circular dichroism and 360 MHz proton NMR studies of porcine colipase A. <b>1980</b> , 621, 29-42   | 33     |
| 1893 | The secondary structure of staphylococcal enterotoxins A, B and C. <b>1980</b> , 621, 233-40   | 13     |
| 1892 | The influence of primary structure changes on the higher order structure of histone H2B. <b>1980</b> , 623, 429-38   | 2      |
| 1891 | Structure of a family of rat amylase genes. <b>1980</b> , 287, 117-22  | 149    |
| 1890 | Nucleotide sequence of an avian sarcoma virus oncogene (src) and proposed amino acid sequence for gene product. <b>1980</b> , 287, 198-203   | 292    |
| 1889 | Demonstration of specific receptors of the rough endoplasmic membrane for the signal sequence of carp preproinsulin. <b>1980</b> , 107, 185-95   | 34     |
| 1888 | Primary structure of triosephosphate isomerase from <i>Bacillus stearothermophilus</i> . <b>1980</b> , 108, 599-611  | 44     |
| 1887 | Prediction of secondary structural elements in glycerol-3-phosphate dehydrogenase by comparison with other dehydrogenases. <b>1980</b> , 109, 325-30   | 55     |
| 1886 | Localisation and importance of the sugar part of human casein. <b>1980</b> , 111, 333-9  | 43     |
| 1885 | Amino acid sequence of cytochrome c from rice. <b>1980</b> , 87, 249-66  | 13     |
| 1884 | The dynamics of membrane structure. <b>1980</b> , 8, 1-117   | 106    |
| 1883 | Influenza virus haemagglutinin. Structural predictions suggest that the fibrillar appearance is due to the presence of a coiled-coil. <b>1980</b> , 33, 441-7  | 30     |
| 1882 | Cloning of influenza cDNA into M13: the sequence of the RNA segment encoding the A/PR/8/34 matrix protein. <b>1980</b> , 8, 1965-74  | 229    |
| 1881 | Refolding of reduced short neurotoxins: circular dichroism analysis. <i>Biochemistry</i> , <b>1980</b> , 19, 4166-72   | 3.2 43 |
| 1880 | The complete primary structures of three cytotoxins (CM-6, CM-7 and CM-7A) from <i>Naja naja kaouthia</i> (Siamese cobra) snake venom. <b>1980</b> , 18, 455-67  | 24     |
| 1879 | Amino acid preferences for secondary structure vary with protein class. <b>1980</b> , 2, 387-389   | 38     |
| 1878 | Decrease of $\alpha$ helix potential and biological activity of $\beta$ endorphin in response to modifications of Met5. <b>1980</b> , 1, 47-51   | 4      |
| 1877 | Amino acid sequence of the lambda type light chain of a human IgG1 myeloma protein (MOT) with unusual antigenicity: a possible new subgroup of lambda chain having a unique N-terminal sequence. <b>1980</b> , 17, 1407-14 | 5      |

|      |  |     |     |
|------|--|-----|-----|
| 1876 | Intramolecularly hydrogen-bonded peptide conformations. <b>1980</b> , 9, 1-44  |     | 339 |
| 1875 | Reverse turns in peptides and proteins. <b>1980</b> , 8, 315-99  |     | 430 |
| 1874 | Probing the biologically and immunologically active conformation of beta-endorphin: studies on C-terminal deletion analogs. <b>1980</b> , 95, 1623-7                                       |     | 15  |
| 1873 | Terminal sequences of lysosome solubilized pig liver cytochrome b5 reductase. <b>1980</b> , 95, 1650-5   |     | 12  |
| 1872 | Peptides, opiate receptors, and cerebroside sulfate: an hypothesis. <b>1980</b> , 4, 111-22  |     | 6   |
| 1871 | Predicted secondary structure of cytoplasmic aspartate aminotransferase from pig heart. <b>1980</b> , 111, 56-60   |     |     |
| 1870 | PREDICTION OF PROTEIN CONFORMATION FROM THE PRIMARY STRUCTURE *. <b>1980</b> , 348, 147-159  |     | 22  |
| 1869 | Identification of the lipid binding site of the phosphatidylcholine exchange protein with a photosensitive nitrene and carbene precursor of phosphatidylcholine. <b>1980</b> , 348, 244-55 |     | 15  |
| 1868 | X-ray and neutron scattering studies of plasma lipoproteins. <b>1980</b> , 348, 284-98   |     | 46  |
| 1867 | Nuclear magnetic resonance of the filamentous bacteriophage fd. <b>1980</b> , 32, 531-48   |     | 29  |
| 1866 | Substrate conformation directs selective enzymic cleavage of beta-lipotropin into beta-endorphin. <b>1980</b> , 93, 1089-93  |     | 14  |
| 1865 | Chou-Fasman analysis of the secondary structure of F and Le interferons. <b>1980</b> , 95, 872-9   |     | 25  |
| 1864 | Configuron dependence on translation of specific codon pairs. I. Helical regions of human alpha and beta globins. <b>1980</b> , 97, 868-74   |     |     |
| 1863 | Designing biologically active polypeptides. <b>1980</b> , 5, 240-244   |     | 7   |
| 1862 | Fructose-bisphosphate aldolase from <i>Helix pomatia</i> II. Chemical and physical properties. <b>1980</b> , 67, 233-238   |     | 2   |
| 1861 | Physical chemical studies of the structure and function of DNA binding (helix-destabilizing) proteins. <b>1980</b> , 7, 247-89   |     | 100 |
| 1860 | Isolation and characterization of a photoaffinity-labeled peptide from the catalytic site of prenyltransferase. <i>Biochemistry</i> , <b>1981</b> , 20, 3711-8                             | 3.2 | 47  |
| 1859 | Reversed unfolding-refolding process of cobra neurotoxin. <i>Biochemistry</i> , <b>1981</b> , 20, 7415-23  | 3.2 | 17  |

|      |   |     |      |
|------|---|-----|------|
| 1858 | Primary structure of the hydrophobic plant protein crambin. <i>Biochemistry</i> , <b>1981</b> , 20, 5437-43   | 3.2 | 103  |
| 1857 | Eye-lens proteins: the three-dimensional structure of beta-crystallin predicted from monomeric gamma-crystallin. <b>1981</b> , 133, 9-16  |     | 104  |
| 1856 | Transmembrane assembly of membrane and secretory glycoproteins. <b>1981</b> , 211, 1-19   |     | 178  |
| 1855 | Secondary structure of bovine alpha s1- and beta-casein in solution. <b>1981</b> , 211, 689-96  |     | 152  |
| 1854 | Structural stability of halophilic proteins. <i>Biochemistry</i> , <b>1981</b> , 20, 6536-43  | 3.2 | 82   |
| 1853 | Secondary structure prediction of plant virus coat proteins. <b>1981</b> , 110, 55-62   |     | 36   |
| 1852 | The structure of the gene encoding the nucleoprotein of human influenza virus A/PR/8/34. <b>1981</b> , 114, 423-8   |     | 95   |
| 1851 | Equilibrium distribution of conformations for Met5-enkephalin predicted by energy calculation and related to experiment. <b>1981</b> , 3, 37-45   |     | 6    |
| 1850 | Interactions of gamma-immunoglobulins with lipid mono- or bilayers and liposomes. Existence of two conformations of gamma-immunoglobulins of different hydrophobicities. <b>1981</b> , 18, 621-31 |     | 27   |
| 1849 | Decoding the pattern of protein evolution. <b>1981</b> , 38, 105-64   |     | 118  |
| 1848 | Nucleotide sequence of the gene coding for the delta subunit of proton translocating ATPase of <i>Escherichia coli</i> . <b>1981</b> , 102, 172-9   |     | 58   |
| 1847 | Incorporation of melittin into phosphatidylcholine bilayers. Study of binding and conformational changes. <b>1981</b> , 134, 37-42  |     | 151  |
| 1846 | Sequence organization of the origins of DNA replication in lambdoid coliphages. <b>1981</b> , 14, 91-101  |     | 23   |
| 1845 | Architecture of scorpion neurotoxins: a class of membrane-binding proteins. <b>1981</b> , 6, 291-296  |     | 53   |
| 1844 | Rat liver gap junction protein: properties and partial sequence. <b>1981</b> , 78, 7594-8   |     | 87   |
| 1843 | Prediction of protein antigenic determinants from amino acid sequences. <b>1981</b> , 78, 3824-8  |     | 3120 |
| 1842 | Sequence determination of the thiolester site of the fourth component of human complement. <b>1981</b> , 78, 7388-92  |     | 76   |
| 1841 | Structural analysis of an electrophoretically cryptic alcohol dehydrogenase variant from an Australian population of <i>Drosophila melanogaster</i> . <b>1981</b> , 78, 3103-7                    |     | 29   |

|      |  |     |
|------|--|-----|
| 1840 | Structural and functional alterations in microtubule protein from Chinese hamster ovary cell mutants. <b>1981</b> , 78, 5638-42  | 56  |
| 1839 | Amino acid sequence of immunity protein (B subunit) of colicin E3. <b>1981</b> , 89, 1609-18   | 18  |
| 1838 | Analysis of structural similarities between brain Thy-1 antigen and immunoglobulin domains. Evidence for an evolutionary relationship and a hypothesis for its functional significance. <b>1981</b> , 195, 31-40 | 95  |
| 1837 | Chemical and physical characterization of a proline-rich polypeptide from sheep colostrum. <b>1981</b> , 199, 9-15   | 37  |
| 1836 | The amino-acid sequence of the alpha subunit of the mitogenic lectin from <i>Vicia sativa</i> . <b>1981</b> , 113, 319-25  | 26  |
| 1835 | Structural studies of the non-histone chromosomal proteins HMG-T and H6 from trout testis. <b>1981</b> , 119, 545-51   | 19  |
| 1834 | Conformation studies of histone H1(0) in comparison with histones H1 and H5. <b>1981</b> , 120, 371-7  | 54  |
| 1833 | Three-dimensional structure of actinoxanthin. III. A 4-Å-resolution. <b>1981</b> , 20, 679-694   | 6   |
| 1832 | <sup>13</sup> C-Nmr studies of ACTH: Assignment of resonances and conformational features. <b>1981</b> , 20, 901-913   | 14  |
| 1831 | Conformational properties of central nervous system myelin basic protein, beta-endorphin, and beta-lipotropin in water and in the presence of anionic lipids. <b>1981</b> , 20, 1421-34                          | 39  |
| 1830 | Homology in protein sequences expressed by correlation coefficients. <b>1981</b> , 91, 347-61  | 62  |
| 1829 | Isolation and photo-oxidation of lysozyme fragments. <b>1981</b> , 20, 67-77   | 8   |
| 1828 | Ubiquitin - protein conjugates. <b>1981</b> , 40, 173-87   | 93  |
| 1827 | Sequence-dependent conformations of short polypeptides in a hydrophobic environment. <b>1981</b> , 40, 109-22  | 55  |
| 1826 | The sequence of IS4. <b>1981</b> , 181, 169-75   | 69  |
| 1825 | The nucleotide sequence of the atp genes coding for the F0 subunits a, b, c and the F1 subunit delta of the membrane bound ATP synthase of <i>Escherichia coli</i> . <b>1981</b> , 184, 33-9                     | 127 |
| 1824 | Nucleotide and corresponding amino acid sequences encoded by alpha and beta tubulin mRNAs. <b>1981</b> , 289, 650-5  | 381 |
| 1823 | Prediction of the secondary structure of myelin basic protein. <b>1981</b> , 36, 1543-60   | 51  |



|      |  |     |
|------|--|-----|
| 1822 | Protein structural models for nucleic acid interactions. <b>1981</b> , 93, 609-26  | 8   |
| 1821 | Modeling blue copper proteins: a structure for stellacyanin. <b>1981</b> , 56, 149-156   | 13  |
| 1820 | Structure and function of insect peptide hormones. <b>1981</b> , 11, 353-360   | 19  |
| 1819 | A variant of prealbumin from amyloid fibrils in familial polyneuropathy of Jewish origin. <b>1981</b> , 154, 989-93  | 68  |
| 1818 | Hemoglobins, XXXVIII. Amino acid sequence of a dimeric hemoglobin (erythrocrucorin), component VI from <i>Chironomus thummi thummi</i> (CTT VI). <b>1981</b> , 362, 261-73 | 17  |
| 1817 | Hämoglobine, XXXIX. Aminosäuresequenz eines dimeren Hämoglobins (Erythrocrucorin) von <i>Chironomus thummi thummi</i> : Komponente CTT VIII. <b>1981</b> , 362, 409-420    | 10  |
| 1816 | Localisation of the prosthetic sugar groups of bovine colostrum kappa-casein. <b>1981</b> , 362, 1447-54   | 10  |
| 1815 | Glucagon: structure-function relationships investigated by sequence deletions. <b>1981</b> , 362, 665-77   | 39  |
| 1814 | A model for the structure of chromatin in mammalian sperm. <b>1982</b> , 93, 298-305   | 445 |
| 1813 | Chemical studies on the structure of human serum high-density lipoprotein (HDL). Photochemical crosslinking of azido-labelled lipids in HDL. <b>1982</b> , 363, 19-31      | 11  |
| 1812 | Primary structure of the C-terminal cyanogen bromide fragments II, III and IV from bovine brain proteolipid-apoprotein. <b>1982</b> , 363, 855-64                          | 19  |
| 1811 | Parathyroid hormone: chemistry, biosynthesis, and mode of action. <b>1982</b> , 35, 323-96   | 124 |
| 1810 | Closely related families of genes code for the alpha and alpha' subunits of the soybean 7S storage protein complex. <b>1982</b> , 10, 8225-44                              | 101 |
| 1809 | Structural sequences are conserved in the genes coding for the alpha, alpha' and beta-subunits of the soybean 7S seed storage protein. <b>1982</b> , 10, 8245-61           | 65  |
| 1808 | Milk proteins: molecular, colloidal and functional properties. <b>1982</b> , 49, 679-693   | 61  |
| 1807 | DNA sequence coding for an antifreeze protein precursor from winter flounder. <b>1982</b> , 79, 335-9  | 73  |
| 1806 | Sequence of galR gene indicates a common evolutionary origin of lac and gal repressor in <i>Escherichia coli</i> . <b>1982</b> , 79, 2427-31                               | 113 |
| 1805 | 12 Pancreatic Ribonuclease. <b>1982</b> , 15, 317-433  | 140 |

|      |  |     |     |
|------|--|-----|-----|
| 1804 | Completion of the amino acid sequences of the A and B chains of subcomponent C1q of the first component of human complement. <b>1982</b> , 203, 559-69   |     | 63  |
| 1803 | Conformational aspects of N-glycosylation of proteins. Studies with linear and cyclic peptides as probes. <b>1982</b> , 203, 761-8   |     | 51  |
| 1802 | Conformational analysis of corticotropin (ACTH) and conformation-activity relationship. <b>1981</b> , 63, 907-10   |     | 5   |
| 1801 | The nucleotide sequence of the araC regulatory gene in <i>Salmonella typhimurium</i> LT2. <b>1982</b> , 18, 157-63   |     | 25  |
| 1800 | Biochemical characterization of a specific phosphate acceptor of nuclear cyclic AMP-independent protein kinase. <b>1982</b> , 719, 32-9  |     | 4   |
| 1799 | Structure function analysis of an arthropod peptide hormone: proctolin and synthetic analogues compared on the cockroach hindgut receptor. <b>1982</b> , 3, 337-44                                 |     | 41  |
| 1798 | References. <b>1982</b> , 175-199  |     |     |
| 1797 | Synthesis of the antibacterial peptide cecropin A (1-33). <i>Biochemistry</i> , <b>1982</b> , 21, 5020-31  | 3.2 | 334 |
| 1796 | Secondary structure prediction of protamines. <b>1982</b> , 4, 3-8   |     | 14  |
| 1795 | Rat relaxin: insulin-like fold predicts a likely receptor binding region. <b>1982</b> , 4, 399-405   |     | 18  |
| 1794 | Nucleotide sequence of the Q gene and the Q to S intergenic region of bacteriophage lambda. <b>1982</b> , 117, 81-92   |     | 37  |
| 1793 | Local secondary structure in ribonuclease A denatured by guanidine . HCl near 1 degree C. <b>1982</b> , 162, 173-86  |     | 38  |
| 1792 | On the problem of comparing protein structures. Development and applications of a new method for the assessment of structural similarities of polypeptide conformations. <b>1982</b> , 156, 359-88 |     | 46  |
| 1791 | The three-dimensional structure of scorpion neurotoxins. <b>1982</b> , 20, 1-7   |     | 76  |
| 1790 | Role of aromatic residues in the structure-function relationship of alpha-bungarotoxin. <i>Biochemistry</i> , <b>1982</b> , 21, 2592-600   | 3.2 | 28  |
| 1789 | Beta sheet of alpha helix transition in the binding subunit of cholera toxin. <b>1982</b> , 105, 398-403   |     | 3   |
| 1788 | Secondary structure of sea anemone toxins. <b>1982</b> , 141, 124-127  |     | 13  |
| 1787 | A photo-CIDNP investigation of tyrosine mobility and exposure in human $\beta$ -endorphin in the presence of phospholipid micelles. <b>1982</b> , 145, 277-280                                     |     | 11  |

|      |  |     |
|------|--|-----|
| 1786 | An 88 amino acid long C-terminal sequence of human lactotransferrin. <b>1982</b> , 142, 107-10   | 9   |
| 1785 | A molecular basis for the interactions of corticotropin with opiate receptors. <b>1982</b> , 137, 209-12   | 7   |
| 1784 | Secondary structure of the cecropins: antibacterial peptides from the moth <i>Hyalophora cecropia</i> . <b>1982</b> , 137, 283-7                               | 102 |
| 1783 | Isolation and characterisation of active fragments of protein phosphatase inhibitor-1 from rabbit skeletal muscle. <b>1982</b> , 147, 54-8                     | 55  |
| 1782 | Structure-activity relationships of peptides derived from ACTH, beta-LPH and MSH with regard to avoidance behavior in rats. <b>1982</b> , 16, 67-102           | 36  |
| 1781 | The conformation and molecular biology of pancreatic hormones and homologous growth factors. <b>1982</b> , 13, 141-213   | 15  |
| 1780 | Theory of helix-coil transitions of .alpha.-helical, two-chain, coiled coils. <b>1982</b> , 15, 303-314  | 41  |
| 1779 | ABSORPTION LOSS OF PEPTIDES TO THE PLASTIC TUBE IN RADIORECEPTOR ASSAY OF CALCITONIN AND ENDORPHIN : PROTECTION BY DETERGENTS. <b>1982</b> , 32, 413-418       | 1   |
| 1778 | PREDICTION OF THE SECONDARY STRUCTURE OF PROTEINS. <b>1982</b> , 455-468   | 1   |
| 1777 | Assignment of a of <i>Bacillus cereus</i> ATCC 7064 to an exo-oligo-1,6-glucosidase. <b>1982</b> , 704, 476-483  | 37  |
| 1776 | The effect of guanidine hydrochloride on the conformation of bovine pancreatic DNAase I as measured with circular dichroism. <b>1982</b> , 700, 165-70         | 2   |
| 1775 | Secondary structure predictions for silkworm chorion proteins. <b>1982</b> , 700, 42-51  | 46  |
| 1774 | Aplysia myoglobin with an unusual heme environment. <b>1982</b> , 701, 138-141   | 23  |
| 1773 | The hydrogen ion titration of Taiwan cobra neurotoxin and cardiotoxin. <b>1982</b> , 702, 193-196  | 2   |
| 1772 | Effect of short- and long-range interactions on protein folding. <b>1982</b> , 1, 281-304  | 7   |
| 1771 | Multisite phosphorylation of glycogen synthase from rabbit skeletal muscle. Organisation of the seven sites in the polypeptide chain. <b>1982</b> , 124, 37-45 | 117 |
| 1770 | Insect immunity: isolation and structure of cecropins B and D from pupae of the Chinese oak silk moth, <i>Antheraea pernyi</i> . <b>1982</b> , 127, 219-24     | 86  |
| 1769 | A BASIC microcomputer program for plotting the secondary structure of proteins. <b>1982</b> , 15, 163-8  | 41  |

|      |   |     |
|------|---|-----|
| 1768 | Microdomain dynamics in folding proteins. <b>1982</b> , 21, 1275-1300   | 21  |
| 1767 | Cooperative effects in $\alpha$ -helices: An ab initio molecular-orbital study. <b>1982</b> , 21, 1749-1761   | 45  |
| 1766 | Conformation and Biological Activity of Cyclic Peptides. <b>1982</b> , 21, 512-523  | 758 |
| 1765 | The use of synthetic gamma-chain peptides in the localization of the binding site(s) on human IgG1 for the Fc receptors of homologous monocytes and heterologous mouse macrophages. <b>1982</b> , 4, 215-21             | 21  |
| 1764 | A theoretical consideration of the lysine-rich histones: H1 from a mammal and an echinoderm, H5 from erythrocytes. <b>1982</b> , 96, 327-36   | 8   |
| 1763 | Improving the residual representation of proteins. <b>1982</b> , 98, 621-635  | 2   |
| 1762 | Possible conformation of delta-lysin, a membrane-damaging peptide of Staphylococcus aureus. <b>1982</b> , 94, 535-40  | 58  |
| 1761 | Structural homology of lens crystallins. A method to detect protein structural homology from primary sequences. <b>1983</b> , 131, 143-8  | 24  |
| 1760 | Conformation and domain structure of the non-histone chromosomal proteins, HMG 1 and 2. Isolation of two folded fragments from HMG 1 and 2. <b>1983</b> , 131, 367-74   | 40  |
| 1759 | Amino-acid sequence of feather keratin from fowl. <b>1983</b> , 132, 501-7  | 95  |
| 1758 | AMINO ACID SEQUENCE OF FEATHER KERATIN FROM FOWL. <b>1983</b> , 132, 506-507  | 4   |
| 1757 | The primary structure of subunit II of NADH dehydrogenase from bovine-heart mitochondria. <b>1983</b> , 134, 145-50   | 32  |
| 1756 | Investigation by photochemically-induced dynamic nuclear polarization and nuclear Overhauser enhancement $^1\text{H-NMR}$ of the interaction between beta-endorphin and phospholipid micelles. <b>1983</b> , 134, 371-6 | 22  |
| 1755 | Conformational properties of phospholipases A2. Secondary-structure prediction, circular dichroism and relative interface hydrophobicity. <b>1983</b> , 137, 537-44   | 106 |
| 1754 | [Not Available]. <b>1983</b> , 15, 299-322  |     |
| 1753 | Markov analysis of alpha-helical, beta-sheet and random coil regions of proteins. <b>1983</b> , 37, 89-94   | 4   |
| 1752 | Structural homology between hard alpha-keratin and the intermediate filament proteins desmin and vimentin. <b>1983</b> , 3, 73-8  | 66  |
| 1751 | Instability of terminal amino acid residues in oligopeptides in sodium dodecyl sulfate solution. <b>1983</b> , 746, 72-80   | 14  |

|      |  |     |     |
|------|--|-----|-----|
| 1750 | Structural homology of lens crystallins. III. Secondary structure estimation from circular dichroism and prediction from amino acid sequences. <b>1983</b> , 748, 56-67  |     | 61  |
| 1749 | Assessment of secondary-structure prediction of proteins. Comparison of computerized Chou-Fasman method with others. <b>1983</b> , 748, 285-99   |     | 88  |
| 1748 | Amino acid sequence of the small subunit of d-ribulosebisphosphate carboxylase/oxygenase from <i>nicotiana tabacum</i> . <b>1983</b> , 742, 78-83  |     | 33  |
| 1747 | Human lactotransferrin: molecular, functional and evolutionary comparisons with human serum transferrin and hen ovotransferrin. <b>1983</b> , 39, 135-41   |     | 50  |
| 1746 | The lac carrier protein in <i>Escherichia coli</i> . <b>1983</b> , 76, 95-112  |     | 193 |
| 1745 | Mutations and the conformational stability of globular proteins. <b>1983</b> , 70, 434-8   |     | 10  |
| 1744 | Theory of protein secondary structure and algorithm of its prediction. <b>1983</b> , 22, 15-25   |     | 236 |
| 1743 | Tyrosine optical activity as a probe of the conformation and interactions of fibronectin. <b>1983</b> , 22, 821-31   |     | 35  |
| 1742 | Mobility of oligopeptides on normal-phase silica: effect of positional isomerism. <b>1983</b> , 22, 1401-7   |     | 0   |
| 1741 | Conformation of sequential polypeptides of (Lysi-Leuj), (Lysi-Serj), and (Lys-Gly) in sodium dodecyl sulfate solution. <b>1983</b> , 22, 2237-52   |     | 9   |
| 1740 | Peptidkonformationen, 26 Ein- und zweidimensionale H-NMR-Untersuchungen zur Konformation der beiden cyclischen Pentapeptide cyclo-[Pro-Phe-Gly-Ser-Gly] und cyclo-[Pro-Ser-Gly-Phe-Gly]. <b>1983</b> , 1983, 316-329 |     | 11  |
| 1739 | A copper-binding site in cytochrome oxidase. The secondary structure of subunit II. <b>1983</b> , 18, 1-9  |     | 5   |
| 1738 | The design of biologically active polypeptides. <b>1983</b> , 14, 273-96   |     | 7   |
| 1737 | Structural characteristics of cytochrome P-450. Possible location of the heme-binding cysteine in determined amino-acid sequences. <b>1983</b> , 93, 807-17  |     | 130 |
| 1736 | Acyl carrier protein from <i>Escherichia coli</i> I. Aspects of the solution structure as evidenced by proton nuclear Overhauser experiments at 500 MHz. <i>Biochemistry</i> , <b>1983</b> , 22, 4485-93             | 3.2 | 11  |
| 1735 | Structure of a T = 1 aggregate of alfalfa mosaic virus coat protein seen at 4.5 Å resolution. <b>1983</b> , 167, 873-90  |     | 32  |
| 1734 | Chloramphenicol acetyltransferase: enzymology and molecular biology. <b>1983</b> , 14, 1-46  |     | 215 |
| 1733 | Stability and melting kinetics of structural domains in the myosin rod. <b>1983</b> , 164, 431-50  |     | 32  |

|      |   |     |     |
|------|---|-----|-----|
| 1732 | Binding of hormones and neuropeptides by calmodulin. <i>Biochemistry</i> , <b>1983</b> , 22, 1995-2001  | 3.2 | 82  |
| 1731 | High affinity binding of the mastoparans by calmodulin. <b>1983</b> , 114, 50-6   |     | 151 |
| 1730 | Peptide substrates for chymosin (rennin): conformational studies of kappa-casein and some kappa-casein-related oligopeptides by circular dichroism and secondary structure prediction. <b>1983</b> , 221, 117-24              |     | 48  |
| 1729 | Amino acid sequence of pilin isolated from pseudomonas aeruginosa PAK. <b>1983</b> , 151, 253-6   |     | 63  |
| 1728 | A mutant of alfalfa mosaic virus with an unusual structure. <b>1983</b> , 126, 155-67   |     | 10  |
| 1727 | Proteases and posttranslational processing of prohormones: a review. <b>1983</b> , 61, 501-15   |     | 118 |
| 1726 | Conformational changes of 4-carboxyglutamic acid-containing protein from bovine bone by binding of alkaline earth ions. <b>1983</b> , 364, 31-9   |     | 13  |
| 1725 | The primary structure of bovine brain myelin lipophilin (proteolipid apoprotein). <b>1983</b> , 364, 1455-66  |     | 115 |
| 1724 | Mechanisms of Sclerotization in Dipterans. <b>1983</b> , 17, 1-84   |     | 81  |
| 1723 | Primary structure determination of Escherichia coli heat-stable enterotoxin of porcine origin. <b>1983</b> , 61, 287-92   |     | 64  |
| 1722 | Localization, synthesis, and activity of an antigenic site on influenza virus hemagglutinin. <b>1983</b> , 80, 840-4  |     | 58  |
| 1721 | Structural requirements of N-glycosylation of proteins. Studies with proline peptides as conformational probes. <b>1983</b> , 209, 331-6  |     | 510 |
| 1720 | A proton-nuclear-magnetic-resonance study of human somatotropin (growth hormone). Assignment and properties of the histidine residues. <b>1983</b> , 213, 107-13  |     | 12  |
| 1719 | Autoactivation of human complement subcomponent C1r involves structural changes reflected in modifications of intrinsic fluorescence, circular dichroism and reactivity with monoclonal antibodies. <b>1983</b> , 215, 369-75 |     | 14  |
| 1718 | 13 Glycosylated Lipid Intermediates Involved in Glycoprotein Biosynthesis. <b>1983</b> , 16, 449-488  |     | 2   |
| 1717 | Biosynthesis, processing, and secretion of parathormone and secretory protein-I. <b>1983</b> , 39, 181-209  |     | 9   |
| 1716 | Similarity in gene organization and homology between proteins of animal picornaviruses and a plant comovirus suggest common ancestry of these virus families. <b>1984</b> , 12, 7251-67                                       |     | 219 |
| 1715 | A comprehensive sequence analysis program for the IBM personal computer. <b>1984</b> , 12, 581-99   |     | 593 |

|      |  |     |
|------|--|-----|
| 1714 | A program for prediction of protein secondary structure from nucleotide sequence data: application to histocompatibility antigens. <b>1984</b> , 12, 243-55  | 148 |
| 1713 | Die Primärstruktur der menschlichen freien Sekretkomponente und die Anordnung der Disulfidbrücken. <b>1984</b> , 365, 1489-1496  | 95  |
| 1712 | Evolutionary divergence of genes for ornithine and aspartate carbamoyl-transferases--complete sequence and mode of regulation of the Escherichia coli argF gene; comparison of argF with argI and pyrB. <b>1984</b> , 12, 6277-89        | 73  |
| 1711 | Chemical aspects of the structure, function and evolution of superoxide dismutases. <b>1984</b> , 91, 307-317  | 27  |
| 1710 | A statistical method for predicting alpha-helical and beta-sheet regions in proteins from their amino acidic sequences. <b>1984</b> , 3, 421-435   | 3   |
| 1709 | On the syntactic structure of protein sequences and the concept of grammar complexity. <b>1984</b> , 46, 641-659   | 41  |
| 1708 | Structural comparison of protein sequences around potential N-glycosylation sites. <b>1984</b> , 788, 364-367  | 64  |
| 1707 | A classification of peptide ligands based on their predicted receptor conformation. <b>1984</b> , 787, 53-60   | 11  |
| 1706 | Mutations that alter the DNA sequence specificity of the catabolite gene activator protein of E. coli. <b>1984</b> , 311, 232-5  | 236 |
| 1705 | Biological properties of human c-Ha-ras1 genes mutated at codon 12. <b>1984</b> , 312, 71-5  | 546 |
| 1704 | Similarities among retrovirus proteins. <b>1984</b> , 312, 496   | 35  |
| 1703 | Predicted folding of beta-structure in myelin basic protein. <b>1984</b> , 43, 433-47  | 106 |
| 1702 | The surface of the African trypanosomes. <b>1984</b> , 31, 60-4  | 9   |
| 1701 | Cyclic permutations in the genetic code, the 4 x 4 magic square and the antiparallelism of DNA. <b>1984</b> , 110, 681-90  |     |
| 1700 | On the syntactic structure of protein sequences and the concept of grammar complexity. <b>1984</b> , 46, 641-659   | 3   |
| 1699 | Extensive variations and basic features in the alcohol dehydrogenase-sorbitol dehydrogenase family. <b>1984</b> , 140, 17-23   | 44  |
| 1698 | Nuclear-magnetic-resonance studies on the conformations of tridecapeptide alpha-mating factor from yeast Saccharomyces cerevisiae and analog peptides in aqueous solution. Conformation-activity relationship. <b>1984</b> , 140, 163-71 | 17  |
| 1697 | Aldehyde dehydrogenase from human liver. Primary structure of the cytoplasmic isoenzyme. <b>1984</b> , 141, 21-35  | 155 |

|      |   |     |
|------|---|-----|
| 1696 | The cytoplasmic isoenzyme of horse liver aldehyde dehydrogenase. Relationship to the corresponding human isoenzyme. <b>1984</b> , 141, 37-42  | 60  |
| 1695 | Conformational studies on the pancreatic polypeptide hormone family. <b>1984</b> , 142, 379-85  | 148 |
| 1694 | Sequence of an antifreeze protein precursor. <b>1984</b> , 143, 35-8  | 44  |
| 1693 | The expression of multiple forms of troponin T in chicken-fast-skeletal muscle may result from differential splicing of a single gene. <b>1984</b> , 143, 47-56   | 67  |
| 1692 | Structure of human-basement-membrane (type IV) collagen. Complete amino-acid sequence of a 914-residue-long pepsin fragment from the alpha 1(IV) chain. <b>1984</b> , 143, 545-56                             | 113 |
| 1691 | Apolipoprotein A-I-Giessen (Pro143----Arg). A mutant that is defective in activating lecithin:cholesterol acyltransferase. <b>1984</b> , 144, 325-31  | 57  |
| 1690 | Antigenic structures of proteins. Their determination has revealed important aspects of immune recognition and generated strategies for synthetic mimicking of protein binding sites. <b>1984</b> , 145, 1-20 | 210 |
| 1689 | Interaction of beta-endorphin with sodium dodecyl sulfate in aqueous solution. <sup>1</sup> H-NMR investigation. <b>1984</b> , 145, 181-6   | 26  |
| 1688 | Structural implications of primary sequences from a family of Balbiani ring-encoded proteins in Chironomus. <b>1984</b> , 20, 296-303   | 35  |
| 1687 | Conserved and nonconserved structures in the secretory proteins encoded in the Balbiani ring genes of Chironomus tentans. <b>1984</b> , 20, 304-12  | 39  |
| 1686 | Structure and function of the anaphylatoxins. <b>1984</b> , 7, 193-219  | 206 |
| 1685 | Identification of an essential tryptophanyl residue in the primary structure of glucoamylase G2 from aspergillus niger. <b>1984</b> , 49, 559-566   | 79  |
| 1684 | Classification of elapid snake neurotoxins and cytotoxins according to chain length: evolutionary implications. <b>1984</b> , 20, 128-34  | 38  |
| 1683 | The Context Dependent Comparison of Biological Sequences. <b>1984</b> , 44, 557-567   | 58  |
| 1682 | The nucleotide sequence of the env gene and post-env region of bovine leukemia virus. <b>1984</b> , 138, 82-93  | 138 |
| 1681 | The structure of mammalian rod opsins. <b>1984</b> , 24, 1501-8   | 32  |
| 1680 | Monoclonal antibodies and the characterization of apolipoprotein structure and function. <b>1984</b> , 23, 169-95   | 21  |
| 1679 | Extended superfamily of short alcohol-polyol-sugar dehydrogenases: structural similarities between glucose and ribitol dehydrogenases. <b>1984</b> , 165, 190-6   | 95  |



|      |  |     |     |
|------|--|-----|-----|
| 1678 | Primary structures and genetic changes in mammalian carbonic anhydrase isozymes. <b>1984</b> , 429, 183-94   |     | 11  |
| 1677 | The major intrinsic protein (MIP) of the bovine lens fiber membrane: characterization and structure based on cDNA cloning. <b>1984</b> , 39, 49-59   |     | 494 |
| 1676 | Polarization optical analysis of blood cell membranes. <b>1984</b> , 15, 1-100   |     | 9   |
| 1675 | Ubiquitination of proteins. <b>1984</b> , 106, 238-62  |     | 33  |
| 1674 | Primary structural comparison of RNA-dependent polymerases from plant, animal and bacterial viruses. <b>1984</b> , 12, 7269-82   |     | 727 |
| 1673 | Microtubule assembly: a review of progress, principles, and perspectives. <b>1984</b> , 36, 133-212  |     | 79  |
| 1672 | Epidermal growth factor from the mouse. Structural characterization by proton nuclear magnetic resonance and nuclear overhauser experiments at 500 MHz. <i>Biochemistry</i> , <b>1984</b> , 23, 3960-73                    | 3.2 | 19  |
| 1671 | Exploring the conformational roles of signal sequences: synthesis and conformational analysis of lambda receptor protein wild-type and mutant signal peptides. <i>Biochemistry</i> , <b>1984</b> , 23, 3111-4              | 3.2 | 115 |
| 1670 | Proline-containing beta-turns in peptides and proteins: analysis of structural data on globular proteins. <b>1984</b> , 232, 482-95  |     | 16  |
| 1669 | The C-terminus of bacteriorhodopsin is a random coil. <b>1984</b> , 777, 93-8  |     | 7   |
| 1668 | On the isolation and conformation of bovine $\kappa$ casein A1. <b>1984</b> , 6, 155-161   |     | 58  |
| 1667 | An analysis of incorrectly folded protein models. Implications for structure predictions. <b>1984</b> , 177, 787-818   |     | 267 |
| 1666 | The conformation of apolipoprotein E isoforms in phospholipid complexes and their interaction with human Hep G2 cells. <b>1984</b> , 52, 203-18  |     | 14  |
| 1665 | Specificity of cholecystinin antibody may influence choice of tracer for radioimmunoassay. <b>1984</b> , 74, 199-203   |     | 1   |
| 1664 | 'Dystonia'-like postural asymmetry after microinjection of ACTH N-terminal fragments but not after ACTH1-39 in rat brainstem suggests role of neuropeptide mutation in genetic movement disorder. <b>1984</b> , 294, 144-7 |     | 19  |
| 1663 | Comparative study on the secondary structure of lysozymes from different sources. <b>1984</b> , 77, 83-8   |     | 13  |
| 1662 | Evolution and the tertiary structure of proteins. <b>1984</b> , 13, 453-92   |     | 141 |
| 1661 | The Effect of Chain Length on the Formation of the Intermolecular $\beta$ Structure of Poly(S-carboxy-methyl-L-cysteine). <b>1984</b> , 16, 471-477  |     | 2   |

|      |  |        |
|------|--|--------|
| 1660 | Turn-Like Conformation and Side Chain Interactions of Aspartic Acid-Containing Dipeptides. <b>1984</b> , 16, 9-21  | 8      |
| 1659 | Investigation of cation-binding properties of cardiac troponin C peptides by circular-dichroism spectroscopy. <b>1984</b> , 220, 315-20  | 11     |
| 1658 | Nucleotide sequence of the Escherichia coli prolipoprotein signal peptidase (lsp) gene. <b>1984</b> , 81, 3708-12  | 102    |
| 1657 | Protein differentiation: a comparison of aspartate transcarbamoylase and ornithine transcarbamoylase from Escherichia coli K-12. <b>1984</b> , 81, 4864-8  | 44     |
| 1656 | Isolation and partial renaturation of proteolytic fragments of the myosin head. <b>1984</b> , 81, 1003-7   | 44     |
| 1655 | Structure-Behavioral Activity Relationships of Peptides Derived from ACTH. <b>1984</b> , 153-167   | 2      |
| 1654 | Creatine kinase protein sequence encoded by a cDNA made from Torpedo californica electric organ mRNA. <b>1984</b> , 81, 7007-11  | 32     |
| 1653 | Trypanosome variant-specific glycoproteins: a polygene protein family with multiple folding patterns?. <b>1984</b> , 81, 998-1002  | 18     |
| 1652 | The complete cDNA and deduced amino acid sequence of a type II mouse epidermal keratin of 60,000 Da: analysis of sequence differences between type I and type II keratins. <b>1984</b> , 81, 5709-13 | 107    |
| 1651 | Detection in vivo of a new gene product (gene III) of cauliflower mosaic virus. <b>1984</b> , 81, 6608-12  | 25     |
| 1650 | Conformational studies on model peptides. <b>1984</b> , 177-213  | 16     |
| 1649 | Static and kinetic studies on carp muscle parvalbumins. <b>1984</b> , 96, 321-8  | 7      |
| 1648 | Localization and Synthesis of Protein Antigenic Sites. <b>1984</b> , 29-71   | 1      |
| 1647 | Apparent anomalies in the resolution of cytochrome P-450 isoenzymes by gel electrophoresis. <b>1984</b> , 12, 62-8   | 10     |
| 1646 | Characterization of human interleukin 2 derived from Escherichia coli. <b>1985</b> , 229, 429-39   | 70     |
| 1645 | Studies on the primary structure and antigenic determinants of pilin isolated from Pseudomonas aeruginosa K. <b>1985</b> , 63, 284-91  | 29     |
| 1644 | Chapter 5 Reversed Phase High Performance Liquid Chromatography of Peptides and Proteins. <b>1985</b> , 11, 107-142  |        |
| 1643 | Site-directed mutagenesis of cysteine-148 in the lac permease of Escherichia coli: effect on transport, binding, and sulfhydryl inactivation. <i>Biochemistry</i> , <b>1985</b> , 24, 7628-35        | 3-2 44 |

|      |  |     |
|------|--|-----|
| 1642 | Amino-terminal processing of proteins: hemoglobin South Florida, a variant with retention of initiator methionine and N alpha-acetylation. <b>1985</b> , 82, 8448-52 | 93  |
| 1641 | Spectral Analysis of Amino Acid Sequence. II. Characterization of $\alpha$ -Helices by Local Periodicity. <b>1985</b> , 54, 2047-2054                                | 9   |
| 1640 | Protein kinase activity associated with the product of the yeast cell division cycle gene CDC28. <b>1985</b> , 82, 4055-9  | 347 |
| 1639 | Mapping of the C3d receptor (CR2)-binding site and a neoantigenic site in the C3d domain of the third component of complement. <b>1985</b> , 82, 4235-9              | 86  |
| 1638 | Processing of p60v-src to its myristylated membrane-bound form. <b>1985</b> , 5, 2781-8  | 105 |
| 1637 | Developmentally regulated cytokeratin gene in <i>Xenopus laevis</i> . <b>1985</b> , 5, 2575-81   | 47  |
| 1636 | Complete coding sequence of rat tyrosine hydroxylase mRNA. <b>1985</b> , 82, 617-21  | 452 |
| 1635 | Repeating modular structure of the fibronectin gene: relationship to protein structure and subunit variation. <b>1985</b> , 82, 6571-5                               | 89  |
| 1634 | Primary structure of rat thymus prothymosin alpha. <b>1985</b> , 82, 343-6   | 98  |
| 1633 | Primary structure and gene organization of human hepatitis A virus. <b>1985</b> , 82, 2627-31  | 146 |
| 1632 | Genetic code redundancy and the evolutionary stability of protein secondary structure. <b>1985</b> , 116, 343-8  | 9   |
| 1631 | Prediction of protein structure from sequence. <b>1985</b> , 316, 22-22  | 5   |
| 1630 | Diversity and structure of genes of the alpha family of mouse T-cell antigen receptor. <b>1985</b> , 316, 783-7  | 231 |
| 1629 | Hydrophobic regions in myelin proteins characterized through analysis of "hydropathic" profiles. <b>1985</b> , 44, 163-70  | 21  |
| 1628 | Computer modeling studies of the structure of a repressor. <b>1985</b> , 18, 3-14  | 5   |
| 1627 | Design of analogues of parathyroid hormone: A conformational approach. <b>1985</b> , 4, 391-406  | 8   |
| 1626 | The primary structure of human hemopexin deduced from cDNA sequence: evidence for internal, repeating homology. <b>1985</b> , 13, 3841-59                            | 75  |
| 1625 | Prediction and comparison of the secondary structure of legume lectins. <b>1985</b> , 9, 203-212   | 6   |

|      |   |     |
|------|---|-----|
| 1624 | A critique of the utility of the prediction of protein secondary structure. <b>1985</b> , 8, 15-23  | 7   |
| 1623 | Application of a modified computer algorithm in determining potential antigenic determinants associated with the AIDS virus glycoprotein. <b>1985</b> , 151, 540-6                                  | 30  |
| 1622 | Proteinase inhibitors and dendrotoxins. Sequence classification, structural prediction and structure/activity. <b>1985</b> , 153, 647-54  | 80  |
| 1621 | Conformation-function relationships in hydrophobic peptides: interior turns and signal sequences. <b>1985</b> , 24, 117-35  | 16  |
| 1620 | Time scale, geometrical constraints, and disulfide bond formation in the folding of small globular proteins. <b>1985</b> , 24, 279-285  | 2   |
| 1619 | Sequence-dependence of secondary structure formation: conformational studies of host-guest peptides in alpha-helix and beta-structure supporting media. <b>1985</b> , 24, 1057-74                   | 46  |
| 1618 | Synthesis and characterization of six sequential polypeptides containing tyrosine, glutamic acid, alanine, and glycine by circular dichroism and difference spectroscopy. <b>1985</b> , 24, 1215-32 | 1   |
| 1617 | Amino acid composition and hydrophobicity patterns of protein domains correlate with their structures. <b>1985</b> , 24, 1995-2023  | 45  |
| 1616 | Molecular organization of glycoporphin A: implications for membrane interactions. <b>1985</b> , 24, 2301-32   | 26  |
| 1615 | Peptides and Kinins. <b>1985</b> , 531-593  | 3   |
| 1614 | In vivo function and membrane binding properties are correlated for Escherichia coli lamB signal peptides. <b>1985</b> , 228, 1096-9  | 124 |
| 1613 | A model for the tertiary structure of p21, the product of the ras oncogene. <b>1985</b> , 230, 78-82  | 249 |
| 1612 | Visualization of nucleic acid sequence structural information. <b>1985</b> , 1, 35-42   | 3   |
| 1611 | Amino acid sequence analysis of human interleukin 1 (IL-1). Evidence for biochemically distinct forms of IL-1. <b>1985</b> , 162, 790-801   | 84  |
| 1610 | Trans-activator gene of human T-lymphotropic virus type III (HTLV-III). <b>1985</b> , 229, 69-73  | 852 |
| 1609 | A cDNA clone encoding a glycinin A1a subunit precursor of soybean. <b>1985</b> , 13, 6719-31  | 31  |
| 1608 | The primary structure of the DeoR repressor from Escherichia coli K-12. <b>1985</b> , 13, 5927-36   | 49  |
| 1607 | Nucleic acid (cDNA) and amino acid sequences of the maize endosperm protein glutelin-2. <b>1985</b> , 13, 1493-504  | 113 |

|      |   |     |      |
|------|---|-----|------|
| 1606 | Comparisons between the Primary Structure of the Coat Proteins of Turnip Yellow Mosaic Virus and Eggplant Mosaic Virus. <b>1985</b> , 66, 2571-2579   |     | 6    |
| 1605 | Variants within the yeast Ty sequence family encode a class of structurally conserved proteins. <b>1985</b> , 13, 4097-112  |     | 43   |
| 1604 | Analysis of the mechanism of histamine release induced by substance P. <b>1985</b> , 846, 1-7   |     | 43   |
| 1603 | Pressor and cardioaccelerator effects of gamma MSH and related peptides. <b>1985</b> , 36, 769-75   |     | 45   |
| 1602 | Nucleotide sequence of the envelope gene of radiation leukemia virus. <b>1985</b> , 144, 457-67   |     | 12   |
| 1601 | Antigenic variants of CVS rabies virus with altered glycosylation sites. <b>1985</b> , 140, 1-12  |     | 78   |
| 1600 | Structure of interferons. <b>1985</b> , 27, 371-401   |     | 54   |
| 1599 | Identification of a mutation that relieves gamma-glutamyl kinase from allosteric feedback inhibition by proline. <b>1985</b> , 39, 109-12   |     | 18   |
| 1598 | Cholecystokinin octapeptide analogues stable to brain proteolysis. <b>1985</b> , 6, 631-4   |     | 10   |
| 1597 | Coordinate transcription of variant surface glycoprotein genes and an expression site associated gene family in <i>Trypanosoma brucei</i> . <b>1985</b> , 42, 173-82  |     | 178  |
| 1596 | Homology between the photoreactivation genes of <i>Saccharomyces cerevisiae</i> and <i>Escherichia coli</i> . <b>1985</b> , 36, 349-55  |     | 38   |
| 1595 | Nucleotide sequence of the <i>birA</i> gene encoding the biotin operon repressor and biotin holoenzyme synthetase functions of <i>Escherichia coli</i> . <b>1985</b> , 35, 321-31   |     | 90   |
| 1594 | Determination of the cleavage site of the phage T4 prohead protease in gene product 68. Influence of protein secondary structure on cleavage specificity. <b>1985</b> , 186, 665-7  |     | 7    |
| 1593 | Amino acid sequence studies of human C4b-binding protein: N-terminal sequence analysis and alignment of the fragments produced by limited proteolysis with chymotrypsin and the peptides produced by cyanogen bromide treatment. <b>1985</b> , 22, 427-35 |     | 25   |
| 1592 | Turns in peptides and proteins. <b>1985</b> , 37, 1-109   |     | 1372 |
| 1591 | Circular dichroism study of the unfolding-refolding of a cardiotoxin from Taiwan cobra ( <i>Naja naja atra</i> ) venom. <i>Biochemistry</i> , <b>1985</b> , 24, 5678-85   | 3.2 | 16   |
| 1590 | Apolipoprotein E: phospholipid binding studies with synthetic peptides containing the putative receptor binding region. <i>Biochemistry</i> , <b>1985</b> , 24, 6984-8  | 3.2 | 24   |
| 1589 | Sequence homology among the coat proteins of gemini viruses. <b>1985</b> , 130, 892-6   |     | 4    |

|      |   |     |
|------|---|-----|
| 1588 | cys154 Is important for lac permease activity in Escherichia coli. <b>1985</b> , 132, 162-70  | 60  |
| 1587 | Analysis of the 3' region of the sheep elastin gene. <b>1985</b> , 241, 684-91  | 35  |
| 1586 | Structure and action of heteronemertine polypeptide toxins: importance of amphipathic helix for activity of Cerebratulus lacteus toxin A-III. <b>1985</b> , 236, 167-75                       | 8   |
| 1585 | Isolation and characterization of a rubredoxin and a two-(4Fe-4S) ferredoxin from Thermodesulfobacterium commune. <b>1985</b> , 810, 1-11   | 26  |
| 1584 | Influence of the protein conformation on the interaction between alpha-lactalbumin and dimyristoylphosphatidylcholine vesicles. <b>1985</b> , 817, 154-64                                     | 30  |
| 1583 | The influence of tertiary structure on secondary structure prediction. <b>1985</b> , 188, 59-62   | 15  |
| 1582 | The complete amino acid sequence of the bacteriochlorophyll c binding polypeptide from chlorosomes of the green photosynthetic bacterium Chloroflexus aurantiacus. <b>1985</b> , 181, 173-178 | 88  |
| 1581 | Molecular cloning of the gene encoding rabbit tumor necrosis factor. <b>1986</b> , 5, 157-65  | 44  |
| 1580 | Sequence homology between the coat proteins of DNA and RNA plant viruses. <b>1986</b> , 134, 372-7  | 4   |
| 1579 | pH dependent insertion of a diphtheria toxin B fragment peptide into the lipid membrane: a conformational analysis. <b>1986</b> , 136, 160-8  | 18  |
| 1578 | Primary structure of chum salmon prolactins: occurrence of highly conserved regions. <b>1986</b> , 244, 528-41  | 98  |
| 1577 | Comparison of the structure of turtle pancreatic ribonuclease with those of mammalian ribonucleases. <b>1986</b> , 194, 338-42  | 10  |
| 1576 | Sequence analysis of bovine retinal S-antigen. Relationships with alpha-transducin and G-proteins. <b>1986</b> , 196, 23-8  | 84  |
| 1575 | An algorithm for secondary structure determination in proteins based on sequence similarity. <b>1986</b> , 205, 303-8   | 212 |
| 1574 | A sequence homology between the pX genes of HTLV-I/II and the murine IL-3 gene. <b>1986</b> , 208, 231-5  | 5   |
| 1573 | Analysis of the structures of the subunits of the cytochrome bc <sub>1</sub> complex from beef heart mitochondria. <b>1986</b> , 204, 9-15  | 38  |
| 1572 | Relative adipokinetic activities of members of the adipokinetic hormone/red pigment concentrating hormone family. <b>1986</b> , 32, 433-438   | 43  |
| 1571 | env genes of avian retroviruses: nucleotide sequence and molecular recombinants define host range determinants. <b>1986</b> , 152, 343-54   | 80  |

|      |  |     |     |
|------|--|-----|-----|
| 1570 | Conformation of sequential polypeptide poly(Leu-Leu-D-Phe-Pro) and formation of ion channel across bilayer lipid membrane. <b>1986</b> , 49, 1101-8  |     | 9   |
| 1569 | Identification and characterization of conserved and variable regions in the envelope gene of HTLV-III/LAV, the retrovirus of AIDS. <b>1986</b> , 45, 637-48   |     | 687 |
| 1568 | Expression of the Epstein-Barr virus 138-kDa early protein in Escherichia coli for the use as antigen in diagnostic tests. <b>1986</b> , 42, 303-12  |     | 30  |
| 1567 | Correlation of structural changes in parathyroid hormone with its vascular action. <b>1986</b> , 7, 1131-5   |     | 9   |
| 1566 | [Human apolipoprotein E: polymorphism and binding domain of the receptors]. <b>1986</b> , 68, 629-37   |     |     |
| 1565 | Protein engineering of cytochrome c by semisynthesis: substitutions at Glutamic acid 66. <b>1986</b> , 1, 23-27  |     | 19  |
| 1564 | Secondary structure in sea anemone polypeptides: a proton nuclear magnetic resonance study. <i>Biochemistry</i> , <b>1986</b> , 25, 2349-2356  | 3.2 | 22  |
| 1563 | Structure-activity relationships of the yeast alpha-factor. <b>1986</b> , 21, 225-48   |     | 43  |
| 1562 | Characterization of an associated equilibrium folding intermediate of bovine growth hormone. <i>Biochemistry</i> , <b>1986</b> , 25, 6539-43   | 3.2 | 85  |
| 1561 | Studies of the secondary structures of amelogenin from bovine tooth enamel. <i>Biochemistry</i> , <b>1986</b> , 25, 4879-87  | 3.2 | 65  |
| 1560 | hsp108,,,,,, a novel heat shock inducible protein of chicken. <i>Biochemistry</i> , <b>1986</b> , 25, 6252-8   | 3.2 | 54  |
| 1559 | Superactive amidated COOH-terminal glucagon analogues with no methionine or tryptophan. <b>1986</b> , 7 Suppl 1, 69-74   |     | 14  |
| 1558 | Nucleotide sequence and deduced amino acid sequence of Escherichia coli adenine phosphoribosyltransferase and comparison with other analogous enzymes. <b>1986</b> , 43, 287-93                            |     | 139 |
| 1557 | Identification and immunochemical analysis of biologically active Drosophila P element transposase. <b>1986</b> , 44, 21-32  |     | 317 |
| 1556 | Strategies in the design of synthetic agonists and antagonists of growth hormone releasing factor. <b>1986</b> , 7 Suppl 1, 49-52  |     | 13  |
| 1555 | Helical coiled coils a widespread motif in proteins. <b>1986</b> , 11, 245-248   |     | 333 |
| 1554 | Role of the N-terminal part of the coat protein in the assembly of cowpea chlorotic mottle virus. A 500 MHz proton nuclear magnetic resonance study and structural calculations. <b>1986</b> , 191, 453-60 |     | 44  |
| 1553 | The nucleotide sequence of gene 21 of bacteriophage T4 coding for the prohead protease. <b>1986</b> , 49, 245-51   |     | 21  |

|      |  |     |
|------|--|-----|
| 1552 | DNA-binding and enzymatic domains of the bifunctional biotin operon repressor (BirA) of Escherichia coli. <b>1986</b> , 44, 255-61   | 68  |
| 1551 | The quest for a herpes simplex virus vaccine: background and recent developments. <b>1986</b> , 4, 138-50  | 32  |
| 1550 | A new membrane-associated DNA replication protein, the gene 69 product of bacteriophage T4, shares a patch of homology with the Escherichia coli dnaA protein. <b>1986</b> , 189, 243-8                            | 22  |
| 1549 | Structure-function relationships of phospholipases. II: Charge density distribution and the myotoxicity of presynaptically neurotoxic phospholipases. <b>1986</b> , 24, 895-905                                    | 105 |
| 1548 | A note on the predicted secondary structures of the active chains of cholera and diphtheria toxins. <b>1986</b> , 24, 204-6  | 1   |
| 1547 | Structure of the IgG-binding regions of streptococcal protein G.. <b>1986</b> , 5, 1567-1575   | 257 |
| 1546 | Refined 1.2 A crystal structure of the complex formed between subtilisin Carlsberg and the inhibitor eglin c. Molecular structure of eglin and its detailed interaction with subtilisin.. <b>1986</b> , 5, 813-818 | 125 |
| 1545 | The neuropeptide head activator loses its biological activity by dimerization.. <b>1986</b> , 5, 1825-1829   | 31  |
| 1544 | Use of hydrophobicity profiles to predict receptor binding domains on apolipoprotein E and the low density lipoprotein apolipoprotein B-E receptor. <b>1986</b> , 83, 2295-9                                       | 55  |
| 1543 | Lysogenic conversion of staphylococcal lipase is caused by insertion of the bacteriophage L54a genome into the lipase structural gene. <b>1986</b> , 166, 385-91   | 156 |
| 1542 | Reassembly of low-density lipoproteins. <b>1986</b> , 128, 582-608   | 15  |
| 1541 | Intracellular processing and secretion of parathyroid gland proteins. <b>1986</b> , 43, 283-316  | 19  |
| 1540 | Molecular mechanisms of protein secretion: the role of the signal sequence. <b>1986</b> , 38, 109-80   | 184 |
| 1539 | Infrared Absorption Study of Human Proinsulin C-Peptide Fragments in the Solid State. <b>1986</b> , 59, 2439-2443  | 19  |
| 1538 | Infrared Absorption Study of Human Proinsulin C-Peptide Fragments in Dichloromethane. <b>1986</b> , 59, 2445-2449  | 19  |
| 1537 | The Ability of the Proline Residue to Promote Successive-Intramolecular Hydrogen Bonds in Oligopeptides. <b>1986</b> , 59, 3547-3552   | 10  |
| 1536 | Conformations in the Solid State and Solubility Properties of Protected Homooligopeptides of Glycine and Alanine. <b>1986</b> , 59, 3553-3557  | 33  |
| 1535 | Nucleotide and derived amino acid sequences of a cDNA coding for pre-uteroglobin from the lung of the hare (Lepus capensis). <b>1986</b> , 235, 895-8  | 16  |



|      |  |    |
|------|--|----|
| 1534 | The predicted secondary structure of enolase. <b>1986</b> , 236, 127-30  | 19 |
| 1533 | Primary structure of a structural protein from the cuticle of the migratory locust, <i>Locusta migratoria</i> . <b>1986</b> , 236, 713-20  | 43 |
| 1532 | Evidence for interactions between the 30 kDa N- and 50 kDa C-terminal tryptic fragments of human lactotransferrin. <b>1986</b> , 236, 839-44   | 30 |
| 1531 | Complete structure of the hydrophilic domain in the porcine NADPH-cytochrome P-450 reductase. <b>1986</b> , 236, 871-8   | 19 |
| 1530 | Structural studies on lamin. Similarities and differences between lamin and intermediate-filament proteins. <b>1986</b> , 238, 305-8   | 63 |
| 1529 | Characterization of two related Epstein-Barr virus-encoded membrane proteins that are differentially expressed in Burkitt lymphoma and in vitro-transformed cell lines. <b>1986</b> , 83, 5703-7 | 50 |
| 1528 | Biochemical characterization of polypeptides encoded by mutated human Ha-ras1 genes. <b>1986</b> , 6, 730-4  | 43 |
| 1527 | Nucleotide sequence of the mRNA encoding the cytosolic form of phosphoenolpyruvate carboxykinase (GTP) from the chicken. <b>1986</b> , 83, 7583-7  | 56 |
| 1526 | Three novel genes of human T-lymphotropic virus type III: immune reactivity of their products with sera from acquired immune deficiency syndrome patients. <b>1986</b> , 83, 2209-13             | 98 |
| 1525 | Evaluation of methods for the prediction of membrane protein secondary structures. <b>1986</b> , 83, 9423-7  | 72 |
| 1524 | Secondary structure of component 8c-1 of alpha-keratin. An analysis of the amino acid sequence. <b>1986</b> , 236, 705-12  | 77 |
| 1523 | Sequence analysis of temperature-sensitive mutations in the <i>Saccharomyces cerevisiae</i> gene CDC28. <b>1986</b> , 6, 4099-103  | 63 |
| 1522 | Induced circular dichroism in biopolymer-dye systems. <b>1986</b> , 1-121  | 23 |
| 1521 | Notizen. <b>1986</b> , 34, 220-221   |    |
| 1520 | Investigations of primary and secondary structure of porcine ubiquitin. Its N epsilon-acetylated lysine derivative. <b>1986</b> , 18, 473-6  | 5  |
| 1519 | Sequential polypeptides containing arginine as histone models: synthesis and conformational studies. <b>1986</b> , 25, 655-75  | 9  |
| 1518 | Influence of different tripeptides on the stability of the collagen triple helix. I. Analysis of the collagen sequence and identification of typical tripeptides. <b>1986</b> , 25, 1069-80      | 40 |
| 1517 | Peptide-bond distortions and the curvature of alpha-helices. <b>1986</b> , 25, 1087-93   | 31 |

|      |  |     |
|------|--|-----|
| 1516 | Helix breakers in block copolypeptides. <b>1986</b> , 25, 1449-59  | 2   |
| 1515 | Evolutionary similarity among peptide segments is a basis for prediction of protein folding. <b>1986</b> , 25, 1565-77   | 42  |
| 1514 | Prediction of protein structural class from the amino acid sequence. <b>1986</b> , 25, 1659-72   | 160 |
| 1513 | The distribution of charged groups in proteins. <b>1986</b> , 25, 1717-33  | 119 |
| 1512 | Gramicidin S analogs with a D-Ala, Gly, or L-Ala residue in place of the D-Phe residue: molecular conformations and interactions with phospholipid membrane. <b>1986</b> , 25, 2295-307                        | 30  |
| 1511 | Regulation of cockroach oothecin synthesis by juvenile hormone. <b>1986</b> , 3, 59-73   | 17  |
| 1510 | Products of the "X" gene in hepatitis B and related viruses. <b>1986</b> , 6, 191-8  | 47  |
| 1509 | Differences in thermal stability of frog and rabbit alpha alpha- and alpha beta-tropomyosins determined by optical rotatory dispersion. <b>1986</b> , 24, 211-5  | 6   |
| 1508 | Phylogenetic trees constructed from hydrophobicity values of protein sequences. <b>1986</b> , 119, 189-96  | 7   |
| 1507 | Differences in amino acid sequence of the large subunit of ribulose-1,5-bisphosphate carboxylase/oxygenase from two species of Dasycladaceae. <b>1986</b> , 169, 575-82  | 5   |
| 1506 | Cytosolic rat liver glutathione transferase 4-4. Primary structure of the protein reveals extensive differences between homologous glutathione transferases of classes alpha and mu. <b>1986</b> , 156, 343-50 | 39  |
| 1505 | Purification and characterization of <i>Bacillus coagulans</i> oligo-1,6-glucosidase. <b>1986</b> , 158, 77-83   | 32  |
| 1504 | Molecular cloning and sequencing of salmon gonadotropin beta subunit. <b>1986</b> , 159, 619-24  | 60  |
| 1503 | Biosynthesis of antifreeze polypeptides in the winter flounder. Characterization and seasonal occurrence of precursor polypeptides. <b>1986</b> , 160, 267-72  | 38  |
| 1502 | Circular dichroism studies on chromatin models. Interactions between DNA and sequential polypeptides containing arginine. <b>1986</b> , 161, 185-90  | 7   |
| 1501 | The primary structure of feather keratins from duck ( <i>Anas platyrhynchos</i> ) and pigeon ( <i>Columba livia</i> ). <b>1986</b> , 873, 6-12   | 14  |
| 1500 | Characterization of the isolated 20 kDa and 50 kDa fragments of the myosin head. <b>1986</b> , 869, 128-40   | 18  |
| 1499 | A conformational preference parameter to predict helices in integral membrane proteins. <b>1986</b> , 869, 197-214   | 464 |

|      |  |     |     |
|------|--|-----|-----|
| 1498 | Do asparagine-linked carbohydrate chains in glycoproteins have a preference for beta-bends?. <b>1986</b> , 6, 709-14   |     | 20  |
| 1497 | Compressibility-structure relationship of globular proteins. <i>Biochemistry</i> , <b>1986</b> , 25, 6563-71   | 3.2 | 418 |
| 1496 | Proton NMR studies of two helices in tuna ferricytochrome c. <b>1986</b> , 28, 373-80  |     | 6   |
| 1495 | Nucleotide sequence and evolution of the orangutan epsilon globin gene region and surrounding Alu repeats. <b>1986</b> , 24, 94-102  |     | 57  |
| 1494 | Effects of conformational factors on protein evolution. <b>1986</b> , 16, 311-312  |     |     |
| 1493 | The PEP4 gene encodes an aspartyl protease implicated in the posttranslational regulation of <i>Saccharomyces cerevisiae</i> vacuolar hydrolases. <b>1986</b> , 6, 2500-10                               |     | 281 |
| 1492 | Antiserum to a synthetic peptide recognizes the HTLV-III envelope glycoprotein. <b>1986</b> , 231, 1556-9  |     | 170 |
| 1491 | A new representation of protein structure: vector diagram. <b>1986</b> , 2, 83-8   |     | 2   |
| 1490 | Cloning and sequencing of <i>Serratia</i> protease gene. <b>1986</b> , 14, 5843-55   |     | 177 |
| 1489 | Nucleotide sequence of the yeast cell division cycle start genes CDC28, CDC36, CDC37, and CDC39, and a structural analysis of the predicted products. <b>1986</b> , 14, 6681-97                          |     | 45  |
| 1488 | Prediction of protein structure. <b>1986</b> , 130, 185-207  |     | 36  |
| 1487 | Molecular cloning of cDNA for rat liver gap junction protein. <b>1986</b> , 103, 123-34  |     | 645 |
| 1486 | Identification of a synthetic peptide as part of a major neutralization epitope of respiratory syncytial virus. <b>1987</b> , 68 ( Pt 9), 2273-80  |     | 55  |
| 1485 | Two-dimensional abstract representations (signatures) of proteins. <b>1987</b> , 3, 171-5  |     | 1   |
| 1484 | The possible DNA-binding nature of the regulatory proteins, encoded by <i>spoIID</i> and <i>gerE</i> , involved in the sporulation of <i>Bacillus subtilis</i> . <b>1987</b> , 133, 2381-91              |     | 15  |
| 1483 | Human C3b/C4b receptor (CR1). Demonstration of long homologous repeating domains that are composed of the short consensus repeats characteristics of C3/C4 binding proteins. <b>1987</b> , 165, 1095-112 |     | 239 |
| 1482 | The two major structural phosphoproteins (pp65 and pp150) of human cytomegalovirus and their antigenic properties. <b>1987</b> , 68 ( Pt 5), 1327-37   |     | 110 |
| 1481 | Conservation of the Duchenne muscular dystrophy gene in mice and humans. <b>1987</b> , 238, 347-50   |     | 226 |

|      |   |     |
|------|---|-----|
| 1480 | Structural identity between the iron- and manganese-containing superoxide dismutases. <b>1987</b> , 1, 393-7  | 36  |
| 1479 | A novel missense mutation in the factor VIII gene identified by analysis of amplified hemophilia DNA sequences. <b>1987</b> , 15, 9797-805  | 30  |
| 1478 | ARIADNE: pattern-directed inference and hierarchical abstraction in protein structure recognition. <b>1987</b> , 30, 909-921  | 61  |
| 1477 | Precursor-product relationship between vitellogenin and the yolk proteins as derived from the complete sequence of a <i>Xenopus</i> vitellogenin gene. <b>1987</b> , 15, 4737-60      | 122 |
| 1476 | Complete amino acid sequence of 14 kDa beta-galactoside-binding lectin of chick embryo. <b>1987</b> , 101, 775-87   | 74  |
| 1475 | Cloning and expression in <i>E. coli</i> of a synthetic gene for the bacteriocidal protein caltrin/seminalplasmin. <b>1987</b> , 1, 425-31  | 7   |
| 1474 | Germin: physicochemical properties of the glycoprotein which signals onset of growth in the germinating wheat embryo. <b>1987</b> , 65, 1039-1048                                     | 22  |
| 1473 | Characterization and N-terminal sequence of a heparan sulphate proteoglycan synthesized by endothelial cells in culture. <b>1987</b> , 247, 687-93                                    | 19  |
| 1472 | Monoclonal antibody which recognizes trimethylated N-terminus of histone H2B.. <b>1987</b> , 63, 385-388  |     |
| 1471 | Proton nuclear magnetic resonance study on the solution conformation of human epidermal growth factor. <b>1987</b> , 84, 7841-5   | 23  |
| 1470 | Nucleolin, the major nucleolar protein of growing eukaryotic cells: an unusual protein structure revealed by the nucleotide sequence. <b>1987</b> , 84, 1472-6                        | 375 |
| 1469 | Protease B of the lysosomelike vacuole of the yeast <i>Saccharomyces cerevisiae</i> is homologous to the subtilisin family of serine proteases. <b>1987</b> , 7, 4390-9               | 149 |
| 1468 | Nucleotide sequence of the Shiga-like toxin genes of <i>Escherichia coli</i> . <b>1987</b> , 84, 4364-8   | 226 |
| 1467 | Screening an expression library with a ligand probe: isolation and sequence of a cDNA corresponding to a brain calmodulin-binding protein. <b>1987</b> , 84, 3038-42                  | 73  |
| 1466 | Sequence analysis of the complete cDNA and encoded polypeptide for the Glued gene of <i>Drosophila melanogaster</i> . <b>1987</b> , 84, 6501-5  | 57  |
| 1465 | Structure of a cytotoxic T-lymphocyte-specific gene shows a strong homology to fibrinogen beta and gamma chains. <b>1987</b> , 84, 1609-13  | 64  |
| 1464 | Homology between the DNA-binding domain of the GCN4 regulatory protein of yeast and the carboxyl-terminal region of a protein coded for by the oncogene jun. <b>1987</b> , 84, 3316-9 | 265 |
| 1463 | Antibodies against amino acids 1-15 of tumor necrosis factor block its binding to cell-surface receptor. <b>1987</b> , 84, 8829-33  | 36  |

|      |   |        |
|------|---|--------|
| 1462 | Apolipoprotein B: structure, biosynthesis and role in the lipoprotein assembly process. <b>1987</b> , 68, 1-17  | 143    |
| 1461 | High-affinity L-arabinose transport operon. Nucleotide sequence and analysis of gene products. <b>1987</b> , 197, 37-46   | 68     |
| 1460 | Differential repression of SOS genes by unstable lexA41 (tsl-1) protein causes a "split-phenotype" in <i>Escherichia coli</i> K-12. <b>1987</b> , 193, 27-40  | 46     |
| 1459 | COOH-terminal propeptides of the major human procollagens. Structural, functional and genetic comparisons. <b>1987</b> , 193, 127-43  | 88     |
| 1458 | Human acidic ribosomal phosphoproteins P0, P1, and P2: analysis of cDNA clones, in vitro synthesis, and assembly. <b>1987</b> , 7, 4065-74  | 269    |
| 1457 | Nucleotide sequence of korB, a replication control gene of broad host-range plasmid RK2. <b>1987</b> , 198, 211-22  | 46     |
| 1456 | Structure of the ColE1 rop protein at 1.7 A resolution. <b>1987</b> , 196, 657-75   | 280    |
| 1455 | A rice glutelin and a soybean glycinin have evolved from a common ancestral gene. <b>1987</b> , 55, 245-53  | 42     |
| 1454 | Identification and characterization of conserved and variable regions in the neutralization VP2 gene of bluetongue virus. <b>1987</b> , 160, 100-9  | 38     |
| 1453 | The 3'-orf protein of human immunodeficiency virus shows structural homology with the phosphorylation domain of human interleukin-2 receptor and the ATP-binding site of the protein kinase family. <b>1987</b> , 218, 81-6 | 44     |
| 1452 | An integrated prediction of secondary, tertiary and quaternary structure of glucose dehydrogenase. <b>1987</b> , 212, 193-8   | 16     |
| 1451 | Ten to fourteen residue peptides of Alzheimer's disease protein are sufficient for amyloid fibril formation and its characteristic x-ray diffraction pattern. <b>1987</b> , 147, 854-62                                     | 150    |
| 1450 | Molecular cloning of the S-antigen cDNA from bovine retina. <b>1987</b> , 142, 904-10   | 84     |
| 1449 | Cloning, Characterization, and Expression in <i>Saccharomyces Cerevisiae</i> of Endoglucanase I from <i>Trichoderma Reesei</i> . <b>1987</b> , 5, 60-64   | 77     |
| 1448 | Thermal denaturation of globular proteins. Fourier transform-infrared studies of the amide III spectral region. <b>1987</b> , 52, 69-74   | 113    |
| 1447 | Further developments of protein secondary structure prediction using information theory. New parameters and consideration of residue pairs. <b>1987</b> , 198, 425-43   | 485    |
| 1446 | Surface structure and RNA-protein interactions of foot-and-mouth disease virus. <b>1987</b> , 68 ( Pt 6), 1649-58   | 23     |
| 1445 | <i>Trypanosoma congolense</i> : structure and molecular organization of the surface glycoproteins of two early bloodstream variants. <i>Biochemistry</i> , <b>1987</b> , 26, 796-805  | 3.2 26 |

|      |   |     |
|------|---|-----|
| 1444 | Crystal structure of the 10-13 sequence of angiotensinogen L-leucyl-L-leucyl-L-valyl-L-tyrosyl methyl ester. <b>1987</b> , 109, 7463-7465   | 10  |
| 1443 | Rubisco: Structure, Mechanisms, and Prospects for Improvement. <b>1987</b> , 131-218  | 43  |
| 1442 | Quantitative prediction of protein secondary structure [Where is the lacuna?]. <b>1987</b> , 15, 57-61  | 3   |
| 1441 | The molecular organization of the lysostaphin gene and its sequences repeated in tandem. <b>1987</b> , 209, 563-9   | 67  |
| 1440 | Isolation, expression, and the primary structure of HLA-Cw1 and HLA-Cw2 genes: evolutionary aspects. <b>1987</b> , 25, 313-22   | 132 |
| 1439 | A strong correlation between the increase in number of proline residues and the rise in thermostability of five <i>Bacillus oligo-1,6-glucosidases</i> . <b>1987</b> , 26, 546-551                      | 98  |
| 1438 | Continuous compact protein domains. <b>1987</b> , 2, 90-110   | 27  |
| 1437 | Prediction of secondary structure by evolutionary comparison: application to the alpha subunit of tryptophan synthase. <b>1987</b> , 2, 118-29  | 120 |
| 1436 | Synthetic peptides corresponding to sequences of snake venom neurotoxins and rabies virus glycoprotein bind to the nicotinic acetylcholine receptor. <b>1987</b> , 2, 298-307                           | 51  |
| 1435 | The road from poly(alpha-amino acids) to the prediction of protein conformation. <b>1987</b> , 26 Suppl, S59-79   | 27  |
| 1434 | Structural models for the N- and C-terminal telopeptide regions of interstitial collagens. <b>1987</b> , 26, 463-80   | 34  |
| 1433 | Comparison by 1H-nmr spectroscopy of the conformation of the 2600 dalton antifreeze glycopeptide of polar cod with that of the high molecular weight antifreeze glycoprotein. <b>1987</b> , 26, 1227-44 | 41  |
| 1432 | 13C-nmr chemical shift and conformation of L-alanine residues incorporated into poly(L-benzyl L-aspartate) in the solid state. <b>1987</b> , 26, 1983-1992  | 11  |
| 1431 | Transkription in Eukaryonten [Die Rolle von Transkriptionskomplexen und ihren Komponenten]. <b>1987</b> , 99, 206-215   | 2   |
| 1430 | Proteins, exons and molecular evolution. <b>1987</b> , 20, 181-206  | 25  |
| 1429 | Amino acid sequence and structural repeats in schistosome paramyosin match those of myosin. <b>1987</b> , 7, 11-6   | 40  |
| 1428 | PRONUC: a software package for the analysis of protein and nucleic acid sequences. <b>1987</b> , 24, 27-36  | 2   |
| 1427 | Conformational analysis of the cholecystokinin C-terminal octapeptide: a nuclear magnetic resonance and computer-simulation approach. <b>1987</b> , 911, 168-79   | 18  |

|      |  |     |
|------|--|-----|
| 1426 | Isolation and structure analysis of bee venom mast cell degranulating peptide. <b>1987</b> , 911, 285-93   | 38  |
| 1425 | Secondary structure predictions and medium range interactions. <b>1987</b> , 916, 200-4  | 139 |
| 1424 | On the tertiary structure of the extracellular domains of the epidermal growth factor and insulin receptors. <b>1987</b> , 916, 220-6  | 118 |
| 1423 | Spectroscopic studies on the structural organization of the lectin discoidin I: homologies with fibronectin. <b>1987</b> , 911, 11-8   | 4   |
| 1422 | Conformation similarities of the globular and tailed forms of acetylcholinesterase from <i>Torpedo californica</i> . <b>1987</b> , 911, 25-36  | 14  |
| 1421 | Protein antigenic structures recognized by T cells: potential applications to vaccine design. <b>1987</b> , 98, 9-52   | 127 |
| 1420 | High-performance liquid chromatography of amino acids, peptides and proteins. LXXIII. Investigations on the relationships between molecular structure, retention and band-broadening properties of polypeptides separated by reversed-phase high-performance liquid chromatography. <b>1987</b> , 397, 47-70 | 32  |
| 1419 | Localization of a conserved epitope and an azurin-like domain in the H.8 protein of pathogenic <i>Neisseria</i> . <b>1987</b> , 1, 179-85  | 36  |
| 1418 | Demonstration of structural differences between the two subunits of human-plasma fibronectin in the carboxy-terminal heparin-binding domain. <b>1987</b> , 162, 403-11   | 19  |
| 1417 | Structural variations in the alanine-rich antifreeze proteins of the pleuronectinae. <b>1987</b> , 168, 629-33   | 38  |
| 1416 | The high-resolution X-ray crystal structure of the complex formed between subtilisin Carlsberg and eglin c, an elastase inhibitor from the leech <i>Hirudo medicinalis</i> . Structural analysis, subtilisin structure and interface geometry. <b>1987</b> , 166, 673-92                                     | 258 |
| 1415 | Nuclear basic protein transition during sperm differentiation. Amino acid sequence of a spermatid-specific protein from the dog-fish <i>Scylliorhinus caniculus</i> . <b>1987</b> , 169, 105-11  | 8   |
| 1414 | Circular dichroic spectra of elapid cardiotoxins. <b>1988</b> , 172, 383-8   | 23  |
| 1413 | Three-dimensional structure of proteinase K at 0.15-nm resolution. <b>1988</b> , 178, 155-71   | 149 |
| 1412 | CD studies of synthetic polypeptides as histone models: poly(L-Arg-L-Ile-Gly), poly(L-Arg-L-Nva-Gly), and poly(L-Arg-L-Nle-Gly). <b>1988</b> , 27, 213-29  | 3   |
| 1411 | A basic library of microcomputer programs to obtain immunologically relevant information from protein sequences. <b>1988</b> , 22, 165-81  |     |
| 1410 | Interaction of riboflavin binding protein with riboflavin, quinacrine, chlorpromazine and daunomycin. <b>1988</b> , 20, 1021-9   | 10  |
| 1409 | Toward automating the process of determining polypeptide secondary structure from <sup>1</sup> H NMR data. <b>1988</b> , 9, 662-673  | 6   |

|      |  |     |
|------|--|-----|
| 1408 | Symposium overview. Minnesota Conference on Supercomputing in Biology: Proteins, Nucleic Acids, and Water. <b>1988</b> , 1, 271-81   | 3   |
| 1407 | Conformational stability of the penicillin G acylase from <i>Kluyvera citrophila</i> . <b>1988</b> , 28, 144-147   | 7   |
| 1406 | Test of circular dichroism (CD) methods for crambin and CD-assisted secondary structure prediction of its homologous toxins. <b>1988</b> , 4, 262-73   | 15  |
| 1405 | Identification of predictive sequence motifs limited by protein structure data base size. <b>1988</b> , 335, 45-9  | 158 |
| 1404 | Structure of antibody hypervariable loops reproduced by a conformational search algorithm. <b>1988</b> , 335, 564-8  | 193 |
| 1403 | A model linking water and protein structures. <b>1988</b> , 22, 51-4   | 8   |
| 1402 | Adrenoferradoxin-binding peptide of NADPH-adrenoferradoxin reductase. <b>1988</b> , 953, 207-13  | 11  |
| 1401 | Histone H1 structure probed by <i>Staphylococcus aureus</i> V8-proteinase. <b>1988</b> , 956, 224-31   | 9   |
| 1400 | The secondary structure of human plasma fibronectin: conformational changes induced by acidic pH and elevated temperatures; a circular dichroic study. <b>1988</b> , 955, 330-336                                | 13  |
| 1399 | Secondary structure prediction of liver microsomal cytochrome P-450; proposed model of spatial arrangement in a membrane. <b>1988</b> , 955, 361-70  | 14  |
| 1398 | Prediction of the secondary structures of bovine blood coagulation factor IX, factor X, and prothrombin. <b>1988</b> , 7, 613-32   | 1   |
| 1397 | Prediction of the packing arrangement of strands in beta-sheets of globular proteins. <b>1988</b> , 7, 473-90  | 17  |
| 1396 | Prediction of probable pathways of folding in globular proteins. <b>1988</b> , 7, 491-507  | 16  |
| 1395 | The NGF-inducible SCG10 mRNA encodes a novel membrane-bound protein present in growth cones and abundant in developing neurons. <b>1988</b> , 1, 463-76  | 219 |
| 1394 | Fructose-1,6-bisphosphate aldolase from <i>Drosophila melanogaster</i> : primary structure analysis, secondary structure prediction, and comparison with vertebrate aldolases. <b>1988</b> , 266, 10-31          | 19  |
| 1393 | Binding and action of cecropin and cecropin analogues: antibacterial peptides from insects. <b>1988</b> , 939, 260-6   | 224 |
| 1392 | Synthetic magainin analogues with improved antimicrobial activity. <b>1988</b> , 236, 462-6  | 218 |
| 1391 | Differentiated analysis of the secondary structure of hydrophilic and hydrophobic regions in alpha- and beta-subunits of Na <sup>+</sup> ,K <sup>+</sup> -ATPase by Raman spectroscopy. <b>1988</b> , 227, 235-9 | 23  |



|      |  |     |
|------|--|-----|
| 1390 | Point mutations in glycoprotein gene of vesicular stomatitis virus (New Jersey serotype) selected by resistance to neutralization by epitope-specific monoclonal antibodies. <b>1988</b> , 163, 341-8  | 30  |
| 1389 | Subcellular localization of the major immediate early protein (IE1) of human cytomegalovirus at early times after infection. <b>1988</b> , 162, 478-82   | 14  |
| 1388 | Envelope sequences of two new United States HIV-1 isolates. <b>1988</b> , 164, 531-6   | 127 |
| 1387 | Raman spectroscopy of cytoplasmic muscle fiber proteins. Orientational order. <b>1988</b> , 53, 319-25   | 33  |
| 1386 | Conformational restriction of peptidyl immunogens with covalent replacements for the hydrogen bond. <b>1988</b> , 6, 99-103  | 29  |
| 1385 | Structure and function of bacterial sigma factors. <b>1988</b> , 57, 839-72  | 914 |
| 1384 | Production of antibodies against murine class II antigens using unconjugated synthetic peptides of the beta chain region 63-78. <b>1988</b> , 113, 165-74  | 2   |
| 1383 | Correlation between the surface hydrophobicities and elution orders of elapid neurotoxins and cardiotoxins on hydrophobic-interaction high-performance liquid chromatography. <b>1988</b> , 26, 475-83 | 1   |
| 1382 | Progress in the development of competitive bombesin antagonists. <b>1988</b> , 547, 150-7  | 6   |
| 1381 | Immunochemical and biochemical properties of purposely designed synthetic peptides. <b>1988</b> , 527, 29-43   | 8   |
| 1380 | Potent long-acting growth hormone releasing factor analogues. <b>1988</b> , 527, 44-50   | 3   |
| 1379 | Conformational analysis of vasoactive intestinal peptide and related fragments. <b>1988</b> , 527, 51-67   | 24  |
| 1378 | Helix geometry in proteins. <b>1988</b> , 201, 601-19  | 922 |
| 1377 | Cloning, sequencing, and expression in Ficoll-generated minicells of an Escherichia coli heat-stable enterotoxin gene. <b>1988</b> , 20, 42-53   | 24  |
| 1376 | Zinc-dependent structure of a single-finger domain of yeast ADR1. <b>1988</b> , 241, 1489-92   | 299 |
| 1375 | Primary structures of the alanine-rich antifreeze polypeptides from grubby sculpin, Myoxocephalus aeneus. <b>1988</b> , 66, 403-408  | 25  |
| 1374 | Evolutionary and functional relationships between the basic and acidic beta-crystallins. <b>1988</b> , 46, 375-403   | 46  |
| 1373 | Three-alpha-helical coiled-coil, as a proposed model for a thin rod segment of bacteriophage T3 tail fibers. <b>1988</b> , 150, 1244-50  | 8   |

|      |   |     |
|------|---|-----|
| 1372 | Influence of helical organization on immunogenicity and antigenicity of synthetic peptides. <b>1988</b> , 25, 673-8   | 30  |
| 1371 | Antipeptide monoclonal antibodies inhibit the binding of rabies virus glycoprotein and alpha-bungarotoxin to the nicotinic acetylcholine receptor. <b>1988</b> , 25, 881-8                | 33  |
| 1370 | Structure and pharmacology of elapid cytotoxins. <b>1988</b> , 36, 1-40   | 112 |
| 1369 | Sequence homologies, hydrophobic profiles and secondary structures of cathepsins B, H and L: comparison with papain and actinidin. <b>1988</b> , 70, 1335-42                              | 48  |
| 1368 | Characterization of amalgam: a member of the immunoglobulin superfamily from Drosophila. <b>1988</b> , 55, 589-600  | 168 |
| 1367 | Molecular and immunologic analyses of a functional internal image formed by an anti-receptor antibody. <b>1988</b> , 139, 659-75  | 3   |
| 1366 | The <i>C. elegans</i> cell lineage and differentiation gene <i>unc-86</i> encodes a protein with a homeodomain and extended similarity to transcription factors. <b>1988</b> , 55, 757-69 | 310 |
| 1365 | Tertiary structure of <i>Bacillus thermoproteolyticus</i> [4Fe-4S] ferredoxin. Evolutionary implications for bacterial ferredoxins. <b>1988</b> , 199, 183-93                             | 125 |
| 1364 | Cloning and characterization of the <i>CYC8</i> gene mediating glucose repression in yeast. <b>1988</b> , 73, 97-111  | 86  |
| 1363 | Folding of maltoporin with respect to the outer membrane. <b>1988</b> , 201, 493-496  | 13  |
| 1362 | Nucleotide sequence of the fusion and phosphoprotein genes of human respiratory syncytial (RS) virus Long strain: evidence of subtype genetic heterogeneity. <b>1988</b> , 10, 249-61     | 59  |
| 1361 | Organization of the early region of bacteriophage phi 80. Genes and proteins. <b>1988</b> , 202, 537-50   | 23  |
| 1360 | Characterization of murine monoclonal antibodies to HIV-1 induced by synthetic peptides. <b>1988</b> , 4, 331-42  | 13  |
| 1359 | Primary and predicted secondary structures of the caseins in relation to their biological functions. <b>1988</b> , 2, 251-9   | 127 |
| 1358 | Cloning and characterization of a photolyase gene from the cyanobacterium <i>Anacystis nidulans</i> . <b>1988</b> , 16, 4447-63   | 45  |
| 1357 | A computer graphics program system for protein structure representation. <b>1988</b> , 16, 1801-12  | 18  |
| 1356 | Protective and heart-crossreactive epitopes located within the NH2 terminus of type 19 streptococcal M protein. <b>1988</b> , 167, 1849-59  | 44  |
| 1355 | Analysis of cDNA encoding the hypoxanthine-guanine phosphoribosyltransferase (HGPRTase) of <i>Schistosoma mansoni</i> ; a putative target for chemotherapy. <b>1988</b> , 16, 7087-101    | 45  |

|      |   |     |
|------|---|-----|
| 1354 | A protein secondary structure prediction scheme for the IBM PC and compatibles. <b>1988</b> , 4, 473-7  | 6   |
| 1353 | ANTHEPROT: a package for protein sequence analysis using a microcomputer. <b>1988</b> , 4, 351-6  | 15  |
| 1352 | Prokaryotic expression of immunogenic polypeptides of the large phosphoprotein (pp150) of human cytomegalovirus. <b>1988</b> , 69 ( Pt 6), 1195-204   | 48  |
| 1351 | Effects of neuromedin B, gastrin-releasing peptide-10 and their fragment peptides on secretion of gastrointestinal and pancreatic hormones in dogs. <b>1988</b> , 117, 205-13                 | 12  |
| 1350 | Hydrophobic microdomains as structural invariant regions in proteins. <b>1988</b> , 2, 115-8  | 9   |
| 1349 | Characterization of a mammalian smooth muscle myosin heavy chain cDNA clone and its expression in various smooth muscle types. <b>1988</b> , 85, 1047-51                                      | 114 |
| 1348 | Type-specific neutralization of the human immunodeficiency virus with antibodies to env-encoded synthetic peptides. <b>1988</b> , 85, 1932-6  | 468 |
| 1347 | Sequences of the cell-attachment sites of reovirus type 3 and its anti-idiotypic/antireceptor antibody: modeling of their three-dimensional structures. <b>1988</b> , 85, 6488-92             | 81  |
| 1346 | Distinctive charge configurations in proteins of the Epstein-Barr virus and possible functions. <b>1988</b> , 85, 6637-41   | 9   |
| 1345 | Use of synthetic peptides to identify an N-terminal epitope on mouse gamma interferon that may be involved in function. <b>1988</b> , 85, 1237-41   | 17  |
| 1344 | X gene-related sequences in the core gene of duck and heron hepatitis B viruses. <b>1988</b> , 85, 6162-6   | 11  |
| 1343 | Microtubule-associated protein MAP2 shares a microtubule binding motif with tau protein. <b>1988</b> , 242, 936-9   | 456 |
| 1342 | The DNA-binding unit in sea urchin spermatogenous histones. II. The position of the DNA-binding unit in the nucleosome structure.. <b>1988</b> , 64, 33-36                                    | 2   |
| 1341 | Primary- and secondary-structural analysis of a unique prokaryotic metallothionein from a <i>Synechococcus</i> sp. cyanobacterium. <b>1988</b> , 251, 691-9                                   | 136 |
| 1340 | Molecular cloning and expression of a gene for a factor which stabilizes formation of inhibitor-mitochondrial ATPase complex from <i>Saccharomyces cerevisiae</i> . <b>1988</b> , 104, 526-30 | 20  |
| 1339 | Structural requirements of human preproapolipoprotein AI for translocation and processing studied by site-directed mutagenesis in vitro. <b>1988</b> , 369, 1055-63                           | 3   |
| 1338 | Circular-dichroism studies on two murine serum amyloid A proteins. <b>1988</b> , 256, 775-83  | 161 |
| 1337 | The predicted secondary structures of class I fructose-bisphosphate aldolases. <b>1988</b> , 249, 789-93  | 12  |

- 1336 The complete amino acid sequence of a pea (*Pisum sativum*) seed lipoxygenase predicted from a near full-length cDNA. **1988**, 253, 915-8 63
- 1335 Homology of N-termini of histones, H2A and H4.. **1988**, 64, 167-171
- 1334 The DNA-binding unit in sea urchin spermatogenous histones. I. A new DNA-binding unit in H2B and H1.. **1988**, 64, 29-32 2
- 1333 Structure and transcription of the allantoate permease gene (DAL5) from *Saccharomyces cerevisiae*. **1988**, 170, 266-71 61
- 1332 Alpha-helix in the carboxy-terminal domains of histones H1 and H5.. **1988**, 7, 69-75 116
- 1331 The Role of Lys Side Chains in the Stabilization of  $\beta$ Turn Structure. **1988**, 20, 65-72 2
- 1330 Synthetic peptides as substrates and inhibitors of a retroviral protease. **1988**, 85, 4185-9 93
- 1329 Pathogenic and host range determinants of the feline aplastic anemia retrovirus. **1988**, 85, 2758-62 62
- 1328 Characterization of recombinant-derived granulocyte-colony stimulating factor (G-CSF). **1988**, 256, 213-8 22
- 1327 Modifying preselected sites on proteins: the stretch of residues 633-642 of the myosin heavy chain is part of the actin-binding site. **1988**, 85, 7471-5 67
- 1326 Role of the Human Retroviruses HTLV-I, HTLV-II and HIV in Leukemia and AIDS. **1988**, 182-229
- 1325 Contacts between the LexA repressor-or its DNA-binding domain-and the backbone of the recA operator DNA.. **1988**, 7, 269-275 40
- 1324 A stable alpha-helical element in the carboxy-terminal domain of free and chromatin-bound histone H1 from sea urchin sperm.. **1989**, 8, 2591-2599 39
- 1323 Molecular Aspects of Ligand Interaction with Somatic and Immune Receptors: Insights from Studies of the Mammalian Reoviruses. **1989**, 46, 126-156
- 1322 Isolation of dynein heavy chain cDNAs from trout testis which predict an extensive carboxyl-terminal alpha-helical coiled-coil domain.. **1989**, 8, 1727-1734 15
- 1321 Induction of a growth-phase-dependent promoter triggers transcription of *bolA*, an *Escherichia coli* morphogene.. **1989**, 8, 3923-3931 132
- 1320 Mouse interleukin-2 structure-function studies: substitutions in the first alpha-helix can specifically inactivate p70 receptor binding and mutations in the fifth alpha-helix can specifically inactivate p55 receptor binding.. **1989**, 8, 2583-2590 28
- 1319 Primary structure of hemorrhagic protein, HR2a, isolated from the venom of *Trimeresurus flavoviridis*. **1989**, 105, 847-53 92

|      |  |     |
|------|--|-----|
| 1318 | Cloning and expression in <i>Escherichia coli</i> of an extremely thermostable oligo-1,6-glucosidase gene from <i>Bacillus thermoglucosidasius</i> . <b>1989</b> , 171, 1219-22                    | 19  |
| 1317 | Embryonic expression pattern of a family of <i>Drosophila</i> proteins that interact with a central nervous system regulatory element. <b>1989</b> , 3, 1130-45                                    | 112 |
| 1316 | Isolation and characterization of STI1, a stress-inducible gene from <i>Saccharomyces cerevisiae</i> . <b>1989</b> , 9, 3638-46  | 218 |
| 1315 | Flexibility plot of proteins. <b>1989</b> , 2, 497-504   | 50  |
| 1314 | Mutational analysis of the virion-sense genes of maize streak virus. <b>1989</b> , 70 ( Pt 9), 2309-23   | 102 |
| 1313 | Homology between the cDNAs encoding phosphoprotein p19 and SCG10 reveals a novel mammalian gene family preferentially expressed in developing brain. <b>1989</b> , 8, 389-98                       | 75  |
| 1312 | Antibodies to the nef protein and to nef peptides in HIV-1-infected seronegative individuals. <b>1989</b> , 5, 279-91  | 62  |
| 1311 | Structure and function of the complement receptors, CR1 (CD35) and CR2 (CD21). <b>1989</b> , 46, 183-219   | 343 |
| 1310 | Identification and developmental expression of a novel embryonic myosin heavy-chain gene in chicken. <b>1989</b> , 8, 39-50  | 17  |
| 1309 | The microtubule binding domain of microtubule-associated protein MAP1B contains a repeated sequence motif unrelated to that of MAP2 and tau. <b>1989</b> , 109, 3367-76                            | 280 |
| 1308 | Adipokinetic Hormones: Functions and Structures. <b>1989</b> , 177, 218-224  | 38  |
| 1307 | Structure-function relationships in the inorganic salt-induced precipitation of alpha-chymotrypsin. <b>1989</b> , 995, 231-45  | 42  |
| 1306 | Proton nuclear magnetic resonance study of the histidine residues of pituitary bovine growth hormone. <b>1989</b> , 994, 166-71  | 4   |
| 1305 | Synthetic peptides approach to identification of epitopes on bovine leukemia virus envelope glycoprotein gp51. <b>1989</b> , 169, 34-41  | 37  |
| 1304 | Sequence analyses and structural predictions of double-stranded RNA segment S1 and VP7 from United States prototype bluetongue virus serotypes 13 and 10. <b>1989</b> , 172, 189-95                | 28  |
| 1303 | Synthetic peptides derived from the deduced amino acid sequence of the E-glycoprotein of Murray Valley encephalitis virus elicit antiviral antibody. <b>1989</b> , 171, 49-60                      | 82  |
| 1302 | Single amino acid substitutions in sn-glycerol-3-phosphate dehydrogenase allozymes from <i>Drosophila virilis</i> . <b>1989</b> , 45, 312-4  | 3   |
| 1301 | Nuclear basic protein transition during sperm differentiation. Primary structure of the spermatid-specific protein S2 from the dog-fish <i>Scylliorhinus caniculus</i> . <b>1989</b> , 180, 329-35 | 8   |

|      |   |     |
|------|---|-----|
| 1300 | Studies of the functional topography of Escherichia coli RNA polymerase. A method for localization of the sites of affinity labelling. <b>1989</b> , 180, 577-85          | 96  |
| 1299 | Effect of the microenvironment on the tertiary structure of cytochrome P-450 LM2. <b>1989</b> , 181, 391-6  | 8   |
| 1298 | Functional analysis of the signal-sequence processing site of yeast acid phosphatase. <b>1989</b> , 182, 213-21   | 11  |
| 1297 | Biochemical and theoretical approach to localization of metal-ion-binding sites in the actin primary structure. <b>1989</b> , 182, 299-305                                | 8   |
| 1296 | Pike eel ( <i>Muraenesox cinereus</i> ) gonadotropin. Amino acid sequences of both alpha and beta subunits. <b>1989</b> , 186, 105-14                                     | 23  |
| 1295 | Pattern recognition in the prediction of protein structure. I. Tripeptide conformational probabilities calculated from the amino acid sequence. <b>1989</b> , 10, 770-797 | 53  |
| 1294 | Pattern recognition in the prediction of protein structure. II. Chain conformation from a probability-directed search procedure. <b>1989</b> , 10, 798-816                | 37  |
| 1293 | Sequence of a human MAP-2 region sharing epitopes with Alzheimer neurofibrillary tangles. <b>1989</b> , 24, 487-95  | 29  |
| 1292 | Binding of basic pancreatic trypsin inhibitor and related isoinhibitors to leukocytic elastase. Determination of thermodynamic parameters. <b>1989</b> , 2, 142-6         | 3   |
| 1291 | Complete amino acid sequence of Bombyx egg-specific protein deduced from cDNA clone. <b>1989</b> , 10, 131-139  | 14  |
| 1290 | [Localization of the essential structure for binding of antiviral agents to thymidine kinase by studying sequence homologies]. <b>1989</b> , 322, 409-13                  | 6   |
| 1289 | Caseins of various origins and biologically active casein peptides and oligosaccharides: structural and physiological aspects. <b>1989</b> , 87, 5-30                     | 144 |
| 1288 | Genetic and structural characterization of the avirulence gene <i>avrBs3</i> from <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> . <b>1989</b> , 218, 127-36        | 287 |
| 1287 | Molecular and genetic analysis of an embryonic gene, DC 8, from <i>Daucus carota</i> L. <b>1989</b> , 218, 143-51   | 69  |
| 1286 | Sequence analysis of the C3H H-2K1k gene: relationship to the H-2 loci. <b>1989</b> , 29, 355-7   | 9   |
| 1285 | Monoclonal antibody analysis of influenza virus matrix protein epitopes involved in transcription inhibition. <b>1989</b> , 3, 111-26                                     | 22  |
| 1284 | A computer model to dynamically simulate protein folding: studies with crambin. <b>1989</b> , 6, 193-209  | 152 |
| 1283 | The virulence-associated gonococcal H.8 gene encodes 14 tandemly repeated pentapeptides. <b>1989</b> , 3, 49-55   | 20  |

|      |  |     |
|------|--|-----|
| 1282 | Molecular characterization of a surface protein antigen gene from serotype c Streptococcus mutans, implicated in dental caries. <b>1989</b> , 3, 673-8                             | 160 |
| 1281 | Extensive sequence homology between IgA receptor and M proteins in Streptococcus pyogenes. <b>1989</b> , 3, 1111-9   | 132 |
| 1280 | Development and Use of Receptor Binding Peptides Derived From Antireceptor Antibodies. <b>1989</b> , 7, 471-475  | 6   |
| 1279 | A cluster of phosphorylation sites on the cyclic AMP-regulated nuclear factor CREB predicted by its sequence. <b>1989</b> , 337, 749-52  | 863 |
| 1278 | Two functionally different regions in Fos are required for the sequence-specific DNA interaction of the Fos/Jun protein complex. <b>1989</b> , 338, 589-90                         | 153 |
| 1277 | Association of a Ras-related protein with cytochrome b of human neutrophils. <b>1989</b> , 342, 198-200  | 221 |
| 1276 | Organization of microtubules in dendrites and axons is determined by a short hydrophobic zipper in microtubule-associated proteins MAP2 and tau. <b>1989</b> , 342, 498-505        | 268 |
| 1275 | SPXX, a frequent sequence motif in gene regulatory proteins. <b>1989</b> , 207, 61-84  | 264 |
| 1274 | Proper function of the Drosophila trp gene product during pupal development is important for normal visual transduction in the adult. <b>1989</b> , 3, 81-94                       | 99  |
| 1273 | Evidence for partial export of Vitreoscilla hemoglobin into the periplasmic space in Escherichia coli. Implications for protein function. <b>1989</b> , 210, 79-89                 | 57  |
| 1272 | Cloning, sequencing and expression in Escherichia coli of the D-2-hydroxyisocaproate dehydrogenase gene of Lactobacillus casei. <b>1989</b> , 78, 47-57                            | 79  |
| 1271 | Localization and characterization of the binding site for the regulatory subunit of type II cAMP-dependent protein kinase on MAP2. <b>1989</b> , 3, 631-8                          | 116 |
| 1270 | Drosophila neuroglian: a member of the immunoglobulin superfamily with extensive homology to the vertebrate neural adhesion molecule L1. <b>1989</b> , 59, 447-60                  | 369 |
| 1269 | Isolation and sequence of lambda gt11 cDNA clones encoding the 5B4 antigen expressed on sprouting neurons. <b>1989</b> , 5, 297-303  | 12  |
| 1268 | Functional independence of the epidermal growth factor receptor from a domain required for ligand-induced internalization and calcium regulation. <b>1989</b> , 59, 33-43          | 367 |
| 1267 | The conformational restriction of synthetic peptides, including a malaria peptide, for use as immunogens. <b>1989</b> , 323, 565-72  | 16  |
| 1266 | Cloning of GMP-140, a granule membrane protein of platelets and endothelium: sequence similarity to proteins involved in cell adhesion and inflammation. <b>1989</b> , 56, 1033-44 | 713 |
| 1265 | Prediction of Protein Structural Classes from Amino Acid Compositions. <b>1989</b> , 549-586   | 103 |

|      |   |     |     |
|------|---|-----|-----|
| 1264 | Use of Class Prediction to Improve Protein Secondary Structure Prediction. <b>1989</b> , 587-597  |     | 15  |
| 1263 | Redundancies in Protein Sequences. <b>1989</b> , 599-623  |     | 43  |
| 1262 | Structure Prediction for Membrane Proteins. <b>1989</b> , 707-717   |     | 15  |
| 1261 | Identification of Membrane Proteins and Soluble Protein Secondary Structural Elements, Domain Structure, and Packing Arrangements by Fourier-Transform Amphipathic Analysis. <b>1989</b> , 719-759  |     | 7   |
| 1260 | The Development of the Prediction of Protein Structure. <b>1989</b> , 193-316   |     | 56  |
| 1259 | Influence of protein conformation on its adaptability under chaotropic conditions. <b>1989</b> , 11, 2-8  |     | 27  |
| 1258 | Structural analysis of homologous repeated domains in alpha-actinin and spectrin. <b>1989</b> , 11, 81-90   |     | 62  |
| 1257 | Molecular characterization of DNA puff II/9A genes in <i>Sciara coprophila</i> . <b>1989</b> , 210, 531-40  |     | 29  |
| 1256 | Interaction of glycosaminoglycans with lipoproteins. <b>1989</b> , 556, 186-93  |     | 24  |
| 1255 | Structural and functional organization of a porcine gene coding for nuclear factor I. <i>Biochemistry</i> , <b>1989</b> , 28, 8191-200  | 3.2 | 93  |
| 1254 | Synthetic peptide representing a T-cell epitope of CRM197 substitutes as carrier molecule in a <i>Haemophilus influenzae</i> type B (Hib) conjugate vaccine. <b>1989</b> , 251, 175-80  |     | 18  |
| 1253 | Signal sequences. <i>Biochemistry</i> , <b>1989</b> , 28, 923-30  | 3.2 | 482 |
| 1252 | Important role of the proline residue in the signal sequence that directs the secretion of human lysozyme in <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , <b>1989</b> , 28, 2728-32  | 3.2 | 41  |
| 1251 | Comparison of the conformation and GTP hydrolysing ability of N-terminal ras p21 protein segments. <b>1989</b> , 160, 282-8   |     | 1   |
| 1250 | Amino-terminal region of human macrophage colony-stimulating factor (M-CSF) is sufficient for its in vitro biological activity: molecular cloning and expression of carboxyl-terminal deletion mutants of human M-CSF. <b>1989</b> , 161, 892-901 |     | 22  |
| 1249 | Complete amino acid sequence of chicken liver acyl carrier protein derived from the fatty acid synthase. <b>1989</b> , 270, 92-8  |     | 6   |
| 1248 | Cloning and sequencing of the gamma-subunit of retinal cyclic-GMP phosphodiesterase from rd mouse. <b>1989</b> , 48, 863-72   |     | 8   |
| 1247 | Biologic significance and therapeutic implications of antigen/MHC interactions. <b>1989</b> , 53, S47-52  |     | 12  |



|      |  |      |
|------|--|------|
| 1246 | Molecular and cellular regulation of neuropeptide expression: the bag cell model system. <b>1989</b> , 14, 181-201   | 21   |
| 1245 | Protein conformational prediction. <b>1989</b> , 14, 295-9   | 60   |
| 1244 | Molecular modeling of protein-glycosaminoglycan interactions. <b>1989</b> , 9, 21-32   | 1133 |
| 1243 | Fasciclin III: a novel homophilic adhesion molecule in <i>Drosophila</i> . <b>1989</b> , 59, 313-23  | 195  |
| 1242 | A human lymphocyte homing receptor, the hermes antigen, is related to cartilage proteoglycan core and link proteins. <b>1989</b> , 56, 1063-72   | 478  |
| 1241 | Molecular cloning of the human eosinophil-derived neurotoxin: a member of the ribonuclease gene family. <b>1989</b> , 86, 4460-4   | 132  |
| 1240 | Dramatic thermostabilization of yeast iso-1-cytochrome c by an asparagine----isoleucine replacement at position 57. <b>1989</b> , 86, 496-9  | 92   |
| 1239 | v-maf, a viral oncogene that encodes a "leucine zipper" motif. <b>1989</b> , 86, 7711-5  | 228  |
| 1238 | Amino acid sequence of a short chain neurotoxin from the venom of banded krait ( <i>Bungarus fasciatus</i> ). <b>1989</b> , 105, 93-7  | 7    |
| 1237 | A new peptide for human parvovirus B19 antibody detection. <b>1989</b> , 21, 597-603   | 37   |
| 1236 | Antibody to a human DNA repair protein allows for cloning of a <i>Drosophila</i> cDNA that encodes an apurinic endonuclease. <b>1989</b> , 9, 965-73   | 50   |
| 1235 | Protein secondary structure prediction with a neural network. <b>1989</b> , 86, 152-6  | 380  |
| 1234 | Mammalian aspartate transcarbamylase (ATCase): sequence of the ATCase domain and interdomain linker in the CAD multifunctional polypeptide and properties of the isolated domain. <b>1989</b> , 86, 4382-6 | 53   |
| 1233 | MUC18, a marker of tumor progression in human melanoma, shows sequence similarity to the neural cell adhesion molecules of the immunoglobulin superfamily. <b>1989</b> , 86, 9891-5                        | 356  |
| 1232 | Recent advances in brain-gut hormones. <b>1989</b> , 52 Suppl, 49-54   | 4    |
| 1231 | Evolution of legume seed storage proteins--a domain common to legumins and vicilins is duplicated in vicilins. <b>1989</b> , 6, 614-23   | 53   |
| 1230 | Development and use of antireceptor antibodies to study interaction of mammalian reovirus type 3 with its cell surface receptor. <b>1989</b> , 178, 321-41   | 9    |
| 1229 | Secretin. <b>1989</b> , 359-402  |      |

|      |   |     |
|------|---|-----|
| 1228 | Secondary structural features of the bacteriophage Mu-encoded A and B transposition proteins. <b>1989</b> , 263, 19-23  | 6   |
| 1227 | The Easy Disruption of the $\beta$ Sheet Structure of Resin-Bound Human Proinsulin C-Peptide Fragments by Strong Electron-Donor Solvents. <b>1989</b> , 62, 3582-3586                                 | 15  |
| 1226 | Individuality of Amino Acid Residues in Protected Peptides. Conformational and $\beta$ Sheet Structure-Disrupted Behaviors of Resin-Bound Peptides. <b>1989</b> , 62, 773-779                         | 20  |
| 1225 | Peptide Segment Separation by Tertiary Peptide Bonds. Synthesis and Conformational Analysis of Cross-Linked Polystyrene Resin-Bound Human Proinsulin C-Peptide Fragments. <b>1989</b> , 62, 3577-3581 | 8   |
| 1224 | Primary structure of H2-proteinase, a non-hemorrhagic metalloproteinase, isolated from the venom of the habu snake, <i>Trimeresurus flavoviridis</i> . <b>1989</b> , 106, 151-7                       | 96  |
| 1223 | Site of nonrestrictive binding of SEA to class II MHC antigens. <b>1990</b> , 93, 107-12  | 7   |
| 1222 | Cleavage of a hydrophilic C-terminal domain increases growth-inhibitory activity of oncostatin M. <b>1990</b> , 10, 1882-90   | 35  |
| 1221 | Structure and regulation of the gene for dGTP triphosphohydrolase from <i>Escherichia coli</i> . <b>1990</b> , 87, 2740-4   | 33  |
| 1220 | Bipartite mRNA for chicken alpha-fibrinogen potentially encodes an amino acid sequence homologous to beta- and gamma-fibrinogens. <b>1990</b> , 87, 5198-202  | 47  |
| 1219 | An Intrinsic Tonoplast Protein of Protein Storage Vacuoles in Seeds Is Structurally Related to a Bacterial Solute Transporter (GlpF). <b>1990</b> , 2, 525  | 2   |
| 1218 | Structural analysis of sulphated glycoprotein 2 from amino acid sequence. Relationship to clusterin and serum protein 40,40. <b>1990</b> , 268, 571-8   | 70  |
| 1217 | Molecular cloning, structure, and expression of dopamine-beta-hydroxylase from bovine adrenal medulla. <b>1990</b> , 55, 97-105   | 18  |
| 1216 | Citrate lyase from <i>Klebsiella pneumoniae</i> . The complete primary structure of the acyl lyase subunit. <b>1990</b> , 192, 161-6  | 1   |
| 1215 | Amino acid sequence of a 12-kDa inhibitor of protein kinase C. <b>1990</b> , 194, 19-23   | 22  |
| 1214 | Predicted secondary structure of maltodextrin Phosphorylase from <i>Escherichia coli</i> as deduced using Chou-Fasman model. <b>1990</b> , 15, 53-58  | 1   |
| 1213 | An intrinsic tonoplast protein of protein storage vacuoles in seeds is structurally related to a bacterial solute transporter (GlpF). <b>1990</b> , 2, 525-32   | 180 |
| 1212 | Circular dichroism studies on helical structure preferences of amino acid residues of proteins caused by sodium dodecyl sulfate. <b>1990</b> , 9, 573-82  | 19  |
| 1211 | Training neural networks to analyse biological sequences. <b>1990</b> , 8, 304-8  | 17  |

|      |   |     |
|------|---|-----|
| 1210 | Structural analysis of a 64-kDa major structural protein of human cytomegalovirus (Towne): identification of a phosphorylation site and comparison to pp65 of HCMV (AD169). <b>1990</b> , 178, 6-14                                       | 19  |
| 1209 | Nucleotide sequence of the virulent SA-14 strain of Japanese encephalitis virus and its attenuated vaccine derivative, SA-14-14-2. <b>1990</b> , 177, 541-52  | 128 |
| 1208 | Synthesis of polypeptides by microwave heating I. Formation of polypeptides during repeated hydration-dehydration cycles and their characterization. <b>1990</b> , 31, 180-6  | 42  |
| 1207 | Generation of potential structures for the G-domain of chloroplast EF-Tu using comparative molecular modeling. <b>1990</b> , 8, 237-50  | 5   |
| 1206 | Export incompatibility of N-terminal basic residues in a mature polypeptide of Escherichia coli can be alleviated by optimising the signal peptide. <b>1990</b> , 221, 466-74   | 48  |
| 1205 | Conformational analysis of the immunodominant epitopes of the circumsporozoite protein of Plasmodium falciparum and knowlesi. <b>1990</b> , 29, 123-30  | 11  |
| 1204 | Peptide design: influence of a guest Aib-Pro segment on the stereochemistry of an oligo-val sequence--solution conformations and crystal structure of Boc-(Val)2-Aib-Pro-(Val)3-OMe. <b>1990</b> , 29, 1433-42                            | 22  |
| 1203 | Opioid peptides in micellar systems: conformational analysis by CD and by one-dimensional and two-dimensional 1H-NMR spectroscopy. <b>1990</b> , 30, 899-909  | 17  |
| 1202 | Detection of antibodies to human T-lymphotropic virus type I by using synthetic peptides. <b>1990</b> , 45, 865-8   | 34  |
| 1201 | Nucleic acid sequence analysis software for microcomputers. <b>1990</b> , 190, 147-53   | 6   |
| 1200 | A knowledge-based architecture for protein sequence analysis and structure prediction. <b>1990</b> , 8, 94-107  | 10  |
| 1199 | A protein structure predictor based on an energy model with learned parameters. <b>1990</b> , 3, 129-141  | 13  |
| 1198 | Neural network analysis of protein tertiary structure. <b>1990</b> , 3, 191-211   | 21  |
| 1197 | High-performance liquid chromatography of amino acids, peptides and proteins. XCIX. Comparative study of the equilibrium refolding of bovine, porcine and human growth hormone by size-exclusion chromatography. <b>1990</b> , 512, 57-75 | 5   |
| 1196 | Characterisation of an inhibitory monoclonal antibody-defined epitope on a malaria vaccine candidate antigen. <b>1990</b> , 23, 305-9   | 26  |
| 1195 | Regions of the Streptococcus sobrinus spaA gene encoding major determinants of antigen I. <b>1990</b> , 172, 3988-4001  | 24  |
| 1194 | Secretion of methanol-insoluble heat-stable enterotoxin (STB): energy- and secA-dependent conversion of pre-STB to an intermediate indistinguishable from the extracellular toxin. <b>1990</b> , 172, 2427-32                             | 46  |
| 1193 | The kil-kor regulon of broad-host-range plasmid RK2: nucleotide sequence, polypeptide product, and expression of regulatory gene korC. <b>1990</b> , 172, 3040-50   | 25  |

|      |  |     |
|------|--|-----|
| 1192 | Biochemistry of fish antifreeze proteins. <b>1990</b> , 4, 2460-8  | 358 |
| 1191 | Physiology, biochemistry and genetics of bacterial glycogen synthesis. <b>1989</b> , 30, 183-238   | 131 |
| 1190 | Structure of an epitope in an immunodominant region of the interferon-gamma molecule that is involved in receptor interaction. <b>1990</b> , 10, 243-52  | 5   |
| 1189 | The antibody response to the HIV-1 specific "out" (vpu) protein: identification of an immunodominant epitope and correlation of antibody detectability to clinical stages. <b>1990</b> , 6, 943-50   | 19  |
| 1188 | Molecular cloning and characterization of the immunologically protective surface glycoprotein GP46/M-2 of <i>Leishmania amazonensis</i> . <b>1990</b> , 87, 8393-7   | 60  |
| 1187 | Localization of an antiviral site on the pregnancy recognition hormone, ovine trophoblast protein 1. <b>1990</b> , 87, 5945-9  | 29  |
| 1186 | Cloning, sequencing and expression in <i>Escherichia coli</i> of cDNA for a non-A, non-B hepatitis-associated microtubular aggregates protein. <b>1990</b> , 71 ( Pt 9), 2005-11   | 10  |
| 1185 | Identification of mutations associated with peroxisome-to-mitochondrion mistargeting of alanine/glyoxylate aminotransferase in primary hyperoxaluria type 1. <b>1990</b> , 111, 2341-51  | 199 |
| 1184 | Side chain contributions to the stability of alpha-helical structure in peptides. <b>1990</b> , 250, 669-73  | 443 |
| 1183 | Molecular cloning of human protein 4.2: a major component of the erythrocyte membrane. <b>1990</b> , 87, 955-9   | 67  |
| 1182 | Herpesviral deoxythymidine kinases contain a site analogous to the phosphoryl-binding arginine-rich region of porcine adenylate kinase; comparison of secondary structure predictions and conservation. <b>1990</b> , 71 ( Pt 12), 2979-87 | 82  |
| 1181 | The sequence of the nucleocapsid protein (N) gene of Piry virus: possible domains in the N protein of vesiculoviruses. <b>1990</b> , 71 ( Pt 9), 2191-4  | 19  |
| 1180 | Identification of a ligand-binding region of the human insulin receptor encoded by the second exon of the gene. <b>1990</b> , 4, 409-16  | 87  |
| 1179 | Development-specific sigma-factor essential for late-stage differentiation of <i>Myxococcus xanthus</i> . <b>1990</b> , 4, 1396-403  | 51  |
| 1178 | Distribution of charged residues stabilizes individual helices in myoglobins. <b>1990</b> , 7, 973-83  | 1   |
| 1177 | Improvement of nutritional value and functional properties of soybean glycinin by protein engineering. <b>1990</b> , 3, 725-31   | 47  |
| 1176 | Virus neutralizing and enhancing epitopes characterized by synthetic oligopeptides derived from the feline leukaemia virus glycoprotein sequence. <b>1990</b> , 71 ( Pt 1), 77-83  | 14  |
| 1175 | Local protein sequence similarity does not imply a structural relationship. <b>1990</b> , 4, 125-31  | 22  |

|      |  |     |     |
|------|--|-----|-----|
| 1174 | Characterization of TUP1, a mediator of glucose repression in <i>Saccharomyces cerevisiae</i> . <b>1990</b> , 10, 6500-11  |     | 199 |
| 1173 | A method for construction of long randomized open reading frames and polypeptides. <b>1990</b> , 3, 221-6  |     | 35  |
| 1172 | Structural characteristics of alpha-helical peptide molecules containing Aib residues. <i>Biochemistry</i> , <b>1990</b> , 29, 6747-56   | 3.2 | 874 |
| 1171 | Effect of central-residue replacements on the helical stability of a monomeric peptide. <i>Biochemistry</i> , <b>1990</b> , 29, 7511-5   | 3.2 | 116 |
| 1170 | The prediction of transmembrane protein sequences and their conformation: an evaluation. <b>1990</b> , 15, 89-92   |     | 98  |
| 1169 | The lac permease of <i>Escherichia coli</i> : site-directed mutagenesis studies on the mechanism of beta-galactoside/H <sup>+</sup> symport. <b>1990</b> , 141, 290-308  |     | 38  |
| 1168 | 'Rapid evolution' of the amino acid composition of proteins. <b>1990</b> , 15, 135-6   |     | 18  |
| 1167 | How big is the periplasmic space?. <b>1990</b> , 15, 136-7   |     | 58  |
| 1166 | The MyoD DNA binding domain contains a recognition code for muscle-specific gene activation. <b>1990</b> , 60, 733-46  |     | 752 |
| 1165 | Isolation and characterization of cDNA encoding the gamma-subunit of cGMP phosphodiesterase in human retina. <b>1990</b> , 88, 227-32  |     | 30  |
| 1164 | Conformational studies of synthetic peptides corresponding to the repetitive regions of the high molecular weight (HMW) glutenin subunits of wheat. <b>1990</b> , 11, 189-200                                  |     | 59  |
| 1163 | Novel cross-reactive epitopes on asexual blood stage antigens of <i>Plasmodium falciparum</i> . <b>1990</b> , 12, 457-71   |     | 4   |
| 1162 | Secondary structure of the mammalian 70-kilodalton heat shock cognate protein analyzed by circular dichroism spectroscopy and secondary structure prediction. <i>Biochemistry</i> , <b>1990</b> , 29, 8199-206 | 3.2 | 60  |
| 1161 | Relations between protein sequence and structure and their significance. <b>1990</b> , 213, 337-50   |     | 51  |
| 1160 | Calculation of conformational ensembles from potentials of mean force. An approach to the knowledge-based prediction of local structures in globular proteins. <b>1990</b> , 213, 859-83                       |     | 956 |
| 1159 | Tertiary structural constraints on protein evolutionary diversity: templates, key residues and structure prediction. <b>1990</b> , 241, 132-45   |     | 170 |
| 1158 | Conformation of membrane fusion-active 20-residue peptides with or without lipid bilayers. Implication of alpha-helix formation for membrane fusion. <i>Biochemistry</i> , <b>1990</b> , 29, 6257-64           | 3.2 | 98  |
| 1157 | Apolipoprotein J: structure and tissue distribution. <i>Biochemistry</i> , <b>1990</b> , 29, 5380-9  | 3.2 | 293 |

|      |  |     |
|------|--|-----|
| 1156 | Novel method for the rapid evaluation of packing in protein structures. <b>1990</b> , 211, 959-74  | 130 |
| 1155 | A proposed structure of bacteriophage T4 gene product 22--a major prohead scaffolding core protein. <b>1990</b> , 104, 24-31   | 19  |
| 1154 | The POU-specific domain of Pit-1 is essential for sequence-specific, high affinity DNA binding and DNA-dependent Pit-1-Pit-1 interactions. <b>1990</b> , 61, 1021-33   | 383 |
| 1153 | 200th American chemical society national meeting. <b>1990</b> , 1, 122-124   |     |
| 1152 | Motional effects on NMR structural data. Comparison of spinach and Escherichia coli acyl carrier proteins. <b>1990</b> , 40, 7-13  | 17  |
| 1151 | A repeated decapeptide motif in the C-terminal domain of the ribosomal RNA methyltransferase from the erythromycin producer Saccharopolyspora erythraea. <b>1990</b> , 262, 189-93                                   | 9   |
| 1150 | Identification of a conserved protein motif in a group of growth factor receptors. <b>1990</b> , 272, 7-11   | 50  |
| 1149 | Sequencing and characterization of the 185 kDa cell surface antigen of Streptococcus mutans. <b>1990</b> , 35 Suppl, 335-385   | 24  |
| 1148 | Origins of structure in globular proteins. <b>1990</b> , 87, 6388-92   | 274 |
| 1147 | Helix-coil stability constants for the naturally occurring amino acids in water. XXIII. Proline parameters from random poly (hydroxybutylglutamine-co-L-proline). <b>1990</b> , 30, 107-20                           | 39  |
| 1146 | Protein structure prediction. <b>1990</b> , 72, 513-24   | 51  |
| 1145 | Localization and molecular modelling of the membrane-inserted domain of the ninth component of human complement and perforin. <b>1990</b> , 27, 589-602  | 70  |
| 1144 | Synthetic peptides of envelope proteins of two different strains of simian AIDS retrovirus (SRV-1 and SRV-2) represent unique antigenic determinants for serum neutralizing antibodies. <b>1990</b> , 27, 1103-11    | 12  |
| 1143 | Hypervariable regions in the putative glycoprotein of hepatitis C virus. <b>1991</b> , 175, 220-8  | 297 |
| 1142 | A proposed molecular model for the carboxy terminus of HIV-1 gp120 showing structural features consistent with the presence of a T-cell alloepitope. <b>1991</b> , 12, 283-96  | 39  |
| 1141 | Immunobiological properties of a recombinant simian retrovirus-1 envelope protein and a neutralizing monoclonal antibody directed against it. <b>1991</b> , 28, 819-26   | 6   |
| 1140 | Multiple mRNA coding for phospholipid-transfer protein from Zea mays arise from alternative splicing. <b>1991</b> , 99, 133-6  | 29  |
| 1139 | Nef proteins of the human immunodeficiency viruses (HIV-1 and HIV-2) and simian immunodeficiency virus (SIV) are structurally similar to leucine zipper transcriptional activation factors. <b>1991</b> , 7, 697-706 | 25  |

|      |   |     |      |
|------|---|-----|------|
| 1138 | Peptides Secondary Structure Prediction With Neural Networks Using "Weak Homologies".   |     | 1    |
| 1137 | Role of proline residues in the structure and function of a membrane transport protein. <i>Biochemistry</i> , <b>1991</b> , 30, 1291-8                                      | 3-2 | 77   |
| 1136 | Borrowed proteins in bacterial bioluminescence. <b>1991</b> , 88, 1100-4  |     | 48   |
| 1135 | The structure of human acidic fibroblast growth factor and its interaction with heparin. <b>1991</b> , 289, 53-61   |     | 132  |
| 1134 | Porcine pancreatic phospholipase A2 isoforms: differential regulation by heparin. <b>1991</b> , 1082, 85-93   |     | 6    |
| 1133 | Molecular cloning and expression of mouse leukotriene A4 hydrolase cDNA. <b>1991</b> , 176, 1516-24   |     | 40   |
| 1132 | Consensus sequence for processing of peptide precursors at monobasic sites. <b>1991</b> , 280, 189-94   |     | 149  |
| 1131 | Beta-breakers: an aperiodic secondary structure. <b>1991</b> , 221, 603-13  |     | 43   |
| 1130 | Physical studies of tyrosine and tryptophan residues in mammalian A1 heterogeneous nuclear ribonucleoprotein. Support for a segmented structure. <b>1991</b> , 221, 693-709 |     | 19   |
| 1129 | A new family of powerful multivariate statistical sequence analysis techniques. <b>1991</b> , 220, 877-87   |     | 56   |
| 1128 | Generalized protein tertiary structure recognition using associative memory Hamiltonians. <b>1991</b> , 222, 1013-34  |     | 65   |
| 1127 | An adult male specific gene in <i>Drosophila</i> containing the repetitive element opa. <b>1991</b> , 1090, 115-8   |     | 4    |
| 1126 | A new variant of glycoprotein CD44 confers metastatic potential to rat carcinoma cells. <b>1991</b> , 65, 13-24   |     | 1465 |
| 1125 | Glycine loops in proteins: their occurrence in certain intermediate filament chains, loricrins and single-stranded RNA binding proteins. <b>1991</b> , 13, 130-9            |     | 175  |
| 1124 | Syntheses, structures and anorectic effects of human and rat amylin. <b>1991</b> , 12, 919-24   |     | 69   |
| 1123 | Isolation and amino acid sequence of crustacean hyperglycemic hormone precursor-related peptides. <b>1991</b> , 12, 673-81  |     | 25   |
| 1122 | Cloning and sequence analysis of a human Y-chromosome-derived, testicular cDNA, TSPY. <b>1991</b> , 11, 108-14  |     | 68   |
| 1121 | Amino acid similarity coefficients for protein modeling and sequence alignment derived from main-chain folding angles. <b>1991</b> , 219, 481-97                            |     | 50   |

|      |  |     |
|------|--|-----|
| 1120 | A cyclized peptide for studies of human parvovirus B19 infection. <b>1991</b> , 138, 125-8   | 7   |
| 1119 | Lysozyme and alpha-lactalbumin: structure, function, and interrelationships. <b>1991</b> , 41, 173-315   | 175 |
| 1118 | Design of minimum active fragments of biologically active peptides. <b>1991</b> , 202, 436-48  | 1   |
| 1117 | Molecular cloning, characterization, and nucleotide sequence of the rfc gene, which encodes an O-antigen polymerase of Salmonella typhimurium. <b>1991</b> , 173, 2521-9 | 58  |
| 1116 | Increased protein flexibility leads to promiscuous protein-DNA interactions in type IC restriction-modification systems.. <b>1991</b> , 10, 951-957                      | 31  |
| 1115 | Identification of Dictyostelium G alpha genes expressed during multicellular development. <b>1991</b> , 88, 8213-7   | 59  |
| 1114 | Epitopes of the HIV-1-negative factor (nef) reactive with murine monoclonal antibodies and human HIV-1-positive sera. <b>1991</b> , 7, 37-44                             | 17  |
| 1113 | Isolation and characterization of PEP3, a gene required for vacuolar biogenesis in Saccharomyces cerevisiae. <b>1991</b> , 11, 5801-12                                   | 67  |
| 1112 | Alternatively spliced products of the maize P gene encode proteins with homology to the DNA-binding domain of myb-like transcription factors. <b>1991</b> , 88, 4587-91  | 229 |
| 1111 | PBX2 and PBX3, new homeobox genes with extensive homology to the human proto-oncogene PBX1. <b>1991</b> , 11, 6149-57  | 253 |
| 1110 | Molecular design and modeling of protein-heparin interactions. <b>1991</b> , 203, 556-83   | 47  |
| 1109 | Association Characteristics of Amphiphilic $\alpha$ -Helices Connected by Flexible Links. <b>1991</b> , 64, 396-402  | 11  |
| 1108 | Monte Carlo Simulated Annealing Prediction for $\alpha$ -Helix Propensity of Amino Acid Homopolymers. <b>1991</b> , 20, 1279-1282  | 9   |
| 1107 | Structural properties of long- and short-chain alcohol dehydrogenases. Contribution of NAD <sup>+</sup> to stability. <b>1991</b> , 276 ( Pt 2), 433-8                   | 29  |
| 1106 | Amino acid distributions around O-linked glycosylation sites. <b>1991</b> , 275 ( Pt 2), 529-34  | 260 |
| 1105 | Structural changes in protein molecules adsorbed on ultrafine silica particles. <b>1991</b> , 143, 214-221   | 196 |
| 1104 | The complete amino acid sequences of two variants of growth hormone from Atlantic cod (Gadus morhua). <b>1991</b> , 81, 39-50  | 14  |
| 1103 | Prediction of protein secondary structures using a combined method based on the recognition, lim and garnier-osguthorpe-robson algorithms. <b>1991</b> , 232, 321-336    | 3   |



|      |   |     |
|------|---|-----|
| 1102 | Secondary structure perturbations in salt-induced protein precipitates. <b>1991</b> , 1076, 103-11  | 40  |
| 1101 | Conformational features of signal sequences and folding of secretory proteins in yeasts. <b>1991</b> , 9, 208-11  | 7   |
| 1100 | A prominent antigenic surface polypeptide involved in the biogenesis and function of the vaccinia virus envelope. <b>1991</b> , 181, 671-86   | 29  |
| 1099 | Vitellogenin--homologs of mammalian apolipoproteins?. <b>1991</b> , 100, 821-6  | 7   |
| 1098 | A secondary structure evaluation of peptides based on statistics and heuristic rules. <b>1991</b> , 34, 9-15  | 2   |
| 1097 | Theoretical Prediction of Antigenic Determinants Based on Protein-Water Interaction Energies. <b>1991</b> , 10, 300-305   | 1   |
| 1096 | Sequence similarity between part of human retinoblastoma susceptibility gene product and a neurofilament protein subunit. <b>1991</b> , 11, 159-63  | 4   |
| 1095 | Chlamydia trachomatis contains a protein similar to the Legionella pneumophila mip gene product. <b>1991</b> , 5, 109-15  | 60  |
| 1094 | Common and variable domains of the flagellin gene, flaA, in Campylobacter jejuni. <b>1991</b> , 5, 1151-8   | 43  |
| 1093 | Amino acid 55 plays a central role in tetramerization and function of Escherichia coli single-stranded DNA binding protein. <b>1991</b> , 196, 87-93  | 25  |
| 1092 | Some structural features of the iron-uptake regulation protein. <b>1991</b> , 197, 29-38  | 53  |
| 1091 | Structural organization of the multifunctional animal fatty-acid synthase. <b>1991</b> , 198, 571-9   | 74  |
| 1090 | Computer analysis of DNA and protein sequences. <b>1991</b> , 199, 253-6  | 25  |
| 1089 | Conserved amino acid sequences among plant proteins sorted to protein bodies and plant vacuoles. Can they play a role in protein sorting?. <b>1991</b> , 199, 441-50  | 11  |
| 1088 | Substitution of the cysteinyl residue (Cys21) of subunit b of the ATP synthase from Escherichia coli. <b>1991</b> , 202, 1307-12  | 4   |
| 1087 | Cloning and sequence analysis of cDNA encoding two crustacean hyperglycemic hormones from the lobster Homarus americanus. <b>1991</b> , 200, 103-6  | 81  |
| 1086 | Molecular characterization of an IgA receptor from group B streptococci: sequence of the gene, identification of a proline-rich region with unique structure and isolation of N-terminal fragments with IgA-binding capacity. <b>1991</b> , 21, 1481-90 | 117 |
| 1085 | Solution structure of salmon calcitonin. <b>1991</b> , 31, 233-41   | 63  |

|      |   |     |
|------|---|-----|
| 1084 | The mutations in the fibronectin gene described in Japanese patients with systemic sclerosis are not present in Dutch patients. <b>1991</b> , 34, 490-2   | 3   |
| 1083 | Length polymorphism in the threonine-glycine-encoding repeat region of the period gene in <i>Drosophila</i> . <b>1991</b> , 32, 238-46  | 68  |
| 1082 | Proposed partial beta-structures for lac permease and the Na <sup>+</sup> /H <sup>+</sup> antiporter which use similar transport and H <sup>+</sup> coupling mechanisms. <b>1991</b> , 150, 239-49  | 7   |
| 1081 | Molecular modeling of phytochrome. <b>1991</b> , 151, 541-56  | 11  |
| 1080 | Design and synthesis of the pseudo-EF hand in calbindin D9K: effect of amino acid substitutions in the alpha-helical regions. <b>1991</b> , 9, 12-22  | 14  |
| 1079 | Weak correlation between predictive power of individual sequence patterns and overall prediction accuracy in proteins. <b>1991</b> , 9, 69-78   | 31  |
| 1078 | SESAM: a relational database for structure and sequence of macromolecules. <b>1991</b> , 11, 59-76  | 37  |
| 1077 | Complete amino acid sequence of the FK506 and rapamycin binding protein, FKBP, isolated from calf thymus. <b>1991</b> , 10, 151-60  | 151 |
| 1076 | Basic fibroblast growth factor is a beta-rich protein. <b>1991</b> , 10, 427-36   | 14  |
| 1075 | Protein secondary structure preferences. <b>1991</b> , 8, 229-242   | 4   |
| 1074 | Sequence variability and gene structure at the self-incompatibility locus of <i>Solanum tuberosum</i> . <b>1991</b> , 226, 457-66   | 68  |
| 1073 | Genetic analysis of a lactococcal plasmid replicon. <b>1991</b> , 227, 33-9   | 31  |
| 1072 | Promoter for a <i>Brassica napus</i> ribulose biphosphate carboxylase/oxygenase small subunit gene binds multiple nuclear factors and contains a negative-strand open reading frame encoding a putative transmembrane protein. <b>1991</b> , 16, 955-66 | 11  |
| 1071 | A hyperthermostable pullulanase produced by an extreme thermophile, <i>Bacillus flavocaldarius</i> KP 1228, and evidence for the proline theory of increasing protein thermostability. <b>1991</b> , 34, 707-14   | 63  |
| 1070 | Studies on the thermostability of the $\alpha$ -amylase of <i>Bacillus caldovelox</i> . <b>1991</b> , 36, 332   | 10  |
| 1069 | Structure and function of an antifreeze polypeptide from ocean pout, <i>Macrozoarces americanus</i> : role of glutamic acid residues in protein stability and antifreeze activity by site-directed mutagenesis. <b>1991</b> , 4, 1003-8                 | 8   |
| 1068 | The protein structure code: what is its present status?. <b>1991</b> , 7, 133-42  | 9   |
| 1067 | The isolation and characterization of a novel cDNA demonstrating an altered mRNA level in nontumorigenic Wilms' microcell hybrid cells. <b>1991</b> , 19, 5763-9  | 98  |

|      |  |      |
|------|--|------|
| 1066 | Molecular identification of a major palmitoylated erythrocyte membrane protein containing the src homology 3 motif. <b>1991</b> , 88, 6595-9   | 135  |
| 1065 | Positive transcriptional regulation of an iron-regulated virulence gene in <i>Vibrio cholerae</i> . <b>1991</b> , 88, 1125-9   | 92   |
| 1064 | Dynactin, a conserved, ubiquitously expressed component of an activator of vesicle motility mediated by cytoplasmic dynein. <b>1991</b> , 115, 1639-50   | 422  |
| 1063 | The activity of the CIII regulator of lambdoid bacteriophages resides within a 24-amino acid protein domain. <b>1991</b> , 88, 5217-21   | 26   |
| 1062 | p53 and human malignancies. <b>1991</b> , 57, 257-72   | 25   |
| 1061 | Activation of in vitro proliferation of human T cells by a synthetic peptide of toxic shock syndrome toxin 1. <b>1991</b> , 163, 524-9   | 17   |
| 1060 | DnaK as a thermometer: threonine-199 is site of autophosphorylation and is critical for ATPase activity. <b>1991</b> , 88, 9513-7  | 195  |
| 1059 | Conformational and membrane-binding properties of a signal sequence are largely unaltered by its adjacent mature region. <b>1991</b> , 88, 5799-803  | 32   |
| 1058 | Hydrogen Bonding in Biological Structures. <b>1991</b> ,   | 1982 |
| 1057 | Analysis of the lacZ sequences from two <i>Streptococcus thermophilus</i> strains: comparison with the <i>Escherichia coli</i> and <i>Lactobacillus bulgaricus</i> beta-galactosidase sequences. <b>1991</b> , 137, 369-80 | 72   |
| 1056 | A DNA binding domain is contained in the C-terminus of wild type p53 protein. <b>1991</b> , 19, 5191-8   | 102  |
| 1055 | Sequence of the clathrin heavy chain from <i>Saccharomyces cerevisiae</i> and requirement of the COOH terminus for clathrin function. <b>1991</b> , 112, 65-80   | 60   |
| 1054 | Insecticidal activity and processing in larval gut juices of genetically engineered 130-kDa proteins of <i>Bacillus thuringiensis</i> subsp. <i>aizawai</i> . <b>1992</b> , 56, 1-7  | 16   |
| 1053 | Nuclear localization of dengue 2 virus core protein detected with monoclonal antibodies. <b>1992</b> , 73 (Pt 11), 2999-3003   | 101  |
| 1052 | A serine-to-phenylalanine substitution leads to loss of alanine:glyoxylate aminotransferase catalytic activity and immunoreactivity in a patient with primary hyperoxaluria type 1. <b>1992</b> , 1, 643-4                 | 23   |
| 1051 | Primary structure of NuMA, an intranuclear protein that defines a novel pathway for segregation of proteins at mitosis. <b>1992</b> , 116, 1395-408  | 199  |
| 1050 | Transcription regulation by steroid hormones: a computer simulation study. <b>1992</b> , 10, 49-62   | 1    |
| 1049 | A signal-anchor sequence selective for the mitochondrial outer membrane. <b>1992</b> , 119, 1451-7   | 95   |

|      |  |     |
|------|--|-----|
| 1048 | Single amino acid substitutions can further increase the stability of a thermophilic L-lactate dehydrogenase. <b>1992</b> , 5, 769-74  | 23  |
| 1047 | Two RNA-binding motifs in the double-stranded RNA-activated protein kinase, DAI. <b>1992</b> , 6, 2478-90  | 212 |
| 1046 | Pattern-induced multi-sequence alignment (PIMA) algorithm employing secondary structure-dependent gap penalties for use in comparative protein modelling. <b>1992</b> , 5, 35-41                       | 212 |
| 1045 | Mapping of immunodominant epitopes of the HIV-1 and HIV-2 integrase proteins by recombinant proteins and synthetic peptides. <b>1992</b> , 8, 1301-10  | 11  |
| 1044 | Structural basis for the nucleic acid binding cooperativity of bacteriophage T4 gene 32 protein: the (Lys/Arg) <sub>3</sub> (Ser/Thr) <sub>2</sub> (LAST) motif. <b>1992</b> , 89, 1050-4              | 37  |
| 1043 | Protein tertiary structure recognition using optimized Hamiltonians with local interactions. <b>1992</b> , 89, 9029-33   | 202 |
| 1042 | Nuclear and mitochondrial inheritance in yeast depends on novel cytoplasmic structures defined by the MDM1 protein. <b>1992</b> , 118, 385-95  | 95  |
| 1041 | Epitope map of two polyclonal antibodies that recognize amyloid lesions in patients with Alzheimer's disease. <b>1992</b> , 282 ( Pt 2), 517-22  | 13  |
| 1040 | Sequence of cDNA comprising the human pur gene and sequence-specific single-stranded-DNA-binding properties of the encoded protein. <b>1992</b> , 12, 5673-82  | 135 |
| 1039 | Consequences of amino acid insertions and/or deletions in transmembrane helix C of bacteriorhodopsin. <b>1992</b> , 89, 1219-23  | 17  |
| 1038 | Insertional mutagenesis of hydrophilic domains in the lactose permease of Escherichia coli. <b>1992</b> , 89, 11954-8  | 56  |
| 1037 | Characterization of cspB, a Bacillus subtilis inducible cold shock gene affecting cell viability at low temperatures. <b>1992</b> , 174, 6326-35   | 207 |
| 1036 | New short period mutations of the Drosophila clock gene per. <b>1992</b> , 9, 575-81   | 61  |
| 1035 | Characterization of a cDNA clone encoding molluscan insulin-related peptide V of Lymnaea stagnalis. <b>1992</b> , 14, 7-12   | 29  |
| 1034 | Secondary structure analysis identifies a putative mouse protein demonstrating similarity to the repeat units found in CDC4, the G protein beta subunits and related proteins. <b>1992</b> , 3, 213-20 | 2   |
| 1033 | Alanine glyoxylate aminotransferase deficiency: biochemical and molecular genetic lessons from the study of a human disease. <b>1992</b> , 32, 309-27  | 8   |
| 1032 | Three nonsense mutations responsible for group A xeroderma pigmentosum. <b>1992</b> , 273, 193-202   | 60  |
| 1031 | Structure and stability of bovine casein micelles. <b>1992</b> , 43, 63-151  | 298 |

|      |  |     |      |
|------|--|-----|------|
| 1030 | Determination of B-cell epitopes of nef HIV-I protein: immunogenicity related to their structure. <b>1992</b> , 29, 1337-45  |     | 17   |
| 1029 | Viral thymidine kinases and their relatives. <b>1992</b> , 54, 319-55  |     | 60   |
| 1028 | Distinct agonist- and antagonist-binding sites on the glycine receptor. <b>1992</b> , 9, 491-6   |     | 121  |
| 1027 | Sequence of the <i>Kluyveromyces lactis</i> beta-galactosidase: comparison with prokaryotic enzymes and secondary structure analysis. <b>1992</b> , 118, 55-63   |     | 68   |
| 1026 | Fasciclin IV: sequence, expression, and function during growth cone guidance in the grasshopper embryo. <b>1992</b> , 9, 831-45  |     | 289  |
| 1025 | A glycine-to-glutamate substitution abolishes alanine:glyoxylate aminotransferase catalytic activity in a subset of patients with primary hyperoxaluria type 1. <b>1992</b> , 13, 215-8                                |     | 51   |
| 1024 | Molecular dynamics of serotonin and ritanserin interacting with the 5-HT <sub>2</sub> receptor. <b>1992</b> , 14, 166-78   |     | 39   |
| 1023 | Plant food protein engineering. <b>1992</b> , 36, 89-208   |     | 88   |
| 1022 | Antipeptide antibodies against the 5-HT <sub>1A</sub> receptor. <b>1992</b> , 5, 289-98  |     | 43   |
| 1021 | In human malaria protective antibodies are directed mainly against the Lys-Glu ion pair within the Lys-Glu-Lys motif of the synthetic vaccine SPf 66. <b>1992</b> , 14, 111-24   |     | 23   |
| 1020 | Twin of I-POU: a two amino acid difference in the I-POU homeodomain distinguishes an activator from an inhibitor of transcription. <b>1992</b> , 68, 491-505   |     | 112  |
| 1019 | Rad51 protein involved in repair and recombination in <i>S. cerevisiae</i> is a RecA-like protein. <b>1992</b> , 69, 457-70  |     | 1084 |
| 1018 | Analysis of a spatially regulated phosphotyrosine phosphatase identifies tyrosine phosphorylation as a key regulatory pathway in <i>Dictyostelium</i> . <b>1992</b> , 71, 637-47                                       |     | 67   |
| 1017 | Structural and functional studies of the metalloendopeptidase (EC 3.4.24.15) involved in degrading gonadotropin releasing hormone. <b>1992</b> , 62, 119-22  |     | 9    |
| 1016 | Characterization of tertiary interactions in a folded protein by NMR methods: studies of pH-induced structural changes in human growth hormone. <i>Biochemistry</i> , <b>1992</b> , 31, 8587-96                        | 3-2 | 23   |
| 1015 | Conformational flexibility of the regulatory site of phosphoribulokinase as demonstrated with bifunctional reagents. <i>Biochemistry</i> , <b>1992</b> , 31, 12833-8   | 3-2 | 9    |
| 1014 | Evidence for the alpha-helicity of class II MHC molecular binding sites for the superantigen, staphylococcal enterotoxin A. <b>1992</b> , 182, 1016-24   |     | 3    |
| 1013 | Prediction of transmembrane topology of F <sub>0</sub> proteins from <i>Escherichia coli</i> F <sub>1</sub> F <sub>0</sub> ATP synthase using variational and hydrophobic moment analyses. <b>1992</b> , 1140, 199-207 |     | 27   |

|      |   |     |
|------|---|-----|
| 1012 | X-ray crystal structure of the serine proteinase inhibitor eglin c at 1.95 A resolution. <b>1992</b> , 309, 139-45  | 22  |
| 1011 | Hybrid system for protein secondary structure prediction. <b>1992</b> , 225, 1049-63  | 159 |
| 1010 | Crystal structure of the alkaline proteinase Savinase from <i>Bacillus lentus</i> at 1.4 A resolution. <b>1992</b> , 223, 427-45  | 140 |
| 1009 | Interaction of the p85 subunit of PI 3-kinase and its N-terminal SH2 domain with a PDGF receptor phosphorylation site: structural features and analysis of conformational changes.. <b>1992</b> , 11, 4261-4272 | 102 |
| 1008 | Predicted secondary and tertiary structures of carp gamma-crystallins with high methionine content: role of methionine residues in the protein stability. <b>1992</b> , 112, 341-5                              | 9   |
| 1007 | Homology among <i>Escherichia coli</i> K1 and K92 polysialyltransferases. <b>1992</b> , 174, 5127-31  | 19  |
| 1006 | Design of temperature-sensitive penicillinase repressors by replacement of Pro in predicted beta-turn structures. <b>1992</b> , 174, 1423-5   | 15  |
| 1005 | Characterization of the amdA-regulated aciA gene of <i>Aspergillus nidulans</i> . <b>1992</b> , 235, 349-58   | 23  |
| 1004 | A defined amino acid exchange close to the putative nucleotide binding site is responsible for an oxygen-tolerant variant of the <i>Rhizobium meliloti</i> NifA protein. <b>1992</b> , 234, 433-41              | 21  |
| 1003 | An optimization approach to predicting protein structural class from amino acid composition. <b>1992</b> , 1, 401-8   | 138 |
| 1002 | Differentiation between transmembrane helices and peripheral helices by the deconvolution of circular dichroism spectra of membrane proteins. <b>1992</b> , 1, 1032-49  | 105 |
| 1001 | Conformational stability of porcine serum transferrin. <b>1992</b> , 1, 1477-84   | 19  |
| 1000 | A detailed consideration of a principal domain of vertebrate fibrinogen and its relatives. <b>1992</b> , 1, 1563-77   | 88  |
| 999  | Use of conditional probabilities for determining relationships between amino acid sequence and protein secondary structure. <b>1992</b> , 12, 382-99  | 14  |
| 998  | Limits on alpha-helix prediction with neural network models. <b>1992</b> , 14, 372-81   | 23  |
| 997  | Functional sites in F1-ATPases: location and interactions. <b>1992</b> , 24, 469-77   | 40  |
| 996  | CENP-E is a putative kinetochore motor that accumulates just before mitosis. <b>1992</b> , 359, 536-9   | 374 |
| 995  | Four homologous domains in the primary structure of GrsB are related to domains in a superfamily of adenylate-forming enzymes. <b>1992</b> , 6, 529-46  | 227 |

|     |   |     |
|-----|---|-----|
| 994 | The gene encoding the cellulase (Avicelase) Cel1 from <i>Streptomyces reticuli</i> and analysis of protein domains. <b>1992</b> , 6, 3611-21  | 68  |
| 993 | Identical point mutations of PMP-22 in Trembler-J mouse and Charcot-Marie-Tooth disease type 1A. <b>1992</b> , 2, 288-91  | 415 |
| 992 | Structure of <i>Drosophila virilis</i> glycerol-3-phosphate dehydrogenase gene and a comparison with the <i>Drosophila melanogaster</i> gene. <b>1992</b> , 1131, 233-8   | 11  |
| 991 | Circular dichroic studies of protein kinase C and its interactions with calcium and lipid vesicles. <b>1992</b> , 1119, 19-26   | 15  |
| 990 | A site-directed mutagenesis study on the role of isoleucine-23 of human epidermal growth factor in the receptor binding. <b>1992</b> , 1120, 257-61   | 20  |
| 989 | Amide modes and protein conformation. <b>1992</b> , 1120, 123-43  | 649 |
| 988 | Structural analysis of an outer surface protein from the Lyme disease spirochete, <i>Borrelia burgdorferi</i> , using circular dichroism and fluorescence spectroscopy. <b>1992</b> , 1120, 59-68   | 19  |
| 987 | Sequences of the four larger proteins of a porcine group C rotavirus and comparison with the equivalent group A rotavirus proteins. <b>1992</b> , 186, 684-92   | 33  |
| 986 | A single amino acid substitution in the hemagglutinin-neuraminidase of Newcastle disease virus results in a protein deficient in both functions. <b>1992</b> , 189, 778-81  | 22  |
| 985 | Lysine-specific serine protease from <i>Achromobacter lyticus</i> : Its substrate specificity and comparison with trypsin. <b>1992</b> , 11, 369-370  |     |
| 984 | Substrate specificity of savinase toward $\beta$ -casein. <b>1992</b> , 11, 370-370   |     |
| 983 | Cleavage of peptide bonds at CySO <sub>3</sub> H and CM-Cys with an endoprotease (blase) from <i>Bacillus licheniformis</i> . <b>1992</b> , 11, 370-371   |     |
| 982 | Folding, aggregation and molecular recognition in peptides. <b>1992</b> , 48 ( Pt 4), 341-56  | 63  |
| 981 | The axonally secreted cell adhesion molecule, axonin-1. Primary structure, immunoglobulin-like and fibronectin-type-III-like domains and glycosyl-phosphatidylinositol anchorage. <b>1992</b> , 204, 453-63   | 106 |
| 980 | Sequence specific <sup>1</sup> H-NMR assignments and secondary structure of a carboxy-terminal functional fragment of apolipoprotein CII. <b>1992</b> , 205, 223-31   | 11  |
| 979 | Assignment of <i>Bacillus thermoamyloliquefaciens</i> KP1071 alpha-glucosidase I to an exo-alpha-1,4-glucosidase, and its striking similarity to bacillary oligo-1,6-glucosidases in N-terminal sequence and in structural parameters calculated from the amino acid composition. <b>1992</b> , 205, 249-56 | 11  |
| 978 | A correlation-coefficient method to predicting protein-structural classes from amino acid compositions. <b>1992</b> , 207, 429-3  | 52  |
| 977 | A molecular thermodynamic approach to predict the secondary structure of homopolypeptides in aqueous systems. <b>1992</b> , 32, 1375-92   | 17  |

|     |  |     |
|-----|--|-----|
| 976 | Characterization of the human myeloid cell nuclear differentiation antigen: relationship to interferon-inducible proteins. <b>1992</b> , 48, 190-202   | 32  |
| 975 | Adenosine A1 and A2 receptors: structure--function relationships. <b>1992</b> , 12, 423-71   | 131 |
| 974 | Identifying periodic occurrences of a template with applications to protein structure. <b>1993</b> , 45, 11-18   | 41  |
| 973 | Neural Networks in Chemistry. <b>1993</b> , 32, 503-527  | 343 |
| 972 | Chemo- and stereoregularity consecutiveness governing the specificity in beta-structure/alpha-helix decision for solid-state sequential hydrophobic polypeptides predominant to the directional tendency of individual amino acid residues. <b>1993</b> , 33, 1477-9 | 5   |
| 971 | Neuronale Netze in der Chemie. <b>1993</b> , 105, 510-536  | 46  |
| 970 | Influence of the different amino acid substitutions in Escherichia coli thioredoxin on the growth of bacteriophages T7 and f1. <b>1993</b> , 33, 213-5   | 2   |
| 969 | Tertiary structure of calcineurin B by homology modeling. <b>1993</b> , 11, 47-52, 45  | 8   |
| 968 | A flaw in the detection of antigenic sites. <b>1993</b> , 14, 370-1  | 3   |
| 967 | Probing the helical content of growth hormone-releasing factor analogs using electrospray ionization mass spectrometry. <b>1993</b> , 4, 646-51  | 25  |
| 966 | Molecular dynamics study on the electrostatic effect of protein conformation. <b>1993</b> , 295, 185-192   | 1   |
| 965 | Predicting secondary structures of membrane proteins with neural networks. <b>1993</b> , 22, 41-51   | 26  |
| 964 | A new yeast gene with a myosin-like heptad repeat structure. <b>1993</b> , 237, 359-69   | 37  |
| 963 | The atypical chlorophyll a/b/c light-harvesting complex of Mantoniella squamata: molecular cloning and sequence analysis. <b>1993</b> , 240, 403-13  | 16  |
| 962 | A novel transposon-like structure carries the genes for pyocin AP41, a Pseudomonas aeruginosa bacteriocin with a DNase domain homology to E2 group colicins. <b>1993</b> , 237, 161-70   | 32  |
| 961 | Studies of the zein-like alpha-prolamins based on an analysis of amino acid sequences: implications for their evolution and three-dimensional structure. <b>1993</b> , 15, 88-99   | 39  |
| 960 | Prediction of protein folding class from amino acid composition. <b>1993</b> , 16, 79-91   | 60  |
| 959 | Structural analysis based on state-space modeling. <b>1993</b> , 2, 305-14   | 140 |



|     |  |      |
|-----|--|------|
| 958 | Conformational change of chaperone Hsc70 upon binding to a decapeptide: a circular dichroism study. <b>1993</b> , 2, 325-30  | 25   |
| 957 | Local and nonlocal interactions in globular proteins and mechanisms of alcohol denaturation. <b>1993</b> , 2, 2050-65  | 256  |
| 956 | The application of the genetic algorithm to the minimization of potential energy functions. <b>1993</b> , 3, 49-66   | 42   |
| 955 | Immunogenicity and antigenic reactivity of a carrier-free synthetic peptide complex derived from a 70-kDa Plasmodium falciparum exoantigen. <b>1993</b> , 79, 501-7                  | 2    |
| 954 | The amino acid sequence of a protein from wheat kernel closely related to proteins involved in the mechanisms of plant defence. <b>1993</b> , 12, 379-86                             | 27   |
| 953 | A new approach to predicting protein folding types. <b>1993</b> , 12, 169-78   | 27   |
| 952 | The role of turns in the structure of an alpha-helical protein. <b>1993</b> , 364, 355-8   | 103  |
| 951 | The Wilson disease gene is a copper transporting ATPase with homology to the Menkes disease gene. <b>1993</b> , 5, 344-50  | 1153 |
| 950 | Secretogranin II: regulation of synthesis and post-translational proteolysis in bovine adrenal chromaffin cells. <b>1993</b> , 5, 655-62   | 14   |
| 949 | Amino acid sequence of the human intermediate basic protein 2 (HPI2) from sperm nuclei. Structural relationship with protamine P2. <b>1993</b> , 214, 445-50                         | 17   |
| 948 | Aminotransferases: demonstration of homology and division into evolutionary subgroups. <b>1993</b> , 214, 549-61   | 331  |
| 947 | Intracellular and extracellular processing of chromogranin A. Determination of cleavage sites. <b>1993</b> , 217, 247-57   | 153  |
| 946 | Pigment complexes of light-harvesting chlorophyll a/b binding protein are stabilized by a segment in the carboxyterminal hydrophilic domain of the protein. <b>1993</b> , 57, 139-42 | 23   |
| 945 | Protein folding: Structure prediction and statistical mechanics. <b>1993</b> , 30, 159-167   |      |
| 944 | Nucleotide sequences of the Macaca fascicularis apolipoprotein C-III and A-IV genes. <b>1993</b> , 1172, 335-9   | 6    |
| 943 | Molecular cloning and sequence of the cynomolgus monkey apolipoprotein A-II gene. <b>1993</b> , 1172, 340-2  | 1    |
| 942 | Dynamic structural and functional relationships in recombinant plasminogen activator inhibitor-1 (rPAI-1). <b>1993</b> , 1202, 221-9   | 24   |
| 941 | Comparing the human and schistosomal hypoxanthine-guanine phosphoribosyltransferases by circular dichroism. <b>1993</b> , 1162, 10-6   | 14   |

|     |   |     |     |
|-----|---|-----|-----|
| 940 | Purification and properties of multiple molecular forms of yeast peptidyl prolyl cis-trans isomerase. <b>1993</b> , 1161, 161-7   |     | 7   |
| 939 | Protein sequences as random fractals. <b>1993</b> , 18, 213-220   |     | 10  |
| 938 | The importance of short structural motifs in protein structure analysis. <b>1993</b> , 7, 457-72  |     | 39  |
| 937 | In vivo conversion of recombinant human proapolipoprotein AI (rh-Met-proapo AI) to apolipoprotein AI in rabbits. <b>1993</b> , 1167, 257-63   |     | 19  |
| 936 | Global folding of proteins using a limited number of distance constraints. <b>1993</b> , 6, 605-14  |     | 30  |
| 935 | Comparison of three algorithms for the assignment of secondary structure in proteins: the advantages of a consensus assignment. <b>1993</b> , 6, 377-82   |     | 107 |
| 934 | Role of disulfide linkages in tachyplesin-lipid interactions. <i>Biochemistry</i> , <b>1993</b> , 32, 11704-10  | 3.2 | 64  |
| 933 | Mutations in the 3A genomic region of two cytopathic strains of hepatitis A virus isolated in Italy. <b>1993</b> , 28, 187-94   |     | 27  |
| 932 | Cloning, sequencing and expression of a cDNA encoding mammalian valyl-tRNA synthetase. <b>1993</b> , 123, 181-6   |     | 10  |
| 931 | Immune response related to the molecular structure of a peptide from the cholera toxin B subunit. <b>1993</b> , 11, 1233-9  |     | 5   |
| 930 | Comprehensive delineation of antigenic and immunogenic properties of peptides derived from the nef HIV-1 regulatory protein. <b>1993</b> , 11, 1083-92  |     | 6   |
| 929 | Potentially negative effects of AIDS vaccines based on recombinant viruses carrying HIV-1 derived envelope gene. A warning on AIDS vaccine development. <b>1993</b> , 11, 291-2   |     | 13  |
| 928 | Primary hyperoxaluria type 1 and peroxisome-to-mitochondrion mistargeting of alanine:glyoxylate aminotransferase. <b>1993</b> , 75, 309-15  |     | 32  |
| 927 | An attempt to substitute the cell binding domain of human fibronectin in lambda phage J protein: computer design and expression. <b>1993</b> , 75, 459-65   |     | 2   |
| 926 | The semaphorin genes encode a family of transmembrane and secreted growth cone guidance molecules. <b>1993</b> , 75, 1389-99  |     | 767 |
| 925 | Primary structure of the major isomorph of the crustacean hyperglycemic hormone (CHH-I) from the sinus gland of the Mexican crayfish <i>Procambarus bouvieri</i> (Ortmann): interspecies comparison. <b>1993</b> , 14, 7-16 |     | 59  |
| 924 | Specificity of amphiphilic anionic peptides for fusion of phospholipid vesicles. <b>1993</b> , 64, 724-34   |     | 31  |
| 923 | Isolation and characterization of cDNA clones encoding the <i>Drosophila</i> homolog of the HMG-box SSRP family that recognizes specific DNA structures. <b>1993</b> , 21, 1643-6   |     | 40  |

|     |  |     |
|-----|--|-----|
| 922 | Protein secondary structure prediction with partially recurrent neural networks. <b>1993</b> , 1, 153-9  | 11  |
| 921 | Cloning and expression of the hypoxanthine-guanine phosphoribosyltransferase gene from <i>Trypanosoma brucei</i> . <b>1993</b> , 21, 5431-8  | 40  |
| 920 | An approach to systematic detection of protein structural motifs. <b>1993</b> , 9, 153-9   | 3   |
| 919 | .  | 7   |
| 918 | .  | 2   |
| 917 | Hydroxyapatite binding domains in salivary proteins. <b>1993</b> , 4, 371-8  | 56  |
| 916 | .  | 3   |
| 915 | Optimal neural networks for protein-structure prediction. <b>1993</b> , 48, 1502-1515  | 14  |
| 914 | Tissue-specific RNA splicing generates an ankyrin-like domain that affects the dimerization and DNA-binding properties of a bHLH protein. <b>1993</b> , 7, 55-71   | 68  |
| 913 | SF-assemblin, the structural protein of the 2-nm filaments from striated microtubule associated fibers of algal flagellar roots, forms a segmented coiled coil. <b>1993</b> , 121, 837-45                              | 44  |
| 912 | Molecular evolution of a repetitive region within the per gene of <i>Drosophila</i> . <b>1993</b> , 10, 127-39   | 34  |
| 911 | Design and Synthesis of Cyclic Fibronectin Related Peptides, RGDSPASS Containing Cystine Peptides. <b>1993</b> , 22, 605-608   | 1   |
| 910 | The Influence of $\beta$ -Alanine and 4-Aminobutyric Acid Residues on the Solubility of Peptides Containing Them. <b>1993</b> , 66, 2006-2010  |     |
| 909 | The Classification of Twenty Common Amino Acid Residues in Protected Peptides by Their $\beta$ -Sheet-Structure-Stabilizing Potentials, SP $\beta$ and Its Application to Peptide Synthesis. <b>1993</b> , 66, 483-488 | 9   |
| 908 | SEQUENCE AND STRUCTURE DATABANKS IN MOLECULAR BIOLOGY: THE REASONS FOR INTEGRATION. <b>1993</b> , 49, 1-28   | 5   |
| 907 | Specific activity of phosphatidylinositol 3-kinase is increased by insulin stimulation. <b>1993</b> , 290 ( Pt 2), 327-33  | 27  |
| 906 | A kinetic model for amyloid formation in the prion diseases: importance of seeding. <b>1993</b> , 90, 5959-63  | 333 |
| 905 | Primary structure elements responsible for the conformational switch in the envelope glycoprotein gp120 from human immunodeficiency virus type 1: LPCR is a motif governing folding. <b>1993</b> , 90, 6761-5          | 28  |

|     |  |     |
|-----|--|-----|
| 904 | Eukaryotic cytosolic chaperonin contains t-complex polypeptide 1 and seven related subunits. <b>1993</b> , 90, 11975-9   | 116 |
| 903 | The primary structure of rat brain (cytoplasmic) dynein heavy chain, a cytoplasmic motor enzyme. <b>1993</b> , 90, 7928-32   | 56  |
| 902 | Overproduction of the poly(ADP-ribose) polymerase DNA-binding domain blocks alkylation-induced DNA repair synthesis in mammalian cells.. <b>1993</b> , 12, 2109-2117   | 168 |
| 901 | The oxygen sensor FixL of <i>Rhizobium meliloti</i> is a membrane protein containing four possible transmembrane segments. <b>1993</b> , 175, 1103-9   | 55  |
| 900 | Two overlapping genes encoding membrane proteins required for bacteriophage N4 adsorption. <b>1993</b> , 175, 7081-5   | 22  |
| 899 | kil-kor regulon of promiscuous plasmid RK2: structure, products, and regulation of two operons that constitute the kilE locus. <b>1993</b> , 175, 5078-90  | 23  |
| 898 | Modeling protein structures: construction and their applications. <b>1993</b> , 7, 783-90  | 51  |
| 897 | Effects of amino acid substitutions in the promoter -10 binding region of the sigma A factor on growth of <i>Bacillus subtilis</i> . <b>1993</b> , 175, 2470-4   | 8   |
| 896 | Nucleotide Sequence and Genetic Analysis of the Region Essential for Functional Expression of the Gene for Ferredoxin I, fdxN, in <i>Rhodobacter capsulatus</i> : Sharing of One Upstream Activator Sequence in Opposite Directions by Two Operons Related to Nitrogen Fixation. <b>1993</b> , |     |
| 895 | CD3 gamma contains a phosphoserine-dependent di-leucine motif involved in down-regulation of the T cell receptor.. <b>1994</b> , 13, 2156-2166   | 171 |
| 894 | Peptide Analysis Protocols. <b>1994</b> ,  | 5   |
| 893 | A novel microtubule-based motor protein (KIF4) for organelle transports, whose expression is regulated developmentally. <b>1994</b> , 127, 187-201   | 151 |
| 892 | Multi-gene family of major surface glycoproteins of <i>Pneumocystis carinii</i> : full-size cDNA cloning and expression. <b>1994</b> , 1, 57-66  | 17  |
| 891 | Site-directed mutagenesis study on DNA binding regions of the mouse homologue of Suppressor of Hairless, RBP-J kappa. <b>1994</b> , 22, 2938-44  | 68  |
| 890 | Mutations in the type IV collagen alpha 3 (COL4A3) gene in autosomal recessive Alport syndrome. <b>1994</b> , 3, 1269-73   | 183 |
| 889 | CTD-like sequences are important for transcriptional activation by the proline-rich activation domain of CTF1. <b>1994</b> , 22, 251   | 23  |
| 888 | Extreme evolutionary conservation of QM, a novel c-Jun associated transcription factor. <b>1994</b> , 3, 723-8   | 47  |
| 887 | Protein folding classes: a geometric interpretation of the amino acid composition of globular proteins. <b>1994</b> , 7, 319-30  | 27  |

|     |   |     |
|-----|---|-----|
| 886 | Characterization of DLC-A and DLC-B, two families of cytoplasmic dynein light chain subunits. <b>1994</b> , 5, 645-54   | 79  |
| 885 | Characterization of a human antigen with sera from infertile patients. <b>1994</b> , 50, 1087-93  | 37  |
| 884 | Human SP-10: acrosomal distribution, processing, and fate after the acrosome reaction. <b>1994</b> , 51, 1222-31  | 52  |
| 883 | Epitope prediction methods. <b>1994</b> , 36, 193-206   | 8   |
| 882 | Structure and organization of the human transglutaminase 3 gene: evolutionary relationship to the transglutaminase family. <b>1994</b> , 103, 137-42  | 30  |
| 881 | A consensus procedure for predicting the location of alpha-helical transmembrane segments in proteins. <b>1994</b> , 10, 527-35   | 2   |
| 880 | Knowledge-based protein modeling. <b>1994</b> , 29, 1-68  | 174 |
| 879 | . <b>1994</b> ,   | 2   |
| 878 | . <b>1994</b> , 9, 66-74  | 3   |
| 877 | Fusogenic activity of amino-terminal region of HIV type 1 Nef protein. <b>1994</b> , 10, 1231-40  | 24  |
| 876 | Conformation of bilirubin oxidase in native and denatured states. <b>1994</b> , 13, 307-13  | 9   |
| 875 | Hypothesis for the evolution of three-helix Chl a/b and Chl a/c light-harvesting antenna proteins from two-helix and four-helix ancestors. <b>1994</b> , 39, 149-62                                     | 140 |
| 874 | Ginkgo 11S seed storage protein family mRNA: unusual Asn-Asn linkage as post-translational cleavage site. <b>1994</b> , 25, 597-605   | 23  |
| 873 | Genetic complementation of a floral homeotic mutation, <i>apetala3</i> , with an <i>Arabidopsis thaliana</i> gene homologous to <i>DEFICIENS</i> of <i>Antirrhinum majus</i> . <b>1994</b> , 26, 465-72 | 13  |
| 872 | Isoprenyl diphosphate synthases: protein sequence comparisons, a phylogenetic tree, and predictions of secondary structure. <b>1994</b> , 3, 600-7  | 178 |
| 871 | Deuterium exchange of alpha-helices and beta-sheets as monitored by electrospray ionization mass spectrometry. <b>1994</b> , 3, 1305-14   | 55  |
| 870 | Pseudodihedrals: simplified protein backbone representation with knowledge-based energy. <b>1994</b> , 3, 1570-81   | 69  |
| 869 | Derivation of rules for comparative protein modeling from a database of protein structure alignments. <b>1994</b> , 3, 1582-96  | 261 |

|     |  |     |
|-----|--|-----|
| 868 | Helix-forming tendencies of nonpolar amino acids predicted by Monte Carlo simulated annealing. <b>1994</b> , 19, 14-23   | 24  |
| 867 | Prediction of protein folding types from amino acid composition by correlation angles. <b>1994</b> , 6, 231-46   | 6   |
| 866 | Modelling of peptide and protein structures. <b>1994</b> , 7, 175-202  | 4   |
| 865 | A CD study of the alpha-helix nucleation hypothesis. <b>1994</b> , 34, 969-73  | 3   |
| 864 | The mass spectrometry of helical unfolding in peptides. <b>1994</b> , 5, 425-33  | 81  |
| 863 | Trans-splicing of a <i>Meloidogyne incognita</i> mRNA encoding a putative esophageal gland protein. <b>1994</b> , 68, 93-101   | 49  |
| 862 | Identification and characterisation of a novel repetitive antigen from <i>Onchocerca</i> spp. <b>1994</b> , 63, 49-57  | 5   |
| 861 | Molecular characterization and overexpression of the hypoxanthine-guanine phosphoribosyltransferase gene from <i>Trypanosoma cruzi</i> . <b>1994</b> , 65, 233-45                            | 43  |
| 860 | Calcium signalling in T cells stimulated by a cyclophilin B-binding protein. <b>1994</b> , 371, 355-8  | 145 |
| 859 | Threonine dehydratases of <i>Corynebacterium glutamicum</i> with altered allosteric control: their generation and biochemical and structural analysis. <b>1994</b> , 13, 833-42              | 27  |
| 858 | NMR and circular dichroic studies of the solution structure of conformationally constrained antigenic peptides. <b>1994</b> , 220, 415-25  | 5   |
| 857 | Molecular evolution of alanine/glyoxylate aminotransferase 1 intracellular targeting. Analysis of the feline gene. <b>1994</b> , 221, 53-62  | 30  |
| 856 | Multiple proline substitutions cumulatively thermostabilize <i>Bacillus cereus</i> ATCC7064 oligo-1,6-glucosidase. Irrefragable proof supporting the proline rule. <b>1994</b> , 226, 277-83 | 133 |
| 855 | KIF1B, a novel microtubule plus end-directed monomeric motor protein for transport of mitochondria. <b>1994</b> , 79, 1209-20  | 491 |
| 854 | Blimp-1, a novel zinc finger-containing protein that can drive the maturation of B lymphocytes into immunoglobulin-secreting cells. <b>1994</b> , 77, 297-306                                | 626 |
| 853 | Identification of a syntaxin-binding site on N-type calcium channels. <b>1994</b> , 13, 1303-13  | 391 |
| 852 | Apolipoprotein E: structure-function relationships. <b>1994</b> , 45, 249-302  | 604 |
| 851 | Structures of wild-type and mutant signal sequences of <i>Escherichia coli</i> ribose binding protein. <b>1994</b> , 66, 1604-11   | 13  |

|     |   |     |     |
|-----|---|-----|-----|
| 850 | Molecular characterization of microbial alcohol dehydrogenases. <b>1994</b> , 20, 13-56   |     | 330 |
| 849 | Conservation in human and mouse Pur alpha of a motif common to several proteins involved in initiation of DNA replication. <b>1994</b> , 149, 311-4   |     | 57  |
| 848 | Predicted topology of the N-terminal domain of the hydrophilic subunit of the mannose transporter of Escherichia coli. <b>1994</b> , 340, 202-6   |     | 6   |
| 847 | Modeling protein cores with Markov random fields. <b>1994</b> , 124, 149-79   |     | 19  |
| 846 | Antigenicity and immunogenicity of P30-derived peptides in experimental models of toxoplasmosis. <b>1994</b> , 31, 1353-63  |     | 45  |
| 845 | Isolation and characterization of CAJ1, a novel yeast homolog of dnaJ. <b>1994</b> , 145, 125-7   |     | 19  |
| 844 | Heterogeneity of the L2 gene of field isolates of bluetongue virus serotype 17 from the San Joaquin Valley of California. <b>1994</b> , 31, 67-87   |     | 34  |
| 843 | The prediction and orientation of alpha-helices from sequence alignments: the combined use of environment-dependent substitution tables, Fourier transform methods and helix capping rules. <b>1994</b> , 7, 645-53                 |     | 53  |
| 842 | . <b>1994</b> ,   |     | 4   |
| 841 | Analysis of amino acid residues in the H5-H6 transmembrane and extracellular domains of Na,K-ATPase alpha subunit identifies threonine 797 as a determinant of ouabain sensitivity. <i>Biochemistry</i> , <b>1994</b> , 33, 4218-24 | 3.2 | 70  |
| 840 | Molecular modeling of phytochrome using constitutive C-phycoerythrin from <i>Fremyella diplosiphon</i> as a putative structural template. <b>1994</b> , 5, 21-30  |     | 10  |
| 839 | Modification Tolerability of the Hypervariable Region of Soybean Proglycinin. <b>1994</b> , 42, 2639-2645   |     | 17  |
| 838 | . <b>1994</b> ,   |     | 0   |
| 837 | SOPM: a self-optimized method for protein secondary structure prediction. <b>1994</b> , 7, 157-64   |     | 254 |
| 836 | The NMR structure of the pulmonary surfactant-associated polypeptide SP-C in an apolar solvent contains a valyl-rich alpha-helix. <i>Biochemistry</i> , <b>1994</b> , 33, 6015-23   | 3.2 | 184 |
| 835 | An Expert Network for Predictive Modeling and Optimal Design of Extractive Bioseparations in Aqueous Two-Phase Systems. <b>1994</b> , 33, 2668-2687   |     | 20  |
| 834 | A secondary structure model of the integrin alpha subunit N-terminal domain based on analysis of multiple alignments. <b>1994</b> , 2, 385-402  |     | 40  |
| 833 | Synthesis and NMR Studies of RGDSPASS-Containing Cystine Peptides. <b>1994</b> , 67, 2167-2175  |     | 2   |

|     |  |     |
|-----|--|-----|
| 832 | On the Correlation of Protein Structure with Local Sequence Patterns. <b>1994</b> , 685-703  |     |
| 831 | Structural Correlations in Families of Homologous Proteins. <b>1994</b> , 669-683  |     |
| 830 | Determination of the gene sequence and the molecular structure of the enterococcal peptide antibiotic AS-48. <b>1994</b> , 176, 6334-9   | 126 |
| 829 | Molecular cloning of an essential subunit of RNA polymerase II elongation factor SIII. <b>1994</b> , 91, 5237-41   | 63  |
| 828 | BACK MATTER. <b>1994</b> , 513-556   |     |
| 827 | Modification of the substrate specificity of an acyl-acyl carrier protein thioesterase by protein engineering. <b>1995</b> , 92, 10639-43  | 95  |
| 826 | Cloning and structure-function analysis of the Leishmania donovani kinetoplastid membrane protein-11. <b>1995</b> , 305 ( Pt 1), 315-20  | 40  |
| 825 | Isolation of a human cDNA that complements a mutant hamster cell defective in methotrexate uptake. <b>1995</b> , 270, 2987-92  | 101 |
| 824 | Studies of Protein Structure by NMR Spectroscopy. <b>1995</b> , 31, 171-218  | 1   |
| 823 | A new approach to the evaluation of protein secondary structure predictions at the level of the elements of secondary structure. <b>1995</b> , 8, 103-8  | 10  |
| 822 | Phosphinate analogs of D-, D-dipeptides: slow-binding inhibition and proteolysis protection of VanX, a D-, D-dipeptidase required for vancomycin resistance in Enterococcus faecium. <b>1995</b> , 92, 11603-7 | 43  |
| 821 | PMAP-37, a Novel Antibacterial Peptide from Pig Myeloid Cells. cDNA Cloning, Chemical Synthesis and Activity. <b>1995</b> , 228, 941-946   | 2   |
| 820 | Structure of amyloid A4-(1-40)-peptide of Alzheimer's disease. <b>1995</b> , 233, 293-8  | 243 |
| 819 | Crystal structure and a twisted beta-sheet conformation of the tripeptide L-leucyl-L-leucyl-L-leucine monohydrate trimethanol solvate: conformation analysis of tripeptides. <b>1995</b> , 36, 607-14          | 18  |
| 818 | The measurement of transmembrane helices by the deconvolution of CD spectra of membrane proteins: A review. <b>1995</b> , 37, 339-362  | 21  |
| 817 | Characterization of a conserved gene block in the murine cytomegalovirus genome. <b>1995</b> , 10, 73-80   | 3   |
| 816 | Chaperone SecB: conformational changes demonstrated by circular dichroism. <b>1995</b> , 14, 595-600   | 15  |
| 815 | A highly conserved epitope on the spike protein of infectious bronchitis virus. <b>1995</b> , 140, 2201-13   | 19  |



|     |   |     |
|-----|---|-----|
| 814 | Salivary proline-rich proteins in mammals: Roles in oral homeostasis and counteracting dietary tannin. <b>1995</b> , 21, 663-91                           | 92  |
| 813 | Metachromatic leukodystrophy: a 12-bp deletion in exon 2 of the arylsulfatase A gene in a late infantile variant. <b>1995</b> , 96, 357-60                | 13  |
| 812 | Regulation of lrp gene expression by H-NS and Lrp proteins in Escherichia coli: dominant negative mutations in lrp. <b>1995</b> , 247, 521-8              | 21  |
| 811 | A novel approach to predicting protein structural classes in a (20-1)-D amino acid composition space. <b>1995</b> , 21, 319-44                            | 366 |
| 810 | Fuzzy cluster analysis of simple physicochemical properties of amino acids for recognizing secondary structure in proteins. <b>1995</b> , 4, 1178-87      | 12  |
| 809 | p53 modulation of TFIIH-associated nucleotide excision repair activity. <b>1995</b> , 10, 188-95  | 468 |
| 808 | The alpha-helix as seen from the protein tertiary structure: a 3-D structural classification. <b>1995</b> , 55, 167-84                                    | 14  |
| 807 | Theoretical structure investigations of N-acetyl-L-proline amide. <b>1995</b> , 352-353, 59-70  | 23  |
| 806 | Proteins as special subsets of polypeptides. <b>1995</b> , 20, 579-590  | 2   |
| 805 | Design of alpha-helical peptides: their role in protein folding and molecular biology. <b>1995</b> , 64, 1-54   | 31  |
| 804 | Prediction of polypeptide secondary structures analysing the oscillation of the hydrophathy profile. <b>1995</b> , 48, 193-200                            | 2   |
| 803 | Molecular cloning and nucleotide sequence of the genomic DNA for 1,2-alpha-D-mannosidase gene, msdC from Penicillium citrinum. <b>1995</b> , 1263, 159-62 | 28  |
| 802 | Evidence for two evolutionary lineages of highly pathogenic Yersinia species. <b>1995</b> , 177, 2292-8   | 53  |
| 801 | Development of Expert Networks: A Hybrid System of Expert Systems and Neural Networks. <b>1995</b> , 365-433  |     |
| 800 | .   | 1   |
| 799 | Neural-network design applied to protein-secondary-structure predictions. <b>1995</b> , 51, 3619-3627   | 4   |
| 798 | Two basic motifs of reovirus sigma 3 protein are involved in double-stranded RNA binding. <b>1995</b> , 73, 137-45  | 27  |
| 797 | Structure of human parathyroid hormone 1-37 in solution. <b>1995</b> , 270, 15194-202   | 56  |

|     |  |     |     |
|-----|--|-----|-----|
| 796 | Autophosphorylation of grp94 (endoplasmin). <b>1995</b> , 270, 6381-8  |     | 63  |
| 795 | Saturation mutagenesis of human interleukin-3. <b>1995</b> , 270, 23754-60   |     | 37  |
| 794 | Rhodopsin mutants discriminate sites important for the activation of rhodopsin kinase and Gt. <b>1995</b> , 270, 2112-9  |     | 58  |
| 793 | p115 is a general vesicular transport factor related to the yeast endoplasmic reticulum to Golgi transport factor Uso1p. <b>1995</b> , 92, 522-6   |     | 171 |
| 792 | Composition analysis of alpha-helices in thermophilic organisms. <b>1995</b> , 8, 905-13   |     | 36  |
| 791 | Computational Techniques in Macromolecular Structural Analysis. <b>1995</b> , 433-490  |     | 1   |
| 790 | KIF3A/B: a heterodimeric kinesin superfamily protein that works as a microtubule plus end-directed motor for membrane organelle transport. <b>1995</b> , 130, 1387-99                                  |     | 250 |
| 789 | Mycobacterium tuberculosis chaperonin 10 forms stable tetrameric and heptameric structures. Implications for its diverse biological activities. <b>1995</b> , 270, 26159-67                            |     | 24  |
| 788 | alpha-Helix region prediction with stochastic rule learning. <b>1995</b> , 11, 399-411   |     |     |
| 787 | Protein secondary structure prediction by the analysis of variation and conservation in multiple alignments. <b>1995</b> , 11, 627-32  |     | 1   |
| 786 | Major epiplasmic proteins of ciliates are articulins: cloning, recombinant expression, and structural characterization. <b>1995</b> , 130, 1401-12   |     | 21  |
| 785 | Evidence of the coevolution of a snake toxin and its endogenous antitoxin cloning, sequence and expression of a serum albumin cDNA of the Chinese cobra. <b>1995</b> , 376, 545-53                     |     | 15  |
| 784 | In vivo expression of mammalian BiP ATPase mutants causes disruption of the endoplasmic reticulum. <b>1995</b> , 6, 283-96   |     | 87  |
| 783 | Isoform-specific differences in the potencies of murine protein kinase inhibitors are due to nonconserved amino-terminal residues. <b>1995</b> , 270, 7227-32  |     | 19  |
| 782 | Staphylococcus aureus penicillin-binding protein 4 and intrinsic beta-lactam resistance. <b>1995</b> , 39, 2415-22   |     | 54  |
| 781 | Secondary structure and orientation of phospholamban reconstituted in supported bilayers from polarized attenuated total reflection FTIR spectroscopy. <i>Biochemistry</i> , <b>1995</b> , 34, 4448-56 | 3.2 | 107 |
| 780 | Gene cloning, expression, and characterization of the Sac7 proteins from the hyperthermophile Sulfolobus acidocaldarius. <i>Biochemistry</i> , <b>1995</b> , 34, 10063-77                              | 3.2 | 72  |
| 779 | The ABA-1 allergen of the parasitic nematode Ascaris suum: fatty acid and retinoid binding function and structural characterization. <i>Biochemistry</i> , <b>1995</b> , 34, 6700-10                   | 3.2 | 95  |

|     |   |     |     |
|-----|---|-----|-----|
| 778 | Prothymosin alpha: a biologically active protein with random coil conformation. <i>Biochemistry</i> , <b>1995</b> , 34, 13211-8   | 3.2 | 188 |
| 777 | Does the HIV-1 manipulate immune network via gp120 immunoglobulin-like domain involving V3 loop?. <b>1995</b> , 13, 355-9   |     | 14  |
| 776 | Toxic phospholipases D of <i>Corynebacterium pseudotuberculosis</i> , <i>C. ulcerans</i> and <i>Arcanobacterium haemolyticum</i> : cloning and sequence homology. <b>1995</b> , 156, 113-8                      |     | 95  |
| 775 | Isolation of a cDNA encoding a mouse TFIIID subunit containing histone H4 homology. <b>1995</b> , 161, 301-2  |     | 3   |
| 774 | Conformation, pore-forming activity, and antigenicity of synthetic peptide analogues of a spiralin putative amphipathic alpha helix. <b>1995</b> , 1235, 161-8  |     | 17  |
| 773 | Recurring local sequence motifs in proteins. <b>1995</b> , 251, 176-87  |     | 66  |
| 772 | Changes in conserved region 3 of <i>Escherichia coli</i> sigma 70 mediate ppGpp-dependent functions in vivo. <b>1995</b> , 252, 536-49  |     | 85  |
| 771 | Insect prothoracicotropic hormone: a new member of the vertebrate growth factor superfamily. <b>1995</b> , 376, 251-6   |     | 42  |
| 770 | Peptide binding domains determined through chemical modification of the side-chain functional groups. <b>1995</b> , 69, 604-11  |     | 18  |
| 769 | The protein conformation and a zinc-binding domain of an autoantigen from mouse seminal vesicle. <b>1995</b> , 69, 2084-9   |     | 15  |
| 768 | Searching for Representations to Improve Protein Sequence Fold-Class Prediction. <b>1995</b> , 21, 151-175  |     |     |
| 767 | Protein secondary structure prediction. <b>2001</b> , Chapter 2, Unit2.3  |     | 1   |
| 766 | Computational methods for protein sequence analysis. <b>2001</b> , Chapter 2, Unit2.1   |     |     |
| 765 | Protein structure prediction: recognition of primary, secondary, and tertiary structural features from amino acid sequence. <b>1995</b> , 30, 1-94  |     | 113 |
| 764 | Bibliography. <b>1995</b> , 319-413   |     | 0   |
| 763 | Prediction of protein structural classes. <b>1995</b> , 30, 275-349   |     | 886 |
| 762 | .   |     |     |
| 761 | EEA1, an early endosome-associated protein. EEA1 is a conserved alpha-helical peripheral membrane protein flanked by cysteine "fingers" and contains a calmodulin-binding IQ motif. <b>1995</b> , 270, 13503-11 |     | 582 |

|     |  |     |     |
|-----|--|-----|-----|
| 760 | Searching for representations to improve protein sequence fold-class prediction. <b>1995</b> , 21, 151-175   |     | 1   |
| 759 | Conformational study of the Thr-Gly repeat in the Drosophila clock protein, PERIOD. <b>1995</b> , 260, 155-63  |     | 26  |
| 758 | Effect of replacing helical glycine residues with alanines on reversible and irreversible stability and production of <i>Aspergillus awamori</i> glucoamylase. <b>1996</b> , 9, 499-505  |     | 31  |
| 757 | Antibacterial activity of glycosylated and phosphorylated chromogranin A-derived peptide 173-194 from bovine adrenal medullary chromaffin granules. <b>1996</b> , 271, 28533-40  |     | 97  |
| 756 | NMR spectroscopic evidence that helodermin, unlike other members of the secretin/VIP family of peptides, is substantially structured in water. <i>Biochemistry</i> , <b>1996</b> , 35, 5955-62   | 3.2 | 29  |
| 755 | An amphiphilic lipid-binding domain influences the topology of a signal-anchor sequence in the mitochondrial outer membrane. <i>Biochemistry</i> , <b>1996</b> , 35, 3764-71   | 3.2 | 15  |
| 754 | Chapter 15 The mediator of thyroidal iodide accumulation: The sodium/iodide symporter. <b>1996</b> , 343-368   |     | 7   |
| 753 | Truncations of the C-terminus have different effects on the conformation and activity of phosphatidylinositol transfer protein. <i>Biochemistry</i> , <b>1996</b> , 35, 12526-31   | 3.2 | 20  |
| 752 | Machine Discovery of Functional Components of Proteins from Amino-Acid Sequences Based on Rough Sets and Change of Representation. <b>1996</b> , 2, 169-180  |     | 4   |
| 751 | The molecular structure of reptilian keratin. <b>1996</b> , 19, 207-11   |     | 133 |
| 750 | Stoichiometry and domainal organization of the long tail-fiber of bacteriophage T4: a hinged viral adhesin. <b>1996</b> , 260, 767-80  |     | 89  |
| 749 | Inhibition of beta-adrenergic receptor-mediated signals by a synthetic peptide derived from the alpha subunit of the stimulatory G-protein. <b>1996</b> , 219, 619-24  |     | 8   |
| 748 | The N-terminal sequences (5-20) of thymosin beta 4 binds to monomeric actin in an alpha-helical conformation. <b>1996</b> , 222, 127-32  |     | 13  |
| 747 | A superactive peptidomimetic analog of a farnesylated dodecapeptide yeast pheromone. <b>1996</b> , 224, 327-31   |     | 14  |
| 746 | Structural dimorphism in the mitochondrial targeting sequence in the human manganese superoxide dismutase gene. A predictive evidence for conformational change to influence mitochondrial transport and a study of allelic association in Parkinson's disease. <b>1996</b> , 226, 561-5 |     | 410 |
| 745 | The beta-tubulin monomer release factor (p14) has homology with a region of the DnaJ protein. <b>1996</b> , 397, 283-9   |     | 25  |
| 744 | Synthesis and biological activity of adipokinetic hormone analogues modified at the C-terminus. <b>1996</b> , 17, 1285-90  |     | 13  |
| 743 | Computer Methods in Protein Modeling: An Overview. <b>1996</b> , 51-73   |     |     |

|     |  |    |
|-----|--|----|
| 742 | Functionalized protein-like structures from conformationally defined synthetic combinatorial libraries. <b>1996</b> , 271, 4120-6  | 43 |
| 741 | Analysis of the <i>Erwinia chrysanthemi</i> ferrichrysobactin receptor gene: resemblance to the <i>Escherichia coli</i> fepA-fes bidirectional promoter region and homology with hydroxamate receptors. <b>1996</b> , 178, 1227-31 | 18 |
| 740 | The inducible elongin A elongation activation domain: structure, function and interaction with the elongin BC complex.. <b>1996</b> , 15, 5557-5566  | 77 |
| 739 | An antibody to a 17 amino acid synthetic peptide of the type I interleukin-1 receptor preferentially blocks interleukin-1 beta binding. <b>1996</b> , 16, 1079-88  | 6  |
| 738 | DNA. <b>1996</b> , 335-662   |    |
| 737 | Identification and cloning of a novel cDNA belonging to tetratricopeptide repeat gene family from Down syndrome-critical region 21q22.2. <b>1996</b> , 120, 820-7  | 24 |
| 736 | Identification of an autoinhibitory region in the activation loop of the Mos protein kinase. <b>1996</b> , 16, 3472-9  | 4  |
| 735 | Identification of Slug and SOX7 as transcriptional repressors binding to the hepatitis B virus core promoter. <b>2017</b> ,  | 6  |
| 734 | NMR-directed design of pre-TCR and pMHC molecules implies a distinct geometry for pre-TCR relative to TCR recognition of pMHC. <b>2018</b> , 293, 754-766  | 5  |
| 733 | Cascading classifier application for topology prediction of TMB proteins. <b>2018</b> ,  |    |
| 732 | Predicting protein-protein interactions using high-quality non-interacting pairs. <b>2018</b> , 19, 525  | 11 |
| 731 | Prediction for Membrane Protein Types Based on Effective Fusion Representation and MIC-GA Feature Selection. <b>2018</b> , 6, 75669-75681  | 1  |
| 730 | Alignment-Free Analyses of Nucleic Acid Sequences Using Graphical Representation (with Special Reference to Pandemic Bird Flu and Swine Flu). <b>2018</b> , 141-188  |    |
| 729 | Revisiting Chameleon Sequences in the Protein Data Bank. <b>2018</b> , 11, 114   | 3  |
| 728 | Synthetic Biology. <b>2018</b> ,   |    |
| 727 | Biomolecular Assemblies: Moving from Observation to Predictive Design. <b>2018</b> , 118, 11519-11574  | 42 |
| 726 | Single-sequence-based prediction of protein secondary structures and solvent accessibility by deep whole-sequence learning. <b>2018</b> , 39, 2210-2216  | 50 |
| 725 | Detection of KK-LC-1 Protein, a Cancer/Testis Antigen, in Patients with Breast Cancer. <b>2018</b> , 38, 5923-5928   | 7  |

|     |   |    |
|-----|---|----|
| 724 | Protein secondary structure prediction improved by recurrent neural networks integrated with two-dimensional convolutional neural networks. <b>2018</b> , 16, 1850021   | 30 |
| 723 | Tunable Pentapeptide Self-Assembled $\beta$ Sheet Hydrogels. <b>2018</b> , 57, 7709-7713  | 56 |
| 722 | Consistent prediction of GO protein localization. <b>2018</b> , 8, 7757   | 4  |
| 721 | Tunable Pentapeptide Self-Assembled $\beta$ Sheet Hydrogels. <b>2018</b> , 130, 7835-7839   | 10 |
| 720 | Protein Secondary Structure Prediction Based on Data Partition and Semi-Random Subspace Method. <b>2018</b> , 8, 9856   | 15 |
| 719 | Combined approaches from physics, statistics, and computer science for protein structure prediction: (unity is strength)? <b>2018</b> , 7,  | 6  |
| 718 | A Critical Note on Symmetry Contact Artifacts and the Evaluation of the Quality of Homology Models. <b>2018</b> , 10, 25  | 1  |
| 717 | Ribosomal RACK1:Protein Kinase C $\beta$ Modulates Intramolecular Interactions between Unstructured Regions of Eukaryotic Initiation Factor 4G (eIF4G) That Control eIF4E and eIF3 Binding. <b>2018</b> , 38, | 13 |
| 716 | Predicting secondary structure of a protein using MIRA algorithm based on tetrapeptide structural words. <b>2018</b> ,  |    |
| 715 | De novo profile generation based on sequence context specificity with the long short-term memory network. <b>2018</b> , 19, 272   | 4  |
| 714 | CNNH_PSS: protein 8-class secondary structure prediction by convolutional neural network with highway. <b>2018</b> , 19, 60   | 25 |
| 713 | Investigation of the thermophilic mechanism in the genus Porphyrobacter by comparative genomic analysis. <b>2018</b> , 19, 385  | 15 |
| 712 | Nonfunctional Missense Mutants in Two Well Characterized Cytosolic Enzymes Reveal Important Information About Protein Structure and Function. <b>2018</b> , 37, 407-427                                       | 1  |
| 711 | Spectroscopic analysis of chlamydial major outer membrane protein in support of structure elucidation. <b>2018</b> , 27, 1923-1941  | 1  |
| 710 | Lipid Nanodisc Formation using Pxt-5 Peptide Isolated from Amphibian ( <i>Xenopus tropicalis</i> ) Skin, and its Altered Form, Modify-Pxt-5. <b>2018</b> , 67, 1035-1041                                      | 2  |
| 709 | Biomolecular Structures: Prediction, Identification and Analyses. <b>2019</b> , 504-534   | 1  |
| 708 | Secondary Structure Prediction. <b>2019</b> , 488-496   | 5  |
| 707 | Case of Early-Onset Parkinson's Disease in a Heterozygous Mutation Carrier of the Gene. <b>2019</b> , 9,  | 0  |

|     |  |    |
|-----|--|----|
| 706 | Biochemical characterization of the <i>Helicobacter pylori</i> bactofilin-homolog HP1542. <b>2019</b> , 14, e0218474   | 4  |
| 705 | Insights into HIV-1 Vpu-Tetherin Interactions and Its Mutational Counterparts. <b>2019</b> , 7,  |    |
| 704 | Amyloidogenic model peptides as catalysts for stereoselective aldol reactions. <b>2019</b> , 9, 4304-4313  | 14 |
| 703 | Identification of Ixodid Tick-Specific Aquaporin-1 Potential Anti-tick Vaccine Epitopes: An Analysis. <b>2019</b> , 7, 236   | 8  |
| 702 | Folian-cv1 Is a Member of a Highly Acidic Phosphoprotein Class Derived From the Foliated Layer of the Eastern Oyster ( <i>Crassostrea virginica</i> ) Shell and Identified in Hemocytes and Mantle. <b>2019</b> , 6, | 0  |
| 701 | Polyproline chains destabilize the Alzheimer's amyloid- $\beta$ protofibrils: A molecular dynamics simulation study. <b>2019</b> , 93, 107456  | 12 |
| 700 | Lys-Arg mutation improved the thermostability of <i>Bacillus cereus</i> neutral protease through increased residue interactions. <b>2019</b> , 35, 173   | 5  |
| 699 | Interface residues of transient protein-protein complexes have extensive intra-protein interactions apart from inter-protein interactions. <b>2019</b> , 14, 1   | 16 |
| 698 | Construction of thermostable cellobiohydrolase I from the fungus <i>Talaromyces cellulolyticus</i> by protein engineering. <b>2019</b> , 32, 33-40   | 5  |
| 697 | Population-based incremental learning for the prediction of <i>Homo sapiens</i> protein secondary structure. <b>2019</b> , 12, 1950017   |    |
| 696 | DeepACLSTM: deep asymmetric convolutional long short-term memory neural models for protein secondary structure prediction. <b>2019</b> , 20, 341   | 30 |
| 695 | Characterization of human UGT2A3 expression using a prepared specific antibody against UGT2A3. <b>2019</b> , 34, 280-286   | 0  |
| 694 | MCP: A multi-component learning machine to predict protein secondary structure. <b>2019</b> , 110, 144-155   | 6  |
| 693 | Biallelic mutations in the LPAR6 gene causing autosomal recessive wooly hair/hypotrichosis phenotype in five Pakistani families. <b>2019</b> , 58, 946-952   | 2  |
| 692 | Structural Insights into Catalytic Versatility of the Flavin-dependent Hydroxylase (HpaB) from <i>Escherichia coli</i> . <b>2019</b> , 9, 7087   | 6  |
| 691 | Protective association of A-T-T haplotype of DMT1 gene against risk of human age-related nuclear cataract. <b>2019</b> , 40, 99-109  |    |
| 690 | Constitutively active BRS3 is a genuinely orphan GPCR in placental mammals. <b>2019</b> , 17, e3000175   | 11 |
| 689 | Sequence Analysis of the cAMP-Dependent Protein Kinase Regulatory Subunit-Like Protein From <i>Trypanosoma brucei</i> . <b>2019</b> , 64, 262-267  | 3  |

|     |  |    |
|-----|--|----|
| 688 | Protein Structure Annotations. <b>2019</b> , 201-234   | 3  |
| 687 | Self-assembly of photochromic diarylethene-peptide conjugates stabilized by $\beta$ -sheet formation at the liquid/graphite interface. <b>2019</b> , 55, 5099-5102   | 3  |
| 686 | Small Peptide Ligands for Targeting EGFR in Triple Negative Breast Cancer Cells. <b>2019</b> , 9, 2723   | 29 |
| 685 | Comparative RNA editing profile of mitochondrial transcripts in cytoplasmic male sterile and fertile pigeonpea reveal significant changes at the protein level. <b>2019</b> , 46, 2067-2084                | 1  |
| 684 | Design and structural characterisation of monomeric water-soluble $\alpha$ -helix and $\beta$ -hairpin peptides: State-of-the-art. <b>2019</b> , 661, 149-167  | 10 |
| 683 | Improving protein secondary structure prediction: the evolutionary optimized classification algorithms. <b>2019</b> , 30, 1257-1266  | 1  |
| 682 | Globular protein backbone conformational disorder in crystal structures. <b>2019</b> , 51, 475-481   |    |
| 681 | ErbB4 point mutation in CU3 inbred rats affects gonadotropin-releasing-hormone neuronal function via compromised neuregulin-stimulated prostaglandin E2 release from astrocytes. <b>2019</b> , 67, 309-320 | 3  |
| 680 | Novel antimicrobial peptide discovery using machine learning and biophysical selection of minimal bacteriocin domains. <b>2020</b> , 81, 43-51   | 12 |
| 679 | An enhanced protein secondary structure prediction using deep learning framework on hybrid profile based features. <b>2020</b> , 86, 105926  | 11 |
| 678 | A convenient protein library for spectroscopic calibrations. <b>2020</b> , 18, 1864-1876   | 5  |
| 677 | Self-assembly of bioinspired and biologically functional materials. <b>2020</b> , 45, 832-840  | 3  |
| 676 | Impact of protein dynamics on secondary structure prediction. <b>2020</b> , 179, 14-22   | 0  |
| 675 | Molecular Dynamics Simulations for Three-Dimensional Structures of Orotate Phosphoribosyltransferases Constructed from a Simplified Amino Acid Set. <b>2020</b> , 5, 13069-13076                           | 1  |
| 674 | A genome-wide scan study identifies a single nucleotide substitution in MC1R gene associated with white coat colour in fallow deer ( <i>Dama dama</i> ). <b>2020</b> , 21, 126                             | 1  |
| 673 | Nucleotide-binding sites can enhance N-acylation of nearby protein lysine residues. <b>2020</b> , 10, 20254  | 2  |
| 672 | A fully open-source framework for deep learning protein real-valued distances. <b>2020</b> , 10, 13374   | 17 |
| 671 | Ensemble of Bidirectional Recurrent Networks and Random Forests for Protein Secondary Structure Prediction. <b>2020</b> ,  | 2  |



|     |  |    |
|-----|--|----|
| 670 | The hot sites of $\beta$ -synuclein in amyloid fibril formation. <b>2020</b> , 10, 12175   | 2  |
| 669 | Potential therapeutic target identification in the novel 2019 coronavirus: insight from homology modeling and blind docking study. <b>2020</b> , 21, | 1  |
| 668 | Identification of Key Functional Motifs of Native Amelogenin Protein for Dental Enamel Remineralisation. <b>2020</b> , 25,                           | 4  |
| 667 | Peptide nanotubes self-assembled from leucine-rich alpha helical surfactant-like peptides. <b>2020</b> , 56, 11977-11980                             | 7  |
| 666 | ODiNPred: comprehensive prediction of protein order and disorder. <b>2020</b> , 10, 14780  | 25 |
| 665 | Understanding the biological role of PqqB in using molecular dynamics simulation approach. <b>2020</b> , 1-13  | 4  |
| 664 | Helical polymers for biological and medical applications. <b>2020</b> , 4, 291-310   | 36 |
| 663 | Protein Fibrils Formed by Rationally Designed $\beta$ -Helical Peptides. <b>2020</b> , 36, 6126-6131   | 0  |
| 662 | A Novel Synonymous Mutation of SARS-CoV-2: Is This Possible to Affect Their Antigenicity and Immunogenicity?. <b>2020</b> , 8,                       | 39 |
| 661 | Multifaceted analysis of training and testing convolutional neural networks for protein secondary structure prediction. <b>2020</b> , 15, e0232528   | 4  |
| 660 | Geo-Measures: A PyMOL plugin for protein structure ensembles analysis. <b>2020</b> , 87, 107322  | 20 |
| 659 | Design and synthesis of a novel peptide for selective detection of cancer cells. <b>2020</b> , 95, 610-623   | 1  |
| 658 | Redundancy-weighting the PDB for detailed secondary structure prediction using deep-learning models. <b>2020</b> , 36, 3733-3738                     | 2  |
| 657 | An array of 60,000 antibodies for proteome-scale antibody generation and target discovery. <b>2020</b> , 6, eaax2271                                 | 11 |
| 656 | Protein Secondary Structure Prediction: A Review of Progress and Directions. <b>2020</b> , 15, 90-107  | 18 |
| 655 | The Future of Protein Secondary Structure Prediction Was Invented by Oleg Ptitsyn. <b>2020</b> , 10,   | 0  |
| 654 | A simple strategy to enhance the speed of protein secondary structure prediction without sacrificing accuracy. <b>2020</b> , 15, e0235153            | 3  |
| 653 | Cysteine string proteins. <b>2020</b> , 188, 101758  | 4  |

|     |   |    |
|-----|---|----|
| 652 | Propensities of Amino Acid Pairings in Secondary Structure of Globular Proteins. <b>2020</b> , 39, 21-32  | 1  |
| 651 | Deep learning methods in protein structure prediction. <b>2020</b> , 18, 1301-1310  | 80 |
| 650 | The VES KM: a pathway for protein folding in vivo. <b>2020</b> , 92, 179-191  | 1  |
| 649 | Conformational landscape of substituted prolines. <b>2020</b> , 12, 25-39   | 18 |
| 648 | A comparative analysis of dipeptides distribution in eukaryotes and prokaryotes by statistical mechanics. <b>2020</b> , 555, 124567   | 0  |
| 647 | Phylogenetic Analyses of Sites in Different Protein Structural Environments Result in Distinct Placements of the Metazoan Root. <b>2020</b> , 9,  | 13 |
| 646 | Mass Spectrometry-Based Protein Footprinting for Higher-Order Structure Analysis: Fundamentals and Applications. <b>2020</b> , 120, 4355-4454   | 56 |
| 645 | Deciphering the possible role of ctxB7 allele on higher production of cholera toxin by Haitian variant <i>Vibrio cholerae</i> O1. <b>2020</b> , 14, e0008128                              | 8  |
| 644 | Deep learning model with ensemble techniques to compute the secondary structure of proteins. <b>2021</b> , 77, 5104-5119  | 4  |
| 643 | The role of local versus nonlocal physicochemical restraints in determining protein native structure. <b>2021</b> , 68, 1-8   | 6  |
| 642 | DNSS2: Improved ab initio protein secondary structure prediction using advanced deep learning architectures. <b>2021</b> , 89, 207-217  | 5  |
| 641 | Structure of neuroendocrine regulatory peptide-2 in membrane-mimicking environments. <b>2021</b> , 113, e24206  | 1  |
| 640 | ANuPP: A Versatile Tool to Predict Aggregation Nucleating Regions in Peptides and Proteins. <b>2021</b> , 433, 166707   | 8  |
| 639 | Protein Analysis: From Sequence to Structure. <b>2021</b> , 59-82   |    |
| 638 | Structural-Genetic Characterization Of Novel Butaryl co-A Dehydrogenase and Proposition of Butanol Biosynthesis Pathway in <i>Pusillimonas ginsengisoli</i> SBSA. <b>2021</b> , 89, 81-94 | 1  |
| 637 | A2PF: An Automatic Protein Production Framework. <b>2021</b> , 80-91  |    |
| 636 | Msh Pilus Mutations Increase the Ability of a Free-Living Bacterium to Colonize a Piscine Host. <b>2021</b> , 12,   | 1  |
| 635 | Local sequence-structure relationships in proteins. <b>2021</b> , 30, 818-829   | 3  |

|     |   |    |
|-----|---|----|
| 634 | Amino acid side chain contribution to protein FTIR spectra: impact on secondary structure evaluation. <b>2021</b> , 50, 641-651   | 4  |
| 633 | Applications of Protein Secondary Structure Algorithms in SARS-CoV-2 Research. <b>2021</b> , 20, 1457-1463  | 2  |
| 632 | A Novel SNCA A30G Mutation Causes Familial Parkinson's Disease. <b>2021</b> , 36, 1624-1633   | 16 |
| 631 | Protein secondary structure prediction based on fusion of machine learning classifiers. <b>2021</b> ,   |    |
| 630 | Adaptation and convergence in circadian-related genes in Iberian freshwater fish. <b>2021</b> , 21, 38  | 2  |
| 629 | Membrane Binding and Homodimerization of Atg16 Via Two Distinct Protein Regions is Essential for Autophagy in Yeast. <b>2021</b> , 433, 166809  | 4  |
| 628 | A graph theoretic model to understand the behavioral difference of PPCA among its paralogs towards recognition of DXCA. <b>2021</b> , 46, 1   | 1  |
| 627 | Protein Secondary Structure Prediction Using Character Bi-gram Embedding and Bi-LSTM. <b>2021</b> , 16, 333-338   | 10 |
| 626 | C subunit of the ATP synthase is an amyloidogenic calcium dependent channel-forming peptide with possible implications in mitochondrial permeability transition. <b>2021</b> , 11, 8744       | 6  |
| 625 | Characterization of a L136P mutation in Formin-like 2 (FMNL2) from a patient with chronic inflammatory bowel disease. <b>2021</b> , 16, e0252428  | 1  |
| 624 | Integrated in silico and experimental assessment of disease relevance of PCDH19 missense variants. <b>2021</b> , 42, 1030-1041  |    |
| 623 | Comprehensive predictions of secondary structures for comparative analysis in different species. <b>2021</b> , 213, 107735  |    |
| 622 | Evolution of Amino Acid Properties in the Context of Protein Secondary Structure Prediction. <b>2021</b> ,  |    |
| 621 | Protein Secondary Structure Prediction With a Reductive Deep Learning Method. <b>2021</b> , 9, 687426   | 5  |
| 620 | The influence of dataset homology and a rigorous evaluation strategy on protein secondary structure prediction. <b>2021</b> , 16, e0254555  | 2  |
| 619 | A Multitask Deep-Learning Method for Predicting Membrane Associations and Secondary Structures of Proteins. <b>2021</b> , 20, 4089-4100   | 2  |
| 618 | Amino acid substitutions in ribosomal protein RpsU enable switching between high fitness and multiple-stress resistance in <i>Listeria monocytogenes</i> . <b>2021</b> , 351, 109269          | 0  |
| 617 | Molecular epidemiology analysis of early variants of SARS-CoV-2 reveals the potential impact of mutations P504L and Y541C (NSP13) in the clinical COVID-19 outcomes. <b>2021</b> , 92, 104831 | 5  |

616 Structural analysis and construction of thermostable antifungal chitinase.

615 CSI-LSTM: a web server to predict protein secondary structure using bidirectional long short term memory and NMR chemical shifts. **2021**, 75, 393-400 0

614 Changes in dynamic and static structures of the HIV-1 p24 capsid protein N-domain caused by amino-acid substitution are associated with its viral viability. **2021**, 30, 2233-2245 1

613 Cassava mosaic virus in Africa: Functional analysis of virus coat proteins based on evolutionary processes and protein structure. **2021**, 24, 101239 2

612 Identification of novel polymorphism and in silico analysis of caprine DNAJB3 gene. **2021**, 203, 106492 1

611 Testing machine learning techniques for general application by using protein secondary structure prediction. A brief survey with studies of pitfalls and benefits using a simple progressive learning approach. **2021**, 138, 104883 2

610 Detection and toxicity modeling of anthraquinone dyes and chlorinated side products from a colored smoke pyrotechnic reaction. **2022**, 287, 131845 2

609 Secondary structure prediction of protein based on multi scale convolutional attention neural networks. **2021**, 18, 3404-3422 0

608 Computational Study of Helical and Helix-Hinge-Helix Conformations of an Anti-Microbial Peptide in Solution by Molecular Dynamics and Vibrational Analysis. **2021**, 125, 703-721 2

607 Cross-bridge movement in muscle and the conformation of the myosin hinge. **1983**, 93, 186-207 1

606 Sequence and Structure of Proteins. 43-86 1

605 Tools for Protein Technologies. 325-344 7

604 Identifying periodic occurrences of a template with applications to protein structure. **1992**, 111-120 9

603 Peptide hormone homologies and evolution. **1976**, 9-32 2

602 A comparative study of the occurrence, structure and function of troponin C and calmodulin. **1985**, 65-122 2

601 Structure-function relationships of galanin. **1991**, 185-196 6

600 P2 Receptor Modeling and Identification of Ligand Binding Sites. **1998**, 135-166 7

599 Mammalian Protamines: Structure and Molecular Interactions. **1989**, 366-395 66

|     |  |     |
|-----|--|-----|
| 598 | Artificial Proteins: De novo Design, Synthesis and Solid State Properties. <b>1997</b> , 61-99   | 5   |
| 597 | Cloning of the Duchenne/Becker muscular dystrophy locus. <b>1988</b> , 17, 61-98   | 41  |
| 596 | The GOR Method for Predicting Secondary Structures in Proteins. <b>1989</b> , 417-465  | 37  |
| 595 | Chou-Fasman Prediction of the Secondary Structure of Proteins. <b>1989</b> , 391-416   | 43  |
| 594 | Active Transport in Escherichia Coli From Membrane to Molecule. <b>1986</b> , 387-407  | 7   |
| 593 | Analysis of X-Ray Scattering by Human AA Fibrils Using Secondary Structure Predictions of Human SAA1. <b>1986</b> , 49-55  | 2   |
| 592 | Sequence Analysis of the Bovine Leukemia Virus Genome. <b>1987</b> , 115-144   | 26  |
| 591 | Recombinant DNA Technology and Characterization of Recombinant Alpha-2 Interferon. <b>1985</b> , 1-12  | 2   |
| 590 | The Principles of Metabolic Control. <b>1980</b> , 1-61  | 3   |
| 589 | Production and immunogenicity of multiple antigenic peptide (MAP) constructs derived from the S1 glycoprotein of infectious bronchitis virus (IBV). <b>1995</b> , 380, 213-9 | 18  |
| 588 | Chiroptical Methods. <b>1994</b> , 15-64   | 3   |
| 587 | Role of the Chloroplast Envelope in Thylakoid Biogenesis. <b>1992</b> , 323-330  | 1   |
| 586 | Lipoprotein of the outer membrane of Escherichia coli. <b>1979</b> , 10, 141-208   | 23  |
| 585 | Immunological Characterization of Apolipoprotein AI from Normal Human Plasma: Mapping of Antigenic Determinants. <b>1986</b> , 103-117                                       | 3   |
| 584 | The Function of Saccharide-Lipids in Synthesis of Glycoproteins. <b>1980</b> , 35-83   | 140 |
| 583 | Cytochrome b5 and Cytochrome b5 Reductase from a Chemical and X-Ray Diffraction Viewpoint. <b>1985</b> , 235-300   | 5   |
| 582 | The Structure and Control of the Pentitol Operons. <b>1984</b> , 55-107  | 6   |
| 581 | Protein Folding. <b>1980</b> , 43-100  | 6   |

|     |   |    |
|-----|---|----|
| 580 | Protein Energy Converters. <b>1975</b> , 681-698  | 3  |
| 579 | Differentiation between Transmembrane Helices and Peripheral Helices by the Deconvolution of Circular Dichroism Spectra of Membrane Proteins. <b>1996</b> , 381-412   | 9  |
| 578 | Fibrolase. <b>1993</b> , 287-314  | 4  |
| 577 | Spectroscopic properties of zinc-metallothionein. <b>1979</b> , 34, 211-20  | 46 |
| 576 | Maintainance of specificity, information, and thermostability in thermophilic <i>Bacillus sp. glutamine synthetase</i> . <b>1976</b> , 26, 187-97                     | 7  |
| 575 | Analysis of the thermostability of enolases. <b>1976</b> , 26, 223-7  | 5  |
| 574 | The Subunit Structure of Porcine Ornithine Aminotransferase and Mechanism of Proteolytic Modification of its Putative Precursors in Mitochondria. <b>1987</b> , 47-50 | 1  |
| 573 | Transforming growth factor-beta regulates basal expression of the hsp70 gene family in cultured chicken embryo cells. <b>1991</b> , 17, 188-209                       | 5  |
| 572 | The cell and molecular biology of eggshell formation in <i>Schistosoma mansoni</i> . <b>1992</b> , 19, 97-114   | 7  |
| 571 | Computational Methods for Protein Structure Prediction and Fold Recognition. <b>2008</b> , 1-21   | 6  |
| 570 | Accuracy in Predicting Secondary Structure of Ionic Channels. <b>2009</b> , 315-326   | 2  |
| 569 | Data Mining for Protein Secondary Structure Prediction. <b>2009</b> , 135-167   | 1  |
| 568 | The Three-Dimensional Structure of Postsynaptic Snake Neurotoxins: Consideration of Structure and Function. <b>1979</b> , 213-257                                     | 36 |
| 567 | Glucagon, Glicentin, and Related Peptides. <b>1983</b> , 139-174  | 10 |
| 566 | Comparative Structures of Mammalian Interferons. <b>1984</b> , 79-100   | 6  |
| 565 | Structure of Human Class II Antigens Expressed by a Homozygous Lymphoblastoid B Cell Line. <b>1986</b> , 49-70  | 3  |
| 564 | Designing Activity and Receptor Selectivity in Cyclic Peptide Hormone Analogs. <b>1986</b> , 301-304  | 1  |
| 563 | The Cooperative Dimeric Hemoglobin from the Mollusc <i>Scapharca Inaequalvis</i> : Structural and Functional Characterization. <b>1986</b> , 107-110                  | 1  |

|     |   |     |
|-----|---|-----|
| 562 | CD44: a multitude of isoforms with diverse functions. <b>1993</b> , 184, 47-63  | 157 |
| 561 | Phosphorylation and the Regulation of the Function of Myosin and the Troponin Complex. <b>1976</b> , 107-121  | 2   |
| 560 | Structure and Function of the Anaphylatoxins. <b>1985</b> , 73-99   | 4   |
| 559 | Structure and Function of Glycoprotein D of Herpes Simplex Virus. <b>1994</b> , 43-65   | 5   |
| 558 | Chemical Structure of the Apoprotein of Neocarzinostatin. <b>1997</b> , 3-22  | 2   |
| 557 | Conformational Analysis of Snake Toxins by Laser Raman Spectroscopy. <b>1979</b> , 139-152  | 2   |
| 556 | Early development of anti-HIV IgG. <b>1990</b> , 841-844  | 2   |
| 555 | The N-terminal fragment of bovine phosphophoryn, an extracellular mineral matrix protein, shares sequence homology with viral, bacterial and eukaryotic transcriptional and post-translational regulatory proteins. <b>1991</b> , 251-259 | 2   |
| 554 | Protein Structure Prediction and Neural Networks. <b>1991</b> , 991-1015  | 2   |
| 553 | Molecular Modeling of Globular Proteins : Strategy 1D $\rightarrow$ 3D: Secondary Structures and Epitopes. <b>1997</b> , 121-150  | 3   |
| 552 | Protein Chains in Wool and Epidermal Keratin IF: Structural Features and Spatial Arrangement. <b>1988</b> , 127-144   | 8   |
| 551 | HORMONE-RECEPTOR INTERACTIONS: A STUDY OF THE MOLECULAR MECHANISM OF RECEPTOR STIMULATION IN ISOLATED FAT CELLS BY THE PARTIAL AGONIST CORTICOTROPIN-(504)-ICOSAPEPTIDE. <b>1980</b> , 277-283  | 3   |
| 550 | ANTIGENICITY-DETERMINING AMINO ACID RESIDUES OF ERABUTOXIN b. <b>1980</b> , 91-98   | 3   |
| 549 | IDENTIFICATION OF FOLDED STRUCTURES IN IMMUNOGENIC PEPTIDES BY 2D NMR SPECTROSCOPY. <b>1987</b> , 477-480   | 2   |
| 548 | THE STREPTOKINASE-PLASMINOGEN INTERACTION: A MODEL FOR BINDING ACTIVATION OF SERINE-PROTEASE ZYMOGENS. <b>1982</b> , 363-377  | 2   |
| 547 | Biochemical aspects of neurosecretion: neurophysin--neurohypophyseal hormone complexes. <b>1979</b> , 15, 263-318   | 44  |
| 546 | Characterization of a 32-Residue Peptide From Rat DNA Polymerase $\beta$ With Single-Stranded DNA-Binding Affinity. <b>1994</b> , 5, 359-369  | 1   |
| 545 | Synthesis and Assembly of Mitochondrial Proteins. <b>1988</b> , 677-746   | 7   |

|     |  |    |
|-----|--|----|
| 544 | The M Protein of Group A Streptococcus: Evolution and Regulation. <b>1990</b> , 177-203  | 14 |
| 543 | Active Transport: Membrane Vesicles, Bioenergetics, Molecules, and Mechanisms. <b>1990</b> , 151-202   | 8  |
| 542 | Inhibition of Lipid-Dependent Glycosylation. <b>1982</b> , 47-79   | 9  |
| 541 | Graphical representation and mathematical characterization of protein sequences and applications to viral proteins. <b>2011</b> , 83, 1-42   | 15 |
| 540 | Conformations and Interactions. <b>1982</b> , 89-110   | 6  |
| 539 | Epidermal Growth Factors. <b>1978</b> , 203-247  | 24 |
| 538 | Monoclonal Antibodies and the Structure of Bacterial Membrane Proteins. <b>1985</b> , 249-282  | 3  |
| 537 | Physical Properties of Fibronectin. <b>1989</b> , 25-45  | 9  |
| 536 | Plasma Membrane H <sup>+</sup> -ATPase: Ion and Metabolite Transport in the Yeast <i>Schizosaccharomyces pombe</i> . <b>1989</b> , 397-429   | 9  |
| 535 | Serum Lipoproteins. <b>1975</b> , 317-391  | 25 |
| 534 | RELATIONSHIPS BETWEEN THE STRUCTURES AND ACTIVITIES OF SOME MICROBIAL SERINE PROTEASES. I. PURIFICATION, ENZYMIC PROPERTIES AND PRIMARY STRUCTURES OF <i>STREPTOMYCES GRISEUS</i> PROTEASES A, B AND TRYPSIN. <b>1976</b> , 93-123 | 7  |
| 533 | PRECURSORS IN THE BIOSYNTHESIS OF INSULIN AND OTHER PEPTIDE HORMONES. <b>1979</b> , 361-378  | 5  |
| 532 | THE SEQUENCE ATTRIBUTES METHOD FOR DETERMINING CORRELATIONS BETWEEN AMINO ACID SEQUENCE AND PROTEIN SECONDARY STRUCTURE. <b>1990</b> , 405-415   | 1  |
| 531 | The lac permease of <i>Escherichia coli</i> : a prototype transport protein. <b>1990</b> , 213-229   | 1  |
| 530 | Pattern Recognition and Artificial Intelligence in Molecular Biology. <b>1988</b> , 437-447  | 1  |
| 529 | Molecular cloning of plasmalipin. Characterization of a novel proteolipid restricted to brain and kidney.. <b>1994</b> , 269, 24912-24919  | 29 |
| 528 | Characterization of a 78-residue fragment of c-Raf-1 that comprises a minimal binding domain for the interaction with Ras-GTP.. <b>1994</b> , 269, 22340-22346   | 47 |
| 527 | Precursors of vertebrate peptide antibiotics dermaseptin b and adenoregulin have extensive sequence identities with precursors of opioid peptides dermorphin, dermenkephalin, and deltorphins.. <b>1994</b> , 269, 17847-17852     | 52 |



|     |  |     |
|-----|--|-----|
| 526 | Effect of single and double peptide bond scission by trypsin on the structure and activity of staphylococcal enterotoxin C.. <b>1976</b> , 251, 5580-5588  | 28  |
| 525 | Conformational relevance of the beta6Glu replaced by Val mutation in the beta subunits and in the beta(1-55) and beta(1-30) peptides of hemoglobin S.. <b>1976</b> , 251, 4968-4972                                | 19  |
| 524 | Primary structure of streptococcal proteinase. III. Isolation of cyanogen bromide peptides: complete covalent structure of the polypeptide chain.. <b>1976</b> , 251, 1955-1959                                    | 42  |
| 523 | Intestinal absorption of peptides by coupling to bile acids.. <b>1994</b> , 269, 10621-10627   | 59  |
| 522 | Biological activities of the peptides of staphylococcal enterotoxin C formed by limited tryptic hydrolysis.. <b>1978</b> , 253, 8787-8791  | 51  |
| 521 | Antibody as an immunological probe for studying the refolding of bovine serum albumin. An immunochemical approach to the identification of possible nucleation sites.. <b>1978</b> , 253, 8081-8086                | 25  |
| 520 | The covalent structure of bovine liver rhodanese. Isolation and partial structural analysis of cyanogen bromide fragments and the complete sequence of the enzyme.. <b>1978</b> , 253, 8102-8108                   | 38  |
| 519 | Structural and functional properties of the membrane binding segment of cytochrome b5.. <b>1978</b> , 253, 8203-8209   | 59  |
| 518 | Fractionation of human parotid saliva proteins.. <b>1978</b> , 253, 7556-7565  | 42  |
| 517 | The complete amino acid sequence of the A-chain of human plasma alpha 2HS-glycoprotein.. <b>1986</b> , 261, 1665-1676  | 59  |
| 516 | Complete nucleotide sequence of type 6 M protein of the group A Streptococcus. Repetitive structure and membrane anchor.. <b>1986</b> , 261, 1677-1686   | 266 |
| 515 | DARPP-32, a dopamine- and cyclic AMP-regulated neuronal phosphoprotein. Primary structure and homology with protein phosphatase inhibitor-1.. <b>1986</b> , 261, 1890-1903   | 81  |
| 514 | Covalent modification of substrate-binding sites of Escherichia coli ADP-glucose synthetase. Isolation and structural characterization of 8-azido-ADP-glucose-incorporated peptides.. <b>1986</b> , 261, 1058-1064 | 45  |
| 513 | Structure and expression of the gene locus encoding the phosphatidylglycerophosphate synthase of Escherichia coli.. <b>1986</b> , 261, 1329-1338   | 49  |
| 512 | Isolation of a hamster cDNA clone coding for a function involved in methotrexate uptake.. <b>1994</b> , 269, 5810-5816   | 90  |
| 511 | The structure of cytochrome b562 from Escherichia coli at 2.5 A resolution.. <b>1979</b> , 254, 1699-1706  | 93  |
| 510 | Structural studies on phycobiliproteins II. C-phycocyanin: amino acid sequence of the beta subunit. Specific cleavage of the alpha subunit.. <b>1978</b> , 253, 212-219  | 44  |
| 509 | Microsomal glutathione transferase. Primary structure.. <b>1985</b> , 260, 13976-13983   | 96  |

|     |   |     |
|-----|---|-----|
| 508 | Novel multigene families encoding highly repetitive peptide sequences. Sequence analyses of rat and mouse proline-rich protein cDNAs.. <b>1985</b> , 260, 13471-13477   | 42  |
| 507 | Structure of an antifreeze polypeptide and its precursor from the ocean pout, <i>Macrozoarces americanus</i> .. <b>1985</b> , 260, 12904-12909  | 55  |
| 506 | Primary structure of a DNA- and heparin-binding domain (Domain III) in human plasma fibronectin.. <b>1985</b> , 260, 12136-12141  | 25  |
| 505 | Amino acid sequence of polypeptide chain IIB of extracellular hemoglobin from the polychaete <i>Tylorrhynchus heterochaetus</i> .. <b>1985</b> , 260, 11481-11487   | 17  |
| 504 | Purification of recA-based fusion proteins by immunoabsorbent chromatography. Characterization of a major antigenic determinant of <i>Escherichia coli</i> recA protein.. <b>1985</b> , 260, 10263-10267  | 14  |
| 503 | The complete sequence of the chicken delta 1 crystallin gene and its 5' flanking region.. <b>1985</b> , 260, 9100-9105  | 60  |
| 502 | Semisynthetic derivatives of glucagon. The contribution of histidine-1 to hormone conformation and activity.. <b>1984</b> , 259, 7031-7037  | 8   |
| 501 | Normalization of receptor binding of apolipoprotein E2. Evidence for modulation of the binding site conformation.. <b>1984</b> , 259, 7261-7267   | 128 |
| 500 | Comparative kinetic stabilities of staphylococcal enterotoxin types A, B, and C1.. <b>1977</b> , 252, 6831-6834   | 7   |
| 499 | Structure and action of heteronemertine polypeptide toxins: disulfide bonds of <i>Cerebratulus lacteus</i> toxin B-IV.. <b>1977</b> , 252, 3328-3331  | 12  |
| 498 | Properties of a CH <sub>3</sub> -blocked creatine kinase with altered catalytic activity. Kinetic consequences of the presence of the blocking group.. <b>1977</b> , 252, 1202-1207   | 56  |
| 497 | Hydrogen exchange study of membrane-bound rhodopsin. I. Protein structure.. <b>1977</b> , 252, 8092-8100  | 21  |
| 496 | Analysis of cloned mRNA sequences encoding subfragment 2 and part of subfragment 1 of alpha- and beta-myosin heavy chains of rabbit heart.. <b>1984</b> , 259, 2775-2781  | 44  |
| 495 | Repeating covalent structure and protective immunogenicity of native and synthetic polypeptide fragments of type 24 streptococcal M protein. Mapping of protective and nonprotective epitopes with monoclonal antibodies.. <b>1983</b> , 258, 13250-13257 | 28  |
| 494 | The receptor-binding domain of human apolipoprotein E. Monoclonal antibody inhibition of binding.. <b>1983</b> , 258, 12348-12354   | 168 |
| 493 | Molecular structure of microtubule-associated protein 2b and 2c from rat brain.. <b>1990</b> , 265, 19679-19684   | 99  |
| 492 | Cloning and sequencing of a cDNA for the hemolymph juvenile hormone binding protein of larval <i>Manduca sexta</i> .. <b>1990</b> , 265, 19800-19806  | 42  |
| 491 | Androgen-dependent protein from mouse vas deferens. cDNA cloning and protein homology with the aldo-keto reductase superfamily.. <b>1990</b> , 265, 19932-19936   | 57  |

|     |   |     |
|-----|---|-----|
| 490 | An adherens junction protein is a member of the family of lactose-binding lectins.. <b>1994</b> , 269, 31770-31776  | 44  |
| 489 | Nucleotide and amino acid sequence comparisons of preprosomatostatins.. <b>1983</b> , 258, 8788-8793  | 45  |
| 488 | Rat apolipoprotein E mRNA. Cloning and sequencing of double-stranded cDNA.. <b>1983</b> , 258, 8993-9000  | 102 |
| 487 | A possible nucleotide-binding domain in the tertiary fold of phosphoribosyltransferases.. <b>1983</b> , 258, 6450-6457  | 86  |
| 486 | Characterization of the B-chain of human plasma alpha 2HS-glycoprotein. The complete amino acid sequence and primary structure of its heteroglycan.. <b>1983</b> , 258, 4966-4971   | 63  |
| 485 | Cloned mRNA sequences for two types of embryonic myosin heavy chains from chick skeletal muscle. I. DNA and derived amino acid sequence of light meromyosin.. <b>1983</b> , 258, 5196-5205  | 43  |
| 484 | Structure of the lac carrier protein of Escherichia coli.. <b>1983</b> , 258, 31-34   | 219 |
| 483 | Demonstration of three distinct calcium-binding sites in villin, a modulator of actin assembly.. <b>1983</b> , 258, 365-369   | 33  |
| 482 | Osmoregulation of gene expression. I. DNA sequence of the ompR gene of the ompB operon of Escherichia coli and characterization of its gene product.. <b>1982</b> , 257, 13685-13691  | 94  |
| 481 | A structural model for maize zein proteins.. <b>1982</b> , 257, 9984-9990   | 315 |
| 480 | Phosphoproteins in the parotid saliva from the subhuman primate Macaca fascicularis. Isolation and characterization of a proline-rich phosphoglycoprotein and the complete covalent structure of a proline-rich phosphopeptide.. <b>1982</b> , 257, 9271-9282 | 36  |
| 479 | The amino acid sequence of a major polypeptide chain of earthworm hemoglobin.. <b>1982</b> , 257, 9005-9015   | 52  |
| 478 | The primary structure of the acidic phosphoprotein P2 from rat liver 60 S ribosomal subunits. Comparison with ribosomal 'A' proteins from other species.. <b>1982</b> , 257, 9189-9197  | 82  |
| 477 | Human apolipoprotein E. The complete amino acid sequence.. <b>1982</b> , 257, 4171-4178   | 475 |
| 476 | Sequence modeling using semisynthetic ribonuclease S.. <b>1982</b> , 257, 2599-2604   | 27  |
| 475 | Analysis of the perturbation of phospholipid model membranes by rhodanese and its presequence.. <b>1992</b> , 267, 24193-24198  | 24  |
| 474 | The N,O-diacetylmuramidase of Chalaropsis species. Circular dichroism studies.. <b>1979</b> , 254, 7772-7777  | 33  |
| 473 | D-serine dehydratase from Escherichia coli. DNA sequence and identification of catalytically inactive glycine to aspartic acid variants.. <b>1988</b> , 263, 16926-16933  | 40  |

|     |  |     |
|-----|--|-----|
| 472 | Total sequence, flanking regions, and transcripts of bacteriophage T4 nrdA gene, coding for alpha chain of ribonucleoside diphosphate reductase.. <b>1988</b> , 263, 16242-16251   | 15  |
| 471 | Biochemical and amino acid sequence analysis of human eosinophil granule major basic protein.. <b>1988</b> , 263, 12559-12563  | 74  |
| 470 | Cloning and characterization of porcine brain cofilin cDNA. Cofilin contains the nuclear transport signal sequence.. <b>1988</b> , 263, 11564-11568  | 71  |
| 469 | Characterization of human loricrin. Structure and function of a new class of epidermal cell envelope proteins.. <b>1991</b> , 266, 6626-6636   | 242 |
| 468 | Metal-tetracycline/H <sup>+</sup> antiporter of Escherichia coli encoded by transposon Tn10. The role of a conserved sequence motif, GXXXXRXGRR, in a putative cytoplasmic loop between helices 2 and 3.. <b>1992</b> , 267, 19155-19162 | 76  |
| 467 | Sequence, structure, and expression of a wasp venom protein with a negatively charged signal peptide and a novel repeating internal structure.. <b>1992</b> , 267, 14871-14878   | 22  |
| 466 | The 19-27 amino acid segment of gp51 adopts an amphiphilic structure and plays a key role in the fusion events induced by bovine leukemia virus.. <b>1992</b> , 267, 15193-15197   | 6   |
| 465 | Metal-tetracycline/H <sup>+</sup> antiporter of Escherichia coli encoded by transposon Tn10. Roles of the aspartyl residues located in the putative transmembrane helices.. <b>1992</b> , 267, 7490-7498                                 | 64  |
| 464 | Structure and organization of the human transglutaminase 1 gene.. <b>1992</b> , 267, 7710-7717   | 66  |
| 463 | The signal anchor and stem regions of the beta-galactoside alpha 2,6-sialyltransferase may each act to localize the enzyme to the Golgi apparatus.. <b>1992</b> , 267, 7784-7793   | 99  |
| 462 | cDNA for the carboxyl-terminal region of a rat intestinal mucin-like peptide.. <b>1992</b> , 267, 5401-5407  | 62  |
| 461 | Purification, physical characterization, and NH <sub>2</sub> -terminal sequence of glutamine synthetase from the cyanobacterium Anabaena 7120.. <b>1981</b> , 256, 13091-13098   | 43  |
| 460 | Comparative studies on the inhibitory region of selected species of troponin-I. The use of synthetic peptide analogs to probe structure-function relationships.. <b>1981</b> , 256, 12374-12378  | 35  |
| 459 | The amino acid sequence of elongation factor Tu of Escherichia coli. The complete sequence.. <b>1981</b> , 256, 8102-8109  | 50  |
| 458 | Tryptophan in alpha-helix 3 of Tet repressor forms a sequence-specific contact with tet operator in solution.. <b>1987</b> , 262, 12269-12274  | 22  |
| 457 | Amino acid sequence of chicken gizzard smooth muscle SM22 alpha.. <b>1987</b> , 262, 5985-5991   | 35  |
| 456 | Structure-function analysis of human interleukin-2. Identification of amino acid residues required for biological activity.. <b>1987</b> , 262, 5723-5731  | 103 |
| 455 | Primary structures of bovine elastin a, b, and c deduced from the sequences of cDNA clones.. <b>1987</b> , 262, 5755-5762  | 122 |

|     |  |     |
|-----|--|-----|
| 454 | Molecular cloning and characterization of human fetal liver tropomodulin. A tropomyosin-binding protein.. <b>1992</b> , 267, 2616-2621   | 56  |
| 453 | ERp99, an abundant, conserved glycoprotein of the endoplasmic reticulum, is homologous to the 90-kDa heat shock protein (hsp90) and the 94-kDa glucose regulated protein (GRP94).. <b>1987</b> , 262, 8875-8883  | 206 |
| 452 | Alternative splicing generates variants in important functional domains of human slow skeletal troponin T.. <b>1987</b> , 262, 16122-16126   | 79  |
| 451 | The sequence of an embryonic myosin heavy chain gene and isolation of its corresponding cDNA.. <b>1987</b> , 262, 6478-6488  | 96  |
| 450 | The ATP-binding site of the erythrocyte membrane Ca <sup>2+</sup> pump. Amino acid sequence of the fluorescein isothiocyanate-reactive region.. <b>1987</b> , 262, 6526-6530   | 59  |
| 449 | Nucleotide sequence of the Escherichia coli rfe gene involved in the synthesis of enterobacterial common antigen. Molecular cloning of the rfe-rff gene cluster.. <b>1992</b> , 267, 746-753   | 125 |
| 448 | Primary structure of bovine conglutinin, a member of the C-type animal lectin family.. <b>1991</b> , 266, 2715-2723  | 49  |
| 447 | Studies with carbodiimide-cross-linked derivatives of bovine lutropin. II. Location of the cross-link and implication for interaction with the receptors in testes.. <b>1979</b> , 254, 6972-6979  | 29  |
| 446 | Phosphorylation of hydroxyproline in a synthetic peptide catalyzed by cyclic AMP-dependent protein kinase.. <b>1979</b> , 254, 6987-6990   | 18  |
| 445 | Amino acid sequence of subunit V of bovine heart cytochrome oxidase, the heme alpha-containing subunit.. <b>1979</b> , 254, 3879-3885  | 47  |
| 444 | Amino Acid Sequence of Rubber Elongation Factor Protein Associated with Rubber Particles in Hevea Latex. <b>1989</b> , 264, 18618-18626  | 62  |
| 443 | The primary structure of human glutaminyl-tRNA synthetase. A highly conserved core, amino acid repeat regions, and homologies with translation elongation factors. <b>1991</b> , 266, 1448-1455  | 64  |
| 442 | Molecular cloning of the CD9 antigen. A new family of cell surface proteins.. <b>1991</b> , 266, 117-122   | 146 |
| 441 | Critical residues involved in FMN binding and catalytic activity in cytochrome P450BM-3.. <b>1993</b> , 268, 7553-7561   | 60  |
| 440 | The role of proline 345 in diphtheria toxin translocation.. <b>1993</b> , 268, 3514-3519   | 28  |
| 439 | ATP induces a conformational change of the 90-kDa heat shock protein (hsp90).. <b>1993</b> , 268, 1901-1907  | 103 |
| 438 | Point mutagenesis of carboxyl-terminal amino acids of cholesteryl ester transfer protein. Opposite faces of an amphipathic helix important for cholesteryl ester transfer or for binding neutralizing antibody.. <b>1993</b> , 268, 1955-1959          | 44  |
| 437 | Halobacterial S9 operon. Three ribosomal protein genes are cotranscribed with genes encoding a tRNA(Leu), the enolase, and a putative membrane protein in the archaeobacterium Haloarcula (Halobacterium) marismortui.. <b>1991</b> , 266, 24573-24579 | 21  |

- 436 Spectroscopic studies of the structural domains of mammalian DNA beta-polymerase.. **1991**, 266, 19618-19625 46
- 435 Probing the role of lysine 116 and lysine 244 in the spinach ferredoxin-NADP+ reductase by site-directed mutagenesis.. **1991**, 266, 17760-17763 33
- 434 Functional domains of *Bacillus thuringiensis* insecticidal crystal proteins. Refinement of *Heliothis virescens* and *Trichoplusia ni* specificity domains on CryIA(c).. **1991**, 266, 17954-17958 78
- 433 Metal-tetracycline/H+ antiporter of *Escherichia coli* encoded by a transposon, Tn10. The role of the conserved dipeptide, Ser65-Asp66, in tetracycline transport.. **1990**, 265, 15525-15530 96
- 432 Orientation of retinal in bovine rhodopsin determined by cross-linking using a photoactivatable analog of 11-cis-retinal.. **1990**, 265, 15762-15769 86
- 431 The C Region of Human Insulin-like Growth Factor (IGF) I Is Required for High Affinity Binding to the Type 1 IGF Receptor. **1989**, 264, 11004-11008 94
- 430 RNA binding fragments from nucleolin contain the ribonucleoprotein consensus sequence.. **1987**, 262, 10922-10925 93
- 429 Interferon induces a 15-kilodalton protein exhibiting marked homology to ubiquitin.. **1987**, 262, 11315-11323 306
- 428 Primary structure of soybean lipoxygenase-1.. **1987**, 262, 10080-10085 144
- 427 Amino acid sequence of the monomer subunit of the extracellular hemoglobin of *Lumbricus terrestris*.. **1987**, 262, 3123-3131 72
- 426 Molecular Cloning and Characterization of the Human Folate-binding Protein cDNA from Placenta and Malignant Tissue Culture (KB) Cells. **1989**, 264, 14893-14901 157
- 425 Amino Terminus Is Essential to the Structural Integrity of Recombinant Human Interferon- $\alpha$ 1989, 264, 12179-12186 24
- 424 Primary structure of CTP: CMP-3-deoxy-D-manno-octulosonate cytidyltransferase (CMP-KDO synthetase) from *Escherichia coli*.. **1986**, 261, 15831-15835 44
- 423 Covalent modification of the inhibitor-binding site(s) of *Escherichia coli* ADP-glucose synthetase. Isolation and structural characterization of 8-azido-AMP-incorporated peptides.. **1986**, 261, 15402-15409 19
- 422 Structure of an antifreeze polypeptide precursor from the sea raven, *Hemirhamphus intermedius*.. **1986**, 261, 15690-15695 48
- 421 The nucleotide and partial amino acid sequence of toxic shock syndrome toxin-1.. **1986**, 261, 15783-15786 97
- 420 Organization and transcription of the gluconate operon, *gnt*, of *Bacillus subtilis*.. **1986**, 261, 13744-13753 85
- 419 Protein and cDNA sequence of a glycine-rich, dimethylarginine-containing region located near the carboxyl-terminal end of nucleolin (C23 and 100 kDa).. **1986**, 261, 9167-9173 72

|     |  |     |
|-----|--|-----|
| 418 | The glycosylated seed storage proteins of <i>Glycine max</i> and <i>Phaseolus vulgaris</i> . Structural homologies of genes and proteins.. <b>1986</b> , 261, 9228-9238  | 120 |
| 417 | The complete amino acid sequence of giant multisubunit hemoglobin from the polychaete <i>Tylorrhynchus heterochaetus</i> .. <b>1986</b> , 261, 9257-9267   | 47  |
| 416 | Biosynthesis of bacterial glycogen. Use of site-directed mutagenesis to probe the role of tyrosine 114 in the catalytic mechanism of ADP-glucose synthetase from <i>Escherichia coli</i> .. <b>1988</b> , 263, 14634-14639     | 26  |
| 415 | Insulin-binding peptide. Design and characterization.. <b>1988</b> , 263, 14146-14151  | 46  |
| 414 | Identification of hormone-interacting amino acid residues within the steroid-binding domain of the glucocorticoid receptor in relation to other steroid hormone receptors.. <b>1988</b> , 263, 6842-6846                       | 82  |
| 413 | Human apolipoprotein E3 in aqueous solution. I. Evidence for two structural domains.. <b>1988</b> , 263, 6240-6248   | 223 |
| 412 | Site-specific mutagenesis of human apolipoprotein E. Receptor binding activity of variants with single amino acid substitutions.. <b>1988</b> , 263, 3542-3545   | 147 |
| 411 | Isolation and Characterization of the Tyrosinase Gene from <i>Neurospora crassa</i> . <b>1989</b> , 264, 17250-17258   | 72  |
| 410 | Characterization of the Human Na,K-ATPase $\alpha$ Gene and Identification of Intragenic Restriction Fragment Length Polymorphisms. <b>1989</b> , 264, 17532-17543   | 90  |
| 409 | Structure-Function Studies on Bacteriorhodopsin. <b>1989</b> , 264, 14192-14196  | 54  |
| 408 | Site-specific replacement of amino acid residues within the CD binding loop of rat oncomodulin.. <b>1990</b> , 265, 14450-14456  | 25  |
| 407 | The Interaction Site for Tamoxifen Aziridine with the Bovine Estrogen Receptor. <b>1989</b> , 264, 13453-13459   | 9   |
| 406 | Conformational properties of streptokinase. <b>1989</b> , 264, 9915-9922   | 32  |
| 405 | Identification of the specific oligosaccharide sites recognized by type 1 fimbriae from <i>Escherichia coli</i> on nonspecific cross-reacting antigen, a CD66 cluster granulocyte glycoprotein. <b>1993</b> , 268, 15510-15516 | 44  |
| 404 | The Chemical Synthesis of Cecropin D and an Analog with Enhanced Antibacterial Activity. <b>1989</b> , 264, 6260-6267  | 50  |
| 403 | Evidence for membrane-bound oligomerization of bacteriophage $\phi$ X174 lysis protein-E. <b>1989</b> , 264, 4552-4558   | 29  |
| 402 | Nucleotide sequence of the luxA gene of <i>Vibrio harveyi</i> and the complete amino acid sequence of the alpha subunit of bacterial luciferase.. <b>1985</b> , 260, 6139-6146   | 108 |
| 401 | Glycinin A3B4 mRNA. Cloning and sequencing of double-stranded cDNA complementary to a soybean storage protein.. <b>1985</b> , 260, 6234-6239   | 42  |

|     |   |     |
|-----|---|-----|
| 400 | Secondary structure of human leukocyte interferon from Raman spectroscopy.. <b>1985</b> , 260, 3937-3940  | 12  |
| 399 | Primary structure of a glycosylated DNA-binding domain in human plasma fibronectin.. <b>1985</b> , 260, 2301-2306   | 19  |
| 398 | Nucleotide sequence analysis of a proline-rich protein cDNA and peptide homologies of rat and human proline-rich proteins.. <b>1984</b> , 259, 10475-10480  | 44  |
| 397 | Primary, secondary, and tertiary structure of the core of a histone H1-like protein from the sperm of <i>Mytilus</i> . <b>1991</b> , 266, 8184-8191   | 30  |
| 396 | The glutathione S-transferase D genes. A divergently organized, intronless gene family in <i>Drosophila melanogaster</i> . <b>1993</b> , 268, 9737-9746   | 77  |
| 395 | Differentiation of lipid-associating helices by use of three-dimensional molecular hydrophobicity potential calculations. <b>1991</b> , 266, 16120-16127  | 137 |
| 394 | A receptor-induced binding site in fibrinogen elicited by its interaction with platelet membrane glycoprotein IIb-IIIa. <b>1991</b> , 266, 16193-16199  | 62  |
| 393 | Enhanced thermodynamic stabilities of yeast iso-1-cytochromes c with amino acid replacements at positions 52 and 102. <b>1991</b> , 266, 11686-11694  | 59  |
| 392 | Localization of the receptor-binding region of <i>Clostridium perfringens</i> enterotoxin utilizing cloned toxin fragments and synthetic peptides. The 30 C-terminal amino acids define a functional binding region. <b>1991</b> , 266, 11037-11043 | 85  |
| 391 | Phosphorylation-dependent down-modulation of CD4 requires a specific structure within the cytoplasmic domain of CD4. <b>1991</b> , 266, 10658-10665   | 88  |
| 390 | Diffraction quality crystals of lysin from spermatozoa of the red abalone ( <i>Haliotis rufescens</i> ).. <b>1990</b> , 265, 4958-4961  | 5   |
| 389 | Ligand-induced internalization of the epidermal growth factor receptor is mediated by multiple endocytic codes analogous to the tyrosine motif found in constitutively internalized receptors.. <b>1993</b> , 268, 19312-19320                      | 110 |
| 388 | Molecular and cellular characterization of Mex-/methylation-resistant phenotype. Gene and cDNA cloning, serum dependence, and tumor suppression of transfectant strains.. <b>1993</b> , 268, 21102-21112  | 7   |
| 387 | The complete sequence of the human intermediate filament chain keratin 10. Subdomainal divisions and model for folding of end domain sequences.. <b>1988</b> , 263, 15584-15589   | 63  |
| 386 | The covalent structure of <i>Acanthamoeba</i> actobindin.. <b>1990</b> , 265, 12801-12805   | 27  |
| 385 | A potent antibacterial protein in royal jelly. Purification and determination of the primary structure of royalisin.. <b>1990</b> , 265, 11333-11337  | 230 |
| 384 | A novel mouse gene family coding for cationic, cysteine-rich peptides. Regulation in small intestine and cells of myeloid origin.. <b>1990</b> , 265, 9831-9837   | 73  |
| 383 | The A.T-DNA-binding domain of mammalian high mobility group I chromosomal proteins. A novel peptide motif for recognizing DNA structure.. <b>1990</b> , 265, 8573-8582  | 476 |



|     |  |     |
|-----|--|-----|
| 382 | The disulfide structure of mouse lysosome-associated membrane protein 1.. <b>1990</b> , 265, 7419-7423   | 21  |
| 381 | Amino acid sequence and characterization of a protein inhibitor of protein kinase C.. <b>1990</b> , 265, 4583-4591   | 80  |
| 380 | The <i>Saccharomyces cerevisiae</i> INO4 gene encodes a small, highly basic protein required for derepression of phospholipid biosynthetic enzymes.. <b>1990</b> , 265, 4736-4745  | 65  |
| 379 | Proinsulin: a proposed three-dimensional structure. <b>1975</b> , 250, 6291-6295   | 46  |
| 378 | The structure of the mutant dihydrofolate reductase from <i>Streptococcus faecium</i> . Amino acid sequence of peptide CNBr 7 and complete sequence of the protein.. <b>1975</b> , 250, 4945-4954  | 12  |
| 377 | The covalent and three-dimensional structure of concanavalin A. II. Amino acid sequence of cyanogen bromide fragment F3.. <b>1975</b> , 250, 1503-1512   | 110 |
| 376 | The covalent and three-dimensional structure of concanavalin A. IV. Atomic coordinates, hydrogen bonding, and quaternary structure.. <b>1975</b> , 250, 1525-1547  | 275 |
| 375 | Secondary structure predictions for the NAD-specific glutamate dehydrogenase of <i>Neurospora crassa</i> .. <b>1980</b> , 255, 8001-8004   | 13  |
| 374 | The purification, characterization, and primary structure of a small redox protein from <i>Methanobacterium thermoautotrophicum</i> , an archaeobacterium.. <b>1992</b> , 267, 10561-10569   | 38  |
| 373 | Molecular cloning of putative members of the Na/H exchanger gene family. cDNA cloning, deduced amino acid sequence, and mRNA tissue expression of the rat Na/H exchanger NHE-1 and two structurally related proteins.. <b>1992</b> , 267, 9331-9339                                | 447 |
| 372 | The structural organization of the hamster multifunctional protein CAD. Controlled proteolysis, domains, and linkers.. <b>1992</b> , 267, 7177-7184  | 43  |
| 371 | Analysis of phosphoprotein p19 by liquid chromatography/mass spectrometry. Identification of two proline-directed serine phosphorylation sites and a blocked amino terminus.. <b>1992</b> , 267, 3506-3513   | 27  |
| 370 | An analysis of the structure of the product of the rbsA gene of <i>Escherichia coli</i> K12.. <b>1986</b> , 261, 7659-7662   | 33  |
| 369 | The chymotrypsin-sensitive site, FFD315, in anthrax toxin protective antigen is required for translocation of lethal factor.. <b>1994</b> , 269, 29039-29046   | 74  |
| 368 | Differential scanning calorimetry of apo-, apophosphoryl, and metalloalkaline phosphatases.. <b>1977</b> , 252, 7042-7052  | 50  |
| 367 | The amino acid sequence of <i>Clostridium pasteurianum</i> iron protein, a component of nitrogenase. III. The NH <sub>2</sub> -terminal and COOH-terminal sequences, tryptic peptides of large cyanogen bromide peptides, and the complete sequence.. <b>1977</b> , 252, 7093-7100 | 35  |
| 366 | A highly reactive beta-galactosidase ( <i>Escherichia coli</i> ) resulting from a substitution of an aspartic acid for Gly-794.. <b>1991</b> , 266, 4979-4986  | 32  |
| 365 | Molecular cloning of a novel human cdc2/CDC28-like protein kinase. <b>1991</b> , 266, 3402-3407  | 55  |

|     |  |     |
|-----|--|-----|
| 364 | The complete amino acid sequence of the rabbit P2 protein.. <b>1982</b> , 257, 592-595   | 44  |
| 363 | Characterization of nucleotide-binding site of rabbit liver fructose-1,6-bisphosphate aldolase.. <b>1981</b> , 256, 6127-6133  | 11  |
| 362 | The complete amino acid sequence of bovine heart cytochrome oxidase subunit VI.. <b>1981</b> , 256, 4832-4837  | 16  |
| 361 | A label selection procedure for determining the location of protein-protein interaction sites by cross-linking with bisimidoesters. Application to lactose synthase.. <b>1981</b> , 256, 4193-4204 | 25  |
| 360 | Structural prediction of sugar-binding proteins functional in chemotaxis and transport.. <b>1981</b> , 256, 4357-4361  | 35  |
| 359 | Sequence analysis of the DNA encoding the Eco RI endonuclease and methylase.. <b>1981</b> , 256, 2143-2153   | 125 |
| 358 | Primary structure of the COOH-terminal membranous segment of a penicillin-sensitive enzyme purified from two Bacilli.. <b>1981</b> , 256, 2067-2077  | 27  |
| 357 | Glycosylation of ovalbumin nascent chains. The spatial relationship between translation and glycosylation.. <b>1980</b> , 255, 9236-9242   | 86  |
| 356 | Structure and action of heteronemertine polypeptide toxins. Primary structure of Cerebratulus lacteus toxin A-III.. <b>1980</b> , 255, 8266-8272   | 20  |
| 355 | The ethanol-inducible YAT1 gene from yeast encodes a presumptive mitochondrial outer carnitine acetyltransferase.. <b>1993</b> , 268, 27428-27439  | 57  |
| 354 | Primary structure of rabbit skeletal muscle troponin-T. Purification of cyanogen bromide fragments and the amino acid sequence of fragment CB2.. <b>1977</b> , 252, 971-977                        | 24  |
| 353 | A yeast plasmid partitioning protein is a karyoskeletal component.. <b>1987</b> , 262, 883-891   | 38  |
| 352 | Cloning of a full-length complementary DNA for an Artemia salina glycine-rich protein. Structural relationship with RNA binding proteins.. <b>1987</b> , 262, 13377-13380                          | 39  |
| 351 | Identification of hydrophobic residues in the signal sequence of mitochondrial preornithine carbamyltransferase that enhance the rate of precursor import.. <b>1988</b> , 263, 17233-17236         | 12  |
| 350 | Circular dichroism and fluorescence studies on protein synthesis initiation factor eIF-4E and two mutant forms from the yeast Saccharomyces cerevisiae.. <b>1988</b> , 263, 17663-17671            | 42  |
| 349 | Genomic structure and amino acid sequence domains of the human La autoantigen.. <b>1988</b> , 263, 18043-18051   | 135 |
| 348 | Primary structure of the mating pheromone Er-1 of the ciliate Euplotes raikovi.. <b>1988</b> , 263, 18152-18159  | 21  |
| 347 | Conformational studies of peptide heart stimulant anthopleurin A. Laser Raman, circular dichroism, fluorescence spectral studies, and Chou-Fasman calculations.. <b>1979</b> , 254, 9651-9656      | 28  |

|     |   |     |
|-----|---|-----|
| 346 | Re-evaluation of the solution structure of acyl carrier protein.. <b>1979</b> , 254, 9778-9785  | 91  |
| 345 | Identification of a trpG-related glutamine amide transfer domain in Escherichia coli GMP synthetase.. <b>1985</b> , 260, 3350-3354  | 47  |
| 344 | Escherichia coli heat-labile enterotoxin. Nucleotide sequence of the A subunit gene.. <b>1982</b> , 257, 5716-5721  | 79  |
| 343 | Site-specific mutagenesis of cysteine 148 to serine in the lac permease of Escherichia coli.. <b>1986</b> , 261, 8914-8918  | 27  |
| 342 | A canonical sequence organization at the 5'-end of the myosin heavy chain genes.. <b>1986</b> , 261, 6613-6618  | 16  |
| 341 | cDNA sequence, predicted primary structure, and evolving amphiphilic helix of human aspartyl-tRNA synthetase. <b>1989</b> , 264, 16608-16612  | 52  |
| 340 | Molecular defects in Drosophila rhodopsin mutants. <b>1989</b> , 264, 15464-15466   | 33  |
| 339 | Site-directed Mutagenesis of Pro-17 Located in the Glycine-rich Region of Adenylate Kinase. <b>1989</b> , 264, 990-994  | 28  |
| 338 | Optimal spatial requirements for the location of basic residues in peptide substrates for the cyclic AMP-dependent protein kinase.. <b>1980</b> , 255, 4240-4245  | 158 |
| 337 | Primary structure of a histidine-rich proteolytic fragment of human ceruloplasmin. II. Amino acid sequence of the tryptic peptides.. <b>1980</b> , 255, 2886-2896   | 7   |
| 336 | Purification and characterization of the outer membrane lipoprotein from an Escherichia coli mutant altered in the signal sequence of prolipoprotein.. <b>1980</b> , 255, 1160-1163                                 | 14  |
| 335 | Conformational analysis of myotoxin alpha (muscle degenerating toxin) of Prairie rattlesnake venom. Predictions from amino acid sequence, circular dichroism, and Raman spectroscopy.. <b>1979</b> , 254, 8922-8926 | 20  |
| 334 | Nucleotide sequence of the luxB gene of Vibrio harveyi and the complete amino acid sequence of the beta subunit of bacterial luciferase.. <b>1986</b> , 261, 4805-4811  | 114 |
| 333 | Prediction of secondary structure for Eco RI endonuclease.. <b>1984</b> , 259, 11666-11667  | 14  |
| 332 | Sequence homology between the tyrosine-sensitive 3-deoxy-D-arabino-heptulosonate 7-phosphate synthase from Escherichia coli and hemerythrin from Sipunculida.. <b>1980</b> , 255, 7079-7081                         | 9   |
| 331 | Adenovirus hexon. Sequence comparison of subgroup C serotypes 2 and 5.. <b>1984</b> , 259, 6431-6436  | 50  |
| 330 | Site-directed Mutagenesis of a Conserved, Extracellular Aspartic Acid Residue Affects the Ouabain Sensitivity of Sheep Na,K-ATPase. <b>1989</b> , 264, 21902-21906  | 77  |
| 329 | Apolipoprotein E1bw density lipoprotein receptor interaction: influences of basic residue and amphipathic helix organization in the ligand. <b>2000</b> , 41, 1087-1095   | 54  |

|     |  |     |
|-----|--|-----|
| 328 | Evolution of mammalian apolipoprotein A-I and conservation of antigenicity: correlation with primary and secondary structure. <b>1997</b> , 38, 634-644                  | 17  |
| 327 | Primary structure of apolipoprotein A-II from inbred mouse strain BALB/c.. <b>1987</b> , 28, 311-319   | 13  |
| 326 | Les prothéses CCN : quand multimodulaire rime avec multifonctionnel. <b>2002</b> , 18, 745-756   | 1   |
| 325 | Biochemical and Molecular Genetic Characteristics of the Severe Form of Tyrosine Hydroxylase Deficiency. <b>1999</b> , 45, 2073-2078                                     | 40  |
| 324 | Isolation and characterization of PEP5, a gene essential for vacuolar biogenesis in <i>Saccharomyces cerevisiae</i> . <b>1990</b> , 125, 739-52                          | 44  |
| 323 | Foot-and-mouth disease virus can utilize the C-terminal extension of coxsackievirus A9 VP1 for cell infection. <b>2001</b> , 82, 1703-1711                               | 3   |
| 322 | The novel Coronavirus enigma: Phylogeny and mutation analyses of SARS-CoV-2 viruses circulating in India during early 2020.  | 5   |
| 321 | Identification of potential inhibitory analogs of metastasis tumor antigens (MTAs) using bioactive compounds: revealing therapeutic option to prevent malignancy.        | 2   |
| 320 | An Array of 60,000 Antibodies for Proteome-Scale Antibody Generation and Target Discovery.   | 2   |
| 319 | Peptide Secondary Structure Prediction using Evolutionary Information.   | 11  |
| 318 | DNSS2: improved ab initio protein secondary structure prediction using advanced deep learning architectures.   | 2   |
| 317 | DeepPrime2Sec: Deep Learning for Protein Secondary Structure Prediction from the Primary Sequences.  | 9   |
| 316 | .  | 2   |
| 315 | Purification and characterization of the periplasmic nickel-binding protein Nika of <i>Escherichia coli</i> K12. <b>1995</b> , 227, 857-65                               | 66  |
| 314 | PMAP-37, a novel antibacterial peptide from pig myeloid cells. cDNA cloning, chemical synthesis and activity. <b>1995</b> , 228, 941-6                                   | 70  |
| 313 | Use of oligonucleotide probes to study the relatedness of delta-endotoxin genes among <i>Bacillus thuringiensis</i> subspecies and strains. <b>1987</b> , 53, 2808-14    | 18  |
| 312 | Isolation and characterization of the lantibiotic salivaricin A and its structural gene <i>salA</i> from <i>Streptococcus salivarius</i> 20P3. <b>1993</b> , 59, 2014-21 | 127 |
| 311 | Molecular characterization of the pathogen-specific, 34-kilodalton membrane immunogen of <i>Treponema pallidum</i> . <b>1989</b> , 57, 3314-23                           | 42  |

|     |   |     |
|-----|---|-----|
| 310 | DNA sequence of mip, a Legionella pneumophila gene associated with macrophage infectivity. <b>1989</b> , 57, 1263-70  | 168 |
| 309 | Complete nucleotide sequence of the gene for a surface protein antigen of Streptococcus sobrinus. <b>1991</b> , 59, 3309-12   | 48  |
| 308 | Coordinate regulation of two opaque-phase-specific genes during white-opaque switching in Candida albicans. <b>1993</b> , 61, 1823-8  | 80  |
| 307 | Antigenicity and immunogenicity of a synthetic peptide derived from a glucan-binding domain of mutans streptococcal glucosyltransferase. <b>1993</b> , 61, 2899-905                                   | 43  |
| 306 | Identification and analysis of fipA, a Fusobacterium nucleatum immunosuppressive factor gene. <b>1996</b> , 64, 1335-41   | 21  |
| 305 | Escherichia coli hemolysin mutants with altered target cell specificity. <b>1996</b> , 64, 3081-7   | 25  |
| 304 | Identification of a glycoprotein produced by enterotoxigenic Escherichia coli. <b>1999</b> , 67, 4084-91  | 133 |
| 303 | Physical and genetic map of a Rhizobium meliloti nodulation gene region and nucleotide sequence of nodC. <b>1985</b> , 162, 469-76  | 161 |
| 302 | Genetic characterization and partial sequence determination of a Treponema pallidum operon expressing two immunogenic membrane proteins in Escherichia coli. <b>1985</b> , 162, 1227-37               | 55  |
| 301 | Nucleotide sequence of an Escherichia coli chromosomal hemolysin. <b>1985</b> , 163, 94-105   | 488 |
| 300 | Comparative studies of the amino acid and nucleotide sequences of pilin derived from Pseudomonas aeruginosa PAK and PAO. <b>1985</b> , 164, 571-7   | 99  |
| 299 | Interaction of native and mutant MecI repressors with sequences that regulate mecA, the gene encoding penicillin binding protein 2a in methicillin-resistant staphylococci. <b>1998</b> , 180, 2160-6 | 53  |
| 298 | Regulation of the sol locus genes for butanol and acetone formation in Clostridium acetobutylicum ATCC 824 by a putative transcriptional repressor. <b>1999</b> , 181, 319-30                         | 83  |
| 297 | Nucleotide sequences of gag-pol regions that determine the Fv-1 host range property of BALB/c N-tropic and B-tropic murine leukemia viruses. <b>1983</b> , 48, 779-84                                 | 51  |
| 296 | Localization and synthesis of an antigenic determinant of herpes simplex virus glycoprotein D that stimulates the production of neutralizing antibody. <b>1984</b> , 49, 102-8                        | 160 |
| 295 | Fine structure analysis of type-specific and type-common antigenic sites of herpes simplex virus glycoprotein D. <b>1984</b> , 52, 431-5  | 47  |
| 294 | Localization of epitopes of herpes simplex virus type 1 glycoprotein D. <b>1985</b> , 53, 634-44  | 136 |
| 293 | Synthetic glycoprotein D-related peptides protect mice against herpes simplex virus challenge. <b>1985</b> , 56, 1014-7   | 77  |

|     |   |     |
|-----|---|-----|
| 292 | Multiple spliced and unspliced transcripts from human cytomegalovirus immediate-early region 2 and evidence for a common initiation site within immediate-early region 1. <b>1985</b> , 56, 665-75                      | 214 |
| 291 | Autoregulation of the human cytomegalovirus major immediate-early gene. <b>1985</b> , 56, 676-82  | 87  |
| 290 | Characterization of the genes encoding herpes simplex virus type 1 and type 2 alkaline exonucleases and overlapping proteins. <b>1986</b> , 57, 1023-36   | 65  |
| 289 | Binding of complement component C3b to glycoprotein gC of herpes simplex virus type 1: mapping of gC-binding sites and demonstration of conserved C3b binding in low-passage clinical isolates. <b>1986</b> , 60, 470-5 | 49  |
| 288 | Localization of neutralizing regions of the envelope gene of feline leukemia virus by using anti-synthetic peptide antibodies. <b>1987</b> , 61, 8-15   | 44  |
| 287 | Natural feline leukemia virus variant escapes neutralization by a monoclonal antibody via an amino acid change outside the antibody-binding epitope. <b>1987</b> , 61, 3410-5   | 17  |
| 286 | Computer-assisted analysis of envelope protein sequences of seven human immunodeficiency virus isolates: prediction of antigenic epitopes in conserved and variable regions. <b>1987</b> , 61, 570-8                    | 369 |
| 285 | Nucleotide sequence of a cDNA clone carrying the glycoprotein gene of infectious hematopoietic necrosis virus, a fish rhabdovirus. <b>1987</b> , 61, 1342-9   | 38  |
| 284 | Map position and nucleotide sequence of the gene for the large structural phosphoprotein of human cytomegalovirus. <b>1987</b> , 61, 1358-67  | 87  |
| 283 | Sequence and structural organization of murine cytomegalovirus immediate-early gene 1. <b>1987</b> , 61, 1901-8   | 112 |
| 282 | Genetic control of capsid length in bacteriophage T4: DNA sequence analysis of petite and petite/giant mutants. <b>1987</b> , 61, 2828-34   | 18  |
| 281 | Characterization of an equine herpesvirus type 1 gene encoding a glycoprotein (gp13) with homology to herpes simplex virus glycoprotein C. <b>1988</b> , 62, 2850-8   | 63  |
| 280 | Vaccination against lethal coronavirus-induced encephalitis with a synthetic decapeptide homologous to a domain in the predicted peplomer stalk. <b>1988</b> , 62, 3032-6   | 31  |
| 279 | Use of synthetic peptides to map the antigenic determinants of glycoprotein D of herpes simplex virus. <b>1988</b> , 62, 3474-83  | 34  |
| 278 | Mutations of the precursor to the terminal protein of adenovirus serotypes 2 and 5. <b>1989</b> , 63, 5244-50   | 21  |
| 277 | Fine mapping of antigenic site II of herpes simplex virus glycoprotein D. <b>1989</b> , 63, 2325-34   | 144 |
| 276 | Epitope mapping of monoclonal antibodies against human immunodeficiency virus type 1 structural proteins by using peptides. <b>1989</b> , 63, 3525-8  | 52  |
| 275 | Identification and characterization of the herpes simplex virus type 2 gene encoding the essential capsid protein ICP32/VP19c. <b>1990</b> , 64, 1124-34  | 9   |

|     |   |    |
|-----|---|----|
| 274 | Identification of a site on herpes simplex virus type 1 glycoprotein D that is essential for infectivity. <b>1990</b> , 64, 3617-26   | 40 |
| 273 | T-helper cell and associated antibody response to synthetic peptides of the E glycoprotein of Murray Valley encephalitis virus. <b>1991</b> , 65, 5141-8  | 27 |
| 272 | Identification and mapping of neutralizing epitopes of human parvovirus B19 by using human antibodies. <b>1991</b> , 65, 5485-90  | 48 |
| 271 | Analysis of equine humoral immune responses to the transmembrane envelope glycoprotein (gp45) of equine infectious anemia virus. <b>1991</b> , 65, 1013-8   | 34 |
| 270 | Identification of the region including the epitope for a monoclonal antibody which can neutralize human parvovirus B19. <b>1991</b> , 65, 1667-72   | 40 |
| 269 | Rotavirus YM gene 4: analysis of its deduced amino acid sequence and prediction of the secondary structure of the VP4 protein. <b>1991</b> , 65, 3738-45  | 29 |
| 268 | Neutralization map of the hemagglutinin-neuraminidase glycoprotein of Newcastle disease virus: domains recognized by monoclonal antibodies that prevent receptor recognition. <b>1991</b> , 65, 4999-5006 | 86 |
| 267 | Structural organization, expression, and functional characterization of the murine cytomegalovirus immediate-early gene 3. <b>1992</b> , 66, 27-36  | 92 |
| 266 | Mapping of homologous, amino-terminal neutralizing regions of human T-cell lymphotropic virus type I and II gp46 envelope glycoproteins. <b>1992</b> , 66, 5879-89  | 74 |
| 265 | Fusion mutants of Newcastle disease virus selected with monoclonal antibodies to the hemagglutinin-neuraminidase. <b>1992</b> , 66, 6626-33   | 16 |
| 264 | Disulfide bond structure of glycoprotein D of herpes simplex virus types 1 and 2. <b>1992</b> , 66, 6668-85   | 42 |
| 263 | Characterization of human cytomegalovirus UL84 early gene and identification of its putative protein product. <b>1992</b> , 66, 1098-108  | 47 |
| 262 | Random mutagenesis of the thymidine kinase gene of varicella-zoster virus. <b>1992</b> , 66, 2118-24  | 19 |
| 261 | Identification of the murine cytomegalovirus glycoprotein B gene and its expression by recombinant vaccinia virus. <b>1992</b> , 66, 4399-406   | 66 |
| 260 | Characterization of a structurally tricistronic gene of human cytomegalovirus composed of U(s)18, U(s)19, and U(s)20. <b>1993</b> , 67, 2043-54   | 22 |
| 259 | Virus and cytotoxic T lymphocytes: crucial role of viral peptide secondary structure in major histocompatibility complex class I interactions. <b>1993</b> , 67, 2903-7                                   | 23 |
| 258 | Separation of the complex DNA binding domain of EBNA-1 into DNA recognition and dimerization subdomains of novel structure. <b>1993</b> , 67, 4875-85   | 83 |
| 257 | Human cytomegalovirus immediate-early gene 2 protein interacts with itself and with several novel cellular proteins. <b>1993</b> , 67, 4981-91  | 75 |

|     |   |     |
|-----|---|-----|
| 256 | Human immunodeficiency virus type 1 Vpu protein is an oligomeric type I integral membrane protein. <b>1993</b> , 67, 5056-61  | 188 |
| 255 | Neutralization-resistant variants of infectious hematopoietic necrosis virus have altered virulence and tissue tropism. <b>1994</b> , 68, 8447-53   | 27  |
| 254 | A Ca <sup>2+</sup> /calmodulin-dependent protein kinase, CaM kinase-Gr, expressed after transformation of primary human B lymphocytes by Epstein-Barr virus (EBV) is induced by the EBV oncogene LMP1. <b>1994</b> , 68, 1697-705 | 34  |
| 253 | Relationship between the V3 loop and the phenotypes of human immunodeficiency virus type 1 (HIV-1) isolates from children perinatally infected with HIV-1. <b>1995</b> , 69, 82-92  | 34  |
| 252 | Identification of amino acids controlling the low-pH-induced conformational change of rabies virus glycoprotein. <b>1996</b> , 70, 7371-8   | 46  |
| 251 | Identification of a promoter-specific transactivation domain in the herpes simplex virus regulatory protein ICP4. <b>1997</b> , 71, 1757-65   | 20  |
| 250 | A leucine zipper-like domain is essential for dimerization and encapsidation of bluetongue virus nucleocapsid protein VP4. <b>1998</b> , 72, 2983-90  | 19  |
| 249 | Entry of amphotropic murine leukemia virus is influenced by residues in the putative second extracellular domain of its receptor, Pit2. <b>1998</b> , 72, 4956-61   | 16  |
| 248 | Determination of the nucleotide sequence of Bombyx mori cytoplasmic polyhedrosis virus segment 9 and its expression in BmN4 cells. <b>1998</b> , 72, 5762-8   | 28  |
| 247 | Characterization of TUP1, a mediator of glucose repression in <i>Saccharomyces cerevisiae</i> . <b>1990</b> , 10, 6500-6511   | 105 |
| 246 | Isolation and characterization of PEP3, a gene required for vacuolar biogenesis in <i>Saccharomyces cerevisiae</i> . <b>1991</b> , 11, 5801-5812  | 30  |
| 245 | PBX2 and PBX3, new homeobox genes with extensive homology to the human proto-oncogene PBX1. <b>1991</b> , 11, 6149-6157   | 110 |
| 244 | Sequence of cDNA comprising the human pur gene and sequence-specific single-stranded-DNA-binding properties of the encoded protein. <b>1992</b> , 12, 5673-5682   | 64  |
| 243 | Sequence analysis of temperature-sensitive mutations in the <i>Saccharomyces cerevisiae</i> gene CDC28. <b>1986</b> , 6, 4099-4103  | 38  |
| 242 | The PEP4 gene encodes an aspartyl protease implicated in the posttranslational regulation of <i>Saccharomyces cerevisiae</i> vacuolar hydrolases. <b>1986</b> , 6, 2500-2510  | 117 |
| 241 | Human acidic ribosomal phosphoproteins P0, P1, and P2: analysis of cDNA clones, in vitro synthesis, and assembly. <b>1987</b> , 7, 4065-4074  | 96  |
| 240 | Protease B of the lysosomelike vacuole of the yeast <i>Saccharomyces cerevisiae</i> is homologous to the subtilisin family of serine proteases. <b>1987</b> , 7, 4390-4399  | 57  |
| 239 | Isolation and characterization of STI1, a stress-inducible gene from <i>Saccharomyces cerevisiae</i> . <b>1989</b> , 9, 3638-3646   | 88  |



|     |   |     |
|-----|---|-----|
| 238 | Apolipoprotein E2-Christchurch (136 Arg----Ser). New variant of human apolipoprotein E in a patient with type III hyperlipoproteinemia. <b>1987</b> , 80, 483-90                                  | 105 |
| 237 | Apolipoprotein A-I variants. Naturally occurring substitutions of proline residues affect plasma concentration of apolipoprotein A-I. <b>1989</b> , 84, 1722-30                                   | 83  |
| 236 | Apolipoprotein C-III(Lys58----Glu). Identification of an apolipoprotein C-III variant in a family with hyperalphalipoproteinemia. <b>1991</b> , 87, 1724-31                                       | 73  |
| 235 | Cloning and expression of a mutant methylmalonyl coenzyme A mutase with altered cobalamin affinity that causes mut- methylmalonic aciduria. <b>1992</b> , 89, 385-91                              | 35  |
| 234 | Lazarillo, a new GPI-linked surface lipocalin, is restricted to a subset of neurons in the grasshopper embryo. <b>1995</b> , 121, 123-134   | 54  |
| 233 | Primary structure and microtubule-interacting domain of the SP-H antigen: a mitotic MAP located at the spindle pole and characterized as a homologous protein to NuMA. <b>1993</b> , 105, 589-600 | 27  |
| 232 | The cruciated microtubule-associated fibers of the green alga <i>Dunaliella bioculata</i> consist of a 31 kDa SF-assemblin. <b>1996</b> , 109, 827-835  | 18  |
| 231 | TKRP125, a kinesin-related protein involved in the centrosome-independent organization of the cytokinetic apparatus in tobacco BY-2 cells. <b>1997</b> , 110, 179-189                             | 126 |
| 230 | PUMA1: a novel protein that associates with the centrosomes, spindle and centromeres in the nematode <i>Parascaris</i> . <b>1998</b> , 111, 723-735   | 9   |
| 229 | A novel protein targeting domain directs proteins to the anterior cytoplasmic face of the flagellar pocket in African trypanosomes. <b>1999</b> , 112, 3091-3101                                  | 39  |
| 228 | Genetic alterations within the DENND1A gene in patients with polycystic ovary syndrome (PCOS). <b>2013</b> , 8, e77186  | 26  |
| 227 | Targeting a cross-reactive Gly m 5 soy peptide as responsible for hypersensitivity reactions in a milk allergy mouse model. <b>2014</b> , 9, e82341   | 18  |
| 226 | Deriving a mutation index of carcinogenicity using protein structure and protein interfaces. <b>2014</b> , 9, e84598  | 19  |
| 225 | A comparative analysis of the mobility of 45 proteins in the synaptic bouton. <b>2020</b> , 39, e104596   | 13  |
| 224 | Amino acid sequence of the monomer subunit of the extracellular hemoglobin of the earthworm, <i>Pheretima hilgendorfi</i> . <b>1996</b> , 13, 551-8   | 3   |
| 223 | A Deep Convolutional Neural Network to Improve the Prediction of Protein Secondary Structure. <b>2020</b> , 15, 767-777   | 4   |
| 222 | The Novel Coronavirus Enigma: Phylogeny and Analyses of Coevolving Mutations Among the SARS-CoV-2 Viruses Circulating in India. <b>2020</b> , 1, e20735   | 7   |
| 221 | Systematic identification of recognition motifs for the hub protein LC8. <b>2019</b> , 2,   | 15  |

|     |  |    |
|-----|--|----|
| 220 | ADAPTABLE: a comprehensive web platform of antimicrobial peptides tailored to the user's research. <b>2019</b> , 2,  | 19 |
| 219 | Structural Aspects and Prediction of Calmodulin-Binding Proteins. <b>2020</b> , 22,  | 7  |
| 218 | Helicobacter pylori specific immune response induced by conservative flagellin linear B-cell epitope. <b>2005</b> , 11, 3528-32  | 0  |
| 217 | Isolation and Identification of Antimicrobial Protein from Saccharomyces cerevisiae and its Efficacy Against the Human Pathogens. <b>2015</b> , 10, 24-32                  | 1  |
| 216 | Protein Structure Prediction. <b>2018</b> , 48-79  | 3  |
| 215 | Novel mutations of the arylsulphatase B (ARSB) gene in Indian patients with mucopolysaccharidosis type VI. <b>2015</b> , 142, 414-25                                       | 8  |
| 214 | Differential effects of anti-IL-1R accessory protein antibodies on IL-1alpha or IL-1beta-induced production of PGE(2) and IL-6 from 3T3-L1 cells. <b>2007</b> , 40, 562-70 | 3  |
| 213 | Ensemble of Template-Free and Template-Based Classifiers for Protein Secondary Structure Prediction. <b>2021</b> , 22,   |    |
| 212 | Using Evolved Neural Networks to Elucidate Nef Features Associated with HIV-1 Subtype Differentiation. <b>2021</b> ,   | 0  |
| 211 | Stress-dependent dynamic and reversible formation of cytoskeleton-like filaments and gel-transition by tardigrade tolerance proteins.                                      | 1  |
| 210 | Protein Folding Simulations by Monte Carlo Simulated Annealing and Multicanonical Algorithm. <b>2000</b> , 73-90   |    |
| 209 | Amino Acids, Peptides, and Proteins. <b>2001</b> , 39-93   |    |
| 208 | Sequence and Structure of Proteins. <b>2001</b> , 43-86  |    |
| 207 | Tools for Protein Technologies. <b>2001</b> , 325-344  |    |
| 206 | Computer Modeling of Protein Structure. <b>2001</b> ,  |    |
| 205 | Bioinformatics. <b>2003</b> , 31-69  |    |
| 204 | The Proline Rule. <b>2003</b> ,  |    |
| 203 | Methods of Computational Genomics. <b>2004</b> , 279-342   |    |

202 Chou & Fasman Prediction Method. **2004,**

201 Chou&asman Prediction Method.

200 Beta Breaker. **2004,**

199 Beta Breakers.

198 Secondary structure breakers and hairpin structures in myoglobin and hemoglobin. **2005,** 5, 65-77 3

197 Theoretical and empirical approaches to protein-structure prediction and analysis. **1991,** 35, 1-86 3

196 The Protein as a Supermolecule: The Architecture of a ~~(B)~~ Barrel. 235-309

195 Alpha Helix Prediction Based on Evolutionary Computation. **2010,** 358-367 0

194 Computational Approaches and Simulation. **2012,** 213-263

193 TERPRED: A Dynamic Structural Data Analysis Tool. **2012,** 125, 781-786

192 Biosynthetic Routes to Novel Macromolecular Materials.

191 Prediction of Structural and Functional Aspects of Protein. **2014,** 317-333

190 FS-Tree: Sequential Association Rules and First Applications to Protein Secondary Structure Analysis. **2014,** 189-198

189 Theoretical Aspects of Secondary Structure. **2014,** 1-6

188 Predictions from Sequence. **2014,** 1-4

187 The Molecules from Which We Are Made. **1977,** 47-150

186 The Elucidation of the Amino Acid Sequence of Proteins and Glycoproteins. **1977,** 87-110

185 Recent Studies of Lipid-Lipid and Lipid-Protein Interactions by Physical and Chemical Methods. **1977,** 44-59

184 Abstracts of Free Communications. **1977**, 499-530

183 PROTEIN STRUCTURE AND THE MOLECULAR EVOLUTION OF BIOLOGICAL ENERGY  
CONVERSION. **1977**, 81-88 3

182 BIOCHEMISTRY. **1978**, 1-34

181 GLUCAGON AND PANCREATIC HORMONE III: X-RAY ANALYSIS, CONFORMATION AND RECEPTOR  
BINDING. **1978**, 249-258 1

180 POLYPEPTIDE CYTOLYSINS AND NEUROTOXINS ISOLATED FROM THE MUCUS SECRETIONS OF  
THE HETERONEMERTINE CEREBRATULUS LACTEUS (LEIDY). **1978**, 509-516

179 Amino Acid Sequences of Plant and Animal Viral Proteins. **1979**, 1-35 1

178 Immunchemie des CEA. **1979**, 3-28

177 STRUCTURAL REQUIREMENTS OF A RAT LIVER PROTEINKINASE DISPLAYING A SPECIFICITY  
SIMILAR TO THAT OF THE MAMMARY GLAND CASEINKINASE(S). **1980**, 23-33

176 The Chemistry of Prolactin. **1980**, 1-36

175 SEQUENCE VARIATION AT THE 3' ENDS OF NEURAMINIDASE GENE SEGMENTS WITHIN AND  
AMONG THE DIFFERENT NA SUBTYPES. **1981**, 45-54 1

174 PREDICTED STRUCTURE FOR HAPTOGLOBIN. **1981**, 111-116

173 STRUCTURAL ANALYSES OF THROMBIN AND PROTHROMBIN. **1981**, 69-85

172 KINETIC INTERMEDIATES AND THE PATHWAY OF FOLDING OF RIBONUCLEASES A AND S. **1981**, 87-96

171 Protein Folding - Pages 522-556. **1982**, 522-556

170 Studies on the Conformation of Neuropeptides. **1982**, 45-69 0

169 Secondary Structure - Function Relationships in  $\beta$ -Endorphin. **1982**, 25-43 1

168 Structure, Proteolytic Processing, and Neutralization Antigenic Sites of Poliovirus. **1984**, 193-201

167 Mutations of apolipoprotein AI can affect cofactor function for cholesteryl ester formation by  
lecithin: cholesterol acyltransferase. **1984**, 16, 217-24 2

- 166 VARIATION IN GLYCOSYLATION PATTERN OF G PROTEINS AMONG ANTIGENIC VARIANTS OF THE CVS STRAIN OF RABIES VIRUS<sup>11</sup>This work was supported by Research Grants AI-09706 and AI-18883 from the National Institutes of Allergy and Infectious Diseases.. **1984**, 285-293
- 165 The Investigation of Insect Neuropeptide Structure-Activity Relationships. **1984**, 265-283
- 164 Lipotropin. **1985**, 137-158
- 163 Vision Research: Raman/Fluorescence Studies on Aging and Cataract Formation in the Lens. **1986**, 104-128 1
- 162 Sequence of the E. coli APRT gene. **1986**, 195 Pt A, 239-46
- 161 The Biosynthetic Precursor of Gonadotropin-Releasing Hormone: A Multifunctional Prohormone. **1986**, 57-65
- 160 Active Transport in Escherichia coli From Membrane to Molecule. **1987**, 3-23
- 159 Structure-Function Studies of Growth-Factor Receptors. **1987**, 127-134
- 158 Interaction of Cholera Toxin with its Receptor the Monosialoganglioside GM1: A Fluorescence Study. **1987**, 149-159
- 157 Bibliography. **1987**, 165-184
- 156 Human Amyloidosis and In Vitro Formation of Alzheimer Amyloid Fibrils. **1987**, 33-44
- 155 Insect Cuticle as a Covalently Crosslinked Protein Network. **1988**, 141-150
- 154 Conformational studies of N-terminal segments of ras p21 proteins. **1988**, 572-574
- 153 Das Proteinmolekals Gleichgewichtsstruktur. **1989**, 133-195
- 152 Protein Targeting - Pages 241-267. **1989**, 241-267
- 151 Characterization of a synthetic envelope peptide of SRV-1 and SRV-2 virus that specifically binds rhesus anti-SRV-1 and anti-SRV-2 neutralizing antibodies. **1989**, 251, 169-73 1
- 150 Characterization of a cDNA Clone for the PsaE Gene from Barley and Plasma Desorption Mass Spectrometry of the Corresponding Photosystem I Polypeptide PSI-E. **1990**, 2515-2518
- 149 Prediction of Structure of 33 kD Extrinsic Polypeptide of Thylakoid. **1990**, 651-654

- 148 Immunologie and Biologie Properties of Glucagon-Like Peptide-1 (GLP-1). **1990**, 359-370
- 147 Cleavage of a hydrophilic C-terminal domain increases growth-inhibitory activity of oncostatin M. **1990**, 10, 1882-1890 13
- 146 Computer analysis of DNA and protein sequences. **1991**, 85-88
- 145 Peptides Derived From ACTH and the N-Terminal Region of Pro-Opiomelanocortin in the Regulation of Central Autonomic Drive. **1991**, 343-363
- 144 Literaturverzeichnis. **1992**, 470-525
- 143 Cloning of a Gene Related to the Missing Key Enzyme for Biosynthesis of Ascorbic Acid in Humans. **1992**, 315-324
- 142 Further characterization of endopeptidase H2 a serine proteinase from human urine. **1992**, 38 ( Pt 1), 422-9
- 141 Distinguishing Transmembrane Helices from Peripheral Helices by Circular Dichroism. **1992**, 17-38
- 140 Polypeptide und Proteine. **1992**, 96-329
- 139 Na,K-ATPase, Structure and Transport Mechanism. **1992**, 1-55 2
- 138 Prediction of protein secondary structures. **1992**, 8, 21-31 2
- 137 Molecular modeling of neurotransmitter receptors and ligands. **1993**, 10, 1-8
- 136 Protein secondary structure prediction based on stochastic-rule learning. **1993**, 240-251 2
- 135 Application of computational neural networks to the prediction of protein structural features. **1993**, 15, 1-19 1
- 134 Toward Quantitative Protein Structure Prediction. **1994**, 507-548
- 133 Synthesis and studies on properties of water soluble Chinese rape pollen dodecapeptide. **1995**, 116-118 1
- 132 Study on analogs of the epitope peptides P141 of the Schistosoma mansoni P28 antigen. **1995**, 254-255
- 131 The Structure of Lentiviral Tat Proteins in Solution. **1996**, 287-303

130 Chaperones. **1996**, 531-554

129 Relational concepts and the fourier transform: An empirical study. **1998**, 411-425

1

128 Impaired Cotranslational Processing as a Mechanism for Type I Antithrombin Deficiency. **1998**, 92, 4671-4676

127 Biological and Medical Big Data Mining. **2016**, 246-262

126 Molecular Modelling, Dynamics, and Docking of Membrane Proteins. **2016**, 186-208

125 Where the Name "GOR" Originates: A Story. **2017**, 1484, 1-5

124 Prediction of Structural and Functional Aspects of Protein. **2017**, 551-568

123 Molecular Modelling, Dynamics, and Docking of Membrane Proteins. **2017**, 747-769

122 NMR Analysis of the interaction of Ethanol With the Nicotinic Acetylcholine Receptor.

121 Proteins. **2018**, 23-36

120 Molecular Life Sciences. **2018**, 983-986

119 Molecular Life Sciences. **2018**, 1104-1109

118 PROPAB: Computation of Propensities and Other Properties from Segments of 3D structure of Proteins. **2018**, 14, 190-193

1

117 Novel antimicrobial peptide discovery using machine learning and biophysical selection of minimal bacteriocin domains.

116 Transcriptome wide identification and characterization of Starch Synthase enzyme in finger millet. **2018**, 14, 393-397

115 A distributed lattice of aligned atoms exists in a protein structure: A hierarchical clustering study of displacement parameters in bovine trypsin.

1

114 Protein Structure Prediction. **2019**, 156-184

113 Computational Coarse Protein Modeling of HIV-1 Sequences Using Evolutionary Search Algorithm. **2019**, 97-115

- 112 Protein Secondary Structure Determination (PSSD): A New and Simple Approach. **2019**, 16, 246-253
- 111 Adaptation and convergence in circadian-related genes in Iberian freshwater fish.
- 110 Prediction of 8-state protein secondary structures by 1D-Inception and BD-LSTM. 0
- 109 Protein Secondary Structure Prediction Approaches. **2020**, 251-273
- 108 Identification of the Likely Orthologues of RCD1 within the Plant Family Brassicaceae.
- 107 The Novel Coronavirus Enigma: Phylogeny and Analyses of Coevolving Mutations Among the SARS-CoV-2 Viruses Circulating in India (Preprint).
- 106 Multifaceted analysis of training and testing convolutional neural networks for protein secondary structure prediction.
- 105 C subunit of the ATP synthase is an amyloidogenic channel-forming peptide: possible implications in mitochondrial pathogenesis. 1
- 104 The Papers that Influenced My Career: Creamer and Rose. **2020**, 60, 190-191
- 103 Structural and Functional Dynamics of Lysosomal Cysteine Proteases with Particular Reference to Cathepsin B and Cathepsin H. **2020**, 391-424 1
- 102 A multi-task deep-learning system for predicting membrane associations and secondary structures of proteins.
- 101 Identification of potential inhibitory analogs of metastasis tumor antigens (MTAs) using bioactive compounds: revealing therapeutic option to prevent malignancy. **2021**, 1
- 100 Self and Nonsel Self Short Constituent Sequences of Amino Acids in the SARS-CoV-2 Proteome for Vaccine Development. **2021**, 1, 555-574 3
- 99 Novel self-assembling peptide hydrogel with pH-tunable assembly microstructure, gel mechanics and the entrapment of curcumin. **2021**, 124, 107338 3
- 98 Discovering the Ultimate Limits of Protein Secondary Structure Prediction. **2021**, 11, 0
- 97 Synthesis of antigenic peptides for HEV diagnosis. **2002**, 160-163
- 96 Studies on the anti-schistosomal synthetic peptide vaccine: Prediction and synthesis of antigenic peptides of Schistosoma paramyosin. **2002**, 140-141
- 95 Detection of gene expression product of transgenic tobacco by antigenic peptide. **2002**, 215-216



- 94 Engineering Self-Assembly of Peptides by Amphiphilic 2D Motifs:  $\alpha$ - $\beta$  Transitions of Peptides. **2002**, 187-205
- 93 Local Structure Prediction of Proteins. **2007**, 207-254 1
- 92 Proteases of the Rhomboid Family in the Yeast *Saccharomyces Cerevisiae*. **2007**, 79-88
- 91 Improved Prediction of Protein Secondary Structures Using Adaptively Weighted Profiles. **2007**, 83-94
- 90 The effect of reasoning with state information.
- 89 Radiation Damage to Proteins: Changes on the Primary and Secondary Structure Level. **1978**, 36, 40-48
- 88 Localization and characterization of the cleavage-associated neoantigen locus in the E domain of fibrinogen.. **1979**, 254, 672-678 8
- 87 Interaction of apoA-II from human high density lipoprotein with lysolecithin.. **1977**, 252, 3684-3688 7
- 86 Correlation of the protein and nucleic acid sequences for the major structural protein of simian virus 40.. **1979**, 254, 7561-7569 3
- 85 Radioiodination of chicken erythrocyte histones H4 and H5 in chromatin.. **1979**, 254, 8057-8066 5
- 84 Developmentally regulated cytokeratin gene in *Xenopus laevis*. **1985**, 5, 2575-2581 13
- 83 Processing of p60v-src to its myristylated membrane-bound form. **1985**, 5, 2781-2788 62
- 82 Biochemical characterization of polypeptides encoded by mutated human Ha-ras1 genes. **1986**, 6, 730-734 23
- 81 Antibody to a human DNA repair protein allows for cloning of a *Drosophila* cDNA that encodes an apurinic endonuclease. **1989**, 9, 965-973 18
- 80 CD3 gamma contains a phosphoserine-dependent di-leucine motif involved in down-regulation of the T cell receptor. **1994**, 13, 2156-66 48
- 79 SPKK, a new nucleic acid-binding unit of protein found in histone. **1989**, 8, 797-804 67
- 78 Isolation of dynein heavy chain cDNAs from trout testis which predict an extensive carboxyl-terminal alpha-helical coiled-coil domain. **1989**, 8, 1727-34 3
- 77 Mouse interleukin-2 structure-function studies: substitutions in the first alpha-helix can specifically inactivate p70 receptor binding and mutations in the fifth alpha-helix can specifically inactivate p55 receptor binding. **1989**, 8, 2583-90 17

|    |  |    |
|----|--|----|
| 76 | A stable alpha-helical element in the carboxy-terminal domain of free and chromatin-bound histone H1 from sea urchin sperm. <b>1989</b> , 8, 2591-9  | 18 |
| 75 | Induction of a growth-phase-dependent promoter triggers transcription of bolA, an Escherichia coli morphogene. <b>1989</b> , 8, 3923-31  | 74 |
| 74 | Overproduction of the poly(ADP-ribose) polymerase DNA-binding domain blocks alkylation-induced DNA repair synthesis in mammalian cells. <b>1993</b> , 12, 2109-17  | 82 |
| 73 | Increased protein flexibility leads to promiscuous protein--DNA interactions in type IC restriction-modification systems. <b>1991</b> , 10, 951-7  | 17 |
| 72 | Alpha-helix in the carboxy-terminal domains of histones H1 and H5. <b>1988</b> , 7, 69-75  | 52 |
| 71 | Contacts between the LexA repressor--or its DNA-binding domain--and the backbone of the recA operator DNA. <b>1988</b> , 7, 269-75   | 18 |
| 70 | The DNA-binding protein of Pf1 filamentous bacteriophage: amino-acid sequence and structure of the gene. <b>1982</b> , 1, 255-61   | 11 |
| 69 | Antibodies against a preselected peptide recognize and neutralize foot and mouth disease virus. <b>1982</b> , 1, 869-74  | 85 |
| 68 | Topological mapping of complement component C9 by recombinant DNA techniques suggests a novel mechanism for its insertion into target membranes. <b>1987</b> , 6, 1951-7                                     | 21 |
| 67 | The yeast MYO1 gene encoding a myosin-like protein required for cell division. <b>1987</b> , 6, 3499-505   | 75 |
| 66 | cDNA cloning and complete primary structure of the alpha subunit of a leukocyte adhesion glycoprotein, p150,95. <b>1987</b> , 6, 4023-8  | 54 |
| 65 | Precise epitope mapping of the murine transformation-associated protein, p53. <b>1985</b> , 4, 699-706   | 70 |
| 64 | Structural similarity between legumin and vicilin storage proteins from legumes. <b>1985</b> , 4, 1111-7   | 34 |
| 63 | Structure of wild-type and mutant repressors and of the control region of the rbt operon of Klebsiella aerogenes. <b>1985</b> , 4, 1339-44   | 8  |
| 62 | Evidence for a repeating domain in type I restriction enzymes. <b>1985</b> , 4, 1351-5   | 25 |
| 61 | Binding and bending of the lambda replication origin by the phage O protein. <b>1985</b> , 4, 3605-16  | 40 |
| 60 | Amino acid sequence of seminalplasmin, an antimicrobial protein from bull semen. <b>1983</b> , 2, 1159-63  | 6  |
| 59 | Interaction of the p85 subunit of PI 3-kinase and its N-terminal SH2 domain with a PDGF receptor phosphorylation site: structural features and analysis of conformational changes. <b>1992</b> , 11, 4261-72 | 41 |

|    |   |    |
|----|---|----|
| 58 | The nucleotide sequence of a complete chicken delta-crystallin cDNA. <b>1984</b> , 3, 1397-402  | 10 |
| 57 | Structural and immunological characterization of Friend murine leukaemia virus glycopolyptide using synthetic oligopeptides. <b>1984</b> , 3, 1925-30   |    |
| 56 | Refined 1.2 Å crystal structure of the complex formed between subtilisin Carlsberg and the inhibitor eglin c. Molecular structure of eglin and its detailed interaction with subtilisin. <b>1986</b> , 5, 813-8                             | 23 |
| 55 | Structure of the IgG-binding regions of streptococcal protein G. <b>1986</b> , 5, 1567-75   | 61 |
| 54 | The neuropeptide head activator loses its biological activity by dimerization. <b>1986</b> , 5, 1825-9  | 6  |
| 53 | Nuclear targeting of the beta isoform of type II phosphatidylinositol phosphate kinase (phosphatidylinositol 5-phosphate 4-kinase) by its alpha-helix 7. <b>2000</b> , 346 Pt 3, 587-91   | 39 |
| 52 | In vitro membrane-inserted conformation of the cytochrome b(5) tail. <b>2000</b> , 352 Pt 1, 117-24   | 2  |
| 51 | Identification of T cell epitopes within a 23-kD antigen (P24) of <i>Toxoplasma gondii</i> . <b>1991</b> , 84, 527-34   | 24 |
| 50 | Enzymological and mutational analysis of a complex primary hyperoxaluria type 1 phenotype involving alanine:glyoxylate aminotransferase peroxisome-to-mitochondrion mistargeting and intraperoxisomal aggregation. <b>1993</b> , 53, 417-32 | 70 |
| 49 | Pulmonary vascular amyloidosis in aged dogs. A new form of spontaneously occurring amyloidosis derived from apolipoprotein AI. <b>1992</b> , 141, 1013-9  | 29 |
| 48 | Patterns in protein primary sequences: classification, display and analysis. <b>1991</b> , 399-403  |    |
| 47 | The conformational restriction of synthetic vaccines for malaria. <b>1990</b> , 68 Suppl, 17-25   | 5  |
| 46 | Destabilization of the Alzheimer's amyloid- $\beta$ peptide by a proline-rich $\beta$ -sheet breaker peptide: a molecular dynamics simulation study. <b>2021</b> , 27, 356  | 1  |
| 45 | Fundamental Tick Vaccinomic Approach to Evade Host Autoimmune Reaction. <b>2022</b> , 2411, 343-358   | 0  |
| 44 | Using Neural Networks to Identify Features Associated with HIV Nef Protein and Cancer. <b>2020</b> ,  |    |
| 43 | Fusion of BLAST and Ensemble of Classifiers for Protein Secondary Structure Prediction. <b>2020</b> ,   | 1  |
| 42 | Information quantity for secondary structure propensities of protein subsequences in the Protein Data Bank.. <b>2022</b> , 19, 1-12   |    |
| 41 | Role of cotranslational folding for $\beta$ -sheet-enriched proteins: A perspective from molecular dynamics simulations.. <b>2022</b> , 105, 024402   | 1  |

- 40 Beta-and gamma-turns in proteins revisited: a new set of amino acid turn-type dependent positional preferences and potentials. **2000**, 25, 143-56 41
- 39 Structure/Function Analysis of Truncated Amino-Terminal ACE2 Peptide Analogs That Bind to SARS-CoV-2 Spike Glycoprotein.. **2022**, 27, 0
- 38 Lightweight ProteinUnet2 network for protein secondary structure prediction: a step towards proper evaluation.. **2022**, 23, 100 0
- 37 In-Silico Screening of Prime PCOS Biomarkers for the Identification of a Potential Model Organism. **2021**, 448-454
- 36 Protein Secondary Structure Detection without Alignment by Recurrent Neural Network with LSTM. **2021**,
- 35 MonteCarlo Simulated Annealing in Protein Folding. **2001**, 1515-1529
- 34 Protein Folding: Generalized-Ensemble Algorithms. **2001**, 2062-2071
- 33 Monte-Carlo Simulated Annealing in Protein Folding. **2008**, 2323-2337
- 32 Data\_Sheet\_1.ZIP. **2019**,
- 31 Table\_1.docx. **2019**,
- 30 Video\_1.MOV. **2019**,
- 29 SVMyr: a web server detecting co- and post-translational myristoylation in proteins. **2022**, 167605 1
- 28 Bi-alignments with affine gaps costs.. **2022**, 17, 10
- 27 SeBPPI: A sequence-based protein-protein binding predictor.
- 26 Protein secondary structure prediction using data-partitioning combined with stacked convolutional neural networks and bidirectional gated recurrent units. 0
- 25 Molecular and Biochemical Analysis of Duplicated Cytosolic CuZn Superoxide Dismutases of Rice and in silico Analysis in Plants. **2022**, 13, 0
- 24 Structural Analysis and Construction of a Thermostable Antifungal Chitinase. 0
- 23 Adult amphibian epidermal proteins: biochemical characterization and developmental appearance. **1975**, 34, 55-73 0

|    |   |   |
|----|---|---|
| 22 | Hiding in plain sight: three chemically distinct $\beta$ helix types. 1-19  | 1 |
| 21 | The Hydrophilic Loop of Arabidopsis PIN1 Auxin Efflux Carrier Harbors Hallmarks of an Intrinsically Disordered Protein. <b>2022</b> , 23, 6352  | 0 |
| 20 | Sequence dependent folding motifs of the secondary structures of Gly-Pro and Pro-Gly containing oligopeptides.  | 1 |
| 19 | Complete genome sequence and phylogenetic analysis of avian infectious bronchitis virus isolated in India. <b>2022</b> , 92, 693-700  |   |
| 18 | Role of a bacterial glycolipid in Sec-independent membrane protein insertion. <b>2022</b> , 12,   | 1 |
| 17 | Prediction of protein secondary structure based on an improved channel attention and multiscale convolution module. 10,   |   |
| 16 | PHEXL222P Mutation Increases Phex Expression in a New ENU Mouse Model for XLH Disease. <b>2022</b> , 13, 1356   |   |
| 15 | Low Complexity Induces Structure in Protein Regions Predicted as Intrinsically Disordered. <b>2022</b> , 12, 1098   | 0 |
| 14 | Multimiomics bioinformatics approaches in horticultural crops. <b>2022</b> , 27-54  | 0 |
| 13 | Stress-dependent cell stiffening by tardigrade tolerance proteins that reversibly form a filamentous network and gel. <b>2022</b> , 20, e3001780  | 0 |
| 12 | Propensities of Some Amino Acid Pairings in $\beta$ Helices Vary with Length.   | 0 |
| 11 | Protein folding problem: enigma, paradox, solution.   | 0 |
| 10 | Machine learning overcomes human bias in the discovery of self-assembling peptides.   | 3 |
| 9  | Spectroscopic methods to study protein folding kinetics: Methodology, data analysis, and interpretation of the results. <b>2023</b> , 357-374   | 0 |
| 8  | Deep learning for protein secondary structure prediction: Pre and post-AlphaFold. <b>2022</b> ,   | 1 |
| 7  | The Effect of the Ala16Val Mutation on the Secondary Structure of the Manganese Superoxide Dismutase Mitochondrial Targeting Sequence. <b>2022</b> , 11, 2348   | 0 |
| 6  | Convolutional ProteinUnetLM competitive with long short-term memory-based protein secondary structure predictors.   | 0 |
| 5  | Antibodies to Domains II and III of the IL-1 Receptor Accessory Protein Inhibit IL-1 $\beta$ Activity But Not Binding: Regulation of IL-1 Responses Is Via Type I Receptor, Not the Accessory Protein. <b>1998</b> , 160, 3170-3179 | 5 |

|   |   |    |
|---|---|----|
| 4 | Syk- and Lyn-Dependent Phosphorylation of Syk on Multiple Tyrosines Following B Cell Activation Includes a Site That Negatively Regulates Signaling. <b>1998</b> , 161, 5276-5283 | 26 |
| 3 | Effect of the Addition of the Fifth Amino Acid to [GADV]-Protein on the Three-Dimensional Structure. <b>2023</b> , 13, 246  | 0  |
| 2 | Design and synthesis of novel N-terminal peptides of integrin and aminopeptidase are new finding for anticancer activity. <b>2023</b> , 134, 106434                               | 0  |
| 1 | Studies on the Structure of the Light-Harvesting Pigment-Protein-Complexes from Cyanobacteria and Red Algae. <b>1978</b> , 91, 459-475  | 0  |