## CITATION REPORT List of articles citing

Conformational parameters for amino acids in helical, beta-sheet, and random coil regions calculated from proteins

DOI: 10.1021/bi00699a001 Biochemistry, 1974, 13, 211-22.

Source: https://exaly.com/paper-pdf/11946120/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2117	Structural studies of human-liver alcohol-dehydrogenase isoenzymes. <b>1974</b> , 50, 215-25		46
2116	Critical chain length for helix formation in L-methionine oligopeptides. <b>1974</b> , 13, 1747-50		18
2115	Comparison of predicted and experimentally determined secondary structure of adenyl kinase. <b>1974</b> , 250, 140-2		178
2114	The coenzyme-binding domains of glutamate dehydrogenases. <b>1974</b> , 252, 542-6		85
2113	Prediction of protein conformation. <i>Biochemistry</i> , <b>1974</b> , 13, 222-45	3.2	3006
2112	Synthesis and conformational studies of model histones. Sequential and random polypeptides with the composition L-lysyl-L-alanyl-glycine. <i>Biochemistry</i> , <b>1974</b> , 13, 1252-64	3.2	12
2111	Structure of the antitumor protein neocarzinostatin. Amino acid sequence. <b>1974</b> , 164, 379-85		45
2110	Reaction of human chorionic somatomammotropin and human pituitary growth hormone with tetranitromethane at 0 degrees C. <b>1974</b> , 165, 255-62		15
2109	Circular dichroism and optical rotatory dispersion of the aggregates of purified polypeptides of alpha-crystallin. <b>1974</b> , 19, 49-57		49
2108	The primary structure of the 16 S rRNA binding protein S 8 from Escherichia coli ribosomes. <b>1974</b> , 48, 114-6		18
2107	Structural principles of the globular organization of protein chains. A stereochemical theory of globular protein secondary structure. <b>1974</b> , 88, 857-72		304
2106	Beta-sheet aggregation proposed in sickle cell hemoglobin. <i>Biochemical and Biophysical Research Communications</i> , <b>1974</b> , 61, 87-94	3.4	10
2105	Further comparison of predicted and experimentally determined structure of adenylate kinase. <b>1974</b> , 71, 4217-20		16
2104	Analysis of Conformations of Amino Acid Residues and Prediction of Backbone Topography in Proteins. <b>1974</b> , 12, 239-286		203
2103	Analysis of the code relating sequence to conformation in globular proteins. An informational analysis of the role of the residue in determining the conformation of its neighbours in the primary sequence. <b>1974</b> , 141, 883-97		28
2102	Synthesis of Sequential Polypeptides of L-Leucine and Glycine. <b>1974</b> , 47, 2720-2723		2
2101	Sidechain torsional potentials and motion of amino acids in porteins: bovine pancreatic trypsin inhibitor. <b>1975</b> , 72, 2002-6		191

2100 Comparison of the predicted and observed secondary structure of T4 phage lysozyme. <b>1975</b> , 405, 442-51	2905
Determination of the complete amino-acid sequence of protein S4 from Escherichia coli ribosomes.  1975, 56, 467-81	50
2098 A prediction of the structure of tobacco-mosaic-virus protein. <b>1975</b> , 53, 397-404	27
[Conformation analysis of L-pyroglutamic acid N-methylamide by depolarized Rayleigh diffusion, vibration spectroscopy, and conformational energy calculation]. <b>1975</b> , 14, 1569-79	100
2096 Nature of amino acid side chain and alpha-helix stability. <b>1975</b> , 14, 1381-93	19
The random coil leads to beta transition of copolymers of L-lysine and L-valine: potentiometric titration and circular dichroism studies. <b>1975</b> , 14, 1633-49	14
Poly(L-valine). Conformational dependence on the degree of polymerization: infrared studies. <b>1975</b> , 14, 1755-67	12
Studies on cytochrome c. XI. Circular dichroism studies on synthetic peptides related to the C-terminal region of baker's yeast iso-1-cytochrome c. <b>1975</b> , 14, 2075-2093	10
A hypothesis for the pathway of the thermally-induced unfolding of bovine pancreatic ribonuclease. <b>1975</b> , 53, 403-20	66
Primary structure and sidechain interactions of PFL filamentous bacterial virus coat protein. <b>1975</b> , 253, 68-71	77
2090 The evolution of dehydrogenases and kinases. <b>1975</b> , 3, 111-40	63
2089 Intermediates in protein folding reactions and the mechanism of protein folding. <b>1975</b> , 44, 453-75	242
Analysis of the conformation of polypeptides: the combined use of energy computations and nuclear magnetic resonance studies. <b>1975</b> , 57, 471-82	6
Sequence diagrams and the presentation of structural and evolutionary relationships among proteins. <b>1975</b> , 57, 271-6	2
2086 Analysis of the primary sequence of alpha-tropomyosin from rabbit skeletal muscle. <b>1975</b> , 98, 519-35	168
Logical analysis of the mechanism of protein folding III. Prediction of the strong long-range interactions. <b>1975</b> , 94, 257-81	18
2084 Conformational prediction and circular dichroism studies on the lac repressor. <b>1975</b> , 96, 29-45	85
Relationship between alpha-helical propensity and formation of the ribonuclease-S complex. <b>1975</b> , 95, 497-511	30

2082	Experimental and theoretical aspects of protein folding. <b>1975</b> , 29, 205-300		746
2081	Ionic strength induced structure in histone H4 and its fragments. <i>Biochemistry</i> , <b>1975</b> , 14, 3391-400	3.2	50
2080	The predicted secondary structure of the N-terminal sequence of the lac repressor and proposed models for its complexation to the lac operator. <i>Biochemistry</i> , <b>1975</b> , 14, 1057-9	3.2	12
2079	The primary structure of protein L27 from the peptidyl-tRNA binding site of Escherichia coli ribosomes. <b>1975</b> , 59, 96-9		34
2078	Primary structure of protein S18 from the small Escherichia coli ribosomal subunit. <b>1975</b> , 59, 217-20		51
2077	The primary structure of protein L30 from Escherichia coli ribosomes. <b>1975</b> , 60, 153-5		24
2076	Primary structure of ribosomal protein S6 from the wild type and a mutant of Escherichia coli. <b>1975</b> , 56, 259-62		38
2075	The primary structure of the 5S RNA binding protein L18 from Escherichia coli ribosomes. <b>1975</b> , 56, 359	9-61	42
2074	Comparison between histones FV and F2a2 of chicken erythrocyte. I. Structure, stability and conformation of the free proteins. <b>1975</b> , 395, 5-15		8
2073	Transcarboxylase: role of biotin, metals, and subunits in the reaction and its quaternary structure. <b>1976</b> , 4, 47-122		42
2072	The structure of dehydrogenases. <b>1976</b> , 1, 227-230		2
2071	A re-examination of the conformation of secretin in water. <b>1976</b> , 5 Suppl, 195S-200S		19
2070	Conformational properties of amino acid residues in globular proteins. <b>1976</b> , 107, 327-56		258
2069	Relationship between helix-coil transition parameters for synthetic polypeptides and helix conformation parameters for globular proteins. A simple model. <b>1976</b> , 107, 357-67		16
2068	A sequential polyheptapeptide as a model for the double-stranded alpha-helical coiled-coil structure of tropomyosin. <i>Biochemical and Biophysical Research Communications</i> , <b>1976</b> , 72, 581-8	3.4	12
2067	The primary structure of the coat protein of alfalfa mosaic virus (strain 425). <b>1976</b> , 74, 232-5		7
2066	Studies of virus structure by laser-Raman spectroscopy. II. MS2 phage, MS2 capsids and MS2 RNA in aqueous solutions. <b>1976</b> , 102, 103-24		47
2065	The influence of amino acid side-chains on alpha-helix stability: S-peptide analogues and related ribonucleases S'. <b>1976</b> , 106, 315-24		21

2064	serine proteases detected and evaluated by new statistical methods. <b>1976</b> , 106, 639-61		39
2063	Mutational amino acid replacements in Neurospora crassa NADP-specific glutamate dehydrogenase. <b>1976</b> , 106, 1-22		44
2062	Calculation of protein tertiary structure. <b>1976</b> , 106, 983-94		122
2061	Conformative responses of bradykinin and bradykinin analogs to variations of solvents. <b>1976</b> , 176, 582-90		14
2060	Conformational study of alpha1-acid glycoprotein. <b>1976</b> , 175, 400-9		65
2059	Carbohydrate-peptide linkage in glycoproteins. <b>1976</b> , 175, 410-8		170
2058	The primary structure of protein L16 located at the peptidyltransferase center of Escherichia coli ribosomes. <b>1976</b> , 68, 105-9		69
2057	Primary structure of protein S20 from the small ribosomal subunit of Escherichia coli. <b>1976</b> , 68, 110-4		28
2056	Primary structure of protein L33 from the large subunit of the Escherichia coli ribosome. <b>1976</b> , 68, 115-8		43
2055	The primary structure of the 5 S RNA binding protein L5 of Escherichia coli ribosomes. <b>1976</b> , 69, 240-5		32
2054	Primary structure of protein S13 from the small ribosomal subunit of Escherichia coli. <b>1976</b> , 71, 251-5		17
2053	Prediction of the conformation of the histones. <b>1976</b> , 16, 1201-38		115
2052	Lipotropin: precursor to two biologically active peptides. <i>Biochemical and Biophysical Research Communications</i> , <b>1976</b> , 69, 950-6	•	152
2051	Prediction of the secondary structure of mouse nerve growth factor and its comparison with insulin. <i>Biochemical and Biophysical Research Communications</i> , <b>1976</b> , 70, 805-11		22
2050	PROTEINS FROM THERMOPHILIC MICROORGANISMS. <b>1976</b> , 147-187		13
2049	Three dimensional structure of erabutoxin b neurotoxic protein: inhibitor of acetylcholine receptor. <b>1976</b> , 73, 2991-4		225
2048	Topography of human plasma alpha1-acid glycoprotein. <i>Biochemistry</i> , <b>1976</b> , 15, 2245-54		19
2047	The prediction of the conformation of membrane proteins from the sequence of amino acids. <b>1976</b> , 153, 729-32		24

2046	Iso-cytochrome c species from baker's yeast. Analysis of their circular-dichroism spectra. <b>1976</b> , 157, 773-5	23
2045	Evidence for a major conformational change of coat protein in assembly of fl bacteriophage. <b>1976</b> , 259, 335-7	77
2044	Biosynthetic origin and receptor conformation of methionine enkephalin. <b>1976</b> , 260, 165-6	166
2043	Interaction of apoprotein from porcine high-density lipoprotein with dimyristoly lecithin. 2. Nature of lipid-protein interaction. <b>1976</b> , 64, 549-63	70
2042	Determination of the amino-acid sequence of the ribosomal protein S8 of Escherichia coli. <b>1976</b> , 66, 49-56	24
2041	Structural studies of chicken erythrocyte histone H5. <b>1976</b> , 67, 379-88	36
2040	An assessment of protein secondary structure prediction methods based on amino acid sequence. <b>1976</b> , 439, 261-73	83
2039	Localization of J-chain and interchain disulfide bonds in a human F(c)5mu-like fragment. <b>1976</b> , 439, 274-91	4
2038	Conformational studies of corticotropin1-32 and constitutive peptides by circular dichroism. <b>1976</b> , 439, 219-31	45
2037	The structure and stability of trypsin-resistant segments from rabbit tropomyosin. <b>1976</b> , 434, 406-18	10
2036	Amino acid sequence homology in 30 S ribosomal protein S19 from Bacillus stearothermophilus and Escherichia coli. <b>1976</b> , 427, 371-374	6
2035	Further characterization studies of the alpha-amylase protein inhibitor of gel electrophoretic mobility 0.19 from the wheat kernel. <b>1976</b> , 420, 288-97	46
2034	The design of computing systems for molecular modeling. <b>1976</b> , 5, 477-510	42
2033	Studies on the conformation of secretin. <b>1976</b> , 5, 275-282	9
2032	An easy method for retrieving atomic coordinates from CPK space-filling molecular models. <b>1976</b> , 15, 1825-33	3
2031	The conformational protential of porcine proinsulin C-peptide. <b>1976</b> , 357, 107-16	9
2030	Human high denisty apolipoprotein A-I-lysolecithin-lecithin and sphingomyelin complexes. A method for high yield recombinations to lipoprotein complexes of reproducible stoichiometry. <b>1976</b> , 357, 127-37	17
2029	Structure, function, and evolutionary relationships of Fc domains of human immunoglobulins A, G, M, and E. <b>1976</b> , 191, 390-2	63

2028 X-ray Crystallographic Studies of Proteins. 1976, 27, 493-493 101 2027 SHORT COMMUNICATION. 1977, 358, 521-536 2026 Sequence determination of protein S9 from the Escherichia coli ribosome. 1977, 358, 1415-30 20 Protein folding. 1977, 10, 239-52 261 Identification of beta, beta-turns and unordered conformations in polypeptide chains by vacuum 2024 157 ultraviolet circular dichroism. 1977, 74, 3208-12 Thymosin alpha1: isolation and sequence analysis of an immunologically active thymic polypeptide. 295 **1977**, 74, 725-9 2022 Structural convergence during protein evolution. 1977, 74, 2820-4 25 Conformation of beta-endorphin and beta-lipotropin: formation of helical structure in methanol 2021 62 and sodium dodecyl sulfate solutions. 1977, 74, 3235-8 2020 Amino acid sequence of human prothrombin fragments 1 and 2. 1977, 74, 1969-72 73 Location and structural significance of the oligosaccharides in human Ig-A1 and IgA2 82 immunoglobulins. 1977, 74, 2301-5 A circular dichroic spectral study on disulfide-reduced pancreatic ribonuclease A and its 2018 24 renaturation to the active enzyme. 1977, 82, 1127-33 Synthesis of leucine enkephalin derivatives: structure-function studies. Biochemical and Biophysical 2017 3.4 17 Research Communications, 1977, 76, 129-35 2016 The aggregation of basic polypeptide residues bound to heparin. 1977, 497, 298-306 16 Conformation studies of biologically active fragments of bovine growth hormone. Biochemistry, 2015 3.2 25 **1977**, 16, 2110-8 A proton magnetic resonance study of the conformation of methionine-enkephalin as a function of 2014 3.2 50 pH. Biochemistry, 1977, 16, 1462-6 Purification and characterization of thermolabile glyceraldehyde-3-phosphate dehydrogenase from 2013 3.2 20 the facultative thermophile Bacillus coaquians KU. Biochemistry, 1977, 16, 4840-7 Synthesis and characterization of a pancreatic trypsin inhibitor homologue and a model inhibitor. 2012 3.2 20 Biochemistry, 1977, 16, 1531-41 Pyruvate carboxylase: isolation of the biotin-containing tryptic peptide and the determination of its 2011 74 primary sequency. **1977**, 183, 113-22

2010	Primary stucture of protein S12 from the small Escherichia coli ribosomal subunit. <b>1977</b> , 73, 12-7	36
2009	The primary structure of ribosomal protein S7 from Escherichia coli strains K and B. Sequence of the C-terminal region of S7K and S7B. <b>1977</b> , 77, 89-93	6
2008	Prediction of secondary structures in proteins from the Escherichia coli 30 S ribosomal subunit. <b>1977</b> , 77, 301-7	13
2007	Amino acid sequence of elongation factor Tu. Characterization and alignment of the cyanogen bromide fragments and location of the cysteine residues. <b>1977</b> , 80, 103-6	22
2006	The primary structure of the initiation factor IF-3 from Escherichia coli. <b>1977</b> , 79, 269-75	53
2005	Comparison of the N-terminal sequences of aspartate and ornithine carbamoyltransferases of Escherichia coli. <b>1977</b> , 81, 28-32	27
2004	Predictions for secondary structures of six proteins from the 50 S subunit of the Escherichia coli ribosome. <b>1977</b> , 81, 204-13	22
2003	Structure of the peptidoglycan of bacterial cell wassl. II. <b>1977</b> , 117, 955-74	35
2002	Invariant features of the structure of pancreatic ribonuclease. A test of different predictive models. <b>1977</b> , 109, 185-93	81
2001	Triplet information in helix prediction applied to the analysis of super-secondary structures. <b>1977</b> , 109, 251-74	115
		115 62
2000	109, 251-74	
2000	On the conformation of proteins: an analysis of beta-pleated sheets. <b>1977</b> , 110, 285-96	62
<b>2</b> 000	On the conformation of proteins: an analysis of beta-pleated sheets. <b>1977</b> , 110, 285-96  Secondary structural prediction of proteins from their amino acid sequence. <b>1977</b> , 2, 128-131	62
2000 1999 1998	On the conformation of proteins: an analysis of beta-pleated sheets. 1977, 110, 285-96  Secondary structural prediction of proteins from their amino acid sequence. 1977, 2, 128-131  Snake toxin secondary structure predictions. Structure activity relationships. 1977, 115, 177-93  On the conformation of proteins: towards the prediction of strand arrangements in beta-pleated	62 69 139
2000 1999 1998 1997	On the conformation of proteins: an analysis of beta-pleated sheets. 1977, 110, 285-96  Secondary structural prediction of proteins from their amino acid sequence. 1977, 2, 128-131  Snake toxin secondary structure predictions. Structure activity relationships. 1977, 115, 177-93  On the conformation of proteins: towards the prediction of strand arrangements in beta-pleated sheets. 1977, 113, 401-18  On the conformation of proteins: hydrophobic ordering of strands in beta-pleated sheets. 1977,	62 69 139 16
2000 1999 1998 1997	On the conformation of proteins: an analysis of beta-pleated sheets. 1977, 110, 285-96  Secondary structural prediction of proteins from their amino acid sequence. 1977, 2, 128-131  Snake toxin secondary structure predictions. Structure activity relationships. 1977, 115, 177-93  On the conformation of proteins: towards the prediction of strand arrangements in beta-pleated sheets. 1977, 113, 401-18  On the conformation of proteins: hydrophobic ordering of strands in beta-pleated sheets. 1977, 115, 1-17  An Information Theoretical Approach to the Determination of the Secondary Structure of Globular	62 69 139 16 56

1992	Determination of the complete amino-acid sequence of protein S6 from the wild-type and a mutant of Escherichia coli. <b>1977</b> , 75, 497-512	50
1991	Physical studies on the conformation of ribosomal protein S4 from Escherichia coli. <b>1977</b> , 78, 153-9	13
1990	Theory of protein molecule self-organization. II. A comparison of calculated thermodynamic parameters of local secondary structures with experiments. <b>1977</b> , 16, 497-524	51
1989	Helix-coil stability constants for the naturally occurring amino acids in water. XII. Asparagine parameters from random poly(hydroxybutylglutamine-co-L-asparagine). <b>1977</b> , 16, 1567-85	21
1988	Conformational properties of L-leucine, L-isoleucine, and L-norleucine side chains in L-lysine copolymers. <b>1977</b> , 16, 1815-26	40
1987	Helix-coil stability constants for the naturally occurring amino acids in water. XIV. Methionine parameters from random poly(hydroxypropylglutamine, L-methionine). <b>1977</b> , 16, 2447-67	20
1986	Prediction for secondary structures of ten proteins from the 50S subunit of the Escherichia coli ribosome. <b>1977</b> , 7, 191-204	8
1985	[Lipid-protein-interactions of human apolipoproteins-structural aspects and models of lipoproteins (author's transl)]. <b>1977</b> , 55, 149-60	1
1984	Phylogenetic studies of two rubredoxins from sulfate reducing bacteria. <b>1977</b> , 9, 111-9	21
1983	The evolution of muscular parvalbumins investigated by the maximum parsimony method. <b>1977</b> , 9, 131-58	125
	The evolution of muscular parvalbumins investigated by the maximum parsimony method. <b>1977</b> , 9, 131-58  Higher frequencies of transitions among point mutations. <b>1977</b> , 9, 159-80	125 71
1982	Higher frequencies of transitions among point mutations. <b>1977</b> , 9, 159-80  Use of Chou-Fasman amino acid conformational parameters to analyze the organization of the	71
1982 1981	Higher frequencies of transitions among point mutations. 1977, 9, 159-80  Use of Chou-Fasman amino acid conformational parameters to analyze the organization of the genetic code and to construct protein genealogies. 1977, 10, 7-47  The measurement of small nuclear overhauser effects in the 1H spectra of proteins, and their	71
1982 1981 1980	Higher frequencies of transitions among point mutations. 1977, 9, 159-80  Use of Chou-Fasman amino acid conformational parameters to analyze the organization of the genetic code and to construct protein genealogies. 1977, 10, 7-47  The measurement of small nuclear overhauser effects in the 1H spectra of proteins, and their application to lysozyme. 1978, 31, 459-469  alpha-Helix-double helix interaction shown in the structure of a protamine-transfer RNA complex	71 29 10
1982 1981 1980 1979	Higher frequencies of transitions among point mutations. 1977, 9, 159-80  Use of Chou-Fasman amino acid conformational parameters to analyze the organization of the genetic code and to construct protein genealogies. 1977, 10, 7-47  The measurement of small nuclear overhauser effects in the 1H spectra of proteins, and their application to lysozyme. 1978, 31, 459-469  alpha-Helix-double helix interaction shown in the structure of a protamine-transfer RNA complex and a nucleoprotamine model. 1978, 271, 130-5	71 29 10 152
1982 1981 1980 1979	Higher frequencies of transitions among point mutations. 1977, 9, 159-80  Use of Chou-Fasman amino acid conformational parameters to analyze the organization of the genetic code and to construct protein genealogies. 1977, 10, 7-47  The measurement of small nuclear overhauser effects in the 1H spectra of proteins, and their application to lysozyme. 1978, 31, 459-469  alpha-Helix-double helix interaction shown in the structure of a protamine-transfer RNA complex and a nucleoprotamine model. 1978, 271, 130-5  Regular and non-regular secondary structure in globular proteins. 1978, 272, 185-7  Synthesis and characterization of a metal-binding peptide fragment of human carbonic anhydrase	71 29 10 152 2

1974	Solution properties of a cell wall protein fromAcetabularia (Polyphysa) cliftonii. 1978, 93, 443-461	3
1973	beta sheet formation by L-methionine oligopeptides. <b>1978</b> , 535, 188-92	8
1972	Structural relatedness of kappa-casein and fibrinogen gamma-chain. <b>1978</b> , 11, 271-7	71
1971	Studies on the conformational properties of the high-mobility-group chromosomal protein HMG 17 and its interaction with DNA. <b>1978</b> , 84, 173-7	84
1970	Laser-Raman spectroscopy of biomolecules. XI. Conformational study of poly(L-valine) and copolymers of L-valine and L-alanine. <b>1978</b> , 17, 125-143	25
1969	Prediction of 歌heets in immunoglobulin chains. Comparison of various methods and an expanded 20 比0 table for evaluation of the effects of nearest-neighbors on conformations of middle amino acids in proteins. <b>1978</b> , 17, 555-572	10
1968	Conformational studies of sequential polypeptides containing lysine and tyrosine. <b>1978</b> , 17, 1837-1848	26
1967	Conformational properties of the N-terminal residues of S-peptide. I. The ribonuclease S? system. <b>1978</b> , 17, 2525-2543	5
1966	Protein semisynthesis. <b>1978</b> , 3, 269-271	3
1965	Prediction of the conformation of the cow and sheep kappa-caseins. <b>1978</b> , 23, 323-36	54
1964	Conformational prediction and circular dichroism studies on ribosomal protein S4 from Escherichia coli. <b>1978</b> , 23, 359-73	11
1963	The hemoglobin of the common sting-ray, Dasyatis sabina: structural and functional properties. <b>1978</b> , 60, 189-93	8
1962	Preliminary crystallographic data for a chloramphenicol acetyltransferase from Escherichia coli. <b>1978</b> , 124, 285-6	10
1961	Refolding of bovine pancreatic trypsin inhibitor modified at methionine-52. <b>1978</b> , 119, 507-18	14
1960	Conformation of amino acid side-chains in proteins. <b>1978</b> , 125, 357-86	705
1959	An analysis of the structure of triose phosphate isomerase and its comparison with lactate dehydrogenase. <b>1978</b> , 119, 329-51	40
1958	On the evolution of myoglobin. <b>1978</b> , 283, 61-163	85
1957	Conformational states of a hydrophobic protein. The coat protein of fd bacteriophage. <i>Biochemistry</i> , <b>1978</b> , 17, 1239-46	67

1956	Immunoglobulin structure and effector functions. <b>1978</b> , 15, 695-714	109
1955	Alpha-1-Antitrysin: structural relationships of the substitutions of the S and Z variants. <b>1978</b> , 88, 234-6	12
1954	The Chou-Fasman secondary structure prediction method with an extended data base. <b>1978</b> , 93, 19-24	56
1953	The hydrophobic anchor of small-intestinal sucraseisomaltase: N-terminal sequence of isomaltase subunit. <b>1978</b> , 96, 183-8	86
1952	Association of the major coat protein of fd bacteriophage with phospholipid vesicles. <b>1978</b> , 510, 18-37	34
1951	L-3,4-dehydroproline analogs of bradykinin. Synthesis, biological activity, and solution conformation. <b>1978</b> , 189, 81-5	19
1950	The intramembranous segment of human erythrocyte glycophorin A. <b>1978</b> , 185, 21-9	73
1949	Some physical properties of paramyosin from earthworms. <b>1978</b> , 185, 488-95	8
1948	Studies on cytochrome c oxidase, II. The chemical constitution of a short polypeptide from the beef heart enzyme. <b>1978</b> , 359, 1005-9	96
1947	Complete amino acid sequence of the alpha 2 heavy chain of a human IgA2 immunoglobulin of the A2m (2) allotype. <b>1978</b> , 75, 966-9	56
1946	Proposed knobs-into-holes packing for several membrane proteins. <b>1978</b> , 2, 1-16	21
1945	Studies on the ferredoxin-ferredoxin-NADP reductase complex: kinetic and solvent perturbation studies on the location of sulfhydryl and aromatic amino acid residues. <b>1978</b> , 84, 707-17	23
1944	The sulfhydryl groups involved in the active site of myosin B adenosinetriphosphatase. IV. Structure around the Sa thiol group. <b>1978</b> , 83, 49-56	3
1943	CHEMISTRY AND BIOCHEMISTRY OF SNAKE VENOM NEUROTOXINS. 1978, 261-292	4
1942	SociEBelge DE Biophysique Belgische Vereniging Voor Biofysica: Rūnion D'Anvers, 1er Juin 1979. <b>1979</b> , 87, 1005-1058	
1941	Principles of Protein Structure. <b>1979</b> ,	821
1940	Molecular structure determination by high resolution electron microscopy. <b>1979</b> , 8, 129-44	13
1939	[Hemoglobins, XXV. Hemoglobin (erythrocruorin) CTT III from Chironomus thummi thummi (Diptera). Primary structure and relationship to other heme proteins (author's transl)]. <b>1979</b> , 360, 89-97	39

1938	Application of distance geometry to protein tertiary structure calculations. <b>1979</b> , 18, 939-957		87
1937	The conformation and aggregation of bovine tasein A. I. Molecular aspects of thermal aggregation. <b>1979</b> , 18, 1105-1121		108
1936	Composite predictions of secondary structures of lac repressor. <b>1979</b> , 18, 2625-43		18
1935	The spatial distribution of physical, chemical, energetic and conformational properties of amino acid residues in globular proteins. <b>1979</b> , 80, 485-504		30
1934	Investigation of protein folding: uneven distribution of point mutations along polypeptide chains. <b>1979</b> , 81, 247-58		5
1933	Human alcohol dehydrogenase ADH2 and ADH3 polymorphisms in ethnic Chinese and Indians of West Malaysia. <b>1979</b> , 53, 87-90		47
1932	Design, synthesis and characterisation of a 34-residue polypeptide that interacts with nucleic acids. <b>1979</b> , 281, 650-5		93
1931	Nucleotide sequence of a cDNA clone encoding human preproinsulin. <b>1979</b> , 282, 525-7		147
1930	Primary structure of a chloramphenicol acetyltransferase specified by R plasmids. <b>1979</b> , 282, 870-2		127
1929	The primary structure of the coat protein of alfalfa mosaic virus strain VRU. A hypothesis on the occurrence of two conformations in the assembly of the protein shell. <b>1979</b> , 102, 125-38		22
1928	Determination of the hydrophobic binding site of phosphatidylcholine exchange protein with photosensitive phosphatidylcholine. <b>1979</b> , 99, 439-45		47
1927	Solution conformation of virginiamycin S. III. Patricin A: A further model for cooperative effects of the Pro ring conformation and backbone. <b>1979</b> , 577, 337-45		9
1926	Local interactions as a structure determinant for protein molecules: III. <b>1979</b> , 576, 229-46		16
1925	A review of the unique features of HDL apoproteins. <b>1979</b> , 14, 428-34		24
1924	Effect of nitration on prolactin activities. <b>1979</b> , 192, 112-9		11
1923	Conformational change and self association of monomeric melittin. <b>1979</b> , 102, 191-3		175
1922	Predicted secondary structure of calcitonin in relation to the biological activity. <i>Biochemical and Biophysical Research Communications</i> , <b>1979</b> , 87, 455-60	3.4	21
1921	Conformational features of bradykinin. A circular dichroism study of some peptide fragments and structural analogues of bradykinin. <b>1979</b> , 61, 87-92		7

1920	Thermal stability and protein structure. <i>Biochemistry</i> , <b>1979</b> , 18, 5698-703	3.2	498
1919	Primary structure of major outer membrane protein I of Escherichia coli B/r. <b>1979</b> , 76, 5014-7		76
1918	Complete amino acid sequence of a histidine-rich proteolytic fragment of human ceruloplasmin. <b>1979</b> , 76, 1668-72		30
1917	beta-Endorphin: formation of alpha-helix in lipid solutions. <b>1979</b> , 76, 3656-9		58
1916	Structure of the A2m(1) allotype of human IgAa recombinant molecule. <b>1979</b> , 76, 1104-8		68
1915	Primary structure of the membrane-binding segment of rabbit cytochrome b5. <b>1979</b> , 86, 1119-28		30
1914	Liquid Phase Peptide Synthesis by Fragment Condensation on Soluble Polymer Support. IV. Relative Reactivities of N-t-Butoxycarbonyl-(Boc)amino Acids and Boc-Oligopeptide Acids in Their Esterification with Soluble Chloromethylated Polystyrene. <b>1980</b> , 53, 2405-2406		1
1913	Liquid-phase Peptide Synthesis by Fragment Condensation on a Soluble Polymer Support. III. The Influence of the Content and the Chain Length of a Peptide Anchored to a Soluble Polymer Support on the Reactivity of the Amino-free Terminal of the Peptide. <b>1980</b> , 53, 1028-1033		11
1912	Primary structure of elongation factor Tu from Escherichia coli. <b>1980</b> , 77, 1326-30		191
1911	Identification of a region susceptible to proteolysis in myosin subfragment-2. <b>1980</b> , 77, 2010-3		30
1910	A theoretical study of the structure of parathyroid hormone. <b>1980</b> , 77, 3791-5		28
1909	Partial amino acid sequence of human factor D:homology with serine proteases. <b>1980</b> , 77, 1116-9		22
1908	Sequences of the recA gene and protein. <b>1980</b> , 77, 2611-5		263
1907	Conformational studies of the synthetic precursor-specific region of preproparathyroid hormone. <b>1980</b> , 77, 3983-7		107
1906	Darstellung, Charakterisierung und Konformationsbestimmung eines Undekapeptidhydrazids der N-terminalen Alamethicin-Sequenz. <b>1980</b> , 1980, 1489-1506		21
1905	Amino-acid neighborhood relationships in proteins. Breakdown of amino-acid sequences into overlapping doublets, triplets and quadruplets. <b>1980</b> , 11, 67-75		4
1904	The intrinsic viscosity of glycoproteins. <b>1980</b> , 11, 91-6		15
1903	Relaxin-insulin homology: predictions of secondary structure and lack of competitive binding. <b>1980</b> , 11, 357-62		11

1902	Local hydrophobicity stabilizes secondary structures in proteins. <b>1980</b> , 19, 1617-28	67
1901	Secondary structural and "active site" homologies between nerve growth factor and insulin. <b>1980</b> , 83, 469-76	9
1900	Membrane asymmetry A survey and critical appraisal of the methodology II. Methods for assessing the unequal distribution of lipids. <b>1980</b> , 604, 423-475	2
1899	Internal residue criteria for predicting three-dimensional protein structures. <b>1980</b> , 622, 259-67	13
1898	Conformation of colipase. Prediction of the secondary structure, circular dichroism and 360 MHz proton NMR studies of porcine colipase A. <b>1980</b> , 621, 29-42	33
1897	The secondary structure of staphylococcal enterotoxins A, B and C. <b>1980</b> , 621, 233-40	13
1896	Primary structure of triosephosphate isomerase from Bacillus stearothermophilus. <b>1980</b> , 108, 599-611	44
1895	Prediction of secondary structural elements in glycerol-3-phosphate dehydrogenase by comparison with other dehydrogenases. <b>1980</b> , 109, 325-30	55
1894	Localisation and importance of the sugar part of human casein. <b>1980</b> , 111, 333-9	43
1893	Purification and primary structure determination of the N-terminal blocked protein, L11, from Escherichia coli ribosomes. <b>1980</b> , 112, 131-51	43
1892	Primary structure of diphtheria toxin fragment B: structural similarities with lipid-binding domains. <b>1980</b> , 87, 837-40	73
1891	Mouse immunoglobulin D: messenger RNA and genomic DNA sequences. <b>1980</b> , 209, 1353-60	122
1890	The dynamics of membrane structure. <b>1980</b> , 8, 1-117	106
1889	Tropomyosin-like seven residue periodicity in three immunologically distinct streptococal M proteins and its implications for the antiphagocytic property of the molecule. <b>1980</b> , 151, 695-708	116
1888	The complete primary structures of three cytotoxins (CM-6, CM-7 and CM-7A) from Naja naja kaouthia (Siamese cobra) snake venom. <b>1980</b> , 18, 455-67	24
1887	Stoichiometry and structure of a complex of acidic ribosomal proteins. <b>1980</b> , 142, 161-79	21
1886	Filamentous bacteriophage Pf1 structure determined at 7A resolution by refinement of models for the alpha-helical subunit. <b>1980</b> , 140, 149-81	70
1885	Packing of alpha-helices onto beta-pleated sheets and the anatomy of alpha/beta proteins. <b>1980</b> , 143, 95-128	104

## (1980-1980)

1884	Periodicity of alpha-helical potential in tropomyosin sequence correlates with alternating actin binding sites. <b>1980</b> , 136, 199-202	21
1883	Possible formation of a triple-stranded coiled-coil region in tropomyosin-troponin T binding complex. <b>1980</b> , 141, 217-22	21
1882	Amino acid preferences for secondary structure vary with protein class. <b>1980</b> , 2, 387-389	38
1881	The differential enzyme sensitivity of rat immunoglobulin G subclasses to papain and pepsin. <b>1980</b> , 17, 469-82	40
1880	Reverse turns in peptides and proteins. <b>1980</b> , 8, 315-99	430
1879	Membrane asymmetry. A survey and critical appraisal of the methodology. II. Methods for assessing the unequal distribution of lipids. <b>1980</b> , 604, 423-75	58
1878	Predicted secondary structure of cytoplasmic aspartate aminotransferase from pig heart. <b>1980</b> , 111, 56-60	
1877	A proposal for the structure of apamin. <b>1980</b> , 111, 189-93	26
1876	Conformation of a synthetic 34-residue polypeptide that interacts with nucleic acids. <b>1980</b> , 114, 161-4	15
1875	Conformational analysis of melittin using the residual representation. <b>1980</b> , 117, 277-80	2
1874	PREDICTION OF PROTEIN CONFORMATION FROM THE PRIMARY STRUCTURE *. <b>1980</b> , 348, 147-159	22
1873	Identification of the lipid binding site of the phosphatidylcholine exchange protein with a photosensitive nitrene and carbene precursor of phosphatidylcholine. <b>1980</b> , 348, 244-55	15
1872	X-ray and neutron scattering studies of plasma lipoproteins. <b>1980</b> , 348, 284-98	46
1871	RATIONAL DESIGN OF SYNTHETIC MODELS FOR LIPOPROTEINS *. <b>1980</b> , 348, 365-377	16
1870	Chou-Fasman analysis of the secondary structure of F and Le interferons. <i>Biochemical and Biophysical Research Communications</i> , <b>1980</b> , 95, 872-9	25
1869	Interaction of synthetic NH2-terminal fragments of bacteriophage lambda cro protein with nucleic acids. <i>Biochemical and Biophysical Research Communications</i> , <b>1980</b> , 95, 1071-9	2
1868	Primary structure of glycoprotein glycans: basis for the molecular biology of glycoproteins. <b>1980</b> , 37, 157-223	469
1867	Conformation and association of pancreatic polypeptide from three species. <i>Biochemistry</i> , <b>1980</b> , 19, 1838-43	43

1866	Isolation and characterization of a photoaffinity-labeled peptide from the catalytic site of prenyltransferase. <i>Biochemistry</i> , <b>1981</b> , 20, 3711-8	3.2	47
1865	Amino acid sequence of horse spleen apoferritin. <b>1981</b> , 129, 322-7		116
1864	Phosphorylated sites of chicken erythrocyte histone H5 by a cyclic AMP-independent protein kinase from mouse plasmocytoma cells. <b>1981</b> , 134, 103-6		4
1863	Physicochemical studies on delta haemolysin, a staphylococcal cytolytic polypeptide. <b>1981</b> , 130, 257-60		38
1862	Circular dichroism studies of synthetic Asn-X-Ser/Thr-containing peptides: Structure-glycosylation relationship. <b>1981</b> , 208, 20-9		39
1861	Secondary structure of bovine alpha s1- and beta-casein in solution. <b>1981</b> , 211, 689-96		152
1860	Observations on the thermostability of orosomucoid. <i>Biochemical and Biophysical Research Communications</i> , <b>1981</b> , 102, 761-5	3.4	8
1859	Structural stability of halophilic proteins. <i>Biochemistry</i> , <b>1981</b> , 20, 6536-43	3.2	82
1858	Analysis of the amino acid sequence of a tropomyosin-binding fragment from troponin-T. <b>1981</b> , 146, 259-63		22
1857	Secondary structure prediction of plant virus coat proteins. <b>1981</b> , 110, 55-62		36
1856	Existence of Ehelix in natural proteins. <b>1981</b> , 3, 243-247		3
1855	Conformational similarity among amino acid residues: 1. Analysis of protein crystal structure data. <b>1981</b> , 3, 171-178		11
1854	Decoding the pattern of protein evolution. <b>1981</b> , 38, 105-64		118
1853	The anatomy and taxonomy of protein structure. <b>1981</b> , 34, 167-339		2607
1852	Architecture of scorpion neurotoxins: a class of membrane-binding proteins. <b>1981</b> , 6, 291-296		53
1851	Complete amino acid sequence of a 50,000-dalton fragment of human ceruloplasmin. <b>1981</b> , 78, 790-4		24
1850	Prediction of protein antigenic determinants from amino acid sequences. <b>1981</b> , 78, 3824-8		3120
1849	Analysis of structural similarities between brain Thy-1 antigen and immunoglobulin domains. Evidence for an evolutionary relationship and a hypothesis for its functional significance. <b>1981</b> , 195, 31	-40	95

1848	Study of a zone highly sensitive to proteases in flavocytochrome b2 from Saccharomyces cerevisiae. <b>1981</b> , 120, 279-87	31
1847	Three-dimensional structure of actinoxanthin. III. A 4-Iresolution. <b>1981</b> , 20, 679-694	6
1846	13C-Nmr studies of ACTH: Assignment of resonances and conformational features. <b>1981</b> , 20, 901-913	14
1845	Conformational properties of central nervous system myelin basic protein, beta-endorphin, and beta-lipotropin in water and in the presence of anionic lipids. <b>1981</b> , 20, 1421-34	39
1844	Isolation and photo-oxidation of lysozyme fragments. <b>1981</b> , 20, 67-77	8
1843	Structural models of the nicotinic acetylcholine receptor and its toxin-binding sites. <b>1981</b> , 1, 231-58	9
1842	Structure of the neuraminidase gene in human influenza virus A/PR/8/34. 1981, 290, 213-7	204
1841	Protein structural models for nucleic acid interactions. <b>1981</b> , 93, 609-26	8
1840	Thermophiles and RNA stability. <b>1981</b> , 92, 479-81	1
1839	[A2-Norleucine]insulin. An analog with unanticipated biological properties. 1981, 362, 629-38	12
1838	Glucagon: structure-function relationships investigated by sequence deletions. <b>1981</b> , 362, 665-77	39
1837	Chemical studies on the structure of human serum high-density lipoprotein (HDL). Photochemical crosslinking of azido-labelled lipids in HDL. <b>1982</b> , 363, 19-31	11
1836	Primary structure of the C-terminal cyanogen bromide fragments II, III and IV from bovine brain proteolipid-apoprotein. <b>1982</b> , 363, 855-64	19
1835	Closely related families of genes code for the alpha and alpha' subunits of the soybean 7S storage protein complex. <b>1982</b> , 10, 8225-44	101
1834	Complete amino acid sequence and glycosylation sites of glycoprotein gp71A of Friend murine leukemia virus. <b>1982</b> , 79, 5788-92	27
1833	A STRUCTURAL APPROACH TO THE COPPER SITES OF THE BLUE ELECTRON TRANSFER PROTEINS. <b>1982</b> , 12, 1-17	5
1832	12 Pancreatic Ribonuclease. <b>1982</b> , 15, 317-433	140
1831	[60] Comparison of bacteriorhodopsin and rhodopsin molecular structure. <b>1982</b> , 88, 447-462	8

1830	Conformational analysis of corticotropin (ACTH) and conformation-activity relationship. <b>1981</b> , 63, 907-1	0	5
1829	The nucleotide sequence of the araC regulatory gene in Salmonella typhimurium LT2. <b>1982</b> , 18, 157-63		25
1828	Secondary structure prediction of protamines. <b>1982</b> , 4, 3-8		14
1827	Sequential polypeptides: 5. Statistical mechanical analysis of helix-coil transition in sequential polypeptides. <b>1982</b> , 4, 32-36		1
1826	Nucleotide sequence of the Q gene and the Q to S intergenic region of bacteriophage lambda. <b>1982</b> , 117, 81-92		37
1825	Local secondary structure in ribonuclease A denatured by guanidine . HCl near 1 degree C. <b>1982</b> , 162, 173-86		38
1824	Structure of 2-keto-3-deoxy-6-phosphogluconate aldolase at 2 . 8 A resolution. <b>1982</b> , 162, 419-44		80
1823	The three-dimensional structure of scorpion neurotoxins. <b>1982</b> , 20, 1-7		76
1822	Role of aromatic residues in the structure-function relationship of alpha-bungarotoxin. <i>Biochemistry</i> , <b>1982</b> , 21, 2592-600	3.2	28
1821	Stability of Proteins. <b>1982</b> , 35, 1-104		689
1821 1820	Stability of Proteins. 1982, 35, 1-104  Effect of dimethylsulfoxide on two synthetic Asn-X-Thr containing substrates of the oligosaccharyltransferase. <i>Biochemical and Biophysical Research Communications</i> , 1982, 105, 909-15	3.4	689
	Effect of dimethylsulfoxide on two synthetic Asn-X-Thr containing substrates of the	3.4	
1820 1819	Effect of dimethylsulfoxide on two synthetic Asn-X-Thr containing substrates of the oligosaccharyltransferase. <i>Biochemical and Biophysical Research Communications</i> , <b>1982</b> , 105, 909-15  Effect of the state of association of melittin and phospholipids on their reciprocal binding. <b>1982</b> ,	3.4	12
1820 1819	Effect of dimethylsulfoxide on two synthetic Asn-X-Thr containing substrates of the oligosaccharyltransferase. <i>Biochemical and Biophysical Research Communications</i> , <b>1982</b> , 105, 909-15  Effect of the state of association of melittin and phospholipids on their reciprocal binding. <b>1982</b> , 689, 106-12  A circular dichroism study of the structure of Apis mellifera melittin. <b>1982</b> , 216, 559-65	3.4	12
1820 1819 1818	Effect of dimethylsulfoxide on two synthetic Asn-X-Thr containing substrates of the oligosaccharyltransferase. <i>Biochemical and Biophysical Research Communications</i> , 1982, 105, 909-15  Effect of the state of association of melittin and phospholipids on their reciprocal binding. 1982, 689, 106-12  A circular dichroism study of the structure of Apis mellifera melittin. 1982, 216, 559-65  A molecular basis for the interactions of corticotropin with opiate receptors. 1982, 137, 209-12	3.4	12 25 18
1820 1819 1818	Effect of dimethylsulfoxide on two synthetic Asn-X-Thr containing substrates of the oligosaccharyltransferase. <i>Biochemical and Biophysical Research Communications</i> , <b>1982</b> , 105, 909-15  Effect of the state of association of melittin and phospholipids on their reciprocal binding. <b>1982</b> , 689, 106-12  A circular dichroism study of the structure of Apis mellifera melittin. <b>1982</b> , 216, 559-65  A molecular basis for the interactions of corticotropin with opiate receptors. <b>1982</b> , 137, 209-12  Improving the accuracy of secondary structure predictions. <b>1981</b> , 63, 951-4	3.4	12 25 18
1820 1819 1818 1817 1816	Effect of dimethylsulfoxide on two synthetic Asn-X-Thr containing substrates of the oligosaccharyltransferase. <i>Biochemical and Biophysical Research Communications</i> , <b>1982</b> , 105, 909-15  Effect of the state of association of melittin and phospholipids on their reciprocal binding. <b>1982</b> , 689, 106-12  A circular dichroism study of the structure of Apis mellifera melittin. <b>1982</b> , 216, 559-65  A molecular basis for the interactions of corticotropin with opiate receptors. <b>1982</b> , 137, 209-12  Improving the accuracy of secondary structure predictions. <b>1981</b> , 63, 951-4	3.4	12 25 18 7

1812	Possible conformation of interferons: a prediction based on amino acid composition and sequence. <b>1982</b> , 4, 7-14	37
1811	Prediction of a triple-stranded coiled-coil region in tropomyosin-troponin T complex. <b>1982</b> , 94, 743-82	7
1810	Parameters affecting the superreactivity of the cysteine side chain in histone H3. Characterization of a 32-amino-acid peptide including Cys-110. <b>1982</b> , 123, 23-8	5
1809	Different modes of membrane interactions of the signal sequence of carp preproinsulin and of the insertion sequence of rabbit cytochrome b5. <b>1982</b> , 123, 121-6	36
1808	A BASIC microcomputer program for plotting the secondary structure of proteins. <b>1982</b> , 15, 163-8	41
1807	HelixBoil stability constants for the naturally occurring amino acids in water. XXI. Glutamine parameters from random poly(hydroxypropylglutamine-co-L-glutamine) and poly(hydroxybutylglutamine-co-L-glutamine). <b>1982</b> , 21, 51-77	9
1806	Conservativity of three-dimensional structures of alpha-, beta- and gamma-interferons. <b>1982</b> , 5, 223-6	9
1805	Differential geometry of proteins: a structural and dynamical representation of patterns. <b>1982</b> , 98, 189-209	26
1804	Prediction of super-secondary structure in proteins. <b>1983</b> , 301, 540-2	97
1803	Complete amino acid sequence of a mouse epidermal keratin subunit and implications for the structure of intermediate filaments. <b>1983</b> , 302, 794-800	342
1802	Structural homology of lens crystallins. A method to detect protein structural homology from primary sequences. <b>1983</b> , 131, 143-8	24
1801	Amino-acid sequence of feather keratin from fowl. <b>1983</b> , 132, 501-7	95
1800	Markov analysis of alpha-helical, beta-sheet and random coil regions of proteins. <b>1983</b> , 37, 89-94	4
1799	Structural homology between hard alpha-keratin and the intermediate filament proteins desmin and vimentin. <b>1983</b> , 3, 73-8	66
1798	Structural homology of lens crystallins. III. Secondary structure estimation from circular dichroism and prediction from amino acid sequences. <b>1983</b> , 748, 56-67	61
1797	Assessment of secondary-structure prediction of proteins. Comparison of computerized Chou-Fasman method with others. <b>1983</b> , 748, 285-99	88
1796	A model for the three-dimensional structure of glucagon. <b>1983</b> , 105, 403-25	40
1795	Structural and functional properties of the non-muscle tropomyosins. <i>Molecular and Cellular Biochemistry</i> , <b>1983</b> , 57, 127-46	96

1794	Structural and functional properties of the non-muscle tropomyosins. <i>Molecular and Cellular Biochemistry</i> , <b>1983</b> , 57, 127	4.2	1
1793	Theory of protein secondary structure and algorithm of its prediction. <b>1983</b> , 22, 15-25		236
1792	Conformation of sequential polypeptides of (Lysi-Leuj), (Lysi-Serj), and (Lys-Gly) in sodium dodecyl sulfate solution. <b>1983</b> , 22, 2237-52		9
1791	Evidence that natural selection acts on silent mutation. <b>1983</b> , 16, 101-11		12
1790	A copper-binding site in cytochrome oxidase. The secondary structure of subunit II. <b>1983</b> , 18, 1-9		5
1789	Conformational properties of the neurotoxins and cytotoxins isolated from Elapid snake venoms. <b>1983</b> , 14, 113-71		179
1788	Acyl carrier protein from Escherichia coli I. Aspects of the solution structure as evidenced by proton nuclear Overhauser experiments at 500 MHz. <i>Biochemistry</i> , <b>1983</b> , 22, 4485-93	3.2	11
1787	Sensory transducers of E. coli are composed of discrete structural and functional domains. <b>1983</b> , 33, 615-22		223
1786	Chloramphenicol acetyltransferase: enzymology and molecular biology. 1983, 14, 1-46		215
1785	Sequence of the hemagglutinin gene from influenza virus A/Seal/Mass/1/80. <b>1983</b> , 129, 298-308		51
1784	Stability and melting kinetics of structural domains in the myosin rod. <b>1983</b> , 164, 431-50		32
1783	Is adrenal proenkephalin glycosylated?. <b>1983</b> , 224, 402-4		16
1782	Recognition of signal sequences. <b>1983</b> , 161, 176-9		19
1781	Gene and protein sequences of adenovirus protein VII, a hybrid basic chromosomal protein. <b>1983</b> , 80, 2902-6		49
1780	Surface properties of an amphiphilic peptide hormone and of its analog: corticotropin-releasing factor and sauvagine. <b>1983</b> , 80, 7070-4		66
1779	Biosynthesis, processing, and secretion of parathormone and secretory protein-I. <b>1983</b> , 39, 181-209		9
1778	Structure of mammalian metallothionein. <b>1984</b> , 54, 93-103		60
1777	Similarity in gene organization and homology between proteins of animal picornaviruses and a plant comovirus suggest common ancestry of these virus families. <b>1984</b> , 12, 7251-67		219

1776	Thin filament proteins and thin filament-linked regulation of vertebrate muscle contraction. <b>1984</b> , 16, 235-305	350
1775	Structure of Mammalian Metallothionein. <b>1984</b> , 54, 93	40
1774	Biopolymers. <b>1984</b> , 47, 1133-1232	25
1773	Gonococcal pili. Primary structure and receptor binding domain. <b>1984</b> , 159, 1351-70	144
1772	Evolutionary divergence of genes for ornithine and aspartate carbamoyl-transferasescomplete sequence and mode of regulation of the Escherichia coli argF gene; comparison of argF with argI and pyrB. <b>1984</b> , 12, 6277-89	73
1771	Chemical aspects of the structure, function and evolution of superoxide dismutases. <b>1984</b> , 91, 307-317	27
1770	A statistical method for predicting alpha-helical and beta-sheet regions in proteins from their amino acidic sequences. <b>1984</b> , 3, 421-435	3
1769	A classification of peptide ligands based on their predicted receptor conformation. <b>1984</b> , 787, 53-60	11
1768	The prediction of protein domains. <b>1984</b> , 790, 117-24	29
1767	The surface of the African trypanosomes. <b>1984</b> , 31, 60-4	9
1766	Primary structure of flavocytochrome b2 from baker's yeast. Purification by reverse-phase high-pressure liquid chromatography and sequencing of fragment alpha cyanogen bromide peptides. <b>1984</b> , 139, 59-74	8
1765	Structural implications of primary sequences from a family of Balbiani ring-encoded proteins in Chironomus. <b>1984</b> , 20, 296-303	35
1764	Protein structure and function, from a colloidal to a molecular view. <b>1984</b> , 49, 1-55	65
1763	Complete sequence of the Sendai virus NP gene from a cloned insert. <b>1984</b> , 135, 279-87	61
1762	Monoclonal antibodies and the characterization of apolipoprotein structure and function. <b>1984</b> , 23, 169-95	21
1761	Primary structures and genetic changes in mammalian carbonic anhydrase isozymes. <b>1984</b> , 429, 183-94	11
1760	Polarization optical analysis of blood cell membranes. <b>1984</b> , 15, 1-100	9
1759	Primary structural comparison of RNA-dependent polymerases from plant, animal and bacterial viruses. <b>1984</b> , 12, 7269-82	727

1758	Epidermal growth factor from the mouse. Structural characterization by proton nuclear magnetic resonance and nuclear overhauser experiments at 500 MHz. <i>Biochemistry</i> , <b>1984</b> , 23, 3960-73	. 19	
1757	Exploring the conformational roles of signal sequences: synthesis and conformational analysis of lambda receptor protein wild-type and mutant signal peptides. <i>Biochemistry</i> , <b>1984</b> , 23, 3111-4	. 11	5
1756	A model for the secondary structure of beta-lactamases. <b>1984</b> , 175, 267-74	5	
1755	Comparative study on the secondary structure of lysozymes from different sources. <b>1984</b> , 77, 83-8	13	
1754	Sequence analysis of a region from the early right operon in phage P22 including the replication genes 18 and 12. <b>1984</b> , 32, 289-303	42	
1753	The Effect of Chain Length on the Formation of the Intermolecular	2	
1752	Protein differentiation: a comparison of aspartate transcarbamoylase and ornithine transcarbamoylase from Escherichia coli K-12. <b>1984</b> , 81, 4864-8	44	
1751	Trypanosome variant-specific glycoproteins: a polygene protein family with multiple folding patterns?. <b>1984</b> , 81, 998-1002	18	
1750	The complete cDNA and deduced amino acid sequence of a type II mouse epidermal keratin of 60,000 Da: analysis of sequence differences between type I and type II keratins. <b>1984</b> , 81, 5709-13	10	7
1749	Cloning of a cDNA encoding rat intestinal fatty acid binding protein. <b>1984</b> , 81, 313-7	18	3
1748	Critical Peptide Size for Insolubility Caused by a ®heet Aggregation and Solubility Improvement in Hydrophobic Peptides by Replacement of Alanine Residues with ⊕Aminoisobutyric Acid Residues. <b>1985</b> , 58, 2494-2501	39	
1747	Presence of two distinct regions in the coiled-coil structure of the streptococcal Pep M5 protein: relationship to mammalian coiled-coil proteins and implications to its biological properties. <b>1985</b> , 82, 1064-8	88	
1746	Isolation and nucleotide sequencing of lactose carrier mutants that transport maltose. <b>1985</b> , 82, 3959-63	81	
1745	Mapping of the C3d receptor (CR2)-binding site and a neoantigenic site in the C3d domain of the third component of complement. <b>1985</b> , 82, 4235-9	86	
1744	Developmentally regulated cytokeratin gene in Xenopus laevis. <b>1985</b> , 5, 2575-81	47	
1743	The presence of a copper/zinc superoxide dismutase in the bacterium Photobacterium leiognathi: a likely case of gene transfer from eukaryotes to prokaryotes. <b>1985</b> , 82, 149-52	75	
1742	Nature of the charged-group effect on the stability of the C-peptide helix. <b>1985</b> , 82, 2349-53	29	9
1741	Primary structure of rat thymus prothymosin alpha. <b>1985</b> , 82, 343-6	98	

1740	Primary structure and gene organization of human hepatitis A virus. <b>1985</b> , 82, 2627-31	146
1739	Nature of the Charge Distribution in Proteins. III. Electric Multipole Structures. <b>1985</b> , 54, 4047-4052	15
1738	Analysis of the factors and implications of an empirical method for estimating the stability of mutant human haemoglobins. <b>1985</b> , 117, 19-46	2
1737	The riboflavin-sensitized photooxidation of horseradish apoperoxidase. <b>1985</b> , 24, 57-61	7
1736	Diversity and structure of genes of the alpha family of mouse T-cell antigen receptor. <b>1985</b> , 316, 783-7	231
1735	Design of analogues of parathyroid hormone: A conformational approach. <b>1985</b> , 4, 391-406	8
1734	The primary structure of human hemopexin deduced from cDNA sequence: evidence for internal, repeating homology. <b>1985</b> , 13, 3841-59	75
1733	A critique of the utility of the prediction of protein secondary structure. <i>Journal of Biosciences</i> , <b>1985</b> , 8, 15-23	7
1732	The complete amino acid sequence of diphtheria toxin fragment B. Correlation with its lipid-binding properties. <b>1985</b> , 827, 45-50	25
1731	Glycinin A5A4B3 mRNA: cDNA cloning and nucleotide sequencing of a splitting storage protein subunit of soybean. <b>1985</b> , 149, 491-6	56
1730	Conformation-function relationships in hydrophobic peptides: interior turns and signal sequences. <b>1985</b> , 24, 117-35	16
1729	Sequence-dependence of secondary structure formation: conformational studies of host-guest peptides in alpha-helix and beta-structure supporting media. <b>1985</b> , 24, 1057-74	46
1728	Synthesis and characterization of six sequential polypeptides containing tyrosine, glutamic acid, alanine, and glycine by circular dichroism and difference spectroscopy. <b>1985</b> , 24, 1215-32	1
1727	In vivo function and membrane binding properties are correlated for Escherichia coli lamB signal peptides. <b>1985</b> , 228, 1096-9	124
1726	Thymosin beta 4. <b>1985</b> , 116, 248-55	14
1725	Visualization of nucleic acid sequence structural information. <b>1985</b> , 1, 35-42	3
1724	Variants within the yeast Ty sequence family encode a class of structurally conserved proteins. <b>1985</b> , 13, 4097-112	43
1723	Biochemistry and physiology of bioluminescent bacteria. <b>1985</b> , 26, 235-91	163

1722	500-MHz 1H NMR studies of ragweed allergen Ra5. <i>Biochemistry</i> , <b>1985</b> , 24, 2747-53	3.2	9
	Structural and functional implications of amino acid sequences of keratin intermediate filament subunits. <b>1985</b> , 455, 451-61		15
1720 /	Antigenic variants of CVS rabies virus with altered glycosylation sites. <b>1985</b> , 140, 1-12		78
<sub>1719</sub> .	The role of the alpha-helix dipole in protein function and structure. <b>1985</b> , 45, 149-95		444
1718	Structure of interferons. <b>1985</b> , 27, 371-401		54
1717	Primary structure of the succinyl-CoA synthetase of Escherichia coli. <i>Biochemistry</i> , <b>1985</b> , 24, 6245-52	3.2	77
	Apolipoprotein E: phospholipid binding studies with synthetic peptides containing the putative receptor binding region. <i>Biochemistry</i> , <b>1985</b> , 24, 6984-8	3.2	24
イフィト	Sequence homology among the coat proteins of gemini viruses. <i>Biochemical and Biophysical Research Communications</i> , <b>1985</b> , 130, 892-6	3.4	4
	A proposal for the structure of conotoxina potent antagonist of the nicotinic acetylcholine receptor. <b>1985</b> , 184, 181-4		20
	Sequence homology between the coat proteins of DNA and RNA plant viruses. <i>Biochemical and Biophysical Research Communications</i> , <b>1986</b> , 134, 372-7	3.4	4
	The primary structure of cytochrome P-450d purified from rat liver microsomes: prediction of helical regions and domain analysis. <b>1986</b> , 244, 323-37		18
1711 /	A sequence homology between the pX genes of HTLV-I/II and the murine IL-3 gene. <b>1986</b> , 208, 231-5		5
1710	Secondary structure prediction of human salivary proline-rich proteins. <b>1986</b> , 198, 140-4		9
1709 .	The modelling of electrostatic interactions in the function of globular proteins. <b>1986</b> , 48, 37-66		77
	Characterization of a major early gene from the human cytomegalovirus long inverted repeat; predicted amino acid sequence of a 30-kDa protein encoded by the 1.2-kb mRNA. <b>1986</b> , 155, 172-82		18
	Expression of the Epstein-Barr virus 138-kDa early protein in Escherichia coli for the use as antigen in diagnostic tests. <b>1986</b> , 42, 303-12		30
1706 (	Correlation of structural changes in parathyroid hormone with its vascular action. <b>1986</b> , 7, 1131-5		9
1705	[Human apolipoprotein E: polymorphism and binding domain of the receptors]. 1986, 68, 629-37		

1704	somatomedin-like activity of expressed protein. <b>1986</b> , 1, 17-21	2
1703	Structure-activity relationships of the yeast alpha-factor. <b>1986</b> , 21, 225-48	43
1702	Studies of the secondary structures of amelogenin from bovine tooth enamel. <i>Biochemistry</i> , <b>1986</b> , 25, 4879-87	65
1701	Importance of the 10-13 region of glucagon for its receptor interactions and activation of adenylate cyclase. <i>Biochemistry</i> , <b>1986</b> , 25, 3833-9	39
1700	Nucleotide sequence and deduced amino acid sequence of Escherichia coli adenine phosphoribosyltransferase and comparison with other analogous enzymes. <b>1986</b> , 43, 287-93	139
1699	malM, a new gene of the maltose regulon in Escherichia coli K12. II. Mutations affecting the signal peptide of the MalM protein. <b>1986</b> , 191, 313-20	10
1698	Role of the N-terminal part of the coat protein in the assembly of cowpea chlorotic mottle virus. A 500 MHz proton nuclear magnetic resonance study and structural calculations. <b>1986</b> , 191, 453-60	44
1697	The multifunctional role of C3: structural analysis of its interactions with physiological ligands. <b>1986</b> , 23, 1237-42	20
1696	The Origin of Cellular Electrical Potentials. <b>1986</b> , 45-68	1
1695	Use of hydrophobicity profiles to predict receptor binding domains on apolipoprotein E and the low density lipoprotein apolipoprotein B-E receptor. <b>1986</b> , 83, 2295-9	55
1694	Reassembly of low-density lipoproteins. <b>1986</b> , 128, 582-608	15
1693	Intracellular processing and secretion of parathyroid gland proteins. <b>1986</b> , 43, 283-316	19
1692	Purification and characterization of fimbriae from Salmonella enteritidis. 1986, 168, 221-7	44
1691	Molecular mechanisms of protein secretion: the role of the signal sequence. <b>1986</b> , 38, 109-80	184
1690	Infrared Absorption Study of Human Proinsulin C-Peptide Fragments in the Solid State. <b>1986</b> , 59, 2439-2443	19
1689	Infrared Absorption Study of Human Proinsulin C-Peptide Fragments in Dichloromethane. <b>1986</b> , 59, 2445-244	<b>9</b> 19
1688	Nucleotide and derived amino acid sequences of a cDNA coding for pre-uteroglobin from the lung of the hare (Lepus capensis). <b>1986</b> , 235, 895-8	16
1687	Structural studies on lamin. Similarities and differences between lamin and intermediate-filament proteins. <b>1986</b> , 238, 305-8	63

1686	Evaluation of methods for the prediction of membrane protein secondary structures. 1986, 83, 9423-7	72
1685	Secondary structure of component 8c-1 of alpha-keratin. An analysis of the amino acid sequence. <b>1986</b> , 236, 705-12	77
1684	Investigations of primary and secondary structure of porcine ubiquitin. Its N epsilon-acetylated lysine derivative. <b>1986</b> , 18, 473-6	5
1683	Shanghai peptide seminar. November 19-21, 1985. <b>1986,</b> 25 Suppl, S1-266	10
1682	Phylogenetic trees constructed from hydrophobicity values of protein sequences. <b>1986</b> , 119, 189-96	7
1681	Affinity of nonhomologous amphiphilic peptides toward a monoclonal antibody raised against apolipoprotein A-I. <b>1986</b> , 1, 280-6	4
1680	Dilatometric and calorimetric studies of the effect of staphylococcus aureus delta-lysin on the phospholipid phase transition. <b>1986</b> , 15, 189-198	10
1679	Sequence homology of the yeast regulatory protein ADR1 with Xenopus transcription factor TFIIIA. <b>1986</b> , 320, 283-7	219
1678	The classification of amino acid conservation. <b>1986</b> , 119, 205-18	447
1677	The primary structure of feather keratins from duck (Anas platyrhynchos) and pigeon (Columba livia). <b>1986</b> , 873, 6-12	14
1676	A conformational preference parameter to predict helices in integral membrane proteins. <b>1986</b> , 869, 197-214	464
1675	A Pascal microcomputer program for prediction of protein secondary structure and hydropathic segments. <b>1986</b> , 2, 211-5	3
1674	Nucleotide sequence of the bovine parainfluenza 3 virus genome: the genes of the F and HN glycoproteins. <b>1987</b> , 15, 2945-58	39
1673	Approaching a complete classification of protein secondary structure. <b>1987</b> , 5, 689-704	27
1672	Infrared Absorption Study of Peptide Fragments of Human Hemoglobin Echain (123 <b>1</b> ]36) in the Solid State. <b>1987</b> , 60, 2445-2451	14
1671	Infrared Absorption Study of Human Hemoglobin Echain (123🛭 36) Fragments in Dichloromethane. <b>1987</b> , 60, 3255-3259	8
1670	Peptide and nucleotide sequences of rat CD4 (W3/25) antigen: evidence for derivation from a structure with four immunoglobulin-related domains. <b>1987</b> , 84, 1649-53	144
1669	Molecular cloning and amino acid sequence of leukotriene A4 hydrolase. <b>1987</b> , 84, 6677-81	123

1668	Extensive amino acid sequence homologies between animal lectins. 1987, 84, 6345-8	86
1667	Helix stabilization by GluLys+ salt bridges in short peptides of de novo design. <b>1987</b> , 84, 8898-902	846
1666	High-affinity L-arabinose transport operon. Nucleotide sequence and analysis of gene products. <b>1987</b> , 197, 37-46	68
1665	T-even-type bacteriophages use an adhesin for recognition of cellular receptors. <b>1987</b> , 194, 23-30	38
1664	Occurrence of nucleotide triplets in genes and secondary structure of the coded proteins. <b>1987</b> , 9, 49-53	12
1663	A rice glutelin and a soybean glycinin have evolved from a common ancestral gene. <b>1987</b> , 55, 245-53	42
1662	Monoclonal antibodies to the glycoprotein of vesicular stomatitis virus (New Jersey serotype): a method for preliminary mapping of epitopes. <b>1987</b> , 161, 533-40	25
1661	A structural model for the alpha-subunit of transducin. Implications of its role as a molecular switch in the visual signal transduction mechanism. <b>1987</b> , 220, 15-22	29
1660	Arrangement of the light-harvesting chlorophyll a/b protein complex in the thylakoid membrane. <b>1987</b> , 890, 346-351	39
1659	Third type of secondary structure: noncooperative mobile conformation. Protein Data Bank analysis. <i>Biochemical and Biophysical Research Communications</i> , <b>1987</b> , 146, 934-8	34
1658	An alternate cDNA encoding glycinin A1aBx subunit. <b>1987</b> , 35, 210-214	22
1657	Sequence analysis of the 17-kilodalton-antigen gene from Rickettsia rickettsii. <b>1987</b> , 169, 2385-90	52
1656	Structure <b>E</b> unction Relationships of Gonadotropins. <b>1987</b> , 383-429	2
1655	cDNA cloning and complete primary structure of the alpha subunit of a leukocyte adhesion glycoprotein, p150,95 <i>EMBO Journal</i> , <b>1987</b> , 6, 4023-4028	195
1654	Stabilization of alpha helices by ion pairs. <b>1987</b> , 32, 289-296	2
1653	Ion pairs in alpha helices. <b>1987</b> , 2, 64-71	61
1652	Continuous compact protein domains. <b>1987</b> , 2, 90-110	27
1651	The continuous antigenic regions in the second domain of the beta chain of human MHC DR2 antigen: antigenic profile of the entire extracellular part of the chain. <b>1987</b> , 17, 769-73	10

1650	The road from poly(alpha-amino acids) to the prediction of protein conformation. 1987, 26 Suppl, S59-79	27
1649	Proline-induced constraints in alpha-helices. <b>1987</b> , 26, 1587-600	100
1648	Tentative rules for increasing the thermostability of enzymes by protein engineering. 1987, 9, 238-244	17
1647	Prediction of the structure of proteins using related structures, energy minimization and computer graphics. <b>1987</b> , 5, 133-140	13
1646	Structure and function relationship of staphylocoagulase. <b>1987</b> , 6, 17	6
1645	Comparison of conformations of Ecasein, para-Ecasein and glycomacropeptide. <b>1987</b> , 911, 318-325	19
1644	Secondary structure predictions and medium range interactions. <b>1987</b> , 916, 200-4	139
1643	The use of folding patterns in the prediction of protein topologies. <b>1987</b> , 916, 54-65	3
1642	Tests of the helix dipole model for stabilization of alpha-helices. <b>1987</b> , 326, 563-7	608
1641	An 18 amino acid amphiphilic helix forms the membrane-anchoring domain of the Escherichia coli penicillin-binding protein 5. <b>1987</b> , 1, 23-8	48
1640	Nuclear basic protein transition during sperm differentiation. Amino acid sequence of a spermatid-specific protein from the dog-fish Scylliorhinus caniculus. <b>1987</b> , 169, 105-11	8
1639	Prediction of protein helix content from an autocorrelation analysis of sequence hydrophobicities. 1988, 27, 451-77	60
1638	A basic library of microcomputer programs to obtain immunologically relevant information from protein sequences. <b>1988</b> , 22, 165-81	
1637	On the appearance and role of a spacer group in the protein amino acids. <b>1988</b> , 27, 147-53	1
1636	Incorporation of FT-IR spectral data in a computer-assisted prediction of globular protein structure. <b>1988</b> , 94, 121-124	
1635	The b-32 protein from maize endosperm, an albumin regulated by the O2 locus: nucleic acid (cDNA) and amino acid sequences. <b>1988</b> , 212, 481-7	26
1634	Characterization of the gene for the Fe-protein of the vanadium dependent alternative nitrogenase of Azotobacter vinelandii and construction of a Tn5 mutant. <b>1988</b> , 214, 121-7	39
1633	Lecithin:cholesterol acyltransferase activation by synthetic amphipathic peptides. <b>1988</b> , 3, 187-98	19

1632	Biological implications of complementary hydropathy of amino acids. <b>1988</b> , 135, 495-9	47
1631	On the interactions of charged side chains with the alpha-helix backbone. <b>1988</b> , 31, 29-34	5
1630	Adrenoferredoxin-binding peptide of NADPH-adrenoferredoxin reductase. 1988, 953, 207-13	11
1629	Spectral properties of fluorescent derivatives of the oligomycin sensitivity conferring protein and analysis of their interaction with the F1 and F0 sectors of the mitochondrial ATPase complex. 3.2 Biochemistry, <b>1988</b> , 27, 6288-96	15
1628	Fructose-1,6-bisphosphate aldolase from Drosophila melanogaster: primary structure analysis, secondary structure prediction, and comparison with vertebrate aldolases. <b>1988</b> , 266, 10-31	19
1627	Point mutations in glycoprotein gene of vesicular stomatitis virus (New Jersey serotype) selected by resistance to neutralization by epitope-specific monoclonal antibodies. <b>1988</b> , 163, 341-8	30
1626	Correlation between the surface hydrophobicities and elution orders of elapid neurotoxins and cardiotoxins on hydrophobic-interaction high-performance liquid chromatography. <b>1988</b> , 26, 475-83	1
1625	Amino acid substitutions in structurally related proteins. A pattern recognition approach. Determination of a new and efficient scoring matrix. <b>1988</b> , 204, 1019-29	282
1624	Analysis and prediction of the different types of beta-turn in proteins. 1988, 203, 221-32	896
1623	Immunochemical and biochemical properties of purposely designed synthetic peptides. <b>1988</b> , 527, 29-43	8
1622	Conformational analysis of vasoactive intestinal peptide and related fragments. 1988, 527, 51-67	24
1621	Primary structure of ICAM-1 demonstrates interaction between members of the immunoglobulin and integrin supergene families. <b>1988</b> , 52, 925-33	875
1620	Amino acid preferences for specific locations at the ends of alpha helices. <b>1988</b> , 240, 1648-52	1337
1619	Evolutionary and functional relationships between the basic and acidic beta-crystallins. 1988, 46, 375-403	46
1618	Isolation of a cDNA clone for the alpha subunit of the human GABA-A receptor. <i>Biochemical and Biophysical Research Communications</i> , <b>1988</b> , 156, 1039-45	27
1617	Influence of helical organization on immunogenicity and antigenicity of synthetic peptides. <b>1988</b> , 25, 673-8	30
1616	Isolation and sequence of a gene encoding a methionine-rich 10-kDa zein protein from maize. <b>1988</b> , 71, 359-70	101

1614	Helix signals in proteins. <b>1988</b> , 240, 1632-41	630
1613	Primary and predicted secondary structures of the caseins in relation to their biological functions. <b>1988</b> , 2, 251-9	127
1612	A computer graphics program system for protein structure representation. <b>1988</b> , 16, 1801-12	18
1611	Analysis of cDNA encoding the hypoxanthine-guanine phosphoribosyltransferase (HGPRTase) of Schistosoma mansoni; a putative target for chemotherapy. <b>1988</b> , 16, 7087-101	45
1610	A BASIC microcomputer program to calculate the secondary structure of proteins from their circular dichroism spectrum. <b>1988</b> , 4, 479-82	6
1609	A simple method for predicting the secondary structure of globular proteins: implications and accuracy. <b>1988</b> , 4, 357-65	32
1608	A protein secondary structure prediction scheme for the IBM PC and compatibles. 1988, 4, 473-7	6
1607	Hydrophobic microdomains as structural invariant regions in proteins. <b>1988</b> , 2, 115-8	9
1606	Type-specific neutralization of the human immunodeficiency virus with antibodies to env-encoded synthetic peptides. <b>1988</b> , 85, 1932-6	468
1605	Distinctive charge configurations in proteins of the Epstein-Barr virus and possible functions. <b>1988</b> , 85, 6637-41	9
1604	Structural requirements of human preproapolipoprotein AI for translocation and processing studied by site-directed mutagenesis in vitro. <b>1988</b> , 369, 1055-63	3
1603	Characterization of the cellular receptor for fibronectin through a hydropathic complementarity approach. <b>1988</b> , 85, 364-7	67
1602	Characterization of recombinant-derived granulocyte-colony stimulating factor (G-CSF). <b>1988</b> , 256, 213-8	22
1601	The 11-1 gene of Plasmodium falciparum codes for distinct fast evolving repeats <i>EMBO Journal</i> , <b>1988</b> , 7, 1129-1137	48
1600	Determination of the amino acid change responsible for the nontoxic, cross-reactive exotoxin A protein (CRM 66) of Pseudomonas aeruginosa PAO-PR1. <b>1988</b> , 170, 5385-8	13
1599	Molecular evolution of streptococcal M protein: cloning and nucleotide sequence of the type 24 M protein gene and relation to other genes of Streptococcus pyogenes. <b>1988</b> , 170, 676-84	90
1598	Prediction of beta-turns in proteins using neural networks. <b>1989</b> , 2, 521-6	84
1597	Topology of proteolipid protein in the myelin membrane of central nervous system. A study using antipeptide antibodies. <b>1989</b> , 370, 165-76	17

1596	Parallel association of Fos and Jun leucine zippers juxtaposes DNA binding domains. 1989, 243, 1695-9	572
1595	Amino-acid sequence of the short subfragment-2 in adult chicken skeletal muscle myosin. <b>1989</b> , 370, 549-58	2
1594	Complete amino-acid sequence of subfragment-2 in adult chicken skeletal muscle myosin. <b>1989</b> , 370, 1027-34	2
1593	Complementary peptides as interactive sites for protein binding. <b>1989</b> , 2, 229-38	10
1592	The role of three domains in the biological activity of human interferon-alpha. 1989, 9, 97-114	75
1591	Synthetic peptides approach to identification of epitopes on bovine leukemia virus envelope glycoprotein gp51. <b>1989</b> , 169, 34-41	37
1590	Synthetic peptides derived from the deduced amino acid sequence of the E-glycoprotein of Murray Valley encephalitis virus elicit antiviral antibody. <b>1989</b> , 171, 49-60	82
1589	Membrane-bound D-lactate dehydrogenase of Escherichia coli: a model for protein interactions in membranes. <b>1989</b> , 988, 173-84	30
1588	Theoretical analysis of conformation and active sites of interferons. <b>1989</b> , 22, 173-81	25
1587	Single amino acid substitutions in sn-glycerol-3-phosphate dehydrogenase allozymes from Drosophila virilis. <b>1989</b> , 45, 312-4	3
1586	Molecular evolution of enzyme structure: construction of a hybrid hamster/Escherichia coli aspartate transcarbamoylase. <b>1989</b> , 28, 442-50	16
1585	Nuclear basic protein transition during sperm differentiation. Primary structure of the spermatid-specific protein S2 from the dog-fish Scylliorhinus caniculus. <b>1989</b> , 180, 329-35	8
1584	Functional analysis of the signal-sequence processing site of yeast acid phosphatase. <b>1989</b> , 182, 213-21	11
1583	Sequence and characterization of the sperm-specific protein phi 3 from Mytilus californianus. <b>1989</b> , 182, 569-76	14
1582	Interaction of staphylococcal delta-toxin and synthetic analogues with erythrocytes and phospholipid vesicles. Biological and physical properties of the amphipathic peptides. <b>1989</b> , 183, 381-90	38
1581	A heat shock-like protein from the human malaria parasite Plasmodium falciparum induces autoantibodies. <b>1989</b> , 19, 1823-8	76
1580	Caseins of various origins and biologically active casein peptides and oligosaccharides: structural and physiological aspects. <i>Molecular and Cellular Biochemistry</i> , <b>1989</b> , 87, 5-30 4.2	144
1579	Functional cloning of ICAM-2, a cell adhesion ligand for LFA-1 homologous to ICAM-1. <b>1989</b> , 339, 61-4	724

1578	Mouse keratin 19: complete amino acid sequence and gene expression during development. <b>1989</b> , 85, 435-44	24
1577	Molecular biology and bacterial secondary transporters. <b>1989</b> , 71, 969-79	9
1576	Stabilization Energies of Protein Conformation. <b>1989</b> , 161-192	12
1575	Prediction of Protein Structural Classes from Amino Acid Compositions. <b>1989</b> , 549-586	103
1574	Tertiary Structure Prediction. <b>1989</b> , 647-705	30
1573	The Development of the Prediction of Protein Structure. <b>1989</b> , 193-316	56
1572	Biomedical science and the third world. Under the volcano. Trypanothione reductase. <b>1989</b> , 569, 193-200	9
1571	Energetics of complementary side-chain packing in a protein hydrophobic core. <i>Biochemistry</i> , <b>1989</b> , 28, 4914-22	337
1570	Solution conformation of conotoxin GI determined by 1H nuclear magnetic resonance spectroscopy and distance geometry calculations. <i>Biochemistry</i> , <b>1989</b> , 28, 4853-60	60
1569	Complete amino acid sequence of chicken liver acyl carrier protein derived from the fatty acid synthase. <b>1989</b> , 270, 92-8	6
1568	Sequence similarity between protein B and human apolipoprotein A-IV. <b>1989</b> , 249, 151-4	1
1567	Helix formation and stability in a signal sequence. <i>Biochemistry</i> , <b>1989</b> , 28, 8554-61 3.2	82
1566	Protein conformational prediction. <b>1989</b> , 14, 295-9	60
1565	Linear optimization of predictors for secondary structure. Application to transbilayer segments of membrane proteins. <b>1989</b> , 210, 195-209	15
1564	Cloning and characterization of band 3, the human erythrocyte anion-exchange protein (AE1). <b>1989</b> , 86, 9089-93	265
1563	Dramatic thermostabilization of yeast iso-1-cytochrome c by an asparagineisoleucine replacement at position 57. <b>1989</b> , 86, 496-9	92
1562	Rubredoxin from Clostridium perfringens: complete amino acid sequence and participation in nitrate reduction. <b>1989</b> , 106, 336-41	27
1561	MUC18, a marker of tumor progression in human melanoma, shows sequence similarity to the neural cell adhesion molecules of the immunoglobulin superfamily. <b>1989</b> , 86, 9891-5	356

1560	Molecular mimicry in HLA-B27-related arthritis. <b>1989</b> , 111, 581-91	45
1559	Facile preparation and characterization of the toxin from Bacillus thuringiensis var. kurstaki. <b>1989</b> , 260, 87-91	70
1558	Secretin. <b>1989</b> , 359-402	
1557	The 野heet Structure-Stabilizing Potential of Twenty Kinds of Amino Acid Residues in Protected Peptides. <b>1989</b> , 62, 3572-3576	13
1556	The Easy Disruption of the 野heet Structure of Resin-Bound Human Proinsulin C-Peptide Fragments by Strong Electron-Donor Solvents. <b>1989</b> , 62, 3582-3586	15
1555	Individuality of Amino Acid Residues in Protected Peptides. Conformational and 断heet Structure-Disrupted Behaviors of Resin-Bound Peptides. <b>1989</b> , 62, 773-779	20
1554	Peptide Segment Separation by Tertiary Peptide Bonds. Synthesis and Conformational Analysis of Cross-Linked Polystyrene Resin-Bound Human Proinsulin C-Peptide Fragments. <b>1989</b> , 62, 3577-3581	8
1553	Effect of Proline in Basic and Helical Amphipathic Peptides on Acidic Liposomes and Their Antimicrobial Activity. <b>1989</b> , 18, 599-602	5
1552	A critical evaluation of the hydropathy profile of membrane proteins. <b>1990</b> , 190, 207-19	75
1551	pH-induced insertion of the amphiphilic alpha-helical anchor of Escherichia coli penicillin-binding protein 5. <b>1990</b> , 190, 365-9	14
1550	Overexpression in Escherichia coli of a methionine-free designed interleukin-2 receptor (Tac protein) based on a chemically cleavable fusion protein. <b>1990</b> , 193, 387-94	4
1549	Circular dichroism and laser Raman spectroscopic analysis of the secondary structure of Cerebratulus lacteus toxin B-IV. <b>1990</b> , 9, 433-43	13
1548	Secondary structure of the entomocidal toxin from Bacillus thuringiensis subsp. kurstaki HD-73. <b>1990</b> , 9, 87-94	15
1547	Circular dichroism studies on helical structure preferences of amino acid residues of proteins caused by sodium dodecyl sulfate. <b>1990</b> , 9, 573-82	19
1546	Theoretical conformational analysis of a family of alpha-helical immunocytokines. <b>1990</b> , 1041, 178-85	9
1545	The amino-acid sequence of multiple lectins of the acorn barnacle Megabalanus rosa and its homology with animal lectins. <b>1990</b> , 1039, 42-51	48
1544	Complementarity of peptides specified by 'sense' and 'antisense' strands of DNA. <b>1990</b> , 8, 140-4	97
1543	Peptidomimetics and the template approach to nucleation of beta-sheets and alpha-helices in peptides. <b>1990</b> , 8, 249-55	69

1542	Molecular cloning and sequence analysis of human parainfluenza type 4A virus HN gene: its irregularities on structure and activities. <b>1990</b> , 175, 307-12	21
1541	Nucleotide sequence of the virulent SA-14 strain of Japanese encephalitis virus and its attenuated vaccine derivative, SA-14-14-2. <b>1990</b> , 177, 541-52	128
1540	Observations concerning topology and locations of helix ends of membrane proteins of known structure. <b>1990</b> , 115, 145-58	31
1539	On the nature of antibody combining sites: unusual structural features that may confer on these sites an enhanced capacity for binding ligands. <b>1990</b> , 7, 112-24	207
1538	Functionally acceptable substitutions in two alpha-helical regions of lambda repressor. <b>1990</b> , 7, 306-16	69
1537	Biophysical studies of signal peptides: implications for signal sequence functions and the involvement of lipid in protein export. <b>1990</b> , 22, 213-32	53
1536	The b-32 protein from maize endosperm: characterization of genomic sequences encoding two alternative central domains. <b>1990</b> , 14, 1031-40	29
1535	Helix-coil stability constants for the naturally occurring amino acids in water. XXIV. Half-cystine parameters from random poly(hydroxybutylglutamine-CO-S-methylthio-L-cysteine). <b>1990</b> , 30, 121-134	151
1534	Conformational studies on peptides with proline in the right-handed alpha-helical region. <b>1990</b> , 30, 287-98	61
1533	A protein structure predictor based on an energy model with learned parameters. <b>1990</b> , 3, 129-141	13
1532	A thermodynamic scale for the helix-forming tendencies of the commonly occurring amino acids. <b>1990</b> , 250, 646-51	1131
1531	Secondary structure prediction for the spectrin 106-amino acid segment, and a proposed model for tertiary structure. <b>1990</b> , 8, 55-62	7
1530	TFE3: a helix-loop-helix protein that activates transcription through the immunoglobulin enhancer muE3 motif. <b>1990</b> , 4, 167-79	425
1529	Distinct mutations in two patients with leukocyte adhesion deficiency and their functional correlates. <b>1990</b> , 172, 335-45	90
1528	Side chain contributions to the stability of alpha-helical structure in peptides. <b>1990</b> , 250, 669-73	443
1527	Distribution of charged residues stabilizes individual helices in myoglobins. <b>1990</b> , 7, 973-83	1
1526	Improvement of nutritional value and functional properties of soybean glycinin by protein engineering. <b>1990</b> , 3, 725-31	47
1525	PECAM-1 (CD31) cloning and relation to adhesion molecules of the immunoglobulin gene superfamily. <b>1990</b> , 247, 1219-22	822

1524	Precursor forms of mitochondrial aspartate transaminase. <b>1990</b> , 585, 346-56	13
1523	Studies of synthetic helical peptides using circular dichroism and nuclear magnetic resonance. <b>1990</b> , 215, 607-22	157
1522	Machine learning approach for the prediction of protein secondary structure. <b>1990</b> , 216, 441-57	86
1521	Tertiary structural constraints on protein evolutionary diversity: templates, key residues and structure prediction. <b>1990</b> , 241, 132-45	170
1520	The melibiose/Na+ symporter of Escherichia coli: kinetic and molecular properties. <b>1990</b> , 326, 411-23	46
1519	Improvements in protein secondary structure prediction by an enhanced neural network. <b>1990</b> , 214, 171-82	626
1518	Polyvalent synthetic vaccines: relationship between T epitopes and immunogenicity. <b>1990</b> , 8, 35-40	12
1517	Motional effects on NMR structural data. Comparison of spinach and Escherichia coli acyl carrier proteins. <b>1990</b> , 40, 7-13	17
1516	A novel approach to prediction of the 3-dimensional structures of protein backbones by neural networks. <b>1990</b> , 261, 43-6	90
1515	The influence of proline residues on alpha-helical structure. <b>1990</b> , 277, 185-8	113
1514	Origins of structure in globular proteins. <b>1990</b> , 87, 6388-92	274
1513	Association of a pH-sensitive peptide with membrane vesicles: role of amino acid sequence.  Biochemistry, <b>1990</b> , 29, 8713-9	121
1512	Influence of proline residues on protein conformation. <b>1991</b> , 218, 397-412	966
1511	A proposed molecular model for the carboxy terminus of HIV-1 gp120 showing structural features consistent with the presence of a T-cell alloepitope. <b>1991</b> , 12, 283-96	39
1510	Mutational analysis of protein stability: Current Opinion in Structural Biology 1991, 1:17 <b>1</b> 1. <b>1991</b> , 1, 17-21	49
1509	Developmentally regulated cDNA expressed exclusively in neural tissue. <b>1991</b> , 10, 33-41	20
1508	Nucleotide sequence and expression of the algE gene involved in alginate biosynthesis by Pseudomonas aeruginosa. <b>1991</b> , 107, 1-10	54
1507	Lysines in the amino-terminal alpha-helix are important to the stability of Rhodobacter capsulatus cytochrome c2. <i>Biochemistry</i> , <b>1991</b> , 30, 9238-41	22

1506	Neutron structure of subtilisin BPN': effects of chemical environment on hydrogen-bonding geometries and the pattern of hydrogen-deuterium exchange in secondary structure elements. <i>Biochemistry</i> , <b>1991</b> , 30, 1211-21	3.2	23
1505	Does helix dipole have any role in binding metal ions in protein structures?. <b>1991</b> , 290, 387-90		4
1504	Crystallization and preliminary x-ray diffraction studies of recombinant rabbit interferon-gamma. <i>Biochemical and Biophysical Research Communications</i> , <b>1991</b> , 178, 634-40	3.4	3
1503	Glycosylation sites identified by detection of glycosylated amino acids released from Edman degradation: the identification of Xaa-Pro-Xaa-Xaa as a motif for Thr-O-glycosylation. <i>Biochemical and Biophysical Research Communications</i> , <b>1991</b> , 178, 1194-201	3.4	92
1502	Vibrational Spectroscopic Evidence for the Associated-Anion Promotion of the Helical Structure of N-Acylglycine Oligomers. <b>1991</b> , 45, 626-631		11
1501	Conformational Structure of an L-Asparagine/L-Aspartate Random Copolypeptide as Revealed by Vibrational and CD Spectroscopy. <b>1991</b> , 45, 977-982		3
1500	Beta-breakers: an aperiodic secondary structure. <b>1991</b> , 221, 603-13		43
1499	A new family of powerful multivariate statistical sequence analysis techniques. <b>1991</b> , 220, 877-87		56
1498	An inhibitory domain of E12 transcription factor prevents DNA binding in E12 homodimers but not in E12 heterodimers. <b>1991</b> , 64, 459-70		399
1497	Amino acid similarity coefficients for protein modeling and sequence alignment derived from main-chain folding angles. <b>1991</b> , 219, 481-97		50
1496	Functional and structural effects of an Ala to Val mutation in the adenovirus serotype 2 fibre. <b>1991</b> , 217, 477-86		10
1495	Structure and function of the B and D genes of the Actinobacillus actinomycetemcomitans leukotoxin complex. <b>1991</b> , 11, 111-21		48
1494	Sequence and expression of the gene encoding 3-phosphoglycerate kinase from Bacillus stearothermophilus. <b>1991</b> , 109, 39-45		26
1493	Molecular analysis of Bacillus subtilis ada mutants deficient in the adaptive response to simple alkylating agents. <b>1991</b> , 173, 7834-40		17
1492	A new family of integral membrane proteins involved in transport of aromatic amino acids in Escherichia coli. <b>1991</b> , 173, 3231-4		45
1491	Pattern-based approaches to protein structure prediction. <b>1991</b> , 202, 252-68		9
1490	Analysis of structure-function relationships by formation of chimeric enzymes produced by gene fusion. <b>1991</b> , 202, 687-706		16
1489	Characterization of Neurospora CPC1, a bZIP DNA-binding protein that does not require aligned heptad leucines for dimerization. <b>1991</b> , 11, 935-44		37

## (1991-1991)

1488	Role of a carboxyl-terminal helix in the assembly, interchain interactions, and stability of aspartate transcarbamoylase. <b>1991</b> , 88, 458-62	18
1487		1
1486	Immunolocalization of transforming growth factor-beta 1 in the bovine adrenal cortex using antipeptide antibodies. <b>1991</b> , 129, 517-26	33
1485	Soluble 暇alactoside binding lectins: Physicochemical and functional properties. <b>1991</b> , 19, 2-6	
1484	Characterization of proline-containing right-handed alpha-helix by molecular dynamics studies. <b>1991</b> , 40, 97-108	9
1483	Neural networks: A new method for solving chemical problems or just a passing phase?. <b>1991</b> , 248, 1-30	500
1482	Two noncontiguous regions of Sendai virus P protein combine to form a single nucleocapsid binding domain. <b>1991</b> , 180, 126-34	45
1481	Conformation of bioactive peptides: synthetic encephalins. <b>1991</b> , 233, 315-334	1
1480	Prediction of protein secondary structures using a combined method based on the recognition, lim and garnier-osguthorpe-robson algorithms. <b>1991</b> , 232, 321-336	3
1479	Deconstructing protein structure. <b>1991</b> , 1, 207-8	1
1478	Secondary structure and orientation of the amphipathic peptide GALA in lipid structures. An infrared-spectroscopic approach. <b>1991</b> , 195, 421-9	59
1477	Characterization of a cDNA clone encoding molluscan insulin-related peptide II of Lymnaea stagnalis. <b>1991</b> , 199, 699-703	43
1476	Side chain-backbone hydrogen bonding contributes to helix stability in peptides derived from an alpha-helical region of carboxypeptidase A. <b>1991</b> , 10, 130-9	129
1475	A model for the C5a receptor and for its interaction with the ligand [corrected]. <b>1991</b> , 4, 767-71	30
1474	Structural features of Ca2+/calmodulin-dependent protein kinase II revealed by electron microscopy. <b>1991</b> , 115, 1049-60	194
1473	Molecular cloning and sequence analysis of human parainfluenza type 2 virus mRNA encoding the fusion glycoprotein. <b>1991</b> , 72 ( Pt 1), 89-95	8
1472	The leucine zipper of TFE3 dictates helix-loop-helix dimerization specificity. <b>1991</b> , 5, 1057-66	109
1471	Adsorption of salivary proteins onto Ca apatites. <b>1991</b> , 4, 3-24	11

1470	Genetic Engineering of Polymeric Materials. <b>1991</b> , 16, 23-28	32
1469	Isolation and characterization of a cDNA clone encoding an alternative oxidase protein of Sauromatum guttatum (Schott). <b>1991</b> , 88, 2122-6	152
1468	Brain-derived neurotrophic factor: subcellular compartmentalization and interneuronal transfer as visualized with anti-peptide antibodies. <b>1991</b> , 88, 9843-7	116
1467	Conformational and membrane-binding properties of a signal sequence are largely unaltered by its adjacent mature region. <b>1991</b> , 88, 5799-803	32
1466	COMPUTER MODELING OF PROTEIN STRUCTURES: ENERGY MINIMIZATION AS A TOOL FOR THE DESIGN OF NOVEL MOLECULES. <b>1991</b> , 7, 1-108	
1465	Immunofluorescence localization of thyroid hormone receptor protein beta 1 and variant alpha 2 in selected tissues: cerebellar Purkinje cells as a model for beta 1 receptor-mediated developmental effects of thyroid hormone in brain. <b>1991</b> , 88, 3887-91	79
1464	The Trypanosoma cruzi neuraminidase contains sequences similar to bacterial neuraminidases, YWTD repeats of the low density lipoprotein receptor, and type III modules of fibronectin. <b>1991</b> , 174, 179-91	120
1463	The centromere and promoter factor 1 of yeast contains a dimerisation domain located carboxy-terminal to the bHLH domain. <b>1992</b> , 20, 4229-36	26
1462	Bipartite organization of the Bacillus subtilis endo-beta-1,4-glucanase revealed by C-terminal mutations. <b>1992</b> , 5, 433-9	18
1461	Nuclear magnetic resonance studies and molecular dynamics simulations of the solution conformation of a 'designed', alpha-helical peptide. <b>1992</b> , 5, 333-41	3
1460	Increasing the thermostability of a neutral protease by replacing positively charged amino acids in the N-terminal turn of alpha-helices. <b>1992</b> , 5, 165-70	27
1459	Design, synthesis and structure of an amphipathic peptide with pH-inducible haemolytic activity. <b>1992</b> , 5, 323-31	13
1458	Beta-sheet folding of fragment (16-36) of bovine pancreatic trypsin inhibitor as predicted by Monte Carlo simulated annealing. <b>1992</b> , 5, 495-503	16
1457	Chapter 3 Bacteriorhodopsin. <b>1992</b> , 75-101	1
1456	Pattern-induced multi-sequence alignment (PIMA) algorithm employing secondary structure-dependent gap penalties for use in comparative protein modelling. <b>1992</b> , 5, 35-41	212
1455	hnRNP I, the polypyrimidine tract-binding protein: distinct nuclear localization and association with hnRNAs. <b>1992</b> , 20, 3671-8	281
1454	Protein tertiary structure recognition using optimized Hamiltonians with local interactions. <b>1992</b> , 89, 9029-33	202
1453	Basonuclin: a keratinocyte protein with multiple paired zinc fingers. <b>1992</b> , 89, 10311-5	80

1452	Patterns in Protein Sequence and Structure. <b>1992</b> ,		6
1451	A mutation in the POU-homeodomain of Pit-1 responsible for combined pituitary hormone deficiency. <b>1992</b> , 257, 1115-8		375
1450	Biochemical characterization of the Oct-2 POU domain with implications for bipartite DNA recognition. <i>Biochemistry</i> , <b>1992</b> , 31, 5841-8	2	37
1449	T helper cell epitopes of the human immunodeficiency virus (HIV-1) nef protein in rats and chimpanzees. <b>1992</b> , 29, 489-99		12
1448	A common epitope of beta-lactoglobulin and serum retinol-binding proteins: elucidation of its core sequence using synthetic peptides. <b>1992</b> , 29, 511-6		19
1447	Examination by site-directed mutagenesis of the amino acid residues of the thermostable direct hemolysin of Vibrio parahaemolyticus required for its hemolytic activity. <b>1992</b> , 12, 279-87		15
1446	The amino-acid sequence of a lectin from conger eel, Conger myriaster, skin mucus. <b>1992</b> , 1116, 129-36		58
1445	Molecular dynamics of serotonin and ritanserin interacting with the 5-HT2 receptor. <b>1992</b> , 14, 166-78		39
1444	Plant food protein engineering. <b>1992</b> , 36, 89-208		88
1443	The Azotobacter vinelandii recA gene: sequence analysis and regulation of expression. <b>1992</b> , 113, 47-53		8
1442	A common gene regulates pigmentation pattern in diverse plant species. <b>1992</b> , 68, 955-64		271
1441	Rad51 protein involved in repair and recombination in S. cerevisiae is a RecA-like protein. <b>1992</b> , 69, 457-70		1084
1440	A segment-based approach to protein secondary structure prediction. <i>Biochemistry</i> , <b>1992</b> , 31, 983-93	<u>2</u>	45
1439	Stabilities of disulfide bond intermediates in the folding of apamin. <i>Biochemistry</i> , <b>1992</b> , 31, 1476-83	<u>2</u>	37
1438	Structural elements of human parathyroid hormone and their possible relation to biological activities. <i>Biochemistry</i> , <b>1992</b> , 31, 2056-63	<u>2</u>	66
1437	Characterization of tertiary interactions in a folded protein by NMR methods: studies of pH-induced structural changes in human growth hormone. <i>Biochemistry</i> , <b>1992</b> , 31, 8587-96	<u>2</u>	23
1436	Activity, disulphide mapping and structural modelling of the fifth domain of human beta 2-glycoprotein I. <b>1992</b> , 313, 193-7		76
1435	Predicting protein secondary structure content. A tandem neural network approach. <b>1992</b> , 225, 713-27		90

1434	Signal sequences containing multiple aromatic residues. <b>1992</b> , 224, 77-85	12
1433	Correlation of co-ordinated amino acid changes at the two-domain interface of cysteine proteases with protein stability. <b>1992</b> , 224, 501-9	27
1432	A defined amino acid exchange close to the putative nucleotide binding site is responsible for an oxygen-tolerant variant of the Rhizobium meliloti NifA protein. <b>1992</b> , 234, 433-41	21
1431	Effect of delta-lysin on the phase transitions of lipid assemblies. <b>1992</b> , 16, 249-53	2
1430	An optimization approach to predicting protein structural class from amino acid composition. <b>1992</b> , 1, 401-8	138
1429	Limits on alpha-helix prediction with neural network models. <b>1992</b> , 14, 372-81	23
1428	Conformation of concanavalin A and its fragments in aqueous solution and organic solvent-water mixtures. <b>1992</b> , 11, 157-64	14
1427	Structure of Drosophila virilis glycerol-3-phosphate dehydrogenase gene and a comparison with the Drosophila melanogaster gene. <b>1992</b> , 1131, 233-8	11
1426	spoVG sequence of Bacillus megaterium and Bacillus subtilis. <b>1992</b> , 1130, 229-31	11
	Comparative investigations on the amino-acid sequences of different isolectins from the sponge	
1425	Axinella polypoides (Schmidt). <b>1992</b> , 1159, 1-8	18
1425		18 649
	Axinella polypoides (Schmidt). <b>1992</b> , 1159, 1-8	
1424	Axinella polypoides (Schmidt). <b>1992</b> , 1159, 1-8  Amide modes and protein conformation. <b>1992</b> , 1120, 123-43  Structural analysis of an outer surface protein from the Lyme disease spirochete, Borrelia	649
1424 1423	Axinella polypoides (Schmidt). 1992, 1159, 1-8  Amide modes and protein conformation. 1992, 1120, 123-43  Structural analysis of an outer surface protein from the Lyme disease spirochete, Borrelia burgdorferi, using circular dichroism and fluorescence spectroscopy. 1992, 1120, 59-68  Sequence characterization and expression of the matrix protein gene of human parainfluenza virus	649 19
1424 1423 1422	Axinella polypoides (Schmidt). 1992, 1159, 1-8  Amide modes and protein conformation. 1992, 1120, 123-43  Structural analysis of an outer surface protein from the Lyme disease spirochete, Borrelia burgdorferi, using circular dichroism and fluorescence spectroscopy. 1992, 1120, 59-68  Sequence characterization and expression of the matrix protein gene of human parainfluenza virus type 1. 1992, 191, 947-52	649 19 15
1424 1423 1422 1421	Axinella polypoides (Schmidt). 1992, 1159, 1-8  Amide modes and protein conformation. 1992, 1120, 123-43  Structural analysis of an outer surface protein from the Lyme disease spirochete, Borrelia burgdorferi, using circular dichroism and fluorescence spectroscopy. 1992, 1120, 59-68  Sequence characterization and expression of the matrix protein gene of human parainfluenza virus type 1. 1992, 191, 947-52  Perturbation of peptide conformations induced in anisotropic environments. 1992, 32, 575-83  A molecular thermodynamic approach to predict the secondary structure of homopolypeptides in	649 19 15 24
1424 1423 1422 1421 1420	Axinella polypoides (Schmidt). 1992, 1159, 1-8  Amide modes and protein conformation. 1992, 1120, 123-43  Structural analysis of an outer surface protein from the Lyme disease spirochete, Borrelia burgdorferi, using circular dichroism and fluorescence spectroscopy. 1992, 1120, 59-68  Sequence characterization and expression of the matrix protein gene of human parainfluenza virus type 1. 1992, 191, 947-52  Perturbation of peptide conformations induced in anisotropic environments. 1992, 32, 575-83  A molecular thermodynamic approach to predict the secondary structure of homopolypeptides in aqueous systems. 1992, 32, 1375-92  Prediction of the Secondary Structure of Proteins from the Amino Acid Sequence with Artificial	649 19 15 24 17

1416	The contribution of helical potential to the in vitro receptor binding activity of a neuropeptide Y N-terminal deletion fragment. <b>1993</b> , 33, 1195-206	17
1415	Molecular dynamics simulations of a winter flounder "antifreeze" polypeptide in aqueous solution. <b>1993</b> , 33, 1481-503	19
1414	Vorhersage der Sekundfistruktur von Proteinen aus der Aminosüresequenz mit kfistlichen neuronalen Netzen. <b>1993</b> , 105, 1192-1194	
1413	Proliferation and differentiation properties of bipotent glial progenitor cell lines immortalized with the adenovirus E1A gene. <b>1993</b> , 36, 133-46	6
1412	Effect of constraints by threonine on proline containing alpha-helixa molecular dynamics approach. <b>1993</b> , 46, 77-89	9
1411	The reverse turn as a template for metal coordination. <b>1993</b> , 49, 3501-3510	33
1410	The role of local tight packing of hydrophobic groups in beta-structure. <b>1993</b> , 15, 62-70	11
1409	The structure of a thermally stable 3-phosphoglycerate kinase and a comparison with its mesophilic equivalent. <b>1993</b> , 15, 283-9	68
1408	Structure of synthetic peptide analogues of an eggshell protein of Schistosoma mansoni. <b>1993</b> , 2, 900-14	5
1407	Identification, classification, and analysis of beta-bulges in proteins. <b>1993</b> , 2, 1574-90	176
. ,	Identification, classification, and analysis of beta-bulges in proteins. <b>1993</b> , 2, 1574-90  Protein secondary structure conformations and associated hydrophobicity scales. <b>1993</b> , 14, 35-45	176 7
. ,		<u> </u>
1406	Protein secondary structure conformations and associated hydrophobicity scales. <b>1993</b> , 14, 35-45  The amino acid sequence of a protein from wheat kernel closely related to proteins involved in the mechanisms of plant defence. <b>1993</b> , 12, 379-86	7
1406 1405	Protein secondary structure conformations and associated hydrophobicity scales. <b>1993</b> , 14, 35-45  The amino acid sequence of a protein from wheat kernel closely related to proteins involved in the mechanisms of plant defence. <b>1993</b> , 12, 379-86	7 27
1406 1405 1404	Protein secondary structure conformations and associated hydrophobicity scales. <b>1993</b> , 14, 35-45  The amino acid sequence of a protein from wheat kernel closely related to proteins involved in the mechanisms of plant defence. <b>1993</b> , 12, 379-86  Identification of antigenic epitopes in type IV collagen by use of synthetic peptides. <b>1993</b> , 43, 94-100	7 27 22
1406 1405 1404 1403	Protein secondary structure conformations and associated hydrophobicity scales. 1993, 14, 35-45  The amino acid sequence of a protein from wheat kernel closely related to proteins involved in the mechanisms of plant defence. 1993, 12, 379-86  Identification of antigenic epitopes in type IV collagen by use of synthetic peptides. 1993, 43, 94-100  Thermodynamic beta-sheet propensities measured using a zinc-finger host peptide. 1993, 362, 267-70  Between the secondary structure and the tertiary structure falls the globule: A problem in de novo	7 27 22 343
1406 1405 1404 1403 1402	Protein secondary structure conformations and associated hydrophobicity scales. 1993, 14, 35-45  The amino acid sequence of a protein from wheat kernel closely related to proteins involved in the mechanisms of plant defence. 1993, 12, 379-86  Identification of antigenic epitopes in type IV collagen by use of synthetic peptides. 1993, 43, 94-100  Thermodynamic beta-sheet propensities measured using a zinc-finger host peptide. 1993, 362, 267-70  Between the secondary structure and the tertiary structure falls the globule: A problem in de novo protein design. 1993, 49, 3677-3689  Secretogranin II: regulation of synthesis and post-translational proteolysis in bovine adrenal	7 27 22 343 30

1398	Intracellular and extracellular processing of chromogranin A. Determination of cleavage sites. <b>1993</b> , 217, 247-57	153
1397	Equine infectious anemia virus Tat is a predominantly helical protein. <b>1993</b> , 218, 973-6	20
1396	Structure of recombinant bovine interferon-gamma at 3.0 A resolution. <b>1993</b> , 49, 513-21	8
1395	Statistical potentials and learning methods to evaluate protein models: application to the coiled-coil tropomyosin. <b>1993</b> , 286, 47-54	1
1394	Dynamic structural and functional relationships in recombinant plasminogen activator inhibitor-1 (rPAI-1). <b>1993</b> , 1202, 221-9	24
1393	Amino-acid sequence of cytochrome c-553 from Desulfovibrio desulfuricans Norway. <b>1993</b> , 1162, 89-92	6
1392	Purification and properties of multiple molecular forms of yeast peptidyl prolyl cis-trans isomerase. <b>1993</b> , 1161, 161-7	7
1391	Feed-forward neural networks in chemistry: mathematical systems for classification and pattern recognition. <b>1993</b> , 93, 2583-2601	148
1390	Correlation between the location of antigenic sites and the prediction of turns in proteins. <b>1993</b> , 36, 83-99	131
1389	De novo and inverse folding predictions of protein structure and dynamics. <b>1993</b> , 7, 397-438	69
1388	In vivo conversion of recombinant human proapolipoprotein AI (rh-Met-proapo AI) to apolipoprotein AI in rabbits. <b>1993</b> , 1167, 257-63	19
1387	Hydrophobic characteristics of folded proteins. <b>1993</b> , 59, 57-103	92
1386	Global folding of proteins using a limited number of distance constraints. <b>1993</b> , 6, 605-14	30
1385	Proline-dependent structural and biological properties of peptides and proteins. <b>1993</b> , 28, 31-81	431
1384	Sequence-specific resonance assignments of the 1H-NMR spectra of a synthetic, biologically active EIAV Tat protein. <i>Biochemistry</i> , <b>1993</b> , 32, 8439-45	27
1383	Identification of cross-linked amino acids in the protein pair HmaL23-HmaL29 from the 50S ribosomal subunit of the archaebacterium Haloarcula marismortui. <i>Biochemistry</i> , <b>1993</b> , 32, 2880-7	11
1382	Progress in protein structure prediction?. <b>1993</b> , 18, 120-3	76
1381	Specificity of amphiphilic anionic peptides for fusion of phospholipid vesicles. <b>1993</b> , 64, 724-34	31

1380	Isolation and characterization of cDNA clones encoding the Drosophila homolog of the HMG-box SSRP family that recognizes specific DNA structures. <b>1993</b> , 21, 1643-6	40
1379	Secondary structure prediction of all-helical proteins in two states. <b>1993</b> , 6, 831-6	44
1378	Prediction of protein secondary structure by the hidden Markov model. <b>1993</b> , 9, 141-6	56
1377	Genetic and functional analysis of the multiple antibiotic resistance (mar) locus in Escherichia coli. <b>1993</b> , 175, 1484-92	317
1376	Circular Dichroism Spectra of Synthetic Steroidogenesis-Activator Polypeptide and Its Fragments. <b>1993</b> , 66, 1563-1565	
1375	The Classification of Twenty Common Amino Acid Residues in Protected Peptides by Their野heet-Structure-Stabilizing Potentials, SP聞and Its Application to Peptide Synthesis. <b>1993</b> , 66, 483-488	9
1374	SEQUENCE AND STRUCTURE DATABANKS IN MOLECULAR BIOLOGY: THE REASONS FOR INTEGRATION. <b>1993</b> , 49, 1-28	5
1373	Helix capping propensities in peptides parallel those in proteins. <b>1993</b> , 90, 11332-6	192
1372	What determines where alpha-helices begin and end?. <b>1993</b> , 90, 10907-8	8
1371		2
1370	Identification of the C-terminal activator domain in yeast heat shock factor: independent control of transient and sustained transcriptional activity <i>EMBO Journal</i> , <b>1993</b> , 12, 5007-5018	54
1369	Two overlapping genes encoding membrane proteins required for bacteriophage N4 adsorption. <b>1993</b> , 175, 7081-5	22
1368	Role of signal peptides in targeting of proteins in cyanobacteria. <b>1994</b> , 176, 1857-64	22
1367	Families of protein with similar total structure identified using statistical geometry. <b>1994,</b> 7, 1283-93	1
1366	Mutations in the type IV collagen alpha 3 (COL4A3) gene in autosomal recessive Alport syndrome. <b>1994</b> , 3, 1269-73	183
1365	Human SP-10: acrosomal distribution, processing, and fate after the acrosome reaction. <b>1994</b> , 51, 1222-31	52
1364	Segmental dynamics of the cytoplasmic domain of erythrocyte band 3 determined by time-resolved fluorescence anisotropy: sensitivity to pH and ligand binding. <b>1994</b> , 91, 1741-5	40

1362	Ginkgo 11S seed storage protein family mRNA: unusual Asn-Asn linkage as post-translational cleavage site. <b>1994</b> , 25, 597-605	23
1361	Deuterium exchange of alpha-helices and beta-sheets as monitored by electrospray ionization mass spectrometry. <b>1994</b> , 3, 1305-14	55
1360	Pseudodihedrals: simplified protein backbone representation with knowledge-based energy. <b>1994</b> , 3, 1570-81	69
1359	A revised set of potentials for beta-turn formation in proteins. <b>1994</b> , 3, 2207-16	845
1358	Combining evolutionary information and neural networks to predict protein secondary structure. <b>1994</b> , 19, 55-72	1319
1357	Prediction of protein folding types from amino acid composition by correlation angles. <b>1994</b> , 6, 231-46	6
1356	Modelling of peptide and protein structures. <b>1994</b> , 7, 175-202	4
1355	The regularity of changes of the Chou-Fasman parameters within the genetic code. <b>1994</b> , 32, 25-35	10
1354	Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives: Separation of enantiomers of anti-inflammatory drugs. <b>1994</b> , 666, 181-191	56
1353	Indole-3-glycerol-phosphate synthase from Sulfolobus solfataricus as a model for studying thermostable TIM-barrel enzymes. <b>1994</b> , 1208, 310-5	10
1352	Measurement of the beta-sheet-forming propensities of amino acids. <b>1994</b> , 367, 660-3	544
1351	Context is a major determinant of beta-sheet propensity. <b>1994</b> , 371, 264-7	325
1350	The efficiency of processing and secretion of the thermolysin-like neutral protease from Bacillus cereus does not require the whole prosequence, but does depend on the nature of the amino acid sequence in the region of the cleavage site. <b>1994</b> , 12, 747-59	12
1349	Isolation and refolding of a mutant methionine-free interleukin-2-receptor alpha chain synthesized as a fusion protein in Escherichia coli. <b>1994</b> , 223, 285-92	1
1348	Blimp-1, a novel zinc finger-containing protein that can drive the maturation of B lymphocytes into immunoglobulin-secreting cells. <b>1994</b> , 77, 297-306	626
1347	A thermodynamic scale for the beta-sheet forming tendencies of the amino acids. <i>Biochemistry</i> , <b>1994</b> , 33, 5510-7	375
1346	ATP synthesis and hydrolysis of the ATP-synthase from Micrococcus luteus regulated by an inhibitor subunit and membrane energization. <b>1994</b> , 1186, 43-51	10
1345	Site-directed mutagenesis of the P2 residue of human antithrombin. <b>1994</b> , 339, 147-50	13

1344	Amino acid substitutions of the P2 residue of human antithrombin that either enhance or impair function. <b>1994</b> , 75, 293-305	10
1343	Redefining the goals of protein secondary structure prediction. <b>1994</b> , 235, 13-26	257
1342	A mouse cDNA encoding a protein with zinc-fingers and a KRAB domain shows similarity to human profilaggrin. <b>1994</b> , 149, 299-304	6
1341	The prediction and orientation of alpha-helices from sequence alignments: the combined use of environment-dependent substitution tables, Fourier transform methods and helix capping rules. <b>1994</b> , 7, 645-53	53
1340	Cloning and analysis of a new developmentally regulated member of the basic helix-loop-helix family. <b>1994</b> , 48, 93-108	12
1339	A determination of the solution conformation of the nonmammalian tachykinin eledoisin by NMR and CD spectroscopy. <i>Biochemistry</i> , <b>1994</b> , 33, 6802-11	22
1338	Modification Tolerability of the Hypervariable Region of Soybean Proglycinin. <b>1994</b> , 42, 2639-2645	17
1337	Importance of environment in determining secondary structure in proteins. <i>Biochemistry</i> , <b>1994</b> , 33, 2121 <sub>3</sub> &	200
1336	. 1994,	1
1335	PHDan automatic mail server for protein secondary structure prediction. <b>1994</b> , 10, 53-60	257
1334	One-disulfide intermediates of apamin exhibit native-like structure. <i>Biochemistry</i> , <b>1994</b> , 33, 5253-61 3.2	16
1333	An Expert Network for Predictive Modeling and Optimal Design of Extractive Bioseparations in Aqueous Two-Phase Systems. <b>1994</b> , 33, 2668-2687	20
1332	A secondary structure model of the integrin alpha subunit N-terminal domain based on analysis of multiple alignments. <b>1994</b> , 2, 385-402	40
1331	BACK MATTER. <b>1994</b> , 513-556	
1330	Ala>Gly mutation in the putative catalytic loop confers temperature sensitivity on Ros, insulin receptor, and insulin-like growth factor I receptor protein-tyrosine kinases. <b>1994</b> , 91, 321-5	7
1329	Thermodynamic parameters for the helix-coil transition of oligopeptides: molecular dynamics simulation with the peptide growth method. <b>1995</b> , 92, 10924-8	20
1328	Analysis of the relation between the sequence and secondary and three-dimensional structures of immunoglobulin molecules. <b>1995</b> , 92, 10884-8	20
1327	Drug design based on receptor modeling using a system <b>B</b> IOCES [E][1 <b>1995</b> , 23, 49-81	

1326	Design, synthesis and characterization of a water-soluble	5
1325	The Conformation and Path of Nascent Proteins in Ribosomes. <b>1995</b> , 77-107	2
1324	A new approach to the evaluation of protein secondary structure predictions at the level of the elements of secondary structure. <b>1995</b> , 8, 103-8	10
1323	Periodicity of polar and nonpolar amino acids is the major determinant of secondary structure in self-assembling oligomeric peptides. <b>1995</b> , 92, 6349-53	227
1322	Molecular cloning, expression, and characterization of a human intestinal 15-kDa protein. <b>1995</b> , 233, 406-13	44
1321	The importance of extended conformations and, in particular, the PII conformation for the molecular recognition of peptides. <b>1995</b> , 37, 281-92	154
1320	The regularities of the changes of amino acid physico-chemical properties within the genetic code. <b>1995</b> , 8, 1-13	3
1319	N- and C-capping preferences for all 20 amino acids in alpha-helical peptides. <b>1995</b> , 4, 1325-36	298
1318	Pseudotorsional OCCO backbone angle as a single descriptor of protein secondary structure. <b>1995</b> , 4, 1633-43	9
1317	A simple and fast approach to prediction of protein secondary structure from multiply aligned sequences with accuracy above 70%. <b>1995</b> , 4, 2517-25	80
1316	The antisense homology box: a new motif within proteins that encodes biologically active peptides. <b>1995</b> , 1, 894-901	87
1315	The alpha-helix as seen from the protein tertiary structure: a 3-D structural classification. <b>1995</b> , 55, 167-84	14
1314	Chou-Fasman conformational amino acid parameters and the genetic code. <b>1995</b> , 36, 231-8	10
1313	Recognition of alpha-helical peptide structures using high-performance liquid chromatographic retention data for D-amino acid analogues: influence of peptide amphipathicity and of stationary phase hydrophobicity. <b>1995</b> , 689, 219-26	23
1312	Theoretical structure investigations of N-acetyl-l-proline amide. <b>1995</b> , 352-353, 59-70	23
1311	A short 縣heet containing proline nucleated by a 2,2?-substituted tolan 駐urn mimetic. <b>1995</b> , 36, 4179-4180	48
1310	Proteins as special subsets of polypeptides. <i>Journal of Biosciences</i> , <b>1995</b> , 20, 579-590 2.3	2
1309	Peptidylproline cis/trans isomerases. <b>1995</b> , 63, 67-118	193

1308	Design of alpha-helical peptides: their role in protein folding and molecular biology. <b>1995</b> , 64, 1-54	31
1307	Selective expression of the tba-1 alpha tubulin gene in a set of mechanosensory and motor neurons during the development of Caenorhabditis elegans. <b>1995</b> , 1261, 401-16	19
1306	Conformational structure of bombesin as studied by vibrational and circular dichroism spectroscopy. <b>1995</b> , 1246, 128-34	9
1305	Development of Expert Networks: A Hybrid System of Expert Systems and Neural Networks. <b>1995</b> , 365-433	
1304	Composition analysis of alpha-helices in thermophilic organisms. <b>1995</b> , 8, 905-13	36
1303	Analysis of potato virus X coat protein genes in relation to resistance conferred by the genes Nx, Nb and Rx1 of potato. <b>1995</b> , 76 ( Pt 8), 2057-61	42
1302	Identification of a neural-specific cDNA, NPDC-1, able to down-regulate cell proliferation and to suppress transformation. <b>1995</b> , 92, 1560-4	20
1301	The cytoplasmic tail of the G-protein-coupled receptor for parathyroid hormone and parathyroid hormone-related protein contains positive and negative signals for endocytosis. <b>1995</b> , 270, 151-6	109
1300	alpha-Helix region prediction with stochastic rule learning. <b>1995</b> , 11, 399-411	
1299	pilO, a gene required for glycosylation of Pseudomonas aeruginosa 1244 pilin. <b>1995</b> , 141 ( Pt 5), 1247-1254	143
1299 1298	pilO, a gene required for glycosylation of Pseudomonas aeruginosa 1244 pilin. <b>1995</b> , 141 ( Pt 5), 1247-1254  Protein secondary structure prediction by the analysis of variation and conservation in multiple alignments. <b>1995</b> , 11, 627-32	143
	Protein secondary structure prediction by the analysis of variation and conservation in multiple	
1298	Protein secondary structure prediction by the analysis of variation and conservation in multiple alignments. <b>1995</b> , 11, 627-32  Structure of Saccharomyces cerevisiae alpha-agglutinin. Evidence for a yeast cell wall protein with multiple immunoglobulin-like domains with atypical disulfides. <b>1995</b> , 270, 26168-77  Effects of trifluoroethanol on the conformations of pentides representing the entire sequence of	1
1298 1297	Protein secondary structure prediction by the analysis of variation and conservation in multiple alignments. 1995, 11, 627-32  Structure of Saccharomyces cerevisiae alpha-agglutinin. Evidence for a yeast cell wall protein with multiple immunoglobulin-like domains with atypical disulfides. 1995, 270, 26168-77  Effects of trifluoroethanol on the conformations of peptides representing the entire sequence of	1 52
1298 1297 1296	Protein secondary structure prediction by the analysis of variation and conservation in multiple alignments. 1995, 11, 627-32  Structure of Saccharomyces cerevisiae alpha-agglutinin. Evidence for a yeast cell wall protein with multiple immunoglobulin-like domains with atypical disulfides. 1995, 270, 26168-77  Effects of trifluoroethanol on the conformations of peptides representing the entire sequence of bovine pancreatic trypsin inhibitor. <i>Biochemistry</i> , 1995, 34, 12630-5  The stability of tropomyosin, a two-stranded coiled-coil protein, is primarily a function of the	1 52 54
1298 1297 1296	Protein secondary structure prediction by the analysis of variation and conservation in multiple alignments. 1995, 11, 627-32  Structure of Saccharomyces cerevisiae alpha-agglutinin. Evidence for a yeast cell wall protein with multiple immunoglobulin-like domains with atypical disulfides. 1995, 270, 26168-77  Effects of trifluoroethanol on the conformations of peptides representing the entire sequence of bovine pancreatic trypsin inhibitor. <i>Biochemistry</i> , 1995, 34, 12630-5  The stability of tropomyosin, a two-stranded coiled-coil protein, is primarily a function of the hydrophobicity of residues at the helix-helix interface. <i>Biochemistry</i> , 1995, 34, 16797-805  3-2  Structure effects of double D-amino acid replacements: a nuclear magnetic resonance and circular	1 52 54 78
1298 1297 1296 1295	Protein secondary structure prediction by the analysis of variation and conservation in multiple alignments. 1995, 11, 627-32  Structure of Saccharomyces cerevisiae alpha-agglutinin. Evidence for a yeast cell wall protein with multiple immunoglobulin-like domains with atypical disulfides. 1995, 270, 26168-77  Effects of trifluoroethanol on the conformations of peptides representing the entire sequence of bovine pancreatic trypsin inhibitor. <i>Biochemistry</i> , 1995, 34, 12630-5  The stability of tropomyosin, a two-stranded coiled-coil protein, is primarily a function of the hydrophobicity of residues at the helix-helix interface. <i>Biochemistry</i> , 1995, 34, 16797-805  Structure effects of double D-amino acid replacements: a nuclear magnetic resonance and circular dichroism study using amphipathic model helices. <i>Biochemistry</i> , 1995, 34, 12954-62  3.2	1 52 54 78 69

1290	The protein conformation and a zinc-binding domain of an autoantigen from mouse seminal vesicle. <b>1995</b> , 69, 2084-9		15
1289	Adoption of beta structure by the inactivating "ball" peptide of the Shaker B potassium channel. <b>1995</b> , 68, 858-65		27
1288	Protein secondary structure prediction. <b>2001</b> , Chapter 2, Unit2.3		1
1287	Determination of the three-dimensional solution structure of noxiustoxin: analysis of structural differences with related short-chain scorpion toxins. <i>Biochemistry</i> , <b>1995</b> , 34, 16563-73	3.2	77
1286	Guidelines for protein design: the energetics of beta sheet side chain interactions. <b>1995</b> , 270, 980-2		229
1285	Protein structure prediction: recognition of primary, secondary, and tertiary structural features from amino acid sequence. <b>1995</b> , 30, 1-94		113
1284	EEA1, an early endosome-associated protein. EEA1 is a conserved alpha-helical peripheral membrane protein flanked by cysteine "fingers" and contains a calmodulin-binding IQ motif. <b>1995</b> , 270, 13503-11		582
1283	Physical and conformational properties of synthetic idealized signal sequences parallel their biological function. <i>Biochemistry</i> , <b>1995</b> , 34, 9904-12	3.2	43
1282	Role of electrostatic screening in determining protein main chain conformational preferences. <i>Biochemistry</i> , <b>1995</b> , 34, 755-64	3.2	138
1281	Antibacterial activity of glycosylated and phosphorylated chromogranin A-derived peptide 173-194 from bovine adrenal medullary chromaffin granules. <b>1996</b> , 271, 28533-40		97
1280	NMR spectroscopic evidence that helodermin, unlike other members of the secretin/VIP family of peptides, is substantially structured in water. <i>Biochemistry</i> , <b>1996</b> , 35, 5955-62	3.2	29
1279	A model for the photosystem II reaction center core including the structure of the primary donor P680. <i>Biochemistry</i> , <b>1996</b> , 35, 14486-502	3.2	201
1278	Kinetics and thermodynamics studies on the interaction of D-amino acid oxidase and sodium n-dodecyl sulphate in the presence and absence of flavin adenine dinucleotide. <b>1996</b> , 19, 9-13		1
1277	Distortions in protein helices. <b>1996</b> , 19, 81-9		9
1276	Secondary structure of an armadillo single repeat from the APC protein. <b>1996</b> , 383, 31-6		12
1275	The 21-residue surfactant peptide (LysLeu4)4Lys(KL4) is a transmembrane alpha-helix with a mixed nonpolar/polar surface. <b>1996</b> , 384, 185-8		55
1274	Mutational analysis and secondary structure model of the RNP1-like sequence motif of transcription termination factor Rho. <b>1996</b> , 257, 895-908		37
1273	X-SITE: use of empirically derived atomic packing preferences to identify favourable interaction regions in the binding sites of proteins. <b>1996</b> , 259, 175-201		80

1272	Prediction of alpha-helices in proteins based on thermodynamic parameters from solution chemistry. <b>1996</b> , 256, 663-6	10
1271	Expression and characterization of molluscan insulin-related peptide VII from the mollusc Lymnaea stagnalis. <b>1996</b> , 70, 589-96	68
1270	Biological characterization of two novel cathelicidin-derived peptides and identification of structural requirements for their antimicrobial and cell lytic activities. <b>1996</b> , 271, 28375-81	180
1269	. 1996,	29
1268	Computer Methods in Protein Modeling: An Overview. <b>1996</b> , 51-73	
1267	Strategies for the Design of Novel Proteins. <b>1996</b> , 1-50	3
1266	High-throughput cDNA screening utilizing a low order neural network filter. <b>1996</b> , 21, 1110-4	8
1265	Structure/Function Aspects of Actinobacillus actinomycetemcomitans Leukotoxin. <b>1996</b> , 67 Suppl 3S, 298-308	22
1264	Roles of electrostatic interaction in proteins. <b>1996</b> , 29, 1-90	238
1263	Identification of an autoinhibitory region in the activation loop of the Mos protein kinase. <b>1996</b> , 16, 3472-9	4
1263 1262	Identification of an autoinhibitory region in the activation loop of the Mos protein kinase. <b>1996</b> , 16, 3472-9  Identification of overlapping DNA-binding and centromere-targeting domains in the human kinetochore protein CENP-C. <b>1996</b> , 16, 3576-86	104
	Identification of overlapping DNA-binding and centromere-targeting domains in the human	
1262	Identification of overlapping DNA-binding and centromere-targeting domains in the human kinetochore protein CENP-C. <b>1996</b> , 16, 3576-86  Alpha-helical, but not beta-sheet, propensity of proline is determined by peptide environment.	104
1262	Identification of overlapping DNA-binding and centromere-targeting domains in the human kinetochore protein CENP-C. <b>1996</b> , 16, 3576-86  Alpha-helical, but not beta-sheet, propensity of proline is determined by peptide environment. <b>1996</b> , 93, 6676-81  BfpB, an outer membrane lipoprotein required for the biogenesis of bundle-forming pili in	104
1262 1261 1260	Identification of overlapping DNA-binding and centromere-targeting domains in the human kinetochore protein CENP-C. 1996, 16, 3576-86  Alpha-helical, but not beta-sheet, propensity of proline is determined by peptide environment. 1996, 93, 6676-81  BfpB, an outer membrane lipoprotein required for the biogenesis of bundle-forming pili in enteropathogenic Escherichia coli. 1996, 178, 6555-63	104 205 52
1262 1261 1260 1259	Identification of overlapping DNA-binding and centromere-targeting domains in the human kinetochore protein CENP-C. 1996, 16, 3576-86  Alpha-helical, but not beta-sheet, propensity of proline is determined by peptide environment. 1996, 93, 6676-81  BfpB, an outer membrane lipoprotein required for the biogenesis of bundle-forming pili in enteropathogenic Escherichia coli. 1996, 178, 6555-63  A designed beta-hairpin peptide in crystals. 1996, 93, 8189-93  The conformational consequences of mutations to the H1 helix of the prion protein explored by	104 205 52 155
1262 1261 1260 1259	Identification of overlapping DNA-binding and centromere-targeting domains in the human kinetochore protein CENP-C. 1996, 16, 3576-86  Alpha-helical, but not beta-sheet, propensity of proline is determined by peptide environment. 1996, 93, 6676-81  BfpB, an outer membrane lipoprotein required for the biogenesis of bundle-forming pili in enteropathogenic Escherichia coli. 1996, 178, 6555-63  A designed beta-hairpin peptide in crystals. 1996, 93, 8189-93  The conformational consequences of mutations to the H1 helix of the prion protein explored by molecular dynamics simulations. 1996, 469-477  Delineation of two distinct type 1 activation functions in the androgen receptor amino-terminal	104 205 52 155

1254	Prediction of protein secondary structure from amino acid sequence. <b>1996</b> , 15, 185-91	9
1253	Solid-state 13C-NMR of [(3-13C)Pro]bacteriorhodopsin and [(4-13C)Pro]bacteriorhodopsin: evidence for a flexible segment of the C-terminal tail. <b>1996</b> , 235, 526-33	12
1252	Raman spectroscopic studies of the anhydrous complexes of avidin and streptavidin with biotin. <b>1996</b> , 2, 225-232	14
1251	The immunosuppressory and adhesive miniregion of the human major histocompatibility protein, human leukocyte antigen DQ. <b>1996</b> , 40, 571-583	18
1250	Conformation of tripod Metal Templates in CH3C(CH2PPh2)3MLn (n = $2$ , 3): Neural Networks in Conformational Analysis. <b>1996</b> , 129, 745-757	30
1249	Progress towards understanding beta-sheet structure. <b>1996</b> , 4, 739-66	128
1248	Differential self assembly of amphiphilic helical peptides. <b>1996</b> , 10, 295-304	5
1247	Resonance assignment and structural analysis of acid denatured E. coli [U-15N]-glutaredoxin 3: use of 3D 15N-HSQC-(TOCSY-NOESY)-15N-HSQC. <b>1996</b> , 24, 179-84	2
1246	Interaction of partially unfolded forms of Torpedo acetylcholinesterase with liposomes. <b>1996</b> , 5, 42-51	16
1245	Pi-turns in proteins and peptides: Classification, conformation, occurrence, hydration and sequence. <b>1996</b> , 5, 932-46	50
1244	Delta mu H+ dependency of in vitro protein translocation into Escherichia coli inner-membrane vesicles varies with the signal-sequence core-region composition. <b>1996</b> , 19, 1205-14	20
1243	Context-dependent secondary structure formation of a designed protein sequence. <b>1996</b> , 380, 730-4	367
1242	Induction of helical conformation in all beta-sheet proteins by trifluoroethanol. <b>1996</b> , 14, 381-5	6
1241	Cloning and characterization of Sse9I DNA-methyltransferase recognizing 5'-AATT-3'. <b>1996</b> , 24, 2790-2	1
1240	Vibrational Circular Dichroism. <b>1996</b> , 555-598	57
1239	CD Spectroscopy and the Helix-Coil Transition in Peptides and Polypeptides. <b>1996</b> , 201-259	40
1238	Molecular characterization of trans-Golgi p230. A human peripheral membrane protein encoded by a gene on chromosome 6p12-22 contains extensive coiled-coil alpha-helical domains and a granin motif. <b>1996</b> , 271, 8328-37	80
1237	Genomic organization of the 3' region of the human mucin gene MUC5B. <b>1997</b> , 272, 16873-83	91

1236	ALBINO3, an Arabidopsis nuclear gene essential for chloroplast differentiation, encodes a chloroplast protein that shows homology to proteins present in bacterial membranes and yeast mitochondria. <b>1997</b> , 9, 717-30		194
1235	Residue-residue mean-force potentials for protein structure recognition. <b>1997</b> , 10, 865-76		46
1234	Beta-hairpins in proteins revisited: lessons for de novo design. <b>1997</b> , 10, 1131-41		155
1233	cDNA cloning of the basement membrane chondroitin sulfate proteoglycan core protein, bamacan: a five domain structure including coiled-coil motifs. <b>1997</b> , 136, 433-44		46
1232	Contribution of a salt bridge to the thermostability of DNA binding protein HU from Bacillus stearothermophilus determined by site-directed mutagenesis. <b>1997</b> , 121, 448-55		29
1231	Identification of cytoplasmic subdomains that control pH-sensing of the Na+/H+ exchanger (NHE1): pH-maintenance, ATP-sensitive, and flexible loop domains. <b>1997</b> , 121, 295-303		53
1230	ALBINO3, an Arabidopsis Nuclear Gene Essential for Chloroplast Differentiation, Encodes a Chloroplast Protein That Shows Homology to Proteins Present in Bacterial Membranes and Yeast Mitochondria. <b>1997</b> , 9, 717		106
1229	Solution conformation of a peptide corresponding to bovine kappa-casein B residues 130-153 by circular dichroism spectroscopy and 1H-nuclear magnetic resonance spectroscopy. <b>1997</b> , 64, 377-97		19
1228	Protein Structure Prediction From Primary Sequence. <b>1997</b> , 391-445		
1227	Direct conversion of an oligopeptide from a beta-sheet to an alpha-helix: a model for amyloid formation. <b>1997</b> , 94, 23-8		190
1226	Self-Assembling of Peptide ⊞ of Globin Hydrolysates. <b>1997</b> , 45, 328-333		6
1225	Crystal Structures of Chain-Folded Antiparallel 虧heet Assemblies from Sequence-Designed Periodic Polypeptides. <b>1997</b> , 30, 5012-5024		62
1224	The tyrosine photophysics of a primase-derived peptide are sensitive to the peptide's zinc-bound state: proof that the bacterial primase hypothetical zinc finger sequence binds zinc. <i>Biochemistry</i> , <b>1997</b> , 36, 544-53	3.2	14
1223	The Propensities of Amino Acids To Form Parallel <b>E</b> heets. <b>1997</b> , 119, 10903-10908		34
1222	Structural studies of detergent-solubilized and vesicle-reconstituted low-density lipoprotein (LDL) receptor. <i>Biochemistry</i> , <b>1997</b> , 36, 15940-8	3.2	11
1221	Prevention of vascular and neural dysfunction in diabetic rats by C-peptide. <b>1997</b> , 277, 563-6		293
1220	Construction and Design of 断heets. <b>1997</b> , 30, 153-161		165
1219	Modulation of magainin 2-lipid bilayer interactions by peptide charge. <i>Biochemistry</i> , <b>1997</b> , 36, 2104-11	3.2	151

1218	Lessons from zinc-binding peptides. <b>1997</b> , 26, 357-71	211
1217	Protein structure prediction. Implications for the biologist. <b>1997</b> , 79, 681-6	84
1216	Helix is a helix is a helix?. <b>1997</b> , 94, 2796-7	6
1215	Proviral integrations at the Evi5 locus disrupt a novel 90 kDa protein with homology to the Tre2 oncogene and cell-cycle regulatory proteins. <b>1997</b> , 14, 1023-9	26
1214	Identification of a candidate tumour suppressor gene, MMAC1, at chromosome 10q23.3 that is mutated in multiple advanced cancers. <b>1997</b> , 15, 356-62	2377
1213	An inverse correlation between loop length and stability in a four-helix-bundle protein. <b>1997</b> , 2, 67-75	165
1212	Secondary structure and tertiary fold of the human immunodeficiency virus protein U (Vpu) cytoplasmic domain in solution. <b>1997</b> , 245, 581-8	70
1211	Helix stability in barstar peptides. <b>1997</b> , 249, 724-32	10
<b>121</b> 0	Multiple regression analysis of the beta-sheet propensity of amino acids. <b>1997</b> , 419, 155-160	5
1209	A contact scoring matrix for qualitative prediction of change in folding of alpha-helices in globular proteins caused by a mutation. <b>1997</b> , 1337, 17-26	
1208	Cloning, expression, purification, and characterization of the major core protein (p26) from equine infectious anemia virus. <b>1997</b> , 1339, 62-72	13
1207	A myoglobin variant with a polar substitution in a conserved hydrophobic cluster in the heme binding pocket. <b>1997</b> , 1341, 1-13	92
1206	Classification and prediction of beta-turn types. <b>1997</b> , 16, 575-95	66
1205	Second-site reversion of a dysfunctional mutation in a conserved region of the tobacco mosaic tobamovirus movement protein. <b>1997</b> , 232, 13-8	16
1204	CETP and exchangeable apoproteins: common features in lipid binding activity. <i>Molecular and Cellular Biochemistry</i> , <b>1997</b> , 175, 1-10	17
1203	The design, synthesis and characterization of a porphyrin-peptide conjugate. <b>1997</b> , 38, 3821-3824	37
1202	Positional dependence of the effects of negatively charged Glu side chains on the stability of two-stranded Helical coiled-coils. <b>1997</b> , 3, 209-223	14
1201	Improvement of protein secondary structure prediction using binary word encoding. <b>1997</b> , 27, 36-46	14

1200	A method for the prediction of surface DELurns and transglobular connections in small proteins. <b>1997</b> , 27, 290-308	26
1199	Ab initio and molecular mechanics conformational analysis of neutral L-proline. <b>1997</b> , 65, 1033-1045	37
1198	Prediction of 毗urns in proteins by 1-4 and 2-3 correlation model. <b>1997</b> , 41, 673-702	36
1197	Design and synthesis of novel nonpolar host peptides for the determination of the 310- and ⊞elix compatibilities of ⊞mino acid buildig blocks: An assessment of ⊞disubstituted glycines. <b>1997</b> , 42, 575-626	23
1196	Monitoring of Helical secondary structures in peptides by reversed-phase HPLC of replacement sets. <b>1997</b> , 352, 365-374	9
1195	Prediction of beta-turns. <b>1998</b> , 17, 363-76	12
1194	Epitope mapping of the house-dust-mite allergen Der p 2 by means of site-directed mutagenesis. <b>1998</b> , 53, 165-72	35
1193	Endocrine and gastrointestinal action of galanin. <b>1998</b> , 863, 129-42	1
1192	Aromatic rescue of glycine in beta sheets. <b>1998</b> , 3, 449-55	65
1191	Self-association of the C-terminal domain of the hepatitis-C virus core protein. <b>1998</b> , 258, 100-6	22
1190	Hexane-soluble octadecadepsipeptide forming hydrophobic alpha-helical rod end-capped by the C-terminal gamma-turn. <b>1996</b> , 38, 285-90	10
1189	A fluorescence and CD study on the interaction of synthetic lipophilic hepatitis B virus preS(120-145) peptide analogues with phospholipid vesicles. <b>1996</b> , 38, 607-18	21
1188	Structural cassette mutagenesis in a de novo designed protein: proof of a novel concept for examining protein folding and stability. <b>1998</b> , 47, 101-23	7
1187	Guidelines for membrane protein engineering derived from de novo designed model peptides. <b>1998</b> , 47, 41-62	94
1186	hBRAG, a novel B cell lineage cDNA encoding a type II transmembrane glycoprotein potentially involved in the regulation of recombination activating gene 1 (RAG1). <b>1998</b> , 28, 2839-53	14
1185	Dissecting alpha-helices: position-specific analysis of alpha-helices in globular proteins. <b>1998</b> , 31, 460-76	112
1184	A beta-sheet peptide inhibitor of E47 dimerization and DNA binding. <b>1998</b> , 5, 439-45	20
1183	Determinants of strand register in antiparallel beta-sheets of proteins. <b>1998</b> , 7, 2287-300	163

1182	Conformation induction in melanotropic peptides by trifluoroethanol: fluorescence and circular dichroism study. <b>1998</b> , 74, 175-86	21
1181	Enhanced antigenicity of a four-contact-residue epitope of the measles virus hemagglutinin protein by phage display libraries: evidence of a helical structure in the putative active site. <b>1998</b> , 35, 435-43	20
1180	N-glycosylation does not affect assembly and targeting of proglycinin in yeast. <b>1998</b> , 1379, 107-17	8
1179	Structures involved in the interaction of Porphyromonas gingivalis fimbriae and human lactoferrin. <b>1998</b> , 422, 205-8	23
1178	Intrahelical side chain interactions in alpha-helices: poor correlation between energetics and frequency. <b>1998</b> , 429, 99-103	12
1177	Stability of the C-terminal peptide of CETP mediated through an (i, i + 4) array. <b>1998</b> , 1384, 7-15	13
1176	Helix capping. <b>1998</b> , 7, 21-38	605
1175	Stereochemical punctuation marks in protein structures: glycine and proline containing helix stop signals. <b>1998</b> , 275, 917-32	112
1174	Side-chain effects on peptidyl-prolyl cis/trans isomerisation. <b>1998</b> , 279, 449-60	301
1173	Role of main-chain electrostatics, hydrophobic effect and side-chain conformational entropy in determining the secondary structure of proteins. <b>1998</b> , 279, 665-84	60
1172	The primary structure of soluble cytochrome c-551 from the phototrophic green sulfur bacterium Chlorobium limicola, strain Tassajara, reveals a novel c-type cytochrome. <i>Biochemistry</i> , <b>1998</b> , 37, 10555- $62^2$	22
1171	A helix propensity scale based on experimental studies of peptides and proteins. <b>1998</b> , 75, 422-7	740
1170	Heterodimer formation and crystal nucleation of gramicidin D. <b>1998</b> , 75, 2135-46	47
1169	Isolation and characterization of rhamnose-binding lectins from eggs of steelhead trout (Oncorhynchus mykiss) homologous to low density lipoprotein receptor superfamily. <b>1998</b> , 273, 19190-7	95
1168	Molecular determinants of Na+ channel function in the extracellular domain of the beta1 subunit. <b>1998</b> , 273, 3954-62	119
1167	Chloroplast development at low temperatures requires a homolog of DIM1, a yeast gene encoding the 18S rRNA dimethylase. <b>1998</b> , 10, 699-711	59
1166	A transcriptional activating region with two contrasting modes of protein interaction. <b>1998</b> , 95, 13543-8	52
1165	Modified amino acids as probes of helix stability. <b>1998</b> , 295, 26-41	23

1164	mineralocorticoid excess. <b>1998</b> , 83, 2244-54	142
1163	JPred: a consensus secondary structure prediction server. <b>1998</b> , 14, 892-3	910
1162	Uncoupling hydrophobicity and helicity in transmembrane segments. Alpha-helical propensities of the amino acids in non-polar environments. <b>1998</b> , 273, 23645-8	72
1161	Chloroplast Development at Low Temperatures Requires a Homolog of DIM1, a Yeast Gene Encoding the 18S rRNA Dimethylase. <b>1998</b> , 10, 699	
1160	Proteins: Some principles of classification and structure. <b>1998</b> , 7, 1-50	3
1159	Human alpha-galactosidase A: glycosylation site 3 is essential for enzyme solubility. <b>1998</b> , 332 (Pt 3), 789-97	84
1158	Protein transmembrane structure: recognition and prediction by using hydrophobicity scales through preference functions. <b>1998</b> , 5, 405-445	14
1157	Structural and functional properties of the N transcriptional activation domain of thyroid transcription factor-1: similarities with the acidic activation domains. <b>1998</b> , 329 ( Pt 2), 395-403	30
1156	Assignment of the helical structure in neuropeptide Y by HPLC studies of methionine replacement analogues and 1H-NMR spectroscopy. <b>1998</b> , 39, 207-219	3
1155	References. <b>1999</b> , 319-374	
1155	References. 1999, 319-374  Functional analysis of a single chain chimeric alpha/beta-granulocyte-macrophage colony-stimulating factor receptor. Importance of a glutamate residue in the transmembrane region. 1999, 274, 33064-71	7
1154	Functional analysis of a single chain chimeric alpha/beta-granulocyte-macrophage colony-stimulating factor receptor. Importance of a glutamate residue in the transmembrane	7 38
1154	Functional analysis of a single chain chimeric alpha/beta-granulocyte-macrophage colony-stimulating factor receptor. Importance of a glutamate residue in the transmembrane region. <b>1999</b> , 274, 33064-71	
1154	Functional analysis of a single chain chimeric alpha/beta-granulocyte-macrophage colony-stimulating factor receptor. Importance of a glutamate residue in the transmembrane region. <b>1999</b> , 274, 33064-71  Glycine insertion in the hinge region of lactose repressor protein alters DNA binding. <b>1999</b> , 274, 30849-57  Asymmetric contributions to RNA binding by the Thr(45) residues of the MS2 coat protein dimer.	38
1154 1153 1152	Functional analysis of a single chain chimeric alpha/beta-granulocyte-macrophage colony-stimulating factor receptor. Importance of a glutamate residue in the transmembrane region. 1999, 274, 33064-71  Glycine insertion in the hinge region of lactose repressor protein alters DNA binding. 1999, 274, 30849-57  Asymmetric contributions to RNA binding by the Thr(45) residues of the MS2 coat protein dimer. 1999, 274, 25403-10	38
1154 1153 1152 1151	Functional analysis of a single chain chimeric alpha/beta-granulocyte-macrophage colony-stimulating factor receptor. Importance of a glutamate residue in the transmembrane region. 1999, 274, 33064-71  Glycine insertion in the hinge region of lactose repressor protein alters DNA binding. 1999, 274, 30849-57  Asymmetric contributions to RNA binding by the Thr(45) residues of the MS2 coat protein dimer. 1999, 274, 25403-10  Structure-based conformational preferences of amino acids. 1999, 96, 12524-9  Intrinsic beta-sheet propensities result from van der Waals interactions between side chains and	38 15 109
1154 1153 1152 1151 1150	Functional analysis of a single chain chimeric alpha/beta-granulocyte-macrophage colony-stimulating factor receptor. Importance of a glutamate residue in the transmembrane region. 1999, 274, 33064-71  Glycine insertion in the hinge region of lactose repressor protein alters DNA binding. 1999, 274, 30849-57  Asymmetric contributions to RNA binding by the Thr(45) residues of the MS2 coat protein dimer. 1999, 274, 25403-10  Structure-based conformational preferences of amino acids. 1999, 96, 12524-9  Intrinsic beta-sheet propensities result from van der Waals interactions between side chains and the local backbone. 1999, 96, 9074-6  Determination of the binding site on the extracellular domain of guanylyl cyclase C to heat-stable	38 15 109 181

1146	Classification and prediction of Burn types by neural network. <b>1999</b> , 30, 347-352	10
1145	Structure-function relationship in a beta-sheet peptide inhibitor of E47 dimerization and DNA binding. <b>1999</b> , 7, 61-6	5
1144	Beta-hairpin and beta-sheet formation in designed linear peptides. <b>1999</b> , 7, 93-103	109
1143	Forming stable helical peptides using natural and artificial amino acids. <b>1999</b> , 55, 11711-11743	131
1142	Secondary structure and protein deamidation. <b>1999</b> , 88, 8-13	103
1141	Expression of coxsackie adenovirus receptor and alphav-integrin does not correlate with adenovector targeting in vivo indicating anatomical vector barriers. <b>1999</b> , 6, 1520-35	276
1140	Sequences of European wheat mosaic virus and oat golden stripe virus and genome analysis of the genus furovirus. <b>1999</b> , 261, 331-9	36
1139	Application of amino acid type-specific 1H- and 14N-labeling in a 2H-, 15N-labeled background to a 47 kDa homodimer: potential for NMR structure determination of large proteins. <b>1999</b> , 14, 79-83	31
1138	Prediction of the location and type of beta-turns in proteins using neural networks. <b>1999</b> , 8, 1045-55	100
1137	Molecular mechanisms of the regulatory action of phytohormones and defoliants of the cytokinin type. <b>1999</b> , 35, 452-454	
1136	Conformational structure and binding mode of glyceraldehyde-3-phosphate dehydrogenase to tRNA studied by Raman and CD spectroscopy. <b>1999</b> , 1432, 222-33	21
1135	To fuse or not to fuse: the effects of electrostatic interactions, hydrophobic forces, and structural amphiphilicity on protein-mediated membrane destabilization. <b>1999</b> , 38, 257-277	35
1134	Sidechain interactions in parallel beta sheets: the energetics of cross-strand pairings. <i>Structure</i> , 1999, 7, 1333-43	83
1133	Identification of destabilizing residues in HLA class II-selected bacteriophage display libraries edited by HLA-DM. <b>1999</b> , 29, 660-8	28
1132	Gramicidin D conformation, dynamics and membrane ion transport. <b>1999</b> , 51, 129-44	64
1131	Evaluation and improvement of multiple sequence methods for protein secondary structure prediction. <b>1999</b> , 34, 508-19	408
1130	De novo design and structural characterization of proteins and metalloproteins. <b>1999</b> , 68, 779-819	529
1129	Bioinformatics Methods and Protocols. <b>1999</b> ,	15

1128	From Chemical Topology to Three-Dimensional Geometry. <b>1999</b> ,	2
1127	Is beta-pleated sheet the molecular conformation which dictates formation of helicoidal cuticle?. <b>1999</b> , 29, 285-92	46
1126	Functional and structural characterization of multiple galectins from the skin mucus of conger eel, Conger myriaster. <b>1999</b> , 123, 33-45	57
1125	High-affinity binding of urocortin and astressin but not CRF to G protein-uncoupled CRFR1. <b>1999</b> , 20, 1311-9	18
1124	Strong hydrophobic nature of cysteine residues in proteins. <b>1999</b> , 458, 69-71	103
1123	Structural models of the KtrB, TrkH, and Trk1,2 symporters based on the structure of the KcsA K(+) channel. <b>1999</b> , 77, 789-807	157
1122	Monte Carlo simulations of beta-hairpin folding at constant temperature. <b>1999</b> , 76, 164-75	22
1121	Chemical Models of Protein 野heets. <b>1999</b> , 32, 287-296	170
1120	Water-soluble beta-sheet models which self-assemble into fibrillar structures. <i>Biochemistry</i> , <b>1999</b> , 38, 8246-52	93
1119	Three distinct F-actin binding sites in the Dictyostelium discoideum 34,000 dalton actin bundling protein. <i>Biochemistry</i> , <b>1999</b> , 38, 800-12	14
1118	Molecular dissection of protein antigens and the prediction of epitopes. <b>1999</b> , 1-78	1
1117	Side-chain structures in the first turn of the alpha-helix. <b>1999</b> , 287, 127-43	87
1116	Protein secondary structure prediction based on position-specific scoring matrices. <b>1999</b> , 292, 195-202	4276
1115	Physicochemical and functional comparison of Xenopus laevis nucleoplasmin obtained from oocytes and from overexpression in bacteria. <b>1999</b> , 361, 135-41	13
1114	MacVector. Integrated sequence analysis for the Macintosh. <b>2000</b> , 132, 47-69	34
1113	The relative order of helical propensity of amino acids changes with solvent environment. <b>2000</b> , 39, 132-41	32
1112	Studies on the dephosphorylation of phosphotyrosine-containing peptides during post-source decay in matrix-assisted laser desorption/ionization. <b>2000</b> , 35, 1165-77	30
1111	Application of multiple sequence alignment profiles to improve protein secondary structure prediction. <b>2000</b> , 40, 502-11	626

1110	Prediction of protein secondary structure at 80% accuracy. <b>2000</b> , 41, 17-20	96
1109	The genetic code as a periodic table: algebraic aspects. <b>2000</b> , 57, 147-61	28
1108	A new peptide-affinity tag for the detection and affinity purification of recombinant proteins with a monoclonal antibody. <b>2000</b> , 240, 165-83	15
1107	Computational design of D-peptide inhibitors of hepatitis delta antigen dimerization. <b>2000</b> , 14, 705-18	7
1106	Position effect of cross-strand side-chain interactions on beta-hairpin formation. <b>2000</b> , 9, 2151-60	46
1105	Generation of deviation parameters for amino acid singlets, doublets and triplets from three-dimentional structures of proteins and its implications for secondary structure prediction 2.3 from amino acid sequences. <i>Journal of Biosciences</i> , <b>2000</b> , 25, 81-91	4
1104	Estimating the significance of sequence order in protein secondary structure and prediction. <b>2000</b> , 16, 978-87	6
1103	Assignment of functional amino acids around the active site of human DNA topoisomerase IIalpha. <b>2000</b> , 275, 24630-8	14
1102	Protein Structure Prediction. <b>2000</b> ,	6
1101	Third generation prediction of secondary structures. <b>2000</b> , 143, 71-95	39
	Third generation prediction of secondary structures. <b>2000</b> , 143, 71-95  A graphic approach to evaluate algorithms of secondary structure prediction. <b>2000</b> , 17, 829-42	<ul><li>39</li><li>7</li></ul>
1100	A graphic approach to evaluate algorithms of secondary structure prediction. <b>2000</b> , 17, 829-42  The topogenic contribution of uncharged amino acids on signal sequence orientation in the	7
1100 1099	A graphic approach to evaluate algorithms of secondary structure prediction. <b>2000</b> , 17, 829-42  The topogenic contribution of uncharged amino acids on signal sequence orientation in the endoplasmic reticulum. <b>2000</b> , 275, 14916-22  Wpkci, encoding an altered form of PKCI, is conserved widely on the avian W chromosome and	7
1100 1099 1098	A graphic approach to evaluate algorithms of secondary structure prediction. 2000, 17, 829-42  The topogenic contribution of uncharged amino acids on signal sequence orientation in the endoplasmic reticulum. 2000, 275, 14916-22  Wpkci, encoding an altered form of PKCI, is conserved widely on the avian W chromosome and expressed in early female embryos: implication of its role in female sex determination. 2000, 11, 3645-60  Amino acid conformational preferences and solvation of polar backbone atoms in peptides and proteins. 2000, 300, 1335-59	7 30 121
1100 1099 1098 1097	A graphic approach to evaluate algorithms of secondary structure prediction. 2000, 17, 829-42  The topogenic contribution of uncharged amino acids on signal sequence orientation in the endoplasmic reticulum. 2000, 275, 14916-22  Wpkci, encoding an altered form of PKCI, is conserved widely on the avian W chromosome and expressed in early female embryos: implication of its role in female sex determination. 2000, 11, 3645-60  Amino acid conformational preferences and solvation of polar backbone atoms in peptides and proteins. 2000, 300, 1335-59  Second codon positions of genes and the secondary structures of proteins. Relationships and	7 30 121 61
1100 1099 1098 1097 1096	A graphic approach to evaluate algorithms of secondary structure prediction. 2000, 17, 829-42  The topogenic contribution of uncharged amino acids on signal sequence orientation in the endoplasmic reticulum. 2000, 275, 14916-22  Wpkci, encoding an altered form of PKCI, is conserved widely on the avian W chromosome and expressed in early female embryos: implication of its role in female sex determination. 2000, 11, 3645-60  Amino acid conformational preferences and solvation of polar backbone atoms in peptides and proteins. 2000, 300, 1335-59  Second codon positions of genes and the secondary structures of proteins. Relationships and implications for the origin of the genetic code. 2000, 261, 63-9	7 30 121 61 67

1092	De novo design of proteinswhat are the rules?. <b>2001</b> , 101, 3153-63	129
1091	Non-alpha-helical elements modulate polytopic membrane protein architecture. <b>2001</b> , 306, 349-62	98
1090	FUGUE: sequence-structure homology recognition using environment-specific substitution tables and structure-dependent gap penalties. <b>2001</b> , 310, 243-57	1102
1089	A familial hypertrophic cardiomyopathy alpha-tropomyosin mutation causes severe cardiac hypertrophy and death in mice. <b>2001</b> , 33, 1815-28	111
1088	Amino acid distributions in integral membrane protein structures. <b>2001</b> , 1512, 1-14	292
1087	Mutations in the gene encoding tight junction claudin-14 cause autosomal recessive deafness DFNB29. <b>2001</b> , 104, 165-72	368
1086	Modular motif, structural folds and affinity profiles of the PEVK segment of human fetal skeletal muscle titin. <b>2001</b> , 276, 7442-9	79
1085	Conformers of Nonionized Proline. Matrix-Isolation Infrared and Post-Hartree <b>B</b> ock ab Initio Study. <b>2001</b> , 105, 10664-10672	113
1084	Partially carboxymethylated feather keratins. 2. Thermal and mechanical properties of films. <b>2001</b> , 49, 221-30	113
1083	Clusterin, a binding protein with a molten globule-like region. <i>Biochemistry</i> , <b>2001</b> , 40, 11828-40 3.2	96
	Clusterin, a binding protein with a molten globule-like region. <i>Biochemistry</i> , <b>2001</b> , 40, 11828-40 3.2  Design of folded peptides. <b>2001</b> , 101, 3131-52	96 582
1082		
1082	Design of folded peptides. 2001, 101, 3131-52  . 2001,  Up tournant essential dans la connaissance des relations. Structure - fonction - activit [the   [fisting]]	582
1082	Design of folded peptides. 2001, 101, 3131-52  . 2001,  Un tournant essentiel dans la connaissance des relations. Structure - fonction - activit@de lastine.	582
1082	Design of folded peptides. 2001, 101, 3131-52  . 2001,  Un tournant essentiel dans la connaissance des relations. Structure - fonction - activit[de l[astine. 2001, 195, 181-193]]  Folding of beta pep-4 beta-sheet sandwich dimers and tetramers is influenced by aliphatic	582 3 19
1082 1081 1080	Design of folded peptides. 2001, 101, 3131-52  . 2001,  Un tournant essentiel dans la connaissance des relations. Structure - fonction - activit[de l[astine. 2001, 195, 181-193]]  Folding of beta pep-4 beta-sheet sandwich dimers and tetramers is influenced by aliphatic hydrophobic residues at the intersubunit interface. 2001, 357, 739-47  Folding of pep-4 sheet sandwich dimers and tetramers is influenced by aliphatic hydrophobic	582 3 19
1082 1081 1080 1079	Design of folded peptides. 2001, 101, 3131-52  .2001,  Un tournant essentiel dans la connaissance des relations. Structure - fonction - activit[de l[astine. 2001, 195, 181-193]]  Folding of beta pep-4 beta-sheet sandwich dimers and tetramers is influenced by aliphatic hydrophobic residues at the intersubunit interface. 2001, 357, 739-47  Folding of pep-4 sheet sandwich dimers and tetramers is influenced by aliphatic hydrophobic residues at the intersubunit interface. 2001, 357, 739-747  Protein Structure Prediction. 2001, 237-313	582 3 19

1074	Large anhydrous polyalanine ions: substitution of Na+ for H+ destabilizes folded states. <b>2001</b> , 204, 87-100	14
1073	Engineering of the protein environment around the redox-active TyrZ in photosystem II. The role of F186 and P162 in the D1 protein of Synechocystis 6803. <b>2001</b> , 268, 5356-64	10
1072	Significance of aromatic-backbone amide interactions in protein structure. <b>2001</b> , 43, 373-81	77
1071	Quantitative comparison of the ability of hydropathy scales to recognize surface beta-strands in proteins. <b>2001</b> , 42, 243-55	49
1070	Sequence codes for extended conformation: a neighbor-dependent sequence analysis of loops in proteins. <b>2001</b> , 42, 399-413	33
1069	A sequence and structural study of transmembrane helices. <b>2001</b> , 15, 533-52	36
1068	The role of tetramerization in p53 function. <b>2001</b> , 20, 2611-7	197
1067	Peptide and protein folding. 2001, 537, 319-361	39
1066	Predicting protein conformation by statistical methods. <b>2001</b> , 1549, 123-36	13
1065	Recent developments in computational proteomics. <b>2001</b> , 19, 266-72	43
1064	The interrelationships of side-chain and main-chain conformations in proteins. <b>2001</b> , 76, 1-102	168
1063	Recent developments in computational proteomics. <b>2001</b> , 6, 996-1004	19
1062	Functional and structural roles of constituent amino acid residues of bovine pancreatic ribonuclease A. <b>2001</b> , 92, 98-107	24
1061	SET-related cell division autoantigen-1 (CDA1) arrests cell growth. <b>2001</b> , 276, 33665-74	71
1060	Conformational preferences of heterochiral peptides. Crystal structures of heterochiral peptides Boc-(D) Val-(D) Ala-Leu-Ala-OMe and Boc-Val-Ala-Leu-(D) Ala-OMeenhanced stability of beta-sheet through C-HO hydrogen bonds. <b>2001</b> , 18, 579-94	7
1059	Role of the helix capping in the stability of the mouse prion (180-213) segment: investigation through molecular dynamics simulations. <b>2001</b> , 19, 237-46	7
1058	Length-dependent stability and strand length limits in antiparallel beta -sheet secondary structure. <b>2001</b> , 98, 12015-20	121
1057	Conversion in the requirement of coat protein in cell-to-cell movement mediated by the cucumber mosaic virus movement protein. <b>2001</b> , 75, 8045-53	53

1056	Conformational dependence of collagenase (matrix metalloproteinase-1) up-regulation by elastin peptides in cultured fibroblasts. <b>2001</b> , 276, 5222-7		128
1055	An approach to improving multiple alignments of protein sequences using predicted secondary structure. <b>2001</b> , 14, 227-31		19
1054	Solution structure of the p53 regulatory domain of the p19Arf tumor suppressor protein. <i>Biochemistry</i> , <b>2001</b> , 40, 2379-86	3.2	39
1053	Classification of amino acids based on statistical results of known structures and cooperativity of protein folding. <b>2002</b> , 65, 061907		4
1052	HIV-1 gp41 envelope residues 650-685 exposed on native virus act as a lectin to bind epithelial cell galactosyl ceramide. <b>2002</b> , 277, 25649-59		96
1051	Increased frequency of cysteine, tyrosine, and phenylalanine residues since the last universal ancestor. <b>2002</b> , 1, 125-31		62
1050	The type IV pilus assembly complex: biogenic interactions among the bundle-forming pilus proteins of enteropathogenic Escherichia coli. <b>2002</b> , 184, 3457-65		49
1049	Toward predicting protein topology: an approach to identifying beta hairpins. 2002, 99, 11157-62		41
1048	Feline immunodeficiency virus OrfA is distinct from other lentivirus transactivators. <b>2002</b> , 76, 9624-34		29
1047	The chain length dependence of helix formation of the second transmembrane domain of a G protein-coupled receptor of Saccharomyces cerevisiae. <b>2002</b> , 277, 14483-92		10
1046	The hydrophobicity threshold for peptide insertion into membranes. <b>2002</b> , 52, 465-479		7
1045	Alpha-helically constrained phage display library. <b>2002</b> , 15, 943-50		39
1044	Photo-control of peptide helix content by an azobenzene cross-linker: steric interactions with underlying residues are not critical. <b>2002</b> , 15, 561-9		30
1043	An evaluation of beta-turn prediction methods. <b>2002</b> , 18, 1508-14		41
1042	BetaTPred: prediction of beta-TURNS in a protein using statistical algorithms. <b>2002</b> , 18, 498-9		21
1041	Recognition of Membrane Protein Structure from Amino Acid Sequence. 2002, 117-158		
1040	A Mass Spectrometry Investigation of the Conformational Changes in Adrenocorticotropic Hormones. <b>2002</b> , 8, 381-387		10
1039	Proteomics: Prediction of Protein Structures. 233-268		

1038	Protein structure, neighbor effect, and a new index of amino acid dissimilarities. 2002, 19, 58-67	54
1037	Role of the N-terminus of epidermal growth factor in ErbB-2/ErbB-3 binding studied by phage display. <i>Biochemistry</i> , <b>2002</b> , 41, 8732-41	16
1036	Effect of phosphorylation on alpha-helix stability as a function of position. <i>Biochemistry</i> , <b>2002</b> , 41, 1897-905	109
1035	Protein secondary structure prediction with Bayesian learning method.	
1034	Characterization of disease-associated single amino acid polymorphisms in terms of sequence and structure properties. <b>2002</b> , 315, 771-86	171
1033	An analysis of protein domain linkers: their classification and role in protein folding. <b>2002</b> , 15, 871-9	265
1032	Gas Phase Polyalanine: Assessment of $i \rightarrow i + 3$ and $i \rightarrow i + 4$ Helical Turns in [Alan + 4H]4+ (n = 2949) Ion. 2002, 106, 12045-12051	20
1031	Design of non-cysteine-containing antimicrobial beta-hairpins: structure-activity relationship studies with linear protegrin-1 analogues. <i>Biochemistry</i> , <b>2002</b> , 41, 12835-42	67
1030	Elucidation of factors responsible for enhanced thermal stability of proteins: a structural genomics based study. <i>Biochemistry</i> , <b>2002</b> , 41, 8152-61	217
1029	Structure and interactions of the carboxyl terminus of striated muscle alpha-tropomyosin: it is important to be flexible. <b>2002</b> , 83, 2754-66	48
1028	The base composition of the genes is correlated with the secondary structures of the encoded proteins. <b>2002</b> , 300, 179-87	45
1027	Specific interactions between sense and complementary peptides: the basis for the proteomic code. <b>2002</b> , 3, 136-51	60
1026	Ab initio prediction of helical segments in polypeptides. <b>2002</b> , 23, 245-66	34
1025	Mutations in human glycine N-methyltransferase give insights into its role in methionine metabolism. <b>2002</b> , 110, 68-74	56
1024	Ab initio structure of human seminal plasma prostatic inhibin gives significant insight into its biological functions. <b>2002</b> , 8, 50-7	6
1023	Helix-coil transitions re-visited. <b>2002</b> , 101-102, 255-65	51
1022	Support vector machines for the classification and prediction of beta-turn types. <b>2002</b> , 8, 297-301	61
1021	Prediction of strand pairing in antiparallel and parallel beta-sheets using information theory. <b>2002</b> , 48, 178-91	61

1020	Combining the GOR V algorithm with evolutionary information for protein secondary structure prediction from amino acid sequence. <b>2002</b> , 49, 154-66		115
1019	Beyond the rotamer library: genetic algorithm combined with the disturbing mutation process for upbuilding protein side-chains. <b>2003</b> , 50, 49-62		8
1018	Single nucleotide polymorphisms in the transcobalamin gene: relationship with transcobalamin concentrations and risk for neural tube defects. <b>2002</b> , 10, 433-8		91
1017	Prediction of physical-chemical properties of amino acids from genetic code. <b>2002</b> , 28, 17-26		4
1016	A mouse model of familial hypertrophic cardiomyopathy caused by a £ropomyosin mutation.  Molecular and Cellular Biochemistry, 2003, 251, 33-42	2	42
1015	A Bayesian molecular interaction library. <b>2003</b> , 17, 435-61		12
1014	Prediction of beta-turns in proteins from multiple alignment using neural network. 2003, 12, 627-34		117
1013	Propensities, probabilities, and the Boltzmann hypothesis. <b>2003</b> , 12, 1298-302		54
1012	Probing folding free energy landscape of small proteins through minimalistic models: Folding of HP-36 and mmyloid. <i>Journal of Chemical Sciences</i> , <b>2003</b> , 115, 621-636	8	3
1011	Statistical analysis of pair-wise compatibility of spatially nearest neighbor and adjacent residues in alpha-helix and beta-strands: application to a minimal model for secondary structure prediction. <b>2003</b> , 103, 35-49		4
1010	Methods for transcription factor separation. <b>2003</b> , 797, 269-88		7
1009	Cloning and expression of Blo t 1, a novel allergen from the dust mite Blomia tropicalis, homologous to cysteine proteases. <b>2003</b> , 33, 28-34		23
1008	Flavors of protein disorder. <b>2003</b> , 52, 573-84		291
1007	Exploration of structural features of monomeric helical peptides designed with a genetic algorithm. <b>2003</b> , 53, 193-200		9
1006	Chemistry of the Caseins. 2003, 139-201		52
1005	Accurate and automated classification of protein secondary structure with PsiCSI. <b>2003</b> , 12, 288-95		42
1004	Reinvestigation of the proposed folding and self-association of the Neuropeptide Head Activator. <b>2003</b> , 12, 560-6		6
1003	Signal peptide mimics conjugated to peptide nucleic acid: a promising solution for improving cell membrane permeability. <b>2003</b> , 14, 153-7		11

1002	Assessing Intrinsic Side Chain Interactions betweeniandi+ 4 Residues in Solvent-Free Peptides: ´A Combinatorial Gas-Phase Approach□ <b>2003</b> , 107, 10566-10579		27
1001	Beta-sheet preferences from first principles. <b>2003</b> , 125, 16383-6		21
1000	Proteomics computational analyses suggest that hepatitis C virus E1 and pestivirus E2 envelope glycoproteins are truncated class II fusion proteins. <b>2003</b> , 307, 255-65		112
999	Sequence and structure patterns in proteins from an analysis of the shortest helices: implications for helix nucleation. <b>2003</b> , 326, 273-91		64
998	Prediction of beta-turns with learning machines. <b>2003</b> , 24, 665-9		17
997	Modeling tau polymerization in vitro: a review and synthesis. <i>Biochemistry</i> , <b>2003</b> , 42, 15009-17	3.2	110
996	Inhibition of tau polymerization by its carboxy-terminal caspase cleavage fragment. <i>Biochemistry</i> , <b>2003</b> , 42, 8325-31	3.2	116
995	Q9, a content-balancing accuracy index to evaluate algorithms of protein secondary structure prediction. <b>2003</b> , 35, 1256-62		3
994	GlobPlot: Exploring protein sequences for globularity and disorder. 2003, 31, 3701-8		75 <sup>2</sup>
993	BTEVAL: a server for evaluation of beta-turn prediction methods. <b>2003</b> , 1, 495-504		3
992	Correlation between rate of folding, energy landscape, and topology in the folding of a model protein HP-36. <b>2003</b> , 118, 4733-4747		44
991	Grb2-independent recruitment of Gab1 requires the C-terminal lobe and structural integrity of the Met receptor kinase domain. <b>2003</b> , 278, 30083-90		40
990	Characterization by NMR and molecular modeling of the binding of polyisoprenols and polyisoprenyl recognition sequence peptides: 3D structure of the complexes reveals sites of specific interactions. <b>2003</b> , 13, 51-71		56
989	Neurotoxicity and physicochemical properties of Abeta mutant peptides from cerebral amyloid angiopathy: implication for the pathogenesis of cerebral amyloid angiopathy and Alzheimer's disease. <b>2003</b> , 278, 46179-87		182
988	Presence of functional domains in NADPH-dependent cytosolic 3,5,3'-Triiodo-L-thyronine (T3)-binding protein (p38CTBP) molecule: analyses with deletion mutants. <b>2003</b> , 35, 577-82		5
987	Rising Accuracy of Protein Secondary Structure Prediction. <b>2003</b> , 207-249		25
986	. 2003,		3
985	Hydrophobicity Analysis of Protein Primary Structures to Identify Helical Regions. <b>2004</b> , 43, 102-105		2

## (2004-2004)

984	Protein beta-turn prediction using nearest-neighbor method. <b>2004</b> , 20, 40-4	78
983	Polymorphism of transporter associated with antigen presentation 1 as a potential determinant for severity of disease in recurrent respiratory papillomatosis caused by human papillomavirus types 6 and 11. <b>2004</b> , 189, 871-9	19
982	Dramatic acceleration of protein folding by stabilization of a nonnative backbone conformation. <b>2004</b> , 101, 7954-9	74
981	Prediction of protein secondary structure based on residue pairs. <b>2004</b> , 2, 343-52	7
980	Helix induction in antimicrobial peptides by alginate in biofilms. <b>2004</b> , 279, 38749-54	74
979	Calmodulin mediates Ca2+ sensitivity of sodium channels. <b>2004</b> , 279, 45004-12	139
978	A hairpin turn in a class II MHC-bound peptide orients residues outside the binding groove for T cell recognition. <b>2004</b> , 101, 13279-84	51
977	Clustering of amino acids for protein secondary structure prediction. <b>2004</b> , 2, 333-42	5
976	Puumala virus nucleocapsid protein expressed in transgenic plants is not immunogenic after oral administration. <b>2004</b> , 29, 109-16	5
975	The occurrence of CHO hydrogen bonds in alpha-helices and helix termini in globular proteins. <b>2004</b> , 56, 768-81	86
974	Sequence-based prediction of pathological mutations. <b>2004</b> , 57, 811-9	149
973	The extended left-handed helix: a simple nucleic acid-binding motif. 2004, 55, 330-8	28
972	A novel method for protein secondary structure prediction using dual-layer SVM and profiles. <b>2004</b> , 54, 738-43	121
971	Predotar: A tool for rapidly screening proteomes for N-terminal targeting sequences. <b>2004</b> , 4, 1581-90	725
970	Applications of model beta-hairpin peptides. <b>2004</b> , 93, 2881-94	32
969	Backbone thioester exchange: a new approach to evaluating higher order structural stability in polypeptides. <b>2004</b> , 126, 11172-4	74
968	7 Computational protein design and discovery. <b>2004</b> , 100, 195-236	7
967	Thermal behavior of fowl feather keratin. <b>2004</b> , 68, 1875-81	33

966	Contact pair dynamics during folding of two small proteins: chicken villin head piece and the Alzheimer protein beta-amyloid. <b>2004</b> , 120, 1602-12	25
965	Designing human m1 muscarinic receptor-targeted hydrophobic eigenmode matched peptides as functional modulators. <b>2004</b> , 86, 1308-31	6
964	The way to oleg ptitsyn and beyond. <b>2004</b> , 43, 243-277	
963	Protein secondary structure prediction by combining hidden Markov models and sliding window scores. <b>2005</b> , 1, 420-8	4
962	Prediction in 1D: Secondary Structure, Membrane Helices, and Accessibility. 2005, 559-587	7
961	Database of Protein and Bioactive Peptide Sequences. <b>2005</b> , 543-563	3
960	Stability and Design of ⊞elices. 247-313	13
959	The amino-acid sequence of histone H2A from cuttlefish Sepia officinalis. <b>1982</b> , 124, 489-98	22
958	Structural prediction of membrane-bound proteins. <b>1982</b> , 128, 565-75	227
957	Synthetic peptides as probes for conformational preferences of domains of membrane receptors. <b>2005</b> , 80, 199-213	26
956	Side-chain control of folding of the homologous alpha-, beta-, and gamma-peptides into "mixed" helices (beta-helices). <b>2005</b> , 80, 675-87	37
955	Rationally designed mutations convert complexes of human recombinant T cell receptor ligands into monomers that retain biological activity. <b>2005</b> , 80, 2-12	11
954	Self-assembled peptide tubelets with 7 A pores. <b>2005</b> , 11, 6543-51	69
953	Structure prediction of a multi-domain EF-hand Ca2+ binding protein by PROPAINOR. <b>2005</b> , 11, 481-8	5
952	Electronic properties of amino acid side chains: quantum mechanics calculation of substituent effects. <b>2005</b> , 5, 2	36
951	Effect of the environment on vibrational infrared and circular dichroism spectra of (s)-proline. <b>2005</b> , 104, 744-757	26
950	High accuracy prediction of beta-turns and their types using propensities and multiple alignments. <b>2005</b> , 59, 828-39	83
949	A consistent set of statistical potentials for quantifying local side-chain and backbone interactions. <b>2005</b> , 60, 90-6	33

948	Main-chain conformational tendencies of amino acids. <b>2005</b> , 60, 679-89	59
947	Use of bioinformatics tools for the annotation of disease-associated mutations in animal models. <b>2005</b> , 61, 878-87	17
946	A new catalog of protein beta-sheets. <b>2005</b> , 61, 545-58	16
945	Early-stage folding in proteins (in silico) sequence-to-structure relation. <b>2005</b> , 2005, 65-79	16
944	Secondary structure prediction. <b>2005</b> ,	
943	Cuticular Proteins. <b>2005</b> , 79-109	39
942	Solution structure of the fifth and sixth transmembrane segments of the mitochondrial oxoglutarate carrier. <b>2005</b> , 22, 191-201	6
941	Prediction of protein secondary structure using improved two-level neural network architecture. <b>2005</b> , 12, 805-11	12
940	Genetic association, post-translational modification, and protein-protein interactions in Type 2 diabetes mellitus. <b>2005</b> , 4, 1029-37	21
939	Point mutations in the DNA- and cNMP-binding domains of the homologue of the cAMP receptor protein (CRP) in Mycobacterium bovis BCG: implications for the inactivation of a global regulator and strain attenuation. <b>2005</b> , 151, 547-556	43
938	Improved method for predicting beta-turn using support vector machine. <b>2005</b> , 21, 2370-4	47
937	A point mutation in the human melanin concentrating hormone receptor 1 reveals an important domain for cellular trafficking. <b>2005</b> , 19, 2579-90	57
936	Scooby-domain: prediction of globular domains in protein sequence. <b>2005</b> , 33, W160-3	27
935	The E46K mutation in alpha-synuclein increases amyloid fibril formation. <b>2005</b> , 280, 7800-7	284
934	Algorithms and databases in bioinformatics: towards a proteomic ontology. 2005,	2
933	Application of PBIL algorithm to prediction of protein secondary structure. 2005,	
932	Disulphide Bridge Prediction using Fuzzy Support Vector Machines. 2005,	1
931		

930	Thermodynamics Of alpha-Helix Formation. <b>2005</b> , 72, 199-226	35
929	Prediction of beta-turn types using SVM and evolutionary information. 2005,	
928	Repeated rapid shear-responsiveness of peptide hydrogels with tunable shear modulus. <b>2005</b> , 6, 1316-21	109
927	Design of peptides for thin films, coatings and microcapsules for applications in biotechnology. <b>2005</b> , 16, 285-99	17
926	The 2F5 epitope is helical in the HIV-1 entry inhibitor T-20. <i>Biochemistry</i> , <b>2005</b> , 44, 13602-11 3.2	36
925	COPScis/trans peptide bond conformation prediction of amino acids on the basis of secondary structure information. <b>2005</b> , 21, 685-6	23
924	Analysis of the conserved N-terminal domains in major ampullate spider silk proteins. <b>2005</b> , 6, 3152-9	99
923	Polypeptide multilayer films. <b>2005</b> , 6, 2895-913	91
922	Helix, sheet, and polyproline II frequencies and strong nearest neighbor effects in a restricted coil library. <i>Biochemistry</i> , <b>2005</b> , 44, 9691-702	150
921	Identification of the beta1-integrin binding site on alpha-actinin by cryoelectron microscopy. <b>2005</b> , 149, 290-302	28
920	Potential structure/function relationships of predicted secondary structural elements of tau. <b>2005</b> , 1739, 140-9	25
919	Prediction of protein secondary structure based on residue pair types and conformational states using dynamic programming algorithm. <b>2005</b> , 579, 3397-400	7
918	Support vector machines for prediction and analysis of beta and gamma-turns in proteins. <b>2005</b> , 3, 343-58	15
917	Amino acid propensities revisited. <b>2005</b> , 9, 391-9	7
916	A Two-stage Classifier for Protein B-turn Prediction Using Support Vector Machines.	1
915	Roles of salt and conformation in the biological and physicochemical behavior of protegrin-1 and designed analogues: correlation of antimicrobial, hemolytic, and lipid bilayer-perturbing activities. 3.2 <i>Biochemistry</i> , <b>2006</b> , 45, 15718-30	24
914	On the accuracy of homology modeling and sequence alignment methods applied to membrane proteins. <b>2006</b> , 91, 508-17	202
913	Sequence-specific solvent accessibilities of protein residues in unfolded protein ensembles. <b>2006</b> , 91, 4536-43	39

## (2006-2006)

912	acylphosphatase. <b>2006</b> , 15, 862-70	93
911	Beta-rolls, beta-helices, and other beta-solenoid proteins. <b>2006</b> , 73, 55-96	99
910	A molecular dynamics study of the physical basis of stability of polypeptide multilayer nanofilms. <b>2006</b> , 22, 6668-75	25
909	Extrinsic interactions dominate helical propensity in coupled binding and folding of the lactose repressor protein hinge helix. <i>Biochemistry</i> , <b>2006</b> , 45, 5896-906	35
908	Amino acid propensities for secondary structures are influenced by the protein structural class.  Biochemical and Biophysical Research Communications, 2006, 342, 441-51  3.4	101
907	Folding transition-state and denatured-state ensembles of FSD-1 from folding and unfolding simulations. <b>2006</b> , 110, 22001-8	14
906	Characterization of caprine herpesvirus 1 glycoprotein D gene and its translation product. <b>2006</b> , 115, 112-21	2
905	Synthetic peptides derived from human antimicrobial peptide ubiquicidin accumulate at sites of infections and eradicate (multi-drug resistant) Staphylococcus aureus in mice. <b>2006</b> , 27, 2585-91	44
904	Studies of Biomacromolecular Structures: Computation and Modeling. 2006, 249-288	
903	Short Transmembrane Peptide Sequences as Nucleation Sites for Globular Protein Folding. <b>2006</b> , 26-30	
902	MASSP3: A System for Predicting Protein Secondary Structure. <b>2006</b> , 2006, 1	1
901	Proteins of the same fold and unrelated sequences have similar amino acid composition. <b>2006</b> , 64, 275-9	21
900	Transformation of an alpha-helix peptide into a beta-hairpin induced by addition of a fragment results in creation of a coexisting state. <b>2007</b> , 66, 860-8	16
899	Achieving 80% ten-fold cross-validated accuracy for secondary structure prediction by large-scale training. <b>2007</b> , 66, 838-45	94
898	Information on the secondary structure improves the quality of protein sequence alignment. <b>2006</b> , 40, 474-480	5
897	The effects of various alcohols on the secondary structural integrity of melittin, TH-10Aox, and Tc1 by molecular dynamics simulations. <b>2006</b> , 420, 235-240	8
896	A coprocessor architecture for fast protein structure prediction. <b>2006</b> , 39, 2494-2505	1
895	Prediction of structural classes for protein sequences and domainsImpact of prediction algorithms, sequence representation and homology, and test procedures on accuracy. <b>2006</b> , 39, 2323-2343	122

894	Mitochondrial targeting of human protoporphyrinogen oxidase. <b>2006</b> , 30, 416-26	12
893	Conformation biases of amino acids based on tripeptide microenvironment from PDB database. <b>2006</b> , 240, 374-84	10
892	Beta-sheet folding mechanisms from perturbation energetics. <b>2006</b> , 16, 94-101	36
891	Conformational and sequence signatures in beta helix proteins. <i>Structure</i> , <b>2006</b> , 14, 529-42 5.2	24
890	Directed evolution of an esterase from Pseudomonas fluorescens yields a mutant with excellent enantioselectivity and activity for the kinetic resolution of a chiral building block. <b>2006</b> , 7, 805-9	62
889	Prediction of the secondary structure of proteins from their amino acid sequence. <b>1978</b> , 47, 45-148	1237
888	Fine-grained statistical torsion angle potentials are effective in discriminating native protein structures. <b>2006</b> , 3, 75-81	3
887	Structural determinants that target the hepatitis C virus core protein to lipid droplets. <b>2006</b> , 281, 22236-2224	7172
886	Mean curvature as a major determinant of beta-sheet propensity. <b>2006</b> , 22, 297-302	24
885	Semirational design of Jun-Fos coiled coils with increased affinity: Universal implications for leucine zipper prediction and design. <b>2006</b> , 103, 8989-94	111
884	PROTEIN SECONDARY STRUCTURE PREDICTION USING SUPPORT VECTOR MACHINES AND A NEW FEATURE REPRESENTATION. <b>2006</b> , 06, 551-567	9
883	Protein multiple alignment incorporating primary and secondary structure information. <b>2006</b> , 13, 1735-48	2
882	Protein Multiple Alignment Incorporating Primary and Secondary Structure Information. <b>2006</b> , 13, 1615-1629	4
881	Conformational Angles DataBase (CADB-3.0). <b>2007</b> , 14, 665-8	4
880	Local Protein Structures. <b>2007</b> , 2, 165-202	64
879	3D-structure Modeling for Regular Segments of Low Homology Unknown Structure Protein. 2007,	
878	Analysis and identification of beta-turn types using multinomial logistic regression and artificial neural network. <b>2007</b> , 23, 3125-30	13
877	Automated Motion Tracking of Insects Using Invariant Moments in Image Sequence. 2007,	1

876 Predicting Simplified Features of Protein Structure. 261-295

875	Design and synthesis of alpha-helical peptides and mimetics. <b>2007</b> , 5, 3577-85		110
874	Protein folding kinetics provides a context-independent assessment of beta-strand propensity in the Fyn SH3 domain. <b>2007</b> , 373, 764-74		12
873	Sequence Determinants for Amyloid Fibrillogenesis of Human alpha-Synuclein. <b>2007</b> , 374, 454-64		59
872	Amino acid substitutions in the S region of hepatitis B virus in sera from patients with acute hepatitis. <b>2007</b> , 37, 731-9		8
871	The mitochondrial transcription factor TFAM coordinates the assembly of multiple DNA molecules into nucleoid-like structures. <b>2007</b> , 18, 3225-36		283
870	Effect of lysine side chain length on intra-helical glutamatelysine ion pairing interactions. <i>Biochemistry</i> , <b>2007</b> , 46, 10528-37	3.2	27
869	Self-Organized Meso- and Hybridic Phases of Poly(aspartic acid) and Poly(glutamic amino acid) with Cationic Surfactants (CnTAB, n = 14, 16) and a Silica Source (TEOS). <b>2007</b> , 19, 1853-1861		8
868	Conformational diversity of the fibrillogenic fusion peptide B18 in different environments from molecular dynamics simulations. <b>2007</b> , 111, 4161-70		16
867	Vibrational analysis of amino acids and short peptides in hydrated media. II. Role of KLLL repeats to induce helical conformations in minimalist LK-peptides. <b>2007</b> , 111, 12563-72		18
866	Conformational preferences of N-acetyl-L-leucine-N'-methylamide. Gas-phase and solution calculations on the model dipeptide. <b>2007</b> , 111, 10682-91		13
865	Cyclic modular beta-sheets. <b>2007</b> , 129, 2548-58		47
864	Characterization of surface structure and p47phox SH3 domain-mediated conformational changes for human neutrophil flavocytochrome b. <i>Biochemistry</i> , <b>2007</b> , 46, 14291-304	3.2	11
863	Data Mining in Biomedicine. <b>2007</b> ,		27
862	A Geometric Representation of Protein Sequences. 2007,		2
861	The 3a accessory protein of SARS coronavirus specifically interacts with the 5'UTR of its genomic RNA, Using a unique 75 amino acid interaction domain. <i>Biochemistry</i> , <b>2007</b> , 46, 6488-99	3.2	17
860	Current Methods for Protein Secondary-Structure Prediction Based on Support Vector Machines. 1-26		
859	Conformational study of palindromic tripeptides (GPG, IPI and KPK) in HIV-1 proteasea density functional theory study. <b>2007</b> , 1774, 382-91		2

858	PreSSAPro: a software for the prediction of secondary structure by amino acid properties. <b>2007</b> , 31, 389-92	12
857	Application of expert networks for predicting proteins secondary structure. <b>2007</b> , 24, 237-43	5
856	Antibody-protein interactions: benchmark datasets and prediction tools evaluation. 2007, 7, 64	151
855	Control of helix sense in protein-mimicking backbone by the noncovalent chiral effect. <b>2007</b> , 7, 191-202	32
854	Ranking the factors that contribute to protein beta-sheet folding. <b>2007</b> , 68, 824-9	16
853	Amino acid pairing at the N- and C-termini of helical segments in proteins. 2008, 70, 188-96	19
852	Prediction of the burial status of transmembrane residues of helical membrane proteins. <b>2007</b> , 8, 302	33
851	Context dependence of the assembly, structure, and stability of polypeptide multilayer nanofilms. <b>2007</b> , 1, 476-86	15
850	A simple algorithm locates beta-strands in the amyloid fibril core of alpha-synuclein, Abeta, and tau using the amino acid sequence alone. <b>2007</b> , 16, 906-18	90
849	Optimization of linear disorder predictors yields tight association between crystallographic disorder and hydrophobicity. <b>2007</b> , 16, 2140-52	5
848	Forbidden penta-peptides. <b>2007</b> , 16, 2251-9	17
847	Effects of side-chain orientation on the 13C chemical shifts of antiparallel beta-sheet model peptides. <b>2007</b> , 37, 137-46	30
846	Nearest-neighbor effects on backbone alpha and beta carbon chemical shifts in proteins. 2007, 39, 247-57	16
845	ProRegIn: a regularity index for the selection of native-like tertiary structures of proteins. <i>Journal of Biosciences</i> , <b>2007</b> , 32, 71-81	11
844	Adaptation of proteins to different environments: a comparison of proteome structural properties in Bacillus subtilis and Escherichia coli. <b>2007</b> , 244, 127-32	8
843	Conformational properties of striated muscle tropomyosins from some salmonid fishes. <b>2008</b> , 29, 135-43	3
842	A reexamination of the propensities of amino acids towards a particular secondary structure: classification of amino acids based on their chemical structure. <b>2008</b> , 14, 769-75	58
841	Use of tetrapeptide signals for protein secondary-structure prediction. <b>2008</b> , 35, 607-14	28

#### (2005-1995)

840	Principles of protein foldinga perspective from simple exact models. <b>1995</b> , 4, 561-602	1159
839	Competing interactions contributing to alpha-helical stability in aqueous solution. <b>1995</b> , 4, 603-12	30
838	Cross-strand side-chain interactions versus turn conformation in beta-hairpins. <b>1997</b> , 6, 2548-60	57
837	Local interactions in protein folding determined through an inverse folding model. <b>2008</b> , 71, 278-99	4
836	Comprehensive analysis of the helix-X-helix motif in soluble proteins. 2008, 72, 115-35	17
835	Improved sequence-based prediction of protein secondary structures by combining vacuum-ultraviolet circular dichroism spectroscopy with neural network. <b>2008</b> , 73, 104-12	25
834	The pharmacology of radiolabeled cationic antimicrobial peptides. 2008, 97, 1633-51	17
833	Enhanced complexity and catalytic efficiency in the hydrolysis of phosphate diesters by rationally designed helix-loop-helix motifs. <b>2008</b> , 9, 1975-84	17
832	Designed peptides with homochiral and heterochiral diproline templates as conformational constraints. <b>2008</b> , 14, 6192-204	58
831	Using support vector machine to predict beta- and gamma-turns in proteins. <b>2008</b> , 29, 1867-75	29
831	Using support vector machine to predict beta- and gamma-turns in proteins. <b>2008</b> , 29, 1867-75  Design, synthesis, conformational and membrane ion transport studies of proline-adamantane hybrid cyclic depsipeptides. <b>2008</b> , 89, 471-8	29 4
	Design, synthesis, conformational and membrane ion transport studies of proline-adamantane	
830	Design, synthesis, conformational and membrane ion transport studies of proline-adamantane hybrid cyclic depsipeptides. <b>2008</b> , 89, 471-8	4
830	Design, synthesis, conformational and membrane ion transport studies of proline-adamantane hybrid cyclic depsipeptides. <b>2008</b> , 89, 471-8  Roles of beta-turns in protein folding: from peptide models to protein engineering. <b>2008</b> , 89, 380-91  Understanding the mechanism of beta-sheet folding from a chemical and biological perspective.	4
830 829 828	Design, synthesis, conformational and membrane ion transport studies of proline-adamantane hybrid cyclic depsipeptides. 2008, 89, 471-8  Roles of beta-turns in protein folding: from peptide models to protein engineering. 2008, 89, 380-91  Understanding the mechanism of beta-sheet folding from a chemical and biological perspective. 2008, 90, 751-8  Significant residue features revealed by eigenvalue decomposition analysis of BLOSUM matrices.	4 141 44
830 829 828 827	Design, synthesis, conformational and membrane ion transport studies of proline-adamantane hybrid cyclic depsipeptides. 2008, 89, 471-8  Roles of beta-turns in protein folding: from peptide models to protein engineering. 2008, 89, 380-91  Understanding the mechanism of beta-sheet folding from a chemical and biological perspective. 2008, 90, 751-8  Significant residue features revealed by eigenvalue decomposition analysis of BLOSUM matrices. 2008, 372, 2282-2285	4 141 44 2
830 829 828 827	Design, synthesis, conformational and membrane ion transport studies of proline-adamantane hybrid cyclic depsipeptides. 2008, 89, 471-8  Roles of beta-turns in protein folding: from peptide models to protein engineering. 2008, 89, 380-91  Understanding the mechanism of beta-sheet folding from a chemical and biological perspective. 2008, 90, 751-8  Significant residue features revealed by eigenvalue decomposition analysis of BLOSUM matrices. 2008, 372, 2282-2285  Structures, basins, and energies: a deconstruction of the Protein Coil Library. 2008, 17, 1151-61	4 141 44 2 36

822	Prediction of beta-turns at over 80% accuracy based on an ensemble of predicted secondary structures and multiple alignments. <b>2008</b> , 9, 430		37
821	Monitoring fibril formation of the N-terminal domain of PABPN1 carrying an alanine repeat by tryptophan fluorescence and real-time NMR. <b>2008</b> , 582, 1587-92		7
820	Computer-based redesign of a beta sandwich protein suggests that extensive negative design is not required for de novo beta sheet design. <i>Structure</i> , <b>2008</b> , 16, 1799-805	5.2	34
819	Exploring beta-sheet structure and interactions with chemical model systems. <b>2008</b> , 41, 1319-30		185
818	First Steps of Protein Structure Prediction. <b>2008</b> , 39-62		
817	Effects of surface-to-volume ratio of proteins on hydrophilic residues: decrease in occurrence and increase in buried fraction. <b>2008</b> , 17, 1596-602		13
816	Position-specific residue preference features around the ends of helices and strands and a novel strategy for the prediction of secondary structures. <b>2008</b> , 17, 1505-12		18
815	Position dependence of the 13C chemical shifts of alpha-helical model peptides. Fingerprint of the 20 naturally occurring amino acids. <b>2004</b> , 13, 2939-48		2
814	Beta-sheet capping: signals that initiate and terminate beta-sheet formation. 2008, 161, 101-10		24
813	Molecular packing in the feather keratin filament. <b>2008</b> , 162, 1-13		122
813 812	Molecular packing in the feather keratin filament. 2008, 162, 1-13  Fibril formation of hsp10 homologue proteins and determination of fibril core regions: differences in fibril core regions dependent on subtle differences in amino acid sequence. 2008, 377, 1593-606		13
	Fibril formation of hsp10 homologue proteins and determination of fibril core regions: differences		
812	Fibril formation of hsp10 homologue proteins and determination of fibril core regions: differences in fibril core regions dependent on subtle differences in amino acid sequence. <b>2008</b> , 377, 1593-606  Vibrational analysis of amino acids and short peptides in hydrated media. 3. Successive KL repeats		13
812	Fibril formation of hsp10 homologue proteins and determination of fibril core regions: differences in fibril core regions dependent on subtle differences in amino acid sequence. <b>2008</b> , 377, 1593-606  Vibrational analysis of amino acids and short peptides in hydrated media. 3. Successive KL repeats induce highly stable beta-strands capable of forming non-H-bonded aggregates. <b>2008</b> , 112, 1282-9  Fundamental design principles that guide induction of helix upon formation of stable	3.2	13
812 811 810	Fibril formation of hsp10 homologue proteins and determination of fibril core regions: differences in fibril core regions dependent on subtle differences in amino acid sequence. 2008, 377, 1593-606  Vibrational analysis of amino acids and short peptides in hydrated media. 3. Successive KL repeats induce highly stable beta-strands capable of forming non-H-bonded aggregates. 2008, 112, 1282-9  Fundamental design principles that guide induction of helix upon formation of stable peptide-nanoparticle complexes. 2008, 8, 1844-52	3.2	13 17 25
812 811 810	Fibril formation of hsp10 homologue proteins and determination of fibril core regions: differences in fibril core regions dependent on subtle differences in amino acid sequence. 2008, 377, 1593-606  Vibrational analysis of amino acids and short peptides in hydrated media. 3. Successive KL repeats induce highly stable beta-strands capable of forming non-H-bonded aggregates. 2008, 112, 1282-9  Fundamental design principles that guide induction of helix upon formation of stable peptide-nanoparticle complexes. 2008, 8, 1844-52  Cross-strand pairing and amyloid assembly. <i>Biochemistry</i> , 2008, 47, 10018-26  Vesicles from peptidic side-chain polymers synthesized by atom transfer radical polymerization.	3.2	13 17 25 79
812 811 810 809 808	Fibril formation of hsp10 homologue proteins and determination of fibril core regions: differences in fibril core regions dependent on subtle differences in amino acid sequence. 2008, 377, 1593-606  Vibrational analysis of amino acids and short peptides in hydrated media. 3. Successive KL repeats induce highly stable beta-strands capable of forming non-H-bonded aggregates. 2008, 112, 1282-9  Fundamental design principles that guide induction of helix upon formation of stable peptide-nanoparticle complexes. 2008, 8, 1844-52  Cross-strand pairing and amyloid assembly. <i>Biochemistry</i> , 2008, 47, 10018-26  Vesicles from peptidic side-chain polymers synthesized by atom transfer radical polymerization. 2008, 9, 2997-3003	3.2	13 17 25 79

#### (2009-2008)

804	Evaluating and optimizing computational protein design force fields using fixed composition-based negative design. <b>2008</b> , 105, 12242-7	14
803	Noncanonical DNA motifs as transactivation targets by wild type and mutant p53. 2008, 4, e1000104	81
802	Evolution rescues folding of human immunodeficiency virus-1 envelope glycoprotein GP120 lacking a conserved disulfide bond. <b>2008</b> , 19, 4707-16	10
801	Statistical mechanical model for helix-sheet-coil transitions in homopolypeptides. 2008, 78, 051904	7
800	A two-stage neural network based technique for protein secondary structure prediction. <b>2008</b> , 2008, 1355-8	3
799	Influence of encoding scheme on protein secondary structure prediction. 2008,	
798	Amino Acids: Chemical Properties. <b>2008</b> , 1	
797	Isolation of a biologically active messenger RNA: preparation from fish pancreatic islets by oligo(2'-deoxythymidylic acid) affinity chromatography. <b>1976</b> , 41, 97-116	6
796	Insights from MHC-Bound Peptides. <b>2008</b> , 77-97	3
795	Efficient ensemble schemes for protein secondary structure prediction. <b>2008</b> , 15, 488-93	7
794	Predicting key long-range interaction sites by B-factors. <b>2008</b> , 15, 478-83	11
793	. 2008,	6
792	Sequence-Based Prediction of Residue-Level Properties in Proteins. 157-187	
791	. 2008,	14
790	Kernel Methods in Protein Structure Prediction. 209-228	
789	Protein Secondary Structure Prediction Based on Statistical Dictionaries. 2009,	О
788	An improved CBA prediction algorithm in compound pyramid model. 2009,	1
787	SSPT: Secondary Structure Prediction Triangle. <b>2009</b> ,	

786 Accuracy of Protein Secondary Structure Prediction Continues to Rise. 2009,

785	The butyrylcholinesterase K variant confers structurally derived risks for Alzheimer pathology. <b>2009</b> , 284, 17170-17179		65
784	Detailed mechanistic insights into HIV-1 sensitivity to three generations of fusion inhibitors. <b>2009</b> , 284, 26941-50		64
783	Folding by numbers: primary sequence statistics and their use in studying protein folding. <i>International Journal of Molecular Sciences</i> , <b>2009</b> , 10, 1567-89	6.3	16
782	Bimodal protein solubility distribution revealed by an aggregation analysis of the entire ensemble of Escherichia coli proteins. <b>2009</b> , 106, 4201-6		186
781	Broad neutralization of human immunodeficiency virus type 1 (HIV-1) elicited from human rhinoviruses that display the HIV-1 gp41 ELDKWA epitope. <b>2009</b> , 83, 5087-100		61
780	A sequence-based hybrid predictor for identifying conformationally ambivalent regions in proteins. <b>2009</b> , 10 Suppl 3, S22		3
779	Non-random relationships among amino acids in protein sequences. <b>1976</b> , 8, 125-30		9
778	Search for low-energy conformations of a neurotoxic protein by means of predictive rules, tests for hard-sphere overlaps, and energy minimization. <b>1976</b> , 8, 237-52		11
777	Application of the one-dimensional Ising model to the secondary structures in globular proteins. Prediction of beta-regions. <b>1976</b> , 8, 615-23		2
776	Predicted secondary structure of snake venom toxins from their primary structures. <b>1977</b> , 10, 245-51		9
775	Symmetry patterns in trypsinogen. <b>1977</b> , 9, 5-10		4
774	Kinetic and conformational studies on some partially synthetic ribonuclease S' analogues modified in position 8. <b>1977</b> , 10, 27-38		8
773	The denaturation of covalently inhibited swine pepsin. <b>1978</b> , 12, 155-63		21
772	Circular dichroism spectra of isolated soybean and chickpea trypsin-chymotrypsin inhibitors. <b>1978</b> , 12, 249-57		9
771	Secondary structure prediction of anterior pituitary hormones. Lack of correlation between predicted values and circular dichroism data. <b>1979</b> , 14, 113-22		14
770	Synthesis and biological effect of the C-terminal pentapeptide amide of avian pancreatic hormone III (APP). <b>1979</b> , 13, 201-6		5
769	Predicted secondary structures of four penicillin beta-lactamases and a comparison with two lysozymes. <b>1979</b> , 13, 385-93		9

768	Energy-conformation studies of frequency of beta-turns in tetrapeptide sequences. 1979, 14, 402-8	1
767	Sequence of the CNBr peptide containing the putative essential tyrosine of Bacillus amyloliquefaciens alpha amylase. <b>1981</b> , 17, 93-106	4
766	Secondary structure relations between beta-lactamases and penicillin-sensitive D-alanine-carboxypeptidases. <b>1981</b> , 17, 211-8	22
765	Sequence of cyanogen bromide fragments D and E of B. amyloliquefaciens alpha amylase. <b>1981</b> , 18, 228-36	4
764	Amino acid distribution in protein secondary structures. <b>1982</b> , 19, 380-93	77
763	Protein secondary structure. <b>2009</b> , 19, 394-401	54
762	Secondary structure prediction of sauvagine, a novel biologically active polypeptide from a frog. <b>1982</b> , 20, 139-43	14
761	Structural basis for the thermal stability of glyceraldehyde-3-phosphate dehydrogenases. <b>1983</b> , 22, 469-75	13
760	Conformation of sequential peptides containing proline residues. <b>2009</b> , 24, 129-134	16
759	Effects of structure-forming solutes on chicken egg white lysozyme after reductive cleavage of disulfide bonds. <b>1984</b> , 23, 256-70	6
758	Syntheses and properties of tertiary peptide bond-containing polypeptides 2009, 23, 306-314	50
757	Prediction and improvement of protected peptide solubility in organic solvents. <b>1984</b> , 24, 580-7	65
756	Studies of repeating synthetic peptides designed to adopt a cross-thonformation. 2009, 26, 498-508	11
755	Interaction of dipalmitoyl-phosphatidylcholine with calf thymus histone H1. <b>1985</b> , 26, 187-94	18
754	Myoglobin structure and regulation of solvent accessibility of heme pocket. <b>1985</b> , 26, 195-207	16
753	Circular dichroism and fluorescence spectroscopic analyses of a proline-rich glycoprotein from human parotid saliva. <b>1985</b> , 26, 621-9	24
75 <sup>2</sup>	New scoring matrix for amino acid residue exchanges based on residue characteristic physical parameters. <b>1987</b> , 29, 276-81	39
75 <sup>1</sup>	Synthesis and hormonal activity of [Tyr 22] glucagon and [desHis 1, Tyr 22] glucagon. <b>2009</b> , 29, 545-557	8

750	Conformation of glycyl residues in globular proteins. <b>1987</b> , 29, 629-37	10
749	Synthesis and solubility properties of peptide fragments of human hemoglobin alpha-chain (123-136). <b>1988</b> , 32, 200-7	8
748	Peptides from chiral C⊞disubstituted glycines. <b>2009</b> , 37, 521-527	31
747	Peptides from chiral C alpha,alpha-disubstituted glycines. Synthesis and characterization, conformational energy computations and solution conformational analysis of C alpha-methyl, C alpha-isopropylglycine [(alpha Me)Val] derivatives and model peptides. <b>1991</b> , 38, 242-52	30
746	Geometry of proline-containing alpha-helices in proteins. <b>1992</b> , 39, 356-63	77
745	Sequence and solution conformation of the 20-residue peptaibols, saturnisporins SA II and SA IV. <b>1993</b> , 41, 74-84	34
744	The evaluation of type I and type II beta-turn mixtures. Circular dichroism, NMR and molecular dynamics studies. <b>1993</b> , 41, 223-36	91
743	Structural characteristics of diproline: a new crystal form of tBoc-Pro-Pro-OH. <b>1994</b> , 44, 207-14	9
742	Problematic sequences in the synthesis of G-protein peptides. <b>1994</b> , 44, 49-57	1
741	Conformational characteristics of asparaginyl residues in proteins. <b>1994</b> , 44, 112-22	31
740	Conformational study of a synthetic analogue of alamethicin. Influence of the conformation on ion-channel lifetimes. <b>1995</b> , 45, 164-72	15
739	The usage of oligopeptides in proteins correlates negatively with molecular weight. <b>1995</b> , 45, 326-31	10
738	Conformational behaviour of a synthetic peptide of the C-terminus of villin that interacts with actin: an NMR, CD and stimulated annealing study. <b>1995</b> , 45, 574-86	7
737	Designed polyanionic coiled-coil proteins: acceleration of heparin cofactor II inhibition of thrombin. <b>1995</b> , 45, 44-52	5
736	High thermal stability and cold-denaturation of an artificial polypeptide. <b>1996</b> , 48, 249-58	8
735	Fatty acid-binding proteins from liver and intestine. <b>1985</b> , 43, 350-2	
734	Discriminating acidic and alkaline enzymes using a random forest model with secondary structure amino acid composition. <b>2009</b> , 44, 654-660	19
733	ProSeg: a database of local structures of protein segments. <b>2009</b> , 23, 163-9	2

## [2009-2009]

732	A reexamination of correlations of amino acids with particular secondary structures. <b>2009</b> , 28, 74-86	9
731	Prediction of beta-turn in protein using E-SSpred and support vector machine. <b>2009</b> , 28, 175-81	11
730	Prediction of 毗urns using double BP network with novel coding schemes of amino acids. <b>2009</b> , 14, 119-124	1
729	Prediction of turn types in protein structure by machine-learning classifiers. <b>2009</b> , 74, 344-52	20
728	De novo generation of antimicrobial LK peptides with a single tryptophan at the critical amphipathic interface. <b>2009</b> , 15, 583-8	27
727	First selective agonist of the neuropeptide Y1-receptor with reduced size. <b>2009</b> , 15, 856-66	32
726	The three-dimensional structure of troponin-C: Supersecondary structural homology of calcium binding folds. <b>2009</b> , 28, 153-160	
725	Amyloidogenic determinants are usually not buried. <b>2009</b> , 9, 44	118
724	Prediction of 毗urns. <b>2009</b> , 49, 120-144	44
723	Hydrophobically induced conformation in ovine corticotropin-releasing hormone. <b>1997</b> , 50, 184-92	4
722	The hydrophobic pocket of 24p3 protein from mouse uterine luminal fluid: fatty acid and retinol binding activity and predicted structural similarity to lipocalins. <b>1998</b> , 52, 390-7	52
	Similarly dearnity and predicted structural similarity to apoteams. 1999, 32, 390 7	<i>)</i> -
721	Strategies exploiting functions and self-assembly properties of bioconjugates for polymer and materials sciences. <b>2009</b> , 34, 811-851	180
721 720	Strategies exploiting functions and self-assembly properties of bioconjugates for polymer and	
	Strategies exploiting functions and self-assembly properties of bioconjugates for polymer and materials sciences. <b>2009</b> , 34, 811-851	180
720	Strategies exploiting functions and self-assembly properties of bioconjugates for polymer and materials sciences. 2009, 34, 811-851  Defining lipid-binding regions of human serum amyloid A using its fragment peptides. 2009, 162, 62-8  Kinetic partitioning between aggregation and vesicle permeabilization by modified ADan. 2009,	180
720 719	Strategies exploiting functions and self-assembly properties of bioconjugates for polymer and materials sciences. 2009, 34, 811-851  Defining lipid-binding regions of human serum amyloid A using its fragment peptides. 2009, 162, 62-8  Kinetic partitioning between aggregation and vesicle permeabilization by modified ADan. 2009, 1794, 84-93  KAAPRO: An approach of protein secondary structure prediction based on KDD* in the compound	180 20 12
720 719 718	Strategies exploiting functions and self-assembly properties of bioconjugates for polymer and materials sciences. 2009, 34, 811-851  Defining lipid-binding regions of human serum amyloid A using its fragment peptides. 2009, 162, 62-8  Kinetic partitioning between aggregation and vesicle permeabilization by modified ADan. 2009, 1794, 84-93  KAAPRO: An approach of protein secondary structure prediction based on KDD* in the compound pyramid prediction model. 2009, 36, 9000-9006	180 20 12

714	Characterization of hydrophobic residue requirements for alpha-synuclein fibrillization.  Biochemistry, <b>2009</b> , 48, 9427-36	61
713	Secbase: database module to retrieve secondary structure elements with ligand binding motifs. <b>2009</b> , 49, 2388-402	11
712	Homochiral stereochemistry: the missing link of structure to energetics in protein folding. <b>2009</b> , 113, 16435-42	19
711	Molecular Dynamics and Electrochemical Investigations of a pH-Responsive Peptide Monolayer. <b>2009</b> , 113, 6792-6799	13
710	The effect of PEO length on the self-assembly of poly(ethylene oxide)-tetrapeptide conjugates prepared by "Click" chemistry. <b>2009</b> , 25, 11082-9	59
709	Structure and mechanism of intramembrane protease. <b>2009</b> , 20, 240-50	40
708	Sequence and structural features of enzymes and their active sites by EC class. 2009, 386, 1423-36	16
707	The role of prefibrillar structures in the assembly of a peptide amyloid. <b>2009</b> , 393, 214-26	21
706	A second look at mini-protein stability: analysis of FSD-1 using circular dichroism, differential scanning calorimetry, and simulations. <b>2009</b> , 97, 2803-10	12
705	Multi-domain Protein Family Classification Using Isomorphic Inter-property Relationships. 2009, 473-484	
704	Revisiting the Ramachandran plot: hard-sphere repulsion, electrostatics, and H-bonding in the alpha-helix. <b>2003</b> , 12, 2508-22	113
703	Effect of beta-sheet propensity on peptide aggregation. <b>2009</b> , 130, 145103	111
702	QTAIM study of an alpha-helix hydrogen bond network. <b>2009</b> , 113, 10957-64	46
701	Artificial Neural Networks. 2009,	27
700	Acidichromism and chiroptical switch based on the self-assembly of a cyanine dye on the PLGA/PAH LbL film. <b>2009</b> , 19, 1471	17
699	New Trend of Protein Secondary Structure Prediction. 2009,	1
698	Protein Secondary Structure Prediction Using Large Margin Methods. 2009,	
697	How many 3D structures do we need to train a predictor?. <b>2009</b> , 7, 128-37	4

696	Conformational dynamics of the inner pore helix of voltage-gated potassium channels. <b>2009</b> , 130, 215103	8
695	Contemporary Computing. 2009,	2
694	Analysis of the secondary structure of a protein's N-terminal. <b>2009</b> , 182, 012008	
693	Deletion of single amino acid E235 affects the structure and lipid interaction of human apolipoprotein A-I C-terminal peptides. <b>2009</b> , 57, 499-503	2
692	Structural patterns in alpha helices and beta sheets in globular proteins. <b>2009</b> , 16, 953-60	4
691	Chapter 4:The Bimodal Features of Butyrylcholinesterase in Cholinergic Neurotransmission and Amyloid Suppression. <b>2010</b> , 59-93	
690	Why similar protein sequences encode similar three-dimensional structures?. <b>2010</b> , 125, 643-650	56
689	The fourth intracellular domain of G-protein coupling receptors: helicity, basicity and similarity to opsins. <b>2010</b> , 38, 1-13	4
688	Using factor analysis scales of generalized amino acid information for prediction and characteristic analysis of turns in proteins based on a support vector machine model. <b>2010</b> , 53, 1161-1167	
687	Predicting beta-turns and their types using predicted backbone dihedral angles and secondary structures. <b>2010</b> , 11, 407	28
686	Statistical analysis and molecular dynamics simulations of ambivalent Helices. <b>2010</b> , 11, 519	9
685	Nitration of tyrosine 74 prevents human cytochrome c to play a key role in apoptosis signaling by blocking caspase-9 activation. <b>2010</b> , 1797, 981-93	65
684	Alanine-to-threonine substitutions and amyloid diseases: butyrylcholinesterase as a case study. <b>2010</b> , 187, 64-71	26
683	Preparation and Conformational Study Of Cis-5-methyl-N1,N4-diacetyl-2-piperazine-N?-methyl-carboxamide. <b>2010</b> , 92, 999-1010	6
682	Estimation of global structural and transport properties of peptides through the modeling of their CZE mobility data. <b>2010</b> , 33, 2423-9	18
681	Isolation of short peptide fragments from alpha-synuclein fibril core identifies a residue important for fibril nucleation: a possible implication for diagnostic applications. <b>2010</b> , 1804, 2077-87	12
680	Position-specific propensities of amino acids in the #strand. <b>2010</b> , 10, 29	27
679	Sequence periodicity and secondary structure propensity in model proteins. <b>2010</b> , 19, 141-54	29

678	NetTurnPneural network prediction of beta-turns by use of evolutionary information and predicted protein sequence features. <b>2010</b> , 5, e15079		69
677	Positive selection differs between protein secondary structure elements in Drosophila. <b>2010</b> , 2, 166-79		26
676	Conservation of a glycine-rich region in the prion protein is required for uptake of prion infectivity. <b>2010</b> , 285, 20213-23		26
675	Compositional determinants of prion formation in yeast. <b>2010</b> , 30, 319-32		134
674	Globally, unrelated protein sequences appear random. <b>2010</b> , 26, 310-8		27
673	Prediction of One-Dimensional Structural Properties Of Proteins by Integrated Neural Networks. <b>2010</b> , 45-74		10
672	. 2010,		1
671	Human beta-synuclein rendered fibrillogenic by designed mutations. <b>2010</b> , 285, 38555-67		15
670	Protein beta-sheet nucleation is driven by local modular formation. <b>2010</b> , 285, 18376-84		12
669	Vibrational Dynamics of Poly(l-asparagine). <b>2010</b> , 49, 454-469		
668	An novel method of protein secondary structure prediction based on compound pyramid model. <b>2010</b> ,		1
667	Assessing and improving the accuracy of detecting protein adaptation with the TreeSAAP analytical software. <b>2010</b> , 6, 120-33		33
666	An approach of protein secondary structure prediction based on homology analysis method in compound pyramid model. <b>2010</b> ,		
665	Protein Structure Prediction. <b>2010</b> , 1-34		1
664	Conformations of phenylalanine in the tripeptides AFA and GFG probed by combining MD simulations with NMR, FTIR, polarized Raman, and VCD spectroscopy. <b>2010</b> , 114, 3965-78		22
663	Influence of side chain conformations on local conformational features of amino acids and implication for force field development. <b>2010</b> , 114, 5840-50		36
662	Secondary structure in de novo designed peptides induced by electrostatic interaction with a lipid bilayer membrane. <b>2010</b> , 26, 6437-48		10
661	Positional effects on helical Ala-based peptides. <i>Biochemistry</i> , <b>2010</b> , 49, 9372-84	3.2	9

## (2011-2010)

660	Biophysical characterization of Abeta42 C-terminal fragments: inhibitors of Abeta42 neurotoxicity. <i>Biochemistry</i> , <b>2010</b> , 49, 1259-67	3.2	44
659	Characterization and comparison of two binding sites on obscurin for small ankyrin 1. <i>Biochemistry</i> , <b>2010</b> , 49, 9948-56	3.2	11
658	Conformation of polyalanine and polyglycine dications in the gas phase: insight from ion mobility spectrometry and replica-exchange molecular dynamics. <b>2010</b> , 114, 6888-96		42
657	Unwinding of zinc finger domain of DNA polymerase I by cis-diamminedichloroplatinum(II). <b>2010</b> , 39, 7968-79		10
656	Intrinsic propensities of amino acid residues in GxG peptides inferred from amide I' band profiles and NMR scalar coupling constants. <b>2010</b> , 132, 540-51		109
655	Critical interactions in the stability control region of tropomyosin. <b>2010</b> , 170, 294-306		9
654	Residue Glu83 plays a major role in negatively regulating alpha-synuclein amyloid formation. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 391, 1415-20	3.4	15
653	Protein secondary structure prediction. <b>2010</b> , 609, 327-48		67
652	Protein Backbone Dynamics Simulations Using Coarse-Grained Bonded Potentials and Simplified Hydrogen Bonds. <b>2010</b> , 6, 761-73		19
651	Proline Residues in Proteins. <b>2010</b> ,		5
651 650	Proline Residues in Proteins. 2010,  Data Mining Techniques for the Life Sciences. 2010,		9
650	Data Mining Techniques for the Life Sciences. <b>2010</b> ,		9
650 649	Data Mining Techniques for the Life Sciences. 2010,  Biomedical Applications of Biophysics. 2010,		9
650 649 648	Data Mining Techniques for the Life Sciences. 2010,  Biomedical Applications of Biophysics. 2010,  A voting scheme to improve the secondary structure prediction. 2010,		9 3 1
650 649 648	Data Mining Techniques for the Life Sciences. 2010,  Biomedical Applications of Biophysics. 2010,  A voting scheme to improve the secondary structure prediction. 2010,  Residue patterning in helix interiors. 2010, 88, 325-37  Fuzz-SSVS: A Fuzzy logic based voting scheme to improve protein secondary structure prediction.	3.2	9 3 1
650 649 648 647	Data Mining Techniques for the Life Sciences. 2010,  Biomedical Applications of Biophysics. 2010,  A voting scheme to improve the secondary structure prediction. 2010,  Residue patterning in helix interiors. 2010, 88, 325-37  Fuzz-SSVS: A Fuzzy logic based voting scheme to improve protein secondary structure prediction. 2011,	3.2	9 3 1 2

642	Is protein folding still a challenge?. <b>2011</b> , 28, 639-40; discussion 669-674	3
641	A survey of aspartate-phenylalanine and glutamate-phenylalanine interactions in the protein data bank: searching for anion-pairs. <i>Biochemistry</i> , <b>2011</b> , 50, 2939-50	82
640	Structural preferences of gas-phase M2TMP monomers upon sequence variations. <b>2011</b> , 115, 4711-8	8
639	Enhanced active cross-bridges during diastole: molecular pathogenesis of tropomyosin's HCM mutations. <b>2011</b> , 100, 1014-23	48
638	The structural basis of the filament-matrix texture in the avian/reptilian group of hard 歌eratins. <b>2011</b> , 173, 391-405	102
637	Apolipoprotein E: from lipid transport to neurobiology. <b>2011</b> , 50, 62-74	194
636	The endolysin-binding domain encompasses the N-terminal region of the mycobacteriophage Ms6 Gp1 chaperone. <b>2011</b> , 193, 5002-6	12
635	Epitope prediction based on random peptide library screening: benchmark dataset and prediction tools evaluation. <i>Molecules</i> , <b>2011</b> , 16, 4971-93	16
634	Protein aggregation and amyloid fibril formation prediction software from primary sequence: towards controlling the formation of bacterial inclusion bodies. <b>2011</b> , 278, 2428-35	50
633	De novo generation of short antimicrobial peptides with simple amino acid composition. <b>2011</b> , 166, 36-41	41
632	Nitration of tyrosines 46 and 48 induces the specific degradation of cytochrome c upon change of the heme iron state to high-spin. <b>2011</b> , 1807, 1616-23	33
631	Using VAAST to identify an X-linked disorder resulting in lethality in male infants due to N-terminal acetyltransferase deficiency. <i>American Journal of Human Genetics</i> , <b>2011</b> , 89, 28-43	166
630	Efficient molecular mechanics simulations of the folding, orientation, and assembly of peptides in lipid bilayers using an implicit atomic solvation model. <b>2011</b> , 25, 895-911	4
629	Tyrosine phosphorylation turns alkaline transition into a biologically relevant process and makes human cytochrome c behave as an anti-apoptotic switch. <b>2011</b> , 16, 1155-68	54
628	Structural stability studies in adhesion moleculesrole of cation-linteractions. 2011, 248, 673-82	5
627	Improving the performance of 毗urn prediction using predicted shape strings and a two-layer support vector machine model. <b>2011</b> , 12, 283	16
626	An automated method for consistent helix assignment using turn information. <b>2011</b> , 79, 1416-26	5
625	Cover and spacer insertions: small nonhydrophobic accessories that assist protein oligomerization. <b>2011</b> , 79, 2372-9	11

624	Discordant and chameleon sequences: their distribution and implications for amyloidogenicity. <b>2011</b> , 20, 567-79	26
623	Aggregation in protein-based biotherapeutics: computational studies and tools to identify aggregation-prone regions. <b>2011</b> , 100, 5081-95	109
622	Global conformations of proteins as predicted from the modeling of their CZE mobility data. <b>2011</b> , 32, 2779-87	9
621	Biophysical investigations of GBV-C E1 peptides as potential inhibitors of HIV-1 fusion peptide. <b>2011</b> , 12, 2816-22	9
620	Regioisomeric control induced by DABCO coordination to rotatable self-assembled bis- and tetraporphyrin ∰tyclic octapeptide dimers. <b>2011</b> , 17, 1220-9	24
619	Amino acid pair- and triplet-wise groupings in the interior of Ehelical segments in proteins. <b>2011</b> , 271, 136-44	6
618	Gay-Berne and electrostatic multipole based coarse-grain potential in implicit solvent. <b>2011</b> , 135, 155104	29
617	Characterization of the dimerization interface of membrane type 4 (MT4)-matrix metalloproteinase. <b>2011</b> , 286, 33178-89	18
616	Prediction of protein secondary structure using large margin nearest neighbor classification. 2011,	
615	Multi-disciplinary Trends in Artificial Intelligence. <b>2011</b> ,	
614	Coupled folding and specific binding: fishing for amphiphilicity. <i>International Journal of Molecular Sciences</i> , <b>2011</b> , 12, 1431-50	11
613	Papain Catalyzed (co)Oligomerization of EAmino Acids. <b>2012</b> , 4, 710-740	31
612	A novel structural position-specific scoring matrix for the prediction of protein secondary	
	structures. <b>2012</b> , 28, 32-9	39
611		<ul><li>39</li><li>5</li></ul>
	structures. <b>2012</b> , 28, 32-9  Protein Aggregation in Neurodegenerative Diseases: Insights from Computational Analyses. <b>2012</b> ,	
611	Protein Aggregation in Neurodegenerative Diseases: Insights from Computational Analyses. <b>2012</b> , 7, 87-95	5
611	Protein Aggregation in Neurodegenerative Diseases: Insights from Computational Analyses. 2012, 7, 87-95  A hybrid approach of support vector machines with logistic regression for #urn prediction. 2012,  Local Backbone Preferences and Nearest-Neighbor Effects in the Unfolded and Native States. 2012	5 O

606	Detecting molecular selection on single amino acid replacements. <b>2012</b> , 8, 67-80	11
605	Solvation and Electrostatics as Determinants of Local Structural Order in Unfolded Peptides and Proteins. <b>2012</b> , 131-158	3
604	Fast learning optimized prediction methodology (FLOPRED) for protein secondary structure prediction. <b>2012</b> , 18, 4275-89	14
603	DNA sequence variation and development of SNP markers in beech (Fagus sylvatica L.). <b>2012</b> , 131, 1761-1770	23
602	Activation of monocytic cells by immunostimulatory lipids conjugated to peptide antigens. <b>2012</b> , 8, 3166-77	2
601	Interfacial adsorption of cationic peptide amphiphiles: a combined study of in situspectroscopic ellipsometry and liquid AFM. <b>2012</b> , 8, 645-652	17
600	Predicting the Secondary Structure of Proteins Using New Ways of Classification. 2012,	
599	Triaspartate: a model system for conformationally flexible DDD motifs in proteins. 2012, 116, 5160-71	16
598	Structure and composition of insulin fibril surfaces probed by TERS. <b>2012</b> , 134, 13323-9	127
597	Glycines: role in ⊞elical membrane protein structures and a potential indicator of native conformation. <i>Biochemistry</i> , <b>2012</b> , 51, 4779-89	54
596	FTDP-17 tau mutations induce distinct effects on aggregation and microtubule interactions. <i>Biochemistry</i> , <b>2012</b> , 51, 8597-607	52
595	Toward an improved structural model of the frog-skin antimicrobial peptide esculentin-1b(1-18). <b>2012</b> , 97, 873-81	9
594	Grading amino acid properties increased accuracies of single point mutation on protein stability prediction. <b>2012</b> , 13, 44	7
593	Dependence of thelical and theet amino acid propensities on the overall protein fold type. <b>2012</b> , 12, 18	94
592	Synthetic <b>B</b> iological Hybrid Polymers. <b>2012</b> , 543-586	3
591	Exploiting intrastructure information for secondary structure prediction with multifaceted pipelines. <b>2012</b> , 9, 799-808	O
590	Protein Aggregation Acts as Strong Constraint During Evolution. <b>2012</b> , 103-120	3
589	Conformational propensities and residual structures in unfolded peptides and proteins. <b>2012</b> , 8, 122-33	53

## (2013-2012)

588	Stabilizing effect of solvent and guest residue amino acids on a model alpha-helix peptide. <b>2012</b> , 998, 80-86	1
587	Conjugate hydrotrifluoromethylation of 即nsaturated acyl-oxazolidinones: synthesis of chiral fluorinated amino acids. <b>2012</b> , 10, 8583-6	49
586	Parallel	42
585	Cuticular Proteins. <b>2012</b> , 134-166	23
584	Hypoallergenic mutants of the Timothy grass pollen allergen Phl p 5 generated by proline mutations. <b>2012</b> , 159, 130-42	9
583	SVMTriP: a method to predict antigenic epitopes using support vector machine to integrate tri-peptide similarity and propensity. <b>2012</b> , 7, e45152	175
582	Literature Survey of Protein Secondary Structure Prediction. 2012,	
581	Prediction of Protein Secondary Structure. <b>2012</b> ,	
580	Self-assembly of short peptides composed of only aliphatic amino acids and a combination of aromatic and aliphatic amino acids. <b>2012</b> , 18, 283-92	21
579	pH-Directed Self-Assembling Helical Peptide Conformation. <b>2012</b> , 203-213	2
578	The statistical significance of selected sense-antisense peptide interactions. <b>2012</b> , 33, 1440-7	5
577	Influence of an unnatural amino acid side chain on the conformational dynamics of peptides. <b>2012</b> , 13, 1522-34	10
576	Trichocyst ribbons of a cryptomonads are constituted of homologs of R-body proteins produced by the intracellular parasitic bacterium of Paramecium. <b>2012</b> , 74, 147-57	17
575	Helix formation and capping energetics of arginine analogs with varying side chain length. <b>2012</b> , 43, 195-206	18
574	Metallopolymer-peptide hybrid materials: synthesis and self-assembly of functional, polyferrocenylsilane-tetrapeptide conjugates. <b>2012</b> , 18, 2524-35	24
573	Investigating diproline segments in proteins: occurrences, conformation and classification. <b>2012</b> , 97, 54-64	15
572	Influence of C-HO interactions on the structural stability of ¶actamases. <b>2013</b> , 39, 649-63	10
57 <sup>1</sup>	Misfolding of a polyalanine variant due to lack of electrostatic polarization effects. <b>2013</b> , 132, 1	3

570	Enhancement of thermal stability of chondroitinase ABC I by site-directed mutagenesis: an insight from Ramachandran plot. <b>2013</b> , 1834, 479-86		37
569	Distinct position-specific sequence features of hexa-peptides that form amyloid-fibrils: application to discriminate between amyloid fibril and amorphous 軸ggregate forming peptide sequences. <b>2013</b> , 14 Suppl 8, S6		13
568	Antimicrobial and antibiofilm activity of designed and synthesized antimicrobial peptide, KABT-AMP. <b>2013</b> , 170, 1184-93		11
567	The effects of the codon usage and translation speed on protein folding of 3D(pol) of foot-and-mouth disease virus. <b>2013</b> , 37, 243-50		8
566	Cis-trans isomerization of omega dihedrals in proteins. <b>2013</b> , 45, 279-89		47
565	Effect of charged amino acid side chain length at non-hydrogen bonded strand positions on thairpin stability. <i>Biochemistry</i> , <b>2013</b> , 52, 7785-97	3.2	13
564	In Silico Models for Drug Discovery. <b>2013</b> ,		4
563	XRCC1 interaction with the REV1 C-terminal domain suggests a role in post replication repair. <b>2013</b> , 12, 1105-13		19
562	Effect of charged amino acid side chain length on lateral cross-strand interactions between carboxylate-containing residues and lysine analogues in a hairpin. <i>Biochemistry</i> , <b>2013</b> , 52, 9212-22	3.2	10
561	The allosteric mechanism of activation of antithrombin as an inhibitor of factor IXa and factor Xa: heparin-independent full activation through mutations adjacent to helix D. <b>2013</b> , 288, 33611-33619		13
560	Tandem Repeats in Genes, Proteins, and Disease. 2013,		3
559	Structure-activity relationship of human bone sialoprotein peptides. <b>2013</b> , 121, 600-9		5
558	Pro-Gly mediated conformational switch of mycobacteriophage D29 holin transmembrane domain I is lipid concentration driven. <b>2013</b> , 49, 9594-6		8
557	Critical Assessment of Current Force Fields. Short Peptide Test Case. <b>2013</b> , 9, 441-51		27
556	Molecular cloning and sequence comparison of a cDNA encoding lglucan, water dikinase (GWD) from potato (Solanum tuberosum L.), and analysis of gene expression. <b>2013</b> , 22, 441-452		О
555	Abstracting knowledge from the Protein Data Bank. <b>2013</b> , 99, 183-8		6
554	A hierarchical order within protein structures underlies large separations between strands in		1
553	Influenza A virus protein PB1-F2 from different strains shows distinct structural signatures. <b>2013</b> , 1834, 568-82		12

552	Support vector machine with a Pearson VII function kernel for discriminating halophilic and non-halophilic proteins. <b>2013</b> , 46, 16-22	26
551	Protein aggregation propensity is a crucial determinant of intracellular inclusion formation and quality control degradation. <b>2013</b> , 1833, 2714-2724	12
550	Metalloproteins and Metallopeptides [Natural Metallofoldamers. 2013, 1-50	
549	Identification of a novel oligomerization disrupting mutation in CRYA associated with congenital cataract in a South Australian family. <b>2013</b> , 34, 435-8	21
548	Circular-dichroism and synchrotron-radiation circular-dichroism spectroscopy as tools to monitor protein structure in a lipid environment. <b>2013</b> , 974, 151-76	8
547	In silico models for B-cell epitope recognition and signaling. <b>2013</b> , 993, 129-38	7
546	The intrinsic conformational features of amino acids from a protein coil library and their applications in force field development. <b>2013</b> , 15, 3413-28	49
545	Topology mapping of insulin-regulated glucose transporter GLUT4 using computational biology. <b>2013</b> , 67, 1261-74	5
544	A bioinformatics method for identifying Q/N-rich prion-like domains in proteins. <b>2013</b> , 1017, 219-28	23
543	Predicting beta-turns in proteins using support vector machines with fractional polynomials. <b>2013</b> , 11, S5	5
542	Protonation effect of tyrosine in a segment of the SRF transcription factor: a combined optical spectroscopy, molecular dynamics, and density functional theory calculation study. <b>2013</b> , 117, 16086-95	7
541	An Efficient Local Molecular Dynamics Polymerization Simulation Combined with an MO Method. <b>2013</b> , 6, 870-885	7
540	Structural determinants stabilizing the axial channel of ClpP for substrate translocation. <b>2013</b> , 90, 167-80	17
539	Structural characterization of de novo designed L5K5W model peptide isomers with potent antimicrobial and varied hemolytic activities. <i>Molecules</i> , <b>2013</b> , 18, 859-76	12
538	Neighbor preferences of amino acids and context-dependent effects of amino acid substitutions in human, mouse, and dog. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 15963-80	4
537	Extensive translation of small Open Reading Frames revealed by Poly-Ribo-Seq. <b>2014</b> , 3, e03528	192
536	Using long-range contact number information for protein secondary structure prediction. <b>2014</b> , 07, 1450052	1
535	Transmission of stability information through the N-domain of tropomyosin is interrupted by a stabilizing mutation (A109L) in the hydrophobic core of the stability control region (residues 97-118). <b>2014</b> , 289, 4356-66	8

534	The critical role of the central hydrophobic core (residues 71-77) of amyloid-forming A66-80 peptide in Erystallin aggregation: a systematic proline replacement study. <b>2014</b> , 21, 103-9	12
533	The interaction pattern between a homology model of 40S ribosomal S9 protein of Rhizoctonia solani and 1-hydroxyphenaize by docking study. <b>2014</b> , 2014, 682946	6
532	Structural analysis of poly-SUMO chain recognition by the RNF4-SIMs domain. <b>2014</b> , 462, 53-65	22
531	Glucose oxidase from Penicillium amagasakiense: characterization of the transition state of its denaturation from molecular dynamics simulations. <b>2014</b> , 82, 2353-63	12
530	Genetic basis of cranial cruciate ligament rupture (CCLR) in dogs. <b>2014</b> , 55, 275-81	19
529	Tertiary structure-based prediction of conformational B-cell epitopes through B factors. <b>2014</b> , 30, i264-73	24
528	Diverse sequences are functional at the C-terminus of the E. coli periplasmic chaperone SurA. <b>2014</b> , 27, 111-6	9
527	3D Graphical Representation of Protein Sequences Based on Conformational Parameters of Amino Acids. <b>2014</b> , 989-994, 3599-3604	
526	Site-directed fluorescence labeling reveals a revised N-terminal membrane topology and functional periplasmic residues in the Escherichia coli cell division protein FtsK. <b>2014</b> , 289, 23287-301	15
525	Sparsely populated residue conformations in protein structures: revisiting "experimental" Ramachandran maps. <b>2014</b> , 82, 1101-12	16
524	Advances in Computational Biology. <b>2014</b> ,	
523	Fluorinated amino acids in amyloid formation: a symphony of size, hydrophobicity and Enelix propensity. <b>2014</b> , 5, 819-830	49
522	Diverse formulas for spider dragline fibers demonstrated by molecular and mechanical characterization of spitting spider silk. <b>2014</b> , 15, 4598-605	6
521	Emulating structural stability of Pseudomonas mendocina lipase: in silico mutagenesis and molecular dynamics studies. <b>2014</b> , 20, 2501	2
520	Negatively-charged helices in the gas phase. <b>2014</b> , 50, 8849-51	6
519	Effect of oxidative treatment on the secondary structure of decoloured bloodmeal. <b>2014</b> , 4, 31201-31209	11
518	Heterogeneous Foldamers from AliphaticAromatic Amino Acid Building Blocks: Current Trends and Future Prospects. <b>2014</b> , 2014, 7763-7780	31
517	Engineered coiled-coil protein microfibers. <b>2014</b> , 15, 3503-10	49

516	Substrate rescue of DNA polymerase #containing a catastrophic L22P mutation. <i>Biochemistry</i> , <b>2014</b> , 53, 2413-22	8
515	Prediction of protein secondary structure using feature selection and analysis approach. <b>2014</b> , 62, 1-14	10
514	Rational design of artificial 魅trand-forming antimicrobial peptides with biocompatible properties. <b>2014</b> , 11, 3492-502	5
513	PhosphoSVM: prediction of phosphorylation sites by integrating various protein sequence attributes with a support vector machine. <b>2014</b> , 46, 1459-69	91
512	Peptide synthesis, characterization and <b>G</b> a-radiolabeling of NOTA-conjugated ubiquicidin fragments for prospective infection imaging with PET/CT. <b>2014</b> , 41, 390-400	42
511	Predicting the expression of recombinant monoclonal antibodies in Chinese hamster ovary cells based on sequence features of the CDR3 domain. <b>2014</b> , 30, 188-97	16
510	P-LinK: A method for generating multicomponent cytochrome P450 fusions with variable linker length. <b>2014</b> , 57, 13-20	20
509	A method of predicting the secondary protein structure based on dictionaries. <b>2015</b> , 11,	
508	Molecular Modeling for Protein Aggregation and Formulation. <b>2015</b> , 123-147	1
507	Organization of the multiaminoacyl-tRNA synthetase complex and the cotranslational protein folding. <b>2015</b> , 24, 1475-85	3
506	Structural characterization of triple transmembrane domain containing fragments of a yeast G protein-coupled receptor in an organic: aqueous environment by solution-state NMR spectroscopy. <b>2015</b> , 21, 212-22	3
505	A Meta-heuristic Framework for Secondary Protein Structure Prediction using BAT-FLANN Optimization Algorithm. <b>2015</b> , 8,	O
504	Potentiation of Neuronal Nicotinic Receptors by 17眰stradiol: Roles of the Carboxy-Terminal and the Amino-Terminal Extracellular Domains. <b>2015</b> , 10, e0144631	9
503	A Review of Important Discontinuous B-Cell Epitope Prediction Tools. <b>2015</b> , 06,	9
502	A Deep Learning Network Approach to ab initio Protein Secondary Structure Prediction. <b>2015</b> , 12, 103-12	198
501	Application of data mining tools for classification of protein structural class from residue based averaged NMR chemical shifts. <b>2015</b> , 1854, 1545-52	8
500	Site-Specific Amino Acid Preferences Are Mostly Conserved in Two Closely Related Protein Homologs. <b>2015</b> , 32, 2944-60	60
499	More than one way to spin a crystallite: multiple trajectories through liquid crystallinity to solid silk. <b>2015</b> , 282, 20150259	30

498	Conformational properties of 1,4- and 1,5-substituted 1,2,3-triazole amino acids (building units for peptidic foldamers. <b>2015</b> , 13, 2776-85	15
497	Assessment of the effect of trichostatin A on HeLa cells through FT-IR spectroscopy. <b>2015</b> , 87, 2511-7	17
496	Mutational studies on resurrected ancestral proteins reveal conservation of site-specific amino acid preferences throughout evolutionary history. <b>2015</b> , 32, 440-55	60
495	In silico platform for predicting and initiating æurns in a protein at desired locations. 2015, 83, 910-21	9
494	Abrogation of HMX1 function causes rare oculoauricular syndrome associated with congenital cataract, anterior segment dysgenesis, and retinal dystrophy. <b>2015</b> , 56, 883-91	13
493	Amino acid distribution rules predict protein fold: protein grammar for beta-strand sandwich-like structures. <b>2015</b> , 5, 41-59	4
492	Identifying key interactions stabilizing DOF zinc finger-DNA complexes using in silico approaches. <b>2015</b> , 382, 150-9	8
491	Changes to amino acid composition of bloodmeal after chemical oxidation. <b>2015</b> , 5, 66451-66463	5
490	Distinct SagA from Hospital-Associated Clade A1 Enterococcus faecium Strains Contributes to Biofilm Formation. <b>2015</b> , 81, 6873-82	17
489	Molecular Dynamics Simulations of Intrinsically Disordered Proteins: Force Field Evaluation and Comparison with Experiment. <b>2015</b> , 11, 3420-31	174
489		174 48
	Comparison with Experiment. <b>2015</b> , 11, 3420-31	
488	Comparison with Experiment. 2015, 11, 3420-31  WALTZ-DB: a benchmark database of amyloidogenic hexapeptides. 2015, 31, 1698-700  The structure-function relationship of thrombin-like enzymes from the green pit viper	
488 487	Comparison with Experiment. 2015, 11, 3420-31  WALTZ-DB: a benchmark database of amyloidogenic hexapeptides. 2015, 31, 1698-700  The structure-function relationship of thrombin-like enzymes from the green pit viper (Trimeresurus albolabris). 2015, 100, 53-9	48 7
488 487 486	Comparison with Experiment. 2015, 11, 3420-31  WALTZ-DB: a benchmark database of amyloidogenic hexapeptides. 2015, 31, 1698-700  The structure-function relationship of thrombin-like enzymes from the green pit viper (Trimeresurus albolabris). 2015, 100, 53-9  Distinct roles of the DmNav and DSC1 channels in the action of DDT and pyrethroids. 2015, 47, 99-106  Discovery of a Hairpin Octapeptide, c[Pro-Arg-Phe-Phe-Dap-Ala-Phe-DPro], Mimetic of Agouti-Related Protein(87-132) [AGRP(87-132)] with Equipotent Mouse Melanocortin-4 Receptor	48 7 13
488 487 486 485	Comparison with Experiment. 2015, 11, 3420-31  WALTZ-DB: a benchmark database of amyloidogenic hexapeptides. 2015, 31, 1698-700  The structure-function relationship of thrombin-like enzymes from the green pit viper (Trimeresurus albolabris). 2015, 100, 53-9  Distinct roles of the DmNav and DSC1 channels in the action of DDT and pyrethroids. 2015, 47, 99-106  Discovery of a #Hairpin Octapeptide, c[Pro-Arg-Phe-Phe-Dap-Ala-Phe-DPro], Mimetic of Agouti-Related Protein(87-132) [AGRP(87-132)] with Equipotent Mouse Melanocortin-4 Receptor (mMC4R) Antagonist Pharmacology. 2015, 58, 4638-47  Effect of charged amino acid side chain length on lateral cross-strand interactions between	48 7 13 25
488 487 486 485 484	Comparison with Experiment. 2015, 11, 3420-31  WALTZ-DB: a benchmark database of amyloidogenic hexapeptides. 2015, 31, 1698-700  The structure-function relationship of thrombin-like enzymes from the green pit viper (Trimeresurus albolabris). 2015, 100, 53-9  Distinct roles of the DmNav and DSC1 channels in the action of DDT and pyrethroids. 2015, 47, 99-106  Discovery of a Hairpin Octapeptide, c[Pro-Arg-Phe-Phe-Dap-Ala-Phe-DPro], Mimetic of Agouti-Related Protein(87-132) [AGRP(87-132)] with Equipotent Mouse Melanocortin-4 Receptor (mMC4R) Antagonist Pharmacology. 2015, 58, 4638-47  Effect of charged amino acid side chain length on lateral cross-strand interactions between carboxylate- and guanidinium-containing residues in a Hairpin. 2015, 47, 885-98	48 7 13 25 8

# (2016-2015)

480	In Silico and in Vitro Study of Binding Affinity of Tripeptides to Amyloid <b>F</b> ibrils: Implications for Alzheimer's Disease. <b>2015</b> , 119, 5145-55		24
479	Nature of aryl-tyrosine interactions contribute to hairpin scaffold stability: NMR evidence for alternate ring geometry. <b>2015</b> , 17, 4220-30		3
478	Identification of inhibitors that target dual-specificity phosphatase 5 provide new insights into the binding requirements for the two phosphate pockets. <b>2015</b> , 16, 19		7
477	Mapping side chain interactions at protein helix termini. <b>2015</b> , 16, 231		7
476	Experimental evolution of enhanced growth by Bacillus subtilis at low atmospheric pressure: genomic changes revealed by whole-genome sequencing. <b>2015</b> , 81, 7525-32		15
475	Antibacterial toxin colicin N and phage protein G3p compete with TolB for a binding site on TolA. <b>2015</b> , 161, 503-15		10
474	Investigations on the role of CHID interactions and its impact on stability and specificity of penicillin binding proteins. <b>2015</b> , 65, 85-92		9
473	Comparative Analysis of Dof Transcription Factor Family in Maize. <b>2015</b> , 33, 1245-1258		22
472	A Factor Graph Approach to Automated GO Annotation. <b>2016</b> , 11, e0146986		4
471	Two nonspecific lipid transfer proteins (nsLTPs) from tomato seeds are associated to severe symptoms of tomato-allergic patients. <b>2016</b> , 60, 1172-82		26
470	Protein Secondary Structure Prediction based on Wavelets and 2D Convolutional Neural Network. <b>2016</b> ,		7
469	Feature extraction of protein secondary structure using 2D convolutional neural network. <b>2016</b> ,		3
468	Simultaneous mutation of G275A and P276A in the matrix protein of Newcastle disease virus decreases virus replication and budding. <b>2016</b> , 161, 3527-3533		8
467	Prediction of protein secondary structure using support vector machine with PSSM profiles. <b>2016</b> ,		4
466	Computational Modeling of 野ecretase 1 (BACE-1) Inhibitors Using Ligand Based Approaches. <b>2016</b> , 56, 1936-1949		85
465	From ZikV genome to vaccine: in silico approach for the epitope-based peptide vaccine against Zika virus envelope glycoprotein. <b>2016</b> , 149, 386-399		68
464	Construction of Thermophilic Xylanase and Its Structural Analysis. <i>Biochemistry</i> , <b>2016</b> , 55, 4399-409	3.2	19
463	Role of Conserved Gly-Gly Pairs on the Periplasmic Side of LacY. <i>Biochemistry</i> , <b>2016</b> , 55, 4326-32	3.2	4

462	Diversity, evolution and expression profiles of histone acetyltransferases and deacetylases in oomycetes. <b>2016</b> , 17, 927	4
461	Envisaging Structural Insight of a Terminally Protected Proline Dipeptide by Raman Spectroscopy and Density Functional Theory Analyses. <b>2016</b> , 120, 9829-9840	2
460	Computational scrutiny of the effect of N-terminal proline and residue stereochemistry in the nucleation of Helix fold. <b>2016</b> , 6, 74162-74176	11
459	Tunable Helicity, Stability and DNA-Binding Properties of Short Peptides with Hybrid Metal Coordination Motifs. <b>2016</b> , 7, 5453-5461	8
458	Understanding the dynamics of monomeric, dimeric, and tetrameric	10
457	Use of machine learning approaches for novel drug discovery. <b>2016</b> , 11, 225-39	136
456	Insights into Unfolded Proteins from the Intrinsic?/IPropensities of the AAXAA Host-Guest Series. <b>2016</b> , 110, 348-361	11
455	Three-step procedure for preparation of pure Bacillus altitudinis ribonuclease. <b>2016</b> , 6, 24-32	23
454	Protein stability: a crystallographer's perspective. <b>2016</b> , 72, 72-95	98
453	Pep-Calc.com: a set of web utilities for the calculation of peptide and peptoid properties and automatic mass spectral peak assignment. <b>2016</b> , 30, 271-7	43
452	Synthesis of a new 軸mino acid with a 3-deoxy-L-ara furnaoside side chain: the influence of the side chain on the conformation of 奔eptides. <b>2016</b> , 14, 503-515	1
451	Reaching optimized parameter set: protein secondary structure prediction using neural network. <b>2017</b> , 28, 1947-1974	9
450	Mycobacterium tuberculosis Rv1474c is a TetR-like transcriptional repressor that regulates aconitase, an essential enzyme and RNA-binding protein, in an iron-responsive manner. <b>2017</b> , 103, 71-82	5
449	Salt Interactions in Solution Prevent Direct Association of Urea with a Peptide Backbone. <b>2017</b> , 121, 1866-18	76 <sub>12</sub>
448	Evidence for Amino Acid Snorkeling from a High-Resolution, In Vivo Analysis of Fis1 Tail-Anchor Insertion at the Mitochondrial Outer Membrane. <b>2017</b> , 205, 691-705	12
447	In silico structural and functional analysis of Mesorhizobium ACC deaminase. <b>2017</b> , 68, 12-21	15
446	Prediction of Protein Aggregation and Amyloid Formation. 2017, 205-263	3
445	Mapping genotype-phenotype associations of nsSNPs in coiled-coil oligomerization domains of the human proteome. <b>2017</b> , 38, 1378-1393	1

444	FELLS: fast estimator of latent local structure. <b>2017</b> , 33, 1889-1891	38
443	Functional details of the Mycobacterium tuberculosis VapBC26 toxin-antitoxin system based on a structural study: insights into unique binding and antibiotic peptides. <b>2017</b> , 45, 8564-8580	30
442	Effects of Alkyl Groups on Excess-Electron Binding to Small-Sized Secondary Amide Clusters: A Combined Experimental and Computational Study. <b>2017</b> , 121, 4397-4403	
441	An structural, functional and phylogenetic analysis with three dimensional protein modeling of alkaline phosphatase enzyme of. <i>Journal of Genetic Engineering and Biotechnology</i> , <b>2017</b> , 15, 527-537	19
440	Synthesis, conformation and cytotoxicity of new, branched polymeric polypeptides containing hydrophobic amino acid or arginine moiety. <b>2017</b> , 28, 527-535	1
439	Molecular modelling, dynamics simulation and characterization of antifungal chitinase from Sechium edule. <b>2017</b> , 606, 39-46	5
438	The inhibitory effects of biomimetically designed peptides on Bynuclein aggregation. 2017, 634, 96-106	12
437	A unique cysteine-rich zinc finger domain present in a majority of class II ribonucleotide reductases mediates catalytic turnover. <b>2017</b> , 292, 19044-19054	8
436	Helix Propensities of Amino Acid Residues via Thioester Exchange. <b>2017</b> , 139, 13292-13295	15
435	Proteins. <b>2017</b> , 59-92	
434	Characterization and purification of proteins suitable for the production of antibodies against 'Ca. Liberibacter asiaticus'. <b>2017</b> , 139, 36-42	6
433	Amino-acid composition after loop deletion drives domain swapping. <b>2017</b> , 26, 1994-2002	10
432	Deciphering the Fluorine Code-The Many Hats Fluorine Wears in a Protein Environment. <b>2017</b> , 50, 2093-2103	81
431	Nanodisc-to-Nanofiber Transition of Noncovalent Peptide-Phospholipid Assemblies. <b>2017</b> , 2, 2935-2944	3
430	Phylotype Dynamics of Bacterial P Utilization Genes in Microbialites and Bacterioplankton of a Monomictic Endorheic Lake. <b>2017</b> , 73, 296-309	10
429	Enhancement of PR1 and PR5 gene expressions by chitosan treatment in kiwifruit plants inoculated with Pseudomonas syringae pv. actinidiae. <b>2017</b> , 148, 163-179	10
428	The IM30/Vipp1 C-terminus associates with the lipid bilayer and modulates membrane fusion. <b>2017</b> , 1858, 126-136	20
	A novel Group Template Pattern Classifiers (GTPCs) method in protein secondary structure	

426	Protein secondary structure prediction based on two dimensional deep convolutional neural networks. <b>2017</b> ,	6
425	Chymosin, Pepsins and Other Aspartyl Proteinases: Structures, Functions, Catalytic Mechanism and Milk-Clotting Properties. <b>2017</b> , 69-113	8
424	Identification and Analysis of RNA Editing Sites in the Chloroplast Transcripts of Aegilops tauschii L. <b>2016</b> , 8,	19
423	In silico structural, functional and phylogenetic analysis of Klebsiella phytases. <b>2018</b> , 27, 362-372	2
422	Everyone Is a Protagonist: Residue Conformational Preferences in High-Resolution Protein Structures. <b>2018</b> , 25, 451-465	5
421	Structural effects of extracellular loop mutations in CFTR helical hairpins. <b>2018</b> , 1860, 1092-1098	3
420	Deep Learning in Biomedical Data Science. <b>2018</b> , 1, 181-205	40
419	Effective formation of stable and versatile double-stranded	2
418	Identification of Slug and SOX7 as transcriptional repressors binding to the hepatitis B virus core promoter. <b>2017</b> ,	6
417	Three mammalian tropomyosin isoforms have different regulatory effects on nonmuscle myosin-2B and filamentous	26
416	Secondary structures of synthetic polypeptide polymers. <b>2018</b> , 9, 1517-1529	100
415	Cascading classifier application for topology prediction of TMB proteins. 2018,	
414	New substitutions of mitochondrial DNA in Iranian autistic children. <b>2018</b> , 3, 87-91	
413	Alignment-Free Analyses of Nucleic Acid Sequences Using Graphical Representation (with Special Reference to Pandemic Bird Flu and Swine Flu). <b>2018</b> , 141-188	
412	Discovery of the first self-assembling peptide, study of peptide dynamic behaviors, and G protein-coupled receptors using an Aviv circular dichroism spectropolarimeter. <b>2018</b> , 109, e23235	3
411	Modulation of the mobility of a key region in human galactokinase: Impacts on catalysis and stability. <b>2018</b> , 81, 649-657	2
410	Synthetic Biology. <b>2018</b> ,	

408	Prediction of Protein Secondary Structure With Clonal Selection Algorithm and Multilayer Perceptron. <b>2018</b> , 6, 45256-45261		16	
407	Proline and Water Stabilization of a Universal Two-Step Folding Mechanism for 町urn Formation in Solution. <b>2018</b> , 140, 7301-7312		7	
406	Consistent prediction of GO protein localization. Scientific Reports, 2018, 8, 7757	4.9	4	
405	Proteins. <b>2018</b> , 63-94		5	
404	Protein Secondary Structure Prediction Based on Data Partition and Semi-Random Subspace Method. <i>Scientific Reports</i> , <b>2018</b> , 8, 9856	4.9	15	
403	Insights into the Mechanism of Antimicrobial Activity of Seven-Residue Peptides. <b>2018</b> , 61, 7614-7629		11	
402	Designing self-assembling biomaterials with controlled mechanical and biological performance. <b>2018</b> , 7-26		1	
401	Characterization of a Novel Porin-Like Protein, ExtI, from Geobacter sulfurreducens and Its Implication in the Reduction of Selenite and Tellurite. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	8	
400	A Critical Note on Symmetry Contact Artifacts and the Evaluation of the Quality of Homology Models. <b>2018</b> , 10, 25		1	
399	Investigation of the thermophilic mechanism in the genus Porphyrobacter by comparative genomic analysis. <b>2018</b> , 19, 385		15	
398	Rational protein design for thermostabilization of glycoside hydrolases based on structural analysis. <b>2018</b> , 102, 8677-8684		10	
397	Elastin is heterogeneously cross-linked. <b>2018</b> , 293, 15107-15119		33	
396	Fibrous Protein Self-Assembly in Biomimetic Materials. <b>2018</b> , 30, e1706462		32	
395	Relative role(s) of leucine versus isoleucine in the folding of membrane proteins. <b>2019</b> , 111, e24075		5	
394	The causative variants of amyloidosis in the autism. <b>2019</b> , 129, 10-15		2	
393	Protein secondary structure prediction using neural networks and deep learning: A review. <b>2019</b> , 81, 1-8		24	
392	A rare TTC30B variant is identified as a candidate for synpolydactyly in a Chinese pedigree. <b>2019</b> , 127, 503-509		1	
391	3D interaction homology: The hydropathic interaction environments of even alanine are diverse and provide novel structural insight. <b>2019</b> , 207, 183-198		5	

390	Mode of action of the antimicrobial peptide Mel4 is independent of Staphylococcus aureus cell membrane permeability. <b>2019</b> , 14, e0215703	34
389	Determination of glucansucrase encoding gene in Leuconostoc mesenteroides. <b>2019</b> , 137, 761-766	3
388	rawMSA: End-to-end Deep Learning using raw Multiple Sequence Alignments. <b>2019</b> , 14, e0220182	27
387	Chemical and Biological Characteristics of Antimicrobial Helical Peptides Found in Solitary Wasp Venoms and Their Interactions with Model Membranes. <b>2019</b> , 11,	7
386	Designer aromatic peptide amphiphiles for self-assembly and enzymatic display of proteins with morphology control. <b>2019</b> , 55, 640-643	18
385	Grafting a short chameleon sequence from <b>B</b> crystallin into a <b>B</b> heet scaffold protein. <b>2019</b> , 87, 416-424	4
384	ACPred: A Computational Tool for the Prediction and Analysis of Anticancer Peptides. <i>Molecules</i> , 2019, 24,	71
383	P1 Binds to dsRNAs without Size and Sequence Specificity and a GW Motif Is Crucial for Suppression of RNA Silencing. <b>2019</b> , 11,	4
382	Synchrotron-radiation vacuum-ultraviolet circular dichroism spectroscopy in structural biology: an overview. <b>2019</b> , 16, 41-58	2
381	Circular-Dichroism and Synchrotron-Radiation Circular-Dichroism Spectroscopy as Tools to Monitor Protein Structure in a Lipid Environment. <b>2019</b> , 2003, 253-279	2
380	RNA silencing suppression mechanisms of Triticum mosaic virus P1: dsRNA binding property and mapping functional motifs. <b>2019</b> , 269, 197640	2
379	P7 and P8 proteins of High Plains wheat mosaic virus, a negative-strand RNA virus, employ distinct mechanisms of RNA silencing suppression. <b>2019</b> , 535, 20-31	12
378	Effects of Arginine Deimination and Citrulline Side-Chain Length on Peptide Secondary Structure Formation. <b>2019</b> , 20, 2118-2124	2
377	Molecular modeling, dynamics simulation and characterization of human inositol hexakisphosphate kinase 1 (IP6K1) related to diabetes. <b>2019</b> , 23, 461	1
376	Protein Supersecondary Structures. <b>2019</b> ,	1
375	Increased freedom of movement in the nascent chain results in dynamic changes in the structure of the SecM arrest motif. <b>2019</b> , 39,	2
374	Comparative RNA editing profile of mitochondrial transcripts in cytoplasmic male sterile and fertile pigeonpea reveal significant changes at the protein level. <b>2019</b> , 46, 2067-2084	1
373	Protein Sequences Features Extraction for Predicting Beta- Turns and their Types: A Review. <b>2019</b> , 15, 1331-1340	O

## (2020-2019)

372	Production Process and Optimization of Solid Bioethanol from Empty Fruit Bunches of Palm Oil Using Response Surface Methodology. <b>2019</b> , 7, 715	11
371	Peptide-Based Nanoparticles to Rapidly and Efficiently "Wrap 'n Roll" siRNA into Cells. <b>2019</b> , 30, 592-603	20
370	Disulphide Bridges in Surfactant Protein B Analogues Affect Their Activity in Synthetic Surfactant Preparations. <b>2019</b> , 115, 134-141	Ο
369	Design and structural characterisation of monomeric water-soluble Helix and Hairpin peptides: State-of-the-art. <b>2019</b> , 661, 149-167	10
368	The transmembrane autophagy cargo receptors ATI1 and ATI2 interact with ATG8 through intrinsically disordered regions with distinct biophysical properties. <b>2019</b> , 476, 449-465	11
367	Developments and Applications of Coil-Library-Based Residue-Specific Force Fields for Molecular Dynamics Simulations of Peptides and Proteins. <b>2019</b> , 15, 2761-2773	8
366	Ramachandran maps for side chains in globular proteins. <b>2019</b> , 87, 357-364	8
365	4-Hydroxyphenylpyruvate Dioxygenase Thermolability Is Responsible for Temperature-Dependent Melanogenesis in Aeromonas salmonicida subsp <b>2019</b> , 85,	1
364	Significantly different contact patterns between A#O and A#2 monomers involving the N-terminal region. <b>2019</b> , 94, 1615-1625	2
363	LEGO-based generalized set of two linear algebraic 3D bio-macro-molecular descriptors: Theory and validation by QSARs. <b>2020</b> , 485, 110039	4
362	A deep dense inception network for protein beta-turn prediction. <b>2020</b> , 88, 143-151	5
361	Sequence- and structure-based prediction of amyloidogenic regions in proteins. <b>2020</b> , 24, 3285-3308	6
360	On predicting foldability of a protein from its sequence. <b>2020</b> , 88, 355-365	7
359	Elucidating Molecular Design Principles for Charge-Alternating Peptides. <b>2020</b> , 21, 435-443	5
358	Construction and Characterization of UBC4 Mutants with Single Residues Swapped from UBC5. <b>2020</b> , 78, 43-53	
357	Preprotein signature for full susceptibility to the co-translational translocation inhibitor cyclotriazadisulfonamide. <b>2020</b> , 21, 250-264	6
356	SCOT: Rethinking the classification of secondary structure elements. <b>2020</b> , 36, 2417-2428	4
355	Bent Into Shape: Folded Peptides to Mimic Protein Structure and Modulate Protein Function. <b>2020</b> , 112, e24145	19

354	The Best Peptidomimetic Strategies to Undercover Antibacterial Peptides. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	5
353	Targeting the Respiratory Syncytial Virus N-P Complex with Constrained Helical Peptides in Cells and Mice. <b>2020</b> , 64,	2
352	Estimating Change in Foldability Due to Multipoint Deletions in Protein Structures. <b>2020</b> , 60, 6679-6690	1
351	Drug Stability and Chemical Kinetics. <b>2020</b> ,	1
350	Understanding the biological role of PqqB in using molecular dynamics simulation approach. <b>2020</b> , 1-13	4
349	Helical polymers for biological and medical applications. <b>2020</b> , 4, 291-310	36
348	Estimating the Effect of Single-Point Mutations on Protein Thermodynamic Stability and Analyzing the Mutation Landscape of the p53 Protein. <b>2020</b> , 60, 3315-3323	3
347	Expression profiling and in silico homology modeling of Inositol pentaphosphate 2-kinase, a potential candidate gene for low phytate trait in soybean. <b>2020</b> , 10, 268	3
346	Protein secondary structure prediction based on integration of CNN and LSTM model. 2020, 71, 102844	8
345	T cell costimulation, checkpoint inhibitors and anti-tumor therapy. <i>Journal of Biosciences</i> , <b>2020</b> , 45, 1 2.3	11
344	Gr/TiO Films with Light-Controlled Positive/Negative Charge for Cell Harvesting Application. <b>2020</b> , 6, 2020-2028	4
343	The Future of Protein Secondary Structure Prediction Was Invented by Oleg Ptitsyn. 2020, 10,	О
342	Propensities of Amino Acid Pairings in Secondary Structure of Globular Proteins. <b>2020</b> , 39, 21-32	1
341	Racemic S-(ethylsulfonyl)-dl-cysteine N-Carboxyanhydrides Improve Chain Lengths and Monomer Conversion for 野heet-Controlled Ring-Opening Polymerization. <b>2021</b> , 42, e2000470	4
340	Effect of Secondary Structure and Side Chain Length of Hydrophobic Amino Acid Residues on the Antimicrobial Activity and Toxicity of 14-Residue-Long de novo AMPs. <b>2021</b> , 16, 355-367	11
339	A missense mutation in a patient with developmental delay affects the activity and structure of the hexosamine biosynthetic pathway enzyme AGX1. <b>2021</b> , 595, 110-122	О
338	Structural-Genetic Characterization Of Novel Butaryl co-A Dehydrogenase and Proposition of Butanol Biosynthesis Pathway in Pusillimonas ginsengisoli SBSA. <b>2021</b> , 89, 81-94	1
337	Effect of the conformer distribution on the properties of amorphous organic semiconductor films for organic light-emitting diodes. <b>2021</b> , 23, 14242-14251	2

 $336\,$   $\,$  Membrane barrels are taller, fatter, inside-out soluble barrels.

335	Statistical Evidence for a Helical Nascent Chain. <b>2021</b> , 11,		O
334	A structural analysis of amyloid polymorphism in disease: clues for selective vulnerability?.		3
333	Swapping the Positions in a Cross-Strand Lateral Ion-Pairing Interaction between Ammonium- and Carboxylate-Containing Residues in a Hairpin. <i>Molecules</i> , <b>2021</b> , 26,	4.8	2
332	Membrane Binding and Homodimerization of Atg16 Via Two Distinct Protein Regions is Essential for Autophagy in Yeast. <b>2021</b> , 433, 166809		4
331	C subunit of the ATP synthase is an amyloidogenic calcium dependent channel-forming peptide with possible implications in mitochondrial permeability transition. <i>Scientific Reports</i> , <b>2021</b> , 11, 8744	4.9	6
330	Swarm optimization-based neural network model for secondary structure prediction of proteins. <b>2021</b> , 10, 1		1
329	Membrane Barrels Are Taller, Fatter, Inside-Out Soluble Barrels. <b>2021</b> , 125, 3622-3628		1
328	Peptide-based supramolecular vaccine systems. <b>2021</b> , 133, 153-167		8
327	Current and prospective computational approaches and challenges for developing COVID-19 vaccines. <b>2021</b> , 172, 249-274		12
326	Solubility Parameters of Amino Acids on Liquid-Liquid Phase Separation and Aggregation of Proteins. <b>2021</b> , 9, 691052		1
325	Short Peptides as Tunable, Switchable, and Strong Gelators. <b>2021</b> ,		3
324	Covalent and Noncovalent Targeting of the Tcf4/眨atenin Strand Interface with Hairpin Mimics. <b>2021</b> , 16, 1518-1525		5
323	Immunoinformatics based design and prediction of proteome-wide killer cell epitopes of: Potential application in vaccine development. <b>2021</b> , 1-14		O
322	C-Methyl-l-valine: A Preferential Choice over #Aminoisobutyric Acid for Designing Right-Handed Helical Scaffolds. <i>Biochemistry</i> , <b>2021</b> , 60, 2704-2714	3.2	
321	PSO Based Neuro-fuzzy Model for Secondary Structure Prediction of Protein. <b>2021</b> , 53, 4593		1
320	Cassava mosaic virus in Africa: Functional analysis of virus coat proteins based on evolutionary processes and protein structure. <b>2021</b> , 24, 101239		2
319	Sequence and Structure of Proteins. 43-86		1

318	Metallothionein. <b>1985</b> , 149-181	16
317	Structure-function relationships of galanin. <b>1991</b> , 185-196	6
316	Divide and Conquer Strategies for Protein Structure Prediction. <b>2011</b> , 23-46	2
315	Biocatalytic Synthesis of Polymers of Precisely Defined Structures. <b>1999</b> , 371-401	1
314	Stability of Folded Conformations by Computer Simulation: Methods and Some Applications. <b>1990</b> , 95-113	2
313	Artificial Proteins: De novo Design, Synthesis and Solid State Properties. <b>1997</b> , 61-99	5
312	Chou-Fasman Prediction of the Secondary Structure of Proteins. 1989, 391-416	43
311	pH Triggered Synthetic Peptides: Models for Viral Fusion Sequences. <b>1988</b> , 317-324	1
310	Recombinant DNA Technology and Characterization of Recombinant Alpha-2 Interferon. <b>1985</b> , 1-12	2
309	Selection and production by genetechnological methods of medically relevant EBV-related antigens. <b>1985</b> , 485-494	3
308	Hydropathy Plots and the Prediction of Membrane Protein Topology. <b>1994</b> , 97-124	15
307	Extension and Folding of Nascent Peptides on Ribosomes. <b>1993</b> , 347-358	5
306	Structural constraints on residue substitution. <b>1992</b> , 14, 231-49	3
305	Paramyxovirus M Proteins. <b>1991</b> , 427-456	47
304	The Molecular Biology of Human Respiratory Syncytial Virus (RSV) of the Genus Pneumovirus. <b>1991</b> , 103-162	42
303	Immunological Characterization of Apolipoprotein AI from Normal Human Plasma: Mapping of Antigenic Determinants. <b>1986</b> , 103-117	3
302	The Function of Saccharide-Lipids in Synthesis of Glycoproteins. <b>1980</b> , 35-83	140
301	Thymosins. <b>1984</b> , 21-35	4

300	Molecular Biology of Leukotriene Formation. <b>1989</b> , 1-4	1
299	Protein Folding. <b>1980</b> , 43-100	6
298	Improving pairwise sequence alignment between distantly related proteins. 2007, 395, 255-68	1
297	Neural networks predict protein structure and function. <b>2008</b> , 458, 203-30	6
296	The Prediction of the Secondary Structure of Proteins. <b>1991</b> , 321-332	2
295	Glyceraldehyde 3-phosphate dehydrogenase from an extreme thermophile, Thermus aquaticus. <b>1976</b> , 26, 121-33	19
294	The Three-Dimensional Structure of Postsynaptic Snake Neurotoxins: Consideration of Structure and Function. <b>1979</b> , 213-257	36
293	Structure of Human Class II Antigens Expressed by a Homozygous Lymphoblastoid B Cell Line. <b>1986</b> , 49-70	3
292	Assignment of Helices in Multiply Aligned Protein Sequences Applications to DNA Binding Motifs. <b>1992</b> , 99-110	1
291	Plasmodesmata - Virus Interaction. <b>1990</b> , 261-274	9
290	Structure and Function of Glycoprotein D of Herpes Simplex Virus. <b>1994</b> , 43-65	5
289	Prions and molecular chaperones. <b>1993</b> , 7, 227-43	8
288	Hydrogen Bonds in Biological Structure and Mechanism. <b>1984</b> , 61-85	2
287	The N-terminal fragment of bovine phosphophoryn, an extracellular mineral matrix protein, shares sequence homology with viral, bacterial and eukaryotic transcriptional and post-translational regulatory proteins. <b>1991</b> , 251-259	2
286	Molecular Modeling of Globular Proteins : Strategy 1D => 3D: Secondary Structures and Epitopes. <b>1997</b> , 121-150	3
285	A novel TP53 germline inframe deletion identified in a Spanish series of Li-fraumeni syndrome suspected families. <b>2017</b> , 16, 567-575	4
284	Artificial Polypeptides. <b>2001</b> , 347-355	2
283	USE OF RANDOM COPOLYMERS TO DETERMINE THE HELIX-COIL STABILITY CONSTANTS OF THE NATURALLY OCCURRING AMINO ACIDS. <b>1979</b> , 315-324	1

282	MELITTIN - STRUCTURE AND ACTIVITY. <b>1980</b> , 173-181	8
281	Predictions of Protein Secondary and Tertiary Structure. <b>1994</b> , 203-232	1
280	Learning an Objective Alphabet of Amino Acid Conformations in Protein11By acceptance of this article, the publisher and/or recipient acknowledges the U.S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper. This research was supported by the Northwest College and University Association for Science (Washington State	3
279	University) under grant DE-FG06-89ER-75522 with the U.S. Department of Energy 1993, 541-548 Proenkephalin and the Products of Its Processing: Chemistry and Biology. 1984, 25-68	4
278	Graphical representation and mathematical characterization of protein sequences and applications to viral proteins. <b>2011</b> , 83, 1-42	15
277	The Nucleotide-binding Site of the Plasma-membrane H+-ATPase of Neurospora crassa: A Comparison with other P-type ATPases. <b>1989</b> , 35-54	4
276	Serum Lipoproteins. <b>1975</b> , 317-391	25
275	Thermal stability and protein structure. <b>1979</b> , 159-69	3
274	INVESTIGATION OF HELIX DIPOLE AND SALT BRIDGE STABILIZATION OF SYNTHETIC HELICAL PEPTIDES USING CD AND NMR. <b>1989</b> , 531-546	2
273	Interactions of Parathyroid Hormone and Parathyroid Hormone-Related Protein with Their Receptors. <b>2001</b> , 53-iv	1
272	PROTEIN-NUCLEIC ACID NON-SPECIFIC INTERACTION: Crystal Structure of a Protamine-tRNA Complex at 5.4 [Resolution, and a Model for Protamine-DNA Complex. <b>1981</b> , 415-424	1
271	The degradation of proparathormone and parathormone by parathyroid and liver cathepsin B <b>1979</b> , 254, 4428-4433	65
270	Antigen-induced conformational changes in IgM antibody. II. The role of the carrier <b>1979</b> , 254, 2742-2747	18
269	Study of RNase A mechanism and folding by means of synthetic 63-residue analogs <b>1977</b> , 252, 663-670	23
268	Primary structure of streptococcal proteinase. III. Isolation of cyanogen bromide peptides: complete covalent structure of the polypeptide chain <b>1976</b> , 251, 1955-1959	42
267	Identification of a peptide inhibitor of the cardiac sarcolemmal Na(+)-Ca2+ exchanger <b>1991</b> , 266, 1014-1020	211
266	The primary structure of link protein from rat chondrosarcoma proteoglycan aggregate <b>1986</b> , 261, 3519-353	583
265	Covalent modification of substrate-binding sites of Escherichia coli ADP-glucose synthetase. Isolation and structural characterization of 8-azido-ADP-glucose-incorporated peptides <b>1986</b> , 261, 1058-1064	1 <sup>45</sup>

264	The amino acid sequence of the procoagulant- and prothrombin-binding domain isolated from staphylocoagulase <b>1986</b> , 261, 527-531	19
263	Behavior of human apolipoprotein E in aqueous solutions and at interfaces <b>1985</b> , 260, 16375-16382	98
262	The Na+/H+ exchanger isoform 1 (NHE1) is a novel member of the calmodulin-binding proteins. Identification and characterization of calmodulin-binding sites <b>1994</b> , 269, 13703-13709	241
261	The chemistry and biology of thymosin. II. Amino acid sequence analysis of thymosin alpha1 and polypeptide beta1 <b>1979</b> , 254, 987-995	145
260	Evidence for structural homology between human red cell phosphoglycerate mutase and 2,3-bisphosphoglycerate synthase <b>1978</b> , 253, 77-81	23
259	Normalization of receptor binding of apolipoprotein E2. Evidence for modulation of the binding site conformation <b>1984</b> , 259, 7261-7267	128
258	Ovine submaxillary mucin. Primary structure and peptide substrates of UDP-N-acetylgalactosamine:mucin transferase <b>1977</b> , 252, 3799-3804	94
257	Properties of a CH3-blocked creatine kinase with altered catalytic activity. Kinetic consequences of the presence of the blocking group <b>1977</b> , 252, 1202-1207	56
256	The effect of MetBLeu mutations on calmodulin's ability to activate cyclic nucleotide phosphodiesterase <b>1994</b> , 269, 15546-15552	52
255	A model for the structure of bovine parathormone derived by dark field electron microsocpy <b>1977</b> , 252, 8261-8268	43
254	Identification of discrete structural domains in the retinoblastoma protein. Amino-terminal domain is required for its oligomerization <b>1994</b> , 269, 1380-1387	46
253	Yeast carbamyl phosphate synthetase. Structure of the yeast gene and homology to Escherichia coli carbamyl phosphate synthetase <b>1983</b> , 258, 14466-14477	60
252	The receptor-binding domain of human apolipoprotein E. Monoclonal antibody inhibition of binding <b>1983</b> , 258, 12348-12354	168
251	Structures of the O-glycosidically linked oligosaccharides of human IgD <b>1983</b> , 258, 11557-11563	73
250	Amino acid sequence of the coagulogen from Limulus polyphemus hemocytes <b>1984</b> , 259, 8924-8933	46
249	Nucleotide and amino acid sequence comparisons of preprosomatostatins <b>1983</b> , 258, 8788-8793	45
248	Rat apolipoprotein E mRNA. Cloning and sequencing of double-stranded cDNA <b>1983</b> , 258, 8993-9000	102
247	A possible nucleotide-binding domain in the tertiary fold of phosphoribosyltransferases <b>1983</b> , 258, 6450-6457	86

246	The nucleotide sequence of rat liver fatty acid binding protein mRNA 1983, 258, 3356-3363	188
245	Thyroglobulin structure-function. The amino acid sequence surrounding thyroxine <b>1983</b> , 258, 2079-2082	55
244	Demonstration of three distinct calcium-binding sites in villin, a modulator of actin assembly <b>1983</b> , 258, 365-369	33
243	A structural model for maize zein proteins <b>1982</b> , 257, 9984-9990	315
242	Phosphoproteins in the parotid saliva from the subhuman primate Macaca fascicularis. Isolation and characterization of a proline-rich phosphoglycoprotein and the complete covalent structure of a proline-rich phosphopeptide <b>1982</b> , 257, 9271-9282	36
241	The amino acid sequence of a major polypeptide chain of earthworm hemoglobin <b>1982</b> , 257, 9005-9015	52
240	The primary structure of the acidic phosphoprotein P2 from rat liver 60 S ribosomal subunits. Comparison with ribosomal 'A' proteins from other species <b>1982</b> , 257, 9189-9197	82
239	Human apolipoprotein E. The complete amino acid sequence <b>1982</b> , 257, 4171-4178	475
238	Mutations that simultaneously alter both sugar and cation specificity in the melibiose carrier of Escherichia coli <b>1988</b> , 263, 12909-12915	77
237	The complete amino acid sequence and identification of the active-site arginine peptide of Escherichia coli 2-keto-4-hydroxyglutarate aldolase <b>1988</b> , 263, 11683-11691	18
236	Location of helical regions in tetrapyrrole-containing proteins by a helical hydrophobic moment analysis. Application to phytochrome <b>1990</b> , 265, 17568-17575	17
235	2月ED-(2,4,6-trinitrophenyl)-8-azido-AMP and -ATP photolabel Lys-492 at the active site of sarcoplasmic reticulum Ca(2+)-ATPase <b>1992</b> , 267, 5301-5309	50
234	Purification, physical characterization, and NH2-terminal sequence of glutamine synthetase from the cyanobacterium Anabaena 7120 <b>1981</b> , 256, 13091-13098	43
233	Assembly of synthetic laminin peptides into a triple-stranded coiled-coil structure <b>1994</b> , 269, 30386-30392	27
232	Identification of specific amphipathic alpha-helical sequence of human apolipoprotein A-IV involved in lecithin:cholesterol acyltransferase activation <b>1994</b> , 269, 29883-29890	32
231	The complete amino acid sequence of echinoidin, a lectin from the coelomic fluid of the sea urchin Anthocidaris crassispina. Homologies with mammalian and insect lectins <b>1987</b> , 262, 6197-6203	131
230	Type II regulatory subunit dimerization determines the subcellular localization of the cAMP-dependent protein kinase <b>1990</b> , 265, 21561-21566	140
229	Long range effects of amino acid substitutions in the catalytic chain of aspartate transcarbamoylase. Localized replacements in the carboxyl-terminal alpha-helix cause marked alterations in allosteric properties and intersubunit interactions <b>1992</b> , 267, 2443-2450	15

228	The alpha 3 chain of type IV collagen prevents activation of human polymorphonuclear leukocytes <b>1994</b> , 269, 25475-25482	50
227	Analogues of parathyroid hormone modified at positions 3 and 6. Effects on receptor binding and activation of adenylyl cyclase in kidney and bone. <b>1991</b> , 266, 1997-2004	57
226	Sequence and characterization of a sperm-specific histone H1-like protein of Mytilus californianus <b>1993</b> , 268, 185-194	25
225	Crystal structure of recombinant rabbit interferon-gamma at 2.7-A resolution <b>1991</b> , 266, 21791-21797	53
224	Isolation, characterization, and in vitro expression of a cDNA that encodes the kidney isoenzyme of the mitochondrial glutaminase <b>1991</b> , 266, 18792-18796	73
223	Structure-Function Relationships in a Winter Flounder Antifreeze Polypeptide. <b>1989</b> , 264, 11307-11312	31
222	Isolation and Characterization of Lactose Permease Mutants with an Enhanced Recognition of Maltose and Diminished Recognition of Cellobiose. <b>1989</b> , 264, 14698-14703	56
221	Comparison of the three primary structures of deoxyribonuclease isolated from bovine, ovine, and porcine pancreas. Derivation of the amino acid sequence of ovine DNase and revision of the previously published amino acid sequence of bovine DNase <b>1986</b> , 261, 16012-16017	39
220	Site-specific alteration of cysteine 176 and cysteine 234 in the lactose carrier of Escherichia coli <b>1986</b> , 261, 11765-11769	25
219	Localization of two epitopes of apolipoprotein A-I that are exposed on human high density lipoproteins using monoclonal antibodies and synthetic peptides <b>1988</b> , 263, 13779-13785	36
218	Expression and characterization of a des-methionine mutant interleukin-2 receptor (Tac protein) with interleukin-2 binding affinity <b>1988</b> , 263, 8359-8365	9
217	Human apolipoprotein E3 in aqueous solution. I. Evidence for two structural domains 1988, 263, 6240-6248	223
216	pH-dependent fusion of phosphatidylcholine small vesicles. Induction by a synthetic amphipathic peptide <b>1988</b> , 263, 4724-4730	135
215	Site-specific mutagenesis of human apolipoprotein E. Receptor binding activity of variants with single amino acid substitutions <b>1988</b> , 263, 3542-3545	147
214	Secondary structural analyses of the nicotinic acetylcholine receptor as a test of molecular models <b>1988</b> , 263, 3177-3182	39
213	Functional and Nonfunctional LamB Signal Sequences Can Be Distinguished by Their Biophysical Properties. <b>1989</b> , 264, 17293-17297	72
212	Isolation and Characterization of Thiodigalactoside-resistant Mutants of the Lactose Permease Which Possess an Enhanced Recognition for Maltose. <b>1989</b> , 264, 15988-15992	29
211	Bacterial long-chain fatty acid transport. Identification of amino acid residues within the outer membrane protein FadL required for activity. <b>1993</b> , 268, 15469-15476	44

210	The Isolation and Primary Structure of a 22-kDa Extracellular Matrix Protein from Bovine Skin. <b>1989</b> , 264, 5474-5479	39
209	Characterization of the Calmodulin-binding Site of Nonerythroid Espectrin. <b>1989</b> , 264, 5826-5830	40
208	Amino acid sequences of mouse and human epidermal type II keratins of Mr 67,000 provide a systematic basis for the structural and functional diversity of the end domains of keratin intermediate filament subunits <b>1985</b> , 260, 7142-7149	134
207	Glycinin A3B4 mRNA. Cloning and sequencing of double-stranded cDNA complementary to a soybean storage protein <b>1985</b> , 260, 6234-6239	42
206	Expression of a mammalian fatty acid-binding protein in Escherichia coli <b>1984</b> , 259, 12696-12704	41
205	Primary, secondary, and tertiary structure of the core of a histone H1-like protein from the sperm of Mytilus. <b>1991</b> , 266, 8184-8191	30
204	Primary structure of alpha 2-macroglobulin receptor-associated protein. Human homologue of a Heymann nephritis antigen. <b>1991</b> , 266, 13364-13369	176
203	Enhanced thermodynamic stabilities of yeast iso-1-cytochromes c with amino acid replacements at positions 52 and 102. <b>1991</b> , 266, 11686-11694	59
202	Interactions between residues in the oncomodulin CD domain influence Ca2+ ion-binding affinity. <b>1991</b> , 266, 11301-11308	13
201	A novel mouse gene family coding for cationic, cysteine-rich peptides. Regulation in small intestine and cells of myeloid origin <b>1990</b> , 265, 9831-9837	73
200	Comparison of helix stability in wild-type and mutant LamB signal sequences <b>1990</b> , 265, 3851-3858	42
199	Sequence variability and structure of D-glyceraldehyde-3-phosphate dehydrogenase <b>1975</b> , 250, 9313-9321	40
198	Tetanus toxin. The effect of chemical modifications on toxicity, immunogenicity, and conformation <b>1975</b> , 250, 7435-7442	36
197	Proinsulin: a proposed three-dimensional structure. <b>1975</b> , 250, 6291-6295	46
196	Secondary structure predictions for the NAD-specific glutamate dehydrogenase of Neurospora crassa <b>1980</b> , 255, 8001-8004	13
195	Sugar transport by the bacterial phosphotransferase system. Primary structure and active site of a general phosphocarrier protein (HPr) from Salmonella typhimurium <b>1982</b> , 257, 14499-14509	54
194	Biophysical characterization of involucrin reveals a molecule ideally suited to function as an intermolecular cross-bridge of the keratinocyte cornified envelope <b>1992</b> , 267, 12233-12238	45
193	An analysis of the structure of the product of the rbsA gene of Escherichia coli K12 <b>1986</b> , 261, 7659-7662	33

192	Differential scanning calorimetry of apo-, apophosphoryl, and metalloalkaline phosphatases <b>1977</b> , 252, 7042-7052	50
191	A highly reactive beta-galactosidase (Escherichia coli) resulting from a substitution of an aspartic acid for Gly-794 <b>1991</b> , 266, 4979-4986	32
190	Chemical characterization of thymosin beta 4 <b>1982</b> , 257, 1000-1006	100
189	The amino acid sequence of the beta subunit of allophycocyanin <b>1981</b> , 256, 9558-9566	21
188	The structure of the lentil (Lens culinaris) lectin. Amino acid sequence determination and prediction of the secondary structure <b>1981</b> , 256, 5550-5560	105
187	Structural prediction of sugar-binding proteins functional in chemotaxis and transport <b>1981</b> , 256, 4357-4361	35
186	Calcium-induced protein folding. Structure-affinity relationships in synthetic analogs of the helix-loop-helix calcium binding unit <b>1981</b> , 256, 2742-2751	76
185	Sequence analysis of the DNA encoding the Eco RI endonuclease and methylase <b>1981</b> , 256, 2143-2153	125
184	Chain length-function correlation of amphiphilic peptides. Synthesis and surface properties of a tetratetracontapeptide segment of apolipoprotein A-I <b>1980</b> , 255, 10651-10657	66
183	Peptide analogues compete with the binding of alpha-factor to its receptor in Saccharomyces cerevisiae <b>1988</b> , 263, 17333-17341	82
182	Specific binding to isolated acetylcholine receptor of a synthetic peptide duplicating the sequence of the presumed active center of a lethal toxin from snake venom <b>1982</b> , 257, 2901-2907	29
181	Topographic antigenic determinants recognized by monoclonal antibodies to sperm whale myoglobin <b>1982</b> , 257, 3189-3198	105
180	Primary structural requirements for the enzymatic formation of the N-glycosidic bond in glycoproteins. Studies with natural and synthetic peptides <b>1979</b> , 254, 9747-9753	143
179	Re-evaluation of the solution structure of acyl carrier protein <b>1979</b> , 254, 9778-9785	91
178	Identification of a trpG-related glutamine amide transfer domain in Escherichia coli GMP synthetase <b>1985</b> , 260, 3350-3354	47
177	The amino acid sequence and stability predictions of the hinge region in myosin subfragment 2 <b>1985</b> , 260, 3456-3461	23
176	Analysis of the Actinobacillus actinomycetemcomitans leukotoxin gene. <b>1989</b> , 264, 15451-15456	153
175	Site-directed Mutagenesis of Pro-17 Located in the Glycine-rich Region of Adenylate Kinase. <b>1989</b> , 264, 990-994	28

174	Synthetic analog of a high affinity calcium binding site in rabbit skeletal troponin C 1980, 255, 3642-3646	31
173	A comparison of the amino acid sequences of rabbit skeletal muscle alpha- and beta-tropomyosins <b>1980</b> , 255, 3647-3655	137
172	Primary structure of a histidine-rich proteolytic fragment of human ceruloplasmin. II. Amino acid sequence of the tryptic peptides <b>1980</b> , 255, 2886-2896	7
171	Conformational analysis of myotoxin alpha (muscle degenerating toxin) of Prairie rattlesnake venom. Predictions from amino acid sequence, circular dichroism, and Raman spectroscopy <b>1979</b> , 254, 8922-8926	20
170	Missense mutations in exon 5 of the human lipoprotein lipase gene. Inactivation correlates with loss of dimerization <b>1992</b> , 267, 20132-20139	31
169	Molecular processing of adenovirus proteins <b>1983</b> , 258, 8266-8272	11
168	The isolation and identification of multiple forms of the neutrophil granule peptides from human leukemic cells <b>1991</b> , 266, 7524-7530	23
167	Role of cysteine residues in human NADH-cytochrome b5 reductase studied by site-directed mutagenesis. Cys-273 and Cys-283 are located close to the NADH-binding site but are not catalytically essential <b>1991</b> , 266, 7531-7536	27
166	Apolipoprotein Elbw density lipoprotein receptor interaction: influences of basic residue and amphipathic Helix organization in the ligand. <b>2000</b> , 41, 1087-1095	54
165	Mutational analysis of apolipoprotein B mRNA editing enzyme (APOBEC1): structurefunction relationships of RNA editing and dimerization. <b>1999</b> , 40, 623-635	38
164	Apolipoproteins and the structural organization of plasma lipoproteins: human plasma high density lipoprotein-3 <b>1979</b> , 20, 143-153	111
163	A cross-species comparison of the apolipoprotein B domain that binds to the LDL receptor <b>1990</b> , 31, 1109-1120	48
162	rawMSA: End-to-end Deep Learning Makes Protein Sequence Profiles and Feature Extraction obsolete.	5
161	Hydrogen bonds are a primary driving force for de novo protein folding. <b>2017</b> , 73, 955-969	5
160		2
159	Composites of local structure propensities: evidence for local encoding of long-range structure. <b>2002</b> , 11, 18-26	63
158	Porphyromonas (Bacteroides) gingivalis fimbrillin: size, amino-terminal sequence, and antigenic heterogeneity. <b>1991</b> , 59, 383-9	95
157	Structure-function analysis of exotoxin A proteins with mutations at histidine 426. <b>1992</b> , 60, 1128-39	8

156	Molecular cloning, nucleotide sequence, and occurrence of a 16.5-kilodalton outer membrane protein of Brucella abortus with similarity to pal lipoproteins. <b>1994</b> , 62, 3633-9	53
155	Molecular characterization, occurrence, and immunogenicity in infected sheep and cattle of two minor outer membrane proteins of Brucella abortus. <b>1996</b> , 64, 100-7	38
154	Role of the amino-terminal region of Porphyromonas gingivalis fimbriae in adherence to epithelial cells. <b>1999</b> , 67, 6173-6	32
153	Immunological and structural relatedness of catabolic ornithine carbamoyltransferases and the anabolic enzymes of enterobacteria. <b>1985</b> , 161, 714-9	11
152	Antibody response of Schistosoma mansoni-infected human subjects to the recombinant P28 glutathione-S-transferase and to synthetic peptides. <b>1990</b> , 28, 1918-24	51
151	Identification of four epitopes in hepatitis C virus core protein. <b>1993</b> , 31, 1586-91	21
150	Localization and synthesis of an antigenic determinant of herpes simplex virus glycoprotein D that stimulates the production of neutralizing antibody. <b>1984</b> , 49, 102-8	160
149	Fine structure analysis of type-specific and type-common antigenic sites of herpes simplex virus glycoprotein D. <b>1984</b> , 52, 431-5	47
148	Localization of epitopes of herpes simplex virus type 1 glycoprotein D. <b>1985</b> , 53, 634-44	136
147	DNA packaging initiation of Salmonella bacteriophage P22: determination of cut sites within the DNA sequence coding for gene 3. <b>1985</b> , 55, 458-65	41
146	Characterization of the genes encoding herpes simplex virus type 1 and type 2 alkaline exonucleases and overlapping proteins. <b>1986</b> , 57, 1023-36	65
145	Matrix genes of measles virus and canine distemper virus: cloning, nucleotide sequences, and deduced amino acid sequences. <b>1986</b> , 58, 408-16	117
144	Binding of complement component C3b to glycoprotein gC of herpes simplex virus type 1: mapping of gC-binding sites and demonstration of conserved C3b binding in low-passage clinical isolates. <b>1986</b> , 60, 470-5	49
143	Genetic control of capsid length in bacteriophage T4: DNA sequence analysis of petite and petite/giant mutants. <b>1987</b> , 61, 2828-34	18
142	Use of synthetic peptides to map the antigenic determinants of glycoprotein D of herpes simplex virus. <b>1988</b> , 62, 3474-83	34
141	Structural defect linked to nonrandom mutations in the matrix gene of biken strain subacute sclerosing panencephalitis virus defined by cDNA cloning and expression of chimeric genes. <b>1989</b> , 63, 1162-73	45
140	Responsiveness of the Epstein-Barr virus NotI repeat promoter to the Z transactivator is mediated in a cell-type-specific manner by two independent signal regions. <b>1989</b> , 63, 3040-50	84
139	Molecular structure of the cell-attachment protein of reovirus: correlation of computer-processed electron micrographs with sequence-based predictions. <b>1990</b> , 64, 2990-3000	99

138	Identification of a site on herpes simplex virus type 1 glycoprotein D that is essential for infectivity. <b>1990</b> , 64, 3617-26	40
137	Disulfide bond structure of glycoprotein D of herpes simplex virus types 1 and 2. <b>1992</b> , 66, 6668-85	42
136	Intracellular processing of the paramyxovirus F protein: critical role of the predicted amphipathic alpha helix adjacent to the fusion domain. <b>1992</b> , 66, 4161-9	21
135	Neutralization-resistant variants of infectious hematopoietic necrosis virus have altered virulence and tissue tropism. <b>1994</b> , 68, 8447-53	27
134	Human cell receptor CD46 is down regulated through recognition of a membrane-proximal region of the cytoplasmic domain in persistent measles virus infection. <b>1996</b> , 70, 6929-36	24
133	Identification of amino acids controlling the low-pH-induced conformational change of rabies virus glycoprotein. <b>1996</b> , 70, 7371-8	46
132	Characterization of Neurospora CPC1, a bZIP DNA-binding protein that does not require aligned heptad leucines for dimerization. <b>1991</b> , 11, 935-944	20
131	Apolipoprotein E2-Christchurch (136 ArgSer). New variant of human apolipoprotein E in a patient with type III hyperlipoproteinemia. <b>1987</b> , 80, 483-90	105
130	Apolipoprotein A-I variants. Naturally occurring substitutions of proline residues affect plasma concentration of apolipoprotein A-I. <b>1989</b> , 84, 1722-30	83
129	Apolipoprotein C-III(Lys58Glu). Identification of an apolipoprotein C-III variant in a family with hyperalphalipoproteinemia. <b>1991</b> , 87, 1724-31	73
128	Characterization of in vivo expression of the human papillomavirus type 16 E4 protein in cervical biopsy tissues. <b>1991</b> , 87, 2132-41	19
127	Cloning and expression of a mutant methylmalonyl coenzyme A mutase with altered cobalamin affinity that causes mut- methylmalonic aciduria. <b>1992</b> , 89, 385-91	35
126	Molecular basis for membrane rigidity of hereditary ovalocytosis. A novel mechanism involving the cytoplasmic domain of band 3. <b>1992</b> , 89, 686-92	112
125	Protein Sequence Analysis and Prediction of Secondary Structural Features. <b>2004</b> , 99-185	1
124	Expression of alpha 7 integrin cytoplasmic domains during skeletal muscle development: alternate forms, conformational change, and homologies with serine/threonine kinases and tyrosine phosphatases. <b>1993</b> , 106, 1139-1152	119
123	Prediction of peptide reactivity with human IVIg through a knowledge-based approach. <b>2011</b> , 6, e23616	2
122	Whole-exome sequencing to decipher the genetic heterogeneity of hearing loss in a Chinese family with deaf by deaf mating. <b>2014</b> , 9, e109178	14
121	2L-PCA: a two-level principal component analyzer for quantitative drug design and its applications. <b>2017</b> , 8, 70564-70578	16

120	Advances in the Prediction of Protein Aggregation Propensity. 2019, 26, 3911-3920	17
119	A Systematic Review on Popularity, Application and Characteristics of Protein Secondary Structure Prediction Tools. <b>2019</b> , 16, 159-172	6
118	Conformation Analysis of Enkephalin Using Hamiltonian AlgorithmŒffect of Mixing Coefficient in HA []2007, 6, 275-282	2
117	Structural basis of HapE-linked antifungal triazole resistance in. <b>2020</b> , 3,	7
116	Helicobacter pylori specific immune response induced by conservative flagellin linear B-cell epitope. <b>2005</b> , 11, 3528-32	0
115	Prediction of cystine connectivity using SVM. <b>2005</b> , 1, 69-74	4
114	Arginine and Lysine interactions with Iresidues in metalloproteins. 2012, 8, 820-6	3
113	How to strike a conformational balance in protein force fields for molecular dynamics simulations?. e1578	Ο
112	Sequence and Structure of Proteins. <b>2001</b> , 43-86	
111	Secondary Structural Prediction Of Proteins.	
110	Secondary Structural Prediction Of Proteins.  Hydrogen Bonds. 2002,	
		1
110	Hydrogen Bonds. 2002,  Prediction of Protein Secondary Structure at High Accuracy Using a Combination of Many Neural	1
110	Hydrogen Bonds. 2002,  Prediction of Protein Secondary Structure at High Accuracy Using a Combination of Many Neural Networks. 2003, 117-122  Environment-dependent and position-specific frequencies of amino acid occurrences in	1
110	Hydrogen Bonds. 2002,  Prediction of Protein Secondary Structure at High Accuracy Using a Combination of Many Neural Networks. 2003, 117-122  Environment-dependent and position-specific frequencies of amino acid occurrences in .ALPHAhelices. 2003, 3, 58-77  A mouse model of familial hypertrophic cardiomyopathy caused by a £ropomyosin mutation. 2003	
110 109 108	Hydrogen Bonds. 2002,  Prediction of Protein Secondary Structure at High Accuracy Using a Combination of Many Neural Networks. 2003, 117-122  Environment-dependent and position-specific frequencies of amino acid occurrences in .ALPHAhelices. 2003, 3, 58-77  A mouse model of familial hypertrophic cardiomyopathy caused by a & ropomyosin mutation. 2003, 33-42	
110 109 108 107	Hydrogen Bonds. 2002,  Prediction of Protein Secondary Structure at High Accuracy Using a Combination of Many Neural Networks. 2003, 117-122  Environment-dependent and position-specific frequencies of amino acid occurrences in .ALPHAhelices. 2003, 3, 58-77  A mouse model of familial hypertrophic cardiomyopathy caused by a & ropomyosin mutation. 2003, 33-42  The Proline Rule. 2003,	0

102	Theoretical and empirical approaches to protein-structure prediction and analysis. <b>1991</b> , 35, 1-86	3
101	Structure Prediction of Membrane Proteins. <b>2007</b> , 65-108	
100	Design and Stability of Helices. 247	
99	Structure of Histone H2A (Histone ALK, IIbl or F2a2). 77-93	
98	Proteins: Computational Analysis.	
97	A Resilient Voting Scheme for Improving Secondary Structure Prediction. <b>2011</b> , 339-350	
96	Using Homology Information From PDB to Improve The Accuracy of Protein 毗urn Prediction by NetTurnP*. <b>2012</b> , 39, 472-482	
95	FS-Tree: Sequential Association Rules and First Applications to Protein Secondary Structure Analysis. <b>2014</b> , 189-198	
94	The Interaction Networks of E. coli Chaperones. <b>2014</b> , 395-418	
93	STUDIES ON THE REGIOSPECIFICITIES IN THE BINDING OF COMPLEX LIPIDS. <b>1978</b> , 93-100	
92	Immunchemie des CEA. <b>1979</b> , 3-28	
91	The Chemistry of Prolactin. <b>1980,</b> 1-36	
90	INVESTIGATIONS INTO THE RELATIONSHIPS BETWEEN STRUCTURE AND FUNCTION OF DIPHTHERIA TOXIN FRAGMENT B. <b>1980</b> , 433-437	
89	PREDICTION OF TERTIARY STRUCTURES IN GLOBULAR PROTEINS: SOME ESSENTIAL PARAMETERS. <b>1981</b> , 151-167	
88	Protein Folding - Pages 522-556. <b>1982</b> , 522-556	
87	Potentials for Applications of Genetic Engineering Technology to Soybeans. <b>1985</b> , 89-105	
86	Sequence of the E. coli APRT gene. <b>1986</b> , 195 Pt A, 239-46	
85	Lipid Binding Properties of Human Apo Al Mutants. <b>1986</b> , 119-127	

#### [1994-1987]

84	EscherichiaColi ADPglucose Synthetase Substrate-Inhibitor Binding Sites Studied by Site(S) Directed Chemical Modification and Mutant Enzyme Characterization. <b>1987</b> , 581-598
83	Bibliography. <b>1987</b> , 165-184
82	Prediction of Protein Structure from Amino Acid Sequence. 1987, 141-149
81	In Search of the Physical Basis of Life. <b>1987</b> , 469-492
8o	Theoretical studies of protein structure. <b>1988</b> , 21-26
79	Molecular Structure and Biological Activities of P Cell-Stimulating Factor (Interleukin 3). 1988, 1-37
78	PROTEIN CONFORMATIONAL PREDICTION. <b>1990</b> , 135-145
77	Prediction of Structure of 33 kD Extrinsic Polypeptide of Thylakoid. <b>1990</b> , 651-654
76	The role of dense local packing of hydrophobic groups in β-structural proteins. <b>1990</b> , 6, 15-24
75	Insulin-Related Peptides and Their Receptor(s) in the Mollusc, Lymnaea Stagnalis. 1991, 59-72
74	Literaturverzeichnis. <b>1992</b> , 470-525
73	Polypeptide und Proteine. <b>1992</b> , 96-329
72	An Expert System for Secondary Structure Prediction. <b>1992</b> , 111-122
71	Molecular modeling of neurotransmitter receptors and ligands. <b>1993</b> , 10, 1-8
7º	DIFFICULT SEQUENCES IN THE SYNTHESIS OF G-PROTEIN FRAGMENTS THAT HARBOR A PUTATIVE ADHESION MOTIF. <b>1993</b> , 269-275
69	Protein secondary structure prediction based on stochastic-rule learning. <b>1993</b> , 240-251 2
68	Application of computational neural networks to the prediction of protein structural features. <b>1993</b> , 15, 1-19
67	Data Based Modeling of Proteins. <b>1994</b> , 277-296

66	Modelling proteins. <b>1996</b> , 405-462
65	. 1997,
64	Chapter 4 Computational methods relating protein sequence and structure. <b>1997</b> , 165-268
63	????????. <b>1998</b> , 47, 266-266
62	Molecular Phylogeny of Morphologically Diverse Cyanobacteria Based on Ribosomal Conserved Sequence. <b>2015</b> , 8, 188-197
61	Deep mutational scanning reveals characteristics important for targeting of the tail-anchored protein Fis1.
60	A Physics-Based Coarse-Grained Model with Electric Multipoles. <b>2016</b> , 465-493
59	Conserved changes in secondary structure and aggregation properties of in vitro evolved proteins for thermo stability.
58	Insight into the mechanism of protein thermostability based on the residue interaction degrees.
57	4-hydroxyphenylpyruvate dioxygenase thermolability is responsible for temperature-dependent melanogenesis inAeromonas salmonicidasubsp.salmonicida.
56	Development of Vacuum-Ultraviolet Circular-Dichroism Spectrophotometer Using Synchrotron Radiation and Structural Analysis of Biomolecules. <b>2018</b> , 60, 200-208
55	The Arabidopsis autophagy cargo receptors ATI1 and ATI2 bind to ATG8 via intrinsically disordered regions and are post-translationally modified upon ATG8 interaction.
54	Sequence Pattern for Supersecondary Structure of Sandwich-Like Proteins. 2019, 1958, 313-327
53	sMode of action of the antimicrobial peptide Mel4 is independent of Staphylococcus aureus cell membrane permeability.
52	Hermes: an ensemble machine learning architecture for protein secondary structure prediction.
51	Common substructures and sequence characteristics of sandwich-like proteins from 42 different folds.
50	Structure and Expression of Genes Encoding the Soybean 7S Seed Storage Proteins. 1983, 101-112
49	C subunit of the ATP synthase is an amyloidogenic channel-forming peptide: possible implications in mitochondrial pathogenesis.

48 Stability Studies of Proteinous Compounds. **2020**, 187-236

Structure-Function Relationships in Assembly of the Radical-Initiating Cofactors of Class IaB Ribonucleotide Reductases. 2020, 415-441  Exceptional aggregation propensity of amino acids in polyglutamine amino-acid-homopolymer.  Inferring the Origin of the Genetic Code. 2007, 291-320		
Inferring the Origin of the Genetic Code. <b>2007</b> , 291-320		
High Decolution Structure Determination of Piological Macromologulos 1070, 26, 147, 150		
High Resolution Structure Determination of Biological Macromolecules. <b>1978</b> , 36, 147-159		
Localization and characterization of the cleavage-associated neoantigen locus in the E domain of fibrinogen <b>1979</b> , 254, 672-678		8
42 Interaction of apoA-II from human high density lipoprotein with lysolecithin <b>1977</b> , 252, 3684-3688		7
Developmentally regulated cytokeratin gene in Xenopus laevis. <b>1985</b> , 5, 2575-2581		13
Identification of the C-terminal activator domain in yeast heat shock factor: independent control of transient and sustained transcriptional activity. <i>EMBO Journal</i> , <b>1993</b> , 12, 5007-18	13	28
The inducible elongin A elongation activation domain: structure, function and interaction with the elongin BC complex. <i>EMBO Journal</i> , <b>1996</b> , 15, 5557-66	13	32
The 11-1 gene of Plasmodium falciparum codes for distinct fast evolving repeats. <i>EMBO Journal</i> , <b>1988</b> , 7, 1129-37	13	13
Structural similarity between legumin and vicilin storage proteins from legumes. <i>EMBO Journal</i> , <b>1985</b> , 4, 1111-7	13	34
Identification of a splice-site mutation in the human growth hormone-variant gene. <i>American Journal of Human Genetics</i> , <b>1991</b> , 48, 1168-74	11	10
Amino acid substitutions of conserved residues in the carboxyl-terminal domain of the alpha 1(X) chain of type X collagen occur in two unrelated families with metaphyseal chondrodysplasia type Schmid. <i>American Journal of Human Genetics</i> , <b>1994</b> , 54, 169-78	11	62
34 Impact of Wikipedia on citation trends. <i>EXCLI Journal</i> , <b>2013</b> , 12, 15-9	2.4	4
A novel hybrid method of beta-turn identification in protein using binary logistic regression and neural network. <i>EXCLI Journal</i> , <b>2012</b> , 11, 346-56	2.4	4
Physicochemical Position-Dependent Properties in the Protein Secondary Structures. <i>Iranian Biomedical Journal</i> , <b>2019</b> , 23, 253-61	2	1

30	Characterization of the membrane penetration-enhancing peptide S19 derived from human syncytin-1 for the intracellular delivery of TAT-fused proteins. <i>Biochemical and Biophysical Research Communications</i> , <b>2021</b> , 586, 63-67	3.4	1
29	Missense Mutations Modify the Conformational Ensemble of the -Synuclein Monomer Which Exhibits a Two-Phase Characteristic <i>Frontiers in Molecular Biosciences</i> , <b>2021</b> , 8, 786123	5.6	1
28	Effect of the valine-threonine constraint on the dynamics of the proline helix IA molecular dynamics study. <i>Journal of Chemical Sciences</i> , <b>1994</b> , 106, 579-589	1.8	
27	The secondary structure of type I collagen N-telopeptide as demonstrated by Fourier transform IR spectroscopy and molecular modeling. <i>Journal of Chemical Sciences</i> , <b>1999</b> , 111, 121	1.8	8
26	Recognition of Metal Ion Ligand-Binding Residues by Adding Correlation Features and Propensity Factors <i>Frontiers in Genetics</i> , <b>2021</b> , 12, 793800	4.5	
25	Prediction and validation of host cleavage targets of SARS-CoV-2 3C-like protease.		1
24	Genetic adaptation to urban living: molecular DNA analyses of wild boar populations in Budapest and surrounding area. <i>Mammalian Biology</i> , <b>2022</b> , 102, 221	1.6	1
23	Peptide framework for screening the effects of amino acids on assembly <i>Science Advances</i> , <b>2022</b> , 8, eabj0305	14.3	3
22	A mouse model of familial hypertrophic cardiomyopathy caused by a alpha-tropomyosin mutation. <i>Molecular and Cellular Biochemistry</i> , <b>2003</b> , 251, 33-42	4.2	21
21	T cell costimulation, checkpoint inhibitors and anti-tumor therapy. <i>Journal of Biosciences</i> , <b>2020</b> , 45,	2.3	6
20	Helical Nonfouling Polypeptides for Biomedical Applications. <i>Chinese Journal of Polymer Science</i> (English Edition), 1	3.5	2
19	Engineered Spider Silk Proteins for Biomimetic Spinning of Fibers with Toughness Equal to Dragline Silks. <i>Advanced Functional Materials</i> , 2200986	15.6	O
18	Identification, analysis of deleterious SNPs of the human GSR gene and their effects on the structure and functions of associated proteins and other diseases <i>Scientific Reports</i> , <b>2022</b> , 12, 5474	4.9	0
17	Protein Secondary Structure Prediction using Topological Data Analysis. 2021,		
16	Reframing the Protein Folding Problem: Entropy as Organizer. <i>Biochemistry</i> , <b>2021</b> ,	3.2	1
15	Deciphering tubulin gene of carbendazim resistant Fusarium solani isolate and its comparison with other Fusarium species <i>Current Genetics</i> , <b>2022</b> , 1	2.9	
14	Thermodynamic analysis of amyloid fibril structures reveals a common framework for stability in amyloid polymorphs. <i>Structure</i> , <b>2022</b> ,	5.2	0
13	Adult amphibian epidermal proteins: biochemical characterization and developmental appearance. <b>1975</b> , 34, 55-73		O

#### CITATION REPORT

12	The Effects of Charged Amino Acid Side-Chain Length on Diagonal Cross-Strand Interactions between Carboxylate- and Ammonium-Containing Residues in a Hairpin. <i>Molecules</i> , <b>2022</b> , 27, 4172	4.8	1
11	Wild-Type	5.6	2
10	The Qc5 Allele Increases Wheat Bread-Making Quality by Regulating SPA and SPR. <i>International Journal of Molecular Sciences</i> , <b>2022</b> , 23, 7581	6.3	O
9	In silico structural and functional characterization of Antheraea mylitta cocoonase. <i>Journal of Genetic Engineering and Biotechnology</i> , <b>2022</b> , 20,	3.1	O
8	Prediction of metal ion ligand binding residues by adding disorder value and propensity factors based on deep learning algorithm. 13,		
7	MAGNETYCZNY REZONANS JDROWY W BADANIACH STRUKTURALNYCH BIOMOLEKU INA PRZYK ADZIE BADANIA MODELOWYCH UK ADW HELIKALNYCH. <b>2006</b> , 4, 1-16		O
6	Relationship between B-cell epitope structural properties and the immunogenicity of blood group antigens: Outlier properties of the Kell K1 antigen.		O
5	The Epigenetic Dimension of Protein Structure Is an Intrinsic Weakness of the AlphaFold Program. <b>2022</b> , 12, 1527		1
4	Wide distribution of extracellular electron transfer functionality in natural proteinaceous organic materials for microbial reductive dehalogenation. <b>2023</b> ,		0
3	Structural Dissection of Epsin-1 N-Terminal Helical Peptide: The Role of Hydrophobic Residues in Modulating Membrane Curvature.		O
2	Revisiting the Ramachandran plot based on statistical analysis of static and dynamic characteristics of protein structures. <b>2023</b> , 215, 107939		О
1	Diagonal Interactions between Glutamate and Arginine Analogs with Varying Side-Chain Lengths in a Hairpin. <b>2023</b> , 28, 2888		O