

The Ileocecral Bladder: A New Method for Urinary Diver

Journal of Urology

113, 314-316

DOI: 10.1016/s0022-5347(17)59470-7

Citation Report

#	ARTICLE	IF	CITATIONS
1	Undiversion Using Ileoceccystoplasty in a Case of Retroperitoneal Hemorrhage after Cardiac Catheterization. <i>Journal of Urology</i> , 1983, 130, 766-768.	0.4	0
2	Bladder Reconstruction in the Surgical Management of Bladder Cancer. <i>Cancer Investigation</i> , 1984, 2, 215-220.	1.3	1
3	Continent Urinary Diversion. <i>Journal of Urology</i> , 1985, 134, 227-236.	0.4	70
4	The Mainz Pouch (Mixed Augmentation Ileum and Cecum) for Bladder Augmentation and Continent Diversion. <i>Journal of Urology</i> , 1986, 136, 17-26.	0.4	287
5	Further Experience with Ileocecal Conduit Urinary Diversion. <i>Journal of Urology</i> , 1986, 135, 39-43.	0.4	8
6	An Appliance-Free, Sphincter-Controlled Bladder Substitute: The Urethral Kock Pouch. <i>Journal of Urology</i> , 1987, 138, 1150-1153.	0.4	93
7	Remodeled Right Colon: An Alternative Urinary Reservoir. <i>Journal of Urology</i> , 1987, 138, 730-734.	0.4	68
8	Radical Cystectomy and Ileocaecal Bladder Reconstruction for Carcinoma of the Urinary Bladder A Study of 130 Patients. <i>British Journal of Urology</i> , 1987, 60, 60-63.	0.1	11
9	Complications of bladder substitution and continent urinary diversion. <i>Urology</i> , 1989, 34, 329-338.	1.0	46
10	Nontunneled Ureterocolonic Anastomosis: An Alternate to the Tunneled Implantation. <i>Journal of Urology</i> , 1989, 142, 961-963.	0.4	20
11	Postoperative radiotherapy of carcinoma in bilharzial bladder: Improved disease free survival through improving local control. <i>International Journal of Radiation Oncology Biology Physics</i> , 1992, 23, 511-517.	0.8	117
12	Refluxes in orthotopic neobladders: Can the ileocecal sphincter be considered an adequate antireflux mechanism?. <i>Urology</i> , 1994, 44, 38-45.	1.0	13
13	Simplified Uretero-Intestinal Implantation in Continent Cutaneous Urinary Diversion Using Ileovalvular Segment as Afferent Loop and Appendix as Continent Outlet. <i>Journal of Urology</i> , 1996, 155, 1200-1205.	0.4	34
14	Bladder replacement in women: A new experience. <i>International Urogynecology Journal</i> , 1997, 8, 36-46.	1.4	0
15	Implantable bioelectronic interfaces for lost nerve functions. <i>Progress in Neurobiology</i> , 1998, 55, 433-461.	5.7	117
16	A multi-institutional study of orthotopic neobladders: functional results in men and women. <i>BJU International</i> , 2004, 93, 803-806.	2.5	25
17	Ileocaecal vs ileal neobladder after radical cystectomy in patients with bladder cancer: a comparative study. <i>BJU International</i> , 2006, 97, 799-804.	2.5	21
19	Right Colocystoplasty for Bladder Replacement. <i>Urologic Clinics of North America</i> , 1986, 13, 321-331.	1.8	27

#	ARTICLE	IF	CITATIONS
20	Simplified Uretero-Intestinal Implantation in Continent Cutaneous Urinary Diversion Using Ileovalvular Segment as Afferent Loop and Appendix as Continent Outlet. <i>Journal of Urology</i> , 1996, , 1200-1204.	0.4	2
21	THE LATE RESULTS OF ILEAL CONDUIT DIVERSION. <i>Japanese Journal of Urology</i> , 1975, 66, 493-509.	0.1	0
22	Alternative forms of urinary diversion after cystectomy. <i>Cancer Treatment and Research</i> , 1989, 46, 85-122.	0.5	0