Dominant Pollen Types Recovered From commercial Lo

Economic Botany 29, 87-96

DOI: 10.1007/bf02861258

Citation Report

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Secondary pollen types characteristic of Louisiana honeys. Economic Botany, 1977, 31, 111-119. | 1.7 | 10 |
| 2 | Minor honeybee plants of Louisiana indicated by pollen analysis. Economic Botany, 1978, 32, 418-432. | 1.7 | 16 |
| 3 | AN ANALYSIS OF MISSISSIPI (U.S.A.) HONEY: POLLEN, COLOR AND MOISTURE. Apidologie, 1981, 12, 137-158. | 2.0 | 17 |
| 4 | THE R-VALUES OF HONEY: POLLEN COEFFICIENTS. Palynology, 2001, 25, 11-28. | 1.5 | 50 |
| 5 | The use of ETOH for the dilution of honey. Grana, 2004, 43, 174-182. | 0.8 | 61 |
| 6 | Forensic palynology: Current status of a rarely used technique in the United States of America. Forensic Science International, 2006, 163, 183-197. | 2.2 | 68 |
| 7 | Invasion of tallow tree into southern US forests: influencing factors and implications for mitigation. Canadian Journal of Forest Research, 2009, 39, 1346-1356. | 1.7 | 45 |
| 8 | Forensic pollen geolocation techniques used to identify the origin of boll weevil re-infestation. Grana, 2012, 51, 206-214. | 0.8 | 2 |
| 9 | Scanning Electron Microscopic Studies on Surface Pattern of the Pollen Loads from Apis cerana in Jajarkot District. Nepal Journal of Science and Technology, 0, 12, 340-349. | 0.2 | 6 |
| 10 | Recent advances in Compositae (Asteraceae) palynology, with emphasis on previously unstudied and unplaced taxa. Grana, 2012, 51, 158-179. | 0.8 | 17 |
| 11 | Melissopalynological Characterization of North Algerian Honeys. Foods, 2013, 2, 83-89. | 4.3 | 7 |
| 12 | Pollen Studies of East Texas Honey. Palynology, 2014, 38, 242-258. | 1.5 | 25 |
| 13 | Is Chinese Tallowtree, <i>Triadica sebifera</i> , an Appropriate Target for Biological Control in the United States?. Invasive Plant Science and Management, 2014, 7, 345-359. | 1.1 | 21 |
| 14 | Quarantine host range of <i><scp>B</scp>ikasha collaris</i> , a potential biological control agent of Chinese tallowtree (<i><scp>T</scp>riadica sebifera</i>) in North America. Entomologia Experimentalis Et Applicata, 2017, 163, 184-196. | 1.4 | 12 |
| 15 | Using palynological evidence from royal jelly to mediate the spread of Paenibacillus larvae in Brazil. Hoehnea (revista), 2018, 45, 512-539. | 0.2 | 5 |
| 16 | <i>Triadica sebifera</i> (L.) Small. EPPO Bulletin, 2019, 49, 285-289. | 0.8 | 0 |
| 17 | Pollination mechanisms in Triadica sebifera (Euphorbiaceae) in the southeastern United States1. Journal of the Torrey Botanical Society, 2019, 146, 18. | 0.3 | 1 |
| 18 | An Overview of Triadica sebifera (Chinese Tallowtree) in the Southern United States, Emphasizing Pollinator Impacts and Classical Biological Control. Southeastern Naturalist, 2021, 20, . | 0.4 | 2 |

ARTICLE IF CITATIONS

19 Pollen Analysis of Natural Honey Sample from the Chikhli taluka of Gujarat state India. International Journal of Scientific Research in Science and Technology, 2022, , 628-637.

0.1 0