

# The power of association studies to detect the contribution of rare genetic variation in complex traits

Genome Research

9, 720-31

Citation Report

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Molecular Genetics of Age-Related Macular Degeneration: Current Status. <i>European Journal of Ophthalmology</i> , 1999, 9, 255-265.   | 0.7  | 29        |
| 2  | Genetics of rheumatoid arthritis: confronting complexity. <i>Arthritis Research</i> , 1999, 1, 37.   | 2.0  | 78        |
| 3  | Genetic Risk Factors for Schizophrenia. <i>International Journal of Mental Health</i> , 2000, 29, 13-38.   | 0.5  | 1         |
| 4  | Marker-inferred relatedness as a tool for detecting heritability in nature. <i>Molecular Ecology</i> , 2000, 9, 1195-1204.   | 2.0  | 231       |
| 5  | New advances in pharmacogenomics. <i>Current Opinion in Chemical Biology</i> , 2000, 4, 440-444.   | 2.8  | 28        |
| 6  | Genetics of body-weight regulation. <i>Nature</i> , 2000, 404, 644-651.  | 13.7 | 682       |
| 7  | Functional polymorphisms of the human multidrug-resistance gene: Multiple sequence variations and correlation of one allele with P-glycoprotein expression and activity <i>in vivo</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 3473-3478. | 3.3  | 2,204     |
| 8  | Data Mining Applied to Linkage Disequilibrium Mapping. <i>American Journal of Human Genetics</i> , 2000, 67, 133-145.  | 2.6  | 114       |
| 9  | Simple and Complex ABCR: Genetic Predisposition to Retinal Disease. <i>American Journal of Human Genetics</i> , 2000, 67, 793-799.   | 2.6  | 122       |
| 10 | An overview of the genetic analysis of complex diseases, with reference to type 1 diabetes. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2001, 15, 265-277.  | 2.2  | 6         |
| 11 | Prospects for Association-Based Fine Mapping of a Susceptibility Gene for a Complex Disease. <i>Theoretical Population Biology</i> , 2001, 60, 181-191.  | 0.5  | 13        |
| 12 | Joint Tests of Linkage and Association for Quantitative Traits. <i>Theoretical Population Biology</i> , 2001, 60, 239-251.   | 0.5  | 15        |
| 13 | Using single nucleotide polymorphisms as a means to understanding the pathophysiology of asthma. <i>Respiratory Research</i> , 2001, 2, 102.   | 1.4  | 48        |
| 14 | Are Rare Variants Responsible for Susceptibility to Complex Diseases?. <i>American Journal of Human Genetics</i> , 2001, 69, 124-137.  | 2.6  | 1,336     |
| 15 | Linkage Disequilibrium in Humans: Models and Data. <i>American Journal of Human Genetics</i> , 2001, 69, 1-14.   | 2.6  | 1,166     |
| 16 | Using meta-analysis to explain the diversity of results in genetic studies of late-onset Alzheimer's disease and to identify high-risk subgroups. <i>Neuroscience</i> , 2001, 108, 541-554.  | 1.1  | 57        |
| 17 | Insights from linked single nucleotide polymorphisms: what we can learn from linkage disequilibrium. <i>Current Opinion in Genetics and Development</i> , 2001, 11, 647-651.   | 1.5  | 30        |
| 18 | Candidate gene studies of bipolar disorder. <i>Annals of Medicine</i> , 2001, 33, 248-256.   | 1.5  | 41        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Information Technology Tools for Efficient SNP Studies. <i>Molecular Diagnosis and Therapy</i> , 2001, 1, 303-314.  | 3.3 | 3         |
| 20 | 28 Significance levels in genome scans. <i>Advances in Genetics</i> , 2001, 42, 475-486.  | 0.8 | 21        |
| 21 | Trichome Distribution in <i>Arabidopsis thaliana</i> and its Close Relative <i>Arabidopsis lyrata</i> : Molecular Analysis of the Candidate Gene <i>GLABROUS1</i> . <i>Molecular Biology and Evolution</i> , 2001, 18, 1754-1763. | 3.5 | 111       |
| 22 | Association studies of bipolar disorder. <i>Bipolar Disorders</i> , 2001, 3, 284-298.   | 1.1 | 99        |
| 23 | Issues concerning association studies for fine mapping a susceptibility gene for a complex disease. <i>Genetic Epidemiology</i> , 2001, 20, 432-457.  | 0.6 | 48        |
| 24 | Quantitative trait loci in <i>Drosophila</i> . <i>Nature Reviews Genetics</i> , 2001, 2, 11-20.   | 7.7 | 370       |
| 25 | The relative power of SNPs and haplotype as genetic markers for association tests. <i>Pharmacogenomics</i> , 2001, 2, 11-24.  | 0.6 | 135       |
| 26 | Association mapping: where weâ€™ve been, where weâ€™re going. <i>Expert Review of Molecular Diagnostics</i> , 2001, 1, 334-342.   | 1.5 | 6         |
| 27 | Pharmacogenetics of Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 165, 861-866.   | 2.5 | 123       |
| 28 | Complex SNP-Based Haplotypes in Three Human Helicases: Implications for Cancer Association Studies. <i>Genome Research</i> , 2002, 12, 627-639.   | 2.4 | 18        |
| 29 | Testing Association of Statistically Inferred Haplotypes with Discrete and Continuous Traits in Samples of Unrelated Individuals. <i>Human Heredity</i> , 2002, 53, 79-91.  | 0.4 | 628       |
| 30 | Direct micro-haplotyping by multiple double PCR amplifications of specific alleles (MD-PASA). <i>Nucleic Acids Research</i> , 2002, 30, 62e-62.   | 6.5 | 25        |
| 31 | The glial growth factors deficiency and synaptic destabilization hypothesis of schizophrenia. <i>BMC Psychiatry</i> , 2002, 2, 8.   | 1.1 | 115       |
| 32 | Linkage disequilibrium: what history has to tell us. <i>Trends in Genetics</i> , 2002, 18, 83-90.   | 2.9 | 472       |
| 33 | Single nucleotide polymorphisms in innate immunity genes: abundant variation and potential role in complex human disease. <i>Immunological Reviews</i> , 2002, 190, 9-25.   | 2.8 | 185       |
| 34 | Molecular genecology of temperature response in <i>Lolium perenne</i> : 2. association of AFLP markers with ecogeography. <i>Molecular Ecology</i> , 2002, 11, 1865-1876.   | 2.0 | 51        |
| 36 | Novel polymorphisms in the somatostatin receptor 5 ( <i>SSTR5</i> ) gene associated with bipolar affective disorder. <i>Molecular Psychiatry</i> , 2002, 7, 745-754.  | 4.1 | 34        |
| 37 | Interpretation of genetic association studies in complex disease. <i>Pharmacogenomics Journal</i> , 2002, 2, 349-360.   | 0.9 | 107       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 38 | Ethical perspectives on pharmacogenomic profiling in the drug development process. <i>Nature Reviews Drug Discovery</i> , 2002, 1, 300-308.  | 21.5 | 97        |
| 39 | Candidate-gene approaches for studying complex genetic traits: practical considerations. <i>Nature Reviews Genetics</i> , 2002, 3, 391-397.  | 7.7  | 886       |
| 40 | DNA Pooling: a tool for large-scale association studies. <i>Nature Reviews Genetics</i> , 2002, 3, 862-871.  | 7.7  | 534       |
| 41 | Comparison of strategies for selecting single nucleotide polymorphisms for case/control association studies. <i>Human Genetics</i> , 2003, 113, 253-257.   | 1.8  | 44        |
| 42 | Improved use of SNP information to detect the role of genes. <i>Genetic Epidemiology</i> , 2003, 25, 158-167.  | 0.6  | 26        |
| 43 | Multiple transporters associated with malaria parasite responses to chloroquine and quinine. <i>Molecular Microbiology</i> , 2003, 49, 977-989.  | 1.2  | 237       |
| 44 | Power of QTL detection using association tests with family controls. <i>European Journal of Human Genetics</i> , 2003, 11, 819-827.  | 1.4  | 4         |
| 45 | Haplotype blocks and linkage disequilibrium in the human genome. <i>Nature Reviews Genetics</i> , 2003, 4, 587-597.  | 7.7  | 522       |
| 46 | The power and promise of population genomics: from genotyping to genome typing. <i>Nature Reviews Genetics</i> , 2003, 4, 981-994.   | 7.7  | 1,088     |
| 47 | Systemic sclerosis: the susceptible host (genetics and environment). <i>Rheumatic Disease Clinics of North America</i> , 2003, 29, 211-237.  | 0.8  | 61        |
| 48 | From genotype to phenotype: unraveling the complexities of cold adaptation in forest trees. <i>Canadian Journal of Botany</i> , 2003, 81, 1247-1266.   | 1.2  | 423       |
| 49 | Assessing the Performance of the Haplotype Block Model of Linkage Disequilibrium. <i>American Journal of Human Genetics</i> , 2003, 73, 502-515.   | 2.6  | 131       |
| 50 | ABC TRANSPORTERS AND HUMAN EYE DISEASE. , 2003, , 577-587.   |      | 0         |
| 51 | The Lowdown on Linkage Disequilibrium. <i>Plant Cell</i> , 2003, 15, 1502-1506.  | 3.1  | 217       |
| 52 | Integration of association statistics over genomic regions using Bayesian adaptive regression splines. <i>Human Genomics</i> , 2003, 1, 20-9.  | 1.4  | 36        |
| 53 | Bayesian Spatial Modeling of Haplotype Associations. <i>Human Heredity</i> , 2003, 56, 32-40.  | 0.4  | 44        |
| 54 | Postoperative cognitive deficits: more questions than answers. <i>European Journal of Anaesthesiology</i> , 2004, 21, 85-88.   | 0.7  | 12        |
| 55 | Comparative Population Genetics of the Panicoid Grasses: Sequence Polymorphism, Linkage Disequilibrium and Selection in a Diverse Sample of <i>Sorghum bicolor</i> . <i>Genetics</i> , 2004, 167, 471-483. | 1.2  | 106       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 56 | Haplotype Structure and Phenotypic Associations in the Chromosomal Regions Surrounding Two Arabidopsis thaliana Flowering Time LociSequence data from this article have been deposited with the EMBL/GenBank Data Libraries under accession nos. AY781906, AY785055.. Genetics, 2004, 168, 1627-1638. | 1.2 | 67        |
| 57 | Effect of Two- and Three-Locus Linkage Disequilibrium on the Power to Detect Marker/Phenotype Associations. Genetics, 2004, 168, 1029-1040.   | 1.2 | 60        |
| 58 | Effects of Population Structure and Sex on Association Between Serotonin Receptors and Drosophila Heart Rate. Genetics, 2004, 168, 1963-1974.   | 1.2 | 12        |
| 59 | No Evidence for an Association Between Common Nonsynonymous Polymorphisms in Delta and Bristle Number Variation in Natural and Laboratory Populations of Drosophila melanogaster. Genetics, 2004, 166, 291-306.   | 1.2 | 35        |
| 60 | Genomics in Sudden Cardiac Death. Circulation Research, 2004, 94, 712-723.  | 2.0 | 88        |
| 61 | Association in Multifactorial Traits: How to Deal with Rare Observations?. Human Heredity, 2004, 58, 73-81.   | 0.4 | 8         |
| 62 | Colorectal cancer as a complex disease: defining at-risk subjects in the general population â€“ a preventive strategy. Expert Review of Anticancer Therapy, 2004, 4, 377-385.   | 1.1 | 6         |
| 63 | Exhaustive allelic transmission disequilibrium tests as a new approach to genome-wide association studies. Nature Genetics, 2004, 36, 1181-1188.  | 9.4 | 154       |
| 64 | Genome wide in silico SNP-tumor association analysis. BMC Cancer, 2004, 4, 4.   | 1.1 | 19        |
| 65 | Haplotype Association Analysis of Discrete and Continuous Traits Using Mixture of Regression Models. Behavior Genetics, 2004, 34, 207-214.  | 1.4 | 43        |
| 66 | Replication in genetic studies of complex traits. Annals of Human Genetics, 2004, 68, 646-657.  | 0.3 | 48        |
| 67 | Evaluating associations of haplotypes with traits. Genetic Epidemiology, 2004, 27, 348-364.   | 0.6 | 293       |
| 68 | Dissection of Maize Kernel Composition and Starch Production by Candidate Gene Association. Plant Cell, 2004, 16, 2719-2733.  | 3.1 | 291       |
| 69 | Power for Genetic Association Studies with Random Allele Frequencies and Genotype Distributions. American Journal of Human Genetics, 2004, 74, 683-693.   | 2.6 | 44        |
| 70 | A Simple Correction for Multiple Testing for Single-Nucleotide Polymorphisms in Linkage Disequilibrium with Each Other. American Journal of Human Genetics, 2004, 74, 765-769.  | 2.6 | 1,523     |
| 71 | Recovering Frequencies of Known Haplotype Blocks From Single-Nucleotide Polymorphism Allele Frequencies. Genetics, 2004, 166, 2001-2006.  | 1.2 | 2         |
| 72 | Trick or treat: The effect of placebo on the power of pharmacogenetic association studies. Human Genomics, 2005, 2, 28.   | 1.4 | 10        |
| 74 | LinkageTracker: A Discriminative Pattern Tracking Approach to Linkage Disequilibrium Mapping. Lecture Notes in Computer Science, 2005, , 30-42.   | 1.0 | 1         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 75 | Design of Case-controls Studies with Unscreened Controls. <i>Annals of Human Genetics</i> , 2005, 69, 566-576.   | 0.3  | 97        |
| 76 | Genome-wide association studies: theoretical and practical concerns. <i>Nature Reviews Genetics</i> , 2005, 6, 109-118.  | 7.7  | 1,009     |
| 77 | Maize association population: a high-resolution platform for quantitative trait locus dissection. <i>Plant Journal</i> , 2005, 44, 1054-1064.  | 2.8  | 821       |
| 78 | SNP discovery in associating genetic variation with human disease phenotypes. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005, 573, 41-53.                                     | 0.4  | 164       |
| 79 | Complex phenotypes and complex genetics: An introduction to genetic studies of complex traits. <i>Current Atherosclerosis Reports</i> , 2005, 7, 180-187.  | 2.0  | 6         |
| 80 | Single nucleotide polymorphisms (SNPs) discovery and linkage disequilibrium (LD) in forest trees. <i>Forestry Studies in China</i> , 2005, 7, 1-14.  | 0.4  | 12        |
| 82 | Phenogenetics. , 2005, , 499-523.  |      | 5         |
| 85 | Genome-Wide Association Mapping in Arabidopsis Identifies Previously Known Flowering Time and Pathogen Resistance Genes. <i>PLoS Genetics</i> , 2005, 1, e60.  | 1.5  | 378       |
| 86 | Prospects for identifying functional variation across the genome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6614-6621.                                     | 3.3  | 12        |
| 87 | Issues with Polymorphism Analysis in Sepsis. <i>Clinical Infectious Diseases</i> , 2005, 41, S396-S402.  | 2.9  | 31        |
| 88 | Drosophila bristles and the nature of quantitative genetic variation. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2005, 360, 1513-1527.  | 1.8  | 134       |
| 89 | The Effect of Polymorphisms in the Enhancer of split Gene Complex on Bristle Number Variation in a Large Wild-Caught Cohort of <i>Drosophila melanogaster</i> . <i>Genetics</i> , 2005, 171, 1741-1756.              | 1.2  | 36        |
| 90 | Shaking the tree: mapping complex disease genes with linkage disequilibrium. <i>Lancet, The</i> , 2005, 366, 1223-1234.  | 6.3  | 207       |
| 91 | Rapid Simulation of P Values for Product Methods and Multiple-Testing Adjustment in Association Studies. <i>American Journal of Human Genetics</i> , 2005, 76, 399-408.  | 2.6  | 96        |
| 92 | Association mapping of segregating sites in the early trypsin gene and susceptibility to dengue-2 virus in the mosquito <i>Aedes aegypti</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2005, 35, 771-788. | 1.2  | 19        |
| 93 | Experimental Designs for Reliable Detection of Linkage Disequilibrium in Unstructured Random Population Association Studies. <i>Genetics</i> , 2005, 170, 859-873.   | 1.2  | 35        |
| 94 | Backward simulation of ancestors of sampled individuals. <i>Theoretical Population Biology</i> , 2005, 67, 75-83.  | 0.5  | 22        |
| 95 | A low-cost open-source SNP genotyping platform for association mapping applications. <i>Genome Biology</i> , 2005, 6, R105.  | 13.9 | 22        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 96  | Strategies to Assess Structural Variation in the Chicken Genome and its Associations with Biodiversity and Biological Performance. <i>Poultry Science</i> , 2006, 85, 2061-2078.                                   | 1.5 | 46        |
| 97  | Patterns of Nucleotide Diversity in Wild and Cultivated Sunflower. <i>Genetics</i> , 2006, 173, 321-330.   | 1.2 | 177       |
| 98  | Single Nucleotide Polymorphisms and Their Applications. , 2006, , 311-349.   |     | 6         |
| 100 | A unified mixed-model method for association mapping that accounts for multiple levels of relatedness. <i>Nature Genetics</i> , 2006, 38, 203-208.   | 9.4 | 3,622     |
| 101 | Dissecting the complex genetic basis of mate choice. <i>Nature Reviews Genetics</i> , 2006, 7, 681-692.  | 7.7 | 90        |
| 102 | Clustering of haplotypes based on phylogeny: how good a strategy for association testing?. <i>European Journal of Human Genetics</i> , 2006, 14, 202-206.  | 1.4 | 8         |
| 103 | Impact of complex genetic variation in COMT on human brain function. <i>Molecular Psychiatry</i> , 2006, 11, 867-877.  | 4.1 | 296       |
| 104 | Forest tree population genomics and adaptive evolution. <i>New Phytologist</i> , 2006, 170, 227-238.   | 3.5 | 206       |
| 105 | Molecular genetics of febrile seizures. <i>Epilepsy Research</i> , 2006, 70, 190-198.  | 0.8 | 79        |
| 106 | From population genetics to population genomics of forest trees: Integrated population genomics approach. <i>Russian Journal of Genetics</i> , 2006, 42, 1088-1100.  | 0.2 | 8         |
| 107 | Parsing the genetic heterogeneity of chromosome 12q susceptibility genes for Alzheimer disease by family-based association analysis. <i>Neurogenetics</i> , 2006, 7, 157-165.                                      | 0.7 | 7         |
| 108 | The association of DNA sequence variation at the MAOA genetic locus with quantitative behavioural traits in normal males. <i>Human Genetics</i> , 2006, 120, 447-459.  | 1.8 | 26        |
| 109 | Haplotype-based quantitative trait mapping using a clustering algorithm. <i>BMC Bioinformatics</i> , 2006, 7, 258.   | 1.2 | 22        |
| 110 | Linkage disequilibrium interval mapping of quantitative trait loci. <i>BMC Genomics</i> , 2006, 7, 54.   | 1.2 | 7         |
| 111 | Contrasting multi-site genotypic distributions among discordant quantitative phenotypes: the APOA1/C3/A4/A5 gene cluster and cardiovascular disease risk factors. <i>Genetic Epidemiology</i> , 2006, 30, 508-518. | 0.6 | 3         |
| 112 | DNA Sequence Variation and Selection of Tag Single-Nucleotide Polymorphisms at Candidate Genes for Drought-Stress Response in <i>Pinus taeda</i> L.. <i>Genetics</i> , 2006, 172, 1915-1926.                       | 1.2 | 252       |
| 113 | Joint Estimates of Quantitative Trait Locus Effect and Frequency Using Synthetic Recombinant Populations of <i>Drosophila melanogaster</i> . <i>Genetics</i> , 2007, 176, 1261-1281.                               | 1.2 | 61        |
| 114 | Strategies for Identifying Modifier Genes in Cystic Fibrosis. <i>Proceedings of the American Thoracic Society</i> , 2007, 4, 52-57.  | 3.5 | 41        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 115 | Major Regulatory Genes in Maize Contribute to Standing Variation in Teosinte ( <i>Zea mays</i> ssp.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 742</i>  | 1.2 | 67        |
| 116 | Associations Between Sperm Competition and Natural Variation in Male Reproductive Genes on the Third Chromosome of <i>Drosophila melanogaster</i> . <i>Genetics</i> , 2007, 176, 1245-1260.           | 1.2 | 100       |
| 117 | Association Genetics in <i>Pinus taeda</i> L. I. Wood Property Traits. <i>Genetics</i> , 2007, 175, 399-409.  | 1.2 | 258       |
| 118 | Power and Precision of Alternate Methods for Linkage Disequilibrium Mapping of Quantitative Trait Loci. <i>Genetics</i> , 2007, 175, 1975-1986.   | 1.2 | 61        |
| 119 | Genomics to tree breeding and forest health. <i>Current Opinion in Genetics and Development</i> , 2007, 17, 539-544.  | 1.5 | 82        |
| 120 | Applications of Linkage Disequilibrium and Association Mapping in Crop Plants. , 2007, , 97-119.  |     | 95        |
| 121 | A Large-Scale Genetic Association Study Confirms IL12B and Leads to the Identification of IL23R as Psoriasis-Risk Genes. <i>American Journal of Human Genetics</i> , 2007, 80, 273-290.               | 2.6 | 988       |
| 122 | Gene-Assisted Selection Applications of Association Genetics for Forest Tree Breeding. , 2007, , 211-247.   |     | 11        |
| 123 | Application of Genomics to Molecular Breeding of Wheat and Barley. <i>Advances in Genetics</i> , 2007, 58, 121-155.   | 0.8 | 42        |
| 124 | Plant domestication, a unique opportunity to identify the genetic basis of adaptation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 8641-8648. | 3.3 | 385       |
| 125 | Statistical Analysis and Experimental Design. , 2007, , 133-196.  |     | 13        |
| 126 | Sequence Variation at Candidate Loci in the Starch Metabolism Pathway in Sorghum: Prospects for Linkage Disequilibrium Mapping. <i>Crop Science</i> , 2007, 47, S-125.                                | 0.8 | 26        |
| 127 | Sequential haplotype scan methods for association analysis. <i>Genetic Epidemiology</i> , 2007, 31, 553-564.  | 0.6 | 26        |
| 128 | Multiple testing in the genomics era: Findings from Genetic Analysis Workshop 15, Group 15. <i>Genetic Epidemiology</i> , 2007, 31, S124-S131.  | 0.6 | 14        |
| 129 | Pairwise linkage disequilibrium under disease models. <i>European Journal of Human Genetics</i> , 2007, 15, 212-220.  | 1.4 | 9         |
| 130 | Genome-enabled hitchhiking mapping identifies QTLs for stress resistance in natural <i>Drosophila</i> . <i>Heredity</i> , 2007, 99, 313-321.  | 1.2 | 28        |
| 131 | Gene, phenotype and function: <i>GLABROUS1</i> and resistance to herbivory in natural populations of <i>Arabidopsis lyrata</i> . <i>Molecular Ecology</i> , 2007, 16, 453-462.                        | 2.0 | 80        |
| 132 | Whole genome genotyping technologies on the BeadArray <sup>®</sup> platform. <i>Biotechnology Journal</i> , 2007, 2, 41-49.   | 1.8 | 214       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 133 | A grid-search algorithm for optimal allocation of sample size in two-stage association studies. <i>Journal of Human Genetics</i> , 2007, 52, 650-658.  | 1.1 | 3         |
| 134 | Association mapping of partitioning loci in barley. <i>BMC Genetics</i> , 2008, 9, 16.   | 2.7 | 75        |
| 135 | Measuring and partitioning the high-order linkage disequilibrium by multiple order Markov chains. <i>Genetic Epidemiology</i> , 2008, 32, 301-312.   | 0.6 | 14        |
| 136 | A coalescent simulation of marker selection strategy for candidate gene association studies. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 86-93.                            | 1.1 | 2         |
| 137 | Combining population genomics and quantitative genetics: finding the genes underlying ecologically important traits. <i>Heredity</i> , 2008, 100, 158-170.   | 1.2 | 534       |
| 138 | <i>Eucalyptus</i> applied genomics: from gene sequences to breeding tools. <i>New Phytologist</i> , 2008, 179, 911-929.  | 3.5 | 199       |
| 139 | Combining Association Tests across Multiple Genetic Markers in Case-Control Studies. <i>Human Heredity</i> , 2008, 65, 166-174.  | 0.4 | 3         |
| 140 | Nucleotide Polymorphism and Phenotypic Associations Within and Around the <i>phytochrome B2</i> Locus in European Aspen ( <i>Populus tremula</i> , Salicaceae). <i>Genetics</i> , 2008, 178, 2217-2226.                    | 1.2 | 151       |
| 141 | A semiparametric test to detect associations between quantitative traits and candidate genes in structured populations. <i>Bioinformatics</i> , 2008, 24, 2356-2362.   | 1.8 | 9         |
| 142 | Single-Feature Polymorphism Discovery in the Transcriptome of Tetraploid Alfalfa. <i>Plant Genome</i> , 2009, 2, .   | 1.6 | 14        |
| 143 | Nonmetric Multidimensional Scaling Corrects for Population Structure in Association Mapping With Different Sample Types. <i>Genetics</i> , 2009, 182, 875-888.   | 1.2 | 102       |
| 144 | Local Phylogeny Mapping of Quantitative Traits: Higher Accuracy and Better Ranking Than Single-Marker Association in Genomewide Scans. <i>Genetics</i> , 2009, 181, 747-753.   | 1.2 | 15        |
| 145 | Genetic Characterization and Linkage Disequilibrium Estimation of a Global Maize Collection Using SNP Markers. <i>PLoS ONE</i> , 2009, 4, e8451.   | 1.1 | 338       |
| 146 | Genome-wide association studies using single-nucleotide polymorphisms versus haplotypes: an empirical comparison with data from the North American Rheumatoid Arthritis Consortium. <i>BMC Proceedings</i> , 2009, 3, S35. | 1.8 | 23        |
| 147 | Association Genetics of Coastal Douglas Fir ( <i>Pseudotsuga menziesii</i> var. <i>menziesii</i> ), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50   | 1.2 | 193       |
| 148 | Association Mapping in Outbred Populations: Power and Efficiency When Genotyping Parents and Phenotyping Progeny. <i>Genetics</i> , 2009, 181, 755-765.  | 1.2 | 8         |
| 149 | Genomics of growth traits in forest trees. <i>Current Opinion in Plant Biology</i> , 2009, 12, 148-156.  | 3.5 | 126       |
| 150 | Comparison of mixed-model approaches for association mapping in rapeseed, potato, sugar beet, maize, and Arabidopsis. <i>BMC Genomics</i> , 2009, 10, 94.  | 1.2 | 79        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 151 | The genetic architecture of complex behaviors: lessons from <i>Drosophila</i> . <i>Genetica</i> , 2009, 136, 295-302.  | 0.5 | 36        |
| 152 | High-throughput genotyping and mapping of single nucleotide polymorphisms in loblolly pine ( <i>Pinus</i> ) Tj ETQq1 1 0.784314 rgBT /Ove<br>119   | 0.6 | 119       |
| 153 | Similar patterns of linkage disequilibrium and nucleotide diversity in native and introduced populations of the pea aphid, <i>Acyrtosiphon pisum</i> . <i>BMC Genetics</i> , 2009, 10, 22.                                     | 2.7 | 11        |
| 154 | Nucleotide Variation in the <i>NCED3</i> Region of <i>Arabidopsis thaliana</i> and its Association Study with Abscisic Acid Content under Drought Stress. <i>Journal of Integrative Plant Biology</i> , 2009, 51, 175-183.     | 4.1 | 48        |
| 155 | Allele-Specific Chromatin Remodeling in the <i>ZBP2/GSDMB/ORMDL3</i> Locus Associated with the Risk of Asthma and Autoimmune Disease. <i>American Journal of Human Genetics</i> , 2009, 85, 377-393.                           | 2.6 | 262       |
| 156 | Novel polymorphism of interleukin-18 associated with greater inflammation after cardiac surgery. <i>Critical Care</i> , 2009, 13, R9.  | 2.5 | 11        |
| 157 | Strategies for performing genotype-phenotype association studies in nonhuman primates. <i>Methods</i> , 2009, 49, 56-62.   | 1.9 | 2         |
| 158 | Applications of Linkage Disequilibrium and Association Mapping in Maize. <i>Biotechnology in Agriculture and Forestry</i> , 2009, , 173-195.   | 0.2 | 41        |
| 159 | Molecular Plant Breeding: Methodology and Achievements. <i>Methods in Molecular Biology</i> , 2009, 513, 283-304.  | 0.4 | 43        |
| 160 | Absorption of montelukast is transporter mediated: a common variant of <i>OATP2B1</i> is associated with reduced plasma concentrations and poor response. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 129-138.            | 0.7 | 168       |
| 161 | Analytical Approaches and Population Types for Finding and Utilizing QTL in Complex Plant Populations. <i>Crop Science</i> , 2009, 49, 363-380.  | 0.8 | 53        |
| 162 | Association between <i>EGF +61 G/A</i> and glioma risk in a Chinese population. <i>BMC Cancer</i> , 2010, 10, 221.   | 1.1 | 18        |
| 163 | Association Tests for a Censored Quantitative Trait and Candidate Genes in Structured Populations with Multilevel Genetic Relatedness. <i>Biometrics</i> , 2010, 66, 925-933.  | 0.8 | 3         |
| 164 | Mixed linear model approach adapted for genome-wide association studies. <i>Nature Genetics</i> , 2010, 42, 355-360.   | 9.4 | 2,022     |
| 165 | Usefulness of direct sequencing of pooled DNA for SNP identification and allele-frequency determination compatible with a common disease/common variant hypothesis. <i>Genetics and Molecular Research</i> , 2010, 9, 772-779. | 0.3 | 5         |
| 166 | Mutations and quantitative genetic variation: lessons from <i>Drosophila</i> . <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2010, 365, 1229-1239.   | 1.8 | 87        |
| 167 | Association between genetic variations of the transforming growth factor $\beta$ 2 receptor type III and asthma in a Korean population. <i>Experimental and Molecular Medicine</i> , 2010, 42, 420.                            | 3.2 | 10        |
| 168 | Using association mapping to dissect the genetic basis of complex traits in plants. <i>Briefings in Functional Genomics</i> , 2010, 9, 157-165.  | 1.3 | 174       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 169 | Analysis of the Impact of Genetic Variation on Human Gene Expression. <i>Methods in Molecular Biology</i> , 2010, 628, 321-339.  | 0.4 | 5         |
| 170 | Allelic Variation in Cell Wall Candidate Genes Affecting Solid Wood Properties in Natural Populations and Land Races of <i>Pinus radiata</i> . <i>Genetics</i> , 2010, 185, 1477-1487.   | 1.2 | 74        |
| 171 | The significance of single nucleotide polymorphisms (SNPs) in <i>Eucalyptus globulus</i> breeding programs. <i>Australian Forestry</i> , 2011, 74, 23-29.  | 0.3 | 32        |
| 172 | Genetic variation, population structure, and linkage disequilibrium in European elite germplasm of perennial ryegrass. <i>Plant Science</i> , 2011, 181, 412-420.  | 1.7 | 51        |
| 173 | Increase in Tomato Locule Number Is Controlled by Two Single-Nucleotide Polymorphisms Located Near <i>WUSCHEL</i> . <i>Plant Physiology</i> , 2011, 156, 2244-2254.  | 2.3 | 270       |
| 174 | Factors Affecting the Power of Haplotype Markers in Association Studies. <i>Plant Genome</i> , 2011, 4, 145-153.   | 1.6 | 46        |
| 175 | Assessment of Power and False Discovery Rate in Genome-Wide Association Studies using the BarleyCAP Germplasm. <i>Crop Science</i> , 2011, 51, 52-59.  | 0.8 | 45        |
| 176 | Fetal hemoglobin reactivation and cell engineering in the treatment of sickle cell anemia. <i>Journal of Blood Medicine</i> , 2011, 2, 23.   | 0.7 | 9         |
| 177 | Mixed Model Association Mapping for Fusarium Head Blight Resistance in Tunisian-Derived Durum Wheat Populations. <i>G3: Genes, Genomes, Genetics</i> , 2011, 1, 209-218.   | 0.8 | 72        |
| 178 | Association Mapping for Enhancing Maize ( <i>Zea mays</i> L.) Genetic Improvement. <i>Crop Science</i> , 2011, 51, 433-449.  | 0.8 | 305       |
| 179 | Power and robustness of three whole genome association mapping approaches in selected populations. <i>Journal of Animal Breeding and Genetics</i> , 2011, 128, 3-14.   | 0.8 | 4         |
| 180 | Bayesian non-parametric multivariate statistical models for testing association between quantitative traits and candidate genes in structured populations. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2011, 60, 207-219. | 0.5 | 0         |
| 181 | Association genetics of complex traits in plants. <i>New Phytologist</i> , 2011, 189, 909-922.   | 3.5 | 306       |
| 182 | Sex Modulates the Associations Between the COMT Gene and Personality Traits. <i>Neuropsychopharmacology</i> , 2011, 36, 1593-1598.   | 2.8 | 54        |
| 183 | Overview of techniques to account for confounding due to population stratification and cryptic relatedness in genomic data association analyses. <i>Heredity</i> , 2011, 106, 511-519.   | 1.2 | 70        |
| 184 | Characterization of a global germplasm collection and its potential utilization for analysis of complex quantitative traits in maize. <i>Molecular Breeding</i> , 2011, 28, 511-526.   | 1.0 | 324       |
| 185 | A Nonsynonymous Polymorphism of IRAK4 Associated with Increased Prevalence of Gram-Positive Infection and Decreased Response to Toll-Like Receptor Ligands. <i>Journal of Innate Immunity</i> , 2011, 3, 447-458.  | 1.8 | 17        |
| 186 | Genome-Wide Association Mapping in Tomato ( <i>Solanum lycopersicum</i> ) Is Possible Using Genome Admixture of <i>Solanum lycopersicum</i> var. <i>cerasiforme</i> . <i>G3: Genes, Genomes, Genetics</i> , 2012, 2, 853-864.                                | 0.8 | 77        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 187 | HTreeQA: Using Semi-Perfect Phylogeny Trees in Quantitative Trait Loci Study on Genotype Data. G3: Genes, Genomes, Genetics, 2012, 2, 175-189.   | 0.8 | 16        |
| 188 | Discovery of Functional Gene Variants Associated With Human Longevity: Opportunities and Challenges. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2012, 67A, 376-383.              | 1.7 | 28        |
| 189 | Haplotype Segment Algorithm for Predicting Disease Gene Locus Based on Distance/Similarity Measures. Communications in Computer and Information Science, 2012, , 31-42.  | 0.4 | 0         |
| 190 | Replication of associations between cytokine and cytokine receptor single nucleotide polymorphisms and measles-specific adaptive immunophenotypic extremes. Human Immunology, 2012, 73, 636-640.                   | 1.2 | 12        |
| 191 | Investigating Natural Variation in <i>Drosophila</i> Courtship Song by the Evolve and Resequence Approach. Genetics, 2012, 191, 633-642.   | 1.2 | 120       |
| 192 | Single-Locus Genetic Association Analysis by Ordinal Tests. Handbook of Statistics, 2012, 28, 309-338.   | 0.4 | 0         |
| 193 | Accelerating the domestication of trees using genomic selection: accuracy of prediction models across ages and environments. New Phytologist, 2012, 193, 617-624.  | 3.5 | 231       |
| 194 | Association mapping for growth, straightness and wood chemistry traits in the <i>Pinus pinaster</i> Aquitaine breeding population. Tree Genetics and Genomes, 2012, 8, 113-126.                                    | 0.6 | 51        |
| 195 | Whole-Exome Sequencing of 2,000 Danish Individuals and the Role of Rare Coding Variants in Type 2 Diabetes. American Journal of Human Genetics, 2013, 93, 1072-1086.   | 2.6 | 124       |
| 196 | Polymorphic simple sequence repeat (SSR) loci within cellulose synthase ( <i>PtoCesA</i> ) genes are associated with growth and wood properties in <i>Populus tomentosa</i> . New Phytologist, 2013, 197, 763-776. | 3.5 | 47        |
| 197 | PLCz Functional Haplotypes Modulating Promoter Transcriptional Activity Are Associated with Semen Quality Traits in Chinese Holstein Bulls. PLoS ONE, 2013, 8, e58795.   | 1.1 | 25        |
| 198 | Dissection of complex traits in forest trees – opportunities for marker-assisted selection. Tree Genetics and Genomes, 2013, 9, 627-639.   | 0.6 | 39        |
| 199 | Alterations in Osteopontin Modify Muscle Size in Females in Both Humans and Mice. Medicine and Science in Sports and Exercise, 2013, 45, 1060-1068.  | 0.2 | 35        |
| 200 | Natural Genetic Variation of <i>Xanthomonas campestris</i> pv. <i>campestris</i> Pathogenicity on <i>Arabidopsis</i> Revealed by Association and Reverse Genetics. MBio, 2013, 4, e00538-12.                       | 1.8 | 29        |
| 201 | Genome-Wide Association Study and Pathway-Level Analysis of Tocochromanol Levels in Maize Grain. G3: Genes, Genomes, Genetics, 2013, 3, 1287-1299.   | 0.8 | 152       |
| 202 | Forage Rye Improvement in the Southern United States: A Review. Crop Science, 2013, 53, 38-47.   | 0.8 | 23        |
| 203 | Identification of QTL in Spring Wheat Associated with Resistance to a Novel Isolate of <i>Pyrenophora tritici-repentis</i> . Crop Science, 2013, 53, 842-852.  | 0.8 | 32        |
| 204 | CLIP Test: a new fast, simple and powerful method to distinguish between linked or pleiotropic quantitative trait loci in linkage disequilibria analysis. Heredity, 2013, 110, 232-238.                            | 1.2 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 205 | Candidate Genes and Genetic Architecture of Symbiotic and Agronomic Traits Revealed by Whole-Genome, Sequence-Based Association Genetics in <i>Medicago truncatula</i> . <i>PLoS ONE</i> , 2013, 8, e65688.            | 1.1 | 156       |
| 206 | Genetic Influences on Cystic Fibrosis Lung Disease Severity. <i>Frontiers in Pharmacology</i> , 2013, 4, 40.   | 1.6 | 44        |
| 207 | Impact of MIF Gene Promoter Polymorphism on F508del Cystic Fibrosis Patients. <i>PLoS ONE</i> , 2014, 9, e114274.  | 1.1 | 7         |
| 211 | Enrichment of statistical power for genome-wide association studies. <i>BMC Biology</i> , 2014, 12, 73.  | 1.7 | 160       |
| 212 | Using near-isogenic barley lines to validate deoxynivalenol (DON) QTL previously identified through association analysis. <i>Theoretical and Applied Genetics</i> , 2014, 127, 633-645.                                | 1.8 | 19        |
| 213 | Fine-mapping natural alleles: quantitative complementation to the rescue. <i>Molecular Ecology</i> , 2014, 23, 2377-2382.  | 2.0 | 39        |
| 214 | Genome-Wide Association Study of Extreme Longevity in <i>Drosophila melanogaster</i> . <i>Genome Biology and Evolution</i> , 2014, 6, 1-11.  | 1.1 | 42        |
| 215 | Prospecting sugarcane resistance to Sugarcane yellow leaf virus by genome-wide association. <i>Theoretical and Applied Genetics</i> , 2014, 127, 1719-1732.  | 1.8 | 77        |
| 216 | Regulatory change at <i>Physalis</i> Organ Size 1 correlates to natural variation in tomatillo reproductive organ size. <i>Nature Communications</i> , 2014, 5, 4271.  | 5.8 | 24        |
| 217 | A Foundation for Provitamin A Biofortification of Maize: Genome-Wide Association and Genomic Prediction Models of Carotenoid Levels. <i>Genetics</i> , 2014, 198, 1699-1716.   | 1.2 | 180       |
| 218 | Post-GWAS: where next? More samples, more SNPs or more biology?. <i>Heredity</i> , 2014, 112, 79-88.   | 1.2 | 66        |
| 219 | Alleles versus mutations: Understanding the evolution of genetic architecture requires a molecular perspective on allelic origins. <i>Evolution; International Journal of Organic Evolution</i> , 2015, 69, 3025-3038. | 1.1 | 44        |
| 220 | Forest Tree Genomics: Review of Progress. <i>Advances in Botanical Research</i> , 2015, 74, 39-92.   | 0.5 | 9         |
| 221 | Local adaptation at fine spatial scales: an example from sugar pine ( <i>Pinus lambertiana</i> , Pinaceae). <i>Tree Genetics and Genomes</i> , 2015, 11, 1.  | 0.6 | 42        |
| 222 | A candidate gene-based association study reveals SNPs significantly associated with bud burst in European beech ( <i>Fagus sylvatica</i> L.). <i>Tree Genetics and Genomes</i> , 2015, 11, 1.                          | 0.6 | 19        |
| 223 | Towards the identification of the loci of adaptive evolution. <i>Methods in Ecology and Evolution</i> , 2015, 6, 445-464.  | 2.2 | 115       |
| 224 | Reflections on the Field of Human Genetics: A Call for Increased Disease Genetics Theory. <i>Frontiers in Genetics</i> , 2016, 7, 106.   | 1.1 | 1         |
| 225 | Association Analysis in Rice: From Application to Utilization. <i>Frontiers in Plant Science</i> , 2016, 7, 1202.  | 1.7 | 37        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 226 | Detection of Favorable QTL Alleles and Candidate Genes for Lint Percentage by GWAS in Chinese Upland Cotton. <i>Frontiers in Plant Science</i> , 2016, 7, 1576.  | 1.7 | 119       |
| 227 | Association between Polymorphisms in Bitter Taste Receptor Genes and Clinical Features in Korean Asthmatics. <i>Respiration</i> , 2016, 91, 141-150.   | 1.2 | 15        |
| 228 | Genetic association analysis of N-methyl-D-aspartate receptor subunit gene <i>GRIN2B</i> and clinical response to clozapine. <i>Human Psychopharmacology</i> , 2016, 31, 121-134.                                      | 0.7 | 19        |
| 229 | Mapping the genomic architecture of adaptive traits with interspecific introgressive origin: a coalescent-based approach. <i>BMC Genomics</i> , 2016, 17, 8.   | 1.2 | 2         |
| 230 | Genetics of Human Aging. , 2016, , 327-358.  |     | 0         |
| 231 | A genome-wide association study reveals novel elite allelic variations in seed oil content of <i>Brassica napus</i> . <i>Theoretical and Applied Genetics</i> , 2016, 129, 1203-1215.                                  | 1.8 | 185       |
| 232 | Comparison and confirmation of SNP-bud burst associations in European beech populations in Germany. <i>Tree Genetics and Genomes</i> , 2017, 13, 1.  | 0.6 | 12        |
| 234 | Efficiency of genome-wide association studies in random cross populations. <i>Molecular Breeding</i> , 2017, 37, 1.  | 1.0 | 6         |
| 235 | Genomic footprints of adaptation in a cooperatively breeding tropical bird across a vegetation gradient. <i>Molecular Ecology</i> , 2017, 26, 4483-4496.   | 2.0 | 16        |
| 236 | Coal-Miner. , 2017, , .  |     | 1         |
| 237 | Association Genetics in Plant Pathogens: Minding the Gap between the Natural Variation and the Molecular Function. <i>Frontiers in Plant Science</i> , 2017, 8, 1301.  | 1.7 | 18        |
| 238 | Evaluation of Genetic Diversity and Host Resistance to Stem Rust in USDA NSGC Durum Wheat Accessions. <i>Plant Genome</i> , 2017, 10, plantgenome2016.07.0071.   | 1.6 | 55        |
| 239 | Letter to the editor: A genetic-based algorithm for personalized resistance training. <i>Biology of Sport</i> , 2017, 1, 31-33.  | 1.7 | 13        |
| 240 | The genomics of local adaptation in trees: are we out of the woods yet?. <i>Tree Genetics and Genomes</i> , 2018, 14, 1.   | 0.6 | 87        |
| 241 | Genotyping-by-sequencing supports a genetic basis for wing reduction in an alpine New Zealand stonefly. <i>Scientific Reports</i> , 2018, 8, 16275.  | 1.6 | 17        |
| 242 | Sustaining the Future of Plant Breeding: The Critical Role of the USDA-ARS National Plant Germplasm System. <i>Crop Science</i> , 2018, 58, 451-468.   | 0.8 | 91        |
| 243 | Resequencing a core collection of upland cotton identifies genomic variation and loci influencing fiber quality and yield. <i>Nature Genetics</i> , 2018, 50, 803-813.   | 9.4 | 368       |
| 244 | Neurodegenerative Disease Caregivers' 5-HTTLPR Genotype Moderates the Effect of Patients' Empathic Accuracy Deficits on Caregivers' Well-Being. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1046-1056. | 0.6 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 245 | Single-plant GWAS coupled with bulk segregant analysis allows rapid identification and corroboration of plant-height candidate SNPs. <i>BMC Plant Biology</i> , 2019, 19, 412.                              | 1.6 | 21        |
| 246 | Identification of favorable SNP alleles and candidate genes responsible for inflorescence-related traits via GWAS in chrysanthemum. <i>Plant Molecular Biology</i> , 2019, 99, 407-420.                     | 2.0 | 27        |
| 247 | Genome-wide association study identifies favorable SNP alleles and candidate genes for waterlogging tolerance in chrysanthemums. <i>Horticulture Research</i> , 2019, 6, 21.                                | 2.9 | 40        |
| 248 | High marker density GWAS provides novel insights into the genomic architecture of terpene oil yield in <i>Eucalyptus</i> . <i>New Phytologist</i> , 2019, 223, 1489-1504.                                   | 3.5 | 27        |
| 249 | Selecting Closely-Linked SNPs Based on Local Epistatic Effects for Haplotype Construction Improves Power of Association Mapping. <i>G3: Genes, Genomes, Genetics</i> , 2019, 9, 4115-4126.                  | 0.8 | 17        |
| 250 | A negative screening of rare genetic variants in the ADIPOQ and STATH genes in cystic fibrosis. <i>Pulmonology</i> , 2020, 26, 138-144.   | 1.0 | 2         |
| 251 | Single-marker and haplotype-based association analysis of anthracnose ( <i>Colletotrichum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 50   | 1.0 | 11        |
| 252 | Combining Random Forests and a Signal Detection Method Leads to the Robust Detection of Genotype-Phenotype Associations. <i>Genes</i> , 2020, 11, 892.  | 1.0 | 12        |
| 253 | Haplotype-based genome-wide association increases the predictability of leaf rust ( <i>Puccinia</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 42   | 2.4 | 13        |
| 254 | Genome-Wide Association Study for Maize Leaf Cuticular Conductance Identifies Candidate Genes Involved in the Regulation of Cuticle Development. <i>G3: Genes, Genomes, Genetics</i> , 2020, 10, 1671-1683. | 0.8 | 13        |
| 255 | Association mapping for yield traits in <i>Paeonia rockii</i> based on SSR markers within transcription factors of comparative transcriptome. <i>BMC Plant Biology</i> , 2020, 20, 245.                     | 1.6 | 13        |
| 256 | Learning to collaborate: bringing together behavior and quantitative genomics. <i>Journal of Neurogenetics</i> , 2020, 34, 28-35.   | 0.6 | 0         |
| 257 | Genome-wide association study reveals the genetic basis of yield- and quality-related traits in wheat. <i>BMC Plant Biology</i> , 2021, 21, 144.  | 1.6 | 14        |
| 258 | Accurate, ultra-low coverage genome reconstruction and association studies in Hybrid Swarm mapping populations. <i>G3: Genes, Genomes, Genetics</i> , 2021, 11, .   | 0.8 | 2         |
| 259 | A large-scale genomic association analysis identifies a fragment in Dt11 chromosome conferring cotton <i>Verticillium</i> wilt resistance. <i>Plant Biotechnology Journal</i> , 2021, 19, 2126-2138.        | 4.1 | 21        |
| 260 | Cereal Genomics Research in the Post-genomic Era. , 2004, , 559-584.  |     | 1         |
| 261 | Genetic Improvement of Poplar ( <i>Populus</i> spp.) as a Bioenergy Crop. , 2008, , 397-419.  |     | 25        |
| 262 | Linkage Disequilibrium and Association Mapping in the Triticeae. , 2009, , 655-683.   |     | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 263 | Nucleotide Polymorphism, Linkage Disequilibrium and Complex Trait Dissection in Populus. , 2010, , 91-111.  |     | 12        |
| 264 | Simulating a Coalescent Process with Recombination and Ascertainment. Lecture Notes in Computer Science, 2004, , 84-95.   | 1.0 | 2         |
| 265 | Complex Genetic Architecture of Drosophila Longevity. , 2005, , 181-216.  |     | 12        |
| 266 | Functional polymorphisms of the human multidrug-resistance gene: multiple sequence variations and correlation of one allele with P-glycoprotein expression and activity in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 3473-8. | 3.3 | 1,099     |
| 267 | Quantitative Trait Loci Affecting Components of Wing Shape in <i>Drosophila melanogaster</i> . Genetics, 2000, 155, 671-683.  | 1.2 | 123       |
| 268 | Protein Variation in ADH and ADH-RELATED in <i>Drosophila pseudoobscura</i> : Linkage Disequilibrium Between Single Nucleotide Polymorphisms and Protein Alleles. Genetics, 2001, 159, 673-687.   | 1.2 | 17        |
| 269 | Sequence Variation and Haplotype Structure Surrounding the Flowering Time Locus <i>FRI</i> in <i>Arabidopsis thaliana</i> . Genetics, 2002, 161, 289-298.   | 1.2 | 76        |
| 270 | <i>hairy</i> : A Quantitative Trait Locus for <i>Drosophila</i> Sensory Bristle Number. Genetics, 2002, 162, 155-164.   | 1.2 | 58        |
| 273 | Tree Breeding: Classical to Modern. , 2014, , 495-523.  |     | 2         |
| 274 | Genome-wide association mapping in <i>Arabidopsis thaliana</i> identifies previously known genes responsible for variation in flowering time and pathogen resistance. PLoS Genetics, 2005, preprint, e60.   | 1.5 | 3         |
| 275 | Incorporating Single-Locus Tests into Haplotype Cladistic Analysis in Case-Control Studies. PLoS Genetics, 2007, 3, e46.  | 1.5 | 18        |
| 276 | Performance of Single Nucleotide Polymorphisms versus Haplotypes for Genome-Wide Association Analysis in Barley. PLoS ONE, 2010, 5, e14079.   | 1.1 | 118       |
| 277 | Exogenous Visual Orienting Is Associated with Specific Neurotransmitter Genetic Markers: A Population-Based Genetic Association Study. PLoS ONE, 2012, 7, e30731.   | 1.1 | 16        |
| 278 | Single Marker and Haplotype-Based Association Analysis of Semolina and Pasta Colour in Elite Durum Wheat Breeding Lines Using a High-Density Consensus Map. PLoS ONE, 2017, 12, e0170941.   | 1.1 | 96        |
| 279 | Identification of SNPs of the <i>L-BABP</i> and <i>L-FABP</i> and their Association with Growth and Body Composition Traits in Chicken. Journal of Poultry Science, 2013, 50, 300-310.  | 0.7 | 3         |
| 281 | Mapping of Disease Loci. Drugs and the Pharmaceutical Sciences, 2005, , 557-587.  | 0.1 | 0         |
| 282 | Positional Cloning and Disease Gene Identification. Drugs and the Pharmaceutical Sciences, 2005, , 589-610.   | 0.1 | 0         |
| 283 | Spatial Modeling of Multilocus Data. , 2005, , 471-487.   |     | 0         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 284 | Gene, phenotype and function: GLABROUS1 and resistance to herbivory in natural populations of <i>Arabidopsis lyrata</i> . <i>Molecular Ecology</i> , 2006, .                                   | 2.0 | 0         |
| 286 | Broader Considerations of Medical and Dental Data Integration. <i>Computers in Health Care</i> , 2012, , 167-298.  | 0.2 | 0         |
| 287 | Longevity Assurance by Genome Maintenance. , 2013, , 25-62.  |     | 0         |
| 299 | Human Genetics to Identify Therapeutic Targets for NAFLD: Challenges and Opportunities. <i>Frontiers in Endocrinology</i> , 2021, 12, 777075.  | 1.5 | 8         |
| 300 | Genome-wide association study reveals the genetic architecture for calcium accumulation in grains of hexaploid wheat ( <i>Triticum aestivum</i> L.). <i>BMC Plant Biology</i> , 2022, 22, 229. | 1.6 | 8         |