The epidemiology of major depression in South Africa: a stress and health study

South African Medical Journal 99, 367-73

Citation Report

#	Article	IF	CITATIONS
1	Comparison of the consumption of antidepressants in the immigrant and native populations in a Spanish health region: an observational study. BMC Public Health, 2010, 10, 255.	2.9	22
2	Familyâ€centred HIV interventions: lessons from the field of parental depression. Journal of the International AIDS Society, 2010, 13, S9.	3.0	9
3	Psychological distress among persons living with HIV, hypertension, and diabetes. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 1517-1521.	1.2	19
4	Healthy lifestyle interventions in general practice: Part 12: Lifestyle and depression. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2010, 52, 271-275.	0.6	2
5	Cross-national epidemiology of DSM-IV major depressive episode. BMC Medicine, 2011, 9, 90.	5.5	1,541
6	Mental Health and HIV Sexual Risk Behavior Among Patrons of Alcohol Serving Venues in Cape Town, South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, 230-237.	2.1	64
7	Poor mental health and sexual risk behaviours in Uganda: A cross-sectional population-based study. BMC Public Health, 2011, 11, 125.	2.9	49
8	Effect of Caregivers' Depression and Alcohol Use on Child Antiretroviral Adherence in South Africa. AIDS Patient Care and STDs, 2011, 25, 595-600.	2.5	15
9	Sympathetic nervous activity, depressive symptoms, and metabolic syndrome in black Africans: The sympathetic activity and ambulatory blood pressure in Africans study. Stress, 2012, 15, 562-568.	1.8	15
10	Depression, Alcohol Use and Adherence to Antiretroviral Therapy in Sub-Saharan Africa: A Systematic Review. AIDS and Behavior, 2012, 16, 2101-2118.	2.7	277
11	Dealing with major depression in general practice. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2012, 54, 203-209.	0.6	0
12	The association between depression and adherence to antiretroviral therapy in HIV-positive patients, KwaZulu-Natal, South Africa. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2012, 54, 145-150.	0.6	17
13	Prevalence and correlates of depression among HIV-infected and -affected older people in rural South Africa. Journal of Affective Disorders, 2013, 151, 31-38.	4.1	65
14	A multilevel analysis of association between neighborhood social capital and depression: Evidence from the first South African National Income Dynamics Study. Journal of Affective Disorders, 2013, 144, 101-105.	4.1	72
15	Depression and associated factors in older adults in South Africa. Global Health Action, 2013, 6, 18871.	1.9	88
16	Dealing with major depression in general practice. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2013, 55, 319-325.	0.6	0
17	Major depressive disorder in Africa and the Middle East: a systematic literature review. Expert Review of Pharmacoeconomics and Outcomes Research, 2013, 13, 613-630.	1.4	8
18	Contribution Of Plants And Traditional Medicines To The Disparities And Similarities In Acute Poisoning Incidents In Botswana, South Africa And Uganda. Tropical Journal of Obstetrics and Gynaecology, 2014, 11, 425.	0.3	8

#	ARTICLE	IF	CITATIONS
19	Debt and depression among the <i>Dibao</i> population in northwestern China. International Journal of Social Psychiatry, 2014, 60, 637-645.	3.1	4
20	Disease diagnosis in primary care in Uganda. BMC Family Practice, 2014, 15, 165.	2.9	10
21	Mental Health Disorders Among Caregivers of Preschool Children in the Asenze Study in KwaZulu-Natal, South Africa. Maternal and Child Health Journal, 2014, 18, 191-199.	1.5	19
22	Significance of dietary folate intake, homocysteine levels and MTHFR 677 C>T genotyping in South African patients diagnosed with depression: test development for clinical application. Metabolic Brain Disease, 2014, 29, 377-384.	2.9	19
23	The Relationship Between Immigration and Depression in South Africa: Evidence from the First South African National Income Dynamics Study. Journal of Immigrant and Minority Health, 2014, 16, 1062-1068.	1.6	12
24	Validity of the patient health questionnaire-9 to screen for depression in a high-HIV burden primary healthcare clinic in Johannesburg, South Africa. Journal of Affective Disorders, 2014, 167, 160-166.	4.1	159
25	Human rights violations and smoking status among South African adults enrolled in the South Africa Stress and Health (SASH) study. Social Science and Medicine, 2014, 105, 103-111.	3.8	1
26	Experience of persistent psychological symptoms and perceived stigma among people with HIV on antiretroviral therapy (ART): A systematic review. International Journal of Nursing Studies, 2014, 51, 1171-1189.	5.6	146
27	A multilevel analysis of the relationship between neighborhood social disorder and depressive symptoms: Evidence from the South African National Income Dynamics Study American Journal of Orthopsychiatry, 2015, 85, 56-62.	1.5	19
28	Socioeconomic predictors and consequences of depression among primary care attenders with non-communicable diseases in the Western Cape, South Africa: cohort study within a randomised trial. BMC Public Health, 2015, 15, 1194.	2.9	24
29	Diabetes care among urban women in Soweto, South Africa: a qualitative study. BMC Public Health, 2015, 15, 1300.	2.9	42
30	Supporting mental health in South African HIV-affected communities: primary health care professionals' understandings and responses. Health Policy and Planning, 2015, 30, 917-927.	2.7	12
31	Days out of role due to mental and physical illness in the South African stress and health study. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 461-468.	3.1	27
32	Prevalence and Severity of Depression and Its Association with Substance Use in Jimma Town, Southwest Ethiopia. Depression Research and Treatment, 2016, 2016, 1-7.	1.3	31
33	Depression among Ethiopian Adults: Cross-Sectional Study. Psychiatry Journal, 2016, 2016, 1-5.	1.5	29
34	Spirituality, depression and quality of life in medical students in KwaZulu-Natal. South African Journal of Psychiatry, 2016, 22, 6.	0.4	24
35	Postpartum depression and infant feeding practices in a low income urban settlement in Nairobi-Kenya. BMC Research Notes, 2016, 9, 506.	1.4	67
36	Income inequality and depressive symptoms in South Africa: A longitudinal analysis of the National Income Dynamics Study. Health and Place, 2016, 42, 37-46.	3.3	40

#	ARTICLE	IF	CITATIONS
37	Major depressive disorder and suicidal behavior among urban dwelling Ethiopian adult outpatients at a general hospital. Journal of Affective Disorders, 2016, 197, 58-65.	4.1	21
38	Depression and ART Initiation Among HIV Serodiscordant Couples in Kenya and Uganda. AIDS and Behavior, 2017, 21, 2509-2518.	2.7	21
39	Patterns of Alcohol Abuse, Depression, and Intimate Partner Violence Among Township Mothers in South Africa Over 5 Years. AIDS and Behavior, 2017, 21, 174-182.	2.7	43
40	Prevalence of psychological distress and its association with socio-demographic and HIV-risk factors in South Africa: Findings of the 2012 HIV prevalence, incidence and behaviour survey. SSM - Population Health, 2017, 3, 658-662.	2.7	19
41	â€~First 1000 days' health interventions in low- and middle-income countries: alignment of South African policies with high-quality evidence. Global Health Action, 2017, 10, 1340396.	1.9	19
42	Depression in older adults: prevalence and risk factors in a primary health care sample. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2017, 59, 61-66.	0.6	54
43	Depression and Engagement in Care Among Newly Diagnosed HIV-Infected Adults in Johannesburg, South Africa. AIDS and Behavior, 2017, 21, 1632-1640.	2.7	37
44	Evaluation of Modified Patient Health Questionnaire-9 Teen in South African Adolescents. Indian Journal of Psychological Medicine, 2017, 39, 143-145.	1.5	9
45	The use of cyproterone acetate in a forensic psychiatric cohort of male sex offenders and its associations with sexual activity and sexual functioning. South African Journal of Psychiatry, 2017, 23, 982.	0.4	4
46	Depressive symptoms in HIV-infected and seronegative control subjects in Cameroon: Effect of age, education and gender. PLoS ONE, 2017, 12, e0171956.	2.5	20
47	Depression symptoms: Their association with socio-demographic factors and health among adults in South Africa. Journal of Psychology in Africa, 2018, 28, 62-65.	0.6	5
48	High social trust associated with increased depressive symptoms in a longitudinal South African sample. Social Science and Medicine, 2018, 197, 127-135.	3.8	37
49	Effect of Depression on Adherence to Oral PrEP Among Men and Women in East Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 330-338.	2.1	20
50	Low prevalence of depressive symptoms among stable patients on antiretroviral therapy in Johannesburg, South Africa. PLoS ONE, 2018, 13, e0203797.	2.5	9
51	Non-fatal suicidal behaviour, depression and poverty among young men living in low-resource communities in South Africa. BMC Public Health, 2018, 18, 1195.	2.9	13
52	Forensic psychiatry in Rwanda. Global Health Action, 2018, 11, 1509933.	1.9	10
53	Depression and Post Traumatic Stress amongst female sex workers in Soweto, South Africa: A cross sectional, respondent driven sample. PLoS ONE, 2018, 13, e0196759.	2.5	32
54	Stress begets stress: the association of adverse childhood experiences with psychological distress in the presence of adult life stress. BMC Public Health, 2018, 18, 835.	2.9	83

#	ARTICLE	IF	CITATIONS
55	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. Trials, 2018, 19, 193.	1.6	36
56	Utility of the Beck Depression Inventory in measuring major depression among individuals seeking HIV testing in the Western Cape, South Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 29-36.	1.2	9
57	Depressive symptoms and associated factors in medical interns at a tertiary hospital. South African Journal of Psychiatry, 2019, 25, 1322.	0.4	6
58	Subjective social status and inequalities in depressive symptoms: a gender-specific decomposition analysis for South Africa. International Journal for Equity in Health, 2019, 18, 87.	3.5	20
59	Depressive symptoms, suicidal ideation, and mental health care-seeking in central Mozambique. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1519-1533.	3.1	16
60	Evaluating the role of levels of exposure to a task shared depression counselling intervention led by behavioural health counsellors: outcome and process evaluation. International Journal of Mental Health Systems, 2019, 13, 42.	2.7	13
61	The relation between low self-esteem and depressive mood in a non-clinical sample: The role of gender and negative life events. Journal of Psychology in Africa, 2019, 29, 54-59.	0.6	5
62	Help-seeking behaviour for depressive disorders among adult cardiovascular outpatient cardiac clinic Jimma University Teaching Hospital, Jimma, South-West Ethiopia: crosssectional study. International Journal of Mental Health Systems, 2019, 13, 7.	2.7	3
63	Barriers to implementing clinical trials on nonpharmacological treatments in developing countries: lessons learnt from addressing pain in HIV. Pain Reports, 2019, 4, e783.	2.7	3
64	Risk correlates for physical-mental multimorbidities in South Africa: a cross-sectional study. Epidemiology and Psychiatric Sciences, 2019, 28, 418-426.	3.9	9
65	Urbanicity of residence and depression among adults 50Âyears and older in Ghana and South Africa: an analysis of the WHO Study on Global AGEing and Adult Health (SAGE). Aging and Mental Health, 2019, 23, 660-669.	2.8	15
66	Depression and Incident HIV in Adolescent Girls and Young Women in HIV Prevention Trials Network 068: Targets for Prevention and Mediating Factors. American Journal of Epidemiology, 2020, 189, 422-432.	3.4	24
67	Which HIV-infected youth are at risk of developing depression and what treatments help? A systematic review focusing on Southern Africa. International Journal of Adolescent Medicine and Health, 2020, 33, .	1.3	12
68	Support in times of need: How depressive symptoms can impact receipt of social support among aging adults in rural South Africa. SSM - Population Health, 2020, 12, 100666.	2.7	6
69	The impact of common mental disorders among caregivers living with HIV on child cognitive development in Zimbabwe. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 198-205.	1.2	7
70	Self-Reported Food Insecurity and Depression among the Older Population in South Africa. Psych, 2020, 2, 34-43.	1.6	4
71	Disparity in Educational Attainment Partially Explains Cognitive Gender Differences in Older Rural South Africans. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2020, 75, e161-e173.	3.9	6
72	Knowledge of HIV Status Is Associated With a Decrease in the Severity of Depressive Symptoms Among Female Sex Workers in Uganda and Zambia. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 37-46.	2.1	13

#	Article	IF	CITATIONS
73	The Effect of Depression on Adherence to HIV Pre-exposure Prophylaxis Among High-Risk South African Women in HPTN 067/ADAPT. AIDS and Behavior, 2020, 24, 2178-2187.	2.7	13
74	Social determinants of depression among adults in South Africa. Journal of Human Behavior in the Social Environment, 2020, 30, 525-532.	1.9	2
75	Amitriptyline prescribing in public sector healthcare facilities in the Western Cape, South Africa. PLoS ONE, 2020, 15, e0231675.	2.5	3
76	Depression and anxiety as barriers to art initiation, retention in care, and treatment outcomes in KwaZulu-Natal, South Africa. EClinicalMedicine, 2021, 31, 100621.	7.1	21
77	Screening for depression at the primary care level: Evidence for policy decision-making from a facility in Pretoria, South Africa. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2021, 63, e1-e7.	0.6	1
78	Medicinal Plants in Uganda as Potential Therapeutics against Neurological Disorders. , 2021, , 421-443.		0
79	Association between food insecurity and depression among older adults from low―and middle―ncome countries. Depression and Anxiety, 2021, 38, 439-446.	4.1	27
80	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial Journal of Affective Disorders, 2021, 282, 112-121.	4.1	18
81	Job loss and mental health during the COVID-19 lockdown: Evidence from South Africa. PLoS ONE, 2021, 16, e0249352.	2.5	204
82	Prevalence of depressive symptoms in urban primary care settings: Botswana. African Journal of Primary Health Care and Family Medicine, 2021, 13, e1-e7.	0.8	3
83	Living alone and depression in a developing country context: Longitudinal evidence from South Africa. SSM - Population Health, 2021, 14, 100800.	2.7	12
84	Prevalence and factors associated with depressive symptoms among family caregivers of palliative care patients at Hospice Africa Uganda. Palliative and Supportive Care, 2022, 20, 375-382.	1.0	4
85	The epidemiology of psychiatric disorders in Africa: a scoping review. Lancet Psychiatry,the, 2021, 8, 717-731.	7.4	15
86	Exploring the Association Between Depression and Social and Biobehavioral HIV Risk Factors Among Female Sex Workers in Nelson Mandela Bay Municipality, South Africa. AIDS Research and Human Retroviruses, 2021, 37, 666-675.	1.1	4
87	Implementation and Scale-Up of Integrated Depression Care in South Africa: An Observational Implementation Research Protocol. Psychiatric Services, 2021, 72, 1065-1075.	2.0	10
88	Pre-existing and post-pandemic insomnia symptoms are associated with high levels of stress, anxiety, and depression globally during the COVID-19 pandemic. Journal of Clinical Sleep Medicine, 2021, 17, 2085-2097.	2.6	44
89	High cellphone use associated with greater risk of depression among young women aged 15–24 years in Soweto and Durban, South Africa. Global Health Action, 2021, 14, 1936792.	1.9	7
90	A Cross-Country Comparison of Sociodemographic Correlates of Depression in the WHO Study of Global Aging and Adult Health (SAGE). , 2013, , 45-60.		4

#	Article	IF	CITATIONS
91	The association between substance use and common mental disorders in young adults: results from the South African Stress and Health (SASH) Survey. Pan African Medical Journal, 2014, 17 Suppl 1, 11.	0.8	26
92	Cognitive testing of the PHQ-9 for depression screening among pregnant and postpartum women in Kenya. BMC Psychiatry, 2020, 20, 31.	2.6	16
93	Psychological and Physical Co-Morbidity among Urban South African Women. PLoS ONE, 2013, 8, e78803.	2.5	19
94	Structural Pathways between Child Abuse, Poor Mental Health Outcomes and Male-Perpetrated Intimate Partner Violence (IPV). PLoS ONE, 2016, 11, e0150986.	2.5	67
95	Depression and Its Correlates in South Africa and Ghana among People Aged 50 and Above: Findings from the WHO Study on Global Ageing and Adult Health. African Journal of Psychiatry, 2014, 17, .	0.1	18
96	Religious Beliefs and Depression: Psychosocial Factors Affecting HIV Treatment Outcomes in South Africa. New Voices in Psychology, 2016, 12, 2-20.	0.0	0
97	Mental health disorders and healthâ€related quality of life in adults with inherited bleeding disorders in central South Africa. Haemophilia, 2022, 28, .	2.1	0
98	Depression: Determinants That Influence the Mental Health of Older People (60 Years +) in Botswana. Gerontology and Geriatric Medicine, 2022, 8, 233372142110531.	1.5	4
99	Evaluating the efficacy of an online depression screening tool in South Africa: A pilot study. South African Journal of Psychiatry, 2022, 28, 1687.	0.4	2
100	Prevalence of depressive symptoms and quality of life among patients with diabetes mellitus with and without HIV infection: A South African study. South African Journal of Psychiatry, 2022, 28, 1762.	0.4	1
101	Validation and measurement invariance of the Occupational Depression Inventory in South Africa. PLoS ONE, 2021, 16, e0261271.	2.5	10
102	Neuropsychological functioning and cognitive reserve in newly HIV diagnosed antiretroviral-na \tilde{A} -ve South African adults from peri-urban and informal settlements. PLoS ONE, 2021, 16, e0260260.	2.5	3
103	EFFECT OF SCHOOL-BASED EDUCATIONAL INTERVENTIONS ON DEPRESSION-RELATED HEALTH-SEEKING BEHAVIOUR AMONG IN-SCHOOL ADOLESCENTS IN OGUN STATE, NIGERIA European Journal of Health Sciences, 2021, 6, 1-14.	0.1	0
104	Prevalence of unrecognized depression and associated factors among medical outpatient department attendees; a cross sectional study. PLoS ONE, 2021, 16, e0261064.	2.5	3
105	A history of depression in patients attending a chronic pain management clinic in South Africa: A retrospective chart review. South African Journal of Psychiatry, 2022, 28, 1673.	0.4	1
106	Longitudinal correlates of fruit and vegetable consumption with depressive symptoms among middle-aged and older adults in South Africa. BMC Psychology, 2022, 10, .	2.1	1
107	A collaborative care package for depression comorbid with chronic physical conditions in South Africa. BMC Health Services Research, 2022, 22, .	2.2	4
108	Challenges and opportunities for implementation and dissemination of a task-sharing counselling intervention for depression at primary health care level in South Africa. International Journal of Mental Health Systems, 2023, 17, .	2.7	3