## CITATION REPORT List of articles citing

Human chronic myelogenous leukemia cell-line with positive Philadelphia chromosome

DOI: 10.1182/blood.v45.3.321.321 Blood, 1975, 45, 321-334.

**Source:** https://exaly.com/paper-pdf/12272110/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2330	Epstein-Barr virus (EBV)-determined characteristics in lymphoid cells. <b>1975</b> , 43, 13-8		
2329	Discovery of a 9mer Cationic Peptide (LTX-315) as a Potential First in Class Oncolytic Peptide.		
2328	Friend leukemia: a model for the physiopathology of human chronic leukemia. <b>1975</b> , 11, 831-40		5
2327	Stimulation of normal lymphocytes with autologous lymphoid cell lines: properties of derived killer cells. <b>1975</b> , 4, 721-34		29
2326	Human myelogenous (Ph+) leukemia cell line: transplantation into athymic mice. <b>1976</b> , 56, 627-9		42
2325	Comparison between Ca2+ and Mg2+ on surface-located ATPase of intact normal and neoplastic human cells in culture. <b>1976</b> , 98, 263-5		10
2324	EBV-determined nuclear antigen (EBNA)-positive cells in the peripheral blood of infectious mononucleosis patients. <b>1976</b> , 17, 21-6		159
2323	Properties of the K562 cell line, derived from a patient with chronic myeloid leukemia. <b>1976</b> , 18, 421-31	I	300
2322	Characterization of an antigen from the myelogenous leukemia cell line K-562. <b>1977</b> , 59, 1667-74		6
2321	The establishment and cytological, cytochemical and immunological characterisation of human haemic cell lines: Evidence for heterogeneity. <b>1977</b> , 1, 35-49		49
2320	Human B cell, T cell and null cell leukaemic cell lines derived from acute lymphoblastic leukaemias. <b>1977</b> , 267, 843-4		139
2319	Continuous growth and differentiation of human myeloid leukaemic cells in suspension culture. <b>1977</b> , 270, 347-9		1767
2318	Cytochemical profile of human haematopoietic biopsy cells and derived cell lines. <b>1977</b> , 37, 489-501		32
2317	Tumorigenicity of human hematopoietic cell lines in athymic nude mice. 1977, 19, 337-44		200
2316	Natural cytotoxicity to human leukemia mediated by mouse non-T cells. <b>1977</b> , 20, 93-103		65
2315	Surface glycoprotein patterns of normal and malignant human lymphoid cells. II. B cells, B blasts and Epstein-Barr virus (EBV)-positive and -negative B lymphoid cell lines. <b>1977</b> , 20, 708-16		62
2314	Human leukemic "null" cell line (NALL-1). <b>1977</b> , 40, 2131-5		23

2313	microglobulin. <b>1977</b> , 4, 567-579	32
2312	Differentiation to myeloid cells of lymphoblastoid cells established from myelomonocytic leukemia. <b>1978</b> , 379, 269-84	5
2311	Further characterization of a non-T, non-B acute lymphoblastic leukaemia cell line (Reh). <b>1978</b> , 4, 193-196	
2310	Inhibition of human leukemia cell proliferation by dimethyl sulfoxide. <b>1978</b> , 2, 305-311	5
2309	Demonstration of the Fc-receptor of blood cells by soluble peroxidase-anti-peroxidase (PAP) complexes. <b>1978</b> , 36, 263-73	18
2308	Human granulocyte antigens detected on leukemia cells and a chronic myelogenous cell line. <b>1978</b> , 34, 1-7	4
2307	Cell surface antigens detected on mature and leukemic granulocytic populations by cytotoxicity testing. <b>1978</b> , 12, 75-86	10
2306	Maturation linked expression of a myeloid cell surface antigen. <b>1978</b> , 38, 439-52	37
2305	Helix pomatia A hemagglutinin: selectivity of binding to lymphocyte surface glycoproteins on T cells and certain B cells. <b>1978</b> , 8, 757-64	88
2304	Cytotoxic activity of guinea-pig lymph node cells stimulated in vitro. <b>1978</b> , 22, 595-601	1
2303	Cytotoxicity of a factor from normal and abnormal human spleens for allogenic leukemia cells. <b>1978</b> , 4, 57-65	1
2302	Biology of the human malignant lymphomas. IV. Functional characterization of ten diffuse histiocytic lymphoma cell lines. <b>1978</b> , 42, 2379-91	152
2301	Acute myelogenous leukemia: a human cell line responsive to colony-stimulating activity. <b>1978</b> , 200, 1153-4	397
2300	Identification and characterization of normal and malignant human blood leukocytes by surface glycoprotein patterns. <b>1978</b> , 312, 240-55	24
2299	Human natural cell-mediated cytotoxicity against fetal fibroblasts. II. Isolation and target cell specificity of the effector cells. <b>1978</b> , 40, 69-78	19
2298	Lymphoblastoid cell lines from patients with chronic lymphocytic leukemia: identification of tumor origin by idiotypic analysis. <b>1978</b> , 75, 5706-10	43
2297	Terminal differentiation of human promyelocytic leukemia cells induced by dimethyl sulfoxide and other polar compounds. <b>1978</b> , 75, 2458-62	1204
2296	The Epstein-Barr Virus. <b>1979</b> ,	108

2295	K562a human erythroleukemic cell line. <b>1979</b> , 23, 143-7	366
2294	Cell surface glycoprotein changes in Epstein-Barr virus-positive and -negative human hematopoietic cell lines. <b>1979</b> , 23, 464-73	13
2293	Cytotoxicity against the K562 erythroleukemia cell line by human natural killer (NK) cells which do not bear free Fc receptors for IgG. <b>1979</b> , 24, 141-50	35
2292	Activation of mouse macrophages by pyran copolymer and role in augmentation of natural killer activity. <b>1979</b> , 24, 819-25	28
2291	Cellular interactions in haematopoiesis. <b>1979</b> , 277, 177-81	150
2290	Activation of complement by cytoskeletal intermediate filaments. <b>1979</b> , 278, 176-8	78
2289	Induction of erythroid differentiation in the human leukaemia cell line K562. <b>1979</b> , 278, 364-5	378
2288	Biosynthesis of the major human red cell sialoglycoprotein, glycophorin A, in a continuous cell line. <b>1979</b> , 279, 604-7	93
2287	Effects of sodium butyrate on human chronic myelogenous leukaemia cell line K562. <b>1979</b> , 281, 709-10	45
2286	Effects of sodium butyrate on human chronic myelogenous leukaemia cell line K562 (reply). <b>1979</b> , 281, 710-710	4
2285	Human natural killer cell activity is augmented by interferon via recruitment of 'pre-NK' cells. <b>1979</b> , 10, 257-66	138
2284	Human monocyte-mediated cytotoxicity to K-562 cells: activation by lymphokines. <b>1979</b> , 10, 575-84	59
2283	Natural cytotoxicity of human Fc gamma-receptor-positive T lymphocytes after surface modulation with immune complexes. <b>1979</b> , 9, 291-6	46
2282	Heterogeneity and mechanism of action of human natural killer lymphocytes: differential distribution of receptors for Helix pomatia haemagglutinin (HP receptors). <b>1979</b> , 10, 109-18	16
2281	Properties and usefulness of the original K-562 human myelogenous leukemia cell line. <b>1979</b> , 3, 363-70	199
2280	Abrogation of the proliferation of human leukemia cells in nude mice by a xenoantiserum. <b>1979</b> , 3, 371-8	5
2279	Loss of net negative surface charge during MLC stimulation of human T lymphocytes: correlation to "stable" E-rosette formation and natural attachment to normal and malignant target cells. <b>1979</b> , 48, 91-9	13
2278	Fractionation, morphological and functional characterization of effector cells responsible for human natural killer activity against cell-line targets. <b>1979</b> , 48, 133-48	238

2277	75Se-Release: A Short and Long Term Assay System for Cellular Cytotoxicity. <b>1979</b> , 155, 287-311	9
2276	Chromatin conformation during cell differentiation of human myeloid leukemia cells. <b>1979</b> , 8, 117-24	8
2275	The EBV-carrying, beta2M/HLA deficient Burkitt lymphoma line Daudi is sensitive to EBV-specific killer T-cells of mononucleosis patients. <b>1979</b> , 7, 15-20	12
2274	Sensitive and convenient quantitation of antibody binding to cellular antigens using glutaraldehyde preserved cells. <b>1979</b> , 26, 369-80	17
2273	Reproducible Metastatic Growth of K-562 Human Myelogenous Leukemia Cells in Nude Mice23. <b>1979</b> ,	
2272	Detection and partial characterization of human thymus-leukemia antigens. <b>1980</b> , 65, 691-701	11
2271	Induction of differentiation of the human promyelocytic leukemia cell line (HL-60) by retinoic acid. <b>1980</b> , 77, 2936-40	1518
2270	Membrane differentiation in human erythroid cells: unique profiles of cell surface glycoproteins expressed in erythroblasts in vitro from three ontogenic stages. <b>1980</b> , 77, 3474-8	84
2269	Embryonic-fetal erythroid characteristics of a human leukemic cell line. <b>1980</b> , 77, 3509-13	135
2268	The effect of tumor-promoting phorbol diesters on terminal differentiation of cells in culture. <b>1980</b> , 31, 165-75	39
2267	Evaluation of drug-antibody conjugates in the treatment of human myelosarcomas transplanted in nude mice. <b>1980</b> , 45, 1326-33	18
2266	Heterotransplantation and clonal growth of human Ph'-chromosome-positive leukemia-cell (NALM-1) and B-cell leukemia-cell (BALM-2) lines. <b>1980</b> , 45, 2324-9	6
2265	Activated T lymphocytes in infiltrates and draining lymph nodes of nasopharyngeal carcinoma. <b>1980</b> , 25, 85-9	30
2264	In vivo natural reactivity of mice against tumor cells. <b>1980</b> , 25, 475-86	147
2263	Establishment and characterization of a human acute monocytic leukemia cell line (THP-1). <b>1980</b> , 26, 171-6	1642
2262	Glucocorticoid receptors and glucocorticoid sensitivity of human leukemic cells. <b>1980</b> , 26, 177-83	56
2261	Human tumor-lymphocyte interaction in vitro. VII. Blastogenesis and generation of cytotoxicity against autologous tumor biopsy cells are inhibited by interferon. <b>1980</b> , 26, 405-11	14
2260	Expression of blood group I and i active carbohydrate sequences on cultured human and animal cell lines assessed by radioimmunoassays with monoclonal cold agglutinins. <b>1980</b> , 10, 379-84	40

Hybridization of a Myeloid Leukemia-Derived Human Cell Line (K562) With a Human Burkitt's Lymphoma Line (P3HR-1)2. **1980**,

2258	Suppression of normal granulopoiesis in vitro by a leukemia associated inhibitor (LAI) derived from a human promyelocytic cell line [HL-60]. <b>1980</b> , 4, 437-47	24
2257	Altered pattern of differentiation and proliferation of HL-60 promyelocytic leukemia cells in the presence of leucocyte conditioned medium. <b>1980</b> , 4, 301-7	54
2256	Antigens present on human myeloid leukemia cell lines. <b>1980</b> , 4, 69-77	7
2255	Size and charge heterogeneity of amino acid naphthylamidase isozymes in normal and neoplastic granulocytic cells. <b>1980</b> , 4, 591-9	1
2254	K562 human leukaemic cells express fetal type (i) antigen on different glycoproteins from circulating erythrocytes. <b>1980</b> , 285, 405-7	46
2253	Human cell-surface glycoprotein with unusual properties. <b>1980</b> , 286, 888-91	172
2252	Involvement of the B-lymphoid system in chronic myelogenous leukaemia. <b>1980</b> , 287, 49-50	208
2251	Spontaneous cell-mediated cytotoxicity (SCMC) in various mammalian species and chickens: selective reaction pattern and different mechanisms. <b>1980</b> , 11, 203-22	27
2250	Isozymes of amino acid naphthylamidase in human haematopoietic cell lines. <b>1980</b> , 44, 25-32	9
2249	Phenotypic characterization of a virus producing line established from a patient with leukaemia/lymphoma: comparison with T-lymphoblastic and myeloblastic lines. <b>1980</b> , 44, 415-24	13
2248	Thymocyte reconstitution of athymic and athymic-asplenic mice: graft rejection and antibody synthesis. <b>1980</b> , 48, 439-44	1
2247	Interaction of Herpesvirus ateles and Hepesvirus saimiri with primate lymphocytes. I. Selective adsorption of virus by lymphoid cells. <b>1980</b> , 13, 21-7	3
2246	Functions of Macrophage Cell Lines. <b>1980</b> , 439-457	20
2245	Differences in genetic stability between human cell lines from patients with and without lymphoreticular malignancy. <b>1980</b> , 44, 119-33	17
2244	Structure and functional alterations in lymphocytes induced by cryopreservation. <b>1980</b> , 17, 12-7	26
2243	Cytological and functional analysis of inflammatory infiltrates in human malignant tumors. III. Further functional investigations using cultured autochthonous tumor cell lines and freeze-thawed infiltrating inflammatory cells. <b>1980</b> , 55, 219-26	35
2242	Countercurrent distribution of lymphocytes from human peripheral blood in an aqueous two-phase system. II. Separation into subsets of lymphocytes with distinctive functions. <b>1980</b> , 53, 51-64	17

2241	Cytostasis of tumor cell lines by human granulocytes. <b>1980</b> , 53, 104-15	39
2240	Embryonic hemoglobin synthesis in human erythroleukemia cells. <b>1980</b> , 344, 233-9	4
2239	Electrophoretic separation of human embryonic globin demonstrates "alpha-thalassemia" in human leukemia cell line K562. <b>1980</b> , 94, 843-8	29
2238	Acute myelogenous leukemia heteroantisera. <b>1980</b> , 16, 202-10	20
2237	Lack of correlation between the glucocorticoid receptor density and the in vitro growth-inhibitory effect of dexamethasone in human leukemia cell lines. <b>1980</b> , 1, 459-72	4
2236	Cytotoxic cells induced in vitro by Epstein-Barr Virus antigens. <b>1981</b> , 63, 91-105	7
2235	Human interferons and Inhibit T-cell-dependent and stimulate T-cell-independent mitogenesis and natural cytotoxicity: Relationship to chromosome 21. <b>1981</b> , 65, 366-372	13
2234	Tumor cell killing by freshly isolated peripheral blood monocytes. <b>1981</b> , 58, 426-35	114
2233	Suppressor T cells activated by lymphoblastoid cell lines inhibit pokeweed mitogen-induced immunoglobulin synthesis. <b>1981</b> , 60, 191-202	12
2232	Natural killing can be independent of interferon generated in vitro. <b>1981</b> , 62, 220-5	7
2231	Augmentation of natural killer cells involves both enhancement of lytic machinery and expression of new receptors. <b>1981</b> , 62, 367-76	13
2230	A permanent human cytotoxic T-cell line with high killing capacity against a lymphoblastoid B-cell line shows preference for HLA A, B target antigens and lacks spontaneous cytotoxic activity. <b>1981</b> , 59, 435-47	36
2229	Levels of adenosine deaminase AMP deaminase, and adenylate kinase in cultured human lymphoblast lines: exquisite sensitivity of AMP deaminase to adenosine deaminase inhibitors. <b>1981</b> , 26, 377-86	17
2228	Somatic cell hybrids between human lymphoma and human myeloid leukemia cells. I. Induction of resident viral genome transcription and viral antigen formation by IUDR and TPA. <b>1981</b> , 110, 259-69	4
2227	Cytogenetic abnormalities in a human null cell leukemia line (REH). 1981, 3, 327-34	15
2226	Distribution of natural killer cell activity in peripheral blood, cord blood, thymus, lymph nodes, and spleen and the effect of in vitro treatment with interferon preparation. <b>1981</b> , 19, 161-9	44
2225	Effect of unsaturated fatty acids on human lymphocytes: disparate influences of oleic and linolenic acids on natural cytotoxicity. <b>1981</b> , 20, 389-401	19
2224	Detection of natural killer cell-mediated cytotoxicity in hamsters, using Raji target cells. <b>1981</b> , 21, 332-40	2

2223	Transferrin and iron uptake by human lymphoblastoid and K-562 cells. <b>1981</b> , 100, 1523-30		35
2222	A human leukocyte antigen identified by a monoclonal antibody. <b>1981</b> , 3, 231-45		42
2221	Inhibitors of cell division reversibly modify hemoglobin concentration in human erythroleukemia K562 cells. <i>Blood</i> , <b>1981</b> , 58, 1236-1239	2.2	36
2220	CONTINUOUS CELL LINES WITH PROPERTIES OF MONONUCLEAR PHAGOCYTES. <b>1981</b> , 155-173		5
2219	Embryonic erythroid differentiation in the human leukemic cell line K562. <b>1981</b> , 78, 348-52		137
2218	Characterization, by immunoprecipitation, of myeloid- and monocyte-specific antigens present on the human promyelocytic cell line (HL-60) in three stages of differentiation. <b>1981</b> , 78, 5091-5		15
2217	Synthesis of Immunoreactive Insulin in Vitro by Aplastic Mammary Carcinoma Preconditioned in Diabetic Mice. <b>1981</b> ,		
2216	Membrane protein redistribution during differentiation of cultured human erythroleukemic cells. <b>1981</b> , 1, 1150-62		12
2215	Membrane differentiation in human myeloid cells: expression of unique profiles of cell surface glycoproteins in myeloid leukemic cell lines blocked at different stages of differentiation and maturation. <b>1981</b> , 78, 6299-303		67
2214	The preparation and properties of monoclonal antibodies against human granulocyte membrane antigens. <b>1981</b> , 48, 481-90		86
2213	EA rosette formation: a simple means to increase sensitivity of the antiglobulin test in patients with anti red cell antibodies. <b>1981</b> , 47, 227-33		13
2212	Changes in cell surface glycoproteins and carbohydrate structures during the development and differentiation of human erythroid cells. <b>1981</b> , 17, 313-24		36
2211	Cytotoxic T cell recognition of Epstein-Barr virus-infected B cells. I. Specificity and HLA restriction of effector cells reactivated in vitro. <b>1981</b> , 11, 686-93		91
2210	Interferon production and activation of non-specific effector cells by stimulation with lymphoblastoid cell lines in vitro. <b>1981</b> , 27, 185-90		13
2209	Extravascular natural cytotoxicity in man: Anti-K562 activity of lymph-node and tumour-infiltrating lymphocytes. <b>1981</b> , 27, 265-72		67
2208	Tumor biopsy cells participating in systems in which cytotoxicity of lymphocytes is generated. Autologous and allogeneic studies. <b>1981</b> , 27, 273-80		33
2207	Detection of the histone-2A related polypeptide in differentiated human myeloid cells (HL-60) and its distribution in human acute leukemia. <b>1981</b> , 27, 585-92		12
2206	Reactivation of Epstein-Barr virus-specific cytotoxic T cells by in vitro stimulation with the autologous lymphoblastoid cell line. <b>1981</b> , 27, 593-601		64

## (1981-1981)

2205	Cytostasis of tumor cell lines by granulocytes from cancer patients and normal human donors. <b>1981</b> , 28, 119-24	7
2204	Glycosphingolipids of K562 cells: a chemical and immunological analysis. <b>1981</b> , 28, 271-6	25
2203	Lysis of human B-lymphocyte-derived lymphoma/leukemia cells of established cell lines by interferon-activated natural killer (NK) cells. <b>1981</b> , 28, 459-68	16
2202	Monocyte-induced cell cycle synchronization of a leukemic cell line in vitro. <b>1981</b> , 2, 179-84	
2201	The hexose transport system in the human K-562 chronic myelogenous leukemia-derived cell. <b>1981</b> , 108, 77-82	5
2200	Suppressive activity of cell-free ascites obtained from murine tumors. Soluble Fc receptor as a possible active agent. <b>1981</b> , 178, 131-40	2
2199	Augmentation of natural and antibody-dependent cell-mediated cytotoxicity by pure human leukocyte interferon. <b>1981</b> , 1, 149-53	51
2198	K562 cells express human major histocompatibility antigens. <b>1981</b> , 13, 359-65	21
2197	In vitro augmentation of natural killing activity by OK-432. <b>1981</b> , 3, 365-75	60
2196	Lack of effect of colony-stimulating activity on human myeloid leukemia cell line (ML-2) cells. <b>1981</b> , 5, 311-20	7
2195	Specificity of monoclonal anti-K 562 antibody. <b>1981</b> , 101, 109-10	2
2194	Human erythroid cell lines derived from a patient with acute erythremia. <b>1981</b> , 102, 49-55	23
2193	Tumor cell killing by phorbol esterdifferentiated human leukemia cells. <b>1981</b> , 213, 655-7	37
2192	Chronic myelogenous leukemianew concepts (first of two parts). <b>1981</b> , 304, 1201-9	183
2191	Autophosphorylation at the outer surface of different human cells in culture. <b>1981</b> , 86, 137-42	
2190	Depression of hepatic biotransformations by chemical immunoadjuvants. <b>1981</b> , 3, 251-64	10
2189	Induction of hemoglobin accumulation in human K562 cells by hemin is reversible. <b>1981</b> , 212, 459-61	105
2188	Isoenzymes of lactate dehydrogenase in human leukemic cells in culture treated with inducers of differentiation. <b>1981</b> , 90, 396-401	24

2187	Cloning and nucleotide sequence analysis of human embryonic zeta-globin cDNA. <b>1982</b> , 1, 355-63	15
2186	Influence of vindesine on the lytic phase of mouse natural cytotoxicity against human leukemic cells. <b>1982</b> , 4, 183-97	1
2185	Application of cultured human myeloid cells (K562) for detection of immune complexes in human sera. <b>1982</b> , 11, 401-19	2
2184	Monoclonal antibodies to novel myeloid antigens reveal human neutrophil heterogeneity. <b>1982</b> , 79, 5374-8	58
2183	Fibrinogen and its fragment D stimulate proliferation of human hemopoietic cells in vitro. <b>1982</b> , 79, 6280-4	36
2182	Human Lymphoma-Lymphoma Hybrids and Lymphoma-Leukemia Hybrids. I. Isolation, Characterization, Cell Surface Markers, and B-Cell Markers23. <b>1982</b> ,	
2181	Interferon and Prostaglandins: Effects on Human Natural and Lectin-Induced Cytotoxicity. 1982,	
2180	Ganglioside Patterns: New Biochemical Markers for Human Hematopoietic Cell Lines. 1982,	1
2179	Generation of Suppressor Cells for Natural Killer Activity in Cancer Patients After Surgery. 1982,	1
2178	Membrane antigen on EpsteinBarr virus-infected human B cells recognized by a monoclonal antibody. <b>1982</b> , 79, 2649-53	24
2177	Natural killer cell activity and antibody-dependent cellular cytotoxicity in newborn infants. <b>1982</b> , 71, 431-6	4
2176	Expression of cellular homologues of retroviral onc genes in human hematopoietic cells. <b>1982</b> , 79, 2490-4	490
2175	Differential expression of the amv gene in human hematopoietic cells. <b>1982</b> , 79, 2194-8	373
2174	Interferon production potentials of various human lymphoblastoid cell lines. <b>1982</b> , 26, 1149-58	5
2173	Comparative effects of chemotherapeutic drugs on human and murine hematopoietic progenitors in vitro. <b>1982</b> , 28, 480-501	9
2172	Natural killer cell activity in patients with multiple sclerosis: interferon and plasmapheresis. <b>1982</b> , 160, 392-402	26
2171	Sensitivity of human natural killer cells to hyperthermia. <b>1982</b> , 1, 16-7	40
2170	Association between HLA B7, DR2 and dysfunction of natural- and antibody-mediated cytotoxicity without connection with the deficient interferon production in multiple sclerosis. <b>1982</b> , 4, 209-17	21

2169	Depressed spontaneous natural killing and interferon augmentation in patients with malignant lymphoma. <b>1982</b> , 18, 1081-8	27
2168	Enriched natural killing and antibody-dependent cellular cytotoxicity in lymphocyte populations adherent to tumor cell monolayers. <b>1982</b> , 161, 494-506	1
2167	Rearrangement in rDNA-bearing chromosomes in cell lines from neoplastic cells. <b>1982</b> , 6, 1-16	20
2166	Tissue factor-like activity of the human monocytic tumor cell line U937. <b>1982</b> , 27, 321-32	24
2165	Isolation of human and rat natural killer cells. <b>1982</b> , 51, 269-77	156
2164	HEL cells: a new human erythroleukemia cell line with spontaneous and induced globin expression. <b>1982</b> , 216, 1233-5	517
2163	Hemin regulates the expression of transferrin receptors in human hematopoietic cell lines. <b>1982</b> , 145, 350-4	40
2162	Stimulation of sialidase activity during cell differentiation of human promyelocytic leukemia cell line HL-60. <b>1982</b> , 104, 1239-46	26
2161	Identification of distinct target-specific subsets of NK cells in peripheral blood of normal donors. <b>1982</b> , 4, 123-35	10
2160	Relevance of lipids to heterotransplantation of human malignancies. <b>1982</b> , 39, 179-84	Ο
2159	Development of cytotoxic cells during in vitro cultures of pleural effusion lymphocytes from patients with lung cancer. <b>1982</b> , 39, 201-4	2
2158	The asparagine-linked sugar chains of plasma membrane glycoproteins of K-562 human leukaemic cells: a comparative study with human erythrocytes. <b>1982</b> , 91, 233-46	24
2157	Biological specificity of low molecular weight inhibitors of lymphocyte transformation. <b>1982</b> , 24, 74-81	1
2156	HLA antigen expression at the single cell level on a K562 X B cell hybrid: an analysis with monoclonal antibodies using bacterial binding assays. <b>1982</b> , 8, 775-89	75
2155	Surface glycoproteins of malignant human leukocytes. <b>1982</b> , 651, 65-83	8
2154	Characterization and distribution of a 24,000-molecular weight antigen defined by a monoclonal antibody (DU-ALL-1) elicited to common acute lymphoblastic leukemia (cALL) cells. <b>1982</b> , 6, 449-64	69
2153	VIL-A1, a monoclonal antibody reactive with common acute lymphatic leukemia cells. <b>1982</b> , 6, 137-47	80
2152	Preferential induction of fetal versus embryonic globin chains in human leukemic cell lines. <b>1982</b> , 6, 155-63	6

2151	Establishment, characterization and differentiation induction of a new human diploid myelomonocytic cell line (HL-92) derived from a patient with acute myelomonocytic leukemia. <b>1982</b> , 6, 729-41	7
2150	Establishment and characterization of a new permanent cell line (GDM-1) from a patient with myelomonoblastic leukemia. <b>1982</b> , 6, 743-52	26
2149	Stimulation of human lymphocytes with irradiated cells of the autologous Epstein-Barr virus-transformed cell line. I. Virus-specific and nonspecific components of the cytotoxic response. <b>1982</b> , 67, 129-40	54
2148	Effect of human recombinant interferon on cytotoxic activity of natural killer (NK) cells and monocytes. <b>1982</b> , 67, 160-7	126
2147	Ponceau S: A sensitive method for protein determination in freshly isolated and cultured cells. <b>1982</b> , 7, 77-80	11
2146	Lithium enhances growth of human leukaemia cells in vitro. <b>1982</b> , 51, 431-8	18
2145	Growth pattern of the human promyelocytic leukaemia cell line HL60. <b>1982</b> , 15, 399-404	7
2144	Hemoglobin expression in clones of K562 cell line. <b>1982</b> , 121, 649-55	16
2143	Human monoclonal autoimmune antibody produced in vitro: rheumatoid factor generated by Epstein-Barr virus-transformed cell line. <b>1982</b> , 12, 126-33	48
2142	Expression of cell surface lectins on activated human lymphoid cells. <b>1982</b> , 12, 570-6	25
2141	Lysis of fresh human B-lymphocyte-derived leukemia cells by interferon-activated natural killer (NK) cells. <b>1982</b> , 29, 1-7	30
2140	Monoclonal antibodies to Epstein-Barr virus-induced, transformation-associated cell surface antigens: binding patterns and effect upon virus-specific T-cell cytotoxicity. <b>1982</b> , 29, 373-81	135
2139	Cellular mechanisms underlying the adjuvant activity of Candida albicans in a mouse lymphoma model. <b>1982</b> , 29, 483-8	11
2138	Effects of human gamma interferon on cell growth, replication of virus and induction of 2'-5'oligoadenylate synthetase in three human lymphoblastoid cell lines and K562 cells. <b>1982</b> , 30, 161-5	32
2137	Effect of retinoic acid on the spontaneous and interferon-induced activity of human natural killer cells. <b>1982</b> , 30, 307-10	32
2136	Butyrate-induced histone hyperacetylation in human and mouse cells: estimation of putative sites of histone acetylation in vivo. <b>1982</b> , 20, 225-35	12
2135	Identification and quantitation of embryonic and three types of fetal hemoglobin produced on induction of the human pluripotent leukemia cell line K-562 with hemin. <b>1982</b> , 12, 1-12	17
2134	Cloned human T-cell lines with allospecific or natural killer-like cytotoxicity. <b>1982</b> , 4, 237-42	2

The role of human spleen interferon on natural killer activity of peripheral blood lymphocytes enriched in large granular lymphocytes. **1982**, 5, 345-50

2132 In vitro effects of cyclosporin A (CSA) on human hemopoietic cell lines. <b>1982</b> , 5, 123-7	19
2131 Natural killer cell activity in atopic dermatitis. <b>1982</b> , 274, 283-8	11
Arrest and extravasation of neoplastic cells. An electron microscopy study of serial sections at sequential stages. <b>1982</b> , 396, 73-89	16
2129 Impaired T-cell and NK-cell function in patients with preleukemia. <b>1982</b> , 45, 243-8	29
Soluble cytostatic factor(s) released from human monocytes. I. Production and effect on normal and transformed human target cells. <b>1982</b> , 15, 311-8	35
Amplification of endogenous myc-related DNA sequences in a human myeloid leukaemia cell line. <b>1982</b> , 298, 679-81	584
Onc gene amplification in promyelocytic leukaemia cell line HL-60 and primary leukaemic cells of the same patient. <b>1982</b> , 299, 61-3	594
Effect of interferon on cell proliferation and generation of cytotoxic potential in mixed autologous and allogeneic lymphocyte cultures. <b>1983</b> , 17, 211-23	9
Soluble cytostatic factor(s) released from human monocytes. II. Effects on target cell kinetics. <b>1983</b> , 18, 13-20	15
Effect of human monocyte-released cytostatic factors on target cell DNA synthesis, protein synthesis, and ATP content. <b>1983</b> , 18, 465-70	9
Localization of the c-ab1 oncogene adjacent to a translocation break point in chronic myelocytic leukaemia. <b>1983</b> , 306, 239-42	737
Rapid kinetics of lysis in human natural cell-mediated cytotoxicity: some implications. <b>1983</b> , 79, 197-2	206 18
2120 Mechanism of action of phorbol myristate acetate on human natural killer cell activity. <b>1983</b> , 80, 230-	-40 23
Different requirements for Ia-bearing accessory cells in mitogen versus antigen induction of human B-cell responses. <b>1983</b> , 78, 64-72	10
Patterns of antigenic expression on human monocytes as defined by monoclonal antibodies. <b>1983</b> , 78, 83-99	182
Studies on the mechanism of human natural killer cell-mediated cytolysis. I. Modulation by dexamethasone and arachidonic acid. <b>1983</b> , 78, 100-13	21
Protective effects of differentiation inducers on natural killer sensitivity of K 562 cells: Analysis at a single-cell level. <b>1983</b> , 78, 400-6	14

2115	Establishment of a Ph1 chromosome-positive cell line from chronic myelogenous leukemia in blast crisis. <b>1983</b> , 1, 105-17	80
2114	Immunotherapy of human leukemia with antibody to pluripotential K-562 stem cells. <b>1983</b> , 105, 83-93	1
2113	Host defense mechanisms against tumors as the principal targets of tumor promoters. <b>1983</b> , 105, 203-11	9
2112	Human spleen cells mediating natural killing: altered natural cytotoxicity of spleen effector cells from patients with carcinoma. <b>1983</b> , 106, 202-9	2
2111	Effects of inducers of erythroid differentiation of human leukemia K562 cells on vincristine-resistant K562/VCR cells. <b>1983</b> , 7, 481-5	13
2110	Differentiation of human leukemia cells and its usefulness for clinical diagnosis. <b>1983</b> , 7, 363-74	17
2109	Production of a mutant (HPRT) cell line on the basis of human erythromyeloleukemia K-562. <b>1983</b> , 96, 1440-1441	
2108	A lymphoproliferative disorder of the large granular lymphocytes with natural killer activity. <b>1983</b> , 3, 30-41	44
2107	The absence of beta 2-microglobulin in Daudi cells: active gene but inactive messenger RNA. <b>1983</b> , 17, 133-40	38
2106	Glycophorin A expression in malignant hematopoiesis. <b>1983</b> , 15, 219-26	49
2105	Two monoclonal antibodies identifying a subset of human peripheral mononuclear cells with natural killer cell activity. <b>1983</b> , 13, 521-7	14
2104	Allocytotoxic T cell clones: both Leu 2+3- and Leu 2-3+ T cells recognize class I histocompatibility antigens. <b>1983</b> , 13, 905-11	37
2103	Intrapleural administration of OK432 in cancer patients: activation of NK cells and reduction of suppressor cells. <b>1983</b> , 31, 1-5	96
2102	Establishment and characterization of a human non-secretory plasmacytoid cell line and its hybridization with human B cells. <b>1983</b> , 31, 133-41	39
2101	Effects of several species of human leukocyte interferon on cytotoxic activity of NK cells and monocytes. <b>1983</b> , 31, 285-9	101
2100	Cloned lines of SJL/J spleen cells with cytotoxic reactivity. <b>1983</b> , 31, 345-50	2
2099	Expression of the BLA antigen, defined by the monoclonal 38.13 antibody, on Burkitt lymphoma lines, lymphoblastoid cell lines, their hybrids and other B-cell lymphomas and leukemias. <b>1983</b> , 31, 535-42	38
2098	Lysis of fresh human tumor cells by autologous large granular lymphocytes from peripheral blood and pleural effusions. <b>1983</b> , 32, 37-44	65

2097	Variance in resistance to natural and antibody-dependent cellular cytotoxicity and to complement-mediated lysis among K562 lines. <b>1983</b> , 32, 219-25	7
2096	Gamma-interferon (IFN-gamma) produced during effector and target interactions renders target cells less susceptible to NK-cell-mediated lysis. <b>1983</b> , 32, 609-16	27
2095	Depression of monocyte-mediated cytotoxicity by renal carcinoma and restoration through therapy. <b>1983</b> , 22, 51-5	3
2094	The effect of differentiation inducers on the sensitivity of two myeloid cell lines to natural killer (NK) cell-mediated lysis. <b>1983</b> , 5, 411-9	3
2093	An in vitro study on the effects of isoprinosine on immune responses in cancer patients. <b>1983</b> , 5, 481-90	15
2092	Ethanol activation of human natural cytotoxicity. <b>1983</b> , 6, 303-16	20
2091	Modulation of natural killer activity by aspirin: I. In vitro effect of aspirin. 1983, 3, 11-7	8
2090	The evaluation of serial measurements of the NK cell activity in man. <b>1983</b> , 165, 475-84	15
2089	Nature of natural killer cell hyporesponsiveness in the Chediak-Higashi syndrome. <b>1983</b> , 6, 45-52	14
2088	Target-effector-cell interactions in the human natural-killer(NK)-system: isolation of target structures. <b>1983</b> , 165, 15-26	9
2087	Susceptibility of human ocular melanoma cells to spontaneous and interferon-augmented natural cytotoxicity. <b>1983</b> , 18, 205-13	1
2086	Surface markers and biological functions of PMNC fractionated by countercurrent centrifugal elutriation. <b>1983</b> , 134D, 191-206	3
2085	A modified short-term cytotoxicity test: assessment of natural cell-mediated cytotoxicity in whole blood. <b>1983</b> , 62, 79-85	19
2084	Quantification of natural cytotoxicity by human lymphocyte subpopulations isolated by density: heterogeneity of the effector cells. <b>1983</b> , 58, 323-35	65
2083	A method for in vitro clearance of mycoplasma from human cell lines. <b>1983</b> , 64, 133-9	17
2082	Persistence of herpes simplex virus type-2 genome in a human leukemic cell line. <b>1983</b> , 740, 271-81	1
2081	Natural cytotoxicity in malignant and premalignant cervical neoplasia and enhancement of cytotoxicity with interferon. <b>1983</b> , 15, 340-9	17
2080	Selective reactivation of Epstein-Barr virus-specific cytotoxic T cells by stimulation in vitro with allogeneic virus-transformed HLA-homozygous typing cells. <b>1983</b> , 6, 151-65	4

2079	Characterization of insulin binding to the erythroleukemia cell line K 562. <b>1983</b> , 117, 823-34	13
2078	Simultaneous interaction of monoclonal antibody-targeted liposomes with two receptors on K562 cells. <b>1983</b> , 730, 187-95	32
2077	Distinctive patterns of cAMP-binding proteins and their relationship to hemopoietic cellular differentiation. <b>1983</b> , 145, 447-51	5
2076	Detection of avian hematopoietic cell surface antigens with monoclonal antibodies to myeloid cells. Their distribution on normal and leukemic cells of various lineages. <b>1983</b> , 143, 383-94	64
2075	Erythroid properties of K562 cells. Effect of hemin, butyrate and TPA induction. <b>1983</b> , 146, 428-35	42
2074	Functional and phenotypic characterization of two HL60 clones resistant to dimethylsulfoxide. <b>1983</b> , 147, 111-8	4
2073	A conjugate of the A1 peptide of cholera toxin and the lectin of Wisteria floribunda that activates the adenylate cyclase of intact cells. <b>1983</b> , 164, 132-4	2
2072	Surface charge of old, transformed, and experimentally deteriorated erythrocytes. <b>1983</b> , 416, 149-58	14
2071	The role of E receptors in the attachment of thymocytes and T lymphocytes to human target cells. <b>1983</b> , 29, 349-58	7
2070	Elevated antibody titers to Epstein-Barr virus and low natural killer cell activity in patients with Chediak-Higashi syndrome. <b>1983</b> , 27, 326-39	39
2069	A glycolipid antigen associated with Burkitt lymphoma defined by a monoclonal antibody. <b>1983</b> , 220, 509-11	211
2068	DNase I hypersensitivity in the gamma globin gene locus of K562 cells. <b>1983</b> , 11, 6065-77	23
2067	Transcriptional regulation of globin gene expression in the human erythroid cell line K562. <b>1983</b> , 220, 1281-3	130
2066	Natural cell-mediated cytotoxicity among A-bomb survivors residing in the United States. <b>1983</b> , 44, 213-8	
2065	Cytotoxicity of temporarily adherent human mononuclear blood cells in monocyte monolayers. <b>1983</b> , 72, 143-9	4
2064	Leukemia cell lines can replace monocytes for mitogen-induced T-lymphocyte responses: this accessory function is dependent upon their differentiation stage. <b>1983</b> , 80, 6028-31	13
2063	Binding of apotransferrin to K562 cells: explanation of the transferrin cycle. <b>1983</b> , 80, 2263-6	568
2062	Abundant transcription of a cellular gene in T cells infected with human T-cell leukemia-lymphoma virus. <b>1983</b> , 80, 11-5	51

2061	Inducible transcription of five globin genes in K562 human leukemia cells. 1983, 80, 5515-9	116
2060	Rearrangement and amplification of c-abl sequences in the human chronic myelogenous leukemia cell line K-562. <b>1983</b> , 80, 4813-7	184
2059	Recombination and balanced chromosome polymorphism suggested by DNA sequences 5' to the human delta-globin gene. <b>1983</b> , 80, 5012-6	81
2058	Amplified C lambda and c-abl genes are on the same marker chromosome in K562 leukemia cells. <b>1983</b> , 80, 7289-92	78
2057	Human fetal to adult hemoglobin switching: changes in chromatin structure of the beta-globin gene locus. <b>1983</b> , 80, 7551-5	184
2056	Inhibition of Differentiation and Proliferation of Colony-Stimulating Factor-Induced Clonal Growth of Normal Human Marrow Cells In Vitro by Retinoic Acid. <b>1983</b> ,	
2055	Lysis of Fresh Human Tumor Cells by Autologous Peripheral Blood Lymphocytes and Pleural Effusion Lymphocytes Activated by OK4322. <b>1983</b> ,	
2054	A critical intracellular concentration of fully reduced non-methylated folate polyglutamates prevents macrocytosis and diminished growth rate of human cell line K562 in culture. <b>1983</b> , 214, 465-70	9
2053	Developmental genetics of the human haemoglobins. <b>1983</b> , 215, 1-10	27
2052	Fundamentals of chemotherapy of myeloid leukemia by induction of leukemia cell differentiation. <b>1983</b> , 38, 121-69	125
2051	Glycophorin A: in vitro biogenesis and processing. <b>1983</b> , 96, 281-98	8
2050	Molecular cloning of the avian acute transforming retrovirus MH2 reveals a novel cell-derived sequence (v-mil) in addition to the myc oncogene. <b>1983</b> , 2, 2189-2194	66
2049	Isolation and characterization of multiple human genes homologous to the oncogenes of avian erythroblastosis virus <b>1983</b> , 2, 561-565	53
2048	Stage-specific embryonic antigens (SSEA-3 and -4) are epitopes of a unique globo-series ganglioside isolated from human teratocarcinoma cells <b>1983</b> , 2, 2355-2361	388
2047	Cell-Destructive Activity in the Serum of a Tumor Patient After Infusion of Alkyl Lysophospholipid. 1983,	
2046	Analysis of Natural Killer Cell Cytotoxicity of Cancer Patients Treated With Recombinant Interferon23. <b>1983</b> ,	
2045	The glycosidic antigen recognised by a novel monoclonal antibody, 75.12, is developmentally regulated on mouse embryonal carcinoma cells <b>1983</b> , 2, 2217-2222	32
2044	Attached celllantigen 28.3.7 mapping to human chromosome 15 characterises TPA-induced differentiation of the promyelocytic HL-60 cell line to give macrophage/monocyte populations 1983, 2, 2007-2012	9

2043	Common multigenic activation in different human neoplasias <b>1983</b> , 2, 1621-1624	9
2042	INTRACELLULAR FOLATE CONCENTRATION AND GROWTH RATE IN FOLATE-DEPLETED K562 HUMAN LEUKEMIA CELLS. <b>1983</b> , 351-366	
2041	Cytotoxicity of Antibody-Directed Liposomes That Recognize Two Receptors on K562 Cells23. <b>1984</b>	
2040	Antitumor Effects of a Normal Human Serum Factor (Normal Human Globulin Fraction 1) on Human Tumor Cells In Vitro. <b>1984</b> ,	
2039	Chloride transport properties of human leukemic cell lines K562 and HL60. <b>1984</b> , 247, C53-60	18
2038	The Rosetting Antiglobulin Test as a Means of Determining the D Zygosity of Human Red Cells. <b>1984</b> , 46, 175-179	
2037	Natural Killer Cell Activity and Autologous Tumor Killing Activity in Cancer Patients: Overlapping Involvement of Effector Cells as Determined in Two-Target Conjugate Cytotoxicity Assay2. <b>1984</b> ,	
2036	Monoclonal Antibodies Reactive With Small Cell Carcinoma of the Lung. 1984,	
2035	The molecular genetics of human hemoglobin. <b>1984</b> , 31, 315-462	318
2034	Three monoclonal antibodies defining distinct differentiation antigens associated with different high molecular weight polypeptides on the surface of human embryonal carcinoma cells. <b>1984</b> , 3, 347-61	182
2033	Altered transcription of the c-abl oncogene in K-562 and other chronic myelogenous leukemia cells. <b>1984</b> , 225, 72-4	175
2032	Acquired iron-deficiency anemia caused by an antibody against the transferrin receptor. <b>1984</b> , 311, 214-8	42
2031	Effects of diethylstilbestrol on human natural killer cells in vitro. <b>1984</b> , 8, 19-25	13
2030	Natural killer-like activity mediated by activated T lymphocytes. <b>1984</b> , 87, 327-39	14
2029	K562 cells induced to differentiate by phorbol ester tumor promotors resist NK lysis. <b>1984</b> , 87, 389-99	18
2028	Inhibition of cell-mediated lympholysis by cloned and uncloned lines of natural killer cells and cytotoxic T lymphocytes with sugars and lectins. <b>1984</b> , 88, 162-73	12
2027	Monoclonal antibody against K562 cell line accelerates killing of the target cells by large granular lymphocytes. <b>1984</b> , 84, 94-103	11
2026	Assessment of a role for phospholipase A2 and arachidonic acid metabolism in human lymphocyte natural cytotoxicity. <b>1984</b> , 87, 270-83	26

2025	Selective inhibition of natural killer activity by the monoclonal antibodies OKT10 and VEP10 at the single cell level. <b>1984</b> , 88, 382-92	1
2024	Mechanism of cell-mediated cytotoxicity at the single-cell level. VII. Trigger of the lethal hit event is distinct for NK/K and LDCC effector cells as measured in the two-target conjugate assay. <b>1984</b> , 83, 199-207	12
2023	Effects of monoclonal antibodies against lymphocyte surface antigens on interleukin 2 excretion by Epstein-Barr virus-specific human T-cell hybridomas. <b>1984</b> , 85, 67-74	5
2022	Lymphocyte subpopulations in the neonate: a subset of HNK-1-, OKT3-, OKT8+ lymphocytes displays natural killer activity. <b>1984</b> , 85, 252-7	26
2021	Effect of lymphokines on the production of cytostatic protein factors from human monocytes. <b>1984</b> , 89, 365-75	14
2020	Natural killer cell sensitivity of human lymphoid lines of B-cell origin does not correlate with tumorigenicity or with the expression of certain differentiation markers. <b>1984</b> , 86, 278-86	12
2019	NALL-1, an acute lymphoblastic leukemia cell line with peroxidase activity. <b>1984</b> , 20, 884-8	
2018	Human leukemia K-562 cells: induction of erythroid differentiation by 5-azacytidine. <b>1984</b> , 14, 87-97	60
2017	Inhibition of transferring binding and iron uptake of hematopoietic cell lines by phorbol esters. <b>1984</b> , 8, 597-609	13
2016	Erythroid differentiation in CGL cells from a patient with blast crisis. <b>1984</b> , 8, 713-21	
	Erythroid differentiation in CGL cells from a patient with blast crisis. <b>1984</b> , 8, 713-21  K562 human leukemia cell passages differ in embryonic globin gene expression. <b>1984</b> , 8, 45-54	16
2015		16 150
2015	K562 human leukemia cell passages differ in embryonic globin gene expression. <b>1984</b> , 8, 45-54	
2015	K562 human leukemia cell passages differ in embryonic globin gene expression. <b>1984</b> , 8, 45-54  Megakaryoblastic differentiation of proerythroblastic K562 cell-line cells. <b>1984</b> , 8, 197-206  Expression of myeloid-specific antigens on two human erythroleukaemia cell lines, HEL and K562.	150
2015 2014 2013	K562 human leukemia cell passages differ in embryonic globin gene expression. <b>1984</b> , 8, 45-54  Megakaryoblastic differentiation of proerythroblastic K562 cell-line cells. <b>1984</b> , 8, 197-206  Expression of myeloid-specific antigens on two human erythroleukaemia cell lines, HEL and K562. <b>1984</b> , 8, 207-11	150 14
2015 2014 2013 2012	K562 human leukemia cell passages differ in embryonic globin gene expression. <b>1984</b> , 8, 45-54  Megakaryoblastic differentiation of proerythroblastic K562 cell-line cells. <b>1984</b> , 8, 197-206  Expression of myeloid-specific antigens on two human erythroleukaemia cell lines, HEL and K562. <b>1984</b> , 8, 207-11  Cell surface glycoconjugates as onco-differentiation markers in hematopoietic cells. <b>1985</b> , 780, 119-50	150 14 57
2015 2014 2013 2012 2011	K562 human leukemia cell passages differ in embryonic globin gene expression. 1984, 8, 45-54  Megakaryoblastic differentiation of proerythroblastic K562 cell-line cells. 1984, 8, 197-206  Expression of myeloid-specific antigens on two human erythroleukaemia cell lines, HEL and K562. 1984, 8, 207-11  Cell surface glycoconjugates as onco-differentiation markers in hematopoietic cells. 1985, 780, 119-50  The binding of insulin-like growth factor II to the erythroleukemia cell line K562. 1984, 4, 1071-7  Accumulation of a heat shock-like protein during differentiation of human erythroid cell line K562. 1984, 309, 631-3	150 14 57 8

2007	The rosetting antiglobulin test as a means of determining the D zygosity of human red cells. <b>1984</b> , 46, 175-9	4
2006	GM 58/8: a monoclonal antibody that identifies a new lineage-specific determinant expressed by myeloid progenitors (CFU-GM) and their progeny. <b>1984</b> , 58, 147-58	7
2005	A kinetic and clonal analysis of heterogeneity in K562 cells. <b>1984</b> , 118, 186-92	23
2004	Maintenance of granulocyte-monocyte progenitor cells in liquid cultures of human foetal liver. <b>1984</b> , 119, 227-33	5
2003	The role of iron in the growth of human leukemic cell lines. <b>1984</b> , 121, 251-6	35
2002	The human c-abl oncogene in the Philadelphia translocation. <b>1984</b> , 3, 179-91	19
2001	Target structure for natural killer cells: evidence against a unique role for transferrin receptor. <b>1984</b> , 14, 340-4	30
2000	M2, a novel myelomonocytic cell surface antigen and its distribution on leukemic cells. <b>1984</b> , 33, 617-23	89
1999	Influence of 12-O-tetradecanoylphorbol-13-acetate (TPA) on the susceptibility of K562 to natural cytotoxicity: evidence for clonal variation in differentiation-induced changes of lytic sensitivity. <b>1984</b> , 33, 693-700	7
1998	Interferon induction in human mixed leukocyte-tumor-cell reactions: evidence for restriction to a certain lineage expressing glycophorin A. <b>1984</b> , 34, 39-47	4
1997	Strong natural killer (NK) cell activity in bone marrow of myeloma patients: accelerated maturation of bone marrow NK cells and their interaction with other bone marrow cells. <b>1984</b> , 34, 375-81	47
1996	Definition of three species-specific monoclonal antibodies recognizing antigenic structures present on human embryonal carcinoma cells which undergo modulation during in vitro differentiation. <b>1984</b> , 34, 487-94	8
1995	Epitopes immunologically related to glycophorin A on human malignant and non-malignant cells in culture. <b>1984</b> , 34, 789-95	10
1994	Differentiation modifiers. <b>1984</b> , 54, 2766-9	30
1993	Natural cytotoxicity of human blood monocytes: production of monocyte cytotoxic factors (MCF) during interaction with tumor cells. <b>1984</b> , 8, 311-6	12
1992	Local and metastatic growth and in vivo differentiation of human myeloid leukemia cells transplanted in nude mice. <b>1984</b> , 403, 41-57	
1991	Synchronization of human leukemic cells: relevance for high-resolution chromosome banding. <b>1984</b> , 66, 220-4	27
1990	Human leukemia K562 cells: relationship between hemin-mediated erythroid induction, cell proliferation and expression of c-abl and c-myc oncogenes. <b>1984</b> , 125, 90-6	12

1989	A placebo-controlled trial of thymic hormone treatment of recurrent herpes simplex labialis infection in immunodeficient host: results after a 1-year follow-up. <b>1984</b> , 30, 11-8	15
1988	Inhibition of activity of human NK and K cells by simple sugars: discrimination between binding and postbinding events. <b>1984</b> , 31, 439-43	20
1987	Spiral bacteria of the gastric antrum. <b>1984</b> , 1, 1068-9	119
1986	Induction of erythroid differentiation in K562 cells and natural killer cell-mediated lysis: distinct effects at the level of recognition and lysis in relation to target cell proliferation. <b>1984</b> , 167, 389-97	4
1985	Vasodilators in cerebrovascular disease. <b>1984</b> , 1, 1069	
1982	Fluorescence studies using synchrotron radiation on normal and differentiated cells labeled with parinaric acids. <b>1984</b> , 805, 117-22	4
1983	The control of transferrin receptor synthesis in mitogen-stimulated human lymphocytes. <b>1984</b> , 154, 510-20	24
1982	Synergistic inhibition of human leukemia cell growth by deoxyguanosine and 1-beta-D-arabinofuranosylcytosine. <b>1984</b> , 33, 1059-63	5
1981	Agglutinating activity of gliadin-derived peptides from bread wheat: implications for coeliac disease pathogenesis. <b>1984</b> , 121, 428-33	56
1980	Human and murine natural killer cell activity may require lipoxygenation of arachidonic acid. <b>1984</b> , 74, 407-11	13
1979	Severe combined immunodeficiency with natural killer-cell predominance: abrogation of graft-versus-host disease and immunologic reconstitution with HLA-identical bone marrow cells. 1984, 73, 829-36	21
1978	Anti-myeloid-cell antibody in procainamide-induced agranulocytosis. <b>1984,</b> 1, 1069-70	6
1977	An alteration of the human c-abl protein in K562 leukemia cells unmasks associated tyrosine kinase activity. <b>1984</b> , 37, 1035-42	773
1976	Stable transfer and expression of exogenous human globin genes in human erythroleukemia (K562) cells. <b>1984</b> , 81, 5315-9	28
1975	Erythroleukemia (K562) cells contain a functional beta-globin gene. <b>1984</b> , 4, 2553-5	15
1974	An 8-kilobase abl RNA transcript in chronic myelogenous leukemia. <b>1984</b> , 81, 5648-52	161
1973	Long-term cultivation and differentiation of human erythroleukemia cells in a protein-free chemically defined medium. <b>1984</b> , 81, 453-5	24
1972	Assignment of the gene for methylthioadenosine phosphorylase to human chromosome 9 by mouse-human somatic cell hybridization. <b>1984</b> , 81, 2665-8	44

1971	Binding of transferrin and uptake of iron by K-562 cells. <b>1984</b> , 44, 549-53	5
1970	A beta-globin gene, inactive in the K562 leukemic cell, functions normally in a heterologous expression system. <b>1984</b> , 81, 4485-9	37
1969	Epstein-Barr virus receptor of human B lymphocytes is the C3d receptor CR2. <b>1984</b> , 81, 4510-4	764
1968	Enhanced Natural Killer Sensitivity With Concomitant Clonal Selection for Cells Bearing Homogeneously Staining Regions in the Human Melanoma Cell Line MeWo Upon Induction of Differentiation With Theophylline2. <b>1984</b> ,	
1967	Lysis of Fresh Human Tumor Cells by Autologous Large Granular Lymphocytes and T-Lymphocytes: Two Distinct Killing Activities Induced by Coculture With Autologous Tumor2. <b>1984</b> ,	
1966	Reversal of Deamination-Related Cytotoxicity of 5-Methyl-2?-deoxycytidine by Tetrahydrouridine in Human Leukemia Cells2. <b>1984</b> ,	
1965	Cell lines and clinical isolates derived from Ph1-positive chronic myelogenous leukemia patients express c-abl proteins with a common structural alteration. <b>1985</b> , 82, 1810-4	201
1964	Natural cytotoxicity of human blood lymphocytes and monocytes and their cytotoxic factors: effect of interferon on target cell susceptibility. <b>1985</b> , 75, 849-57	27
1963	Detection of c-abl tyrosine kinase activity in vitro permits direct comparison of normal and altered abl gene products. <b>1985</b> , 5, 3116-23	230
1962	The human gene encoding GM-CSF is at 5q21-q32, the chromosome region deleted in the 5q-anomaly. <b>1985</b> , 230, 1282-5	204
1961	Multistep transformation by defined fragments of herpes simplex virus type 2 DNA: oncogenic region and its gene product. <b>1985</b> , 82, 8493-7	38
1960	Adult and fetal human globin genes are expressed following chromosomal transfer into MEL cells. <b>1985</b> , 82, 780-4	15
1959	Cellular and viral DNA hypomethylation associated with induction of Epstein-Barr virus lytic cycle. <b>1985</b> , 82, 8090-4	91
1958	Lack of lymphocyte-induced DNA fragmentation in human targets during lysis represents a species-specific difference between human and murine cells. <b>1985</b> , 82, 4482-5	16
1957	Disconnection of genes coding for self-renewal and differentiation: a possible mechanism of diversity in acute myeloid leukemias. <b>1985</b> , 50, 257-65	2
1956	High concordance between marker profiles of 22 human leukemia-lymphoma cell lines tested with the same monoclonal antibodies before and during the second international workshop on human differentiation antigens. <b>1985</b> , 20, 75-9	
1955	Effects of hemin on a lymphoblastoid cell line that expresses the human epsilon- and gamma-globin genes. <b>1985</b> , 68, 11-22	
1954	The effect of acute exercise on natural killer-cell activity of trained and sedentary human subjects. 1985, 5, 321-8	100

1953	Stable replication of plasmids derived from Epstein-Barr virus in various mammalian cells. <b>1985</b> , 313, 812-5	1194
1952	c-myc oncogene protein synthesis is independent of the cell cycle in human and avian cells. <b>1985</b> , 314, 366-9	357
1951	Human monocyte-released cytotoxic factor. Modulation of cytotoxic activity by inhibitors of cellular DNA, RNA, and protein synthesis. <b>1985</b> , 22, 251-8	7
1950	1,25-Dihydroxyvitamin D3-differentiated human promyelocytic leukaemia cells (HL-60) can kill antibody-coated tumour cells (K562). <b>1985</b> , 22, 105-9	5
1949	In vitro restoration of immune responses in aging humans by isoprinosine. <b>1985</b> , 7, 199-206	22
1948	Effects of recombinant interferons on the clonogenic growth of leukemic cells and normal hemopoietic progenitors. <b>1985</b> , 3, 304-12	9
1947	Differentiation of leukemic cell lines: a review focusing on murine erythroleukemia and human HL-60 cells. <b>1985</b> , 3, 349-66	43
1946	In vitro differentiation of a human erythroid cell line (KMOE) induced by some metabolic inhibitors. <b>1985</b> , 110, 203-8	2
1945	The calmodulin content of normal and leukaemic lymphocytes. <b>1985</b> , 5, 721-7	3
1944	Segregation of the NK-sensitive phenotype in human x mouse somatic cell hybrids reveals separate genetic control of recognition and postrecognition determinants. <b>1985</b> , 94, 85-99	
1943	Production and characterization of cytostatic protein factors released from human monocytes during exposure to lipopolysaccharide and muramyl dipeptide. <b>1985</b> , 93, 375-86	26
1942	Role of class II histocompatibility antigens in Staphylococcus aureus protein A-induced activation of human T lymphocytes. <b>1985</b> , 90, 52-64	5
1941	Selective inhibitory effect of Hu-IFN-gamma on the agarose clonability of tumor-derived lymphoid cell lines. <b>1985</b> , 90, 65-73	4
1940	IFN-gamma-induced production of monocyte cytotoxic factor. <b>1985</b> , 95, 392-406	23
1939	Studies on the mechanism of specificity of human natural killer cells for tumor cells: correlation between target cell transferrin receptor expression and competitive activity. <b>1985</b> , 96, 255-66	18
1938	Evidence of a new chimeric bcr/c-abl mRNA in patients with chronic myelocytic leukemia and the Philadelphia chromosome. <b>1985</b> , 313, 1429-33	214
1937	Study of differentiation of fresh myelogenous leukemic cells by compounds that induce a human promyelocytic leukemic line (HL-60) to differentiate. <b>1985</b> , 9, 73-81	19
1936	NHL-30.5: a monoclonal antibody reactive with an acute myeloid leukemia (AML)-associated antigen. <b>1985</b> , 9, 135-45	12

1935	A cyclic AMP binding protein pattern useful as a biochemical differentiation marker of erythroleukemic cell lines and normal cloned erythroblasts. <b>1985</b> , 9, 1457-61	1
1934	Catalogue of Epstein-Barr virus (EBV) receptors on human malignant and non-malignant hematopoietic cell lines. <b>1985</b> , 9, 231-8	19
1933	A monoclonal antibody (NAT-9 II:3F-6F) that identifies a differentiation antigen on human myeloid cells. <b>1985</b> , 9, 1161-70	13
1932	A novel Ph1 chromosome positive cell line established from a patient with chronic myelogenous leukemia in blastic crisis. <b>1985</b> , 9, 921-6	18
1931	Estramustine phosphate-reduced proliferation of murine and human cell lines and murine transplantable tumors. <b>1985</b> , 185, 233-43	3
1930	Insulin requirement of human leukemic cell lines. <b>1985</b> , 41, 1067-8	
1929	Natural killer-like activity in human cultured lymphoid cells propagated in the presence of interleukin-2: acquired resistance to prostaglandin E2- or dexamethasone-mediated suppression. <b>1985</b> , 41, 667-9	2
1928	Efficient cell proliferation and predominant accumulation of epsilon-globin mRNA in human leukemic K562 cells which produce mostly Hb Gower 1. <b>1985</b> , 41, 673-5	13
1927	Activation of human blood lymphocytes and monocytes by the streptococcal preparation OK432: enhanced generation of soluble cytotoxic factors. <b>1985</b> , 10, 177-81	21
1926	The relevance of alpha-naphthyl acetate esterases to various monocyte functions. <b>1985</b> , 61, 717-26	21
1925	Natural killer cell activity in childhood acute lymphoblastic leukaemia in remission. <b>1985</b> , 59, 45-53	39
1924	Reactivity of rat monoclonal antibody CAMPATH-1 with human leukaemia cells and its possible application for autologous bone marrow transplantation. <b>1985</b> , 60, 41-8	62
1923	The iron-chelating agent picolinic acid enhances transferrin receptors expression in human erythroleukaemic cell lines. <b>1985</b> , 60, 491-502	24
1922	Heterogeneous glycosylation of murine transferrin receptor subunits. <b>1985</b> , 149, 543-8	8
1921	Changes in self-renewal potential of human leukemic cells (K562): a bidirectional stochastic process. <b>1985</b> , 123, 249-56	8
1920	Accessory function of human leukemic cell lines: properties of B and B-K562 hybrid cell lines. <b>1985</b> , 15, 256-61	7
1919	Analysis of human T lymphocyte activation in a T cell tumor model system. <b>1985</b> , 15, 308-11	14
1918	Capacity of B-lymphocytic lines of diverse tumor origin to produce and respond to B-cell growth factors: a progression model for B-cell lymphomagenesis. <b>1985</b> , 35, 251-6	50

1917	differentiation antigen of neutrophilic lineage. <b>1985</b> , 35, 781-6	26
1916	Host cell range of adult T-cell leukemia virus. I. Viral infectivity and binding to various cells as detected by flow cytometry. <b>1985</b> , 36, 191-8	12
1915	Changes in cellular ferritin content during myeloid differentiation of human leukemic cell lines. <b>1985</b> , 18, 143-51	8
1914	In vitro generation of procoagulant activity by leukemic promyelocytes in response to cytotoxic drugs. <b>1985</b> , 20, 257-65	31
1913	Enhancement of natural killer cell activity and 2-5A synthetase in operable breast cancer patients treated with polyadenylic; polyuridylic acid. <b>1985</b> , 55, 357-62	27
1912	Differential expression of human globin genes introduced in K562 cells <b>1985</b> , 4, 927-931	26
1911	Changes in Cellular Lipid Synthesis of Normal and Neoplastic Cells During Cytolysis Induced by Alkyl Lysophospholipid Analogues2. <b>1985</b> ,	2
1910	Growth of tumor cells with different sensitivities for murine natural killer cells in young and adult athymic nude mice. <b>1985</b> , 53, 24-31	3
1909	Tissue specific transcription of the human epsilon-globin gene following transfection into the embryonic erythroid cell line K562. <b>1985</b> , 13, 6125-36	15
1908	Regional mapping of two human immunoglobulin V lambda genes and analysis of the V lambda locus in chronic myeloid leukaemia. <b>1985</b> , 13, 5761-70	2
1907	Chronic and Acute Leukemias in Adults. 1985,	
1906	Detection of a unique human V kappa IV germline gene by a cloned cDNA probe. <b>1985</b> , 13, 6531-44	20
1905	Trans acting regulation of beta globin gene expression in erythroleukemia (K562) cells. <b>1985</b> , 13, 5203-13	15
1904	Characterization of an unique RNA initiated immediately upstream from human alpha 1 globin gene in vivo and in vitro: polymerase II-dependence, tissue specificity, and subcellular location. <b>1985</b> , 13, 6059-74	11
1903	New observations regarding killing of fibroblasts infected with herpes simplex virus: cooperation between elutable factor and peripheral mononuclear cells. <b>1985</b> , 152, 1197-205	5
1902	Radiation response of haematopoietic cell lines of human origin. <b>1986</b> , 49, 423-31	16
1901	Activation of the c-abl oncogene by viral transduction or chromosomal translocation generates altered c-abl proteins with similar in vitro kinase properties. <b>1985</b> , 5, 204-13	146
1900	Biosynthesis of glycosphingolipids by human myeloid leukemia cells. <b>1985</b> , 24, 6978-84	15

1899	Sequence and structure of a human glucose transporter. <b>1985</b> , 229, 941-5	1375
1898	Abnormal globin gene structure and expression in beta-thalassemia. <b>1985</b> , 445, 1-9	6
1897	New methodology for liposome targeting to specific cells. <b>1985</b> , 446, 341-8	15
1896	Expression of genes on human chromosome 21. <b>1985</b> , 450, 43-54	6
1895	The human cellular abl gene product in the chronic myelogenous leukemia cell line K562 has an associated tyrosine protein kinase activity. <b>1985</b> , 140, 230-8	149
1894	Chromatin structure during bleomycin-induced DNA damage and repair. <b>1985</b> , 1, 139-44	3
1893	Hematopoiesis 🖟 multi-tiered organization of proliferation and differentiation. <b>1985</b> , 10, 333-334	2
1892	Polyadenylation of a human mitochondrial ribosomal RNA transcript detected by molecular cloning. <b>1985</b> , 35, 305-12	16
1891	A novel method for the purification of DNA single strands suitable for DNA sequencing. <b>1985</b> , 2, 95-99	6
1890	Modulation of natural killing by tumor promoters: the regulatory influence of adherent cells varies with the type of target cell. <b>1985</b> , 169, 436-46	5
1889	A rapid and efficient microtechnique for the analysis of functional transferrin receptors on tumor cells. <b>1985</b> , 79, 213-21	12
1888	Alteration in the membrane fatty acid composition of human lymphocytes and cultured transformed cells induced by interferon. <b>1985</b> , 22, 1107-13	19
1887	Glycophorin A on normal and leukemia cells detected by monoclonal antibodies, including a new monoclonal antibody reactive with glycophorins A and B. <b>1985</b> , 22, 369-78	17
1886	Hormonal modulation of human natural killer cell activity in vitro. <b>1985</b> , 7, 105-10	62
1885	The suppressive effect of progesterone on lymphocyte cytotoxicity: unique progesterone sensitivity of pregnancy lymphocytes. <b>1985</b> , 7, 121-8	57
1884	Cytologic evidence for increased rRNA gene activity in hemin-induced K562(S) cells. <b>1985</b> , 17, 113-22	5
1883	Rearrangement and possible amplification of the ribosomal RNA gene sites in the human chronic myelogenous leukemia cell line K562. <b>1985</b> , 18, 27-30	15
1882	Translocations that highlight chromosomal regions of differentiated activity. <b>1985</b> , 18, 159-71	43

1881	Modal karyotype of human leukemia cell line, K562 (ATCC CCL 243). <b>1985</b> , 17, 55-60	27
1880	Erythroid induction of K562 human leukemia cells: enhancement by purines. <b>1985</b> , 239, 567-73	3
1879	Induction of haemoglobin synthesis in the human leukaemia cell line K562 by monomethyltriazenes and imidazotetrazinones. <b>1985</b> , 34, 2077-82	18
1878	Cellular activation of diaziquone [2,5-diaziridinyl-3,6-bis (carboethoxyamino)-1,4-benzoquinone] to its free radical species. <b>1985</b> , 34, 1449-55	24
1877	Molecular mechanisms regulating the synthesis of transferrin receptors and ferritin in human erythroleukemic cell lines. <b>1985</b> , 183, 223-7	13
1876	Action of a cytotoxin from Pseudomonas aeruginosa on human leukemic cell lines. Increase in cell permeability to Ca2+ and Mn2+ and lack of stimulation of inositol lipid turnover. <b>1985</b> , 189, 33-6	12
1875	Therapeutic effect of cryosurgery of murine osteosarcomainfluence on disease outcome and immune function. <b>1985</b> , 22, 77-85	16
1874	Ca2+-dependent cysteine proteinase, calpains I and II are not phosphorylated in vivo. <b>1986</b> , 136, 1090-6	20
1873	Folylpolyglutamate synthetase inhibition and cytotoxic effects of methotrexate analogs containing 2,omega-diaminoalkanoic acids. <b>1986</b> , 35, 2607-13	31
1872	Effects of cytochalasins and colchicine on the accumulation and retention of daunomycin and vincristine in drug resistant tumor cells. <b>1986</b> , 35, 1087-90	18
1871	Antitumour imidazotetrazines-X. Effect of 8-carbamoyl-3-methylimidazo[5,1-d]-1,2,3,5-tetrazin-4-(3H)-one (CCRG 81045; M & B 39831; NSC 362856) on DNA methylation during induction of haemoglobin synthesis in human leukaemia cell	14
1870	line K562. <b>1986</b> , 35, 311-6  Human histone gene organization. Identification of a histone gene polymorphism prevalent in a black population. <b>1986</b> , 164, 507-15	3
1869	Mechanisms involved in the induction of malignant cell differentiation. <b>1986</b> , 25, 507-29	6
1868	Natural killer cell response to interferons. <b>1986</b> , 39, 264-76	3
1867	Studies of rheumatoid synovial fluid lymphocytes. III. Phenotypic and functional analysis of natural killer-like cells. <b>1986</b> , 39, 159-67	10
1866	A double-blind clinical trial of the effects of inosine pranobex in immunodepressed patients with prolonged generalized lymphadenopathy. <b>1986</b> , 39, 179-86	25
1865	Production of human monoclonal antibodies against Epstein-Barr virus-specific antigens by the virus-immortalized lymphoblastoid cell lines. <b>1986</b> , 150, 161-9	8
1864	Rapid reprogramming of globin gene expression in transient heterokaryons. <b>1986</b> , 46, 591-602	214

1863	Gamma interferon and 5-azacytidine cause transcriptional elevation of class I major histocompatibility complex gene expression in K562 leukemia cells in the absence of differentiation. <b>1986</b> , 6, 1698-705	46
1862	Cytolysis of actinomycin D-treated target cells by cell-free supernatants from human monocytes. <b>1986</b> , 171, 27-44	7
1861	A mouse monoclonal antibody against a polymorphic determinant in a defined subset of DR molecules. <b>1986</b> , 16, 148-56	3
1860	Human leukemic K562 cells: suppression of hemoglobin accumulation by a monoclonal antibody to human transferrin receptor. <b>1986</b> , 886, 203-13	19
1859	Albumin inhibition of transferrin low-affinity binding to K562 cells. <b>1986</b> , 885, 294-300	6
1858	A quantitative dot immunobinding assay for human HLA class II antigens using nitrocellulose membrane filters. <b>1986</b> , 89, 73-9	8
1857	Flow cytometry evaluation of cell-mediated cytotoxicity. <b>1986</b> , 94, 247-55	29
1856	A fluorescence NK assay using flow cytometry. <b>1986</b> , 86, 7-15	100
1855	H4 histone messenger RNA decay in cell-free extracts initiates at or near the 3' terminus and proceeds 3' to 5'. <b>1986</b> , 188, 579-93	176
1854	A transcriptional enhancer with specificity for erythroid cells is located in the long terminal repeat of the Friend murine leukemia virus <b>1986</b> , 5, 1615-1623	41
1853	Translocation of c-myc into the immunoglobulin heavy-chain locus in human acute B-cell leukemia. A molecular analysis <b>1986</b> , 5, 905-911	22
1852	Alpha-thalassaemia caused by a poly(A) site mutation reveals that transcriptional termination is linked to 3? end processing in the human alpha 2 globin gene <b>1986</b> , 5, 2915-2922	144
1851	Rearrangement in the breakpoint cluster region and the clinical course in Philadelphia-negative chronic myelogenous leukemia. <b>1986</b> , 105, 673-9	53
1850	SUPERNATANTS FROM ETHANOL-CONTAINING MACROPHAGE CULTURES HAVE CYTOTOXIC ACTIVITY. <b>1986</b> ,	
1849	Heterogeneity of Cell Populations from Human Peripheral Blood Mediating Lymphokine-Stimulated Cytotoxicity. <b>1986</b> , 114-123	3
1848	Instability and stabilization in melanoma cell differentiation. <b>1986</b> , 20, 333-44	5
1847	Monoclonal antibodies to myeloid differentiation antigens. <b>1986</b> , 14, 483-484	
1846	Identification of a novel human leukaemic HL-60 sub-line. <b>1986</b> , 14, 484-485	

## (1986-1986)

1845	Overlapping cDNA clones define the complete coding region for the P210c-abl gene product associated with chronic myelogenous leukemia cells containing the Philadelphia chromosome. <b>1986</b> , 83, 9768-72	119
1844	Isolation and characterization of human glycophorin A cDNA clones by a synthetic oligonucleotide approach: nucleotide sequence and mRNA structure. <b>1986</b> , 83, 1665-9	120
1843	v-abl activates embryonic globin gene expression in mouse erythroleukemia cells. <b>1986</b> , 83, 2042-6	4
1842	Histone mRNA degradation in vivo: the first detectable step occurs at or near the 3' terminus. <b>1986</b> , 6, 4362-71	119
1841	Ganglioside GM3: an acidic membrane component that increases during macrophage-like cell differentiation can induce monocytic differentiation of human myeloid and monocytoid leukemic cell lines HL-60 and U937. <b>1986</b> , 83, 782-6	183
1840	The chronic myelocytic cell line K562 contains a breakpoint in bcr and produces a chimeric bcr/c-abl transcript. <b>1986</b> , 6, 607-16	173
1839	Phosphotyrosine antibodies identify the p210c-abl tyrosine kinase and proteins phosphorylated on tyrosine in human chronic myelogenous leukemia cells. <b>1986</b> , 6, 1803-11	60
1838	Variable expression of the translocated c-abl oncogene in Philadelphia-chromosome-positive B-lymphoid cell lines from chronic myelogenous leukemia patients. <b>1986</b> , 83, 4049-52	29
1837	High-affinity binding of granulocyte-macrophage colony-stimulating factor to normal and leukemic human myeloid cells. <b>1986</b> , 83, 669-73	140
1836	Heterogeneity of chromosome 22 breakpoint in Philadelphia-positive (Ph+) acute lymphocytic leukemia. <b>1986</b> , 83, 1807-11	131
1835	Localization of the human pim oncogene (PIM) to a region of chromosome 6 involved in translocations in acute leukemias. <b>1986</b> , 83, 2556-60	79
1834	Acetaldehyde causes a prolongation of the doubling time and an increase in the modal volume of cells in culture. <b>1986</b> , 10, 350-4	19
1833	Suppression of T-cell Response in Autologous Mixed Lymphocyte-Tumor Culture by Large Granular Lymphocytes2. <b>1986</b> ,	
1832	Double labeling of transferrin: tritium labeling of sialic acid and 125I or 59Fe labeling of the protein moiety. <b>1986</b> , 153, 324-9	11
1831	Expression of a particular beta-N-acetylglucosaminidase isoenzyme in human haematopoietic leukemic cell-lines. <b>1986</b> , 4, 197-203	7
1830	Induction of differentiation in the human leukemia cell line SPI-802: morphological, immunological, and isoenzymatic changes. <b>1986</b> , 21, 337-49	3
1829	Erythroleukemia cell lines HEL and K-562: changes in isoenzyme profiles and morphology during induction of differentiation. <b>1986</b> , 4, 163-74	8
1828	Elimination of murine erythroleukemic stem cells with a novel anti-erythroid antibody conjugated to ricin A-chain: a model for studies of bone-marrow transplantation therapy. <b>1986</b> , 37, 263-73	12

1827	Natural killer-cell immunodeficiency in patients with chronic myelogenous leukemia. I. Analysis of the defect using the monoclonal antibodies HNK-1 (LEU-7) and B73.1. <b>1986</b> , 37, 639-49	22
1826	Establishment of a new myeloid leukemia cell line (TK-1), and isolation of cells having a translocation involving a band 17q23. <b>1986</b> , 37, 761-7	6
1825	Lack of correlation between hypomethylation and expression of the HLA-DR alpha gene. <b>1986</b> , 16, 365-9	18
1824	In vitro differentiation and establishment of cell lines derived from human myelomonocytic leukemia cells. <b>1986</b> , 12, 225-30	3
1823	Cisplatin induces modulation of transferrin receptor during cellular differentiation in vitro. <b>1986</b> , 18, 92	11
1822	Beta-lactams act on DNA synthesis in K-562 cells. <b>1986</b> , 2, 523-9	16
1821	Identification and characterization of the human Pgp-1 glycoprotein. <b>1986</b> , 23, 326-32	87
1820	The effect of interferons on cellular differentiation. <b>1986</b> , 53, 361-70	25
1819	Normal and malignant neural cells: a comprehensive survey of human and murine nervous system markers. <b>1986</b> , 5, 199-234	5
1818	Expression of a translocated c-abl gene in hybrids of mouse fibroblasts and chronic myelogenous leukaemia cells. <b>1986</b> , 319, 331-3	22
1817	An embryonic pattern of expression of a human fetal globin gene in transgenic mice. <b>1986</b> , 319, 685-9	191
1816	Activation of human monocyte and natural killer cell-mediated tumour cell killing by two dialysable thymic factors. <b>1986</b> , 24, 59-71	18
1815	Monoclonal anti-LWab and anti-D reagents recognize a number of different epitopes. Use of red cells of non-human primates. <b>1986</b> , 13, 377-86	7
1814	Specificity and diagnostic implications of the reactivity pattern of a panel of monoclonal antibodies against myeloid leukemia cells. <b>1986</b> , 37, 323-32	2
1813	Elevation of c-abl-mRNA in human leukemic B lymphoblasts. <b>1986</b> , 10, 1391-9	5
1812	The c-abl, bcr and C lambda genes are amplified in a cell line but not in the uncultured cells from a patient with chronic myelogenous leukemia. <b>1986</b> , 10, 1401-9	9
1811	Sensitivity of human hematopoietic cell lines to an alkyl-lysophospholipid-derivative. <b>1986</b> , 10, 195-202	13
1810	In-vitro effects of antineoplastic prostaglandins on human leukemic cell growth and normal myelopoiesis. <b>1986</b> , 10, 527-32	7

1809	Diversity of cell surface hematopoietic antigens on K-562 sublines identified with monoclonal antibodies. <b>1986</b> , 10, 565-74	10
1808	Vimentin and keratin intermediate filaments expression by K562 leukemic cell line. <b>1986</b> , 10, 29-33	12
1807	Defective natural killing activity but retention of lymphocyte-mediated antibody-dependent cellular cytotoxicity in patients with the X-linked lymphoproliferative syndrome. <b>1986</b> , 100, 1-9	33
1806	Lipopolysaccharide exposure during purification of human monocytes by adherence increases their recovery and cytolytic activity. <b>1986</b> , 103, 120-32	2
1805	The functional loss of human natural killer cell activity induced by K562 is reversible via an interleukin-2-dependent mechanism. <b>1986</b> , 101, 558-70	25
1804	Human monocyte cytotoxic factor mediates cytolysis of WEHI 164 cells. <b>1986</b> , 98, 211-20	8
1803	Differential recognition of tumor-derived and in vitro Epstein-Barr virus-transformed B-cell lines by fetal calf serum-specific T4-positive cytotoxic T-lymphocyte clones. <b>1986</b> , 98, 453-66	16
1802	Transferrin receptors on tumor and bone marrow cells: lack of involvement as target structure for natural killer cells. <b>1986</b> , 64, 1119-23	3
1801	Recombinant interferon alpha 2 stimulation of target-binding by natural killer cells. <b>1986</b> , 64, 1036-40	4
1800	A monoclonal anti-neuroblastoma antibody that discriminates between human nonhematopoietic and hematopoietic cell types. <b>1986</b> , 5, 297-306	3
1799	Molecular analysis of both translocation products of a Philadelphia-positive CML patient. <b>1986</b> , 14, 7071-82	66
1798	Chromatin structure and developmental expression of the human alpha-globin cluster. <b>1986</b> , 6, 1108-16	52
1797	Beta-globin gene promoter generates 5' truncated transcripts in the embryonic/fetal erythroid environment. <b>1986</b> , 14, 7199-212	11
1796	T lymphocyte lines from arthritic synovial fluid: establishment and function. <b>1986</b> , 45, 120-5	2
1795	Replication of the B19 parvovirus in human bone marrow cell cultures. <b>1986</b> , 233, 883-6	276
1794	Natural killer cell response to regional lymph node metastases. <b>1986</b> , 112, 545-51	8
1793	Expression of bcr and bcr-abl fusion transcripts in normal and leukemic cells. <b>1987</b> , 7, 2870-6	65
1792	A 3' enhancer contributes to the stage-specific expression of the human beta-globin gene. <b>1987</b> , 1, 954-61	115

1791	A comparative study of the anti-proliferative effects of calmodulin antagonists in cultured cellsW7 derivatives of improved cytostatic potential. <b>1987</b> , 8, 919-23	13
1790	Potent and specific killing of human malignant brain tumor cells by an anti-transferrin receptor antibody-ricin immunotoxin. <b>1987</b> , 66, 850-61	71
1789	Interferon-gamma-induced expression of class I HLA antigens on K-562 cells grown in serum-free medium. <b>1987</b> , 7, 87-93	2
1788	Artificial Capillary Culture Studies of Human Tumor Cell Growth, Differentiation, and Marker Production2. <b>1987</b> ,	
1787	Molecular cloning of complementary DNA for human medullasin: an inflammatory serine protease in bone marrow cells. <b>1987</b> , 102, 13-6	20
1786	Differential effects of histamine receptor antagonists on human natural killer cell activity. <b>1987</b> , 84, 247-55	14
1785	Cell lines and peripheral blood leukocytes derived from individuals with chronic myelogenous leukemia display virtually identical proteins phosphorylated on tyrosine residues. <b>1987</b> , 84, 4408-12	71
1784	Upstream G gamma-globin and downstream beta-globin sequences required for stage-specific expression in transgenic mice. <b>1987</b> , 7, 4024-9	78
1783	Dissociation of c-fos induction from macrophage differentiation in human myeloid leukemic cell lines. <b>1987</b> , 7, 769-74	28
1782	Regulation of platelet-derived growth factor gene expression by transforming growth factor beta and phorbol ester in human leukemia cell lines. <b>1987</b> , 7, 3656-62	69
1781	Normal cellular and transformation-associated abl proteins share common sites for protein kinase C phosphorylation. <b>1987</b> , 7, 4280-9	44
1780	Identification of a human gene (HCK) that encodes a protein-tyrosine kinase and is expressed in hemopoietic cells. <b>1987</b> , 7, 2267-75	262
1779	In vitro transformation of immature hematopoietic cells by the P210 BCR/ABL oncogene product of the Philadelphia chromosome. <b>1987</b> , 84, 6558-62	330
1778	Molecular cloning of a human glycophorin B cDNA: nucleotide sequence and genomic relationship to glycophorin A. <b>1987</b> , 84, 6735-9	122
1777	Autogenous regulation of histone mRNA decay by histone proteins in a cell-free system. <b>1987</b> , 7, 4345-56	86
1776	Negative and positive regulation of human leukocyte antigen class I gene transcription in K562 leukemia cells. <b>1987</b> , 7, 4572-5	8
1775	Mapping of four distinct BCR-related loci to chromosome region 22q11: order of BCR loci relative to chronic myelogenous leukemia and acute lymphoblastic leukemia breakpoints. <b>1987</b> , 84, 7174-8	60
1774	Effect of antisera against recombinant tumor necrosis factor and the monocyte-derived cytotoxin(s) on monocyte-mediated killing of various tumor cells. <b>1987</b> , 109, 384-96	4

1773	A colorimetric assay for the determination of 5'-nucleotidase activity. <b>1987</b> , 101, 73-8	3
1772	Augmentation of cell-mediated cytotoxicity against renal carcinoma cells by recombinant interleukin 2. <b>1987</b> , 30, 327-32	5
1771	Human SS-B/LA autoantigen contains a covalent protein-RNA linkage. <b>1987</b> , 909, 173-82	2
1770	Multiple phosphorylation of human SS-B/LA autoantigen and its effect on poly(U) and autoantibody binding. <b>1987</b> , 928, 217-26	18
1769	Molecular characteristics of chronic myelogenous leukemia in blast crisis. <b>1987</b> , 27, 349-56	36
1768	Transposition of breakpoint cluster region (3' bcr) in CML cells with variant Philadelphia translocations. <b>1987</b> , 26, 105-15	22
1767	Correlation between cytogenetic and molecular findings in human chronic myelogenous leukemia lines EM-2 and EM-3. <b>1987</b> , 25, 271-84	13
1766	Neuropeptides modulating macrophage function. <b>1987</b> , 496, 264-70	71
1765	The role of the Philadelphia translocation in chronic myelocytic leukemia. 1987, 511, 262-9	6
1764	Modulation of natural killer cell activity by tamoxifen in stage I post-menopausal breast cancer. <b>1987</b> , 23, 517-20	60
1763	The bcr-c-abl tyrosine kinase activity is extinguished by TPA in K562 leukemia cells. 1987, 222, 293-8	13
1762	The role of human globin gene promoters in the expression of hybrid genes in erythroid and non-erythroid cells. <b>1987</b> , 143, 1099-106	12
1761	IGF-2 stimulated growth mediated by the somatomedin type 2 receptor. 1987, 148, 811-6	110
1760	The specificity of the human IGF-2 receptor. <b>1987</b> , 147, 1206-12	25
1759	Nucleotide sequences of human alpha-DNA repeats. <b>1987</b> , 57, 255-9	16
1758	Ursodeoxycholic acid for primary biliary cirrhosis. <b>1987</b> , 2, 398-9	57
1757	Relevance of soluble cytotoxic factors generated by mycoplasma-contaminated targets to natural killer cell-mediated killing. <b>1987</b> , 20, 33-46	5
1756	In vitro chemosensitivity testing of flavone acetic acid (LM975; NSC 347512) and its diethylaminoethyl ester derivative (LM985; NSC 293015). <b>1987</b> , 23, 1135-9	19

1755	Inhibition of activation of lymphokine-activated killer cells in vitro by the heparin preservative benzyl alcohol. <b>1987</b> , 2, 399	2
1754	Unique fusion of bcr and c-abl genes in Philadelphia chromosome positive acute lymphoblastic leukemia. <b>1987</b> , 51, 33-40	350
1753	Differential surface marker expression in patients with CD-16+ lymphoproliferative disorders: in vivo model for NK differentiation. <b>1987</b> , 19, 105-15	7
1752	The CML-specific P210 bcr/abl protein, unlike v-abl, does not transform NIH/3T3 fibroblasts. <b>1987</b> , 237, 532-5	162
1751	Cytotoxicity Evaluation of Mycotoxins by an MTT-Bioassay. 1987, 3, 85-96	28
1750	Characterization of cDNA clones for human myeloperoxidase: predicted amino acid sequence and evidence for multiple mRNA species. <b>1987</b> , 15, 2013-28	135
1749	Induction of platelet-derived growth factor gene expression during megakaryoblastic and monocytic differentiation of human leukemia cell lines <b>1987</b> , 6, 1213-1218	46
1748	Localization of the mcf.2 transforming sequence to the X chromosome <b>1987</b> , 6, 1301-1307	17
1747	Natural killer activity in patients with chronic hepatitis treated with OK432, interferon, adenine arabinoside and glycyrrhizin. <b>1987</b> , 22, 312-21	14
1746	A continuous T-cell line from a patient with Sbary syndrome. <b>1987</b> , 279, 293-8	108
1746 1745	A continuous T-cell line from a patient with SEary syndrome. 1987, 279, 293-8  Growth and metastatic behavior of human tumor cells implanted into nude and beige nude mice. 1987, 5, 135-46	108
1745	Growth and metastatic behavior of human tumor cells implanted into nude and beige nude mice.	
1745	Growth and metastatic behavior of human tumor cells implanted into nude and beige nude mice. <b>1987</b> , 5, 135-46	27
1745 1744	Growth and metastatic behavior of human tumor cells implanted into nude and beige nude mice.  1987, 5, 135-46  The effect of radiotherapy on the natural killer (NK)-cell activity of cancer patients. 1987, 7, 210-7  Effects of serum immunosuppressive factors on antitumor cytotoxicity of interleukin 2-induced	27
1745 1744 1743	Growth and metastatic behavior of human tumor cells implanted into nude and beige nude mice.  1987, 5, 135-46  The effect of radiotherapy on the natural killer (NK)-cell activity of cancer patients. 1987, 7, 210-7  Effects of serum immunosuppressive factors on antitumor cytotoxicity of interleukin 2-induced lymphocytes. 1987, 35, 223-9  Release of iron from endosomes is an early step in the transferrin cycle. 1987, 19, 179-86	27 21 6
1745 1744 1743	Growth and metastatic behavior of human tumor cells implanted into nude and beige nude mice.  1987, 5, 135-46  The effect of radiotherapy on the natural killer (NK)-cell activity of cancer patients. 1987, 7, 210-7  Effects of serum immunosuppressive factors on antitumor cytotoxicity of interleukin 2-induced lymphocytes. 1987, 35, 223-9  Release of iron from endosomes is an early step in the transferrin cycle. 1987, 19, 179-86	<ul><li>27</li><li>21</li><li>6</li><li>21</li></ul>
1745 1744 1743 1742 1741	Growth and metastatic behavior of human tumor cells implanted into nude and beige nude mice.  1987, 5, 135-46  The effect of radiotherapy on the natural killer (NK)-cell activity of cancer patients. 1987, 7, 210-7  Effects of serum immunosuppressive factors on antitumor cytotoxicity of interleukin 2-induced lymphocytes. 1987, 35, 223-9  Release of iron from endosomes is an early step in the transferrin cycle. 1987, 19, 179-86  Proteins phosphorylated on tyrosine as markers of human tumor cell lines. 1987, 39, 482-7  Absence of the hybrid bcr-abl mRNA in Ph1-positive B lymphoblastoid cell lines established from a	<ul><li>27</li><li>21</li><li>6</li><li>21</li><li>16</li></ul>

1737	Modulation of expression of class II histocompatibility antigens by secretion of a cellular inhibitor in K562 leukemic cells. <b>1987</b> , 17, 1021-5	15
1736	Adjuvant treatment of operable stomach cancer with polyadenylic.polyuridylic acid in addition to chemotherapeutic agents. Differential effect on natural killer cell and antibody-dependent cellular cytotoxicity. <b>1987</b> , 9, 313-24	9
1735	Mediation of human NK-activity by components in extracts of Viscum album. 1987, 9, 199-209	30
1734	Induction of hemoglobin synthesis in K562 cells by carbon dioxide deficiency. <b>1987</b> , 5, 27-34	
1733	Protoplast-mediated gene transfer into human leukemia (K562) cells. <b>1987</b> , 5, 220-30	1
1732	Evidence for the involvement of calmodulin in natural cytotoxicity using a range of calmodulin antagonists of varying potency and improved specificity. <b>1987</b> , 7, 771-5	2
1731	Oncogene activation by chromosomal rearrangement in chronic myelocytic leukemia. <b>1987</b> , 186, 161-72	20
1730	Induction of differentiation in human myeloid leukemic cells by T-2 toxin and other trichothecenes. <b>1987</b> , 89, 418-28	13
1729	Ph1-positive CML-derived myeloid-monocytoid precursor cell line producing substance(s) that stimulates normal CFU-C. <b>1987</b> , 11, 241-9	19
1728	Studies on the differentiation of the human myelomonocytic cell line RC-2A in response to lymphocyte-derived factors. <b>1987</b> , 11, 797-805	4
1727	Multipotent human hematopoietic cell line K562: lineage-specific constitutive and inducible antigens. <b>1987</b> , 11, 807-15	43
1726	The antileukemic alkaloid fagaronine and the human K 562 leukemic cells: effects on growth and induction of erythroid differentiation. <b>1987</b> , 11, 445-51	20
1725	Changes in thymidine kinase activity during differentiation of HL-60 leukemic cells. 1987, 11, 469-73	7
1724	Production and characterization of a monoclonal antibody to a myeloid specific differentiation antigen. <b>1987</b> , 11, 481-8	1
1723	Mitoxantrone sensitivity of human hematopoietic cell lines. 1987, 11, 519-24	6
1722	Uracil-DNA glycosylase activity in human acute leukemia. <b>1987</b> , 11, 557-63	5
1721	Isoenzyme studies in human leukemia-lymphoma cell linesV. Induction of differentiation by T-cell derived differentiation-inducing activity. <b>1987</b> , 11, 85-96	2
1720	Collagenolytic activity in the human leukemic K-562 cell line before and after induction of erythroid differentiation. <b>1987</b> , 11, 979-85	3

Identification and characterization of an antigen specific for normal erythroid precurits application in diagnosis of erythroleukemia. <b>1987</b> , 11, 1045-53	sor cells and
Effects of N,N-dimethylformamide and sodium butyrate on enzymes of pyrimidine m cultured human tumor cells. <b>1987</b> , 11, 855-61	etabolism in 14
Continuous or modulation expression of hematopoietic cell antigens in sublines of the cell line, K-562. <b>1987</b> , 11, 359-64	ne leukemia 3
Clonal analysis of human tumor infiltrating lymphocytes reactive with autologous tur different target cell specificities of NK-like and cytotoxic T-cell clones. <b>1987</b> , 104, 210	
1715 Cloned "anomalous" killer cells derived from allogeneic mixed leukocyte culture. <b>198</b>	2 <b>7</b> , 107, 201-18 2
Induction of cytotoxic capacity by recombinant gamma interferon in human myelomo leukaemia cell lines. <b>1987</b> , 25, 219-23	onocytic 2
1713 Enzyme cytochemistry of neutrophil granulocytes. <b>1987</b> , 65, 127-9	3
1712 The BCR/ABL hybrid gene. <b>1987</b> , 1, 983-99	33
1711 Ph positive CML cell lines. <b>1987</b> , 1, 1021-9	12
Selective growth response to IL-3 of a human leukaemic cell line with megakaryoblas <b>1988</b> , 69, 359-66	stic features.
	stic features. 233
<sup>1710</sup> <b>1988</b> , 69, 359-66	30
1710 1988, 69, 359-66  1709 Spastic paraparesis and HTLV-I infection in Peru. 1988, 23 Suppl, S151-5  Effect of differentiation-inducing agents on oncogene expression in a chronic myelog	233 30 genous
1700 Spastic paraparesis and HTLV-I infection in Peru. 1988, 23 Suppl, S151-5  Effect of differentiation-inducing agents on oncogene expression in a chronic myelog leukemia cell line. 1988, 62, 1171-8  High frequency of plasminogen activator secretion by malignant human lymphoid cell	genous 29 Il lines of T-cell 8
1709 Spastic paraparesis and HTLV-I infection in Peru. 1988, 23 Suppl, S151-5  Effect of differentiation-inducing agents on oncogene expression in a chronic myelog leukemia cell line. 1988, 62, 1171-8  High frequency of plasminogen activator secretion by malignant human lymphoid cell type origin. 1988, 62, 1952-7	233 30 genous 29 Il lines of T-cell 8
1700 1988, 69, 359-66  1709 Spastic paraparesis and HTLV-I infection in Peru. 1988, 23 Suppl, S151-5  1708 Effect of differentiation-inducing agents on oncogene expression in a chronic myelog leukemia cell line. 1988, 62, 1171-8  High frequency of plasminogen activator secretion by malignant human lymphoid cell type origin. 1988, 62, 1952-7  1706 Synthesis of fluorescent oligosaccharides for covalent attachment to living cells. 198  Major O-glycosylated sialoglycoproteins of human hematopoietic cells: differentiation	genous  29  Il lines of T-cell  8  8, 170, 520-7  3  on antigens  20  promyelocytic
1709 Spastic paraparesis and HTLV-I infection in Peru. 1988, 23 Suppl, S151-5  1708 Effect of differentiation-inducing agents on oncogene expression in a chronic myelog leukemia cell line. 1988, 62, 1171-8  1707 High frequency of plasminogen activator secretion by malignant human lymphoid cell type origin. 1988, 62, 1952-7  1706 Synthesis of fluorescent oligosaccharides for covalent attachment to living cells. 198  1705 Major O-glycosylated sialoglycoproteins of human hematopoietic cells: differentiation with poorly understood functions. 1988, 37, 91-105  Evidence of intracellular and trans-acting differentiation-inducing activity in human pleukemia HL-60 cells: its possible involvement in process of cell differentiation from the second seco	genous 29 Il lines of T-cell 8 8, 170, 520-7 3 on antigens 20 promyelocytic a commitment 13

1701	Studies of purine and tiazofurin metabolism in drug sensitive human chronic myelogenous leukemia K 562 cells. <b>1988</b> , 57, 97-100	4
1700	Induction to erythroid differentiation of K562 cells by 1-beta-D-arabinofuranosylcytosine is inhibited by iron chelators: reversion by treatment with hemin. <b>1988</b> , 57, 25-30	5
1699	The human Vpre B gene is located on chromosome 22 near a cluster of V lambda gene segments. <b>1988</b> , 28, 328-33	45
1698	C-type particles are inducible in Se-Ax, a continuous T-cell line from a patient with SØary's syndrome. <b>1988</b> , 280, 264-7	12
1697	Cellular and tissue distribution of MRK20 murine monoclonal antibody-defined 85-kDa protein in adriamycin-resistant cancer cell lines. <b>1988</b> , 79, 1101-10	21
1696	Synergistic growth-inhibitory activity of tumour necrosis factor and alpha interferon. Contribution to the monocyte-derived cytostatic activity towards human leukaemia K562 cells. <b>1988</b> , 28, 627-37	6
1695	Role of interferons in natural killer cell generation from primitive bone marrow precursors. <b>1988</b> , 10, 665-73	7
1694	Influence of two glutamine-containing dipeptides on growth of mammalian cells. 1988, 24, 696-8	30
1693	A new human pancreatic carcinoma cell line developed for adoptive immunotherapy studies with lymphokine-activated killer cells in nude mice. <b>1988</b> , 24, 1179-87	21
1692	Regulation of biosynthesis and phosphorylation of P210bcr/abl protein during differentiation induction of K 562 cells. <b>1988</b> , 12, 875-85	16
1691	Variations in surface charge distribution of leukemic and non-leukemic transformed cells. <b>1988</b> , 12, 315-20	7
1690	Production of an active urokinase by leukemia cells: a novel distinction from cell lines of solid tumors. <b>1988</b> , 12, 419-22	49
1689	Haemoglobin synthesis in K562 erythroleukaemia cells is affected by intimate contact with monolayers of various human cell types. <b>1988</b> , 12, 567-74	6
1688	Natural killer cell activities of patients with breast cancer against different target cells. <b>1988</b> , 114, 191-6	7
1687	Phosphatidylinositol metabolism accompanies early activation events in tumor target cell-stimulated human natural killer cells. <b>1988</b> , 112, 402-13	54
1686	Regulation of human natural cytotoxicity by IgG. II. Cyclic AMP as a mediator of monomeric IgG-induced inhibition of natural killer cell activity. <b>1988</b> , 114, 246-56	12
1685	Detection of surface differences between closely related cell populations by partitioning. Cultured K-562 cell sublines. <b>1988</b> , 13, 173-87	3
1684	Correlation between protein 4.1a/4.1b ratio and erythrocyte life span. <b>1988</b> , 944, 256-64	40

1683	Characterization of erythropoietin receptor on erythropoietin-unresponsive mouse erythroleukemia cells. <b>1988</b> , 943, 326-30	19
1682	Structural specificity of inhibition of human folylpolyglutamate synthetase by ornithine-containing folate analogs. <b>1988</b> , 37, 3931-9	19
1681	Cytoplasmic pH is differently regulated in the monoblastic U-937 and erythroleukemic K-562 cell lines. <b>1988</b> , 176, 96-106	12
1680	Characterization of glucocerebrosidase in peripheral blood cells and cultured blastoid cells. <b>1988</b> , 177, 391-8	5
1679	The duck beta-globin gene cluster contains a single enhancer element. <b>1988</b> , 234, 300-4	1
1678	Natural killer cell infection and inactivation in vitro by the human immunodeficiency virus. <b>1988</b> , 19, 535-40	23
1677	Sequence specificity of 125I-labelled Hoechst 33258 in intact human cells. 1988, 201, 437-42	44
1676	myb oncogene in human hematopoietic neoplasia with 6q- anomaly. <b>1988</b> , 33, 83-92	13
1675	Breakpoint zone of bcr in chronic myelogenous leukemia does not correlate with disease phase or prognosis. <b>1988</b> , 36, 117-22	19
1674	Ki-ras-2 in acute lymphoblastic leukemia cells with chromosome change at 12p12. <b>1988</b> , 30, 239-44	1
1673	6p+ and 9q- in two chromosomally distinct clones occurring in a case of myelodysplastic syndrome evolving to acute nonlymphocytic leukemia. <b>1988</b> , 35, 213-21	1
1672	Quantitative study of doxorubicin in living cell nuclei by microspectrofluorometry. <b>1988</b> , 950, 13-20	84
1671	Expression of mouse embryonic epitope TEC-2 on human carcinoma-derived cell lines and characterization of its glycoprotein carriers. <b>1988</b> , 968, 291-9	4
1670	Activation of NK cells in subjects exposed to mild hyper- or hypothermic load. <b>1988</b> , 8, 393-402	27
1669	An improved electrotransfection method using square shaped electric impulsions. <b>1988</b> , 151, 982-90	16
1668	Chlorpromazine inhibits human natural killer cell activity and antibody-dependent cell-mediated cytotoxicity. <b>1988</b> , 155, 597-602	8
1667	Tumor cell lysis by T cells distinct from NK cells and alloantigen-specific cytotoxic T cells. <b>1988</b> , 49, 405-23	5
1666	Partial physical map of human chromosome 21. <b>1988</b> , 14, 623-37	67

1665	leukemic cells. <b>1988</b> , 41, 203-9	11
1664	Heterogeneity of the response to inducers of differentiation and to cytostatics of tumor cell populations. <b>1988</b> , 184, 11-7	7
1663	Cell-mediated cytotoxicity and the reorientation of effector cell granules towards the target cell are inhibited by the protonophore carbonylcyanide m-chlorophenylhydrazone. <b>1988</b> , 22, 81-95	5
1662	Characterization of the insulin-like growth factor (IGF) receptor in K562 erythroleukemia cells; evidence for a biological function for the type II IGF receptor. <b>1988</b> , 56, 235-44	29
1661	Mechanism of K562-induced human natural killer cell inactivation using highly enriched effector cells isolated via a new single-step sheep erythrocyte rosette assay. <b>1988</b> , 139, 361-81	11
1660	Expression of a distinctive BCR-ABL oncogene in Ph1-positive acute lymphocytic leukemia (ALL). <b>1988</b> , 239, 775-7	218
1659	Bromelain induces the differentiation of leukemic cells in vitro: an explanation for its cytostatic effects?. <b>1988</b> , 54, 377-81	16
1658	The first BCR gene intron contains breakpoints in Philadelphia chromosome positive leukemia. <b>1988</b> , 16, 10069-81	45
1657	Quick sampling and perpendicular cryosectioning of cell monolayers for the X-ray microanalysis of diffusible elements. <b>1988</b> , 151, 49-59	10
1656	Homozygous deletion of the alpha- and beta 1-interferon genes in human leukemia and derived cell lines. <b>1988</b> , 85, 5259-63	328
1655	Asynchronous DNA replication within the human beta-globin gene locus. <b>1988</b> , 85, 8081-5	80
1654	Nuclear proteins that bind the human gamma-globin gene promoter: alterations in binding produced by point mutations associated with hereditary persistence of fetal hemoglobin. <b>1988</b> , 8, 5310-22	120
1653	Developmental programs of human erythroleukemia cells: globin gene expression and methylation. <b>1988</b> , 8, 4917-26	28
1652	Expression of CD9 (p24) antigen on hematopoietic cells following treatment with phorbol ester. <b>1988</b> , 79, 133-6	5
1651	Diagnosis of chronic myeloid and acute lymphocytic leukemias by detection of leukemia-specific mRNA sequences amplified in vitro. <b>1988</b> , 85, 5698-702	548
1650	Gene expression of human DNA polymerase alpha during cell proliferation and the cell cycle. <b>1988</b> , 8, 5016-25	141
1649	Evolution, expression, and chromosomal location of a novel receptor tyrosine kinase gene, eph. <b>1988</b> , 8, 3770-6	56
1648	Expression of multiple homeobox genes within diverse mammalian haemopoietic lineages <b>1988</b> , 7, 2131-213	38106

1647	Ewing's sarcoma: ex vivo sensitivity towards natural and lymphokine-activated killing. 1988, 45, 437-43	17
1646	Changes in Chemosensitivity of K 562 Leukemia Cells after Induction of Erythroid Differentiation by Hemin. <b>1988</b> , 74, 11-17	1
1645	Erythroid differentiation factor is encoded by the same mRNA as that of the inhibin beta A chain. <b>1988</b> , 85, 2434-8	192
1644	Transcriptional and translational analysis of the human theta globin gene. <b>1989</b> , 17, 8283-300	11
1643	A model of human acute lymphoblastic leukemia in immune-deficient SCID mice. <b>1989</b> , 246, 1597-600	205
1642	Cytosine arabinoside plus hemin treatment of a human erythroid cell line, KMOE, strongly induces embryonic, fetal, and adult beta-like globin genes. <b>1989</b> , 13, 605-17	4
1641	Human interleukin 3: effects on normal and leukemic cells. <b>1989</b> , 1, 101-14	7
1640	In vitro induction of lymphokine-activated killer (LAK) activity in patients with neuroblastoma. <b>1989</b> , 6, 307-17	10
1639	Nuclear protein factors and erythroid transcription of the human A gamma-globin gene. <b>1989</b> , 17, 3811-27	49
1638	Regulation of c-myc mRNA stability in vitro by a labile destabilizer with an essential nucleic acid component. <b>1989</b> , 9, 1996-2006	173
1638 1637		173 30
	Component. <b>1989</b> , 9, 1996-2006  Natural killer cells, vitamins, and other blood components of vegetarian and omnivorous men. <b>1989</b>	
1637	Component. 1989, 9, 1996-2006  Natural killer cells, vitamins, and other blood components of vegetarian and omnivorous men. 1989, 12, 271-8  Hemoglobin induction by Ara-C in human erythroleukemic cells (K562) is cell-cycle dependent. 1989	30
1637 1636	Natural killer cells, vitamins, and other blood components of vegetarian and omnivorous men. 1989, 12, 271-8  Hemoglobin induction by Ara-C in human erythroleukemic cells (K562) is cell-cycle dependent. 1989, 13, 683-8  In K562 leukemia cells treated with doxorubicin and hemin, a decrease in c-myc mRNA expression	30 9
1637 1636 1635	Natural killer cells, vitamins, and other blood components of vegetarian and omnivorous men. 1989, 12, 271-8  Hemoglobin induction by Ara-C in human erythroleukemic cells (K562) is cell-cycle dependent. 1989, 13, 683-8  In K562 leukemia cells treated with doxorubicin and hemin, a decrease in c-myc mRNA expression correlates with loss of self-renewal capability but not with erythroid differentiation. 1989, 13, 279-87  Analysis of cellular heterogeneity in the response of human leukemic cells to photosensitization	30 9 13
1637 1636 1635	Natural killer cells, vitamins, and other blood components of vegetarian and omnivorous men. 1989, 12, 271-8  Hemoglobin induction by Ara-C in human erythroleukemic cells (K562) is cell-cycle dependent. 1989, 13, 683-8  In K562 leukemia cells treated with doxorubicin and hemin, a decrease in c-myc mRNA expression correlates with loss of self-renewal capability but not with erythroid differentiation. 1989, 13, 279-87  Analysis of cellular heterogeneity in the response of human leukemic cells to photosensitization induced by pyrene-containing fatty acid. 1989, 13, 1099-104  The state of DNA methylation of human epsilon-globin gene in erythroid and non-erythroid cells.	30 9 13
1637 1636 1635 1634	Natural killer cells, vitamins, and other blood components of vegetarian and omnivorous men. 1989, 12, 271-8  Hemoglobin induction by Ara-C in human erythroleukemic cells (K562) is cell-cycle dependent. 1989, 13, 683-8  In K562 leukemia cells treated with doxorubicin and hemin, a decrease in c-myc mRNA expression correlates with loss of self-renewal capability but not with erythroid differentiation. 1989, 13, 279-87  Analysis of cellular heterogeneity in the response of human leukemic cells to photosensitization induced by pyrene-containing fatty acid. 1989, 13, 1099-104  The state of DNA methylation of human epsilon-globin gene in erythroid and non-erythroid cells. 1989, 26, 97-106	30 9 13 5

1629	Interferon is able to reduce tumor cell susceptibility to human lymphokine-activated killer (LAK) cells. <b>1989</b> , 118, 10-21	26
1628	The DNA methylation system in proliferating and differentiated cells. <b>1989</b> , 15, 79-86	6
1627	Selective killing of carcinoembryonic-antigen (CEA)-producing cells in vitro by the immunoconjugate cytorhodin-S and CEA-reactive cytorhodin-S antibody CA208. <b>1989</b> , 30, 239-46	7
1626	Leukoregulin up-regulation of tumor cell sensitivity to natural killer and lymphokine-activated killer cell cytotoxicity. <b>1989</b> , 30, 86-91	9
1625	Multidrug resistance in haemopoietic cell lines, myelodysplastic syndromes and acute myeloblastic leukaemia. <b>1989</b> , 72, 40-4	128
1624	Establishment of a human leukaemic cell line (CMK) with megakaryocytic characteristics from a Down's syndrome patient with acute megakaryoblastic leukaemia. <b>1989</b> , 72, 184-90	155
1623	Restriction of poliovirus RNA translation in a human monocytic cell line. <b>1989</b> , 186, 577-82	15
1622	Demonstration by class I gene transfer that reduced susceptibility of human cells to natural killer cell-mediated lysis is inversely correlated with HLA class I antigen expression. <b>1989</b> , 19, 447-51	116
1621	Identification of peanut agglutinin binding glycoproteins restricted to Hodgkin's disease-derived cell lines. <b>1989</b> , 7, 207-17	8
1620	Natural killer cell immunodeficiency in patients with chronic myelogenous leukemia. III. Defective interleukin-2 production by T-helper and natural killer cells. <b>1989</b> , 43, 591-7	24
1619	Down-regulation of proteolytic activity in 12-O-tetradecanoyl-phorbol-13-acetate-induced K562 leukemia cell cultures: depletion of active urokinase by excess type 1 plasminogen activator inhibitor. <b>1989</b> , 140, 119-30	17
1618	Quantitative morphological analysis of adriamycin-resistant human K562 leukemic cells. <b>1989</b> , 10, 37-43	13
1617	Hemin increase production of beta-like globin RNA transcripts in human erythroleukemia K-562 cells. <b>1989</b> , 10, 311-7	13
1616	Defective function of lymphokine-activated killer cells and natural killer cells in patients with hepatocellular carcinoma. <b>1989</b> , 9, 471-6	20
1615	Modulation of cell-cell and cell-antigen interactions by 1,25-dihydroxyvitamin D3 and vitamin D3 sulfate in vitro: a study on pregnancy lymphocytes and hybridoma cells. <b>1989</b> , 20, 317-22	
1614	Interleukin 2-induced protein phosphorylation/dephosphorylation in human non-adherent peripheral blood mononuclear cells: initial phosphorylation of two 75-kDa proteins. <b>1989</b> , 22, 51-8	
1613	Biochemical characterization of a component in extracts of Viscum album enhancing human NK cytotoxicity. <b>1989</b> , 17, 11-8	29
1612	Natural killer activity in hyperprolactinemic patients. <b>1989</b> , 18, 143-6	24

1611	Influence of Viscum album preparations on the natural killer cell-mediated cytotoxicity of peripheral blood. <b>1989</b> , 76, 530-1	8
1610	Lysis of human leukemic cells by monocyte-derived macrophages activated with interferon-gamma and interleukin-2. <b>1989</b> , 80, 59-64	9
1609	N-alpha-benzyloxycarbonyl-L-lysine thiobenzyl ester (BLT) serine esterase in human cytolytic effector cells and cell line targets. <b>1989</b> , 29, 459-67	3
1608	The beta-globin dominant control region activates homologous and heterologous promoters in a tissue-specific manner. <b>1989</b> , 56, 969-77	303
1607	Cloning of GMP-140, a granule membrane protein of platelets and endothelium: sequence similarity to proteins involved in cell adhesion and inflammation. <b>1989</b> , 56, 1033-44	713
1606	Transient chloramphenicol acetyltransferase expression of the G gamma globin gene 5'-flanking regions containing substitutions of CT at position -158, GA at position -161, and TA at position -175 in K562 cells. <b>1989</b> , 1008, 109-12	7
1605	Inhibition of natural killer cell activity by retroplacental sera as compared to peripheral sera. Lack of influence of immune complexes. <b>1989</b> , 16, 261-7	1
1604	Comparison of fluorochrome-labeled and 51Cr-labeled targets for natural killer cytotoxicity assay. <b>1989</b> , 122, 15-24	77
1603	A novel cDNA/PCR strategy for efficient cloning of small amounts of undefined RNA. <b>1989</b> , 81, 295-306	62
1602	Expression of surface antigen and mRNA for the CD11c (alpha X, p150) subunit of the human leukocyte adherence receptor family in hematopoietic cells. <b>1989</b> , 160, 346-53	14
1601	Multiple GF-1 binding sites flank the erythroid specific transcription unit of the human carbonic anhydrase I gene. <b>1989</b> , 257, 451-6	28
1600	Temozolomide induced differentiation of K562 leukemia cells is not mediated by gene hypomethylation. <b>1989</b> , 38, 2069-75	10
1599	Interaction of arabinosyl nucleotides in K562 human leukemia cells. <b>1989</b> , 38, 3551-8	20
1598	Influence of cell cycle on glutathione-S-transferase, selenium-dependent glutathione peroxidase, superoxide dismutase and glutathione levels in human myeloid leukaemia cell lines. <b>1989</b> , 10, 1709-12	5
1597	Induction of megakaryocytic differentiation and modulation of protein kinase gene expression by site-selective cAMP analogs in K-562 human leukemic cells. <b>1989</b> , 86, 2849-52	44
1596	Functional identification of regulatory elements within the promoter region of platelet-derived growth factor 2. <b>1989</b> , 9, 396-405	61
1595	Gangliosides that modulate membrane protein function. <b>1989</b> , 179, 521-41	56
1594	Molecular analysis of chromosome breakpoints. <b>1989</b> , 36, 281-300	4

1593	The gene SCL is expressed during early hematopoiesis and encodes a differentiation-related DNA-binding motif. <b>1989</b> , 86, 10128-32	294
1592	The SCL gene is formed from a transcriptionally complex locus. <b>1990</b> , 10, 6426-35	90
1591	Erythroid-specific nuclease-hypersensitive sites flanking the human beta-globin domain. <b>1990</b> , 10, 4324-33	60
1590	Translocation of an erythroid-specific hypersensitive site in deletion-type hereditary persistence of fetal hemoglobin. <b>1990</b> , 10, 1382-9	29
1589	Cell type-specific protein-DNA interactions in the human zeta-globin upstream promoter region: displacement of Sp1 by the erythroid cell-specific factor NF-E1. <b>1990</b> , 10, 282-94	45
1588	Mannan and oligomers of N-acetylglucosamine protect intestinal mucosa of celiac patients with active disease from in vitro toxicity of gliadin peptides. <b>1990</b> , 99, 973-8	34
1587	Messenger RNA turnover in cell-free extracts. <b>1990</b> , 181, 202-9	91
1586	Inhibition of abl oncogene tyrosine kinase induces erythroid differentiation of human myelogenous leukemia K562 cells. <b>1990</b> , 81, 1132-6	51
1585	Inhibition of proliferation and induction of differentiation of human and mouse myeloid leukemia cells by new ethyleneglycol-type nonphosphorus alkyl ether lipids. <b>1990</b> , 81, 807-12	17
1584	In situ localization of the human multidrug-resistance gene mRNA using thymine-thymine dimerized single-stranded cDNA. <b>1990</b> , 81, 949-55	11
1583	Cross-linking of both types of IgG Fc receptors, Fc gamma RI and Fc gamma RII, enhances intracellular free Ca2+ in the monocytic cell line U937. <b>1990</b> , 31, 315-25	53
1582	Molecular forms of acetylcholinesterase in two sublines of human erythroleukemia K562 cells. Sensitivity or resistance to phosphatidylinositol-specific phospholipase C and biosynthesis. <b>1990</b> , 187, 31-8	35
1581	Plasma membrane Fe2-transferrin reductase and iron uptake in K562 cells are not directly related. <b>1990</b> , 192, 475-80	9
1580	Expression of leukocyte common antigen (CD45) on various human leukemia/lymphoma cell lines. <b>1990</b> , 40, 107-15	42
1579	P47 phosphoprotein of blood platelets (pleckstrin) is a major target for phorbol ester-induced protein phosphorylation in intact platelets, granulocytes, lymphocytes, monocytes and cultured leukaemic cells: absence of P47 in non-haematopoietic cells. <b>1990</b> , 74, 192-202	29
1578	Induction of LAK-like cells in the peritoneal cavity of mice by inactivated Candida albicans. <b>1990</b> , 129, 271-87	16
1577	Functional characteristics of the intercellular adhesion molecule-1 (CD54) expressed on cytotoxic human blood lymphocytes. <b>1990</b> , 131, 366-80	20
1576	Synthesis of two novel thioacridinic derivatives and comparison of their in vitro biological activities. <b>1990</b> , 74, 291-303	6

The use of anti-human glioma monoclonal antibodies for targeting chemotherapy of brain gliomas. **1990**, 2, 12-18

1574	Induced differentiation of K562 leukemia cells: a model for studies of gene expression in early megakaryoblasts. <b>1990</b> , 14, 501-14	108
1573	Immunoreactivity of anti K562 monoclonal antibodies with leukemic cells of myeloid lineage. <b>1990</b> , 14, 69-75	
1572	Effects of the antisense v-myb' expression on K562 human leukemia cell proliferation and differentiation. <b>1990</b> , 14, 831-9	17
1571	LAK activity is inducible in blood mononuclear cells from human fetus. <b>1990</b> , 24, 137-40	9
1570	Cellular glutathione as a protective agent against 4-hydroperoxycyclophosphamide cytotoxicity in K-562 cells. <b>1990</b> , 26, 397-402	6
1569	Dengue-2 virus infection of human mononuclear cell lines and establishment of persistent infections. <b>1990</b> , 110, 91-101	62
1568	Cancer, cytokines, and cytotoxic cells: interleukin-2 in the immunotherapy of human neoplasms. <b>1990</b> , 68, 1-11	66
1567	Rapid detection of chimeric bcr/abl mRNAs in acute lymphoblastic and chronic myeloid leukemia by the polymerase chain reaction. <b>1990</b> , 61, 350-3	11
1566	A Viscum album oligosaccharide activating human natural cytotoxicity is an interferon gamma inducer. <b>1990</b> , 32, 221-7	58
1565	Developmental and inducible patterns of human theta 1-globin gene expression in embryonic/fetal and adult erythroid cells. <b>1990</b> , 35, 251-7	1
1564	Heterogeneous expression of proto-oncogenes in Hodgkin's disease derived cell lines. <b>1990</b> , 8, 191-204	28
1563	Overexpression of the mdr1 gene in blast cells from patients with acute myelocytic leukemia is associated with decreased anthracycline accumulation that can be restored by cyclosporin-A. <b>1990</b> , 45, 263-8	107
1562	K562 erythroleukemia cells express cytokeratins 8, 18, and 19 and epithelial membrane antigen that disappear after induced differentiation. <b>1990</b> , 143, 310-20	19
1561	Establishment of an erythroid cell line (JK-1) that spontaneously differentiates to red cells. <b>1990</b> , 66, 1544-51	20
1560	SynthBe de quelques dfivB isoxazoliques analogues des rfinoides. Effects biologiques vis-⊡vis des cellules tumorales. <b>1990</b> , 25, 279-284	17
1559	Chemical specificity of effector cell/tumor cell bridging by a Viscum album rhamnogalacturonan enhancing cytotoxicity of human NK cells. <b>1990</b> , 19, 69-77	30
1558	Measurement of homing receptors on the surface of leukemic and nonleukemic cell lines. <b>1990</b> , 58, 179-84	7

## (1990-1990)

1557	using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor <b>1990</b> , 9, 3269-3278	213
1556	A Galacturonic Acid-Containing Polysaccharide in Extracts of Viscum album Enhances Human NK Cytotoxicity. <b>1990</b> , 229-234	
1555	In vitro and in vivo effect of interleukin-2 on the 2',5'-oligoadenylate synthetase activity of peripheral mononuclear blood cells. <b>1990</b> , 10, 75-82	3
1554	Intracellular interactions of transferrin and its receptor during biosynthesis. <b>1990</b> , 111, 1383-92	12
1553	Tandem AP-1-binding sites within the human beta-globin dominant control region function as an inducible enhancer in erythroid cells. <b>1990</b> , 4, 993-1006	267
1552	Natural killer cell activity in Sjgren's syndrome and systemic lupus erythematosus: stimulation with interferons and interleukin-2 and correlation with immune complexes. <b>1990</b> , 49, 690-3	33
1551	Synergistic enhancement of globin gene expression by activator protein-1-like proteins. <b>1990</b> , 87, 9000-4	95
1550	DNase I-defined chromatin configuration of the human CD3 gene cluster. <b>1990</b> , 18, 459-64	7
1549	Ber-EP4: new monoclonal antibody which distinguishes epithelia from mesothelial. <b>1990</b> , 43, 213-9	303
1548	The second zinc-finger domain of poly(ADP-ribose) polymerase determines specificity for single-stranded breaks in DNA. <b>1990</b> , 87, 2990-4	242
1547	Putative tyrosine kinases expressed in K-562 human leukemia cells. <b>1990</b> , 87, 8913-7	96
1546	Effect of lidocaine on natural killer activity: rapid inhibition of lysis. <b>1990</b> , 12, 417-37	2
1545	Stable perfluorocarbon emulsions using XMO-10 as surfactant: potential oxygen-carrying plasma expanders. <b>1990</b> , 18, 107-17	1
1544	The TC substitution at -198 of the A gamma-globin gene associated with the British form of HPFH generates overlapping recognition sites for two DNA-binding proteins. <b>1990</b> , 18, 5685-93	32
1543	Inhibition of P210BCR/ABL Expression in K562 Cells by Electroporation with an Antisense Oligonucleotide. <b>1990</b> , 3, 201-8	16
1542	A factor binding GATAAG confers tissue specificity on the promoter of the human zeta-globin gene. <b>1990</b> , 18, 1339-50	45
1541	A novel C-T transition within the distal CCAAT motif of the G gamma-globin gene in the Japanese HPFH: implication of factor binding in elevated fetal globin expression. <b>1990</b> , 18, 5245-53	86
1540	Organization of the gene for platelet glycoprotein IIb. <b>1990</b> , 29, 1232-44	175

1539	Equilibrium binding of thrombin to recombinant human thrombomodulin: effect of hirudin, fibrinogen, factor Va, and peptide analogues. <b>1990</b> , 29, 10602-12	86
1538	The regulation of gamma-globin gene expression. <b>1990</b> , 612, 160-6	1
1537	Retroviral gene transfer using safe and efficient packaging cell lines. <b>1990</b> , 612, 407-14	40
1536	Preservation of cytotoxic function during multi-cycle immunomagnetic cell separations of human NK cells using a new type of magnetic bead. <b>1990</b> , 129, 165-73	34
1535	Susceptibility of human neuroblastoma cell lines to cytotoxic T lymphocyte-mediated lysis. <b>1990</b> , 28, 153-60	7
1534	Synergism between 4-hydroperoxycyclophosphamide and cisplatin: importance of incubation sequence and measurement of cisplatin accumulation. <b>1990</b> , 39, 607-9	
1533	Liposome-associated retinoic acid. Increased in vitro antiproliferative effects on neoplastic cells. <b>1990</b> , 259, 293-6	22
1532	Human HLA-DR alpha gene: a rare oligonucleotide (GTATA) identifies an upstream sequence required for nuclear protein binding. <b>1990</b> , 268, 51-4	13
1531	Retroviral-mediated gene transfer of the leukocyte integrin CD18 subunit. <b>1990</b> , 171, 787-95	18
1530	Changes in diacylglycerol and cyclic GMP during the differentiation of human myeloid leukemia K562 cells. <b>1990</b> , 46, 315-20	4
1529	Tetrahydrocannabinol inhibits adenyl cyclase in human leukemia cells. <b>1990</b> , 46, 217-22	7
1528	Prolactin receptor gene expression in lymphoid cells. <b>1991</b> , 82, 127-35	54
1527	Diferric transferrin reduction by K562 cells. A critical study. <b>1991</b> , 1073, 562-70	19
1526	Factors influencing the establishment of tumour-infiltrating lymphocyte cultures from human breast carcinoma and colon carcinoma tissue. <b>1991</b> , 27, 149-54	7
1525	Changes in cell gene expression in human leukemic cells persistently infected with vaccinia virus. <b>1991</b> , 19, 131-8	8
1524	Postsynthetic methylation of core histones in K562 cells is associated with bulk acetylation but not with transcriptional activity. <b>1991</b> , 30, 8402-7	7
1523	Functional size of complement and perforin pores compared by confocal laser scanning microscopy and fluorescence microphotolysis. <b>1991</b> , 1063, 137-46	29
1522	Glucose utilization by tumor cells: a post-translational modification of mitochondrial hexokinase may play a regulatory role. <b>1991</b> , 178, 648-55	14

## (1991-1991)

1521	Induction of differentiation of human leukemia cells by inhibitors of myosin light chain kinase. <b>1991</b> , 287, 175-7	24
1520	Induction of erythroid differentiation of K562 cells by 4-carbamoylimidazolium 5-olate (SM-108). <b>1991</b> , 42, 2307-12	4
1519	Enhancement of cell-mediated cytotoxicity by Clostridium difficile toxin A: an in vitro study. <b>1991</b> , 29, 417-28	14
1518	Fluctuation of gene expression for poly(ADP-ribose) synthetase during hemin-induced erythroid differentiation of human leukemia K562 cells and its reversion process. <b>1991</b> , 1088, 359-64	5
1517	Induction of differentiation of human myeloid leukemia HL-60 cells by novel pyrimidine nucleoside analogs. <b>1991</b> , 1094, 1-7	15
1516	Reverse transcription and DNA amplification by a Thermus thermophilus DNA polymerase. <b>1991</b> , 30, 7661-6	423
1515	Cellular immune surveillance against HTLV-I infected T lymphocytes in HTLV-I associated myelopathy/tropical spastic paraparesis (HAM/TSP). <b>1991</b> , 105, 99-107	23
1514	Detection of BLT substrate-specific proteases in individual human peripheral blood leucocytes and bone marrow cells. Application of the method to the classification of leukaemia. <b>1991</b> , 142, 147-55	13
1513	Freezing of cellsreplacement of serum by oxypolygelatine. <b>1991</b> , 141, 105-9	8
1512	Natural cytotoxicity in a freshwater pulmonate mollusc: an unorthodox comparative approach. <b>1991</b> , 1, 99-113	9
1511	Changes in Cu,Zn-superoxide dismutase gene during induced erythroid and myeloid differentiation. <b>1991</b> , 86, 183-8	4
1510	The pim-1 oncogene encodes two related protein-serine/threonine kinases by alternative initiation at AUG and CUG <b>1991</b> , 10, 655-664	217
1509	Antisense SCL suppresses self-renewal and enhances spontaneous erythroid differentiation of the human leukaemic cell line K562 <b>1991</b> , 10, 4153-4158	52
1508	Current status of the BCR gene and its involvement with human leukemia. <b>1991</b> , 57, 227-56	13
1507	Effects of recombinant human cytokines on cytarabine activity in K562 human myeloid leukaemia cells. <b>1991</b> , 37, 441-8	3
1506	Activation of tyrosinase kinase and microfilament-binding functions of c-abl by bcr sequences in bcr/abl fusion proteins. <b>1991</b> , 11, 1553-65	263
1505	Negative regulation of globin gene expression during megakaryocytic differentiation of a human erythroleukemic cell line. <b>1991</b> , 11, 3528-36	50
1504	Coordinate regulation of HOX genes in human hematopoietic cells. <b>1991</b> , 88, 6348-52	156

1503	In vivo protein-DNA interactions at the beta-globin gene locus. <b>1991</b> , 88, 10188-92	98
1502	K562 cells: a source for embryonic globin chains. <b>1991</b> , 571, 37-46	1
1501	Intracellular distribution of ellipticine, an antitumor alkaloid in K562 leukemia cells. <b>1991</b> , 48-49, 419-424	13
1500	Inhibition of the calpain-mediated proteolysis of protein kinase C enhances lytic activity in human NK cells. <b>1991</b> , 138, 24-34	17
1499	Synergistic effects of phorbol ester and interferon-alpha: target cell class I HLA antigen expression and resistance to natural killer and lymphokine-activated killer cell-mediated cytolysis. <b>1991</b> , 134, 325-35	2
1498	MEsbauer studies of iron uptake, ferritin and hemoglobin synthesis and denaturation in erythroid cell cultures. <b>1991</b> , 66, 11-23	3
1497	Comparison of selective cytotoxicity of alkyl lysophospholipids. <b>1991</b> , 26, 1418-23	26
1496	Induction of differentiation of human myeloid leukemia HL-60 cells by novel nonphosphorus alkyl ether lipids. <b>1991</b> , 26, 1445-9	12
1495	Erythroid differentiation of K-562 cells induced by ethidium bromide. <b>1991</b> , 15, 373-9	2
1494	Inhibition by vitamin D3 of erythroid differentiation of human leukemia line cells induced by transforming growth factor beta or erythroid differentiation factor (activin A). <b>1991</b> , 15, 721-6	10
1493	Induction of morphological differentiation in the human leukemic cell line K562 by exposure to thalidomide metabolites. <b>1991</b> , 15, 129-36	25
1492	Mechanism of inhibition of DNA ligase in Ara-C treated cells. <b>1991</b> , 15, 157-64	15
1491	Stromal cell-dependent terminal maturation of K562 erythroleukaemia cells. <b>1991</b> , 15, 975-86	1
1490	Resistance of myeloid leukaemia cell lines to ricin A-chain immunotoxins. <b>1991</b> , 15, 1079-86	20
1489	Effect of tetrahydrouridine and deoxytetrahydrouridine on the interaction between 2'-deoxycytidine and 1-beta-D-arabinofuranosylcytosine in human leukemia cells. <b>1991</b> , 15, 205-13	10
1488	ABL oncogene expression during erythroleukemia cell differentiation. <b>1991</b> , 15, 65-70	4
1487	Inhibitory effect of norcantharidin on K562 human myeloid leukemia cells in vitro. <b>1991</b> , 15, 883-6	60
1486	Co-detection of chimeric bcr/abl (target) and beta-actin (control) messenger RNA in individual CFU-GM colonies derived from CML patients using the polymerase chain reaction. <b>1991</b> , 15, 867-74	6

1485	TAPP (tetra-p-amidinophenoxyneopentane) inhibits the binding of nuclear factors to target DNA sequences. <b>1991</b> , 72, 251-258	7
1484	Growth of human normal erythroid progenitors in liquid culture: a comparison with colony growth in semisolid culture. <b>1991</b> , 9, 57-64	38
1483	Characterization of an etoposide-resistant human K562 cell line, K/eto. 1991, 82, 1035-43	11
1482	Inhibition of human natural killer cell activity by platelet-derived growth factor (PDGF). III.  Membrane binding studies and differential biological effect of recombinant PDGF isoforms. <b>1991</b> ,  33, 521-32	37
1481	Inactivation of the retinoblastoma susceptibility gene in a human high grade non-Hodgkin's lymphoma cell line. <b>1991</b> , 78, 500-5	11
1480	Proliferation of double-negative (CD4-CD8-) T cells bearing T-cell receptor-alpha beta in a haemophiliac with human immunodeficiency virus type 1 infection and factor VIII inhibitor: functional properties of double-negative T-cell receptor-alpha beta+ T cells. <b>1991</b> , 79, 372-6	3
1479	A microassay for the pore-forming activity of complement, perforin, and other cytolytic proteins based on confocal laser scanning microscopy. <b>1991</b> , 194, 418-24	7
1478	Fibronectin facilitates the migration of human natural killer cells. <b>1991</b> , 21, 35-42	36
1477	Cytotoxicity and immunocyte markers in cells from the freshwater snail Planorbarius corneus (L.) (Gastropoda pulmonata): implications for the evolution of natural killer cells. <b>1991</b> , 21, 489-93	72
1476	Target lysis by human LAK cells is critically dependent upon target binding properties, but LFA-1, LFA-3 and ICAM-1 are not the major adhesion ligands on targets. <b>1991</b> , 47, 473-9	32
1475	Human colon carcinoma, fibrosarcoma and leukemia cell lines produce tumor-associated trypsinogen. <b>1991</b> , 47, 592-6	83
1474	Establishment of a human leukemia subline resistant to the growth-inhibitory effect of 12-O-tetradecanoylphorbol 13-acetate (TPA) and showing non-P-glycoprotein-mediated multi-drug resistance. <b>1991</b> , 48, 931-7	16
1473	Evidence for the synthesis of embryonic globin chains in adult erythroid progenitor cells. 1991, 36, 20-4	2
1472	Bladder cancer. Human leukocyte antigen II, interleukin-6, and interleukin-6 receptor expression determined by the polymerase chain reaction. <b>1991</b> , 67, 2087-95	28
1471	A laser densitometer for selective spot analysis on dot blots and two-dimensional gel autoradiograms. <b>1991</b> , 194, 284-94	4
1470	Interleukin 1 production by human monocytes induced in culture with K562 cells. <b>1991</b> , 191, 201-8	2
1469	Role of protein kinase C in adriamycin-induced erythroid differentiation of K562 cells. <b>1991</b> , 28, 102-4	10
1468	Flow cytometric measurement of rRNA levels detected by fluorescent in situ hybridization in differentiating K-562 cells. <b>1991</b> , 96, 73-81	7

1467	Selective analysis of antitumor drug interaction with living cancer cells as probed by surface-enhanced Raman spectroscopy. <b>1991</b> , 19, 311-6	117
1466	Antitumor activities of new platinum compounds, DWA2114R, NK121 and 254-S, against human leukemia cells sensitive or resistant to cisplatin. <b>1991</b> , 9, 313-9	23
1465	Discrete regions of the avian beta-globin gene cluster have tissue-specific hypersensitivity to cleavage by sonication in nuclei. <b>1991</b> , 19, 4739-45	8
1464	B cell phenotype-dependent expression of the Epstein-Barr virus nuclear antigens EBNA-2 to EBNA-6: studies with somatic cell hybrids. <b>1991</b> , 72 ( Pt 12), 3025-33	38
1463	Characterization of the BCR promoter in Philadelphia chromosome-positive and -negative cell lines. <b>1991</b> , 11, 1854-60	29
1462	Evidence in support of the plasma membrane as the target for transferrin-adriamycin conjugates in K562 cells. <b>1991</b> , 25, 120-3	15
1461	Erythroid differentiation bioassays for activin. <b>1991</b> , 198, 340-6	15
1460	Ultraviolet B irradiation of human leukaemia HL-60 cells in vitro induces apoptosis. <b>1991</b> , 59, 1001-16	154
1459	G alpha 16, a G protein alpha subunit specifically expressed in hematopoietic cells. <b>1991</b> , 88, 5587-91	243
1458	Inhibin and activin modulate human monocyte chemotaxis and human lymphocyte interferon-gamma production. <b>1991</b> , 72, 496-502	64
1457	N1-substituted tetra-benzamidines - inhibition of DNA-protein interactions and invitro tumor-cell growth. <b>1992</b> , 1, 277-81	
1456	Cloning, expression and localization of an RNA helicase gene from a human lymphoid cell line with chromosomal breakpoint 11q23.3. <b>1992</b> , 20, 1967-72	56
1455	"Discordant" influence of equine recombinant interferon-beta 1 on the cytotoxic capacity of equine polymorphonuclear neutrophils and peripheral blood mononuclear cells in vitro and in vivo. <b>1992</b> , 12, 415-23	3
1454	Post-transcriptional regulation by interferon-alpha of epsilon-globin production in human erythroleukemia K-562 cells. <b>1992</b> , 12, 311-6	2
1453	Impaired NK response of cancer patients to IFN-alpha but not to IL-2: correlation with serum immunosuppressive acidic protein (IAP) and role of suppressor macrophage. <b>1992</b> , 36, 1087-97	9
1452	Erythroid expression and DNAasel-hypersensitive sites of the carbonic anhydrase 1 gene. <b>1992</b> , 288 (Pt 2), 545-51	9
1451	Effect of tetrahydrouridine on metabolism and transport of 1-beta-D-arabinofuranosylcytosine in human cells. <b>1992</b> , 38, 358-66	11
1450	Activation of heat shock factor 2 during hemin-induced differentiation of human erythroleukemia cells. <b>1992</b> , 12, 4104-11	251

1449	Identification of murine homologues of the Drosophila son of sevenless gene: potential activators of ras. <b>1992</b> , 89, 6511-5	267
1448	A 41-kilodalton protein is a potential substrate for the p210bcr-abl protein-tyrosine kinase in chronic myelogenous leukemia cells. <b>1992</b> , 12, 1312-23	8
1447	A novel endothelial cell surface receptor tyrosine kinase with extracellular epidermal growth factor homology domains. <b>1992</b> , 12, 1698-707	290
1446	Phylogenetic footprinting reveals a nuclear protein which binds to silencer sequences in the human gamma and epsilon globin genes. <b>1992</b> , 12, 4919-29	160
1445	In vivo treatment of human leukemia in a scid mouse model with c-myb antisense oligodeoxynucleotides. <b>1992</b> , 89, 11823-7	293
1444	Regulation of the natural killer cell response to interferon-alpha by biogenic amines. <b>1992</b> , 12, 199-206	24
1443	Hsp60/chaperonin gene expression and differentiation of human colon adenocarcinoma and multipotent leukaemic cells. <b>1992</b> , 186, 371-7	7
1442	Stimulation of the Na+,K(+)-ATPase activity of K562 human erythroleukemia cells by triiodothyronine. <b>1992</b> , 51, 1913-20	6
1441	Effect of verapamil on the class I major histocompatibility complex antigen expression in K562 chronic myelogenous leukemia cells treated with recombinant human interferon-gamma. <b>1992</b> , 65, 99-106	
1440	The natural anti-alpha-galactosyl IgG in seminal fluid. A simple means to determine damage to the blood-genital tract barrier in infertile males. <b>1992</b> , 151, 117-22	4
1439	Cis-acting sequences regulating expression of the human alpha-globin cluster lie within constitutively open chromatin. <b>1992</b> , 69, 781-93	154
1438	The t(4;11) chromosome translocation of human acute leukemias fuses the ALL-1 gene, related to Drosophila trithorax, to the AF-4 gene. <b>1992</b> , 71, 701-8	749
1437	Inhibition of cellular transport systems by alkyl phospholipid analogs in HL-60 human leukemia cells. <b>1992</b> , 1127, 74-80	29
1436	Purification and characterization of a novel growth factor (FF-GF) synthesized by a rat hepatoma cell line, FF101. <b>1992</b> , 189, 654-61	1
1435	Quinone-induced DNA single strand breaks in rat hepatocytes and human chronic myelogenous leukaemic K562 cells. <b>1992</b> , 44, 215-21	22
1434	Mitosis-arresting effect of the calcium channel inhibitor SK&F 96365 on human leukemia cells. <b>1992</b> , 202, 487-94	30
1433	Specific increase in calcium-activated neutral protease with low calcium sensitivity (m-calpain) in proerythroblastic K562 cell line cells induced to differentiation by phorbol 12-myristate 13-acetate. <b>1992</b> , 200, 513-22	27
1432	Induced cell surface expression of functional alpha 2 beta 1 integrin during megakaryocytic differentiation of K562 leukemic cells. <b>1992</b> , 202, 28-35	52

1431	The SCL gene product: a positive regulator of erythroid differentiation <b>1992</b> , 11, 4073-4081	166
1430	Delineation of DNA replication time zones by fluorescence in situ hybridization <b>1992</b> , 11, 1217-1225	215
1429	Identification of a stage selector element in the human gamma-globin gene promoter that fosters preferential interaction with the 5? HS2 enhancer when in competition with the beta-promoter <b>1992</b> , 11, 2961-2969	120
1428	Suppression of human lymphocyte proliferation and cytotoxic T lymphocyte generation by a soluble factor derived from K562 cells. <b>1992</b> , 5, S661-S664	
1427	Growth inhibition of RPMI 8226 human myeloma cells by peripheral blood lymphocytes. <b>1992</b> , 87, 37-44	1
1426	The association of the human epsilon-globin gene with the nuclear matrix: a reconsideration. <b>1992</b> , 115, 105-15	2
1425	Cell cycle-specific metabolism of arabinosyl nucleosides in K562 human leukemia cells. <b>1992</b> , 31, 11-7	18
1424	Determination of vinorelbine (Navelbine) in tumour cells by high-performance liquid chromatography. <b>1992</b> , 581, 93-9	19
1423	Single K562 human leukemia cells express and are inducible for both erythroid and megakaryocytic antigens. <b>1992</b> , 10, 232-40	23
1422	The expression of class I major histocompatibility antigens by human retinal pigment epithelium in vitro. <b>1992</b> , 230, 184-7	1
1421	The role of folates in the development of methotrexate resistance in human leukemia cell line K562. <b>1992</b> , 119, 101-5	8
1420	Recombinant human interferons alpha, beta and gamma reduce the antiproliferative action of cytarabine in K562 human myeloid leukaemia clonogenic cells. <b>1992</b> , 118, 329-33	3
1419	Mechanism of target cell recognition by CD3- LGL. I. Development of a monoclonal antibody to a K562-associated target cell antigen. <b>1992</b> , 142, 28-39	8
1418	A new DNA profiling system for cell line identification for use in cell banks in Japan. <b>1992</b> , 28A, 24-8	15
1417	Three transcriptionally distinct forms of Epstein-Barr virus latency in somatic cell hybrids: cell phenotype dependence of virus promoter usage. <b>1992</b> , 187, 189-201	106
1416	Pyrene butanolan efficient, selective and non-metabolized photosensitizing agent for human myeloid leukemia cells. <b>1992</b> , 16, 453-62	5
1415	Identical photosensitizing activities of a sulfonated aluminium phthalocyanine on human erythroleukemia cell lines susceptible or resistant to the cytotoxic activity of doxorubicin. <b>1992</b> , 14, 201-5	5
1414	Antibodies to the p53 tumor suppressor gene product quantified in cancer patient serum with a time-resolved immunofluorometric technique. <b>1992</b> , 25, 445-9	21

1413	TNF induces cytoplasmic vesicles in actinomycin D-treated K 562 cells. <b>1992</b> , 65, 50-2	5
1412	The CySF-L2 factor from dialysable human leucocyte extract activates natural killer cytotoxicity by induction of interferon gamma. <b>1992</b> , 34, 299-305	3
1411	Potentiated lymphokine-activated killer cell activity generated by low-dose interleukin-2 and mismatched double-stranded RNA. <b>1992</b> , 34, 259-64	1
1410	Diagnosis of acute promyelocytic leukaemia by RT-PCR: detection of PML-RARA and RARA-PML fusion transcripts. <b>1992</b> , 82, 529-40	131
1409	Diversity in DNA rearrangements and in RNA expressions of immunoglobulin gene on common variable immunodeficiency. <b>1992</b> , 19, 273-85	2
1408	Ascorbate-mediated transmembrane electron transport and ascorbate uptake in leukemic cell lines are two different processes. <b>1992</b> , 206, 807-12	29
1407	Detection of neutral endopeptidase-24.11/CD10 by flow cytometry and photomicroscopy using a new fluorescent inhibitor. <b>1992</b> , 205, 57-64	3
1406	A novel nuclear protein which binds to G gamma and A gamma globin promoters and modulates hemoglobin synthesis in K562 cells. <b>1992</b> , 49, 394-8	3
1405	Phenotypic characterization of KU812, a cell line identified as an immature human basophilic leukocyte. <b>1992</b> , 22, 2025-32	51
1404	Effects of recombinant human interferon-alpha, beta and gamma on the antiproliferative activity of cytarabine in K562 human myeloid leukemia clonogenic cells. <b>1992</b> , 10, 117-24	1
1403	Comparative anti-viral and anti-proliferative activity of PGA1 and PGJ2 against HTLV-I-infected MT-2 cells. <b>1992</b> , 51, 481-8	15
1402	Cytotoxicity of a transferrin-adriamycin conjugate to anthracycline-resistant cells. <b>1992</b> , 52, 619-23	36
1401	Effects of bacillus Calmette-Guerin on cytotoxic activities of peripheral blood lymphocytes against human T24 lined and freshly isolated autologous urinary bladder transitional carcinoma cells in patients with urinary bladder cancer. <b>1992</b> , 69, 537-45	37
1400	The streptococcal preparation OK-432 specifically augments the susceptibility of human urinary bladder tumor cells to autologous peripheral blood lymphocytes. <b>1992</b> , 69, 2999-3007	17
1399	Enhanced susceptibility of cis-diamminedichloroplatinum-treated K562 cells to lysis by peripheral blood lymphocytes and lymphokine activated killer cells. <b>1993</b> , 71, 1313-21	30
1398	Human hepatic stimulator substance: A product of gene expression of human fetal liver tissue. <b>1993</b> , 17, 225-229	33
1397	FLT4 receptor tyrosine kinase gene mapping to chromosome band 5q35 in relation to the t(2;5), t(5;6), and t(3;5) translocations. <b>1993</b> , 7, 144-51	18
1396	Depressed immune functions in the early phase of varicella-zoster virus reactivation. <b>1993</b> , 39, 242-5	15

1395	A novel target cell antigen involved in the NK-like lytic activity of antigen-specific cytotoxic T lymphocytes. <b>1993</b> , 38, 11-8	4
1394	The antitumor activity of the platinum complex D-17872 is associated with tumor cell differentiation. <b>1993</b> , 32, 123-8	3
1393	Antitumor activity and cytotoxicity of a new ankinomycin derivative, 3'-,11-dibutyryl ankinomycin. <b>1993</b> , 32, 173-8	1
1392	Effect of phototherapy and urocanic acid isomers on natural killer cell function. <b>1993</b> , 101, 169-74	66
1391	Leukemic cell lysis by activated human macrophages: significance of membrane-associated tumor necrosis factor. <b>1993</b> , 84, 1174-80	5
1390	Induction of BCR-ABL fusion genes by in vitro X-irradiation. <b>1993</b> , 84, 105-9	25
1389	Expression of a mast cell tryptase in the human monocytic cell lines U-937 and Mono Mac 6. <b>1993</b> , 38, 359-67	33
1388	Characterization of a tryptase mRNA expressed in the human basophil cell line KU812. <b>1993</b> , 37, 203-8	20
1387	Monoclonal antibody recognizing a unique Rh-related specificity. <b>1993</b> , 64, 231-9	5
1386	CCACC-binding or simian-virus-40-protein-1-binding proteins cooperate with human GATA-1 to direct erythroid-specific transcription and to mediate 5' hypersensitive site 2 sensitivity of a TATA-less promoter. <b>1993</b> , 212, 763-70	16
1385	Influence of conjugation of doxorubicin to transferrin on the iron uptake by K562 cells via receptor-mediated endocytosis. <b>1993</b> , 213, 427-36	26
1384	Monodehydroascorbate reductase activity in the surface membrane of leukemic cells. Characterization by a ferricyanide-driven redox cycle. <b>1993</b> , 218, 1057-62	25
1383	Differentiation and multidrug resistance in response to drug treatment in the K562 human leukaemia cell line. <b>1993</b> , 84, 83-9	19
1382	Endogenous lymphokine activated killer cell activity and cytogenetic response in chronic myelogenous leukaemia treated with alpha-interferon. <b>1993</b> , 83, 218-22	13
1381	Efficient photodynamic action of Victoria blue BO against the human leukemic cell lines K-562 and TF-1. <b>1993</b> , 58, 356-61	19
1380	Expression of P-glycoprotein and anionic glutathione S-transferase genes in non-Hodgkin's lymphoma. <b>1993</b> , 17, 149-56	45
1379	Induction of apolipoprotein E expression during erythroid differentiation of human K562 leukemia cells. <b>1993</b> , 17, 771-6	3
1378	Characterization of K562 cells following introduction of a mutant N-ras gene. <b>1993</b> , 17, 23-9	1

1377	Mutational inactivation of the p53 gene in the human erythroid leukemic K562 cell line. <b>1993</b> , 17, 1045-50	112
1376	The two-step liquid culture: a novel procedure for studying maturation of human normal and pathological erythroid precursors. <b>1993</b> , 11 Suppl 1, 36-41	45
1375	T cells and monocytes regulate the generation and functional activity of natural killer-derived lymphokine-activated killer cells. <b>1993</b> , 11, 511-8	
1374	Structure-function relationships of alkyl-lysophospholipid analogs in selective antitumor activity. <b>1993</b> , 28, 511-6	9
1373	Separation of coeliac-active peptides from bread wheat with the aid of methylpyrrolidinone chitosan. <b>1993</b> , 21, 295-298	3
1372	Immunoreactive fucosylceramide as a B-cell differentiation marker. <b>1993</b> , 37, 119-22	
1371	Enhancement by retinoid of hemin-induced differentiation of human leukemia K562 cell line. <b>1993</b> , 330, 81-4	10
1370	Aspects of the cellular pharmacology of N-l-leucyldoxorubicin in human tumor cell lines. <b>1993</b> , 45, 1929-31	8
1369	Single and dual labelling of cytotoxic target cells. Comparison of three radioactive tracers, [35S]methionine, [75Se]selenomethionine, and chromium-51. <b>1993</b> , 161, 217-22	5
1368	Quantitative comparison between aminophospholipid translocase activity in human erythrocytes and in K562 cells. <b>1993</b> , 1148, 85-90	27
1367	Distribution profile and properties of peripheral-type benzodiazepine receptors on human hemopoietic cells. <b>1993</b> , 52, 107-18	116
1366	Clinical and immunologic studies in reticular erythematous mucinosis and Jessner's lymphocytic infiltrate of skin. <b>1993</b> , 28, 691-5	48
1365	Induction of granulocytic maturation in HL-60 human leukemia cells by free radicals: a hypothesis of cell differentiation involving hydroxyl radicals. <b>1993</b> , 19, 1-15	28
1364	Naloxone modulates NK-cell activity of human peripheral blood lymphocytes like an opioid agonist. <b>1993</b> , 15, 179-97	12
1363	Augmented production of interleukin 6 by co-culture of human bone marrow adherent cells and human leukemic cells. <b>1993</b> , 47, 379-84	1
1362	Efficient immunoselection of cytolytic effectors with a magnetic cell sorter. <b>1993</b> , 144, 141-50	7
1361	The acute promyelocytic leukemia-specific PML-RAR alpha fusion protein inhibits differentiation and promotes survival of myeloid precursor cells. <b>1993</b> , 74, 423-31	518
1360	Sulfhydryl reactive phenylarsine oxide inhibits signal transduction in NK and LAK cells: effect on zeta-chain phosphorylation and phosphatidylinositol level. <b>1993</b> , 1177, 291-8	10

1359	Multiparameter approach in the identification of cross-contaminated leukemia cell lines. <b>1993</b> , 10, 359-68	12
1358	Purification, characterization, and cDNA cloning of an AU-rich element RNA-binding protein, AUF1. <b>1993</b> , 13, 7652-65	488
1357	Detection of tumor-specific antigens in Philadelphia chromosome positive leukemias. <b>1993</b> , 11 Suppl 1, 29-32	5
1356	A comparative analysis of the sensitivity of multidrug resistant (MDR) and non-MDR cells to different anthracycline derivatives. <b>1993</b> , 9, 255-64	39
1355	En bloc substitution of the Src homology region 2 domain activates the transforming potential of the c-Abl protein tyrosine kinase. <b>1993</b> , 90, 3457-61	19
1354	Genes on chromosomes 4, 9, and 19 involved in 11q23 abnormalities in acute leukemia share sequence homology and/or common motifs. <b>1993</b> , 90, 4631-5	231
1353	Neuraminidase augments Fc gamma receptor II-mediated antibody-dependent enhancement of dengue virus infection. <b>1993</b> , 74 ( Pt 5), 839-44	23
1352	Expression of bombesin-receptor subtypes and their differential regulation of colonic smooth muscle contraction. <b>1993</b> , 105, 1672-80	27
1351	Initiation and termination of DNA replication in human rRNA genes. <b>1993</b> , 13, 6600-13	225
1350	Monoclonal Antibody Recognizing a Unique Rh-Related Specificity. <b>1993</b> , 64, 231-239	3
1350 1349	Monoclonal Antibody Recognizing a Unique Rh-Related Specificity. 1993, 64, 231-239  Fusion between a novel Krppel-like zinc finger gene and the retinoic acid receptor-alpha locus due to a variant t(11;17) translocation associated with acute promyelocytic leukaemia 1993, 12, 1161-1167	3 501
	Fusion between a novel Krppel-like zinc finger gene and the retinoic acid receptor-alpha locus due	
1349	Fusion between a novel Krppel-like zinc finger gene and the retinoic acid receptor-alpha locus due to a variant t(11;17) translocation associated with acute promyelocytic leukaemia <b>1993</b> , 12, 1161-1167  Purification of the human NF-E2 complex: cDNA cloning of the hematopoietic cell-specific subunit	501
1349 1348	Fusion between a novel Krppel-like zinc finger gene and the retinoic acid receptor-alpha locus due to a variant t(11;17) translocation associated with acute promyelocytic leukaemia 1993, 12, 1161-1167  Purification of the human NF-E2 complex: cDNA cloning of the hematopoietic cell-specific subunit and evidence for an associated partner. 1993, 13, 5604-12  Philadelphia chromosome as the sole abnormality and p210 bcr-abl chimeric protein expression in an Epstein-Barr virus-transformed B cell line from a patient with chronic myeloid leukemia. 1993,	501 165
1349 1348 1347	Fusion between a novel Krppel-like zinc finger gene and the retinoic acid receptor-alpha locus due to a variant t(11;17) translocation associated with acute promyelocytic leukaemia 1993, 12, 1161-1167  Purification of the human NF-E2 complex: cDNA cloning of the hematopoietic cell-specific subunit and evidence for an associated partner. 1993, 13, 5604-12  Philadelphia chromosome as the sole abnormality and p210 bcr-abl chimeric protein expression in an Epstein-Barr virus-transformed B cell line from a patient with chronic myeloid leukemia. 1993, 90, 190-4  An actin-binding function contributes to transformation by the Bcr-Abl oncoprotein of Philadelphia	501 165 3
1349 1348 1347	Fusion between a novel Krippel-like zinc finger gene and the retinoic acid receptor-alpha locus due to a variant t(11;17) translocation associated with acute promyelocytic leukaemia 1993, 12, 1161-1167  Purification of the human NF-E2 complex: cDNA cloning of the hematopoietic cell-specific subunit and evidence for an associated partner. 1993, 13, 5604-12  Philadelphia chromosome as the sole abnormality and p210 bcr-abl chimeric protein expression in an Epstein-Barr virus-transformed B cell line from a patient with chronic myeloid leukemia. 1993, 90, 190-4  An actin-binding function contributes to transformation by the Bcr-Abl oncoprotein of Philadelphia chromosome-positive human leukemias 1993, 12, 1533-1546	501 165 3 233
1349 1348 1347 1346	Fusion between a novel Krppel-like zinc finger gene and the retinoic acid receptor-alpha locus due to a variant t(11;17) translocation associated with acute promyelocytic leukaemia 1993, 12, 1161-1167  Purification of the human NF-E2 complex: cDNA cloning of the hematopoietic cell-specific subunit and evidence for an associated partner. 1993, 13, 5604-12  Philadelphia chromosome as the sole abnormality and p210 bcr-abl chimeric protein expression in an Epstein-Barr virus-transformed B cell line from a patient with chronic myeloid leukemia. 1993, 90, 190-4  An actin-binding function contributes to transformation by the Bcr-Abl oncoprotein of Philadelphia chromosome-positive human leukemias 1993, 12, 1533-1546  Bcr-Abl oncoproteins bind directly to activators of the Ras signalling pathway 1994, 13, 764-773  The Intestinal Mucosa of Coeliacs in Remission is Unable to Abolish the Agglutinating Activity of	501 165 3 233 324

1341	Direct recovery of herpes simplex virus (HSV)-specific T lymphocyte clones from recurrent genital HSV-2 lesions. <b>1994</b> , 169, 956-61	126
1340	Synthesis and anti-tumour activity of 6-methyl derivatives of flavone-8-acetic acid (FAA). <b>1994</b> , 4, 2313-2316	5
1339	Chronic myeloid leukemia presenting ALL-type BCR/ABL transcript. <b>1994</b> , 69, 189-93	11
1338	Cellular distribution of CD63 antigen in platelets and in three megakaryocytic cell lines. <b>1994</b> , 26, 367-75	28
1337	Synthesis of C(10)-halogenated prostaglandins. <b>1994</b> , 83, 472-5	5
1336	Detection of Philadelphia chromosome using PCR and europium-labeled DNA probes. <b>1994</b> , 27, 373-9	8
1335	Cytotoxicity of the anticancer agents cisplatin and taxol during cell proliferation and the cell cycle. <b>1994</b> , 57, 847-55	148
1334	Involvement of Na+,K(+)-ATPase inhibition in K562 cell differentiation induced by bufalin. <b>1994</b> , 160, 113-20	56
1333	Human peripheral blood granulocytes and myeloid leukemic cell lines express both transcripts encoding for stem cell factor. <b>1994</b> , 12, 521-6	7
1332	Binding of Epstein-Barr virus nuclear antigen 1 to DNA: inhibition by distamycin and two novel distamycin analogues. <b>1994</b> , 267, 143-9	20
1331	The Met/hepatocyte growth factor receptor (HGFR) gene is overexpressed in some cases of human leukemia and lymphoma. <b>1994</b> , 18, 7-16	59
1330	Selective expression of heat shock genes during differentiation of human myeloid leukemic cells. <b>1994</b> , 18, 597-608	21
1329	Capping of bcr-abl antisense oligonucleotides enhances antiproliferative activity against chronic myeloid leukemia cell lines. <b>1994</b> , 18, 401-8	15
1328	Selection and characterization of an erythroeosinophilic subclone (LAMA-87) and an eosinophilic subclone (LAMA-88) from the multipotential cell line LAMA-84. <b>1994</b> , 18, 903-18	9
1327	Leukemia cell lines: in vitro models for the study of chronic myeloid leukemia. <b>1994</b> , 18, 919-27	30
1326	Retroviral mediated gene transfer in megakaryocytic cell lines. <b>1994</b> , 30A, 803-9	2
1325	Characterisation of a navelbine-resistant bladder carcinoma cell line cross-resistant to taxoids. <b>1994</b> , 70, 1118-25	12
1324	In vitro enhancement of natural killer cell activity by BCG and the antagonistic inhibition of the susceptibility of K562 cells to lysis by peripheral blood lymphocytes in patients with urinary bladder tumor. <b>1994</b> , 1, 49-56	5

1323	Propagation of large numbers of T cells with natural killer cell markers. <b>1994</b> , 87, 453-8	104
1322	A tetrazolium-based colorimetric MTT assay to quantitate human monocyte mediated cytotoxicity against leukemic cells from cell lines and patients with acute myeloid leukemia. <b>1994</b> , 174, 311-20	429
1321	CARE-LASS (calcein-release-assay), an improved fluorescence-based test system to measure cytotoxic T lymphocyte activity. <b>1994</b> , 172, 227-39	226
1320	Electrolytic lesions of the lateral hypothalamus influence peripheral blood NK cytotoxicity in rats. <b>1994</b> , 55, 45-54	19
1319	Effect of differentiation on hydrolysis and association of Leu-enkephalin to K562(S) cells. <b>1994</b> , 15, 1213-22	2
1318	Apoptosis or necrosis: intracellular levels of glutathione influence mode of cell death. <b>1994</b> , 48, 675-81	172
1317	Polymerase-chain reaction as a tool for investigations on sequence-selectivity of DNA-drugs interactions. <b>1994</b> , 29, 307-19	17
1316	Tyrosine kinase inhibitor-induced differentiation of K-562 cells: alterations of cell cycle and cell surface phenotype. <b>1994</b> , 81, 81-7	19
1315	Use of an in vitro test battery as a prescreen in the assessment of ocular irritancy. <b>1994</b> , 8, 75-9	13
1314	A growth inhibitor of rat hepatocytes synthesized by a rat hepatoma cell line, FF101. <b>1994</b> , 2, 333-340	
1313	Expression of multidrug resistance-associated protein (MRP) in anaplastic carcinoma of the thyroid. <b>1994</b> , 82, 185-8	27
1312	Liposome-associated retinoids: production, characterization and antiproliferative activity on neoplastic cells. <b>1994</b> , 2, 281-291	12
1311	The retinoblastoma tumor suppressor protein. <b>1994</b> , 64, 25-85	182
1310	The in vitro cytotoxicity of urine from patients with interstitial cystitis. <b>1994</b> , 151, 206-7	18
1309	Localization of the human alpha-fodrin gene (SPTAN1) to 9q33>q34 by fluorescence in situ hybridization. <b>1994</b> , 66, 39-41	7
1308	Human heat shock factors 1 and 2 are differentially activated and can synergistically induce hsp70 gene transcription. <b>1994</b> , 14, 2087-99	215
1307	Positive regulators of the lineage-specific transcription factor GATA-1 in differentiating erythroid cells. <b>1994</b> , 14, 3108-14	26
1306	Growth inhibition and induction of differentiation of t(8;21) acute myeloid leukemia cells by the DNA-binding domain of PEBP2 and the AML1/MTG8(ETO)-specific antisense oligonucleotide. <b>1994</b> , 91, 11723-7	77

1305	Tumorigenic activity of the BCR-ABL oncogenes is mediated by BCL2. <b>1995</b> , 92, 5287-91	181
1304	Differential regulation of the expression of interleukin-2 receptor gamma-chain during the in vitro differentiation of human myeloid cells. <b>1995</b> , 308 ( Pt 3), 909-14	6
1303	Ca2+ signalling in K562 human erythroleukaemia cells: effect of dimethyl sulphoxide and role of G-proteins in thrombin- and thromboxane A2-activated pathways. <b>1995</b> , 312 ( Pt 1), 151-8	14
1302	Mutant forms of growth factor-binding protein-2 reverse BCR-ABL-induced transformation. <b>1995</b> , 92, 10889-93	62
1301	Differentiation of immortal cells inhibits telomerase activity. <b>1995</b> , 92, 12343-6	227
1300	Propagation of large numbers of cells of a human mixed-lineage T-lymphoid/myeloid. <b>1995</b> , 90, 512-7	12
1299	Growth inhibition of leukaemic cells carrying the t(3;21) by the AML1/EVI-1-specific antisense oligonucleotide. <b>1995</b> , 90, 711-4	7
1298	Molecular characterization of glycophorin A transcripts in human erythroid cells using RT-PCR, allele-specific restriction, and sequencing. <b>1995</b> , 68, 121-9	11
1297	Comparative study of multidrug resistance evaluated by means of the quantitative immunohistochemical detection of P-glycoprotein and the functional release of rhodamine 123. <b>1995</b> , 49, 183-93	8
1296	Synthetic peptides deduced from the amino acid sequence of Epstein-Barr virus nuclear antigen 6 (EBNA 6): antigenic properties, production of monoreactive reagents, and analysis of antibody responses in man. <b>1995</b> , 46, 349-57	6
1295	Malignant B lymphocytes from non-Hodgkin's lymphoma induce allogeneic proliferative and cytotoxic T cell responses in primary mixed lymphocyte cultures: an important role of co-stimulatory molecules CD80 (B7-1) and CD86 (B7-2) in stimulation by tumor cells. <b>1995</b> , 25, 3332-41	38
1294	Persistent growth of BALB/C mouse plasmacytoma and human myeloma cell lines in the presence of phorbol myristate acetate is associated with continued expression of Lap18 (stathmin). <b>1995</b> , 13, 29-43	4
1293	Differential effects of verapamil and quinine on the reversal of doxorubicin resistance in a human leukemia cell line. <b>1995</b> , 62, 283-90	29
1292	Cellular pharmacology of azatoxins (topoisomerase-II and tubulin inhibitors) in P-glycoprotein-positive and -negative cell lines. <b>1995</b> , 63, 268-75	14
1291	DNA single-strand breakage in mammalian cells induced by redox cycling quinones in the absence of oxidative stress. <b>1995</b> , 10, 227-32	12
1290	Megakaryocytopoiesis: cellular aspects and regulation. <b>1995</b> , 20, 165-92	17
1289	Human megakaryocyte biology and pathophysiology. <b>1995</b> , 21, 135-57	18
1288	The proteoglycan perlecan is expressed in the erythroleukemia cell line K562 and is upregulated by sodium butyrate and phorbol ester. <b>1995</b> , 145, 61-8	26

1287	Comparative study on the cytotoxic effect of viscotoxin and mistletoe lectin on tumour cells in culture. <b>1995</b> , 9, 49-55	36
1286	Induction of erythroid differentiation by 5-fluorouracil in K562 leukemia cells. <b>1995</b> , 86, 948-55	4
1285	EO9: relationship between DT-diaphorase levels and response in vitro and in vivo. <b>1995</b> , 71, 1199-203	29
1284	Preclinical in vitro and in vivo activity of 5,6-dimethylxanthenone-4-acetic acid. <b>1995</b> , 71, 1204-9	43
1283	Adhesion of leucocytes to microscope slides as influenced by electrostatic interaction. <b>1995</b> , 16, 201-7	22
1282	The extracts from rat submandibular glands induce the erythroid differentiation of K-562 cells. <b>1995</b> , 19, 397-405	
1281	A novel intracellular antigen in HL-60 cells that changes in molecular weight after granulocytic and monocytic differentiation. <b>1995</b> , 19, 613-20	
1280	Erythroid differentiation and growth inhibition of K562 cells by 2',5'-dideoxyadenosine: synergism with interferon-alpha. <b>1995</b> , 19, 749-55	4
1279	The use of non-radioactive chromium as an alternative to 51Cr in NK assay. <b>1995</b> , 186, 101-10	23
1278	Decay of globin mRNA during megakaryocytic differentiation of erythroleukemic cell line is accomplished through shortening of the poly(A) tail and degradation from the 3' end of the transcript. <b>1995</b> , 1261, 265-71	5
1277	Expression of apoptosis-related oncoproteins and modulation of apoptosis by caffeine in human leukemic cells. <b>1995</b> , 121, 648-56	31
1276	A newly established megakaryoblastic/erythroid cell line that differentiates to red cells in the presence of erythropoietin and produces platelet-like particles. <b>1995</b> , 13, 54-64	13
1275	Upregulation of B7 molecules by the Epstein-Barr virus enhances susceptibility to lysis by a human NK-like cell line. <b>1995</b> , 160, 104-14	24
1274	Organization of the alpha-globin promoter and possible role of nuclear factor I in an alpha-globin-inducible and a noninducible cell line. <b>1995</b> , 270, 19643-50	19
1273	Molecular Characterization of Glycophorin A Transcripts in Human Erythroid Cells Using RT-PCR, Allele-Specific Restriction, and Sequencing. <b>1995</b> , 68, 121-129	7
1272	Nuclear factor binding sites in human beta globin IVS2. <b>1995</b> , 270, 28448-56	8
1271	Characterization of a gp91-phox promoter element that is required for interferon gamma-induced transcription. <b>1995</b> , 270, 8267-73	40
1270	Functional roles of in vivo footprinted DNA motifs within an alpha-globin enhancer. Erythroid lineage and developmental stage specificities. <b>1995</b> , 270, 8501-5	18

1269	Wortmannin causes mistargeting of procathepsin D. evidence for the involvement of a phosphatidylinositol 3-kinase in vesicular transport to lysosomes. <b>1995</b> , 130, 797-805	191
1268	The translational repression mediated by the platelet-derived growth factor 2/c-sis mRNA leader is relieved during megakaryocytic differentiation. <b>1995</b> , 270, 10559-65	40
1267	Basal natural killer cell activity of young versus elderly humans. <b>1995</b> , 50, B110-6	19
1266	Dimeric Macrocyclic Polyamines with Potent Inhibitory Activity against Human Immunodeficiency Virus. <b>1995</b> , 6, 337-344	20
1265	Regulation of transcription of the human erythropoietin receptor gene by proteins binding to GATA-1 and Sp1 motifs. <b>1995</b> , 23, 3041-9	61
1264	Interleukins and colony stimulating factors in human myeloid leukemia cell lines. <b>1995</b> , 20, 1-15	28
1263	Activation of natural killer cell migration by leukocyte integrin-binding peptide from intracellular adhesion molecule-2 (ICAM-2). <b>1995</b> , 270, 8629-36	25
1262	The mouse obese gene. Genomic organization, promoter activity, and activation by CCAAT/enhancer-binding protein alpha. <b>1995</b> , 270, 28887-91	116
1261	Identification of two enhancer elements downstream of the human c-myc gene. <b>1995</b> , 23, 72-80	39
1260	19-Allylaminoherbimycin A, an analog of herbimycin A that is stable against treatment with thiol compounds or granulocyte-macrophage colony-stimulating factor in human leukemia cells. <b>1995</b> , 1272, 199-205	3
1259	A structurally abnormal breakpoint cluster region gene in a transcription factor, hLH-2-negative human leukemia cell line. <b>1995</b> , 92, 215-22	2
1258	Amplification of the E2F1 transcription factor gene in the HEL erythroleukemia cell line. <b>1995</b> , 25, 130-8	75
1257	Cell-specific effects of RAS oncogene and protein kinase C agonist TPA on P-glycoprotein function. <b>1995</b> , 368, 373-6	16
1256	Flow cytometric determination of intracellular calcium changes in human peripheral blood mononuclear cells during conjugation to tumour cell lines. <b>1995</b> , 178, 229-39	5
1255	Analysis of the spatial distribution of AgNOR proteins in cell nuclei using simultaneous confocal scanning laser fluorescence and transmitted light microscopy. <b>1995</b> , 178, 251-260	3
1254	The role of the BCR/ABL oncogene in human leukemia. <b>1995</b> , 305-335	
1253	Increased cation transport in mdr1-gene-expressing K562 cells. <b>1995</b> , 36, 87-90	7
1252	Cell-mediated cytotoxicity can be regulated by p53 tumor suppressor gene activity in vitro. <b>1995</b> , 84, 175-85	5

1251	System A amino acid transport in cultured human tumor cells: implications for tumor imaging with PET. <b>1996</b> , 23, 779-86	25
1250	The Epstein-Barr virus (EBV) alters the B cell glycolipid which is recognized by the human monoclonal antibody to i-blood group antigen. <b>1996</b> , 43, 57-68	4
1249	Chemosensitizing interactions of clofazimine and B669 with human K562 erythroleukaemia cells with varying levels of expression of P-glycoprotein. <b>1996</b> , 99, 73-8	8
1248	Evidence of sodium-dependent glucose transport in human erythroleukemia cells. <b>1996</b> , 58, 1445-52	5
1247	Effects of hemin on apoptosis, suppression of cytochrome c oxidase gene expression, and bone-marrow toxicity induced by doxorubicin (adriamycin). <b>1996</b> , 52, 713-22	33
1246	Reactive oxygen intermediate(s) (ROI): common mediator(s) of poly(ADP-ribose)polymerase (PARP) cleavage and apoptosis. <b>1996</b> , 392, 299-303	71
1245	Kinetic selectivity of complementary nucleic acids: bcr-abl-directed antisense RNA and ribozymes. <b>1996</b> , 259, 632-44	50
1244	Signaling mechanism of PMA-induced differentiation of K562 cells. <b>1996</b> , 221, 95-100	26
1243	Intracellular molecular interactions of antitumor drug amsacrine (m-AMSA) as revealed by surface-enhanced Raman spectroscopy. <b>1996</b> , 397, 61-4	39
1242	Multi-unit anti-BCR-ABL ribozyme therapy in chronic myelogenous leukemia. <b>1996</b> , 22, 365-73	16
1241	Retrovirus-mediated gene transfer of rat glutathione S-transferase Yc confers in vitro resistance to alkylating agents in human leukemia cells and in clonogenic mouse hematopoietic progenitor cells. <b>1996</b> , 7, 831-40	23
1240	Use of flameless atomic absorption spectroscopy in immune cytolysis for nonradioactive determination of killer cell activity. <b>1996</b> , 42, 319-325	6
1239	Comparison of bcr-abl protein expression and Philadelphia chromosome analyses in chronic myelogenous leukemia patients. <b>1996</b> , 106, 442-8	18
1238	NF-E2 disrupts chromatin structure at human beta-globin locus control region hypersensitive site 2 in vitro. <b>1996</b> , 16, 5634-44	101
1237	Aggregated proteins in serum. <b>1996</b> , 32, 75-7	
1236	The effect of bcr-abl antisense oligonucleotide on DNA synthesis and apoptosis in K562 chronic myeloid leukemia cells. <b>1996</b> , 20, 473-80	27
1235	Effect of cationic liposome composition on in vitro cytotoxicity and protective effect on carried DNA. <b>1996</b> , 139, 69-78	100
1234	Time-resolved fluorometric assay for natural killer activity using target cells labelled with a fluorescence enhancing ligand. <b>1996</b> , 193, 199-206	88

1233	Effects of insulin and transferrin on the generation of lymphokine-activated killer cells in serum-free medium. <b>1996</b> , 195, 7-14	19
1232	Cellular pharmacokinetics of ZD1694 in cultured human leukaemia cells sensitive, or made resistant, to this drug. <b>1996</b> , 122, 109-17	14
1231	P-glycoprotein-mediated multidrug resistance and lymphokine-activated killer cell susceptibility in ovarian carcinoma. <b>1996</b> , 16, 348-57	7
1230	PMA-induced megakaryocytic differentiation of HEL cells is accompanied by striking modifications of protein kinase C catalytic activity and isoform composition at the nuclear level. <b>1996</b> , 92, 530-6	34
1229	Mosaicicm in bcr-abl protein expression in B cells in chronic myelogenous leukemia. <b>1996</b> , 68, 577-82	1
1228	Synthesis and antitumour activity of new derivatives of flavone-8-acetic acid (FAA). Part 1: 6-Methyl derivatives. <b>1996</b> , 329, 489-97	6
1227	A novel human leukaemic cell line, CTS, has a t(6;11) chromosomal translocation and characteristics of pluripotent stem cells. <b>1996</b> , 95, 306-18	23
1226	A novel approach to investigating the erythroid lineage, using both receptor analysis and haemoglobin detection. <b>1996</b> , 95, 457-60	2
1225	Fructose 2,6-bisphosphate metabolism during megakaryocytic differentiation of K562 and MEG-01 cells. <b>1996</b> , 156, 125-30	2
1224	Immunochemical detection of cell cycle synchronization in a human erythroid cell line, K562. <b>1996</b> , 18, 143-148	2
1223	Synchronization of cancer cell lines with methotrexate in vitro. <b>1996</b> , 18, 149-163	4
1222	Tyrosyl phosphorylation and DNA binding activity of signal transducers and activators of transcription (STAT) proteins in hematopoietic cell lines transformed by Bcr/Abl. <b>1996</b> , 183, 811-20	424
1221	CCAAT displacement protein competes with multiple transcriptional activators for binding to four sites in the proximal gp91phox promoter. <b>1996</b> , 271, 18203-10	96
1220	Single amino acid residues in the E- and P-selectin epidermal growth factor domains can determine carbohydrate binding specificity. <b>1996</b> , 271, 16160-70	84
1219	In vitro cytocidal effects of human immunodeficiency virus type 1 Nef on unprimed human CD4+ T cells without MHC restriction. <b>1996</b> , 77 ( Pt 12), 2943-51	21
1218	ATRX encodes a novel member of the SNF2 family of proteins: mutations point to a common mechanism underlying the ATR-X syndrome. <b>1996</b> , 5, 1899-907	184
1217	Interferon regulatory factor-2 directs transcription from the gp91phox promoter. <b>1996</b> , 271, 23445-51	60
1216	Physical and functional association of cortactin with Syk in human leukemic cell line K562. <b>1996</b> , 271, 6631-5	36

1215	Human proteinase-3 expression is regulated by PU.1 in conjunction with a cytidine-rich element. <b>1996</b> , 271, 32392-402	47
1214	New in vitro screening model for the discovery of antileukemic anticancer agents. <b>1996</b> , 14, 124-41	21
1213	Karyotypic evolution of cells in culture: a new concept. <b>1998</b> , 178, 1-40	22
1212	Intergenic transcription and transinduction of the human beta-globin locus. <b>1997</b> , 11, 2494-509	283
1211	Role of Bcr-Abl kinase in resistance to apoptosis. <b>1997</b> , 41, 533-52	6
1210	Interactions of CBL with BCR-ABL and CRKL in BCR-ABL-transformed myeloid cells. <b>1997</b> , 272, 16170-5	53
1209	Identification and characterization of TF1(phox), a DNA-binding protein that increases expression of gp91(phox) in PLB985 myeloid leukemia cells. <b>1997</b> , 272, 9344-55	15
1208	Transduction of human hematopoietic cells and cell lines using a retroviral vector containing a modified murine CD4 reporter gene. <b>1997</b> , 8, 243-52	12
1207	A novel transcript encoding an N-terminally truncated AML1/PEBP2 alphaB protein interferes with transactivation and blocks granulocytic differentiation of 32Dcl3 myeloid cells. <b>1997</b> , 17, 4133-45	69
1206	Constitutive activation of Epstein-Barr virus (EBV) nuclear antigen 1 gene transcription by IRF1 and IRF2 during restricted EBV latency. <b>1997</b> , 17, 873-86	64
1205	Megakaryocytic differentiation induced by constitutive activation of mitogen-activated protein kinase kinase. <b>1997</b> , 17, 1947-58	208
1204	A simplified polymerase chain reaction assay for detection of chromosomal translocations in hematologic malignancies. <b>1997</b> , 6, 3-9	7
1203	5-Aminolevulinate synthase expression and hemoglobin synthesis in a human myelogenous leukemia cell line. <b>1997</b> , 121, 487-95	16
1202	The Effects of General Anesthesia and Surgery on Basal and Interferon Stimulated Natural Killer Cell Activity of Humans. <b>1997</b> , 85, 918-923	40
1201	The effects of general anesthesia and surgery on basal and interferon stimulated natural killer cell activity of humans. <b>1997</b> , 85, 918-23	37
1200	Activated N-RAS causes differentiation of K562 cells. <b>1997</b> , 25, 252S	1
1199	A recombinant fusion toxin targeted to the granulocyte-macrophage colony-stimulating factor receptor. <b>1997</b> , 25, 257-70	17
1198	The 📶 Integrin: Structure, Function, and Regulation of a Platelet Surface Collagen Receptor. <b>1997</b> , 109-128	

1197	Relationships between susceptibility to LAK cell-mediated lysis, conjugate formation and expression of adhesion molecules in B-cell derived non-Hodgkin's lymphomas. <b>1997</b> , 28, 133-43		7
1196	A human megakaryoblastic cell cycle regulation cell line, CMK and its cell cycle regulation. <b>1997</b> , 8, 23-30		
1195	Microbial extracellular glycolipid induction of differentiation and inhibition of the protein kinase C activity of human promyelocytic leukemia cell line HL60. <b>1997</b> , 61, 609-14		126
1194	Externalization and binding of galectin-1 on cell surface of K562 cells upon erythroid differentiation. <b>1997</b> , 7, 1193-9		56
1193	NACP, a synaptic protein involved in Alzheimer's disease, is differentially regulated during megakaryocyte differentiation. <b>1997</b> , 237, 611-6		111
1192	Telomerase activity in human leukemic cell lines is inhibited by antisense pentadecadeoxynucleotides targeted against c-myc mRNA. <b>1997</b> , 241, 775-81		50
1191	Expression of transcription factors during sodium phenylacetate induced erythroid differentiation in K562 cells. <b>1997</b> , 23, 27-38		6
1190	Inhibition of the ABL kinase activity blocks the proliferation of BCR/ABL+ leukemic cells and induces apoptosis. <b>1997</b> , 23, 380-94		236
1189	Positional cloning of novel skin-specific genes from the human epidermal differentiation complex. <b>1997</b> , 45, 250-8		55
1188	Protein kinase C in erythroid and megakaryocytic differentiation: possible role in lineage determination. <b>1997</b> , 1358, 79-92		15
1187	IRAG working group 4. Cell cytotoxicity assays. Interagency Regulatory Alternatives Group. <b>1997</b> , 35, 79-126		42
1186	Correlation between permeability-related glycoprotein expression and susceptibilty to oxygen radicals in vincristine-resistant hematologic cell lines. <b>1997</b> , 120, 179-84		1
1185	Distribution of active alpha- and beta-subunits of beta-N-acetylhexosaminidase as a function of leukaemic cell types. <b>1997</b> , 1335, 5-15		7
1184	Characterization of hemolytic and cytotoxic Gallysins: a relationship with arylphorins. <b>1997</b> , 21, 253-66		31
1183	Functional IT-lymphocyte Defect Associated with Human Immunodeficiency Virus Infections. <b>1997</b> , 3, 60-71		68
1182	Down-Modulation of P210bcr/abl Induces Apoptosis/Differentiation in K562 Leukemic Blast Cells. <b>1997</b> , 83, 756-761		6
1181	HLA-DR1 <b>R</b> estricted bcr-abl (b3a2)-Specific CD4+ T Lymphocytes Respond to Dendritic Cells Pulsed With b3a2 Peptide and Antigen-Presenting Cells Exposed to b3a2 Containing Cell Lysates. <i>Blood</i> , <b>1997</b> , 90, 290-297	2.2	84
1180	Neoexpression of the c-met/Hepatocyte Growth Factor-Scatter Factor Receptor Gene in Activated Monocytes. <i>Blood</i> , <b>1997</b> , 90, 4450-4458	2.2	71

1179	CGP 57148, a Tyrosine Kinase Inhibitor, Inhibits the Growth of Cells Expressing BCR-ABL, TEL-ABL, and TEL-PDGFR Fusion Proteins. <i>Blood</i> , <b>1997</b> , 90, 4947-4952	2.2	481
1178	Binding of Phosphorylated Sp1 Protein to Tandem Sp1 Binding Sites Regulates 2 Integrin Gene Core Promoter Activity. <i>Blood</i> , <b>1997</b> , 90, 678-689	2.2	55
1177	Expression of Prostacyclin Receptor in Human Megakaryocytes. <i>Blood</i> , <b>1997</b> , 90, 1039-1046	2.2	24
1176	Presence of a functional vitamin D receptor does not correlate with vitamin D3 phenotypic effects in myeloid differentiation. <b>1997</b> , 4, 497-505		11
1175	Time-course of butyric acid-induced differentiation in human K562 leukemic cell line: rapid increase in gamma-globin, porphobilinogen deaminase and NF-E2 mRNA levels. <b>1997</b> , 11, 1575-9		27
1174	Identification and characterization of two novel SH2 domain-containing proteins from a yeast two hybrid screen with the ABL tyrosine kinase. <b>1997</b> , 15, 1255-62		21
1173	Continued expression of a tissue specific activated oncogene in the early steps of radiation-induced human thyroid carcinogenesis. <b>1997</b> , 15, 1455-60		82
1172	Megakaryocytic cell lines. <b>1997</b> , 10, 47-63		21
1171	A model system for detection and isolation of a tumor cell surface antigen using antibody phage display. <b>1997</b> , 203, 11-24		43
1170	Use of cryopreserved lymphocytes for assessment of the immunological effects of interferon therapy in renal cell carcinoma patients. <b>1997</b> , 203, 1-10		27
1169	Protein kinase C is not necessary for transforming growth factor beta-induced growth-arrest in leukemia cell lines. <b>1997</b> , 21, 403-10		6
1168	Mannosylerythritol lipid induces granulocytic differentiation and inhibits the tyrosine phosphorylation of human myelogenous leukemia cell line K562. <b>1997</b> , 25, 191-5		32
1167	Effect of differentiation on the leucine enkephalin-degrading soluble enzymes released by the K562(S) cell line. <b>1997</b> , 22, 1415-23		
1166	Aleutian mink disease parvovirus infection of K562 cells is antibody-dependent and is mediated via an Fc(gamma)RII receptor. <b>1997</b> , 142, 363-73		20
1165	Antimitotic effects of usnic acid on different biological systems. <b>1997</b> , 53, 667-72		99
1164	Formulation study for the antitumor drug camptothecin: liposomes, micellar solutions and a microemulsion. <b>1997</b> , 159, 95-103		93
1163	Amount of mpl on bone marrow haemopoietic precursor cells from healthy volunteers and patients with refractory anaemia. <b>1997</b> , 99, 746-55		13
1162	Molecular and cytological investigations of phosphoglucomutase (PGM1) in the K562 cell line. <b>1997</b> , 61, 99-108		3

1161	Synthesis and antitumour activity of new derivatives of flavone-8-acetic acid (FAA). Part 2: Ring-substituted derivatives. <b>1997</b> , 330, 215-24	9
1160	12-O-tetradecanoylphorbol-13-acetate (TPA) downregulates expression of CD30 in erythroleukemia cell line K562. <b>1997</b> , 15, 151-61	3
1159	Direct identification by PCR of EBV types and variants in clinical samples. <b>1997</b> , 51, 355-63	21
1158	Comparative genomic hybridization reveals previously undescribed amplifications and deletions in the chronic myeloid leukemia-derived K-562 cell line. <b>1997</b> , 19, 36-42	20
1157	IMP dehydrogenase inhibitor, tiazofurin, induces apoptosis in K562 human erythroleukemia cells. <b>1997</b> , 30, 61-66	44
1156	In vivo footprinting using N-ethyl,N-nitrosourea: improved resolution of the DNA-protein interactions in the human gamma-globin gene promoter region. <b>1997</b> , 254, 1-8	2
1155	Uptake and intracellular distribution of 4-aminofluorescin-labelled poly(L-lysine citramide imide) in K562 cells. <b>1998</b> , 5, 193-206	14
1154	Trypanosoma cruzi 175-kDa protein tyrosine phosphorylation is associated with host cell invasion. <b>1998</b> , 89, 188-94	45
1153	Cross-enzyme inhibition by gabexate mesylate: formulation and reactivity study. <b>1998</b> , 87, 1335-40	11
1152	Evidence for specific immune response against P210 BCR-ABL in long-term remission CML patients treated with interferon. <b>1998</b> , 12, 155-63	28
1151	Characterization of proteins binding the 3' regulatory region of the IL-3 gene in IL-3-dependent and autocrine-transformed hematopoietic cells. <b>1998</b> , 12, 520-31	21
1150	Simple competitive two-step RT-PCR assay to monitor minimal residual disease in CML patients after bone marrow transplantation. <b>1998</b> , 12, 1303-12	26
1149	A multiplex RT-PCR assay for the detection of chimeric transcripts encoded by the risk-stratifying translocations of pediatric acute lymphoblastic leukemia. <b>1998</b> , 12, 1994-2005	35
1148	BCR-ABL accelerates C2-ceramide-induced apoptosis. <b>1998</b> , 16, 237-48	44
1147	Multiple negative elements contribute to repression of the HOX11 proto-oncogene. <b>1998</b> , 17, 1787-95	22
1146	Characterization of a unique factor-independent variant derived from human factor-dependent TF-1 cells: a transformed event. <b>1998</b> , 22, 817-26	19
1145	Comparison of the kinetics of active efflux of 99mTc-MIBI in cells with P-glycoprotein-mediated and multidrug-resistance protein-associated multidrug-resistance phenotypes. <b>1998</b> , 252, 140-6	39
1144	Sulfated glycoglycerolipid from archaebacterium inhibits eukaryotic DNA polymerase alpha, beta and retroviral reverse transcriptase and affects methyl methanesulfonate cytotoxicity. <b>1998</b> , 76, 512-8	18

1143	Flow cytometric quantification of cyclin E in human cell lines and hematopoietic malignancies. <b>1998</b> , 32, 214-222	13
1142	Fas-mediated apoptosis in seven human prostate cancer cell lines: correlation with tumor stage. <b>1998</b> , 36, 92-101	63
1141	Primary cell cultures from murine kidney and heart differ in endosomal pH. <b>1998</b> , 176, 216-22	49
1140	Factor binding to the human gamma-globin gene distal CCAAT site: candidates for repression of the normal gene or activation of HPFH mutants. <b>1998</b> , 102, 940-51	3
1139	Effect of 1-beta-D-arabino-furanosyl-cytosine (ara-C) induction of K562 cells on expression of Rh and other blood group active proteins. <b>1998</b> , 103, 259-67	3
1138	Detecting residual bcr-abl transcripts in chronic myeloid leukaemia patients using coupled reverse transcriptase-polymerase chain reaction with rTth DNA polymerase. <b>1998</b> , 20, 221-4	1
1137	Augmentation of the number of nucleolar organizer regions in human megakaryocyte cell lines after induction of polyploidization by a microtubule inhibitor. <b>1998</b> , 28, 138-44	4
1136	Induction and enhancement of normal human megakaryocyte polyploidization are concomitant with perturbation in the actin metabolism. <b>1998</b> , 28, 845-55	4
1135	Structure and expression of the human septin gene HCDCREL-1. <b>1998</b> , 212, 229-36	47
1134	Variable expression of RFC1 in human leukemia cell lines resistant to antifolates. <b>1998</b> , 124, 135-42	10
1133	p53 may mediate the mdr-1 expression via the WT1 gene in human vincristine-resistant leukemia/lymphoma cell lines. <b>1998</b> , 129, 165-71	18
1132	Activation of NF-kappaB mediates the PMA-induced differentiation of K562 cells. <b>1998</b> , 132, 99-106	19
1131	Detection of histo-blood group ABO mRNA in human chronic myeloid leukemia cell lines using reverse transcription-polymerase chain reaction (RT-PCR). <b>1998</b> , 133, 191-6	7
1130	Activated human T-cells bestow T-cell antigens to non-T-cells by intercellular antigen transfer. <b>1998</b> , 59, 331-42	4
1129	Usefulness of PKHs for studying cell proliferation. <b>1998</b> , 321, 901-7	8
1128	Production and antiproliferative activity of liposomes containing the antitumour drug chromomycin A3. <b>1998</b> , 15, 465-72	2
1127	Techniques for studying stimulation of fetal hemoglobin production in human erythroid cultures. <b>1998</b> , 22, 445-58	33
1126	Identification of a novel apoptosis-inducing factor derived from leukemic cells: endothelial interleukin-8, but not monocyte-derived, induces apoptosis in leukemic cells. <b>1998</b> , 243, 407-11	18

1125	Association of CrkL with STAT5 in hematopoietic cells stimulated by granulocyte-macrophage colony-stimulating factor or erythropoietin. <b>1998</b> , 252, 779-86	21
1124	Development of a condensed locus control region cassette and testing in retrovirus vectors for A gamma-globin. <b>1998</b> , 24, 322-39	17
1123	K562 erythroid and HL60 macrophage differentiation downregulates polycystin, a large membrane-associated protein. <b>1998</b> , 244, 259-67	18
1122	Spectroscopic and biochemical characterisation of self-aggregates formed by antitumor drugs of the camptothecin family: their possible role in the unique mode of drug action. <b>1998</b> , 55, 1163-74	54
1121	The ability of verapamil to restore intracellular accumulation of anthracyclines in multidrug resistant cells depends on the kinetics of their uptake. <b>1998</b> , 343, 313-21	32
1120	History and classification of human leukemia-lymphoma cell lines. <b>1998</b> , 31, 305-16	51
1119	Confocal scanning microspectrofluorometry reveals specific anthracyline accumulation in cytoplasmic organelles of multidrug-resistant cancer cells. <b>1998</b> , 46, 1369-76	26
1118	Mast cell-/basophil-specific transcriptional regulation of human L-histidine decarboxylase gene by CpG methylation in the promoter region. <b>1998</b> , 273, 31607-14	53
1117	Ex vivo effects associated with the expression of a bcr-abl-specific ribozyme in a CML cell line. <b>1998</b> , 8, 15-23	11
1116	Heat shock factor 1 mediates hemin-induced hsp70 gene transcription in K562 erythroleukemia cells. <b>1998</b> , 273, 25466-71	27
1115	Protein tyrosine phosphatase PTP1B suppresses p210 bcr-abl-induced transformation of rat-1 fibroblasts and promotes differentiation of K562 cells. <b>1998</b> , 95, 14094-9	93
1114	Demethylation of ERV3, an endogenous retrovirus regulating the Krppel-related zinc finger gene H-plk, in several human cell lines arrested during early monocyte development. <b>1998</b> , 17, 27-37	20
1113	Differential regulation of interleukin-1alpha and interleukin-1beta in K-562 cells. <b>1998</b> , 18, 1045-50	4
1112	Maximal activity of an erythroid-specific enhancer requires the presence of specific protein binding sites in linked promoters. <b>1998</b> , 273, 13593-8	10
1111	Infectivity of Trypanosoma cruzi strains is associated with differential expression of surface glycoproteins with differential Ca2+ signalling activity. <b>1998</b> , 330 ( Pt 1), 505-11	147
1110	Effect of MDR antagonists on the cidal activity of vincristine for cells expressing MDR-1 is superior to those expressing MRP. <b>1998</b> , 13, 343-8	3
1109	Comparative analysis of interphase FISH and RT-PCR to detect bcr-abl translocation in chronic myelogenous leukemia and related disorders. <b>1998</b> , 109, 16-23	15
1108	Folate-Polylysine-Mediated Delivery of a Multiunit Anti-BCR/ABL Ribozyme to BCR/ABL-Transformed 32D Cells. <b>1998</b> , 279-292	

1107	Potential of autologous immunologic effector cells for prediction of progression of disease in patients with chronic myelogenous leukemia. <b>1998</b> , 31, 335-41	5
1106	Prostate-specific Antigen Expression in Neoplastic Human Myeloid Cell Lines. <b>1998</b> , 44, 1991-1993	4
1105	Bcr-Abl Exerts Its Antiapoptotic Effect Against Diverse Apoptotic Stimuli Through Blockage of Mitochondrial Release of Cytochrome C and Activation of Caspase-3. <i>Blood</i> , <b>1998</b> , 91, 1700-1705	284
1104	Activated Endothelial Cells Induce Apoptosis in Leukemic Cells by Endothelial Interleukin-8. <i>Blood</i> , 1998, 92, 2672-2680	36
1103	Infectious clones and vectors derived from adeno-associated virus (AAV) serotypes other than AAV type 2. <b>1998</b> , 72, 309-19	386
1102	Mammalian glycophosphatidylinositol anchor transfer to proteins and posttransfer deacylation. <b>1998</b> , 95, 9512-7	68
1101	All-trans-retinoic acid increases cytosine arabinoside cytotoxicity in HL-60 human leukemia cells in spite of decreased cellular ara-CTP accumulation. <b>1999</b> , 10, 335-8	7
1100	Circular Antisense Oligonucleotides Inhibit Growth of Chronic Myeloid Leukemia Cells. <b>1999</b> , 5, 693-700	13
1099	Induction of polyploidy and apoptosis after exposure to high concentrations of the spindle poison nocodazole. <b>1999</b> , 14, 513-20	39
1098	Injury to autologous normal tissues and tumors mediated by lymphokine-activated killer (LAK) cells generated in vitro from peripheral blood mononuclear cells of glioblastoma patients. <b>1999</b> , 8, 29-37	6
1097	Redirected infection of directly biotinylated recombinant adenovirus vectors through cell surface receptors and antigens. <b>1999</b> , 96, 8855-60	50
1096	ULS: a versatile method of labeling nucleic acids for FISH based on a monofunctional reaction of cisplatin derivatives with guanine moieties. <b>1999</b> , 87, 47-52	33
1095	Retroviral-mediated transfer and expression of the multidrug resistance protein 1 gene (MRP1) protect human hematopoietic cells from antineoplastic drugs. <b>1999</b> , 8, 503-14	5
1094	Evidence for a 3'-5' decay pathway for c-myc mRNA in mammalian cells. <b>1999</b> , 274, 16174-9	32
1093	Role of Ras/ERK-dependent pathway in the erythroid differentiation of K562 cells. <b>1999</b> , 31, 76-82	41
1092	Antisense oligonucleotides with different backbones. Modification of splicing pathways and efficacy of uptake. <b>1999</b> , 274, 21783-9	77
1091	Induction of erythroid differentiation of human K562 cells by 3-O-acyl-1,2-O-isopropylidene-D-glucofuranose derivatives. <b>1999</b> , 9, 3153-8	8
1090	How Fe3+ binds anthracycline antitumour compounds. The myth and the reality of a chemical sphinx. <b>1999</b> , 75, 105-15	40

1089	The DNA-binding drugs mithramycin and chromomycin are powerful inducers of erythroid differentiation of human K562 cells. <b>1999</b> , 104, 258-65	68
1088	Erythroid gene expression is differentially regulated by erythropoietin, haemin and delta-aminolaevulinic acid in UT-7 cells. <b>1999</b> , 104, 829-37	4
1087	Optimized fluorescent probe combinations for evaluation of proliferation and necrosis in anthracycline-treated leukaemic cell lines. <b>1999</b> , 32, 203-13	12
1086	Mechanism of regulation of complement receptor type 1 transcription by cytosine arabinoside in a pre-erythroid model. <b>1999</b> , 49, 29-37	1
1085	Impairment of natural killer cell activity in Chlamydia trachomatis infected individuals. <b>1999</b> , 4, 719-27	16
1084	Human antigen-presenting cell/tumour cell hybrids stimulate strong allogeneic responses and present tumour-associated antigens to cytotoxic T cells in vitro. <b>1999</b> , 98, 541-50	16
1083	Synthesis and binding properties of photoactivable biotin-conjugated verapamil derivatives for the study of P-170 glycoprotein. <b>1999</b> , 7, 1873-80	6
1082	Synthesis and evaluation of homofarnesoyl-substituted CAAX-peptidomimetics as farnesyltransferase inhibitors and antiproliferative agents. <b>1999</b> , 7, 2037-45	1
1081	Adenovirus-mediated expression of Fas ligand induces apoptosis of human prostate cancer cells. <b>1999</b> , 6, 175-82	56
1080	Growth inhibition, cytokinesis failure and apoptosis of multidrug-resistant leukemia cells after treatment with P-glycoprotein inhibitory agents. <b>1999</b> , 13, 768-78	38
1079	False human hematopoietic cell lines: cross-contaminations and misinterpretations. <b>1999</b> , 13, 1601-7	99
1078	Novel BTB/POZ domain zinc-finger protein, LRF, is a potential target of the LAZ-3/BCL-6 oncogene. <b>1999</b> , 18, 365-75	122
1077	Block of granulocytic differentiation of 32Dcl3 cells by AML1/ETO(MTG8) but not by highly expressed Bcl-2. <b>1999</b> , 18, 4055-62	34
1076	Distinction between AP1 and NF-E2 factor-binding at specific chromatin regions in mammalian cells. <b>1999</b> , 18, 5482-6	29
1075	The promyelocytic leukemia protein PML interacts with the proline-rich homeodomain protein PRH: a RING may link hematopoiesis and growth control. <b>1999</b> , 18, 7091-100	56
1074	A 3'-flanking NF-kappaB site mediates developmental silencing of the human zeta-globin gene. <b>1999</b> , 18, 2218-28	19
1073	Comparison of CMV, RSV, SV40 viral and Vlambda1 cellular promoters in B and T lymphoid and non-lymphoid cell lines. <b>1999</b> , 1446, 135-9	38
1072	Discordant and anomalous results among cytotoxicity assays: the confounding properties of eosinophil granule major basic protein on cell viability assays. <b>1999</b> , 227, 1-15	9

1071	Effects of differentiation-inducing factors of Dictyostelium discoideum on human leukemia K562 cells: DIF-3 is the most potent anti-leukemic agent. <b>1999</b> , 381, 57-62	57
1070	Detection of BCR-ABL transcripts in chronic myeloid leukaemia by nested PCR. <b>1999</b> , 23, 185-90	5
1069	Leukemia cell lines: in vitro models for the study of Philadelphia chromosome-positive leukemia. <b>1999</b> , 23, 207-15	108
1068	Induction of gp130 and LIF by differentiation inducers in human myeloid leukemia K562 cells. <b>1999</b> , 23, 1113-9	7
1067	Downregulation of Wilms' tumor gene (WT1) is not a prerequisite for erythroid or megakaryocytic differentiation of the leukemic cell line K562. <b>1999</b> , 27, 1057-62	14
1066	Emotional stability, anxiety, and natural killer activity under examination stress. <b>1999</b> , 24, 613-27	54
1065	N-terminal elongation of a peptide determinant beyond the first primary anchor improves binding to H-2 I-Ad and HLA-DR1 by backbone-dependent and aromatic side chain-dependent interactions, respectively. <b>1999</b> , 29, 189-95	16
1064	Different amino acid replacements in CAAX-tetrapeptide based peptidomimetic farnesyltransferase inhibitors. <b>1999</b> , 332, 124-32	11
1063	Characterization of intracellular pH gradients in human multidrug-resistant tumor cells by means of scanning microspectrofluorometry and dual-emission-ratio probes. <b>1999</b> , 81, 81-9	38
1062	Widespread intraspecies cross-contamination of human tumor cell lines arising at source. <b>1999</b> , 83, 555-63	257
1061	In vitro effect on human leukemic K562 cells of co-administration of liposome-associated retinoids and cytosine arabinoside (Ara-C). <b>1999</b> , 62, 33-43	15
1060	Design, synthesis, and in vitro activity of catamphiphilic reverters of multidrug resistance: discovery of a selective, highly efficacious chemosensitizer with potency in the nanomolar range. <b>1999</b> , 42, 1687-97	49
1059	Correlation between the kinetics of anthracycline uptake and the resistance factor in cancer cells expressing the multidrug resistance protein or the P-glycoprotein. <b>1999</b> , 1450, 374-84	37
1058	A comparison of the NK cell cytotoxicity with effects of TNF-alpha against K-562 cells, determined by LDH release assay. <b>1999</b> , 138, 67-72	56
1057	Evaluation of lymphocytic responses after treatment with Bacillus Calmette-Guerin and interferon-alpha 2b for superficial bladder cancer. <b>1999</b> , 90, 230-7	6
1056	A cytotoxic, apoptotic, low-molecular weight factor from pineal gland. <b>1999</b> , 65, 1047-57	8
1055	Regulation of embryonic/fetal globin genes by nuclear hormone receptors: a novel perspective on hemoglobin switching. <b>1999</b> , 18, 687-97	60
1054	p53-independent apoptosis and p53-dependent block of DNA rereplication following mitotic spindle inhibition in human cells. <b>1999</b> , 250, 339-50	88

### (2000-1999)

1053	Effects of mGST A4 transfection on 4-hydroxynonenal-mediated apoptosis and differentiation of K562 human erythroleukemia cells. <b>1999</b> , 372, 29-36	106
1052	Inhibition of mitochondrial function in HL60 cells is associated with an increased apoptosis and expression of CD14. <b>1999</b> , 263, 294-300	42
1051	IL-12-Independent costimulation pathways for interferon-gamma production in familial disseminated Mycobacterium avium complex infection. <b>1999</b> , 91, 234-41	27
1050	Differentiation-induced internal translation of c-sis mRNA: analysis of the cis elements and their differentiation-linked binding to the hnRNP C protein. <b>1999</b> , 19, 5429-40	102
1049	Photodynamic purging of leukemia cells by high-brightness light emitting diode and gallium-metal porphyrin.	3
1048	Isolation of a mammalian homologue of a fission yeast differentiation regulator. <b>1999</b> , 19, 3829-41	91
1047	Polyploidization of K562 Cells by Demecolcine, K-252a and Staurosporine <b>2000</b> , 65, 203-209	1
1046	Involvement of Gi⊉ in sodium butyrate-induced erythroblastic differentiation of K562 cells. <b>2000</b> , 346, 455	6
1045	Involvement of Gi⊉ in sodium butyrate-induced erythroblastic differentiation of K562 cells. <b>2000</b> , 346, 455-461	15
1044	Response of chemosensitive and chemoresistant leukemic cell lines to drug therapy: Simultaneous assessment of proliferation, apoptosis, and necrosis. <b>2000</b> , 42, 50-60	17
1043	Three-color versus four-color multiparameter cell cycle analyses of primary acute myeloid leukemia samples. <b>2000</b> , 42, 83-94	11
1042	Identification of breakpoint cluster regions at 1p36.3 and 3q21 in hematologic malignancies with t(1;3)(p36;q21). <b>2000</b> , 27, 229-38	29
1041	Suppression of proline-directed protein kinase FA expression potentiates erythroid differentiation of human myeloid leukemia cells. <b>2000</b> , 89, 1004-1011	4
1040	Thrombin induces apoptosis in human tumor cells. <b>2000</b> , 87, 707-715	25
1039	Human monocyte/neutrophil elastase inhibitor (MNEI) is regulated by PU.1/Spi-1, Sp1, and NF-kappaB. <b>2000</b> , 78, 519-32	13
1038	Synthesis and antitumour activity of new derivatives of flavone-8-acetic acid (FAA). Part 4: Variation of the basic structure. <b>2000</b> , 333, 181-8	9
1037	RT-PCR from eosinophil-depleted leukocytes without RNA extraction: cell selection using streptavidin PCR tubes. <b>2000</b> , 33, 643-7	1
1036	Association of extracellular matrix proteins fibulin-1 and fibulin-2 with fibronectin in bone marrow stroma. <b>2000</b> , 109, 305-13	26

1035	Design, synthesis and early structure-activity relationship of farnesyltransferase inhibitors which mimic both the peptidic and the prenylic substrate. <b>2000</b> , 8, 1991-2006	15
1034	Autoantibodies to Abl and Bcr proteins. <b>2000</b> , 14, 1661-6	6
1033	GTP-mediated differentiation of the human K562 cell line: transient overexpression of GATA-1 and stabilization of the gamma-globin mRNA. <b>2000</b> , 14, 1589-97	29
1032	Quality assurance in RT-PCR-based BCR/ABL diagnosticsresults of an interlaboratory test and a standardization approach. <b>2000</b> , 14, 1850-6	29
1031	Oxidative stress involvement in chemically induced differentiation of K562 cells. <b>2000</b> , 28, 18-27	54
1030	CrkL functions as a nuclear adaptor and transcriptional activator in Bcr-Abl-expressing cells. <b>2000</b> , 28, 305-10	41
1029	Increased liposome-mediated gene transfer into haematopoietic cells grown in adhesion to stromal or fibroblast cell line monolayers. <b>2000</b> , 64, 22-31	11
1028	Two-phase liquid culture system models normal human adult erythropoiesis at the molecular level. <b>2000</b> , 64, 292-303	66
1027	The inhibition of ERK/MAPK not the activation of JNK/SAPK is primarily required to induce apoptosis in chronic myelogenous leukemic K562 cells. <b>2000</b> , 24, 527-34	82
1026	Clonal response of K562 leukemic cells to exogenous p21WAF1. <b>2000</b> , 24, 601-10	9
1025	Nerve growth factor potentiated the sodium butyrate- and PMA-induced megakaryocytic differentiation of K562 leukemia cells. <b>2000</b> , 24, 751-9	9
1025	differentiation of K562 leukemia cells. <b>2000</b> , 24, 751-9	9
	differentiation of K562 leukemia cells. <b>2000</b> , 24, 751-9  Identification of the subcellular localization of daunorubicin in multidrug-resistant K562 cell line.	
1024	Identification of K562 leukemia cells. 2000, 24, 751-9  Identification of the subcellular localization of daunorubicin in multidrug-resistant K562 cell line. 2000, 24, 769-74  PMA-treated K-562 leukemia cells mediate a TH2-specific expansion of CD4+ T cells in vitro. 2000,	32
1024	Identification of the subcellular localization of daunorubicin in multidrug-resistant K562 cell line.  2000, 24, 769-74  PMA-treated K-562 leukemia cells mediate a TH2-specific expansion of CD4+ T cells in vitro. 2000, 24, 1049-57  Thiazolidinedione suppresses the expression of erythroid phenotype in erythroleukemia cell line K562. 2000, 24, 393-400  Screening for specific chromosome involvement in hematological malignancies using a set of seven	3 <sup>2</sup> 5
1024	Identification of K562 leukemia cells. 2000, 24, 751-9  Identification of the subcellular localization of daunorubicin in multidrug-resistant K562 cell line. 2000, 24, 769-74  PMA-treated K-562 leukemia cells mediate a TH2-specific expansion of CD4+ T cells in vitro. 2000, 24, 1049-57  Thiazolidinedione suppresses the expression of erythroid phenotype in erythroleukemia cell line K562. 2000, 24, 393-400  Screening for specific chromosome involvement in hematological malignancies using a set of seven chromosome painting probes. An alternative approach for chromosome analysis using standard FISH instrumentation. 2000, 122, 65-72  Cytogenetics of the chronic myeloid leukemia-derived cell line K562: karyotype clarification by	3 <sup>2</sup> 5 24
1024 1023 1022	Identification of K562 leukemia cells. 2000, 24, 751-9  Identification of the subcellular localization of daunorubicin in multidrug-resistant K562 cell line. 2000, 24, 769-74  PMA-treated K-562 leukemia cells mediate a TH2-specific expansion of CD4+ T cells in vitro. 2000, 24, 1049-57  Thiazolidinedione suppresses the expression of erythroid phenotype in erythroleukemia cell line K562. 2000, 24, 393-400  Screening for specific chromosome involvement in hematological malignancies using a set of seven chromosome painting probes. An alternative approach for chromosome analysis using standard FISH instrumentation. 2000, 122, 65-72  Cytogenetics of the chronic myeloid leukemia-derived cell line K562: karyotype clarification by multicolor fluorescence in situ hybridization, comparative genomic hybridization, and locus-specific	32 5 24

1017	Differences in the growth inhibition of cultured K-562 cells by selenium, mercury or cadmium in two tissue culture media (RPMI-1640, Ham's F-10). <b>2000</b> , 13, 101-11	14
1016	Uptake and retention of selenite and selenomethionine in cultured K-562 cells. <b>2000</b> , 13, 209-15	7
1015	Lineage-related sensitivity to apoptosis in human tumor cells undergoing hyperthermia. <b>2000</b> , 113, 135-44	23
1014	Expression of lung resistance protein in epithelioid sarcoma in vitro and in vivo. <b>2000</b> , 292, 292-300	9
1013	Selective elimination of leukemic CD34+ progenitor cells by cytotoxic T lymphocytes specific for WT1. <i>Blood</i> , <b>2000</b> , 95, 2198-2203	352
1012	Natural killer cell dysfunction and apoptosis induced by chronic myelogenous leukemia cells: role of reactive oxygen species and regulation by histamine. <i>Blood</i> , <b>2000</b> , 96, 1961-1968	124
1011	Efficacy of STI571, an Abl tyrosine kinase inhibitor, in conjunction with other antileukemic agents against Bcr-Ablpositive cells. <i>Blood</i> , <b>2000</b> , 96, 3195-3199	271
1010	Smad7 selectively interferes with different pathways of activin signaling and inhibits erythroid leukemia cell differentiation. <i>Blood</i> , <b>2000</b> , 95, 3371-3379	24
1009	Signal transduction induced in Trypanosoma cruzi metacyclic trypomastigotes during the invasion of mammalian cells. <b>2000</b> , 33, 269-78	53
1008	Use of green fluorescent protein/Flp recombinase fusion protein and flow cytometric sorting to enrich for cells undergoing Flp-mediated recombination. <b>2000</b> , 28, 966-72, 974	1
1007	BCR/ABL inhibition by an escort/phosphatase fusion protein. <b>2000</b> , 97, 12233-8	38
1006	Myeloid leukemia cell growth and differentiation are independent of mitogen-activated protein kinase ERK1/2 activation. <b>2000</b> , 275, 7189-97	25
1005	Expression profiling across many samples via manifold-assisted mRNA processing. <b>2000</b> , 28, E54	9
1004	Cytotoxicity of an 125I-labelled DNA ligand. <b>2000</b> , 39, 681-5	16
1003	Quantitative analysis of globin gene induction in single human erythroleukemic cells. <b>2000</b> , 28, 4998-5004	25
1002	Regulation of c-myc mRNA decay in vitro by a phorbol ester-inducible, ribosome-associated component in differentiating megakaryoblasts. <b>2000</b> , 275, 33336-45	21
1001	The role of trans-acting factors and DNA-bending in the silencing of human beta-globin gene expression. <b>2000</b> , 28, 2823-30	8
1000	Regulation of dual-specificity phosphatases M3/6 and hVH5 by phorbol esters. Analysis of a delta-like domain. <b>2000</b> , 275, 31755-62	22

999	The molecular basis for Na-dependent phosphate transport in human erythrocytes and K562 cells. <b>2000</b> , 116, 363-78	20
998	The ETS family member Tel antagonizes the Fli-1 phenotype in hematopoietic cells. <b>2000</b> , 26, 84-90	15
997	Detailed mapping of methylcytosine positions at the CpG island surrounding the Pa promoter at the bcr-abl locus in CML patients and in two cell lines, K562 and BV173. <b>2000</b> , 26, 193-204	5
996	The identification of endothelial cell autoantigens. <b>2000</b> , 15, 41-9	23
995	Protein tyrosine kinase inhibitor, genistein, enhances apoptosis and cell cycle arrest in K562 cells treated with gamma-irradiation. <b>2000</b> , 160, 107-13	44
994	Formation and repair of DNA double-strand breaks in gamma-irradiated K562 cells undergoing erythroid differentiation. <b>2000</b> , 461, 71-82	13
993	Validation and implementation of an internal standard in comet assay analysis. 2000, 469, 181-97	104
992	Photodynamic effects of gallium-metal porphyrin on human leukemia cells in combination with high-brightness LED light: application for autologous bone marrow transplantation. <b>2000</b> , 32, 2442-3	3
991	Induction of human fetal globin gene expression by a novel erythroid factor, NF-E4. <b>2000</b> , 20, 7662-72	66
990	Natural Killer Cell Protocols. <b>2000</b> ,	3
990 989	Natural Killer Cell Protocols. 2000,  Cell separation improves the sensitivity of detecting rare human normal and leukemic hematopoietic cells in vivo in NOD/SCID mice. 2000, 2, 411-21	3 7
	Cell separation improves the sensitivity of detecting rare human normal and leukemic	
989	Cell separation improves the sensitivity of detecting rare human normal and leukemic hematopoietic cells in vivo in NOD/SCID mice. <b>2000</b> , 2, 411-21	7
989 988	Cell separation improves the sensitivity of detecting rare human normal and leukemic hematopoietic cells in vivo in NOD/SCID mice. <b>2000</b> , 2, 411-21  beta-Carotene and selenium supplementation enhances immune response in aged humans. <b>2000</b> , 2, 85-92	7 53
989 988 987	Cell separation improves the sensitivity of detecting rare human normal and leukemic hematopoietic cells in vivo in NOD/SCID mice. 2000, 2, 411-21  beta-Carotene and selenium supplementation enhances immune response in aged humans. 2000, 2, 85-92  Overproduction of BCR-ABL transcripts in human leukemic cell lines K562 and BV173. 2000, 64, 135-6  Suppression of proline-directed protein kinase F(A) expression inhibits the growth of human	7 53 3
989 988 987 986	Cell separation improves the sensitivity of detecting rare human normal and leukemic hematopoietic cells in vivo in NOD/SCID mice. 2000, 2, 411-21  beta-Carotene and selenium supplementation enhances immune response in aged humans. 2000, 2, 85-92  Overproduction of BCR-ABL transcripts in human leukemic cell lines K562 and BV173. 2000, 64, 135-6  Suppression of proline-directed protein kinase F(A) expression inhibits the growth of human chronic myeloid leukaemia cells. 2000, 82, 1480-4  In vitro antiproliferative activity of isothiocyanates and nitriles generated by myrosinase-mediated	7 53 3
989 988 987 986 985	Cell separation improves the sensitivity of detecting rare human normal and leukemic hematopoietic cells in vivo in NOD/SCID mice. 2000, 2, 411-21  beta-Carotene and selenium supplementation enhances immune response in aged humans. 2000, 2, 85-92  Overproduction of BCR-ABL transcripts in human leukemic cell lines K562 and BV173. 2000, 64, 135-6  Suppression of proline-directed protein kinase F(A) expression inhibits the growth of human chronic myeloid leukaemia cells. 2000, 82, 1480-4  In vitro antiproliferative activity of isothiocyanates and nitriles generated by myrosinase-mediated hydrolysis of glucosinolates from seeds of cruciferous vegetables. 2000, 48, 3572-5	7 53 3 7 63

# (2001-2001)

981	Detection of cyclin D1 overexpression by real-time reverse-transcriptase-mediated quantitative polymerase chain reaction for the diagnosis of mantle cell lymphoma. <b>2001</b> , 159, 425-9	31
980	Role of the tyrosine phosphatase SHP-1 in K562 cell differentiation. <b>2001</b> , 15, 1424-32	54
979	Activation of the MKK4-JNK pathway during erythroid differentiation of K562 cells is inhibited by the heat shock factor 2-beta isoform. <b>2001</b> , 505, 168-72	8
978	Cell culture and animal models to screen for promising fetal hemoglobin-stimulating compounds. <b>2001</b> , 38, 374-81	18
977	Effect of BJcuL (a lectin from the venom of the snake Bothrops jararacussu) on adhesion and growth of tumor and endothelial cells. <b>2001</b> , 39, 1471-6	45
976	The Agamma-195 (C>G) mutation in hereditary persistence of fetal hemoglobin is not associated with activation of a reporter gene in vitro. <b>2001</b> , 34, 489-92	6
975	Sequential gene expression of P-glycoprotein (P-gp), multidrug resistance-associated protein (MRP) and lung resistance protein: functional activity of P-gp and MRP present in the doxorubicin-resistant human K562 cell lines. <b>2001</b> , 12, 247-58	23
974	Characterization and localization of expression of an erythropoietin-induced gene, ERIC-1/TACC3, identified in erythroid precursor cells. <b>2001</b> , 112, 1016-24	29
973	Resveratrol, a natural dietary phytoalexin, possesses similar properties to hydroxyurea towards erythroid differentiation. <b>2001</b> , 113, 500-7	43
972	Accumulation of gamma-globin mRNA and induction of erythroid differentiation after treatment of human leukaemic K562 cells with tallimustine. <b>2001</b> , 113, 951-61	57
971	P-Glycoprotein preferentially effluxes anthracyclines containing free basic versus charged amine. <b>2001</b> , 268, 1561-1567	31
970	Drug sequestration in cytoplasmic organelles does not contribute to the diminished sensitivity of anthracyclines in multidrug resistant K562 cells. <b>2001</b> , 268, 4459-67	11
969	Cytotoxic activities of novel hexahydroindolizino[8,7-b]indole derivatives prepared by 1,3-dipolar cycloaddition reactions of 3,4-dihydro-beta-carboline ylides. <b>2001</b> , 9, 2155-64	12
968	MIP-1 alpha and MIP-1 beta induction by dengue virus. <b>2001</b> , 65, 324-30	40
967	Prostaglandins, but not tumor-derived IL-10, shut down concomitant tumor-specific CTL responses during murine plasmacytoma progression. <b>2001</b> , 91, 705-12	23
966	Cepharanthine activates caspases and induces apoptosis in Jurkat and K562 human leukemia cell lines. <b>2001</b> , 82, 200-14	47
965	Effects of calcium, calmodulin, protein kinase C and protein tyrosine kinases on volume-activated taurine efflux in human erythroleukemia cells. <b>2001</b> , 189, 316-22	10
964	Evidence for a correlation between antibody-dependent cellular cytotoxicity-mediating anti-HIV-1 antibodies and prognostic predictors of HIV infection. <b>2001</b> , 21, 227-33	110

5

11

44

Human T-cell leukemia virus type-I (HTLV-I) tax is not the only one factor to enhance human 963 immunodeficiency virus type-I (HIV-1) infection in culture-supernatants. 2001, 23, 77-80 Selenite or selenomethionine interaction with methylmercury on uptake and toxicity showing a 962 14 weak selenite protection: studies on cultured K-562 cells. 2001, 80, 251-68 Influence of selenium on mercuric chloride cellular uptake and toxicity indicating protection: 961 11 studies on cultured K-562 cells. 2001, 81, 229-44 New cytotoxic flavonoids from Cryptocarya infectoria. 2001, 57, 6189-6196 960 34 Paired multiplex reverse-transcriptase polymerase chain reaction (PMRT-PCR) analysis as a rapid and accurate diagnostic tool for the detection of MLL fusion genes in hematologic malignancies. 959 30 2001, 15, 1293-300 Targeted down-regulation of MLL-AF9 with antisense oligodeoxyribonucleotide reduces the expression of the HOXA7 and -A10 genes and induces apoptosis in a human leukemia cell line, 958 26 THP-1. **2001**, 15, 1743-9 BCR gene expression blocks Bcr-Abl induced pathogenicity in a mouse model. 2001, 20, 1873-81 21 957 Frequency of fibroblast growth factor receptor 3 mutations in sporadic tumours. 2001, 20, 4416-8 956 79 Blasts from elderly acute myeloid leukemia patients are characterized by low levels of culture- and 20 955 drug-induced apoptosis. 2001, 25, 23-32 Complete karyotype characterization of the K562 cell line by combined application of G-banding, multiplex-fluorescence in situ hybridization, fluorescence in situ hybridization, and comparative 68 954 genomic hybridization. 2001, 25, 313-22 Interaction of cytosine arabinoside and lovastatin in human leukemia cells. 2001, 25, 651-60 953 53 Kinetics of glutathione and daunorubicin efflux from multidrug resistance protein overexpressing 952 39 small-cell lung cancer cells. 2001, 421, 1-9 Simultaneous flow cytometric measurement of K-562 megakaryocytic differentiation and CD56+ 951 5 large granular lymphocyte cytotoxicity. 2001, 253, 37-44 Glutathione depletion restores the susceptibility of cisplatin-resistant chronic myelogenous leukemia cell lines to Natural Killer cell-mediated cell death via necrosis rather than apoptosis. 15 **2001**, 80, 608-14 Acute myeloid leukemia cells are protected from spontaneous and drug-induced apoptosis by 949 173 direct contact with a human bone marrow stromal cell line (HS-5). 2001, 29, 448-57

In vitro activity of vinorelbine on human leukemia cells. **2001**, 13, 309-15

Protein tyrosine kinase inhibitors modulate radiosensitivity and radiation-induced apoptosis in

Extracellular signal-regulated kinase/90-KDA ribosomal S6 kinase/nuclear factor-kappa B pathway mediates phorbol 12-myristate 13-acetate-induced megakaryocytic differentiation of K562 cells.

K562 cells. 2001, 156, 751-60

**2001**, 276, 13186-91

948

947

946

The matrix attachment region-binding protein SATB1 interacts with multiple elements within the gp91phox promoter and is down-regulated during myeloid differentiation. <b>2001</b> , 276, 44472-80	22
Analysis of drug transport kinetics in multidrug-resistant cells: implications for drug action. <b>2001</b> , 8, 51-64	53
Protein interactions of the MLL PHD fingers modulate MLL target gene regulation in human cells. <b>2001</b> , 21, 3589-97	113
Therapeutic vaccination against metastatic carcinoma by expression-modulated and immunomodified autologous tumor cells: a first clinical phase I/II trial. <b>2001</b> , 12, 267-78	73
Enhancement of natural killer cell activation and antibody-dependent cellular cytotoxicity by interferon-alpha and interleukin-12 in vaginal mucosae Sivmac251-infected Macaca fascicularis. <b>2002</b> , 15, 197-212	15
Specific PAF antagonist WEB-2086 induces terminal differentiation of murine and human leukemia cells. <b>2002</b> , 16, 733-5	17
Consequences of mevalonate depletion. Differential transcriptional, translational, and post-translational up-regulation of Ras, Rap1a, RhoA, AND RhoB. <b>2002</b> , 277, 10678-82	76
A77 1726 induces differentiation of human myeloid leukemia K562 cells by depletion of intracellular CTP pools. <b>2002</b> , 62, 463-72	32
An anti-transferrin receptor-avidin fusion protein exhibits both strong proapoptotic activity and the ability to deliver various molecules into cancer cells. <b>2002</b> , 99, 10706-11	62
Potassium antimonyl tartrate induces reactive oxygen species-related apoptosis in human myeloid leukemic HL60 cells. <b>2002</b> , 20, 1071	1
Induction and repair of DNA damage in human cells at different stages of differentiation. 2002, 99, 123-8	
Leukemic cell-surface CD13/aminopeptidase N and resistance to apoptosis mediated by endothelial cells. <b>2002</b> , 94, 1020-8	38
Erythroid [Megakaryocytic Cell Lines. <b>2002</b> , 259-294	
Activation of the c-Jun N-terminal kinase (JNK) signaling pathway is essential during PBOX-6-induced apoptosis in chronic myelogenous leukemia (CML) cells. <b>2002</b> , 277, 18383-9	33
Assessment of genotoxic effects related to chronic low level exposure to ionizing radiation using biomarkers for DNA damage and repair. <b>2002</b> , 17, 223-32	48
Why antiviral CD8 T lymphocytes fail to prevent progressive immunodeficiency in HIV-1 infection.  Blood, <b>2002</b> , 99, 1876-7	
Infant hypervitaminosis A causes severe anemia and thrombocytopenia: evidence of a retinol-dependent bone marrow cell growth inhibition. <i>Blood</i> , <b>2002</b> , 99, 2017-22	28
Comprehensive cytogenetic and molecular genetic characterization of the TI-1 acute myeloid leukemia cell line reveals cross-contamination with K-562 cell line. <i>Blood</i> , <b>2002</b> , 99, 1874-6	14
	ap91phox promoter and is down-regulated during myeloid differentiation. 2001, 276, 44472-80  Analysis of drug transport kinetics in multidrug-resistant cells: implications for drug action. 2001, 8, 51-64  Protein interactions of the MLL PHD fingers modulate MLL target gene regulation in human cells. 2001, 21, 3589-97  Therapeutic vaccination against metastatic carcinoma by expression-modulated and immunomodified autologous tumor cells: a first clinical phase I/III trial. 2001, 12, 267-78  Enhancement of natural killer cell activation and antibody-dependent cellular cytotoxicity by interferon-alpha and interleukin-12 in vaginal mucosae Sivmac251-infected Macaca fascicularis. 2002, 15, 197-212  Specific PAF antagonist WEB-2086 induces terminal differentiation of murine and human leukemia cells. 2002, 16, 733-5  Consequences of mevalonate depletion. Differential transcriptional, translational, and post-translational up-regulation of Ras, Rap1a, RhoA, AND RhoB. 2002, 277, 10678-82  A77 1726 induces differentiation of human myeloid leukemia K562 cells by depletion of intracellular CTP pools. 2002, 62, 463-72  An anti-transferrin receptor-avidin fusion protein exhibits both strong proapoptotic activity and the ability to deliver various molecules into cancer cells. 2002, 99, 10706-11  Potassium antimonyl tartrate induces reactive oxygen species-related apoptosis in human myeloid leukemic HL60 cells. 2002, 20, 1071  Induction and repair of DNA damage in human cells at different stages of differentiation. 2002, 99, 123-8  Leukemic cell-surface CD13/aminopeptidase N and resistance to apoptosis mediated by endothelial cells. 2002, 94, 1020-8  Erythroid IMegakaryocytic Cell Lines. 2002, 259-294  Activation of the c-Jun N-terminal kinase (JNK) signaling pathway is essential during PB0X-6-induced apoptosis in chronic myelogenous leukemia (CML) cells. 2002, 277, 18383-9  Assessment of genotoxic effects related to chronic low level exposure to ionizing radiation using biomarkers for DNA damage and repair. 2002, 17, 223-32  In

927	Adult acute myeloid leukemia cells do not express nonfunctional Ikaros isoforms. <i>Blood</i> , <b>2002</b> , 100, 3436 <sub>2</sub> 7 <sub>2</sub>	3
926	Cytogenetic characterization reveals that the SAM-1 erythroid cell line is derived from K-562 cells.  Blood, <b>2002</b> , 100, 3435-6	1
925	Modulation of multidrug resistance by artemisinin, artesunate and dihydroartemisinin in K562/adr and GLC4/adr resistant cell lines. <b>2002</b> , 25, 1555-61	66
924	Detection of human T-lymphotropic virus type I (HTLV-I) infection during coculture of HTLV-I infected and uninfected cells using inverse long PCR. <b>2002</b> , 45, 164-71	2
923	Transcriptional regulation of the human TATA binding protein gene. 2002, 79, 479-82	24
922	Soluble expression of a functional recombinant cytolytic immunotoxin in insect cells. <b>2002</b> , 24, 338-47	26
921	Isoprenoids influence expression of Ras and Ras-related proteins. 2002, 41, 13698-704	58
920	A complex containing PBX2 contributes to activation of the proto-oncogene HOX11. <b>2002</b> , 294, 23-34	10
919	In vitro and in vivo activity of LS 4477 and LS 4559, novel analogues of the tubulin binder estramustine. <b>2002</b> , 38, 194-204	23
918	The importance of drug scheduling and recovery phases in determining drug activity. Improving etoposide efficacy in BCR-ABL-positive CML cells. <b>2002</b> , 38, 842-50	15
917	Genotoxic effects of stannous chloride (SnCl2) in K562 cell line. <b>2002</b> , 40, 1493-8	23
916	Targeting the kinesin Eg5 to monitor siRNA transfection in mammalian cells. <b>2002</b> , 33, 1244-8	93
915	The use of HLA-A*0201-transfected K562 as standard antigen-presenting cells for CD8(+) T lymphocytes in IFN-gamma ELISPOT assays. <b>2002</b> , 259, 95-110	112
914	Alterations in the expression of cytochrome c oxidase subunits in doxorubicin-resistant leukemia K562 cells. <b>2002</b> , 63, 823-31	<b>2</b> O
913	In vitro studies of the combination of imatinib mesylate (Gleevec) and arsenic trioxide (Trisenox) in chronic myelogenous leukemia. <b>2002</b> , 30, 729-37	90
912	Multiplex RT-PCR assay for the detection of major fusion transcripts in Taiwanese children with B-lineage acute lymphoblastic leukemia. <b>2002</b> , 39, 12-7	21
911	No effect of extremely low-frequency magnetic field observed on cell growth or initial response of cell proliferation in human cancer cell lines. <b>2002</b> , 23, 355-68	30
910	Neutrophilic-chronic myeloid leukemia: low levels of p230 BCR/ABL mRNA and undetectable BCR/ABL protein may predict an indolent course. <b>2002</b> , 94, 2416-25	52

909	Comparison of Pgp- and MRP-mediated multidrug resistance in leukemia cell lines. 2002, 75, 154-60	8
908	Lipid solubility- and concentration-dependent attenuation of in vitro natural killer cell cytotoxicity by local anesthetics. <b>2002</b> , 46, 875-81	11
907	Evidence for local control of gene expression in the epidermal differentiation complex. <b>2002</b> , 11, 406-12	63
906	Cytotoxic and antibacterial activity of 2-oxopurine derivatives. <b>2002</b> , 12, 567-9	55
905	Preparation and evaluation of the in vitro erythroid differentiation induction properties of some esters of methyl 3,4-O-isopropylidene-beta-D-galactopyranoside and 2,3-O-isopropylidene-D-mannofuranose. <b>2002</b> , 10, 347-53	8
904	p53 expression in K562 cells is associated with caspase-mediated cleavage of c-ABL and BCR-ABL protein kinases. <b>2002</b> , 117, 588-97	23
903	Etoposide-mediated deregulation of the G2M checkpoint in myeloid leukaemic cell lines results in loss of cell survival. <b>2002</b> , 119, 956-64	13
902	Induction of a nerve growth factor-sensitive kinase that phosphorylates the DNA-binding domain of the orphan nuclear receptor NGFI-B. <b>1995</b> , 65, 1780-8	15
901	Interactions of the anticancer antibiotic altromycin B with copper(II), palladium(II) and platinum(II) ions and in vitro activity of the formed complexes. <b>2002</b> , 89, 131-41	15
900	Expression of cell surface NM23 proteins of human leukemia cell lines of various cellular lineage and differentiation stages. <b>2002</b> , 26, 569-76	18
899	Expression of insulin-like growth factors IGF-I and IGF-II, and their receptors during the growth and megakaryocytic differentiation of K562 cells. <b>2002</b> , 26, 831-7	10
898	HL-60 cell growth-conditioned medium is an effective inducer of myeloperoxidase expression in K-562 human leukemia cells. <b>2002</b> , 26, 1017-25	1
897	HERG potassium channels are constitutively expressed in primary human acute myeloid leukemias and regulate cell proliferation of normal and leukemic hemopoietic progenitors. <b>2002</b> , 16, 1791-8	159
896	Nuclear factor-erythroid 2 (NF-E2) expression in normal and malignant megakaryocytopoiesis. <b>2002</b> , 16, 1773-81	12
895	Brusatol-mediated induction of leukemic cell differentiation and G(1) arrest is associated with down-regulation of c-myc. <b>2002</b> , 16, 2275-84	63
894	Comparison of competitive-nested PCR and real-time PCR in detecting BCR-ABL fusion transcripts in chronic myeloid leukemia patients. <b>2002</b> , 16, 2447-53	49
893	Enhanced uptake of antisense oligonucleotides using cationic liposomes and the apoptotic effect of idarubicin in K-562 cell line. <b>2002</b> , 26, 669-76	4
892	Studies on the production of IL-15 in HIV-infected/AIDS patients. <b>2003</b> , 23, 81-90	32

891	Diaminofluorene stain detects erythroid differentiation in immature haemopoietic cells treated with EPO, IL-3, SCF, TGFbeta1, MIP-1alpha and IFNgamma. <b>2003</b> , 70, 106-14	9
890	Accumulation of gamma-globin mRNA in human erythroid cells treated with angelicin. 2003, 71, 189-95	73
889	Evaluation of the mutagenic, antimutagenic and antiproliferative potential of Croton lechleri (Muell. Arg.) latex. <b>2003</b> , 10, 139-44	24
888	Mechanisms involved in the induced differentiation of leukemia cells. <b>2003</b> , 100, 257-90	127
887	New findings in the study on the intercalation of bisdaunorubicin and its monomeric analogues with naked and nucleus DNA. <b>2003</b> , 145, 349-58	35
886	Role of Ets/Id proteins for telomerase regulation in human cancer cells. <b>2003</b> , 75, 238-47	31
885	Genomic imbalances in CML blast crisis: 8q24.12-q24.13 segment identified as a common region of over-representation. <b>2003</b> , 37, 346-58	18
884	Involvement of protein phosphatase 2A in interferon-alpha-2b-induced apoptosis in K562 human chronic myelogenous leukaemia cells. <b>2003</b> , 27, 709-17	45
883	Restimulation of tumour-specific immunity in a patient with AML following injection with B7-1 positive autologous blasts. <b>2003</b> , 27, 1051-61	8
882	K-562 cells lack MHC class II expression due to an alternatively spliced CIITA transcript with a truncated coding region. <b>2003</b> , 27, 1027-38	8
881	Cytotoxic activity of 6-alkynyl- and 6-alkenylpurines. <b>2003</b> , 13, 877-80	33
880	Uptake of Apoptotic K562 Leukaemia Cells by Immature Dendritic Cells is Greatly Facilitated by Serum. <b>2003</b> , 58, 541-9	5
879	New insights into the P-glycoprotein-mediated effluxes of rhodamines. <b>2003</b> , 270, 476-85	46
878	Characterisation of the biosynthesis and processing of the neutrophil granule membrane protein CD63 in myeloid cells. <b>2003</b> , 25, 297-306	20
877	Spontaneous reversal of p-glycoprotein expression in multidrug resistant cell lines. 2003, 93, 297-304	10
876	RNA interference is a functional pathway with therapeutic potential in human myeloid leukemia cell lines. <b>2003</b> , 10, 125-33	99
875	Erythroid gene suppression by NF-kappa B. <b>2003</b> , 278, 19534-40	44
874	Cell volume changes during rapid temperature shifts. <b>2003</b> , 102, 269-79	18

### (2004-2003)

873	Mitomycin antitumor compounds. 2. Interaction of transition metal ions with mitomycin C. Solution structure and biological activity of a Pd(2+)-MMC complex. <b>2003</b> , 46, 1683-9	16
872	Bax conformational change is a crucial step for PUMA-mediated apoptosis in human leukemia. <b>2003</b> , 310, 956-62	61
871	Early steps in the evolution of multicellularity: deep structural and functional homologies among homeobox genes in sponges and higher metazoans. <b>2003</b> , 120, 429-40	26
870	Rhodamine B as a mitochondrial probe for measurement and monitoring of mitochondrial membrane potential in drug-sensitive and -resistant cells. <b>2003</b> , 57, 1-16	74
869	Novel benzylidene-9(10H)-anthracenones as highly active antimicrotubule agents. Synthesis, antiproliferative activity, and inhibition of tubulin polymerization. <b>2003</b> , 46, 3382-94	69
868	delta-Globin gene structure and expression in the K562 cell line. <b>2003</b> , 27, 219-28	5
867	Isoprenoid pyrophosphate analogues regulate expression of Ras-related proteins. 2003, 42, 4384-91	19
866	Suppression of HIV-1 replication by HIV-1-irrelevant CD8+ cytotoxic T lymphocytes resulting in preservation of persistently HIV-1-infected cells in vitro. <b>2003</b> , 16, 381-93	8
865	Erythroid differentiation sensitizes K562 leukemia cells to TRAIL-induced apoptosis by downregulation of c-FLIP. <b>2003</b> , 23, 1278-91	85
864	Induced dendritic cell differentiation of chronic myeloid leukemia blasts is associated with down-regulation of BCR-ABL. <b>2003</b> , 171, 1780-91	25
863	p21Cip1 gene expression is modulated by Egr1: a novel regulatory mechanism involved in the resveratrol antiproliferative effect. <b>2003</b> , 278, 23360-8	71
862	Monoterpene regulation of Ras and Ras-related protein expression. <b>2003</b> , 44, 1209-15	29
861	A shikonin derivative, beta-hydroxyisovalerylshikonin, is an ATP-non-competitive inhibitor of protein tyrosine kinases. <b>2003</b> , 14, 683-93	29
860	Spontaneous and Cytokine-Induced Natural Killer Cytotoxicity in Patients With Cushing???s Disease. <b>2003</b> , 13, 459-464	
859	A novel EVI1 gene family, MEL1, lacking a PR domain (MEL1S) is expressed mainly in t(1;3)(p36;q21)-positive AML and blocks G-CSF-induced myeloid differentiation. <i>Blood</i> , <b>2003</b> , 102, 3323-32 <sup>2</sup>	104
858	The amino terminal and E2F interaction domains are critical for C/EBP alpha-mediated induction of granulopoietic development of hematopoietic cells. <i>Blood</i> , <b>2003</b> , 102, 3163-71	82
857	Liposomes containing distamycins: preparation, characterization and antiproliferative activity. <b>2004</b> , 11, 83-8	8
856	Diverse and specific gene expression responses to stresses in cultured human cells. <b>2004</b> , 15, 2361-74	250

855	Graft-versus-Tax response in adult T-cell leukemia patients after hematopoietic stem cell transplantation. <b>2004</b> , 64, 391-9	113
854	Platelets and Megakaryocytes. <b>2004</b> ,	6
853	Protein composition of human metaphase chromosomes analyzed by two-dimensional electrophoreses. <b>2004</b> , 107, 49-54	15
852	Subcellular localization determines the protective effects of activated ERK2 against distinct apoptogenic stimuli in myeloid leukemia cells. <b>2004</b> , 279, 32813-23	48
851	Targeted knockdown of the RNA-binding protein CRD-BP promotes cell proliferation via an insulin-like growth factor II-dependent pathway in human K562 leukemia cells. <b>2004</b> , 279, 48716-24	43
850	Lineage specificity of gene expression patterns. <b>2004</b> , 101, 6508-13	40
849	Electroacupuncture enhancement of natural killer cell activity suppressed by anterior hypothalamic lesions in rats. <b>2004</b> , 11, 268-72	20
848	Combination of rapamycin and protein tyrosine kinase (PTK) inhibitors for the treatment of leukemias caused by oncogenic PTKs. <b>2004</b> , 101, 3130-5	233
847	Free Radical Scavenging and Leukemia Cell Growth Inhibitory Properties of Onion Powders Treated by Different Heating Processes. <b>2004</b> , 69, SNQ50-SNQ54	12
846	Rapamycin-mediated induction of gamma-globin mRNA accumulation in human erythroid cells. <b>2004</b> , 126, 612-21	44
845	Differential regulation of MHC class-I-restricted and unrestricted cytotoxicity by the Us3 protein kinase of herpes simplex virus-1. <b>2004</b> , 60, 592-9	9
844	Noncytotoxic ribonuclease, RNase T1, induces tumor cell death via hemagglutinating virus of Japan envelope vector. <b>2004</b> , 271, 3567-72	14
843	The modulation of radiation-induced cell death by genistein in K562 cells: activation of thymidine kinase 1. <b>2004</b> , 14, 295-302	20
842	Establishment and phenotypic characterization of human U937 cells with inducible P210 BCR/ABL expression reveals upregulation of CEACAM1 (CD66a). <b>2004</b> , 18, 538-47	16
841	Staf50 is a novel p53 target gene conferring reduced clonogenic growth of leukemic U-937 cells. <b>2004</b> , 23, 4050-9	59
840	The proliferation associated nuclear element (PANE1) is conserved between mammals and fish and preferentially expressed in activated lymphoid cells. <b>2004</b> , 4, 389-95	15
839	Are genetic polymorphisms in OGG1, XRCC1 and XRCC3 genes predictive for the DNA strand break repair phenotype and genotoxicity in workers exposed to low dose ionising radiations?. <b>2004</b> , 556, 169-81	98
838	The use of clonal mRNA as an antigenic format for the detection of antigen-specific T lymphocytes in IFN-gamma ELISPOT assays. <b>2004</b> , 287, 125-36	17

# (2008-2004)

837	Association of HLA Class I and Class II genes with bcr-abl transcripts in leukemia patients with t(9;22) (q34;q11). <b>2004</b> , 4, 25	15
836	The activity of latent benzoperimidine esters to inhibit P-glycoprotein and multidrug resistance-associated protein 1 dependent efflux of pirarubicin from several lines of multidrug resistant tumor cells. <b>2004</b> , 28, 283-93	4
835	Decrease of P-glycoprotein activity in K562/ADR cells by MbetaCD and filipin and lack of effect induced by cholesterol oxidase indicate that this transporter is not located in rafts. <b>2004</b> , 36, 533-43	25
834	Early apoptotic features of K562 cell death induced by 5-aminolaevulinic acid-based photodynamic therapy. <b>2004</b> , 73, 67-78	32
833	Inhibitory effects of phaseolotoxin on proliferation of leukemia cells HL-60, K-562 and L1210 and pancreatic cells RIN-m5F. <b>2004</b> , 28, 301-6	3
832	Malignant hematopoietic cell lines: in vitro models for the study of erythroleukemia. 2004, 28, 1243-51	27
831	Establishment and characterization of a new human erythroleukemic cell line, ERY-1. <b>2004</b> , 28, 1329-39	8
830	Preapoptotic chromatin changes induced by ultraviolet B irradiation in human erythroleukemia K562 cells. <b>2007</b> , 12, 2089-99	19
829	Gamma irradiation induced apoptotic changes in the chromatin structure of human erythroleukemia K562 cells. <b>2007</b> , 12, 2271-83	15
828	Disialoganglioside GD3 synthase expression recruits membrane transglutaminase 2 during erythroid differentiation of the human chronic myelogenous leukemia K562 cells. <b>2008</b> , 8, 3317-28	7
827	in vitro biological evaluation of folate-functionalized block copolymer micelles for selective anti-cancer drug delivery. <b>2008</b> , 8, 615-26	44
826	Insights into nuclear localization and dynamic association of CD38 in Raji and K562 cells. <b>2008</b> , 103, 1294-308	7
825	Identification of a novel and myeloid specific role of the leukemia-associated fusion protein DEK-NUP214 leading to increased protein synthesis. <b>2008</b> , 47, 276-87	37
824	Levitation and movement of tripalmitin-based cationic lipospheres on a dielectrophoresis-based lab-on-a-chip device. <b>2008</b> , 109, 3484-3491	8
823	Furocoumarins photolysis products induce differentiation of human erythroid cells. 2008, 92, 24-28	8
822	Salarin C, a new cytotoxic sponge-derived nitrogenous macrolide. <b>2008</b> , 49, 4355-4358	28
821	Phenotypic and gene expression diversity of malignant cells in human blast crisis chronic myeloid leukemia. <b>2008</b> , 76, 908-22	10
820	Histone deacetylase inhibitors trichostatin A and valproic acid circumvent apoptosis in human leukemic cells expressing the RUNX1 chimera. <i>Cancer Science</i> , <b>2008</b> , 99, 414-22	10

819	Suppression of lymphokine-activated killer (LAK) cell induction mediated by interleukin-4 and transforming growth factor-beta 1: effect of addition of exogenous tumour necrosis factor-alpha and interferon-gamma, and measurement of their endogenous production. <b>1990</b> , 82, 583-9	23
818	Rotavirus induces proliferative response and augments non-specific cytotoxic activity of lymphocytes in humans. <b>1990</b> , 80, 49-55	23
817	Bone marrow and peripheral blood natural killer cell activity in lymphomas. Its response to IL-2. <b>1992</b> , 88, 143-8	9
816	HLA expression in hepatocellular carcinoma cell lines. <b>1994</b> , 97, 328-33	19
815	Characteristics of a cell line established from a child with familial acute myeloid leukaemia. <b>1980</b> , 46, 23-31	6
814	Serological distinction between DR antigens and lymphocyte activating determinants. <b>1981</b> , 17, 149-61	4
813	Granulocyte specific cytotoxic antibodies in pregnancy and multitransfused sera. <b>1983</b> , 21, 9-13	3
812	Induction of gamma-globin mRNA, erythroid differentiation and apoptosis in UVA-irradiated human erythroid cells in the presence of furocumarin derivatives. <b>2008</b> , 75, 810-25	36
811	Chronic active hepatitis B. Interferon-activated natural killer-like cells against a hepatoma cell line transfected with the hepatitis B virus nucleic acid. <b>1991</b> , 11, 106-13	8
810	The expression and role of human erythropoietin receptor in erythroid and nonerythroid cells. <b>1994</b> , 718, 232-43; discussion 243-4	2
809	Is it important to decipher the heterogeneity of "normal karyotype AML"?. 2008, 21, 43-52	11
808	Synergistic effects of IL-2, IL-12 and IL-18 on cytolytic activity, perforin expression and IFN-gamma production of porcine natural killer cells. <b>2008</b> , 121, 68-82	54
807	Genomic structure, alternative splicing and expression of TG-interacting factor, in human myeloid leukemia blasts and cell lines. <b>2008</b> , 1779, 347-55	30
806	Itch regulates p45/NF-E2 in vivo by Lys63-linked ubiquitination. <b>2008</b> , 375, 326-30	16
805	Salarins a and B and tulearin a: new cytotoxic sponge-derived macrolides. 2008, 10, 153-6	39
804	Infection-enhancing and -neutralizing activities of mouse monoclonal antibodies against dengue type 2 and 4 viruses are controlled by complement levels. <b>2008</b> , 82, 927-37	65
803	Genetic inactivation of the laminin alpha5 chain receptor Lu/BCAM leads to kidney and intestinal abnormalities in the mouse. <b>2008</b> , 294, F393-406	30
802	Peptide-based cationic molecules for the production of positive charged liposomes and micelles. <b>2008</b> , 25, 71-81	2

# (2009-2008)

801	Long-term immunity against actual poxviral HLA ligands as identified by differential stable isotope labeling. <b>2008</b> , 181, 6371-83		19
800	A rapid and quantitative assay for measuring neighboring gene activation by vector proviruses. <b>2008</b> , 16, 534-40		41
799	Leukemic cells with increased telomerase activity exhibit resistance to imatinib. 2008, 49, 1168-77		17
798	Design and characterization of an HIV-specific ribonuclease zymogen. <b>2008</b> , 24, 1357-63		20
797	EVI1 overexpression in t(3;17) positive myeloid malignancies results from juxtaposition of EVI1 to the MSI2 locus at 17q22. <b>2008</b> , 93, 1903-7		24
796	Vorinostat synergistically potentiates MK-0457 lethality in chronic myelogenous leukemia cells sensitive and resistant to imatinib mesylate. <i>Blood</i> , <b>2008</b> , 112, 793-804	2.2	55
795	Smenospongine, a sesquiterpene aminoquinone from a marine sponge, induces G1 arrest or apoptosis in different leukemia cells. <b>2008</b> , 6, 480-8		16
794	Substances from the medicinal mushroom Daedalea gibbosa inhibit kinase activity of native and T315I mutated Bcr-Abl. <b>2008</b> ,		
793	Role of peroxisome proliferator-activated receptor gamma and its ligands in the treatment of hematological malignancies. <b>2008</b> , 2008, 834612		19
792	A BCR-ABL mutant lacking direct binding sites for the GRB2, CBL and CRKL adapter proteins fails to induce leukemia in mice. <b>2009</b> , 4, e7439		23
791	Antitumor activity of NPB001-05, an orally active inhibitor of Bcr-Abl tyrosine kinase. <b>2009</b> , E3, 1349		1
790	Induction of differentiation in k562 cell line by nicotinic acid-related compounds. <b>2009</b> , 73, 79-84		7
7 <sup>8</sup> 9	A regulatory interplay between miR-27a and Runx1 during megakaryopoiesis. 2009, 106, 238-43		111
788	Total saponins of Panax ginseng induces K562 cell differentiation by promoting internalization of the erythropoietin receptor. <b>2009</b> , 37, 747-57		15
787	An insulator element 3' to the CFTR gene binds CTCF and reveals an active chromatin hub in primary cells. <b>2009</b> , 37, 1086-94		50
786	Opioid growth factor-opioid growth factor receptor axis is a physiological determinant of cell proliferation in diverse human cancers. <b>2009</b> , 297, R1154-61		57
785	Fetal Hemoglobin Inducers from the Natural World: A Novel Approach for Identification of Drugs for the Treatment of {beta}-Thalassemia and Sickle-Cell Anemia. <b>2009</b> , 6, 141-51		48
7 <sup>8</sup> 4	Activation of the p38 Map kinase pathway is essential for the antileukemic effects of dasatinib. <b>2009</b> , 50, 2017-29		37

783	Role of the tumor suppressor PTEN in antioxidant responsive element-mediated transcription and associated histone modifications. <b>2009</b> , 20, 1606-17	66
782	The aldo-keto reductase AKR1C3 contributes to 7,12-dimethylbenz(a)anthracene-3,4-dihydrodiol mediated oxidative DNA damage in myeloid cells: implications for leukemogenesis. <b>2009</b> , 662, 67-74	57
781	Extremely low frequency-magnetic fields (ELF-EMF) occupational exposure and natural killer activity in peripheral blood lymphocytes. <b>2009</b> , 407, 1218-23	25
780	Is the maturation arrest in myeloid leukemia reversible?. <b>1983</b> , 214, 261-72	11
779	An improved sedimentation technique for the cytologic preparation of cerebrospinal fluid cells. <b>1993</b> , 88, 217-20	1
778	Leucocyte alkaline phosphatase elevation in human acute leukaemia derived cell lines cultured in diffusion chambers. <b>1977</b> , 19, 242-54	5
777	Presence of alpha-naphthyl acetate esterase activity in human haematopoietic cell lines and in fresh biopsy specimens of lymphoma and myeloma. <b>1978</b> , 21, 47-59	21
776	Expression of red cell specific determinants during differentiation in the K562 erythroleukaemia cell line. <b>1981</b> , 27, 231-40	21
775	Localized blastoma preceding blastic transformation in Ph1-positive chronic myelogenous leukaemia: morphological and cultural studies of the transformation event. <b>1980</b> , 25, 251-8	7
774	Differentiation associated changes in isozyme expression of amino acid naphthylamidase in myeloid cells. <b>1982</b> , 29, 41-7	
773	Inhibitory effect on monocyte-mediated cytotoxicity of sera from patients with multiple myeloma and malignant lymphoma. <b>1982</b> , 29, 381-8	5
772	Cellular origin of the chemokinetic inhibitor of polymorphononuclear leucocytes found in sera from patients with chronic lymphocytic leukaemia. <b>1983</b> , 31, 184-92	6
771	The dynamic morphology of the transferrin-transferrin receptor system in human leukaemia/lymphoma cell lines and its relation to iron metabolism and cell proliferation. <b>1985</b> , 35, 145-54	14
770	Role of iron in the proliferation of the established human tumor cell lines U-937 and K-562: effects of suramin and a lipophilic iron chelator (PIH). <b>1986</b> , 37, 429-37	16
769	Characterization of a relationship between the T-lymphocyte derived differentiation inducing factor (DIF) and lymphotoxin: a common receptor system for DIF, lymphotoxin and tumor necrosis factor downregulated by phorbol diesters. <b>1987</b> , 39, 241-51	20
768	Variation in iron accumulation, transferrin membrane binding and DNA synthesis in the K-562 and U-937 cell lines induced by chelators and their iron complexes. <b>1987</b> , 39, 318-25	25
767	Platelet-derived growth factor and its receptor in blood cell differentiation and neoplasia. <b>1990</b> , 45, 127-38	10
766	Expression and function of beta-adrenergic receptors in human hematopoietic cell lines. <b>1992</b> , 49, 263-8	5

765	Normal mouse serum-derived factor(s) which inhibits growth of the interleukin-2-dependent cell line CTLL. <b>1992</b> , 49, 36-45	2
764	Microparticle release from platelets by leukemic cell lines. <b>1994</b> , 52, 254-5	2
763	Cell differentiation in acute myeloid leukemia. <b>1996</b> , 57, 1-16	52
762	The use of recombinant SCF protein for rapid determination of c-kit expression in normal and abnormal erythropoiesis. <b>1996</b> , 57, 72-8	2
761	Antibody-directed superantigen-mediated T-cell killing of myeloid leukaemic cell line cells. <b>1998</b> , 60, 233-9	3
760	Human leukemic K562 cells treated with cytosine arabinoside: enhancement of erythroid differentiation by retinoic acid and retinol. <b>1998</b> , 61, 295-301	10
759	Pirarubicin nuclear uptake does not correlate with its induced cell death effect during reversal of multidrug resistance by quinine in human K562 and CEM leukemic cells. <b>1998</b> , 61, 240-9	3
758	Bcr-abl protein detection in peripheral blood mononuclear cells for follow-up of chronic myelogenous leukaemia patients. <b>1999</b> , 62, 149-54	5
757	Amyloid-like green birefringence in cytoskeletal 10 nm filaments after staining with Congo red. <b>1979</b> , 87A, 299-306	3
756	Structure and function of human effusion macrophages from patients with malignant and benign disease. 2. In vitro cytostatic and cytolytic effect on human tumour cell lines. <b>1980</b> , 88, 201-9	1
755	Human monocytes induce a reversible inhibition of cell cycle progression in the leukemic cell line K-562 during co-culture in vitro. <b>1981</b> , 89, 85-92	
754	Human adherent mononuclear blood cells: cytolytic and cytostatic activity and characterization of effector cells during in vitro culture. <b>1981</b> , 89, 115-22	6
753	The effect of uraemic serum and plasma on proliferating cells in vitro. 1981, 89, 353-8	1
75 <sup>2</sup>	Polyacrylamide microbeads with entrapped protein A from S. aureus for cell separation. <b>1982</b> , 90, 117-22	
751	Cytotoxicity of temporarily adherent human mononuclear blood cells. 1. Cytotoxic abilities of cells after detachment from culture wells. <b>1982</b> , 90, 123-8	
750	Cytotoxicity of temporarily adherent human mononuclear blood cells. 2. Characterization of effector cells. <b>1982</b> , 90, 129-35	
749	In vitro effects of leukocyte interferon on the cytotoxic potential of human monocytes. <b>1984</b> , 92, 65-73	
748	Activation of human monocytes by free muramyl dipeptide (MDP). <b>1984</b> , 92, 181-7	1

Dissociation between cytostatic and cytolytic activity of human monocytes towards K-562 cells. **1984**, 92, 261-4

746	Subcellular characterization of the transferrin-transferrin receptor and iron accumulating system of established human erythroid and monoblastoid tumour cell lines. <b>1986</b> , 94, 245-52	
745	Production of beta-globin and adult hemoglobin following G418 treatment of erythroid precursor cells from homozygous beta(0)39 thalassemia patients. <b>2009</b> , 84, 720-8	27
744	Relevance of DT-diaphorase activity to mitomycin C (MMC) efficacy on human cancer cells: differences in in vitro and in vivo systems. <b>1993</b> , 53, 1013-6	27
743	Arginine transport in human erythroid cells: discrimination of CAT1 and 4F2hc/y+LAT2 roles. <b>2009</b> , 458, 1163-73	21
742	Impact of intracellular chloride concentration on cisplatin accumulation in sensitive and resistant GLC4 cells. <b>2009</b> , 14, 123-32	10
741	N-acetyl cysteine enhances imatinib-induced apoptosis of Bcr-Abl+ cells by endothelial nitric oxide synthase-mediated production of nitric oxide. <b>2009</b> , 14, 298-308	29
740	CD90 Expression on human primary cells and elimination of contaminating fibroblasts from cell cultures. <b>2009</b> , 59, 31-44	80
739	Toward a mechanical control of drug delivery. On the relationship between Lipinski's 2nd rule and cytosolic pH changes in doxorubicin resistance levels in cancer cells: a comparison to published data. <b>2009</b> , 38, 829-46	34
738	Cancer induction by restriction of oncogene expression to the stem cell compartment. <b>2009</b> , 28, 8-20	96
737	Competition between innate multidrug resistance and intracellular binding of rhodamine dyes. <i>FEBS Journal</i> , <b>2009</b> , 276, 637-48	8
736	Substantial changes of cellular iron homeostasis during megakaryocytic differentiation of K562 cells. <b>2009</b> , 51, 555-65	3
735	Differentiation and apoptosis in UVA-irradiated cells treated with furocoumarin derivatives. <b>2009</b> , 1171, 334-44	14
734	Muscarinic receptor-mediated nitric oxide release in a K562 erythroleukaemia cell line. <b>2009</b> , 29, 109-15	7
733	Imatinib resistance in multidrug-resistant K562 human leukemic cells. <b>2009</b> , 33, 710-6	39
732	Converting cell lines representing hematological malignancies from glucocorticoid-resistant to glucocorticoid-sensitive: signaling pathway interactions. <b>2009</b> , 33, 717-27	31
731	Simulated microgravity inhibits the proliferation of K562 erythroleukemia cells but does not result in apoptosis. <b>2009</b> , 44, 233-244	13
730	Synthesis of glycose carbamides and evaluation of the induction of erythroid differentiation of human erythroleukemic K562 cells. <b>2009</b> , 44, 745-54	5

### (2010-2009)

729	Development of K562 cell clones expressing beta-globin mRNA carrying the beta039 thalassaemia mutation for the screening of correctors of stop-codon mutations. <b>2009</b> , 54, 41-52	13
728	Bergamot (Citrus bergamia Risso) fruit extracts as ঘ lobin gene expression inducers: phytochemical and functional perspectives. <b>2009</b> , 57, 4103-11	25
727	A simple method for evaluating dengue vaccine effectiveness in mice based on levels of viremia caused by intraperitoneal injection of infected culture cells. <b>2009</b> , 27, 3735-43	15
726	Scorpion venom polypeptide accelerate irradiated hematopoietic cells proliferation. <b>2009</b> , 16, 253-8	3
725	Preclinical anticancer activity of the potent, oral Src inhibitor AZD0530. <b>2009</b> , 3, 248-61	158
724	10-(2-oxo-2-phenylethylidene)-10H-anthracen-9-ones as highly active antimicrotubule agents: synthesis, antiproliferative activity, and inhibition of tubulin polymerization. <b>2009</b> , 52, 1284-94	24
723	N,N-bis(cyclohexanol)amine aryl esters: a new class of highly potent transporter-dependent multidrug resistance inhibitors. <b>2009</b> , 52, 807-17	29
722	A cooperative polymer-DNA microarray approach to biomaterial investigation. <b>2009</b> , 9, 397-403	31
721	Peroxisome proliferator-activated receptor-gamma agonist rosiglitazoneinduced apoptosis in leukemia k562 cells and its mechanisms of action. <b>2009</b> , 28, 123-31	13
720	New uracil dimers showing erythroid differentiation inducing activities. <b>2009</b> , 52, 87-94	8
719	Natural killer cell activity decreases in workers occupationally exposed to extremely low frequency magnetic fields exceeding 1 microT. <b>2009</b> , 22, 1059-66	10
718	Natural killer cells as biomarkers of hyperbaric stress during a dry heliox saturation dive. <b>2010</b> , 81, 467-74	7
717	Natural killer cell activity in pregnancy and the effects of pregnant womens' sera. 1986, 12, 305-9	3
716	Hes1 immortalizes committed progenitors and plays a role in blast crisis transition in chronic myelogenous leukemia. <i>Blood</i> , <b>2010</b> , 115, 2872-81	58
7 <sup>1</sup> 5	Leukemic cell products down-regulate human dendritic cell differentiation. <b>2010</b> , 59, 1645-53	12
714	Substituted 2-(3',4',5'-trimethoxybenzoyl)-benzo[b]thiophene derivatives as potent tubulin polymerization inhibitors. <b>2010</b> , 18, 5114-22	35
713	Structural resemblances and comparisons of the relative pharmacological properties of imatinib and nilotinib. <b>2010</b> , 18, 6977-86	129
712	KLF4 promotes hydrogen-peroxide-induced apoptosis of chronic myeloid leukemia cells involving the bcl-2/bax pathway. <b>2010</b> , 15, 905-12	40

711	A simple assay system for infection-enhancing and -neutralizing antibodies to dengue type 2 virus using layers of semi-adherent K562 cells. <b>2010</b> , 163, 360-7	36
710	Establishment of an erythroid cell line from primary CD36+ erythroid progenitor cells. <b>2010</b> , 38, 994-10	005.e1-2 <sub>13</sub>
709	Microselectionaffinity selecting antibodies against a single rare cell in a heterogeneous population. <b>2010</b> , 14, 1953-61	15
708	Erythroid induction of chronic myelogenous leukemia K562 cells following treatment with a photoproduct derived from the UV-A irradiation of 5-methoxypsoralen. <b>2010</b> , 5, 1506-12	5
707	Accumulation of Eu3+ chelates in cells expressing or not P-glycoprotein: implications for blood-brain barrier crossing. <b>2010</b> , 104, 47-54	6
706	5-Aza-2'-deoxycytidine sensitizes busulfan-resistant myeloid leukemia cells by regulating expression of genes involved in cell cycle checkpoint and apoptosis. <b>2010</b> , 34, 364-72	37
705	Differential sensitivity of human leukemic cell lines to the histone deacetylase inhibitor, trichostatin A. <b>2010</b> , 34, 786-92	8
704	Combination of tipifarnib and rapamycin synergistically inhibits the growth of leukemia cells and overcomes resistance to tipifarnib via alteration of cellular signaling pathways. <b>2010</b> , 34, 1057-63	5
703	Salarins DI <b>I</b> , seven new nitrogenous macrolides from the madagascar sponge Fascaplysinopsis sp <b>2010</b> , 66, 4339-4345	25
702	Synthesis, antiproliferative activity and inhibition of tubulin polymerization by anthracenone-based oxime derivatives. <b>2010</b> , 45, 3354-64	14
701	Synthesis, antiproliferative activity and inhibition of tubulin polymerization by 1,5- and 1,8-disubstituted 10H-anthracen-9-ones bearing a 10-benzylidene or 10-(2-oxo-2-phenylethylidene) moiety. <b>2010</b> , 45, 3420-38	18
700	Role of the plasma membrane leaflets in drug uptake and multidrug resistance. <i>FEBS Journal</i> , <b>2010</b> , 277, 1234-44	5.7 15
699	Regulation of the human HBA genes by KLF4 in erythroid cell lines. <b>2010</b> , 149, 748-58	12
698	Recent N-atom containing compounds from indo-pacific invertebrates. <b>2010</b> , 8, 2810-36	8
697	Soluble erythropoietin receptor contributes to erythropoietin resistance in end-stage renal disease. <b>2010</b> , 5, e9246	37
696	Bacterial production and functional characterization of the Fab fragment of the murine IgG1/lambda monoclonal antibody cmHsp70.1, a reagent for tumour diagnostics. <b>2010</b> , 23, 161-8	19
695	An aphidicolin-block nucleotide excision repair assay measuring DNA incision and repair capacity. <b>2010</b> , 25, 25-32	22
694	Liposomes- and ethosomes-associated distamycins: a comparative study. <b>2010</b> , 20, 277-85	18

# (2011-2010)

693	Cell treatment and lysis in 96-well filter-bottom plates for screening Bcr-Abl activity and inhibition in whole-cell extracts. <b>2010</b> , 15, 434-40	3
692	Static magnetic fields enhanced the potency of cisplatin on k562 cells. <b>2010</b> , 25, 401-8	21
691	Identification of fetal hemoglobin-inducing agents using the human leukemia KU812 cell line. <b>2010</b> , 235, 1385-94	20
690	Identification of new markers discriminating between myeloid and lymphoid acute leukemia. <b>2010</b> , 15, 193-203	13
689	Fo shou san, an ancient herbal decoction prepared from rhizoma chuanxiong and radix angelicae sinensis, stimulates the production of hemoglobin and erythropoietin in cultured cells. <b>2010</b> , 76, 1525-9	14
688	Cocal-pseudotyped lentiviral vectors resist inactivation by human serum and efficiently transduce primate hematopoietic repopulating cells. <b>2010</b> , 18, 725-33	37
687	Structure-activity relationships studies in a series of N,N-bis(alkanol)amine aryl esters as P-glycoprotein (Pgp) dependent multidrug resistance (MDR) inhibitors. <b>2010</b> , 53, 1755-62	22
686	Breakages at common fragile sites set boundaries of amplified regions in two leukemia cell lines K562 - Molecular characterization of FRA2H and localization of a new CFS FRA2S. <b>2010</b> , 299, 37-44	21
685	Intracellular delivery of full length recombinant human mitochondrial L-Sco2 protein into the mitochondria of permanent cell lines and SCO2 deficient patient's primary cells. <b>2010</b> , 1802, 497-508	14
684	BAX/BCL-XL gene expression ratio inversely correlates with disease progression in chronic myeloid leukemia. <b>2010</b> , 45, 192-6	9
683	Cucurbitacin D induces fetal hemoglobin synthesis in K562 cells and human hematopoietic progenitors through activation of p38 pathway and stabilization of the Eglobin mRNA. <b>2010</b> , 45, 269-75	20
682	Apoptogenic and necrogenic effects of mercuric acetate on the chromatin structure of K562 human erythroleukemia cells. <b>2010</b> , 24, 267-75	18
681	Chronic myeloid leukemia: a historical perspective. <b>2010</b> , 47, 302-11	71
680	Non-selective cation channel-mediated Ca2+-entry and activation of Ca2+/calmodulin-dependent kinase II contribute to G2/M cell cycle arrest and survival of irradiated leukemia cells. <b>2010</b> , 26, 597-608	52
679	Guanosine supplementation reduces the antiproliferative and apoptotic effects of the IMPDH inhibitor gnidilatimonoein in K562 cells. <b>2011</b> , 35, 1001-8	3
678	N-benzoylated phenoxazines and phenothiazines: synthesis, antiproliferative activity, and inhibition of tubulin polymerization. <b>2011</b> , 54, 4247-63	46
677	Chromatin Changes upon Silver Nitrate Treatment in Human Keratinocyte HaCaT and K562 Erythroleukemia Cells. <b>2011</b> , 195-217	4
676	Cellular Effects of Heavy Metals. <b>2011</b> ,	35

675	Angiopoietin1 contributes to the maintenance of cell quiescence in EVI1(high) leukemia cells. <b>2011</b> , 416, 239-45	18
674	A key role for KCl cotransport in cell volume regulation in human erythroleukemia cells. <b>2011</b> , 88, 1001-8	1
673	Phenolic metabolites of benzene inhibited the erythroid differentiation of K562 cells. <b>2011</b> , 203, 190-9	16
672	A user's guide to the encyclopedia of DNA elements (ENCODE). <b>2011</b> , 9, e1001046	1060
671	Antitumor activity of NPB001-05, an orally active inhibitor of Bcr-Abl tyrosine kinase. <b>2011</b> , 3, 1349-64	4
670	NPB001-05 inhibits Bcr-Abl kinase leading to apoptosis of imatinib-resistant cells. <b>2011</b> , 3, 1273-88	1
669	Hepatitis C virus NS3 protein can activate the Notch-signaling pathway through binding to a transcription factor, SRCAP. <b>2011</b> , 6, e20718	26
668	Heme-oxygenases during erythropoiesis in K562 and human bone marrow cells. <b>2011</b> , 6, e21358	19
667	Aberrant DNA methylation is associated with disease progression, resistance to imatinib and shortened survival in chronic myelogenous leukemia. <b>2011</b> , 6, e22110	83
666	Dual function of histone H3 lysine 36 methyltransferase ASH1 in regulation of Hox gene expression. <b>2011</b> , 6, e28171	31
665	Epigenetic regulation of cathepsin L expression in chronic myeloid leukaemia. <b>2011</b> , 15, 2189-99	15
664	C(5) modified uracil derivatives showing antiproliferative and erythroid differentiation inducing activities on human chronic myelogenous leukemia K562 cells. <b>2011</b> , 672, 30-7	8
663	Poor cytokine-induced phosphorylation in chronic myeloid leukemia patients at diagnosis is effectively reversed by tyrosine kinase inhibitor therapy. <b>2011</b> , 39, 102-113.e1	12
662	Valproic acid perturbs hematopoietic homeostasis by inhibition of erythroid differentiation and activation of the myelo-monocytic pathway. <b>2011</b> , 81, 498-509	28
661	Activation of STAT5 confers imatinib resistance on leukemic cells through the transcription of TERT and MDR1. <b>2011</b> , 23, 1119-27	31
660	YBX1 expression and function in early hematopoiesis and leukemic cells. <b>2011</b> , 63, 337-50	19
659	Heat-shock protein expression in leukemia. <b>2011</b> , 32, 33-44	26
658	Prediction of RNA Polymerase II recruitment, elongation and stalling from histone modification data. <b>2011</b> , 12, 544	25

657	Modulation of the biological activity of microRNA-210 with peptide nucleic acids (PNAs). <b>2011</b> , 6, 2192-202	63
656	Mesenchymal-epithelial transitions: spontaneous and cumulative syntheses of epithelial marker molecules and their assemblies to novel cell junctions connecting human hematopoietic tumor cells to carcinomatoid tissue structures. <b>2011</b> , 129, 2588-99	12
655	Effects of a moderate-intensity static magnetic field and adriamycin on K562 cells. <b>2011</b> , 32, 191-9	21
654	Effect of AATI, a Bowman-Birk type inhibitor from Apios americana, on proliferation of cancer cell lines. <b>2011</b> , 128, 909-915	12
653	Phenylimino-10H-anthracen-9-ones as novel antimicrotubule agents-synthesis, antiproliferative activity and inhibition of tubulin polymerization. <b>2011</b> , 19, 4183-91	11
652	Inhibition of P-glycoprotein-mediated Multidrug Resistance (MDR) by N,N-bis(cyclohexanol)amine aryl esters: further restriction of molecular flexibility maintains high potency and efficacy. <b>2011</b> , 21, 106-9	12
651	Synthesis of novel antimitotic agents based on 2-amino-3-aroyl-5-(hetero)arylethynyl thiophene derivatives. <b>2011</b> , 21, 2746-51	26
650	Immunolocalization of phostensin in lymphatic cells and tissues. <b>2011</b> , 59, 741-9	5
649	RNA-binding protein insulin-like growth factor mRNA-binding protein 3 (IMP-3) promotes cell survival via insulin-like growth factor II signaling after ionizing radiation. <b>2011</b> , 286, 31145-52	40
648	The human lung adenocarcinoma cell line EKVX produces an infectious xenotropic murine leukemia virus. <b>2011</b> , 3, 2442-61	5
647	Maps of open chromatin guide the functional follow-up of genome-wide association signals: application to hematological traits. <b>2011</b> , 7, e1002139	34
646	Comparison of effects of the ethanolic extracts of brazilian propolis on human leukemic cells as assessed with the MTT assay. <b>2012</b> , 2012, 918956	51
645	Activating KIR copy number variation is associated with granzyme B release by NK cells during primary simian immunodeficiency virus infection in rhesus monkeys. <b>2012</b> , 86, 13103-7	4
644	Alternative options for DNA-based experimental therapy of Ethalassemia. <b>2012</b> , 12, 443-62	21
643	Granzyme B- and Fas ligand-mediated cytotoxic function induced by mitogenic CD28 stimulation of human memory CD4+ T cells. <b>2012</b> , 91, 759-71	12
642	Preterm newborns show slower repair of oxidative damage and paternal smoking associated DNA damage. <b>2012</b> , 27, 573-80	22
641	Functional regulation of pre-B-cell leukemia homeobox interacting protein 1 (PBXIP1/HPIP) in erythroid differentiation. <b>2012</b> , 287, 5600-14	26
640	Combination Phototherapy with a Histone Deacetylase Inhibitor and a Potent DNA-Binding Bibenzimidazole: Effects in Haematological Cell Lines. <b>2012</b> , 2012, 1-13	1

639	Cdx2 homeoprotein inhibits non-homologous end joining in colon cancer but not in leukemia cells. <b>2012</b> , 40, 3456-69		19
638	Resveratrol: Antioxidant activity and induction of fetal hemoglobin in erythroid cells from normal donors and Ethalassemia patients. <b>2012</b> , 29, 974-82		31
637	The K1K2 region of Lys-gingipain of Porphyromonas gingivalis blocks induction of HLA expression by gamma interferon. <b>2012</b> , 80, 3733-41		1
636	F-box protein FBXL2 targets cyclin D2 for ubiquitination and degradation to inhibit leukemic cell proliferation. <i>Blood</i> , <b>2012</b> , 119, 3132-41	2.2	65
635	The plasticity and potential of leukemia cell lines to differentiate into dendritic cells. <b>2012</b> , 4, 595-600		6
634	Tax is a potential molecular target for immunotherapy of adult T-cell leukemia/lymphoma. <i>Cancer Science</i> , <b>2012</b> , 103, 1764-73	6.9	19
633	BET bromodomain inhibition targets both c-Myc and IL7R in high-risk acute lymphoblastic leukemia. <i>Blood</i> , <b>2012</b> , 120, 2843-52	2.2	298
632	Proapoptotic effects of novel pentabromobenzylisothioureas in human leukemia cell lines. <b>2012</b> , 21, 3111-3118		5
631	Phosphoprotein profiling predicts response to tyrosine kinase inhibitor therapy in chronic myeloid leukemia patients. <b>2012</b> , 40, 705-714.e3		15
630	PDCD2 knockdown inhibits erythroid but not megakaryocytic lineage differentiation of human hematopoietic stem/progenitor cells. <b>2012</b> , 40, 1028-1042.e3		11
629	Nuclear factor-kappaB as a switch in regulation of resveratrol-mediated apoptosis and erythrocytic differentiation in human leukaemia cells. <b>2012</b> , 132, 2094-2101		3
628	Novel cyanocombretastatins as potent tubulin polymerisation inhibitors. <b>2012</b> , 22, 6731-4		12
627	Chromatin changes induced by Pb and Cd in human cells. <b>2012</b> , 26, 1064-71		17
626	Paired-end sequencing of Fosmid libraries by Illumina. <b>2012</b> , 22, 2241-9		47
625	Knock-down of Kaiso induces proliferation and blocks granulocytic differentiation in blast crisis of chronic myeloid leukemia. <b>2012</b> , 12, 28		19
624	Involvement of miRNA in erythroid differentiation. <b>2012</b> , 4, 51-65		41
623	NK cell stimulation by administration of vitamin C and Aloe vera juice in vitro and in vivo: A pilot study. <b>2012</b> , 2, 29-33		5
622	Omacetaxine mepesuccinate prevents cytokine-dependent resistance to nilotinib in vitro: potential role of the common Bubunit c of cytokine receptors. <b>2012</b> , 26, 1321-8		7

621	Preparation and Cytotoxicity of Poly(Methyl Methacrylate) Nanoparticles for Drug Encapsulation. <b>2012</b> , 319, 34-40	21
620	Self-assembly of hybrid organic-inorganic polyoxovanadates: functionalised mixed-valent clusters and molecular cages. <b>2012</b> , 41, 2918-26	43
619	COX-2 expression in fibroblast aggregates as a functional indicator for the anti-inflammatory activity of leukemia patients' bone marrow-derived hematopoietic cells. <b>2012</b> , 59, 574-83	1
618	The effect of erythropoietin on normal and neoplastic cells. <b>2012</b> , 6, 163-89	67
617	Role of microRNAs in leukemia stem cells. <b>2012</b> , 4, 799-809	
616	A combined approach for Ethalassemia based on gene therapy-mediated adult hemoglobin (HbA) production and fetal hemoglobin (HbF) induction. <b>2012</b> , 91, 1201-13	17
615	Development of a Plate-Based Assay Platform to Monitor Cellular SHP2 Phosphatase Activity During Erythroid Differentiation. <b>2012</b> , 59, 297-304	2
614	NKp46 expression discriminates porcine NK cells with different functional properties. <b>2012</b> , 42, 1261-71	44
613	Flow cytometric evaluation of the effects of 3-bromopyruvate (3BP) and dichloracetate (DCA) on THP-1 cells: a multiparameter analysis. <b>2012</b> , 44, 91-9	5
612	ICB3E induces iNOS expression by ROS-dependent JNK and ERK activation for apoptosis of leukemic cells. <b>2012</b> , 17, 612-26	19
611	Hydroxychavicol, a Piper betle leaf component, induces apoptosis of CML cells through mitochondrial reactive oxygen species-dependent JNK and endothelial nitric oxide synthase 6.9 activation and overrides imatinib resistance. <i>Cancer Science</i> , <b>2012</b> , 103, 88-99	39
610	Synthetic and green vegetable isothiocyanates target red blood leukemia cancers. <b>2012</b> , 83, 255-65	11
609	Long-chain cationic derivatives of PTA (1,3,5-triaza-7-phosphaadamantane) as new components of potential non-viral vectors. <b>2012</b> , 431, 176-82	8
608	Glucocorticoid and proteasome inhibitor impact on the leukemic lymphoblast: multiple, diverse signals converging on a few key downstream regulators. <b>2012</b> , 351, 142-51	17
607	Dihydroartemisinin inhibits the human erythroid cell differentiation by altering the cell cycle. <b>2012</b> , 300, 57-66	36
606	NK cytotoxicity and alloreactivity against neuroblastoma cell lines in vitro: comparison of Europium fluorometry assay and quantification by RT-PCR. <b>2012</b> , 380, 56-64	4
605	CD6 attenuates early and late signaling events, setting thresholds for T-cell activation. <b>2012</b> , 42, 195-205	46
604	Metabolic restriction of cancer cells in vitro causes karyotype contractionan indicator of cancer promotion?. <b>2012</b> , 33, 195-205	4

603	3Elacetyl tormentic acid induces apoptosis of resistant leukemia cells independently of P-gp/ABCB1 activity or expression. <b>2012</b> , 30, 105-13	14
602	Expression of Wilms' tumor 1 (WT1) in oral squamous cell carcinoma. <b>2013</b> , 42, 133-9	3
601	The role of intracellular pathways in the proliferation of human K562 cells mediated by muscarinic receptors. <b>2013</b> , 37, 1144-9	7
600	Targeting gain of function and resistance mutations in Abl and KIT by hybrid compound design. <b>2013</b> , 56, 5757-72	17
599	Synthesis of Oxindole-Based Bioorganometallic Kinase Inhibitors Incorporating One or More Ferrocene Groups. <b>2013</b> , 32, 5818-5825	17
598	A miniaturized chemical proteomic approach for target profiling of clinical kinase inhibitors in tumor biopsies. <b>2013</b> , 12, 4005-17	13
597	HOX antisense lincRNA HOXA-AS2 is an apoptosis repressor in all trans retinoic acid treated NB4 promyelocytic leukemia cells. <b>2013</b> , 114, 2375-83	61
596	Cytotoxic activity of marine algae against cancerous cells. <b>2013</b> , 23, 668-673	26
595	Induction of erythroid differentiation and increased globin mRNA production with furocoumarins and their photoproducts. <b>2013</b> , 121, 57-66	8
594	Polymers for the cell-specific immobilisation of megakaryocytic cell lines. <b>2013</b> , 13, 437-43	3
593	Iron availability modulates aberrant splicing of ferrochelatase through the iron- and 2-oxoglutarate dependent dioxygenase Jmjd6 and U2AF(65.). <b>2013</b> , 51, 151-61	26
592	New structure-activity relationship studies in a series of N,N-bis(cyclohexanol)amine aryl esters as potent reversers of P-glycoprotein-mediated multidrug resistance (MDR). <b>2013</b> , 21, 456-65	12
591	Comparing immobilized kinase inhibitors and covalent ATP probes for proteomic profiling of kinase expression and drug selectivity. <b>2013</b> , 12, 1723-31	44
590	Changes in NAD content induced by nicotinic acid-related compounds in K562 cells during differentiation. <b>2013</b> , 77, 1583-5	
589	Chronic myeloid leukemic cells trigger poly(ADP-ribose) polymerase-dependent inactivation and cell death in lymphocytes. <b>2013</b> , 93, 155-60	14
588	Synergistic effect of hydrogen peroxide on polyploidization during the megakaryocytic differentiation of K562 leukemia cells by PMA. <b>2013</b> , 319, 2205-15	15
587	Gads (Grb2-related adaptor downstream of Shc) is required for BCR-ABL-mediated lymphoid leukemia. <b>2013</b> , 27, 1666-76	6
586	Kv3.4 potassium channel-mediated electrosignaling controls cell cycle and survival of irradiated leukemia cells. <b>2013</b> , 465, 1209-21	23

585	Imatinib and Nilotinib inhibit Bcr-Abl-induced ROS through targeted degradation of the NADPH oxidase subunit p22phox. <b>2013</b> , 37, 183-9	23
584	Targeting Epidermal Growth Factor Receptor with Ferrocene-Based Kinase Inhibitors. <b>2013</b> , 32, 509-513	18
583	Cell Lines and Human Primary Cells. <b>2013</b> , 15-492	
582	Bis(thiosemicarbazone) copper complexes: mechanism of intracellular accumulation. <b>2013</b> , 18, 59-69	14
581	HACE1 is a tumor suppressor gene candidate in natural killer cell neoplasms. <b>2013</b> , 182, 49-55	44
580	Death signalobody: inducing conditional cell death in response to a specific antigen. <b>2013</b> , 24, 141-50	9
579	Multidrug resistance in chronic myeloid leukaemia: how much can we learn from MDR-CML cell lines?. <b>2013</b> , 33,	51
578	Human platelet antigen genotyping and expression of CD109 (human platelet antigen 15) mRNA in various human cell types. <b>2013</b> , 2013, 946403	7
577	⊞,6-Fucosyltransferase (FUT8) inhibits hemoglobin production during differentiation of murine and K562 human erythroleukemia cells. <b>2013</b> , 288, 16839-16847	9
576	Combinatorial mRNA binding by AUF1 and Argonaute 2 controls decay of selected target mRNAs. <b>2013</b> , 41, 2644-58	33
575	Detection of low abundance RNA molecules in individual cells by flow cytometry. <b>2013</b> , 8, e57002	40
574	Interferon-⊞uppresses cAMP to disarm human regulatory T cells. <b>2013</b> , 73, 5647-56	70
573	Alkaloids from the Sponge-Associated Fungus Aspergillus sp <b>2013</b> , 2013, 894-906	40
572	Amyloid precursor-like protein 2 suppresses irradiation-induced apoptosis in Ewing sarcoma cells and is elevated in immune-evasive Ewing sarcoma cells. <b>2013</b> , 14, 752-60	12
571	Chromatin acetylation at transcription start sites and vitamin D receptor binding regions relates to effects of 1⊉5-dihydroxyvitamin D3 and histone deacetylase inhibitors on gene expression. <b>2013</b> , 41, 110-24	66
570	Activation of c-Jun N-terminal kinase mediates tanshinone IIA-induced apoptosis in KBM-5 chronic myeloid leukemia cells. <b>2013</b> , 36, 208-14	22
569	Global regulation of alternative splicing by adenosine deaminase acting on RNA (ADAR). 2013, 19, 591-604	76
568	Aclacinomycin A sensitizes K562 chronic myeloid leukemia cells to imatinib through p38MAPK-mediated erythroid differentiation. <b>2013</b> , 8, e61939	13

567	MicroRNA-150 expression induces myeloid differentiation of human acute leukemia cells and normal hematopoietic progenitors. <b>2013</b> , 8, e75815	46
566	Identification and characterization of enhancer-blocking insulators to reduce retroviral vector genotoxicity. <b>2013</b> , 8, e76528	13
565	The synthetic <code>Bromo-2',3,4,4'-tetramethoxychalcone</code> (Br-TMC) inhibits the JAK/STAT signaling pathway. <b>2014</b> , 9, e90275	20
564	Mutations in UBA3 confer resistance to the NEDD8-activating enzyme inhibitor MLN4924 in human leukemic cells. <b>2014</b> , 9, e93530	22
563	A clathrin coat assembly role for the muniscin protein central linker revealed by TALEN-mediated gene editing. <b>2014</b> , 3,	44
562	Hypoxia-resistant profile implies vulnerability of cancer stem cells to physiological agents, which suggests new therapeutic targets. <b>2014</b> , 13, 268-78	21
561	dCaP: detecting differential binding events in multiple conditions and proteins. 2014, 15 Suppl 9, S12	3
560	Tyr-301 phosphorylation inhibits pyruvate dehydrogenase by blocking substrate binding and promotes the Warburg effect. <b>2014</b> , 289, 26533-26541	50
559	Growth inhibition effects of isoalantolactone on K562/A02 cells: caspase-dependent apoptotic pathways, S phase arrest, and downregulation of Bcr/Abl. <b>2014</b> , 28, 1679-86	17
558	Activin A induction of erythroid differentiation sensitizes K562 chronic myeloid leukemia cells to a subtoxic concentration of imatinib. <b>2014</b> , 306, C37-44	7
557	Morphology based Classification of Leukemia Cell lines. 2014,	1
556	CCAR1/CoCoA pair-mediated recruitment of the Mediator defines a novel pathway for GATA1 function. <b>2014</b> , 19, 28-51	10
555	Human cell-based artificial antigen-presenting cells for cancer immunotherapy. <b>2014</b> , 257, 191-209	79
554	A new approach to gene therapy using Sleeping Beauty to genetically modify clinical-grade T cells to target CD19. <b>2014</b> , 257, 181-90	101
553	Activation and propagation of tumor-infiltrating lymphocytes on clinical-grade designer artificial antigen-presenting cells for adoptive immunotherapy of melanoma. <b>2014</b> , 37, 448-60	36
552	Transcriptional and Epigenetic Mechanisms Regulating Normal and Aberrant Blood Cell Development. <b>2014</b> ,	1
551	Evidence for a novel antioxidant function and isoform-specific regulation of the human p66Shc gene. <b>2014</b> , 25, 2116-27	21
550	Lentiviral and targeted cellular barcoding reveals ongoing clonal dynamics of cell lines in vitro and in vivo. <b>2014</b> , 15, R75	47

549	Cellular uptake of imatinib into leukemic cells is independent of human organic cation transporter 1 (OCT1). <b>2014</b> , 20, 985-94	45
548	Identification of NuRSERY, a new functional HDAC complex composed by HDAC5, GATA1, EKLF and pERK present in human erythroid cells. <b>2014</b> , 50, 112-22	19
547	Resveratrol induces human K562 cell apoptosis, erythroid differentiation, and autophagy. <b>2014</b> , 35, 5381-8	15
546	TNFIInduced apoptosis in human myeloid cell lines HL-60 and K562 is dependent of intracellular ROS generation. <b>2014</b> , 390, 281-7	14
545	Synthesis and evaluation of (-)-Massoialactone and analogues as potential anticancer and anti-inflammatory agents. <b>2014</b> , 76, 291-300	26
544	Superoxide activates mTOR-eIF4E-Bax route to induce enhanced apoptosis in leukemic cells. <b>2014</b> , 19, 135-48	12
543	Lower nucleotide excision repair capacity in newborns compared to their mothers: a pilot study. <b>2014</b> , 43, 67-71	3
542	Erythroid and megakaryocytic differentiation of K562 erythroleukemic cells by monochloramine. <b>2014</b> , 48, 292-302	3
541	Do you know the sex of your cells?. <b>2014</b> , 306, C3-18	111
540	CAMKIIIHSP70 and HSP90 transcripts are differentially expressed in chronic myeloid leukemia cells from patients with resistant mutated disease. <b>2014</b> , 55, 2101-8	4
539	Multidrug resistance (MDR) reversers: High activity and efficacy in a series of asymmetrical N,N-bis(alkanol)amine aryl esters. <b>2014</b> , 87, 398-412	17
538	Fluorescence-based recombination assay for sensitive and specific detection of genotoxic carcinogens in human cells. <b>2014</b> , 88, 1141-59	12
537	Triiodothyronine suppresses activin-induced differentiation of erythroleukemia K562 cells under hypoxic conditions. <b>2014</b> , 391, 217-24	2
536	Monitoring of membrane phospholipid scrambling in human erythrocytes and K562 cells with FM1-43 - a comparison with annexin V-FITC. <b>2014</b> , 19, 262-76	5
535	The Molecular Basis of Normal Erythroid/Megakaryocyte Development and Mechanisms of Epigenetic/Transcriptional Deregulation Leading to Erythroleukemia and Thalassaemia. <b>2014</b> , 247-266	1
534	Changes in gene expression profile in two multidrug resistant cell lines derived from a same drug sensitive cell line. <b>2014</b> , 38, 983-7	24
533	Some Statistical Strategies for DAE-seq Data Analysis: Variable Selection and Modeling Dependencies among Observations. <b>2014</b> , 109, 78-94	5
532	Screening of a heptamer-type sgRNA library for potential therapeutic agents against hematological malignancies. <b>2014</b> , 38, 808-15	7

531	The multidrug resistance pumps are inhibited by silibinin and apoptosis induced in K562 and KCL22 leukemia cell lines. <b>2014</b> , 38, 575-80	9
530	Characterization of miRNomes in acute and chronic myeloid leukemia cell lines. <b>2014</b> , 12, 79-91	19
529	The natural chemopreventive agent sulforaphane inhibits STAT5 activity. 2014, 9, e99391	19
528	Induced myelomonocytic differentiation in leukemia cells is accompanied by noncanonical transcription factor expression. <b>2015</b> , 5, 789-800	14
527	A high concentration of triiodothyronine attenuates the stimulatory effect on hemin-induced erythroid differentiation of human erythroleukemia K562 cells. <b>2015</b> , 62, 431-40	3
526	Infrequent Expression of the Cancer-Testis Antigen, PASD1, in Ovarian Cancer. <b>2015</b> , 7, 31-8	9
525	Increase of microRNA-210, decrease of raptor gene expression and alteration of mammalian target of rapamycin regulated proteins following mithramycin treatment of human erythroid cells. <b>2015</b> , 10, e0121567	25
524	Codon optimization of the human papillomavirus E7 oncogene induces a CD8+ T cell response to a cryptic epitope not harbored by wild-type E7. <b>2015</b> , 10, e0121633	7
523	A Novel High-Content Immunofluorescence Assay as a Tool to Identify at the Single Cell Level EGlobin Inducing Compounds. <b>2015</b> , 10, e0141083	3
522	2-Hydroxypropyl-ECyclodextrin Acts as a Novel Anticancer Agent. <b>2015</b> , 10, e0141946	38
521	Hsp90 Inhibitors for the Treatment of Chronic Myeloid Leukemia. 2015, 2015, 757694	14
520	Integrative genomic analysis in K562 chronic myelogenous leukemia cells reveals that proximal NCOR1 binding positively regulates genes that govern erythroid differentiation and Imatinib sensitivity. <b>2015</b> , 43, 7330-48	18
519	Evidence against a role of P-glycoprotein in the clearance of the Alzheimer's disease All-42 peptides. <b>2015</b> , 20, 421-30	10
518	BMS-777607 promotes megakaryocytic differentiation and induces polyploidization in the CHRF-288-11 cells. <b>2015</b> , 28, 65-72	6
517	Drug Redeployment to Kill Leukemia and Lymphoma Cells by Disrupting SCD1-Mediated Synthesis of Monounsaturated Fatty Acids. <b>2015</b> , 75, 2530-40	35
516	Lipid-based nanoparticles containing cationic derivatives of PTA (1,3,5-triaza-7-phosphaadamantane) as innovative vehicle for Pt complexes: Production, characterization and in vitro studies. <b>2015</b> , 492, 291-300	7
515	Preclinical model for identification of therapeutic targets for CML offers clues for handling imatinib resistance. <b>2015</b> , 73, 160-70	
514	Naringenin suppresses K562 human leukemia cell proliferation and ameliorates Adriamycin-induced oxidative damage in polymorphonuclear leukocytes. <b>2015</b> , 9, 697-706	21

# (2016-2015)

513	Mitochondria-targeted antioxidant SkQR1 selectively protects MDR-negative cells from ionizing radiation. <b>2015</b> , 9, 87-95	1
512	Genome-wide comparative analysis reveals human-mouse regulatory landscape and evolution. <b>2015</b> , 16, 87	46
511	Erythroid differentiation ability of butyric acid analogues: identification of basal chemical structures of new inducers of foetal haemoglobin. <b>2015</b> , 752, 84-91	3
510	Design of substrate-based BCR-ABL kinase inhibitors using the cyclotide scaffold. <b>2015</b> , 5, 12974	50
509	Cordyceps militaris Enhances Cell-Mediated Immunity in Healthy Korean Men. <b>2015</b> , 18, 1164-72	23
508	Experimental model for ELF-EMF exposure: Concern for human health. <b>2015</b> , 22, 75-84	44
507	OCT4 mutations in human erythroleukemic cells: implications for multiple drug resistance (MDR) phenotype. <b>2015</b> , 400, 41-50	7
506	Randomized controlled trial of oral glutathione supplementation on body stores of glutathione. <b>2015</b> , 54, 251-63	55
505	The implication of cancer progenitor cells and the role of epigenetics in the development of novel therapeutic strategies for chronic myeloid leukemia. <b>2015</b> , 22, 1425-62	8
504	Bacterial Artificial Chromosomes. 2015,	
504	Bacterial Artificial Chromosomes. 2015,  The clinical significance of Etatenin in acute myeloid leukemia. 2016, 9, 3861-71	5
		5
503	The clinical significance of Ecatenin in acute myeloid leukemia. <b>2016</b> , 9, 3861-71  Nanomechanical measurement of adhesion and migration of leukemia cells with phorbol	
503	The clinical significance of Etatenin in acute myeloid leukemia. <b>2016</b> , 9, 3861-71  Nanomechanical measurement of adhesion and migration of leukemia cells with phorbol 12-myristate 13-acetate treatment. <b>2016</b> , 11, 6533-6545	3
503 502 501	The clinical significance of Etatenin in acute myeloid leukemia. 2016, 9, 3861-71  Nanomechanical measurement of adhesion and migration of leukemia cells with phorbol 12-myristate 13-acetate treatment. 2016, 11, 6533-6545  Rapid and sensitive quantitation of heme in hemoglobinized cells. 2016, 61, 83-91	3 9
503 502 501	The clinical significance of Etatenin in acute myeloid leukemia. 2016, 9, 3861-71  Nanomechanical measurement of adhesion and migration of leukemia cells with phorbol 12-myristate 13-acetate treatment. 2016, 11, 6533-6545  Rapid and sensitive quantitation of heme in hemoglobinized cells. 2016, 61, 83-91  Microchip Screening Platform for Single Cell Assessment of NK Cell Cytotoxicity. 2016, 7, 119	3 9 29
503 502 501 500 499	The clinical significance of Etatenin in acute myeloid leukemia. 2016, 9, 3861-71  Nanomechanical measurement of adhesion and migration of leukemia cells with phorbol 12-myristate 13-acetate treatment. 2016, 11, 6533-6545  Rapid and sensitive quantitation of heme in hemoglobinized cells. 2016, 61, 83-91  Microchip Screening Platform for Single Cell Assessment of NK Cell Cytotoxicity. 2016, 7, 119  Voltage-Gated K+ Channel, Kv3.3 Is Involved in Hemin-Induced K562 Differentiation. 2016, 11, e0148633  Classification of large circulating tumor cells isolated with ultra-high throughput microfluidic	3 9 29

495	Deorphanization and characterization of the ectopically expressed olfactory receptor OR51B5 in myelogenous leukemia cells. <b>2016</b> , 2, 16010		30
494	Functional characterization of the ectopically expressed olfactory receptor 2AT4 in human myelogenous leukemia. <b>2016</b> , 2, 15070		48
493	Cell differentiation and the multiple drug resistance phenotype in human erythroleukemic cells. <b>2016</b> , 42, 13-20		10
492	The Leukemia Inhibitory Factor Receptor Gene Is a Direct Target of RUNX1. <b>2016</b> , 117, 49-58		4
491	€P binding to a cytosine-rich subset of polypyrimidine tracts drives a novel pathway of cassette exon splicing in the mammalian transcriptome. <b>2016</b> , 44, 2283-97		23
490	Computer-aided design, synthesis, and biological evaluation of new indole-2-carboxamide derivatives as PI3KÆGFR inhibitors. <b>2016</b> , 26, 2685-90		21
489	Polyphyllin D induces apoptosis and differentiation in K562 human leukemia cells. <b>2016</b> , 36, 17-22		15
488	Adult human megakaryocyte-erythroid progenitors are in the CD34+CD38mid fraction. <i>Blood</i> , <b>2016</b> , 128, 923-33	2.2	34
487	A Novel Role for Progesterone Receptor Membrane Component 1 (PGRMC1): A Partner and Regulator of Ferrochelatase. <b>2016</b> , 55, 5204-17		51
486	Immunomodulatory properties of medicinal mushrooms: differential effects of water and ethanol extracts on NK cell-mediated cytotoxicity. <b>2016</b> , 22, 522-33		27
485	Aggregatibacter actinomycetemcomitans leukotoxin induces cytosol acidification in LFA-1 expressing immune cells. <b>2016</b> , 31, 106-14		15
484	Quantitative Proteomics Analysis of Leukemia Cells. <b>2016</b> , 1465, 139-48		O
483	Evaluation of the chemical composition and biological activity of extracts of Tetragonisca angustula propolis and Schinus terebinthifolius Raddi (Anacardiaceae). <b>2016</b> , 55, 315-323		7
482	Regulation of apoptosis by cyclic nucleotides in human erythroleukemia (HEL) cells and human myelogenous leukemia (K-562) cells. <b>2016</b> , 112, 13-23		5
481	Enhancement of chlorpromazine antitumor activity by Pluronics F127/L81 nanostructured system against human multidrug resistant leukemia. <b>2016</b> , 111, 102-112		13
480	Inhibition of Bacterial Toxin Activity by the Nuclear Stain, DRAQ5[12016, 249, 503-11		6
479	Synthesis, characterization and biological evaluation of (99m)Tc/Re-tricarbonyl quinolone complexes. <b>2016</b> , 160, 94-105		30
478	Inhibitory effect of phenothiazine- and phenoxazine-derived chloroacetamides on Leishmania major growth and Trypanosoma brucei trypanothione reductase. <b>2016</b> , 108, 436-443		15

477	Initial diagnosis of chronic myelogenous leukemia based on quantification of M-BCR status using droplet digital PCR. <b>2016</b> , 408, 1079-94	11
476	Autophagy governs erythroid differentiation both in vitro and in vivo. <b>2016</b> , 21, 225-33	10
475	Cis-vaccenic acid induces differentiation and up-regulates gamma globin synthesis in K562, JK1 and transgenic mice erythroid progenitor stem cells. <b>2016</b> , 776, 9-18	2
474	Monoclonal antibody 1.6.1 against human MPL receptor allows HSC enrichment of CB and BM CD34(+)CD38(-) populations. <b>2016</b> , 44, 297-302.e1	5
473	Post-irradiation viability and cytotoxicity of natural killer cells isolated from human peripheral blood using different methods. <b>2016</b> , 92, 71-9	3
472	Knock-down of CIAPIN1 sensitizes K562 chronic myeloid leukemia cells to Imatinib by regulation of cell cycle and apoptosis-associated members via NF-B and ERK5 signaling pathway. <b>2016</b> , 99, 132-45	18
471	Prognostic significance of NPM1 mutation-modulated microRNA-mRNA regulation in acute myeloid leukemia. <b>2016</b> , 30, 274-84	21
470	Quantification of natural killer cell polarization and visualization of synaptic granule externalization by imaging flow cytometry. <b>2017</b> , 177, 70-75	8
469	Meis1 is critical to the maintenance of human acute myeloid leukemia cells independent of MLL rearrangements. <b>2017</b> , 96, 567-574	14
468	Cell-structure specific necrosis by optical-trap induced intracellular nuclear oscillation. <b>2017</b> , 66, 58-67	4
468 467	Cell-structure specific necrosis by optical-trap induced intracellular nuclear oscillation. <b>2017</b> , 66, 58-67  Single-cell epigenomic variability reveals functional cancer heterogeneity. <b>2017</b> , 18, 15	4
467	Single-cell epigenomic variability reveals functional cancer heterogeneity. <b>2017</b> , 18, 15	61
467 466	Single-cell epigenomic variability reveals functional cancer heterogeneity. <b>2017</b> , 18, 15  Erythrocyte survival is controlled by microRNA-142. <b>2017</b> , 102, 676-685  Research on the effect of ginseng polysaccharide on apoptosis and cell cycle of human leukemia	61 17
467 466 465	Single-cell epigenomic variability reveals functional cancer heterogeneity. 2017, 18, 15  Erythrocyte survival is controlled by microRNA-142. 2017, 102, 676-685  Research on the effect of ginseng polysaccharide on apoptosis and cell cycle of human leukemia cell line K562 and its molecular mechanisms. 2017, 13, 924-934	61 17 10
467 466 465 464	Single-cell epigenomic variability reveals functional cancer heterogeneity. 2017, 18, 15  Erythrocyte survival is controlled by microRNA-142. 2017, 102, 676-685  Research on the effect of ginseng polysaccharide on apoptosis and cell cycle of human leukemia cell line K562 and its molecular mechanisms. 2017, 13, 924-934  cCMP and cUMP in Apoptosis: Concepts and Methods. 2017, 238, 25-47  Synthesis, antiproliferative activity and docking study of novel rhodanine derivatives as Bcr-Abl	61 17 10
467 466 465 464 463	Single-cell epigenomic variability reveals functional cancer heterogeneity. 2017, 18, 15  Erythrocyte survival is controlled by microRNA-142. 2017, 102, 676-685  Research on the effect of ginseng polysaccharide on apoptosis and cell cycle of human leukemia cell line K562 and its molecular mechanisms. 2017, 13, 924-934  cCMP and cUMP in Apoptosis: Concepts and Methods. 2017, 238, 25-47  Synthesis, antiproliferative activity and docking study of novel rhodanine derivatives as Bcr-Abl T1351 inhibitors. 2017, 43, 5871-5887  A generic RNA pulsed DC based approach for developing therapeutic intervention against	61 17 10 4

459	Regulatory dynamics of 11p13 suggest a role for EHF in modifying CF lung disease severity. <b>2017</b> , 45, 8773-8784	14
458	Targeting chronic myeloid leukemia stem cells with the hypoxia-inducible factor inhibitor acriflavine. <i>Blood</i> , <b>2017</b> , 130, 655-665	41
457	The haploinsufficient tumor suppressor, CUX1, acts as an analog transcriptional regulator that controls target genes through distal enhancers that loop to target promoters. <b>2017</b> , 45, 6350-6361	12
456	Nrf-2-driven long noncoding RNA ODRUL contributes to modulating silver nanoparticle-induced effects on erythroid cells. <b>2017</b> , 130, 14-27	30
455	Carfilzomib induces leukaemia cell apoptosis via inhibiting ELK1/KIAA1524 (Elk-1/CIP2A) and activating PP2A not related to proteasome inhibition. <b>2017</b> , 177, 726-740	4
454	N-Heterocyclic (4-Phenylpiperazin-1-yl)methanones Derived from Phenoxazine and Phenothiazine as Highly Potent Inhibitors of Tubulin Polymerization. <b>2017</b> , 60, 749-766	22
453	Unbiased Identification of T-Cell Receptors Targeting Immunodominant Peptide-MHC Complexes for T-Cell Receptor Immunotherapy. <b>2017</b> , 28, 1158-1168	10
452	CRISPR/Cas9 knockouts reveal genetic interaction between strain-transcendent erythrocyte determinants of invasion. <b>2017</b> , 114, E9356-E9365	28
451	A new mechanism of resistance to ABL1 tyrosine kinase inhibitors in a BCR-ABL1-positive cell line. <b>2017</b> , 61, 44-52	5
450	Genomic landscape of human erythroleukemia K562 cell line, as determined by next-generation sequencing and cytogenetics. <b>2017</b> , 48, 343-349	2
449	Historical overview on the morphological characterization of large granular lymphocytes/natural killer cells. <b>2017</b> , 190, 58-63	4
448	Presence of a Shared 5'-Leader Sequence in Ancestral Human and Mammalian Retroviruses and Its Transduction into Feline Leukemia Virus. <b>2017</b> , 91,	7
447	Role and mechanism of decitabine combined with tyrosine kinase inhibitors in advanced chronic myeloid leukemia cells. <b>2017</b> , 14, 1295-1302	6
446	7-Step total synthesis of (+)-EBC-329: Photoisomerisation reveals new seco-casbane family member. <b>2017</b> , 15, 7102-7105	6
445	Determining the True Selectivity Profile of $\P$ Integrin Ligands Using Radioligand Binding: Applying an Old Solution to a New Problem. <b>2017</b> , 22, 962-973	12
444	Ensemble-based virtual screening: identification of a potential allosteric inhibitor of Bcr-Abl. <b>2017</b> , 23, 218	4
443	DOCK2 interacts with FLT3 and modulates the survival of FLT3-expressing leukemia cells. <b>2017</b> , 31, 688-696	13
442	Micronucleus formation during chromatin condensation and under apoptotic conditions. <b>2017</b> , 22, 207-219	8

441	BCL11A mRNA Targeting by miR-210: A Possible Network Regulating EGlobin Gene Expression. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	6.3	22
440	ChIP-seq and ChIP-exo profiling of Pol II, H2A.Z, and H3K4me3 in human K562 cells. <b>2018</b> , 5, 180030		6
439	Insilico modelling of quantitative structurelictivity relationship of pGI50 anticancer compounds on K-562 cell line. <b>2018</b> , 4, 1432520		6
438	High-level embryonic globin production with efficient erythroid differentiation from a K562 erythroleukemia cell line. <b>2018</b> , 62, 7-16.e1		5
437	Synthesis, characterization, and bioactivity of new bisamidrazone derivatives as possible anticancer agents. <b>2018</b> , 27, 1419-1431		4
436	Pilot trial of K562/GM-CSF whole-cell vaccination in MDS patients. <b>2018</b> , 59, 2801-2811		4
435	Design and synthesis of new potent N,N-bis(arylalkyl)piperazine derivatives as multidrug resistance (MDR) reversing agents. <b>2018</b> , 147, 7-20		6
434	Imatinib-mesylate enhances the maintenance of chronic myeloid leukemia stem cell potential in the absence of glucose. <b>2018</b> , 28, 33-38		5
433	Pooled Generation of Lentiviral Tetracycline-Regulated microRNA Embedded Short Hairpin RNA Libraries. <b>2018</b> , 29, 16-29		2
432	Survey and evaluation of mutations in the human KLF1 transcription unit. 2018, 8, 6587		3
431	Phytochemical and pharmacological properties of essential oils from Cedrus species. <b>2018</b> , 32, 1415-14	27	27
430	Design and synthesis of aminoester heterodimers containing flavone or chromone moieties as modulators of P-glycoprotein-based multidrug resistance (MDR). <b>2018</b> , 26, 50-64		11
429	Pathway and Network Analysis. <b>2018</b> , 91-102		
428	Deoxynucleosides with benzimidazoles as aglycone moiety are potent anticancer agents. <b>2018</b> , 820, 146-155		7
427	Recent progress in understanding and manipulating haemoglobin switching for the haemoglobinopathies. <b>2018</b> , 180, 630-643		60
426	Consensus Predictive Model for Human K562 Cell Growth Inhibition through Enalos Cloud Platform. <b>2018</b> , 13, 555-563		2
425	The Epstein-Barr Virus Episome Maneuvers between Nuclear Chromatin Compartments during Reactivation. <b>2018</b> , 92,		26
424	Compositional analysis gives insight into leukaemia cell lines expression profiles compared to those within patient sub-groups. <b>2018</b> , 181, 847-851		

423	Functional analysis of protein disulfide isomerase P5 in glioblastoma cells as a novel anticancer target. <b>2019</b> , 41, 961-972	4
422	Novel Lipidized Derivatives of the Bioflavonoid Hesperidin: Dermatological, Cosmetic and Chemopreventive Applications. <b>2018</b> , 5, 72	4
421	Anti-leukemic and anti-angiogenic effects of d-Limonene on K562-implanted C57BL/6 mice and the chick chorioallantoic membrane model. <b>2018</b> , 1, 328-333	10
420	EVALUATION OF ANTI-CML ACTIVITY OF METHANOL AND AQUEOUS EXTRACTS OF BENKARA MALABARICA (LAM.) TIRVENG PLANT LEAVES. <b>2018</b> , 10, 112	1
419	Natural Killer Cell Education Is Associated With a Distinct Glycolytic Profile. 2018, 9, 3020	25
418	Targeting the Extracellular Signal-Regulated Kinase 5 Pathway to Suppress Human Chronic Myeloid Leukemia Stem Cells. <b>2018</b> , 11, 929-943	15
417	Production and Transduction of a Human Recombinant Eclobin Chain into Proerythroid K-562 Cells To Replace Missing Endogenous Eclobin. <b>2018</b> , 15, 5665-5677	5
416	Translational and HIF-1 Dependent Metabolic Reprogramming Underpin Metabolic Plasticity and Responses to Kinase Inhibitors and Biguanides. <b>2018</b> , 28, 817-832.e8	42
415	Epigallocatechin-3-gallate and BIX-01294 have different impact on epigenetics and senescence modulation in acute and chronic myeloid leukemia cells. <b>2018</b> , 838, 32-40	17
414	Robust CRISPR/Cas9 Genome Editing of the HUDEP-2 Erythroid Precursor Line Using Plasmids and Single-Stranded Oligonucleotide Donors. <b>2018</b> , 1,	12
413	In silico modelling of quantitative structure Ectivity relationship of multi-target anticancer compounds on k-562 cell line. <b>2018</b> , 7, 1	2
412	The Novel Short Isoform of Securin Stimulates the Expression of Cyclin D3 and Angiogenesis Factors VEGFA and FGF2, but Does Not Affect the Expression of MYC Transcription Factor. <b>2018</b> , 52, 436-445	3
411	6'-Hydroxy Justicidin B Triggers a Critical Imbalance in Ca Homeostasis and Mitochondrion-Dependent Cell Death in Human Leukemia K562 Cells. <b>2018</b> , 9, 601	5
410	Response to erythropoietin in pediatric patients with chronic kidney disease: insights from an in vitro bioassay. <b>2018</b> , 33, 2123-2129	1
409	CD4+ T Cell Help Is Mandatory for Naive and Memory Donor-Specific Antibody Responses: Impact of Therapeutic Immunosuppression. <b>2018</b> , 9, 275	41
408	C-phycocyanin to overcome the multidrug resistance phenotype in human erythroleukemias with or without interaction with ABC transporters. <b>2018</b> , 106, 532-542	10
407	Kinase-targeted cancer therapies: progress, challenges and future directions. 2018, 17, 48	452
406	CPX-351 exhibits hENT-independent uptake and can be potentiated by fludarabine in leukaemic cells lines and primary refractory AML. <b>2018</b> , 74, 121-129	2

405	Anticancer activities of a Emino alcohol ligand and nanoparticles of its copper(ii) and zinc(ii) complexes evaluated by experimental and theoretical methods <b>2018</b> , 8, 28810-28824	26
404	UPF1 silenced cellular model systems for screening of read-through agents active on B9 thalassemia point mutation. <b>2018</b> , 18, 28	Ο
403	Comprehensive comparative analysis of 5'-end RNA-sequencing methods. 2018, 15, 505-511	53
402	Modelling human haemoglobin switching. <b>2019</b> , 33, 11-23	6
401	IL-1Ra protects hematopoietic cells from chemotoxicity through p53-induced quiescence. <b>2019</b> , 33, 12135-12	14,5
400	A new amido-phosphine of dichloroacetic acid as an active ligand for metals of pharmaceutical interest. Synthesis, characterization and tests of antiproliferative and pro-apoptotic activity. <b>2019</b> , 199, 110787	5
399	Development and characterization of cellular biosensors for HTS of erythroid differentiation inducers targeting the transcriptional activity of Eglobin and Eglobin gene promoters. <b>2019</b> , 411, 7669-7680	2
398	Design, synthesis and biological evaluation of stereo- and regioisomers of amino aryl esters as multidrug resistance (MDR) reversers. <b>2019</b> , 182, 111655	10
397	ABO genotyping of various hematopoietic cell lines to select model cells for research purposes. <b>2019</b> , 80, 917-922	1
396	Combination of ERK2 inhibitor VX-11e and voreloxin synergistically enhances anti-proliferative and pro-apoptotic effects in leukemia cells. <b>2019</b> , 24, 849-861	7
395	Upregulation of Myc promotes the evasion of NK cell-mediated immunity through suppression of NKG2D ligands in K562 cells. <b>2019</b> , 20, 3301-3307	7
394	Characterization of Telomerase () in Solid and Hematopoietic Cancer Cell Lines Reveals Different Expression Patterns. <b>2019</b> , 39, 4743-4748	2
393	Immunostimulatory effect of kumquat (Fortunella crassifolia) and its constituents, Eryptoxanthin and R-limonene. <b>2019</b> , 10, 38-48	9
392	Effective anticancer activities of an acyclic symmetrical compartmental Schiff base ligand and its Co(II), Cu(II) and Zn(II) complexes against the human leukemia cell line K562. <b>2019</b> , 170, 312-324	9
391	Thiourea derivatives induce fetal hemoglobin production in-vitro: A new class of potential therapeutic agents for Ethalassemia. <b>2019</b> , 855, 285-293	5
390	Analysis of Gene Regulatory Networks Inferred from ChIP-seq Data. <b>2019</b> , 319-331	1
389	Modulation of the spacer in N,N-bis(alkanol)amine aryl ester heterodimers led to the discovery of a series of highly potent P-glycoprotein-based multidrug resistance (MDR) modulators. <b>2019</b> , 172, 71-94	19
388	Expression of ligands for activating natural killer cell receptors on cell lines commonly used to assess natural killer cell function. <b>2019</b> , 20, 8	21

387	Cancer as an Embryological Phenomenon and Its Developmental Pathways: A Hypothesis regarding the Contribution of the Noncanonical Wnt Pathway. <b>2019</b> , 2019, 4714781	3
386	Comprehensive, integrated, and phased whole-genome analysis of the primary ENCODE cell line K562. <b>2019</b> , 29, 472-484	43
385	Undergraduate lab series using the K562 human leukemia cell line: Model for cell growth, death, and differentiation in an advanced cell biology course. <b>2019</b> , 47, 263-271	2
384	Intercalating TOP2 Poisons Attenuate Topoisomerase Action at Higher Concentrations. <b>2019</b> , 96, 475-484	16
383	"Fix and assay": separating in-cellulo sphingolipid reactions from analytical assay in time and space using an aldehyde-based fixative. <b>2019</b> , 144, 961-971	5
382	Synthesis of novel pyrazoline derivatives and the evaluation of death mechanisms involved in their antileukemic activity. <b>2019</b> , 27, 375-382	16
381	Culturing the Human Natural Killer Cell Line NK-92 in Interleukin-2 and Interleukin-15 - Implications for Clinical Trials. <b>2019</b> , 39, 107-112	7
<b>3</b> 80	Optimized Digital Droplet PCR for BCR-ABL. <b>2019</b> , 21, 27-37	18
379	Aggregatibacter actinomycetemcomitans leukotoxin causes activation of lymphocyte function-associated antigen 1. <b>2019</b> , 21, e12967	8
378	Benzene metabolite 1,2,4-benzenetriol changes DNA methylation and histone acetylation of erythroid-specific genes in K562 cells. <b>2019</b> , 93, 137-147	10
377	Modulation of reactive oxygen levels and gene expression in sensitive and resistant tumoral cells by C-phyocyanin. <b>2019</b> , 46, 1349-1356	3
376	Role of cholinergic agents in proliferation and caspase activity of hemin-induced erythroid differentiated K562 cells. <b>2020</b> , 40, 42-48	
375	Treatment of human cells with 5-aza-dC induces formation of PARP1-DNA covalent adducts at genomic regions targeted by DNMT1. <b>2020</b> , 96, 102977	2
374	Human NK-92 Cells Function as Target Cells for Human NK Cells - Implications for CAR NK-92 Therapies. <b>2020</b> , 40, 5355-5359	7
373	Proteome activity landscapes of tumor cell lines determine drug responses. <b>2020</b> , 11, 3639	16
372	Endogenous retroviruses are a source of enhancers with oncogenic potential in acute myeloid leukaemia. <b>2020</b> , 11, 3506	30
371	8-Hydroxydaidzein, an Isoflavone from Fermented Soybean, Induces Autophagy, Apoptosis, Differentiation, and Degradation of Oncoprotein BCR-ABL in K562 Cells. <b>2020</b> , 8,	8
370	In Vitro Comparison of the Effects of Imatinib and Ponatinib on Chronic Myeloid Leukemia Progenitor/Stem Cell Features. <b>2020</b> , 15, 659-671	3

## (2020-2020)

369	Profiling of Metabolic Differences between Hematopoietic Stem Cells and Acute/Chronic Myeloid Leukemia. <b>2020</b> , 10,		О
368	Discovery of the first potent and selective Integrin inhibitor based on an amide-containing core. <b>2020</b> , 208, 112719		3
367	Whole-genome sequencing and gene network modules predict gemcitabine/carboplatin-induced myelosuppression in non-small cell lung cancer patients. <b>2020</b> , 6, 25		5
366	A Shared TCR Bias toward an Immunogenic EBV Epitope Dominates in HLA-B*07:02-Expressing Individuals. <b>2020</b> , 205, 1524-1534		6
365	Induction of differentiation of the acute myeloid leukemia cell line (HL-60) by a securinine dimer. <b>2020</b> , 6, 123		3
364	Discovery of Novel Fetal Hemoglobin Inducers through Small Chemical Library Screening. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	1
363	Immunopeptidome Analysis of HLA-DPB1 Allelic Variants Reveals New Functional Hierarchies. <b>2020</b> , 204, 3273-3282		4
362	The corrected gene proximity map for analyzing the 3D genome organization using Hi-C data. <b>2020</b> , 21, 222		1
361	Comparative study on the influence of the content and functionalization of alginate matrices on K-562 cell viability and differentiation. <b>2020</b> , 35, 1249-1261		2
360	-Methyl-D-Aspartate Receptors in Hematopoietic Cells: What Have We Learned?. <b>2020</b> , 11, 577		5
359	Anti-leukemic activity of semisynthetic derivatives of lupeol. 2021, 35, 4494-4501		2
358	Phenotypic and Functional Changes in Peripheral Blood Natural Killer Cells in Crohn Disease Patients. <b>2020</b> , 2020, 6401969		4
357	Cross-talk between Bcr-abl and the Thioredoxin System in Chronic Myeloid Leukaemia: Implications for CML Treatment. <b>2020</b> , 9,		9
356	Valid Presumption of Shiga Toxin-Mediated Damage of Developing Erythrocytes in EHEC-Associated Hemolytic Uremic Syndrome. <b>2020</b> , 12,		1
355	Effects of Gnathostoma spinigerum infective stage larva excretory-secretory products on NK cells in peripheral blood mononuclear cell culture: focused on expressions of IFN-Iand killer cell lectin-like receptors. <b>2020</b> , 119, 1011-1021		О
354	Cr-release to monitor NK cell cytotoxicity. <b>2020</b> , 631, 497-512		2
353	Selective and sensitive detection of chronic myeloid leukemia using fluorogenic DNAzyme probes. <b>2020</b> , 1123, 28-35		4
352	Minority Gene Expression Profiling: Probing the Genetic Signatures of Pathogenesis Using Ribosome Profiling. <b>2020</b> , 221, S341-S357		

351	Dual P-Glycoprotein and CA XII Inhibitors: A New Strategy to Reverse the P-gp Mediated Multidrug Resistance (MDR) in Cancer Cells. <b>2020</b> , 25,		17
350	Using anticipated learning outcomes for backward design of a molecular cell biology Course-based Undergraduate Research Experience. <b>2020</b> , 48, 311-319		4
349	Different effects of an N-phenylimide herbicide on heme biosynthesis between human and rat erythroid cells. <b>2021</b> , 99, 27-38		5
348	Polypyridyl iron(III) complexes containing long alkyl chains: synthesis, characterization, DFT calculations and biological activity. <b>2021</b> , 45, 12902-12914		O
347	Caffeic Acid Enhances the Anti-Leukemic Effect of Imatinib on Chronic Myeloid Leukemia Cells and Triggers Apoptosis in Cells Sensitive and Resistant to Imatinib. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	5
346	Integrative genome-wide analysis reveals EIF3A as a key downstream regulator of translational repressor protein Musashi 2 (MSI2).		O
345	Selective Cytotoxicity of Piperine Over Multidrug Resistance Leukemic Cells. <b>2021</b> , 26,		1
344	Ultra-precise quantification of mRNA targets across a broad dynamic range with nanoreactor beads. <b>2021</b> , 16, e0242529		
343	Deletion of the XIST promoter from the human inactive X chromosome compromises polycomb heterochromatin maintenance. <b>2021</b> , 130, 177-197		1
342	HICANCER: accurate and complete cancer genome phasing with Hi-C reads. <b>2021</b> , 11, 6609		
341	Human Wharton's Jelly Stem Cell Secretions Inhibit Human Leukemic Cell Line K562 by Inducing Cell Cycle Arrest and Apoptosis. <b>2021</b> , 9, 614988		1
340	Stress-induced transcriptional memory accelerates promoter-proximal pause release and decelerates termination over mitotic divisions. <b>2021</b> , 81, 1715-1731.e6		7
339	The Effect of BCR-ABL Specific Tyrosine Kinase Inhibitors on the Thioredoxin System in Chronic Myeloid Leukemia. <i>Hemato</i> , <b>2021</b> , 2, 237-254	0.2	
338	Identification of biological targets through the correlation between cell line chemosensitivity and protein expression pattern. <b>2021</b> , 26, 2431-2438		
337	Structural Fine-Tuning of Desmuramylpeptide NOD2 Agonists Defines Their Adjuvant Activity. <b>2021</b> , 64, 7809-7838		2
336	Myelodysplastic syndrome and immunotherapy novel to next in-line treatments. <b>2021</b> , 17, 2602-2616		1
335	Effective Downregulation of BCR-ABL Tumorigenicity by RNA Targeted CRISPR 2021, 21, 270-277		1
334	New Insights into Red Blood Cell Microcytosis upon mTOR Inhibitor Administration. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1

333	Vitamin E TPGS 1000 Induces Apoptosis in the K562 Cell Line: Implications for Chronic Myeloid Leukemia. <b>2021</b> , 2021, 5580288	1
332	CDX2 expression in the hematopoietic lineage promotes leukemogenesis via TGFIInhibition. <b>2021</b> , 15, 2318-2329	3
331	Studies on the role of alpha 7 nicotinic acetylcholine receptors in K562 cell proliferation and signaling. <b>2021</b> , 48, 5045-5055	O
330	ZFP36L1 plays an ambiguous role in the regulation of cell expansion and negatively regulates CDKN1A in chronic myeloid leukemia cells. <b>2021</b> , 99, 54-64.e7	1
329	PTD-mediated delivery of 母lobin chain into 卧62 erythroleukemia cells and 仕halassemic (HBH) patients' RBCs ex vivo in the frame of Protein Replacement Therapy. <b>2021</b> , 28, 16	1
328	Glutamine Availability Controls BCR/Abl Protein Expression and Functional Phenotype of Chronic Myeloid Leukemia Cells Endowed with Stem/Progenitor Cell Potential. <b>2021</b> , 13,	1
327	Acyclovir induces fetal hemoglobin via downregulation of Eglobin repressors, BCL11A and SOX6 trans-acting factors. <b>2021</b> , 190, 114612	3
326	Combination of tyrosine kinase inhibitors and the MCL1 inhibitor S63845 exerts synergistic antitumorigenic effects on CML cells. <b>2021</b> , 12, 875	3
325	Synthesis and anticancer activity of Pt(0)-olefin complexes bearing 1,3,5-triaza-7-phosphaadamantane and N-heterocyclic carbene ligands. e6438	0
324	Differentiation modifiers. <b>1984</b> , 54, 2766-2769	17
324	Differentiation modifiers. 1984, 54, 2766-2769  Study of the Antigenic Profile of Normal Myelo-Monocytic Progenitors and Leukemic Cell Lines Using Monoclonal Antibodies. 1986, 193-205	3
	Study of the Antigenic Profile of Normal Myelo-Monocytic Progenitors and Leukemic Cell Lines	
323	Study of the Antigenic Profile of Normal Myelo-Monocytic Progenitors and Leukemic Cell Lines Using Monoclonal Antibodies. <b>1986</b> , 193-205  Expression of an Acute Myelogenous Leukemia-Associated Antigen (NHL-30.5) on Immature	3
323	Study of the Antigenic Profile of Normal Myelo-Monocytic Progenitors and Leukemic Cell Lines Using Monoclonal Antibodies. <b>1986</b> , 193-205  Expression of an Acute Myelogenous Leukemia-Associated Antigen (NHL-30.5) on Immature Leukemic Cells. <b>1986</b> , 315-326  Study of Differentiation and Proliferation of Leukemic Cells Using Myeloid Leukemia Cell Lines.	3
323 322 321	Study of the Antigenic Profile of Normal Myelo-Monocytic Progenitors and Leukemic Cell Lines Using Monoclonal Antibodies. 1986, 193-205  Expression of an Acute Myelogenous Leukemia-Associated Antigen (NHL-30.5) on Immature Leukemic Cells. 1986, 315-326  Study of Differentiation and Proliferation of Leukemic Cells Using Myeloid Leukemia Cell Lines. 1985, 27-68	3 1 2
323 322 321 320	Study of the Antigenic Profile of Normal Myelo-Monocytic Progenitors and Leukemic Cell Lines Using Monoclonal Antibodies. 1986, 193-205  Expression of an Acute Myelogenous Leukemia-Associated Antigen (NHL-30.5) on Immature Leukemic Cells. 1986, 315-326  Study of Differentiation and Proliferation of Leukemic Cells Using Myeloid Leukemia Cell Lines. 1985, 27-68  Surface Marker Analysis of Acute Myeloblastic Leukemia. 1985, 113-145	3 1 2
323 322 321 320 319	Study of the Antigenic Profile of Normal Myelo-Monocytic Progenitors and Leukemic Cell Lines Using Monoclonal Antibodies. 1986, 193-205  Expression of an Acute Myelogenous Leukemia-Associated Antigen (NHL-30.5) on Immature Leukemic Cells. 1986, 315-326  Study of Differentiation and Proliferation of Leukemic Cells Using Myeloid Leukemia Cell Lines. 1985, 27-68  Surface Marker Analysis of Acute Myeloblastic Leukemia. 1985, 113-145  T14, A Non-modulating 150-Kd T Cell Surface Antigen. 1986, 513-529	3 1 2 0

315	Production by Radiation of DNA Double Strand Breaks in Three Mammalian Cell Lines and their Repair in Foetal Human Fibroblasts. <b>1986</b> , 331-337	1
314	Cell Surface Glycoproteins and Carbohydrate Antigens in Development and Differentiation of Human Erythroid Cells. <b>1984</b> , 183-234	14
313	Cell-Surface Antigens in Acute Leukemia. <b>1982</b> , 1-21	3
312	An investigation of the role of soluble cytotoxic factors and reactive oxygen intermediates in lysis by NK cells. <b>1985</b> , 184, 221-38	2
311	Cell Culture Mycoplasmas: A Bibliography. <b>1978</b> , 243-334	2
310	Effect of lithium on acute myelocytic leukemia cells in tissue culturea preliminary study. <b>1980</b> , 127, 401-9	1
309	Uptake of AMP into K 562 and HL-60 leukemic cell lines. <b>1984</b> , 165 Pt B, 273-8	1
308	Megakaryocyte Maturation and Platelet Release in Normal and Pathologic Conditions. <b>1991</b> , 1-36	1
307	Biosynthesis and Processing of Platelet Glycoproteins in Megakaryocytes. <b>1991</b> , 37-58	3
306	Kell Blood Group System and the McLeod Syndrome. <b>1995</b> , 227-242	6
305	Structure and expression of aminopeptidase N. <b>1997</b> , 421, 47-57	34
304	Studies in Human Hematopoietic Cells: Cellular and Virological Aspects. <b>1979</b> , 153-175	1
303	Generation of BAC reporter cell lines for drug discovery. <b>2015</b> , 1227, 323-43	2
302	The K-562 cell model for analysis of neutrophil NADPH oxidase function. <b>2007</b> , 412, 365-83	7
301	Establishment and characterization of leukemic T-cell lines, B-cell lines, and null-cell line: a progress report on surface antigen study of fresh lymphatic leukemias in man. <b>1977</b> , 20, 241-51	21
300	The Nature of Lymphoid Cell Lines and Their Relationship to the Virus. <b>1979</b> , 225-281	54
299	Glycophorin A as an erythroid marker in normal and malignant hematopoiesis. 1981, 26, 338-44	8
298	Inducers and Inhibitors of Leukemic Cell Differentiation in Culture. 1981, 405-425	6

297	Diagnostic Value of Monoclonal Antibodies to Leucocyte Differentiation Antigens in Lymphoid and Nonlymphoid Leukemias. <b>1984</b> , 564-573	6
296	Involvement of Protein Synthesis in the Antiproliferative and the Antiviral Action of Prostaglandins. <b>1987</b> , 97-114	7
295	Effect of Combined Treatment with 4-Hydroperoxycyclophosphamide and Fludarabine on Cytotoxicity and Repair of Damaged DNA. <b>1998</b> , 549-555	4
294	Analysis of Transcriptional Regulatory Regions of The Human p53 Gene in Human Cells Using An EBV-Derived Shuttle Vector. <b>1989</b> , 419-436	1
293	Induction of nonspecific cell-mediated cytotoxicity: a multisignal event and its cellular regulation. <b>1989</b> , 32, 273-80	2
292	The Inhibin/Activin Family of Hormones and Growth Factors. <b>1990</b> , 211-248	89
291	Induction of HSP70 by Prostaglandins. <b>1990</b> , 27-44	9
290	The Mechanism of Action of Erythropoietin: Erythroid Cell Response. <b>1992</b> , 49-114	4
289	Differences in chemotherapeutic susceptibility of human T-, B-, and non-T-/non-B-lymphocytes in culture. <b>1980</b> , 75, 61-7	6
288	Penetration of Polymeric Drug Carriers into K562 Cells. <b>1996</b> , 57-61	5
287	Chromatin Toxicity of Ni(II) Ions in K562 Erythroleukemia Cells. <b>2011</b> , 163-178	
		3
286	Membrane Fluidity in Normal and Malignant Lymphoid Cells. <b>1985</b> , 85-159	10
286 285	Membrane Fluidity in Normal and Malignant Lymphoid Cells. <b>1985</b> , 85-159  CELL LINES AND HYBRIDOMAS. <b>1994</b> , 65-93	
		10
285	CELL LINES AND HYBRIDOMAS. <b>1994</b> , 65-93	10
285	CELL LINES AND HYBRIDOMAS. 1994, 65-93  NATURAL KILLER CELLS IN TUMOUR-BEARING PATIENTS. 1980, 1063-1072  INTERFERON PRODUCTION AND NATURAL CYTOTOXICITY BY HUMAN LYMPHOCYTES FRACTIONATED BY PERCOLL DENSITY GRADIENT CENTRIFUGATION. 1982, 675-681  ENZYMES INVOLVED IN NATURAL KILLER CELL ACTIVITY: EVIDENCE FOR PHOSPHOLIPASES, LIPOXYGENASES, AND SERINE DEPENDENT PROTEINASES. 1985, 213-222	10 2 12
285 284 283	CELL LINES AND HYBRIDOMAS. <b>1994</b> , 65-93  NATURAL KILLER CELLS IN TUMOUR-BEARING PATIENTS. <b>1980</b> , 1063-1072  INTERFERON PRODUCTION AND NATURAL CYTOTOXICITY BY HUMAN LYMPHOCYTES FRACTIONATED BY PERCOLL DENSITY GRADIENT CENTRIFUGATION. <b>1982</b> , 675-681  ENZYMES INVOLVED IN NATURAL KILLER CELL ACTIVITY: EVIDENCE FOR PHOSPHOLIPASES,	10 2 12 3

279	K-562. <b>2001</b> , 632-633	1
278	Amplification of RNA: High-Temperature Reverse Transcription and DNA Amplification with Thermus Thermophilus DNA Polymerase. <b>1995</b> , 58-68	7
277	EPAS1 regulates proliferation of erythroblasts in chronic mountain sickness. <b>2020</b> , 84, 102446	4
276	N-alkanol-N-cyclohexanol amine aryl esters: Multidrug resistance (MDR) reversing agents with high potency and efficacy. <b>2017</b> , 127, 586-598	9
275	biodistribution study of TAT-L-Sco2 fusion protein, developed as protein therapeutic for mitochondrial disorders attributed to mutations. <b>2020</b> , 25, 100683	3
274	Molecular Cloning of the Type 5, Iron-containing, Tartrate-resistant Acid Phosphatase from Human Placenta. <b>1989</b> , 264, 557-563	74
273	Crkl is the major tyrosine-phosphorylated protein in neutrophils from patients with chronic myelogenous leukemia <b>1994</b> , 269, 22925-22928	210
272	Transcriptional regulation of alpha IIb integrin gene expression during megakaryocytic differentiation of K562 cells. Role of a silencer element. <b>1994</b> , 269, 18441-18447	44
271	Functional role of N-glycosylation in alpha 5 beta 1 integrin receptor. De-N-glycosylation induces dissociation or altered association of alpha 5 and beta 1 subunits and concomitant loss of fibronectin binding activity <b>1994</b> , 269, 12325-12331	138
270	Characterization of the cell surface receptor for granulocyte-macrophage colony-stimulating factor <b>1986</b> , 261, 4177-4183	77
269	Structural alterations in the carboxyl-terminal domain of the BCRABL gene product activate its fibroblastic transforming potential <b>1994</b> , 269, 5413-5419	5
268	NAD-dependent methylenetetrahydrofolate dehydrogenase is expressed by immortal cells <b>1985</b> , 260, 14616-14620	73
267	Structure of the L-histidine decarboxylase gene <b>1994</b> , 269, 1554-1559	39
266	The human alpha 2 integrin gene promoter. Identification of positive and negative regulatory elements important for cell-type and developmentally restricted gene expression <b>1994</b> , 269, 463-469	81
265	Characterization of the cell surface receptor for a multi-lineage colony-stimulating factor (CSF-2 alpha) <b>1986</b> , 261, 205-210	90
264	Effects of recombinant and hybrid recombinant human leukocyte interferons on cytotoxic activity of natural killer cells <b>1983</b> , 258, 15011-15015	57
263	Receptor-mediated endocytosis of transferrin in K562 cells <b>1983</b> , 258, 4715-4724	406
262	Identification of ubiquinone-50 as the major methylated nonpolar lipid in human monocytes. Regulation of its biosynthesis via methionine-dependent pathways and relationship to superoxide production <b>1983</b> , 258, 4339-4344	10

261	A comparison of K-562 and HL-60 human leukemic cell surface membrane proteins by two-dimensional electrophoresis <b>1982</b> , 257, 13211-13217	10
260	Generation of an active protein-tyrosine kinase from lymphocytes by proteolysis <b>1988</b> , 263, 19195-19202	60
259	In vitro differential expression of human globin genes <b>1988</b> , 263, 12142-12146	9
258	Selective inhibition of proliferation in v-abl- and bcr-abl-transformed cells by a nucleoside analog <b>1992</b> , 267, 22178-22182	3
257	Erythropoietin-dependent induction of hemoglobin synthesis in a cytokine-dependent cell line M-TAT <b>1994</b> , 269, 27700-27704	18
256	Expression of the major red cell sialoglycoprotein, glycophorin A, in the human leukemic cell line K562 <b>1979</b> , 254, 7442-7448	88
255	Transcriptional regulation of the pyruvate kinase erythroid-specific promoter <b>1993</b> , 268, 5431-5437	30
254	Transcriptional regulation of a hematopoietic proteoglycan core protein gene during hematopoiesis <b>1993</b> , 268, 4078-4084	18
253	Characterization of the gene encoding human platelet glycoprotein IX 1993, 268, 3438-3443	60
252	Regulated expression of p18, a major phosphoprotein of leukemic cells <b>1991</b> , 266, 21004-21010	21
251	Na,K-ATPase in dog red cells. Immunological identification and maturation-associated degradation by the proteolytic system <b>1986</b> , 261, 16099-16105	40
250	Human glycophorin A and B are encoded by separate, single copy genes coordinately regulated by a tumor-promoting phorbol ester <b>1986</b> , 261, 12433-12436	35
249	Identification of the differentiation-associated p93 tyrosine protein kinase of HL-60 leukemia cells as the product of the human c-fes locus and its expression in myelomonocytic cells <b>1988</b> , 263, 15050-15055	56
248	Retroviral-mediated transfer and expression of human beta-globin genes in cultured murine and human erythroid cells <b>1988</b> , 263, 6142-6145	8
247	Molecular Cloning of A Novel Human Leukemia-Associated Gene. <b>1989</b> , 264, 14556-14560	51
246	The Detection of Extremely Rare DNA Modifications. <b>1989</b> , 264, 10787-10794	13
245	Biosynthetic incorporation of [3H]ethanolamine into protein synthesis elongation factor 1\( \text{Peveals} \) a new post-translational protein modification. <b>1989</b> , 264, 7096-7099	45
244	Regulation of glycophorin gene expression by a tumor-promoting phorbol ester in human leukemic K562 cells <b>1985</b> , 260, 640-645	29

243	Effect of intracellular Ca2+ on insulin-like growth factor II. internalization into pancreatic acini. Roles of insulin and cholecystokinin <b>1984</b> , 259, 12350-12356	13
242	Regulation of transferrin receptors in human hematopoietic cell lines <b>1984</b> , 259, 11576-11582	63
241	A novel regulatory element of the human alpha-globin gene responsible for its constitutive expression. <b>1991</b> , 266, 15363-15368	7
240	Purification and characterization of the erythropoietin-sensitive membrane phosphoprotein, pp43 <b>1990</b> , 265, 4143-4148	7
239	Two tumor necrosis factor-binding proteins purified from human urine. Evidence for immunological cross-reactivity with cell surface tumor necrosis factor receptors <b>1990</b> , 265, 1531-1536	381
238	Selective killing of Klebsiella pneumoniae by 5-trifluoromethylthioribose. Chemotherapeutic exploitation of the enzyme 5-methylthioribose kinase <b>1990</b> , 265, 831-837	24
237	Activation of globin gene expression by cDNAs from induced K562 cells. Evidence for involvement of ferritin in globin gene expression <b>1991</b> , 266, 17566-17572	14
236	cDNA cloning and molecular characterization of MSE55, a novel human serum constituent protein that displays bone marrow stromal/endothelial cell-specific expression <b>1992</b> , 267, 13986-13992	17
235	The epsilon-globin gene silencer. Characterization by in vitro transcription <b>1992</b> , 267, 11532-11538	17
234	Absence of Na+,K(+)-ATPase regulation of endosomal acidification in K562 erythroleukemia cells. Analysis via inhibition of transferrin recycling by low temperatures. <b>1991</b> , 266, 3469-3474	53
233	Phosphorylation and subcellular distribution of calpastatin in human hematopoietic system cells. <b>1991</b> , 266, 3968-3972	43
232	Biogenesis of glycophorin A in K562 human erythroleukemia cells <b>1987</b> , 262, 13812-13820	14
231	Induction of cytoskeletal vimentin and actin gene expression by a tumor-promoting phorbol ester in the human leukemic cell line K562 <b>1985</b> , 260, 3868-3874	51
230	Analysis of the Actinobacillus actinomycetemcomitans leukotoxin gene. <b>1989</b> , 264, 15451-15456	153
229	The sequence specificity of bleomycin-induced DNA damage in intact cells <b>1985</b> , 260, 10389-10391	51
228	Presence of erythroglycan on human K-562 chronic myelogenous leukemia-derived cells <b>1980</b> , 255, 3266-3269	33
227	Effect of tunicamycin on the biosynthesis of the major human red cell sialoglycoprotein, glycophorin A, in the leukemia cell line K562 <b>1980</b> , 255, 2169-2175	58
226	Differential regulation of the alpha 2 beta 1 and alpha IIb beta 3 integrin genes during megakaryocytic differentiation of pluripotential K562 cells <b>1992</b> , 267, 20233-20238	35

225	Characterization of thrombomodulin expression in response to retinoic acid and identification of a retinoic acid response element in the human thrombomodulin gene. <b>1994</b> , 269, 16925-16932	27
224	A specific type of ganglioside as a modulator of insulin-dependent cell growth and insulin receptor tyrosine kinase activity. <b>1991</b> , 266, 4531-4537	119
223	Cell cycle-dependent phosphorylation of human DNA polymerase alpha <b>1991</b> , 266, 7893-7903	97
222	Effects of inducers of differentiation on protein kinase C and CMP-N-acetylneuraminic acid:lactosylceramide sialyltransferase activities of HL-60 leukemia cells <b>1989</b> , 30, 181-188	37
221	Human Leukaemic Cell Lines. <b>1984</b> , 13, 461-487	16
220	Comparative Proteomic Profiling of Unannotated Microproteins and Alternative Proteins in Human Cell Lines. <b>2020</b> , 19, 3418-3426	20
219	Differentiation lineage-specific expression of human heat shock transcription factor 2. <b>1999</b> , 13, 1089-98	25
218	Alloreactivity of natural killer cells in allogeneic liver transplantation. <b>2001</b> , 72, 116-22	32
217	The Epstein-Barr virus episome maneuvers between nuclear chromatin compartments during reactivation.	2
216	Comprehensive, integrated, and phased whole-genome analysis of the primary ENCODE cell line K562.	1
215	Applying CRISPR-based genetic screens to identify drivers of tumor-cell sensitivity towards NK-cell attack.	1
214	Stress-Induced Transcriptional Memory Accelerates Promoter-Proximal Pause-Release and Decelerates Termination over Mitotic Divisions.	2
213	Widespread transcriptional responses to the thermal stresses are prewired in human 3D genome.	2
212	Natural killer cell cytotoxicity in elderly humans after influenza immunization. <b>1996</b> , 3, 105-8	17
211	Physicochemical characterization of cytostatic factors released from human monocytes. <b>1982</b> , 38, 67-73	48
210	Lymphocyte subsets and natural killer cell responses during cytomegalovirus mononucleosis. <b>1983</b> , 40, 472-7	36
209	Natural killer cell activity in renal transplant recipients receiving cyclosporine. <b>1983</b> , 41, 965-70	18
208	Interactions between human natural killer (NK) lymphocytes and yeast cells: human NK cells do not kill Candida albicans, although C. albicans blocks NK lysis of K562 cells. <b>1988</b> , 56, 564-9	32

207	Lysis of dengue virus-infected cells by natural cell-mediated cytotoxicity and antibody-dependent cell-mediated cytotoxicity. <b>1984</b> , 52, 223-30	70
206	Different mechanisms account for the relative resistance of KG-1 and HL-60 cell lines to retrovirus infection. <b>1988</b> , 62, 4346-8	11
205	Retinoic acid-induced differentiation of retrovirus-infected HL-60 cells is associated with enhanced transcription from the viral long terminal repeat. <b>1988</b> , 62, 4349-52	11
204	A DNA element responsible for the different tissue specificities of Friend and Moloney retroviral enhancers. <b>1988</b> , 62, 614-8	44
203	Two overlapping sequence motifs within the polyomavirus enhancer are independently the targets of stimulation by both the tumor promoter 12-O-tetradecanoylphorbol-13-acetate and the Ha-ras oncogene. <b>1989</b> , 63, 1040-8	39
202	Persistent infection of K562 cells by encephalomyocarditis virus. <b>1990</b> , 64, 6040-4	11
201	Complex formation of human T-cell leukemia virus type I p40tax transactivator with cellular polypeptides. <b>1992</b> , 66, 1040-9	5
200	Detection of receptor-specific murine leukemia virus binding to cells by immunofluorescence analysis. <b>1992</b> , 66, 2281-7	68
199	The cytoplasmic domain of the human T-cell leukemia virus type I envelope can modulate envelope functions in a cell type-dependent manner. <b>1993</b> , 67, 557-61	28
198	Regulation of susceptibility and cell surface receptor for the B-lymphotropic papovavirus by N glycosylation. <b>1994</b> , 68, 6933-9	18
197	Identification and characterization of the cell surface 70-kilodalton sialoglycoprotein(s) as a candidate receptor for encephalomyocarditis virus on human nucleated cells. <b>1994</b> , 68, 7308-19	36
196	Upregulation of bcl-2 by the Epstein-Barr virus latent membrane protein LMP1: a B-cell-specific response that is delayed relative to NF-kappa B activation and to induction of cell surface markers. 1994, 68, 5602-12	163
195	The SCL gene is formed from a transcriptionally complex locus. <b>1990</b> , 10, 6426-6435	31
194	Erythroid-specific nuclease-hypersensitive sites flanking the human beta-globin domain. <b>1990</b> , 10, 4324-4333	28
193	Activation of tyrosinase kinase and microfilament-binding functions of c-abl by bcr sequences in bcr/abl fusion proteins. <b>1991</b> , 11, 1553-1565	83
192	Negative regulation of globin gene expression during megakaryocytic differentiation of a human erythroleukemic cell line. <b>1991</b> , 11, 3528-3536	20
191	Phylogenetic footprinting reveals a nuclear protein which binds to silencer sequences in the human gamma and epsilon globin genes. <b>1992</b> , 12, 4919-4929	77
190	A 41-kilodalton protein is a potential substrate for the p210bcr-abl protein-tyrosine kinase in chronic myelogenous leukemia cells. <b>1992</b> , 12, 1312-1323	2

189	A novel endothelial cell surface receptor tyrosine kinase with extracellular epidermal growth factor homology domains. <b>1992</b> , 12, 1698-1707	99
188	Activation of heat shock factor 2 during hemin-induced differentiation of human erythroleukemia cells. <b>1992</b> , 12, 4104-4111	95
187	Initiation and termination of DNA replication in human rRNA genes. <b>1993</b> , 13, 6600-6613	111
186	Purification, characterization, and cDNA cloning of an AU-rich element RNA-binding protein, AUF1. <b>1993</b> , 13, 7652-7665	236
185	Purification of the human NF-E2 complex: cDNA cloning of the hematopoietic cell-specific subunit and evidence for an associated partner. <b>1993</b> , 13, 5604-5612	57
184	Human heat shock factors 1 and 2 are differentially activated and can synergistically induce hsp70 gene transcription. <b>1994</b> , 14, 2087-2099	69
183	Positive regulators of the lineage-specific transcription factor GATA-1 in differentiating erythroid cells. <b>1994</b> , 14, 3108-3114	6
182	Detection of c-abl tyrosine kinase activity in vitro permits direct comparison of normal and altered abl gene products. <b>1985</b> , 5, 3116-3123	77
181	Chromatin structure and developmental expression of the human alpha-globin cluster. <b>1986</b> , 6, 1108-1116	30
180	Gamma interferon and 5-azacytidine cause transcriptional elevation of class I major histocompatibility complex gene expression in K562 leukemia cells in the absence of differentiation. <b>1986</b> , 6, 1698-1705	19
179	Upstream G gamma-globin and downstream beta-globin sequences required for stage-specific expression in transgenic mice. <b>1987</b> , 7, 4024-4029	42
178	Normal cellular and transformation-associated abl proteins share common sites for protein kinase C phosphorylation. <b>1987</b> , 7, 4280-4289	16
177	Dissociation of c-fos induction from macrophage differentiation in human myeloid leukemic cell lines. <b>1987</b> , 7, 769-774	7
176	Identification of a human gene (HCK) that encodes a protein-tyrosine kinase and is expressed in hemopoietic cells. <b>1987</b> , 7, 2267-2275	104
175	Gene expression of human DNA polymerase alpha during cell proliferation and the cell cycle. <b>1988</b> , 8, 5016-5025	43
174	Nuclear proteins that bind the human gamma-globin gene promoter: alterations in binding produced by point mutations associated with hereditary persistence of fetal hemoglobin. <b>1988</b> , 8, 5310-5322	50
173	Regulation of c-myc mRNA stability in vitro by a labile destabilizer with an essential nucleic acid component. <b>1989</b> , 9, 1996-2006	87
172	A stress-responsive enhancer induces dynamic drug resistance in acute myeloid leukemia. <b>2020</b> , 130, 1217-1232	13

171	In Vitro Systems for the Study of Cereal Proteins Toxic in Coeliac Disease. <b>1993</b> , 21, 43-49		2
170	Cell Agglutinating Activity of A-Gliadin-Related Synthetic Peptides. <b>1994</b> , 22, 116-122		5
169	HLA-DR1 <b>R</b> estricted bcr-abl (b3a2)-Specific CD4+ T Lymphocytes Respond to Dendritic Cells Pulsed With b3a2 Peptide and Antigen-Presenting Cells Exposed to b3a2 Containing Cell Lysates. <i>Blood</i> , <b>1997</b> , 90, 290-297	2.2	9
168	CGP 57148, a Tyrosine Kinase Inhibitor, Inhibits the Growth of Cells Expressing BCR-ABL, TEL-ABL, and TEL-PDGFR Fusion Proteins. <i>Blood</i> , <b>1997</b> , 90, 4947-4952	2.2	26
167	Bcr-Abl Exerts Its Antiapoptotic Effect Against Diverse Apoptotic Stimuli Through Blockage of Mitochondrial Release of Cytochrome C and Activation of Caspase-3. <i>Blood</i> , <b>1998</b> , 91, 1700-1705	2.2	18
166	Activated Endothelial Cells Induce Apoptosis in Leukemic Cells by Endothelial Interleukin-8. <i>Blood</i> , <b>1998</b> , 92, 2672-2680	2.2	3
165	Smad7 selectively interferes with different pathways of activin signaling and inhibits erythroid leukemia cell differentiation. <i>Blood</i> , <b>2000</b> , 95, 3371-3379	2.2	2
164	Arsenic induces apoptosis of multidrug-resistant human myeloid leukemia cells that express Bcr-Abl or overexpress MDR, MRP, Bcl-2, or Bcl-xL. <i>Blood</i> , <b>2000</b> , 95, 1014-1022	2.2	170
163	Natural killer cell dysfunction and apoptosis induced by chronic myelogenous leukemia cells: role of reactive oxygen species and regulation by histamine. <i>Blood</i> , <b>2000</b> , 96, 1961-1968	2.2	8
162	Efficacy of STI571, an Abl tyrosine kinase inhibitor, in conjunction with other antileukemic agents against Bcr-Ablpositive cells. <i>Blood</i> , <b>2000</b> , 96, 3195-3199	2.2	11
161	Serotonin protects NK cells against oxidatively induced functional inhibition and apoptosis. <b>2001</b> , 70, 65-72		7
160	cAMP increasing agents prevent the stimulation of heat-shock protein 70 (HSP70) gene expression by cadmium chloride in human myeloid cell lines. <b>1995</b> , 108, 2877-2883		31
159	Myeloperoxidase mediates cell adhesion via the alpha M beta 2 integrin (Mac-1, CD11b/CD18). <b>1997</b> , 110, 1133-1139		85
158	Effects of stathmin inhibition on the mitotic spindle. <b>2001</b> , 114, 909-916		61
157	5'UTR variants of ribosomal protein S19 transcript determine translational efficiency: implications for Diamond-Blackfan anemia and tissue variability. <b>2011</b> , 6, e17672		11
156	The recognition of N-glycans by the lectin ArtinM mediates cell death of a human myeloid leukemia cell line. <b>2011</b> , 6, e27892		22
155	Modeling of molecular interaction between apoptin, BCR-Abl and CrkLan alternative approach to conventional rational drug design. <b>2012</b> , 7, e28395		22
154	Knockdown of ZNF268, which is transcriptionally downregulated by GATA-1, promotes proliferation of K562 cells. <b>2012</b> , 7, e29518		16

153	FusionFinder: a software tool to identify expressed gene fusion candidates from RNA-Seq data. <b>2012</b> , 7, e39987	43
152	AF10 plays a key role in the survival of uncommitted hematopoietic cells. <b>2012</b> , 7, e51626	4
151	Distinct and site-specific phosphorylation of the retinoblastoma protein at serine 612 in differentiated cells. <b>2014</b> , 9, e86709	8
150	Dendritic cells pulsed with leukemia cell-derived exosomes more efficiently induce antileukemic immunities. <b>2014</b> , 9, e91463	52
149	Overexpression of miR-125a in myelodysplastic syndrome CD34+ cells modulates NF- <b>B</b> activation and enhances erythroid differentiation arrest. <b>2014</b> , 9, e93404	33
148	Identification of proteins associated with an IFNE esponsive promoter by a retroviral expression system for enChIP using CRISPR. <b>2014</b> , 9, e103084	37
147	Identification of a Novel C-Terminal Truncated WT1 Isoform with Antagonistic Effects against Major WT1 Isoforms. <b>2015</b> , 10, e0130578	8
146	H-Ferritin Is Preferentially Incorporated by Human Erythroid Cells through Transferrin Receptor 1 in a Threshold-Dependent Manner. <b>2015</b> , 10, e0139915	25
145	Induction of Neuronal Morphology in the 661W Cone Photoreceptor Cell Line with Staurosporine. <b>2015</b> , 10, e0145270	14
144	CTCF and CohesinSA-1 Mark Active Promoters and Boundaries of Repressive Chromatin Domains in Primary Human Erythroid Cells. <b>2016</b> , 11, e0155378	5
143	Integrative analysis of super enhancer SNPs for type 2 diabetes. <b>2018</b> , 13, e0192105	8
142	RFLP Band Size Standards: Cell Line K562 Values from 1991 to 1997 Proficiency Studies. <b>2000</b> , 45, 14837J	3
141	Cooperation of imipramine blue and tyrosine kinase blockade demonstrates activity against chronic myeloid leukemia. <b>2016</b> , 7, 51651-51664	11
140	Translocation of heme oxygenase-1 contributes to imatinib resistance in chronic myelogenous leukemia. <b>2017</b> , 8, 67406-67421	7
139	Mapping of apoptin-interaction with BCR-ABL1, and development of apoptin-based targeted therapy. <b>2014</b> , 5, 7198-211	14
138	Identification of survivin as a promising target for the immunotherapy of adult B-cell acute lymphoblastic leukemia. <b>2018</b> , 9, 3853-3866	8
137	Wogonin induces cell cycle arrest and erythroid differentiation in imatinib-resistant K562 cells and primary CML cells. <b>2014</b> , 5, 8188-201	28
136	A NOX2/Egr-1/Fyn pathway delineates new targets for TKI-resistant malignancies. <b>2015</b> , 6, 23631-46	12

135	Translational and HIF11-Dependent Metabolic Reprograming Underpin Oncometabolome Plasticity and Synergy Between Oncogenic Kinase Inhibitors and Biguanides.		1
134	New Mechanistic Insight on the PIM-1 Kinase Inhibitor AZD1208 Using Multidrug Resistant Human Erythroleukemia Cell Lines and Molecular Docking Simulations. <b>2019</b> , 19, 914-926		2
133	Smenospongine, a Sesquiterpene Aminoquinone from a Marine Sponge, Induces G1 Arrest or Apoptosis in Different Leukemia Cells. <b>2008</b> , 6, 480-488		23
132	Senescence as a consequence of ginsenoside rg1 response on k562 human leukemia cell line. <b>2012</b> , 13, 6191-6		13
131	Inhibition by imatinib of expression of O-glycan-related glycosyltransferases and tumor-associated carbohydrate antigens in the K562 human leukemia cell line. <b>2013</b> , 14, 2447-51		6
130	Generation of scalable cancer models by combining AAV-intron-trap, CRISPR/Cas9, and inducible Cre-recombinase. <b>2021</b> , 4, 1184		O
129	Hemin accumulation and identification of a heme-binding protein clan in K562 cells by proteomic and computational analysis. <b>2021</b> ,		О
128	Selective elimination of leukemic CD34+ progenitor cells by cytotoxic T lymphocytes specific for WT1. <i>Blood</i> , <b>2000</b> , 95, 2198-2203	2.2	12
127	C ytogenetics and molecular biology of chronic myeloid leukemia. <b>2008</b> , 17-43		
126	Cellular Changes in Mammalian Cells Induced by Cadmium. <b>2011</b> , 147-162		
126 125	Cellular Changes in Mammalian Cells Induced by Cadmium. <b>2011</b> , 147-162  Bordetella Adenylate Cyclase Toxin Can Bind Ganglioside GM1. <b>2011</b> , 1, 67-71		1
			1
125	Bordetella Adenylate Cyclase Toxin Can Bind Ganglioside GM1. <b>2011</b> , 1, 67-71		
125 124	Bordetella Adenylate Cyclase Toxin Can Bind Ganglioside GM1. <b>2011</b> , 1, 67-71  Imatinib Resistance Mechanism on Chronic Myeloid Leukemia. <b>2012</b> , 02, 15-19		
125 124 123	Bordetella Adenylate Cyclase Toxin Can Bind Ganglioside GM1. <b>2011</b> , 1, 67-71  Imatinib Resistance Mechanism on Chronic Myeloid Leukemia. <b>2012</b> , 02, 15-19  Cell-Factor Interaction in Populations of Normal and Leukemic Blood Cells. <b>1977</b> , 165-176		
125 124 123	Bordetella Adenylate Cyclase Toxin Can Bind Ganglioside GM1. 2011, 1, 67-71  Imatinib Resistance Mechanism on Chronic Myeloid Leukemia. 2012, 02, 15-19  Cell-Factor Interaction in Populations of Normal and Leukemic Blood Cells. 1977, 165-176  Cell-Factor Interaction in Populations of Normal and Leukemic Blood Cells. 1977, 165-176		
125 124 123 122	Bordetella Adenylate Cyclase Toxin Can Bind Ganglioside GM1. 2011, 1, 67-71  Imatinib Resistance Mechanism on Chronic Myeloid Leukemia. 2012, 02, 15-19  Cell-Factor Interaction in Populations of Normal and Leukemic Blood Cells. 1977, 165-176  Cell-Factor Interaction in Populations of Normal and Leukemic Blood Cells. 1977, 165-176  Die NK(Natural Killer)-Zelle im peripheren Blut beim Menschen. 1978, 1311-1314  Der Einflußvon Immunkomplexen auf die natfliche Zytotoxizitflund auf die antikfiperabhfligige	2	

117	ANTIBODY-DEPENDENT CELL-MEDIATED CYTOTOXICITY. <b>1980</b> , 329-346	
116	FRACTIONATION OF NATURAL KILLER CELLS ON TARGET CELL MONOLAYERS. 1982, 699-704	
115	Monoclonal Antibodies as a Tool to Detect Melanoma-Associated Antigens. <b>1982</b> , 53-73	
114	EFFECT OF SODIUM BUTYRATE AND HEMIN ON NK SENSIVITY OF K562 CELLS. <b>1982</b> , 727-732	
113	Growth and Differentiation of Human Myelomonocytic Leukemia Cell Lines in Serum-Free Medium. <b>1984</b> , 77-101	
112	A New Human Erythroleukemic Line: Initial Characterization and Hemin-Induced Erythroid Differentiation. <b>1984</b> , 323-330	
111	Antibody-Targeted Liposomes: Development of a Cell-Specific Drug Delivery System. <b>1984</b> , 407-416	
110	Expression of Granulopoietic Differentiation Markers in the K562 Cell Line. <b>1984</b> , 395-397	1
109	Ultrastructure of Cultured Leukemia Cell Lines. <b>1984</b> , 483-493	
108	Immuno-Scanning Electron Microscopy of Human Leukemic Cells. <b>1984</b> , 453-464	
107	Viruses and Human Leukemia in Vitro. <b>1984</b> , 495-526	
106	Monoclonal Antibodies to Transferrin Receptors. <b>1984</b> , 235-261	1
105	Association between the Philadelphia chromosome and a unique abl transcript. <b>1985</b> , 29, 154-8	
104	Oncogene Expression and Arrangement in Human Leukemia. <b>1985</b> , 65-76	
103	ANTIBODY THERAPY OF METASTATIC PROLIFERATION OF HUMAN NEOPLASTIC CELLS HETEROTRANSPLANTED INTO IMMUNODEFICIENT MICE. <b>1985</b> , 405-446	
102	ANALYSIS OF NK TARGET STRUCTURES. K562 MEMBRANE COMPONENTS ASSOCIATED WITH SUSCEPTIBILITY TO NK ATTACK. <b>1985</b> , 71-80	
101	Kinetik der spontanen zellvermittelten Zytotoxizitlibei Patienten mit Prostatakarzinom. <b>1985</b> , 494-500	O
100	Changes in isoenzyme patterns expressed by the erythroleukemia cell lines K-562 and HEL after induction of differentiation. <b>1985</b> , 29, 430-2	

99	Oncogenes Involved in Chronic Myelocytic Leukemia. <b>1985</b> , 133-150	
98	OXIDATIVE BURST DOES NOT MEDIATE HUMAN MONOCYTE TUMORICIDAL ACTIVITY11Supported by NIH grants CA 29589 and 5T326M07171 <b>1985</b> , 287-304	
97	Effect of Estramustine Phosphate (Estracyt) and Diethylstilbestrol on Human Natural Killer Cells In Vitro and In Vivo. <b>1985</b> , 354-363	
96	Activation of the c-abl oncogene by viral transduction or chromosomal translocation generates altered c-abl proteins with similar in vitro kinase properties. <b>1985</b> , 5, 204-213	59
95	Production and characterization of monoclonal antibodies against the human leukemic cell line K562. <b>1985</b> , 29, 445-6	
94	Membrane Fluorescence Anisotropy Behavior during Cell Cycle. <b>1985</b> , 291-296	
93	Cells responsible for tumor surveillance in man: effects of radiotherapy, chemotherapy, and biologic response modifiers. <b>1985</b> , 1, 1-28	6
92	Breakpoint Analysis in CML: Potentials for Detection of Minimal Residual Disease. <b>1986</b> , 12-22	
91	Response to an Active Vitamin D3 Metabolite of Transplantable Human Myeloid Leukemic Cell Lines in Adult Nude Mice. <b>1986</b> , 106-113	
90	Screening of Workshop <b>B</b> [Series Antibodies by Radioimmunobinding to Human Leukocyte Cell Lines and to Cells from Human Lymphoid Tumors. <b>1986</b> , 69-77	1
89	Properties of a T-Lymphocyte Derived Differentiation Inducing Factor (DIF) for the Myeloid Leukemic Cell Line HL-60. <b>1986</b> , 75-81	
88	Analysis of Workshop 🕮 eries Antibodies: Radioimmunobinding and Biochemical Studies. <b>1986</b> , 345-352	
87	Induction of Differentiation in Myeloid Leukemic Cells and the Differentiation Inducing Factor (DIF). <b>1987</b> , 51-59	
86	The Role of the Ph Chromosome in Chronic Myelocytic Leukemia. <b>1987</b> , 428-434	
85	Natural Killer Activity in Preleukemic States. <b>1987</b> , 132-135	
84	Regulation of fetal globin gene expression in human erythroleukemia (K562) cells. <b>1988</b> , 241, 117-22	1
83	Alterations in Dependence on Lipoxygenase Metabolism in Myeloid Leukemia. <b>1989</b> , 140-146	
82	Gene Transfer by Electroporation. <b>1989</b> , 71-74	

81	Several Cytokines Do not Influence Activity of P210BCR-ABL Kinase in K562 Cells. <b>1990</b> , 157-162	
80	Cell type-specific protein-DNA interactions in the human zeta-globin upstream promoter region: displacement of Sp1 by the erythroid cell-specific factor NF-E1. <b>1990</b> , 10, 282-294	21
79	Translocation of an erythroid-specific hypersensitive site in deletion-type hereditary persistence of fetal hemoglobin. <b>1990</b> , 10, 1382-1389	9
78	Characterization of the Human N-ras Promoter Region. <b>1991</b> , 95-104	2
77	Structural, Cellular and Pharmacological Implications of Neoplastic Cell Differentiation Induced by Ureido-Derivatives of Pyridine (UDPs). <b>1991</b> , 189-208	
76	Characterization of the BCR promoter in Philadelphia chromosome-positive and -negative cell lines. <b>1991</b> , 11, 1854-1860	10
75	Suppression of human lymphocyte proliferation and cytotoxic T lymphocyte generation by a soluble factor derived from K562 cells. <b>1992</b> , 5 Suppl 1, S661-4	
74	Assessment of Lymphokine-Activated Killer Activity Against Myeloid Leukemic Blasts and the Myeloid Cell Line K562 by Flow Cytometry. <b>1992</b> , 581-589	
73	Anion transport in the red blood cell of the mouse and in erythroleukemic K562 cells. <b>1992</b> , 2, 295-305	1
72	Induction of Differentiation of Human Myeloid Leukemia HL-60 Cells by Novel Nonphosphorus Alkyl Ether Lipids. <b>1992</b> , 1445-1449	
71	Hemin is Transported in Human Leukemia K562 Cells and Interacts with DNA Sequences. <b>1993</b> , 109-120	O
70	Functional Analysis of the Homology and Heterology Promoters in Fish-Cultured Cells. <b>1994</b> , 145-149	
69	Binding of Phosphorylated Sp1 Protein to Tandem Sp1 Binding Sites Regulates  ☐ Integrin Gene Core Promoter Activity. <i>Blood</i> , <b>1997</b> , 90, 678-689	1
68	Expression of Prostacyclin Receptor in Human Megakaryocytes. <i>Blood</i> , <b>1997</b> , 90, 1039-1046 2.2	1
67	Neoexpression of the c-met/Hepatocyte Growth Factor-Scatter Factor Receptor Gene in Activated Monocytes. <i>Blood</i> , <b>1997</b> , 90, 4450-4458	3
66	Gene Transfer and Expression in Tissue Culture Cells of Higher Eukaryotes. <b>1998</b> , 235-250	
65	Functional Studies of Daunorubicin Transport in Human Leukemic Cells. <b>1998</b> , 515-520	
64	Retinoids Modulate Ara-CTP Pharmacology in the HL-60 Acute Leukemia Cell line. <b>1998</b> , 633-639	

63	Natural Killer Cell Assays. 11.14.1.1-11.14.6.7	
62	An Investigation of the Complex Effects of a Saccharomyces cerevisiae Cytoplasmic Extract on Apoptosis in K562 Cells. <b>2016</b> , 19,	1
61	Translational and HIF1Edependent metabolic reprograming underpin oncometabolome plasticity and synergy between oncogenic kinase inhibitors and biguanides.	
60	IL-1Ra Protects Hematopoietic Stem Cells from Chemotoxicity Through Quiescence Induction Via p53.	
59	Effective downregulation of BCR-ABL tumorigenicity by RNA targeted CRISPR-Cas13a.	
58	Biochemical Markers for Human Leukemia and Cell Differentiation. <b>1983</b> , 193-216	1
57	Isolation of Human Natural Killer Cells (Large Granular Lymphocytes). 1983, 93-98	
56	Hybrids between human cell lines belonging to different hematopoietic pathways: analysis of HLA and myeloid surface antigens. <b>1983</b> , 28, 462-5	
55	The role of phorbol ester receptor binding in responses to promoters by mouse and human cells. <b>1983</b> , 24, 189-200	1
54	K 562 cell line in plasma clot diffusion chambers: changes in cell surface phenotype in relationship to culture conditions. <b>1983</b> , 28, 394-6	
53	Synthesis and Erythroid Induction Activity of New Thiourea Derivatives. <b>2021</b> , 17, 121-133	Ο
52	Chapter 17: Oncology: Somatic Disease and Pharmacogenomics. <b>2020</b> ,	
51	Semi-supervised segmentation and genome annotation.	1
50	Noncoding loci without epigenomic signals can be essential for maintaining global chromatin organization and cell viability. <b>2021</b> , 7, eabi6020	0
49	Iterative Epigenomic Analyses in the Same Single Cell.	
48	Human Leukemia-lymphoma Cell Lines: Historical Perspective, State of the Art and Future Prospects. <b>2002</b> , 1-18	
47	Synthesis and Evaluation of Novel Isoindoline-1,3-dione Derivatives as Anticancer Agents. <b>2020</b> , 46, 1087-1098	3
46	Erythroleukemia (K562) cells contain a functional beta-globin gene. <b>1984</b> , 4, 2553-2555	5

45	Histone mRNA degradation in vivo: the first detectable step occurs at or near the 3' terminus. <b>1986</b> , 6, 4362-4371	61
44	The chronic myelocytic cell line K562 contains a breakpoint in bcr and produces a chimeric bcr/c-abl transcript. <b>1986</b> , 6, 607-616	54
43	Phosphotyrosine antibodies identify the p210c-abl tyrosine kinase and proteins phosphorylated on tyrosine in human chronic myelogenous leukemia cells. <b>1986</b> , 6, 1803-1811	24
42	Regulation of platelet-derived growth factor gene expression by transforming growth factor beta and phorbol ester in human leukemia cell lines. <b>1987</b> , 7, 3656-3662	20
41	Autogenous regulation of histone mRNA decay by histone proteins in a cell-free system. <b>1987</b> , 7, 4345-4356	30
40	Expression of bcr and bcr-abl fusion transcripts in normal and leukemic cells. <b>1987</b> , 7, 2870-2876	23
39	Developmental programs of human erythroleukemia cells: globin gene expression and methylation. <b>1988</b> , 8, 4917-4926	8
38	Membrane protein redistribution during differentiation of cultured human erythroleukemic cells. <b>1981</b> , 1, 1150-1162	3
37	Evolution, expression, and chromosomal location of a novel receptor tyrosine kinase gene, eph. <b>1988</b> , 8, 3770-3776	18
36	Functional identification of regulatory elements within the promoter region of platelet-derived growth factor 2. <b>1989</b> , 9, 396-405	12
35	JMJD1C knockdown affects myeloid cell lines proliferation, viability, and gemcitabine/carboplatin-sensitivity. <b>2021</b> , 31, 60-67	1
34	8-Hydroxydaidzein Downregulates JAK/STAT, MMP, Oxidative Phosphorylation, and PI3K/AKT Pathways in K562 Cells <b>2021</b> , 9,	1
33	Cross-Talk of Cholinergic and EAdrenergic Receptor Signalling in Chronic Myeloid Leukemia K562 Cells <b>2022</b> ,	
32	Functional Evaluation of KEL as an Oncogenic Gene in the Progression of Acute Erythroleukemia <b>2022</b> , 2022, 5885342	
31	VLDLR and ApoER2 are receptors for multiple alphaviruses <b>2021</b> ,	6
30	No association of natural killer cell number and function in peripheral blood with overweight/obesity and metabolic syndrome in a cohort of young women <i>Physiological Reports</i> , 2.6 <b>2022</b> , 10, e15148	O
29	Identification of potential pathways and microRNA-mRNA networks associated with benzene metabolite hydroquinone-induced hematotoxicity in human leukemia K562 cells <i>BMC</i> 2.6 <i>Pharmacology &amp; Double Cology</i> , <b>2022</b> , 23, 20	О
28	Prediction and comparative analysis of CTCF binding sites based on a first principle approach  Physical Biology, 2022,	1

27	Differentiation induction in myeloid leukemic cells. <i>Medical Oncology and Tumor Pharmacotherapy</i> , <b>1986</b> , 3, 55-61		О
26	Mutation in SF3B1 gene promotes formation of polyploid giant cells in Leukemia cells <i>Medical Oncology</i> , <b>2022</b> , 39, 65	3.7	1
25	Integrative genome-wide analysis reveals EIF3A as a key downstream regulator of translational repressor protein Musashi 2 (MSI2) <i>NAR Cancer</i> , <b>2022</b> , 4, zcac015	5.2	0
24	NeoSplice: A bioinformatics method for prediction of splice variant neoantigens. <i>Bioinformatics Advances</i> ,		O
23	Finding meaning in chaos: a selection signature for functional interactions and its use in molecular biology. <i>FEBS Journal</i> ,	5.7	
22	Generation of TRIM28 Knockout K562 Cells by CRISPR/Cas9 Genome Editing and Characterization of TRIM28-Regulated Gene Expression in Cell Proliferation and Hemoglobin Beta Subunits. <i>International Journal of Molecular Sciences</i> , <b>2022</b> , 23, 6839	6.3	
21	miR-494 in Extracellular Vesicles as a Potent Biomarker of Chronic Myeloid Leukemia Treatment with Tyrosine Kinase Inhibitors. <i>Hemato</i> , <b>2022</b> , 3, 373-384	0.2	
20	Design, Synthesis, In Silico Studies and Inhibitory Activity towards Bcr-Abl, BTK and FLT3-ITD of New 2,6,9-Trisubstituted Purine Derivatives as Potential Agents for the Treatment of Leukaemia. <i>Pharmaceutics</i> , <b>2022</b> , 14, 1294	6.4	
19	Evaluation of chimeric antigen receptor of humanized rabbit-derived T cell receptor-like antibody. <i>Cancer Science</i> ,	6.9	
18	Metabolic plasticity in blast crisis-chronic myeloid leukaemia cells under hypoxia reduces the cytotoxic potency of drugs targeting mitochondria. <i>Discover Oncology</i> , <b>2022</b> , 13,		
17	Immunology. 2010,		
16	IFNIdirectly counteracts imatinib-induced apoptosis of primary human CD34+ CML stem/progenitor cells potentially through the upregulation of multiple key survival factors. <b>2022</b> , 11,		
15	Macromolecular Structure of Linearly Arranged Eukaryotic Chromosomes. <b>2022</b> , 23, 9503		
14	Activation of recombinational repair in Ewing sarcoma cells carrying EWS-FLI1 fusion gene by chromosome translocation. <b>2022</b> , 12,		1
13	scNanoATAC-seq: a long-read single-cell ATAC sequencing method to detect chromatin accessibility and genetic variants simultaneously within an individual cell.		0
12	New Dual P-Glycoprotein (P-gp) and Human Carbonic Anhydrase XII (hCA XII) Inhibitors as Multidrug Resistance (MDR) Reversers in Cancer Cells.		1
11	Translational proteomics and phosphoproteomics: Tissue to extracellular vesicles. 2022,		0
10	Covalently Conjugated NOD2/TLR7 Agonists Are Potent and Versatile Immune Potentiators.		O

## CITATION REPORT

9	Generation of red blood cells from stem cells: Achievements, opportunities and perspectives for malaria research. 12,	O
8	Reconstitution of EBV-Specific T Cell Immunity in Solid Organ Transplant Recipients. <b>1998</b> , 160, 6204-6209	18
7	Did you forget your cell sex? An update on the inclusion of sex as a variable in AJP-Cell Physiology.	O
6	Cytotoxicity of Isoxazole Curcumin Analogs on Chronic Myeloid Leukemia-Derived K562 Cell Lines Sensitive and Resistant to Imatinib. <b>2023</b> , 24, 2356	O
5	Expression of thimet oligopeptidase (THOP) modulated by oxidative stress in human multidrug resistant (MDR) leukemia cells. <b>2023</b> , 212, 21-30	O
4	Comparative transcriptomes reveal pro-survival and cytotoxic programs of mucosal-associated invariant T cells upon Bacillus Calmette dufin stimulation. 13,	O
3	Protein kinases: Role of their dysregulation in carcinogenesis, identification and inhibition. <b>2023</b> , 73, 189-199	О
2	Choosing the Right Cell Line for Acute Myeloid Leukemia (AML) Research. <b>2023</b> , 24, 5377	O
1	Differential contributions of nuclear lamina association and genome compartmentalization to gene regulation. <b>2023</b> , 14,	О