

Isolation and Characterization of Staphylococci from H  
New Species: *Staphylococcus warneri*, *Staphylococcus*  
and *Staphylococcus simulans*

International Journal of Systematic Bacteriology  
25, 62-79

DOI: 10.1099/00207713-25-1-62

Citation Report

#	ARTICLE	IF	CITATIONS
1	Isolation and Characterization of Staphylococci from Human Skin I. Amended Descriptions of <i>Staphylococcus epidermidis</i> and <i>Staphylococcus saprophyticus</i> and Descriptions of Three New Species: <i>Staphylococcus cohnii</i> , <i>Staphylococcus haemolyticus</i> , and <i>Staphylococcus xylosus</i> . <i>International Journal of Systematic Bacteriology</i> , 1975, 25, 50-61.	2.8	388
2	Characterization of <i>Staphylococcus sciuri</i> sp.nov. and Its Subspecies. <i>International Journal of Systematic Bacteriology</i> , 1976, 26, 22-37.	2.8	158
3	NOMENCLATURE OF CUTANEOUS MICROCOCCACEAE: ON THE BRINK OF CHAOS. <i>International Journal of Dermatology</i> , 1976, 15, 670-672.	1.0	4
4	Chemical and biochemical studies for the differentiation of coagulase-positive staphylococci. <i>Archives of Microbiology</i> , 1976, 110, 263-270.	2.2	34
5	Anaerobic Growth of <i>Staphylococcus</i> Species from Human Skin: Effects of Uracil and Pyruvate. <i>International Journal of Systematic Bacteriology</i> , 1976, 26, 17-21.	2.8	4
6	Nomenclature of Staphylococci and Micrococci. <i>Archives of Dermatology</i> , 1976, 112, 1614.	1.4	4
7	Studies on Bacterial Aerosol. <i>Japanese Journal of Hygiene</i> , 1977, 32, 588-594.	0.6	0
8	The Identification of Staphylococci in Clinical and Food Microbiology Laboratories. <i>CRC Critical Reviews in Clinical Laboratory Sciences</i> , 1977, 7, 121-184.	1.0	35
9	The Immunochemistry of Peptidoglycan. Antibodies against a Synthetic Immunogen Cross-Reacting with an Interpeptide Bridge of Peptidoglycan. <i>FEBS Journal</i> , 1977, 74, 353-363.	0.2	15
10	Taxonomy of coagulase-negative staphylococci: a comparison of two widely used classification schemes. <i>Antonie Van Leeuwenhoek</i> , 1978, 44, 425-434.	1.7	12
11	Specific antibodies to the N-termini of the interpeptide bridges of peptidoglycan. <i>Archives of Microbiology</i> , 1978, 118, 185-192.	2.2	15
12	Occurrence of d-tagatose-6-phosphate pathway of d-galactose metabolism among staphylococci. <i>FEMS Microbiology Letters</i> , 1978, 3, 9-11.	1.8	13
13	Relationships among some coagulase-negative staphylococci based upon deoxyribonucleic acid re-association. <i>FEMS Microbiology Letters</i> , 1978, 3, 51-56.	1.8	14
14	Classification of coagulase-negative staphylococci according to recently proposed taxonomic schemes. <i>FEMS Microbiology Letters</i> , 1978, 3, 135-137.	1.8	5
15	STAPHYLOCOCCUS EPIDERMIDIS: COMMENSAL OR PATHOGEN?. <i>International Journal of Dermatology</i> , 1978, 17, 213-215.	1.0	2
16	Chapter VII Genus <i>Staphylococcus</i> . <i>Methods in Microbiology</i> , 1978, 12, 127-176.	0.8	8
17	The Phage Adsorption Test: A Simple Method for Differentiation between Staphylococci and Micrococci. <i>Journal of Infectious Diseases</i> , 1978, 138, 392-395.	4.0	18
18	Grouping of Staphylococci on the Basis of Their Bacteriolytic-Activity Patterns: A New Approach to the Taxonomy of the Micrococcaceae: II. Main Characters of 1,054 Strains Subdivided into "Lyogroups". <i>International Journal of Systematic Bacteriology</i> , 1978, 28, 148-153.	2.8	29

#	ARTICLE	IF	CITATIONS
19	Taxonomic Study of Coagulase-Positive Staphylococci: Bacteriolytic Activity Pattern Analysis. <i>International Journal of Systematic Bacteriology</i> , 1978, 28, 445-448.	2.8	11
20	Grouping of Staphylococci on the Basis of Their Bacteriolytic-Activity Patterns: A New Approach to the Taxonomy of the Micrococcaceae: I. Identification of Six Different "Lyogroups". <i>International Journal of Systematic Bacteriology</i> , 1978, 28, 141-147.	2.8	31
21	Comparative Study of the Total Cellular Fatty Acids of Staphylococcus Species of Human Origin. <i>International Journal of Systematic Bacteriology</i> , 1978, 28, 223-228.	2.8	34
22	Identification of clumping-factor-negative staphylococci isolated from cows's udders. <i>Research in Veterinary Science</i> , 1979, 27, 313-320.	1.9	54
23	The Nature of Arginine Auxotrophy in Cutaneous Populations of Staphylococci. <i>Journal of General Microbiology</i> , 1979, 110, 305-314.	2.3	21
24	Detection of bacterial phosphatase activity by means of an original and simple test.. <i>Journal of Clinical Pathology</i> , 1979, 32, 391-395.	2.0	38
25	Coxsackie B meningitis; diagnostic problems. <i>Antonie Van Leeuwenhoek</i> , 1979, 45, 619-619.	1.7	0
26	Phage typing of coagulase-negative staphylococci. <i>Antonie Van Leeuwenhoek</i> , 1979, 45, 619-620.	1.7	1
27	Relatedness among coagulase-negative staphylococci: Deoxyribonucleic acid reassociation and comparative immunological studies. <i>Archives of Microbiology</i> , 1979, 122, 93-101.	2.2	69
28	Distribution of class-I and class-II D-fructose 1,6-biphosphate aldolases in various staphylococci, peptococci and micrococci. <i>FEMS Microbiology Letters</i> , 1979, 5, 253-257.	1.8	26
29	A Comparison of Methods and the Validity of Deoxyribonuclease Tests for the Characterization of Staphylococci Isolated from Animals. <i>Journal of Applied Bacteriology</i> , 1979, 46, 385-393.	1.1	26
30	Effect of Packaging under Carbon Dioxide, Nitrogen or Air on the Microbial Flora of Pork Stored at 4°C. <i>Journal of Applied Bacteriology</i> , 1979, 47, 197-208.	1.1	169
31	A Taxonomic Study of the Micrococcaceae. <i>Journal of Applied Bacteriology</i> , 1979, 47, 243-254.	1.1	38
32	Evidence for deoxyribonucleotide sequence divergence between staphylococci living on human and other primate skin. <i>Current Microbiology</i> , 1979, 3, 167-172.	2.2	41
33	Deoxyribonucleic acid homologies among staphylococci: Coagulase-positive reference strains. <i>Current Microbiology</i> , 1979, 2, 171-174.	2.2	10
34	Prevalence of different species of coagulase-negative staphylococci on teats and in milk samples from dairy cows. <i>Journal of Dairy Research</i> , 1980, 47, 155-158.	1.4	91
36	Carbohydrate dissimilation tests in the identification of staphylococci. <i>Antonie Van Leeuwenhoek</i> , 1980, 46, 65-72.	1.7	9
37	Identification of Pathogenic Staphylococci Isolated from Animals and Foods Derived from Animals. <i>Journal of Applied Bacteriology</i> , 1980, 49, 1-11.	1.1	104

#	ARTICLE	IF	CITATIONS
38	The Vitamin Requirements of Staphylococci Isolated from Human Skin. <i>Journal of Applied Bacteriology</i> , 1980, 49, 29-37.	1.1	20
39	Nucleic acid homology studies between <i>Peptococcus saccharolyticus</i> and various anaerobic and facultative anaerobic Gram-positive cocci. <i>FEMS Microbiology Letters</i> , 1980, 8, 205-210.	1.8	40
40	Heat-stable nuclease test for identification of <i>Staphylococcus aureus</i> . <i>Clinical Microbiology Newsletter</i> , 1980, 2, 4-5.	0.7	0
41	Deoxyribonucleic Acid Base Composition of Bacteria. <i>Zentralblatt Fur Bakteriologie 1 Abt Originale A: Medizinische Mikrobiologie, Infektionskrankheiten Und Parasitologie</i> , 1980, 246, 236-275.	0.1	2
43	Cytochrome-patterns of Staphylococci and Micrococci and their taxonomic implications. <i>Systematic and Applied Microbiology</i> , 1980, 1, 26-39.	0.4	11
46	Polynucleotide Sequence Divergence Among Some Coagulase-negative Staphylococci. <i>Zentralblatt Fur Bakteriologie 1 Abt Originale A: Medizinische Mikrobiologie, Infektionskrankheiten Und Parasitologie</i> , 1980, 246, 10-22.	0.1	10
47	Transfer of <i>Peptococcus saccharolyticus</i> Foubert and Douglas to the genus <i>Staphylococcus</i> : <i>Staphylococcus saccharolyticus</i> (Foubert and Douglas) comb. nov., 1981, 2, 324-331.		19
48	Distribution of coagulase-negative staphylococci in human infections. <i>Journal of Hospital Infection</i> , 1981, 2, 145-153.	2.9	5
49	Effect of Hyperbaric Carbon Dioxide Pressure on the Microbial Flora of Pork Stored at 4 or 14°C. <i>Journal of Applied Bacteriology</i> , 1981, 50, 493-504.	1.1	74
50	Sensitivity to Lysostaphin as a Criterion for the Identification of Staphylococci from Animal Origin. <i>Journal of Applied Bacteriology</i> , 1981, 50, 541-549.	1.1	5
51	Rapid distinction between micrococci and staphylococci with furazolidone agars. <i>Antonie Van Leeuwenhoek</i> , 1981, 47, 41-51.	1.7	49
52	DNA-rRNA hybridization studies among staphylococci and some other Gram-positive bacteria. <i>FEMS Microbiology Letters</i> , 1981, 10, 357-362.	1.8	32
53	Maintenance of the Normal Flora of Human Skin Grafts Transplanted to Mice. <i>Microbiology (United Kingdom)</i> , 1981, 107, 101-105.	1.8	3
54	Description of a New Species of the Genus <i>Staphylococcus</i> : <i>Staphylococcus carnosus</i> . <i>International Journal of Systematic Bacteriology</i> , 1982, 32, 153-156.	2.8	202
55	Identification of " <i>Staphylococcus staphylolyticus</i> " NRRL B-2628 as a Biovar of <i>Staphylococcus simulans</i> . <i>International Journal of Systematic Bacteriology</i> , 1982, 32, 170-174.	2.8	40
56	High-level potentiation of lysostaphin anti-staphylococcal activity by lysozyme. <i>Antimicrobial Agents and Chemotherapy</i> , 1982, 21, 531-535.	3.2	28
57	A Growth Promoting Agent for <i>Pityrosporum</i> Produced by Some Species of <i>Staphylococcus</i> . <i>Japanese Journal of Medical Mycology</i> , 1982, 23, 240-245.	0.0	1
58	Microbiology of laboratory-hatched brine shrimp ( <i>Artemia</i> ). <i>Aquaculture</i> , 1982, 26, 369-383.	3.5	57

#	ARTICLE	IF	CITATIONS
59	Coagulase-negative staphylococci. <i>Clinical Microbiology Newsletter</i> , 1982, 4, 75-79.	0.7	38
60	Biochemical characterization of staphylococci isolated from goats. <i>Veterinary Microbiology</i> , 1982, 7, 463-470.	1.9	8
61	Characterization and Enterotoxigenicity of Staphylococci Isolated from Mastitic Ovine Milk in Spain. <i>Journal of Food Protection</i> , 1982, 45, 1282-1286.	1.7	48
62	Efficacy of Germicidal Hand Wash Agents in Hygienic Hand Disinfection <sup>1</sup> . <i>Journal of Food Protection</i> , 1982, 45, 713-720.	1.7	31
63	Speciation and antibiotic susceptibility patterns of coagulase-negative staphylococci. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1982, 1, 228-232.	2.9	13
64	Speciation of coagulase-negative staphylococci in the clinical laboratory. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1982, 1, 87-90.	2.9	8
65	A note on a selective medium for the isolation of cutaneous propionibacteria. <i>Journal of Applied Bacteriology</i> , 1982, 53, 289-292.	1.1	6
66	The staphylococcusâ€”New features 100 years after its discovery. <i>Journal of Infection</i> , 1982, 4, 5-15.	3.3	30
67	Coagulaseâ€”negative Staphylococci. <i>International Journal of Dermatology</i> , 1983, 22, 232-234.	1.0	1
68	Coagulaseâ€”negative Staphylococciâ€”Saprophyte or Parasite?. <i>International Journal of Dermatology</i> , 1983, 22, 463-465.	1.0	0
69	The microbial flora of smoked pork loin and frankfurter sausage stored in different gas atmospheres at 4Â°C. <i>Journal of Applied Bacteriology</i> , 1983, 54, 45-56.	1.1	104
70	Deoxyribonucleotide sequence divergence between <i>Staphylococcus cohnii</i> subspecies populations living on primate skin. <i>Current Microbiology</i> , 1983, 8, 115-121.	2.2	16
71	Chemical composition and structure of cell wall teichoic acids of staphylococci. <i>Archives of Microbiology</i> , 1983, 135, 215-223.	2.2	117
72	Protoplast transformation of <i>Staphylococcus carnosus</i> by plasmid DNA. <i>Molecular Genetics and Genomics</i> , 1983, 189, 340-342.	2.4	56
73	DNA homology between the arsenate resistance plasmid pSX267 from <i>Staphylococcus xylosus</i> and the penicillinase plasmid pI258 from <i>Staphylococcus aureus</i> . <i>Plasmid</i> , 1983, 9, 126-137.	1.4	99
74	Construction and characterization of plasmid vectors for cloning in <i>Staphylococcus aureus</i> and <i>Staphylococcus carnosus</i> . <i>Plasmid</i> , 1983, 10, 270-278.	1.4	37
75	Numerical Taxonomy of Staphylococci Isolated from the Marine Environment. <i>International Journal of Systematic Bacteriology</i> , 1983, 33, 751-759.	2.8	24
76	Numerical taxonomy of staphylococci. <i>Zentralblatt Fur Bakteriologie, Mikrobiologie Und Hygiene 1 Abt Originale A, Medizinische Mikrobiologie, Infektionskrankheiten Und Parasitologie</i> , 1983, 256, 7-24.	0.2	7

#	ARTICLE	IF	CITATIONS
77	Cell wall analysis and taxonomy of staphylococci. Zentralblatt Fur Bakteriologie, Mikrobiologie Und Hygiene 1 Abt Originale A, Medizinische Mikrobiologie, Infektionskrankheiten Und Parasitologie, 1983, 256, 25-36.	0.2	9
78	Numerical Taxonomy of Staphylococci Isolated from Clinical Sources. International Journal of Systematic Bacteriology, 1983, 33, 738-750.	2.8	11
79	Staphylococcus auricularis sp. nov.: an Inhabitant of the Human External Ear. International Journal of Systematic Bacteriology, 1983, 33, 9-14.	2.8	60
80	Identification of staphylococci by pyrolysis gas-liquid chromatography. Journal of Medical Microbiology, 1983, 16, 483-495.	1.8	12
81	In-vitro effects of vancomycin and rifampicin, alone and in combination, against methicillin-sensitive and methicillin-resistant staphylococci. Journal of Antimicrobial Chemotherapy, 1984, 14, 35-41.	3.0	7
82	Production of Experimental Endocarditis by Coagulase-Negative Staphylococci: Variability in Species Virulence. Journal of Infectious Diseases, 1984, 150, 721-727.	4.0	116
83	Staphylococcus arlettae sp. nov., S. equorum sp. nov. and S. kloosii sp. nov.: Three New Coagulase-Negative, Novobiocin-Resistant Species from Animals. Systematic and Applied Microbiology, 1984, 5, 501-509.	2.8	120
84	Identification and characterization of staphylococci isolated from cats. Veterinary Microbiology, 1984, 9, 279-285.	1.9	29
85	Identification of coagulase-negative staphylococci from farm animals. Journal of Applied Bacteriology, 1985, 58, 45-55.	1.1	135
86	Application of current methods for isolation and identification of staphylococci in raw bovine milk. Journal of Applied Bacteriology, 1985, 59, 207-221.	1.1	49
87	Bacterial Pathogens of Increasing Significance in Hospital-Acquired Infections. Clinical Infectious Diseases, 1985, 7, S371-S379.	5.8	37
88	Species distribution of coagulase-negative staphylococci isolated from clinical sources. Zentralblatt Fur Bakteriologie, Mikrobiologie, Und Hygiene Series A, Medical Microbiology, Infectious Diseases, Virology, Parasitology, 1985, 260, 41-50.	0.5	9
89	A comparison of the STAPH-ident and STAPH-Trac systems to conventional methods in the identification of staphylococci isolated from bovine udders. Veterinary Microbiology, 1986, 12, 179-187.	1.9	33
90	Elevation of Staphylococcus hyicus subsp. chromogenes (Devriese et al., 1978) to species status: Staphylococcus chromogenes (Devriese et al., 1978) comb. nov.. Systematic and Applied Microbiology, 1986, 8, 169-173.	2.8	64
91	Evaluation of a rapid tube lysostaphin test to differentiate between staphylococci and micrococci. International Journal of Food Microbiology, 1986, 3, 31-41.	4.7	8
92	Comparison of methods for routine separation of coagulase-negative staphylococci from micrococci isolated from sheep. Comparative Immunology, Microbiology and Infectious Diseases, 1986, 9, 347-353.	1.6	1
93	Simplified method for the isolation, identification, and characterization of Staphylococcus epidermidis in epidemiologic studies. Diagnostic Microbiology and Infectious Disease, 1986, 4, 29-35.	1.8	17
94	Chapter 12. Antimicrobial Drugs – Clinical Problems and Opportunities. Annual Reports in Medicinal Chemistry, 1986, 21, 119-129.	0.9	2

#	ARTICLE	IF	CITATIONS
95	Identification of Coagulase-Negative Staphylococci Isolated from Urinary Tract Infections. American Journal of Clinical Pathology, 1986, 85, 92-95.	0.7	42
96	Comparison of the API Staph. Kit and a two sugar maltose/ trehalose fermentation test in the identification of staphylococcus epidermidis. Irish Journal of Medical Science, 1986, 155, 353-355.	1.5	2
97	Identification of staphylococci by the API staph, sceptor, rosco and simplified lyogroup systems. European Journal of Clinical Microbiology and Infectious Diseases, 1986, 5, 669-671.	2.9	4
98	Skin Microflora. Journal of Investigative Dermatology, 1987, 88, 65-72.	0.7	7
99	Skin Microflora.. Journal of Investigative Dermatology, 1987, 88, 65s-72s.	0.7	104
100	Coagulase-Negative Staphylococci Isolated from Cerebrospinal Fluid Shunts: Importance of Slime Production, Species Identification, and Shunt Removal to Clinical Outcome. Journal of Infectious Diseases, 1987, 156, 548-554.	4.0	191
101	The Coagulase-Negative Staphylococci: Little Brother Grows Up. Journal of the American Geriatrics Society, 1987, 35, 469-471.	2.6	1
102	Coagulase-negative Staphylococci. Zentralblatt Fur Bakteriologie, Mikrobiologie, Und Hygiene Series A, Medical Microbiology, Infectious Diseases, Virology, Parasitology, 1987, 264, 1-28.	0.5	13
103	Staphylococcal dermonecrotic reactions in guinea pigs. International Journal of Bio-medical Computing, 1987, 21, 67-74.	0.5	5
104	The staphylococci: A classification and identification study using pyrolysis-gas-liquid chromatography. Journal of Analytical and Applied Pyrolysis, 1987, 11, 527-538.	5.5	5
105	The cutaneous microbiology of normal human feet. Journal of Applied Bacteriology, 1987, 62, 139-146.	1.1	45
106	Design and performance of a new medium for the quantitative recovery of <i>Staphylococcus aureus</i> from recreational waters. Journal of Applied Bacteriology, 1987, 63, 85-93.	1.1	8
107	A comparative study of the cutaneous microflora of normal feet with low and high levels of odour. Journal of Applied Bacteriology, 1988, 65, 61-68.	1.1	52
108	The predominant cultivable microbiota of active and inactive lesions of destructive periodontal diseases. Journal of Clinical Periodontology, 1988, 15, 316-323.	4.9	709
109	Selected characteristics of micrococci isolated from Spanish dry fermented sausages. Food Microbiology, 1988, 5, 185-193.	4.2	42
110	Etiological agents of bovine mastitis. Veterinary Microbiology, 1988, 16, 41-66.	1.9	266
112	Teat skin normal flora and colonization with mastitis pathogen inhibitors. Veterinary Microbiology, 1988, 17, 357-365.	1.9	17
113	Use of Lysostaphin and Bacitracin Susceptibility for Routine Presumptive Identification of Staphylococci of Bovine Origin1. Journal of Food Protection, 1988, 51, 24-28.	1.7	13

#	ARTICLE	IF	CITATIONS
114	The predominant cultivable microbiota of crevicular epithelial cells. <i>Oral Microbiology and Immunology</i> , 1989, 4, 1-5.	2.8	58
115	Construction of a database to identify <i>Staphylococcus</i> species.. <i>Journal of Clinical Pathology</i> , 1989, 42, 289-294.	2.0	9
116	Characterisation and molecular cloning of the novel macrolide-streptogramin B resistance determinant from <i>Staphylococcus epidermidis</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 1989, 24, 851-862.	3.0	127
117	Alteration of the biological activity of strains of coagulase-negative staphylococci resulting from storage by freezing and freeze-drying. <i>Current Microbiology</i> , 1989, 19, 325-327.	2.2	1
118	The prevalence of staphylococcal resistance to penicillinase-resistant penicillins. <i>Diagnostic Microbiology and Infectious Disease</i> , 1989, 12, 385-394.	1.8	54
119	Clinical isolates of <i>Staphylococcus lugdunensis</i> and <i>S. schleiferi</i> : bacteriological characteristics and susceptibility to antimicrobial agents. <i>Research in Microbiology</i> , 1989, 140, 107-118.	2.1	161
120	Plasmid-encoded lysostaphin endopeptidase resistance of <i>staphylococcus</i> <i>simulans</i> biovar <i>staphylolyticus</i> . <i>Biochemical and Biophysical Research Communications</i> , 1989, 160, 1106-1109.	2.1	52
121	Determination of G+C content of DNA using high-performance liquid chromatography for the identification of staphylococci and micrococci. <i>Research in Microbiology</i> , 1989, 140, 467-475.	2.1	19
122	Superior antibacterial action and reduced incidence of bacterial resistance in minocycline compared to tetracycline-treated acne patients. <i>British Journal of Dermatology</i> , 1990, 122, 233-244.	1.5	72
123	Chemical and molecular classification of staphylococci. <i>Journal of Applied Bacteriology</i> , 1990, 69, 9S-24S.	1.1	39
124	Systematics and the natural history of staphylococci. 1. <i>Journal of Applied Bacteriology</i> , 1990, 69, 25S-37S.	1.1	44
125	Systematics and the natural history of staphylococci. 2. <i>Journal of Applied Bacteriology</i> , 1990, 69, 39S-48S.	1.1	8
126	Characteristics of micrococci and staphylococci isolated from semi-preserved meat products. <i>Food Microbiology</i> , 1990, 7, 207-215.	4.2	24
127	Biochemical Characteristics of <i>Staphylococcus</i> Species of Human and Bovine Origin1. <i>Journal of Food Protection</i> , 1990, 53, 119-126.	1.7	17
128	Prevalence and Distribution of <i>Campylobacter</i> spp. on Poultry and Selected Red Meat Carcasses in Poland. <i>Journal of Food Protection</i> , 1990, 53, 127-130.	1.7	32
129	Colonial Morphology of Staphylococci on Memphis Agar: Phase Variation of Slime Production, Resistance to $\beta$ -Lactam Antibiotics, and Virulence. <i>Journal of Infectious Diseases</i> , 1990, 161, 1153-1169.	4.0	128
130	Preoperative screening cultures in the identification of staphylococci causing wound and valvular infections in cardiac surgery. <i>Journal of Hospital Infection</i> , 1990, 15, 55-63.	2.9	12
132	International Collaborative Evaluation of the ATB 32 Staph gallery for Identification of the <i>Staphylococcus</i> Species. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1990, 273, 319-326.	0.5	32



#	ARTICLE	IF	CITATIONS
133	Observations on coagulase-negative staphylococci in a neonatal unit in India. <i>Journal of Hospital Infection</i> , 1991, 19, 273-281.	2.9	13
134	Identification of staphylococcus carnosus strains from fermented fish and soy sauce mash.. <i>Journal of General and Applied Microbiology</i> , 1991, 37, 479-494.	0.7	27
135	Mastitis-related pathogens in goat milk. <i>Small Ruminant Research</i> , 1991, 4, 203-212.	1.2	46
136	Staphylococci Isolated from Healthy Goats. <i>Zoonoses and Public Health</i> , 1991, 38, 81-89.	1.4	24
137	The Response of Human Peritoneal Macrophages to Stimulation with Bacteria Isolated from Episodes of Continuous Ambulatory Peritoneal Dialysis-Related Peritonitis. <i>Journal of Infectious Diseases</i> , 1991, 163, 837-842.	4.0	39
138	Ventriculoatrial Shunt Infection Caused by <i>Staphylococcus warneri</i> : Case Report and Review. <i>Clinical Infectious Diseases</i> , 1992, 14, 49-52.	5.8	16
139	An epidemic methicillin-resistant strain of <i>Staphylococcus aureus</i> in Spain. <i>Epidemiology and Infection</i> , 1992, 108, 287-298.	2.1	35
140	Identification of <i>Staphylococcus</i> from French dry sausage. <i>Letters in Applied Microbiology</i> , 1992, 15, 73-77.	2.2	33
141	Native valve endocarditis caused by <i>Staphylococcus capitis</i> . <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1993, 12, 789-791.	2.9	20
142	Identification of psychrotrophic <i>Micrococcaceae</i> spp. isolated from fresh beef stored under carbon dioxide or vacuum. <i>International Journal of Food Microbiology</i> , 1994, 23, 167-178.	4.7	1
143	Pulsed-field gel electrophoresis of the genomic restriction fragments of coagulase-negative staphylococci. <i>FEMS Microbiology Letters</i> , 1994, 124, 131-139.	1.8	21
144	Update on clinical significance of coagulase-negative staphylococci. <i>Clinical Microbiology Reviews</i> , 1994, 7, 117-140.	13.6	722
145	Characterization of the most frequently encountered staphylococcus sp. in cats. <i>Veterinary Microbiology</i> , 1994, 39, 255-260.	1.9	42
146	Comparative Study of Staphylococcal Flora on the Skin Surface of Atopic Dermatitis Patients and Healthy Subjects. <i>Journal of Dermatology</i> , 1994, 21, 453-460.	1.2	33
148	Rapid discrimination of <i>Micrococcaceae</i> species using semiconductor gas sensors. <i>Journal of Microbiological Methods</i> , 1995, 24, 183-190.	1.6	21
149	Isolation of methicillin-resistant Staphylococci in the dental operatory. <i>Journal of Endodontics</i> , 1995, 21, 21-25.	3.1	17
150	Prosthetic valve endocarditis caused by <i>Staphylococcus capitis</i> . <i>Annals of Thoracic Surgery</i> , 1996, 62, 324.	1.3	13
151	Identification of a <i>Staphylococcus warneri</i> Species That Converts Oleic Acid to 10-Ketostearic Acid. <i>Current Microbiology</i> , 1996, 32, 260-263.	2.2	10

#	ARTICLE	IF	CITATIONS
152	Reactive arthritis by <i>Staphylococcus epidermidis</i> : Report of an unusual case. <i>Clinical Rheumatology</i> , 1996, 15, 59-61.	2.2	5
153	Microbial Contamination in <i>Spodoptera littoralis</i> Nuclear Polyhedrosis Virus Produced in Insects in Egypt. <i>Journal of Invertebrate Pathology</i> , 1997, 69, 151-156.	3.2	23
154	Studies on polysostaphin processing and characterization of the lysostaphin immunity factor (Lif) of <i>Staphylococcus simulans</i> biovar <i>staphylolyticus</i> . <i>Molecular Microbiology</i> , 1997, 23, 1251-1255.	2.5	160
155	Evaluation of the Staph-Zym system in the identification of staphylococci isolated from ovine milk and the ewe environment. <i>Journal of Basic Microbiology</i> , 1997, 37, 245-250.	3.3	1
156	Distribution and Antimicrobial Susceptibility of Coagulase-Negative Staphylococci from Skin Lesions. <i>Journal of International Medical Research</i> , 1999, 27, 191-195.	1.0	14
157	<i>Staphylococcus capitis</i> endocarditis: two cases and review of the literature. <i>Heart</i> , 1999, 82, e1-e1.	2.9	27
158	Recommended minimal standards for description of new staphylococcal species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 489-502.	1.7	108
159	Characterization of <i>Staphylococcus simulans</i> strains isolated from cases of bovine mastitis. <i>Veterinary Microbiology</i> , 1999, 66, 165-170.	1.9	24
160	Formation of a carcinogenic aromatic amine from an azo dye by human skin bacteria in vitro. <i>Human and Experimental Toxicology</i> , 1999, 18, 552-559.	2.2	183
161	First isolation of <i>Staphylococcus warneri</i> , from diseased rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), in Northwest Spain. <i>Journal of Fish Diseases</i> , 2000, 23, 295-298.	1.9	25
162	Abscess Disease, Caseous Lymphadenitis, and Pulmonary Adenomatosis in Imported Sheep. <i>Zoonoses and Public Health</i> , 2000, 47, 55-62.	1.4	17
163	Bacterial response to acetate challenge: a comparison of tolerance among species. <i>Applied Microbiology and Biotechnology</i> , 2000, 54, 243-247.	3.6	56
164	A sequence variant of <i>Staphylococcus hominis</i> with a high prevalence of oxacillin and fluoroquinolone resistance. <i>Research in Microbiology</i> , 2001, 152, 805-810.	2.1	8
165	Species Distribution of Staphylococci in the Nares and Skin of Horses.. <i>Journal of Equine Science</i> , 2001, 12, 127-134.	0.8	7
166	Isolation and Species Distribution of Staphylococci from Animal and Human Skin.. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 245-250.	0.9	193
167	Crystallization and some properties of d-lactate dehydrogenase from <i>Staphylococcus</i> sp. LDH-1. <i>Journal of Bioscience and Bioengineering</i> , 2002, 94, 330-335.	2.2	6
168	Comparative susceptibility of resident and transient hand bacteria to para-chloro-meta-xyleneol and triclosan. <i>Journal of Applied Microbiology</i> , 2002, 93, 336-344.	3.1	53
169	Molecular diagnostics of clinically important staphylococci. <i>Folia Microbiologica</i> , 2004, 49, 353-386.	2.3	28

#	ARTICLE	IF	CITATIONS
170	Staphylococcus capitis Endocarditis. Infectious Diseases in Clinical Practice, 2004, 12, 314-317.	0.3	5
171	Isolation and identification of bacteria and fungi from cinematographic films. International Biodeterioration and Biodegradation, 2005, 56, 58-68.	3.9	90
172	Staphylococcus epidermidis as a cause of postoperative wound infection after cardiac surgery: Assessment of pathogenicity by a wound-scoring method. British Journal of Surgery, 2005, 75, 168-170.	0.3	29
173	Biochemical and molecular characterization of an azoreductase from Staphylococcus aureus, a tetrameric NADPH-dependent flavoprotein. Microbiology (United Kingdom), 2005, 151, 1433-1441.	1.8	198
174	Staphylococcus capitis endocarditis due to a transvenous endocardial pacemaker infection: Case report and review of Staphylococcus capitis endocarditis. International Journal of Infectious Diseases, 2005, 9, 335-339.	3.3	37
176	Pacemaker Lead Endocarditis Caused by Staphylococcus Hominis. PACE - Pacing and Clinical Electrophysiology, 2006, 29, 543-545.	1.2	11
177	The Genera Staphylococcus and Micrococcus. , 2006, , 5-75.		114
178	Development of a real-time PCR assay for the detection and identification of Staphylococcus capitis, Staphylococcus haemolyticus and Staphylococcus warneri. Journal of Medical Microbiology, 2007, 56, 1346-1349.	1.8	27
179	Lytic Activity of Recombinant Bacteriophage $\phi$ 11 and $\phi$ 12 Endolysins on Whole Cells and Biofilms of Staphylococcus aureus. Applied and Environmental Microbiology, 2007, 73, 347-352.	3.1	200
180	Survival of epidemic strains of healthcare (HA-MRSA) and community-associated (CA-MRSA) methicillin-resistant Staphylococcus aureus (MRSA) in river-, sea- and swimming pool water. International Journal of Hygiene and Environmental Health, 2008, 211, 398-402.	4.3	44
181	Staphylococcus capitis prosthetic valve endocarditis: Report of two rare cases and review of literature. Heart and Lung: Journal of Acute and Critical Care, 2008, 37, 380-384.	1.6	28
182	Monitoring the opportunistic bacteria Pseudoalteromonas sp. LT-13 in a great scallop, Pecten maximus hatchery. Aquaculture, 2008, 276, 14-21.	3.5	18
183	Rapid identification and specific quantification of Staphylococcus epidermidis by 5' nuclease real-time polymerase chain reaction with a minor groove binder probe. Diagnostic Microbiology and Infectious Disease, 2008, 60, 217-219.	1.8	11
184	<i>In vitro</i> Phenotypic Antibiotic Susceptibility Profiles Of Food Indicator Bacteria Isolated From Home-Made Oral Rehydration Solutions In Nigeria. African Journal of Clinical and Experimental Microbiology, 2008, 9, .	0.3	0
185	Role of the Twin-Arginine Translocation Pathway in <i>Staphylococcus</i>. Journal of Bacteriology, 2009, 191, 5921-5929.	2.2	73
186	CLASSIFICATION OF COAGULASE-NEGATIVE STAPHYLOCOCCI IN THE DIAGNOSTIC LABORATORY. Acta Pathologica Microbiologica Scandinavica Section B Microbiology, 2009, 85B, 136-142.	0.0	28
187	IMMUNOCHEMICAL ANALYSIS OF THE TEICHOIC ACID FROM <i>STAPHYLOCOCCUS SIMULANS</i>. Acta Pathologica Microbiologica Scandinavica Section B Microbiology, 1980, 88B, 121-123.	0.0	1
188	INVESTIGATION OF <i>MICROCOCCACEAE</i> IN A DEPARTMENT OF CARDIAC SURGERY. Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section B, Microbiology, 1983, 91B, 273-278.	0.1	1

#	ARTICLE	IF	CITATIONS
189	EVALUATION OF A CONVENTIONAL ROUTINE METHOD FOR IDENTIFICATION OF CLINICAL ISOLATES OF COAGULASE-NEGATIVE <i>STAPHYLOCOCCUS</i> AND <i>MICROCOCCUS</i> SPECIES Comparison with API- <i>Staph</i> and API- <i>Staph</i> - <i>Ident</i> . Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section B, Microbiology, 1987, 95B, 283-292.	0.1	12
190	Unilateral scrotal pyocele in ram caused by <i>Staphylococcus capitis</i> . Australian Veterinary Journal, 2009, 87, 484-486.	1.1	6
192	Die subklinische Kokkenmastitis des Rindes Eine Åbersicht. Zentralblatt FÅ¼r VeterinÅrmedizin Reihe B, 2010, 29, 329-358.	0.0	1
193	<i>Staphylococcus warneri</i> meningitis in a patient with <i>Strongyloides stercoralis</i> hyperinfection and lymphoma: first report of a case. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2010, 52, 169-170.	1.1	20
194	<i>Staphylococcus</i> colonization of the skin and antimicrobial peptides. Expert Review of Dermatology, 2010, 5, 183-195.	0.3	195
196	Detection of Bacteria, Viruses, Parasites and Fungi. NATO Science for Peace and Security Series A: Chemistry and Biology, 2010, , .	0.5	3
197	Isolation of <i>Staphylococcus simulans</i> from Dermatitis in a Captive African Pygmy Hedgehog. Journal of Zoo and Wildlife Medicine, 2011, 42, 277-280.	0.6	7
198	Community-acquired meningitis due to <i>Staphylococcus capitis</i> in the absence of neurologic trauma, surgery, or implants. Heart and Lung: Journal of Acute and Critical Care, 2011, 40, 467-471.	1.6	11
199	Inhibitors Produced by A Strain of <i>Staphylococcus Epidermidis</i> Isolated from Healthy Human Skin. Journal of Pharmacy and Pharmacology, 2011, 32, 28P-28P.	2.4	0
200	Culturable bacterial diversity at the Princess Elisabeth Station (Utsteinen, SÅr Rondane Mountains,) Tj ETQq1 1 0.784314 rgBT /Overl	2.8	52
201	Multiple comparisons of organic, microbial, and fine particulate pollutants in typical indoor environments: Diurnal and seasonal variations. Journal of the Air and Waste Management Association, 2012, 62, 1380-1393.	1.9	43
202	Emergence of <i>Staphylococcus hominis</i> Strains in General Infections. ARS Medica Tomitana, 2012, 18, 80-82.	0.1	5
203	Evaluation of species-specific score cut-off values for various <i>Staphylococcus</i> species using a MALDI Biotyper-based identification. Journal of Medical Microbiology, 2012, 61, 1409-1416.	1.8	21
204	Isolation of <i>Staphylococcus epidermidis</i> from inflamed upper respiratory tract of an orange-spined hairy dwarf porcupine ( <i>Sphiggurus villosus</i> ). Journal of Venomous Animals and Toxins Including Tropical Diseases, 2012, 18, 455-458.	1.4	2
205	Photodynamic oxidation of <i>Staphylococcus warneri</i> membrane phospholipids: new insights based on lipidomics. Rapid Communications in Mass Spectrometry, 2013, 27, 1607-1618.	1.5	34
206	Direction of aminoacylated transfer RNAs into antibiotic synthesis and peptidoglycan-mediated antibiotic resistance. FEBS Letters, 2013, 587, 2895-2904.	2.8	46
207	Assessment of the suitability of mannitol salt agar for growing bovine-associated coagulase-negative staphylococci and its use under field conditions. Research in Veterinary Science, 2013, 95, 347-351.	1.9	19
208	Osteomyelitis of the tibia following anterior cruciate ligament reconstruction. International Journal of Surgery Case Reports, 2013, 4, 143-145.	0.6	9

#	ARTICLE	IF	CITATIONS
209	Nucleic acid changes during photodynamic inactivation of bacteria by cationic porphyrins. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 4311-4318.	3.0	42
210	Biofilm formation by <i>Staphylococcus capitis</i> strains isolated from contaminated platelet concentrates. <i>Journal of Medical Microbiology</i> , 2013, 62, 1051-1059.	1.8	26
211	Bacteria Associated with Larvae and Adults of the Asian Longhorned Beetle (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662 Td (	0.3	11
212	Role of the Central Venous Catheter in Bloodstream Infections Caused by Coagulase-negative Staphylococci in Very Preterm Neonates. <i>Pediatric Infectious Disease Journal</i> , 2013, 32, 622-628.	2.0	16
213	Phylogenetic diversity of bacterial communities inhabiting the sediment of Lake HÃ©vÃ©z Ã©” A comparison of cultivation and cloning. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2013, 60, 211-235.	0.8	3
214	Isolation and identification of bacteria from <i>Xylosandrus germanus</i> (Blandford) (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.4	5
216	Improving the Safety of <i>Staphylococcus aureus</i> Polyvalent Phages by Their Production on a <i>Staphylococcus xylosus</i> Strain. <i>PLoS ONE</i> , 2014, 9, e102600.	2.5	43
217	A Novel Model of Chronic Wounds: Importance of Redox Imbalance and Biofilm-Forming Bacteria for Establishment of Chronicity. <i>PLoS ONE</i> , 2014, 9, e109848.	2.5	76
218	Bacterial diversity assessed by cultivation-based techniques shows predominance of <i>Staphylococcus</i> species on coins collected in Lisbon and Casablanca. <i>FEMS Microbiology Ecology</i> , 2014, 88, 26-37.	2.7	13
219	Identification of staphylococcal species based on variations in protein sequences (mass spectrometry) and DNA sequence (sodA microarray). <i>Molecular and Cellular Probes</i> , 2014, 28, 41-50.	2.1	13
220	Phylogeny and ecophysiological features of prokaryotes isolated from temporary saline tidal pools. <i>Annals of Microbiology</i> , 2014, 64, 599-609.	2.6	4
221	Coagulase-Negative Staphylococci. <i>Clinical Microbiology Reviews</i> , 2014, 27, 870-926.	13.6	1,135
222	Reprint of Identification of staphylococcal species based on variations in protein sequences (mass) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	2.1	4
223	Development of the novel chromogenic screening medium for methicillin-resistant <i>Staphylococcus aureus</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2014, 79, 473-476.	1.8	2
224	<i>Staphylococcus hominis</i> carotid artery infection with septic embolization. <i>Journal of Vascular Surgery Cases</i> , 2015, 1, 81-83.	0.2	1
226	Antimicrobial Resistance in Staphylococci at the Human-Animal Interface. , 0, , .		2
227	Insights on virulence from the complete genome of <i>Staphylococcus capitis</i> . <i>Frontiers in Microbiology</i> , 2015, 6, 980.	3.5	56
228	Impact of Water Chemistry, Pipe Material and Stagnation on the Building Plumbing Microbiome. <i>PLoS ONE</i> , 2015, 10, e0141087.	2.5	128

#	ARTICLE	IF	CITATIONS
229	Pneumonia and Inflammatory Arthritis Caused by Unusual Occupational Exposure or a Life-Threatening Infection Resulting From a More Commonly Encountered Mechanism?. Journal of Cardiothoracic and Vascular Anesthesia, 2015, 29, 1096-1099.	1.3	2
230	Identification of axillary <i>Staphylococcus</i> sp. involved in the production of the malodorous thioalcohol 3-methyl-3-sufanylhexan-1-ol. FEMS Microbiology Letters, 2015, 362, fnv111.	1.8	34
231	<i>Staphylococcus epidermidis</i> Protection Against <i>Staphylococcus aureus</i> Colonization in People Living With Human Immunodeficiency Virus in an Inner-City Outpatient Population: A Cross-Sectional Study. Open Forum Infectious Diseases, 2016, 3, ofw234.	0.9	11
232	Comparison phenotypic and genotypic identification of <i>Staphylococcus</i> species isolated from bovine mastitis. Pesquisa Veterinaria Brasileira, 2016, 36, 1160-1164.	0.5	7
233	Affinity capture using peptide-functionalized magnetic nanoparticles to target <i>Staphylococcus aureus</i> . Nanoscale, 2016, 8, 9217-9225.	5.6	21
234	Phenotypic and Molecular Antibiotic Resistance Determination of Airborne Coagulase Negative <i>Staphylococcus</i> spp. Strains from Healthcare Facilities in Southern Poland. Microbial Drug Resistance, 2016, 22, 515-522.	2.0	21
235	Identification of beer spoilage microorganisms using the MALDI Biotyper platform. Applied Microbiology and Biotechnology, 2016, 100, 2761-2773.	3.6	27
237	Biodegradation of malodorous mercaptans by a novel <i>Staphylococcus capitis</i> strain isolated from gas-washing wastewaters of the Tunisian Chemical Group. International Journal of Environmental Science and Technology, 2016, 13, 571-580.	3.5	23
238	Acute Peritonitis Caused by <i>Staphylococcus capitis</i> in a Peritoneal Dialysis Patient. Peritoneal Dialysis International, 2017, 37, 115-116.	2.3	3
239	Adaptations of archaeal and bacterial membranes to variations in temperature, pH and pressure. Extremophiles, 2017, 21, 651-670.	2.3	293
240	Prebiotic effect of xylooligosaccharides produced from birchwood xylan by a novel fungal GH11 xylanase. Food Chemistry, 2017, 232, 105-113.	8.2	74
241	Silver nanoparticles toxicity against airborne strains of <i>Staphylococcus</i> spp.. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2017, 52, 1247-1256.	1.7	11
242	Phenotypic and molecular assessment of antimicrobial resistance profile of airborne <i>Staphylococcus</i> spp. isolated from flats in Kraków. Aerobiologia, 2017, 33, 435-444.	1.7	9
243	Draft genome sequences of eight bacteria isolated from the indoor environment: <i>Staphylococcus capitis</i> strain H36, <i>S. capitis</i> strain H65, <i>S. cohnii</i> strain H62, <i>S. hominis</i> strain H69, <i>Microbacterium</i> sp. strain H83, <i>Mycobacterium iranicum</i> strain H39, <i>Plantibacter</i> sp. strain H53, and <i>Pseudomonas oryzae</i> strain H72. Standards in Genomic Sciences. 2017, 12, 17.	1.5	9
244	FDA 2014 survey of eye area cosmetics for microbiological safety. Letters in Applied Microbiology, 2018, 67, 32-38.	2.2	4
245	Complete genome sequencing of three human clinical isolates of <i>Staphylococcus caprae</i> reveals virulence factors similar to those of <i>S. epidermidis</i> and <i>S. capitis</i> . BMC Genomics, 2018, 19, 810.	2.8	36
246	Diagnostics: Routine Identification on Standard and Chromogenic Media, and Advanced Automated Methods. , 2018, , 185-198.		1
247	<i>Staphylococcal</i> Ecology and Epidemiology. , 2018, , 11-24.		8

#	ARTICLE	IF	CITATIONS
248	Spiders, microbes and sex: Bacterial exposure on copulatory organs alters mating behaviour in funnel-web spiders. <i>Ethology</i> , 2019, 125, 677-685.	1.1	1
249	Development and Validation of a Reference Data Set for Assigning <i>Staphylococcus</i> Species Based on Next-Generation Sequencing of the 16S-23S rRNA Region. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019, 9, 278.	3.9	18
250	Draft Genome Sequences of Two <i>Staphylococcus warneri</i> Clinical Isolates, Strains SMA0023-04 (UGA3) and SMA0670-05 (UGA28), from Siaya County Referral Hospital, Siaya, Kenya. <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.6	0
251	<i>Staphylococcus aureus</i> Colonization of the Human Nose and Interaction with Other Microbiome Members. <i>Microbiology Spectrum</i> , 2019, 7, .	3.0	60
252	Honeydew-associated microbes elicit defense responses against brown planthopper in rice. <i>Journal of Experimental Botany</i> , 2019, 70, 1683-1696.	4.8	52
253	<i>Staphylococcus aureus</i> Colonization of the Human Nose and Interaction with Other Microbiome Members. , 0, , 723-730.		5
254	Distinct Phenotypic and Genomic Signatures Underlie Contrasting Pathogenic Potential of <i>Staphylococcus epidermidis</i> Clonal Lineages. <i>Frontiers in Microbiology</i> , 2019, 10, 1971.	3.5	32
255	Decreased efficacy of UV inactivation of <i>Staphylococcus aureus</i> after multiple exposure and growth cycles. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 111-116.	4.3	16
256	Competition among Nasal Bacteria Suggests a Role for Siderophore-Mediated Interactions in Shaping the Human Nasal Microbiota. <i>Applied and Environmental Microbiology</i> , 2019, 85, .	3.1	57
257	Microbiological air contamination in university premises and the evaluation of drug resistance of staphylococci occurring in the form of a bioaerosol. <i>Indoor and Built Environment</i> , 2019, 28, 235-246.	2.8	12
258	Endophytic bacteria associated with halophyte <i>Seidlitzia rosmarinus</i> Ehrenb. ex Boiss. from saline soil of Uzbekistan and their plant beneficial traits. <i>Journal of Arid Land</i> , 2020, 12, 730-740.	2.3	26
259	Studying Hydraulic Interconnections in Low-Permeability Media by Using Bacterial Communities as Natural Tracers. <i>Water (Switzerland)</i> , 2020, 12, 1795.	2.7	8
260	Manual emptying of ventilated improved pit latrines and hygiene challenges - a baseline survey in a peri-urban community in KwaZulu-Natal, South Africa. <i>International Journal of Environmental Health Research</i> , 2022, 32, 1043-1054.	2.7	3
261	Globally deimmunized lysostaphin evades human immune surveillance and enables highly efficacious repeat dosing. <i>Science Advances</i> , 2020, 6, .	10.3	22
262	Plasticity of Coagulase-Negative Staphylococcal Membrane Fatty Acid Composition and Implications for Responses to Antimicrobial Agents. <i>Antibiotics</i> , 2020, 9, 214.	3.7	11
263	Coagulase-negative staphylococci (CoNS) as a significant etiological factor of laryngological infections: a review. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2020, 19, 26.	3.8	30
264	Novel Peptide from Commensal <i>Staphylococcus simulans</i> Blocks Methicillin-Resistant <i>Staphylococcus aureus</i> Quorum Sensing and Protects Host Skin from Damage. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .	3.2	44
265	Identification of Microorganisms from Several Surfaces by MALDI-TOF MS: <i>P. aeruginosa</i> Is Leading in Biofilm Formation. <i>Microorganisms</i> , 2021, 9, 992.	3.6	12

#	ARTICLE	IF	CITATIONS
266	Comparison of three amplicon sequencing approaches to determine staphylococcal populations on human skin. BMC Microbiology, 2021, 21, 221.	3.3	3
268	Zooming Into the Microbiota of Home-Made and Industrial Kefir Produced in Greece Using Classical Microbiological and Amplicon-Based Metagenomics Analyses. Frontiers in Microbiology, 2021, 12, 621069.	3.5	32
269	Gram-positive brewery bacteria. , 2003, , 181-217.		26
270	Staphylococcal Diseases. , 1988, , 473-482.		4
271	The Identification of Staphylococcus and Micrococcus Species Isolated from Human Skin. , 1981, , 3-12.		4
272	Microbial Ecology of the Human Skin. Advances in Microbial Ecology, 1978, , 245-289.	0.1	30
273	Gram-positive brewery bacteria. , 1999, , 127-161.		8
274	Gram-positive brewery bacteria. , 1996, , 127-161.		19
275	Treatment of Native Valve Endocarditis: General Principles and Therapy for Specific Organisms. , 2006, , 121-183.		2
276	Treatment of Endocarditis. , 2016, , 181-280.		1
277	Systematics of Bacteria. , 1980, , 234-252.		3
278	Microorganisms. , 1993, , 59-71.		2
279	Molecular Diagnostics of Staphylococcus aureus. NATO Science for Peace and Security Series A: Chemistry and Biology, 2010, , 139-184.	0.5	1
280	Coagulase-Negative Staphylococci. Southern Medical Journal, 1988, 81, 491-500.	0.7	17
281	The Relevance of Bacterial Lytic Activity in the Taxonomy of the Micrococcaceae: Failure of its Production by Micrococcus and Planococcus as Opposed to Staphylococcus. Journal of General Microbiology, 1978, 109, 385-388.	2.3	10
282	Novobiocin Resistance and Virulence of Strains of Staphylococcus Saprophyticus Isolated from Urine and Skin. Journal of Medical Microbiology, 1978, 11, 243-248.	1.8	21
283	Clonality, virulence and the occurrence of genes encoding antibiotic resistance among Staphylococcus warneri isolates from bloodstream infections. Journal of Medical Microbiology, 2016, 65, 828-836.	1.8	16
284	Preliminary studies on the characterization and distribution of Staphylococcus and Micrococcus species on animal skin. Applied and Environmental Microbiology, 1976, 31, 53-59.	3.1	90



#	ARTICLE	IF	CITATIONS
285	The Environment and the Microbial Ecology of Human Skin. <i>Applied and Environmental Microbiology</i> , 1977, 33, 603-608.	3.1	77
286	Temporal study of the staphylococci and micrococci of normal infant skin. <i>Applied and Environmental Microbiology</i> , 1977, 34, 673-680.	3.1	27
287	Rapid test for the serological separation of staphylococci from micrococci. <i>Applied and Environmental Microbiology</i> , 1978, 35, 479-482.	3.1	20
288	Selection of colony, plasmid, and virulence variants of <i>Staphylococcus epidermidis</i> NRC853 during growth in continuous cultures exposed to erythromycin. <i>Applied and Environmental Microbiology</i> , 1991, 57, 1018-1025.	3.1	5
289	Distribution and Persistence of <i>Staphylococcus</i> and <i>Micrococcus</i> Species and Other Aerobic Bacteria on Human Skin. <i>Applied Microbiology</i> , 1975, 30, 381-395.	0.6	385
290	Bacteriolytic activity in staphylococci. <i>Infection and Immunity</i> , 1977, 16, 37-42.	2.2	49
291	Choriogonadotropin-like antigen in a strain of <i>Streptococcus faecalis</i> and a strain of <i>Staphylococcus simulans</i> : detection, identification, and characterization. <i>Infection and Immunity</i> , 1981, 31, 487-494.	2.2	19
292	Intracellular mannitol, a product of glucose metabolism in staphylococci. <i>Journal of Bacteriology</i> , 1981, 146, 1020-1029.	2.2	20
293	Purification and characterization of three separate bacteriolytic enzymes excreted by <i>Staphylococcus aureus</i> , <i>Staphylococcus simulans</i> , and <i>Staphylococcus saprophyticus</i> . <i>Journal of Bacteriology</i> , 1982, 151, 636-647.	2.2	49
294	Expression of the gene encoding protein A in <i>Staphylococcus aureus</i> and coagulase-negative staphylococci. <i>Journal of Bacteriology</i> , 1984, 159, 713-719.	2.2	67
295	Simplified scheme for routine identification of human <i>Staphylococcus</i> species. <i>Journal of Clinical Microbiology</i> , 1975, 1, 82-88.	3.9	784
296	A simple test system for the separation of staphylococci from micrococci. <i>Journal of Clinical Microbiology</i> , 1975, 1, 337-338.	3.9	204
297	Simplified lyogroup system, a new method for routine identification of staphylococci: description and comparison with three other methods. <i>Journal of Clinical Microbiology</i> , 1980, 12, 63-68.	3.9	38
298	Modified oxidase and benzidine tests for separation of staphylococci from micrococci. <i>Journal of Clinical Microbiology</i> , 1981, 13, 1031-1035.	3.9	112
299	Comparison of methods for identifying <i>Staphylococcus</i> and <i>Micrococcus</i> spp. <i>Journal of Clinical Microbiology</i> , 1981, 14, 195-200.	3.9	28
300	Identification of <i>Staphylococcus hyicus</i> with the API staph strip. <i>Journal of Clinical Microbiology</i> , 1982, 15, 984-986.	3.9	17
301	Identification of <i>Staphylococcus</i> species with the API STAPH-IDENT system. <i>Journal of Clinical Microbiology</i> , 1982, 16, 509-516.	3.9	200
302	Characterization of clinically significant strains of coagulase-negative staphylococci. <i>Journal of Clinical Microbiology</i> , 1983, 18, 258-269.	3.9	233

#	ARTICLE	IF	CITATIONS
303	Identification of Staphylococcus species of bovine origin with the API Staph-Ident system. Journal of Clinical Microbiology, 1983, 18, 1212-1219.	3.9	56
304	Species identification and antibiotic susceptibilities of coagulase-negative staphylococci isolated from clinical specimens. Journal of Clinical Microbiology, 1983, 18, 1314-1319.	3.9	85
305	Identification, clinical distribution, and susceptibility to methicillin and 18 additional antibiotics of clinical Staphylococcus isolates: nationwide investigation in Italy. Journal of Clinical Microbiology, 1984, 19, 838-843.	3.9	33
306	Uracil and pyruvate requirements of anaerobic growth of staphylococci. Journal of Clinical Microbiology, 1975, 2, 14-17.	3.9	9
307	Two coagulase-variant forms of Staphylococcus aureus isolated from blood cultures. Journal of Clinical Microbiology, 1984, 20, 115-117.	3.9	8
308	Evaluation of the Staph-Ident and STAPHase systems for identification of staphylococci from bovine intramammary infections. Journal of Clinical Microbiology, 1984, 20, 448-452.	3.9	40
309	Use of trehalose-mannitol-phosphatase agar to differentiate Staphylococcus epidermidis and Staphylococcus saprophyticus from other coagulase-negative staphylococci. Journal of Clinical Microbiology, 1984, 20, 977-980.	3.9	18
310	Relationships among the results of coagulase, staphylococcal toxin, and thermonuclease tests on staphylococci from cow milk. Journal of Clinical Microbiology, 1985, 21, 582-584.	3.9	8
311	Synergistic hemolysis exhibited by species of staphylococci. Journal of Clinical Microbiology, 1985, 22, 409-415.	3.9	85
312	Evaluation of the Minitek gram-positive set for identification of staphylococci isolated from the bovine mammary gland. Journal of Clinical Microbiology, 1986, 23, 873-875.	3.9	19
313	Characterization of coagulase-negative staphylococci by sodium dodecyl sulfate-polyacrylamide gel electrophoresis and immunoblot analyses. Journal of Clinical Microbiology, 1989, 27, 2199-2203.	3.9	24
314	Temporal study of staphylococcal species on the skin of human subjects in isolation and clonal analysis of Staphylococcus capitis by sodium dodecyl sulfate-polyacrylamide gel electrophoresis. Journal of Clinical Microbiology, 1989, 27, 2627-2632.	3.9	19
315	Phosphatase activity of staphylococci is constitutive in some species and repressed by phosphates in others. Journal of Clinical Microbiology, 1990, 28, 2707-2710.	3.9	3
316	Identification of coagulase-negative staphylococci by using sodium dodecyl sulfate-polyacrylamide gel electrophoresis and rRNA restriction patterns. Journal of Clinical Microbiology, 1991, 29, 390-392.	3.9	28
317	Identification of Staphylococcus species and subspecies with the MicroScan Pos ID and Rapid Pos ID panel systems. Journal of Clinical Microbiology, 1991, 29, 738-744.	3.9	55
318	Evaluation of MicroScan Rapid Pos Combo panels for identification of staphylococci. Journal of Clinical Microbiology, 1992, 30, 93-95.	3.9	22
319	Identification of staphylococci with a self-educating system using fatty acid analysis and biochemical tests. Journal of Clinical Microbiology, 1996, 34, 3075-3084.	3.9	29
320	Pediatric bacteremia due to Staphylococcus warneri: microbiological, epidemiological, and clinical features. Journal of Clinical Microbiology, 1997, 35, 2174-2177.	3.9	22

#	ARTICLE	IF	CITATIONS
321	Time- and media-saving testing and identification of microorganisms by multipoint inoculation on undivided agar plates. <i>Journal of Clinical Microbiology</i> , 1978, 8, 219-227.	3.9	28
322	Micromethod for biochemical identification of coagulase-negative staphylococci. <i>Journal of Clinical Microbiology</i> , 1978, 8, 503-508.	3.9	73
323	Coagulase-negative staphylococci and the epidemiological typing of <i>Staphylococcus epidermidis</i> . <i>Microbiological Reviews</i> , 1985, 49, 126-139.	10.1	100
324	Coagulase-Negative, Novobiocin-Resistant Staphylococci on the Skin of Animals and Man, on Meat and in Milk. <i>Acta Veterinaria Scandinavica</i> , 1978, 19, 243-253.	1.6	18
325	Staphylococcal and other Bacterial Species Associated with Intramammary Infections in Danish Dairy Herds. <i>Acta Veterinaria Scandinavica</i> , 1995, 36, 475-487.	1.6	43
326	Coagulase-Negative Staphylococci. , 2005, , 109-153.		3
327	Multilocus Sequence Typing and Further Genetic Characterization of the Enigmatic Pathogen, <i>Staphylococcus hominis</i> . <i>PLoS ONE</i> , 2013, 8, e66496.	2.5	24
328	Phytochemical characterization of different yarrow species ( <i>Achillea</i> sp.) and investigations into their antimicrobial activity. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2021, 76, 55-65.	1.4	13
329	Celularidade do leite e Unidades Formadoras de Colônias nas mastites causadas por <i>Staphylococcus</i> coagulase positiva e coagulase negativa. <i>Pesquisa Veterinaria Brasileira</i> , 2015, 35, 518-524.	0.5	2
330	Title is missing!. <i>Fish Pathology</i> , 1981, 16, 15-24.	0.7	31
331	Disc-diffusion and PCR Detection of Methicillin Resistance in Environmental Airborne Strains of <i>Staphylococcus</i> spp. <i>Polish Journal of Microbiology</i> , 2014, 63, 363-368.	1.7	4
332	Bilateral iliac and popliteal arterial thrombosis in a child with focal segmental glomerulosclerosis. <i>Korean Journal of Pediatrics</i> , 2016, 59, 242.	1.9	6
333	Micro-organisms. , 2000, , 83-95.		0
348	Biofilm formation by <i>Staphylococcus capitis</i> strains isolated from contaminated platelet concentrates. <i>Journal of Medical Microbiology</i> , 2013, 62, 1917-1917.	1.8	3
349	Studies on the characterization and the classification of staphylococci isolated from human oral cavity.. <i>Japanese Journal of Oral Biology</i> , 1982, 24, 224-226.	0.1	0
350	Staphylococci. , 1986, , 231-239.		0
351	Zum Stand der Taxonomie der Residentflora der Haut des Menschen. Möglichkeiten und Grenzen der Feindiagnostik ihrer Bakterienspecies. , 1987, , 81-94.		3
353	Bakteriologie. , 1994, , 58-71.		0

#	ARTICLE	IF	CITATIONS
354	Evaluation of Staf-Sistem 18-R for identification of staphylococcal clinical isolates to the species level. <i>Journal of Clinical Microbiology</i> , 1994, 32, 649-653.	3.9	7
355	A <i>Staphylococcus hominis</i> subsp. <i>hominis</i> INFECTION IN CULTURED RAINBOW TROUT ( <i>Oncorhynchus</i> ) Tj ETQq1 1 0,784314,rgBT /Ower	0.0	2
358	Microbial Musings – August 2020. <i>Microbiology (United Kingdom)</i> , 2020, 166, 680-682.	1.8	0
359	STAPHYLOCOCCUS WARNERI CLINICAL ISOLATE SUSCEPTIBILITY TO ANTIBIOTICS AND ITS MODIFICATION BY EMOXYPINE. <i>International Journal of Medicine and Medical Research</i> , 2020, 6, 61-67.	0.2	1
360	Chocolate agar, a differential medium for gram-positive cocci. <i>Journal of Clinical Microbiology</i> , 1984, 20, 822-823.	3.9	5
361	Selective medium for distinguishing micrococci from staphylococci in the clinical laboratory. <i>Journal of Clinical Microbiology</i> , 1976, 4, 455-457.	3.9	44
362	Testing Laser-Structured Antimicrobial Surfaces Under Space Conditions: The Design of the ISS Experiment BIOFILMS. <i>Frontiers in Space Technologies</i> , 2022, 2, .	1.4	3
364	Recurrent <i>Staphylococcus capitis</i> Prosthetic Valve Endocarditis Presenting With ST-Segment Elevation Myocardial Infarction: A Case Report. <i>Cureus</i> , 2022, 14, e22732.	0.5	0
375	Antibiofilm impact of <i>ziziphus spina christi</i> on methicillin resistance of <i>Staphylococcus warneri</i> . <i>International Journal of Health Sciences</i> , 0, , 5526-5533.	0.1	0
377	The Ubiquitous Human Skin Commensal <i>Staphylococcus hominis</i> Protects against Opportunistic Pathogens. <i>MBio</i> , 2022, 13, .	4.1	24
378	The Commensal <i>Staphylococcus warneri</i> Makes Peptide Inhibitors of MRSA Quorum Sensing that Protect Skin from Atopic or Necrotic Damage. <i>Journal of Investigative Dermatology</i> , 2022, 142, 3349-3352.e5.	0.7	9
379	<i>Staphylococcus epidermidis</i> and its dual lifestyle in skin health and infection. <i>Nature Reviews Microbiology</i> , 2023, 21, 97-111.	28.6	47
380	Interference and co-existence of staphylococci and <i>Cutibacterium acnes</i> within the healthy human skin microbiome. <i>Communications Biology</i> , 2022, 5, .	4.4	14
381	Comparative genomics of <i>Staphylococcus capitis</i> reveals species determinants. <i>Frontiers in Microbiology</i> , 0, 13, .	3.5	9
382	Phenotypic and genomic assessment of the potential threat of human spaceflight-relevant <i>Staphylococcus capitis</i> isolates under stress conditions. <i>Frontiers in Microbiology</i> , 0, 13, .	3.5	1
383	Invasion of intestinal cells by <i>Staphylococcus warneri</i> , a member of the human gut microbiota. <i>Cut Pathogens</i> , 2023, 15, .	3.4	2
384	Evolutionary investigations of the biosynthetic diversity in the skin microbiome using IsaBGC. <i>Microbial Genomics</i> , 2023, 9, .	2.0	7
385	Isolation, identification, and community diversity of microorganisms during tank fermentation of Liupao tea. <i>Journal of Food Science</i> , 2023, 88, 4230-4246.	3.1	1

#	ARTICLE	IF	CITATIONS
386	A <i>Staphylococcus capitis</i> strain with unusual bacteriocin production. <i>Microbial Biotechnology</i> , 2023, 16, 2181-2193.	4.2	0
387	Multidrug-Resistant <i>Staphylococcus capitis</i> : An Emerging Challenge in Clinical Settings Found in Adult Patients in Saudi Arabia. <i>Journal of Pure and Applied Microbiology</i> , 2023, 17, 1836-1845.	0.9	0
388	<i>Staphylococcus capitis</i> Bloodstream Isolates: Investigation of Clonal Relationship, Resistance Profile, Virulence and Biofilm Formation. <i>Antibiotics</i> , 2024, 13, 147.	3.7	0