

CITATION REPORT

List of articles citing

Problems in echocardiographic volume determinations: echocardiographic-angiographic correlations in the presence of absence of asynergy

DOI: 10.1016/0002-9149(76)90491-4
American Journal of Cardiology, 1976, 37, 7-11.

Source: <https://exaly.com/paper-pdf/12552442/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2284	Noninvasive assessment of left ventricular structure and function in patients with end-stage renal disease. 1994 , 106, 13-25		1
2283	The Mesozoic Flora of Graham Land. 1913 , 37, 763-764		2
2282	Echocardiographic evaluation of the Valsalva Maneuver in healthy subjects and patients with and without heart failure. 1976 , 54, 921-7		49
2281	The effect of left ventricular pressure or volume overload on ventricular dimension in children. Left ventricular volume determination from one or two ventricular dimensions. 1976 , 54, 969-74		5
2280	Echocardiographic assessment of the level of cardiac compensation in valvular heart disease. 1976 , 54, 509-18		27
2279	Echocardiographic measurement of cardiac output using the mitral valve and aortic root echo. 1976 , 54, 738-43		22
2278	Distance correction for precordial electrocardiographic voltage in estimating left ventricular mass: an echocardiographic study. 1977 , 55, 509-12		50
2277	A new, noninvasive technique for inducing post-extrasystolic potentiation during echocardiography. 1977 , 56, 598-605		28
2276	Noninvasive cardiac diagnosis (third of three parts). 1977 , 296, 427-32		9
2275	Echocardiographic evaluation of left ventricular function. 1977 , 296, 856-8		19
2274	Current concepts in cardiology. Derived indexes of ventricular and myocardial function. 1977 , 296, 978-82		91
2273	Echocardiographic and roentgenographic determination of left ventricular size after coronary arterial bypass graft surgery. 1977 , 72, 455-8		6
2272	Administration of nitrous oxide in normal subjects. Evaluation of systems of gas delivery for their clinical use and hemodynamic effects. 1977 , 72, 316-22		27
2271	Bibliography of diagnostic uses of ultrasound in medicine and biology. 1977 , 2, 387-413		
2270	Echocardiographic study of cardiac dimensions and function in the endurance-trained athlete. <i>American Journal of Cardiology</i> , 1977 , 40, 528-33	3	143
2269	The evaluation of left ventricular function by echocardiography. 1977 , 63, 1-9		28
2268	Pathophysiologic assessment of hypertensive heart disease with echocardiography. <i>American Journal of Cardiology</i> , 1977 , 39, 789-95	3	278

2267	Correlations of electrocardiography and echocardiography in determination of left ventricular wall thickness: Study of apparently normal subjects. <i>American Journal of Cardiology</i> , 1977 , 39, 189-95	3	29
2266	Mitral-septal separation: new echocardiographic index of left ventricular function. <i>American Journal of Cardiology</i> , 1977 , 39, 1008-16	3	122
2265	Interobserver variability in echocardiography. 1977 , 5, 238-42		41
2264	Clinical and angiographic implications of a depressed echocardiographic ejection fraction in coronary artery disease. 1977 , 3, 259-66		1
2263	The study of left ventricular function from digitized echocardiograms. 1978 , 20, 359-84		141
2262	The use of echocardiography for quantitative evaluation of left ventricular function. 1978 , 21, 119-32		28
2261	Ultrasonic three-dimensional imaging and volume from a series of arbitrary sector scans. 1978 , 4, 317-27		41
2260	Noninvasive evaluation of the patient with suspected coronary artery disease. 1978 , 3, 1-66		
2259	Radionuclide assessment of ventricular performance during propranolol withdrawal prior to aortocoronary bypass surgery. 1978 , 96, 714-22		10
2258	Echocardiography in ischemic heart disease: present status and future prospectives. 1978 , 96, 543-9		11
2257	The ventricular A wave: a new echocardiographic index of late diastolic filling of the left ventricle. 1978 , 96, 615-23		13
2256	Statistical considerations in determination of ventricular volume from echocardiographic and angiographic data. <i>American Journal of Cardiology</i> , 1978 , 41, 351-2	3	1
2255	Assessment of mitral valve E point-septal separation as an index of left ventricular performance in patients with acute and previous myocardial infarction. <i>American Journal of Cardiology</i> , 1978 , 41, 836-45 ³		37
2254	Left ventricular dynamics during long-term digoxin treatment in patients with stable coronary artery disease. <i>American Journal of Cardiology</i> , 1978 , 41, 937-42	3	34
2253	Rapid changes in left ventricular dimensions and mass in response to physical conditioning and deconditioning. <i>American Journal of Cardiology</i> , 1978 , 42, 52-6	3	232
2252	Assessment of cardiac performance with quantitative radionuclide angiocardiology. Effects of oral propranolol on global and regional left ventricular function in coronary artery disease. 1978 , 58, 808-14		51
2251	Assessment of correction formula for echocardiographic estimations of left ventricular volumes. 1978 , 40, 294-96		15
2250	Echocardiographic assessment of left ventricular filling and septal and posterior wall dynamics in idiopathic hypertrophic subaortic stenosis. 1978 , 57, 512-20		181

2249	Comparative effect of nadolol and propranolol on exercise tolerance in patients with angina pectoris. 1978 , 40, 1361-70	20
2248	Effect of phasic respiration on left ventricular dimension and performance in a normal population. An echocardiographic study. 1978 , 57, 122-7	90
2247	Accuracy of echocardiography in assessing left ventricular dimensions and volume. 1978 , 57, 699-707	48
2246	Systolic anterior motion of the mitral valve in the absence of asymmetric septal hypertrophy. 1978 , 57, 256-63	54
2245	Echocardiography as an index of cardiac performance. 1978 , 13, 101-11	1
2244	Percentage of shortening of the echocardiographic left ventricular dimension. Its use in determining ejection fraction and stroke volume. 1978 , 74, 59-65	139
2243	The noninvasive cardiac evaluation of long-distance runners. 1978 , 73, 376-81	85
2242	Sequential radionuclide assessment of left and right ventricular performance after acute transmural myocardial infarction. 1978 , 89, 441-7	171
2241	Assessment of left ventricular ejection fraction and volumes by real-time, two-dimensional echocardiography. A comparison of cineangiographic and radionuclide techniques. 1979 , 60, 760-6	639
2240	Echocardiography in cardiovascular drug assessment. 1979 , 41, 536-43	24
2239	Cardiac effects of acute ethanol ingestion unmasked by autonomic blockade. 1979 , 59, 120-5	104
2238	Accurate volume determination in the isolated ejecting canine left ventricle by two-dimensional echocardiography. 1979 , 60, 320-6	116
2237	The influence of left ventricular late diastolic filling on the A wave of the left ventricular pressure trace. 1979 , 60, 510-9	16
2236	Comparative value of eight M-mode echocardiographic formulas for determining left ventricular stroke volume. A correlative study with thermodilution and left ventricular single-plane cineangiography. 1979 , 60, 1308-16	171
2235	Dynamic exercise echocardiography. 1979 , 60, 743-52	53
2234	Mechanical function of the heart and its alteration during myocardial ischemia and infarction. Specific reference to coronary atherosclerosis. 1979 , 60, 1587-92	12
2233	Left ventricular volumes by gated equilibrium radionuclide angiography: a new method. 1979 , 60, 556-64	196
2232	Temporal response of left ventricular performance to mitral valve surgery. 1979 , 59, 1218-31	227

2231	Echocardiographic study of right and left ventricular dimension and left ventricular function in patients with tetralogy of Fallot before and after surgery. 1979 , 41, 40-53		9
2230	Measurement of left ventricular ejection fraction by mechanical cross-sectional echocardiography. 1979 , 59, 1196-206		142
2229	[The clinical significance of echocardiography (author's transl)]. 1979 , 24, 236-41		
2228	Ejection fraction derived by M-mode echocardiography: a table and comments. 1979 , 5, 295-99		9
2227	Approaches to determination of left ventricular volume and ejection fraction by real-time two-dimensional echocardiography. 1979 , 2, 257-63		125
2226	Two dimensional echocardiographic assessment of patients with bioprosthetic valves. <i>American Journal of Cardiology</i> , 1979 , 43, 510-9	3	70
2225	Left ventricular mass and wall thickness in hypertension. Comparison of M mode and two dimensional echocardiography in two experimental models. <i>American Journal of Cardiology</i> , 1979 , 44, 936-40	3	60
2224	Serial noninvasive assessment of left ventricular hypertrophy and function after surgical correction of aortic regurgitation. <i>American Journal of Cardiology</i> , 1979 , 44, 585-94	3	106
2223	Left ventricular end-systolic pressure-dimension and stress-length relations in normal human subjects. <i>American Journal of Cardiology</i> , 1979 , 44, 1311-7	3	202
2222	Alterations in left ventricular mass and performance in patients treated effectively for thyrotoxicosis. A comparative echocardiographic study. 1979 , 67, 268-76		42
2221	Use of M-mode echocardiography in clinical pharmacology. 1979 , 7, 443-9		9
2220	Oral therapy with phentolamine in chronic congestive heart failure. 1979 , 75, 487-91		11
2219	Echocardiographic assessment of cardiac chamber size and left ventricular function in aerobically trained athletes. 1980 , 10, 540-7		17
2218	Echocardiographic evaluation of left ventricular function. 1980 , 64, 61-81		9
2217	Radionuclide wall motion study and ejection fraction in clinical practice. 1980 , 64, 99-117		3
2216	Determination of left ventricular volume by means of an invasive ultrasonic method. 1980 , 75, 615-22		1
2215	Left ventricular volume and ejection fraction determination by cross-sectional echocardiography in patients with coronary artery disease: a prospective study. 1980 , 3, 377-83		31
2214	Pulsus paradoxus: A manifestation of a marked reduction of left ventricular end-diastolic volume in cardiac tamponade. 1980 , 79, 74-82		14

2213	Clinical utility of two-dimensional echocardiography in patients with bioprosthetic valves. 1980 , 27, 294-304	13
2212	Preoperative M-mode echocardiography as a predictor of surgical results in chronic aortic insufficiency. 1980 , 79, 256-265	76
2211	Two-dimensional echocardiography: methodology and application in clinical cardiology. 1980 , 27, 17-39	
2210	Cardiovascular complaints. Correlation with cardiac arrhythmias on 24-hour electrocardiographic monitoring. 1980 , 78, 456-61	112
2209	Cardiac ultrasound. 1980 , 36, 261-6	
2208	Serial echocardiographic evaluation of left ventricular function in valvular disease, including reproducibility guidelines for serial studies. 1980 , 62, 564-75	52
2207	Echocardiographic comparison of haemodynamic effects of metoprolol and propranolol. 1980 , 43, 541-5	5
2206	Effect of atenolol on left ventricular function in hypertensive patients. 1980 , 62, 1036-45	10
2205	Effect of isoprenaline and propranolol on left ventricular function as determined by nuclear angiography. 1980 , 44, 75-81	1
2204	Determination of left ventricular volume in children: echocardiographic and angiographic comparisons. 1980 , 62, 548-57	161
2203	Importance of left ventricular chamber size in determining the response to hydralazine in severe chronic heart failure. 1980 , 303, 250-5	88
2202	Two-dimensional echocardiographic quantitation of left ventricular volumes and ejection fraction. Importance of accounting for dyssynergy in short-axis reconstruction models. 1980 , 62, 1308-18	89
2201	Cardiac effects of alcohol. 1980 , 31, 753-9	1
2200	Accuracy of subxiphoid echocardiography for assessing left ventricular size and performance. 1980 , 61, 367-73	10
2199	Accuracy and reproducibility of new M-mode echocardiographic recommendations for measuring left ventricular dimensions. 1980 , 61, 137-43	59
2198	Pulsed doppler echocardiographic measurement of beat-to-beat changes in stroke volume in dogs. 1980 , 62, 542-8	94
2197	Limitations of echocardiography in the assessment of left ventricular size and function in aortic regurgitation. 1980 , 61, 148-55	34
2196	Cross-sectional echocardiography. III. Analysis of mathematic models for quantifying volume of symmetric and asymmetric left ventricles. 1980 , 100, 821-8	161

2195	The heart in chronic alcoholism: a noninvasive study. 1980 , 99, 9-16		91
2194	Clinical uses of two dimensional echocardiography. <i>American Journal of Cardiology</i> , 1980 , 45, 1061-82	3	36
2193	Evaluation of the left ventricle with two dimensional echocardiography. <i>American Journal of Cardiology</i> , 1980 , 46, 1117-24	3	21
2192	Application of transesophageal echocardiography to continuous intraoperative monitoring of left ventricular performance. <i>American Journal of Cardiology</i> , 1980 , 46, 95-105	3	206
2191	Nongeometric determination of left ventricular volumes from equilibrium blood pool scans. <i>American Journal of Cardiology</i> , 1980 , 45, 293-300	3	216
2190	Long-term therapy of heart failure with prazosin: a randomized double blind trial. <i>American Journal of Cardiology</i> , 1980 , 45, 337-44	3	165
2189	Effects of 12 months of intense exercise training on ischemic ST-segment depression in patients with coronary artery disease. 1981 , 64, 1116-24		168
2188	Angiotensin inhibition in severe heart failure: acute central and limb hemodynamic effects of captopril with observations on sustained oral therapy. 1981 , 101, 548-56		102
2187	Effect of left ventricular size on mitral E point to ventricular septal separation in assessment of cardiac performance. 1981 , 101, 797-805		35
2186	Relation of time course of plasma nitroglycerin levels to echocardiographic, arterial pressure and heart rate changes after sublingual administration of nitroglycerin. <i>American Journal of Cardiology</i> , 1981 , 48, 778-82	3	19
2185	Quantitative two dimensional echocardiography during bicycle exercise in normal subjects. <i>American Journal of Cardiology</i> , 1981 , 47, 866-73	3	64
2184	Lack of correlation between exercise capacity and indexes of resting left ventricular performance in heart failure. <i>American Journal of Cardiology</i> , 1981 , 47, 33-9	3	781
2183	Labetalol therapy in patients with systemic hypertension and angina pectoris: effects of combined alpha and beta adrenoceptor blockade. <i>American Journal of Cardiology</i> , 1981 , 48, 917-28	3	46
2182	Differential effects of nitroprusside on ischemic and nonischemic myocardial segments demonstrated by computer-assisted two dimensional echocardiography. <i>American Journal of Cardiology</i> , 1981 , 48, 59-68	3	25
2181	Two-dimensional echocardiography in acquired heart diseases--Part II. 1981 , 5, 1-54		
2180	The influence of ectopic beats and tachyarrhythmias on stroke volume and cardiac output. 1981 , 14, 207-18		28
2179	Serial M-mode echocardiography in evaluation of the cardiovascular effects of tiapamil and their relationship to plasma levels in patients with coronary heart disease. <i>International Journal of Cardiology</i> , 1981 , 1, 15-24	3.2	6
2178	Effect of hemodialysis on blood volume distribution and cardiac output. 1981 , 3, 327-32		61

2177	Left ventricular volumes and ejection fraction by single plane two-dimensional apex echocardiography. 1981 , 2, 339-43	27
2176	Patterns of left ventricular adaptation in borderline and mild essential hypertension. Echocardiographic findings. 1981 , 80, 592-5	17
2175	Two-dimensional echocardiographic assessment of left ventricular stroke volume: experimental correlation with thermodilution and cineangiography in normal and ischemic states. 1981 , 7, 247-58	29
2174	Reliability of echocardiography in assessing cardiac output. A comparative study with a dye dilution technique. 1981 , 59, 1115-20	10
2173	Prostacyclin effect on cardiovascular system in man evaluated by echocardiography. 1981 , 7, 501-10	2
2172	Clinical consequences of acquired transfusional iron overload in adults. 1981 , 304, 319-24	254
2171	Exercise testing with myocardial scintigraphy in asymptomatic diabetic males. 1981 , 63, 54-64	86
2170	Use of equilibrium (gated) radionuclide ventriculography to quantitate left ventricular output in patients with and without left-sided valvular regurgitation. 1981 , 64, 578-85	51
2169	Evaluation of the cardiac effects of doxorubicin by serial echocardiography. 1981 , 135, 653-7	4
2168	Blood pressure response to hemodialysis. 1981 , 3, 333-9	33
2167	Comparative accuracy of apical biplane cross-sectional echocardiography and gated equilibrium radionuclide angiography for estimating left ventricular size and performance. 1981 , 63, 1075-84	234
2166	Non-invasive measurement of left ventricular function in coronary artery disease. Comparison of first pass radionuclide ventriculography, M-mode echocardiography, and systolic time intervals. 1981 , 45, 369-75	15
2165	Cardiovascular status in asymptomatic alcoholics, with reference to the level of ethanol consumption. 1981 , 46, 545-51	46
2164	Left ventricular hypertrophy in children with blood pressures in the upper quintile of the distribution. The Muscatine Study. 1981 , 3, 669-75	128
2163	Effect of oral propranolol on rest and exercise left ventricular ejection fraction, volumes, and segmental wall motion in patients with angina pectoris. Assessment with equilibrium gated blood pool imaging. 1981 , 45, 656-66	41
2162	Noninvasive assessment of load reduction in chronic congestive heart failure patients. 1981 , 32, 552-60	3
2161	Noninvasive evaluation of exercise training in college-age men. 1981 , 64, 958-65	65
2160	Systolic anterior motion in the absence of asymmetric septal hypertrophy. A buckling phenomenon of the chordae tendineae. 1981 , 63, 181-8	22

2159	"Duplication" of aortic cusp. New M-mode echocardiographic sign of intimal tear in aortic dissection. 1982 , 47, 173-6		5
2158	Effect of the geometry of the left ventricle on the calculation of ejection fraction. 1982 , 65, 91-8		64
2157	Effect of large variations in preload on left ventricular performance characteristics in normal subjects. 1982 , 65, 698-703		136
2156	Blood pressure and haemodynamics in teenagers. 1982 , 48, 377-80		16
2155	Radionuclide measurement of left ventricular volume: comparison of geometric and counts-based methods. 1982 , 65, 725-30		99
2154	Suppression of ventricular ectopic depolarizations by flecainide acetate, a new antiarrhythmic agent. 1982 , 65, 879-85		137
2153	Sensitivity of end-systolic pressure-dimension and pressure-volume relations to the inotropic state in humans. 1982 , 65, 988-97		205
2152	Cardiovascular function in patients with progressive systemic sclerosis (scleroderma). 1982 , 5, 569-76		15
2151	Hemodynamic characterization of tolerance to long-term hydralazine therapy in severe chronic heart failure. 1982 , 306, 57-62		100
2150	Left ventricular wall thickness and plasma catecholamines in borderline and stable essential hypertension. 1982 , 3, 164-70		36
2149	Increased left ventricular mass in idiopathic mitral valve prolapse. 1982 , 82, 329-33		7
2148	Comparison of single-plane and biplane volume determination by two-dimensional echocardiography. 1. Asymmetric model hearts. 1982 , 3, 469-80		85
2147	Effect of nitrate on determinants of myocardial oxygen consumption during exercise. <i>International Journal of Cardiology</i> , 1982 , 1, 307-14	3,2	11
2146	Atypical croup and <i>Chlamydia trachomatis</i> . 1982 , 1, 1022		10
2145	Left-ventricular mass in hypertension. 1982 , 1, 1021-2		6
2144	Assessment of left-ventricular mass and its response to antihypertensive treatment. 1982 , 1, 467-70		169
2143	Use of radionuclide ventriculography for assessment of changes in myocardial performance induced by disopyramide phosphate. 1982 , 104, 769-74		21
2142	Long-term captopril therapy in congestive heart failure: serial hemodynamic and echocardiographic changes. 1982 , 104, 827-33		13

2141	Acute effects of hemodialysis on echographic-determined cardiac performance: improved contractility resulting from serum increased calcium with reduced potassium despite hypovolemic-reduced cardiac output. 1982 , 103, 374-8		38
2140	Two-dimensional echocardiographic measurement of left ventricular ejection fraction: prospective analysis of what constitutes an adequate determination. 1982 , 104, 136-44		226
2139	M mode echocardiographic assessment of left ventricular function. <i>American Journal of Cardiology</i> , 1982 , 49, 1312-8	3	25
2138	Left atrial volume overload in mitral regurgitation: a two dimensional echocardiographic study. <i>American Journal of Cardiology</i> , 1982 , 49, 33-8	3	43
2137	Determination of left ventricular mass by computed tomography. <i>American Journal of Cardiology</i> , 1982 , 49, 63-70	3	24
2136	Comparison of oral propranolol and verapamil for combined systemic hypertension and angina pectoris. A placebo-controlled double-blind randomized crossover trial. <i>American Journal of Cardiology</i> , 1982 , 50, 1164-72	3	54
2135	Left ventricular end-systolic stress-shortening and stress-length relations in human. Normal values and sensitivity to inotropic state. <i>American Journal of Cardiology</i> , 1982 , 50, 1301-8	3	246
2134	Accuracy of M mode echocardiographic measurements of the left ventricle. <i>American Journal of Cardiology</i> , 1982 , 49, 716-23	3	26
2133	Reversal of left ventricular hypertrophy in hypertensive patients treated with methyldopa. Lack of association with blood pressure control. <i>American Journal of Cardiology</i> , 1982 , 49, 795-801	3	214
2132	Haemodynamic effects of BM 10.188, a new orally active inotropic agent, in healthy volunteers. 1982 , 13, 529-32		6
2131	Effect of long-term cimetidine treatment on left ventricular function in haemodialysis patients with active hyperparathyroidism. 1982 , 13, 693-7		
2130	Control of blood pressure and reduction of echocardiographically assessed left ventricular mass with one-daily timolol. 1982 , 14, 89-95		37
2129	Is the inotropic effect of digoxin maintained? An illustrative case report. 1982 , 3, 282-5		1
2128	Effectiveness of long-term vasodilator administration in the treatment of chronic left ventricular failure. 1982 , 24, 319-30		47
2127	Use of a personal computer in the measurement, calculation, and reporting of noninvasive cardiac data. 1982 , 8, 513-8		1
2126	Comparison of impedance cardiography and echocardiography for measurement of stroke volume. 1982 , 23, 475-7		36
2125	Sympathomimetic effects of amezinium on the cardiovascular system and plasma catecholamines in man. 1982 , 23, 15-20		11
2124	An ultrasonic technique for imaging the ventricle in three dimensions and calculating its volume. 1983 , 30, 482-92		101

2123	Acute effects of alcohol on left ventricular dynamics during isometric exercise in normal subjects. 1983 , 6, 103-8			16
2122	A quantitative relationship of electrocardiographic criteria of left ventricular hypertrophy with echocardiographic left ventricular mass: a multivariate approach. 1983 , 6, 456-63			27
2121	A noninvasive comparison of left ventricular performance in sickle cell anemia and chronic aortic regurgitation. 1983 , 6, 542-8			12
2120	Echographic method for the estimation of cardiac output from mitral-valve area, heart rate, and diastolic-filling period in conditions of mitral stenosis: correlation with cardiac catheterization. 1983 , 78, 28-38			
2119	Haemodynamic effects of a new vasodilator drug, felodipine, in healthy subjects. 1983 , 24, 49-53			53
2118	Nonvolumetric assessment of ventricular function by two-dimensional echocardiography in patients with coronary artery disease. 1983 , 11, 415-20			5
2117	Method for computation of cardiac output in mitral stenosis independent of left ventricular dimensions and kinetic state: correlation with cardiac catheterization via the Fick method. 1983 , 9, 19-23			
2116	Editorial note Non-invasive determination of left ventricular function [what is the preferred study?]. <i>International Journal of Cardiology</i> , 1983 , 2, 503-506	3.2		1
2115	Assessment of ventricular function by combined noninvasive measures: factors accounting for methodologic disparities. <i>International Journal of Cardiology</i> , 1983 , 2, 493-506	3.2		12
2114	Relationship of angiographic and echographic dimensions in chronic left ventricular dilatation. 1983 , 106, 356-62			15
2113	Mitral E point septal separation: a reliable index of left ventricular performance in coronary artery disease. 1983 , 106, 21-8			36
2112	Three-dimensional echoventriculography. 1983 , 106, 435-43			63
2111	Noninvasive assessment of valvular heart disease: surgery without catheterization. 1983 , 106, 443-9			19
2110	Ratio of regurgitant volume to end-diastolic volume: a major determinant of ventricular response to surgical correction of chronic volume overload. <i>American Journal of Cardiology</i> , 1983 , 52, 406-10	3		41
2109	Cardiac function in sickle cell anemia. <i>American Journal of Cardiology</i> , 1983 , 51, 1674-8	3		76
2108	Effects of enhanced afterload (methoxamine) and contractile state (dobutamine) on the left ventricular late-systolic wall stress-dimension relation. <i>American Journal of Cardiology</i> , 1983 , 52, 1304-9	3		16
2107	Determinants of left ventricular hypertrophy and function in hypertensive patients. An echocardiographic study. 1983 , 75, 26-33			81
2106	Time course of regression of left ventricular hypertrophy in treated hypertensive patients. 1983 , 75, 100-10			101

2105	Assessment of the cardiac effects of hemodialysis with systolic time intervals and echocardiography. <i>American Journal of Cardiology</i> , 1983 , 51, 332-5	3	27
2104	Cardiovascular effects of a newly synthesized cardiotoxic agent (TA-064) on normal and diseased hearts. <i>American Journal of Cardiology</i> , 1983 , 51, 802-10	3	38
2103	The relation of heart rate and shortening fraction to echocardiographic indexes of left ventricular relaxation in normal subjects. 1983 , 2, 926-33		84
2102	Reproducibility of left ventricular volumes by two-dimensional echocardiography. 1983 , 2, 506-13		171
2101	Noninvasive assessment of left ventricular wall stress in chronic congestive heart failure patients. 1983 , 34, 111-8		
2100	Accuracy of volume determination by two-dimensional echocardiography: defining requirements under controlled conditions in the ejecting canine left ventricle. 1983 , 67, 889-95		81
2099	Echocardiographic left ventricular hypertrophy as related to arterial pressure and plasma norepinephrine concentration in arterial hypertension. Reversal by atenolol treatment. 1983 , 5, 837-43		58
2098	Determinants of recurrent atrial flutter after cardioversion. 1983 , 50, 92-6		7
2097	Diastolic "locking" of the mitral valve: the importance of atrial systole and intraventricular volume. 1983 , 67, 640-5		40
2096	Acute cardiovascular effects of ethanol A controlled non-invasive study. 1983 , 49, 174-82		70
2095	Subcostal M-mode computerised echocardiography. An alternative or complementary approach to parasternal echocardiography?. 1983 , 50, 21-6		2
2094	M-mode echocardiography: reproducibility of serial left ventricular measurements in subjects with normal ventricles and patients with congestive cardiomyopathy. 1983 , 13, 457-62		13
2093	Randomized trial of efficacy of crystalloid and colloid resuscitation on hemodynamic response and lung water following thermal injury. 1983 , 197, 520-31		162
2092	Mitral valve E point-septal separation as an index of left ventricular function with valvular heart disease. 1983 , 83, 102-8		10
2091	Left ventricular function in preeclamptic patients: an echocardiographic study. 1983 , 146, 400-5		25
2090	Cardiovascular effects of acetaldehyde accumulation after ethanol ingestion: their modification by beta-adrenergic blockade and alcohol dehydrogenase inhibition. 1983 , 7, 283-8		36
2089	Echocardiographic Evaluation of Cardiac Performance. 1983 , 1, 487-499		10
2088	Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents.. 1984 , 6, 145-151		22

2087	Echocardiography: state of the art--1984. 1984 , 71, 118-35	7
2086	Left ventricular mass reduction during salt depletion in arterial hypertension. 1984 , 6, 755-9	107
2085	Abnormalities of the Cardiovascular Response to Cold Pressor Test in Type 1 Diabetes. 1984 , 144, 43	14
2084	Influence of dihydralazine induced afterload reduction on systolic time intervals and echocardiography in healthy subjects. 1984 , 52, 435-9	24
2083	Increased ionized calcium and left ventricular contractility during hemodialysis. 1984 , 310, 19-23	204
2082	Cross sectional echocardiographic assessment of left ventricular volume and ejection fraction in patients with tetralogy of Fallot. Comparison with biplane angiographic measurements. 1984 , 52, 191-7	3
2081	Echocardiographic evaluation of the response to afterload stress test in young asymptomatic patients with chronic severe aortic regurgitation: sensitivity of the left ventricular end-systolic pressure-volume relationship. 1984 , 70, 561-9	15
2080	EPSSb: a new M-mode echocardiographic index for evaluating left ventricular function in patients with myocardial infarction. 1984 , 4, 109-12	
2079	Effect of loss of the atrial contribution to ventricular filling on left ventricular function in patients requiring intermittent pacing with ventricular demand pacemakers. 1984 , 153, 198-202	2
2078	Echocardiography in Electrophysiologic Studies: A Review. 1984 , 2, 440-464	2
2077	Once daily indapamide in the treatment of the elderly and young hypertensive. 1984 , 27, 397-405	7
2076	Left ventricular pressure-volume diagrams and end-systolic pressure-volume relations in human beings. 1984 , 3, 301-12	52
2075	Two-dimensional echocardiographic evaluation of the size, function and shape of the left ventricle in chronic aortic regurgitation: comparison with radionuclide angiography. 1984 , 4, 1195-206	26
2074	Development and regression of left ventricular hypertrophy. 1984 , 3, 1309-20	89
2073	Accurate estimates of absolute left ventricular volumes from equilibrium radionuclide angiographic count data using a simple geometric attenuation correction. 1984 , 3, 789-98	47
2072	Relation between exercise-induced changes in ejection fraction and systolic loading conditions at rest in aortic regurgitation. 1984 , 3, 924-9	37
2071	Accuracy of absolute left ventricular volumes and cardiac output determined by radionuclide cardiography. <i>International Journal of Cardiology</i> , 1984 , 6, 505-25	3.2 40
2070	Cross sectional echocardiographic assessment of cardiac chamber size and ejection fraction in children. 1984 , 10, 757-69	20

2069	Effects of labetalol on left ventricular mass and function in hypertension--an assessment by serial echocardiography. <i>International Journal of Cardiology</i> , 1984 , 5, 461-73	3.2	31
2068	Cardiac size and function in pregnancy-induced hypertension. 1984 , 150, 443-9		27
2067	R-wave amplitude responses to rapid atrial pacing: a marker for myocardial ischemia. 1984 , 107, 53-61		20
2066	Echographic early systolic partial closure (notching) of the aortic valve in congestive cardiomyopathy. 1984 , 107, 135-42		3
2065	The cardiovascular response to chronic physical exertion and exercise training: an echocardiographic review. 1984 , 108, 1014-8		18
2064	Noninvasive evaluation of the severity of aortic stenosis in adult patients. 1984 , 107, 959-66		23
2063	Pirmenol for control of ventricular arrhythmias: oral dose-ranging and short-term maintenance study. <i>American Journal of Cardiology</i> , 1984 , 53, 522-7	3	27
2062	Left ventricular function in chronic anemia: evidence of noncatecholamine positive inotropic factor in the serum. <i>American Journal of Cardiology</i> , 1984 , 54, 638-45	3	23
2061	Double-blind, placebo-controlled trial of propranolol given once, twice and four times daily in stable angina pectoris: a multicenter study using serial exercise testing. <i>American Journal of Cardiology</i> , 1984 , 54, 37-42	3	9
2060	Regression of left ventricular hypertrophy from systemic hypertension by enalapril. <i>American Journal of Cardiology</i> , 1984 , 53, 1044-9	3	200
2059	Enalapril improves systemic and renal hemodynamics and allows regression of left ventricular mass in essential hypertension. <i>American Journal of Cardiology</i> , 1984 , 53, 105-8	3	214
2058	Relation between myocardial contractility, hypertrophy and pump performance in patients with chronic aortic regurgitation: an echocardiographic study. <i>International Journal of Cardiology</i> , 1984 , 6, 473-88	3.2	11
2057	Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents.. 1984 , 6, 145-151		19
2056	Effect of hemodialysis on left ventricular performance. Analysis of echocardiographic subsets. 1984 , 4, 86-91		30
2055	Reproducibility of M-mode echocardiographic assessment of left ventricular function. Significance of the temporal range of measurements. 1984 , 5, 412-8		36
2054	Does alcohol intensify the hemodynamic effects of nitroglycerin?. 1984 , 7, 382-6		6
2053	Evaluation of left ventricular posterior wall movement after open mitral commissurotomy by echocardiogram: with reference to the effect of papilloplasty. 1984 , 7, 387-92		1
2052	The nitrefazole-ethanol interaction in man: cardiovascular responses and the accumulation of acetaldehyde and catecholamines. 1985 , 9, 221-7		16

2051	Non-invasive assessment of aortic and mitral regurgitation. 1985 , 6, 851-7	4
2050	Increased myocardial contractility in short-term type 1 diabetic patients: an echocardiographic study. 1985 , 28, 822-6	49
2049	Antihypertensive and cardiovascular effects of nitrendipine: a controlled study vs. placebo. 1985 , 38, 434-8	36
2048	Mechanisms of altered myocardial contractility during hemodialysis: importance of changes in the ionized calcium to plasma potassium ratio. 1985 , 63, 272-8	20
2047	A method for volume estimation by two-dimensional echocardiography: examination with excised animal left ventricles. 1985 , 15, 61-9	1
2046	Asymmetric septal hypertrophy in uremic-normotensive patients on regular hemodialysis. An M-mode and two-dimensional echocardiographic study. 1985 , 39, 30-5	14
2045	Effects of haemodialysis and haemofiltration on myocardial function. 1984 , 41, 403-8	1
2044	Noninvasive study of left ventricular performance in obese patients: influence of duration of obesity. 1985 , 71, 481-6	83
2043	Heritability of cardiac size: an echocardiographic and electrocardiographic study of monozygotic and dizygotic twins. 1985 , 71, 39-44	91
2042	The creatine kinase system in normal and diseased human myocardium. 1985 , 313, 1050-4	352
2041	Left ventricular contractility and contractile reserve in humans after cardiac transplantation. 1985 , 71, 866-72	110
2040	Determination of left ventricular mass in dogs with rapid-acquisition cardiac computed tomographic scanning. 1985 , 72, 1355-64	131
2039	Long-term Efficacy of Deferoxamine Iron Chelation Therapy in Adults With Acquired Transfusional Iron Overload. 1985 , 145, 1217	19
2038	Lidoflazine and propranolol combination treatment in chronic stable angina. 1985 , 36, 240-52	2
2037	Change in ventricular cavity size: differential effects on QRS and T wave amplitude. 1985 , 72, 495-501	40
2036	Computer analysis of left ventricular pressure-volume relationships by echocardiography. 1985 , 10, 249-58	1
2035	Carnitine and left ventricular function in haemodialysis patients. 1985 , 45, 193-8	44
2034	Echocardiographic assessment of cardiac function in infants and children. 1985 , 5, 95S-103S	13

2033	The effect of cardiac autonomic blockade on ventricular response to changes in preload. 1985 , 13, 263-72		4
2032	Effects of loading conditions and contractile state (methoxamine and dobutamine) on left ventricular early diastolic function in normal subjects. <i>American Journal of Cardiology</i> , 1985 , 55, 790-6	3	73
2031	Ventricular performance in human hearts aged 61 to 73 years. <i>American Journal of Cardiology</i> , 1985 , 56, 932-7	3	49
2030	Physiologic assessment of the inotropic, vasodilator and afterload reducing effects of milrinone in subjects without cardiac disease. <i>American Journal of Cardiology</i> , 1985 , 55, 1204-9	3	69
2029	Measurement of left ventricular volume using single-photon emission computed tomography. <i>American Journal of Cardiology</i> , 1985 , 56, 781-6	3	19
2028	Echographic application of the Gorlin formula for assessment of aortic stenosis: correlation with cardiac catheterization in pediatric patients. 1986 , 111, 1118-22		6
2027	Decrease in global ejection fraction after volume challenge in long-standing hypertension. 1986 , 111, 746-51		4
2026	Left ventricular structure and function in normotensive adolescents with a genetic predisposition to hypertension. 1986 , 111, 115-20		80
2025	Myocardial and skeletal muscle function in habitual alcoholics and its relation to serum myoglobin. <i>American Journal of Cardiology</i> , 1986 , 58, 795-9	3	5
2024	Echocardiographic assessment of left ventricular hypertrophy: comparison to necropsy findings. <i>American Journal of Cardiology</i> , 1986 , 57, 450-8	3	5089
2023	Hemodynamic properties of bucindolol, a beta-adrenoreceptor blocking drug with vasodilator activity. <i>American Journal of Cardiology</i> , 1986 , 57, 678-81	3	9
2022	Cardiac function in alcohol-associated systemic hypertension. <i>American Journal of Cardiology</i> , 1986 , 57, 227-31	3	22
2021	The cardiovascular effects of xamoterol, a beta 1-adrenoceptor partial agonist, in healthy volunteers at rest. 1986 , 21, 259-65		16
2020	Exercise P-vector magnitude changes in angina pectoris: Frank-Vectorcardiographic and hemodynamic correlations. 1986 , 19, 115-21		1
2019	Left ventricular filling in endurance-trained subjects. 1986 , 8, 289-93		81
2018	Measurement of left ventricular mass in vivo using gated nuclear magnetic resonance imaging. 1986 , 8, 107-12		97
2017	Myocardial mechanics in hyperthyroidism: importance of left ventricular loading conditions, heart rate and contractile state. 1986 , 7, 967-74		82
2016	The use of two-dimensional contrast echocardiography in patients with portal hypertension for the detection of cardiac chamber abnormalities and pulmonary arteriovenous shunts. 1986 , 1, 457-462		2

2015	Myocardial infarction size; effect on the training response. <i>International Journal of Cardiology</i> , 1986 , 12, 61-70	3.2	3
2014	Two-dimensional and M-mode echocardiographic findings in hypertensive pregnant women. 1986 , 154, 910-3		16
2013	Evaluation échographique des effets cardiaques de la course à pied chez le marathonien et le sédentaire avant et après entraînement. 1986 , 1, 245-254		
2012	Estimation of stroke volume using Doppler echocardiography and left ventricular echocardiographic dimensions in infants and children. 1986 , 329, 114-9		2
2011	Hemodynamic effects of acute administration of slow-release nifedipine in elderly patients with systolic hypertension. 1986 , 6 Suppl 1, 91-4		2
2010	Exercise capacity and cardiac function in type 1 diabetic patients treated with continuous subcutaneous insulin infusion. A controlled study. 1986 , 46, 779-84		12
2009	Acute haemodynamic effects of the antiarrhythmic agent pirmenol in cardiac patients: a comparison with lidocaine. 1986 , 7, 150-7		3
2008	Echocardiography in Hypertension: A Review I. Left Ventricular Wall Mass, Standardization, and Ventricular Function. 1986 , 3, 181-218		30
2007	Echocardiographic measurement of left ventricular stroke volume in newborn infants: a correlative study with pulsed Doppler and M-mode echocardiography. 1986 , 14, 37-41		11
2006	A composite three-dimensional echocardiographic technique for left ventricular volume estimation in children: comparison with angiography and established echographic methods. 1986 , 14, 663-74		12
2005	Intrinsic and reflex actions of verapamil and nifedipine: assessment in normal subjects by noninvasive techniques and autonomic blockade. 1986 , 29, 541-7		17
2004	Echocardiographic measurement of left ventricular hypertrophy in untreated essential hypertension. 1986 , 13, 295-9		3
2003	QUANTITATIVE CROSS-SECTIONAL ECHOCARDIOGRAPHY IN THE NORMAL DOG. 1986 , 27, 34-49		98
2002	Clinical applications of echocardiography in myocardial and valvular heart disease. 1986 , 29, 81-106		3
2001	Effects of isosorbide-5-mononitrate on exercise-induced hemodynamic changes in angina pectoris. <i>American Journal of Cardiology</i> , 1986 , 58, 53-8	3	19
2000	Postprandial alterations in hemodynamics and blood pressure in normal subjects. <i>American Journal of Cardiology</i> , 1986 , 58, 636-41	3	101
1999	Comparative cardiac effects of hemodialysis and continuous ambulatory peritoneal dialysis. 1986 , 9, 52-60		34
1998	Two-dimensional echocardiographic evaluation of the severity of mitral stenosis with reference to the prediction for mitral valve commissurotomy or replacement. 1986 , 9, 99-105		4

1997	Progression of myocardial dysfunction in asymptomatic patients with severe aortic insufficiency. 1986 , 9, 151-6	45
1996	Serial cardiac function tests in myocarditis. 1986 , 62, 577-9	12
1995	Effects of beta adrenergic receptor agonists and antagonists in diabetics with symptoms of postural hypotension: a double-blind, placebo-controlled study. 1986 , 37, 855-62	30
1994	The mechanism of disappearance of the physiologic third heart sound with age. 1986 , 73, 877-84	33
1993	Comparison of electrocardiographic and echocardiographic measures of left ventricular hypertrophy in the assessment of aortic stenosis. 1986 , 55, 155-61	4
1992	Immediate and short-term hemodynamic effects of diltiazem in patients with hypertension. 1986 , 73, 108-13	149
1991	Diastolic 'locking' of the mitral valve: possible importance of diastolic myocardial properties. 1986 , 73, 997-1005	4
1990	Behavioral antecedents of coronary heart disease and atherosclerosis. 1986 , 6, 2-14	130
1989	Assessment of the end-systolic pressure-volume relationship in human beings with the use of a time-varying elastance model. 1986 , 74, 97-104	77
1988	Serial evaluation of cardiac function with aortic regurgitation caused by serious aortic lesions. A preliminary comparative study with isolated chronic aortic incompetence. 1987 , 92, 651-6	1
1987	Detection of left ventricular hypertrophy by M-mode echocardiography. Anatomic validation, standardization, and comparison to other methods. 1987 , 9, 119-26	234
1986	Hypertension research. Echocardiography in the measurement of left ventricular wall mass. 1987 , 9, 112-5	5
1985	Geometric considerations in determination of left ventricular mass by two-dimensional echocardiography. 1987 , 9, 1185-9	5
1984	Prevention of acute pulmonary edema after bone marrow transplantation. 1987 , 92, 303-9	24
1983	Characteristics of chronically paced cardiac functions in the congenital complete atrioventricular block. 1987 , 11, 252-8	1
1982	Assessment of diastolic function in normal and hypertrophied hearts: comparison of Doppler echocardiography and M-mode echocardiography. 1987 , 113, 1417-25	165
1981	Hemodynamic interaction of nonselective vs. beta-1-selective beta-blockade with hydralazine in normal humans. 1987 , 41, 326-35	11
1980	Haemodynamic effects of atenolol, labetalol, pindolol and captopril: a comparison in hypertensive patients with special reference to changes in limb blood flow, heart rate and left ventricular function. 1987 , 24, 163-72	13

1979	Serial noninvasive evaluation of cardiovascular hemodynamics during pregnancy. 1987 , 156, 1208-13	94	
1978	Effects of acetate and bicarbonate dialysate on left ventricular performance. 1987 , 10, 350-5	16	
1977	Echocardiographie Study of the Variability of the Peak Rate of Left Ventricular Filling. 1987 , 1, 257-262	3	
1976	The Genesis of the Opening Snap in Mitral Stenosis: Correlations between Spectral Analysis and Echocardiographic Data. 1987 , 1, 373-377	1	
1975	Prediction of Symptom Status following Mitral Valve Replacement for Mitral Regurgitation by Preoperative Echocardiographic Measurement of the End-Systolic Stress to End-Systolic Volume Ratio. 1987 , 1, 321-328	8	
1974	The Influence of Dialysate Exchange on Cardiac Output in CAPD Patients. 1987 , 7, 242-244	1	
1973	Differentiation of Simultaneous Changes in Preload, Afterload, Peripheral Resistance and Left Ventricular Performance. 1987 , 1, 30-38	2	
1972	A multicenter study of a new inotropic agent, piperanometozine (OPC-8212) in congestive heart failure: clinical improvement during short-term treatment. 1987 , 1, 169-75	12	
1971	Late cardiac effects of mediastinal radiotherapy in patients with Hodgkin's disease. 1987 , 60, 31-7	99	
1970	Plasma atrial natriuretic peptide level as an index for the severity of congestive heart failure. 1987 , 10, 437-42	52	
1969	Hemodynamic effects of pirmenol and lidocaine: a placebo-controlled, double-blind, comparative study. <i>American Journal of Cardiology</i> , 1987 , 59, 27H-32H	3	3
1968	A double-blind dose response comparison of oral enoximone and placebo for congestive heart failure. <i>American Journal of Cardiology</i> , 1987 , 60, 72C-74C	3	22
1967	Prevalence of arrhythmias detected by ambulatory electrocardiographic monitoring and of abnormal left ventricular ejection fraction in persons older than 62 years in a long-term health care facility. <i>American Journal of Cardiology</i> , 1987 , 59, 368-9	3	22
1966	Comparison of hemodialysis and hypertonic hemodiafiltration on cardiac function [corrected]. 1987 , 32, 399-407		14
1965	Uremic cardiomyopathy: an inadequate left ventricular hypertrophy. 1987 , 31, 973-80		177
1964	Detection and treatment of high-output cardiac failure resulting from a large hemodialysis fistula. 1988 , 14, 263-5		16
1963	Echocardiographic tests in chronically haemodialysed patients. 1988 , 20, 193-9		1
1962	Left-ventricular cavity dimensions in children with normal and dilated hearts. 1988 , 9, 17-24		10

1961	End organ changes associated with the self-regulatory treatment of mild essential hypertension?. 1988 , 13, 39-46		2
1960	Left ventricular function and beta-blockers: does intrinsic sympathomimetic activity have any influence during chronic therapy?. 1988 , 2, 549-60		
1959	Epinephrine and left ventricular function in humans: effects of beta-1 vs nonselective beta-blockade. 1988 , 43, 519-28		57
1958	Effect of ibopamine on the failing heart at rest and during isometric exercise: a noninvasive study. 1988 , 11, 15-22		4
1957	Relation of concentric left ventricular hypertrophy and extracardiac target organ damage to supranormal left ventricular performance in established essential hypertension. <i>American Journal of Cardiology</i> , 1988 , 62, 246-52	3	59
1956	Influence of age on left ventricular contractility. <i>American Journal of Cardiology</i> , 1988 , 62, 1103-8	3	18
1955	Myocardial contractility and left ventricular function in obese patients with essential hypertension. <i>American Journal of Cardiology</i> , 1988 , 62, 594-7	3	86
1954	Immediate and short-term cardiovascular effects of a new converting enzyme inhibitor (lisinopril) in essential hypertension. <i>American Journal of Cardiology</i> , 1988 , 62, 912-6	3	61
1953	Usefulness of echocardiographic abnormal left ventricular ejection fraction, paroxysmal ventricular tachycardia and complex ventricular arrhythmias in predicting new coronary events in patients over 62 years of age. <i>American Journal of Cardiology</i> , 1988 , 61, 1349-51	3	33
1952	Relationship between ambulatory and exercise blood pressure and cardiac structure. 1988 , 116, 1124-33		53
1951	Late systolic indices of ventricular function: noninvasive derivation in congestive heart failure. 1988 , 116, 1276-82		3
1950	Pulmonary artery origin of the left coronary artery: diagnosis by two-dimensional echocardiography, pulsed Doppler ultrasound and color flow mapping. 1988 , 11, 396-402		45
1949	Effect of digoxin on the heart in normal subjects: influence of isometric exercise and autonomic blockade: a noninvasive study. 1988 , 25, 331-40		4
1948	Obstetric analgesia and infant outcome in monkeys. Neonatal measures after intrapartum exposure to meperidine or alfentanil. 1988 , 158, 1219-25		15
1947	Changes in cardiac performance after dialysis in patients with chronic renal failure. <i>International Journal of Cardiology</i> , 1988 , 19, 209-16	3.2	4
1946	Increased myocardial contractility during intravenous insulin infusion in type 1 (insulin-dependent) diabetic patients: an echocardiographic study. 1988 , 48, 275-84		6
1945	Quantitation of myocardial dyssynergy in closed-chest dogs by two-dimensional echocardiography. 1988 , 13, 57-69		
1944	Low-dose intravenous glucagon has no effect on myocardial contractility in normal man. An echocardiographic study. 1988 , 48, 71-5		7

1943	Dyspnoea of cardiac origin in 67 year old men: (1). Relation to systolic left ventricular function and wall stress. The study of men born in 1913. 1988 , 59, 319-28	4	
1942	Dyspnoea of cardiac origin in 67 year old men: (2). Relation to diastolic left ventricular function and mass. The study of men born in 1913. 1988 , 59, 329-38	22	
1941	Cardiovascular and Renal Effects of Long-term Antihypertensive Treatment. 1988 , 259, 2553	48	
1940	Physiologic mechanisms governing hemodynamic responses to positive inotropic therapy in patients with dilated cardiomyopathy. 1988 , 77, 625-37	124	
1939	Systemic and regional hemodynamic and humoral effects of nitrendipine in essential hypertension. 1988 , 78, 1394-400	47	
1938	Acute cardiovascular and metabolic effects of acetate in men. 1988 , 12, 52-8	23	
1937	Cardiac hypertrophy in diabetic nephropathy: an echocardiographic study. 1988 , 5, 840-4	9	
1936	Analysis of left-ventricular changes associated with chronic hemodialysis. A noninvasive follow-up study. 1988 , 49, 284-90	75	
1935	Ventriculoarterial coupling in normal and failing heart in humans. 1989 , 65, 483-93	261	
1934	Determination of left ventricular mass by magnetic resonance imaging in hearts deformed by acute infarction. 1989 , 79, 706-11	137	
1933	Left ventricular function in beta thalassaemia major. 1989 , 64, 1046-51	32	
1932	Doppler assessment of the effects of isometric stress on left ventricular filling in hypertensive young adults. 1989 , 40, 1052-7	4	
1931	Prevalence of cardiac structural and functional abnormalities in untreated primary hypertension. 1989 , 13, 151-62	81	
1930	Long-term beta-blockade in dilated cardiomyopathy. Effects of short- and long-term metoprolol treatment followed by withdrawal and readministration of metoprolol. 1989 , 80, 551-63	381	
1929	Physiological mechanisms for calcium-induced changes in systemic arterial pressure in stable dialysis patients. 1989 , 13, 213-8	50	
1928	Echocardiographic abnormalities in chronic asymptomatic alcoholics. 1989 , 12, 122-8	9	
1927	Noninvasive evaluation of world class athletes engaged in different modes of training. <i>American Journal of Cardiology</i> , 1989 , 63, 337-41	3	37
1926	Resting left ventricular ejection fraction in elderly patients without evidence of heart disease. <i>American Journal of Cardiology</i> , 1989 , 63, 368-9	3	21

1925	Two-dimensional echocardiographic aortic root dimensions in normal children and adults. <i>American Journal of Cardiology</i> , 1989 , 64, 507-12	3	860
1924	Left ventricular intrinsic contractility in pure rheumatic mitral stenosis. <i>American Journal of Cardiology</i> , 1989 , 64, 240-2	3	46
1923	Correlation of intraabdominal fat accumulation and left ventricular performance in obesity. <i>American Journal of Cardiology</i> , 1989 , 64, 369-73	3	95
1922	Ability of left ventricular stress-shortening relations, end-systolic stress/volume ratio and indirect indexes to detect severe contractile failure in ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1989 , 64, 1338-43	3	33
1921	Prevalence and significance of left ventricular filling abnormalities determined by Doppler echocardiography in young type I (insulin-dependent) diabetic patients. <i>American Journal of Cardiology</i> , 1989 , 64, 1010-6	3	100
1920	Effects of atenolol on left ventricular hypertrophy and early left ventricular function in essential hypertension. <i>American Journal of Cardiology</i> , 1989 , 64, 1157-61	3	6
1919	Digoxin and xamoterol in patients with moderate chronic heart failure. A double-blind, randomized, controlled study. 1989 , 3, 203-9		2
1918	The influence of ventricular extrasystoles and postextrasystoles on cardiovascular dynamics in anesthetized dogs. 1989 , 3, 65-73		1
1917	Vascular changes in hemodialysis patients in response to recombinant human erythropoietin. 1989 , 36, 878-82		113
1916	Cardiovascular changes in early phase of pregnancy. 1989 , 161, 1449-53		211
1915	Measurement of left ventricular ejection fraction and volumes with three-dimensional reconstructed transesophageal ultrasound scans: comparison to radionuclide and thermal dilution measurements. 1989 , 3, 260-8		35
1914	Superiority of visual versus computerized echocardiographic estimation of radionuclide left ventricular ejection fraction. 1989 , 118, 1259-65		231
1913	Clinical and ultrasound results after aortic valve replacement: intermediate-term follow-up with the St. Jude Medical prosthesis. 1989 , 118, 104-13		6
1912	Reversal of left ventricular dilatation, hypertrophy, and dysfunction by valve replacement in aortic regurgitation. 1989 , 118, 553-63		33
1911	Cardiac performance after reduction of myocardial hypertrophy. 1989 , 87, 22-7		58
1910	Plasma atrial natriuretic factor in essential hypertension: relation to cardiac size, function and systemic hemodynamics. 1989 , 14, 715-24; discussion 725-7		51
1909	Cardiac and peripheral vascular responses to adrenoceptor stimulation and blockade after cardiac transplantation. 1989 , 14, 1229-38		34
1908	Four-Dimensional Reconstruction of Two-Dimensional Echocardiographic Images. 1989 , 6, 323-337		33

1907	Sex differences in cardiac adaptation to essential hypertension. 1989 , 10, 1110-4		61
1906	Effects of acute alcohol ingestion on the left ventricular performance of normal subjects before and after incomplete autonomic blockade. 1989 , 298, 161-6		2
1905	Effect of running versus isometric training programs on healthy elderly at rest. 1989 , 35, 72-7		19
1904	Exercise limitation in patients with polymyositis. 1990 , 98, 352-7		30
1903	Intraoperative echocardiographic assessment of global and regional myocardial function. 1990 , 7, 333-41		8
1902	Cardiac involvement in bone marrow transplantation: serial changes in left ventricular size, mass and performance. 1990 , 227, 259-66		28
1901	Echocardiographic assessment of the left ventricle of endurance athletes just before and after exercise. <i>American Journal of Cardiology</i> , 1990 , 65, 1140-4	3	12
1900	Cardiac and skeletal muscle adaptations to training in systemic hypertension and effect of beta blockade (metoprolol or propranolol). <i>American Journal of Cardiology</i> , 1990 , 66, 591-6	3	23
1899	Effect of quinidine or procainamide versus no antiarrhythmic drug on sudden cardiac death, total cardiac death, and total death in elderly patients with heart disease and complex ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1990 , 66, 423-8	3	47
1898	Comparison of echocardiographic quantitation of left ventricular ejection fraction to radionuclide angiography in patients with regional wall motion abnormalities. <i>American Journal of Cardiology</i> , 1990 , 65, 1031-2	3	36
1897	Effects of nifedipine on left ventricular dimensions and hemodynamics in systemic hypertension. <i>American Journal of Cardiology</i> , 1990 , 65, 680-2	3	9
1896	Usefulness of echocardiographic left ventricular ejection fraction and silent myocardial ischemia in predicting new coronary events in elderly patients with coronary artery disease or systemic hypertension. <i>American Journal of Cardiology</i> , 1990 , 65, 811-2	3	12
1895	Improved diastolic LV filling after acute application of ajmaline in patients with coronary artery disease and normal systolic LV function. 1990 , 13, 485-9		2
1894	Assessment of left ventricular function after sublingual administration of nifedipine in patients with moderate to severe hypertension. 1990 , 4 Suppl 5, 969-75		4
1893	Hemodynamic effects of pindolol and atenolol at rest and during isometric exercise: a noninvasive study with healthy volunteers. 1990 , 4, 737-43		1
1892	The echocardiographic assessment of left ventricular performance during sevoflurane and halothane anesthesia. 1990 , 4, 295-302		7
1891	Different patterns of left ventricular filling in arterial hypertension. 1990 , 11, 302-10		6
1890	Renal function during erythropoietin therapy for anemia in predialysis chronic renal failure patients. 1990 , 10, 128-36		38

1889	Clinical value of the pitch of the third heart sound in ischemic heart disease. 1990 , 77, 86-92	1
1888	Left Ventricular Filling Indexes in Hypertension: Relationships to Different Anatomic Features. 1990 , 4, 167-171	
1887	Comparison of Four Noninvasive Techniques to Measure Stroke Volume: Dual-Beam Doppler Echoaortography, Electrical Impedance Cardiography, Mechanosphygmography and M Mode Echocardiography of the Left Ventricle. 1990 , 4, 203-209	25
1886	Echocardiographic Findings in Nine Patients with Cardiac Amyloidosis. 1990 , 4, 219-227	
1885	Measurement of cardiac output by M-mode and two-dimensional echocardiography: application to patients with hypertension. 1990 , 11 Suppl I, 67-78	59
1884	Evaluation of the human fetal cardiac size and function. 1990 , 7, 54-9	28
1883	Relation of left ventricular hemodynamic load and contractile performance to left ventricular mass in hypertension. 1990 , 81, 25-36	208
1882	Doppler-derived rate of left ventricular pressure rise. Its correlation with the postoperative left ventricular function in mitral regurgitation. 1990 , 82, 514-20	82
1881	Limitations of Doppler ultrasound in the assessment of the function of prosthetic mitral valves. 1990 , 63, 189-94	17
1880	Glomerular Hyperfiltration Indicates Early Target Organ Damage in Essential Hypertension. 1990 , 264, 2775	68
1879	Two-dimensional echocardiographic determination of ventricular volumes in the fetal heart. Validation studies in fetal lambs. 1990 , 81, 325-33	30
1878	Salt and water retention and calcium blockade in uremia. 1990 , 82, 105-13	143
1877	Echocardiographic assessment of systolic function in dialysis patients. 1990 , 5, 325-31	15
1876	Atrial Natriuretic Peptide (ANP) in Normal Pregnancy; A Longitudinal Study. 1990 , 9, 273-292	4
1875	A pressor effect of noncardioselective beta-blockers in mildly hypertensive patients during acute hospitalization. 1990 , 41, 124-32	9
1874	Hemodynamic changes by recombinant erythropoietin therapy in hemodialyzed patients. 1990 , 15, 262-6	39
1873	Repair of supra-avalvular aortic stenosis: cardiovascular morphometric and hemodynamic results. 1990 , 50, 700-7	19
1872	Cardiac function and sympathetic activity in young diabetics. 1990 , 8, 91-9	11

1871	Echocardiography as an aid in understanding the electrocardiographic changes of left ventricular hypertrophy, ischemia, and infarction. 1990 , 601, 61-6		1
1870	Limits of reproducibility of cross-sectional echocardiographic measurement of left ventricular ejection fraction. <i>International Journal of Cardiology</i> , 1990 , 28, 67-72	3.2	22
1869	Placebo-controlled trial of oral enoximone in end-stage congestive heart failure refractory to optimal treatment. <i>International Journal of Cardiology</i> , 1990 , 28 Suppl 1, S33-42; discussion S43	3.2	15
1868	Cardiac structure and function in continuous ambulatory peritoneal dialysis: influence of blood purification and hypercirculation. 1990 , 119, 344-52		23
1867	Effect of 24-hour blood pressure and heart rate variations on left ventricular hypertrophy and dilatation in essential hypertension. 1990 , 119, 1147-52		33
1866	Relation of obesity, high sodium intake, and eccentric left ventricular hypertrophy to left ventricular exercise dysfunction in essential hypertension. 1990 , 88, 477-85		57
1865	Persistent uptake of indium-111-antimyosin monoclonal antibody in patients with myocardial infarction. 1990 , 120, 1026-30		20
1864	Effect of age on diastolic left ventricular filling at rest and during inotropic stimulation and acute systemic hypertension: experimental studies in conscious beagles. 1990 , 120, 73-81		13
1863	Hypertensive heart disease: relationship of silent ischemia to coronary artery disease and left ventricular hypertrophy. 1990 , 120, 928-33		39
1862	Left ventricular volume determination in the horse by two-dimensional echocardiography: an in vitro study. 1990 , 22, 398-402		13
1861	Relation between blood pressure, left ventricular mass and pulsed Doppler parameters in healthy school children. 1990 , 32, 275-81		1
1860	When do cardiovascular parameters return to their preconception values?. 1991 , 165, 883-6		91
1859	Health- and performance-related potential of resistance training. 1991 , 11, 210-31		72
1858	Left ventricular ejection fraction: single-plane and multiplanar transesophageal echocardiography versus equilibrium gated-pool scintigraphy. 1991 , 5, 40-5		7
1857	Left ventricular mechanics in preeclampsia. 1991 , 121, 1768-75		74
1856	The role of peripheral capacitance and resistance vessels in hypotension following hemodialysis. 1991 , 121, 1170-7		21
1855	Doxazosin in the treatment of mild or moderate essential hypertension: an echocardiographic study. 1991 , 121, 352-6		10
1854	Coupling between the heart and arterial system in heart failure. 1991 , 90, 14S-18S		36

1853	Noninvasive assessment of intrinsic ventricular load dynamics in dilated cardiomyopathy. 1991 , 17, 112-21		31
1852	Ventricular load optimization by unloading therapy in patients with heart failure. 1991 , 17, 199-207		44
1851	Prognostic significant of indium-111 antimyosin antibody uptake in patients with dilated and hypertrophic cardiomyopathy. <i>International Journal of Cardiology</i> , 1991 , 32, 75-81	3.2	9
1850	Acute and chronic efficacy of felodipine in congestive heart failure. <i>International Journal of Cardiology</i> , 1991 , 30, 89-95	3.2	9
1849	The relation between radionuclide angiography and Doppler echocardiography during contractile changes with infusions of epinephrine. <i>International Journal of Cardiology</i> , 1991 , 33, 149-57	3.2	3
1848	Ventricular-load optimization by inotropic stimulation in patients with heart failure. <i>International Journal of Cardiology</i> , 1991 , 31, 51-8	3.2	9
1847	Left ventricular systolic and diastolic function in term neonates after mild perinatal asphyxia. 1991 , 40, 105-10		6
1846	Cardiac alterations in 36 consecutive patients with idiopathic haemochromatosis: polygraphic and echocardiographic evaluation. 1991 , 12, 224-30		68
1845	Twenty-four hour arterial pressure and heart rate as predictors of left-ventricular hypertrophy. 1991 , 302, 133-7		4
1844	Echocardiographic evaluation of the cardiovascular effects of short-duration spaceflight. 1991 , 31, 1024-6		46
1843	Regression of left ventricular hypertrophy with 1 year of antihypertensive treatment in type 1 diabetic patients with early nephropathy. 1991 , 8, 106-10		12
1842	Influence of sympathetic stimulation and parasympathetic withdrawal on Doppler echocardiographic left ventricular diastolic filling velocities in young normal subjects. <i>American Journal of Cardiology</i> , 1991 , 67, 520-6	3	37
1841	Hemodynamic comparison of two nifedipine formulations in patients with essential hypertension. <i>American Journal of Cardiology</i> , 1991 , 68, 1346-50	3	43
1840	Electrocardiographic correlates with left ventricular morphology in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1991 , 68, 642-7	3	13
1839	Usefulness of systolic excursion of the mitral anulus as an index of left ventricular systolic function. <i>American Journal of Cardiology</i> , 1991 , 67, 222-4	3	187
1838	Systolic excursion of the mitral anulus as an index of left ventricular systolic function. <i>American Journal of Cardiology</i> , 1991 , 68, 829-30	3	1
1837	Hemodynamic effects of celiprolol in essential hypertension. <i>American Journal of Cardiology</i> , 1991 , 68, 509-14	3	6
1836	Effects of immunosuppressive therapy in biopsy-proved myocarditis and borderline myocarditis on left ventricular function. <i>American Journal of Cardiology</i> , 1991 , 68, 370-6	3	63

1835	Stress-induced changes in blood pressure and left ventricular function in mild hypertension. 1991 , 14, 125-32	35
1834	Left ventricular muscle mass and diastolic function in patients with essential hypertension under long-term clonidine monotherapy. 1991 , 14, 134-40	4
1833	Subjective visual echocardiographic estimate of left ventricular ejection fraction as an alternative to conventional echocardiographic methods: comparison with contrast angiography. 1991 , 14, 898-902	117
1832	(Patho)physiological implications of chronic dietary sodium restriction during pregnancy; a longitudinal prospective randomized study. 1991 , 98, 980-7	36
1831	Physiologic observations of pregnant women undergoing prophylactic erythrocytapheresis for sickle cell disease. 1991 , 31, 59-62	6
1830	Comparison between isoprenaline infusions and bolus injections to assess beta-adrenoceptor function in man, with special reference to cardiac contractility and the influence of autonomic reflexes. 1991 , 141, 167-80	4
1829	Echocardiographic findings in kidney transplanted type 1 (insulin-dependent) diabetic patients with and without a pancreas transplant. 1991 , 34 Suppl 1, S128-30	3
1828	Hemodynamic and hemorheologic effects of i.v. Dilevalol in hypertensive patients. 1991 , 42, 703-10	
1827	Effects of long-term treatment with prazosin on left ventricular diastolic function in mild to moderate hypertension. 1992 , 101, 181-6	2
1826	Left Ventricular Mass in Diabetes-Hypertension. 1992 , 152, 1001	63
1825	Aftereffects of exercise on regional and systemic hemodynamics in hypertension. 1992 , 19, 183-91	135
1824	Increased systolic pressure in chronic uremia. Role of arterial wave reflections. 1992 , 20, 10-9	219
1823	Differences in left ventricular structural and functional changes between pheochromocytoma and essential hypertension. Role of elevated circulating catecholamines. 1992 , 5, 134-40	32
1822	Hemodynamic Studies During Pregnancy. 1992 , 1, 75-77	3
1821	Cardiac structure and function in women basketball athletes: seasonal variation and comparisons with nonathletic controls. 1992 , 63, 393-401	18
1820	Management of essential hypertension in patients with different degrees of left ventricular hypertrophy. Multicenter trial. 1992 , 5, 182S-189S	87
1819	Imipramine induced heart failure in the dog: a model to study the effect of cardiac assist devices. 1992 , 26, 804-9	12
1818	M-mode, 2-D and Doppler echocardiographic study in 65 patients with Behçet's syndrome. 1992 , 13, 638-41	61

1817	Rapid reduction of left ventricular hypertrophy in acromegaly after suppression of growth hormone hypersecretion. 1992 , 117, 719-26		78
1816	Alteration of beta-adrenoceptor function in hypertensive patients with different degrees of left ventricular hypertrophy. 1992 , 5, 164S-168S		8
1815	Agreement and reproducibility of the estimates of cardiovascular function by impedance cardiography and M-mode echocardiography in healthy subjects. 1992 , 34, 88-92		9
1814	Impaired left ventricular relaxation and hyperinsulinemia in patients with primary hypercholesterolemia. 1992 , 96, 65-70		1
1813	Evaluation de la fonction ventriculaire gauche en échocardiographie-doppler chez les patients hospitalisés en unité de réanimation. 1992 , 1, 851-858		1
1812	Left ventricular energy in mitral regurgitation: a preliminary report. 1992 , 22, 532-40		15
1811	Ventriculoarterial coupling during exercise in normal human subjects. <i>International Journal of Cardiology</i> , 1992 , 36, 177-86	3.2	25
1810	Left ventricular mass and function in children with severe protein energy malnutrition. <i>International Journal of Cardiology</i> , 1992 , 35, 19-25	3.2	36
1809	Cardiac adaptation to obesity and hypertension after heart transplantation. 1992 , 19, 55-9		19
1808	Value and limitations of transesophageal echocardiography in determination of left ventricular volumes and ejection fraction. 1992 , 19, 1213-22		84
1807	Patterns of left ventricular hypertrophy and geometric remodeling in essential hypertension. 1992 , 19, 1550-8		1218
1806	Patterns of left ventricular response in essential hypertension. 1992 , 19, 1559-60		19
1805	Scorpion venom cardiomyopathy. 1992 , 123, 725-9		37
1804	Comparison of gray-scale and B-color ultrasound images in evaluating left ventricular systolic function in coronary artery disease. 1992 , 123, 395-402		13
1803	Determinants of ventricular ectopy in hypertensive cardiac hypertrophy. 1992 , 123, 89-95		22
1802	Antihypertensive and hemodynamic effects of calcium channel blockade with isradipine after acute exercise. 1992 , 5, 84-7		6
1801	Silent myocardial ischemia in patients with essential hypertension. 1992 , 5, 169S-174S		13
1800	Comparison between end-systolic pressure-volume and end-systolic wall stress in determining left ventricular contractility with increased afterload. 1992 , 81, 69-74		2

1799	Patterns of Serological Markers for Cellular Immune Activation in Patients with Dilated Cardiomyopathy and Chronic Myocarditis. 1992 , 38, 678-680		27
1798	Critical Reappraisal of Bedside Echocardiographic Parameters for Estimation of Left Ventricular Ejection Fraction in Acute Myocardial Infarction. 1992 , 6, 269-278		11
1797	Comparison of ketanserin and celiprolol on regression of left ventricular hypertrophy in older hypertensive patients. 1992 , 6, 419-24		6
1796	Regression of left ventricular hypertrophy in "previously untreated" hypertensive blacks after 6 months of blood pressure reduction with alpha- and beta-adrenergic blockade and thiazide therapy. 1992 , 6, 147-51		2
1795	THE USE OF M-MODE ECHOCARDIOGRAPHY IN DETERMINING CARDIAC OUTPUT IN DOGS WITH NORMAL, LOW, AND HIGH OUTPUT STATES: COMPARISON TO THERMODILUTION METHOD. 1992 , 33, 297-304		13
1794	Late cardiopulmonary toxicity after treatment for Hodgkin's disease. 1992 , 65, 908-12		29
1793	Prognostic implications of subclinical left ventricular dilatation and systolic dysfunction in men free of overt cardiovascular disease (the Framingham Heart Study). <i>American Journal of Cardiology</i> , 1992 , 70, 1180-4	3	118
1792	Regression of left ventricular hypertrophy in systemic hypertension with beta blockers (propranolol, atenolol, metoprolol, pindolol and celiprolol). <i>American Journal of Cardiology</i> , 1992 , 70, 1209-11	3	11
1791	Echocardiographic determinants of clinical outcome in subjects with coronary artery disease (the Framingham Heart Study). <i>American Journal of Cardiology</i> , 1992 , 70, 971-6	3	47
1790	Clinical implications of left atrial spontaneous echo contrast in nonrheumatic atrial fibrillation. <i>American Journal of Cardiology</i> , 1992 , 70, 327-31	3	86
1789	Left ventricular function in myasthenia gravis. <i>American Journal of Cardiology</i> , 1992 , 69, 129-32	3	20
1788	Maternal left ventricular performance during bicycle exercise. <i>American Journal of Cardiology</i> , 1992 , 69, 1506-8	3	9
1787	Hemodynamic and metabolic effects of intravenous clentiazem in hypertensive patients. <i>American Journal of Cardiology</i> , 1992 , 69, 229-32	3	1
1786	Cholinergic baroreflex vasodilatation: defect in heart transplant recipients due to denervation of the ventricular baroreceptor. <i>American Journal of Cardiology</i> , 1992 , 69, 247-52	3	13
1785	Erythrocyte Li ⁺ /Na ⁺ and Na ⁺ /H ⁺ exchange, cardiac anatomy and function in insulin-dependent diabetics. 1992 , 22, 254-9		11
1784	Unexpected effects of coffee consumption on liver enzymes. 1993 , 9, 293-7		124
1783	Radioisotope assessment of heart damage in hypertransfused thalassaemic patients. 1993 , 20, 603-8		9
1782	Predictors of mortality in very old subjects aged 80 years or over. 1993 , 9, 577-86		40

1781	UTILIZATION OF INSTANTANEOUS EJECTION VOLUME IMAGES TO PRODUCE VENTRICULAR VOLUME CURVES FROM AN EQUILIBRIUM RADIONUCLIDE VENTRICULOGRAM. 1993 , 34, 276-285		4
1780	Improvement of left ventricular function after renal transplantation in a patient with uremic cardiomyopathy: report of a case. 1993 , 23, 998-1002		10
1779	Left ventricular myocardial function in myotonic dystrophy. <i>American Journal of Cardiology</i> , 1993 , 71, 987-91	3	37
1778	Evolution of cardiac changes in young insulin-dependent (type 1) diabetic patients--one more piece of the puzzle of diabetic cardiopathy. 1993 , 16, 784-90		12
1777	The effect of extracorporeal high blood flow rate on left ventricular function during hemodialysis--an echocardiographic study. 1993 , 16, 791-5		9
1776	Analysis of heart morphology and function following erythropoietin treatment of anemic dialysis patients. 1993 , 17, 977-84		40
1775	Trace element concentrations (Cu, Zn, Fe) in sera from patients with dilated cardiomyopathy. 1993 , 214, 209-18		35
1774	Functional results of left ventricular reconstruction. 1993 , 56, 316-22		7
1773	Abnormal changes in transmitral flow after acute exposure to nitroglycerin and nifedipine in uncomplicated insulin-dependent diabetes mellitus: a Doppler echocardiographic study. 1993 , 126, 1417-26		4
1772	Differences in the Haemodynamic Effects of Acebutolol and Propranolol during Long Term Treatment of Patients with Hypertension. 1993 , 6, 198-206		
1771	Mitral valve repair in rheumatic disease. The flexible solution. 1993 , 88, 1746-53		33
1770	Isolated ultrafiltration in moderate congestive heart failure. 1993 , 21, 424-31		129
1769	Relation of arterial pressure waveform to left ventricular and carotid anatomy in normotensive subjects. 1993 , 22, 1873-80		225
1768	Left ventricular volume and endocardial surface area by three-dimensional echocardiography: comparison with two-dimensional echocardiography and nuclear magnetic resonance imaging in normal subjects. 1993 , 22, 258-70		151
1767	Left ventricular mass and geometry before and after etiologic treatment in renovascular hypertension, aldosterone-producing adenoma, and pheochromocytoma. 1993 , 6, 907-13		70
1766	Three-dimensional echocardiography. In vivo validation for left ventricular volume and function. 1993 , 88, 1715-23		134
1765	Positive end-expiratory pressure increases the right-to-left shunt in mechanically ventilated patients with patent foramen ovale. 1993 , 119, 887-94		64
1764	Follow-up of cardiac changes induced by anemia compensation in normotensive hemodialysis patients with left-ventricular hypertrophy. 1993 , 64, 202-6		43

1763	Echocardiograms during six hours of bedrest at head-down and head-up tilt and during space flight. 1993 , 33, 535-43	12
1762	Identification of cardiovascular abnormalities in children with empyema thoracis by two-dimensional and Doppler echocardiography. 1993 , 104, 405-10	2
1761	Left ventricular performance and ultrasonic myocardial quantitative reflectivity in endurance senior athletes: an echocardiographic study. 1993 , 14, 358-63	31
1760	Regression of left ventricular hypertrophy with isradipine antihypertensive therapy. 1993 , 6, 82S-85S	5
1759	Increased Myocardial Contractility in Young Newly Diagnosed Type 1 (Insulin-Dependent) Diabetics Free of Diabetic Complications: An Echocardiographic Study. 1993 , 7, 57-62	2
1758	Effects of Intrinsic Sympathomimetic Activity on Cardiac Function during Variations in Preload. 1993 , 7, 269-274	
1757	Long-term effects of recombinant human erythropoietin on macro- and microcirculation in chronic hemodialysis patients. 1993 , 11, 237-47	2
1756	Intraoperative Assessment of Left Ventricular Function with Transesophageal Echocardiography. 1993 , 11, 389-398	23
1755	Comparison of radionuclide ventriculography and 2D echocardiography for the measurement of left ventricular ejection fraction following acute myocardial infarction. 1994 , 15, 1235-9	41
1754	The R Wave Voltage Is Unaffected by Acute Changes of Left Ventricular Volume in Healthy Young Adults. 1994 , 8, 92-94	1
1753	Correlation between the Intensity of the Atrial Sound and the Left Ventricular Filling Disturbances in Patients with Hypertrophic Cardiomyopathy. 1994 , 8, 247-254	2
1752	Echocardiographic Determination of Stroke Volume and Ejection Fraction during Exercise: Analysis from Left Ventricular External Dimension. 1994 , 8, 134-139	1
1751	Humoral Determinants of the Left Ventricular Function in Pheochromocytoma Patients. 1994 , 8, 167-170	1
1750	Change in left ventricular diastolic filling patterns in patients with supraventricular tachycardia treated by radiofrequency ablation: a Doppler echocardiographic study. 1994 , 85, 193-200	1
1749	Clinical implications of left atrial appendage flow patterns in nonrheumatic atrial fibrillation. 1994 , 105, 748-52	52
1748	Hemodynamic predictors of incident hypertension. The Framingham Heart Study. 1994 , 24, 585-90	32
1747	Early changes of the arterial carotid wall in uncomplicated primary hypertensive patients. Study by ultrasound high-resolution B-mode imaging. 1994 , 14, 1290-6	37
1746	Role of glucose intolerance in cardiac diastolic function in essential hypertension. 1994 , 23, 1002-5	30

1745	Cardiac cachexia: preoperative and postoperative nutrition management. 1994 , 18, 409-16		41
1744	[Perioperative applications of transesophageal echocardiography]. 1994 , 29, 458-74		
1743	Left ventricular function and specific diabetic complications in other target organs in young insulin-dependent diabetics: an echocardiographic study. 1994 , 9, 121-8		17
1742	Haemodynamic dose-efficacy of levosimendan in healthy volunteers. 1994 , 47, 267-74		51
1741	Hemodynamic effects of the novel cardiotoxic drug simendan: echocardiographic assessment in healthy volunteers. 1994 , 8, 263-9		6
1740	MRI-derived ventricular volume curves for the assessment of left ventricular function. 1994 , 12, 711-7		35
1739	Long-term use of K-strophanthin in advanced congestive heart failure due to dilated cardiomyopathy: a double-blind crossover evaluation versus digoxin. 1994 , 17, 536-41		3
1738	Noninvasive evaluation of contractile state by left ventricular dP/dtmax divided by end-diastolic volume using continuous-wave Doppler and M-mode echocardiography. 1994 , 17, 662-8		5
1737	Left ventricular performance during prolonged exercise and early recovery in healthy subjects. 1994 , 69, 396-401		20
1736	Usefulness of L-thyroxine to improve cardiac and exercise performance in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1994 , 73, 374-8	3	72
1735	Asymmetric left ventricular remodeling due to isolated septal thickening in patients with systemic hypertension and normal left ventricular masses. <i>American Journal of Cardiology</i> , 1994 , 73, 247-52	3	48
1734	Effects of advancing pregnancy on left ventricular function during bicycle exercise. <i>American Journal of Cardiology</i> , 1994 , 73, 609-10	3	10
1733	Natural history of the asymptomatic/minimally symptomatic patient with severe mitral regurgitation secondary to mitral valve prolapse and normal right and left ventricular performance. <i>American Journal of Cardiology</i> , 1994 , 74, 374-80	3	132
1732	Disparate structural effects on left and right ventricles by angiotensin-converting enzyme inhibitors and calcium antagonists in essential hypertension. <i>American Journal of Cardiology</i> , 1994 , 73, 483-7	3	24
1731	Comparison of diastolic left ventricular filling and cardiac dysrhythmias in hypertensive patients with and without isolated septal hypertrophy. <i>American Journal of Cardiology</i> , 1994 , 74, 585-9	3	22
1730	Measurement of left ventricular ejection fraction by acoustic quantification and comparison with radionuclide angiography. <i>American Journal of Cardiology</i> , 1994 , 74, 1052-6	3	58
1729	Clinical correlates of the rate of transmission of transmitral "A" wave to the left ventricular outflow tract in left ventricular hypertrophy secondary to systemic hypertension, hypertrophic cardiomyopathy or aortic valve stenosis. <i>American Journal of Cardiology</i> , 1994 , 73, 831-4	3	13
1728	Clinical application of end-systolic pressure-volume relation. 1994 , 22, 212-7		8

1727	Short and long-term cardiovascular effects of growth hormone therapy in growth hormone deficient adults. 1994 , 41, 615-20		100
1726	Hypertension in pregnancy: hemodynamics and diurnal arterial pressure profile. 1994 , 47, 233-9		2
1725	Assessment of left ventricular function by the midwall fractional shortening/end-systolic stress relation in human hypertension. 1994 , 23, 1444-51		528
1724	Diastolic function in the different patterns of left ventricular adaptation to essential hypertension. <i>International Journal of Cardiology</i> , 1994 , 44, 73-8	3.2	7
1723	Clinical implications of left atrial appendage function: its influence on thrombus formation. <i>International Journal of Cardiology</i> , 1994 , 43, 61-6	3.2	31
1722	Echo Doppler diastolic function and exercise tolerance. <i>International Journal of Cardiology</i> , 1994 , 43, 67-73	3.2	28
1721	Abnormal coronary flow velocity pattern in patients with left ventricular hypertrophy, angina pectoris, and normal coronary arteries: a transesophageal Doppler echocardiographic study. 1994 , 128, 500-10		25
1720	Is a decrease in arterial pressure during long-term aerobic exercise caused by a fall in cardiac pump function?. 1994 , 127, 567-71		27
1719	Prevalence of left ventricular systolic dysfunction in Duchenne muscular dystrophy: an echocardiographic study. 1994 , 127, 618-23		82
1718	Regression of left ventricular mass after mitral valve repair of pure mitral regurgitation. 1994 , 58, 1670-3		5
1717	Transesophageal echocardiographic measurements of cardiac output in cardiac surgical patients. 1994 , 58, 1486-9		18
1716	A prospective study of left atrial spontaneous echo contrast and thrombus in 100 consecutive patients referred for balloon dilation of the mitral valve. 1994 , 7, 516-27		32
1715	Angiotensin Converting Enzyme Inhibition with Quinapril and Left Ventricular Mass in the Hypertensive Patient. 1994 , 8, 38-48		2
1714	Short-term cardiac adaptation to severe haemodilution: an echocardiographic study in normal and hypertensive subjects. 1994 , 15, 637-40		6
1713	Anti-ischaemic and haemodynamic effects of elgodipine, a potent new generation calcium antagonist, in chronic stable angina. 1994 , 15, 665-71		5
1712	Echocardiographic findings in thalassemia major. 1994 , 83, 442-3		1
1711	Technical note: rapid measurement of left ventricular mass by spin echo magnetic resonance imaging. 1994 , 67, 86-90		12
1710	Pharmacokinetics and pharmacodynamics of simendan, a novel calcium sensitizer, in healthy volunteers. 1994 , 56, 554-63		21

1709	Left ventricular volume and mass: Comparative study of two-dimensional echocardiography and ultrafast computed tomography. 1994 , 11, 1-9		30
1708	Pharmacokinetics and pharmacodynamics of intravenous OPC-18790 in humans: a novel nonglycosidic inotropic agent. 1994 , 34, 176-83		6
1707	Comparison of cardiovascular function during the early hours of bed rest and space flight. 1994 , 34, 489-99		6
1706	Above-normal left ventricular systolic performance during exercise in young subjects with mild hypertension. 1995 , 16, 232-42		10
1705	Left ventricular mechanics after early successful repair of aortic coarctation. 1995 , 5, 310-318		2
1704	Abnormal left ventricular diastolic function during cold pressor test in uncomplicated insulin-dependent diabetes mellitus. 1995 , 89, 461-5		8
1703	Ultrafiltration in moderate heart failure. Exercise oxygen uptake as a predictor of the clinical benefits. 1995 , 108, 94-8		11
1702	Left atrial spontaneous echo contrast in patients with rheumatic mitral valve disease in sinus rhythm. Implication of an altered left atrial appendage function in its formation. 1995 , 108, 99-103		27
1701	An echocardiographic evaluation of patients with idiopathic heart failure. 1995 , 107, 680-9		24
1700	Noninvasive assessment of left ventricular mass, chamber volume, and contractile function. 1995 , 20, 364-440		27
1699	Reduced left ventricular systolic pump performance and depressed myocardial contractile function in patients > 65 years of age with normal ejection fraction and a high relative wall thickness. <i>American Journal of Cardiology</i> , 1995 , 76, 702-5	3	53
1698	Pharmacokinetics and pharmacodynamics of enantiomers of pimobendan in patients with dilated cardiomyopathy and congestive heart failure after single and repeated oral dosing. 1995 , 57, 610-21		23
1697	Celiprolol and propranolol for unstable angina pectoris. 1995 , 57, 67-72		4
1696	Assessment of left ventricular function in severe scorpion envenomation: combined hemodynamic and echo-Doppler study. 1995 , 21, 629-35		49
1695	Detection of "pathologic" prosthetic valve stenosis via exercise Doppler echocardiography. 1995 , 10, 35-40		
1694	Cardiovascular effects of high-dose growth hormone treatment in growth hormone-deficient children. 1995 , 16, 223-7		18
1693	Effects of ACE inhibition on endurance exercise haemodynamics in trained subjects with mild hypertension. 1995 , 48, 435-9		7
1692	Haemodynamic changes in children with portal hypertension during the postoperative period. 1995 , 5, 311-7		5

1691	Experimental acute hypoxia in healthy subjects: evaluation of systolic and diastolic function of the left ventricle at rest and during exercise using echocardiography. 1995 , 70, 169-74	12
1690	Increased nitric oxide in the exhaled air of patients with decompensated liver cirrhosis. 1995 , 123, 110-3	73
1689	Analysis of randomness of atrial and ventricular rhythm in atrial fibrillation. 1995 , 16, 971-6	7
1688	Haemodynamic changes and exercise tolerance in dialysis patients treated with erythropoietin. 1995 ,	
1687	Myocardial uptake of an iodinated branched fatty acid analog, assessed by SPECT, may detect metabolic derangement of the myocardium in diabetic patients with coronary heart disease. 1995 , 86, 238-42	1
1686	Mitral annular calcification in CAPD patients with a low degree of hyperparathyroidism. An analysis of other possible risk factors. 1995 ,	
1685	Left ventricular geometry and cardiac function in mild to moderate essential hypertension. 1995 , 18, 151-7	21
1684	Transient reduction of human left ventricular mass in carnitine depletion induced by antibiotics containing pivalic acid. 1995 , 74, 656-9	20
1683	Clinical significance of fibrillatory wave amplitude. A clue to left atrial appendage function in nonrheumatic atrial fibrillation. 1995 , 108, 359-63	25
1682	Cardiovascular effects of long-term L-thyroxine therapy for Hashimoto's thyroiditis in children and adolescents. 1995 , 132, 688-92	2
1681	Celiprolol vs propranolol in unstable angina pectoris: a double-blind, randomized, parallel-group study. 1995 , 46, 137-44	4
1680	A new echocardiographic formula to calculate ejection fraction by using systolic excursion of mitral annulus. 1995 , 46, 157-63	20
1679	White coat hypertension and white coat effect. Similarities and differences. 1995 , 8, 790-8	126
1678	Automatic left ventricular volume measurements on contrast-enhanced ultrafast cine magnetic resonance imaging. <i>European Journal of Radiology</i> , 1995 , 20, 126-32	4-7 3
1677	Effects of mild Trendelenburg on central hemodynamics and internal jugular vein velocity, cross-sectional area, and flow. 1995 , 13, 255-8	66
1676	The influence of body composition on left ventricular mass and other echocardiographic and Doppler measurements in 70-year-old males. 1995 , 15, 425-33	10
1675	Three-dimensional echocardiography improves noninvasive assessment of left ventricular volume and performance. 1995 , 130, 812-22	53
1674	The effect of amlodipine on the mass and functions of the left ventricle in patients with primary hypertension and left ventricular hypertrophy. 1995 , 56, 607-616	2

1673	Treatment with enalapril fails to prevent impaired cardiopulmonary baroreflex control in dogs with left ventricular dysfunction. 1995 , 1, 381-9		7
1672	Left ventricular and aortic root structure and function changes with beta blocker antihypertensive therapy. A one-year double blind study of celiprolol and metoprolol. <i>International Journal of Cardiology</i> , 1995 , 49, 45-54	3.2	5
1671	Adverse prognostic significance of concentric remodeling of the left ventricle in hypertensive patients with normal left ventricular mass. 1995 , 25, 871-8		336
1670	The coagulation system is activated in idiopathic cardiomyopathy. 1995 , 25, 1634-40		127
1669	Geometric changes allow normal ejection fraction despite depressed myocardial shortening in hypertensive left ventricular hypertrophy. 1995 , 26, 195-202		309
1668	.		
1667	Tomographic left ventricular volume determination in the presence of aneurysm by three-dimensional echocardiographic imaging. I: Asymmetric model hearts. 1996 , 9, 488-500		33
1666	Three-dimensional echocardiography: the influence of number of component images on accuracy of left ventricular volume quantitation. 1996 , 9, 147-55		32
1665	Carotid artery and left ventricular structural relationship in asymptomatic men at risk for cardiovascular disease. 1996 , 127, 103-12		53
1664	The DD genotype of the angiotensin-converting enzyme gene is associated with increased mortality in idiopathic heart failure. 1996 , 28, 162-7		128
1663	Medium-term effectiveness of L-thyroxine treatment in idiopathic dilated cardiomyopathy. 1996 , 101, 461-7		108
1662	Genetic basis of left ventricular remodeling after myocardial infarction. <i>International Journal of Cardiology</i> , 1996 , 53, 265-72	3.2	29
1661	Left ventricular wall stress and thickness from 3D echocardiography in hypertensive patients.		
1660	Left ventricular volume calculations using a multiplanar transoesophageal echoprobe; in vitro validation and comparison with biplane angiography. 1996 , 17, 1279-88		21
1659	Association of the auscultatory gap with vascular disease in hypertensive patients. 1996 , 124, 877-83		48
1658	The Effects of Hypertension and Aging on Left Ventricular Function during Isometric Exercise. 1996 , 4, 69-79		3
1657	Hemodynamic effects of creatine phosphate in patients with congestive heart failure: a double-blind comparison trial versus placebo. 1996 , 19, 699-703		16
1656	Uniquely abnormal intracavitary flow during late systole and relaxation in hypertrophic obstructive cardiomyopathy with midventricular obstruction. 1996 , 19, 913-5		1

1655	Effects of Trendelenburg versus passive leg raising: autotransfusion in humans. 1996 , 22, 613-4		13
1654	Pathogenesis of fetal hypertrophic cardiomyopathy in insulin-dependent diabetes mellitus. 1996 , 121, 632-634		
1653	Prognostic value of left ventricular mass and geometry in systemic hypertension with left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 1996 , 78, 197-202	3	106
1652	Reduction in left ventricular mass in patients with systemic hypertension treated with enalapril, lisinopril, or fosenopril. <i>American Journal of Cardiology</i> , 1996 , 77, 93-6	3	23
1651	Importance of left atrial appendage function as a risk factor for systemic thromboembolism in patients with rheumatic mitral valve disease. <i>American Journal of Cardiology</i> , 1996 , 78, 844-847	3	11
1650	Estimation of left ventricular chamber and stroke volume by limited M-mode echocardiography and validation by two-dimensional and Doppler echocardiography. <i>American Journal of Cardiology</i> , 1996 , 78, 801-7	3	129
1649	Surgical treatment of asymptomatic and mildly symptomatic mitral regurgitation. 1996 , 112, 1240-8; discussion 1248-9		39
1648	Controlled cross circulation in dogs: effects on donor hemodynamics. 1996 , 25, 29-39		2
1647	Is blood pressure the major determinant of left ventricular mass in subjects over 50 years of age?. 1996 , 22, 181-94		2
1646	Stroke normalized pressure: a useful parameter for the analysis of left ventricular outflow obstruction. 1996 , 18, 609-14		
1645	Pulmonary hypertension in schistosomiasis mansoni. 1996 , 90, 663-5		35
1644	Captopril does not acutely modulate plasma endothelin-1 concentration in human congestive heart failure. 1996 , 10, 561-5		11
1643	Reduced Left Ventricular Contractile Reserve Identified by Low Dose Dobutamine Echocardiography as an Early Marker of Cardiac Involvement in Asymptomatic Patients with Thalassemia Major. 1996 , 13, 463-472		24
1642	Three-Dimensional Echocardiographic Reconstruction of the Left Ventricle by a Transesophageal Tomographic Technique: In Vitro and In Vivo Validation of its Volume Measurement. 1996 , 13, 613-622		7
1641	Investigative Concerns in Demonstrating Reduced Risk From Reversing Left Ventricular Hypertrophy. 1996 , 1, 17-22		
1640	Cardiovascular effects of anabolic steroids in weight-trained subjects. 1996 , 36, 1132-40		40
1639	Early impairment of systolic and diastolic function in asymptomatic HIV-positive patients: a multicenter echocardiographic and echo-Doppler study. The Gruppo Italiano Per lo Studio Cardiologico dei Pazienti Affetti da AIDS. 1996 , 12, 1559-63		35
1638	Cardiac hypertrophy as a result of long-term thyroxine therapy and thyrotoxicosis. 1996 , 75, 363-8		76

1637	Percutaneous transvenous mitral balloon valvuloplasty alone in patients with combined aortic and mitral stenosis. 1997 , 48, 445-50	2
1636	Impaired left ventricular filling dynamics in patients with angina and angiographically normal coronary arteries: effect of beta adrenergic blockade. 1997 , 77, 32-9	35
1635	Left ventricular atrioventricular plane displacement: an echocardiographic technique for rapid assessment of prognosis in heart failure. 1997 , 78, 230-6	130
1634	Quantitative, non-invasive assessment of ventricular septal defect shunt flow by measuring proximal isovelocity surface area on colour Doppler mapping. 1997 , 78, 305-9	13
1633	Effects of enalapril on the exercise capacity and neurohumoral factors during exercise in patients with chronic heart failure. 1997 , 88, 6-13	3
1632	Additional predictive value of both left and right ventricular ejection fractions on long-term survival in idiopathic dilated cardiomyopathy. 1997 , 18, 276-80	231
1631	Circulating angiotensin converting enzyme levels are increased in concentric, but not eccentric, left ventricular hypertrophy in elderly men. 1997 , 15, 885-90	8
1630	Isolated office hypertension and end-organ damage. 1997 , 15, 979-85	25
1629	Pulmonary venous flow velocity patterns in 143 normal subjects aged 20 to 80 years old. An echo 2D colour Doppler cooperative study. 1997 , 18, 148-64	54
1628	Usefulness, usability, and quality criteria for noninvasive methods in cardiovascular clinical pharmacology. 1997 , 37, 11S-20S	2
1627	Use of serum creatine kinase MM isoforms for predicting the progression of left ventricular dilation in patients with hypertrophic cardiomyopathy. 1997 , 61, 315-22	7
1626	Effects of Enalapril and Amlodipine on Left Ventricular Hypertrophy and Function in Essential Hypertension. 1997 , 13, 29-35	2
1625	Noninvasive Doppler-derived myocardial performance index: correlation with simultaneous measurements of cardiac catheterization measurements. 1997 , 10, 169-78	627
1624	Determination of ventricular ejection fraction: a comparison of available imaging methods. The Cardiovascular Imaging Working Group. 1997 , 72, 860-70	72
1623	Freehand three-dimensional echocardiography for determination of left ventricular volume and mass in patients with abnormal ventricles: comparison with magnetic resonance imaging. 1997 , 10, 853-61	95
1622	[Usefulness of the Doppler index $\Delta P/\Delta t$ in the evaluation of left ventricular systolic dysfunction]. 1997 , 50, 105-10	2
1621	Disfunci3n diast3lica, hipertrofia ventricular izquierda y microalbuminuria en la hipertensi3n arterial esencial ligera-moderada. 1997 , 50, 233-238	4
1620	Transesophageal Doppler echocardiographic assessment of systolic and diastolic coronary blood flow velocities at baseline and during adenosine triphosphate-induced coronary vasodilation in chronic aortic regurgitation. 1997 , 133, 71-7	9

1619	Effects of nitrendipine on left ventricular structure and function and aortic distensibility in elderly patients with isolated systolic hypertension. 1997 , 58, 117-126		4
1618	Cerebral autoregulation in patients with cirrhosis and ascites. A transcranial Doppler study. 1997 , 27, 114-20		33
1617	Echocardiographic assessment of left ventricular remodeling: are left ventricular diameters suitable tools?. 1997 , 30, 1534-41		65
1616	Relation of hemodynamic volume load to arterial and cardiac size. 1997 , 29, 1303-10		42
1615	Prevalence and clinical significance of left atrial thrombus in nonrheumatic atrial fibrillation. <i>International Journal of Cardiology</i> , 1997 , 58, 163-9	3.2	42
1614	Endogenous erythropoietin correlates with blood pressure in essential hypertension. 1997 , 29, 376-82		16
1613	Effects of long-term antihypertensive therapy on physical fitness of men with mild hypertension. 1997 , 20, 105-11		1
1612	[Anaerobic threshold detected using "V-slope analysis" in chronic chagasic disease]. 1997 , 30, 129-38		6
1611	Effects of chronic overload training and aging on left ventricular systolic function. 1997 , 43, 307-15		9
1610	Divergent Effects of Hemodialysis and Continuous Ambulatory Peritoneal Dialysis on Cardiac Diastolic Function. 1997 , 17, 353-359		6
1609	Responses of plasma catecholamines, renin-angiotensin-aldosterone system, and atrial natriuretic peptide to exercise in patients with essential hypertension. 1997 , 88, 238-45		5
1608	Echocardiographic Changes in Cases of Intermittent Acute Porphyria. 1997 , 14, 223-230		
1607	Prediction of left ventricular mass changes after renal transplantation by polymorphism of the angiotensin-converting-enzyme gene. 1997 , 51, 1205-11		28
1606	Cardiovascular effects of a trandolapril/verapamil combination in patients with mild to moderate essential hypertension. <i>American Journal of Cardiology</i> , 1997 , 79, 826-8	3	10
1605	Usefulness of subnormal midwall fractional shortening in predicting left ventricular exercise dysfunction in asymptomatic patients with systemic hypertension. <i>American Journal of Cardiology</i> , 1997 , 79, 1070-4	3	43
1604	Relation between left ventricular remodeling and nocturnal blood pressure in the elderly with systemic hypertension. <i>American Journal of Cardiology</i> , 1997 , 80, 81-84	3	6
1603	Preejectional left ventricular wall motion in normal subjects using Doppler tissue imaging and correlation with ejection fraction. <i>American Journal of Cardiology</i> , 1997 , 80, 601-7	3	37
1602	Natural history of left atrial spontaneous echo contrast in nonrheumatic atrial fibrillation. <i>American Journal of Cardiology</i> , 1997 , 80, 897-900	3	40

1601	Relation of systemic arterial pulse pressure to coronary atherosclerosis in patients with mitral stenosis. <i>American Journal of Cardiology</i> , 1997 , 80, 1035-9	3	17
1600	Cardiovascular function before, during, and after the first and subsequent pregnancies. <i>American Journal of Cardiology</i> , 1997 , 80, 1469-73	3	346
1599	The effect of gender on left ventricular function immediately after the wingate test. 1997 , 75, 549-53		11
1598	Both a calcium antagonist and ACE inhibitor reverse hypertrophy in hypertension but a calcium antagonist also depresses contractility. 1997 , 11, 27-32		6
1597	Prediction of the changes in cardiac output in association with preload reduction therapy in patients with hypertensive heart failure. 1997 , 11, 49-56		7
1596	Depletion of activated neutrophils by a filter during cardiac valve surgery. 1997 , 44, 131-9		38
1595	Influence of body size and age on mitral ring motion. 1997 , 17, 635-46		43
1594	Impact of presence of abnormal wall motion on echocardiographic determination of left ventricular function with automated boundary detection technique: re-evaluation. 1998 , 14, 253-9		4
1593	Three-month effects of candesartan cilexetil, an angiotensin II type 1 (AT1) receptor antagonist, on left ventricular mass and hemodynamics in patients with essential hypertension. 1998 , 12, 469-74		31
1592	Age-related variation in left ventricular myocardial contractile state expressed by the stress velocity relation. 1998 , 19, 463-7		26
1591	Left ventricular function and exercise tolerance in patients with type II diabetes mellitus. 1998 , 21, 567-71		10
1590	Short-term hemodynamic evaluation of circumferential mitral annuloplasty for correction of mitral valve regurgitation in dogs. 1998 , 27, 216-23		7
1589	The end-systolic pressure-volume relationship and ventriculoarterial coupling in patients undergoing coronary artery bypass graft surgery. 1998 , 42, 369-75		7
1588	Paroxysmal atrial fibrillation after high-dose melphalan in five patients autotransplanted with blood progenitor cells. 1998 , 21, 1049-53		49
1587	Valve Resistance in Mitral Stenosis: Its Determinants and its Role in the Evaluation of the Disease. 1998 , 15, 1-12		2
1586	Left Ventricular Systolic Function in a Population Sample of Elderly Men. 1998 , 15, 315-324		6
1585	Left Ventricular Diastolic Function in a Population Sample of Elderly Men. 1998 , 15, 433-450		12
1584	Comparison of Left Ventricular Ejection Fraction Calculation Methods. 1998 , 15, 709-712		14

1583	Effect of mitral regurgitation on coagulation activity in atrial fibrillation. <i>American Journal of Cardiology</i> , 1998 , 81, 93-6	3	13
1582	Left ventricular performance in the early stages of systemic hypertension. HARVEST Study Group. Hypertension and Ambulatory Recording Venetia Study. <i>American Journal of Cardiology</i> , 1998 , 81, 418-23		25
1581	Acute hemodynamic effects of metoprolol +/- nitroglycerin in patients with biopsy-proven lymphocytic myocarditis. <i>American Journal of Cardiology</i> , 1998 , 81, 801-4	3	6
1580	Three-dimensional echocardiographic reconstruction: description and applications of a simplified technique for quantitative assessment of left ventricular size and function. <i>American Journal of Cardiology</i> , 1998 , 81, 107G-110G	3	24
1579	Relation of left atrial spontaneous echo contrast with prethrombotic state in atrial fibrillation associated with systemic hypertension, idiopathic dilated cardiomyopathy, or no identifiable cause (lone). <i>American Journal of Cardiology</i> , 1998 , 81, 1249-52	3	27
1578	Relation of age to left ventricular function in clinically normal adults. <i>American Journal of Cardiology</i> , 1998 , 82, 621-6	3	67
1577	Long-term Doppler echocardiographic results of aortic or mitral valve replacement with Biocor porcine bioprosthesis. 1998 , 116, 599-608		9
1576	Studying the mechanics of left ventricular contraction. 1998 , 17, 95-101		21
1575	Effects of spironolactone on exercise capacity and neurohormonal factors in patients with heart failure treated with loop diuretics and angiotensin-converting enzyme inhibitor. 1998 , 31, 93-9		18
1574	Estimation of left ventricular contractile performance in atrial fibrillation: experimental and clinical studies. 1998 , 13, 68-78		2
1573	Effects of a new angiotensin-converting enzyme inhibitor, alacepril, on changes in neurohormonal factors and arterial baroreflex sensitivity in patients with congestive heart failure. 1998 , 54, 209-14		9
1572	Evaluation of cardiac status in iron-loaded thalassaemia patients following bone marrow transplantation: improvement in cardiac function during reduction in body iron burden. 1998 , 103, 916-21		47
1571	Pre-ejectional left ventricular wall motions studied on conscious dogs using Doppler myocardial imaging: relationships with indices of left ventricular function. 1998 , 24, 1271-83		21
1570	Effects of exercise on natriuretic peptides and cardiac function in man. <i>International Journal of Cardiology</i> , 1998 , 65, 217-25	3.2	39
1569	Lack of association between blood pressure variability and left ventricular mass in essential hypertension. 1998 , 11, 515-22		32
1568	Left ventricular geometric patterns and QT dispersion in borderline and mild hypertension: their evolution and regression. 1998 , 11, 286-92		21
1567	Left ventricular geometry as an independent predictor for extracardiac target organ damage in essential hypertension. 1998 , 11, 1171-7		34
1566	Left ventricular geometric patterns and QT dispersion in untreated essential hypertension. 1998 , 11, 1164-70		14

1565	Cardiovascular abnormalities in never-treated hypertensives according to nondipper status. 1998 , 11, 1352-7	40
1564	Fifth-year hemodynamic performance of the prima stentless aortic valve. 1998 , 66, 805-9	13
1563	Left ventricular length-force-shortening relations before and after surgical correction of chronic mitral regurgitation. 1998 , 31, 180-5	25
1562	Homogeneously reduced versus regionally impaired myocardial blood flow in hypertensive patients: two different patterns of myocardial perfusion associated with degree of hypertrophy. 1998 , 31, 366-73	65
1561	Effect of sample volume location on Doppler-derived transmitral inflow velocity values in 288 normal subjects 20 to 80 years old: an echocardiographic, two-dimensional color Doppler cooperative study. 1998 , 11, 280-8	16
1560	Preclinical cardiac dysfunction in transfusion-dependent children and young adults detected with low-dose dobutamine stress echocardiography. 1998 , 11, 948-56	15
1559	A simplified, practical echocardiographic approach for 3-dimensional surfacing and quantitation of the left ventricle: clinical application in patients with abnormally shaped hearts. 1998 , 11, 1001-12	16
1558	Left ventricular ejection fraction in patients with normal and distorted left ventricular shape by three-dimensional echocardiographic methods: a comparison with radionuclide angiography. 1998 , 11, 620-30	26
1557	Manifestaciones cardíacas del hipotiroidismo primario. Factores determinantes y respuesta al tratamiento. 1998 , 51, 893-900	11
1556	Left ventricular contraction pattern changes with age in normal adults. 1998 , 11, 857-63	48
1555	Association of platelet function in hypertensive patients with left ventricular hypertrophy, transient myocardial ischemia, and coronary artery disease. 1998 , 9, 191-5	15
1554	Parasympathetic neuropathy associated with left ventricular diastolic dysfunction in patients with insulin-dependent diabetes mellitus. 1998 , 32, 17-22	21
1553	Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension. 1998 , 136, 765-8	56
1552	Cardiac performance early after cardioversion from atrial fibrillation. 1998 , 136, 435-42	60
1551	Three-dimensional echocardiographic determination of left ventricular volumes and function by multiplane transesophageal transducer: dynamic in vitro validation and in vivo comparison with angiography and thermodilution. 1998 , 11, 1113-24	31
1550	Interaction between body size and cardiac workload: influence on left ventricular mass during body growth and adulthood. 1998 , 31, 1077-82	182
1549	Early cardiac changes after menopause. 1998 , 32, 764-9	70
1548	Which arterial and cardiac parameters best predict left ventricular mass?. 1998 , 98, 422-8	103

1547	Prediction of indications for valve replacement among asymptomatic or minimally symptomatic patients with chronic aortic regurgitation and normal left ventricular performance. 1998 , 97, 525-34	213
1546	Racial Differences in Ambulatory Blood Pressure and Echocardiographic Left Ventricular Geometry. 1998 , 315, 101-109	
1545	Familial hypertrophic cardiomyopathy. Cardiac ultrasonic abnormalities in genetically affected subjects without echocardiographic evidence of left ventricular hypertrophy. 1998 , 19, 490-9	26
1544	Phase I study of the mitomycin C analogue BMS-181174. 1998 , 77, 2020-7	3
1543	Atrial fibrillation is an independent determinant of low cognitive function: a cross-sectional study in elderly men. 1998 , 29, 1816-20	175
1542	Relation of left ventricular midwall function to cardiovascular risk factors and arterial structure and function. 1998 , 31, 929-36	92
1541	Impaired atrial contraction in patients with atrial flutter and gradual recovery after cardioversion. 1998 , 62, 15-20	1
1540	Q wave and non-Q wave myocarditis with special reference to clinical significance. 1998 , 39, 763-74	23
1539	Relation between coronary blood flow and left ventricular mass in hypertension: noninvasive quantification of coronary blood flow by thallium-201 myocardial scintigraphy. 1998 , 21, 227-34	17
1538	[Chagas disease in Virgem da Lapa, Minas Gerais, Brazil. IV. Clinical and epidemiological aspects of left ventricular aneurism]. 1998 , 31, 457-63	15
1537	Effect of endurance training on cardiac morphology in Alaskan sled dogs. 1998 , 85, 1368-75	47
1536	Aortic stenosis. Gender influence on left ventricular geometry and function in patients under 70 years of age. <i>Arquivos Brasileiros De Cardiologia</i> , 1999 , 72, 475-82	1.2 3
1535	Novel method to estimate ventricular contractility using intraventricular pulse wave velocity. 1999 , 277, H2409-15	2
1534	Angiotensin-II type 1 receptor gene polymorphism and long-term survival in patients with idiopathic congestive heart failure. 1999 , 1, 363-9	37
1533	Relationship between atrioventricular delay, QT interval and cardiac function in patients with implanted DDD pacemakers. 1999 , 1, 192-6	7
1532	Surgical treatment of left ventricular post-infarction aneurysm with endoventriculoplasty: late clinical and functional results. 1999 , 15, 413-8	24
1531	Echocardiographic assessment of ejection fraction in left ventricular hypertrophy. 1999 , 82, 192-8	66
1530	Assessment of arterial compliance by carotid midwall strain-stress relation in normotensive adults. 1999 , 33, 787-92	23

1529	Ambulatory blood pressure and metabolic abnormalities in hypertensive subjects with inappropriately high left ventricular mass. 1999 , 34, 1032-40		75
1528	Assessment of arterial compliance by carotid midwall strain-stress relation in hypertension. 1999 , 33, 793-9		14
1527	Impact of concurrent amiodarone treatment on the tolerability and efficacy of carvedilol in patients with chronic heart failure. 1999 , 82, 589-93		10
1526	Medium-term cardiovascular effects of high-dose growth hormone treatment in growth hormone-deficient children. 1999 , 52, 247-52		10
1525	Hypertensive left ventricular hypertrophy is linked to an enhanced catecholamine response to submaximal exercise. 1999 , 29, 594-602		3
1524	Left ventricular diastolic dysfunction in patients with subclinical hypothyroidism. 1999 , 84, 2064-7		242
1523	Effects of hypoxic exercise conditioning on work capacity, lactate, hypoxanthine and hormonal factors in men. 1999 , 26, 309-14		4
1522	M-mode echocardiographic reference values in cats in the first three months of life. 1999 , 40, 491-500		10
1521	Hormonal influences on cardiovascular function in early pregnancy. 1999 , 32, 360-366		
1520	Effect of antihypertensive therapy on aortic distensibility in patients with essential hypertension: comparison with trichlormethiazide, nifedipine and alacepril. 1999 , 13, 339-46		10
1519	Effect of angiotensin-converting enzyme gene polymorphism on left ventricular remodeling after anteroseptal infarction. 1999 , 22, 587-90		15
1518	Validity of the right ventricular Doppler index for assessment of severity of congestive heart failure in patients with dilated cardiomyopathy. 1999 , 14, 232-9		3
1517	Influence of aortic valve replacement, prosthesis type, and size on functional outcome and ventricular mass in patients with aortic stenosis. 1999 , 118, 57-65		43
1516	Effect of oxymetholone on left ventricular dimensions in heart failure secondary to idiopathic dilated cardiomyopathy or to mitral or aortic regurgitation. <i>American Journal of Cardiology</i> , 1999 , 83, 123-5, A9	3	22
1515	Relations of diastolic left ventricular filling to systolic chamber and myocardial contractility in hypertensive patients with left ventricular hypertrophy (The PRESERVE Study). <i>American Journal of Cardiology</i> , 1999 , 84, 558-62	3	57
1514	Real-time three-dimensional echocardiography for measurement of left ventricular volumes. <i>American Journal of Cardiology</i> , 1999 , 84, 1434-9	3	103
1513	Cardiac function of transplanted rat hearts using a working heart model assessed by magnetic resonance imaging. 1999 , 18, 1054-64		16
1512	Decreased left atrial appendage function is an important predictor of elevated left ventricular filling pressure in patients with congestive heart failure. <i>International Journal of Cardiology</i> , 1999 , 68, 39-45	3,2	8

1511	Tolerability and efficacy of carvedilol in patients with New York Heart Association class IV heart failure. 1999 , 33, 924-31	85
1510	Early changes in the time course of myocardial contraction after correcting aortic regurgitation. 1999 , 67, 139-45	12
1509	Medium-term determinants of left ventricular mass index after stentless aortic valve replacement. 1999 , 67, 411-6	28
1508	Prognostic significance of elevated hemostatic markers in patients with acute myocardial infarction. 1999 , 33, 1543-8	37
1507	Interval-force relation is unaffected by the presence of cardiomyopathy or coronary artery disease in patients with atrial fibrillation. 1999 , 5, 100-8	2
1506	Aggravated renal dysfunction during intensive therapy for advanced chronic heart failure. 1999 , 138, 285-90	215
1505	Influence of exercise on QT dispersion in hypertensive patients with left ventricular hypertrophy without coronary artery disease. 1999 , 63, 881-4	4
1504	Familial dilated cardiomyopathy: clinical features in French families. 1999 , 1, 353-61	16
1503	Impact of arterial elastance as a measure of vascular load on left ventricular geometry in hypertension. 1999 , 17, 1007-15	60
1502	Left ventricular geometry and function in patients with essential hypertension and microalbuminuria. 1999 , 17, 993-1000	81
1501	Cardiac arrhythmias and left ventricular hypertrophy in dipper and nondipper patients with essential hypertension. 2000 , 64, 499-504	32
1500	Pulmonary edema after cardioversion for paroxysmal atrial flutter: left ventricular diastolic dysfunction induced by direct current shock. 2000 , 64, 76-9	8
1499	Elevated circulating cardiotrophin-1 in heart failure: relationship with parameters of left ventricular systolic dysfunction. 2000 , 99, 83-88	44
1498	Elevated circulating cardiotrophin-1 in heart failure: relationship with parameters of left ventricular systolic dysfunction. 2000 , 99, 83	32
1497	Cardiac and Plasma Catecholamine Responses to Exercise in Patients with Type 2 Diabetes: Prognostic Implications for Cardiac-Cerebrovascular Events. 2000 , 320, 24-30	13
1496	RAS genes influence exercise-induced left ventricular hypertrophy: an elite athletes study. 2000 , 32, 1868-72	46
1495	Comparison of left ventricular ejection fraction and volumes in heart failure by echocardiography, radionuclide ventriculography and cardiovascular magnetic resonance; are they interchangeable?. 2000 , 21, 1387-96	670
1494	The role of cardiovascular magnetic resonance in heart failure. 2000 , 2, 241-52	40

1493	Calculation of volumes and systolic indices of heart ventricle from Halobatrachus didactylus: echocardiographic noninvasive method. 2000 , 286, 585-95		20
1492	Regression of left ventricular hypertrophy by lisinopril after renal transplantation: role of ACE gene polymorphism. 2000 , 58, 889-97		69
1491	Determination of left ventricular mass by real-time three-dimensional echocardiography: in vitro validation. 2000 , 17, 665-74		8
1490	Cardiocirculatory changes during videolaparoscopy in children: an echocardiographic study. 2000 , 10, 399-406		30
1489	Effects of low-dose adrenomedullin on cardiac function and systemic haemodynamics in man. 2000 , 20, 457-65		14
1488	N-terminal atrial natriuretic peptide and left ventricular geometry and function in a population sample of elderly males. 2000 , 247, 699-708		10
1487	Left ventricular adaptation to hypertension and plasma renin activity. 2000 , 14, 181-8		12
1486	Maternal cardiac systolic and diastolic function: relationship with uteroplacental resistances. A Doppler and echocardiographic longitudinal study. 2000 , 15, 487-97		77
1485	Comparative overview of cardiac output measurement methods: has impedance cardiography come of age?. 2000 , 6, 60-73		24
1484	Comparison by real-time three-dimensional echocardiography of left ventricular geometry in hypertrophic cardiomyopathy versus secondary left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 2000 , 85, 1035-8	3	29
1483	Cardiovascular responses of perimenopausal women to hormonal replacement therapy. 2000 , 182, 17-22		27
1482	Possible role of increased blood viscosity in the hemodynamics of systemic hypertension. <i>American Journal of Cardiology</i> , 2000 , 85, 1265-8	3	52
1481	Congestive heart failure despite normal left ventricular systolic function in a population-based sample: the Strong Heart Study. <i>American Journal of Cardiology</i> , 2000 , 86, 1090-6	3	219
1480	Plasma carnitine levels as a marker of impaired left ventricular functions. 2000 , 213, 37-41		21
1479	Does central venous pressure reflect the circulating blood volume for the decrement of compliance just after esophagectomy?. 2000 , 30, 11-5		8
1478	Detection of doxorubicin cardiotoxicity by using iodine-123 BMIPP early dynamic SPECT: quantitative evaluation of early abnormality of fatty acid metabolism with the Rutland method. 2000 , 7, 553-61		21
1477	Influence of angiotensin-converting enzyme gene polymorphism on development of athlete's heart. 2000 , 23, 621-4		24
1476	A novel color M-mode Doppler echocardiographic index for left ventricular relaxation: depth of the maximal velocity point of left ventricular inflow in early diastole. 2000 , 15, 205-13		3

1475	Quantification of right and left ventricular function by cardiovascular magnetic resonance. 2000 , 25, 392-9	62
1474	Characteristics of myocardial 18F-fluorodeoxyglucose positron emission computed tomography in dilated cardiomyopathy and ischemic cardiomyopathy. 2000 , 14, 33-8	12
1473	Effects of coronary blood flow on left ventricular function in essential hypertensive patients. 2000 , 23, 239-45	23
1472	Gas exchange during exercise in different evolutionary stages of chronic Chagas' heart disease. <i>Arquivos Brasileiros De Cardiologia</i> , 2000 , 75, 481-98	1.2 13
1471	Morphologic and functional changes of left ventricle in dialyzed patients after treatment with recombinant human erythropoietin (r-HuEPO). 2000 , 51, 131-9	19
1470	Retrospective clinical analysis of stented vs. stentless porcine aortic bioprostheses. 2000 , 18, 46-53	28
1469	Impact of arterial stiffening on left ventricular structure. 2000 , 36, 489-94	205
1468	How should we assess diastolic function in hypertension?. 2000 , 34, 377-83	8
1467	Dobutamine stress echocardiography identifies anthracycline cardiotoxicity. 2000 , 1, 180-3	23
1466	Association of follow-up change of left atrial appendage blood flow velocity with spontaneous echo contrast in nonrheumatic atrial fibrillation. 2000 , 117, 309-13	11
1465	Effect of atrial fibrillation on pulmonary venous flow patterns assessed by Doppler transesophageal echocardiography. 2000 , 117, 1546-50	15
1464	Three-dimensional echocardiography: assessment of inter- and intra-operator variability and accuracy in the measurement of left ventricular cavity volume and myocardial mass. 2000 , 45, 1255-73	11
1463	Left ventricular hypertrophy is associated with an attenuated endothelium-dependent vasodilation in hypertensive men. 2000 , 9, 309-14	18
1462	Establishment and performance of a magnetic resonance cardiac function clinic. 2000 , 2, 15-22	62
1461	Improvement in midwall myocardial shortening with regression of left ventricular hypertrophy. 2000 , 36, 755-9	33
1460	Left ventricular geometry and function preceding neurally mediated syncope. 2000 , 101, 777-83	52
1459	Malignant hypertrophic cardiomyopathy caused by the Arg723Gly mutation in beta-myosin heavy chain gene. 2000 , 32, 2307-13	37
1458	Impact of Doppler-derived left ventricular diastolic performance on exercise capacity in normal individuals. 2000 , 139, 716-22	38

1457	beta-blocker therapy in patients after aortic valve replacement for aortic regurgitation. <i>International Journal of Cardiology</i> , 2000 , 73, 49-53	3.2	10
1456	Cardiovascular effect of normalizing the hematocrit level during erythropoietin therapy in predialysis patients with chronic renal failure. 2000 , 35, 250-6		217
1455	Left ventricular systolic and diastolic function and exercise testing in primary hyperparathyroidism-effects of parathyroidectomy. 2000 , 128, 895-902		70
1454	Clinical relevance of office underestimation of usual blood pressure in treated hypertension. 2000 , 13, 523-8		21
1453	Left ventricular function and mass after orthotopic heart transplantation: a comparison of cardiovascular magnetic resonance with echocardiography. 2000 , 19, 444-52		54
1452	Early outcome of initiating amiodarone for atrial fibrillation in advanced heart failure. 2000 , 19, 638-43		36
1451	Transesophageal echocardiographic assessment of pulmonary arterial and venous flow during high-frequency jet ventilation. 2000 , 12, 308-14		14
1450	High-frame-rate tissue harmonic imaging enhances anatomic M-mode sections of the left ventricle in short-axis view. 2000 , 13, 738-47		12
1449	Noninvasive assessment of left ventricular systolic function by stress-shortening relation, rate of change of power, preload-adjusted maximal power, and ejection force in idiopathic dilated cardiomyopathy: prognostic implications. 2000 , 13, 87-95		5
1448	Role of echocardiography in the diagnosis and management of heart failure in the elderly. 2000 , 16, 457-76		5
1447	N-terminal proatrial natriuretic peptide and prognosis in patients with heart failure and preserved systolic function. 2000 , 6, 208-13		22
1446	Left ventricular volumes in liver cirrhosis. 2000 , 32, 392-7		11
1445	Echocardiographic predictors of clinical outcome in patients with left ventricular dysfunction enrolled in the SOLVD registry and trials: significance of left ventricular hypertrophy. <i>Studies of Left Ventricular Dysfunction</i> . 2000 , 35, 1237-44		207
1444	Noninvasive single-beat determination of left ventricular end-systolic elastance in humans. 2001 , 38, 2028-34		416
1443	Pulsed Doppler tissue imaging of the velocity of tricuspid annular systolic motion; a new, rapid, and non-invasive method of evaluating right ventricular systolic function. 2001 , 22, 340-8		456
1442	A prospective comparison of four antihypertensive agents in daily clinical practice. 2001 , 3, 139-44		2
1441	Prevalence and correlates of mitral valve prolapse in a population-based sample of American Indians: the Strong Heart Study. 2001 , 111, 679-85		72
1440	Right ventricular diastolic function in beta-thalassemia major: echocardiographic and clinical correlates. 2001 , 141, 428-34		56

1439	A population-based assessment of left ventricular systolic dysfunction in middle-aged and older adults: the Strong Heart Study. 2001 , 141, 439-46	81
1438	Left ventricular function and hemodynamic features of inappropriate left ventricular hypertrophy in patients with systemic hypertension: the LIFE study. 2001 , 141, 784-91	60
1437	Plasma brain natriuretic peptide as a novel therapeutic indicator in idiopathic dilated cardiomyopathy during beta-blocker therapy: a potential of hormone-guided treatment. 2001 , 141, 925-32	78
1436	Early signs of cardiac involvement in hypertension. 2001 , 142, 1016-23	20
1435	Cardiovascular function in pregnancy: effects of posture. 2001 , 108, 344-352	18
1434	The use of gated perfusion scanning in the assessment of left ventricular volume. <i>European Journal of Radiology</i> , 2001 , 38, 200-4	4-7 2
1433	Endogenous ouabain and hemodynamic and left ventricular geometric patterns in essential hypertension. 2001 , 14, 44-50	92
1432	Diastolic dysfunction precedes myocardial hypertrophy in the development of hypertension. 2001 , 14, 106-13	112
1431	Assessment of left ventricular function by real-time 3-dimensional echocardiography compared with conventional noninvasive methods. 2001 , 14, 275-84	44
1430	Anatomic validation of a novel method for left ventricular volume and mass measurements with use of real-time 3-dimensional echocardiography. 2001 , 14, 1-10	25
1429	Predominant inner-half wall thickening of left ventricle is attenuated in dilated cardiomyopathy: an application of tissue Doppler tracking technique. 2001 , 14, 97-103	11
1428	Real-time 3-dimensional echocardiographic evaluation of left ventricular volume: correlation with magnetic resonance imaging—a validation study. 2001 , 14, 1001-9	43
1427	Different effects of calcium antagonist and beta-blocker therapy on left-ventricular diastolic function in ischemic heart disease. A direct comparison of the impact of mibefradil and atenolol. 2001 , 96, 65-71	
1426	Relative wall thickness is an independent predictor of left ventricular systolic and diastolic dysfunctions in essential hypertension. 2001 , 24, 493-9	41
1425	Análise das alterações cardiovasculares em adultos com deficiência de hormônio de crescimento através da dopplerecardiografia e do teste de esforço cardiopulmonar. 2001 , 45, 540-546	1
1424	Long-term cardiac sequelae in operable breast cancer patients given adjuvant chemotherapy with or without doxorubicin and breast irradiation. 2001 , 19, 37-43	148
1423	Gender differences in the timing of arterial wave reflection beyond differences in body height. 2001 , 19, 2197-203	133
1422	Relation of left ventricular geometry and function to systemic hemodynamics in hypertension: the LIFE Study. Losartan Intervention For Endpoint Reduction in Hypertension Study. 2001 , 19, 127-34	41

1421	High-density lipoprotein cholesterol and left ventricular hypertrophy in essential hypertension. 2001 , 19, 2265-70	34
1420	Effects of endurance training on resting and post-exercise cardiac autonomic control. 2001 , 33, 1496-502	113
1419	Prognostic implications of the compensatory nature of left ventricular mass in arterial hypertension. 2001 , 19, 119-25	67
1418	Effect of low-intensity warfarin therapy on left atrial thrombus resolution in patients with nonvalvular atrial fibrillation: a transesophageal echocardiographic study. 2001 , 65, 271-4	22
1417	Subacute and chronic effects of DDD pacing on left ventricular diastolic function in patients with non-obstructive hypertrophic cardiomyopathy. 2001 , 65, 283-8	2
1416	Physiological relationships between central vascular haemodynamics and left ventricular structure. 2001 , 101, 79-85	8
1415	Physiological relationships between central vascular haemodynamics and left ventricular structure. 2001 , 101, 79	3
1414	Appropriate or inappropriate left ventricular mass in the presence or absence of prognostically adverse left ventricular hypertrophy. 2001 , 19, 1113-9	51
1413	Relationships between 24 h blood pressure load and target organ damage in patients with mild-to-moderate essential hypertension. 2001 , 6, 115-23	33
1412	Effect of age and body weight on neurohumoral variables in healthy Cavalier King Charles spaniels. 2001 , 62, 1818-24	12
1411	Shape reconstruction of the left ventricle: accuracy of limited-plane three-dimensional echocardiography. 2001 , 20, 767-74	
1410	Effects of Verapamil on Top of Trandolapril on Exercise Tolerance and Cardiac Performance in Patients with Hypertension and Reduced Left Ventricular Function. 2001 , 1, 310-319	
1409	Clinical value of lung uptake of iodine-123 metaiodobenzylguanidine (MIBG), a myocardial sympathetic nerve imaging agent, in patients with chronic heart failure. 2001 , 15, 411-6	9
1408	Usefulness of free-angle M-mode echocardiography in assessing left ventricular dimension and left ventricular systolic function. 2001 , 28, 111-116	
1407	Effects of C-peptide on forearm blood flow and brachial artery dilatation in patients with type 1 diabetes mellitus. 2001 , 172, 159-65	21
1406	Central diabetes insipidus and heart: effect of acute arginine vasopressin deficiency and replacement treatment with desmopressin on cardiac performance. 2001 , 54, 97-106	6
1405	Atrioventricular plane displacement correlates closely to circulatory dimensions but not to ejection fraction in normal young subjects. 2001 , 21, 621-8	25
1404	Different mechanisms of isoproterenol-induced and nitroglycerin-induced syncope during head-up tilt in patients with unexplained syncope: important role of epinephrine in nitroglycerin-induced syncope. 2001 , 12, 791-6	11

1403	Comparison of echocardiography and radionuclide ventriculography in the follow-up of left ventricular systolic function in adult lymphoma patients during doxorubicin therapy. 2001 , 249, 297-303		29
1402	Measurement of left ventricular dimensions and function in patients with dilated cardiomyopathy. 2001 , 13, 367-71		66
1401	Hemodynamic, renal, and endocrine effects of acute inhibition of nitric oxide synthase in compensated cirrhosis. 2001 , 34, 19-27		66
1400	The influence of a taurine containing drink on cardiac parameters before and after exercise measured by echocardiography. 2001 , 20, 75-82		107
1399	The use of gated radionuclide ventriculography as a noninvasive method of evaluating right ventricular function in dogs with experimentally induced congestive heart failure. 2001 , 42, 62-9		3
1398	The normal sequence of right and left atrial contraction. 2001 , 6, 222-8		5
1397	Inappropriate left ventricular mass and angiotensin converting enzyme gene polymorphism. 2001 , 15, 811-3		8
1396	Cardiovascular function in pregnancy: effects of posture. 2001 , 108, 344-52		13
1395	Effect of electrocardiographic left ventricular hypertrophy on left ventricular systolic function in systemic hypertension (The LIFE Study). Losartan Intervention For Endpoint. <i>American Journal of Cardiology</i> , 2001 , 87, 54-60	3	65
1394	Inappropriate left ventricular mass in normotensive and hypertensive patients. <i>American Journal of Cardiology</i> , 2001 , 87, 361-3, A10	3	42
1393	Effect of cardioversion of atrial fibrillation on improvement in left ventricular performance. <i>American Journal of Cardiology</i> , 2001 , 88, 439-41	3	22
1392	Impact of coronary artery disease on left ventricular systolic function and geometry in hypertensive patients with left ventricular hypertrophy (the LIFE study). <i>American Journal of Cardiology</i> , 2001 , 88, 646-50	3	31
1391	Maternal left ventricular mass and diastolic function during pregnancy. 2001 , 18, 460-6		78
1390	Maternal left ventricular transverse and long-axis systolic function during pregnancy. 2001 , 18, 467-74		42
1389	Maternal diastolic function in asymptomatic pregnant women with bilateral notching of the uterine artery waveform at 24 weeks' gestation: a pilot study. 2001 , 18, 450-5		29
1388	Maternal diastolic dysfunction and left ventricular geometry in gestational hypertension. 2001 , 37, 1209-15		61
1387	Two-dimensional echo Doppler findings in juvenile and adult onset ankylosing spondylitis with long-term disease. 2001 , 52, 543-8		25
1386	Left ventricular systolic dysfunction in a biracial sample of hypertensive adults: The Hypertension Genetic Epidemiology Network (HyperGEN) Study. 2001 , 38, 417-23		59

1385	Linkage of left ventricular contractility to chromosome 11 in humans: The HyperGEN Study. 2001 , 38, 767-72	25
1384	Cardiac performance in Turner's syndrome patients on growth hormone therapy. 2001 , 55, 240-4	9
1383	Left ventricular systolic dysfunction in 75-year-old men and women; a population-based study. 2001 , 22, 676-83	57
1382	Predictors of long-term survival after valve replacement for chronic aortic regurgitation; is M-mode echocardiography sufficient?. 2001 , 22, 866-73	35
1381	Optimal atrioventricular delay setting determined by evoked QT interval in patients with implanted stimulus-T-driven DDDR pacemakers. 2001 , 3, 46-51	7
1380	Aortic root dilatation at sinuses of valsalva and aortic regurgitation in hypertensive and normotensive subjects: The Hypertension Genetic Epidemiology Network Study. 2001 , 37, 1229-35	112
1379	Geometric mismatch between homograft (allograft) and native aortic root: a 14-year clinical experience. 2001 , 20, 835-41	16
1378	Is there a potential role for serum cardiac troponin I as a marker for myocardial dysfunction in pediatric patients receiving anthracycline-based therapy? A pilot study. 2001 , 19, 352-9	27
1377	The importance of grade 2 ischemic mitral regurgitation in coronary artery bypass grafting. 2001 , 20, 276-81	58
1376	Fibrinogen and preclinical echocardiographic target organ damage: the strong heart study. 2001 , 38, 1068-74	33
1375	Resetting of the cardiopulmonary baroreflex 10 years after surgical repair of coarctation of the aorta. 2001 , 85, 318-25	21
1374	Relation of age to left ventricular function and systemic hemodynamics in uncomplicated mild hypertension. 2001 , 37, 1404-9	16
1373	Impaired cardiac functional reserve and left ventricular hypertrophy in adult sheep after prenatal dexamethasone exposure. 2001 , 89, 623-9	83
1372	Relationship between left ventricular diastolic relaxation and systolic function in hypertension: The Hypertension Genetic Epidemiology Network (HyperGEN) Study. 2001 , 38, 424-8	44
1371	Effect of type 2 diabetes mellitus on left ventricular geometry and systolic function in hypertensive subjects: Hypertension Genetic Epidemiology Network (HyperGEN) study. 2001 , 103, 102-7	255
1370	Dobutamine gated blood pool scintigraphy predicts the improvement of cardiac sympathetic nerve activity, cardiac function, and symptoms after treatment in patients with dilated cardiomyopathy. 2002 , 122, 542-8	17
1369	Effect of changes in load carriage while walking on the left ventricular function in highly trained elderly subjects. 2002 , 48, 289-92	2
1368	Value of plasma B type natriuretic peptide measurement for heart disease screening in a Japanese population. 2002 , 87, 131-5	102

1367	Serum cholesterol affects blood pressure regulation. 2002 , 16, 337-43	27
1366	Influence of left ventricular geometry on regional systolic and diastolic function in patients with essential hypertension. 2002 , 36, 292-6	10
1365	Mitral ratio of peak early to late diastolic filling velocity as a predictor of mortality in middle-aged and elderly adults: the Strong Heart Study. 2002 , 105, 1928-33	339
1364	Prognosis of inappropriate left ventricular mass in hypertension: the MAVI Study. 2002 , 40, 470-6	130
1363	Myocardial function defined by strain rate and strain during alterations in inotropic states and heart rate. 2002 , 283, H792-9	306
1362	Glucose insulin potassium infusion improves systolic function in patients with chronic ischemic cardiomyopathy. 2002 , 4, 181-4	25
1361	Left ventricular dynamics during early recovery from maximal exercise in boys and men. 2002 , 34, 1951-7	6
1360	Reduction of left ventricular diameter and mass after surgical arteriovenous fistula closure in renal transplant recipients. 2002 , 74, 73-9	84
1359	Impact of diastolic Doppler indices on exercise capacity in hypertensive patients with electrocardiographic left ventricular hypertrophy (a LIFE substudy). 2002 , 20, 1223-9	20
1358	Prognostic significance of exercise plasma noradrenaline levels for cardiac death in patients with mild heart failure. 2002 , 66, 261-6	15
1357	High output heart failure in patients with newly diagnosed acromegaly. 2002 , 112, 610-6	39
1356	Appetite suppressants and valvular heart disease in a population-based sample: the HyperGEN study. 2002 , 112, 710-5	26
1355	Vascular reserve in the lower limbs of cirrhotic patients: a duplex Doppler ultrasound study. 2002 , 34, 717-22	1
1354	Heart transplantation: echocardiographic assessment of morphology and function after more than 10 years of follow-up. 2002 , 74, 1075-9; discussion 1079	28
1353	Improvement of mitral dysfunction after kidney transplantation. 2002 , 34, 396-7	6
1352	Urine albumin/creatinine ratio and echocardiographic left ventricular structure and function in hypertensive patients with electrocardiographic left ventricular hypertrophy: the LIFE study. Losartan Intervention for Endpoint Reduction. 2002 , 143, 319-26	107
1351	Change of left ventricular geometric pattern after 1 year of antihypertensive treatment: the Losartan Intervention For Endpoint reduction in hypertension (LIFE) study. 2002 , 144, 1057-64	57
1350	Relation of insulin to left ventricular geometry and function in African American and white hypertensive adults: the HyperGEN study. 2002 , 15, 1029-35	20

1349	Prognostication and risk stratification by assessment of left atrioventricular plane displacement in patients with myocardial infarction. <i>International Journal of Cardiology</i> , 2002 , 83, 35-41	3.2	32
1348	Cardiac remodelling in the era of aggressive medical therapy: does it still exist?. <i>International Journal of Cardiology</i> , 2002 , 83, 217-25	3.2	15
1347	Midwall myocardial shortening in athletic left ventricular hypertrophy. <i>International Journal of Cardiology</i> , 2002 , 86, 233-8	3.2	8
1346	Can strain rate and strain quantify changes in regional systolic function during dobutamine infusion, B-blockade, and atrial pacing--implications for quantitative stress echocardiography. 2002 , 15, 416-24		120
1345	Current diagnostic strategies in heart failure. 2002 , 9, 31S-39S		1
1344	Minor segmental dyssynergy reflects extensive myocardial damage and global left ventricle dysfunction in chronic Chagas disease. 2002 , 15, 610-6		15
1343	Left ventricular diastolic dysfunction induced by cyclophosphamide in blood stem cell transplantation. 2002 , 43, 249-61		12
1342	Evaluation of inotropic changes in ventricular function by NOGA mapping: comparison with echocardiography. 2002 , 93, 418-26		10
1341	Systolic and diastolic performance late after the Fontan procedure for a single ventricle and comparison of those undergoing operation at 12 months of age. <i>American Journal of Cardiology</i> , 2002 , 89, 276-80	3	30
1340	Correlates of pulse pressure reduction during antihypertensive treatment (losartan or atenolol) in hypertensive patients with electrocardiographic left ventricular hypertrophy (the LIFE study). <i>American Journal of Cardiology</i> , 2002 , 89, 399-402	3	14
1339	Relation between neurohormonal activation and enhanced ventilatory response to exercise in patients with chronic congestive heart failure. <i>American Journal of Cardiology</i> , 2002 , 89, 604-7	3	7
1338	Comparison of interstudy reproducibility of cardiovascular magnetic resonance with two-dimensional echocardiography in normal subjects and in patients with heart failure or left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 2002 , 90, 29-34	3	1076
1337	Repeatability of echocardiographic measurements in the human fetus. 2002 , 20, 332-9		59
1336	Abnormal maternal cardiac function and morphology in pregnancies complicated by intrauterine fetal growth restriction. 2002 , 20, 452-7		64
1335	Effects of the creation of arteriovenous fistula for hemodialysis on cardiac function and natriuretic peptide levels in CRF. 2002 , 40, 974-82		174
1334	Anti-tachycardia therapy can improve altered cardiac adrenergic function in tachycardia-induced cardiomyopathy. 2002 , 16, 447-53		3
1333	Cardiac and vascular structure and function are related to lipid peroxidation and metabolism. 2002 , 37, 231-6		36
1332	Serial pulsed Doppler assessment of early left ventricular output in critically ill very low-birth-weight infants. 2002 , 23, 442-8		13

1331	Left ventricular mass and hemodynamic overload in normotensive hemodialysis patients. 2002 , 62, 1828-38	29
1330	Recurrence of left ventricular hypertrophy following cessation of erythropoietin therapy. 2002 , 26, 98-102	8
1329	Importance of the index of myocardial performance in evaluation of left ventricular function. 2002 , 19, 273-8	23
1328	Increase of matrix metalloproteinase-2 in dialysate of rat sclerosing encapsulating peritonitis model. 2002 , 7, 43-49	1
1327	Optimal atrioventricular delay setting determined by QT sensor of implanted DDDR pacemaker. 2002 , 25, 195-200	9
1326	Diastolic subclinical primary alterations in Marfan syndrome and Marfan-related disorders. 2002 , 25, 416-20	20
1325	Cardiovascular effects of canrenone in patients with preascitic cirrhosis. 2002 , 35, 1441-8	13
1324	The role of echocardiography in the diagnosis and management of heart failure. 2003 , 8, 181-9	27
1323	[Left ventricular mass in endurance-athletes with athlete's heart and untrained subjects--comparison between different echocardiographic methods and MRI]. 2003 , 92, 309-18	8
1322	Echocardiographic findings in children ill with acute postinfectious glomerulonephritis. 2003 , 162, 500-505	2
1321	Relation between hemodynamic changes after endoscopic transthoracic sympathectomy and the number of sympathetic segments operated. 2003 , 13 Suppl 1, I89-93	
1320	Maternal cardiac systolic function and total body water estimation in normal and gestational hypertensive women. 2003 , 40 Suppl 1, S216-21	4
1319	Correlation between clinical findings and the "tombstoning" electrocardiographic pattern in patients with anterior wall acute myocardial infarction. <i>American Journal of Cardiology</i> , 2003 , 92, 1316-8 ³	9
1318	Usefulness of tachycardic-stress perfusion imaging to predict coronary artery disease in high-risk patients with chronic renal failure. <i>American Journal of Cardiology</i> , 2003 , 92, 1318-20	3 24
1317	Effect of atenolol therapy on left atrial appendage function in patients with symptomatic mitral stenosis. <i>American Journal of Cardiology</i> , 2003 , 91, 1284-5	3 4
1316	Comparison of left ventricular function by echocardiogram in patients with Wilms' tumor treated with anthracyclines versus those not so treated. <i>American Journal of Cardiology</i> , 2003 , 92, 359-61	3 10
1315	Partial cut-off of the left ventricle: determinants and effects on volume parameters assessed by real-time 3-D echocardiography. 2003 , 29, 25-30	11
1314	Visual quantitative estimation: semiquantitative wall motion scoring and determination of ejection fraction. 2003 , 20, 401-10	15

1313	Effects of P-wave dispersion on atrial fibrillation in patients with acute anterior wall myocardial infarction. 2003 , 8, 101-6		18
1312	Electrocardiographic ventricular repolarization parameters in chronic Chagas' disease as predictors of asymptomatic left ventricular systolic dysfunction. 2003 , 26, 1326-35		17
1311	Single-plane and biplane echocardiography: use of targeted scan planes improves the estimates of left ventricular volume and shape for analysis of postinfarction remodeling. 2003 , 16, 448-56		3
1310	Echocardiographic prediction of left ventricular dysfunction after mitral valve repair for mitral regurgitation as an indicator to decide the optimal timing of repair. 2003 , 42, 458-63		106
1309	Plasma endothelin-1 levels and clinical correlates in patients with chronic heart failure. 2003 , 9, 318-24		31
1308	The limited value of plasma B-type natriuretic peptide for screening for left ventricular hypertrophy among hypertensive patients. 2003 , 16, 1025-9		29
1307	Associations of aortic and mitral regurgitation with body composition and myocardial energy expenditure in adults with hypertension: the Hypertension Genetic Epidemiology Network study. 2003 , 145, 1071-7		20
1306	Prognostic implications of ejection fraction from linear echocardiographic dimensions: the Strong Heart Study. 2003 , 146, 527-34		47
1305	Reliability of reporting left ventricular systolic function by echocardiography: a systematic review of 3 methods. 2003 , 146, 388-97		194
1304	The effect of maze operations on atrial volume. 2003 , 75, 51-6		23
1303	Maternal cardiac function in twin pregnancy. 2003 , 102, 806-15		51
1302	Interleukin-6 and tumor necrosis factor-alpha levels increase in response to maximal exercise in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2003 , 87, 83-90	3.2	32
1301	Dobutamine-inducible left ventricular obstruction: head-up tilt and autonomic balance. <i>International Journal of Cardiology</i> , 2003 , 87, 245-52	3.2	5
1300	Echocardiographic changes and predictors of arrhythmia recurrence after long-term use of the atrial defibrillator. <i>International Journal of Cardiology</i> , 2003 , 89, 25-31	3.2	5
1299	Relation of fibrinogen to cardiovascular events is independent of preclinical cardiovascular disease: the Strong Heart Study. 2003 , 145, 467-74		31
1298	The Arg16Gly polymorphism of the beta2-adrenergic receptor and left ventricular systolic function. 2003 , 16, 945-51		30
1297	Are gestational and essential hypertension similar? Left ventricular geometry and diastolic function. 2003 , 22, 225-37		15
1296	Echocardiographic assessment of anatomic lesions predicts surgical strategy in mitral regurgitation. 2003 , 37, 229-34		1

1295	Echocardiographic wall motion abnormalities in hypertensive patients with electrocardiographic left ventricular hypertrophy: the LIFE Study. 2003 , 41, 75-82	33
1294	MATERNAL CARDIOVASCULAR HAEMODYNAMICS IN NORMAL AND COMPLICATED PREGNANCIES. 2003 , 14, 355-385	6
1293	Left ventricular concentric geometry as a risk factor in gestational hypertension. 2003 , 41, 469-75	40
1292	Assessment of left ventricular mass regression after aortic valve replacement--cardiovascular magnetic resonance versus M-mode echocardiography. 2003 , 24, 59-65	28
1291	Comparison of changes in diastolic functions after aortic valve replacement with freestyle stentless porcine xenografts in patients with restrictive and nonrestrictive physiology. 2003 , 54, 655-9	
1290	NT-proBNP: a new diagnostic screening tool to differentiate between patients with normal and reduced left ventricular systolic function. 2003 , 89, 150-4	137
1289	Relation of left ventricular hypertrophy to inflammation and albuminuria in adults with type 2 diabetes: the strong heart study. 2003 , 26, 2764-9	73
1288	Prevalence of left ventricular diastolic dysfunction in the community. Results from a Doppler echocardiographic-based survey of a population sample. 2003 , 24, 320-8	276
1287	. 2003 , 24, 915-924	
1286	Maternal Cardiac Function in Twin Pregnancy. 2003 , 102, 806-815	42
1285	Does rheumatic myocarditis really exists? Systematic study with echocardiography and cardiac troponin I blood levels. 2003 , 24, 855-62	37
1284	Pulse pressure/stroke index and left ventricular geometry and function: the LIFE Study. 2003 , 21, 781-7	65
1283	The effect of growth hormone (GH) replacement therapy on sympathetic nerve hyperactivity in hypopituitary adults. 2003 , 21, 1905-1914	27
1282	Coronary flow reserve in hypertensive patients with appropriate or inappropriate left ventricular mass. 2003 , 21, 2183-8	47
1281	A new radionuclide approach for the quantification of left ventricular volumes: the 'geometric count based' method. 2003 , 24, 915-24	3
1280	ACE I/D polymorphism and cardiac adaptations in adolescent athletes. 2003 , 35, 1986-90	16
1279	Cardiovascular and hormonal effects of subcutaneous administration of ghrelin, a novel growth hormone-releasing peptide, in healthy humans. 2003 , 105, 431-5	89
1278	Failure to raise blood pressure during exercise is a poor prognostic sign in patients with hypertrophic non-obstructive cardiomyopathy. 2003 , 67, 191-4	6

1277	Narrowing of the left ventricular cavity associated with transient ventricular wall thickening reduces stroke volume in patients with acute myocarditis. 2003 , 67, 490-4		23
1276	Changes in evoked QT intervals according to variations in atrioventricular delay and cardiac function in patients with implanted QT-driven DDDR pacemakers. 2003 , 67, 515-8		4
1275	Improvement in left ventricular dysfunction after surgical correction of mitral regurgitation. <i>Arquivos Brasileiros De Cardiologia</i> , 2003 , 80, 13-8, 7-12	1.2	2
1274	Mildly symptomatic chronic mitral regurgitation. Analysis of left ventricular systolic function and mitral regurgitation fraction under pharmacological influence. Echocardiographic study. <i>Arquivos Brasileiros De Cardiologia</i> , 2003 , 80, 144-9, 138-43	1.2	2
1273	Estimation of preload recruitable stroke work relationship by a single-beat technique in humans. 2003 , 284, H744-50		34
1272	Reduced hemodynamic load and cardiac hypertrophy in patients with anorexia nervosa. 2003 , 77, 308-12		60
1271	Myocardial performance index, a Doppler-derived index of global left ventricular function, predicts congestive heart failure in elderly men. 2004 , 25, 2220-5		90
1270	Prognostic value of echocardiographic indicators of left ventricular systolic function in asymptomatic dialysis patients. 2004 , 15, 1029-37		153
1269	Heterogeneity of cardiorenal characteristics in normotensive subjects. 2004 , 43, 219-23		15
1268	Differences in left ventricular structure between black and white hypertensive adults: the Hypertension Genetic Epidemiology Network study. 2004 , 43, 1182-8		155
1267	N-terminal proBNP and mortality in hospitalised patients with heart failure and preserved vs. reduced systolic function: data from the prospective Copenhagen Hospital Heart Failure Study (CHHF). 2004 , 6, 335-41		77
1266	Value of N-terminal pro brain natriuretic peptide in the elderly: data from the prospective Copenhagen Hospital Heart Failure study (CHHF). 2004 , 6, 275-9		15
1265	Ventriculo-arterial coupling and mechanical efficiency with remifentanyl in patients with coronary artery disease. 2004 , 48, 61-8		9
1264	Maternal cardiac function during pregnancy at high altitude. 2004 , 111, 1051-8		23
1263	The impact of pump speed and inlet cannulation site on left ventricular unloading with a rotary blood pump. 2004 , 28, 660-7		11
1262	The influence of ambulatory blood pressure profile on left ventricular geometry. 2004 , 21, 7-10		15
1261	Association of left bundle branch block with left ventricular structure and function in hypertensive patients with left ventricular hypertrophy: the LIFE study. 2004 , 18, 397-402		14
1260	Impact of valvular regurgitation on left ventricular geometry and function in hypertensive patients with left ventricular hypertrophy: the LIFE study. 2004 , 18, 431-6		11

1259	Impact of age on left ventricular hypertrophy regression during antihypertensive treatment with losartan or atenolol (the LIFE study). 2004 , 18, 417-22		16
1258	Usefulness of the assessment of the appropriateness of left ventricular mass to detect left ventricular systolic and diastolic abnormalities in absence of echocardiographic left ventricular hypertrophy: the LIFE study. 2004 , 18, 423-30		11
1257	Regression of left ventricular hypertrophy after arteriovenous fistula closure in renal transplant recipients: a long-term follow-up. 2004 , 4, 2038-44		65
1256	T-wave axis deviation as an independent predictor of mortality in chronic Chagas' disease. <i>American Journal of Cardiology</i> , 2004 , 93, 1136-40	3	27
1255	Accuracy of measurement of left ventricular volume and ejection fraction by new real-time three-dimensional echocardiography in patients with wall motion abnormalities secondary to myocardial infarction. <i>American Journal of Cardiology</i> , 2004 , 94, 552-8	3	80
1254	Tissue Doppler imaging of the right and left ventricle in severe obesity (body mass index >35 kg/m ²). <i>American Journal of Cardiology</i> , 2004 , 94, 1087-90	3	55
1253	Isolated noncompaction involving the left ventricular apex in adults. <i>American Journal of Cardiology</i> , 2004 , 94, 1214-6	3	16
1252	Complementary role of echocardiography and cardiac magnetic resonance in the non-invasive evaluation of suspected arrhythmogenic right ventricular cardiomyopathy. 2004 , 11, 15-7		6
1251	Abnormal maternal cardiac function precedes the clinical manifestation of fetal growth restriction. 2004 , 24, 23-9		50
1250	Peak exercise oxygen uptake and left ventricular systolic and diastolic function and arterial mechanics in healthy young men. 2004 , 91, 664-8		12
1249	Simulation of post-dialysis urea rebound using regional flow model. 2004 , 8, 139-45		7
1248	Optimal number of image slices for reliable measurement of left ventricular volumes and ejection fraction by three-dimensional transesophageal echocardiography. 2004 , 31, 59-65		
1247	Effects of losartan and valsartan on left ventricular hypertrophy and function in essential hypertension. 2004 , 21, 76-86		18
1246	Comparison of primary mitral valve disease in German Shepherd dogs and in small breeds. 2004 , 6, 27-34		65
1245	Echocardiographic evaluation of cardiac function in the fetus. 2004 , 24, 1081-91		31
1244	MR imaging assessment of cardiac function. 2004 , 19, 789-99		65
1243	Efficacy of amiodarone treatment on cardiac symptom, function, and sympathetic nerve activity in patients with dilated cardiomyopathy: comparison with beta-blocker therapy. 2004 , 11, 134-41		24
1242	Index of myocardial performance after early phase of myocardial infarction in relation to its location. 2004 , 17, 345-9		5

1241	Association of inappropriate left ventricular mass with systolic and diastolic dysfunctionThe HyperGEN study. 2004 , 17, 828-833	35
1240	Anatomic M-mode, a pertinent tool for the daily practice of transthoracic echocardiography. 2004 , 17, 962-7	7
1239	Effect of central hypothyroidism on Doppler-derived myocardial performance index. 2004 , 17, 622-9	10
1238	Myocardial positron emission computed tomographic images obtained with fluorine-18 fluoro-2-deoxyglucose predict the response of idiopathic dilated cardiomyopathy patients to beta-blockers. 2004 , 43, 224-33	22
1237	The diagnosis of heart failure in the community. Comparative validation of four sets of criteria in unselected older adults: the ICARe Dicomano Study. 2004 , 44, 1601-8	75
1236	Midwall mechanics in physiologic and hypertensive concentric hypertrophy. 2004 , 17, 418-27	26
1235	Supervised echocardiography in internal medicine. An integrated model in a community hospital. 2004 , 15, 216-219	1
1234	IL-6 levels in acute and post myocardial infarction: their relation to CRP levels, infarction size, left ventricular systolic function, and heart failure. 2004 , 15, 523-528	78
1233	Morphofunctional characteristics of the right ventricle in Chagas' dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2004 , 94, 79-85	3.2 46
1232	Short-term prevention of thromboembolic complications in patients with atrial fibrillation with aspirin plus clopidogrel: the Clopidogrel-Aspirin Atrial Fibrillation (CLAAF) pilot study. 2004 , 148, e6	22
1231	Relation of impaired left ventricular filling to systolic midwall mechanics in hypertensive patients with normal left ventricular systolic chamber function: the Losartan Intervention for Endpoint Reduction in Hypertension (LIFE) study. 2004 , 148, 538-44	21
1230	Association of inappropriate left ventricular mass with systolic and diastolic dysfunction: the HyperGEN study. 2004 , 17, 828-33	15
1229	Prevalence of idiopathic hypertrophic cardiomyopathy in China: a population-based echocardiographic analysis of 8080 adults. 2004 , 116, 14-8	164
1228	Diagnostic use of T2-weighted inversion-recovery magnetic resonance imaging in acute coronary syndromes compared with 99mTc-Pyrophosphate, 123I-BMIPP and 201TlCl single photon emission computed tomography. 2004 , 68, 1023-9	13
1227	Risk factors for patients developing a fulminant course with acute myocarditis. 2004 , 68, 734-9	45
1226	Neurohumoral profiles in patients with hypertrophic cardiomyopathy: differences to hypertensive left ventricular hypertrophy. 2004 , 68, 444-50	33
1225	Comparison of cardiovascular responses between lower body negative pressure and head-up tilt. 2005 , 98, 2081-6	53
1224	Scleroderma heart disease. 2005 , 18, 609-14	5

1223	Mitral annular calcification, aortic valve sclerosis, and incident stroke in adults free of clinical cardiovascular disease: the Strong Heart Study. 2005 , 36, 2533-7		130
1222	Aortic valve sclerosis is associated with preclinical cardiovascular disease in hypertensive adults: the Hypertension Genetic Epidemiology Network study. 2005 , 23, 867-73		23
1221	Cardiovascular magnetic resonance in the quantitative assessment of left ventricular mass, volumes and contractile function. 2005 , 16, 337-43		18
1220	Factors affecting left ventricular remodelling and mechanics in the long-term follow-up after successful repair of aortic coarctation. 2005 , 15, 160-7		13
1219	Effect of endoscopic transthoracic sympathectomy on plasma natriuretic peptide concentrations in humans. 2005 , 69, 1079-83		3
1218	Comparative study of quantitative blood pool SPECT imaging with 180 degrees and 360 degrees acquisition orbits on accuracy of cardiac function. 2005 , 12, 186-94		8
1217	Operative contractility: a functional concept of the inotropic state. 2005 , 32, 871-81		
1216	Clinical indicators of biochemical remission in acromegaly: does incomplete disease control always mean therapeutic failure?. 2005 , 62, 410-7		23
1215	Freehand three-dimensional echocardiography with rotational scanning for measurements of left ventricular volume and ejection fraction in patients with coronary artery disease. 2005 , 22, 111-9		7
1214	The Doppler-derived myocardial performance index is determined by both left ventricular systolic and diastolic function as well as by afterload and left ventricular mass. 2005 , 22, 211-6		30
1213	Effect of exercise training on VO ₂ peak and left ventricular systolic function in recent cardiac transplant recipients. <i>American Journal of Cardiology</i> , 2005 , 95, 1002-4	3	26
1212	Global and regional left ventricular function in patients undergoing transcatheter closure of secundum atrial septal defect. <i>American Journal of Cardiology</i> , 2005 , 96, 439-42	3	23
1211	Left ventricular diastolic dysfunction late after aortic valve replacement in patients with aortic stenosis. <i>American Journal of Cardiology</i> , 2005 , 96, 722-7	3	41
1210	Analysis of left ventricular systolic function using midwall mechanics in patients >60 years of age with hypertensive heart disease and heart failure. <i>American Journal of Cardiology</i> , 2005 , 96, 1299-303	3	32
1209	Maintained normalization of cardiovascular dysfunction 5 years after parathyroidectomy in primary hyperparathyroidism. 2005 , 137, 632-8		51
1208	Single-breathhold, four-dimensional, quantitative assessment of LV and RV function using triggered, real-time, steady-state free precession MRI in heart failure patients. 2005 , 22, 59-66		25
1207	The relation between endothelin-1 levels and myocardial injury in chronic ischemic heart failure. 2005 , 20, 95-9		5
1206	Lung recruitment maneuver depresses central hemodynamics in patients following cardiac surgery. 2005 , 31, 1189-94		86

1205	Three-dimensional echo: transition from theory to real-time, a technology now ready for prime time. 2005 , 34, 85-105		11
1204	Echocardiography-based left ventricular mass estimation. How should we define hypertrophy?. 2005 , 3, 17		160
1203	[Function of the left atrium in Chagas' cardiomyopathy]. <i>Arquivos Brasileiros De Cardiologia</i> , 2005 , 84, 452-6	1.2	7
1202	Influences of Body Size and Cardiac Workload on the Left Ventricular Mass in Healthy Korean Adults with Normal Body Weight and Blood Pressure. 2005 , 35, 335		7
1201	"Pure" diastolic dysfunction is associated with long-axis systolic dysfunction. Implications for the diagnosis and classification of heart failure. 2005 , 7, 820-8		140
1200	Reduced myocardial velocities of left ventricular long-axis contraction identify both systolic and diastolic heart failure-a comparison with brain natriuretic peptide. 2005 , 7, 512-9		60
1199	Assessment of myocardial function: a review of quantification methods and results using tagged MRI. 2005 , 7, 501-16		98
1198	Chronic atrioventricular nodal vagal stimulation: first evidence for long-term ventricular rate control in canine atrial fibrillation model. 2005 , 112, 2904-11		38
1197	Plasma hyperosmolality augments peripheral vascular response to baroreceptor unloading during heat stress. 2005 , 289, R432-R440		18
1196	BNP as a marker of diastolic dysfunction in the general population: Importance of left ventricular hypertrophy. 2005 , 7, 525-31		46
1195	Asymptomatic left ventricular systolic dysfunction in essential hypertension: prevalence, determinants, and prognostic value. 2005 , 45, 412-8		44
1194	Association of the T8590C polymorphism of CYP4A11 with hypertension in the MONICA Augsburg echocardiographic substudy. 2005 , 46, 766-71		75
1193	Oxidative stress and left ventricular function with chronic intermittent hypoxia in rats. 2005 , 172, 915-20		183
1192	Chronobiologically Explored Effects of Telmisartan. 2005 , 27, 119-128		4
1191	Overdrive atrial pacing does not improve obstructive sleep apnoea syndrome. 2005 , 25, 343-7		78
1190	Angiotensin I converting enzyme genotype affects ventricular remodelling in children with aortic coarctation. 2005 , 91, 367-8		5
1189	Assessment of potential cardiotoxic side effects of mitoxantrone in patients with multiple sclerosis. 2005 , 54, 28-33		31
1188	Systolic and diastolic function in middle aged patients with sickle beta thalassaemia. An echocardiographic study. 2005 , 81, 711-4		5

1187	Relation of N-terminal pro B-type natriuretic peptide to progression of aortic valve disease. 2005 , 26, 1023-30		100
1186	Evidence for myocardial defects under extreme acute normovolemic hemodilution with hydroxyethyl starch and lactated ringer's solution. 2005 , 24, 388-95		11
1185	Cardiac Output Measurement by Partial Carbon Dioxide Rebreathing, 2-Dimensional Echocardiography, and Lithium-Dilution Method in Anesthetized Neonatal Foals. 2005 , 19, 737-743		36
1184	Echocardiography to measure fitness of elite runners. 2005 , 18, 419-26		22
1183	Improved semiautomated quantification of left ventricular volumes and ejection fraction using 3-dimensional echocardiography with a full matrix-array transducer: comparison with magnetic resonance imaging. 2005 , 18, 779-88		99
1182	Dual triggering improves the accuracy of left ventricular volume measurements by contrast-enhanced real-time 3-dimensional echocardiography. 2005 , 18, 1292-8		31
1181	Peculiar aspects of cardiogenic embolism in patients with Chagas' cardiomyopathy: a transthoracic and transesophageal echocardiographic study. 2005 , 18, 761-7		34
1180	Impact of chronic obstructive pulmonary disease with pulmonary hypertension on both left ventricular systolic and diastolic performance. 2005 , 18, 873-81		48
1179	MRI of the Heart and Vessels. 2005 ,		6
1178	Effect of weightlifting upon left ventricular function and markers of cardiomyocyte damage. 2005 , 48, 1585-93		10
1177	Oxidative stress and fibrosis in incipient myocardial dysfunction in type 2 diabetic patients. <i>International Journal of Cardiology</i> , 2005 , 101, 53-8	3.2	27
1176	Coronary flow reserve impairment predicts cardiac events in heart transplant patients with preserved left ventricular function. <i>International Journal of Cardiology</i> , 2005 , 103, 201-6	3.2	15
1175	A Doppler-derived index of combined left ventricular systolic and diastolic function is an independent predictor of cardiovascular mortality in elderly men. 2005 , 149, 902-7		46
1174	Left atrial systolic force and cardiac markers of preclinical disease in hypertensive patients: the Hypertension Genetic Epidemiology Network (HyperGEN) Study. 2005 , 18, 899-905		23
1173	Improvements in cardiac form and function after transcatheter closure of secundum atrial septal defects. 2005 , 45, 499-504		107
1172	Recommendations for chamber quantification: a report from the American Society of Echocardiography's Guidelines and Standards Committee and the Chamber Quantification Writing Group, developed in conjunction with the European Association of Echocardiography, a branch of the European Society of Cardiology. 2005 , 18, 1440-63		8967
1171	Identification of ultrasound contrast agent dilution systems for ejection fraction measurements. 2005 , 52, 410-20		13
1170	L'insuffisance cardiaque aiguë 2006 ,		

1169	Impact of essential hypertension and primary aldosteronism on plasma brain natriuretic peptide concentration. 2006 , 15, 302-7	10
1168	Twenty-four-hour heart rate and blood pressure are additive markers of left ventricular mass in hypertensive subjects. 2006 , 19, 170-7	11
1167	Prognostic Indicators for Dogs with Dilated Cardiomyopathy. 2006 , 20, 104-110	44
1166	What is the optimal clinical technique for measurement of left ventricular volume after myocardial infarction? A comparative study of 3-dimensional echocardiography, single photon emission computed tomography, and cardiac magnetic resonance imaging. 2006 , 19, 192-201	61
1165	Left ventricular filling hemodynamics in patients with pulmonary edema and preserved versus reduced left ventricular ejection fraction: a prospective Doppler echocardiographic study. 2006 , 19, 733-43	15
1164	Improvements in systemic metabolism, anthropometrics, and left ventricular geometry 3 months after bariatric surgery. 2006 , 2, 592-9	44
1163	Left ventricular chamber and myocardial systolic function reserve in patients with type 1 diabetes mellitus: insight from traditional and Doppler tissue imaging echocardiography. 2006 , 19, 848-56	18
1162	Gestational diabetes: a condition of early diastolic abnormalities in young women. 2006 , 19, 1251-6	26
1161	Real-time simultaneous triplane contrast echocardiography gives rapid, accurate, and reproducible assessment of left ventricular volumes and ejection fraction: a comparison with magnetic resonance imaging. 2006 , 19, 1494-501	37
1160	Evaluation of midwall systolic function in left ventricular hypertrophy: a comparison of 3-dimensional versus 2-dimensional echocardiographic indices. 2006 , 19, 802-10	11
1159	Assessment of left ventricular function by cardiac ultrasound. 2006 , 48, 2012-25	156
1158	Protective effects of carvedilol against anthracycline-induced cardiomyopathy. 2006 , 48, 2258-62	517
1157	Concentric myocardial hypertrophy after one year of increased training volume in experienced distance runners. 2006 , 40, 706-9	7
1156	Role of aldosterone in left ventricular hypertrophy in hypertension. 2006 , 19, 13-8	98
1155	Left atrial diameter as an independent predictor of first clinical cardiovascular events in middle-aged and elderly adults: the Strong Heart Study (SHS). 2006 , 151, 412-8	284
1154	Time-course of cardiac remodeling following transcatheter closure of atrial septal defect. <i>International Journal of Cardiology</i> , 2006 , 112, 348-52	3,2 56
1153	Left atrial diameters in overweight children with normal blood pressure. 2006 , 148, 321-5	21
1152	Impact of bronchiectasis on right and left ventricular functions. 2006 , 100, 1933-43	2

1151	Hypertrophic cardiomyopathy: the importance of arrhythmic events in patients at risk for sudden cardiac death. <i>Arquivos Brasileiros De Cardiologia</i> , 2006 , 87, 649-57	1.2	3
1150	[NT pro-BNP levels in pericardial diseases and how they are used as complementary evaluation method of diastolic restriction. Initial experience: 25 cases]. <i>Arquivos Brasileiros De Cardiologia</i> , 2006 , 86, 175-80	1.2	3
1149	Association of plasma free fatty acids and left ventricular diastolic function in patients with clinically severe obesity. 2006 , 84, 336-41		31
1148	Association of plasma free fatty acids and left ventricular diastolic function in patients with clinically severe obesity. 2006 , 84, 336-341		61
1147	Prognostic value of stress myocardial perfusion imaging in patients with mildly impaired systolic left ventricular function or left ventricular asynergy without chest pain but with suspected coronary artery disease. 2006 , 70, 762-7		1
1146	Gender-related association of serum uric acid and left ventricular hypertrophy in hypertension. 2006 , 70, 885-8		30
1145	Echocardiographie normale et pathologique. 2006 , 1, 1-37		
1144	Echocardiographie doppler: considérations techniques, examen normal. 2006 , 1, 1-18		
1143	Association of a functional polymorphism in the CYP4A11 gene with systolic blood pressure in survivors of myocardial infarction. 2006 , 24, 1965-70		41
1142	Electrocardiographic strain pattern and left ventricular diastolic function in hypertensive patients with left ventricular hypertrophy: the LIFE study. 2006 , 24, 2079-84		15
1141	Low triiodothyronine and cardiomyopathy in patients with end-stage renal disease. 2006 , 24, 2039-46		41
1140	The influence of menstrual cycle phase upon postexercise hypotension. 2006 , 38, 484-91		16
1139	Inappropriate left ventricular mass: Reliability and limitations of echocardiographic measurement for risk stratification and follow-up in single patients. 2006 , 24, 2293-8		22
1138	Relationship between impaired elastic properties of aorta with left ventricle geometric patterns and left ventricle diastolic functions in patients with newly diagnosed essential hypertension. 2006 , 60, 1357-63		13
1137	Significance and utility of plasma brain natriuretic peptide concentrations in patients with idiopathic ventricular arrhythmias. 2006 , 29, 1395-403		20
1136	Differentiation of left ventricular diastolic dysfunction, identification of pseudonormal/restrictive mitral inflow pattern and determination of left ventricular filling pressure by Tei index obtained from tissue Doppler echocardiography. 2006 , 23, 287-94		47
1135	Paraoxonase and arylesterase activities in coronary artery disease. 2006 , 36, 779-87		63
1134	Interaction between pulse wave velocity, augmentation index, pulse pressure and left ventricular function in chronic heart failure. 2006 , 20, 213-9		53

1133	Amount of left ventricular hypertrophy determines the plasma N-terminal pro-brain natriuretic peptide level in patients with hypertrophic cardiomyopathy and normal left ventricular ejection fraction. 2006 , 29, 155-60		22
1132	Sex-related differences in the relations of insulin resistance and obesity to left ventricular hypertrophy in Japanese hypertensive patients. 2006 , 29, 499-504		13
1131	Diagnosis of heart failure in primary care. 2006 , 11, 95-107		67
1130	Combined use of propagation velocity and intraventricular dispersion of E wave velocity for the evaluation of diastolic functions in patients with rheumatoid arthritis. 2006 , 22, 369-76		4
1129	Adaptation of left ventricular morphology to long-term training in sprint- and endurance-trained elite runners. 2006 , 96, 740-6		22
1128	[Cardiac structure and function in patients with obstructive sleep apnea syndrome and co-prevalent arterial hypertension. Influence of CPAP therapy]. 2006 , 101, 1-8		4
1127	Association of angiotensin-converting enzyme 2 (ACE2) gene polymorphisms with parameters of left ventricular hypertrophy in men. Results of the MONICA Augsburg echocardiographic substudy. 2006 , 84, 88-96		78
1126	Left ventricular function after exercise training in young men. <i>American Journal of Cardiology</i> , 2006 , 97, 1089-92	3	36
1125	Gender differences in left ventricular systolic function in American Indians (from the Strong Heart Study). <i>American Journal of Cardiology</i> , 2006 , 98, 834-7	3	34
1124	Effects of coronary revascularization and concomitant aneurysmectomy on QT interval duration and dispersion. 2006 , 39, 194-8		2
1123	Left ventricular geometric patterns in newly presenting Nigerian hypertensives: an echocardiographic study. 2006 , 6, 4		21
1122	Relationship of antiphospholipid antibodies to cardiovascular manifestations of systemic lupus erythematosus. 2006 , 54, 3918-25		94
1121	Norepinephrine-induced diastolic dysfunction with aortic valve opening under calcium-loading in rats. 2006 , 67, 511-518		6
1120	K201 Improves norepinephrine-induced diastolic dysfunction with preserved ejection fraction. 2006 , 67, 852-861		4
1119	Association between electrocardiographic left ventricular hypertrophy with strain pattern and left ventricular structure and function. 2006 , 106, 14-21		9
1118	The effect of ventricular pacing on measurements of left ventricular function: a comparison between echocardiographic methods and with radionuclide ventriculography. 2006 , 7, 284-92		4
1117	Relations of longitudinal left ventricular systolic function to left ventricular mass, load, and Doppler stroke volume. 2006 , 7, 348-55		16
1116	Gender and age related differences in left ventricular function and geometry with focus on the long axis. 2006 , 7, 298-307		26

1115	Exercise performance during losartan- or atenolol-based treatment in hypertensive patients with electrocardiographic left ventricular hypertrophy (a LIFE substudy). 2006 , 15, 220-6	9
1114	Quantification of global left ventricular function: comparison of multidetector computed tomography and magnetic resonance imaging. a meta-analysis and review of the current literature. 2006 , 47, 1049-57	77
1113	Association of hemoglobin delivery with left ventricular structure and function in hypertensive patients: Losartan Intervention for End Point Reduction in Hypertension Study. 2006 , 47, 868-73	9
1112	Control of plasma glucose with alpha-glucosidase inhibitor attenuates oxidative stress and slows the progression of heart failure in mice. 2006 , 70, 107-16	38
1111	Longitudinal mitral annulus velocities are reduced in hypertensive subjects with or without left ventricle hypertrophy. 2006 , 47, 854-60	33
1110	Similar cardiac remodelling after transcatheter atrial septal defect closure in children and young adults. 2006 , 92, 958-62	30
1109	Role of neuregulin-1/ErbB2 signaling in endothelium-cardiomyocyte cross-talk. 2006 , 281, 19469-77	134
1108	Recommendations for chamber quantification. 2006 , 7, 79-108	2545
1107	Left ventricular geometry in children with mild to moderate chronic renal insufficiency. 2006 , 17, 218-26	207
1106	Assessment of left ventricular ejection fraction may invalidate the reliability of EuroSCORE. 2006 , 29, 978-82	8
1105	Different impact of the metabolic syndrome on left ventricular structure and function in hypertensive men and women. 2006 , 47, 881-6	94
1104	Asymptomatic cardiomyopathy in children and adolescents with type 1 diabetes mellitus: association of echocardiographic indicators with duration of diabetes mellitus and metabolic parameters. 2006 , 19, 713-26	11
1103	Increased left ventricular mass and diastolic dysfunction are associated with endothelial dysfunction in normotensive offspring of subjects with essential hypertension. 2007 , 16, 36-44	14
1102	Left atrial size and risk of major cardiovascular events during antihypertensive treatment: losartan intervention for endpoint reduction in hypertension trial. 2007 , 49, 311-6	168
1101	Endogenous inhibitors of hypertrophy in concentric versus eccentric hypertrophy. 2007 , 9, 352-6	11
1100	Hypertension-induced remodeling of cardiac excitation-contraction coupling in ventricular myocytes occurs prior to hypertrophy development. 2007 , 293, H3301-10	40
1099	3D Echocardiography. 2007 ,	
1098	Sildenafil (Viagra) attenuates ischemic cardiomyopathy and improves left ventricular function in mice. 2008 , 294, H1398-406	129

1097	Cardiac structure and function and arterial circulation in hypertensive patients with and without metabolic syndrome. 2007 , 21, 729-35	14
1096	The validation of a new quality of life questionnaire for patients with congestive heart failure-an extension of the Cardiac Health Profile. 2007 , 41, 235-41	8
1095	Cardiac structure and ventricular-vascular function in persons with heart failure and preserved ejection fraction from Olmsted County, Minnesota. 2007 , 115, 1982-90	393
1094	Inappropriate left ventricular mass changes during treatment adversely affects cardiovascular prognosis in hypertensive patients. 2007 , 49, 1077-83	59
1093	Time-dependent changes in cardiac growth after kidney transplantation: the impact of pre-dialysis ventricular mass. 2007 , 22, 2678-85	25
1092	Maternal left ventricular diastolic and systolic long-axis function during normal pregnancy. 2007 , 8, 360-8	60
1091	Noninvasive assessment of left ventricular and myocardial contractility in middle-aged men and women: disparate evolution above the age of 50?. 2007 , 292, H856-65	27
1090	Erythropoietin improves cardiac function through endothelial progenitor cell and vascular endothelial growth factor mediated neovascularization. 2007 , 28, 2018-27	193
1089	Add-on effect of bedtime dosing of the alpha(1)-adrenergic receptor antagonist doxazosin on morning hypertension and left ventricular hypertrophy in patients undergoing long-term amlodipine monotherapy. 2007 , 30, 1097-105	14
1088	Cardiac adaptation to training and decreased training loads in endurance athletes: a systematic review. 2007 , 84, 25-35	6
1087	Systemic lupus erythematosus predicts increased left ventricular mass. 2007 , 116, 419-26	60
1086	Use of strain and tissue velocity imaging for early detection of regional myocardial dysfunction in patients with beta thalassemia. 2007 , 8, 102-9	48
1085	Pulmonary hypertension in sickle-cell disease: comorbidities and echocardiographic findings. 2007 , 118, 53-60	16
1084	Increased QT dispersion in sickle cell disease: effect of pulmonary hypertension. 2007 , 118, 1-6	28
1083	Prevalence and prognostic significance of wall-motion abnormalities in adults without clinically recognized cardiovascular disease: the Strong Heart Study. 2007 , 116, 143-50	62
1082	Effects of menopause on the myocardial velocities and myocardial performance index. 2007 , 71, 1728-33	20
1081	Plasma natriuretic peptide concentrations as a predictor for successful catheter ablation in patients with drug-refractory atrial fibrillation. 2007 , 71, 313-20	19
1080	Relationships of the appropriateness of left ventricular mass to left atrial size and function in arterial hypertension. 2007 , 8, 445-52	12

1079	Reduced levels of N-terminal-proatrial natriuretic peptide in hypertensive patients with metabolic syndrome and their relationship with left ventricular mass. 2007 , 25, 833-9		34
1078	Heritability of left ventricular mass in Japanese families living in Hawaii: the SAPHIRE Study. 2007 , 25, 985-92		10
1077	Paraoxonase and arylesterase activities in patients with cardiac syndrome X, and their relationship with oxidative stress markers. 2007 , 18, 89-95		20
1076	Quantitative left ventricular systolic function: from chamber to myocardium. 2007 , 35, S330-9		35
1075	Myocardial depression in dengue hemorrhagic fever: prevalence and clinical description. 2007 , 8, 524-9		36
1074	Haematocrit levels and left ventricular geometry: results of the MONICA Augsburg Echocardiographic Substudy. 2007 , 25, 1301-9		14
1073	Excessive increase in left ventricular mass identifies hypertensive subjects with clustered geometric and functional abnormalities. 2007 , 25, 1073-8		27
1072	Ultrasonographic study of left ventricular function at rest in a group of highly trained black African handball players. 2007 , 8, 122-7		15
1071	Short term effects of physical exercise and low calorie diet on left ventricular function in obese subjects: a tissue Doppler study. 2007 , 17, 358-64		13
1070	Relationship of metabolic syndrome with pulse pressure in patients with essential hypertension. 2007 , 20, 197-203		25
1069	Indices of pulse wave analysis are better predictors of left ventricular mass reduction than cuff pressure. 2007 , 20, 378-84		105
1068	Association of low serum levels of apolipoprotein A-I with adverse outcomes in patients with nonischemic heart failure. 2007 , 13, 247-53		33
1067	Clinical investigation: Utility of left ventricular end diastolic diameter in the prediction of susceptibility to ventricular tachyarrhythmias. <i>International Journal of Cardiology</i> , 2007 , 120, 399-403	3,2	2
1066	Decreased Systolic Function and Inadequate Hypertrophy in Large and Small Breed Dogs with Chronic Mitral Valve Insufficiency. 2007 , 21, 61-67		62
1065	Pulmonary arterial hypertension is linked to insulin resistance and reversed by peroxisome proliferator-activated receptor-gamma activation. 2007 , 115, 1275-84		312
1064	Non-Invasive Determination of Novel Aorto-Ventricular Matching from Doppler Echocardiography. 2007 ,		
1063	Left atrial remodeling in patients younger than 70 years with diastolic and systolic heart failure. 2007 , 20, 177-85		29
1062	Impaired longitudinal myocardial velocities in patients with growth hormone deficiency improves after hormone replacement therapy. 2007 , 20, 1093-9		5

1061	The ratio of mitral deceleration time to E-wave velocity and mitral deceleration slope outperform deceleration time alone in predicting cardiovascular outcomes: the Strong Heart Study. 2007 , 20, 1300-6		21
1060	Left ventricular structure and function for postmyocardial infarction and heart failure risk stratification by three-dimensional echocardiography. 2007 , 20, 949-58		15
1059	Latent cardiac dysfunction as assessed by echocardiography in bed-bound patients following cerebrovascular accidents: comparison with nutritional status. 2007 , 48, 505-12		1
1058	Preinfarction angina and in-hospital outcome of elderly patients with acute myocardial infarction. <i>Arquivos Brasileiros De Cardiologia</i> , 2007 , 89, 370-6	1.2	2
1057	[Prevalence of left ventricular aneurysms among chronic Chagas disease patients from two areas in the State of Piau[Brazil]. 2007 , 40, 521-6		6
1056	[Chronic Chagas disease patients with sinus node dysfunction: is the presence of IgG antibodies with muscarinic agonist action independent of left ventricular dysfunction?]. 2007 , 40, 665-71		6
1055	Prognostic value of left atrial volume index in hemodialysis patients. <i>Arquivos Brasileiros De Cardiologia</i> , 2007 , 88, 643-50	1.2	20
1054	Case-control study of factors associated with chronic Chagas heart disease in patients over 50 years of age. 2007 , 102, 845-51		8
1053	Cardiac function as assessed by echocardiography in the oldest old > or = 90 years of age. 2007 , 48, 497-504		7
1052	Correlation between insulin resistance surrogates and echocardiographic findings in asymptomatic patients with morbid obesity: a cross-sectional study. 2007 , 13, 590-600		8
1051	Effect of early versus late in-hospital initiation of statin therapy on the clinical outcomes of patients with acute coronary syndrome. 2007 , 48, 677-88		14
1050	Serum prolidase activity in patients with hypertension and its relation with left ventricular hypertrophy. 2007 , 40, 1020-5		44
1049	Comparison of echocardiographic (US) volumetry with cardiac magnetic resonance (CMR) imaging in transfusion dependent thalassemia major (TM). 2007 , 5, 24		11
1048	The effects of acute oral antioxidants on diving-induced alterations in human cardiovascular function. 2007 , 578, 859-70		57
1047	An exploratory study of cardiac function and oxygen uptake during cycle ergometry in overweight children. 2007 , 15, 2673-82		7
1046	The effects of hypoxia and hypercapnia on renal and heart function, haemodynamics and plasma hormone levels in stable COPD patients. 2007 , 1, 80-90		17
1045	Cardiac involvement in Crohn's disease: echocardiographic study. 2007 , 22, 18-22		10
1044	Brain natriuretic peptide detects cardiac abnormalities in mass screening. 2007 , 37, 257-62		14

1043	Noninvasive cardiac evaluation of weight-lifters using anabolic steroids. 2007 , 3, 37-40		6
1042	High-altitude training does not increase maximal oxygen uptake or work capacity at sea level in rowers. 2007 , 3, 256-262		25
1041	Relationship between myocardial performance index and aortic distensibility in patients with essential hypertension. 2008 , 62, 138-42		9
1040	Intracardiac impedance monitors hemodynamic deterioration in a chronic heart failure pig model. 2007 , 18, 985-90		20
1039	Utility of the myocardial performance index in a population with high prevalences of obesity, diabetes, and hypertension: the strong heart study. 2007 , 24, 340-7		23
1038	Carvedilol therapy is associated with an improvement in left atrial appendage function in patients with congestive heart failure. 2007 , 24, 623-8		3
1037	Reliability of Doppler methods in the evaluation of the left ventricular systolic function in patients with idiopathic dilated cardiomyopathy. 2007 , 24, 1023-8		4
1036	Influence of image quality on the accuracy of real time three-dimensional echocardiography to measure left ventricular volumes in unselected patients: a comparison with gated-SPECT imaging. 2007 , 24, 1073-80		43
1035	The effect of isolated left bundle branch block on the myocardial velocities and myocardial performance index. 2008 , 25, 256-63		11
1034	Ventricular systolic reserve in asymptomatic children previously treated with low doses of anthracyclines. <i>American Journal of Cardiology</i> , 2007 , 100, 1303-6	3	9
1033	Echocardiographic characteristics in patients > or =100 years of age. <i>American Journal of Cardiology</i> , 2007 , 100, 1792-4	3	12
1032	Impact of the metabolic syndrome on total arterial compliance in essential hypertension patients. 2007 , 2, 84-90		12
1031	Lymphocyte DNA damage is associated with increased aortic intima-media thickness. 2007 , 617, 111-8		10
1030	Bone marrow-derived mononuclear cell transplantation improves myocardial recovery by enhancing cellular recruitment and differentiation at the infarction site. 2007 , 134, 565-73		27
1029	Cardiac toxicity of high-dose cyclophosphamide in patients with multiple myeloma undergoing autologous hematopoietic stem cell transplantation. <i>International Journal of Hematology</i> , 2007 , 85, 408-14		41
1028	The echocardiographic Tei-index reflects early myocardial damage induced by anthracyclines in patients with hematological malignancies. 2007 , 22, 393-7		19
1027	Echocardiographic assessment of left atrial ejection force and kinetic energy in chronic heart failure. 2008 , 24, 15-22		23
1026	Effects of anesthesia on echocardiographic assessment of left ventricular structure and function in rats. 2007 , 102, 28-41		99

1025	Relationship between left ventricle geometric patterns and lymphocyte DNA damage in patients with untreated essential hypertension. 2007 , 40, 454-9		11
1024	Paraoxonase and arylesterase activities in untreated dipper and non-dipper hypertensive patients. 2008 , 41, 779-84		21
1023	Left ventricular ejection fraction measurements: accuracy and prognostic implications in a large population of patients with known or suspected ischemic heart disease. 2008 , 24, 793-801		11
1022	Modeling of aortic valve dynamics in a lumped parameter model of left ventricular-arterial coupling. 2008 , 54, 335-347		8
1021	Cardiac toxicity of high-dose cyclophosphamide and melphalan in patients with multiple myeloma treated with tandem autologous hematopoietic stem cell transplantation. <i>International Journal of Hematology</i> , 2008 , 88, 227-236	2.3	27
1020	Effect of pioglitazone on heart function and N-terminal pro-brain natriuretic peptide levels of patients with type 2 diabetes. 2008 , 45, 23-30		22
1019	Longitudinal fractional shortening and its relation to diastolic cardiac function. 2008 , 35, 113-8		8
1018	Cardiovascular response to epinephrine varies with increasing duration of cardiac arrest. 2008 , 77, 101-10		56
1017	Small heart syndrome in patients with chronic fatigue syndrome. 2008 , 31, 328-33		37
1016	Maternal cardiovascular function in pregnancies complicated by intrauterine growth restriction. 2008 , 31, 65-71		22
1015	Heart stroke volume and cardiac output by four-dimensional ultrasound in normal fetuses. 2008 , 32, 181-7		80
1014	Long-term outcome after exercising throughout pregnancy: fitness and cardiovascular risk. 2008 , 199, 489.e1-6		43
1013	Hyperbaric oxygen therapy does not potentiate doxorubicin-induced cardiotoxicity in rats. 2008 , 102, 287-92		21
1012	The influence of ambulatory blood pressure profile on global and regional functions of the left and the right ventricles in orderly treated hypertensive patients. 2008 , 25, 465-72		10
1011	Comparison of magnetic resonance imaging and transthoracic echocardiography for the identification of LV mass and volume regression indices 6 months after mitral valve repair. 2008 , 23, 126-32		8
1010	Short-term training effects on diastolic function in obese persons with the metabolic syndrome. 2008 , 16, 1277-83		17
1009	Systolic time intervals in haemodialysis patients with normal ejection fraction: an echocardiographic study. 2008 , 7, 43-49		
1008	Early versus late cord clamping: effects on peripheral blood flow and cardiac function in term infants. 2008 , 84, 195-200		18

1007	Total therapeutic paracentesis (TTP) with and without intravenous albumin in the treatment of cirrhotic tense ascites: a randomized controlled trial. 1993 , 13, 233-8		35
1006	Relation between P-wave dispersion and left ventricular geometric patterns in newly diagnosed essential hypertension. 2008 , 41, 54.e1-6		5
1005	Augmentation of pulmonary vein backflow velocity during left atrial contraction: a novel phenomenon responsible for progression of atrial fibrillation in hypertensive patients. 2008 , 109, 33-40		9
1004	Reversal of cardiac dysfunction after long-term expression of SERCA2a by gene transfer in a pre-clinical model of heart failure. 2008 , 51, 1112-9		256
1003	New echocardiographic techniques for evaluating left ventricular myocardial function. 2008 , 12, 228-47		22
1002	Prognostic implications of relations of left ventricular systolic dysfunction with body composition and myocardial energy expenditure: the Strong Heart Study. 2008 , 21, 66-71		22
1001	Quantitative 4-dimensional volumetric analysis of left ventricle in ischemic heart disease by 64-slice computed tomography: a comparative study with invasive left ventriculogram. <i>International Journal of Cardiology</i> , 2008 , 129, 42-52	3.2	13
1000	Onset and progression of the Anderson-Fabry disease related cardiomyopathy. <i>International Journal of Cardiology</i> , 2008 , 130, 367-73	3.2	116
999	Liver and cardiac function in the long term after Fontan operation. 2008 , 86, 177-82		130
998	Granulocyte colony-stimulating factor therapy for cardiac repair after acute myocardial infarction: a systematic review and meta-analysis of randomized controlled trials. 2008 , 156, 216-226.e9		117
997	Activin-A, transforming growth factor-beta, and myostatin signaling pathway in experimental dilated cardiomyopathy. 2008 , 14, 703-9		19
996	Left ventricular diastolic dysfunction in normotensive diabetic patients in various age strata. 2008 , 79, 91-6		16
995	Association of paraoxonase activity and coronary blood flow. 2008 , 197, 257-63		45
994	Survival characteristics and prognostic variables of dogs with mitral regurgitation attributable to myxomatous valve disease. 2008 , 22, 120-8		219
993	Left atrial size by planimetry is superior to M-mode diameter: biochemical calibration by atrial and brain natriuretic peptide. 2008 , 21, 380-5		10
992	Differences in left ventricular mass between overweight and normal-weight preadolescent children. 2008 , 33, 1172-80		8
991	Nt-proBNP in haemodialysis patients: a preliminary study. 2008 , 68, 415-20		3
990	Interventricular septum thickness predicts future systolic hypertension in young healthy pilots. 2008 , 31, 15-20		14

989	Aortic root diameter and longitudinal blood pressure tracking. 2008 , 52, 473-7	14
988	Ventricular long-axis function is of major importance for long-term survival in patients with heart failure. 2008 , 94, 284-9	48
987	Impact of left ventricular geometry on prognosis in hypertensive patients with left ventricular hypertrophy (the LIFE study). 2008 , 9, 809-15	116
986	Right and left ventricular function and pulmonary artery pressure in patients with bronchiectasis. 2008 , 133, 468-73	38
985	Left ventricular diastolic function in normotensive type-2 diabetic subjects. 2008 , 100, 1066-72	5
984	Diastolic dysfunction is associated with insulin resistance, but not with aldosterone level in normotensive offspring of hypertensive families. 2008 , 111, 8-15	3
983	Inhibition of cardiac remodeling by pravastatin is associated with amelioration of endoplasmic reticulum stress. 2008 , 31, 1977-87	50
982	Gender differences in left ventricular structure and function during antihypertensive treatment: the Losartan Intervention for Endpoint Reduction in Hypertension Study. 2008 , 51, 1109-14	79
981	Rio de La Plata study: a multicenter, cross-sectional study on cardiovascular risk factors and heart failure prevalence in peritoneal dialysis patients in Argentina and Uruguay. 2008 , S159-64	6
980	The looped heart does not save energy by maintaining the momentum of blood flowing in the ventricle. 2008 , 294, H2191-6	57
979	Pulse pressure is inversely related to aortic root diameter implications for the pathogenesis of systolic hypertension. 2008 , 51, 196-202	66
978	Cardiac adaptation to pregnancy in women with a history of preeclampsia and a subnormal plasma volume. 2008 , 15, 1059-65	13
977	Natriuretic peptides in chronic kidney disease. 2008 , 3, 1644-51	64
976	Inappropriate left ventricular mass in patients with primary aldosteronism. 2008 , 52, 529-34	97
975	Volumetric cardiac quantification by using 3D dual-phase whole-heart MR imaging. 2008 , 248, 606-14	35
974	Left ventricular mass predicts heart failure not related to previous myocardial infarction: the Cardiovascular Health Study. 2008 , 29, 741-7	173
973	Echocardiographic, electrocardiographic and blood pressure changes induced by icodextrin solution in diabetic patients on peritoneal dialysis. 2008 , S125-30	28
972	Factors associated with incident ischemic stroke in hospitalized heart failure patients: a pilot study. 2008 , 31, 289-94	12

971	Atorvastatin slows the progression of cardiac remodeling in mice with pressure overload and inhibits epidermal growth factor receptor activation. 2008 , 31, 335-44	26
970	Elevated plasma brain natriuretic peptide levels independent of heart disease in acute ischemic stroke: correlation with stroke severity. 2008 , 31, 1695-702	38
969	A new index of "cardiac age" derived from echocardiography: influence of hypertension and comparison with pulse wave velocity. 2008 , 31, 1573-81	4
968	Cardiac diastolic dysfunction is associated with cerebral white matter lesions in elderly patients with risk factors for atherosclerosis. 2008 , 216, 99-108	9
967	Pulmonary venous flow and risk of cardiovascular disease in essential hypertension. 2008 , 26, 798-805	11
966	The association of elasticity indexes of ascending aorta and the presence and the severity of coronary artery disease. 2008 , 19, 311-7	22
965	Arteriovenous fistula closure after renal transplantation: a prospective study with 24-hour ambulatory blood pressure monitoring. 2008 , 85, 482-5	18
964	Inappropriate left ventricular mass is associated with microalbuminuria independently of left ventricular hypertrophy in primary hypertension. 2008 , 26, 345-50	11
963	Changes in left atrial dimension and function and left ventricular geometry in newly diagnosed untreated hypertensive subjects. 2008 , 9, 561-9	7
962	Left ventricular contractility in response to upright isometric exercise in heart transplant recipients and healthy men. 2008 , 28, 17-23	7
961	Left atrial systolic force in hypertensive patients with left ventricular hypertrophy: the LIFE study. 2008 , 26, 1472-6	13
960	Implications of persistent prehypertension for ageing-related changes in left ventricular geometry and function: the MONICA/KORA Augsburg study. 2008 , 26, 2040-9	53
959	Increased left ventricular mass in pre-liver transplantation cirrhotic patients. 2008 , 9, 142-6	22
958	Role of intraoperative transesophageal echocardiography in patients undergoing noncardiac surgery. 2008 , 9, 993-1003	16
957	Plasma B-type natriuretic peptide in diagnosing inferior myocardial infarction with right ventricular involvement. 2008 , 19, 609-13	6
956	Sildenafil (Viagra) attenuates ischemic cardiomyopathy and improves left ventricular function in mice. 2008 , 294, H1398-H1406	90
955	Avaliaço de uma escala de risco em pacientes submetidos  cirurgia de revascularizaço do miocrdio: anlise de 400 casos. 2008 , 20, 6-17	2
954	Right ventricular volume determination: not a matter for echocardiography. 2008 , 104, 1547; author reply 1548	1

953	Serum NT pro-BNP: relation to systolic and diastolic function in cardiomyopathies and pericardiopathies. <i>Arquivos Brasileiros De Cardiologia</i> , 2008 , 91, 46-54	1.2	17
952	Single photon emission computed tomography: an alternative imaging modality in left ventricular evaluation. 2008 , 4, 1069-72		1
951	Aortic Elasticity was not Related with Duration, Bath Ankylosing Spondylitis Disease Activity Index. 2008 , 15, 230		
950	Independent determinants of the Tei index in hypertensive patients with preserved left ventricular systolic function. 2009 , 50, 331-40		9
949	Comparison of Left Ventricular Hypertrophy, Fibrosis and Dysfunction According to Various Disease Mechanisms such as Hypertension, Diabetes Mellitus and Chronic Renal Failure. 2009 , 17, 127-34		11
948	Circadian cardiac autonomic function in perinatally HIV-infected preschool children. <i>Brazilian Journal of Medical and Biological Research</i> , 2009 , 42, 722-30	2.8	5
947	Ovine models for chronic heart failure. 2009 , 32, 496-506		12
946	Influences of hypertension and diabetes on normal age-related changes in left ventricular function as assessed by tissue Doppler echocardiography. 2009 , 31, 400-14		17
945	Echocardiographic findings in kidney transplant patients with autosomal dominant polycystic kidney disease. 2009 , 43, 416-9		4
944	Echocardiographic assessment of global left ventricular function in mice. 2009 , 43, 127-37		77
943	Sepiapterin decreases acute rejection and apoptosis in cardiac transplants independently of changes in nitric oxide and inducible nitric-oxide synthase dimerization. 2009 , 329, 890-9		13
942	Association between degenerative aortic valve disease and long-term exposure to cardiovascular risk factors: results of the longitudinal population-based KORA/MONICA survey. 2009 , 30, 2044-53		145
941	Haemodynamic profile of young subjects with transient tinnitus. 2009 , 7, 200-204		7
940	Comparison of central blood pressure and cardio-ankle vascular index for association with cardiac function in treated hypertensive patients. 2009 , 32, 1136-42		25
939	Impact of resistance to thyroid hormone on the cardiovascular system in adults. 2009 , 94, 2812-6		12
938	Sex differences in blood pressure and its relationship to body composition and metabolism in adolescence. 2009 , 163, 818-25		42
937	Chronic intermittent hypoxia increases left ventricular contractility in C57BL/6J mice. 2009 , 107, 787-93		47
936	The influence of insulin resistance and obesity on left atrial size in Japanese hypertensive patients. 2009 , 32, 500-4		19

935	B-type natriuretic peptide as predictor of heart failure in patients with acute ST elevation myocardial infarction, single-vessel disease, and complete revascularization: follow-up study. 2009 , 50, 449-54	3
934	Cardiovascular responses to incremental and sustained submaximal exercise in heart transplant recipients. 2009 , 296, H350-8	21
933	Concomitant existence and interaction of cardiovascular abnormalities in obstructive sleep apnea subjects with normal clinic blood pressure. 2009 , 32, 201-6	9
932	Left ventricular performance in aortic valve replacement. 2009 , 9, 255-9	16
931	Long-term assessment of electrocardiographic and echocardiographic findings in Norwegian elite endurance athletes. 2009 , 112, 234-41	14
930	Cardiac function fluctuates during exacerbation and remission in young adults with chronic fatigue syndrome and "small heart". 2009 , 54, 29-35	24
929	Cardioprotective effect of an L/N-type calcium channel blocker in patients with hypertensive heart disease. 2009 , 54, 262-72	11
928	Characterisation of heart failure with normal ejection fraction in a tertiary hospital in Nigeria. 2009 , 9, 52	7
927	Influence of pharmacologic intervention and valvular heart disease on left ventricular ejection phase indices: a review. 1979 , 627, 93-104	
926	Left ventricular function: assessment by wide angle two-dimensional ultrasonic sector scanning. 1979 , 627, 105-11	1
925	Cross-sectional echocardiographic evaluation of changes in ventricular shape in the ischaemic and non ischaemic left ventricle. 1979 , 627, 164-77	
924	Non-invasive beat-to-beat analysis of stroke volume and digital pulse volume in patients with complete heart block and artificial pacing. 1979 , 205, 185-90	8
923	Non-invasive methods for assessing cardiac performance in CHF. 1981 , 652, 35-48	1
922	M-mode echocardiographic mapping in differentiation of normal from dysfunctioning left ventricular myocardium. A study of patients with severe myocardial infarction and healthy controls. 1981 , 209, 149-60	11
921	Comparison of left ventricular ejection fraction assessed by radionuclide angiography, echocardiography and contrast angiography. 1982 , 211, 147-52	10
920	Drunkenness, hangover, and the heart. 1983 , 213, 84-90	19
919	Alcohol and the Heart. 2009 , 213, 91-98	43
918	Acute cardiovascular effects of intravenous cimetidine. 1985 , 217, 277-80	18

917	Antihypertensive, haemodynamic and metabolic effects of nifedipine slow-release tablets in elderly patients. 1985 , 218, 389-96		18
916	REFERENCES. 2009 , 221, 50-62		
915	A hyperkinetic heart in uncomplicated active acromegaly. Explanation of hypertension in acromegalic patients?. 1988 , 223, 337-43		52
914	Left ventricular geometric patterns in normotensive type 2 diabetic patients in Nigeria: an echocardiographic study. 2009 , 12, 184-8		3
913	Evaluation of effects of nitroglycerin therapy by echocardiography. 1986 , 59 Suppl 6, 57-63		11
912	Mitral E wave deceleration time to peak E velocity ratio and cardiovascular outcome in hypertensive patients during antihypertensive treatment (from the LIFE echo-substudy). <i>American Journal of Cardiology</i> , 2009 , 104, 1098-104	3	17
911	Insulin inhibits myocardial ischemia-induced apoptosis and alleviates chronic adverse changes in post-ischemic cardiac structure and function. 2009 , 14, 1050-60		20
910	The metabolic modulators, Etomoxir and NVP-LAB121, fail to reverse pressure overload induced heart failure in vivo. 2009 , 104, 547-57		32
909	Anakinra in experimental acute myocardial infarction--does dosage or duration of treatment matter?. 2009 , 23, 129-35		26
908	Relationship between adiponectin and left atrium size in uncomplicated obese patients: adiponectin, a link between fat and heart. 2009 , 19, 1324-32		35
907	Accuracy of three-dimensional echocardiography in patients with prior anteroseptal myocardial infarction. 2009 , 7, 9-15		
906	Ventricular energetics in aortic root replacement for annuloaortic ectasia with aortic regurgitation. 2009 , 24, 41-5		8
905	Left and right ventricular myocardial performance index (Tei index) in very-low-birth-weight infants. 2009 , 30, 928-35		23
904	cis-3, 4', 5-Trimethoxy-3'-aminostilbene disrupts tumor vascular perfusion without damaging normal organ perfusion. 2009 , 63, 191-200		10
903	Methods for prenatal assessment of fetal cardiac function. 2009 , 29, 1193-203		67
902	Comparison of contrast enhanced three dimensional echocardiography with MIBI gated SPECT for the evaluation of left ventricular function. 2009 , 7, 27		13
901	Left ventricular torsion and untwisting during exercise in heart transplant recipients. 2009 , 587, 2375-86		41
900	The effect of nondipping blood pressure patterns on cardiac structural changes and left ventricular diastolic functions in normotensives. 2009 , 26, 378-87		20

899	Comparison of LVEF obtained with single-plane RAO ventriculography and echocardiography in patients with and without obstructive coronary artery disease. 2009 , 26, 630-7		6
898	Doppler-derived myocardial performance index in patients with impaired left ventricular relaxation and preserved systolic function. 2009 , 26, 907-15		7
897	Left ventricular thickness is increased in nonhypertensive Turner's syndrome. 2009 , 26, 943-9		14
896	Pulmonary hypertension in dogs with mitral regurgitation attributable to myxomatous valve disease. 2009 , 50, 253-8		33
895	Relationships between plasma adrenomedullin concentration and systolic time intervals during static handgrip in patients with heart failure. 2009 , 29, 114-22		5
894	Left ventricular cardiac function in fetuses with congenital diaphragmatic hernia and the effect of fetal endoscopic tracheal occlusion. 2009 , 34, 424-9		54
893	The importance of gamma-glutamyltransferase activity in patients with coronary artery disease. 2009 , 32, 220-5		23
892	Assessment of regional left ventricular function by dual source computed tomography: interobserver variability and validation to laevocardiography. <i>European Journal of Radiology</i> , 2009 , 72, 85-91	4-7	11
891	Impact of diabetes on treatment-induced changes in left ventricular structure and function in hypertensive patients with left ventricular hypertrophy. The LIFE study. 2009 , 19, 306-12		22
890	Adverse association between diabetic retinopathy and cardiac structure and function. 2009 , 157, 563-8		18
889	Polymorphisms in the promoter region of the dimethylarginine dimethylaminohydrolase 2 gene are associated with prevalence of hypertension. 2009 , 60, 488-93		25
888	Determinants of Left Ventricular Geometric Alterations and Related Clinical and Metabolic Factors in a General Population. 2009 , 3, 66-74		1
887	Circulating levels of relaxin and its relation to cardiovascular function in patients with hypertension. 2009 , 18, 68-73		16
886	Pulse pressure, left ventricular function and cardiovascular events during antihypertensive treatment (the LIFE study). 2009 , 18, 180-6		9
885	Serial assessment of ventricular morphology and function. 2009 , 5, 301-14, v		5
884	Detailed echocardiography (echo) protocols for the critical patient. 2009 , 66, 589-90; author reply 591		4
883	Renal and cardiac abnormalities in primary hypertension. 2009 , 27, 1064-73		18
882	Long-term clinical effects of magnetic resonance imaging in patients with coronary artery stent implantation. 2009 , 20, 138-42		6

881	Early detection of hypertension in a patient treated with sunitinib by measuring cardio-ankle vascular index. 2009 , 218, 115-9	8	
880	Two-dimensional- and M-mode echocardiographic measurements and indices of cardiac function in Spanish colts and fillies of different age. 2009 , 71, 957-64	19	
879	Tissue Doppler echocardiography for predicting arterial stiffness assessed by cardio-ankle vascular index. 2009 , 217, 139-46	15	
878	Cardiovascular dysfunction with low cardiac output due to a small heart in patients with chronic fatigue syndrome. 2009 , 48, 1849-54	20	
877	Compensatory or inappropriate left ventricular mass in different models of left ventricular pressure overload: comparison between patients with aortic stenosis and arterial hypertension. 2009 , 27, 642-9	14	
876	Effects of successive air and trimix dives on human cardiovascular function. 2009 , 41, 2207-12	14	
875	Pharmacologic inhibition of phosphoinositide 3-kinase gamma (PI3K) promotes infarct resorption and prevents adverse cardiac remodeling after myocardial infarction in mice. 2010 , 56, 651-8	22	
874	Comparison of left ventricular contraction profiles among small, medium, and large dogs by use of two-dimensional speckle-tracking echocardiography. 2010 , 71, 421-7	16	
873	Aortic annular velocity assessed by tissue Doppler echocardiography as a potential parameter of arterial stiffness. 2010 , 221, 169-74	5	
872	Age-related decrease in inferior vena cava diameter measured with echocardiography. 2010 , 222, 141-7	23	
871	Myoglobin-deficient mice activate a distinct cardiac gene expression program in response to isoproterenol-induced hypertrophy. 2010 , 41, 137-45	27	
870	Elevated brachial-ankle pulse wave velocity is associated with left ventricular hypertrophy in hypertensive patients after stroke. 2010 , 220, 177-82	10	
869	Association between fibroblast growth factor 23 and left ventricular hypertrophy in maintenance hemodialysis patients. Comparison with B-type natriuretic peptide and cardiac troponin T. 2010 , 74, 2734-40	39	
868	Early detection of left ventricular dysfunction with strain imaging in thalassemia patients. 2010 , 33, E29-34	26	
867	Myocardial infarction in rats causes partial impairment in insulin response associated with reduced fatty acid oxidation and mitochondrial gene expression. 2010 , 140, 1160-7	45	
866	Ultrasonic evidence of acute interstitial lung edema after SCUBA diving is resolved within 2-3h. 2010 , 171, 165-70	13	
865	Relation of the ankle brachial index to left ventricular ejection fraction. <i>American Journal of Cardiology</i> , 2010 , 105, 129-32	3	12
864	Prevalence and clinical characteristics of nondilated cardiomyopathy and the effect of atrial fibrillation. <i>American Journal of Cardiology</i> , 2010 , 105, 884-7	3	6

863	Serum prolidase activity in idiopathic and ischemic cardiomyopathy patients. 2010 , 24, 213-8	19
862	Regional myocardial function and response to acute afterload increase in chronically anemic fetal sheep: evaluation by two-dimensional strain echocardiography. 2010 , 36, 2042-7	7
861	Impact of valvular heart disease on activities of daily living of nonagenarians: the Leiden 85-plus study a population based study. 2010 , 10, 17	16
860	Diagnostic accuracy of plasma NT-proBNP levels for excluding cardiac abnormalities in the very elderly. 2010 , 10, 85	10
859	The diagnosis of the cause of the death of Venerina. 2010 , 216, 271-4	4
858	Reference values of tissue Doppler imaging and pulsed Doppler echocardiography for analysis of left ventricular diastolic function in healthy adults. 2010 , 27, 777-82	6
857	Evaluation of St. Jude Medical mitral valve function by exercise Doppler echocardiography. 1995 , 10, 161-8	6
856	Assessment of extravascular lung water and cardiac function in trimix SCUBA diving. 2010 , 42, 1054-61	22
855	Hipertrofia ventricular esquerda em pacientes com doença renal crônica em tratamento conservador. 2010 , 32, 85-90	
854	Effect of maintenance hemodialysis on diastolic left ventricular function in end-stage renal disease. 2010 , 65, 979-84	12
853	[Morbidity of Chagas disease among autochthonous patients from the Rio Negro microregion, State of Amazonas]. 2010 , 43, 170-7	25
852	Assessment of Cardiac Function. 2010 , 181-195	0
851	Correlates of echocardiographic indices of cardiac remodeling over the adult life course: longitudinal observations from the Framingham Heart Study. 2010 , 122, 570-8	162
850	Decreased rates of substrate oxidation ex vivo predict the onset of heart failure and contractile dysfunction in rats with pressure overload. 2010 , 86, 461-70	174
849	Clinical and functional characterisation of rheumatic mitral regurgitation in children and adolescents including the brain natriuretic peptide. 2010 , 20, 66-72	1
848	High-frequency ultrasound assessment of the murine heart from embryo through to juvenile. 2010 , 17, 147-57	35
847	Echocardiographic assessment of the cardio-renal connection: is left ventricular hypertrophy or diastolic function more closely correlated with estimated glomerular filtration rate in patients with cardiovascular risk factors?. 2010 , 32, 113-20	14
846	Echocardiographic Assessment of Left Ventricular Function in Type 1 Gaucher's Disease. 2010 , 2010,	1

845	Low-intensity aerobic interval training attenuates pathological left ventricular remodeling and mitochondrial dysfunction in aortic-banded miniature swine. 2010 , 299, H1348-56	44
844	Pharmacological inhibition of PTEN limits myocardial infarct size and improves left ventricular function postinfarction. 2010 , 298, H1198-208	79
843	Effect of aging on cardiac function during cold stress in humans. 2010 , 298, R1627-33	38
842	Myocardial perfusion SPECT and dobutamine stress tissue Doppler imaging in evaluation of patients with stable angina pectoris. 2010 , 10, 334-9	
841	Impact of donor quality on outcome of heart transplantation. 2010 , 38, 788-94	13
840	Aortic elastic properties in patients with venous thromboembolism. 2010 , 25, 246-51	3
839	Valvular regurgitation impact on left ventricular 2-dimensional and Doppler echocardiographic indices in patients with essential hypertension. 2010 , 102, 937-42	2
838	Cardiac dimensions over 5 years in highly trained long-distance runners and sprinters. 2010 , 38, 112-8	6
837	Quantitative evaluation of drug or device effects on ventricular remodeling as predictors of therapeutic effects on mortality in patients with heart failure and reduced ejection fraction: a meta-analytic approach. 2010 , 56, 392-406	272
836	Usefulness of Isovolumic Acceleration and Tissue Doppler Echocardiographic Parameters for Predicting Postoperative Functional Recovery After Heart Valve Surgery. 2010 , 63, 430-438	0
835	Speckle-tracking 2-dimensional strain echocardiography: a new noninvasive imaging tool to evaluate acute rejection in cardiac transplantation. 2010 , 29, 1039-46	43
834	Thrombomodulin is upregulated in cardiomyocytes during cardiac hypertrophy and prevents the progression of contractile dysfunction. 2010 , 16, 980-90	7
833	High prevalence of vitamin D deficiency and its association with left ventricular dilation: an echocardiography study in elderly patients with chronic heart failure. 2010 , 20, 633-40	64
832	Prevalence and prognosis of left ventricular diastolic dysfunction in the elderly: The PROTEGER Study. 2010 , 160, 471-8	20
831	Progressive regression of left ventricular hypertrophy two years after bariatric surgery. 2010 , 123, 549-55	64
830	Use of Simpson's method of disc to detect early echocardiographic changes in Doberman Pinschers with dilated cardiomyopathy. 2010 , 24, 1069-76	79
829	Comparisons of 3-, 2-dimensional, and M-mode echocardiographical methods for estimation of left chamber volumes in dogs with and without acquired heart disease. 2010 , 24, 1414-20	35
828	Pulmonary blood volume in mitral regurgitation in Cavalier King Charles spaniels. 2010 , 24, 1393-9	9

827	Utilidad de la aceleración isovolumétrica y los parámetros de ecocardiografía Doppler tisular en la predicción de la recuperación funcional postoperatoria tras cirugía valvular cardiaca. 2010 , 63, 430-438		4
826	Weaving hypothesis of cardiomyocyte sarcomeres: discovery of periodic broadening and narrowing of intercalated disk during volume-load change. 2010 , 176, 660-78		28
825	Quantification of Left Ventricular Volumes Using Three-dimensional Echocardiography: Comparison With 64-slice Multidetector Computed Tomography. 2010 , 18, 71-78		4
824	Microalbuminuria and left ventricular mass in overweight and obese hypertensive patients: role of the metabolic syndrome. 2011 , 18, 195-201		4
823	Assessment of left ventricular regional wall motion and ejection fraction with low-radiation dose helical dual-source CT: comparison to two-dimensional echocardiography. 2011 , 5, 149-57		17
822	Blood pressure regulation and resting heart rate abnormalities in adolescent girls with polycystic ovary syndrome. 2011 , 96, 1519-25		12
821	Impairment of autonomic reactivity is a feature of heart failure whether or not the left ventricular ejection fraction is normal. <i>International Journal of Cardiology</i> , 2011 , 151, 34-9	3.2	13
820	Prognostic effect of inappropriately high left ventricular mass in asymptomatic severe aortic stenosis. 2011 , 97, 301-7		188
819	Depression is associated with increased occurrence of left ventricle concentric geometry in older subjects independently of blood pressure levels. 2011 , 21, 915-21		8
818	Assessment of global and regional left ventricular volume and shape by real-time 3-dimensional echocardiography in dogs with myxomatous mitral valve disease. 2011 , 25, 1036-43		34
817	Standardization of the apex beat in the full left lateral position and its diagnostic value in detecting left ventricular dilatation. 2011 , 66, 459-464		2
816	Ecocardiografia de equinos Puro Sangue fãbe após exercãio de enduro de diferentes intensidades. 2011 , 41, 132-136		2
815	Relationship between left ventricular structure and post-exercise blood pressure in endurance athletes. 2011 , 66, 359-63		2
814	Inappropriately high left ventricular mass in patients with type 2 diabetes mellitus and no overt cardiac disease. The DYDA study. 2011 , 29, 1994-2003		15
813	Anabolic steroid associated to physical training induces deleterious cardiac effects. 2011 , 43, 1836-48		21
812	Radionuclide ventriculography detects early anthracycline cardiotoxicity in children with Hodgkin lymphoma. 2011 , 33, e132-7		7
811	Chronic kidney disease elicits excessive increase in left ventricular mass growth in patients at increased risk for cardiovascular events. 2011 , 29, 565-73		43
810	Gender and age differences in candidates for radiofrequency catheter ablation of idiopathic ventricular arrhythmias. 2011 , 75, 1585-91		44

809	Correlation of arterial stiffness to left ventricular function in patients with reduced ejection fraction. 2011 , 225, 145-51		8
808	Association between high-sensitivity C-reactive protein and left ventricular diastolic function assessed by echocardiography in patients with cardiovascular risk factors. 2011 , 223, 263-8		9
807	Myocardial performance index in subjects susceptible to high-altitude pulmonary edema. 2011 , 50, 2967-73	11	
806	Dehydration reduces left ventricular filling at rest and during exercise independent of twist mechanics. 2011 , 111, 891-7		41
805	Cardiac function in survivors of acute lymphoblastic leukaemia and Hodgkin's lymphoma. 2011 , 47, 455-9		6
804	Early-pregnancy changes in cardiac diastolic function in women with recurrent pre-eclampsia and in previously pre-eclamptic women without recurrent disease. 2011 , 118, 1112-9		17
803	Prognostic value of exercise-induced ventricular arrhythmia in Chagas' heart disease. 2011 , 34, 1492-7		10
802	Left atrial dimension and risk of stroke in women without atrial fibrillation: the Chin-Shan Community Cardiovascular Cohort study. 2011 , 28, 1054-60		12
801	Hemodialysis does not impair ventricular functions over 2 years. 2011 , 15, 334-40		4
800	Effects of graded heat stress on global left ventricular function and twist mechanics at rest and during exercise in healthy humans. 2011 , 96, 114-24		42
799	Results with expanded donor acceptance criteria in heart transplantation. 2011 , 43, 953-9		30
798	Calpain-mediated dystrophin disruption may be a potential structural culprit behind chronic doxorubicin-induced cardiomyopathy. 2011 , 670, 541-53		23
797	Cardiopulmonary limited ultrasound examination for "quick-look" bedside application. <i>American Journal of Cardiology</i> , 2011 , 108, 586-90	3	65
796	Small heart with low cardiac output for orthostatic intolerance in patients with chronic fatigue syndrome. 2011 , 34, 782-6		18
795	MicroRNA-1 transfected embryonic stem cells enhance cardiac myocyte differentiation and inhibit apoptosis by modulating the PTEN/Akt pathway in the infarcted heart. 2011 , 301, H2038-49		101
794	Myocardial function and aerobic fitness in adolescent females. 2011 , 111, 1991-7		5
793	Effects of olmesartan on blood pressure and insulin resistance in hypertensive patients with sleep-disordered breathing. 2011 , 26, 603-8		7
792	Determinants of plasma brain natriuretic peptide levels in untreated hypertensive patients. 2011 , 9, 103-8		3

791	Echocardiographic parameters of patent ductus arteriosus in preterm infants. 2011 , 48, 773-8	12
790	Relationship between Tei Index and left ventricular geometric patterns in a hypertensive population: a cross-sectional study. 2011 , 9, 21	3
789	Clinical evaluation of cardiac effects of experimental doxycycline overdosing in healthy calves. 2011 , 7, 40	4
788	Bilateral lung transplantation for pediatric idiopathic pulmonary arterial hypertension: a multi-center experience. 2011 , 46, 1121-7	22
787	B-type natriuretic peptide levels and cardiovascular risk in patients with diastolic dysfunction on chronic haemodialysis: cross-sectional and observational studies. 2011 , 26, 683-90	7
786	Differences in left ventricular diastolic dysfunction between eccentric and concentric left ventricular hypertrophy in hypertensive patients with preserved systolic function. 2011 , 39, 772-9	14
785	The association between left ventricular diastolic function and a mild-to-moderate decrease in glomerular filtration rate in patients with type 2 diabetes mellitus. 2011 , 39, 2178-86	8
784	Polymorphisms in the IGF1 signalling pathway including the myostatin gene are associated with left ventricular mass in male athletes. 2011 , 45, 36-41	13
783	The value of echocardiography versus cardiac troponin I levels in the early detection of anthracycline cardiotoxicity in childhood acute leukemia: prospective evaluation of a 7-year-long clinical follow-up. 2011 , 28, 380-94	9
782	Presence of structural heart disease and left ventricular dysfunction predict hospitalizations for new-onset heart failure after right ventricular apical pacing. 2011 , 13, 230-6	6
781	Limited transthoracic echocardiogram: so easy any trauma attending can do it. 2011 , 71, 1327-31; discussion 1331-2	42
780	Heritability of left ventricular structure and function in Caucasian families. <i>European Heart Journal Cardiovascular Imaging</i> , 2011 , 12, 326-32	4.1 11
779	Iodine-123 metaiodobenzylguanidine cardiac imaging as a method to detect early sympathetic neuronal dysfunction in chagasic patients with normal or borderline electrocardiogram and preserved ventricular function. 2011 , 36, 757-61	10
778	Mitochondrial-targeted Signal transducer and activator of transcription 3 (STAT3) protects against ischemia-induced changes in the electron transport chain and the generation of reactive oxygen species. 2011 , 286, 29610-20	164
777	Visit-to-visit variability in blood pressure over a 1-year period is a marker of left ventricular diastolic dysfunction in treated hypertensive patients. 2011 , 34, 846-50	46
776	Aortic root dilatation as a marker of subclinical left ventricular diastolic dysfunction in patients with cardiovascular risk factors. 2011 , 39, 64-70	16
775	Incidence and predictors of asymptomatic atrial fibrillation in patients older than 70 years with complete atrioventricular block and dual chamber pacemaker implantation. 2011 , 52, 61-7	11
774	Histologically measured cardiomyocyte hypertrophy correlates with body height as strongly as with body mass index. 2011 , 2011, 658958	29

773	Activation of the neuregulin/ErbB system during physiological ventricular remodeling in pregnancy. 2011 , 300, H931-42	54
772	Association between echocardiographic parameters and brain natriuretic peptide levels in treated hypertensive patients. 2011 , 33, 187-91	2
771	Left ventricular mechanical limitations to stroke volume in healthy humans during incremental exercise. 2011 , 301, H478-87	67
770	Relationship between on-treatment decreases in inappropriate versus absolute or indexed left ventricular mass and increases in ejection fraction in hypertension. 2012 , 60, 810-7	9
769	Leg blood pressure measured in orthostatic posture is associated with left ventricular mass in normotensive subjects. 2012 , 25, 1083-7	9
768	Reduced bone mineral density in hypertensive patients is associated with left ventricular diastolic dysfunction, not left ventricular hypertrophy. 2012 , 34, 176-81	5
767	Coffee extract attenuates changes in cardiovascular and hepatic structure and function without decreasing obesity in high-carbohydrate, high-fat diet-fed male rats. 2012 , 142, 690-7	76
766	Association of heart failure hospitalizations with combined electrocardiography and echocardiography criteria for left ventricular hypertrophy. 2012 , 25, 678-83	21
765	Hypertension in aortic stenosis: implications for left ventricular structure and cardiovascular events. 2012 , 60, 90-7	87
764	Sonographic assessment of fetal cardiac function: introduction and direct measurement of cardiac function. 2012 , 33, 236-44	4
763	Relations of circulating vitamin D concentrations with left ventricular geometry and function. 2012 , 14, 985-91	35
762	Association between cardiac function and pulmonary function in hypertensive patients. 2012 , 40, 105-14	3
761	Diagnosis of subclinical central hypothyroidism in patients with hypothalamic-pituitary disease by Doppler echocardiography. 2012 , 166, 631-40	20
760	Comparison of Doppler-based and three-dimensional methods for fetal cardiac output measurement. 2012 , 32, 72-8	11
759	Diastolic stiffness as assessed by diastolic wall strain is associated with adverse remodelling and poor outcomes in heart failure with preserved ejection fraction. 2012 , 33, 1742-9	91
758	Intra-familial aggregation and heritability of aortic versus brachial pulse pressure after imputing pretreatment values in a community of African ancestry. 2012 , 30, 1144-50	4
757	Inappropriately high left-ventricular mass in asymptomatic mild-moderate aortic stenosis. 2012 , 30, 421-8	14
756	Chronic intermittent hypoxia exposure improves left ventricular contractility in transgenic mice with heart failure. 2012 , 113, 791-8	21

755	Frequency, determinants and outcome of pulmonary hypertension in patients with aortic valve stenosis. 2012 , 343, 397-401		21
754	Activated plasma coagulation \square Factor XII-induced vasoconstriction in rats. 2012 , 122, 581-90		3
753	Obscured meshwork structure after treatment for heart failure: a case study. 2012 , 51, 1049-53		1
752	Cardiac magnetic resonance imaging for stage B heart failure. 2012 , 8, 179-90		6
751	Comparative study of ECG and echocardiographic parameters indicative of cardiac hypertrophy in athletes. 2012 , 8, 101-107		1
750	Exercise can induce temporary mitochondrial and contractile dysfunction linked to impaired respiratory chain complex activity. 2012 , 61, 117-26		12
749	Quantification of left ventricular size and function using contrast-enhanced real-time 3D imaging with power modulation: comparison with cardiac MRI. 2012 , 38, 1853-8		11
748	Enzyme replacement therapy improves cardiac features and severity of Fabry disease. 2012 , 107, 197-202		34
747	Assessment of transmitral vortex formation in patients with diastolic dysfunction. 2012 , 25, 220-7		66
746	Value of tissue Doppler echocardiography in children with pulmonary hypertension. 2012 , 25, 504-10		43
745	Gender-dependent effects of high-fat lard diet on cardiac function in C57Bl/6J mice. 2012 , 37, 214-24		20
744	Feasibility, safety, and therapeutic efficacy of human induced pluripotent stem cell-derived cardiomyocyte sheets in a porcine ischemic cardiomyopathy model. 2012 , 126, S29-37		343
743	Changes in left ventricular morphology and function after mitral valve surgery. <i>American Journal of Cardiology</i> , 2012 , 110, 403-408.e3	3	24
742	Gender difference in cardiovascular risk factors in the elderly with cardiovascular disease in the last stage of lifespan: the PROTEGER study. <i>International Journal of Cardiology</i> , 2012 , 155, 144-8	3.2	9
741	Validation of a novel modified wall motion score for estimation of left ventricular ejection fraction in ischemic and non-ischemic cardiomyopathy. <i>European Journal of Radiology</i> , 2012 , 81, e923-8	4.7	2
740	Early detection of doxorubicin myocardial injury by ultrasonic tissue characterization in an experimental animal model. 2012 , 10, 40		9
739	Rapid cardiovascular effects of growth hormone treatment in short prepubertal children: impact of treatment duration. 2012 , 77, 877-84		10
738	Risk factors for malignant ventricular arrhythmias in lamin a/c mutation carriers a European cohort study. 2012 , 59, 493-500		353

737	Comparison of stroke volume and cardiac output as measured by a single observer using four different ultrasound techniques in six clinically healthy cats. 2012 , 194, 433-6		5
736	Overexpression of TIMP-1 in embryonic stem cells attenuates adverse cardiac remodeling following myocardial infarction. 2012 , 21, 1931-44		22
735	Management of Myocardial Reperfusion Injury. 2012 ,		88
734	LCAT cholesterol esterification is associated with the increase of ApoE/ApoA-I ratio during atherosclerosis progression in rabbit. 2012 , 68, 541-53		4
733	Disassociation of muscle insulin signaling and insulin-stimulated glucose uptake during endotoxemia. 2012 , 7, e30160		23
732	Cardiomyocyte triglyceride accumulation and reduced ventricular function in mice with obesity reflect increased long chain Fatty Acid uptake and de novo Fatty Acid synthesis. 2012 , 2012, 205648		40
731	Echocardiographic parameters as cardiovascular event predictors in hemodialysis patients. <i>Arquivos Brasileiros De Cardiologia</i> , 2012 , 99, 714-23	1.2	5
730	Left ventricular diastolic function in morbidly obese patients in the preoperative for bariatric surgery. <i>Arquivos Brasileiros De Cardiologia</i> , 2012 , 98, 300-6	1.2	9
729	Comparison of multi-detector row computed tomography with echocardiography for assessment of left ventricular function in healthy dogs. 2012 , 73, 393-403		15
728	Contribution of central adiposity to left ventricular diastolic function (from the Baltimore Longitudinal Study of Aging). <i>American Journal of Cardiology</i> , 2012 , 109, 1171-8	3	36
727	Evaluation of right ventricular function in early period following transcatheter closure of atrial septal defect. 2012 , 29, 358-62		13
726	Diastolic cardiac function is synonymous with long-axis systolic function: a novel concept in cardiac function. 2012 , 29, 397-402		2
725	Comparison of the left atrial appendage flow velocities between patients with dipper versus nondipper hypertension. 2012 , 29, 391-6		4
724	Effects of abdominal binding on cardiorespiratory function in cervical spinal cord injury. 2012 , 180, 275-82		23
723	Sedative, cardiovascular, haematologic and biochemical effects of four different drug combinations administered intramuscularly in cats. 2012 , 39, 137-50		54
722	Post-exercise left ventricular dysfunction measured after a long-duration cycling event. 2013 , 6, 211		7
721	Functional Imaging in Fetal Echocardiography: A Review of Conventional and Novel Approaches. 2013 , 4, 276-285		1
720	Congestive Heart Failure. 2013 , 235-257		1

719	B-type natriuretic peptide predicts left atrial appendage thrombus in patients with nonvalvular atrial fibrillation. 2013 , 30, 889-95			33
718	Uric acid and high sensitive C-reactive protein are associated with subclinical thoracic aortic atherosclerosis. 2013 , 61, 144-8			25
717	Does chronic atrial fibrillation induce cardiac remodeling?. 2013 , 30, 140-6			4
716	Left ventricular torsion abnormalities in septic shock and corrective effect of volume loading: a pilot study. 2013 , 29, 1665-71			8
715	Hemodynamic adaptation to pregnancy in women with structural heart disease. <i>International Journal of Cardiology</i> , 2013 , 168, 825-31	3.2		34
714	The glucose dysmetabolism in the acute phase of non-diabetic ST-elevation myocardial infarction: from insulin resistance to hyperglycemia. 2013 , 50, 293-300			6
713	Left ventricular performance after aortic valve replacement in patients with low ejection fraction. 2013 , 16, 443-50			4
712	Modelling and Control of Dialysis Systems. 2013 ,			2
711	Galectin-3 is an independent marker for ventricular remodeling and mortality in patients with chronic heart failure. 2013 , 102, 103-10			142
710	Exercise and diet-induced weight loss attenuates oxidative stress related-coronary vasoconstriction in obese adolescents. 2013 , 113, 519-28			13
709	The use of bioreactance and carotid Doppler to determine volume responsiveness and blood flow redistribution following passive leg raising in hemodynamically unstable patients. 2013 , 143, 364-370			159
708	Prognosis in the hospitalized very elderly: the PROTEGER study. <i>International Journal of Cardiology</i> , 2013 , 168, 2714-9	3.2		22
707	Right ventricular morphology and function in chronic obstructive pulmonary disease patients living at high altitude. 2013 , 22, 31-7			9
706	Early mitral valve surgery for chronic severe mitral regurgitation optimizes left ventricular performance and left ventricular mass regression. 2013 , 146, 61-6			10
705	Left ventricular efficiency after ligation of patent ductus arteriosus for premature infants. 2013 , 146, 1353-8			7
704	Transesophageal Echocardiography in Healthy Young Adult Male Baboons (): Normal Cardiac Anatomy and Function in Subhuman Primates Compared to Humans. 2013 , 35, 109-120			2
703	Bioluminescence imaging of cardiomyogenic and vascular differentiation of cardiac and subcutaneous adipose tissue-derived progenitor cells in fibrin patches in a myocardium infarct model. <i>International Journal of Cardiology</i> , 2013 , 169, 288-95	3.2		30
702	Systolic volume index by Doppler echocardiography is an useful marker for stratification and prognostic evaluation in patients with severe aortic stenosis and preserved ejection fraction. 2013 , 66, 261-8			3

701	Evaluation of left ventricular diastolic function by tissue Doppler imaging in patients with newly diagnosed and untreated primary generalized epilepsy. 2013 , 22, 537-41		12
700	Effect of overweight and obesity on cardiovascular events in asymptomatic aortic stenosis: a SEAS substudy (Simvastatin Ezetimibe in Aortic Stenosis). 2013 , 62, 1683-1690		41
699	Accuracy and feasibility of simplified Doppler-based left ventricular ejection fraction. <i>American Journal of Cardiology</i> , 2013 , 112, 889-94	3	1
698	El análisis del flujo aórtico por ecocardiografía Doppler es útil en la estratificación pronóstica de los pacientes con estenosis aórtica grave con fracción de eyección normal. 2013 , 66, 261-268		25
697	Measuring the quality of echocardiography using the predictive value of the left ventricular ejection fraction. 2013 , 26, 237-42		7
696	Prognostic stratification by conventional echocardiography of patients with aortic stenosis: the "CAIMAN-ECHO score". 2013 , 30, 367-77		10
695	Usefulness of pulsed wave tissue doppler imaging in assessment of left ventricular functions in children with beta-thalassemia major. 2013 , 80, 721-5		9
694	Carotid arterial intima-media thickness and arterial stiffness in pre-eclampsia: analysis with a radiofrequency ultrasound technique. 2013 , 42, 644-52		39
693	FGF23 is a novel regulator of intracellular calcium and cardiac contractility in addition to cardiac hypertrophy. 2013 , 304, E863-73		133
692	Abnormal early diastolic intraventricular flow 'kinetic energy index' assessed by vector flow mapping in patients with elevated filling pressure. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 253-60	4.1	31
691	External validation of a novel transthoracic echocardiographic tool in predicting left atrial appendage thrombus formation in patients with nonvalvular atrial fibrillation. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 876-81	4.1	18
690	Relation between serum N-terminal pro-brain natriuretic peptide and prognosis in patients with hypertrophic cardiomyopathy. 2013 , 34, 2529-37		58
689	Osteopontin-mediated myocardial fibrosis in heart failure: a role for lysyl oxidase?. 2013 , 99, 111-20		83
688	Comparison of echocardiography with dual-source computed tomography for assessment of left ventricular volume in healthy Beagles. 2013 , 74, 62-9		10
687	Cardiac diastolic evaluation in pregnant women with abnormal glucose tolerance: an opportunity to detect the early and subclinical alterations and prevent cardiovascular diseases. 2013 , 2013, 486593		5
686	Age- and sex-based reference limits and clinical correlates of myocardial strain and synchrony: the Framingham Heart Study. 2013 , 6, 692-9		88
685	Expression and complex formation of MMP9, MMP2, NGAL, and TIMP1 in porcine myocardium but not in skeletal muscles in male pigs with tachycardia-induced systolic heart failure. 2013 , 2013, 283856		15
684	Association between oxidative stress assessed by urinary 8-hydroxydeoxyguanosine and the cardiac function in hypertensive patients without overt heart disease. 2013 , 35, 308-12		7

683	Minimally invasive intraoperative estimation of left-ventricular end-systolic elastance with phenylephrine as loading intervention. 2013 , 111, 750-8	3
682	Change in cardiac geometry and function in CKD children during strict BP control: a randomized study. 2013 , 8, 203-10	75
681	Nebivolol induces distinct changes in profibrosis microRNA expression compared with atenolol, in salt-sensitive hypertensive rats. 2013 , 61, 1008-13	29
680	Prognostic value of energy loss index in asymptomatic aortic stenosis. 2013 , 127, 1149-56	91
679	Pressure overload differentially affects respiratory capacity in interfibrillar and subsarcolemmal mitochondria. 2013 , 304, H529-37	37
678	Assessment of left ventricular size and function during cardiac surgery. An intraoperative evaluation of six two-dimensional echocardiographic methods with real time three-dimensional echocardiography as a reference. 2013 , 30, 672-81	13
677	Doppler and volumetric echocardiographic methods for cardiac output measurement in standing adult horses. 2013 , 27, 324-30	23
676	Left atrial ejection fraction assessed by real-time 3-dimensional echocardiography in normal dogs and dogs with myxomatous mitral valve disease. 2013 , 27, 884-9	19
675	Left ventricular stroke volume quantification by contrast echocardiography - comparison of linear and flow-based methods to cardiac magnetic resonance. 2013 , 30, 880-8	10
674	Assessment of left ventricular volumes by use of one-, two-, and three-dimensional echocardiography versus magnetic resonance imaging in healthy dogs. 2013 , 74, 1223-30	19
673	Hypertension after preeclampsia is preceded by changes in cardiac structure and function. 2013 , 62, 382-90	49
672	Rosuvastatin prevents pressure overload-induced myocardial hypertrophy via inactivation of the Akt, ERK1/2 and GATA4 signaling pathways in rats. 2013 , 8, 385-92	13
671	Combination of ketamine and xylazine exacerbates cardiac dysfunction in severely scalded rats during the shock stage. 2013 , 6, 641-648	7
670	Physical exercise induces specific adaptations resulting in reduced organ injury and mortality during severe polymicrobial sepsis. 2013 , 41, e246-55	16
669	Relationship between inappropriate left ventricular hypertrophy and ejection fraction independent of absolute or indexed mass in a community sample of black African ancestry. 2013 , 31, 169-76	6
668	Systolic left ventricular function according to left ventricular concentricity and dilatation in hypertensive patients: the Losartan Intervention For Endpoint reduction in hypertension study. 2013 , 31, 2060-8	13
667	Does echocardiography accurately reflect CMR-determined changes in left ventricular parameters following exercise training? A prospective longitudinal study. 2013 , 114, 1052-7	5
666	Investigation of apoptosis in a canine model of chronic heart failure induced by tachycardia. 2013 , 100, 435-44	2

665	Elevated plasma hyaluronan levels in pulmonary hypertension. 2013 , 230, 7-11	8	
664	Serum uric acid is associated with left ventricular hypertrophy independent of serum parathyroid hormone in male cardiac patients. 2013 , 8, e82735	16	
663	Quantitative and Semiquantitative Echocardiography. 2014 , 72-89		
662	Effect of transverse aortic constriction on cardiac structure, function and gene expression in pregnant rats. 2014 , 9, e89559	13	
661	Subclinical cardiovascular damage and fat utilization in overweight/obese individuals receiving the same dietary and pharmacological interventions. 2014 , 6, 5560-71	4	
660	M-mode echocardiographic study in dogs. 2014 , 9, 387-396	3	
659	Left ventricular diastolic function evaluated by the E/e' ratio is impaired in patients with masked uncontrolled hypertension. 2014 , 36, 538-44	4	
658	Similar improvement of left ventricular performance after valve replacement for aortic stenosis with small aortic annuli among three different implantation techniques. 2014 , 30, 189-195		
657	Impedance cardiography (electrical velocimetry) and transthoracic echocardiography for non-invasive cardiac output monitoring in pediatric intensive care patients: a prospective single-center observational study. 2014 , 18, 603	45	
656	The effect of left ventricular remodelling on soluble ST2 in a cohort of hypertensive subjects. 2014 , 28, 432-7	19	
655	Effects of short-term exercise training on tissue Doppler indices of left ventricular diastolic function in overweight and obese individuals. 2014 , 32, 487-99	5	
654	Angiotensin II type 1 receptor expression in astrocytes is upregulated leading to increased mortality in mice with myocardial infarction-induced heart failure. 2014 , 307, H1448-55	36	
653	Prognostic value of brain natriuretic peptide in patients with heart failure and reserved left ventricular systolic function. 2014 , 7, 1506-1512	6	
652	The Sugen 5416/hypoxia mouse model of pulmonary hypertension revisited: long-term follow-up. 2014 , 4, 619-29	77	
651	Hemodynamic and echocardiographic profiles in African American compared with White offspring of hypertensive parents: the HyperGEN study. 2014 , 27, 21-6	6	
650	Outcomes after atrioventricular node ablation and biventricular pacing in patients with refractory atrial fibrillation and heart failure: a comparison between non-ischaemic and ischaemic cardiomyopathy. 2014 , 16, 880-6	11	
649	The OxVALVE population cohort study (OxVALVE-PCS)-population screening for undiagnosed valvular heart disease in the elderly: study design and objectives. <i>Open Heart</i> , 2014 , 1, e000043	3	8
648	Classification of left ventricular size: diameter or volume with contrast echocardiography?. <i>Open Heart</i> , 2014 , 1, e000147	3	10

647	[Assessment of fetal cardiac function--established and novel methods]. 2014 , 218, 56-63		6
646	Inflammation and echocardiographic parameters of ventricular hypertrophy in a cohort with preserved cardiac function. <i>Open Heart</i> , 2014 , 1, e000004	3	10
645	Echocardiographic assessment of cardiac structure and function in great apes: a practical guide. 2014 , 48, 218-233		9
644	Ventriculo-arterial coupling in children with Still's murmur. <i>Physiological Reports</i> , 2014 , 2, e12041	2.6	3
643	Cardiac structure and function in heart failure with preserved ejection fraction: baseline findings from the echocardiographic study of the Treatment of Preserved Cardiac Function Heart Failure with an Aldosterone Antagonist trial. 2014 , 7, 104-15		174
642	Application of 3-d echocardiography and gated micro-computed tomography to assess cardiomyopathy in a mouse model of duchenne muscular dystrophy. 2014 , 40, 2857-67		4
641	Pathophysiological impact of serum fibroblast growth factor 23 in patients with nonischemic cardiac disease and early chronic kidney disease. 2014 , 307, H1504-11		35
640	Effect of cerebral circulatory arrest on cerebral near-infrared spectroscopy in pediatric patients. 2014 , 24, 393-9		6
639	Increase in the expression of CD4 + CD25+ lymphocytic T cells in the indeterminate clinical form of human Chagas disease after stimulation with recombinant antigens of <i>Trypanosoma cruzi</i> . 2014 , 34, 991-8		3
638	Serum alanine aminotransferase predicts interventricular septum thickness and left ventricular mass in patients with nonalcoholic fatty liver disease. 2014 , 26, 654-60		5
637	Cardiac structure and function and prognosis in heart failure with preserved ejection fraction: findings from the echocardiographic study of the Treatment of Preserved Cardiac Function Heart Failure with an Aldosterone Antagonist (TOPCAT) Trial. 2014 , 7, 740-51		159
636	Image quality influences the assessment of left ventricular function: an intraoperative comparison of five 2-dimensional echocardiographic methods with real-time 3-dimensional echocardiography as a reference. 2014 , 33, 297-306		10
635	Four-group classification of left ventricular hypertrophy based on ventricular concentricity and dilatation identifies a low-risk subset of eccentric hypertrophy in hypertensive patients. 2014 , 7, 422-9		71
634	Evaluation of human immunodeficiency virus infection-related left ventricular systolic dysfunction by tissue Doppler strain echocardiography. 2014 , 31, 1199-204		7
633	Three-dimensional echocardiography and cardiac magnetic resonance imaging in the screening of long-term survivors of childhood cancer after cardiotoxic therapy. <i>American Journal of Cardiology</i> , 2014 , 113, 1886-92	3	22
632	Cardiovascular abnormalities in Taiwanese patients with mucopolysaccharidosis. 2014 , 111, 493-8		23
631	Pericardial fat, insulin resistance, and left ventricular structure and function in morbid obesity. 2014 , 24, 440-6		24
630	The impairment of the parasympathetic modulation is involved in the age-related change in mitral E/A ratio. 2014 , 29, 343-53		4

629	Quantification of congenital aortic valve stenosis in pediatric patients: comparison between cardiac magnetic resonance imaging and transthoracic echocardiography. 2014 , 35, 771-7		1
628	Endothelial function is associated with myocardial diastolic function in women with systemic lupus erythematosus. 2014 , 34, 1281-5		15
627	Diastolic suction in heart failure: impact of left ventricular geometry, untwist, and flow mechanics. 2014 , 102, 111-7		4
626	Simpson's method of discs for measurement of echocardiographic end-diastolic and end-systolic left ventricular volumes: breed-specific reference ranges in Boxer dogs. 2014 , 28, 116-22		29
625	Impact of obesity and nonobesity on grading the severity of aortic valve stenosis. <i>American Journal of Cardiology</i> , 2014 , 113, 1532-5	3	14
624	Mitral and aortic valve sclerosis/calcification and carotid atherosclerosis: results from 1065 patients. 2014 , 29, 776-83		20
623	Effect of dual-chamber pacemaker implantation on aortic dilatation in patients with congenital heart block. <i>American Journal of Cardiology</i> , 2014 , 114, 1573-7	3	5
622	NADPH oxidase hyperactivity induces plantaris atrophy in heart failure rats. <i>International Journal of Cardiology</i> , 2014 , 175, 499-507	3,2	48
621	Left ventricular ejection fraction and volumes: it depends on the imaging method. 2014 , 31, 87-100		141
620	Structural myocardial alterations in diabetes and hypertension: the role of galectin-3. 2014 , 52, 1499-505		12
619	Methodologic comparison of left ventricular stroke volumes in the early neonatal period by echocardiography. 2014 , 35, 1415-20		4
618	Assessment of ventricular relaxation and stiffness using early diastolic mitral annular and inflow velocities in pediatric patients with heart disease. 2014 , 29, 825-33		11
617	Cardiac energetics analysis after aortic valve replacement with 16-mm ATS mechanical valve. 2014 , 17, 250-7		2
616	Paraoxonase (PON1) activity in patients with subclinical thoracic aortic atherosclerosis. 2014 , 30, 889-95		7
615	Airflow obstruction and left ventricular filling pressure in suspected chronic obstructive pulmonary disease. 2014 , 192, 85-9		3
614	Ultrasound study of carotid and cardiac remodeling and cardiac-arterial coupling in normal pregnancy and preeclampsia: a case control study. 2014 , 14, 113		14
613	The value of diastolic function parameters in the prediction of left atrial appendage thrombus in patients with nonvalvular atrial fibrillation. 2014 , 12, 10		31
612	Comparison of five-year outcomes of coronary artery bypass grafting versus percutaneous coronary intervention in patients with left ventricular ejection fractions $\leq 50\%$ versus $>50\%$ (from the CREDO-Kyoto PCI/CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2014 , 114, 988-96	3	46

611	Echocardiography underestimates stroke volume and aortic valve area: implications for patients with small-area low-gradient aortic stenosis. 2014 , 30, 1064-72		55
610	A meta-analysis of echocardiographic measurements of the left heart for the development of normative reference ranges in a large international cohort: the EchoNoRMAL study. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 341-8	4.1	21
609	Elevated hyaluronan levels in patients with rheumatic mitral stenosis and pulmonary arterial thromboembolism. 2014 , 23, 649-54		2
608	KCNJ5 gene somatic mutations affect cardiac remodelling but do not preclude cure of high blood pressure and regression of left ventricular hypertrophy in primary aldosteronism. 2014 , 32, 1514-21; discussion 1522		32
607	Differential relationships of systolic and diastolic blood pressure with components of left ventricular diastolic dysfunction. 2014 , 32, 912-20		15
606	Relative impact of blood pressure as compared to an excess adiposity on left ventricular diastolic dysfunction in a community sample with a high prevalence of obesity. 2014 , 32, 2457-64; discussion 2464		11
605	Tissue inflammation and nitric oxide-mediated alterations in cardiovascular function are major determinants of endotoxin-induced insulin resistance. 2015 , 14, 56		22
604	Cardiac remodelling and functional alterations in mild-to-moderate renal dysfunction: comparison with healthy subjects. 2015 , 35, 223-30		12
603	Risk-Factor Profile and Comorbidities in 2398 Patients With Newly Diagnosed Hypertension From the Abuja Heart Study. 2015 , 94, e1660		7
602	Atrial ejection force and brain natriuretic peptide as markers for mortality in sepsis. 2015 , 3, 29-35		1
601	Sex differences in porcine left ventricular myocardial remodeling due to right ventricular pacing. 2015 , 6, 32		2
600	The effect of 7.2% hypertonic saline solution on echocardiographic parameters of healthy horses. 2015 , 47, 741-4		3
599	Assessing anthracycline-treated childhood cancer survivors with advanced stress echocardiography. 2015 , 62, 502-8		25
598	New non-invasive safe, quick, economical method of detecting various cancers was found using QRS complex or rising part of T-wave of recorded ECGs. Cancers can be screened along with their biochemical parameters & therapeutic effects of any cancer treatments can be evaluated using recorded ECGs of the same individual. 2015 , 48, 1-15		3
597	Left ventricular dilatation and subclinical renal damage in primary hypertension. 2015 , 33, 605-11; discussion 611		8
596	Prevalence and factors related to inappropriately high left ventricular mass in patients with rheumatoid arthritis without overt cardiac disease. 2015 , 33, 2141-9		13
595	Paraoxonase and arylesterase activities in dipper and non-dipper prehypertensive subjects. 2015 , 94, e786		2
594	Fistula Diameter Correlates with Echocardiographic Characteristics in Stable Hemodialysis Patients. 2015 , 1, poej.5000193		2

593	The Association between Glomerular Hyperfiltration and Left Ventricular Structure and Function in Patients with Primary Aldosteronism. 2015 , 12, 369-77	5
592	The Diagnostic Value of Pulsed Wave Tissue Doppler Imaging in Asymptomatic Beta- Thalassemia Major Children and Young Adults; Relation to Chemical Biomarkers of Left Ventricular Function and Iron Overload. 2015 , 7, e2015051	5
591	Echocardiographic abnormalities in patients with stroke during the subacute rehabilitation phase. 2015 , 47, 38-44	1
590	Chagas disease: morbidity profile in an endemic area of Northeastern Brazil. 2015 , 48, 706-15	10
589	Left ventricular function during acute high-altitude exposure in a large group of healthy young Chinese men. 2015 , 10, e0116936	11
588	Endocardial Endothelial Dysfunction Progressively Disrupts Initially Anti then Pro-Thrombotic Pathways in Heart Failure Mice. 2015 , 10, e0142940	10
587	Serum prolidase activity in patients with left ventricular diastolic dysfunction. 2015 , 70, 51-7	3
586	Subclinical right ventricle systolic dysfunction in childhood-onset systemic lupus erythematosus: insights from two-dimensional speckle-tracking echocardiography. 2015 , 24, 613-20	31
585	Myocardial performance is impaired in patients with branch retinal vein occlusion. 2015 , 43, 33-41	2
584	Aerobic physical training increases contractile response and reduces cardiac fibrosis in rats subjected to early ovarian hormone deprivation. 2015 , 118, 1276-85	13
583	Inflammation is associated to volume status in peritoneal dialysis patients. 2015 , 37, 935-40	3
582	Azilsartan, but not Candesartan Improves Left Ventricular Diastolic Function in Patients with Hypertension and Heart Failure. 2015 , 9, 201-205	8
581	Cardio-ankle vascular index and subclinical heart disease. 2015 , 38, 68-73	40
580	Subclinical deterioration of left ventricular function in patients with juvenile-onset systemic lupus erythematosus. 2015 , 24, 263-72	15
579	Adverse structural remodeling of the left ventricle and ventricular arrhythmias in patients with depressed ejection fraction. 2015 , 21, 97-102	8
578	Evolution of left ventricular function in the preterm infant. 2015 , 28, 302-8	41
577	Left Ventricular Systolic Dysfunction in Asymptomatic Black Hypertensive Subjects. 2015 , 28, 924-9	3
576	Transmyocardial Revascularization Enhances Bone Marrow Stem Cell Engraftment in Infarcted Hearts Through SCF-C-kit and SDF-1-CXCR4 Signaling Axes. 2015 , 11, 332-46	8

575	High estimated pulmonary artery systolic pressure predicts adverse cardiovascular outcomes in stage 2-4 chronic kidney disease. 2015 , 88, 130-6			26
574	Rat heart structural and functional characteristics and gas exchange parameters after experimental myocardial infarction. 2015 , 9, 24-29			2
573	Left ventricular hypertrophy after hypertensive pregnancy disorders. 2015 , 101, 1584-90			25
572	Discrepancies in Left Ventricular Mass Calculation Based on Echocardiography and Cardiovascular Magnetic Resonance Measurements in Patients with Left Ventricular Hypertrophy. 2015 , 28, 1194-1203, e2			16
571	Xenotransplantation of Bone Marrow-Derived Human Mesenchymal Stem Cell Sheets Attenuates Left Ventricular Remodeling in a Porcine Ischemic Cardiomyopathy Model. 2015 , 21, 2272-80			19
570	Left ventricular performance early after repair for posterior mitral leaflet prolapse: Chordal replacement versus leaflet resection. 2015 , 150, 538-45			15
569	Left Atrial Function in Patients with Chronic Chagasic Cardiomyopathy. <i>Arquivos Brasileiros De Cardiologia</i> , 2015 , 105, 28-36	1.2		1
568	The ankle-brachial index is related to left ventricular ejection fraction in bonnet macaques. 2015 , 130, 91-5			
567	Effect of exercise, heat stress and dehydration on myocardial performance. 2015 , 65, 317-23			18
566	Global Left Ventricular Systolic Function Assessment. 2015 , 111-125			3
565	Assessment of Cardiac Function by Echocardiography. 2015 , 17, 397			1
564	Decrease of Urotensin II activity can impact on the volume status in predialysis chronic kidney disease. 2015 , 37, 476-81			2
563	Evidence of a hyperkinetic state in children with elevated blood pressure. 2015 , 42, 246-52			6
562	Two-Dimensional and M-Mode Echocardiographic Measurements in the Healthy Donkey (<i>Equus asinus</i>). 2015 , 35, 283-289			11
561	Development of a risk score to predict sudden death in patients with Chaga's heart disease. <i>International Journal of Cardiology</i> , 2015 , 187, 700-4	3.2		36
560	Effect of dietary sodium and potassium intake on left ventricular diastolic function and mass in adults ≥ 0 years (from the Strong Heart Study). <i>American Journal of Cardiology</i> , 2015 , 115, 1244-8	3		21
559	Cardiovascular Changes After Gastric Bypass Surgery: Involvement of Increased Secretions of Glucagon-Like Peptide-1 and Brain Natriuretic Peptide. 2015 , 25, 1933-9			11
558	Autochthonous transmission of Chagas disease in Rio de Janeiro State, Brazil: a clinical and eco-epidemiological study. 2015 , 15, 4			17

557	Aortic Blood Flow Reversal Determines Renal Function: Potential Explanation for Renal Dysfunction Caused by Aortic Stiffening in Hypertension. 2015 , 66, 61-7		44
556	Comparison of 5-Year Outcomes After Coronary Artery Bypass Grafting in Heart Failure Patients With Versus Without Preserved Left Ventricular Ejection Fraction (from the CREDO-Kyoto CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2015 , 116, 580-6	3	15
555	Overexpressing superoxide dismutase 2 induces a supernormal cardiac function by enhancing redox-dependent mitochondrial function and metabolic dilation. 2015 , 88, 14-28		24
554	Simpson's method of discs in Salukis and Whippets: Echocardiographic reference intervals for end-diastolic and end-systolic left ventricular volumes. 2015 , 17, 271-81		15
553	Relationship between left ventricular mass and coronary artery disease in young adults: a single-center study using cardiac computed tomography. 2015 , 31 Suppl 2, 187-96		5
552	Comparison of the cardioprotective and renoprotective effects of the L/N-type calcium channel blocker, cilnidipine, in adriamycin-treated spontaneously-hypertensive rats. 2015 , 42, 344-52		9
551	Left ventricular diameters as a reflection of "extreme and mean ratio". <i>International Journal of Cardiology</i> , 2015 , 198, 85-6	3.2	9
550	Pathologic Manifestations on Surgical Biopsy and Their Correlation with Clinical Indices in Dogs with Degenerative Mitral Valve Disease. 2015 , 29, 1313-21		7
549	Requisite Role of Kv1.5 Channels in Coronary Metabolic Dilation. 2015 , 117, 612-621		53
548	The influence of central arterial compliance on cerebrovascular hemodynamics: insights from endurance training intervention. 2015 , 119, 445-51		21
547	Abnormal Regulation of Microvascular Tone in a Murine Model of Sickle Cell Disease Assessed by Contrast Ultrasound. 2015 , 28, 1122-8		4
546	Postinfarction Functional Recovery Driven by a Three-Dimensional Engineered Fibrin Patch Composed of Human Umbilical Cord Blood-Derived Mesenchymal Stem Cells. 2015 , 4, 956-66		37
545	Cardiopulmonary Exercise Testing and Prognosis in Hypertrophic Cardiomyopathy. 2015 , 8, 1022-31		50
544	Familial clustering of mitral valve prolapse in the community. 2015 , 131, 263-8		43
543	Early detection of right ventricular diastolic dysfunction by pulsed tissue Doppler echocardiography in iron loaded beta thalassemia patients. 2015 , 36, 468-74		7
542	Cardiac dysfunction and orthostatic intolerance in patients with myalgic encephalomyelitis and a small left ventricle. 2015 , 30, 484-9		13
541	Clinical Utility of Echocardiography for the Diagnosis and Prognosis in Children with Bronchopulmonary Dysplasia. 2016 , 24, 278-284		4
540	Limit to Cardiomyocyte Hypertrophy in Right and Left Ventricles: Possible Precursors of Systolic Heart Failure. 2016 , 07,		1

539	A novel hydrodynamic approach of drag-reducing polymers to improve left ventricular hypertrophy and aortic remodeling in spontaneously hypertensive rats. 2016 , 11, 6743-6751			3
538	Right ventricular failure predicted from right bundle branch block: cardiac magnetic resonance imaging validation. 2016 , 6, 432-438			1
537	A Novel Murine Model of Parvovirus Associated Dilated Cardiomyopathy Induced by Immunization with VP1-Unique Region of Parvovirus B19. 2016 , 2016, 1627184			8
536	Left ventricular systolic function in sickle cell anaemia: an echocardiographic evaluation in adult Nigerian patients. 2016 , 16, 755-765			1
535	Right Ventricular Systolic Dysfunction Is Common in Hypertensive Heart Failure: A Prospective Study in Sub-Saharan Africa. 2016 , 11, e0153479			8
534	Heart and Cardiovascular Involvement in Patients with Mucopolysaccharidosis Type IVA (Morquio-A Syndrome). 2016 , 11, e0162612			22
533	NT-proBNP Predicts Cardiovascular Death in the General Population Independent of Left Ventricular Mass and Function: Insights from a Large Population-Based Study with Long-Term Follow-Up. 2016 , 11, e0164060			17
532	Overexpression of copper/zinc superoxide dismutase in the median preoptic nucleus improves cardiac function after myocardial infarction in the rat. 2016 , 43, 960-6			1
531	Sex differences in clinical characteristics and long-term outcome in acute decompensated heart failure patients with preserved and reduced ejection fraction. 2016 , 310, H813-20			27
530	Maternal cardiac adaptation to subsequent pregnancy in formerly pre-eclamptic women according to recurrence of pre-eclampsia. 2016 , 47, 96-103			21
529	Adverse ventricular-ventricular interactions in right ventricular pressure load: Insights from pediatric pulmonary hypertension versus pulmonary stenosis. <i>Physiological Reports</i> , 2016 , 4, e12833	2.6		19
528	Correlation between brain natriuretic peptide levels and the prognosis of patients with left ventricular diastolic dysfunction. 2016 , 11, 2583-2589			3
527	Serum proteomic profiles in CKCS with Mitral valve disease. 2017 , 13, 43			6
526	Direct Evidence that Myocardial Insulin Resistance following Myocardial Ischemia Contributes to Post-Ischemic Heart Failure. <i>Scientific Reports</i> , 2015 , 5, 17927	4.9		22
525	Pretransplant Left Ventricular Dysfunction Adversely Affects Perioperative Outcomes in Pediatric Liver Transplantation: A Retrospective Observational Study. 2016 , 48, 3328-3335			6
524	Amlodipine and enalapril promote distinct effects on cardiovascular autonomic control in spontaneously hypertensive rats: the role of aerobic physical training. 2016 , 34, 2383-2392			6
523	Differential associations between glomerular filtration rate and duration of obesity depending on the presence or absence of left ventricular diastolic dysfunction. 2016 , 32, 47-52			2
522	Left ventricular volumes by echocardiography in chronic aortic and mitral regurgitations. 2016 , 50, 154-61			5

- 521 Unraveling the Expression Profiles of Long Noncoding RNAs in Rat Cardiac Hypertrophy and Functions of lncRNA BC088254 in Cardiac Hypertrophy Induced by Transverse Aortic Constriction. **2016**, 134, 84-98 17
- 520 Vascular endothelial growth factor-A gene electrotransfer promotes angiogenesis in a porcine model of cardiac ischemia. **2016**, 23, 649-656 13
- 519 Evaluation of cardiac functions in juvenile systemic lupus erythematosus with two-dimensional speckle tracking echocardiography. **2016**, 35, 1967-1975 17
- 518 Long-term galsulfase enzyme replacement therapy in Taiwanese mucopolysaccharidosis VI patients: A case series. **2016**, 7, 63-9 23
- 517 Effectiveness of cardiogoniometry compared with exercise-ECG test in diagnosing stable coronary artery disease in women. **2017**, 110, 89-95 2
- 516 Reference Values of Aortic Root in Male and Female White Elite Athletes According to Sport. **2016**, 9, 41
- 515 Significance of myocardial tenascin-C expression in left ventricular remodelling and long-term outcome in patients with dilated cardiomyopathy. **2016**, 18, 375-85 34
- 514 Riser Pattern: Another Determinant of Heart Failure With Preserved Ejection Fraction. **2016**, 18, 994-999 16
- 513 EFFECTS OF INTRAVENOUS DEXMEDETOMIDINE ON CARDIAC CHARACTERISTICS MEASURED USING RADIOGRAPHY AND ECHOCARDIOGRAPHY IN SIX HEALTHY DOGS. **2016**, 57, 8-15 12
- 512 Increased susceptibility of spontaneously hypertensive rats to ventricular tachyarrhythmias in early hypertension. **2016**, 594, 1689-707 9
- 511 Myocardial reverse remodeling after pressure unloading is associated with maintained cardiac mechanoenergetics in a rat model of left ventricular hypertrophy. **2016**, 311, H592-603 15
- 510 Methylene blue counteracts H₂S toxicity-induced cardiac depression by restoring L-type Ca channel activity. **2016**, 310, R1030-44 23
- 509 Left Atrial Remodeling and Atrioventricular Coupling in a Canine Model of Early Heart Failure With Preserved Ejection Fraction. **2016**, 9, 46
- 508 Sustained IGF-1 Secretion by Adipose-Derived Stem Cells Improves Infarcted Heart Function. **2016**, 25, 1609-1622 26
- 507 Assessment of left ventricular volume and function in healthy dogs by use of one-, two-, and three-dimensional echocardiography versus multidetector computed tomography. **2016**, 77, 1211-1219 14
- 506 Comparison of the risk of left ventricular free wall rupture in Taiwanese patients with ST-elevation acute myocardial infarction undergoing different reperfusion strategies: A medical record review study. **2016**, 95, e5308 7
- 505 Echocardiographic Assessment of Cardiac Changes During Normal Pregnancy Among Nigerians. **2016**, 10, 157-62 8
- 504 NT-proBNP and diastolic left ventricular function in patients with Marfan syndrome. **2016**, 12, 15-20 6

503	Evaluation of safety and efficacy of adipose-derived stem cells in rat myocardial infarction model using hexadecyl-4-[[I^{125}]]iodobenzoate for cell tracking. 2016 , 108, 116-123		2
502	Educational status and differences in left ventricular mass and ejection fraction - The role of BMI and parameters related to the metabolic syndrome: A longitudinal analysis from the population-based CARLA cohort. 2016 , 26, 815-23		1
501	The Impact of Race on the Prognosis of Preclinical Diastolic Dysfunction: A Large Multiracial Urban Population Study. 2016 , 129, 222.e1-10		4
500	The predictability of renin-angiotensin-aldosterone system factors for clinical outcome in patients with acute decompensated heart failure. 2016 , 31, 925-31		16
499	Riser Blood Pressure Pattern Is Associated With Mild Cognitive Impairment in Heart Failure Patients. 2016 , 29, 194-201		19
498	Combination of angiotensin II and L-NG-nitroarginine methyl ester exacerbates mitochondrial dysfunction and oxidative stress to cause heart failure. 2016 , 310, H667-80		15
497	Electromechanical Modeling of Energy Harvesting From the Motion of Left Ventricle in Closed Chest Environment. 2016 , 83,		14
496	Cardiac structure and function and effects of enzyme replacement therapy in patients with mucopolysaccharidoses I, II, IVA and VI. 2016 , 117, 431-7		29
495	Comparison of energy supplements during prolonged exercise for maintenance of cardiac function: carbohydrate only versus carbohydrate plus whey or casein hydrolysate. 2016 , 41, 674-83		4
494	Variability of postural orthostatic tachycardia in patients with myalgic encephalomyelitis and orthostatic intolerance. 2016 , 31, 1522-8		11
493	Echocardiographic assessment of left ventricular systolic function: from ejection fraction to torsion. 2016 , 21, 77-94		60
492	Association between hepatic steatosis and serum liver enzyme levels with atrial fibrillation in the general population: The Study of Health in Pomerania (SHIP). 2016 , 245, 123-31		33
491	Echocardiographic and Blood Pressure Characteristics of First-Year Collegiate American-Style Football Players. <i>American Journal of Cardiology</i> , 2016 , 117, 131-4	3	12
490	Metabolic syndrome is associated with left ventricular dilatation in primary hypertension. 2016 , 30, 158-63		9
489	Inducible NO synthase is constitutively expressed in porcine myocardium and its level decreases along with tachycardia-induced heart failure. 2016 , 25, 3-11		5
488	The usefulness of left atrial volume index and left ventricular mass index in determining subclinical cardiac involvement in patients with early-stage sarcoidosis. 2016 , 185, 617-621		
487	Delayed neutrophil apoptosis mediates intermittent hypoxia-induced progressive heart failure in pressure-overloaded rats. 2016 , 20, 95-102		11
486	Sex Differences in the Associations of Hemodynamic Load With Left Ventricular Hypertrophy and Concentric Remodeling. 2016 , 29, 73-80		23

485	The effects of intravenous lipid emulsion on hemodynamic recovery and myocardial cell mitochondrial function after bupivacaine toxicity in anesthetized pigs. 2017 , 36, 365-375		11
484	Evaluation of cardiac function in a group of small for gestational age school-age children treated with growth hormone. 2017 , 148, 101-106		1
483	The reverse remodeling of the aorta in patients after renal transplantation - the value of aortic stiffness index: prospective echocardiographic study. 2017 , 18, 33		8
482	Pre-eclampsia: an important risk factor for asymptomatic heart failure. 2017 , 49, 143-149		56
481	Comparison of Carotid-Femoral and Brachial-Ankle Pulse-Wave Velocity in Association With Target Organ Damage in the Community-Dwelling Elderly Chinese: The Northern Shanghai Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	31
480	Short-term and long-term models of doxorubicin-induced cardiomyopathy in rats: A comparison of functional and histopathological changes. 2017 , 69, 213-219		24
479	Impedance to retrograde and forward flow in chronic mitral regurgitation and the physiology of a double outlet ventricle. 2017 , 103, 581-585		6
478	Comparison of two-dimensional echocardiography methods of ventricular volume quantification to cardiovascular magnetic resonance in left ventricular volume overload. 2017 , 46, 57-64		1
477	Cardiometabolic Traits and Systolic Mechanics in the Community. 2017 , 10,		18
476	Favorable Pulse Wave Augmentation Indices and Left Ventricular Diastolic Profile in β -Thalassemia Minor. 2017 , 68, 899-906		
475	Traditional Cardiovascular Risk Factors and Their Relation to Future Surgery for Valvular Heart Disease or Ascending Aortic Disease: A Case-Referent Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	12
474	Azelnidipine is a useful medication for the treatment of heart failure preserved ejection fraction. 2017 , 39, 350-354		4
473	Pulmonary Flow as an Improved Method for Determining Cardiac Output in Mice after Myocardial Infarction. 2017 , 30, 612-623.e1		4
472	Comparison of multiple non-invasive methods of measuring cardiac output during pregnancy reveals marked heterogeneity in the magnitude of cardiac output change between women. <i>Physiological Reports</i> , 2017 , 5, e13223	2.6	19
471	Comparison of central and peripheral hemodynamics in association with left ventricular diastolic dysfunction in the community-based elderly Chinese. 2017 , 11, 366-375		2
470	Echocardiographic predictors of atrial fibrillation in patients with heart failure with preserved ejection fraction. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 725-729	4.1	12
469	SRT1720 promotes survival of aged human mesenchymal stem cells via FAIM: a pharmacological strategy to improve stem cell-based therapy for rat myocardial infarction. 2017 , 8, e2731		25
468	Prevalence of arrhythmias in patients with type 2 diabetes and the role of structural changes in myocardium in their development. 2017 , 11 Suppl 2, S567-S576		5

- 467 Evaluation of cardiac function in a group of small for gestational age school-age children treated with growth hormone. **2017**, 148, 101-106
- 466 Changes in Body Weight and Composition Are Associated With Changes in Left Ventricular Geometry and Function in the General Population: SHIP (Study of Health in Pomerania). **2017**, 10, e005544 19
- 465 Medium-term assessment of cardiac function in pediatric cancer survivors. Comparison of different echocardiographic methods, cardiac MRI and cardiac biomarker testing in adolescent cancer survivors. **2017**, 34, 250-256 0
- 464 Forward Left Ventricular Ejection Fraction: A Simple Risk Marker in Patients With Primary Mitral Regurgitation. *Journal of the American Heart Association*, **2017**, 6, 6 8
- 463 Validation of Left Ventricular Ejection Fraction with the IQSPECT System in Small-Heart Patients. **2017**, 45, 201-207 6
- 462 Decline in effort capacity with age: Echocardiographic stress analysis in the elderly. **2017**, 34, 1909-1916 1
- 461 Effect of aortic regurgitant jet direction on mitral valve leaflet remodeling: a real-time three-dimensional transesophageal echocardiography study. *Scientific Reports*, **2017**, 7, 8884 4.9 5
- 460 Left Ventricular Adaptation to 12 Weeks of Indoor Cycling at the Gym in Untrained Females. *International Journal of Sports Medicine*, **2017**, 38, 653-658 3.6 3
- 459 Reducing the small-heart effect in pediatric gated myocardial perfusion single-photon emission computed tomography. **2017**, 24, 1378-1388 9
- 458 Phylloquinone Intake Is Associated with Cardiac Structure and Function in Adolescents. **2017**, 147, 1960-1967
- 457 Effect of Heart Failure Secondary to Ischemic Cardiomyopathy on Body Weight and Blood Pressure. *American Journal of Cardiology*, **2017**, 120, 1589-1594 3 6
- 456 Comparison of cardiac measurements by multi-detector computed tomography angiography and transthoracic echocardiography in English bulldogs. **2017**, 19, 480-491 3
- 455 Theory of energy harvesting from heartbeat including the effects of pleural cavity and respiration. **2017**, 473, 20170615 3
- 454 Left ventricular mass, geometry and function in diabetic patients affected by coronary artery disease. **2017**, 31, 1533-1537 3
- 453 Chronic treatment with angiotensin-converting enzyme inhibitor increases cardiac fibrosis in young rats submitted to early ovarian failure. **2017**, 206, 28-34 4
- 452 Cardiac output measured by use of electrocardiogram-gated 64-slice multidetector computed tomography, echocardiography, and thermodilution in healthy dogs. **2017**, 78, 818-827 9
- 451 Comparison of left ventricular structure and function in primary aldosteronism and essential hypertension by echocardiography. **2017**, 40, 243-250 21
- 450 Exercise Training Improved Body Composition, Cardiovascular Function, and Physical Fitness of 5-Year-Old Children With Obesity or Normal Body Mass. **2017**, 29, 245-253 17

449	Assessment of the accuracy of common clinical thresholds for cardiac morphology and function by transthoracic echocardiography. 2017 , 15, 27-36	3
448	High levels of stromal cell-derived factor-1 predict secondary cardiac events in stable patients with a history of myocardial infarction. 2017 , 69, 320-325	8
447	A multidirectional approach to risk assessment in patients with three-vessel coronary artery disease undergoing percutaneous intervention. 2017 , 69, 640-647	0
446	Down-regulation of renin-aldosterone and antidiuretic hormone systems in patients with myalgic encephalomyelitis/chronic fatigue syndrome. 2017 , 69, 684-688	9
445	Differential effect of assisted reproductive technology and small-for-gestational age on fetal cardiac remodeling. 2017 , 50, 63-70	11
444	Prediction of 1-year clinical outcomes using the SYNTAX score in patients with prior heart failure undergoing percutaneous coronary intervention: sub-analysis of the SHINANO registry. 2017 , 32, 399-407	9
443	QTc dispersion and Cornell duration product can predict 10-year outcomes in hypertensive patients with left ventricular hypertrophy. 2017 , 40, 1236-1241	3
442	Antecedent Hypoglycemia Does Not Attenuate the Acceleration of Gastric Emptying by Hypoglycemia. 2017 , 102, 3953-3960	8
441	Structural and Functional Changes in Maternal Heart during Pregnancy: An Echocardiographic Study. 2017 , 02, 072-076	0
440	Review of Diagnostic and Therapeutic Approach to Canine Myxomatous Mitral Valve Disease. 2017 , 4,	4
439	Prognostic Impact of Diastolic Wall Strain in Patients at Risk for Heart Failure. 2017 , 58, 250-256	9
438	Circuit resistance training in women with normal weight obesity syndrome: body composition, cardiometabolic and echocardiographic parameters, and cardiovascular and skeletal muscle fitness. 2017 , 57, 1033-1044	3
437	The Impact of Different Classification Criteria Sets on the Estimated Prevalence and Associated Risk Factors of Diastolic Dysfunction in Rheumatoid Arthritis. 2017 , 2017, 2323410	5
436	Retrospective study of degenerative mitral valve disease in small-breed dogs: survival and prognostic variables. 2017 , 18, 369-376	17
435	Right ventricular systolic function in hypertensive heart failure. 2017 , 13, 353-360	6
434	Riser Pattern Is a Novel Predictor of Adverse Events in Heart Failure Patients With Preserved Ejection Fraction. 2017 , 81, 220-226	31
433	Evolution of anti-Trypanosoma cruzi antibody production in patients with chronic Chagas disease: Correlation between antibody titers and development of cardiac disease severity. 2017 , 11, e0005796	14
432	Experience with long-term administration of tolvaptan to patients with acute decompensated heart failure. 2017 , 11, 133-139	4

431	Normal M-mode echocardiographic indices of Nigerian local dogs. 2017 , 90,	1
430	Effect of Patient-Prosthesis Mismatch in Aortic Position on Late-Onset Tricuspid Regurgitation and Clinical Outcomes after Double Valve Replacement. 2017 , 58, 968-974	1
429	Resistance Training Augments Cerebral Blood Flow Pulsatility: Cross-Sectional Study. 2018 , 31, 811-817	5
428	Disease severity impacts the relationship of apelin with arterial function in patients with rheumatoid arthritis. 2018 , 37, 1481-1491	2
427	High-flow arteriovenous fistula and heart failure: could the indexation of blood flow rate and echocardiography have a role in the identification of patients at higher risk?. 2018 , 31, 975-983	18
426	Measures of subclinical cardiac dysfunction and increased filling pressures associate with pulmonary arterial pressure in the general population: results from the population-based Rotterdam Study. 2018 , 33, 403-413	3
425	Effect of Switching from Cilnidipine to Azelnidipine on Cardiac Sympathetic Nerve Function in Patients with Heart Failure Preserved Ejection Fraction. 2018 , 59, 120-125	5
424	Sunitinib does not acutely alter left ventricular systolic function, but induces diastolic dysfunction. 2018 , 82, 65-75	6
423	Noninvasive Techniques for Measuring Cardiac Output During Pregnancy. 120-133	
422	Geriatric Nutritional Risk Index Predicts Cardiovascular Events in Patients at Risk for Heart Failure. 2018 , 82, 1614-1622	28
421	Left ventricular pumping during the transition-adaptation sequence in preterm infants: impact of the patent ductus arteriosus. 2018 , 83, 1016-1023	4
420	Ablation of the stress protease OMA1 protects against heart failure in mice. 2018 , 10,	41
419	N-terminal pro brain natriuretic peptide as a cardiac biomarker in Japanese hemodialysis patients. 2018 , 41, 135-143	2
418	Change of heart dimensions and function during pregnancy in goats. 2018 , 118, 351-356	2
417	Physical training promotes similar effects to the blockade of angiotensin-converting enzyme on the cardiac morphology and function in old female rats subjected to premature ovarian failure. 2018 , 109, 90-98	4
416	Assessment of the Procoagulant Activity of Microparticles and the Protein Z System in Patients Undergoing Off-Pump Coronary Artery Bypass Surgery. 2018 , 69, 347-357	10
415	Decreased endothelial function and increased subclinical heart failure in women several years after pre-eclampsia. 2018 , 52, 196-204	22
414	Failure of Isoflurane Cardiac Preconditioning in Obese Type 2 Diabetic Mice Involves Aberrant Regulation of MicroRNA-21, Endothelial Nitric-oxide Synthase, and Mitochondrial Complex I. 2018 , 128, 117-129	9

413	Systemic Angiotensinogen Concentrations Are Independently Associated With Left Ventricular Diastolic Function in a Community Sample. 2018 , 31, 212-219	2
412	Secondary mitral regurgitation (part 1): volumetric quantification and analysis. 2018 , 104, 634-638	22
411	Sustained cardiac programming by short-term juvenile exercise training in male rats. 2018 , 596, 163-180	16
410	The relationship between the time until commencement of tolvaptan and the length of hospital stay in heart failure patients. 2018 , 33, 367-373	9
409	Left ventricular diastolic dysfunction without left ventricular hypertrophy in obese children and adolescents: a Tissue Doppler Imaging and Cardiac Troponin I Study. 2018 , 28, 76-84	12
408	Subclinical reduction in left ventricular function using triplane and 2D speckle tracking echocardiography after anthracycline exposure in children. 2018 , 19, 58-66	2
407	Left ventricular diastolic dysfunction in patients with obesity hypoventilation syndrome. 2018 , 10, 5747-5754	12
406	Cell Spray Transplantation of Adipose-derived Mesenchymal Stem Cell Recovers Ischemic Cardiomyopathy in a Porcine Model. 2018 , 102, 2012-2024	14
405	Left Ventricular Volume in Bovines: The Correlation between Teichholz Medical Mathematical Method and the Volume of the Truncated Prolate Spheroid. 2018 , 23, 50	
404	Prognostic role of echocardiography in patients with chronic renal failure on hemodialysis. 2018 , 8, 162-166	
403	Examen échocardiographique transthoracique normal. 2018 , 7-94	
402	Insulin resistance linked to subtle myocardial dysfunction in normotensive Turner syndrome young patients without structural heart diseases. 2018 , 31, 1355-1361	5
401	Evaluation of the left ventricular systolic function with the measurement of global longitudinal strain by Speckle tracking echocardiography in anaphylaxis. 2018 , 8, e40	2
400	Prevalence, risk factors, and significance of iron deficiency and anemia in nonischemic heart failure patients with reduced ejection fraction from a Himachal Pradesh heart failure registry. 2018 , 70 Suppl 3, S182-S188	4
399	Presence of increased inflammatory infiltrates accompanied by activated dendritic cells in the left atrium in rheumatic heart disease. 2018 , 13, e0203756	11
398	Clinical Characteristics and Outcomes in the Very Elderly Patients Hospitalized for Acute Heart Failure: Importance of Pharmacologic Guideline Adherence. <i>Scientific Reports</i> , 2018 , 8, 14270	4-9 5
397	Transcatheter Aortic Valve Replacement for Severe Aortic Stenosis Complicated by Sigmoid Septum. 2018 , 82, 3090-3099	4
396	Cardiac features and effects of enzyme replacement therapy in Taiwanese patients with Mucopolysaccharidosis IVA. 2018 , 13, 148	14

395	Early myocardial changes in normotensive children of hypertensive parents: a tissue Doppler study. 2018 , 41, 897-903	2
394	Rationale and Design of the Multicenter Trial on Japan Working Group on the Effects of Angiotensin Receptor Blockers Selection (Azilsartan vs. Candesartan) on Diastolic Function in the Patients Suffering from Heart Failure with Preserved Ejection Fraction: J-TASTE Trial. 2018 , 32, 381-388	2
393	Antifibrotic cardioprotection of berberine via downregulating myocardial IGF-1 receptor-regulated MMP-2/MMP-9 expression in diabetic rats. 2018 , 315, H802-H813	31
392	Marinobufagenin and left ventricular mass in young adults: The African-PREDICT study. 2018 , 25, 1587-1595	12
391	Increased Dietary Leucine Reduces Doxorubicin-Associated Cardiac Dysfunction in Rats. 2017 , 8, 1042	5
390	Relationship between Aortic Compliance and Impact of Cerebral Blood Flow Fluctuation to Dynamic Orthostatic Challenge in Endurance Athletes. 2018 , 9, 25	7
389	Long-Term Intermittent Work at High Altitude: Right Heart Functional and Morphological Status and Associated Cardiometabolic Factors. 2018 , 9, 248	19
388	The effect of moderate altitude on Tp-e interval, Tp-e/QT, QT, cQT and P-wave dispersion. 2018 , 51, 929-933	12
387	Wideband External Pulse Recorded During Cuff Blood Pressure Measurement: A New Technique for Cardiovascular Assessment. 2018 , 25, 317-326	
386	Feasibility of basic transesophageal echocardiography in hemorrhagic shock: potential applications during resuscitative endovascular balloon occlusion of the aorta (REBOA). 2018 , 16, 12	2
385	Tissue Doppler velocity imaging and event timings in neonates: a guide to image acquisition, measurement, interpretation, and reference values. 2018 , 84, 18-29	24
384	Rehabilitation outcomes of stroke patients with low left ventricular ejection fraction in the subacute rehabilitation phase. 2018 , 50, 499-504	2
383	Elevated LV Mass and LV Mass Index Sign on the Athlete's ECG: Athletes' Hearts are Prone to Ventricular Arrhythmia. 2018 , 7,	2
382	Rat Model of Cardiotoxic Drug-Induced Cardiomyopathy. 2018 , 1816, 221-232	7
381	The beneficial effects of long-term enzyme replacement therapy on cardiac involvement in Japanese Fabry patients. 2018 , 124, 143-151	7
380	Survival after Aortic Valve Replacement for Aortic Regurgitation: Prediction from Preoperative Contractility Measurement. 2018 , 140, 204-212	4
379	Associations of Circulating Extracellular RNAs With Myocardial Remodeling and Heart Failure. 2018 , 3, 871-876	22
378	The Orphan Receptor GPR35 Contributes to Angiotensin II-Induced Hypertension and Cardiac Dysfunction in Mice. 2018 , 31, 1049-1058	11

377	Clinical use of submaximal treadmill exercise testing and assessments of cardiac biomarkers NT-proBNP and cTnI in dogs with presymptomatic mitral regurgitation. 2018 , 13, e0199023		7
376	Top 100 most-cited articles on echocardiography: A bibliometric analysis. 2019 , 36, 1540-1548		5
375	Perturbations of pulsatile hemodynamics and clinical outcomes in patients with acute heart failure and reduced, mid-range or preserved ejection fraction. 2019 , 14, e0220183		1
374	Inappropriate Left Ventricular Mass and Cardiovascular Disease Events and Mortality in Blacks: The Jackson Heart Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e011897	6	4
373	Cardiopulmonary dysfunction in perinatally HIV-infected South African adolescents on antiretroviral therapy: baseline findings from the Cape Town Adolescent Antiretroviral Cohort. 2019 , 22, e25340		9
372	Association between 24-hour diastolic blood pressure and renal function in patients receiving treatment for essential hypertension. 2019 , 47, 4958-4967		2
371	Accuracy of Left Ventricular Cavity Volume and Ejection Fraction for Conventional Estimation Methods and 3D Surface Fitting. <i>Journal of the American Heart Association</i> , 2019 , 8, e009124	6	8
370	ROUTINELY AVAILABLE BIOMARKERS AS LONG-TERM PREDICTORS OF DEVELOPING SYSTOLIC DYSFUNCTION IN COMPLETELY REVASCULARIZED PATIENTS WITH ACUTE ST ELEVATION MYOCARDIAL INFARCTION. 2019 , 58, 95-102		2
369	Nocturnal systolic hypertension is a risk factor for cardiac damage in the untreated masked hypertensive patients. 2019 , 21, 1666-1674		5
368	Risk Factors And Epigenetic Markers Of Left Ventricular Diastolic Dysfunction With Preserved Ejection Fraction In A Community-Based Elderly Chinese Population. 2019 , 14, 1719-1728		2
367	Risk factors associated with hospital mortality in mitral valve reoperation. 2019 , 46, e20192176		2
366	Fibrinogen-erythrocyte binding and hemorheology measurements in the assessment of essential arterial hypertension patients. 2019 , 11, 2757-2766		15
365	Association of left bundle branch block with new onset abnormal wall motion in treated hypertensive patients with left ventricle hypertrophy: the LIFE Echo Sub-study. 2019 , 28, 84-92		
364	Metabolomic analysis of serum and myocardium in compensated heart failure after myocardial infarction. 2019 , 221, 212-223		9
363	Liver X Receptor/Retinoid X Receptor Pathway Plays a Regulatory Role in Pacing-Induced Cardiomyopathy. <i>Journal of the American Heart Association</i> , 2019 , 8, e009146	6	5
362	Early Wave Reflection and Pulse Wave Velocity Are Associated with Diastolic Dysfunction in Rheumatoid Arthritis. 2019 , 12, 580-590		2
361	Mild Hypobaric Hypoxia Enhances Post-exercise Vascular Responses in Young Male Runners. 2019 , 10, 546		2
360	Effects of Orientations on Efficiency of Energy Harvesting from Heart Motion Using Ultrathin Flexible Piezoelectric Devices. 2019 , 2, 1900050		2

359	Anandamide-nanoformulation obtained by electrospraying for cardiovascular therapy. 2019 , 566, 1-10	12
358	Remnant Lipoproteins Are Residual Risk Factor for Future Cardiovascular Events in Patients With Stable Coronary Artery Disease and On-Statin Low-Density Lipoprotein Cholesterol Levels . 2019 , 83, 1302-1308	17
357	Assessment of cardiac and vessel functions in childhood psoriasis. 2019 , 49, 617-623	2
356	Diastolic Reverse Dipping Pattern Is the Predictor for the Echocardiographic Changes in the Untreated Masked Hypertensive Patients. 2019 , 32, 588-596	6
355	Acute and Subacute Effects of Low Versus High Doses of Standardized Panax ginseng Extract on the Heart: An Experimental Study. 2019 , 19, 306-320	4
354	Cardiac and mitochondrial function in HIV-uninfected fetuses exposed to antiretroviral treatment. 2019 , 14, e0213279	9
353	Use of 2-dimensional speckle-tracking echocardiography to assess left ventricular systolic function in dogs with systemic inflammatory response syndrome. 2019 , 33, 423-431	10
352	Assessment of Cardiac Function. 2019 , 192-207.e4	
351	Usefulness of focused cardiac ultrasonography for predicting fluid responsiveness in conscious, spontaneously breathing dogs. 2019 , 80, 369-377	5
350	The value of a simplified approach to end-systolic volume measurement for assessment of left ventricular contractile reserve during stress-echocardiography. 2019 , 35, 1019-1026	2
349	Proportionality at birth and left ventricular hypertrophy in healthy adolescents. 2019 , 132, 24-29	0
348	FUNCTIONAL CAPACITY IN CHILDREN AND ADOLESCENTS WITH CONGENITAL HEART DISEASE. 2019 , 37, 65-72	3
347	Methods and considerations concerning cardiac output measurement in pregnant women: recommendations of the International Working Group on Maternal Hemodynamics. 2019 , 54, 35-50	19
346	Effects of Intramuscular Alfaxalone/Acepromazine on Echocardiographic, Biochemical, and Blood Gas Measurements in Healthy Cats. 2019 , 55, 70-77	3
345	Safety and effectiveness of enzyme replacement therapy with agalsidase alfa in patients with Fabry disease: Post-marketing surveillance in Japan. 2019 , 126, 448-459	10
344	Early ovarian hormone deprivation increases cardiac contractility in old female rats-Role of physical training. 2019 , 218, 1-9	3
343	Assessing cardiovascular remodelling in fetuses and infants conceived by assisted reproductive technologies: a prospective observational cohort study protocol. 2019 , 9, e031452	2
342	Cardiopulmonary Baroreflex Control of Renal Sympathetic Nerve Activity Is Impaired in Dogs With Left Ventricular Dysfunction. 2019 , 25, 819-827	2

341	Echocardiographic Features of Patients With Heart Failure and Preserved Left Ventricular Ejection Fraction. 2019 , 74, 2858-2873	55
340	Physiological Responses to Exercise in Pediatric Heart Transplant Recipients. 2019 , 51, 850-857	1
339	Effects of prostate cancer and exercise training on left ventricular function and cardiac and skeletal muscle mass. 2019 , 126, 668-680	4
338	Effect of ingesting carbohydrate only or carbohydrate plus casein protein hydrolysate during a multiday cycling race on left ventricular function, plasma volume expansion and cardiac biomarkers. 2019 , 119, 697-711	2
337	Methylene Blue Administration During and After Life-Threatening Intoxication by Hydrogen Sulfide: Efficacy Studies in Adult Sheep and Mechanisms of Action. 2019 , 168, 443-459	12
336	Increased Frequency of In-Center Hemodialysis as Rescue Therapy: Impact on Hospitalization for Acute Cardiovascular Events. 2019 , 47, 377-384	1
335	Assessment of Systemic Blood Flow and Myocardial Function in the Neonatal Period Using Ultrasound. 2019 , 191-204	
334	Generalized optimization method for energy conversion and storage efficiency of nanoscale flexible piezoelectric energy harvesters. 2019 , 182, 34-40	20
333	Impact of Hybrid Therapy Comprising Peritoneal Dialysis and Hemodialysis on Acute Cardiovascular Events. 2019 , 47, 330-336	4
332	Association of B-Type Natriuretic Peptide Level With Residual Kidney Function in Incident Peritoneal Dialysis Patients. 2019 , 39, 147-154	2
331	Clinical findings of gadolinium-enhanced cardiac magnetic resonance in Fabry patients. 2020 , 75, 27-33	2
330	Assessment of fetal cardiac function with echocardiography. 2020 , 46, 31-38	4
329	Prognostic Significance of Echocardiographic Measures of Cardiac Remodeling. 2020 , 33, 72-81.e6	8
328	Predictive value of left ventricular diastolic chamber stiffness in patients with severe aortic stenosis undergoing aortic valve replacement. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 1160-1168	4.1 2
327	Mortality Among Referral Patients With Hypertrophic Cardiomyopathy vs the General European Population. 2020 , 5, 73-80	28
326	Arterial stiffening is a crucial factor for left ventricular diastolic dysfunction in a community-based normotensive population. 2020 , 6, 100038	0
325	High-Sensitivity C-Reactive Protein is a Predictor of Subsequent Atrial High-Rate Episodes in Patients with Pacemakers and Preserved Ejection Fraction. 2020 , 9,	2
324	Associations of Left Ventricular Structure and Function With Blood Pressure in Heart Failure With Preserved Ejection Fraction: Analysis of the TOPCAT Trial. <i>Journal of the American Heart Association</i> , 2020 , 9, e016009	6 5

323	Nutritional modulation of heart failure in mitochondrial pyruvate carrier-deficient mice. 2020 , 2, 1232-1247	29
322	Rat pancreatectomy combined with isoprenaline or uninephrectomy as models of diabetic cardiomyopathy or nephropathy. <i>Scientific Reports</i> , 2020 , 10, 16130	4.9 1
321	Prediction of hemodynamics after atrial septal defect closure using a framework of circulatory equilibrium in dogs. 2020 , 319, H938-H947	
320	Sex-specific microRNAs in women with diabetes and left ventricular diastolic dysfunction or HFpEF associate with microvascular injury. <i>Scientific Reports</i> , 2020 , 10, 13945	4.9 4
319	Echocardiographic Evaluation of the Mitral Valve in Cavalier King Charles Spaniels. <i>Animals</i> , 2020 , 10,	3.1 3
318	Left Ventricular Mass Assessment by 1- and 2-Dimensional Echocardiographic Methods in Hemodialysis Patients: Changes in Left Ventricular Volume Using Echocardiography Before and After a Hemodialysis Session. 2020 , 2, 578-588.e1	1
317	Low Plasma Volume and Increased Pressure Load Relate to Concentric Left Ventricular Remodeling After Preeclampsia: A Longitudinal Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e015043	6 1
316	Quantification of left ventricular mass by echocardiography compared to cardiac magnet resonance imaging in hemodialysis patients. 2020 , 18, 39	1
315	Early changes in myocyte contractility and cardiac function in streptozotocin-induced type 1 diabetes in rats. 2020 , 15, e0237305	6
314	Lidocaine administered at a continuous rate infusion does not impair left ventricular systolic and diastolic function of healthy rabbits sedated with midazolam. 2020 , 10, 100151	1
313	U-shaped relationship between left ventricular mass index and estimated glomerular filtration rate in patients with primary aldosteronism. 2020 , 68, 371-377	2
312	The ventilatory abnormalities and prognostic values of H FPEF score in dyspnoeic patients with preserved left ventricle systolic function. <i>ESC Heart Failure</i> , 2020 , 7, 1872-1879	3.7 2
311	Cardio-ankle vascular index predicts the 1-year prognosis of heart failure patients categorized in clinical scenario 1. 2020 , 35, 1537-1544	4
310	Hypertensive diseases in pregnancy, cardiac structure and function later in life: Insights from the Genetic Epidemiology Network of Arteriopathy (GENOA) study. 2020 , 21, 184-190	1
309	Recombinant Extracellular Domain (p75ECD) of the Neurotrophin Receptor p75 Attenuates Myocardial Ischemia-Reperfusion Injury by Inhibiting the p-JNK/Caspase-3 Signaling Pathway in Rat Microvascular Pericytes. <i>Journal of the American Heart Association</i> , 2020 , 9, e016047	6 6
308	Electrocardiographic criteria which have the best prognostic significance in hypertensive patients with echocardiographic hypertrophy of left ventricle: 15-year prospective study. 2020 , 43, 1017-1023	1
307	Effects of the estrous cycle and pregnancy status on cardiovascular variables in healthy bitches. 2020 , 30, 57-68	0
306	The role of pulmonary function in patients with heart failure and preserved ejection fraction: Looking beyond chronic obstructive pulmonary disease. 2020 , 15, e0235152	4

- 305 Higher visit-to-visit blood pressure variability and N-terminal pro-brain natriuretic peptide elevation: influence of left ventricular hypertrophy and left ventricular diastolic function. **2020**, 25, 126-130 5
- 304 The influence of fitness on exercise blood pressure and its association with cardiac structure in adolescence. **2020**, 30, 1033-1039 3
- 303 Bisoprolol transdermal patch improves orthostatic hypotension in patients with chronic heart failure and hypertension. **2020**, 42, 539-544 3
- 302 Long-term exercise results in morphological and biomechanical changes in coronary resistance arterioles in male and female rats. **2020**, 11, 7 6
- 301 Precise safety pharmacology studies of lapatinib for onco-cardiology assessed using in vivo canine models. *Scientific Reports*, **2020**, 10, 738 4-9 2
- 300 Towards standardization of echocardiography for the evaluation of left ventricular function in adult rodents: a position paper of the ESC Working Group on Myocardial Function. **2021**, 117, 43-59 25
- 299 Hemodynamic changes in neonates born to mothers with Graves' disease. **2021**, 72, 171-178
- 298 Quantitative proteomics reveals Shexiang Baoxin Pill exerts cardioprotective effects by preserving energy metabolism in a rat model of myocardial infarction. **2021**, 266, 113460 5
- 297 Early electrocardiographic indices for predicting chronic doxorubicin-induced cardiotoxicity. **2021**, 77, 388-394 2
- 296 Repurposing From Oncology to Cardiology: Low-Dose 5-Azacytidine Attenuates Pathological Cardiac Remodeling in Response to Pressure Overload Injury. **2021**, 26, 375-385 3
- 295 Two-dimensional echocardiographic estimates of left ventricular volumes obtained in different views in dogs provide similar measurements but are not interchangeable. **2021**, 33, 13-24 2
- 294 Inadequately low left ventricular mass in patients with significant aortic stenosis predicts favourable prognostic outcomes. **2021**, 37, 1611-1619 1
- 293 The association of echocardiographic parameters on renal outcomes in chronic kidney disease. **2021**, 43, 433-444 2
- 292 Heart failure is not a determinant of central sleep apnea in the pediatric population. **2021**, 56, 1092-1102 0
- 291 Cardiac Remodeling and Hypertension in HIV-Uninfected Infants Exposed in utero to Antiretroviral Therapy. **2021**, 73, 586-593 1
- 290 Left Ventricular Hypertrophy Is More Prevalent in Type B than Type A Aortic Dissection. **2021**, 27, 119-125
- 289 Assessing Doxorubicin-Induced Cardiomyopathy by ^{99m}Tc-3PRGD2 Scintigraphy Targeting Integrin α _v β 3 in a Rat Model. **2021**, 60, 289-298
- 288 Association Between M235T and Left Ventricular Mass in Vietnamese Patients Diagnosed With Essential Hypertension. *Frontiers in Cardiovascular Medicine*, **2021**, 8, 608948 5-4 4

287	Phenotyping heart failure using model-based analysis and physiology-informed machine learning.		
286	Myocardial Blood Flow Control by Oxygen Sensing Vascular Kv β Proteins. 2021 , 128, 738-751		1
285	Refining the 10-Year Prediction of Left Ventricular Systolic Dysfunction in Long-Term Survivors of Childhood Cancer. 2021 , 3, 62-72		2
284	New regional drug delivery system by direct epicardial placement of slow-release prostacyclin agonist promise therapeutic angiogenesis in a porcine chronic myocardial infarction. 2021 , 24, 465-472		1
283	Echocardiographic reference intervals for volumetric measurements of the left ventricle using the Simpson's method of discs in 1331 dogs. 2021 , 35, 724-738		3
282	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. 2021 , 85, 402-572		11
281	Chronic swimming training resulted in more relaxed coronary arterioles in male and enhanced vasoconstrictor ability in female rats. 2021 , 61, 489-496		1
280	Echocardiographic mitral valve association with morphometric measurements in Cavalier King Charles Spaniels via Inverse Probability Weighting analysis.		
279	Association of Left Ventricular Systolic Function With Incident Heart Failure in Late Life. 2021 , 6, 509-520		7
278	Prediction of echocardiographic parameters in Chagas disease using heart rate variability and machine learning. 2021 , 67, 102513		5
277	Moderate whole body heating attenuates the exercise pressor reflex responses in older humans. 2021 , 320, R757-R769		0
276	Network analysis of the left anterior descending coronary arteries in swim-trained rats by an in situ video microscopic technique. 2021 , 12, 37		1
275	Cardiovascular dysfunction risk in young adults with congenital adrenal hyperplasia caused by 21-hydroxylase enzyme deficiency. 2021 , 75, e14233		0
274	How safe are children with COVID-19 from cardiac risks? Pediatric risk assesment; insights from echocardiography and electrocardiography. 2021 , 51, 981-990		1
273	Association of the classification and severity of heart failure with the incidence of contrast-induced acute kidney injury. <i>Scientific Reports</i> , 2021 , 11, 15348	4-9	4
272	Non-invasive cardiac output measurement by electrical cardiometry and M-mode echocardiography in the neonate: a prospective observational study of 136 neonatal infants. 2021 , 10, 1757-1764		0
271	Association between coronary artery calcium score on non-contrast chest computed tomography and all-cause mortality among patients with congestive heart failure. 2021 , 1		2
270	Left Ventricular SGLT1 Protein Expression Correlates with the Extent of Myocardial Nitro-Oxidative Stress in Rats with Pressure and Volume Overload-Induced Heart Failure. 2021 , 10,		4

269	Sex Differences in Exercise-Training-Related Functional and Morphological Adaptation of Rat Gracilis Muscle Arterioles. 2021 , 12, 685664		1
268	Effects of chronic cholinergic stimulation associated with aerobic physical training on cardiac morphofunctional and autonomic parameters in spontaneously hypertensive rats. <i>Scientific Reports</i> , 2021 , 11, 17141	4.9	0
267	Associations between aortic regurgitation severity and risk of incident myocardial infarction and stroke among patients with degenerative aortic valve disease: insights from a large Chinese population-based cohort study. 2021 , 11, e046824		
266	Lung-to-finger circulation time can be measured stably with high reproducibility by simple breath holding method in cardiac patients. <i>Scientific Reports</i> , 2021 , 11, 15913	4.9	
265	Influence of Morphometry on Echocardiographic Measurements in Cavalier King Charles Spaniels: An Inverse Probability Weighting Analysis. 2021 , 8,		0
264	5-Methoxytryptophan attenuates postinfarct cardiac injury by controlling oxidative stress and immune activation. 2021 , 158, 101-114		2
263	Prospective analysis of myocardial strain through the evolution of Chagas disease in the hamster animal model. 2021 , 1		1
262	Lower muscular strength is associated with smaller left and right chambers and lower cardiac mass in the general population - The Sedentary's Heart. 2021 , 68, 36-51		1
261	Genetically determined exercise capacity affects systemic glucose response to insulin in rats. 2021 , 53, 395-405		0
260	Phenotyping heart failure using model-based analysis and physiology-informed machine learning. 2021 , 599, 4991-5013		1
259	Screening for dilated cardiomyopathy in dogs. 2021 ,		1
258	Echocardiographic Assessment of Healthy Midazolam/Butorphanol or Midazolam/Morphine-Sedated Dogs. 2021 , 45, 100553		
257	A novel echocardiographic parameter to identify individuals susceptible to acute mountain sickness. 2021 , 44, 102166		1
256	Dual-modality Volume Measurement integrated on a Ventricular Assist Device. 2021 , PP,		
255	Left ventricular volume and ejection fraction determination by cross-sectional echocardiography in patients with coronary artery disease: A prospective study. 1980 , 3, 377		23
254	Prediction of the Left Ventricular Response to Surgical Correction of Chronic Aortic Regurgitation: The Ratio of Regurgitant Volume to End-Diastolic Volume. 1988 , 161-176		1
253	Regional and Global Left Ventricular Function Analysis. 1988 , 13-32		1
252	Echocardiographic Evaluation of Ischemic Heart Disease. 2012 , 43-62		1

251	Left Ventricular Dysfunction in End-Stage Renal Disease: Echocardiographic Insights. 1992 , 117-137	9
250	Echocardiographic Assessment of Ventricular Systolic Function. 2007 , 89-117	1
249	Double Pool Urea Kinetic Modeling. 2013 , 627-687	2
248	Systolic Time Intervals: Comparison of Echocardiographic and Conventional Methods. 1980 , 192-201	3
247	Underestimation of Stroke Volume (SVI) and Cardiac Index (CI) by TM-Echocardiography during Ventricular Pacing. 1983 , 193-197	4
246	Sensitivity of Echocardiography for Detection of Left Ventricular Hypertrophy. 1983 , 16-37	10
245	Quantitative Evaluation of Left Ventricular Structure, Wall Stress, and Systolic Function. 2007 , 187-211	2
244	Noninvasive Cardiac Monitoring. 1988 , 4, 435-454	10
243	Serum cholesterol affects blood pressure regulation.	1
242	Racial differences in ambulatory blood pressure and echocardiographic left ventricular geometry. 1998 , 315, 101-9	21
241	Cardiac and plasma catecholamine responses to exercise in patients with type 2 diabetes: prognostic implications for cardiac-cerebrovascular events. 2000 , 320, 24-30	16
240	Left ventricular performance following the arterial switch operation: use of noninvasive wall stress analysis in the postoperative period. 1998 , 26, 926-32	18
239	Evaluation of altered myocardial high energy phosphate metabolism in patients on maintenance dialysis using phosphorus-31 magnetic resonance spectroscopy. 1998 , 33, 171-6	9
238	Adrenaline responsiveness in mild hypertension: no evidence for altered beta-adrenoceptor sensitivity. 1998 , 32, 753-9	3
237	Right ventricular volumes overestimate left ventricular preload in critically ill patients. 1997 , 42, 839-45; discussion 845-6	16
236	Short-term effects of marathon running: no evidence of cardiac dysfunction. 1999 , 31, 1414-21	50
235	An Addition of U0126 Protecting Heart Grafts From Prolonged Cold Ischemia-Reperfusion Injury in Heart Transplantation: A New Preservation Strategy. 2021 , 105, 308-317	2
234	Ketogenic Diet Prevents Heart Failure from Defective Mitochondrial Pyruvate Metabolism.	2

233	Theoretical Modeling on Monitoring Left Ventricle Deformation Using Conformal Piezoelectric Sensors. 2020 , 87,	4
232	Quantitative three-dimensional reconstruction of aneurysmal left ventricles. In vitro and in vivo validation. 1995 , 91, 222-30	59
231	Acute hemodynamic improvement by thermal vasodilation in congestive heart failure. 1995 , 91, 2582-90	190
230	Assessment of cardiac function by three-dimensional echocardiography compared with conventional noninvasive methods. 1995 , 92, 842-53	164
229	Stroke volume and cardiac output in normotensive children and adults. Assessment of relations with body size and impact of overweight. 1997 , 95, 1837-43	212
228	Tomographic three-dimensional echocardiographic determination of chamber size and systolic function in patients with left ventricular aneurysm: comparison to magnetic resonance imaging, cineventriculography, and two-dimensional echocardiography. 1997 , 96, 4286-97	130
227	Relations of left ventricular mass to demographic and hemodynamic variables in American Indians: the Strong Heart Study. 1997 , 96, 1416-23	138
226	Effects of different training intensities on the cardiopulmonary baroreflex control of forearm vascular resistance in hypertensive subjects. 1995 , 25, 391-8	14
225	Is white coat hypertension associated with arterial disease or left ventricular hypertrophy?. 1995 , 26, 413-9	83
224	Hyperinsulinemia and left ventricular geometry in a work-site population in Japan. 1996 , 27, 729-34	29
223	Correlates of the hemodynamic determinants of blood pressure. 1996 , 28, 37-41	43
222	Influence of obesity on left ventricular midwall mechanics in arterial hypertension. 1996 , 28, 276-83	38
221	Age-related changes in total arterial capacitance from birth to maturity in a normotensive population. 1997 , 29, 1213-7	59
220	Relations of left ventricular geometry and function to body composition in children with high casual blood pressure. 1997 , 30, 377-82	28
219	Systolic function in hypertensive men with concentric remodeling. 1997 , 30, 777-81	29
218	Risk of stroke in a cohort of 815 patients with calcification of the aortic valve with or without stenosis. 1996 , 27, 847-51	48
217	Effect of hemodialysis on left ventricular function. Dissociation of changes in filling volume and in contractile state. 1983 , 71, 377-84	75
216	Autonomic pathophysiology in heart failure patients. Sympathetic-cholinergic interrelations. 1990 , 85, 1362-71	169

215	Doppler echocardiography in athletes from different sports. 2013 , 19, 187-93		17
214	Relation of circulating blood volume to left ventricular geometry in essential hypertension. 2002 , 25, 703-10		5
213	The association of left ventricular hypertrophy with metabolic syndrome is dependent on body mass index in hypertensive overweight or obese patients. 2011 , 6, e16630		34
212	Enhanced sensitivity to low dose irradiation of ApoE ^{-/-} mice mediated by early pro-inflammatory profile and delayed activation of the TGF β 1 cascade involved in fibrogenesis. 2013 , 8, e57052		37
211	Identifying early changes in myocardial microstructure in hypertensive heart disease. 2014 , 9, e97424		12
210	Aortic and Cardiac Structure and Function Using High-Resolution Echocardiography and Optical Coherence Tomography in a Mouse Model of Marfan Syndrome. 2016 , 11, e0164778		24
209	Modulation of caveolins, integrins and plasma membrane repair proteins in anthracycline-induced heart failure in rabbits. 2017 , 12, e0177660		7
208	Echocardiographic indices of left ventricular function. A comparison. 1979 , 76, 441-7		8
207	M-mode echocardiographic reference values in Pantja goats. 2017 , 10, 22-28		1
206	Echocardiographic study of healthy Indian Spitz dogs with normal reference ranges for the breed. 2019 , 12, 740-747		2
205	Impact of hyponatremia on frequency of complications in patients with decompensated liver cirrhosis. <i>Electronic Physician</i> , 2015 , 7, 1349-58	1.8	5
204	Cardio-Ankle Vascular Index and C-Reactive Protein Are Useful Parameters for Identification of Ischemic Heart Disease in Acute Heart Failure Patients. 2017 , 9, 439-445		2
203	The effect of high-dose steroid treatment used for the treatment of acute demyelinating diseases on endothelial and cardiac functions. 2017 , 17, 392-397		5
202	The impact of cardiac rhythm on the mitral valve area and gradient in patients with mitral stenosis. 2017 , 18, 90-98		1
201	Factor V Leiden mutation and its relation to left atrial thrombus in chronic nonrheumatic atrial fibrillation. 2003 , 44, 481-91		5
200	Neurohormonal determinants of peak oxygen uptake in patients with chronic heart failure. 2003 , 44, 725-34		12
199	Relationship between brain natriuretic peptide, myocardial wall stress, and ventricular arrhythmia severity. 2004 , 45, 771-7		14
198	Chagas disease in Virgem da Lapa, Minas Gerais, Brazil: left ventricle aneurysm and the risk of death in the 24-year interval. 2020 , 115, e200056		3

197	[Exercise testing and 24 hours Holter monitoring in the detection of complex ventricular arrhythmias in different stages of chronic Chagas' heart disease]. 2004 , 37, 376-83		9
196	[Chronic chagasic cardiopathy in the Rio Negro, Amazon State. Report of three new autochthonous cases confirmed by serology, clinical examination, chest X-rays, electro and echocardiography]. 2006 , 39, 211-6		21
195	High-Frequency 4-Dimensional Ultrasound (4DUS): A Reliable Method for Assessing Murine Cardiac Function. 2017 , 3, 180-187		15
194	Differential postprandial lipoprotein responses in type 2 diabetic men with and without clinical evidence of a former myocardial infarction. 2004 , 1, 175-84		23
193	Brain Natriuretic Peptide in Liver Cirrhosis and Fatty Liver: Correlation with Cardiac Performance. <i>Electronic Physician</i> , 2016 , 8, 1984-93	1.8	9
192	LPS-adsorber in patients with septic shock. 2018 , 46-52		4
191	The relationship of hypertriglyceridemia and left ventricular remodeling types in patients with chronic kidney disease. 2019 , 91, 93-99		5
190	Competitive sports and the heart: benefit or risk?. 2013 , 110, 14-23; quiz 24; e1-2		20
189	Myocardial atrophy in children with mitochondrial disease and Duchenne muscular dystrophy. 2014 , 57, 232-9		4
188	Effects of isoflurane concentration on basic echocardiographic parameters of the left ventricle in rats. 2012 , 61, 419-23		15
187	The influence of obesity duration on left ventricular mass, volume and function: A pilot study. 2012 , 04, 1420-1427		2
186	Echocardiographic Parameters as Cardiovascular Mortality Predictors in Chronic Hemodialysis Patients. 2014 , 05, 635-643		2
185	Transoesophageal echocardiography during liver transplantation. 2015 , 7, 2432-48		23
184	Association of cardio-ankle vascular index with brain natriuretic peptide levels in hypertension. 2012 , 19, 255-62		18
183	A 24-hour ambulatory ecg monitoring in assessment of qt interval duration and dispersion in rowers with physiological myocardial hypertrophy. 2013 , 30, 237-41		4
182	Prevalence of asymptomatic left ventricular systolic dysfunction in hypertensive Nigerians: echocardiographic study of 832 subjects. <i>Cardiovascular Journal of Africa</i> , 2011 , 22, 297-302	0.7	4
181	Left ventricular hypertrophy and geometry in type 2 diabetes patients with chronic kidney disease. An echocardiographic study. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 73-7	0.7	11
180	Early diastolic functional abnormalities in normotensive offspring of Nigerian hypertensives. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 255-9	0.7	3

179	Right ventricular dysfunction in a hypertensive population stratified by patterns of left ventricular geometry. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 478-82	0.7	9
178	The proposed role of plasma NT pro-brain natriuretic peptide in assessing cardiac remodelling in hypertensive African subjects. <i>Cardiovascular Journal of Africa</i> , 2014 , 25, 233-8	0.7	5
177	Short-term rehospitalisation or death and determinants after admission for acute heart failure in a cohort of African patients in Port Harcourt, southern Nigeria. <i>Cardiovascular Journal of Africa</i> , 2018 , 29, 46-50	0.7	3
176	Predictors of Atrial Fibrillation Recurrence in Hyperthyroid and Euthyroid Patients. <i>Arquivos Brasileiros De Cardiologia</i> , 2016 , 106, 84-91	1.2	6
175	Comparison between Radionuclide Ventriculography and Echocardiography for Quantification of Left Ventricular Systolic Function in Rats Exposed to Doxorubicin. <i>Arquivos Brasileiros De Cardiologia</i> , 2017 , 108, 12-20	1.2	4
174	Position Statement on Indications of Echocardiography in Adults - 2019. <i>Arquivos Brasileiros De Cardiologia</i> , 2019 , 113, 135-181	1.2	9
173	Hypoalbuminemia linked to myocardial dysfunction in recent-onset nephrotic syndrome: a cross-sectional case control 3DSTE study. 2021 , 69,		0
172	Comparative study of cardiorespiratory adaptations in elite basketball players of different age groups. 2021 , 61, 1193-1201		0
171	Hypovolemic Status in Older Hip Fracture Patients Elucidated by Preoperative Transthoracic Echocardiography. 2021 , 2021, 9243945		
170	Echocardiographic changes in anorexia nervosa: a pathophysiological adaptation or a disease?. 2021 , 1		
169	[Outcome and prognosis of surgical treatment in patients with severe aortic stenosis with respect to the duration and severity of associated aortic regurgitation]. 2004 , 132, 219-29		
168	Chronobiologically explored effects of Telmisartan. 2005 , 27, 119-28		1
167	Gender differences in left ventricular function including diastolic function in patients with normal left ventricular ejection fraction and normal echocardiographic findings. 2007 , 34, 343-348		
166	Monitoring Ventricular Function in the Operating Room: Impact on Clinical Outcome. 2007 , 31-61		
165	A utilizaçã da ecocardiografia na avaliaçã da cardiotoxicidade por adriamicina. 2010 , 2, 102-108		
164	Systolic Left Ventricular Function. 2011 , 101-123		
163	Spherical ventricular chamber is a predictor of poor prognosis of heart failure with preserved ejection fraction. 2011 , 38, 103-110		
162	Estabelecimento de índices ecocardiográficos de cavalos de polo. 2011 , 31, 495-498		

- 161 Echocardiography in Myocardial Reperfusion Injury. **2012**, 135-159
- 160 Impact of high-fat diet on antioxidant status, vascular wall thickening and cardiac function in adult female LDLR^{-/-} mice. **2012**, 02, 184-192 2
- 159 Avaliaç o ecocardiogr fica de equinos ap s exerc cio de polo. **2012**, 32, 1191-1195
- 158 The relation of flow-mediated vasodilatation and diastolic function in uncomplicated Type 2 diabetic patients. **2013**, 03, 39-44
- 157 DYNAMICS OF LEFT VENTRICULAR PARAMETERS IN THE LONG-TERM TREATMENT OF RENAL PARENCHYMATOUS ARTERIAL HYPERTENSION. **2013**, 12, 10-16
- 156 Measurement of chamber volumes and their function. **2014**, 41, 143-154
- 155 Baroreflex sensitivity and its association with arrhythmic events in Chagas disease. *Arquivos Brasileiros De Cardiologia*, **2014**, 102, 579-87 1.2 2
- 154 Ver nderungen echokardiographisch bestimmbarer Me gr en des linken Ventrikels unter Einflu  von Atropin. **1976**, 353-356
- 153 Echocardiographic assessment of cardiomyopathies. **1977**, 159-173
- 152 Sensitivity and Specificity of M-Mode and Cross-Sectional Echocardiographic Findings in Patients with Coronary Artery Disease. **1979**, 83-98 1
- 151 Usefulness of a Small Computer System in the Analysis and the Report of Echocardiographic Data. **1979**, 384-393
- 150 Use of M-Mode Echocardiography in Clinical Pharmacology. **1980**, 93-99
- 149 Anamnese und Voruntersuchungen. **1980**, 11-109
- 148 Echocardiographic Assessment of Left Ventricular Performance in Patients with Arterial Hypertension. **1980**, 708-710
- 147 Angiocardiographic and Echocardiographic Evaluation of Left Ventricular Function. **1980**, 703-705
- 146 Non Invasive Hemodynamic Measurements in Coronary Care Units. **1981**, 31-71
- 145 Morphologische Diagnostik mittels M-Mode-Echokardiographie in der Erwachsenenkardiologie. **1981**, 144-160
- 144 Echocardiographic Assessment of Different Doses of Oral Isosorbide Dinitrate in Patients with and without Heart Failure: Increase in Response with Dose. **1981**, 95-99

- 143 Quantitative Assessment of Congenital Heart Disease by Two-Dimensional Echocardiography. **1981**, 333-344
- 142 Clinical Applications of Echocardiography in Anaesthesia. **1982**, 198-206
- 141 Effects of Anesthesia on Left Ventricular Performance Assessed by Transesophageal M-Mode Echocardiography. **1982**, 237-238
- 140 Echocardiographic Assessment of Left Ventricular Function Following Induction of Anaesthesia with Althesin. **1982**, 272-276
- 139 Echokardiographie. **1982**, 292-313 1
- 138 Ultrasound. **1982**, 235-260
- 137 Coronarerkrankungen. **1982**, 907-1054
- 136 Echokardiographische Untersuchungen verschiedener Dosen von peroral appliziertem Isosorbiddinitrat bei Patienten mit und ohne Herzinsuffizienz: Zunahme der Wirkung in Abhängigkeit von der Dosis. **1982**, 104-109
- 135 Hämodynamik, Koronardurchblutung und Sauerstoffbedarf des normalen und insuffizienten Herzens. **1984**, 123-180 1
- 134 Viral Heart Disease [A Precursor of Congestive Cardiomyopathy]. **1984**, 95-98 3
- 133 Contribution of Other Examination Techniques. **1984**, 194-209
- 132 Echokardiographische Befunde bei der chronischen Herzinsuffizienz. **1984**, 181-214
- 131 Diagnosis of Acute Myocardial Infarction. **1985**, 261-279
- 130 Noninvasive Methods: Systolic Time Intervals and Echocardiography. **1985**, 153-172
- 129 Left Ventricular Function During VVI and DVI Pacing at Different Rates as Assessed by M-Mode and Two-Dimensional Echocardiography, Gated Single Photon Emission Computerized Tomography (GASPECT) and Thermodilution. **1985**, 158-169 1
- 128 Zur Frage der Möglichkeit der Schlagvolumenbestimmung mittels der ein- und zweidimensionalen Echokardiographie in Ruhe und unter dynamischer Belastung. **1985**, 728-731
- 127 Quantitative Analysis of the Adult Left Heart by Two-Dimensional Echocardiography. **1985**, 135-145
- 126 Linksventrikuläre Funktion während VVI- und DVI-Stimulation bei unterschiedlichen Frequenzen: Eine vergleichende Studie zwischen ein- und zweidimensionaler Echokardiographie, Gated single photon emission computerized tomography (Gaspect) und Thermodilution. **1985**, 30-42

- 125 Hypertrophic Cardiomyopathy The Obstructive Dilemma. **1985**, 157-262 2
- 124 Comparative Efficacy of Calcium Antagonists and Beta Blockers in Essential Hypertension. **1986**, 213-220
- 123 CT of the heart. **1986**, 79-100
- 122 Untersuchungen zur Masse/Volumen-Relation bei Sportherzhypertrophie. **1987**, 424-427 1
- 121 Hemodynamic and Neurohumoral Effects of Nifedipine Slow-Release Tablet in the Treatment of Hypertension. **1989**, 109-118
- 120 Heart disease in the adult. **1990**, 69-222
- 119 Systolische und diastolische Funktionsveränderungen bei der hypertensiven Herzkrankheit. **1991**, 116-129
- 118 Coupling Between Ventricular and Arterial Properties. **1991**, 187-220
- 117 MR Perspectives in Sports Cardiology. **1991**, 179-184
- 116 The use of echo-Doppler cardiography in measuring cardiac output. **1993**, 31-45
- 115 Methoden und Modelle in der kardiovaskulären humanpharmakologischen Forschung. **1993**, 321-344
- 114 A Pressor Effect of Nonselective Beta-Blockers during Acute Hospitalization. **1995**, 45-58
- 113 Left Ventricular Mass and Diastolic Function in Young Individuals With a First Elevated Casual Blood Pressure. **1995**, 107-115
- 112 A Pressor Effect of Nonselective Beta-Blockers in Diabetics with Postural Hypotension. **1995**, 34-44
- 111 A Pressor Effect of Nonselective Beta-Blockers in Unstable Angina Pectoris. **1995**, 69-80
- 110 Assessment of Left Ventricular Hypertrophy: A Comparison of Electrocardiography, Echocardiography and Magnetic Resonance Imaging. **1999**, 43-53
- 109 PROGNOSTIC VALUE OF INSTRUMENTAL DIAGNOSTICS IN CHRONIC CORONARY HEART DISEASE. DATA FROM BROGNOS CHD **2014**, 13, 29-35 1
- 108 ECG body surface mapping in patients with gestational diabetes mellitus and optimal metabolic compensation. **2014**, 63, S479-87 3

- 107 Determinants of Type II and Type III Aortic Arch in Humans. **2016**, 6,
- 106 Right Ventricular Isovolumic Acceleration in Children with Patent Ductus Arteriosus: Short and Mid-term Follow-up after Percutaneous Device Closure. **2016**, 6,
- 105 Prevalence and Characteristics of Peripartum Cardiomyopathy among Women with Cardiac Failure Referred for Echocardiography in a Tertiary Hospital in Northern Nigeria. **2018**, 06, 95-104
- 104 Preliminary evidence that hydrostatic edema may contribute to the formation of diffuse alveolar damage in a Holstein calf model. **2018**, 7, 374 1
- 103 An Exhaustive Echocardiographic Analysis of Left Ventricular Structure and Functions in Children with Duchenne Muscular Dystrophy. **2018**, 28, 1
- 102 Relationship between CD4 cell count and left ventricular dimension and function in treatment-naïve human immunodeficiency virus-infected patients. **2019**, 16, 11
- 101 Echocardiographic evaluation of right heart functions in hemodialysis patients.
- 100 Understanding cardiac systolic performance beyond left ventricular ejection fraction. **2020**, 1, 75-84 2
- 99 Figurative comparisons and eponyms in functional diagnostics. Part 2. Echocardiography. **2020**, 41-50
- 98 Five-Year Outcomes of Heart Failure with Preserved Ejection Fraction. **2020**, 14, 18-26 1
- 97 Evaluation of myocardial function in pregnant women with speckle-tracking echocardiography.
- 96 Magnetic Resonance Assessment of Ejection Fraction Versus Echocardiography for Cardioverter-Defibrillator Implantation Eligibility. **2021**, 10,
- 95 Evaluation of the effect of Shengxian Decoction on doxorubicin-induced chronic heart failure model rats and a multicomponent comparative pharmacokinetic study after oral administration in normal and model rats. **2021**, 144, 112354 2
- 94 Quantification of Left Ventricular Function: How Useful is it for Clinical Decision Making?. **1983**, 235-244
- 93 Literaturverzeichnis. **1983**, 102-116
- 92 Literaturverzeichnis. **1983**, 167-176
- 91 Joint influences of obesity, diabetes, and hypertension on indices of ventricular remodeling: Findings from the community-based Framingham Heart Study. **2020**, 15, e0243199 4
- 90 Quantitative assessment of left ventricular volume and function by transthoracic and transesophageal echocardiography, ultrasound velocity dilution, and gated magnetic resonance imaging in healthy foals. **2020**, 81, 930-939 1

89	Gait speed and 6-minute walking distance are useful for identifying difficulties in activities of daily living in patients with cardiovascular disease. 2021 , 51, 46-51		1
88	Pathophysiological Determinants Relevant in Blood Pump Control. 2020 , 253-277		1
87	The importance of cardiocography for the diagnosis of diabetic fetal cardiomyopathy. 2020 , 20, 41		0
86	Échocardiographie dans le diagnostic de l'insuffisance cardiaque aiguë 2006 , 131-156		
85	Imaging of Pulmonary Hypertension. 2007 , 481-494		
84	Arterial Stiffness and Left Ventricular Diastolic Function in Endurance Athletes. <i>International Journal of Sports Medicine</i> , 2021 , 42, 497-505	3.6	0
83	Noninvasive Techniques in the Diagnosis and Treatment of Acute Myocardial Infarction. <i>Primary Care - Clinics in Office Practice</i> , 1981 , 8, 379-398	2.2	
82	Determination of the target ventricular rate in patients with atrial fibrillation by evaluation of ventriculoarterial coupling. <i>Texas Heart Institute Journal</i> , 2002 , 29, 100-4	0.8	2
81	Left ventricular volumes and ejection fraction derived from apical two-dimensional echocardiography. <i>Cardiovascular Diseases</i> , 1981 , 8, 344-354		2
80	A preliminary investigation on the use of thermodilution and echocardiography as an assessment of cardiac function in the cat. <i>Canadian Journal of Comparative Medicine Revue Canadienne De Médecine Comparée</i> , 1983 , 47, 112-7		7
79	Adducin 1 (alpha) Gly460Trp variant is associated with left ventricular geometry in Caucasians and African Americans: The HyperGEN Study. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010 , 1, 367-76	0.9	1
78	Contractility evaluation by 2 dimensional echocardiography and gated SPECT myocardial perfusion scintigraphy in hypertensive patients with clinical presentation of atypical chest pain. <i>Hippokratia</i> , 2011 , 15, 64-8	0.4	
77	Subclinical, hemodynamic, and echocardiographic abnormalities of high pulse pressure in hypertensive and non-hypertensive adults. <i>American Journal of Cardiovascular Disease</i> , 2012 , 2, 309-17	0.9	5
76	Correlates of left ventricular mass in hypertensive Nigerians: an echocardiographic study. <i>Cardiovascular Journal of Africa</i> , 2010 , 21, 79-85	0.7	4
75	Pattern of heart failure in Abuja, Nigeria: an echocardiographic study. <i>Cardiovascular Journal of Africa</i> , 2009 , 20, 349-52	0.7	28
74	Relationship between left ventricular geometric pattern and systolic and diastolic function in treated Nigerian hypertensives. <i>Cardiovascular Journal of Africa</i> , 2010 , 21, 21-5	0.7	7
73	Left ventricular systolic function during treadmill walking with load carriage in adolescents. <i>Journal of Sports Science and Medicine</i> , 2006 , 5, 202-7	2.7	3
72	Characterisation of left ventricular function by tissue Doppler imaging technique in newly diagnosed, untreated hypertensive subjects. <i>Cardiovascular Journal of Africa</i> , 2008 , 19, 259-63	0.7	2

71	Systemic vascular resistance and fluid status in patients with decompensated liver cirrhosis with or without functional renal failure in Egypt. <i>Electronic Physician</i> , 2015 , 7, 1174-82	1.8	
70	Reference values of M-mode echocardiographic parameters and indices in conscious Labrador Retriever dogs. <i>Iranian Journal of Veterinary Research</i> , 2014 , 15, 341-6	0.7	7
69	A Pharmacokinetic and Pharmacodynamic Study of Intravenous Levosimendan in Healthy Chinese Volunteers and Ethnic Comparisons. <i>Acta Cardiologica Sinica</i> , 2014 , 30, 298-307	1.1	6
68	Echocardiographic Parameters of Clinically Normal Geriatric Rhesus Macaques (). <i>Journal of the American Association for Laboratory Animal Science</i> , 2017 , 56, 361-368	1.3	5
67	Effects of high-intensity training on prostate cancer-induced cardiac atrophy. <i>American Journal of Translational Research (discontinued)</i> , 2021 , 13, 197-209	3	3
66	Can Transthoracic Echocardiography Replace Chest Radiography in the Evaluation of Cardiomegaly in Chagas Cardiomyopathy?. <i>Arquivos Brasileiros De Cardiologia</i> , 2021 , 116, 75-76	1.2	
65	Sarcomeres Morphology and Z-Line Arrangement Disarray Induced by Ventricular Premature Contractions through the Rac2/Cofilin Pathway. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	
64	Doppler Cardiogram Detected by a V-Band Doppler Radar Sensor. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 1-1	4.1	1
63	Sarcomeres Morphology and Z-Line Arrangement Disarray Induced by Ventricular Premature Contractions through the Rac2/Cofilin Pathway. <i>International Journal of Molecular Sciences</i> , 2021 , 22, 11244	6.3	
62	Short-term ventriculo-arterial coupling and myocardial work efficiency in preterm infants undergoing percutaneous patent ductus arteriosus closure. <i>Physiological Reports</i> , 2021 , 9, e15108	2.6	2
61	Effect of 6-Month Feeding with a Diet Enriched in EPA + DHA from Fish Meat on the Blood Metabolomic Profile of Dogs with Myxomatous Mitral Valve Disease.. <i>Animals</i> , 2021 , 11,	3.1	1
60	Plasma Exosomes at the Late Phase of Remote Ischemic Pre-conditioning Attenuate Myocardial Ischemia-Reperfusion Injury Through Transferring miR-126a-3p.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 736226	5.4	0
59	Disproportionate Mitral Regurgitation Determines Survival in Acute Heart Failure.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 742224	5.4	0
58	Database development and survival analysis in a clinical and historical cohort of dogs affected by myxomatous mitral valve disease treated or not with pimobendan using causal inference techniques.. <i>Veterinary Research Communications</i> , 2022 , 1	2.9	
57	Associations between physical activity, left atrial size and incident atrial fibrillation: the Tromsø Study 1994-2016.. <i>Open Heart</i> , 2022 , 9,	3	0
56	Progression of Cardiovascular Manifestations in Adults and Children With Mucopolysaccharidoses With and Without Enzyme Replacement Therapy.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 801147	5.4	0
55	Sex-dependent deterioration of cardiac function and molecular alterations in age- and disease-associated RAGE overexpression.. <i>Mechanisms of Ageing and Development</i> , 2022 , 203, 111635	5.6	0
54	Transthyretin V142I Genetic Variant and Cardiac Remodeling, Injury, and Heart Failure Risk in Black Adults.. <i>JACC: Heart Failure</i> , 2022 , 10, 129-138	7.9	0

53	Contactless Measurement of Human Systolic Time Intervals Based on Doppler Cardiograms in Clinical Environment. <i>IEEE Microwave and Wireless Components Letters</i> , 2022 , 1-4	2.6	1
52	Pregnancy Complications Lead to Subclinical Maternal Heart Dysfunction-The Importance and Benefits of Follow-Up Using Speckle Tracking Echocardiography.. <i>Medicina (Lithuania)</i> , 2022 , 58,	3.1	2
51	Heart rate variability is associated with left ventricular systolic, diastolic function and incident heart failure in the general population.. <i>BMC Medicine</i> , 2022 , 20, 91	11.4	1
50	Aortic Stiffness and Pulsatile Pressures as Potential Mediators of Chronic Kidney Disease Induced Impaired Diastolic Function.. <i>International Journal of Nephrology and Renovascular Disease</i> , 2022 , 15, 27-40	2.5	
49	Machine Learning-Based Feature Selection and Classification for the Experimental Diagnosis of <i>Trypanosoma cruzi</i> . <i>Electronics (Switzerland)</i> , 2022 , 11, 785	2.6	1
48	Effects of changes in large arterial compliance and small arterial buffer function with resistance training on cerebral blood flow pulsatility. <i>Gazzetta Medica Italiana Archivio Per Le Scienze Mediche</i> , 2022 , 180,	0.6	
47	Global and regional wall motion abnormalities and incident heart failure in the general population.. <i>International Journal of Cardiology</i> , 2022 ,	3.2	0
46	Prevalence, Predictors, Progression, and Prognosis of Hypertension Subtypes in the Framingham Heart Study.. <i>Journal of the American Heart Association</i> , 2022 , e024202	6	0
45	Development of systolic dysfunction unrelated to myocardial infarction in treated hypertensive patients with left ventricular hypertrophy. The LIFE Study. <i>Exploration of Medicine</i> , 160-172	1.1	0
44	An efficient deep landmark detection network for PLAX EF estimation using sparse annotations. 2022 ,		
43	Detection of left ventricular dysfunction on axial non-contrast chest CT.. <i>European Journal of Radiology</i> , 2022 , 150, 110274	4.7	0
42	Bioelectrical Impedance of the Rat Myocardium and Liver under Chronic Exposure to Doxorubicin. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2021 , 57, 1351-1362	0.5	
41	The effects of estrogen deficiency and aging on myocardial deformation and motion in normotensive female rats.. <i>Menopause</i> , 2021 , 29, 89-95	2.5	1
40	Assessment of cardiac function using the modified ejection fraction as an indicator of myocardial circumferential strain. <i>Journal of Biomechanical Science and Engineering</i> , 2022 , 17,	0.8	
39	Comparison of the impact of two post-remission therapy regimens on cardiac events in acute myeloid leukemia patients undergoing allogeneic hematopoietic stem cell transplantation.. <i>International Journal of Hematology</i> , 2022 , 1	2.3	0
38	Table1.docx. 2018 ,		
37	Optimal Patching Locations and Orientations for Maximum Energy Harvesting Efficiency of Ultrathin Flexible Piezoelectric Devices Mounted on Heart Surface. <i>Theoretical and Applied Mechanics Letters</i> , 2022 , 100341	1.8	
36	Longitudinal Associations Between Cumulative Physical Activity and Change in Structure and Function of the Left Side of the Heart: The Troms;Study 2007-2016. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9,	5.4	1

35	Necropsy Validation of a Novel Method for Left Ventricular Mass Quantification in Porcine Transthoracic and Transdiaphragmal Echocardiography.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 868603	5.4	
34	Quantitative Evaluation of Left Ventricular Structure, Wall Stress, and Systolic Function. 2017 , 107-127		1
33	Role of aerobic physical training on cardiac autonomic and morphophysiological dysfunction in hypertensive rats subjected to ovarian hormone deprivation.. <i>Brazilian Journal of Medical and Biological Research</i> , 2022 , 55, e11916	2.8	
32	Physical Training Improves Cardiac Structure and Function of Rats After Doxorubicin-Induced Cardiomyopathy. <i>International Journal of Cardiovascular Sciences</i> , 2022 ,	0.4	
31	Global Longitudinal Strain for the Early Detection of Chemotherapy-Induced Cardiotoxicity: A Systematic Review and Meta-analysis. <i>Clinical Oncology</i> , 2022 ,	2.8	1
30	Accurate Detection of Doppler Cardiograms With a Parameterized Respiratory Filter Technique Using a $\text{\$K\$}$ -Band Radar Sensor. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 1-12	4.1	2
29	Predictive Capacity of Beat-to-Beat Blood Pressure Variability for Cardioautonomic and Vascular Dysfunction in Early Metabolic Challenge. <i>Frontiers in Pharmacology</i> , 13,	5.6	1
28	Impaired renal function and mortalities in acute heart failure with different phenotypes. <i>ESC Heart Failure</i> ,	3.7	
27	A new method to quantify left ventricular mass by 2D echocardiography. <i>Scientific Reports</i> , 2022 , 12,	4.9	
26	A concise history of echocardiography: timeline, pioneers, and landmark publications. <i>European Heart Journal Cardiovascular Imaging</i> ,	4.1	0
25	Métodos de valoración de la fracción de eyección del ventrículo izquierdo. <i>Revista De Ecocardiografía Práctica Y Otras Técnicas De Imagen Cardíaca</i> , 2018 , 1, 1-6	0	
24	In essential hypertension, a change in the renal resistive index is associated with a change in the ratio of 24-hour diastolic to systolic blood pressure. 341-348		
23	Imatinib induces diastolic dysfunction and ventricular early-repolarization delay in the halothane-anesthetized dogs: Class effects of tyrosine kinase inhibitors. 2022 ,		
22	Venous waveform analysis detects acute right ventricular failure in a rat respiratory arrest model.		0
21	Relation between derived cardiovascular indices, body surface area, and blood pressure/heart rate recovery among active and inactive Nigerian student. 2022 , 27,		0
20	Caloric restriction prevents obesity- and intermittent hypoxia-induced cardiac remodeling in leptin-deficient ob/ob mice. 13,		0
19	Beyond Simpson's Rule: Accounting for Orientation and Ellipticity Assumptions. 2022 ,		0
18	Echocardiography-Based Cardiac Structure Parameters for the Long-term Risk of End-Stage Kidney Disease in Black Individuals: The Atherosclerosis Risk in Communities Study. 2022 , 97, 1794-1807		0

17	Association of total lymphocyte count and echocardiographic parameters in human immunodeficiency virus-positive patients. 2021 , 18, 14	0
16	Neuregulin-4 attenuates diabetic cardiomyopathy by regulating autophagy via the AMPK/mTOR signalling pathway. 2022 , 21,	2
15	Advanced glycation end-products, cardiac function and heart failure in the general population: The Rotterdam Study.	2
14	Plasma Amyloid- β in Relation to Cardiac Function and Risk of Heart Failure in General Population. 2022 ,	1
13	Indicators of haemodynamic instability and left ventricular function in a porcine model of esmolol induced negative inotropy.	0
12	Diagnostic usefulness of NT-proBNP in asymptomatic left ventricular dysfunction in black hypertensive patients. 2021 , 18, 44	0
11	Polyunsaturated β fatty acids prevent the cardiac hypertrophy in hypertensive rats. 2023 , 1867, 130278	0
10	Cardiac findings in newborn twins.	0
9	Epicardial Fat Volume, Cardiac Function, and Incident Heart Failure: The Rotterdam Study.	0
8	Clinical impact of left ventricular systolic dysfunction in patients undergoing dialysis access surgery. 2023 , 27, 374-381	0
7	Impact of Concomitant Mitral Regurgitation on the Hemodynamic Indicators of Aortic Stenosis. 2023 , 12,	0
6	Left ventricular systolic function in subjects conceived through assisted reproductive technologies. 10,	0
5	Bioelectrical Impedance of the Left Ventricular Myocardium, Lung in Rats after Forced Swimming Training and Subsequent Detraining. 2023 , 59, 69-81	0
4	Childhood household dysfunction is associated with reduced left ventricular mass in young adulthood.	0
3	Effects of hyperprotein diet on anxiety, haemodynamics and morphofunctional aspects of the heart of Wistar rats.	0
2	Correlation of Myocardial Native T1 and Left Ventricular Reverse Remodeling after Valvular Surgery. 2023 , 12, 2649	0
1	Valid and Reproducible Quantitative Assessment of Cardiac Volumes by Echocardiography in Patients with Valvular Heart Diseases Possible or Wishful Thinking?. 2023 , 13, 1359	0