

CITATION REPORT

List of articles citing

Neonatal encephalopathy following fetal distress. A clinical and electroencephalographic study

DOI: 10.1001/archneur.1976.00500100030012
Archives of Neurology, 1976, 33, 696-705.

Source: <https://exaly.com/paper-pdf/12573863/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2133	Neonatal Hypoxic-Ischemic and Hemorrhagic Cerebral Injury. 1976 , 69-89		
2132	The Effects of intrauterine Asphyxia on the Full-Term Neonate. 1977 , 4, 149-161		30
2131	Olfactory reflexes in the newborn infant. 1978 , 92, 624-6		73
2130	Intrapartum fetal asphyxia: a preliminary report in regard to long-term morbidity. 1978 , 130, 525-33		20
2129	Meconium Aspiration and Other Asphyxial Disorders. 1978 , 5, 317-334		14
2128	Auditory brainstem responses in perinatal asphyxia. 1980 , 2, 147-59		44
2127	Behavioral state cycles, background EEGs and prognosis of newborns with perinatal hypoxia. 1980 , 49, 618-25		140
2126	The prognostic value of computed tomography as an adjunct to assessment of the term infant with postasphyxial encephalopathy. 1981 , 99, 777-81		105
2125	Hypoxic-ischemic encephalopathy in term neonates: perinatal factors and outcome. 1981 , 98, 112-7		311
2124	[The prognostic significance of determining bioelectric brain maturity in newborn infants with perinatal complication (author's transl)]. 1981 , 193, 301-4		2
2123	Seizures, hypoxic-ischemic brain injury, and intraventricular hemorrhage in the newborn. 1981 , 10, 109-21		117
2122	Assessment of neurologic outcome in asphyxiated term infants by use of serial CK-BB isoenzyme measurement. 1982 , 101, 988-92		41
2121	Continuous monitoring of the electroencephalogram following perinatal asphyxia. 1982 , 100, 628-30		44
2120	Prognostic value of the electroencephalogram in neonatal asphyxia. 1982 , 53, 60-72		185
2119	Convulsions following birth asphyxia/birth trauma--are long-term anticonvulsants necessary?. 1982 , 18, 90-1		
2118	[Hypoxia during the perinatal period and the formation of cerebral lesions]. 1982 , 60, 1427-34		9
2117	Criteria for discontinuing neonatal seizure therapy: a long-term appraisal. 1983 , 5, 541-8		11

2116	Decisions to withdraw life support in the neonatal intensive care unit. 1983 , 22, 729-35	12
2115	Hypoxic-ischemic encephalopathy in the newborn. <i>Archives of Neurology</i> , 1983 , 40, 261-6	122
2114	Factors affecting outcome in hypoxic-ischemic encephalopathy in term infants. 1983 , 137, 21-5	16
2113	Severe neonatal asphyxia. Incidence and prediction of outcome in the Stockholm area. 1983 , 72, 321-5	59
2112	The Neurological Outcome of Perinatal Asphyxia. 1984 , 151-168	14
2111	Developmentally disabled infants can be hard to trace. 1984 , 23, 204-8	3
2110	Hypoxic-ischemic encephalopathy: cerebrovascular carbon dioxide reactivity in neonates. 1984 , 1, 114-7	5
2109	Computerised tomography (CT) and electroencephalography (EEG) in the immediate evaluation of term infants with symptomatic birth asphyxia. 1984 , 51, 327-32	1
2108	Perinatal cerebral infarction. 1984 , 16, 559-68	110
2107	Can perinatal asphyxia cause cerebral edema and affect cerebral blood flow velocity?. 1984 , 142, 29-32	15
2106	Cerebral energy metabolism studied with phosphorus NMR spectroscopy in normal and birth-asphyxiated infants. 1984 , 2, 366-70	244
2105	Prognostic significance of polygraphic recordings in newborn infants on ventilation. 1984 , 26, 358-68	2
2104	Occlusive vascular disease in asphyxiated newborn infants. 1984 , 105, 92-6	26
2103	Periventricular infarction diagnosed by ultrasound: a postmortem correlation. 1984 , 105, 106-10	87
2102	A case for long-term treatment with anticonvulsants. 1985 , 5, 274-7	2
2101	Birth asphyxia-predictors of outcome and management. 1985 , 52, 609-14	2
2100	Positron emission tomography in the asphyxiated term newborn: parasagittal impairment of cerebral blood flow. 1985 , 17, 287-96	134
2099	Physiologic Artifacts in Neonatal Electroencephalography: The Importance of Technical Comments. 1985 , 25, 257-277	5

2098	Prognostic value of neonatal CT scans in asphyxiated term babies: low density score compared with neonatal neurological signs. 1985 , 16, 209-17	33
2097	Beagle puppy model of perinatal cerebral infarction. Acute changes in cerebral blood flow and metabolism during hemorrhagic hypotension. 1985 , 63, 441-7	29
2096	Beagle puppy model of perinatal cerebral infarction. Acute changes in regional cerebral prostaglandins during hemorrhagic hypotension. 1985 , 63, 899-904	12
2095	Post-haemorrhagic hydrocephalus in the preterm infant. 1985 , 21, 175-9	2
2094	Prognostic value of the electroencephalogram in term and preterm infants following neonatal seizures. 1985 , 60, 183-96	117
2093	Scrum kidney: epidemic pyoderma caused by a nephritogenic <i>Streptococcus pyogenes</i> in a rugby team. 1986 , 2, 331-3	22
2092	Cerebrospinal fluid lactate levels in term infants with perinatal hypoxia. 1986 , 2, 39-42	32
2091	Relation of fetal hypoxia in growth retardation to mean blood velocity in the fetal aorta. 1986 , 2, 1118-20	75
2090	Comparison of two methods of predicting outcome in perinatal asphyxia. 1986 , 1, 67-9	212
2089	Cerebral artery Doppler ultrasonography for prediction of outcome after perinatal asphyxia. 1986 , 2, 1116-8	142
2088	Death as an option in neonatal intensive care. 1986 , 2, 328-31	57
2087	Prognostic utility of visual evoked potentials in term asphyxiated neonates. 1986 , 2, 220-3	34
2086	Hypoxic ischemic encephalopathy (asphyxia). 1986 , 33, 451-64	24
2085	LDH isoenzymes in CSF in the diagnosis of neonatal brain damage. 1986 , 74, 30-3	9
2084	Prevention of post-asphyxial hypoxic-ischemic encephalopathy. 1986 , 53, 573-86	4
2083	Prognostic significance of the electrically elicited blink reflex in neonates. 1987 , 2, 287-92	9
2082	Neonatal seizures: a commentary on selected aspects. 1987 , 2, 244-51	26
2081	Etiologic and preventive aspects of epilepsy in the child--bridging the gap between laboratory and clinic. 1987 , 28 Suppl 1, S25-35	11

2080	Serum CPK-BB isoenzyme in the assessment of brain damage in asphyctic term infants. 1987 , 76, 914-8	25
2079	Short-latency somatosensory evoked potentials in perinatal asphyxia. 1987 , 3, 203-7	33
2078	Doppler flow velocity in anterior cerebral artery for prediction of outcome after perinatal asphyxia. 1987 , 1, 562	3
2077	Long-term prognosis of asphyxiated full-term neonates with CNS complications. 1987 , 9, 48-53	25
2076	Intrapartum fetal monitoring. 1987 , 1, 73-95	10
2075	Sphygmomanometer bladder length and measurement of blood pressure in children. 1987 , 1, 561-2	5
2074	Drug Therapy in Hypoxic-Ischemic Cerebral Insults and Intraventricular Hemorrhage of the Newborn. 1987 , 14, 817-842	7
2073	Cerebral blood flow velocity pattern in healthy and asphyxiated newborns: a controlled study. 1987 , 146, 461-7	38
2072	The Apgar score--a reappraisal. 1987 , 54, 4-7	1
2071	The value of Apgar scores. 1987 , 54, 679-84	3
2070	Prognostic significance of the auditory brainstem evoked response in high-risk neonates. 1988 , 30, 43-52	47
2069	Intrapartum asphyxia: a rare cause of cerebral palsy. 1988 , 112, 515-9	407
2068	Cluster of perinatal events identifying infants at high risk for death or disability. 1988 , 113, 546-52	110
2067	Clinical spectrum and outcome of neonatal convulsions. 1988 , 24, 249-53	2
2066	Neonatal asphyxia and subsequent epilepsy--a prospective study. 1988 , 42, 565-6	
2065	Intrapartum asphyxia and subsequent disability. 1988 , 2, 167-86	1
2064	The rationale for biochemical monitoring of the fetus. 1988 , 16 Suppl 1, 55-70	9
2063	Early recognition of and intervention in developmental disorders. 1988 , 8, 61-70	0

2062	Correlation of Cerebral Function Monitoring with Non-Reactive Non-Stress Test. 1988 , 67, 297-300	
2061	Perinatal Asphyxia: Clinical Aspects. 1989 , 16, 435-457	53
2060	Relationship of Intrapartum and Delivery Room Events to Long-term Neurologic Outcome. 1989 , 16, 995-1007	38
2059	Hypoxic-ischaemic encephalopathy after near miss sudden infant death syndrome. 1989 , 64, 703-8	23
2058	Interaction Pattern and Developmental Outcome of Infants with Severe Asphyxia: A Longitudinal Study of the First Years of Life. 1989 , 9, 48-71	1
2057	The Relationship Between Inadequate Oxygenation of the Brain at Birth and Developmental Outcome. 1989 , 9, 1-13	2
2056	Origins of cerebral palsy. 1989 , 143, 1154-61	16
2055	Behavioral characteristics and early temperament of premature infants with intracranial hemorrhage. 1989 , 18, 273-83	15
2054	Adenylate kinase activity in the cerebrospinal fluid of hypoxic newborns. 1989 , 22, 135-9	6
2053	Neonatal burst suppression: its developmental significance. 1989 , 5, 84-92	67
2052	The EEG evolution and neurological prognosis of neonates with perinatal hypoxia [corrected]. 1989 , 11, 115-20	65
2051	School performance of survivors of neonatal encephalopathy associated with birth asphyxia at term. 1989 , 114, 753-60	283
2050	Fetal heart rate patterns, perinatal asphyxia, and brain injury. 1989 , 5, 137-44	13
2049	Birth asphyxia and cerebral palsy. 1989 , 299, 279-82	45
2048	Term infant asphyxia in Kuwait. 1990 , 10, 355-61	10
2047	Mortality and immediate morbidity in term babies with low Apgar scores (Zimbabwe). 1990 , 10, 239-44	9
2046	Neonatal Seizures. 1990 , 30, 281-308	5
2045	Neonatal neurological dysfunction in a cohort of very preterm and/or very low birthweight infants--relation to other perinatal factors and outcome at 2 years. 1990 , 21, 66-71	22

2044	Prognostic significance of multimodality evoked response testing in high-risk newborns. 1990 , 6, 367-74	45
2043	Predicting neonatal morbidity after perinatal asphyxia: a scoring system. 1990 , 162, 174-82	63
2042	Evaluation of variable decelerations of fetal heart rate with the deceleration index: influence of associated abnormal parameters and their relation to the state and evolution of the newborn. 1990 , 34, 235-45	6
2041	Neonatal encephalopathy: an indicator of early sexual maturation in girls. 1990 , 6, 102-8	22
2040	Serial magnetic resonance imaging in neonatal hypoxic-ischemic encephalopathy. 1990 , 117, 694-700	67
2039	Prognostic value of early somatosensory evoked potentials for adverse outcome in full-term infants with birth asphyxia. 1991 , 13, 320-5	48
2038	Serial visual evoked potentials and outcome in term birth asphyxia. 1991 , 7, 86-90	72
2037	Correspondence. 1991 , 7, 311	0
2036	Prediction of survival in severely asphyxiated infants. 1991 , 7, 446-51	13
2035	Neurologic versus behavioral neonatal assessment after birth asphyxia. 1991 , 165, 1157-8	1
2034	MRI following severe perinatal asphyxia: preliminary experience. 1991 , 7, 164-70	37
2033	VEP and predicting outcome in birth asphyxia. 1991 , 7, 310-1	0
2032	Significance of positive temporal sharp waves in the neonatal electroencephalogram. 1991 , 79, 256-63	29
2031	Outcome after asphyxial and circulatory disturbances in the brain. 1991 , 7 Suppl 1, 113-7	2
2030	Which neurological examinations can be used to predict outcome during the neonatal period?. 1991 , 7 Suppl 1, 118-24	
2029	Monitoring of perinatal asphyxia in the hospital. 1991 , 58, 51-62	1
2028	Acute neonatal morbidity and long-term central nervous system sequelae of perinatal asphyxia in term infants. 1991 , 25, 135-48	165
2027	What is birth asphyxia?. 1991 , 98, 953-5	27

2026	Doppler flow velocity waveform analysis in high risk pregnancies: a randomized controlled trial. 1991 , 98, 956-63	64
2025	Ischemic and hemorrhagic cerebral lesions of the newborn. Current concepts. 1991 , 7, 417-24	4
2024	Visual evoked potentials and visual prognosis following perinatal asphyxia. 1991 , 109, 229-33	37
2023	How much of neonatal encephalopathy is due to birth asphyxia?. 1991 , 145, 1325-31	48
2022	Global and depth resolved phosphorus magnetic resonance spectroscopy to predict outcome after birth asphyxia. 1991 , 66, 1119-23	22
2021	Factors associated with clinically significant perinatal asphyxia in the Malaysian neonates: a case-control study. 1992 , 38, 284-9	4
2020	Cerebrovascular Diseases in Children. 1992 ,	
2019	Metabolic acidosis in newborn infants. 1992 , 67, 767-9	12
2018	Do we need an Apgar score?. 1992 , 67, 765-7	33
2017	Ischemic and Hemorrhagic Lesions of the Newborn. 1992 , 206-215	
2016	The age-dependent epileptic encephalopathies. 1992 , 7, 7-21	52
2015	Perinatal cerebrovascular disease in the neonate. Parenchymal ischemic lesions in term and preterm infants. 1992 , 39, 621-50	22
2014	Somatosensory evoked potentials and outcome in perinatal asphyxia. 1992 , 67, 393-8	44
2013	Auditory brain-stem responses in neonates receiving extracorporeal membrane oxygenation. 1992 , 120, 464-7	14
2012	Blood-brain barrier permeability in "healthy" infected and stressed neonates. 1992 , 121, 291-4	28
2011	[Maturation and neurological distress in the newborn]. 1992 , 22, 159-77	1
2010	Excitatory amino acids in cerebrospinal fluid in neonatal asphyxia. 1992 , 8, 37-40	36
2009	Routine neurological examination of the newborn. 1992 , 2, 183-185	

2008	Problems with definitions and classifications of newborn encephalopathy. 1992 , 8, 85-90	66
2007	Falling incidence of hypoxic-ischaemic encephalopathy in term infants. 1992 , 99, 386-91	57
2006	The possible risk of bilirubin encephalopathy as predicted by plasma parameters in neonates with previous severe asphyxia. 1992 , 151, 910-2	7
2005	Repeated fluorodeoxyglucose positron emission tomography of the brain in infants with suspected hypoxic-ischaemic brain injury. 1993 , 20, 759-65	27
2004	Measures of outcome in the newborn. 1993 , 100, 711-3	2
2003	Predictive value of general movements in asphyxiated fullterm infants. 1993 , 35, 91-120	95
2002	No resuscitation and withdrawal of therapy in a neonatal and a pediatric intensive care unit in Canada. 1993 , 123, 534-8	79
2001	Well-developed infant with hypoxic-ischemic encephalopathy associated with EEG burst suppression and subcortical leukohypodensity on CT scan. 1993 , 35, 529-33	2
2000	Value of the EEG in neonatal seizures. 1993 , 6, 39-70	33
1999	Does hypoxemia prevent brain damage in birth asphyxia?. 1993 , 41, 344-7	11
1998	Severe fetal acidemia: neonatal neurologic features and short-term outcome. 1993 , 9, 277-82	44
1997	Brain injury and protective effects of hypothermia using triphenyltetrazolium chloride in neonatal rat. 1993 , 9, 263-7	30
1996	Neurological examination of the newborn. 1993 , 15, 403-10	6
1995	Vasopressin in cerebrospinal fluid of newborns with hypoxic-ischemic encephalopathy. Preliminary report. 1993 , 21, 399-403	8
1994	Hypoxic-ischemic brain injury in the newborn. 1993 , 13, 30-9	32
1993	The high-risk infant. 1993 , 40, 479-90	31
1992	Excitatory amino acids in the cerebrospinal fluid of asphyxiated infants: relationship to hypoxic-ischemic encephalopathy. 1993 , 82, 925-9	113
1991	Long-Term Follow-Up of Term Neonates with Perinatal Asphyxia. 1993 , 20, 483-499	163

1990	Pathophysiology of Perinatal Asphyxia. 1993 , 20, 305-325	39
1989	Neonatal Intracranial Hemorrhage and Hypoxia. 1993 , 1-23	
1988	Potential New Therapies for Perinatal Cerebral Hypoxia-Ischemia. 1993 , 20, 411-432	46
1987	Somatosensory-Evoked Potentials in Term Neonates with Postasphyxial Encephalopathy. 1993 , 20, 463-482	26
1986	Nuclear Magnetic Resonance Imaging and Spectroscopy Following Asphyxia. 1993 , 20, 345-367	11
1985	The Definition of Acute Perinatal Asphyxia. 1993 , 20, 287-304	99
1984	Visual-Evoked Potentials in Neonates Following Asphyxia. 1993 , 20, 451-461	18
1983	Diagnosis of severe birth asphyxia and early prediction of neonatal neurological outcome in term asphyxiated newborns. 1994 , 22, 129-36	16
1982	Cerebral palsy and neonatal encephalopathy. 1994 , 70, F195-200	61
1981	Prognostic value of continuous electroencephalographic recording in full term infants with hypoxic ischaemic encephalopathy. 1994 , 71, F97-102	48
1980	Primitive reflexes. Their contribution to the early detection of cerebral palsy. 1994 , 33, 388-97	26
1979	Prognostic value of early MR imaging in term infants with severe perinatal asphyxia. 1994 , 25, 191-200	117
1978	Brain temperature discriminates between neonates with damaged, hypoperfused, and normal brains. 1994 , 11, 137-43	24
1977	The effect of phenobarbital on cerebral blood flow in newborn infants with foetal distress. 1994 , 153, 584-7	4
1976	Cerebral palsy and birth asphyxia: myth and reality. 1994 , 61, 49-56	1
1975	Clinical role of diffusion-weighted imaging: neonatal studies. 1994 , 2, 273-278	4
1974	Clustering of perinatal markers of birth asphyxia and outcome at age five years. 1994 , 101, 774-81	41
1973	Cesarean section in breech by birth weight. 1994 , 54, 181-4	5

1972	Medico-legal aspects of birth asphyxia: a paediatrician's perspective. 1994 , 30, 93-5	5
1971	Outcome of resuscitated apparently stillborn infants: a ten year review. 1994 , 30, 129-33	27
1970	Death in neonatal intensive care. 1994 , 30, 419-22	9
1969	Medico-legal aspects of birth asphyxia: a paediatrician's perspective. 1994 , 30, 556	
1968	MEDICO-LEGAL ASPECTS OF BIRTH ASPHYXIA: REPLY. 1994 , 30, 556a-556	
1967	Perinatal observations in forty-eight neurologically impaired term infants. 1994 , 171, 424-31	75
1966	Functional imaging in neonatal neurology. 1994 , 83, 345-7	2
1965	Measuring Illness Severity in Newborn Intensive Care. 1994 , 9, 20-33	37
1964	Early [18F]FDG positron emission tomography in infants with hypoxic-ischaemic encephalopathy shows hypermetabolism during the postasphyctic period. 1995 , 84, 1289-95	51
1963	Perinatal asphyxia: assessing its causal role and timing. 1995 , 2, 3-36	9
1962	Clinical aspects of perinatal hypoxic-ischemic brain injury. 1995 , 2, 57-71	16
1961	The Paediatrics. 1995 , 1, 55-60	
1960	Monoamine neurotransmitters and metabolites in the cerebrospinal fluid following perinatal asphyxia. 1995 , 67, 407-13	10
1959	Magnetic resonance imaging in perinatal asphyxia. 1995 , 72, F62-70	64
1958	Glial fibrillary acidic protein in the cerebrospinal fluid: a possible indicator of prognosis in full-term asphyxiated newborn infants?. 1995 , 37, 260-4	46
1957	Predictive value of early neuroimaging, pulsed Doppler and neurophysiology in full term infants with hypoxic-ischaemic encephalopathy. 1995 , 73, F75-80	168
1956	Neuron specific enolase in asphyxiated newborns: association with encephalopathy and cerebral function monitor trace. 1995 , 72, F39-42	58
1955	Do concepts of causes and prevention of cerebral palsy require revision?. 1995 , 172, 1830-4; discussion 1834-6	16

1954	Creatine kinase isoenzyme BB concentrations in cerebrospinal fluid in asphyxiated preterm neonates. 1995 , 84, 1183-7	6
1953	Follow-up of children born with an umbilical arterial blood pH 1995, 173, 1758-64	44
1952	Birth asphyxia: incidence, clinical course and outcome in a Swedish population. 1995 , 84, 927-32	204
1951	Geburtsasphyxie als Ursache kindlicher Hirnschäden?. 1995 , 256, S32-S42	1
1950	Predictive value of early continuous amplitude integrated EEG recordings on outcome after severe birth asphyxia in full term infants. 1995 , 72, F34-8	315
1949	Somatosensory evoked potentials predict neurologic outcome in full-term neonates with asphyxia. 1995 , 31, 148-51	7
1948	Letters to the Editor. 1995 , 31, 57-63	
1947	Asphyxia. 1995 , 9, 579-94	2
1946	Neonatal hypoxic-ischaemic encephalopathy [causes, recognition and management. 1995 , 5, 118-122	
1945	Evoked potentials as predictors of outcome in neonatal intensive care unit survivors: review of the literature. 1996 , 14, 189-95	45
1944	[Diagnostic and prognostic value of evoked potentials facing cerebral hypoxia in newborn infants]. 1996 , 3 Suppl 1, 251s-253s	
1943	Neonatal seizures: a clinician's overview. 1996 , 18, 1-28	57
1942	Neonatal seizures: Aetiology, management and prognosis. 1996 , 6, 173-177	1
1941	[Hypoxic-ischemic encephalopathy of the full term newborn. Contribution of the electroencephalogram and trans-fontanelle echography to the prognostic evaluation. Report of 29 cases]. 1996 , 26, 369-78	4
1940	New Perspectives on an Old Problem. 1996 , 2, 51-54	
1939	Neonatal subgaleal haematoma: associated risk factors, complications and outcome. 1996 , 32, 228-32	98
1938	Concentrations of magnesium and ionized calcium in umbilical cord blood in distressed term newborn infants with hypoxic-ischemic encephalopathy. 1996 , 85, 1348-50	17
1937	Use of brain lactate levels to predict outcome after perinatal asphyxia. 1996 , 85, 859-64	51

1936	Neurological features of perinatal asphyxia: a clinical and pathological study of a neonate with multicystic encephalopathy. 1996 , 3, 236-42	1
1935	Hypoxic-ischaemic encephalopathy: early and late magnetic resonance imaging findings in relation to outcome. 1996 , 75, F145-51	136
1934	Hypoxic-ischaemic injury of the neonatal brain. 1996 , 8, 95-108	1
1933	Neonatal seizures associated with cerebral lesions shown by magnetic resonance imaging. 1997 , 77, F105-10	21
1932	Indices of renal tubular function in perinatal asphyxia. 1997 , 77, F57-60	18
1931	Neurodevelopmental follow-up of children after severe neonatal asphyxia. 1997 , 16, 254-5	1
1930	Biochemical alterations in neonatal hypoxic ischaemic brain damage. 1997 , 57, 567-70	3
1929	Prognostic value of 1H-MRS in perinatal CNS insults. 1997 , 17, 309-18	76
1928	Predicting the outcome of postasphyxial hypoxic-ischemic encephalopathy within 4 hours of birth. 1997 , 131, 613-7	80
1927	Optimal foetal growth in the reduction of learning and behaviour disorder and prevention of sudden infant death (SIDS) after the first month. 1997 , 27, 107-21; discussion 123-4	21
1926	Hypoxic and ischemic disorders of infants and children. Lecture for 38th meeting of Japanese Society of Child Neurology, Tokyo, Japan, July 1996. 1997 , 19, 235-9	56
1925	Hypoxic-Ischemic Brain Injury in the Term Newborn. 1997 , 24, 607-625	56
1924	Seizures in the Newborn Infant: Diagnosis, Treatment, and Outcome. 1997 , 24, 735-772	40
1923	[Hypoxic-ischemic encephalopathy in newborn infants. Acute period and outcome]. 1997 , 55, 771-9	1
1922	Assessment of general movements: towards a better understanding of a sensitive method to evaluate brain function in young infants. 1997 , 39, 88-98	101
1921	Stepwise compared with rapid application of vacuum in ventouse extraction procedures. 1997 , 104, 33-6	20
1920	Changes in risk factors for hypoxic-ischaemic seizures in term infants. 1997 , 37, 36-9	22
1919	The value of a scoring system for hypoxic ischaemic encephalopathy in predicting neurodevelopmental outcome. 1997 , 86, 757-61	250

1918	The role of perinatal brain damage in developmental disabilities: An epidemiologic perspective. 1997 , 3, 13-21	13
1917	Prediction of surfactant dysfunction in term infants by the click test. 1997 , 23, 287-91	12
1916	Doppler evaluation of renal blood flow velocity as a predictive index of acute renal failure in perinatal asphyxia. 1998 , 157, 656-60	19
1915	Plasma platelet-activating factor levels in newborn infants with and without perinatal asphyxia: is it an additional marker of perinatal asphyxia?. 1998 , 40, 427-31	9
1914	Umbilical arteriovenous PO ₂ and PCO ₂ differences and neonatal morbidity in term infants with severe acidosis. 1998 , 178, 13-9	47
1913	The vulnerable preschool child: the impact of biomedical and social risks on neurodevelopmental function. 1998 , 5, 52-61	57
1912	Perinatal hypoxic-ischemic thalamic injury: clinical features and neuroimaging. 1998 , 44, 161-6	185
1911	Neurodevelopmental outcome of 'at risk' nursery graduates. 1998 , 65, 857-62	9
1910	The diagnostic and prognostic implications of brain hyperechogenicity in hypoxic-ischaemic encephalopathy grade II. 1998 , 8, 7-15	2
1909	Multimodality evoked potentials as a prognostic tool in term asphyxiated newborns. 1998 , 108, 199-207	31
1908	Brain derived neurotrophic factor is increased in cerebrospinal fluid of children suffering from asphyxia. 1998 , 240, 151-4	51
1907	[Definition of asphyxia neonatorum and incidence of neurologic and systemic complications in the full-term newborn]. 1998 , 5, 1065-71	10
1906	Anti-oxidants and oxidative stress injuries to the brain in the perinatal period. 1998 , 3, 75-85	4
1905	The syndrome of acute near-total intrauterine asphyxia in the term infant. 1998 , 18, 391-8	124
1904	High-dose phenobarbital therapy in term newborn infants with severe perinatal asphyxia: a randomized, prospective study with three-year follow-up. 1998 , 132, 345-8	132
1903	Effect of allopurinol on postasphyxial free radical formation, cerebral hemodynamics, and electrical brain activity. 1998 , 101, 185-93	152
1902	Predictive value of plasma and cerebrospinal fluid tumour necrosis factor-alpha and interleukin-1 beta concentrations on outcome of full term infants with hypoxic-ischaemic encephalopathy. 1998 , 79, F190-3	63
1901	Rolandic type cerebral palsy in children as a pattern of hypoxic-ischemic injury in the full-term neonate. 1998 , 13, 313-21	36

1900	Complement and contact activation in term neonates after fetal acidosis. 1998 , 78, F125-8	21
1899	Intrapartum risk factors for newborn encephalopathy: the Western Australian case-control study. 1998 , 317, 1554-8	458
1898	Antepartum risk factors for newborn encephalopathy: the Western Australian case-control study. 1998 , 317, 1549-53	387
1897	Selective head cooling in newborn infants after perinatal asphyxia: a safety study. 1998 , 102, 885-92	356
1896	Abnormal magnetic resonance signal in the internal capsule predicts poor neurodevelopmental outcome in infants with hypoxic-ischemic encephalopathy. 1998 , 102, 323-8	305
1895	Clinical predictors of outcome in hypoxic ischaemic encephalopathy in term neonates. 1998 , 18, 117-21	12
1894	Resuscitation of asphyxiated newborn infants with room air or oxygen: an international controlled trial: the Resair 2 study. 1998 , 102, e1	265
1893	Prognosis for Development in the Newborn Requiring Neurosurgical Intervention. 1998 , 9, 187-197	1
1892	Hypoxic-ischaemic encephalopathy is associated with regional changes in cerebral blood flow velocity and alterations in cardiovascular function. 1998 , 73, 275-86	15
1891	Impaired chemical coupling of cerebral blood flow is compatible with intact neurological outcome in neonates with perinatal risk factors. 1999 , 75, 9-17	7
1890	Hypoxic-Ischemic Encephalopathy in the Newborn. 1999 , 467-470	
1889	Postasphyxial Management of the Newborn. 1999 , 26, 749-765	17
1888	Long-Term Neurodevelopmental Outcome of Asphyxiated Newborns. 1999 , 26, 767-778	45
1887	Development of postural adjustments during reaching in infants with CP. 1999 , 41, 766-76	63
1886	Zur Vorhersagbarkeit einer schweren intrapartalen Azidose (NapH 1999, 59, 70-76	
1885	Cerebrospinal fluid and serum nitric oxide levels in asphyxiated newborns. 1999 , 76, 200-6	12
1884	Acquired microcephaly after low Apgar score in Zimbabwe. 1999 , 45, 281-6	1
1883	Measurement of the urinary lactate:creatinine ratio for the early identification of newborn infants at risk for hypoxic-ischemic encephalopathy. 1999 , 341, 328-35	106

1882	Maternal fever and neonatal depression: preliminary observations. 1999 , 38, 287-91	46
1881	Term infants with hypoxic ischaemic encephalopathy: poor neurodevelopmental outcome despite standard neonatal intensive care. 1999 , 45, 229-32	3
1880	Comparison between creatine kinase brain isoenzyme (CKBB) activity and Sarnat score for prediction of adverse outcome following perinatal asphyxia. 1999 , 27, 478-83	8
1879	The merit of routine cord blood pH measurement at birth. 1999 , 27, 158-65	16
1878	Amplitude integrated EEG 3 and 6 hours after birth in full term neonates with hypoxic-ischaemic encephalopathy. 1999 , 81, F19-23	343
1877	Predictive value of fetal scalp blood lactate concentration and pH as markers of neurologic disability. 1999 , 181, 1072-8	125
1876	Newborn assessment and long-term adverse outcome: a systematic review. 1999 , 180, 1024-9	55
1875	Prediction of neurological outcome after birth asphyxia from early continuous two-channel electroencephalography. 1999 , 55, 113-23	33
1874	Excitatory amino acids and taurine levels in cerebrospinal fluid of hypoxic ischemic encephalopathy in newborn. 1999 , 101, 171-4	27
1873	Progress in perinatal asphyxia. 1999 , 4, 183-191	3
1872	Cerebrospinal nerve growth factor--a marker of asphyxia?. 1999 , 20, 137-41	16
1871	Prenatal and perinatal striatal injury: a hypothetical cause of attention-deficit-hyperactivity disorder?. 1999 , 21, 602-10	44
1870	Neonatal neurologic prognostication: the asphyxiated term newborn. 1999 , 21, 776-84	49
1869	Prognostic significance of cerebrospinal fluid cyclic adenosine monophosphate in neonatal asphyxia. 1999 , 134, 90-6	12
1868	EEG and long-term outcome of term infants with neonatal hypoxic-ischemic encephalopathy. 1999 , 110, 655-9	59
1867	Constantly discontinuous EEG patterns in full-term neonates with hypoxic-ischaemic encephalopathy. 1999 , 110, 1510-5	41
1866	Peripartum hypoxic risk and cognitive outcome: A study of term and preterm birth children at early school age.. 1999 , 13, 598-608	25
1865	Assessment of neonatal encephalopathy by amplitude-integrated electroencephalography. 1999 , 103, 1263-71	356

1864	Danno ipossico-ischemico: Dal sospetto clinico all'esame neuroradiologico. 1999 , 12, 145-152	
1863	Head growth in infants with hypoxic-ischemic encephalopathy: correlation with neonatal magnetic resonance imaging. 2000 , 106, 235-43	101
1862	BIRTH ASPHYXIA IN DEVELOPING COUNTRIES: EPIDEMIOLOGY, SEQUELAE AND PREVENTION. 2000 , 233-272	2
1861	Early predictors of adverse outcome in term infants with post-asphyxial hypoxic ischaemic encephalopathy. 2000 , 89, 343-347	24
1860	Proton MR spectroscopy in children with acute brain injury: comparison of short and long echo time acquisitions. 2000 , 11, 9-19	60
1859	Early cranial ultrasound changes as predictors of outcome during first year of life in term infants with perinatal asphyxia. 2000 , 36, 363-9	19
1858	Stillbirths and neonatal encephalopathy in Kathmandu, Nepal: an estimate of the contribution of birth asphyxia to perinatal mortality in a low-income urban population. 2000 , 14, 39-52	36
1857	A template for defining a causal relationship between acute intrapartum events and cerebral palsy: international consensus statement. International Cerebral Palsy Task Force. 2000 , 40, 13-21	10
1856	Non-nutritive sucking in the healthy pre-term infant. 2000 , 60, 13-24	39
1855	Serum total magnesium and ionized calcium concentrations in asphyxiated term newborn infants with hypoxic-ischaemic encephalopathy. 2000 , 89, 680-685	18
1854	Detection of transitory myocardial ischemia secondary to perinatal asphyxia. 2000 , 31, 377-83	35
1853	De rol van neonataal kernspinresonantieonderzoek bij het voorspellen van de ontwikkeling van voldragen kinderen met perinatale asfyxie. 2000 , 68, 28-34	1
1852	Hypoxic-ischemia-related fetal/neonatal complications and risk of schizophrenia and other nonaffective psychoses: a 19-year longitudinal study. 2000 , 157, 196-202	167
1851	MR patterns of hypoxic-ischemic brain damage after prenatal, perinatal or postnatal asphyxia. 2000 , 31, 128-36	178
1850	Selection of babies for intervention after birth asphyxia. 2000 , 5, 17-32	43
1849	Outcome after intrapartum asphyxia in term infants. 2000 , 5, 127-40	43
1848	Cerebral infarction in the term newborn: clinical presentation and long-term outcome. 2000 , 137, 351-5	198
1847	William John Little and cerebral palsy. A reappraisal. 2000 , 90, 139-44	379

1846	[Hypoxic-ischemic encephalopathy in the full-term newborn. Contribution of electroencephalography and MRI or computed tomography to its prognostic evaluation. Apropos of 26 cases]. 2000 , 30, 97-107	9
1845	Value of fluid-attenuated inversion recovery sequences in early MRI of the brain in neonates with a perinatal hypoxic-ischemic encephalopathy. 2000 , 10, 1594-601	12
1844	Early serial EEG in hypoxic ischaemic encephalopathy. 2001 , 112, 31-7	105
1843	Early biochemical indicators of hypoxic-ischemic encephalopathy after birth asphyxia. 2001 , 49, 502-6	150
1842	SELF-ASSESSMENT. 2001 , 11, 305-308	
1841	Neurologic examination in infants with hypoxic-ischemic encephalopathy at age 9 to 14 months: use of optimality scores and correlation with magnetic resonance imaging findings. 2001 , 138, 332-7	87
1840	The variety of visual perceptual impairments in pre-school children with perinatal brain damage. 2001 , 23, 333-48	48
1839	Cardiotocography only versus cardiotocography plus ST analysis of fetal electrocardiogram for intrapartum fetal monitoring: a Swedish randomised controlled trial. 2001 , 358, 534-8	325
1838	The relation between pre-eclampsia at term and neonatal encephalopathy. 2001 , 85, F170-2	29
1837	Neuropsychological long-term sequelae of perinatal asphyxia. 2001 , 15, 1029-39	69
1836	Neurobiology of hypoxic-ischemic injury in the developing brain. 2001 , 49, 735-41	350
1835	The pediatric neurologist as expert witness with particular reference to perinatal asphyxia. 2001 , 28, 107-12	4
1834	(1)H-MR spectroscopy is sensitive to subtle effects of perinatal asphyxia. 2001 , 57, 1115-8	24
1833	Anticonvulsants for preventing mortality and morbidity in full term newborns with perinatal asphyxia. 2000 , CD001240	19
1832	Glutamate in cerebral tissue of asphyxiated neonates during the first week of life demonstrated in vivo using proton magnetic resonance spectroscopy. 2001 , 79, 254-7	35
1831	Lactate measurements in scalp and cord arterial blood. 2001 , 13, 141-5	9
1830	Changing Characteristics of Neonatal Follow-up Studies. 2001 , 2, 249e-256	1
1829	Welchen Einfluss hat die subpartuale Asphyxie auf die spätere gesundheitliche Entwicklung?. 2001 , 34, 126-129	1

1828	Perinatal asphyxia: timing and mechanisms of injury in neonatal encephalopathy. 2001 , 1, 175-84	31
1827	Postasphyxial encephalopathy in preterm neonates. 2001 , 68, 1121-5	7
1826	Post-resuscitation management of asphyxiated neonates. 2001 , 68, 1149-53	12
1825	Developmental outcomes of newborn encephalopathy in the term infant. 2001 , 68, 527-30	14
1824	Role of score for neonatal acute physiology (SNAP) in predicting neonatal mortality. 2001 , 68, 829-34	13
1823	Congenital retropharyngeal goiter in a newborn as a magnetic resonance imaging finding. 2001 , 43, 431-3	3
1822	Denver developmental screening test II for early identification of the infants who will develop major neurological deficit as a sequela of hypoxic-ischemic encephalopathy. 2001 , 43, 400-4	19
1821	Mode of delivery in breech presentation at term: increased neonatal morbidity with vaginal delivery. 2001 , 80, 731-7	40
1820	Do very sick neonates born at term have antenatal risks? 1. Infants ventilated primarily for problems of adaptation to extra-uterine life. 2001 , 80, 905-16	1
1819	Excitotoxicity in neonatal hypoxia. 2001 , 7, 229-34	87
1818	Advanced cranial ultrasound: transfontanellar Doppler imaging in neonates. 2001 , 11, 2399-410	37
1817	Fetal and neonatal neurologic consultations: identifying brain disorders in the context of fetal-maternal-placental disease. 2001 , 8, 55-73	17
1816	Non-nutritive sucking in sick preterm infants. 2001 , 63, 37-52	12
1815	Visual disorders in children with brain lesions: 1. Maturation of visual function in infants with neonatal brain lesions: correlation with neuroimaging. 2001 , 5, 107-14	35
1814	The prognostic value of serial EEG recordings following acute neonatal asphyxia in full-term infants. 2001 , 5, 155-60	36
1813	Clinical predictors of outcome following mild and moderate neonatal encephalopathy in term newborns in Kathmandu, Nepal. 2001 , 90, 316-322	7
1812	D2 receptor imaging in neonates using I-123 iodobenzamide brain SPECT. 2001 , 26, 36-40	4
1811	Value of (1)H-MRS using different echo times in neonates with cerebral hypoxia-ischemia. 2001 , 49, 356-62	68

1810	Prenatal and perinatal determinants of neonatal seizures occurring in the first week of life. 2001 , 16, 651-6	27
1809	Long-term developmental outcome of asphyxiated term neonates. 2001 , 16, 781-92	151
1808	Cerebral glucose metabolism measured by positron emission tomography in term newborn infants with hypoxic ischemic encephalopathy. 2001 , 49, 495-501	61
1807	Cerebrospinal fluid levels of nitric oxide and nitrotyrosine in neonates with mild hypoxic-ischemic encephalopathy. 2002 , 17, 815-8	6
1806	Hypothermia reduces neurological damage in asphyxiated newborn infants. 2002 , 82, 222-7	58
1805	Clinical chorioamnionitis, elevated cytokines, and brain injury in term infants. 2002 , 110, 673-80	176
1804	A comparison of clinical variables that predict adverse outcome in term infants with severe respiratory failure randomised to a policy of extracorporeal membrane oxygenation or to conventional neonatal intensive care. 2002 , 30, 225-30	17
1803	Joint association of Apgar scores and early neonatal symptoms with minor disabilities at school age. 2002 , 86, F16-21	80
1802	Delayed onset of status epilepticus after transient asphyxia in an asymptomatic full-term neonate. 2002 , 17, 780-3	4
1801	The Correlation of Seizures in Newborn Infants With Significant Acidosis at Birth With Umbilical Artery Cord Gas Values. 2002 , 100, 557-560	3
1800	MRI lesions and infants with neonatal encephalopathy. Is the Apgar score predictive?. 2002 , 33, 150-6	42
1799	Neurological and perceptual-motor outcome at 5 - 6 years of age in children with neonatal encephalopathy: relationship with neonatal brain MRI. 2002 , 33, 242-8	132
1798	Early developmental outcomes after newborn encephalopathy. 2002 , 109, 26-33	110
1797	A confidential enquiry into cases of neonatal encephalopathy. 2002 , 87, F176-80	46
1796	Dopamine for prevention of morbidity and mortality in term newborn infants with suspected perinatal asphyxia. 2002 , CD003484	14
1795	Clinical trials of treatments after perinatal asphyxia. 2002 , 14, 664-8	35
1794	Clinical value of color Doppler ultrasonography measurements of full-term newborns with perinatal asphyxia and hypoxic ischemic encephalopathy in the first 12 hours of life and long-term prognosis. 2002 , 197, 27-33	18
1793	Influence of maternal, obstetric and fetal risk factors on the prevalence of birth asphyxia at term in a Swedish urban population. 2002 , 81, 909-917	57

1792	Neuron-specific enolase levels and neuroimaging in asphyxiated term newborns. 2002 , 17, 824-9	18
1791	Mechanisms of hypoxic neurodegeneration in the developing brain. 2002 , 8, 212-20	107
1790	Neonatal bacteraemia: a population-based study. 2002 , 34, 598-601	10
1789	The correlation of seizures in newborn infants with significant acidosis at birth with umbilical artery cord gas values. 2002 , 100, 557-60	25
1788	Prediction of outcome based on clinical seizure type in newborn infants. 2002 , 140, 707-12	84
1787	Cranial ultrasound as a predictor of outcome in term newborn encephalopathy. 2002 , 26, 37-42	24
1786	Update of the Amiel-Tison neurologic assessment for the term neonate or at 40 weeks corrected age. 2002 , 27, 196-212	158
1785	MR imaging and in vivo proton spectroscopy of the brain in neonates with hypoxic ischemic encephalopathy. 2002 , 43, 6-13	34
1784	Neonatal EEG-sleep disruption mimicking hypoxic-ischemic encephalopathy after intrapartum asphyxia. 2002 , 3, 411-5	35
1783	Traumatismo no penetrante en la gestante. Un caso de encefalopatía hipoxicoisquémica fetal después de accidente automovilístico materno. 2002 , 29, 13-30	
1782	The Clinical Spectrum and Prediction of Outcome in Hypoxic-Ischemic Encephalopathy. 2002 , 3, 108e-115	7
1781	Auditory-evoked cerebral oxygenation changes in hypoxic-ischemic encephalopathy of newborn infants monitored by near infrared spectroscopy. 2002 , 67, 113-21	39
1780	Brain alkaline intracellular pH after neonatal encephalopathy. 2002 , 52, 732-42	74
1779	Infection markers and early signs of neonatal encephalopathy in the term infant. 2002 , 8, 14-9	40
1778	The term breech presentation. A retrospective study with regard to the planned mode of delivery. 2002 , 81, 544-50	21
1777	Influence of maternal, obstetric and fetal risk factors on the prevalence of birth asphyxia at term in a Swedish urban population. 2002 , 81, 909-17	68
1776	Epidemiologic features of infantile spasms in Slovenia. 2002 , 43, 183-7	14
1775	Randomized controlled trial of magnesium sulfate infusion for severe birth asphyxia. 2002 , 44, 505-9	50

1774	Nucleated red blood cell counts and erythropoietin levels in high-risk neonates. 2002 , 44, 590-5	23
1773	Randomised trial of amnioinfusion during labour with meconium stained amniotic fluid. 2002 , 109, 17-20	23
1772	Hypoxia activates the human placental vascular endothelial growth factor system in vitro and in vivo: up-regulation of vascular endothelial growth factor in clinically relevant hypoxic ischemia in birth asphyxia. 2003 , 188, 517-23	59
1771	Stillbirth and neonatal outcomes in South Australia, 1991-2000. 2003 , 189, 1731-6	35
1770	Challenge of conducting trials of neuroprotection in the asphyxiated term infant. 2003 , 27, 320-32	14
1769	Umbilical cord interleukin-6 levels are elevated in term neonates with perinatal asphyxia. 2003 , 33, 352-8	80
1768	Residual Hippocampal Atrophy in Asphyxiated Term Neonates. 2003 , 13, 68-74	19
1767	Proton magnetic resonance spectroscopy improves outcome prediction in perinatal CNS insults. 2003 , 23, 181-5	39
1766	Posterior fossa abnormalities seen on magnetic resonance brain imaging in a cohort of newborn infants. 2003 , 23, 396-403	46
1765	Seizure detection in the neonatal EEG with synchronization likelihood. 2003 , 114, 50-5	57
1764	Predictive value of brain-specific proteins in serum for neurodevelopmental outcome after birth asphyxia. 2003 , 54, 270-5	62
1763	Amplitude-integrated electroencephalography coupled with an early neurologic examination enhances prediction of term infants at risk for persistent encephalopathy. 2003 , 111, 351-7	181
1762	MRI for neonatal encephalopathy in full-term infants. 2003 , 361, 713-4	18
1761	Defining the pathogenesis and pathophysiology of neonatal encephalopathy and cerebral palsy. 2003 , 102, 628-36	116
1760	Current status of intrapartum fetal monitoring: cardiotocography versus cardiotocography + ST analysis of the fetal ECG. 2003 , 110 Suppl 1, S113-8	15
1759	Brain injury and neurofunctional deficit in neonatal mice with hypoxic-ischemic encephalopathy. 2003 , 145, 209-19	130
1758	Interleukin-6 and tumor necrosis factor-alpha levels in plasma and cerebrospinal fluid of term newborn infants with hypoxic-ischemic encephalopathy. 2003 , 143, 625-9	106
1757	Selective head cooling with hypothermia suppresses the generation of platelet-activating factor in cerebrospinal fluid of newborn infants with perinatal asphyxia. 2003 , 69, 45-50	67

1756	Etiologic yield of cerebral palsy: a contemporary case series. 2003 , 28, 352-9	85
1755	Encephalopathy as a predictor of magnetic resonance imaging abnormalities in asphyxiated newborns. 2003 , 28, 342-6	45
1754	Factors predictive of seizures and neurologic outcome in perinatal depression. 2003 , 29, 18-25	28
1753	Neonatal seizures and brain damage. 2003 , 29, 381-90	68
1752	Changes in resuscitation practice at birth. 2003 , 88, F375-9	31
1751	Fetal and neonatal neurologic case histories: assessment of brain disorders in the context of fetal-maternal-placental disease. Part 2: Neonatal neurologic consultations in the context of adverse antepartum and intrapartum events. 2003 , 18, 155-64	7
1750	Non-protein-bound transition metals and hydroxyl radical generation in cerebrospinal fluid of newborn infants with hypoxic ischemic encephalopathy. 2003 , 53, 594-9	40
1749	Cerebral glucose metabolism and early EEG/aEEG in term newborn infants with hypoxic-ischemic encephalopathy. 2003 , 54, 854-60	27
1748	Diffusion-weighted MRI in severe neonatal hypoxic ischaemia: the white cerebrum. 2003 , 34, 72-6	50
1747	Long-Term Neuropsychiatric Evolution of Patients with Neonatal Hypoxic-Ischaemic Encephalopathy. 2003 , 16, 535-537	
1746	Perinatal Hypoxic-Ischaemic Encephalopathy: Clinical and Etiopathogenetic Classification. 2003 , 16, 339-344	
1745	Defining the Pathogenesis and Pathophysiology of Neonatal Encephalopathy and Cerebral Palsy. 2003 , 102, 628-636	81
1744	Measurement of urinary S100B protein concentrations for the early identification of brain damage in asphyxiated full-term infants. 2003 , 157, 1163-8	69
1743	Positive end-expiratory pressure for resuscitation of newborn infants at birth. 2004 , CD004341	8
1742	Magnesium sulfate for term infants following perinatal asphyxia. 2003 ,	4
1741	Fluid restriction for term infants with hypoxic-ischaemic encephalopathy following perinatal asphyxia. 2003 ,	2
1740	Perinatal asphyxia: an overview. 2003 , 3-29	4
1739	Clinical manifestations of hypoxic-ischemic encephalopathy. 2003 , 411-424	1

1738	Neonatal seizures: an expression of fetal or neonatal brain disorders. 2003 , 735-784	5
1737	Neonatal brain MRI and motor outcome at school age in children with neonatal encephalopathy: a review of personal experience. 2003 , 10, 51-7	20
1736	Immediate outcome of babies with low Apgar score in Mulago Hospital, Uganda. 2003 , 80, 22-9	25
1735	Assessment of the hypoxic-ischemic encephalopathy in neonates using non-invasive near-infrared spectroscopy. 2004 , 25, 749-61	23
1734	Prognostic significance of amplitude-integrated EEG during the first 72 hours after birth in severely asphyxiated neonates. 2004 , 55, 1026-33	139
1733	Cord blood cardiac troponin I as an early predictor of short-term outcome in perinatal hypoxia. 2004 , 86, 131-7	33
1732	A complication worth remembering. 2004 , 89, F320	2
1731	The Scottish perinatal neuropathology study: clinicopathological correlation in early neonatal deaths. 2004 , 89, F399-407	53
1730	Preterm twin gestation and cystic periventricular leucomalacia. 2004 , 89, F315-20	26
1729	Effect of phenobarbital on free radicals in neonates with hypoxic ischemic encephalopathy--a randomized controlled trial. 2004 , 32, 278-81	17
1728	Comparison of intrapartum fetal heart rate tracings in patients with neonatal seizures vs. no seizures: what are the differences?. 2004 , 32, 422-5	8
1727	Apparent diffusion coefficient in the posterior limb of the internal capsule predicts outcome after perinatal asphyxia. 2004 , 114, 999-1003	91
1726	NMDA receptors in the developing brain and effects of noxious insults. 2004 , 13, 162-74	34
1725	The effect of blood gas and Apgar score on cord blood cardiac Troponin I. 2004 , 16, 315-319	12
1724	Within-person, among-finger variability of capillary blood glucose measurements. 2004 , 50, 2389-91	4
1723	Visual function at school age in children with neonatal encephalopathy and low Apgar scores. 2004 , 89, F258-62	27
1722	Etiology of Neonatal Seizures. 2004 , 5, e327-e335	2
1721	Serum carnitine levels in newborns with perinatal asphyxia and relation to neurologic prognosis. 2004 , 7, 351-6	5

1720	The effect of blood gas and Apgar score on cord blood cardiac troponin I. 2004 , 16, 315-9	7
1719	Resuscitation beyond 10 minutes of term babies born without signs of life. 2004 , 40, 136-8	28
1718	One-year neurodevelopmental outcome after moderate newborn hypoxic ischaemic encephalopathy. 2004 , 40, 217-20	25
1717	Umbilical artery blood gas parameters in neonates with early onset seizures who die. 2004 , 111, 1042-5	3
1716	Postnatal lactate as an early predictor of short-term outcome after intrapartum asphyxia. 2004 , 24, 16-20	69
1715	The "Bermuda triangle" of neonatal neurology: cerebral palsy, neonatal encephalopathy, and intrapartum asphyxia. 2004 , 11, 24-30	26
1714	Neonatal intensive care neurology. 2004 , 11, 119-28	3
1713	Cerebrospinal fluid and serum vascular endothelial growth factor and nitric oxide levels in newborns with hypoxic ischemic encephalopathy. 2004 , 26, 283-6	33
1712	Brain injury in the term infant. 2004 , 28, 415-24	71
1711	Cerebral blood-flow velocities in predicting outcome of asphyxiated newborn infants. 2004 , 93, 523-8	44
1710	Clinical signs predict 30-month neurodevelopmental outcome after neonatal encephalopathy. 2004 , 190, 93-9	113
1709	The CTG and the timing and mechanism of fetal neurological injuries. 2004 , 18, 437-56	31
1708	The dissociation of perception and cognition in children with early brain damage. 2004 , 26, 81-92	19
1707	Neuron-specific enolase as a marker of the severity and outcome of hypoxic ischemic encephalopathy. 2004 , 26, 398-402	84
1706	Preventing hyperthermia decreases brain damage following neonatal hypoxic-ischemic seizures. 2004 , 1011, 48-57	86
1705	Preterm twins: what threshold of birth weight discordance heralds major adverse neonatal outcome?. 2004 , 191, 1441-5	26
1704	Oxidants and antioxidants in hypoxic ischaemic encephalopathy. 2004 , 19, 32-5	8
1703	Early identification of infants at risk for developmental disabilities. 2004 , 51, 685-701	25

1702	Low Apgar scores and the definition of birth asphyxia. 2004 , 51, 737-45	57
1701	Acute global anoxia during C-section birth affects dopamine-mediated behavioural responses and reactivity to stress. 2004 , 154, 155-64	28
1700	Hypoxic-ischemic encephalopathy: correlation of serial MRI and outcome. 2004 , 31, 267-74	57
1699	Value of biochemical markers for outcome in term infants with asphyxia. 2004 , 31, 326-32	56
1698	Neuroimaging in cerebral palsy. 2004 , 145, S19-27	45
1697	Neonatal brain injury. 2004 , 351, 1985-95	889
1696	S100 protein in serum as a prognostic marker for cerebral injury in term newborn infants with hypoxic ischemic encephalopathy. 2004 , 55, 406-12	84
1695	Cerebrospinal fluid activin a measurement in asphyxiated full-term newborns predicts hypoxic ischemic encephalopathy. 2004 , 50, 2386-9	43
1694	Spectral analysis of burst periods in EEG from healthy and post-asphyctic full-term neonates. 2004 , 115, 2461-6	24
1693	Resuscitation of newborn infants with 100% oxygen or air: a systematic review and meta-analysis. 2004 , 364, 1329-33	278
1692	Study of protein C, protein S, and antithrombin III in hypoxic newborns. 2004 , 5, 163-6	27
1691	Urinary S100B protein measurements: A tool for the early identification of hypoxic-ischemic encephalopathy in asphyxiated full-term infants. 2004 , 32, 131-6	79
1690	Intracranial venous thrombosis after hypoxic-ischemic brain insult in two newborns: could low serum carnitine levels have contributed?. 2004 , 7, 63-5	4
1689	Antenatal risk factors associated with unfavorable neurologic status in newborns and at 2 years of age. 2004 , 19, 116-22	13
1688	Naloxone for preventing morbidity and mortality in newborn infants of greater than 34 weeks' gestation with suspected perinatal asphyxia. 2004 , CD003955	8
1687	Sustained inflations for neonatal resuscitation. 2004 ,	3
1686	Endotracheal intubation versus face mask for newborns resuscitated with positive pressure ventilation at birth. 2004 ,	3
1685	Air versus oxygen for resuscitation of infants at birth. 2004 , CD002273	25

1684	Manual ventilation devices for neonatal resuscitation. 2004,	
1683	Initial hypoglycemia and neonatal brain injury in term infants with severe fetal acidemia. 2004, 114, 361-6	208
1682	Sodium bicarbonate infusion during resuscitation of infants at birth. 2004,	1
1681	Disturbi visivi e oculomotori. 2005, 157-182	
1680	Diagnosi di lesione. 2005, 27-58	
1679	The ratio of flow velocities in the middle cerebral and internal carotid arteries for the prediction of cerebral palsy in term neonates. 2005, 24, 149-53	6
1678	Room air resuscitation versus oxygen resuscitation in the delivery room. 2005, 19, 379-90	8
1677	Cardiotocography versus intermittent auscultation of fetal heart on admission to labour ward for assessment of fetal wellbeing. 2005,	6
1676	Air versus oxygen for resuscitation of infants at birth. 2005, CD002273	100
1675	Neonatal death after hypoxic ischaemic encephalopathy: does a postmortem add to the final diagnoses?. 2005, 112, 935-40	9
1674	Risk factors associated with subaponeurotic haemorrhage in full-term infants exposed to vacuum extraction. 2005, 112, 1516-21	45
1673	Antenatal antecedents of moderate or severe neonatal encephalopathy in term infants--a regional review. 2005, 45, 207-10	26
1672	Comparison of serum cardiac troponin T and creatine kinase MB isoenzyme mass concentrations in asphyxiated term infants during the first 48 h of life. 2005, 41, 331-7	29
1671	Neonatal seizures: have we got the treatment right?. 2005, 41, 311-2	3
1670	Routine neonatal postextubation chest physiotherapy: a randomized controlled trial. 2005, 41, 592-7	13
1669	Low adjusted serum ionized calcium concentration shortly after birth predicts poor outcome in neonatal hypoxic-ischemic encephalopathy. 2005, 31, 57-64	7
1668	Combination of early perinatal factors to identify near-term and term neonates for neuroprotection. 2005, 25, 245-50	16
1667	Thrombopoietin level is increased in the serum of asphyxiated neonates: a prospective controlled study. 2005, 25, 320-4	12

1666	Depression at birth in term infants exposed to maternal chorioamnionitis: does neonatal fever play a role?. 2005 , 25, 447-52	25
1665	Troponin-T levels in perinatally asphyxiated infants during the first 15 days of life. 2005 , 94, 1638-43	35
1664	Chemical shift imaging and localised magnetic resonance spectroscopy in full-term asphyxiated neonates. 2005 , 35, 998-1005	17
1663	Induced hypothermia: a novel neuroprotective treatment of neonatal encephalopathy after intrapartum hypoxia-ischemia. 2005 , 7, 451-8	5
1662	Central Nervous System Injury and Neuroprotection. 2005 , 965-992	2
1661	Variability in the Management of Bronchiolitis in Children's Hospitals. 2005 , 14, 20-21	
1660	The Role of the Intrauterine and Perinatal Environment in Cerebral Palsy. 2005 , 6, e133-e140	3
1659	Selective Head Cooling After Neonatal Encephalopathy. 2005 , 14, 19-20	
1658	Room air vs. 100 per cent oxygen for neonatal resuscitation: a controlled clinical trial. 2005 , 51, 206-11	29
1657	Managing the baby with a patent ductus arteriosus. More questions than answers?. 2005 , 90, F190	7
1656	Diffusion tensor imaging on teenagers, born at term with moderate hypoxic-ischemic encephalopathy. 2005 , 58, 936-40	27
1655	Electroencephalographic changes after pediatric cardiac surgery with cardiopulmonary bypass: is slow wave activity unfavorable?. 2005 , 58, 771-8	15
1654	Participation in multiple neonatal research studies. 2005 , 90, F191	2
1653	Sleep-wake cycling on amplitude-integrated electroencephalography in term newborns with hypoxic-ischemic encephalopathy. 2005 , 115, 327-32	158
1652	Ante- and perinatal factors for cerebral palsy: case-control study in Estonia. 2005 , 20, 654-60	27
1651	Prevalence, causes, and outcome at 2 years of age of newborn encephalopathy. 2005 , 90, F193-4	20
1650	Standardised feeding regimens: hope for reducing the risk of necrotising enterocolitis. 2005 , 90, F192-3	6
1649	Recovery of amplitude integrated electroencephalographic background patterns within 24 hours of perinatal asphyxia. 2005 , 90, F245-51	127

1648	Neuropsychological and educational problems at school age associated with neonatal encephalopathy. 2005 , 90, F380-7	224
1647	Response to resuscitation of the newborn: Early prognostic variables. 2005 , 94, 890-895	26
1646	Alterations in antioxidant enzyme activities in cerebrospinal fluid related with severity of hypoxic ischemic encephalopathy in newborns. 2005 , 88, 87-91	17
1645	Early diffusion-weighted MRI and 1H-Magnetic Resonance Spectroscopy in asphyxiated full-term neonates. 2005 , 88, 306-12	53
1644	Fluid restriction for term infants with hypoxic-ischaemic encephalopathy following perinatal asphyxia. 2005 , CD004337	18
1643	Selective head cooling with mild systemic hypothermia after neonatal encephalopathy: multicentre randomised trial. 2005 , 365, 663-70	1465
1642	Selective head cooling after neonatal encephalopathy. 2005 , 365, 1619-1620	20
1641	Infraslow EEG activity in burst periods from post asphyctic full term neonates. 2005 , 116, 1501-6	24
1640	Spinal motor neuron excitability in newborns following fetal distress: sub-clinical depression revealed by soleus H-reflex. 2005 , 116, 2342-7	6
1639	Prevalence, causes, and outcome at 2 years of age of newborn encephalopathy: population based study. 2005 , 90, F257-61	120
1638	A randomized controlled trial of phenobarbital in neonates with hypoxic ischemic encephalopathy. 2005 , 18, 391-5	23
1637	Complement component 9 activation, consumption, and neuronal deposition in the post-hypoxic-ischemic central nervous system of human newborn infants. 2005 , 378, 1-6	23
1636	Neonatal renal venous thrombosis: clinical outcomes and prevalence of prothrombotic disorders. 2005 , 146, 811-6	93
1635	Severe fetal acidemia and subsequent neonatal encephalopathy in the larger premature infant. 2005 , 32, 25-9	51
1634	Postneonatal epilepsy following amplitude-integrated EEG-detected neonatal seizures. 2005 , 32, 241-7	98
1633	Chorioamnionitis and neonatal encephalopathy in term infants with fetal acidemia: histopathologic correlations. 2005 , 33, 162-5	14
1632	The internal capsule in neonatal imaging. 2005 , 10, 461-74	66
1631	Hypoxic-ischemic encephalopathy in infants: new challenges. 2005 , 24, 105-20	10

1630	Neugeborenen-intensivmedizin. 2006,	2
1629	Postasphyxial hypoxic-ischemic encephalopathy in neonates: outcome prediction rule within 4 hours of birth. 2006, 160, 729-36	57
1628	Teenage outcome after being born at term with moderate neonatal encephalopathy. 2006, 35, 268-74	74
1627	Intrapartum asphyxia and cerebral palsy: is there a link?. 2006, 33, 335-53	39
1626	Modest hypothermia as a neuroprotective strategy in high-risk term infants. 2006, 33, 169-82, ix	11
1625	Hypothermia: a neuroprotective therapy for neonatal hypoxic-ischemic encephalopathy. 2006, 117, 942-8	54
1624	C-section birth per se or followed by acute global asphyxia altered emotional behaviour in neonate and adult rats. 2006, 168, 56-63	31
1623	Amplitude-integrated electroencephalography: a tool for monitoring silent seizures in neonates. 2006, 34, 194-9	21
1622	Predictive value of amplitude-integrated electroencephalography pattern and voltage in asphyxiated term infants. 2006, 35, 335-42	53
1621	S100B protein related neonatal hypoxia. 2006, 64, 24-9	10
1620	[Investigation of neurodevelopment delay etiology: resources and challenges]. 2006, 64, 466-72	2
1619	GOBIERNO DEL PARTO EN EL HOSPITAL PADRE HURTADO: UN MODELO PARA CONTENER LA TASA DE CESÁREA Y PREVENIR LA ENCEFALOPATÍA HIPÓXICO-ISQUÉMICA. 2006, 71, 196	0
1618	Comparison of chronological and corrected ages in the gross motor assessment of low-risk preterm infants during the first year of life. 2006, 64, 418-25	26
1617	Sodium bicarbonate infusion during resuscitation of infants at birth. 2006, CD004864	14
1616	Follow-up of the term infant after hypoxic-ischemic encephalopathy. 2006,	3
1615	Autism following a history of newborn encephalopathy: more than a coincidence?. 2006, 48, 85-9	47
1614	Brain and cognitive-behavioural development after asphyxia at term birth. 2006, 9, 350-8	116
1613	Does training in obstetric emergencies improve neonatal outcome?. 2006, 113, 177-82	395

1612	Predictors of respiratory depression at birth in the term infant. 2006 , 113, 769-74	14
1611	Mild hypothermia via selective head cooling as neuroprotective therapy in term neonates with perinatal asphyxia: an experience from a single neonatal intensive care unit. 2006 , 26, 180-4	97
1610	Some like it cool: hypothermia for newborn infants with hypoxic ischemic encephalopathy. 2006 , 26, 144-6	4
1609	Planned cesarean versus planned vaginal delivery at term: comparison of newborn infant outcomes. 2006 , 195, 1538-43	113
1608	Hypothermic neuroprotection. 2006 , 3, 154-69	179
1607	IL-1beta, IL-6 and TNF-alpha and outcomes of neonatal hypoxic ischemic encephalopathy. 2006 , 28, 178-82	134
1606	Excitatory amino acids and magnesium sulfate in neonatal asphyxia. 2006 , 28, 375-9	34
1605	Transplantation of multipotent astrocytic stem cells into a rat model of neonatal hypoxic-ischemic encephalopathy. 2006 , 1112, 99-105	40
1604	Dynamics of hepatic enzyme activity following birth asphyxia. 2006 , 95, 1405-11	28
1603	The child with cerebral palsy: diagnosis and beyond. 2006 , 13, 286-96	12
1602	Lactate: creatinine ratio in babies with thin meconium staining of amniotic fluid. 2006 , 6, 13	9
1601	Air versus oxygen for resuscitation of infants at birth. 2006 , 1, 331-350	
1600	Term neonate prognoses after perinatal asphyxia: contributions of MR imaging, MR spectroscopy, relaxation times, and apparent diffusion coefficients. 2006 , 239, 839-48	133
1599	Clinical concepts of futility and ethically justified limits on neonatal care: a case presentation of an infant with Apgar scores of 0 at 1, 5, and 10 minutes. 2006 , 23, 159-62	2
1598	Serial quantitative diffusion tensor MRI of the term neonates with hypoxic-ischemic encephalopathy (HIE). 2006 , 37, 337-43	36
1597	Neonatal subgaleal hematoma: presentation and outcome--radiological findings and factors associated with mortality. 2006 , 23, 41-8	57
1596	Sequential neurological examinations in infants with neonatal encephalopathy and low apgar scores: relationship with brain MRI. 2006 , 37, 148-53	21
1595	Imaging the Central Nervous System of the Fetus and Neonate. 2006 ,	1

1594	Cerebral oxygenation and electrical activity after birth asphyxia: their relation to outcome. 2006 , 117, 333-9	186
1593	Xenon provides short-term neuroprotection in neonatal rats when administered after hypoxia-ischemia. 2006 , 37, 501-6	165
1592	Magnetic resonance imaging of neonatal encephalopathy at 4.7 tesla: initial experiences. 2006 , 118, e1812-21	10
1591	Use of 2-channel bedside electroencephalogram monitoring in term-born encephalopathic infants related to cerebral injury defined by magnetic resonance imaging. 2006 , 118, 47-55	46
1590	Prediction of seizures in asphyxiated neonates: correlation with continuous video-electroencephalographic monitoring. 2006 , 118, 41-6	54
1589	Predicting outcomes of neonates diagnosed with hypoxemic-ischemic encephalopathy. 2006 , 118, 2084-93	97
1588	Does perinatal asphyxia impair cognitive function without cerebral palsy?. 2006 , 91, F454-9	121
1587	A simple method for DNA isolation from clotted blood extricated rapidly from serum separator tubes. 2007 , 53, 522-4	16
1586	Systemic hypothermia to decrease morbidity of hypoxic-ischemic brain injury. 2007 , 27, S47-S58	5
1585	Neonatal Neurologic Consultations: Integration With Maternal-fetal Medicine and Long-term Outcome. 2007 , 8, e435-e444	
1584	Long-term prognosis in children with neonatal seizures: a population-based study. 2007 , 69, 1816-22	219
1583	Perinatal asphyxia may cause reduction in CSF dopamine metabolite concentrations. 2007 , 69, 311-3	5
1582	The sex differences of cerebrospinal fluid levels of interleukin 8 and antioxidants in asphyxiated newborns. 2007 , 28, 154-9	13
1581	Prediction of short-term neurological outcome in full-term neonates with hypoxic-ischaemic encephalopathy based on combined use of electroencephalogram and neuro-imaging. 2007 , 38, 219-27	42
1580	Neonatal encephalopathy is associated with altered perinatal systemic neutrophil apoptosis. 2007 , 24, 525-30	7
1579	Relationship between electroencephalography and magnetic resonance imaging findings after hypoxic-ischemic encephalopathy at term. 2007 , 24, 467-73	30
1578	Acutely and retrospectively diagnosed perinatal stroke: a population-based study. 2007 , 38, 2234-40	121
1577	Motor outcome at the age of one after perinatal hypoxic-ischemic encephalopathy. 2007 , 38, 71-7	18

1576	Hepatic involvement in perinatal asphyxia. 2007 , 20, 407-10	16
1575	Hypothermia to treat neonatal hypoxic ischemic encephalopathy: systematic review. 2007 , 161, 951-8	136
1574	Neurodevelopmental outcome in term infants with status epilepticus detected with amplitude-integrated electroencephalography. 2007 , 120, e354-63	48
1573	Comparison of continuous drip of midazolam or lidocaine in the treatment of intractable neonatal seizures. 2007 , 22, 255-9	42
1572	High urinary concentrations of activin A in asphyxiated full-term newborns with moderate or severe hypoxic ischemic encephalopathy. 2007 , 53, 520-2	36
1571	Anticonvulsants for preventing mortality and morbidity in full term newborns with perinatal asphyxia. 2007 , CD001240	40
1570	References. 2007 , 29, S50-S56	
1569	Effect of allopurinol supplementation on nitric oxide levels in asphyxiated newborns. 2007 , 36, 17-24	61
1568	[Management of neonatal seizures]. 2007 , 14, 1137-51	7
1567	How often is a low 5-min Apgar score in term newborns due to asphyxia?. 2007 , 130, 169-75	60
1566	Cooling for newborns with hypoxic ischaemic encephalopathy. 2007 , CD003311	213
1565	Amplitude-integrated EEG is useful in predicting neurodevelopmental outcome in full-term infants with hypoxic-ischemic encephalopathy: a meta-analysis. 2007 , 22, 1069-78	154
1564	Determinants of outcomes after head cooling for neonatal encephalopathy. 2007 , 119, 912-21	262
1563	Neonatal aspects of the relationship between intrapartum events and cerebral palsy. 2007 , 34, 439-49	7
1562	Hypoxic ischaemic encephalopathy. 2007 , 17, 47-57	3
1561	Room air resuscitation of the depressed newborn: a systematic review and meta-analysis. 2007 , 72, 353-63	139
1560	Value of the urinary uric acid to creatinine ratio in term infants with perinatal asphyxia. 1998 , 40, 78-81	14
1559	The ADIPS pilot National Diabetes in Pregnancy Audit Project. 2007 , 47, 198-206	10

1558	Development of postural adjustments during reaching in infants with CP. 2007 , 41, 766-776	2
1557	Quality of general movements in infancy is related to neurological dysfunction, ADHD, and aggressive behaviour. 2007 , 41, 381-391	3
1556	Relation between visual perceptual impairment and neonatal ultrasound diagnosis of haemorrhagic-ischaeamic brain lesions in 5-year-old children. 2007 , 42, 376-386	0
1555	Cytochrome oxidase deficiency presenting as birth asphyxia. 2007 , 42, 414-417	
1554	Birth defects in children with newborn encephalopathy. 2007 , 42, 803-808	34
1553	Whole-body cooling after perinatal asphyxia: a pilot study in term neonates. 2007 , 45, 17-23	53
1552	Neurobehavioural profile of low-birthweight infants with cystic periventricular leukomalacia. 2007 , 47, 221-228	
1551	Cerebral palsy following term newborn encephalopathy: a population-based study. 2007 , 47, 293-298	3
1550	Is intrapartum asphyxia preventable?. 2007 , 114, 1442-4	21
1549	Induction of labour versus expectant management in women with preterm prelabour rupture of membranes between 34 and 37 weeks (the PPRMEXIL-trial). 2007 , 7, 11	35
1548	A systematic review of cooling for neuroprotection in neonates with hypoxic ischemic encephalopathy - are we there yet?. 2007 , 7, 30	79
1547	Power spectral analysis of two-channel EEG in hypoxic-ischaemic encephalopathy. 2007 , 83, 379-83	9
1546	Can tissue oxygenation index (TOI) and cotside neurophysiological variables predict outcome in depressed/asphyxiated newborn infants?. 2007 , 83, 483-9	27
1545	Incidence and risk factors for cerebral palsy in infants with perinatal problems: a 15-year review. 2007 , 83, 541-7	70
1544	The development of vision. 2007 , 83, 795-800	18
1543	Clinical application of the measurement of cord plasma lactate and pyruvate in the assessment of high-risk neonates. 2007 , 87, 764-768	24
1542	Optimality of the birth population reduces learning and behaviour disorders and sudden infant death after the first month. 1999 , 88, 9-28	10
1541	Clinical predictors of outcome following mild and moderate neonatal encephalopathy in term newborns in Kathmandu, Nepal. 2007 , 90, 316-322	0

1540	Whole blood ionized magnesium in neonatal acidosis and preterm infants: a prospective consecutive study. 2007 , 90, 1398-1401	9
1539	Brain-specific proteins in the cerebrospinal fluid of severely asphyxiated newborn infants. 2007 , 90, 1171-1175	76
1538	Follow-up into young adulthood after cardiopulmonary resuscitation in term and near-term newborn infants. I. Educational achievements and social adjustment. 2007 , 91, 1212-1217	10
1537	Follow-up into young adulthood after cardiopulmonary resuscitation in term and near-term newborn infants. II. Neuropsychological consequences. 2007 , 91, 1218-1226	10
1536	Score of neonatal acute physiology as a measure of illness severity in mechanically ventilated term babies. 2007 , 91, 415-423	8
1535	Effect of perinatal asphyxia on thyroid-stimulating hormone and thyroid hormone levels. 2007 , 92, 339-345	19
1534	Recovery of metabolic acidosis in term infants with postasphyxial hypoxic-ischemic encephalopathy*. 2007 , 92, 941-947	17
1533	One-third of term babies after perinatal hypoxia-ischaemia have transient hearing impairment: dynamic change in hearing threshold during the neonatal period. 2007 , 93, 82-87	27
1532	Midazolam and amplitude-integrated EEG in asphyxiated full-term neonates. 2007 , 93, 1221-1227	60
1531	Response to resuscitation of the newborn: early prognostic variables. 2005 , 94, 890-5	30
1530	An algorithm for the automatic detection of seizures in neonatal amplitude-integrated EEG. 2007 , 96, 674-80	23
1529	Differential gene expression of somatotrophic and growth factors in response to in vivo hypoxia in human placenta. 2007 , 197, 601.e1-6	26
1528	Intrapartum electronic fetal heart rate monitoring and the identification of metabolic acidosis and hypoxic-ischemic encephalopathy. 2007 , 197, 301.e1-8	46
1527	Long-term cognitive and behavioral consequences of neonatal encephalopathy following perinatal asphyxia: a review. 2007 , 166, 645-54	230
1526	New concepts in perinatal hypoxia ischemia encephalopathy. 2008 , 8, 130-8	20
1525	Post-resuscitation management of asphyxiated neonates. 2008 , 75, 175-80	12
1524	A study of acute febrile encephalopathy with special reference to viral etiology. 2008 , 75, 801-5	43
1523	Changes in red cell phosphate metabolism of preterm and fullterm infants with perinatal problems during their first month of life. 2008 , 167, 211-8	1

1522	A prediction score model for risk factors of mortality in neonate with pulmonary hemorrhage: the experience of single neonatal intensive care unit in Southwest China. 2008 , 43, 997-1003	3
1521	Cochrane Review: Cooling for newborns with hypoxic ischaemic encephalopathy. 2008 , 3, 1049-1115	8
1520	Can urinary excretion rate of malondialdehyde, uric acid and protein predict the severity and impending death in perinatal asphyxia?. 2008 , 41, 968-73	20
1519	Moderate neonatal encephalopathy: pre- and perinatal risk factors and long-term outcome. 2008 , 87, 503-9	45
1518	A systematic review of the role of intrapartum hypoxia-ischemia in the causation of neonatal encephalopathy. 2008 , 199, 587-95	360
1517	Relation of deranged neonatal cerebral oxidative metabolism with neurodevelopmental outcome and head circumference at 4 years. 1997 , 39, 718-25	125
1516	Visual, cognitive, and neurodevelopmental outcome at 5 1/2 years in children with perinatal haemorrhagic-ischaemic brain lesions. 1998 , 40, 820-8	12
1515	Visual outcome at 5 years of newborn infants at risk of cerebral visual impairment. 1998 , 40, 302-9	32
1514	Assessment of gross motor skills of at-risk infants: predictive validity of the Alberta Infant Motor Scale. 1998 , 40, 485-91	152
1513	Systemic hypothermia in infants with hypoxic-ischaemic encephalopathy: a French pilot study. 2001 , 86, 32	1
1512	Use of the Ages and Stages Questionnaire to predict outcome after hypoxic-ischaemic encephalopathy in the neonate. 2008 , 44, 590-5	35
1511	Kinetics of serum S100B in newborns with intracranial lesions. 2008 , 50, 17-22	29
1510	The impact of Neonatal Resuscitation Program courses on mortality and morbidity of newborn infants with perinatal asphyxia. 2008 , 30, 43-6	41
1509	Reduction in cerebral blood flow volume in infants complicated with hypoxic ischemic encephalopathy resulting in cerebral palsy. 2008 , 30, 246-53	7
1508	Ictal electroencephalographic findings of neonatal seizures in preterm infants. 2008 , 30, 261-8	22
1507	Delayed neurological signs following isolated parasagittal injury in asphyxia at term. 2008 , 12, 359-65	13
1506	Low Apgar score without acidosis may indicate neuromuscular disorder. 2008 , 84, 673-9	2
1505	The IUGR newborn. 2008 , 32, 219-24	202

1504	Consequences of neonatal resuscitation with supplemental oxygen. 2008 , 32, 355-66	9
1503	Amplitude-integrated electroencephalographic changes in a newborn induced by overdose of morphine and corrected with naloxone. 2008 , 97, 132-4	15
1502	Therapeutic hypothermia changes the prognostic value of clinical evaluation of neonatal encephalopathy. 2008 , 152, 55-8, 58.e1	125
1501	Proton magnetic resonance spectroscopy in neonates with hypoxic-ischemic injury and its prognostic value. 2008 , 152, 225-32	25
1500	Hypothermia for hypoxic-ischemic encephalopathy. 2008 , 35, 717-34, vi	28
1499	Définition de l'asphyxie intrapartum et conséquences sur le devenir. 2008 , 7, 79-86	3
1498	Hypoxic-ischemic injury in neonatal brain: involvement of a novel neuronal molecule in neuronal cell death and potential target for neuroprotection. 2008 , 26, 93-101	47
1497	[Definition of intrapartum asphyxia and effects on outcome]. 2008 , 37 Suppl 1, S7-15	18
1496	[Acute renal failure in full term neonates with perinatal asphyxia. Prospective study of 87 cases]. 2008 , 15, 229-35	20
1495	Magnetic resonance imaging in children with bilateral spastic forms of cerebral palsy. 2008 , 38, 321-8	10
1494	Prognostic value of electroencephalograms in asphyxiated newborns treated with hypothermia. 2008 , 39, 317-24	42
1493	Neonatal Hypertonia: II. differential diagnosis and proposed neuroprotection. 2008 , 39, 373-80	9
1492	Perinatal asphyxia: factors which predict developmental outcome. 1980 , 22, 102-4	5
1491	A study of institutionalized mentally retarded patients in Manitoba. I: Classification and preventability. 1980 , 22, 145-62	21
1490	Behavioural changes and bioelectric brain maturation of preterm and fullterm newborn infants: a polygraphic study. 1982 , 24, 30-47	25
1489	Cerebral function monitor in the neonate. II: Birth asphyxia. 1984 , 26, 162-8	40
1488	Hypoxic-ischaemic cerebral injury in the term newborn: correlation of CT findings with neurological outcome. 1985 , 27, 155-60	42
1487	Term infants with hypoxic-ischemic encephalopathy: outcome at 3.5 years. 1985 , 27, 473-84	226

1486	Early predictors of one-year outcome for infants asphyxiated at birth. 1986 , 28, 303-9	33
1485	Birth asphyxia in the fullterm newborn: early assessment and outcome. 1986 , 28, 671-82	101
1484	Significance of seizures in very low-birthweight infants. 1988 , 30, 162-9	27
1483	Cerebral blood-flow velocity during the first week of life of preterm infants and neurodevelopment at two years. 1989 , 31, 320-8	16
1482	Post-asphyxial encephalopathy in a preterm infant. 1989 , 31, 395-7	4
1481	Power spectral analysis of the EEG of term infants following birth asphyxia. 1990 , 32, 990-8	32
1480	Cerebral palsy in Saudi Arabia: a case-control study of risk factors. 1991 , 33, 1048-52	32
1479	Genetic aspects of cerebral palsy. 1992 , 34, 80-6	32
1478	Antecedents and outcome of simple and complex febrile convulsions among Saudi children. 1992 , 34, 1085-90	19
1477	Relation between cerebral oxidative metabolism following birth asphyxia, and neurodevelopmental outcome and brain growth at one year. 1992 , 34, 285-95	159
1476	Prognostic reliability of somatosensory and visual evoked potentials of asphyxiated term infants. 1992 , 34, 507-15	81
1475	Neurological findings in newborn infants after extracorporeal membrane oxygenation, with special reference to the EEG. 1993 , 35, 249-57	14
1474	Proton spectroscopy of the neonatal brain following hypoxic-ischaemic injury. 1993 , 35, 502-10	71
1473	Cranial ultrasound and magnetic resonance imaging in hypoxic-ischaemic encephalopathy: a comparison with outcome. 1994 , 36, 813-25	75
1472	Relation between neonatal cranial ultrasound abnormalities and cerebral visual impairment in infancy. 1994 , 36, 3-15	49
1471	Dyskinetic cerebral palsy and birth asphyxia. 1994 , 36, 285-9	34
1470	CHILDREN WHO DEVELOP EPILEPSY IN THE FIRST YEAR OF LIFE: A PROSPECTIVE STUDY. 2008 , 36, 344-350	
1469	Haemorrhagic-ischaemic lesions of the neonatal brain: correlation between cerebral visual impairment, neurodevelopmental outcome and MRI in infancy. 1995 , 37, 41-55	66

1468	Bilateral spastic cerebral palsy--a collaborative study between southwest Germany and western Sweden. III: Aetiology. 1995 , 37, 191-203	37
1467	Factors associated with umbilical artery acidemia in term infants with low Apgar scores at 5 min. 2008 , 139, 146-50	57
1466	Differentiation between peritrigonal terminal zones and hypoxic-ischemic white matter injury on MRI. 2008 , 65, 395-401	7
1465	[D. Philopoulos answers C. Racinet with regard to his article: is cerebral palsy preventable?]. 2008 , 36, 494-8	
1464	Elevated morphine concentrations in neonates treated with morphine and prolonged hypothermia for hypoxic ischemic encephalopathy. 2008 , 121, e844-9	117
1463	Outcomes of safety and effectiveness in a multicenter randomized, controlled trial of whole-body hypothermia for neonatal hypoxic-ischemic encephalopathy. 2008 , 122, e791-8	125
1462	On the nature of nonverbal working memory fractionation: a case of selective spatial short-term memory deficit in a child. 2008 , 14, 438-52	2
1461	Neurologic sequelae of neonatal hypoglycemia in Kayseri, Turkey. 2008 , 23, 1406-12	9
1460	Timing of neonatal seizures and intrapartum obstetrical factors. 2008 , 23, 640-3	7
1459	The association of hypotonia and depression in the term and near-term neonate with metabolic acidemia. 2008 , 36, 151-6	5
1458	High-energy and -protein diet increases brain and corticospinal tract growth in term and preterm infants after perinatal brain injury. 2008 , 121, 148-56	58
1457	Neonatal outcomes with caesarean delivery at term. 2008 , 93, F176-82	46
1456	Biochemical markers of neonatal hypoxia. 2008 , 2, 485-501	6
1455	Fetal electrocardiographic monitoring during labor in relation to cord blood levels of the brain-injury marker protein S-100. 2008 , 36, 136-41	4
1454	The combined detection of umbilical cord nucleated red blood cells and lactate: early prediction of neonatal hypoxic ischemic encephalopathy. 2008 , 36, 240-7	17
1453	Resuscitation of newborn infants with 21% or 100% oxygen: an updated systematic review and meta-analysis. 2008 , 94, 176-82	247
1452	Strategies for the management of neonatal hypoxic-ischemic brain injury. 2008 , 3, 379-389	
1451	Patterns of brain injury in neonates exposed to perinatal sentinel events. 2008 , 121, 906-14	220

1450	Patterns of brain injury and outcome in term neonates presenting with postnatal collapse. 2009 , 94, F168-77	18
1449	Is there a way to predict outcome in (near) term neonates with hypoxic-ischemic encephalopathy based on MR imaging?. 2008 , 29, 1789-94	21
1448	Hypoxic-ischemic encephalopathy: diagnostic value of conventional MR imaging pulse sequences in term-born neonates. 2008 , 247, 204-12	40
1447	Diffusion-weighted and conventional MR imaging in neonatal hypoxic ischemia: two-year follow-up study. 2008 , 249, 631-9	51
1446	Should amplitude-integrated electroencephalography be used to identify infants suitable for hypothermic neuroprotection?. 2008 , 28, 117-22	60
1445	Hypothermia and hypoxic-ischemic encephalopathy: guideline development using the best evidence. 2008 , 27, 271-86	4
1444	Determination of pH or lactate in fetal scalp blood in management of intrapartum fetal distress: randomised controlled multicentre trial. 2008 , 336, 1284-7	101
1443	Hypothermia: a cool intervention for hypoxic-ischemic encephalopathy. 2008 , 21, 42, 44-7	3
1442	Specialty teams for neonatal transport to neonatal intensive care units for prevention of morbidity and mortality. 2008 ,	3
1441	Safety of deep hypothermia in treating neonatal asphyxia. 2008 , 93, 230-5	30
1440	Corpus callosum size in relation to motor performance in 9- to 10-year-old children with neonatal encephalopathy. 2008 , 63, 103-8	30
1439	Active versus expectant management for women in the third stage of labour. 2008 ,	10
1438	Timing of injury in the fetus and neonate. 2008 , 20, 175-81	24
1437	The baby who was depressed at birth. 130-172	
1436	Endogenous and exogenous neuroprotective mechanisms after hypoxic-ischemic injury. 485-498	
1435	Neurocognitive outcomes of term infants with perinatal asphyxia. 575-584	
1434	Clinical manifestations of hypoxic-ischemic encephalopathy. 187-195	
1433	Diagnostic accuracy of S100B urinary testing at birth in full-term asphyxiated newborns to predict neonatal death. 2009 , 4, e4298	36

1432	Acupuncture for hypoxic ischemic encephalopathy in neonates. 2009 ,	1
1431	Timing of indicated delivery after antenatal steroids in preterm pregnancies with severe hypertension. 2009 , 28, 63-75	3
1430	Neonatal asphyxia and forensic medicine. 2009 , 22 Suppl 3, 54-6	11
1429	Early EEG findings in hypoxic-ischemic encephalopathy predict outcomes at 2 years. 2009 , 124, e459-67	183
1428	Erythropoietin improved neurologic outcomes in newborns with hypoxic-ischemic encephalopathy. 2009 , 124, e218-26	250
1427	Outcome of neonates with hypoxic ischaemic encephalopathy admitted to the neonatal unit of the University Hospital of the West Indies. 2009 , 29, 263-9	1
1426	Treatment of asphyxiated newborns with moderate hypothermia in routine clinical practice: how cooling is managed in the UK outside a clinical trial. 2009 , 94, F260-4	89
1425	Maternal and perinatal outcomes with increasing duration of the second stage of labor. 2009 , 113, 1248-1258	171
1424	The role of complement in neurodevelopmental impairment following neonatal hypoxic-ischemic encephalopathy. 2009 , 26, 659-65	7
1423	Systemic hypothermia induced within 10 hours after birth improved neurological outcome in newborns with hypoxic-ischemic encephalopathy. 2009 , 37, 147-52	26
1422	Fetal heart rate patterns in neonatal hypoxic-ischemic encephalopathy: relationship with early cerebral activity and neurodevelopmental outcome. 2009 , 26, 605-12	20
1421	Outcome of term infants using apgar scores at 10 minutes following hypoxic-ischemic encephalopathy. 2009 , 124, 1619-26	119
1420	Do apparent diffusion coefficient measurements predict outcome in children with neonatal hypoxic-ischemic encephalopathy?. 2009 , 30, 264-70	55
1419	Evolving understanding of hypoxic-ischemic encephalopathy in the term infant. 2009 , 16, 216-25	56
1418	The prognostic value of the EEG in asphyxiated newborns. 1995 , 91, 203-7	53
1417	Low cerebral blood flow velocity and head circumference in infants with severe hypoxic ischemic encephalopathy and poor outcome. 2009 , 98, 459-65	16
1416	Quality of general movements in term infants with asphyxia. 2009 , 85, 7-12	17
1415	Clinical aspects of induced hypothermia in full term neonates with perinatal asphyxia. 2009 , 85, 73-6	21

1414	Magnetic resonance imaging of the brain in newborn infants: practical aspects. 2009 , 85, 85-92	45
1413	Confidential enquiries into hypoxic ischaemic encephalopathy. 2009 , 23, 357-68	9
1412	Severe chronic morbidity following childbirth. 2009 , 23, 401-23	8
1411	Development of epilepsy in newborns with moderate hypoxic-ischemic encephalopathy and neonatal seizures. 2009 , 31, 64-8	37
1410	Changes in cerebral hemodynamics and amplitude integrated EEG in an asphyxiated newborn during and after cool cap treatment. 2009 , 31, 442-4	33
1409	Vascular endothelial growth factor in neonates with perinatal asphyxia. 2009 , 31, 600-4	24
1408	A review of developmental outcomes of term infants with post-asphyxia neonatal encephalopathy. 2009 , 13, 224-34	83
1407	Umbilical artery blood S100beta protein: a tool for the early identification of neonatal hypoxic-ischemic encephalopathy. 2009 , 168, 71-7	28
1406	Contribution of the blood glucose level in perinatal asphyxia. 2009 , 168, 833-8	44
1405	Perinatal Hypoxic-Ischemic Encephalopathy: epileptic and paretic outcome at one year of age. 2009 , 35, 14	6
1404	Can parents accurately screen children at risk of developmental delay?. 2009 , 45, 268-73	8
1403	Metabolic acidosis at birth and suboptimal care--illustration of the gap between knowledge and clinical practice. 2009 , 116, 1453-60	33
1402	Induced hypothermia for infants with hypoxic- ischemic encephalopathy using a servo-controlled fan: an exploratory pilot study. 2009 , 123, e1090-8	33
1401	Advanced neuroimaging techniques for the term newborn with encephalopathy. 2009 , 40, 181-8	34
1400	Systematic review of biomarkers of brain injury in term neonatal encephalopathy. 2009 , 40, 215-26	110
1399	Motor potentials by magnetic stimulation in periventricular leukomalacia. 2009 , 40, 282-8	6
1398	Seizures are common in term infants undergoing head cooling. 2009 , 41, 327-31	23
1397	The spectrum of abnormal neurologic outcomes subsequent to term intrapartum asphyxia. 2009 , 41, 399-405	53

1396	Two million intrapartum-related stillbirths and neonatal deaths: where, why, and what can be done?. 2009 , 107 Suppl 1, S5-18, S19	316
1395	Technological Innovations. 2009 , 15, 142-146	
1394	[Moderate cerebral hypothermia in hypoxic-ischaemic encephalopathy: A new challenge in neonatal care]. 2009 , 71, 281-3	5
1393	[Neonatal hypoxic-ischemic encephalopathy: Incidence and prevalence in the first decade of the 21st century]. 2009 , 71, 319-26	13
1392	Use of therapeutic hypothermia for term infants with hypoxic-ischemic encephalopathy. 2009 , 56, 601-16, Table of Contents	22
1391	Assessment of myocardial dysfunction in neonates with hypoxic-ischemic encephalopathy: is it a significant predictor of mortality?. 2009 , 22, 239-42	39
1390	Ascorbic acid combined with ibuprofen in hypoxic ischemic encephalopathy: a randomized controlled trial. 2009 , 29, 438-43	17
1389	Neonatal brain imaging and the identification of metabolic acidemia and hypoxic-ischemic encephalopathy. 2009 , 22, 823-8	5
1388	Resuscitation at birth and long-term follow-up. 2009 , 373, 1581-2	7
1387	Resuscitation at birth and cognition at 8 years of age: a cohort study. 2009 , 373, 1615-22	106
1386	Delivery room management of the newborn. 2009 , 56, 515-35, Table of Contents	53
1385	Neuron-specific enolase and S-100B are associated with neurologic outcome after pediatric cardiac arrest. 2009 , 10, 479-90	57
1384	Changes in cerebral and visceral blood flow velocities in asphyxiated term neonates with hypoxic-ischemic encephalopathy. 2009 , 28, 1471-80	18
1383	The effects of thyroxine on end organ damage in asphyxiated neonates. 2009 ,	
1382	Neonatal encephalopathy: epidemiology and overview. 1-13	1
1381	Medico-Legal Evaluation of Fatal Perinatal Asphyxia. 2009 , 5, 79-84	1
1380	Cardiotocography plus ST analysis of fetal electrocardiogram compared with cardiotocography only for intrapartum monitoring: a randomized controlled trial. 2010 , 115, 1173-1180	85
1379	Respiratory function monitoring to reduce mortality and morbidity in newborn infants receiving resuscitation. 2010 , CD008437	9

1378	Late preterm delivery in women with preterm prelabour rupture of membranes. 2010 , 32, 555-560	9
1377	Erythropoietin for term and late preterm infants with hypoxic ischemic encephalopathy. 2010 ,	8
1376	Respiratory function monitoring to reduce mortality and morbidity in newborn infants receiving resuscitation. 2010 ,	2
1375	Active versus expectant management for women in the third stage of labour. 2010 , CD007412	48
1374	Preconditioning and postinsult therapies for perinatal hypoxic-ischemic injury at term. 2010 , 113, 233-49	42
1373	Relation between umbilical cord blood pH, base deficit, lactate, 5-minute Apgar score and development of hypoxic ischemic encephalopathy. 2010 , 89, 1263-9	50
1372	MR imaging of term infants with hypoxic-ischaemic encephalopathy as a predictor of neurodevelopmental outcome and late MRI appearances. 2010 , 40, 1526-35	65
1371	Peripartum bilateral uterine rupture in a patient with mixed connective tissue disease with favorable outcome for the severely asphyctic newborn after hypothermia. 2010 , 281, 617-21	1
1370	Therapeutische Hypothermie bei Neugeborenen. 2010 , 13, 375-380	1
1369	Reducing intrapartum-related neonatal deaths in low- and middle-income countries-what works?. 2010 , 34, 395-407	166
1368	Serial MRI and neurodevelopmental outcome in 9- to 10-year-old children with neonatal encephalopathy. 2010 , 157, 221-227.e2	81
1367	50 Years Ago in The Journal of Pediatrics. 2010 , 157, 372	
1366	Selective head cooling with mild systemic hypothermia after neonatal hypoxic-ischemic encephalopathy: a multicenter randomized controlled trial in China. 2010 , 157, 367-72, 372.e1-3	201
1365	Timing of birth for women with a twin pregnancy at term: a randomised controlled trial. 2010 , 10, 68	15
1364	LEARN 2 MOVE 0-2 years: effects of a new intervention program in infants at very high risk for cerebral palsy; a randomized controlled trial. 2010 , 10, 76	35
1363	Term intra-partum asphyxia: an analysis of acute non-specific supportive criteria and non-CNS organ injury. 2010 , 14, 313-9	4
1362	Tolerability and outcomes of kinetically guided therapy with gentamicin in critically ill neonates during the first week of life: an open-label, prospective study. 2010 , 32, 2400-14	24
1361	Bilateral loss of cortical somatosensory evoked potential at birth predicts cerebral palsy in term and near-term newborns. 2010 , 86, 93-8	25

1360	Clinical management of the baby with hypoxic ischaemic encephalopathy. 2010 , 86, 345-50	19
1359	Obstetric aspects of hypoxic ischemic encephalopathy. 2010 , 86, 339-44	26
1358	Epidemiology of neonatal encephalopathy and hypoxic-ischaemic encephalopathy. 2010 , 86, 329-38	639
1357	Predictability of cerebral palsy in a high-risk NICU population. 2010 , 86, 413-7	20
1356	A combined a-EEG and MR spectroscopy study in term newborns with hypoxic-ischemic encephalopathy. 2010 , 32, 835-42	29
1355	The prognostic value of early aEEG in asphyxiated infants undergoing systemic hypothermia treatment. 2010 , 99, 531-6	94
1354	Cochrane Review: Cooling for newborns with hypoxic ischaemic encephalopathy. 2010 , 5, 474-531	4
1353	Chain of Brain Preservation--a concept to facilitate early identification and initiation of hypothermia to infants at high risk for brain injury. 2010 , 81, 1637-41	12
1352	Antenatal allopurinol for reduction of birth asphyxia induced brain damage (ALLO-Trial); a randomized double blind placebo controlled multicenter study. 2010 , 10, 8	52
1351	Motor testing at 1 year improves the prediction of motor and mental outcome at 2 years after perinatal hypoxic-ischaemic encephalopathy. 2010 , 52, 54-9	9
1350	The predictive value of early neurological examination in neonatal hypoxic-ischaemic encephalopathy and neurodevelopmental outcome at 24 months. 2010 , 52, e55-9	47
1349	Uterine rupture after previous caesarean section. 2010 , 117, 809-20	99
1348	Therapeutic hypothermia for newborn infants with hypoxic-ischaemic encephalopathy. 2010 , 46, 568-76	24
1347	Cardiotocography versus intermittent auscultation of fetal heart on admission to labour ward for assessment of fetal wellbeing. 2010 ,	4
1346	Activin A in asphyxiated full-term newborns with hypoxic ischemic encephalopathy. 2010 , 2, 36-42	18
1345	Prevalência de asfixia perinatal e encefalopatia hipóxico-isquêmica em recém-nascidos de termo considerando dois critérios diagnósticos. 2010 , 20, 302	0
1344	Clinical assessment and therapeutic interventions for hypoxic-ischemic encephalopathy in the full-term infant. 281-300	
1343	Prevention of hypoxic ischaemic encephalopathy. 120-130	

1342	HYPOXIC ISCHAEMIC ENCEPHALOPATHY IN NEWBORN INFANTS. 2010 , 21, 242-262	
1341	Effect of hypothermia on amplitude-integrated electroencephalogram in infants with asphyxia. 2010 , 126, e131-9	295
1340	Increased serum malondialdehyde level in neonates with hypoxic-ischaemic encephalopathy: prediction of disease severity. 2010 , 38, 220-6	6
1339	Long-term outcome after neonatal hypoxic-ischaemic encephalopathy. 2010 , 95, F220-4	151
1338	Neonatal Encephalopathy: Treatment With Hypothermia. 2010 , 11, e85-e92	8
1337	Human recombinant erythropoietin in asphyxia neonatorum: pilot trial. 2010 , 125, e1135-42	141
1336	The Evaluation Of The Association Of Laboratory Tests Associated With Mortality In Term Neonates With Hypoxic-ischemic Encephalopathy. 2010 ,	
1335	Effect of treatment of subclinical neonatal seizures detected with aEEG: randomized, controlled trial. 2010 , 125, e358-66	163
1334	Hypothermia for hypoxic-ischemic encephalopathy. 2010 , 5, 227-239	46
1333	MRI and withdrawal of life support from newborn infants with hypoxic-ischemic encephalopathy. 2010 , 126, e451-8	30
1332	Neurocognitive outcomes following neonatal encephalopathy. 2010 , 26, 27-33	27
1331	Efficiency of fractional anisotropy and apparent diffusion coefficient on diffusion tensor imaging in prognosis of neonates with hypoxic-ischemic encephalopathy: a methodologic prospective pilot study. 2010 , 31, 282-7	32
1330	Hypoxic-ischemic encephalopathy in preterm infants. 2010 , 3, 277-284	18
1329	Antepartum and intrapartum risk factors for neonatal encephalopathy at term. 2010 , 27, 649-54	35
1328	Neonatal hypoxic-ischemic encephalopathy in apparently low risk pregnancies: retrospective analysis of the last five years at the University of Bologna. 2010 , 23, 516-21	6
1327	Single enteral loading dose of phenobarbital for achieving its therapeutic serum levels in neonates. 2010 , 51, 215-8	7
1326	Myoclonus. 2010 , 110-128	1
1325	Quantitative analysis of magnetic resonance images and neurological outcome in encephalopathic neonates treated with whole-body hypothermia. 2010 , 30, 596-603	18

1324	A proposed evidence-based neonatal work-up to confirm or refute allegations of intrapartum asphyxia. 2010 , 116, 261-268	12
1323	Behavioral outcome in children with a history of neonatal encephalopathy following perinatal asphyxia. 2010 , 35, 286-95	64
1322	High cerebrospinal fluid antioxidants and interleukin 8 are protective of hypoxic brain damage in newborns. 2010 , 44, 422-9	22
1321	A pilot study of novel biomarkers in neonates with hypoxic-ischemic encephalopathy. 2010 , 68, 531-6	65
1320	Neuroprotection par hypothermie de l'encéphalopathie hypoxique-ischémique du nouveau-né à terme. 2010 , 19, 655-664	1
1319	Continuous electroencephalographic monitoring with radio-telemetry in a rat model of perinatal hypoxia-ischemia reveals progressive post-stroke epilepsy. 2010 , 30, 404-15	112
1318	Cell therapy for neonatal hypoxic-ischemic encephalopathy. 2010 , 19, 299-310	73
1317	Potential biomarkers for hypoxic-ischemic encephalopathy. 2010 , 15, 253-60	69
1316	Patient selection and prognostication with hypothermia treatment. 2010 , 15, 247-52	16
1315	Imaging of Hypoxic-Ischemic Encephalopathy in the Full-Term Neonate. 2010 , 71-83	
1314	[Cerebral palsy and perinatal asphyxia (I--diagnosis)]. 2010 , 38, 261-77	9
1313	Neonatal somatosensory evoked potentials: maturational aspects and prognostic value. 2010 , 42, 427-33	14
1312	Restricted diffusion in the corpus callosum in hypoxic-ischemic encephalopathy. 2010 , 43, 190-6	13
1311	[Induced hypothermia in the term newborn infant after perinatal asphyxia]. 2010 , 17, 282-9	7
1310	Hypothermia: a systematic review and meta-analysis of clinical trials. 2010 , 15, 238-46	123
1309	[Hypothermia for hypoxic-ischemic encephalopathy in fullterm newborns]. 2010 , 17 Suppl 3, S67-77	21
1308	Visual and Oculomotor Disorders. 2010 , 115-142	3
1307	Outreach obstetrics training in Western Australia improves neonatal outcome and decreases caesarean sections. 2010 , 30, 6-9	8

1306	Predictors of outcome in term infants with neonatal seizures subsequent to intrapartum asphyxia. 2011 , 26, 453-9	21
1305	Síndrome de aspiração meconial - experiência de um centro terciário. 2011 , 17, 71-76	12
1304	Hypoxic Ischemic Encephalopathy: Pathophysiology and Experimental Treatments. 2011 , 11, 125-133	94
1303	[Neuroprotection with hypothermia in the newborn with hypoxic-ischaemic encephalopathy. Standard guidelines for its clinical application]. 2011 , 75, 341.e1-20	23
1302	Current management of the infant who presents with neonatal encephalopathy. 2011 , 41, 132-53	42
1301	Active versus expectant management for women in the third stage of labour. 2011 , CD007412	145
1300	Serum amyloid A protein and hypoxic ischemic encephalopathy in the newborn. 2011 , 31, 263-8	17
1299	Hyperbaric oxygen for term newborns with hypoxic ischemic encephalopathy. 2011 ,	
1298	Erythropoietin as a neuroprotective agent. 2011 , 30, 135-9	1
1297	Quantitative EEG analysis in neonatal hypoxic ischaemic encephalopathy. 2011 , 122, 1671-8	30
1296	The use of conventional EEG for the assessment of hypoxic ischaemic encephalopathy in the newborn: a review. 2011 , 122, 1284-94	51
1295	Influence of hypothermia on the prognostic value of early EEG in full-term neonates with hypoxic ischemic encephalopathy. 2011 , 41, 19-27	32
1294	[Electroencephalogram of the full-term newborn. Normal features and hypoxic-ischemic encephalopathy]. 2011 , 41, 1-18	4
1293	[Management of post-term neonates]. 2011 , 40, 812-7	2
1292	Hypoxic-ischemic injury: utility of susceptibility-weighted imaging. 2011 , 45, 220-4	20
1291	A maternal diet supplemented with creatine from mid-pregnancy protects the newborn spiny mouse brain from birth hypoxia. 2011 , 194, 372-9	58
1290	Meconium aspiration syndrome - the experience of a tertiary center. 2011 , 17, 71-76	15
1289	Whole-body hypothermia for term and near-term newborns with hypoxic-ischemic encephalopathy: a randomized controlled trial. 2011 , 165, 692-700	410

1288	Validation of a new automated neonatal seizure detection system: a clinician's perspective. 2011 , 122, 1490-9	44
1287	The central nervous system. 106-138	
1286	Lessons learned during implementation of therapeutic hypothermia for neonatal hypoxic ischemic encephalopathy in a regional transport program in Ontario. 2011 , 16, 153-6	19
1285	Whole body cooling for treatment of and antecedents of neonatal encephalopathy: The Children's National Medical Center's experience May 2006-August 2009, 95 infants. 2011 , 4, 201-209	1
1284	Clinical severity, rather than body temperature, during the rewarming phase of therapeutic hypothermia affect quantitative EEG in neonates with hypoxic ischemic encephalopathy. 2011 , 28, 10-4	38
1283	EEG Monitoring during Therapeutic Hypothermia in Neonates, Children, and Adults. 2011 , 51, 141-164	14
1282	Early continuous video electroencephalography in neonatal stroke. 2011 , 53, 89-92	16
1281	Head-to-body delivery interval and risk of fetal acidosis and hypoxic ischaemic encephalopathy in shoulder dystocia: a retrospective review. 2011 , 118, 474-9	84
1280	The natural history of pregnancy: diseases of early and late gestation. 2011 , 118, 1617-29	22
1279	Prognostic capacity of automated quantification of suppression time in the EEG of post-asphyctic full-term neonates. 2011 , 100, 1338-43	6
1278	Cerebral Resistance Index is less predictive in hypothermic encephalopathic newborns. 2011 , 100, 1344-9	41
1277	Education of a child neurologist: developmental neuroscience relevant to child neurology. 2011 , 18, 133-8	4
1276	Hypothermia after perinatal asphyxia: selection for treatment and cooling protocol. 2011 , 158, e45-9	39
1275	Hypoxic-ischemic encephalopathy: challenges in outcome and prediction. 2011 , 158, e51-4	38
1274	General movements in full-term infants with perinatal asphyxia are related to Basal Ganglia and thalamic lesions. 2011 , 158, 904-11	71
1273	Delayed onset of sleep-wake cycling with favorable outcome in hypothermic-treated neonates with encephalopathy. 2011 , 159, 232-7	34
1272	Treatment advances in neonatal neuroprotection and neurointensive care. 2011 , 10, 372-82	204
1271	Neonatal Hypothermia: A Method to Provide Neuroprotection After Hypoxic Ischemic Encephalopathy. 2011 , 11, 113-124	4

1270	Nucleated red blood cells and early EEG: predicting Sarnat stage and two year outcome. 2011 , 87, 335-9	13
1269	Glial fibrillary acidic protein as a biomarker for neonatal hypoxic-ischemic encephalopathy treated with whole-body cooling. 2011 , 205, 251.e1-7	77
1268	Neonatologische Notfälle beim reifen Neugeborenen. 2011 , 48, 7-14	
1267	Pathophysiology of perinatal asphyxia: can we predict and improve individual outcomes?. 2011 , 2, 211-30	42
1266	Whole body cooling in newborn infants with perinatal asphyxial encephalopathy in a low resource setting: a feasibility trial. 2011 , 48, 445-51	39
1265	Effect of high-dose phenobarbital on oxidative stress in perinatal asphyxia: an open label randomized controlled trial. 2011 , 48, 613-7	15
1264	Copeptin concentration in cord blood in infants with early-onset sepsis, chorioamnionitis and perinatal asphyxia. 2011 , 11, 38	40
1263	Care during labor and birth for the prevention of intrapartum-related neonatal deaths: a systematic review and Delphi estimation of mortality effect. 2011 , 11 Suppl 3, S10	80
1262	Application of comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometry method to identify potential biomarkers of perinatal asphyxia in a non-human primate model. 2011 , 1218, 1899-906	82
1261	Biphasic time course of brain water ADC observed during the first month of life in term neonates with severe perinatal asphyxia is indicative of poor outcome at 3 years. 2011 , 29, 194-201	4
1260	MR imaging and outcome of term neonates with perinatal asphyxia: value of diffusion-weighted MR imaging and ¹ H MR spectroscopy. 2011 , 261, 235-42	91
1259	Neonatal electroencephalography: review of a practical approach. 2011 , 26, 341-55	13
1258	Renal glomerular and tubular function in neonates with perinatal problems. 2011 , 24, 142-7	1
1257	Therapeutic hypothermia for management of neonatal asphyxia: what nurses need to know. 2011 , 31, e1-12	8
1256	Perinatal and early postnatal factors underlying developmental delay and disabilities. 2011 , 17, 59-70	13
1255	The American Clinical Neurophysiology Society's Guideline on Continuous Electroencephalography Monitoring in Neonates. 2011 , 28, 611-7	272
1254	Incidence of and risk factors for neonatal respiratory depression and encephalopathy in rural Sarlahi, Nepal. 2011 , 128, e915-24	15
1253	Predictive value of an early amplitude integrated electroencephalogram and neurologic examination. 2011 , 128, e112-20	77

1252	Genetic factors that influence short-term neurodevelopmental outcome in term hypoxic-ischaemic encephalopathic neonates. 2011 , 39, 1744-56	14
1251	Predictors of outcome of neonates with hypoxic ischaemic encephalopathy admitted to the neonatal unit of the University Hospital of the West Indies. 2011 , 57, 40-4	1
1250	Randomized controlled trial: impact of glycerin suppositories on time to full feeds in preterm infants. 2011 , 100, 169-76	23
1249	Pre-exchange 5% albumin infusion in low birth weight neonates with intensive phototherapy failure--a randomized controlled trial. 2011 , 57, 217-21	7
1248	Video-EEG monitoring in newborns with hypoxic-ischemic encephalopathy treated with hypothermia. 2011 , 76, 556-62	123
1247	Outcome of severe intrapartum acidemia diagnosed with fetal scalp blood sampling. 2011 , 39, 545-8	13
1246	Brain diffusivity in infants with hypoxic-ischemic encephalopathy following whole body hypothermia: preliminary results. 2011 , 26, 1230-6	7
1245	Neonatal morbidity in term neonates is related to gestational age at birth and level of care. 2011 , 39, 605-10	1
1244	Application of criteria developed by the Task Force on Neonatal Encephalopathy and Cerebral Palsy to acutely asphyxiated neonates. 2011 , 118, 824-30	18
1243	Nasal airways (single or double prong, long or short) for neonatal resuscitation. 2011 ,	
1242	Diffzyon aktif ve konvansiyonel manyetik rezonans gntlemlerinin hipoksik iskemik ansefalopatili yenidoanlarda seyirin belirlenmesindeki etkinliinin karstılması. 2011 , 46, 292-295	
1241	Association of NOS3 tag polymorphisms with hypoxic-ischemic encephalopathy. 2011 , 52, 396-402	9
1240	Tn vcut soıtma yntemi ile hipotermi uygulanan hipoksik iskemik ansefalopatili yenidoanların deęlendirilmesi. 2011 , 46, 286-291	1
1239	[Comparison of left and right ventricular pulsed and tissue Doppler myocardial performance index values using Z-score in newborns with hypoxic-ischemic encephalopathy]. 2011 , 11, 719-25	1
1238	Outcome of low birth weight infants in Diyala province of Iraq. 2011 , 57, 280-2	2
1237	Total antioxidant capacity and total oxidant status in perinatal asphyxia in relation to neurological outcome. 2011 , 42, 222-6	6
1236	Neonatology for Anesthesiologists. 2011 , 512-553	2
1235	Neonatal encephalopathy or hypoxic-ischemic encephalopathy? Appropriate terminology matters. 2011 , 70, 1-2	60

1234	The association between birth condition and neuropsychological functioning and educational attainment at school age: a cohort study. 2011 , 96, 30-7	18
1233	Serum cardiac troponin T in asphyxiated term neonates delivered at two teaching hospitals in Lagos, Nigeria. 2012 , 3, 330-6	1
1232	Is myocardial performance index useful in differential diagnosis of moderate and severe hypoxic-ischaemic encephalopathy? A serial Doppler echocardiographic evaluation. 2012 , 22, 335-40	5
1231	Acid-base parameters for predicting magnetic resonance imaging measures of neurologic outcome after perinatal hypoxia-ischemia: is the strong ion gap superior to base excess and lactate?. 2012 , 29, 361-8	4
1230	Erworbene ZNS-Läsionen bei Früh- und Reifgeborenen. 2012 , 6, 403-418	
1229	The effect of whole-body cooling on brain metabolism following perinatal hypoxic-ischemic injury. 2012 , 71, 85-92	17
1228	Viability and neural differentiation of mesenchymal stem cells derived from the umbilical cord following perinatal asphyxia. 2012 , 32, 671-6	13
1227	Hypothermia for neonatal hypoxic-ischemic encephalopathy: may an early amplitude-integrated EEG improve the selection of candidates for cooling?. 2012 , 25, 2171-6	5
1226	Neonatal Seizures. 2012 , 901-919	1
1225	Severe maternal and perinatal outcomes from uterine rupture among women at term with a trial of labor. 2012 , 32, 837-43	15
1224	Developmental outcome at 6.5 years after acidosis in term newborns: a population-based study. 2012 , 129, e1501-7	22
1223	Increased MMP-9 and TIMP-1 in mouse neonatal brain and plasma and in human neonatal plasma after hypoxia-ischemia: a potential marker of neonatal encephalopathy. 2012 , 71, 63-70	38
1222	Identification of the Long-Term Effects of Mild to Moderate Neonatal Cerebral Hypoxia Based on EEG Signals Analysis. 2012 , 45, 924-929	
1221	Coma chez l'enfant. 2012 , 7, 1-15	
1220	Assessment of techniques to ascertain correct endotracheal tube placement in neonates. 2012 ,	
1219	Higher versus lower oxygen concentrations titrated to target oxygen saturations during resuscitation of preterm infants at birth. 2012 ,	
1218	Low Apgar scores at 5 minutes in a low risk population: Maternal and obstetrical factors and postnatal outcome. 2012 , 58, 587-593	2
1217	The influence of changing post-term induction of labour patterns on severe neonatal morbidity. 2012 , 34, 330-40	4

1216	Erythropoietin for preterm infants with hypoxic ischaemic encephalopathy. 2012,	
1215	Lactate dehydrogenase in hypothermia-treated newborn infants with hypoxic-ischaemic encephalopathy. 2012, 101, 1038-44	31
1214	Erythropoietin for neuroprotection in neonatal encephalopathy: safety and pharmacokinetics. 2012 , 130, 683-91	149
1213	Serum and urine acute kidney injury biomarkers in asphyxiated neonates. 2012, 27, 1575-82	73
1212	Biomarkers of brain injury in neonatal encephalopathy treated with hypothermia. 2012, 161, 434-40	47
1211	Coma en el nià. 2012, 47, 1-14	
1210	Low Apgar scores at 5 minutes in a low risk population: Maternal and obstetrical factors and postnatal outcome. 2012, 58, 587-593	2
1209	Low Apgar scores at 5 minutes in a low risk population: Maternal and obstetrical factors and postnatal outcome. 2012, 58, 587-593	13
1208	Cellular biology of end organ injury and strategies for prevention of injury. 2012, 39, 785-802	1
1207	Traumatic alterations in GABA signaling disrupt hippocampal network activity in the developing brain. 2012, 32, 4017-31	97
1206	Specific memory impairment following neonatal encephalopathy in term-born children. 2012, 37, 30-50	36
1205	Accurate prediction of hypoxic-ischaemic encephalopathy at delivery: a cohort study. 2012, 25, 1653-9	26
1204	Changes of positron emission tomography in newborn infants at different gestational ages, and neonatal hypoxic-ischemic encephalopathy. 2012, 46, 116-23	18
1203	Changing pattern of perinatal brain injury in term infants in recent years. 2012, 46, 106-10	28
1202	Elective birth at 37 weeks of gestation versus standard care for women with an uncomplicated twin pregnancy at term: the Twins Timing of Birth Randomised Trial. 2012, 119, 964-73	46
1201	Perinatal asphyxia: kidney failure does not affect S100B urine concentrations. 2012, 413, 150-3	9
1200	Somatosensory evoked potentials are of additional prognostic value in certain patterns of brain injury in term birth asphyxia. 2012, 123, 1631-8	10
1199	The IDEAL study: investigation of dietary advice and lifestyle for women with borderline gestational diabetes: a randomised controlled trial - study protocol. 2012, 12, 106	10

1198	Biomarkers of hypoxic-ischemic encephalopathy in newborns. 2012 , 3, 144	62
1197	S100B - a potential biomarker for early detection of neonatal brain damage following asphyxia. 2012 , 25, 1523-8	21
1196	Head Ultrasound and MR imaging in the evaluation of neonatal encephalopathy: competitive or complementary imaging studies?. 2012 , 20, 93-115	10
1195	Hypothermia for neonatal hypoxic ischemic encephalopathy: an updated systematic review and meta-analysis. 2012 , 166, 558-66	311
1194	Neonatal Care for Obstetricians. 2012 , 377-393	
1193	Cardiotocography versus intermittent auscultation of fetal heart on admission to labour ward for assessment of fetal wellbeing. 2012 , CD005122	47
1192	Heart rate variability in neonates with hypoxic ischemic encephalopathy. 2012 , 79, 1468-72	20
1191	Prüfung Perinatalwissenschaften. 2012 , 97-116	
1190	Safety and efficacy of topiramate in neonates with hypoxic ischemic encephalopathy treated with hypothermia (NeoNATI). 2012 , 12, 144	24
1189	Differences in walking attainment ages between low-risk preterm and healthy full-term infants. 2012 , 70, 593-8	11
1188	Off-label use of therapeutic hypothermia for infants with hypoxic-ischemic encephalopathy. 2012 , 14, 784-91	1
1187	Are serum markers of liver and muscle injury useful in neonatal hypoxic-ischemic encephalopathy?. 2012 , 5, 305-310	4
1186	S100B Protein in Serum as a Prognostic Marker for Brain Injury in Term Newborn Infants with Hypoxic Ischemic Encephalopathy - New Strategy for Early Brain Damage. 2012 , 5,	
1185	Fecal calprotectin in hypoxic ischemic neonates: Relation to enteral feeding. 2012 , 5, 229-234	
1184	Risk Management in Obstetrics and Neonatal-Perinatal Medicine. 2012 ,	1
1183	Artefacts in the amplitude-integrated EEG background pattern of a full-term asphyxiated neonate caused by diaphragm spasms. 2012 , 2012,	6
1182	Central Nervous System Injury and Neuroprotection. 2012 , 869-891	
1181	Risk Assessment and Neurodevelopmental Outcomes. 2012 , 920-935	

1180	Assessment of visual perception in adolescents with a history of central coordination disorder in early life - 15-year follow-up study. 2012 , 8, 879-85	11
1179	Neurodiagnostic techniques in neonatal critical care. 2012 , 12, 145-52	6
1178	The prognostic value of multivoxel magnetic resonance spectroscopy determined metabolite levels in white and grey matter brain tissue for adverse outcome in term newborns following perinatal asphyxia. 2012 , 22, 772-8	16
1177	Therapeutic hypothermia for neonatal encephalopathy: JSPNM & MHLW Japan Working Group Practice Guidelines Consensus Statement from the Working Group on Therapeutic Hypothermia for Neonatal Encephalopathy, Ministry of Health, Labor and Welfare (MHLW), Japan, and Japan Society for Perinatal and Neonatal Medicine (JSPNM). 2012 , 34, 165-70	33
1176	The temporal evolution of electrographic seizure burden in neonatal hypoxic ischemic encephalopathy. 2012 , 53, 549-57	74
1175	Effects of hypothermia on NSE and S-100 protein levels in CSF in neonates following hypoxic/ischaemic brain damage. 2012 , 101, e316-20	21
1174	Subgaleal hemorrhage: risk factors and outcomes. 2012 , 91, 260-3	24
1173	Identification of cases with adverse neonatal outcome monitored by cardiotocography versus ST analysis: secondary analysis of a randomized trial. 2012 , 91, 830-7	11
1172	Perinatal acidosis and hypoxic-ischemic encephalopathy in preterm infants of 33 to 35 weeks' gestation. 2012 , 160, 388-94	47
1171	Evolution of encephalopathy during whole body hypothermia for neonatal hypoxic-ischemic encephalopathy. 2012 , 160, 567-572.e3	84
1170	Hypoglycemia is associated with increased risk for brain injury and adverse neurodevelopmental outcome in neonates at risk for encephalopathy. 2012 , 161, 88-93	88
1169	Effect of neonatal resuscitation courses on long-term neurodevelopmental outcomes of newborn infants with perinatal asphyxia. 2012 , 54, 56-9	6
1168	Serum neutrophil gelatinase-associated lipocalin as a marker of acute kidney injury in asphyxiated neonates. 2013 , 50, 459-62	16
1167	Prognostic value of brain proton MR spectroscopy and diffusion tensor imaging in newborns with hypoxic-ischemic encephalopathy treated by brain cooling. 2013 , 55, 1017-1025	40
1166	Pediatric brain injury: can DTI scalars predict functional outcome?. 2013 , 43, 55-9	11
1165	Acupuncture for hypoxic ischemic encephalopathy in neonates. 2013 , CD007968	9
1164	Early neurophysiology and MRI in predicting neurological outcome at 9-10 years after birth asphyxia. 2013 , 124, 1089-94	15
1163	Early clinical signs in neonates with hypoxic ischemic encephalopathy predict an abnormal amplitude-integrated electroencephalogram at age 6 hours. 2013 , 13, 52	29

1162	Dynamic changes of cerebral-specific proteins in full-term newborns with hypoxic-ischemic encephalopathy. 2013 , 66, 389-96	13
1161	The importance of cold-reactive autoantibodies in an asphyxiated infant before therapeutic hypothermia. 2013 , 80, 962-4	
1160	Neonatal seizures. 2013 , 111, 467-76	16
1159	MR spectroscopy, S100B protein and NSE analysis as early predictors of hypoxic ischaemic encephalopathy. 2013 , 44, 309-320	2
1158	A case-control study of hypoxic-ischemic encephalopathy in newborn infants at >36 weeks gestation. 2013 , 209, 29.e1-29.e19	39
1157	Peut-on établir un pronostic neurologique à la sortie de la néonatalogie pour les encéphalopathies anoxo-ischémiques du nouveau-né terme ?. 2013 , 5, 87-98	
1156	Hypothermia for perinatal brain hypoxia-ischemia in different resource settings: a systematic review. 2013 , 59, 453-9	14
1155	Strategies to prevent reperfusion injury to the brain following intrapartum hypoxia-ischemia. 2013 , 18, 379-84	18
1154	Acute kidney injury in a single neonatal intensive care unit in Turkey. 2013 , 9, 323-9	34
1153	The effect of levetiracetam on neuronal apoptosis in neonatal rat model of hypoxic ischemic brain injury. 2013 , 89, 355-60	54
1152	PGE-metabolite levels in CSF correlate to HIE score and outcome after perinatal asphyxia. 2013 , 102, 1041-7	4
1151	The electroencephalogram of the full-term newborn: review of normal features and hypoxic-ischemic encephalopathy patterns. 2013 , 43, 267-87	26
1150	¹ H NMR derived metabolomic profile of neonatal asphyxia in umbilical cord serum: implications for hypoxic ischemic encephalopathy. 2013 , 12, 4230-9	46
1149	Microglia/macrophage-derived inflammatory mediators galectin-3 and quinolinic acid are elevated in cerebrospinal fluid from newborn infants after birth asphyxia. 2013 , 4, 228-35	32
1148	Short-term outcomes of newborns with perinatal acidemia who are not eligible for systemic hypothermia therapy. 2013 , 162, 35-41	61
1147	Prognostic tests in term neonates with hypoxic-ischemic encephalopathy: a systematic review. 2013 , 131, 88-98	159
1146	Intrapartum Asphyxia, Neonatal Encephalopathy, Cerebral Palsy, and Obstetric Interventions in the Term and Near-Term Infant. 2013 , 14, e13-e21	2
1145	Rescuing the neonatal brain from hypoxic injury with autologous cord blood. 2013 , 48, 890-900	48

1144	Neurologic and metabolic issues in moderately preterm, late preterm, and early term infants. 2013 , 40, 723-38	28
1143	Long-term neurodevelopmental outcome with hypoxic-ischemic encephalopathy. 2013 , 163, 454-9	81
1142	Cooling in the real world: therapeutic hypothermia in hypoxic-ischemic encephalopathy. 2013 , 17, 492-7	16
1141	Region-specific reduction in brain volume in young adults with perinatal hypoxic-ischaemic encephalopathy. 2013 , 17, 608-14	12
1140	Autophagy in placentas from acidotic newborns: an immunohistochemical study of LC3 expression. 2013 , 34, 1091-4	15
1139	Esophageal mechanosensitive mechanisms are impaired in neonates with hypoxic-ischemic encephalopathy. 2013 , 162, 976-82	17
1138	Neonatal neurobehavioral abnormalities and MRI brain injury in encephalopathic newborns treated with hypothermia. 2013 , 89, 733-7	19
1137	Soins palliatifs et n̄onatalogie en Cote d'Ivoire. 2013 , 12, 18-24	
1136	Substandard care in delivery-related asphyxia among term infants: prospective cohort study. 2013 , 92, 85-93	8
1135	Predictors of neurological outcome in cooled neonates. 2013 , 55, 169-76	12
1134	Intrapartum monitoring of high-risk deliveries with ST analysis of the fetal electrocardiogram: an observational study of 6010 deliveries. 2013 , 92, 75-84	22
1133	Therapeutic hypothermia in neonatal hypoxic ischemic encephalopathy: electrographic seizures and magnetic resonance imaging evidence of injury. 2013 , 163, 465-70	92
1132	Does clinical status 1 week after therapeutic hypothermia predict brain MRI abnormalities?. 2013 , 33, 538-42	4
1131	Therapeutic hypothermia in term infants after perinatal encephalopathy: the last 5 years in Switzerland. 2013 , 89, 159-64	9
1130	Early predictors of short term neurodevelopmental outcome in asphyxiated cooled infants. A combined brain amplitude integrated electroencephalography and near infrared spectroscopy study. 2013 , 35, 26-31	69
1129	Term neonatal encephalopathy antecedent cerebral palsy: a retrospective population-based study. 2013 , 17, 269-73	8
1128	Prediction of neurodevelopmental outcome in term neonates with hypoxic-ischemic encephalopathy. 2013 , 17, 288-93	10
1127	Cooling for newborns with hypoxic ischaemic encephalopathy. 2013 , CD003311	644

1126	Urine S100 BB and A1B dimers are valuable predictors of adverse outcome in full-term asphyxiated infants. 2013 , 102, e467-72	7
1125	Full-Term Neonates with Hypoxic-Ischemic Encephalopathy: Evidence-Based Neuroimaging. 2013 , 317-330	1
1124	Neonatal Biomarkers of Brain Injury. 2013 , 14, e501-e512	2
1123	Cerebral oxygenation and brain activity after perinatal asphyxia: does hypothermia change their prognostic value?. 2013 , 74, 180-5	77
1122	The placenta in infants >36 weeks gestation with neonatal encephalopathy: a case control study. 2013 , 98, F233-9	43
1121	Antecedents of cerebral palsy and perinatal death in term and late preterm singletons. 2013 , 122, 869-877	84
1120	Brain perfusion in encephalopathic newborns after therapeutic hypothermia. 2013 , 34, 1649-55	54
1119	Outcomes of neonates with perinatal asphyxia at a tertiary academic hospital in Johannesburg, South Africa. 2013 , 7, 89	16
1118	Environmental enrichment decreases asphyxia-induced neurobehavioral developmental delay in neonatal rats. 2013 , 14, 22258-73	23
1117	Neuroprotective therapies after perinatal hypoxic-ischemic brain injury. 2013 , 3, 191-214	27
1116	Isolated acute non-cystic white matter injury in term infants presenting with neonatal encephalopathy. 2013 , 98, F158-60	11
1115	Relationship between severe acidemia, verbal abilities, and behavior in a Spanish cohort of 5-year-old children born at term. 2013 , 34, 102-10	3
1114	Serum biomarkers of MRI brain injury in neonatal hypoxic ischemic encephalopathy treated with whole-body hypothermia: a pilot study. 2013 , 14, 310-7	52
1113	Continuous EEG monitoring in the neonatal intensive care unit. 2013 , 30, 106-14	27
1112	Cord blood proteins and multichannel-electroencephalography in hypoxic-ischemic encephalopathy. 2013 , 14, 621-30	23
1111	EEG background patterns and prognostication of neonatal encephalopathy in the era of hypothermia. 2013 , 30, 122-5	20
1110	GMFM in infancy: age-specific limitations and adaptations. 2013 , 25, 168-76; discussion 177	6
1109	Measuring cystatin C to determine renal function in neonates. 2013 , 14, 318-22	28

1108	Recording EEG in immature rats with a novel miniature telemetry system. 2013 , 109, 900-11	25
1107	Prospective evaluation of term neonate brain damage following preceding hypoxic sentinel events using enhanced T ₂ weighted angiography (eSWAN). 2013 , 123, 837-46	
1106	A descriptive study of perinatal asphyxia at the University Hospital of Kinshasa (Democratic Republic of Congo). 2013 , 59, 274-9	13
1105	Defining hypoxic ischemic encephalopathy in newborn infants: benchmarking in a South African population. 2013 , 41, 211-7	11
1104	Introduction of hypothermia for neonates with perinatal asphyxia in the Netherlands and Flanders. 2013 , 104, 15-21	53
1103	Antemortem cranial MRI compared with postmortem histopathologic examination of the brain in term infants with neonatal encephalopathy following perinatal asphyxia. 2013 , 98, F304-9	32
1102	Ök dđ dođm ađkđ-bebeklerin hastalđ ve đđn oranlarđđn zaman iđrisindeki deđđmi. 2013 , 48, 102-109	1
1101	A machine learning approach to automated structural network analysis: application to neonatal encephalopathy. 2013 , 8, e78824	20
1100	Early clinical predictors of a severely abnormal amplitude-integrated electroencephalogram at 48 hours in cooled neonates. 2013 , 102, e378-84	9
1099	Standardisation of neonatal clinical practice. 2013 , 120 Suppl 2, 56-63, v	13
1098	Effect of therapeutic hypothermia on oxidative stress and outcome in term neonates with perinatal asphyxia: a randomized controlled trial. 2013 , 59, 17-22	22
1097	Intrapartum-related neonatal encephalopathy incidence and impairment at regional and global levels for 2010 with trends from 1990. 2013 , 74 Suppl 1, 50-72	305
1096	Usefulness of serum lipid peroxide as a diagnostic test for hypoxic ischemic encephalopathy in the full-term neonate. 2013 , 33, 15-20	3
1095	Routine oro/nasopharyngeal suction versus no suction in the delivery room. 2013 ,	
1094	Findings and patterns on MRI and MR spectroscopy in neonates after therapeutic hypothermia for hypoxic ischemic encephalopathy treatment. 2013 , 106, 350-5	5
1093	3.2 Postnatal. 2013 ,	
1092	9.2 Frđgeborene. 2013 ,	
1091	Hypoxicđchemic brain injury and neuroprotection in the newborn infant. 2013 , 8, 303-319	

1090	Relationships of Urinary Beta2- microglobulin in Neonates with Impaired Renal Function in Different Stages of Hypoxic Ischaemic Encephalopathy. 2013 , 37, 22-26	2
1089	Hypoxia-ischemia disrupts directed interactions within neonatal prefrontal-hippocampal networks. 2013 , 8, e83074	21
1088	Adherence to hypothermia guidelines: a French multicenter study of fullterm neonates. 2013 , 8, e83742	11
1087	Neurological outcome after perinatal asphyxia at term. 1-15	1
1086	Selection of infants for hypothermic neural rescue. 85-94	
1085	Hypothermia during patient transport. 95-106	1
1084	Neurological follow-up of infants treated with hypothermia. 172-181	
1083	Morbidity and Mortality in Low Birth Weight Babies in Self-financing Level III Neonatal Intensive Care Unit. 2013 , 27, 10-15	
1082	Conventional (continuous) EEG monitoring in the NICU. 2014 , 10, 2-10	11
1081	Cranial ultrasound - optimizing utility in the NICU. 2014 , 10, 16-27	22
1080	Magnetic resonance imaging in the encephalopathic term newborn. 2014 , 10, 28-36	23
1079	Serum liver enzyme pattern in birth asphyxia associated liver injury. 2014 , 17, 162-9	16
1078	Association of NOS3 gene variants and clinical contributors of hypoxic-ischemic encephalopathy. 2014 , 47, 869-75	3
1077	Hypothermia makes cerebral resistance index a poor prognostic tool in encephalopathic newborns. 2014 , 106, 17-23	19
1076	Les réseaux de santé en périnatalité: mise en place d'indicateurs communs, une place pour le suivi de l'état de santé périnatale (résultats en 2012). 2014 , 6, 225-234	0
1075	Detrended fluctuation analysis of non-stationary cardiac beat-to-beat interval of sick infants. 2014 , 108, 40005	22
1074	The effects of antenatal dietary and lifestyle advice for women who are overweight or obese on neonatal health outcomes: the LIMIT randomised trial. 2014 , 12, 163	56
1073	Cardiac troponin I concentrations as a marker of neurodevelopmental outcome at 18 months in newborns with perinatal asphyxia. 2014 , 34, 292-5	19

1072	Intrapartum fetal heart rate monitoring: evaluation of a standardized system of interpretation for prediction of metabolic acidosis at delivery and neonatal neurological morbidity. 2014 , 27, 1465-9	9
1071	Single dose recombinant erythropoietin versus moderate hypothermia for neonatal hypoxic ischemic encephalopathy in low resource settings. 2014 , 27, 1295-300	25
1070	Effects of whole body therapeutic hypothermia on gastrointestinal morbidity and feeding tolerance in infants with hypoxic ischemic encephalopathy. 2014 , 2014, 643689	9
1069	UCH-L1 and GFAP Serum Levels in Neonates with Hypoxic-Ischemic Encephalopathy: A Single Center Pilot Study. 2014 , 5, 273	28
1068	Depressed heart rate variability is associated with abnormal EEG, MRI, and death in neonates with hypoxic ischemic encephalopathy. 2014 , 31, 855-62	43
1067	[Treatment of neonatal asphyxia with a special focus on therapeutic hypothermia]. 2014 , 226, 29-37	4
1066	The value of ultrasonography and Doppler sonography in prognosticating long-term outcomes among full-term newborns with perinatal asphyxia. 2014 , 50, 100-10	6
1065	Novel features of early burst suppression predict outcome after birth asphyxia. 2014 , 1, 209-14	25
1064	Suboptimal care and metabolic acidemia is associated with neonatal encephalopathy but not with neonatal seizures alone: a population-based clinical audit. 2014 , 93, 477-82	11
1063	Reviewer Comments. 2014 , 93, 568-569	
1062	Epilepsy and West syndrome in neonates with hypoxic-ischemic encephalopathy. 2014 , 56, 369-72	15
1061	A critical appraisal of the evidence for using cardiotocography plus ECG ST interval analysis for fetal surveillance in labor. Part I: the randomized controlled trials. 2014 , 93, 556-68; discussion 568-9	19
1060	Neonatal therapeutic hypothermia-associated hypomagnesemia during parenteral nutrition therapy. 2014 , 29, 246-8	9
1059	A critical appraisal of the evidence for using cardiotocography plus ECG ST interval analysis for fetal surveillance in labor. Part II: the meta-analyses. 2014 , 93, 571-86; discussion 587-8	35
1058	Dying neurons in thalamus of asphyxiated term newborns and rats are autophagic. 2014 , 76, 695-711	33
1057	Diagnose und Behandlung der perinatalen Asphyxie. 2014 , 162, 1033-1045	
1056	Length of time from extubation to cardiorespiratory death in neonatal intensive care patients and assessment of suitability for organ donation. 2014 , 99, F59-63	9
1055	Biomarkers S100B and neuron-specific enolase predict outcome in hypothermia-treated encephalopathic newborns*. 2014 , 15, 615-22	28

1054	Diagnostic accuracy of fetal heart rate monitoring in the identification of neonatal encephalopathy. 2014 , 124, 507-513	31
1053	Asphyxie fœtale. 2014 , 207-225	
1052	Outcomes of hypoxic ischaemic encephalopathy treated with therapeutic hypothermia using cool gel packs - experience from Western Australia. 2014 , 18, 391-8	16
1051	Clinical utility of early amplitude integrated EEG in monitoring term newborns at risk of neurological injury. 2014 , 90, 143-148	
1050	Clinical utility of early amplitude integrated EEG in monitoring term newborns at risk of neurological injury. 2014 , 90, 143-8	11
1049	Therapeutic hypothermia in neonates and selective hippocampal injury on diffusion-weighted magnetic resonance imaging. 2014 , 51, 104-8	9
1048	Effect of birth asphyxia on p wave dispersion. 2014 , 81, 238-42	0
1047	[The contribution of the clinical examination, electroencephalogram, and brain MRI in assessing the prognosis in term newborns with neonatal encephalopathy. A cohort of 30 newborns before the introduction of treatment with hypothermia]. 2014 , 21, 125-33	2
1046	Evolution of the Thompson score during the first 6 h in infants with perinatal asphyxia. 2014 , 103, 145-8	6
1045	Serum tau protein level serves as a predictive factor for neurological prognosis in neonatal asphyxia. 2014 , 36, 670-5	20
1044	[Neonatal morbidity and mortality in a low-resource urban district hospital of Douala, Cameroon]. 2014 , 21, 147-56	10
1043	Pathology of perinatal brain damage: background and oxidative stress markers. 2014 , 290, 13-20	20
1042	Hypothermia in hypoxic ischemic encephalopathy: a 5-year experience at Phoenix Children's Hospital Neuro NICU. 2014 , 61, 215-23	
1041	Biomarkers for severity of neonatal hypoxic-ischemic encephalopathy and outcomes in newborns receiving hypothermia therapy. 2014 , 164, 468-74.e1	139
1040	Techniques to ascertain correct endotracheal tube placement in neonates. 2014 , CD010221	15
1039	Easily overlooked sonographic findings in the evaluation of neonatal encephalopathy: lessons learned from magnetic resonance imaging. 2014 , 35, 627-51	11
1038	Delay in intervention increases neonatal morbidity in births monitored with cardiotocography and ST-waveform analysis. 2014 , 93, 175-81	11
1037	Predictors of mortality in neonates with meconium aspiration syndrome. 2014 , 51, 637-40	21

1036	Transporting neonates with hypoxic-ischemic encephalopathy utilizing active hypothermia. 2014 , 7, 173-8	6
1035	Medico-legal implications of hypoxic-ischemic birth injury. 2014 , 19, 317-21	28
1034	Epidemiology of severe hearing impairment in a population-based cerebral palsy cohort. 2014 , 51, 641-4	18
1033	Core Concepts: Neonatal Neurological Examination. 2014 , 15, e316-e324	5
1032	Neonatal encephalopathy and the association to asphyxia in labor. 2014 , 211, 667.e1-8	42
1031	Postural adjustments in infants at very high risk for cerebral palsy before and after developing the ability to sit independently. 2014 , 90, 435-41	10
1030	Heart rate variability in encephalopathic newborns during and after therapeutic hypothermia. 2014 , 34, 836-41	41
1029	Economic analysis comparing induction of labor and expectant management in women with preterm prelabor rupture of membranes between 34 and 37 weeks (PPROMEXIL trial). 2014 , 93, 374-81	19
1028	Detecting brain injury in neonatal hypoxic ischemic encephalopathy: closing the gap between experimental and clinical research. 2014 , 261, 281-90	31
1027	[Treatment of encephalopathy by hypothermia in the term newborn]. 2014 , 21, 1026-34	0
1026	LMA Supreme for neonatal resuscitation: study protocol for a randomized controlled trial. 2014 , 15, 285	0
1025	Xenon ventilation during therapeutic hypothermia in neonatal encephalopathy: a feasibility study. 2014 , 133, 809-18	79
1024	Outcomes in the Era of Therapeutic Hypothermia. 2014 , 15, e386-e395	0
1023	Prognostic value of diffusion-weighted imaging summation scores or apparent diffusion coefficient maps in newborns with hypoxic-ischemic encephalopathy. 2014 , 44, 1141-54	21
1022	Preferential cephalic redistribution of left ventricular cardiac output during therapeutic hypothermia for perinatal hypoxic-ischemic encephalopathy. 2014 , 164, 999-1004.e1	38
1021	Serum biomarkers to evaluate the integrity of the neurovascular unit. 2014 , 90, 707-11	25
1020	The myocardial function during and after whole-body therapeutic hypothermia for hypoxic-ischemic encephalopathy, a cohort study. 2014 , 90, 247-52	26
1019	Perinatal risk factors for severe injury in neonates treated with whole-body hypothermia for encephalopathy. 2014 , 211, 41.e1-8	19

1018	Hypoxic ischemic brain injury: Potential therapeutic interventions for the future. 2014 , 15, e177-e186	16
1017	Neurodevelopmental outcomes after hypothermia therapy in the era of Bayley-III. 2014 , 34, 629-33	29
1016	Oxidative stress in neonatology: a review. 2014 , 49, 7-16	48
1015	43es Journèes nationales de la Sociè Franāise de Mèdecine Pfinatale (Monaco 13-15 novembre 2013). 2014 ,	
1014	Newborn outcomes in british columbia after caesarean section for non-reassuring fetal status. 2015 , 37, 207-213	5
1013	FIGO consensus guidelines on intrapartum fetal monitoring: Physiology of fetal oxygenation and the main goals of intrapartum fetal monitoring. 2015 , 131, 5-8	59
1012	Impaired cerebral autoregulation and brain injury in newborns with hypoxic-ischemic encephalopathy treated with hypothermia. 2015 , 114, 818-24	51
1011	Cerebral birth anoxia, seizures and Kluver-Bucy syndrome: some observations. 2015 , 03, 227-232	
1010	Etiological and clinical profile of neonatal seizures in a highly consanguineous population. 2015 , 05, 305-309	
1009	Serum protein S100B and nucleated red blood cell counts as early markers of cerebral damage in neonates with hypoxic ischemic encephalopathy. 2015 , 07, 337-343	
1008	Interleukin-1, interleukin-6, and tumor necrosis factor- α in the cerebrospinal fluid of term infants with hypoxic-ischemic encephalopathy after postnatal treatment with magnesium sulfate. 2015 , 09, 299-304	
1007	Cooling mattress and apnea detector with stimulator for HIE neonates. 2015 ,	
1006	Active versus expectant management for women in the third stage of labour. 2015 , CD007412	71
1005	Trend in major neonatal and maternal morbidities accompanying the rise in the cesarean delivery rate. 2015 , 5, 12565	9
1004	Effects of birth asphyxia on the modulation of pharyngeal provocation-induced adaptive reflexes. 2015 , 309, G662-9	12
1003	Elevated levels of serum sICAM-1 in asphyxiated low birth weight newborns. 2014 , 4, 6850	3
1002	Does amplitude-integrated electroencephalogram background pattern correlate with cerebral injury in neonates with hypoxic-ischaemic encephalopathy?. 2015 , 51, 180-5	14
1001	Protocol for a randomised controlled trial of fetal scalp blood lactate measurement to reduce caesarean sections during labour: the Flamingo trial [ACTRN12611000172909]. 2015 , 15, 285	8

1000	Sustained versus standard inflations during neonatal resuscitation to prevent mortality and improve respiratory outcomes. 2015 , CD004953	10
999	Specialist teams for neonatal transport to neonatal intensive care units for prevention of morbidity and mortality. 2015 , CD007485	7
998	Clinical profile and outcome of neonates admitted to the Neonatal Care Unit at a teaching hospital in Lalitpur, Nepal. 2015 , 3, 144-148	5
997	Can a single lactate value predict adverse outcome in critically ill newborn?. 2015 , 116, 591-5	4
996	Comparison of the four proposed Apgar scoring systems in the assessment of birth asphyxia and adverse early neurologic outcomes. 2015 , 10, e0122116	29
995	Cerebral Palsy: A Lifelong Challenge Asks for Early Intervention. 2015 , 9, 45-52	21
994	BRAIN HYPOTHERMIA THERAPY FOR NEONATAL HYPOXIC-ISCHEMIC ENCEPHALOPATHY WITH A SEVERELY ELEVATED SERUM CREATINE KINASE LEVEL. 2015 , 61, 54-7	2
993	Intrapartum asphyxia and hypoxic ischaemic encephalopathy in a public hospital: Incidence and predictors of poor outcome. 2015 , 105, 298-303	13
992	Development and validation of a simple algorithm for initiation of CPAP in neonates with respiratory distress in Malawi. 2015 , 100, F332-6	14
991	Supreme Laryngeal Mask Airway versus Face Mask during Neonatal Resuscitation: A Randomized Controlled Trial. 2015 , 167, 286-91.e1	39
990	Early predictors of outcome in infants treated with hypothermia for hypoxic-ischaemic encephalopathy. 2015 , 57 Suppl 3, 8-16	71
989	Status of vitamin D, antioxidant enzymes, and antioxidant substances in neonates with neonatal hypoxic-ischemic encephalopathy. 2016 , 29, 2259-63	13
988	The effect of resuscitation in 100% oxygen on brain injury in a newborn rat model of severe hypoxic-ischaemic encephalopathy. 2015 , 96, 214-9	6
987	Prédiction du devenir neurologique à moyen terme par IRM cérébrale précoce, après encéphalopathie hypoxique-ischémique néonatale traitée par hypothermie contrôlée : apports de la séquence de diffusion et du calcul du coefficient apparent de diffusion (ADC), comparativement aux séquences morphologiques en pondération T1 et T2. 2015 , 24, 573-585	
986	Ischemic injury suppresses hypoxia-induced electrographic seizures and the background EEG in a rat model of perinatal hypoxic-ischemic encephalopathy. 2015 , 114, 2753-63	10
985	Serum cortisol concentrations during induced hypothermia for perinatal asphyxia are associated with neurological outcome in human infants. 2015 , 18, 129-33	4
984	Impact of hypothermia on predictors of poor outcome: how do we decide to redirect care?. 2015 , 20, 122-7	54
983	Prediction of outcome methods assessing short- and long-term outcome after therapeutic hypothermia. 2015 , 20, 115-21	25

982	Reference values for three channels of amplitude-integrated EEG using the Brainz BRM3 cerebral function monitor in normal term neonates: a pilot study. 2015 , 52, 344-8	3
981	Anticonvulsant effectiveness and hemodynamic safety of midazolam in full-term infants treated with hypothermia. 2015 , 107, 150-6	27
980	Improving infant outcome with a 10 min Apgar of 0. 2015 , 100, F102-5	48
979	Risk-adjusted operative delivery rates and maternal-neonatal outcomes as measures of quality assessment in obstetric care: a multicenter prospective study. 2015 , 15, 20	5
978	Hepatic dysfunction in asphyxiated neonates: prospective case-controlled study. 2015 , 9, 1-6	27
977	The outcome of treatment limitation discussions in newborns with brain injury. 2015 , 100, F155-60	22
976	Subacute Hypoxia-Ischemia and the Timing of Injury in Treatment With Therapeutic Hypothermia. 2015 , 53, 417-21	5
975	Neonatal neurobehavior after therapeutic hypothermia for hypoxic ischemic encephalopathy. 2015 , 91, 593-9	15
974	Comparison of early and late MRI in neonatal hypoxic-ischemic encephalopathy using three assessment methods. 2015 , 45, 1988-2000	12
973	Multimodal predictor of neurodevelopmental outcome in newborns with hypoxic-ischaemic encephalopathy. 2015 , 63, 169-77	14
972	General movements as a predictive tool of the neurological outcome in term born infants with hypoxic ischemic encephalopathy. 2015 , 91, 479-82	23
971	Long-term motor and behavioral outcome after perinatal hypoxic-ischemic encephalopathy. 2015 , 19, 354-9	28
970	Urine neutrophil gelatinase-associated lipocalin in asphyxiated neonates: a prospective cohort study. 2015 , 30, 1189-96	18
969	Cerebral Palsy after Neonatal Encephalopathy: How Much Is Preventable?. 2015 , 167, 58-63.e1	22
968	Neuroprotection for Perinatal Hypoxic Ischemic Encephalopathy in Low- and Middle-Income Countries. 2015 , 167, 25-8	18
967	Perinatal asphyxia: a review from a metabolomics perspective. 2015 , 20, 7000-16	34
966	Establishing a hypothermia service for infants with suspected hypoxic-ischemic encephalopathy. 2015 , 20, 80-6	6
965	The impact of a register on the management of neonatal cooling in Switzerland. 2015 , 91, 277-84	9

964	Altered endothelial nitric oxide synthesis in preterm and small for gestational age infants. 2015 , 57, 269-75	4
963	Neonatal neurological examination in well newborn term Ugandan infants. 2015 , 91, 739-49	6
962	Umbilical cord blood concentrations of ubiquitin carboxy-terminal hydrolase L1 (UCH-L1) and glial fibrillary acidic protein (GFAP) in neonates developing hypoxic-ischemic encephalopathy. 2016 , 29, 1822-8	8
961	Non-epileptic phenomena in hypoxic-ischemic encephalopathy. 2015 , 08, 007-008	
960	The temporal characteristics of seizures in neonatal hypoxic ischemic encephalopathy treated with hypothermia. 2015 , 33, 60-5	33
959	Subcutaneous fat necrosis in neonates with hypoxic ischaemic encephalopathy registered in the Swiss National Asphyxia and Cooling Register. 2015 , 15, 73	15
958	Neuro-NICUs: Nurturing the Tiniest of Brains. 2015 , 34, 291-3	2
957	Salivary lactate dehydrogenase levels can provide early diagnosis of hypoxic-ischaemic encephalopathy in neonates with birth asphyxia. 2015 , 104, e236-40	10
956	Calcium concentration in hypoxic-ischemic encephalopathy during hypothermia. 2015 , 57, 64-7	5
955	Integrating neurocritical care approaches into neonatology: should all infants be treated equitably?. 2015 , 35, 977-81	5
954	Neonatal hypoxia-ischemia impairs juvenile recognition memory by disrupting the maturation of prefrontal-hippocampal networks. 2015 , 273, 202-14	18
953	[Neonatal complications related to shoulder dystocia]. 2015 , 44, 1294-302	5
952	Neonatal brain injury and systemic inflammation: modulation by activated protein C ex vivo. 2015 , 179, 477-84	11
951	Intrapartum monitoring with cardiotocography and ST-waveform analysis in breech presentation: an observational study. 2015 , 122, 528-35	10
950	Melatonin use for neuroprotection in perinatal asphyxia: a randomized controlled pilot study. 2015 , 35, 186-91	146
949	Recovery of aEEG Patterns at 24 Hours of Hypothermia Predicts Good Neurodevelopmental Outcome. 2016 , 5,	1
948	Short and long term prognosis in perinatal asphyxia: An update. 2016 , 5, 67-74	108
947	The association between pro- and anti-inflammatory cytokine polymorphisms and periventricular leukomalacia in newborns with hypoxic-ischemic encephalopathy. 2016 , 9, 59-67	7

946	Utility of amnioinfusion in deliveries complicated by meconium stained liquor: a randomized controlled trial. 2016 , 6, 65	0
945	Intraventricular hemorrhage in term neonates with hypoxic-ischemic encephalopathy: a comparison study between neonates treated with and without hypothermia. 2016 , 6, 504-509	8
944	Plasticity in the Neonatal Brain following Hypoxic-Ischaemic Injury. 2016 , 2016, 4901014	90
943	Myoclonus. 2016 , 205-239	1
942	Metabolic Changes Following Perinatal Asphyxia: Role of Astrocytes and Their Interaction with Neurons. 2016 , 8, 116	10
941	Preterm Hypoxic-Ischemic Encephalopathy. 2016 , 4, 114	70
940	Amplitude Integrated Electroencephalogram as a Prognostic Tool in Neonates with Hypoxic-Ischemic Encephalopathy: A Systematic Review. 2016 , 11, e0165744	45
939	To Study the Correlation of Thompson Scoring in Predicting Early Neonatal Outcome in Post Asphyxiated Term Neonates. 2016 , 10, SC16-SC19	7
938	Defining neonatal sepsis. 2016 , 28, 135-40	129
937	Heart rate response to therapeutic hypothermia in infants with hypoxic-ischaemic encephalopathy. 2016 , 106, 53-7	7
936	Uterine rupture: trends over 40 years. 2016 , 123, 780-7	55
935	Cerebral palsy after neonatal encephalopathy: do neonates with suspected asphyxia have worse outcomes?. 2016 , 58, 189-94	10
934	Glial fibrillary acidic protein as a biomarker for brain injury in neonatal CHD. 2016 , 26, 1282-9	9
933	Earlier Initiation of Therapeutic Hypothermia by Non-Tertiary Neonatal Units in Victoria, Australia. 2016 , 110, 33-9	4
932	Een matige start bij de geboorte: gevolgen op korte en langere termijn. 2016 , 20, 177-183	
931	A frequency based spatial filter to mitigate volume conduction in electroencephalogram signals. 2016 , 2016, 4001-4004	4
930	Therapeutic hypothermia for infants with hypoxic ischemic encephalopathy: A five years' single center experience in Kuwait. 2016 , 9, 179-85	4
929	Achieving Optimal Therapeutic Hypothermia on Transport. 2016 , 16, E3-E10	2

928	Cerebral Palsy Arising from Events in Labour. 370-378	
927	Distinguishing Arterial Ischemic Stroke From Hypoxic-Ischemic Encephalopathy in the Neonate at Birth. 2016 , 128, 704-712	14
926	Quick and accurate quantification of the premature brain. 2016 , 127, 2908-2909	
925	Electroencephalographic characteristics of epileptic seizures in preterm neonates. 2016 , 127, 2721-2727	25
924	Insulin-Like Growth Factor-1 Levels in Term Newborns with Hypoxic-Ischemic Encephalopathy. 2016 , 33, 640-5	8
923	Relationship between PCO ₂ and unfavorable outcome in infants with moderate-to-severe hypoxic ischemic encephalopathy. 2016 , 80, 204-8	25
922	Early cranial ultrasound findings among infants with neonatal encephalopathy in Uganda: an observational study. 2016 , 80, 190-6	18
921	Amplitude-Integrated Electroencephalography Interpretation During Therapeutic Hypothermia: An Educational Program and Novel Teaching Tool. 2016 , 35, 78-86	4
920	Metabolomics in Newborns. 2016 , 74, 35-61	24
919	High-Dose Erythropoietin and Hypothermia for Hypoxic-Ischemic Encephalopathy: A Phase II Trial. 2016 , 137,	131
918	Newborns Referred for Therapeutic Hypothermia: Association between Initial Degree of Encephalopathy and Severity of Brain Injury (What About the Newborns with Mild Encephalopathy on Admission?). 2016 , 33, 195-202	40
917	Early MRI in neonatal hypoxic-ischaemic encephalopathy treated with hypothermia: Prognostic role at 2-year follow-up. 2016 , 85, 1366-74	22
916	ERP evidence of preserved early memory function in term infants with neonatal encephalopathy following therapeutic hypothermia. 2016 , 80, 800-808	2
915	Type of Labour in the First Pregnancy and Cumulative Perinatal Morbidity. 2016 , 38, 804-810	
914	Clinical Aspects and Treatment of the Hypoxic-Ischemic Syndrome. 2016 , 1-20	
913	Early EEG Grade and Outcome at 5 Years After Mild Neonatal Hypoxic Ischemic Encephalopathy. 2016 , 138,	91
912	Phenobarbital for Neonatal Seizures: Response Rate and Predictors of Refractoriness. 2016 , 47, 318-26	17
911	Long-Term Cognitive Outcomes of Birth Asphyxia and the Contribution of Identified Perinatal Asphyxia to Cerebral Palsy. 2016 , 43, 559-72	21

910	Inflammatory Biomarkers of Birth Asphyxia. 2016 , 43, 501-10	13
909	Dose-dependent effects of levetiracetam after hypoxia and hypothermia in the neonatal mouse brain. 2016 , 1646, 116-124	19
908	Placental pathology and outcome after perinatal asphyxia and therapeutic hypothermia. 2016 , 36, 977-984	10
907	Recomendaciones terapéuticas del VII Consenso Clínico de SIBEN para la encefalopatía hipóxico-isquémica neonatal. 2016 , 17, e554-e567	6
906	Renal function and novel urinary biomarkers in infants with neonatal encephalopathy. 2016 , 105, e513-e519	16
905	The association between antioxidant enzyme polymorphisms and cerebral palsy after perinatal hypoxic-ischaemic encephalopathy. 2016 , 20, 704-8	19
904	Implementation of a Neurocritical Care Program: Improved Seizure Detection and Decreased Antiseizure Medication at Discharge in Neonates With Hypoxic-Ischemic Encephalopathy. 2016 , 64, 38-43	31
903	Hypothermia reduces seizure burden and improves neurological outcome in severe hypoxic-ischemic encephalopathy: an observational study. 2016 , 58, 1235-1241	12
902	Effect of electrocardiogram interference on cortico-cortical connectivity analysis and a possible solution. 2016 , 270, 76-84	11
901	Correlation of Apgar Score with Asphyxial Hepatic Injury and Mortality in Newborns: A Prospective Observational Study From India. 2016 , 10, 27-34	2
900	Reduced neonatal mortality in a regional hospital in Mozambique linked to a Quality Improvement intervention. 2016 , 16, 366	21
899	Prophylactic barbiturate use for the prevention of morbidity and mortality following perinatal asphyxia. 2016 , CD001240	14
898	Neonatal encephalopathy in New Zealand: Demographics and clinical outcome. 2016 , 52, 632-6	12
897	Defining small-for-gestational-age: prescriptive versus descriptive birthweight standards. 2016 , 175, 1047-57	24
896	Endotracheal suction in term non vigorous meconium stained neonates-A pilot study. 2016 , 105, 79-84	40
895	Hemodynamic response to burst-suppressed and discontinuous electroencephalography activity in infants with hypoxic ischemic encephalopathy. 2016 , 3, 031408	22
894	Neonatal Encephalopathy: Update on Therapeutic Hypothermia and Other Novel Therapeutics. 2016 , 43, 485-500	47
893	Lipid peroxides in the serum of asphyxiated neonates. 2016 , 36, 849-52	2

892	Role of EEG background activity, seizure burden and MRI in predicting neurodevelopmental outcome in full-term infants with hypoxic-ischaemic encephalopathy in the era of therapeutic hypothermia. 2016 , 20, 855-864	36
891	Magnetic resonance imaging versus transcranial ultrasound in early identification of cerebral injuries in neonatal encephalopathy. 2016 , 47, 297-304	2
890	Birth Asphyxia and Hypoxic-Ischemic Brain Injury in the Preterm Infant. 2016 , 43, 529-45	39
889	Electrocardiogram ST Analysis During Labor: A Systematic Review and Meta-analysis of Randomized Controlled Trials. 2016 , 127, 127-135	31
888	To study the incidence, etiology and EEG profile of neonatal seizures: a prospective observational study from India. 2016 , 29, 554-8	6
887	Neonatal Sleep Predicts Attention Orienting and Distractibility. 2016 , 20, 138-50	29
886	The role of fetal inflammatory response syndrome and fetal anemia in nonpreventable term neonatal encephalopathy. 2016 , 36, 362-5	10
885	Rewarming affects EEG background in term newborns with hypoxic-ischemic encephalopathy undergoing therapeutic hypothermia. 2016 , 127, 2087-94	8
884	Wavelet coherence analysis of dynamic cerebral autoregulation in neonatal hypoxic-ischemic encephalopathy. 2016 , 11, 124-132	65
883	Limitations in the Activity of Mobility at Age 6 Years After Difficult Birth at Term: Prospective Cohort Study. 2016 , 96, 1225-33	4
882	Distinctive sleep problems in children with perinatal moderate or mild hypoxic-ischemia. 2016 , 614, 60-4	14
881	A baby with low Apgar scores at birth. 2016 , 352, i479	
880	The Effect of Perinatal Hypoxic/Ischemic Injury on Tyrosine Hydroxylase Expression in the Locus Coeruleus of the Human Neonate. 2016 , 38, 41-53	8
879	Hypoxic-Ischemic Encephalopathy (HIE): A Review for the Bedside Nurse of a Complex Clinical Problem. 2016 , 16, 20-24	1
878	Noninvasive assessments of oxygen delivery from the microcirculation to skin in hypothermia-treated asphyxiated newborn infants. 2016 , 79, 902-6	9
877	A novel technique for quantitative bedside monitoring of neurovascular coupling. 2016 , 259, 135-142	11
876	Color Doppler ultrasonography in full term neonates with hypoxic ischemic encephalopathy and prediction of outcome. 2016 , 64, 38-43	2
875	Association of brain injury and neonatal cytokine response during therapeutic hypothermia in newborns with hypoxic-ischemic encephalopathy. 2016 , 79, 742-7	41

874	Persistent systemic monocyte and neutrophil activation in neonatal encephalopathy. 2016 , 29, 582-9	9
873	Transfontanellar duplex brain ultrasonography resistive indices as a prognostic tool in neonatal hypoxic-ischemic encephalopathy before and after treatment with therapeutic hypothermia. 2016 , 36, 202-6	13
872	Circulating Dickkopf-1 in hypoxic ischemic neonates. 2016 , 29, 2171-5	3
871	Persistent systemic monocyte and neutrophil activation in neonatal encephalopathy. 2016 , 29, 309-16	6
870	Perinatal brain damage: The term infant. 2016 , 92, 102-12	62
869	[Intrapartum asphyxia: Risk factors and short-term consequences]. 2016 , 45, 626-32	5
868	Hypoglycaemia and hyperglycaemia are associated with unfavourable outcome in infants with hypoxic ischaemic encephalopathy: a post hoc analysis of the CoolCap Study. 2016 , 101, F149-55	46
867	EEG background features that predict outcome in term neonates with hypoxic ischaemic encephalopathy: A structured review. 2016 , 127, 285-296	50
866	Serum Lactate, Brain Magnetic Resonance Imaging and Outcome of Neonatal Hypoxic Ischemic Encephalopathy after Therapeutic Hypothermia. 2016 , 57, 35-40	22
865	Pathophysiology of foetal oxygenation and cell damage during labour. 2016 , 30, 9-21	15
864	Neurological damage arising from intrapartum hypoxia/acidosis. 2016 , 30, 79-86	13
863	Hypoxic ischemic encephalopathy in newborns linked to placental and umbilical cord abnormalities. 2016 , 29, 721-6	20
862	Brain magnetic resonance imaging and outcome after hypoxic ischaemic encephalopathy. 2016 , 29, 777-82	14
861	Decreased Morphine Clearance in Neonates With Hypoxic Ischemic Encephalopathy Receiving Hypothermia. 2017 , 57, 64-76	26
860	Homer1 Scaffold Proteins Govern Ca ²⁺ Dynamics in Normal and Reactive Astrocytes. 2017 , 27, 2365-2384	26
859	Serial cytokine alterations and abnormal neuroimaging in newborn infants with encephalopathy. 2017 , 106, 561-567	23
858	Evaluating Affordable Cranial Ultrasonography in East African Neonatal Intensive Care Units. 2017 , 43, 119-128	3
857	Therapeutic hypothermia for neonatal hypoxic ischemic encephalopathy is associated with short-term reduction of seizures after discharge from the neonatal intensive care unit. 2017 , 33, 329-335	5

856	Challenges in neurologic prognostication after neonatal brain injury. 2017 , 41, 117-123	10
855	Cardiotocography versus intermittent auscultation of fetal heart on admission to labour ward for assessment of fetal wellbeing. 2017 , 1, CD005122	32
854	Antioxidant polymorphisms do not influence the risk of epilepsy or its drug resistance after neonatal hypoxic-ischemic brain injury. 2017 , 46, 38-42	11
853	Characterization of Death in Neonatal Encephalopathy in the Hypothermia Era. 2017 , 32, 360-365	14
852	MRI and spectroscopy in (near) term neonates with perinatal asphyxia and therapeutic hypothermia. 2017 , 102, F147-F152	37
851	Early amplitude-integrated electroencephalography for monitoring neonates at high risk for brain injury. 2017 , 93, 460-466	17
850	Sex-specific associations between cerebrovascular blood pressure autoregulation and cardiopulmonary injury in neonatal encephalopathy and therapeutic hypothermia. 2017 , 81, 759-766	11
849	Hyperglycaemia in infants with hypoxic-ischaemic encephalopathy is associated with improved outcomes after therapeutic hypothermia: a post hoc analysis of the CoolCap Study. 2017 , 102, F299-F306	17
848	Novel Wavelet Real Time Analysis of Neurovascular Coupling in Neonatal Encephalopathy. 2017 , 7, 45958	23
847	Towards evidence-based resuscitation of the newborn infant. 2017 , 389, 1639-1648	49
846	Routine oro/nasopharyngeal suction versus no suction at birth. 2017 , 4, CD010332	16
845	Amplitude Integrated Electroencephalography Compared With Conventional Video EEG for Neonatal Seizure Detection: A Diagnostic Accuracy Study. 2017 , 32, 815-822	24
844	Safety of Moderate Hypothermia for Perinatal Hypoxic-Ischemic Encephalopathy: A Meta-analysis. 2017 , 74, 51-61	15
843	Association of paraoxonase 1 and oxidative stress with acute kidney injury in premature asphyxiated neonates. 2017 , 272, 47-52	6
842	The Frequency and Severity of Magnetic Resonance Imaging Abnormalities in Infants with Mild Neonatal Encephalopathy. 2017 , 187, 26-33.e1	53
841	The ability of early serial developmental assessment to predict outcome at 5years following neonatal hypoxic-ischaemic encephalopathy. 2017 , 110, 1-8	9
840	Perinatal Asphyxia and Erythropoietin and VEGF: Serial Serum and Cerebrospinal Fluid Responses. 2017 , 111, 253-259	21
839	Evoked potentials recorded during routine EEG predict outcome after perinatal asphyxia. 2017 , 128, 1337-1343	16

838	Relationship between temperature variability and brain injury on magnetic resonance imaging in cooled newborn infants after perinatal asphyxia. 2017 , 37, 1032-1037	2
837	Amplitude-Integrated Electroencephalography Improves the Identification of Infants with Encephalopathy for Therapeutic Hypothermia and Predicts Neurodevelopmental Outcomes at 2 Years of Age. 2017 , 187, 34-42	34
836	pH au cordon et encéphalopathie. 2017 , 9, 124-126	
835	Incidence of Sudden Unexpected Postnatal Collapse in the Therapeutic Hypothermia Era. 2017 , 34, 1362-1367	2
834	Pharyngeal stimulus-induced reflexes are impaired in infants with perinatal asphyxia: Does maturation modify?. 2017 , 29, e13039	11
833	Tracheal suction at birth in non-vigorous neonates born through meconium-stained amniotic fluid. 2017 ,	2
832	Survey of Neonatal Intensive Care Unit Nurse Attitudes Toward Therapeutic Hypothermia Treatment. 2017 , 17, 123-130	8
831	The effect of therapeutic hypothermia on heart rate variability. 2017 , 37, 679-683	9
830	Association between Brain and Kidney Near-Infrared Spectroscopy and Early Postresuscitation Mortality in Asphyxiated Newborn Piglets. 2017 , 112, 80-86	0
829	Neonatal neurological examination during the first 6h after birth. 2017 , 108, 41-44	7
828	Early diagnosis and outcome prediction of neonatal hypoxic-ischemic encephalopathy with color Doppler ultrasound. 2017 , 98, 469-475	8
827	Therapeutic hypothermia for neonatal encephalopathy: a report from the first 3 years of the Baby Cooling Registry of Japan. 2017 , 7, 39508	16
826	Therapeutic Hypothermia for Birth Asphyxia in Neonates. 2017 , 84, 219-226	10
825	Prognostic Value of Brain Magnetic Resonance Imaging in Neonatal Hypoxic-Ischemic Encephalopathy: A Meta-analysis. 2017 , 32, 1065-1073	26
824	Using quality improvement to decrease birth asphyxia rates after 'Helping Babies Breathe' training in Kenya. 2017 , 106, 1666-1673	30
823	Prediction of Outcome in Neonates with Hypoxic-Ischemic Encephalopathy II: Role of Amplitude-Integrated Electroencephalography and Cerebral Oxygen Saturation Measured by Near-Infrared Spectroscopy. 2017 , 112, 193-202	32
822	Sustained versus standard inflations during neonatal resuscitation to prevent mortality and improve respiratory outcomes. 2017 , 7, CD004953	10
821	Cerebral regional oxygen saturation trends in infants with hypoxic-ischemic encephalopathy. 2017 , 113, 55-61	19

820	Protein S100B in umbilical cord blood as a potential biomarker of hypoxic-ischemic encephalopathy in asphyxiated newborns. 2017 , 112, 48-53	22
819	Effect of Temperature on Heart Rate Variability in Neonatal ICU Patients With Hypoxic-Ischemic Encephalopathy. 2017 , 18, 349-354	14
818	Neonatal Implications of Intrapartum Fetal Hypoxia. 162-166	
817	Diagnosing Neonatal Encephalopathy as Hypoxic-Ischemic Encephalopathy: Interpreting Test Results in Real Time. 2017 , 18, e703-e711	1
816	Maternal and neonatal outcomes of vaginal breech delivery for singleton term pregnancies in a carefully selected Cameroonian population: a cohort study. 2017 , 7, e017198	9
815	Estimating the need for inpatient neonatal services: an iterative approach employing evidence and expert consensus to guide local policy in Kenya. 2017 , 2, e000472	13
814	Early amplitude-integrated electroencephalography for monitoring neonates at high risk for brain injury. 2017 , 93, 460-466	
813	Relevance of urinary S100B protein levels as a short-term prognostic biomarker in asphyxiated infants treated with hypothermia. 2017 , 96, e8453	18
812	Servo controlled versus manual cooling methods in neonates with hypoxic ischemic encephalopathy. 2017 , 112, 35-41	3
811	A cohort analysis of neonatal hospital mortality rate and predictors of neonatal mortality in a sub-urban hospital of Cameroon. 2017 , 43, 52	21
810	Melatonin alleviates brain and peripheral tissue edema in a neonatal rat model of hypoxic-ischemic brain damage: the involvement of edema related proteins. 2017 , 17, 90	19
809	Foley catheterisation versus oral misoprostol for induction of labour in hypertensive women in India (INFORM): a multicentre, open-label, randomised controlled trial. 2017 , 390, 669-680	22
808	Noninvasive continuous cardiac output and cerebral perfusion monitoring in term infants with neonatal encephalopathy: assessment of feasibility and reliability. 2017 , 82, 789-795	20
807	Heart rate variability in hypoxic ischemic encephalopathy during therapeutic hypothermia. 2017 , 81, 609-615	14
806	Risk factors for persistent disability in children with obstetric brachial plexus palsy. 2017 , 37, 168-171	3
805	Proinflammatory Cytokines, Enolase and S-100 as Early Biochemical Indicators of Hypoxic-Ischemic Encephalopathy Following Perinatal Asphyxia in Newborns. 2017 , 58, 70-76	24
804	Umbilical lactate as a measure of acidosis and predictor of neonatal risk: a systematic review. 2017 , 124, 584-594	33
803	Neurodevelopmental outcome of term infants with perinatal asphyxia with hypoxic ischemic encephalopathy stage II. 2017 , 39, 107-111	20

802	The Correlation Between a Short-term Conventional Electroencephalography in the First Day of Life and Brain Magnetic Resonance Imaging in Newborns Undergoing Hypothermia for Hypoxic-Ischemic Encephalopathy. 2017 , 67, 91-97	2
801	Evolution of Energy Related Metabolites in Plasma from Newborns with Hypoxic-Ischemic Encephalopathy during Hypothermia Treatment. 2017 , 7, 17039	14
800	Diffusion-weighted MRI and urinary Activin-A are potential predictors of severity in neonates with hypoxic ischemic encephalopathy. 2017 , 65, 101-107	2
799	Neonatal encephalopathy: Case definition & guidelines for data collection, analysis, and presentation of maternal immunisation safety data. 2017 , 35, 6501-6505	4
798	Incidence and Predictors of Mortality Among Newborns With Perinatal Asphyxia: A 4-Year Prospective Study of Newborns Delivered in Health Care Facilities in Enugu, South-East Nigeria. 2017 , 11, 1179556517746646	12
797	Neonatal Encephalopathy. 1-20	
796	Clinical Manifestations of Hypoxic-Ischemic Encephalopathy. 247-257	
795	Timing Perinatal Hypoxic-Ischemic Brain Injury. 342-356	
794	Neurocognitive Outcomes in Term Infants with Neonatal Encephalopathy. 756-772	
793	Impact of hypoglycaemia on neurodevelopmental outcomes in hypoxic ischaemic encephalopathy: a retrospective cohort study. 2017 , 1, e000175	3
792	Impact of perinatal asphyxia on parental mental health and bonding with the infant: a questionnaire survey of Swiss parents. 2017 , 1, e000059	12
791	The Use of Whole Body Cooling in the Treatment of Hypoxic-Ischemic Encephalopathy. 2017 , 36, 273-279	5
790	Xenon as an adjuvant to therapeutic hypothermia in near term and term newborns with hypoxic ischaemic encephalopathy. 2017 ,	78
789	Endotracheal intubation versus face mask for newborns resuscitated with positive pressure ventilation at birth. 2017 ,	78
788	Neurodevelopmental Outcome at 12 Months of Postnatal Magnesium Sulphate Therapy for Perinatal Asphyxia. 2017 , 36, 256-262	
787	L'encéphalopathie anoxique-ischémique du nouveau-né terme : bases physiopathologiques de la neuroprotection. 2017 , 555-567	
786	Breastfeeding and swallowing in a neonate with mild hypoxic-ischaemic encephalopathy. 2017 , 64, e1-e7	3
785	Understanding the Full Spectrum of Organ Injury Following Intrapartum Asphyxia. 2017 , 5, 16	24

784	Therapeutic Hypothermia in Asphyxiated Neonates: Experience from Neonatal Intensive Care Unit of University Hospital of Marrakech. 2017 , 2017, 3674140	5
783	Can cerebellar and brainstem apparent diffusion coefficient (ADC) values predict neuromotor outcome in term neonates with hypoxic-ischemic encephalopathy (HIE) treated with hypothermia?. 2017 , 12, e0178510	6
782	Adjuvant treatment with monosialoganglioside may improve neurological outcomes in neonatal hypoxic-ischemic encephalopathy: A meta-analysis of randomized controlled trials. 2017 , 12, e0183490	10
781	iNICU - Integrated Neonatal Care Unit: Capturing Neonatal Journey in an Intelligent Data Way. 2017 , 41, 132	19
780	Study of Urinary Uric Acid and Creatinine Ratio as a Marker of Perinatal Asphyxia and Its Correlation with Different Stages of Hypoxic Ischemic Encephalopathy. 2017 , 04,	2
779	Early predictors of brain damage in full-term newborns with hypoxic ischemic encephalopathy. 2017 , 13, 2133-2139	5
778	Human Umbilical Cord Blood CD34-Positive Cells as Predictors of the Incidence and Short-Term Outcome of Neonatal Hypoxic-Ischemic Encephalopathy: A Pilot Study. 2017 , 13, 84-90	3
777	Therapeutic Hypothermia to Treat a Newborn With Perinatal Hypoxic-Ischemic Encephalopathy. 2017 , 117, 393-398	2
776	A comparison of blood and cerebrospinal fluid cytokines (IL-1, IL-6, IL-18, TNF- α) in neonates with perinatal hypoxia. 2017 , 17, 203-210	12
775	Study of cord blood nucleated RBCs as a marker for fetal asphyxia. 2017 , 6, 658	
774	Chinese Herbal Medicine Xingnaojing Injection () for Hypoxic Ischemic Encephalopathy in Newborns: A Systematic Review and Meta-Analysis. 2018 , 24, 147-155	3
773	Plasma Biomarkers of Brain Injury in Neonatal Hypoxic-Ischemic Encephalopathy. 2018 , 194, 67-75.e1	65
772	Autonomic Dysfunction in Neonates with Hypoxic Ischemic Encephalopathy Undergoing Therapeutic Hypothermia Impairs Physiological Responses to Routine Care Events. 2018 , 196, 38-44	9
771	Benefits of starting hypothermia treatment within 6 h vs. 6-12 h in newborns with moderate neonatal hypoxic-ischemic encephalopathy. 2018 , 18, 50	7
770	Follow-Up for NICU Graduates. 2018 ,	
769	A review of the conundrum of mild hypoxic-ischemic encephalopathy: Current challenges and moving forward. 2018 , 120, 88-94	23
768	Risk factors for cesarean delivery and adverse neonatal outcome in twin pregnancies attempting vaginal delivery. 2018 , 97, 845-851	8
767	Cardiovascular Associations with Abnormal Brain Magnetic Resonance Imaging in Neonates with Hypoxic Ischemic Encephalopathy Undergoing Therapeutic Hypothermia and Rewarming. 2018 , 35, 979-989	12

766	Optimising gestational weight gain and improving maternal and infant health outcomes through antenatal dietary, lifestyle and physical activity advice: the OPTIMISE randomised controlled trial protocol. 2018 , 8, e019583	9
765	Mild hypoxic ischaemic encephalopathy and long term neurodevelopmental outcome - A systematic review. 2018 , 120, 80-87	66
764	MRI as a biomarker for mild neonatal encephalopathy. 2018 , 120, 75-79	16
763	Evoked potentials predict psychomotor development in neonates with normal MRI after hypothermia for hypoxic-ischemic encephalopathy. 2018 , 129, 1300-1306	22
762	N° 197b-Surveillance du bien-être fetal : Directive consensus d'intrapartum. 2018 , 40, e323-e352	
761	Exploring Parent Experience of Communication About Therapeutic Hypothermia in the Neonatal Intensive Care Unit. 2018 , 18, 136-143	10
760	Absolute lymphocyte and neutrophil counts in neonatal ischemic brain injury. 2018 , 6, 2050312117752613	8
759	Combined prediction of miR-210 and miR-374a for severity and prognosis of hypoxic-ischemic encephalopathy. 2018 , 8, e00835	20
758	Risk factors and mortality rate in premature babies with acute kidney injury. 2018 , 32, e22441	8
757	The 2016 Bernard Sachs Lecture: Timing in Morphogenesis and Genetic Gradients During Normal Development and in Malformations of the Nervous System. 2018 , 83, 3-13	3
756	Infant outcome after complete uterine rupture. 2018 , 219, 109.e1-109.e8	17
755	Illness Severity Predicts Death and Brain Injury in Asphyxiated Newborns Treated with Hypothermia. 2018 , 35, 951-958	4
754	Antepartum risk factors for moderate to severe neonatal hypoxic ischemic encephalopathy: a Swedish national cohort study. 2018 , 97, 615-623	15
753	Partnering With a Medical Malpractice Insurer to Improve Patient Safety and Decrease Risk. 2018 , 32, 66-71	2
752	Diffusion pseudonormalization and clinical outcome in term neonates with hypoxic-ischemic encephalopathy. 2018 , 48, 865-874	7
751	Hypoxic-Ischemic Injury in the Term Infant: Clinical-Neurological Features, Diagnosis, Imaging, Prognosis, Therapy. 2018 , 510-563.e15	14
750	Neonatal morbidity associated with vaginal delivery of noncephalic second twins. 2018 , 218, 449.e1-449.e13	14
749	Hematologic Changes in Newborns with Neonatal Encephalopathy. 2018 , 19, e29-e33	4

748	[Care of the newborn with perinatal asphyxia candidate for therapeutic hypothermia during the first six hours of life in Spain]. 2018 , 89, 211-221	1
747	Lower versus higher oxygen concentrations titrated to target oxygen saturations during resuscitation of preterm infants at birth. 2018 , 5, CD010239	15
746	No. 197b-Fetal Health Surveillance: Intrapartum Consensus Guideline. 2018 , 40, e298-e322	18
745	Development of a NeuroNICU with a Broader Focus on All Newborns at Risk of Brain Injury: The First 2 Years. 2018 , 35, 1197-1205	10
744	Epilepsy Outcome in Cooled Hypoxic-Ischemic Encephalopathic Newborns. 2018 , 07, 008-013	1
743	Amino acid and acylcarnitine profiles in perinatal asphyxia: a case-control study. 2018 , 31, 1462-1469	9
742	Ante- and intrapartum risk factors for neonatal hypoxic ischemic encephalopathy. 2018 , 31, 1595-1601	24
741	The "Fetal Reserve Index": Re-Engineering the Interpretation and Responses to Fetal Heart Rate Patterns. 2018 , 43, 90-104	19
740	Prospective research on infants with mild encephalopathy: the PRIME study. 2018 , 38, 80-85	41
739	Neurodevelopmental outcome in survivors of hypoxic ischemic encephalopathy without cerebral palsy. 2018 , 177, 19-32	19
738	Evolution of Amplitude-Integrated Electroencephalogram as a Predictor of Outcome in Term Encephalopathic Neonates Receiving Therapeutic Hypothermia. 2018 , 35, 277-285	11
737	Estimation of initial phenobarbital dosing in term neonates with moderate-to-severe hypoxic ischaemic encephalopathy following perinatal asphyxia. 2018 , 43, 196-201	8
736	Efficacy of passive hypothermia and adverse events during transport of asphyxiated newborns according to the severity of hypoxic-ischemic encephalopathy. 2018 , 94, 251-257	16
735	Re-examining the arterial cord blood gas pH screening criteria in neonatal encephalopathy. 2018 , 103, F377-F382	17
734	Therapeutic hypothermia in mild neonatal encephalopathy: a national survey of practice in the UK. 2018 , 103, F388-F390	41
733	Dose-dependent relationship between acidosis at birth and likelihood of death or cerebral palsy. 2018 , 103, F567-F572	14
732	Prevalence and Characteristics of Intracranial Hemorrhages in Neonates with Hypoxic Ischemic Encephalopathy. 2018 , 35, 676-681	4
731	Bilateral loss of cortical SEPs predict severe MRI lesions in neonatal hypoxic ischemic encephalopathy treated with hypothermia. 2018 , 129, 95-100	6

730	Hypotension and Brain Injury in Asphyxiated Newborns Treated with Hypothermia. 2018 , 35, 31-38	7
729	Perinatal risk factors for neonatal encephalopathy: an unmatched case-control study. 2018 , 103, F250-F256	36
728	Population-Based Study of the National Implementation of Therapeutic Hypothermia in Infants with Hypoxic-Ischemic Encephalopathy. 2018 , 8, 24-29	10
727	Neonatal Morbidity After Management of Vaginal Noncephalic Second-Twin Delivery by Residents. 2018 , 132, 1377-1385	6
726	Preschool Language Outcomes following Perinatal Hypoxic-Ischemic Encephalopathy in the Age of Therapeutic Hypothermia. 2019 , 1-11	5
725	Hypoxic-ischaemic encephalopathy: Identifying newborns who will benefit from therapeutic hypothermia in developing countries. 2018 , 12, 175	1
724	Early Childhood Outcomes After Neonatal Encephalopathy in Uganda: A Cohort Study. 2018 , 6, 26-35	15
723	Acute Kidney Injury in Perinatal Asphyxia: Comparison Between Term and Preterm Neonates. 2018 , 32, 50-59	
722	Early versus late parenteral nutrition for critically ill term and late preterm infants. 2018 ,	1
721	Stem cell-based interventions for the prevention of morbidity and mortality following hypoxic-ischaemic encephalopathy in newborn infants. 2018 ,	2
720	Xenon as an adjuvant to therapeutic hypothermia in near-term and term newborns with hypoxic-ischaemic encephalopathy. 2018 , 8, CD012753	9
719	Neonatal Encephalopathy: Current Management and Future Trends. 2018 , 30, 509-521	10
718	Correspondence. 2018 , 55, 613-619	4
717	Neonatal Seizures in Iraq: Cause and Outcome. 2018 , 246, 245-249	4
716	Prospective research in infants with mild encephalopathy identified in the first six hours of life: neurodevelopmental outcomes at 18-22 months. 2018 , 84, 861-868	51
715	Late failure of cerebral autoregulation in hypoxic-ischemic encephalopathy is associated with brain injury: a pilot study. 2018 , 39, 125004	6
714	Care of the newborn with perinatal asphyxia candidate for therapeutic hypothermia during the first six hours of life in Spain. 2018 , 89, 211-221	1
713	Neurological Examination of the Newborn Infant. 2018 , 2055-2080	

712	Clinical Aspects and Treatment of the Hypoxic-Ischemic Syndrome. 2018 , 2165-2184	
711	The Timing of Neonatal Brain Damage. 2018 , 2295-2314	
710	Changes in bilirubin in infants with hypoxic-ischemic encephalopathy. 2018 , 177, 1795-1801	13
709	Neonatal Care for Obstetricians. 2018 , 445-458	1
708	Yield of meconium in non-vigorous neonates undergoing endotracheal suctioning and profile of all neonates born through meconium-stained amniotic fluid: a prospective observational study. 2018 , 38, 266-270	7
707	Early Glycemic Profile Is Associated with Brain Injury Patterns on Magnetic Resonance Imaging in Hypoxic Ischemic Encephalopathy. 2018 , 203, 137-143	9
706	Targeted Temperature Management in Pediatric Neurocritical Care. 2018 , 88, 12-24	10
705	A Retrospective Study of Therapeutic Hypothermia in Neonatal Hypoxic Ischemic Encephalopathy. 2018 , 32, 15-21	
704	Complementary Therapy with Traditional Chinese Medicine for Neonatal Hypoxic Ischemic Encephalopathy. 2018 ,	1
703	Efficacy of passive hypothermia and adverse events during transport of asphyxiated newborns according to the severity of hypoxic-ischemic encephalopathy. 2018 , 94, 251-257	1
702	Neonatal Seizures. 2018 , 275-321.e14	6
701	WITHDRAWN: Techniques to ascertain correct endotracheal tube placement in neonates. 2018 , 7, CD010221	0
700	The Placenta in Neonatal Encephalopathy: A Case-Control Study. 2018 , 202, 77-85.e3	32
699	Early Prediction of Hypoxic-Ischemic Brain Injury by a New Panel of Biomarkers in a Population of Term Newborns. 2018 , 2018, 7608108	19
698	Umbilical cord milking for neonates who are depressed at birth: a randomized trial of feasibility. 2018 , 38, 1190-1196	15
697	Severity of hypoxic ischemic encephalopathy correlates with increased expression of angiogenin in neonates. 2018 , 11, 185-190	1
696	Serum biomarkers of neuronal injury in newborns evaluated for selective head cooling: a comparative pilot study. 2018 , 46, 942-947	3
695	Perinatal asphyxia in a rural Nigerian hospital: Incidence and determinants of early outcome. 2018 , 11, 179-183	6

694	Impact of a neuro-intensive care service for newborns. 2018 , 11, 173-178	5
693	A longitudinal 1H-NMR metabolomics analysis of urine from newborns with hypoxic-ischemic encephalopathy undergoing hypothermia therapy. <i>Clinical and medical legal insights</i> . 2018 , 13, e0194267	12
692	Exploring parent expectations of neonatal therapeutic hypothermia. 2018 , 38, 857-864	4
691	Identification of a panel of cytokines in neonates with hypoxic ischemic encephalopathy treated with hypothermia. 2018 , 111, 119-124	7
690	LyTONEPAL: long term outcome of neonatal hypoxic encephalopathy in the era of neuroprotective treatment with hypothermia: a French population-based cohort. 2018 , 18, 255	3
689	Sucrose vs. skin to skin care for preterm neonatal pain control-a randomized control trial. 2018 , 38, 1365-1369	10
688	Fas-ligand and interleukin-6 in the cerebrospinal fluid are early predictors of hypoxic-ischemic encephalopathy and long-term outcomes after birth asphyxia in term infants. 2018 , 15, 223	6
687	The Six-Hour Window: How the Community Hospital Nursery Can Optimize Outcomes of the Infant with Suspected Hypoxic-Ischemic Encephalopathy. 2018 , 37, 155-163	3
686	Changes in Brain Metabolite Concentrations after Neonatal Hypoxic-ischemic Encephalopathy. 2018 , 288, 840-848	17
685	Brain Injury in the Term Infant. 2018 , 897-909.e4	1
684	Surfactant Lung Lavage vs. Standard Care in the Treatment of Meconium Aspiration Syndrome-A Randomized Trial. 2019 , 65, 114-121	8
683	Neonatal Seizure Detection Using Deep Convolutional Neural Networks. 2019 , 29, 1850011	100
682	Therapeutic hypothermia for moderate and severe hypoxic ischaemic encephalopathy in newborns using low-cost devices - ice packs and phase changing material. 2019 , 39, 234-239	16
681	Heart rate variability and inflammatory markers in neonates with hypoxic-ischemic encephalopathy. 2019 , 7, e14110	4
680	Short-term neonatal outcomes of vacuum-assisted delivery. A case-control study. 2019 , 91, 378-385	1
679	Estetrol and Its Effects on the Damaged Brain. 2019 , 43-91	0
678	Neonatal encephalopathy and hypoxic-ischemic encephalopathy. 2019 , 162, 217-237	28
677	Biomarkers in neonatal hypoxic-ischemic encephalopathy-Review of the literature to date and future directions for research. 2019 , 162, 281-293	18

676	Diagnosis of seizures and encephalopathy using conventional EEG and amplitude integrated EEG. 2019 , 162, 363-400	9
675	A Total Sarnat Score in Mild Hypoxic-ischemic Encephalopathy Can Detect Infants at Higher Risk of Disability. 2019 , 214, 217-221.e1	20
674	Peripartum interventions resulting in reduced perinatal mortality rates, and birth asphyxia rates, over 18 years in a tertiary centre in South India: a retrospective study. 2019 , 126 Suppl 4, 21-26	3
673	Establishing a neonatal database in a tertiary hospital in Rwanda - an observational study. 2019 , 39, 265-274	4
672	Sawtooth fetal heart rate pattern associated with a favorable neurological outcome in an infant: a case report. 2019 , 13, 226	1
671	Severity of hypoxic ischemic encephalopathy and heart rate variability in neonates: a systematic review. 2019 , 19, 242	10
670	Update on the current management of newborns with neonatal encephalopathy. 2019 , 49, 100636	6
669	Impaired Right Ventricular Performance Is Associated with Adverse Outcome after Hypoxic Ischemic Encephalopathy. 2019 , 200, 1294-1305	18
668	Coagulation Profiles Are Associated With Early Clinical Outcomes in Neonatal Encephalopathy. 2019 , 7, 399	8
667	Comparative Efficacy and Safety of Neuroprotective Therapies for Neonates With Hypoxic Ischemic Encephalopathy: A Network Meta-Analysis. 2019 , 10, 1221	11
666	2019 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. 2019 , 145, 95-150	62
665	Factors associated with clinical outcomes among neonates admitted with acute bilirubin and hypoxic-ischaemic encephalopathies at a tertiary hospital in south-west Nigeria. 2019 , 61, 177-183	0
664	Combined prenatal and postnatal prediction of early neonatal compromise risk. 2021 , 34, 2996-3007	7
663	aEEG and neurologic exam findings correlate with hypoxic-ischemic brain damage severity in a piglet survival model. 2019 , 85, 539-545	0
662	Circulating blood cellular glucose transporters - Surrogate biomarkers for neonatal hypoxic-ischemic encephalopathy assessed by novel scoring systems. 2019 , 127, 166-173	4
661	Abnormal Neonatal Patterns. 2019 , 361-403	
660	Sex Steroids' Effects on Brain, Heart and Vessels. 2019 ,	
659	Placental clearance/synthesis of neurobiomarkers GFAP and UCH-L1 in healthy term neonates and those with moderate-severe neonatal encephalopathy. 2019 , 86, 500-504	1

658	Influence of timing of initiation of therapeutic hypothermia on brain MRI and neurodevelopment at 18 months in infants with HIE: a retrospective cohort study. 2019 , 3, e000442	3
657	The Role of S100B Protein at 24 Hours of Postnatal Age as Early Indicator of Brain Damage and Prognostic Parameter of Perinatal Asphyxia. 2019 , 6, 2333794X19833729	2
656	Significant reduction in umbilical artery metabolic acidosis after implementation of intrapartum ST waveform analysis of the fetal electrocardiogram. 2019 , 221, 63.e1-63.e13	11
655	Novel interventions to reduce oxidative-stress related brain injury in neonatal asphyxia. 2019 , 142, 113-122	34
654	[Short-term neonatal outcomes of vacuum-assisted delivery. A case-control study]. 2019 , 91, 378-385	5
653	Exploring the effects of peri-partum ingestion of traditional medicine on maternal and foetal outcomes: a prospective cohort study. 2019 , 12, 166	1
652	Current Practice of Therapeutic Hypothermia for Mild Hypoxic Ischemic Encephalopathy. 2019 , 34, 402-409	14
651	Differences in patient characteristics and care practices between two trials of therapeutic hypothermia. 2019 , 85, 1008-1015	8
650	Association of cerebral activity with MRI scans in infants with neonatal encephalopathy undergoing therapeutic hypothermia. 2019 , 178, 851-861	3
649	Ophthalmic outcomes following neonatal hypoxic ischaemic encephalopathy; oculomotor, biometric and refractive data in early childhood. 2019 , 33, 1152-1157	0
648	Myocardial dysfunction as a predictor of the severity and mortality of hypoxic ischaemic encephalopathy in severe perinatal asphyxia: a case-control study. 2019 , 39, 259-264	8
647	Comparison of 'push method' with 'Patwardhan's method' on maternal and perinatal outcomes in women undergoing caesarean section in second stage. 2019 , 39, 606-611	1
646	Melatonin in Hypoxic-Ischemic Brain Injury in Term and Preterm Babies. 2019 , 2019, 9626715	17
645	Early proton magnetic resonance spectroscopy during and after therapeutic hypothermia in perinatal hypoxic-ischemic encephalopathy. 2019 , 49, 941-950	5
644	Erythropoietin in perinatal hypoxic-ischemic encephalopathy: a systematic review and meta-analysis. 2019 , 47, 478-489	19
643	Should therapeutic hypothermia be offered to babies with mild neonatal encephalopathy in the first 6 h after birth?. 2019 , 85, 442-448	28
642	Monitoring the effectiveness of hypothermia in perinatal asphyxia infants by urinary S100B levels. 2019 , 57, 1017-1025	0
641	Anthropometric measures as biomarkers of neurodevelopmental outcomes of newborns with moderate to severe hypoxic ischemic encephalopathy. 2019 , 12, 127-134	2

640	2019 American Heart Association Focused Update on Neonatal Resuscitation: An Update to the American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. 2019 , 140, e922-e930	14
639	2019 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations: Summary From the Basic Life Support; Advanced Life Support; Pediatric Life Support; Neonatal Life Support; Education, Implementation, and Teams; and First Aid Task Forces. 2019 , 140, e826-e880	82
638	Maternal risk factors for adverse outcome in asphyxiated newborns treated with hypothermia: parity and labor duration matter. 2021 , 34, 4123-4131	2
637	Comparisons between umbilical cord biomarkers for newborn hypoxic-ischemic encephalopathy. 2021 , 34, 3969-3982	3
636	Oropharyngeal Dysphagia in Breastfeeding Neonates with Hypoxic-Ischemic Encephalopathy on Therapeutic Hypothermia. 2019 , 14, 718-723	2
635	Acylcarnitine profile in neonatal hypoxic-ischemic encephalopathy: The value of butyrylcarnitine as a prognostic marker. 2019 , 98, e15221	8
634	A Randomised Trial to Optimise Gestational Weight Gain and Improve Maternal and Infant Health Outcomes through Antenatal Dietary, Lifestyle and Exercise Advice: The OPTIMISE Randomised Trial. 2019 , 11,	8
633	Body Temperature, Heart Rate, and Short-Term Outcome of Cooled Infants. 2019 , 9, 76-85	4
632	Apgar Scores at 10 Minutes and Outcomes in Term and Late Preterm Neonates with Hypoxic-Ischemic Encephalopathy in the Cooling Era. 2019 , 36, 545-554	7
631	A nationwide survey on tracheostomy for very-low-birth-weight infants in Japan. 2019 , 54, 53-60	4
630	Validation of Altered Umbilical Cord Blood MicroRNA Expression in Neonatal Hypoxic-Ischemic Encephalopathy. 2019 , 76, 333-341	22
629	A Pilot Study of Soluble Form of LOX-1 as a Novel Biomarker for Neonatal Hypoxic-Ischemic Encephalopathy. 2019 , 206, 49-55.e3	2
628	Room Air for Initiating Term Newborn Resuscitation: A Systematic Review With Meta-analysis. 2019 , 143,	21
627	Functional Connectivity in Term Neonates With Hypoxic-Ischemic Encephalopathy Undergoing Therapeutic Hypothermia. 2019 , 94, 74-79	4
626	Prognostic Value of Electroencephalography in Hypothermia-Treated Neonates With Hypoxic-Ischemic Encephalopathy: A Meta-Analysis. 2019 , 93, 3-10	2
625	Pattern of Brain Injury Predicts Long-Term Epilepsy Following Neonatal Encephalopathy. 2019 , 34, 199-209	2
624	Neurodevelopmental Outcomes in Neonates with Mild Hypoxic Ischemic Encephalopathy Treated with Therapeutic Hypothermia. 2019 , 36, 1337-1343	10
623	Therapeutic Hypothermia in Neonatal Hypoxic-Ischemic Encephalopathy. 2019 , 19, 2	40

622	Combination therapy with erythropoietin, magnesium sulfate and hypothermia for hypoxic-ischemic encephalopathy: an open-label pilot study to assess the safety and feasibility. 2019 , 19, 13	11
621	Therapeutic hypothermia during neonatal transport at Regional Perinatal Centers: active vs. passive cooling. 2019 , 47, 365-369	2
620	Electroencephalography and brain magnetic resonance imaging in asphyxia comparing cooled and non-cooled infants. 2019 , 23, 181-190	7
619	The long-term effect of perinatal asphyxia on hippocampal volumes. 2019 , 85, 43-49	15
618	Association between hypocapnia and ventilation during the first days of life and brain injury in asphyxiated newborns treated with hypothermia. 2019 , 32, 1312-1320	9
617	Severity of asphyxia is a covariate of phenobarbital clearance in newborns undergoing hypothermia. 2019 , 32, 2302-2309	3
616	Altered plasma-type gelsolin and amyloid- β in neonates with hypoxic-ischaemic encephalopathy under therapeutic hypothermia. 2019 , 39, 1349-1354	3
615	Therapeutic hypothermia for neonatal hypoxic-ischemic encephalopathy: magnetic resonance imaging findings and neurological outcomes in a Brazilian cohort. 2019 , 32, 2727-2734	2
614	Falling caesarean section rate and improving intra-partum outcomes: a prospective cohort study. 2019 , 32, 2475-2480	2
613	Random urine uric acid to creatinine and prediction of perinatal asphyxia: a meta-analysis. 2019 , 32, 3864-3870	3
612	Parental perceptions of neonatal therapeutic hypothermia; emotional and healing experiences. 2020 , 33, 2889-2896	7
611	Outcomes related to 10-min Apgar scores of zero in Japan. 2020 , 105, 64-68	12
610	The relationship between neonatal encephalopathy and maternal postpartum depression. 2020 , 33, 3313-3317	6
609	Systematic review: long-term cognitive and behavioural outcomes of neonatal hypoxic-ischaemic encephalopathy in children without cerebral palsy. 2020 , 109, 20-30	24
608	Study on serum Tau protein level and neurodevelopmental outcome of placental abruption with neonatal hypoxic-ischemic encephalopathy. 2019 , 1-7	1
607	Pseudo-sawtooth pattern on amplitude-integrated electroencephalography in neonatal hypoxic-ischemic encephalopathy. 2020 , 87, 529-535	0
606	Appearance of sleep cycling after birth in term neonates: an electro-physiologic study. 2020 , 87, 711-715	2
605	Opioid and benzodiazepine use during therapeutic hypothermia in encephalopathic neonates. 2020 , 40, 79-88	5

604	Hearing screening failure rate in newborn infants with hypoxic ischemic encephalopathy. 2020 , 128, 109691	0
603	A randomized controlled trial on the use of magnesium sulfate and melatonin in neonatal hypoxic ischemic encephalopathy. 2019 , 12, 379-384	12
602	Selective Head versus Whole Body Cooling Treatment of Hypoxic-Ischemic Encephalopathy: Comparison of Electroencephalogram and Magnetic Resonance Imaging Findings. 2020 , 37, 1264-1270	1
601	Outcome and Feasibility after 7 Years of Therapeutic Hypothermia in Southern Brazil. 2020 , 37, 955-961	3
600	Inter-rater reliability of the modified Sarnat examination in preterm infants at 32-36 weeks' gestation. 2020 , 87, 697-702	11
599	2019 American Heart Association Focused Update on Neonatal Resuscitation: An Update to the American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. 2020 , 145,	7
598	Two-Year Neurodevelopmental Outcomes After Mild Hypoxic Ischemic Encephalopathy in the Era of Therapeutic Hypothermia. 2020 , 174, 48-55	43
597	Free radicals and neonatal encephalopathy: mechanisms of injury, biomarkers, and antioxidant treatment perspectives. 2020 , 87, 823-833	11
596	Characteristics and short-term outcomes of neonates with mild hypoxic-ischemic encephalopathy treated with hypothermia. 2020 , 40, 275-283	20
595	Impact of therapeutic hypothermia on infantile spasms: an observational cohort study. 2020 , 62, 62-68	4
594	Cord blood S100B: reference ranges and interest for early identification of newborns with brain injury. 2020 , 58, 285-293	4
593	Correlation Between Heart Rate Characteristic Index Score and Severity of Brain Injury in Neonates With Hypoxic-Ischemic Encephalopathy. 2020 , 20, E70-E82	3
592	Diffusion tensor imaging in neonatal encephalopathy: a systematic review. 2020 , 105, 480-488	5
591	Prognostic role of acute kidney injury on long-term outcome in infants with hypoxic-ischemic encephalopathy. 2020 , 35, 477-483	12
590	Retinal haemorrhage rates and resolution time of retinal haemorrhage in newborns after hypothermic treatment for hypoxic-ischemic encephalopathy. 2020 , 27, 29-32	2
589	Is there a role for therapeutic hypothermia administration in term infants with mild neonatal encephalopathy?. 2020 , 40, 522-529	5
588	Outcomes of Infants with Mild Hypoxic Ischemic Encephalopathy Who Did Not Receive Therapeutic Hypothermia. 2019 , 4, 1-9	7
587	Neonatal Life Support 2020 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. 2020 , 156, A156-A187	26

586	Neonatal Life Support: 2020 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. 2020 , 142, S185-S221	66
585	Development of data dictionary for neonatal intensive care unit: advancement towards a better critical care unit. 2020 , 3, 21-30	5
584	Ten years since the introduction of therapeutic hypothermia in neonates with perinatal hypoxic-ischaemic encephalopathy in Spain. 2020 ,	0
583	Sarnat Grading Scale for Neonatal Encephalopathy after 45 Years: An Update Proposal. 2020 , 113, 75-79	7
582	Death after Birth Asphyxia in the Cooling Era. 2020 , 226, 289-293	1
581	Improving the Timeliness and Safety of Therapeutic Hypothermia for Hypoxic-Ischemic Encephalopathy. 2020 , 5, e283	0
580	Exploratory Assessment of the Relationship Between Hemoglobin Volume Phase Index, Magnetic Resonance Imaging, and Functional Outcome in Neonates with Hypoxic-Ischemic Encephalopathy. 2021 , 35, 121-129	3
579	Risk factors for mortality among neonates admitted to a special care unit in a low-resource setting. 2020 , 20, 722	0
578	Evaluation for the etiology of neonatal encephalopathy and the diagnosis of FIRS. 2020 , 25, 101140	3
577	Birth asphyxia-induced brain damage: the long road to optimal reduction and prevention!. 2020 , 3, 3-3	7
576	Clinical features and underlying genetic causes in neonatal encephalopathy: A large cohort study. 2020 , 98, 365-373	2
575	Abnormal heart rate variability at school age in survivors of neonatal hypoxic-ischemic encephalopathy managed with therapeutic hypothermia. 2020 , 29, 66-70	2
574	The Relationship between Serum Total Bilirubin and Severity of Hypoxic Injury in Neonatal Hypoxic-Ischemic Encephalopathy. 2020 ,	4
573	Indications and Clinical Profile of Neonatal Admissions: A Cross-Sectional Descriptive Analysis from a Single Academic Center in Jordan. 2020 , 13, 997-1006	2
572	Melatonin treatment for newborns with hypoxic ischaemic encephalopathy. 2020 ,	1
571	Mild neonatal complications following guideline-compliant vacuum-assisted delivery in Japan: improvements still needed. 2020 , 1-7	0
570	Blood Pressure Profiles in Infants With Hypoxic Ischemic Encephalopathy (HIE), Response to Dopamine, and Association With Brain Injury. 2020 , 8, 512	1
569	Lessons learned from proteome analysis of perinatal neurovascular pathologies. 2020 , 17, 469-481	0

568	Lower versus higher diagnostic criteria for the detection of gestational diabetes for reducing maternal and perinatal morbidity: study protocol for the GEMS randomised trial. 2020 , 20, 547	2
567	The Sarnat score for neonatal encephalopathy: looking back and moving forward. 2020 , 88, 824-825	8
566	Utilization of Therapeutic Hypothermia and Neurological Injury in Neonates with Mild Hypoxic-Ischemic Encephalopathy: A Report from Children's Hospital Neonatal Consortium. 2020 ,	3
565	Stem cell-based interventions for the prevention of morbidity and mortality following hypoxic-ischaemic encephalopathy in newborn infants. 2020 , 8, CD013202	9
564	Low Variability of Blood Pressure Predicts Abnormal Electroencephalogram in Infants with Hypoxic Ischemic Encephalopathy. 2020 ,	0
563	Predictive Values of Location and Volumetric MRI Injury Patterns for Neurodevelopmental Outcomes in Hypoxic-Ischemic Encephalopathy Neonates. 2020 , 10,	3
562	Early Troponin I Levels in Newborns Undergoing Therapeutic Hypothermia for Hypoxic Ischemic Encephalopathy and Residual Encephalopathy at Discharge. 2020 ,	2
561	Neonatal Seizures and Purinergic Signalling. 2020 , 21,	3
560	Management of Multi Organ Dysfunction in Neonatal Encephalopathy. 2020 , 8, 239	15
559	Neonates with hypoxic-ischemic encephalopathy treated with hypothermia: Observations in a large Canadian population and determinants of death and/or brain injury. 2020 , 13, 449-458	2
558	Biomarkers in newborns with hypoxic-ischemic encephalopathy treated with therapeutic hypothermia. 2020 , 36, 2981-2988	5
557	Impact of Erythropoietin in the management of Hypoxic Ischaemic Encephalopathy in resource-constrained settings: protocol for a randomized control trial. 2020 , 20, 171	4
556	Subclinical Retinal versus Brain Findings in Infants with Hypoxic Ischemic Encephalopathy. 2020 , 258, 2039-2049	3
555	Internal Version Compared With Pushing for Delivery of Cephalic Second Twins. 2020 , 135, 1435-1443	3
554	Therapeutic hypothermia in severe hypoxic-ischemic encephalopathy: a cost-effectiveness analysis. 2020 , 1-8	3
553	Getting an Early Start in Understanding Perinatal Asphyxia Impact on the Cardiovascular System. 2020 , 8, 68	17
552	Inter-rater reliability of amplitude-integrated EEG for the detection of neonatal seizures. 2020 , 143, 105011	7
551	Blinded randomized crossover trial: Skin-to-skin care vs. sucrose for preterm neonatal pain. 2020 , 40, 896-901	6

550	Metabolic Phenotypes of Hypoxic-Ischemic Encephalopathy with Normal vs. Pathologic Magnetic Resonance Imaging Outcomes. 2020 , 10,	4
549	Sustained versus standard inflations during neonatal resuscitation to prevent mortality and improve respiratory outcomes. 2020 , 3, CD004953	8
548	Acute kidney injury in sick neonates: a comparative study of diagnostic criteria, assessment of risk factors and outcomes. 2020 , 1-7	2
547	Is perinatal asphyxia predictable?. 2020 , 20, 186	7
546	Hypoxic Brain Injury. 2020 ,	
545	A prospective observational study of developmental outcomes in survivors of neonatal hypoxic ischaemic encephalopathy in South Africa. 2020 , 110, 308-312	4
544	Reduced white-matter integrity and lower speed of information processing in adolescents with mild and moderate neonatal hypoxic-ischaemic encephalopathy. 2020 , 28, 205-213	2
543	Deregulated miR-384 serves as a biomarker in neonatal hypoxic-ischemic encephalopathy and alleviates microglia-mediated neuroinflammation. 2020 , 47, 5411-5420	1
542	Pharmacokinetics during therapeutic hypothermia for neonatal hypoxic ischaemic encephalopathy: a literature review. 2020 , 4, e000685	7
541	Role of umbilical cord arterial pH and lactate in newborn assessment of term antenatal women with hypertensive disorders of pregnancy. 2020 , 8, 927-933	1
540	Plasma and Cerebrospinal Fluid Candidate Biomarkers of Neonatal Encephalopathy Severity and Neurodevelopmental Outcomes. 2020 , 226, 71-79.e5	10
539	Neonatal neuroimaging and neurophysiology predict infantile onset epilepsy after perinatal hypoxic ischemic encephalopathy. 2020 , 80, 249-256	3
538	Hypothermia Plus Melatonin in Asphyctic Newborns: A Randomized-Controlled Pilot Study. 2020 , 21, 647-655	9
537	The general movements assessment in term and late-preterm infants diagnosed with neonatal encephalopathy, as a predictive tool of cerebral palsy by 2 years of age: a scoping review protocol. 2020 , 9, 154	2
536	Perinatal outcomes of pregnancy in the fifth decade and beyond- a comparison of very advanced maternal age groups. 2020 , 10, 1809	8
535	Short-term neurological improvement in neonates with hypoxic-ischemic encephalopathy predicts neurodevelopmental outcome at 18-24 months. 2020 , 48, 296-303	1
534	Treatment of Neonatal Hypoxic-Ischemic Encephalopathy with Erythropoietin Alone, and Erythropoietin Combined with Hypothermia: History, Current Status, and Future Research. 2020 , 21,	25
533	Late onset oxygen requirement following neonatal therapeutic hypothermia. 2020 , 109, 2258-2265	2

532	Tracheal suctioning of meconium at birth for non-vigorous infants: a systematic review and meta-analysis. 2020 , 149, 117-126	27
531	Predictors of Long-Term Neurodevelopmental Outcome of Hypoxic-Ischemic Encephalopathy Treated with Therapeutic Hypothermia. 2020 , 40, 322-334	2
530	Therapeutic hypothermia for hypoxic-ischemic encephalopathy after perinatal sentinel events: less brain injury on MRI and improved neurodevelopmental outcome at 18-36 months. 2020 , 40, 633-639	2
529	Editorial Commentary: Inter-observer concordance in applying the Sarnat Grading Scale of neonatal encephalopathy to mildly preterm infants. 2020 , 87, 622-623	2
528	Is There More than Cooling to Protect the Brain?. 2020 , 143-158	1
527	Safety and efficacy of sildenafil citrate to reduce operative birth for intrapartum fetal compromise at term: a phase 2 randomized controlled trial. 2020 , 222, 401-414	14
526	Small molecule biomarkers for neonatal hypoxic ischemic encephalopathy. 2020 , 25, 101084	5
525	Acute Kidney Injury in Neonates with Perinatal Asphyxia Receiving Therapeutic Hypothermia. 2021 , 38, 922-929	4
524	Early versus late parenteral nutrition for critically ill term and late preterm infants. 2020 , 4, CD013141	4
523	Neonatal Vitamin D Status Is Associated with the Severity of Brain Injury in Neonatal Hypoxic-Ischemic Encephalopathy: A Pilot Study. 2020 , 51, 251-258	5
522	Factors associated with mortality among asphyxiated newborns in a low-resource setting. 2020 , 1-6	4
521	First Twin in Breech Presentation and Neonatal Mortality and Morbidity According to Planned Mode of Delivery. 2020 , 135, 1015-1023	5
520	Troponin T correlates with MRI results in neonatal encephalopathy. 2020 , 109, 2266-2270	3
519	Umbilical artery carbon dioxide decreases the risk for hypoxic-ischaemic encephalopathy. 2020 , 109, 2554-2561	
518	Prognostic Value of Continuous Electroencephalogram Delta Power in Neonates With Hypoxic-Ischemic Encephalopathy. 2020 , 35, 517-525	7
517	Cytokine dysregulation persists in childhood post Neonatal Encephalopathy. 2020 , 20, 115	18
516	Exploring Perinatal Asphyxia by Metabolomics. 2020 , 10,	13
515	Minor neurological signs and behavioural function at age 2 years in neonatal hypoxic ischaemic encephalopathy (HIE). 2020 , 27, 78-85	7

514	Aberrant expression of miR-199a in newborns with hypoxic-ischemic encephalopathy and its diagnostic and prognostic significance when combined with S100B and NSE. 2021 , 121, 707-714	0
513	Regional heterogeneity of cerebral hemodynamics in mild neonatal encephalopathy measured with multichannel near-infrared spectroscopy. 2021 , 89, 882-888	2
512	Association of perinatal risk factors with neurological outcome in neonates with hypoxic ischemic encephalopathy. 2021 , 34, 1020-1027	7
511	Impact of outreach education program on outcomes of neonates with hypoxic ischemic encephalopathy.. 2021 , 26, e215-e221	1
510	Spectral-domain OCT changes in retina and optic nerve in children with hypoxic-ischaemic encephalopathy. 2021 , 259, 1343-1355	2
509	Perinatal outcome after planned vaginal delivery in monochorionic compared with dichorionic twin pregnancy. 2021 , 57, 592-599	4
508	Up-Regulation of Nfat5 mRNA and Fzd4 mRNA as a Marker of Poor Outcome in Neonatal Hypoxic-Ischemic Encephalopathy. 2021 , 228, 74-81.e2	2
507	2020 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. 2021 , 147,	12
506	Improvement in the Prediction of Neonatal Hypoxic-Ischemic Encephalopathy with the Integration of Umbilical Cord Metabolites and Current Clinical Makers. 2021 , 229, 175-181.e1	7
505	Acute symptomatic neonatal seizures, brain injury, and long-term outcome: The role of neuroprotective strategies. 2021 , 21, 189-203	0
504	Organ Complications of Infants with Hypoxic Ischemic Encephalopathy Before Therapeutic Hypothermia. 2021 , 11, 58-63	3
503	Heart rate variability as possible marker of brain damage in neonates with hypoxic ischemic encephalopathy: a systematic review. 2021 , 180, 1335-1345	7
502	Serum cytokine profiling in neonates with hypoxic ischemic encephalopathy. 2021 , 14, 177-182	1
501	Early postnatal color Doppler changes in neonates receiving delivery room resuscitation with low 5 min Apgar score-a pilot study. 2021 , 41, 486-493	
500	Fetal heart rate nadir during bradycardia and umbilical artery acidemia at birth. 2021 , 100, 964-970	3
499	Feasibility of oscillating and pulsed gradient diffusion MRI to assess neonatal hypoxia-ischemia on clinical systems. 2021 , 41, 1240-1250	3
498	Operative vacuum vaginal delivery: effect of compliance with recommended checklist. 2021 , 34, 1627-1633	
497	Hospital-related, maternal, and fetal risk factors for neonatal asphyxia and moderate or severe hypoxic-ischemic encephalopathy: a retrospective cohort study. 2021 , 34, 1448-1453	6

496	Hearing Impairment in Infants with Hypoxic Ischemic Encephalopathy Treated with Hypothermia. 2021,	0
495	Impact of early referral on immediate outcome of asphyxiated newborns. 2021, 10, 1	
494	The role of pineal microRNA-325 in regulating circadian rhythms after neonatal hypoxic-ischemic brain damage. 2021, 16, 2071-2077	1
493	Perinatal hypoxic-ischemic damage: review of the current treatment possibilities. 2020, 69, S379-S401	3
492	Role of apoptosis-inducing factor in perinatal hypoxic-ischemic brain injury. 2021, 16, 205-213	3
491	Hipoksik �skemik Ensefalopati Nedeniyle Terap�tik Hipotermi Uygulanan Bebeklerin N�ogeli�msel Sonu�lar-1-6	0
490	Association between cerebral oxygen saturation and brain injury in neonates receiving therapeutic hypothermia for neonatal encephalopathy. 2021, 41, 269-277	3
489	Parental Factors Associated With the Decision to Participate in a Neonatal Clinical Trial. 2021, 4, e2032106	6
488	The General Movements Assessment in Neonates With Hypoxic Ischemic Encephalopathy. 2021, 36, 601-609	4
487	Effect of Hypothermia on Serum Myelin Basic Protein and Tumor Necrosis Factor-�n Neonatal Hypoxic-Ischemic Encephalopathy. 2021,	
486	Early Spontaneous Movements of Infants With Hypoxic-Ischemic Encephalopathy. 2021, 33, 18-22	4
485	and Polymorphisms Influence MRI Brain Patterns in Newborns with Hypoxic-Ischemic Encephalopathy Treated with Hypothermia. 2021, 10,	1
484	Hepatic Injury in Neonates with Perinatal Asphyxia. 2021, 8, 2333794X20987781	1
483	Neonatal Encephalopathy Is Associated With Altered IL-8 and GM-CSF Which Correlates With Outcomes. 2020, 8, 556216	6
482	Dysregulated Monocyte and Neutrophil Functional Phenotype in Infants With Neonatal Encephalopathy Requiring Therapeutic Hypothermia. 2020, 8, 598724	4
481	Correlation of Thompson and modified Sarnat scores in neonatal hypoxic ischemic encephalopathy. 2021, 41, 1522-1523	0
480	Positive fluid balance is associated with death and severity of brain injury in neonates with hypoxic-ischemic encephalopathy. 2021, 41, 1331-1338	0
479	Serial plasma biomarkers of brain injury in infants with neonatal encephalopathy treated with therapeutic hypothermia. 2021,	0

478	General versus regional anaesthesia for caesarean section indicated for acute foetal distress: a retrospective cohort study. 2021 , 21, 68	1
477	Quantitative approach to early neonatal EEG visual analysis in hypoxic-ischemic encephalopathy severity: Bridging the gap between eyes and machine. 2021 , 51, 121-131	0
476	Clinical seizures and unfavorable brain MRI patterns in neonates with hypoxic ischemic encephalopathy. 2021 , 100, e25118	2
475	Effectiveness of reaching and maintaining therapeutic hypothermia target temperature using low-cost devices in newborns with hypoxic-ischemic encephalopathy. 2021 , 304, 1217-1223	3
474	Activin A and Acvr2b mRNA from Umbilical Cord Blood Are Not Reliable Markers of Mild or Moderate Neonatal Hypoxic-Ischemic Encephalopathy. 2021 , 52, 261-267	0
473	Can we delineate brain injury in full-term neonates using serum biomarkers?. 2021 , 35, 821-830	2
472	Investigating gene methylation signatures for fetal intolerance prediction. 2021 , 16, e0250032	
471	A Decision-Tree Approach to Assist in Forecasting the Outcomes of the Neonatal Brain Injury. 2021 , 18,	6
470	Multichannel EEG abnormalities during the first 6 hours in infants with mild hypoxic-ischaemic encephalopathy. 2021 , 90, 117-124	0
469	Trends and predictors of in-hospital mortality among babies with hypoxic ischaemic encephalopathy at a tertiary hospital in Nigeria: A retrospective cohort study. 2021 , 16, e0250633	1
468	Prediction of encephalopathy in perinatal asphyxia score: reaching the unreached. 2021 , 49, 748-754	1
467	Hemodynamic response to milrinone for refractory hypoxemia during therapeutic hypothermia for neonatal hypoxic ischemic encephalopathy. 2021 , 41, 2345-2354	4
466	Neuromuscular Control before and after Independent Walking Onset in Children with Cerebral Palsy. 2021 , 21,	1
465	Brain cooling reduces the risk of postneonatal epilepsy in newborns affected by moderate to severe hypoxic-ischemic encephalopathy. 2021 , 73,	0
464	Wavelet Autoregulation Monitoring Identifies Blood Pressures Associated With Brain Injury in Neonatal Hypoxic-Ischemic Encephalopathy. 2021 , 12, 662839	0
463	CORRELATION OF MRI BRAINS WITH NEUROLOGICAL OUTCOME AT 12 MONTHS OF AGE IN NEWBORNS WITH HYPOXIC ISCHAEMIC ENCEPHALPATHY AT A TERTIARY REFERRAL HOSPITAL OF KOLKATA: A PROSPECTIVE LONGITUDINAL STUDY. 2021 , 39-41	
462	Early EEG in neonates with mild hypoxic-ischemic encephalopathy: more than meets the eye. 2021 , 90, 18-19	0
461	HIF1A polymorphisms do not modify the risk of epilepsy nor cerebral palsy after neonatal hypoxic-ischemic encephalopathy. 2021 , 1757, 147281	1

460	Follow-Up of Low Birth Weight Preterm Infants After Hospital Discharge: Incidence and Reasons for Rehospitalization. 2021 , 67,	0
459	Selective reduction in the expression of type-1 metabotropic glutamate receptors in the hippocampus of adult rats born by caesarean section. 2021 , 81, 333-341	
458	Body temperature, heart rate and long-term outcome of cooled infants: an observational study. 2021 ,	1
457	Effect of Music on Outcomes of Birth Asphyxia: A Randomized Controlled Trial. 2021 , 67,	1
456	Quantitative Susceptibility Mapping of Venous Vessels in Neonates with Perinatal Asphyxia. 2021 , 42, 1327-1333	
455	Association of Maternal SARS-CoV-2 Infection in Pregnancy With Neonatal Outcomes. 2021 , 325, 2076-2086	41
454	Identifying Early Diagnostic Biomarkers Associated with Neonatal Hypoxic-Ischemic Encephalopathy. 2021 , 11,	1
453	Mechanical Ventilation, Partial Pressure of Carbon Dioxide, Increased Fraction of Inspired Oxygen and the Increased Risk for Adverse Short-Term Outcomes in Cooled Asphyxiated Newborns. 2021 , 8,	1
452	Reciprocal assessment of urinary beta-2-microglobulin and BUN levels in renal dysfunction of neonates with birth asphyxia. 2021 , 1-7	0
451	Short-term outcomes in infants with mild neonatal encephalopathy: a retrospective, observational study. 2021 , 21, 224	0
450	Early Determination of Prognosis in Neonatal Moderate or Severe Hypoxic-Ischemic Encephalopathy. 2021 , 147,	0
449	Darbepoetin as a neuroprotective agent in mild neonatal encephalopathy: a randomized, placebo-controlled, feasibility trial. 2021 , 41, 1339-1346	1
448	Refining clinical algorithms for a neonatal digital platform for low-income countries: a modified Delphi technique. 2021 , 11, e042124	1
447	An observational study of sleep in childhood post-neonatal encephalopathy. 2021 , 110, 2352-2356	
446	A single dose of aminophylline administration during therapeutic hypothermia; does it make a difference in glomerular filtration rate?. 2021 , 180, 3367-3377	0
445	Altered inflammasome activation in neonatal encephalopathy persists in childhood. 2021 , 205, 89-97	4
444	Brief hypoxia in late gestation sheep causes prolonged disruption of fetal electrographic, breathing behaviours and can result in early labour. 2021 , 599, 3221-3236	3
443	Clinical, biological and electroencephalographic monitoring of newborns with neurological risk in the Neonatal Intensive Care Unit. 2021 , 22, 760	4

442	Clinical profile, aetiology, short-term outcome and predictors of poor outcome of neonatal seizures among out-born neonates admitted to a neonatal unit in Paediatric emergency of a tertiary care hospital in North India: A prospective observational study. 2021 , 51, 365-371	0
441	Early Versus Late Brain Magnetic Resonance Imaging after Neonatal Hypoxic Ischemic Encephalopathy Treated with Therapeutic Hypothermia. 2021 , 232, 73-79.e2	3
440	Tracheal suction at birth in non-vigorous neonates born through meconium-stained amniotic fluid. 2021 , 6, CD012671	3
439	Cooling in mild encephalopathy: Costs and perils of therapeutic creep. 2021 , 26, 101244	2
438	Biological and Psychosocial Factors, Risk Behaviors, and Perinatal Asphyxia in a University Hospital: Matched Case-Control Study, Cali, Colombia (2012-2014). 2021 , 9, 535737	0
437	Experience of cases with Inhaled Nitric Oxide and Therapeutic Hypothermia. 2021 ,	
436	Unanswered questions regarding therapeutic hypothermia for neonates with neonatal encephalopathy. 2021 , 26, 101257	5
435	Amplitude integrated EEG: how much it helps in prognostication in neonatal encephalopathy?. 2021 , 1-8	
434	Prediction of the Course of Transient Tachypnea of the Newborn by Blood Laboratory Parameters at the Time of Admission. 2021 , 31,	
433	Blood gas measures as predictors for neonatal encephalopathy severity. 2021 , 41, 2261-2269	1
432	Brain MRI after therapeutic hypothermia in asphyxiated newborns: Predictive value at one year of imaging features. 2021 , 139, 109724	1
431	MicroRNA-410 serves as a candidate biomarker in hypoxic-ischemic encephalopathy newborns and provides neuroprotection in oxygen-glucose deprivation-injured PC12 and SH-SY5Y cells. 2021 , 11, e2293	3
430	Morphological changes in the pons and cerebellum during the first two weeks in term infants with pontine and cerebellar injury and profound neonatal asphyxia. 2021 , 2841851211030777	0
429	Serum glial fibrillary acidic protein as a biomarker of brain injury in premature neonates. 2021 ,	0
428	Pharmacological interventions for pain and sedation management in newborn infants undergoing therapeutic hypothermia. 2021 , 2021,	1
427	Process variations between Swiss units treating neonates with hypoxic-ischemic encephalopathy and their effect on short-term outcome. 2021 ,	0
426	Bedside and laboratory neuromonitoring in neonatal encephalopathy. 2021 , 26, 101273	3
425	Comparative Study Between Serum Level of Total L-carnitine in Neonatal Hypoxic Ischemic Encephalopathy (HIE) and Transient Tachypnea of the Newborn (TTN). 2021 , 12,	

424	Neonatal encephalopathy: Focus on epidemiology and underexplored aspects of etiology. 2021 , 26, 101265	8
423	"Assessing Today for a Better Tomorrow": An observational cohort study about quality of care, mortality and morbidity among newborn infants admitted to neonatal intensive care in Guinea. 2021 , 16, e0254938	
422	Hypoxic-Ischemic Brain Injury after Perinatal Asphyxia as a Possible Factor in the Pathology of Alzheimer's Disease.	0
421	Relationships between cardiovascular signs and neurological signs in asphyxiated neonates in Ilorin, North Central Nigeria. 2021 , 21, 743-752	0
420	Short-term feeding outcomes after neonatal brain injury. 2021 ,	
419	Comparison of Predictive Values of Magnetic Resonance Biomarkers Based on Scan Timing in Neonatal Encephalopathy Following Therapeutic Hypothermia. 2021 , 239, 101-109.e4	1
418	Comparison of numerical and standard sarnat grading using the NICHD and SIBEN methods. 2021 ,	1
417	Magnetic resonance imaging and spectroscopy in evaluation of hypoxic ischemic encephalopathy in pediatric age group. 2021 , 52,	
416	Acute kidney injury in infants with hypothermia-treated hypoxic-ischaemic encephalopathy: An observational population-based study. 2021 ,	1
415	Development, Reliability, and Testing of a New Rating Scale for Neonatal Encephalopathy. 2021 , 235, 83-91.e7	1
414	The assessment of general movements in term and late-preterm infants diagnosed with neonatal encephalopathy, as a predictive tool of cerebral palsy by 2 years of age-a scoping review. 2021 , 10, 226	2
413	NAC and Vitamin D Improve CNS and Plasma Oxidative Stress in Neonatal HIE and Are Associated with Favorable Long-Term Outcomes. 2021 , 10,	0
412	Current Therapies for Neonatal Hypoxic-Ischaemic and Infection-Sensitised Hypoxic-Ischaemic Brain Damage. 2021 , 13, 709301	4
411	Long-Term Outcome after Asphyxia and Therapeutic Hypothermia in Late Preterm Infants: A Pilot Study. 2021 , 9,	1
410	Hypoxic ischemic encephalopathy in offspring of immigrant women in Sweden: A population-based cohort study. 2021 , 100, 2285-2293	0
409	Peptidomic Analysis of Neonate Umbilical Cord Blood for the Identification of Endogenous Peptides Involved in Hypoxic-Ischemic Encephalopathy. 2021 , 9, 718704	0
408	Spectrum of Multi-Organ System Involvement in Perinatal Asphyxia at a Tertiary Care Hospital in Southern India - A Descriptive Study. 2021 , 8, 3230-3235	
407	Urine Biomarkers for the Assessment of Acute Kidney Injury in Neonates with Hypoxic Ischemic Encephalopathy Receiving Therapeutic Hypothermia. 2021 ,	2

406	[Adherence to hypothermia guidelines in newborns with hypoxic-ischemic encephalopathy]. 2021 ,	
405	Neonatal outcomes of pregnant women with COVID-19 in a developing country setup. 2021 , 62, 499-505	5
404	Troponin I Levels in Neonatal Hypoxic-Ischemic Encephalopathy Are Related to Cardiopulmonary Comorbidity and Neurodevelopmental Outcomes. 2021 , 10,	1
403	Multi-organ dysfunction scoring in neonatal encephalopathy (MODE Score) and neurodevelopmental outcomes. 2021 ,	0
402	Study of nestin in newborn infants with neonatal hypoxic ischemic encephalopathy. 2021 , 180,	
401	Neurodevelopmental outcome in neonates with hypoxic-ischaemic encephalopathy managed with therapeutic hypothermia in a tertiary-level public hospital outside an intensive care unit setting. 2021 , 1-6	0
400	Novel Point-of-Care Diagnostic Method for Neonatal Encephalopathy Using Purine Nucleosides. 2021 , 14, 732199	0
399	EEG Spectral Power: A Proposed Physiological Biomarker to Classify the Hypoxic-Ischemic Encephalopathy Severity in Real Time. 2021 , 122, 7-14	1
398	Diffusion Restriction in the Optic Radiation of Term Neonates With Hypoxic-Ischemic Encephalopathy Demonstrated by Magnetic Resonance Imaging (MRI). 2021 , 36, 950-957	0
397	Salivary Lactate Dehydrogenase in Relationship to the Severity of Hypoxic-Ischemic Encephalopathy among Newborn Infants. 2021 , 2021, 9316277	
396	Genetic Polymorphisms, Gene-Gene Interactions and Neurologic Sequelae at Two Years Follow-Up in Newborns with Hypoxic-Ischemic Encephalopathy Treated with Hypothermia. 2021 , 10,	0
395	Terapötik Hipotermi Uygulanan Hipoksik *skemik Ensefalopatili Yenidođnlarđ Kardiyak Bulgularđđ Deđrlendirilmesi. 1-8	0
394	Cardiac Dysfunction in Neonatal HIE Is Associated with Increased Mortality and Brain Injury by MRI. 2021 ,	0
393	Long-Term Outcomes of Perinatal Hypoxia and Asphyxia at an Early School Age. 2021 , 57,	0
392	Back rubs or foot flicks for neonatal stimulation at birth in a low-resource setting: A randomized controlled trial. 2021 , 167, 137-143	3
391	Ischemic hypoxic encephalopathy: The role of MRI of neonatal injury and medico-legal implication. 2021 , 327, 110968	1
390	Association of outborn versus inborn birth status on the in-hospital outcomes of neonates treated with therapeutic hypothermia: A propensity score-weighted cohort study. 2021 , 167, 82-88	
389	Early Use of Transcranial Doppler Ultrasonography to Stratify Neonatal Encephalopathy. 2021 , 124, 33-39	0

388	Interpretation of Tuberculin Skin test in BCG vaccinated children. 2022 , 19,	
387	Long Term Outcome of Neonates with Hypoxic Ischemic Encephalopathy. 2022 , 19,	
386	Challenges in developing therapeutic strategies for mild neonatal encephalopathy. 2022 , 17, 277-282	3
385	Harvey Barry Sarnat. 2021 , 910-912	
384	Pilot study assessing the effect of osteopathic manipulative treatment (OMT) on length of stay in neonates after therapeutic hypothermia. 2021 , 121, 97-104	
383	Naloxone for preventing morbidity and mortality in term or near-term newborn infants with suspected perinatal asphyxia.	2
382	Active versus expectant management for women in the third stage of labour. 2019 , 2, CD007412	25
381	Perinatal Brain Injury. 2000 , 531-583	2
380	Update on Early Developmental Neuropsychological Assessment: The Early Neuropsychological Optimality Rating Scales. 1994 , 172-200	3
379	Neonatal Encephalopathy. 2018 , 155-178	2
378	Anoxic-Ischemic Cerebral Damage. 2001 , 153-231	1
377	Neurological Morbidity of Term Infants as an Indicator of Safe Obstetrical Practice. 1988 , 175-191	2
376	Fehlbildungen und Erkrankungen des Nervensystems. 2002 , 371-409	1
375	Hypothermic neuroprotection. 2006 , 3, 154	0
374	Neonates and parents: neurodevelopmental perspectives in the neonatal intensive care unit and follow-up. 2013 , 271-316	1
373	Neonatal Seizures. 2008 , 203-244	48
372	Hypoxic-Ischemic Encephalopathy: Clinical Aspects. 2008 , 400-480	33
371	Les amnésies chez les enfants et les adolescents. 2009 , 81-106	1

370	Impact de l'anesthésie obstétricale sur l'outcome néonatal. 2020 , 6, 544-554	1
369	Visual and Quantitative Electroencephalographic Analysis in Healthy Term Neonates Within the First Six Hours and the Third Day of Life. 2017 , 77, 54-60.e1	3
368	Hypothermia for newborns with hypoxic ischemic encephalopathy. 2012 , 17, 41-6	36
367	Intrapartum fetal hypoxia and biochemical markers: a review. 1998 , 53, 645-57	18
366	Case-control study of intrapartum care, cerebral palsy, and perinatal death. 1994 , 308, 743-50	131
365	Predictors of neonatal encephalopathy in full-term infants. 1995 , 311, 598-602	131
364	Detection of acute kidney injury in premature asphyxiated neonates by serum neutrophil gelatinase-associated lipocalin (sNGAL)--sensitivity and specificity of a potential new biomarker. 2015 , 25, 450-9	10
363	The burden of hypoxic-ischaemic encephalopathy in Malaysian neonatal intensive care units. 2016 , 57, 456-63	10
362	Can diffusion tensor imaging predict cerebral palsy in term neonates with hypoxic ischemic encephalopathy?. 2019 , 50,	0
361	Cerebral metabolism within 18 hours of birth asphyxia: a proton magnetic resonance spectroscopy study. 1996 , 39, 584-90	98
360	Proton magnetic resonance spectroscopy of the brain in normal preterm and term infants, and early changes after perinatal hypoxia-ischemia. 1996 , 40, 6-14	156
359	Diagnostic and prognostic value of cerebral 31P magnetic resonance spectroscopy in neonates with perinatal asphyxia. 1996 , 40, 749-58	59
358	Cerebrospinal fluid of newborn infants contains a deglycosylated form of the intermediate filament nestin. 1996 , 40, 809-14	13
357	Apoptosis in the brains of infants suffering intrauterine cerebral injury. 1997 , 42, 684-9	97
356	Cytokine response in cerebrospinal fluid after birth asphyxia. 1998 , 43, 746-51	134
355	The effect of antioxidative combination therapy on post hypoxic-ischemic perfusion, metabolism, and electrical activity of the newborn brain. 1998 , 44, 119-24	34
354	Persistent increases in cerebral lactate concentration after birth asphyxia. 1998 , 44, 304-11	79
353	Cerebral intracellular lactic alkalosis persisting months after neonatal encephalopathy measured by magnetic resonance spectroscopy. 1999 , 46, 287-96	82

352	Hypoxic-Ischemic Encephalopathy and Other Neonatal Encephalopathies. 2018 , 24, 57-71	15
351	HYPOXIC-ISCHEMIC ENCEPHALOPATHY IN NEONATES BORN TO SEVERE BIRTH ASPHYXIA. 2017 , 2, 95-101	2
350	The metabolomic profile of umbilical cord blood in neonatal hypoxic ischaemic encephalopathy. 2012 , 7, e50520	66
349	Neonatal encephalopathic cerebral injury in South India assessed by perinatal magnetic resonance biomarkers and early childhood neurodevelopmental outcome. 2014 , 9, e87874	21
348	Neurological abnormalities in full-term asphyxiated newborns and salivary S100B testing: the "Cooperative Multitask against Brain Injury of Neonates" (CoMBINE) international study. 2015 , 10, e0115194	21
347	Asphyxia in the Newborn: Evaluating the Accuracy of ICD Coding, Clinical Diagnosis and Reimbursement: Observational Study at a Swiss Tertiary Care Center on Routinely Collected Health Data from 2012-2015. 2017 , 12, e0170691	11
346	Quality improvement for reducing utilization drift in hypoxic-ischemic encephalopathy management. 2021 , 49, 389-395	2
345	[Hypoxic-ischemic brain damage in premature newborns]. 2019 , 119, 63-69	3
344	Magnetic Resonance Imaging versus Proton Magnetic Resonance Spectroscopy in Neonatal Hypoxic Ischemic Encephalopathy in Egyptian Population: Pilot study. 2017 , 3, 043-050	0
343	Therapeutic hypothermia: treatment for hypoxic-ischemic encephalopathy in the NICU. 2011 , 30, 370-80	2
342	Urinary gas chromatography mass spectrometry metabolomics in asphyxiated newborns undergoing hypothermia: from the birth to the first month of life. 2016 , 4, 417	13
341	Study of Cord Blood Erythropoietin, Leptin and Adiponectin Levels in Neonates with Hypoxic Ischemic Encephalopathy. 2020 , 20, 213-220	3
340	Association between serum interleukin-6 levels and severity of perinatal asphyxia. 2010 , 4, 79-85	7
339	MYOCARDIAL ISCHEMIA IN NEONATE WITH PERINATAL ASPHYXIA: ELECTROCARDIOGRAPHIC, ECHOCARDIOGRAPHIC AND ENZYMATIC CORRELATION. 2017 , 04, 2-6	4
338	Evaluation of the role of ischemia modified albumin in neonatal hypoxic-ischemic encephalopathy. 2020 , 63, 329-334	2
337	Pathophysiology of perinatal hypoxic-ischemic encephalopathy - biomarkers, animal models and treatment perspectives. 2016 , 65, S533-S545	32
336	Early postnatal hypoxia induces behavioral deficits but not morphological damage in the hippocampus in adolescent rats. 2020 , 69, 165-179	6
335	Abnormal neonatal movements, intracranial hemorrhage, asphyxia. 1983 , 12, 798-804	1

334	The management of hypoxic-ischemic encephalopathy. 1988 , 17, 524-6	3
333	Advances in neonatal neurology. 1992 , 21, 339-45	2
332	Technical standards for recording and interpretation of neonatal electroencephalogram in clinical practice. 2009 , 12, 58-70	12
331	Effect of erythropoietin combined with hypothermia on serum tau protein levels and neurodevelopmental outcome in neonates with hypoxic-ischemic encephalopathy. 2017 , 12, 1655-1663	15
330	Correlation of EEG, CT, and MRI Brain with Neurological Outcome at 12 Months in Term Newborns with Hypoxic Ischemic Encephalopathy. 2013 , 2, 125-30	19
329	Nucleated red blood cell in cord blood as a marker of perinatal asphyxia. 2013 , 2, 179-82	11
328	Postnatal Outcomes and Risk Factors for In-Hospital Mortality among Asphyxiated Newborns in a Low-Resource Hospital Setting: Experience from North-Central Nigeria. 2020 , 86, 63	1
327	Predictors of Mortality in Neonates with Seizures; a Prospective Cohort Study. 2016 , 70, 182-5	9
326	Lactate as an early predictor of psychomotor development in neonates with asphyxia receiving therapeutic hypothermia. 2018 , 162, 144-148	3
325	Throwing the baby out with the fetal monitoring?: Obstetric care, birth asphyxia and brain damage. 1991 , 154, 576-578	1
324	Effect of Probiotics on Full Intestinal Feeding in Premature Infants: A Double Blind, Clinical Trial. 2020 , 30,	1
323	Serum troponin I: a potential biomarker of hypoxic-ischemic encephalopathy in term newborns. 2021 , 1	0
322	Placental findings are not associated with neurodevelopmental outcome in neonates with hypoxic-ischemic encephalopathy'- an 11-year single-center experience. 2021 ,	0
321	Altered Cytokine Endotoxin Responses in Neonatal Encephalopathy Predict MRI Outcomes. 2021 , 9, 734540	2
320	Neonatal encephalopathy plasma metabolites are associated with neurodevelopmental outcomes. 2021 ,	
319	Mild Hypoxic-Ischemic Encephalopathy: Can Neurophysiological Monitoring Predict Unfavorable Neurological Outcome? A Systematic Review and Meta-analysis. 2021 ,	1
318	Proposing a care practice bundle for neonatal encephalopathy during therapeutic hypothermia. 2021 , 26, 101303	1
317	Profile of minor neurological findings after perinatal asphyxia. 2021 ,	1

316	Relationship Between MRI Scoring Systems and Neurodevelopmental Outcome at Two Years in Infants With Neonatal Encephalopathy. 2021 , 126, 35-42	0
315	Neonatal hypoxic-ischaemic encephalopathy: Motor impairment beyond cerebral palsy. 2021 , 35, 74-81	1
314	The use of neuroimaging, Prechtl's general movement assessment and the Hammersmith infant neurological examination in determining the prognosis in 2-year-old infants with hypoxic ischemic encephalopathy who were treated with hypothermia. 2021 , 163, 105487	1
313	Neurologie des Neugeborenen. 2003 , 431-446	
312	Intrapartale Asphyxie. 2004 , 645-654	
311	Post-Hypoxic-Ischemic Encephalopathy of Neonates. 2005 , 718-748	2
310	Neonatal Seizures. 2005 , 1005-1025	1
309	Resuscitation in the Delivery Room. 2005 , 349-363	1
308	2 Magnetic Resonance Imaging of the Neonatal Brain. 2006 , 173-180	
307	Limitations of Cranial Ultrasonography and Recommendations for MRI. 2007 , 85-90	
306	[Relation between the resistance index obtained by the transfontanellar Doppler ultrasonography and the neurological development until the first year of life in term infants with mild or moderate hypoxic-ischaemic encephalopathy]. 2007 , 65, 1206-10	3
305	Neonatal Morbidities of Prenatal and Perinatal Origin. 2009 , 1197-1227	
304	eNOS Gene Polymorphisms in Perinatal Hypoxic-Ischemic Encephalopathy. 2009 , 43, 306	0
303	Neonatal Assessment and Resuscitation. 2009 , 155-184	
302	Erkrankungen des Neugeborenenalters. 2009 , 33-51	
301	Cardiotocography versus intermittent auscultation of fetal heart on admission to labour ward for assessment of fetal wellbeing.	
300	The central nervous system. 2011 , 887-1036	
299	Fehlbildungen und Erkrankungen des Nervensystems. 2011 , 341-392	

- 298 Intrapartale Asphyxie. **2011**, 771-782
- 297 Hypothermie chez les nouveau-nés présentant une encéphalopathie hypoxique-ischémique. **2012**, 17, 44-46
- 296 Neurologic Examination of the Term and Preterm Infant. **2012**, e43-e59
- 295 Science and the emergence of neonatal medicine. **2012**, 115-125
- 294 Early Detection of Neonatal Depression and Asphyxia. **2012**, 226-231 1
- 293 Hypoxic-Ischemic Brain Injury in the Term Newborn. **2012**, 47-58
- 292 Neurological problems in the newborn. **2012**, 1065-1223
- 291 Neonatal Assessment and Prediction of Neonatal Outcome. 129-138
- 290 Asfixia Perinatal. **2013**, 21, 108-117 3
- 289 PREDICTIVE VALUE OF EEG FOR NEURODEVELOPMENTAL OUTCOME IN NEONATAL SEIZURES. **2013**, 2, 5417-5425 1
- 288 Comorbid Risk Factors of Persistent Pulmonary Hypertension of the Newborn in Infants with Meconium Aspiration Syndrome. **2014**, 21, 166 6
- 287 Neurologische Erkrankungen des Neugeborenenalters. **2014**, 41-68
- 286 S100B: Potential Biomarker for CNS Insult and Injury. **2014**, 1-21
- 285 Management of Asphyxia and Intracranial Hemorrhage in the Newborn. **1984**, 71-86
- 284 Outcome and long term follow-up. **1985**, 109-114 1
- 283 Clinical Neurological Assessment of the Neonate. **1985**, 143-162
- 282 Neonatal Neurology. **1987**, 297-311
- 281 Asphyxia: A Re-Appraisal. **1987**, 422-428

280 Severe Birth Asphyxia. **1988**, 522-527

279 Fehlbildungen und Erkrankungen des Nervensystems. **1989**, 309-343

278 Cerebral Blood Flow Velocity during the First Month for Predicting the Outcome in Asphyxiated Infants. **1991**, 3, 97-104

o

277 Clinical Aspects. **1993**, 11-18

276 Multimodality-Evoked Potentials in Perinatal Asphyxia. **1993**, 147-165

275 Hypoxisch ischämische Enzephalopathie in Relation zu perinatalen Asphyxiezeichen □
Medizinische und juristische Implikationen. **1994**, 1-4

274 Sauerstoffmangel. **1994**, 101-113

273 Posthypoxic-Ischemic Leukoencephalopathy of Neonates. **1995**, 376-386

272 Neonatal Intensive Care and Neurodevelopmental Outcome. **1996**, 104-113

271 Asphyxia and hypoxic-ischemic encephalopathy in neonates: postnatal interventions. **1999**, 127-137

270 Evaluation of Etiology and Prognostic Factors of the Developmental Outcome in Neonatal Seizures. **2014**, 22, 129-136

269 PERINATAL ASPHYXIA-CLINICAL PROFILE IN M R A MEDICAL COLLEGE AMBEDKAR NAGAR UTTAR
PRADESH. **2014**, 3, 12094-12099

268 S100B: Potential Biomarker for CNS Insult and Injury. **2015**, 1113-1139

o

267 Prediction of Neurodevelopmental Outcome in Hypoxic Ischemic Encephalopathy at 12 Months:
Correlation of Brain MRI and EEG. **2015**, 26, 208

o

266 [The improvement of treatment efficacy in newborn full-term infants with severe birth asphyxia].
2016, 116, 83-88

265 Early Neonatal Morbidity after Term Delivery: How should We respond?. **2016**, 10, 180-184

264 Brain Death in a Near-Term Infant: A Case Report. **2016**, 27, 251

263 Early Detection of Neonatal Depression and Asphyxia. **2016**, 1-13

- 262 Long Term Outcome after Therapeutic Hypothermia in Neonatal Hypoxic-ischemic Encephalopathy. **2016**, 24, 246-250 1
- 261 Neurological Examination of the Newborn Infant. **2017**, 1-26
- 260 Clinical and Epidemiological Features and Management of Neonatal Hypoglycemia at the University Teaching Hospital of Treichville (Abidjan-Côte d'Ivoire). **2017**, 07, 320-330 1
- 259 Neonatal Encephalopathy. **2017**, 359-367
- 258 Erkrankungen des Nervensystems. **2017**, 287-328 1
- 257 The Timing of Neonatal Brain Damage. **2017**, 1-20
- 256 Comparison between serum magnesium levels of asphyxiated neonates and normal cases. **2017**, 31, 19 1
- 255 Neurodevelopmental Outcomes According to Brain Injury Patterns in Neonates with Postasphyxial Hypoxic Ischemic Encephalopathy. **2017**, 24, 32 0
- 254 5b Zenuwstelsel. **2017**, 447-465
- 253 Comparison between Patients with Persistent Pulmonary Hypertension of Neonates Concomitant with Parenchymal Lung Disease and Idiopathic Persistent Pulmonary Hypertension of Neonates. **2017**, 24, 157
- 252 ASSOCIATION BETWEEN NUCLEATED RBC COUNT AND FOETAL ASPHYXIA AND ITS IMMEDIATE NEUROLOGICAL OUTCOME IN TERM NEWBORNS IN RIMS HOSPITAL. **2017**, 6, 6931-6934
- 251 CORRELATION OF AMPLITUDE ELECTROENCEPHALOGRAPHY IN FIRST 24 H AFTER BIRTH IN PERINATAL ASPHYXIATED NEONATES WITH SHORT-TERM CLINICAL OUTCOME. **2017**, 04, 591-594
- 250 Maternal and Fetal Outcomes Following Labour at Term in Singleton Pregnancies with Meconium-Stained Amniotic Fluid: A Prospective Cohort Study. **2018**, 08, 790-802 0
- 249 Early Detection of Neonatal Depression and Asphyxia. **2018**, 409-421
- 248 Update in Neonatology. **2018**, 415-437
- 247 Physiologie bei Früh- und Reifgeborenen. **2018**, 1-17
- 246 AN ELECTROENCEPHALOGRAPHIC STUDY IN BIRTH ASPHYXIA AND CORRELATION OF ELECTROENCEPHALOGRAPHIC PATTERN WITH NEURODEVELOPMENT OUTCOME AT 6-MONTH AGE. **2018**, 05, 518-521
- 245 STUDY OF CRANIAL ULTRASOUND FINDING IN HYPOXIC ISCHEMIC ENCEPHALOPATHY IN TERM INFANTS AND ITS CLINICAL CORRELATION. **2020**, 6, 157-165

- 244 A STUDY ON PLASMA BIOCHEMICAL PHENOMENA IN HYPOXIC-ISCHAEMIC ENCEPHALOPATHY CASES IN TERTIARY CARE HOSPITAL. **2018**, 7, 1719-1726
- 243 EVALUATION OF INVOLVEMENT OF DIFFERENT SITES OF BRAIN BY MRI IN 1-5 YEAR AGE GROUP CHILDREN WHO SUFFERED FROM HYPOXIC ISCHAEMIC ENCEPHALOPATHY IN THE NEONATAL PERIOD. **2018**, 5, 1633-1637
- 242 NEONATAL ASPHYXIA- DAMAGE TO NERVOUS SYSTEM- A STUDY OF 100 CASES. **2018**, 7, 4051-4055
- 241 Post-resuscitation Care of the Depressed Newborn. **2019**, 1-12
- 240 Nursing Frequency, Nursing Time, and Nursing Intervention Priorities depending on Neonatal Therapeutic Hypothermia Methods. **2018**, 24, 517-526
- 239 Hypotonia in the Newborn. **2019**, 171-182
- 238 The Jittery Baby and Seizures. **2019**, 183-192
- 237 Clinical Features of Critical Congenital Heart Disease in Term Infants with Hypoxemia: A Single-Center Study in Korea. **2018**, 25, 137-143
- 236 Early detection of Hearing Impairment in High Risk New-borns. **2019**, 16, 1
- 235 Predictors of Neurodevelopmental Outcomes in Newborns Undergoing Hypothermia Therapy. **2019**, 26, 17-23 0
- 234 Classification of Primary Caesarean Sections in Labor and its Usefulness for Analysis of Slovenian Perinatal Data. **2019**, 58, 78-83
- 233 Predictive factors and prognostic value for status epilepticus in newborns. **2019**, 23, 270-279 0
- 232 Cerebral near-infrared spectroscopy in term newborns: reference values and hypoxic-ischemic encephalopathy. **2019**, 19, 58-63 1
- 231 Role of Matrix Metalloproteinase-9 in Neonatal Hypoxic-Ischemic Encephalopathy. **2019**, 7, 2114-2118 1
- 230 Umbilical arterial profiles as predictors of severity of hypoxic ischemic encephalopathy after perinatal asphyxia. **2020**, 60, 24-30
- 229 Refining clinical algorithms for a neonatal digital platform for low-income countries: a modified Delphi technique.
- 228 PROSPECTIVE OBSERVATIONAL STUDY OF CLINICAL PROFILE IN TERTIARY CARE CENTER, HYDERABAD. **2020**, 7, 291-294
- 227 FIRS: Neonatal considerations. **2020**, 25, 101142 2

- 226 Therapeutic Hypothermia Modulates the Relationships Between Indicators of Severity of Neonatal Hypoxic Ischemic Encephalopathy and Serum Biomarkers. **2021**, 12, 748150 1
- 225 EEG IN MENTAL RETARDATION. **1983**, 231-273 1
- 224 Study of hepatic enzymes in term neonates with perinatal asphyxia. **2020**, 9, 125
- 223 Wavelet-based neurovascular coupling can predict brain abnormalities in neonatal encephalopathy. **2021**, 32, 102856 1
- 222 Effectiveness of Non Stress Test on Fetal, Neonatal and Maternal Outcomes to Prevent Chronic Consequences in Delivery Health Centers. **2020**, 9,
- 221 The Doppler ultrasound: A bedside tool to understand cerebral autoregulation in neonates. **2020**, 9, 231
- 220 Placenta, Abnormal Conception, and Prematurity. **2020**, 1409-1569
- 219 Magnitude, short-term outcomes and risk factors for hypoxic ischemic encephalopathy at abha maternity and children hospital, Abha City, Saudi Arabia and literature review. **2020**, 9, 98
- 218 Early Biomarkers and Hearing Impairments in Patients with Neonatal Hypoxic-Ischemic Encephalopathy. **2021**, 11,
- 217 Treatment device for neonatal birth asphyxia related Hypoxic Ischemic Encephalopathy. **2021**, 21, 487 0
- 216 Fehlbildungen und Erkrankungen des Nervensystems. **2006**, 393-434
- 215 Intrapartale Asphyxie. **2006**, 659-670
- 214 Pathogenesis and Prevention of Fetal and Neonatal Brain Injury.
- 213 [Critical Outcome and Hypoxic Ischemic Encephalopathy - A quality Assurance Issue]. **2020**, 224, 360-366
- 212 Los síndromes convulsivos en el niño con alto riesgo perinatal. **1978**, 29, 201-208
- 211 Clinico-Biochemical Correlation in Birth Asphyxia and Its Effects on Outcome. **2020**, 12, e11407 2
- 210 To study the etiological factors for development of seizure disorder in neonatal age group. **2020**, 6, 114-117
- 209 Lost Opportunities for the Prevention of Fetal Asphyxia: Sedation, Analgesia, and General Anaesthesia. **1982**, 9, 369-413 6

208	Neurodevelopmental outcome after neonatal extracorporeal membrane oxygenation. 1995 , 152, 1981-8	4
207	Amplitude-integrated electroencephalography in full-term newborns without severe hypoxic-ischemic encephalopathy: case series. 2006 , 47, 285-91	2
206	Influence of perinatal asphyxia on neurologic outcome: consequences for family practice accoucheurs. 1990 , 36, 1735-40	
205	Follow-up of the term infant after hypoxic-ischemic encephalopathy. 2006 , 11, 278-82	29
204	Neurodevelopmental outcome of newborns with persistent pulmonary hypertension. 2011 , 18, 58-62	4
203	EEG monitoring during therapeutic hypothermia in neonates, children, and adults. 2011 , 51, 141-64	5
202	Measurement of the urinary lactate/creatinine ratio for early diagnosis of the hypoxic-ischemic encephalopathy in newborns. 2010 , 20, 35-40	4
201	Risk factors for birth asphyxia in an urban health facility in cameroon. 2013 , 7, 46-54	29
200	Therapeutic hypothermia in neonatal asphyxia. 2012 , 4, 133-9	7
199	Perinatal risk factors for neonatal asphyxia in Vali-e-Asr hospital, Tehran-Iran. 2012 , 10, 137-40	10
198	Therapeutic hypothermia in asphyxiated neonates with hypoxic-ischemic encephalopathy: A single-center experience from its first application in Greece. 2014 , 18, 226-30	1
197	Evaluation of cerebral function in high risk term infants by using a scoring system based on aEEG. 2014 , 3, 278-86	3
196	Plasma Ammonia Levels in Newborns with Asphyxia. 2016 , 10, 42-6	3
195	Urine metabolomic profile in neonates with hypoxic-ischemic encephalopathy. 2017 , 21, 80-84	3
194	Reproducibility and accuracy of MR imaging of the brain after severe birth asphyxia. 1999 , 20, 1343-8	23
193	Neonatal hypoxic-ischemic encephalopathy: detection with diffusion-weighted MR imaging. 2000 , 21, 1490-6	57
192	Increased detectability of alpha brain glutamate/glutamine in neonatal hypoxic-ischemic encephalopathy. 2000 , 21, 203-12	46
191	Differentiating normal myelination from hypoxic-ischemic encephalopathy on T1-weighted MR Images: a new approach. 2007 , 28, 660-5	18

190	Proton MR spectroscopy in neonates with perinatal cerebral hypoxic-ischemic injury: metabolite peak-area ratios, relaxation times, and absolute concentrations. 2006 , 27, 1546-54	88
189	Interleukin-6 as A Prognostic Biomarker in Perinatal Asphyxia. 2021 , 15, 119-130	
188	Prognostic Risk Factors for Severe Outcome in the Acute Phase of Neonatal Hypoxic-Ischemic Encephalopathy: A Prospective Cohort Study.. 2021 , 8,	0
187	Hypoxic-Ischemic Encephalopathy. 2022 , 1123-1131	
186	Does Early Cerebral Near-Infrared Spectroscopy Monitoring Predict Outcome in Neonates with Hypoxic Ischaemic Encephalopathy? A Systematic Review of Diagnostic Test Accuracy. 2021 , 1-9	0
185	Differences in standardized neonatal encephalopathy exam criteria may impact therapeutic hypothermia eligibility. 2021 ,	1
184	Cerebral injuries in neonatal encephalopathy treated with hypothermia: French LyTONEPAL cohort. 2021 ,	0
183	Standardized Evaluation of Cord Gases in Neonates at Risk for Hypoxic Ischemic Encephalopathy. 2021 ,	0
182	Neurophysiological recordings improve the accuracy of the evaluation of the outcome in perinatal hypoxic ischemic encephalopathy. 2021 , 36, 51-56	0
181	Intrapartum Asphyxia and Its Sequelae. 2021 , 477-485	
180	Mixed-methods, descriptive and observational cohort study examining feeding and growth patterns among low birthweight infants in India, Malawi and Tanzania: the LIFE study protocol. 2021 , 11, e048216	1
179	Perinatal outcome and need of care for term asphyxiated newborns without moderate or severe hypoxic-ischemic encephalopathy. 2021 ,	0
178	Risk Factors for Birth Asphyxia in Togo: A Case-Control Study. 2021 , 11, 816-831	
177	Risk of abnormal outcomes based on basic and advanced MRI measurements. 2021 , 2, 467-499	
176	EEG phase-amplitude coupling to stratify encephalopathy severity in the developing brain.. 2021 , 214, 106593	0
175	Randomised controlled trial of fosfomycin in neonatal sepsis: pharmacokinetics and safety in relation to sodium overload.. 2022 ,	1
174	MicroRNA Expression Profiles as Diagnostic and Prognostic Biomarkers of Perinatal Asphyxia and Hypoxic-Ischaemic Encephalopathy.. 2022 , 1-10	0
173	Mood disorders in children following neonatal hypoxic-ischemic encephalopathy.. 2022 , 17, e0263055	1

172	Neonatal Hypoxic Ischemic Encephalopathy and Planned Home Birth.. 2022,	0
171	The utility of cerebral autoregulation indices in detecting severe brain injury varies by cooling treatment phase in neonates with hypoxic-ischemic encephalopathy.. 2022,	0
170	Implementation of a revised classification for intrapartum fetal heart rate monitoring and association to birth outcome: A national cohort study.. 2022, 101, 183-192	0
169	Transmembrane 29 (Tmem29), a Newly Identified Molecule Showed Downregulation in Hypoxic-Ischemic Brain Damage. 2022, 3, 41-51	0
168	The association between early-onset sepsis and neonatal encephalopathy.. 2022,	0
167	Orofacial Muscle Weakening in Facioscapulohumeral Muscular Dystrophy (FSHD) Patients.. 2022, 9,	
166	Survival Without Severe Neonatal Morbidity in Very Preterm Twins According to Planned Mode of Delivery.. 2022, 139, 202-209	
165	Prognostic value of somatosensory-evoked potentials in the newborn with hypoxic-ischemic encephalopathy after the introduction of therapeutic hypothermia.. 2022, 181, 1609	0
164	New Horizons in Mild Hypoxic-ischemic Encephalopathy: A Standardized Algorithm to Move past Conundrum of Care.. 2022, 49, 279-294	1
163	The role of MRI-based texture analysis to predict the severity of brain injury in neonates with perinatal asphyxia.. 2021, 20210128	1
162	Proteomic profiles in cerebrospinal fluid predicted death and disability in term infants with perinatal asphyxia: a pilot study.. 2022,	0
161	Pathophysiology of Perinatal Asphyxia in Humans and Animal Models.. 2022, 10,	4
160	Perinatal asphyxia partly affects presepsin urine levels in non-infected term infants.. 2022,	1
159	Long-term neuropsychological and behavioral outcome of mild and moderate hypoxic ischemic encephalopathy.. 2022, 165, 105541	0
158	Serum brain injury biomarkers are gestationally and post-natally regulated in non-brain injured neonates.. 2021,	0
157	Commentary: Saying hi to HIE: Ocular signs, visual, and general developmental outcome in Indian children with radiologically proven periventricular leukomalacia.. 2022, 70, 624-625	
156	The impact of therapeutic hypothermia on peripheral blood cell in newborns with hypoxic ischemic encephalopathy. 58,	1
155	Determining the Effect of Birth Weight on Therapeutic Hypothermia in Neonates with Hypoxic-Ischemic Encephalopathy.. 2022,	

- 154 Association of perinatal sentinel events, placental pathology and cerebral MRI in neonates with hypoxic-ischemic encephalopathy receiving therapeutic hypothermia.. **2022,** 0
- 153 Two Useful Umbilical Biomarkers for Therapeutic Hypothermia Decision in Patients with Hypoxic Ischemic Encephalopathy with Perinatal Asphyxia: Netrin-1 and Neuron Specific Enolase.. **2022,** 1-10
- 152 Profiling Temporal Changes of the Pineal Transcriptomes at Single Cell Level Upon Neonatal HIBD.. **2022,** 10, 794012 1
- 151 OUTCOMES OF NON-VIGOROUS NEONATES BORN THROUGH MECONIUM-STAINED AMNIOTIC FLUID AFTER A PRACTICE CHANGE TO NO ROUTINE ENDOTRACHEAL SUCTIONING FROM A DEVELOPING COUNTRY.. **2022,** 0
- 150 Risk Factors for Clinical Seizures in Neonates with Hypoxic-ischemic Encephalopathy Treated with Therapeutic Hypothermia.. **2022,**
- 149 Short term morbidity and types of intrapartum hypoxia in the newborn with metabolic acidaemia: a retrospective cohort study.. **2022,** 0
- 148 Protocol for the Birth Asphyxia in African Newborns (Baby BRAiN) Study: a Neonatal Encephalopathy Feasibility Cohort Study. 6, 10
- 147 Mild hypoxic-ischemic encephalopathy (HIE): timing and pattern of MRI brain injury.. **2022,** 1
- 146 Therapeutic Hypothermia for Neonatal Encephalopathy in Low- and Middle-Income Countries: A Meta-Analysis.. **2022,** 1-11 0
- 145 Bleeding complications in Neonates receiving Extracorporeal Membrane Oxygenation and Controlled Hypothermia.. **2022,**
- 144 Diffusion restriction in the corticospinal tract and the corpus callosum of term neonates with hypoxic-ischemic encephalopathy.. **2022,** 0
- 143 Erythropoietin as a Neuroprotective Drug for Newborn Infants: Ten Years after the First Use.. **2022,** 11, 4
- 142 Risk factors for hypoxic-ischemic encephalopathy in cases of severe acidosis: A case-control study.. **2022,** 0
- 141 Using Doppler sonography resistive index for the diagnosis of perinatal asphyxia: a multi-centered study.. **2022,** 22, 104 0
- 140 Ten years since the introduction of therapeutic hypothermia in neonates with perinatal hypoxic-ischaemic encephalopathy in Spain.. **2022,**
- 139 Association of Serum Vitamin D Levels with Hypoxic-Ischemic Encephalopathy in Neonates : A Systematic Review and Meta-Analysis. **2021,** 38, 473-487
- 138 Spasticity and Dystonia are Underidentified in Young Children at High Risk for Cerebral Palsy. **2021,** 883073821d059683
- 137 Cord blood microRNA-376c and microRNA-1268a as biomarkers for neonatal hypoxic-ischaemic encephalopathy: a diagnostic accuracy study. **2021,** 5, e001258 0

- 136 Outcome of non-cooled asphyxiated infants with under-recognised or delayed-onset encephalopathy.. **2021**, 0
- 135 Predictive significance of pro-inflammatory interleukins at newborns with hypoxic-ischemic encephalopathy. **2021**, 12-19
- 134 Free Radicals and Neonatal Brain Injury: From Underlying Pathophysiology to Antioxidant Treatment Perspectives.. **2021**, 10, 2
- 133 A critical appraisal of tools for delivery room assessment of the newborn infant.. **2021**,
- 132 Neurological Outcome Following Newborn Encephalopathy With and Without Perinatal Infection: A Systematic Review.. **2021**, 9, 787804
- 131 Pure Insular Cortex Infarct in Sepsis-Induced Hypoxic Ischemic Encephalopathy.. **2021**, 13, e20634
- 130 Effect of neonatal neuronal intensive care unit on neonatal encephalopathy.. **2021**, 16, e0261837
- 129 Opioid analgesia and temperature regulation are associated with EEG background activity and MRI outcomes in neonates with hypoxic-ischemic encephalopathy undergoing therapeutic hypothermia. **2022**,
- 128 An Updated Overview of MRI Injuries in Neonatal Encephalopathy: LyTONEPAL Cohort.. **2022**, 9, 1
- 127 Longitudinal analysis of aEEG for outcome prediction in hypoxic-ischemic encephalopathy.. **2022**, 0
- 126 MRS in stroke and hypoxic-ischemic encephalopathy. 91-109
- 125 Table_1.doc. **2019**,
- 124 Hypoxic Ischemic Encephalopathy (HIE) in Term and Preterm Infants.. **2022**, 43, 77-84
- 123 2.5 Million Annual Deaths Are Neonates in Low- and Middle-Income Countries Too Small to Be Seen? A Bottom-Up Overview on Neonatal Morbi-Mortality. **2022**, 7, 64 0
- 122 RISKS OF NEONATAL MORTALITY IN NEONATES WITH NEONATAL ENCEPHALOPATHY IN A TERTIARY NEWBORN CARE UNIT IN ZIMBABWE OVER A 12-MONTH PERIOD.
- 121 Neonatal morbidity and mortality for preterm in breech presentation regarding the onset mode of labor.. **2022**,
- 120 Usefulness of Neurosonogram in Critical Ill Neonates. **2022**,
- 119 Variations in practices and outcomes of neonates with hypoxic ischemic encephalopathy treated with therapeutic hypothermia across tertiary NICUs in Canada.. **2022**, 2

- 118 Increase of Parkin and ATG5 plasmatic levels following perinatal hypoxic-ischemic encephalopathy.. **2022**, 12, 7795 ○
- 117 Development of a comprehensive database for research on foetal acidosis.. **2022**, 274, 40-47 ○
- 116 Severity parameters for asphyxia or hypoxic-ischemic encephalopathy do not explain inter-individual variability in the pharmacokinetics of phenobarbital in newborns treated with therapeutic hypothermia. **2022**, 74, ○
- 115 Associations between fetal heart rate variability and umbilical cord occlusions-induced neural injury: An experimental study in a fetal sheep model.. **2022**, ○
- 114 Prise en charge périnatale du nouveau-né lors d'une naissance en milieu extrahospitalier. **2022**, ○
- 113 Three-year outcome following neonatal encephalopathy in a high-survival cohort.. **2022**, 12, 7945 ○
- 112 Safety and tolerability of a multilineage-differentiating stress-enduring cell-based product in neonatal hypoxic-ischaemic encephalopathy with therapeutic hypothermia (SHIELD trial): a clinical trial protocol open-label, non-randomised, dose-escalation trial.. **2022**, 12, e057073 ○
- 111 Defining longer term outcomes in an ovine model of moderate perinatal hypoxia-ischemia.. **2022**, ○
- 110 Efficacy and Prognosis of Hyperbaric Oxygen as Adjuvant Therapy for Neonatal Hypoxic-Ischemic Encephalopathy: A Meta-Analysis Study.. **2022**, 10, 707136 ○
- 109 Pontine and Cerebellar Development in Low-Birthweight Infants at Term-Equivalent Age. 097321792210846 ○
- 108 An Observational Study of Therapeutic Hypothermia and Factors Associated With Mortality in Late-Preterm and Term Neonates With Hypoxic-Ischemic Encephalopathy in a Middle-Income Country. 10, ○
- 107 Outcomes of infants with hypoxic-ischemic encephalopathy during COVID-19 pandemic lockdown in Canada: a cohort study. ○
- 106 Association between early EEG background and outcomes in infants with mild HIE undergoing therapeutic hypothermia. **2022**, ○
- 105 Adherence to hypothermia guidelines in newborns with hypoxic-ischemic encephalopathy. **2022**, ○
- 104 Neuroprotection for Hypoxic-Ischemic Encephalopathy: Contributions from the Neonatal Research Network. **2022**, 151639 1
- 103 Biomarkers of Oxidative Stress in Neonatal Hypoxic-Ischemic Encephalopathy. **2022**, 1-24 ○
- 102 Comments on "Neonatal infratentorial subdural hematoma contributing to obstructive hydrocephalus in the setting of therapeutic cooling: A case report". **2022**, 14, 177-179 ○
- 101 Asphyxia of newborns: new ideas about risk factors and pathogenetic mechanisms of the condition. **2022**, 67, 5-11 ○

100 Prediction score for prolonged hospital stay in meconium aspiration syndrome: A multicentric collaborative cohort of south India.

99 Clinical Profile of a Cohort of Neonates with Seizures: Association between Semiology, Etiology, and Electroencephalographic Findings. **2022,**

98 ??????????????????????(<??>?????????). **2004,** 74, 413-418

97 CLINICAL AND ELECTROMYOGRAPHIC CHARACTERISTIC OF NEUROMUSCULAR STATUS OF INFANTS WITH MOTOR DYSFUNCTION. **2013,** 20, 44-51

96 Microstructural Alterations in Projection and Association Fibers in Neonatal HypoxiaIschemia. o

95 Frequency of Meconium-stained Amniotic Fluid in COVID-positive Term Pregnancies and Perinatal Outcome. **2022,** 14, 271-274

94 Role of 5HT1A Receptors in the Neuroprotective and Behavioral Effects of Cannabidiol in HypoxicIschemic Newborn Piglets. 13, o

93 Predictive value of the Thompson score for short-term adverse outcomes in neonatal encephalopathy.

92 Plasma biomarkers of evolving encephalopathy and brain injury in neonates with hypoxic ischemic encephalopathy (HIE). **2022,** o

91 Neonatal encephalopathyControversies and evidence. **2022,** 101, 938-940

90 Lower versus Higher Glycemic Criteria for Diagnosis of Gestational Diabetes. **2022,** 387, 587-598 o

89 Development of a composite diffusion tensor imaging score correlating with short-term neurological status in neonatal hypoxicIschemic encephalopathy. 16,

88 Umbilical cord milking in non-vigorous infants: A cluster-randomized crossover trial. **2022,** 1

87 Brain injury following mild hypoxic-ischemic encephalopathy in neonatesTen-year experience in a tertiary perinatal center.

86 Polygraphic EEG Can Identify Asphyxiated Infants for Therapeutic Hypothermia and Predict Neurodevelopmental Outcomes. **2022,** 9, 1194

85 Adverse short- and long-term outcomes among infants with mild neonatal encephalopathy.

84 Early predictors of abnormal MRI patterns in asphyxiated infants: S100B protein urine levels. **2022,**

83 Delivery mode and neonatal morbidity after remifentanil-PCA or epidural analgesia using the Ten Groups Classification System: A 5-year single-centre analysis of more than 10 000 deliveries. **2022,** 277, 53-56 o

- 82 Characteristics and Outcomes of Neonates With Intrapartum Asphyxia Managed With Therapeutic Hypothermia in a Public Tertiary Hospital in South Africa. ○
- 81 The Alberta Infant Motor Scale: A tool for the assessment of motor aspects of neurodevelopment in infancy and early childhood. 13, ○
- 80 Brain Injury in Infants Evaluated for, but not Treated, with Therapeutic Hypothermia. **2022**, ○
- 79 Radiomics Based of Deep Medullary Veins on Susceptibility-Weighted Imaging in Infants: Predicting the Severity of Brain Injury of Neonates with Perinatal Asphyxia. ○
- 78 Altered biventricular function in neonatal hypoxic-ischaemic encephalopathy: a case-control echocardiographic study. 1-10 ○
- 77 Brain injury patterns in hypoxic ischemic encephalopathy of term neonates. ○
- 76 Prognostic risk score development to predict birth asphyxia using maternal and fetal characteristics in South Gondar zone hospitals, north West Ethiopia. **2022**, 22, ○
- 75 Non-invasive continuous cardiac output monitoring in infants with hypoxic ischaemic encephalopathy. ○
- 74 Attitudes towards the neurological examination in an unwell neonate: a mixed methods approach. **2022**, 22, ○
- 73 A novel scoring system (YASHMA) predicting brain injury in asphyxiated newborns. **2022**, 68, ○
- 72 Hypoxic-Ischemic Encephalopathy: To Cool, or Not to Cool, That Is the Question. **2022**, 1, 320-326 ○
- 71 Placental pathology as a marker of brain injury in infants with hypoxic ischemic encephalopathy. **2022**, 174, 105683 ○
- 70 Clinical Diagnosis of Cerebral Palsy. **2022**, 37-51 ○
- 69 Versorgung des Neugeborenen. **2022**, 1-29 ○
- 68 Very early complications of neonatal asphyxia. **2022**, 8, 66-69 ○
- 67 CLINICAL AND NEUROLOGICAL FEATURES OF CEREBRAL ISCHEMIA IN PREMA- TURE NEWBORNS. **2022**, 23, 34-38 ○
- 66 South African neonates with mild and moderate hypoxic-ischaemic encephalopathy. 134-138 ○
- 65 38 + 6. SSW, schlappes Neugeborenes ohne Eigenatmung. ○

- 64 Risk factors for unfavorable outcome at discharge of newborns with hypoxic-ischemic encephalopathy in the era of hypothermia. ○
- 63 Preterm Infant with Persistent Hypercalcemia in the Absence of Cutaneous Nodules. **2022**, 23, 774-777 ○
- 62 Risk Factors for Hypoxic-Ischemic Encephalopathy or Neonatal Death in Placental Abruption. **2022**, 102498 ○
- 61 Syndromic and non-syndromic etiologies causing neonatal hypocalcemic seizures. 13, ○
- 60 Application of amide proton transfer imaging for the diagnosis of neonatal hypoxic-ischemic encephalopathy. 10, ○
- 59 Pharmacological interventions for pain and sedation management in newborn infants undergoing therapeutic hypothermia. **2022**, 2022, 1 ○
- 58 Cortical networks show characteristic recruitment patterns after somatosensory stimulation by pneumatically evoked repetitive hand movements in newborn infants. ○
- 57 The factors affecting neurodevelopmental outcomes in HIE. ○
- 56 Therapeutic hypothermia is associated with changes in prognostic value of general movements. **2023**, 42, 53-59 ○
- 55 The Utility of Simulation-Based Training in Teaching Frontline Providers Modified Sarnat Encephalopathy Examination: A Randomized Controlled Pilot Trial. **2023**, 139, 70-75 ○
- 54 Hypoxic-ischaemic Brain Injury in Young Infants. **2009**, 38, 788-794 1
- 53 Effectiveness of vagus nerve stimulation therapy in refractory hypoxic-ischemic encephalopathy-induced epilepsy. **2022**, 15, 175628642211443 ○
- 52 Maternal and neonatal exposure to risk factors for neonates with moderate or severe hypoxic ischemic encephalopathy: a cross-sectional study. **2022**, 48, ○
- 51 Evolution of swallowing and feeding abilities of neonates with hypoxic-ischaemic encephalopathy during hospitalisation: A case series. 1-10 ○
- 50 Erythropoietin Reduces Death and Neurodevelopmental Impairment in Neonatal Hypoxic-Ischemic Encephalopathy. **2022**, 29, 123-129 ○
- 49 Cooling strategies during neonatal transport for hypoxic-ischaemic encephalopathy. ○
- 48 Risk factors of mortality in neonates with neonatal encephalopathy in a tertiary newborn care unit in Zimbabwe over a 12-month period. **2022**, 2, e0000911 ○
- 47 Hypothermia for neonatal hypoxic-ischemic encephalopathy: Retrospective descriptive study of features associated with poor outcome. **2022**, ○

- 46 Epidemiology and risk factors for acquiring and predicting disease severity in meconium aspiration syndrome. 239-244 ○
- 45 Glucose-to-lactate ratio and neurodevelopment in infants with hypoxic-ischemic encephalopathy: an observational study. ○
- 44 Early Biomarkers in the Prediction of Later Functional Impairment in Term Children with Cerebral Palsy. **2022**, ○
- 43 Outcome at early school age and adolescence after hypothermia-treated hypoxic-ischaemic encephalopathy: an observational, population-based study. fetalneonatal-2022-324418 ○
- 42 Subcortical brain volumes in neonatal hypoxic-ischemic encephalopathy. ○
- 41 Low Apgar score and need for resuscitation increased the probability of receiving therapeutic hypothermia more strongly than acidosis at birth. ○
- 40 Epileptic high-frequency oscillations occur in neonates with a high risk for seizures. 13, ○
- 39 The levels of postpartum depression, anxiety, and hopelessness of the mothers of infants receiving therapeutic hypothermia in NICU. 1-18 ○
- 38 Longitudinal perturbations of plasma nuclear magnetic resonance profiles in neonatal encephalopathy. ○
- 37 Partial wavelet coherence as a robust method for assessment of neurovascular coupling in neonates with hypoxic ischemic encephalopathy. **2023**, 13, ○
- 36 Versorgung des Neugeborenen. **2023**, 1-29 ○
- 35 A radiomics-based study of deep medullary veins in infants: Evaluation of neonatal brain injury with hypoxic-ischemic encephalopathy via susceptibility-weighted imaging. 16, ○
- 34 Short-term outcome of perinatal hypoxic-ischaemic encephalopathy at Chiang Mai University Hospital, Thailand: a 15-year retrospective study. 1-8 ○
- 33 Radiomics based of deep medullary veins on susceptibility-weighted imaging in infants: predicting the severity of brain injury of neonates with perinatal asphyxia. **2023**, 28, ○
- 32 H^oPOKS^oK ^oSKEM^oK ENSEFALOPAT^oDE UMBL^oKAL KORD PH VE ^oZLEMDE ALINAN KARD^oYAK BEL^oRTE^oER^oN YEN^oDOAN VE BEBEKL^oK D^oNIEM^o NROGEL^oMSSEL SONU^oLARA ETK^oS^o. ○
- 31 Correlation analysis of NT-proBNP (N-terminal probrain natriuretic peptide), 25-Hydroxyvitamin D, HMGB1(High-mobility group box 1), ACTA (endogenous activin A), blood glucose level, and electrolyte level with developmental quotient scores in neonates with hypoxic-ischemic encephalopathy. **2022**, 22, ○
- 30 Incidence and outcomes of intrapartum-related neonatal encephalopathy in low-income and middle-income countries: a systematic review and meta-analysis. **2022**, 7, e010294 ○
- 29 Assistência da enfermagem aos recém-nascidos em hipotermia terapêutica na unidade de terapia intensiva neonatal: uma proposta de sistematizaçã dos cuidados críticos. 152-185 ○

- 28 Continuous Venovenous Hemofiltration Performed by Neonatologists With Cardio-Renal Pediatric Dialysis Emergency Machine to Treat Fluid Overload During Multiple Organ Dysfunction Syndrome: A Case Series. Publish Ahead of Print, ○
- 27 The impact of a universal late third-trimester scan for fetal growth restriction on perinatal outcomes in term singleton births: a prospective cohort study. ○
- 26 Biomarkers in Neonatal Brain Injury: Interpreting Research into Clinical Practice. **2023**, 549-595 ○
- 25 Predictive Value of MRI in Hypoxic-Ischemic Encephalopathy Treated with Therapeutic Hypothermia. **2023**, 10, 446 ○
- 24 Renal oximetry for early acute kidney injury detection in neonates with hypoxic ischemic encephalopathy receiving therapeutic hypothermia. ○
- 23 Time series analysis of non-invasive hemodynamic monitoring data in neonates with hypoxic-ischemic encephalopathy. 11, ○
- 22 Rianimazione del neonato in sala parto e trasporto postnatale. **2023**, 28, 1-13 ○
- 21 Adrenal congestion in perinatal hypoxia: Sonographic assessment and relationship with hypoxic ischemic encephalopathy. **2023**, 181, 105772 ○
- 20 Biomarkers in Neonatal Brain Injury: Interpreting Research into Clinical Practice. **2022**, 1-47 ○
- 19 Circ_0007706 downregulation ameliorates neonatal hypoxic ischemic encephalopathy via regulating the miR-579-3p/TRAF6 axis. **2023**, 194, 90-99 ○
- 18 Characteristics and outcomes of neonates with intrapartum asphyxia managed with therapeutic hypothermia in a public tertiary hospital in South Africa. **2023**, 23, ○
- 17 Clinical Characteristics and Risk Factors of Neonatal Hypoxic-Ischaemic Encephalopathy and Its Associated Neurodevelopmental Outcomes During the First Two Years of Life: A Retrospective Study in Saudi Arabia. Volume 16, 525-536 ○
- 16 Maternal and Fetal Risk Factors for Neonatal Hypoxic-Ischemic Encephalopathy: A Retrospective Study. Volume 16, 537-545 ○
- 15 Cardiac and cerebral hemodynamics with umbilical cord milking compared with early cord clamping: A randomized cluster crossover trial. **2023**, 177-178, 105728 ○
- 14 Increase in Standardized Management of Neonates with Hypoxic-Ischemic Encephalopathy Since Implementation of a Patient Register. ○
- 13 Therapeutic Approaches for the Treatment of Cerebral Palsy and Developmental Disability. **2023**, 579-609 ○
- 12 Glycemia and Neonatal Encephalopathy: Outcomes in the LyTONEPAL (Long-Term Outcome of Neonatal Hypoxic EncePhALopathy in the Era of Neuroprotective Treatment With Hypothermia) Cohort. **2023**, 113350 ○
- 11 The Feasibility of Telemedicine in the Implementation and Management of Therapeutic Hypothermia for Infants with Neonatal Hypoxic-Ischemic Encephalopathy in a Resource-Limited Country. **2023**, 13, 035-042 ○

- 10 Hypoxic-Ischemic Encephalopathy. **2023**, 50, 31-52 ○
- 9 Foetal Intrapartum Compromise at Term: Could COVID-19 Infection Be Involved? A Case Report. **2023**, 59, 552 ○
- 8 Exposure to Maternal Diabetes during Pregnancy Is Associated with Aggravated Short-Term Neonatal and Neurological Outcomes following Perinatal Hypoxic-Ischemic Encephalopathy. ○
- 7 Biomarkers of Oxidative Stress in Neonatal Hypoxic-Ischemic Encephalopathy. **2023**, 199-222 ○
- 6 Neonatology for Anesthesiologists. **2017**, 513-570.e15 ○
- 5 Perinatal antecedents of moderate and severe neonatal hypoxic ischaemic encephalopathy: An Australian birth cohort study. ○
- 4 Endothelial Dysfunction and Intestinal Barrier Injury in Preterm Infants with Perinatal Asphyxia. ○
- 3 A Standardized, 3-Tiered, Seizure Burden-Based Protocol for the Treatment of Neonatal Seizures. 088307382311647 ○
- 2 Predictive utility of the fetal cerebroplacental ratio for hypoxic ischaemic encephalopathy, severe neonatal morbidity and perinatal mortality in late-preterm and term infants. ○
- 1 The Neurological Assessment of Pediatric Patient and the Differences Across Different Age Groups. **2023**, 1-10 ○