

Effects of Glyphosate and Siduron on Turfgrass Establish

Weed Science

24, 445-448

DOI: [10.1017/s004317450006642x](https://doi.org/10.1017/s004317450006642x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Glyphosate and Paraquat Effects on Weed Seed Germination and Seedling Emergence. <i>Weed Science</i> , 1978, 26, 249-251.	1.5	36
2	The effects of paraquat and glyphosate residues in sprayed herbage on the development of seedlings of a normal and a paraquat-tolerant variety of <i>Lolium perenne</i> . <i>Grass and Forage Science</i> , 1980, 35, 311-317.	2.9	2
3	Siduron Effects on Tall Fescue (<i>Festuca arundinacea</i>) Emergence, Growth, and High Temperature Injury. <i>Weed Science</i> , 1980, 28, 194-196.	1.5	7
4	Biochemical Effects of Glyphosate [N-(Phosphonomethyl)glycine]. <i>ACS Symposium Series</i> , 1982, , 175-205.	0.5	30
5	Herbicidal Activity of Glyphosate in Soil. <i>Weed Science</i> , 1982, 30, 463-466.	1.5	24
6	Germination and Growth of Grasses and Legumes from Seeds Treated with Glyphosate and Paraquat. <i>Weed Science</i> , 1982, 30, 235-237.	1.5	6
7	The preharvest use of glyphosate in the ryegrass seed crop. <i>Grass and Forage Science</i> , 1982, 37, 243-248.	2.9	8
8	Initial and residual activity of glyphosate and SC-0224 in a sandy soil. <i>Crop Protection</i> , 1986, 5, 293-296.	2.1	4
9	Seedling Creeping Bentgrass (<i>Agrostis stolonifera</i>) Tolerance to Dithiopyr. <i>Weed Technology</i> , 1999, 13, 216-220.	0.9	2
10	Turf Safety and Effectiveness of Dithiopyr and Quinclorac for Large Crabgrass (<i>Digitaria</i>)	0.9	30
11	Preharvest Applications of Glyphosate Affect Emergence and Seedling Growth of Field Pea (<i>Pisum</i>)	0.9	26
12	Use of Quinclorac for Large Crabgrass (<i>Digitaria sanguinalis</i>) Control in Newly Summer-Seeded Creeping Bentgrass (<i>Agrostis stolonifera</i>). <i>Weed Technology</i> , 2004, 18, 375-379.	0.9	16
13	Weed Control Options in Spring-seeded Tall Fescue (<i>Festuca Arundinacea</i>). <i>Weed Technology</i> , 2006, 20, 1040-1046.	0.9	19
14	Hybrid Bluegrass Tolerance to Postemergence Applications of Mesotrione and Quinclorac. <i>Weed Technology</i> , 2007, 21, 807-811.	0.9	9
15	Weed Control and Turf Safety of Single and Sequential Applications of Herbicides Over Spring Seedings. , 2014, 11, ATS-2013-0046-RS.		2
16	Turfgrass Weed Management. , 2015, , 777-808.		0
17	Creeping Bentgrass, Perennial Ryegrass, and Tall Fescue Tolerance to Topramezone During Establishment. <i>Weed Technology</i> , 2016, 30, 36-44.	0.9	8
18	Phytotoxicity of glyphosate in the germination of <i>Pisum sativum</i> and its effect on germinated seedlings. <i>Environmental Health and Toxicology</i> , 2017, 32, e2017011.	1.8	17

#	ARTICLE	IF	CITATIONS
19	Use of Glyphosate in Sod Seeding Alfalfa(Medicago sativa)Establishment. Weed Science, 1978, 26, 163-166.	1.5	7
20	Tolerance to Quinclorac by Seedling Creeping Bentgrass. Hortscience: A Publication of the American Society for Horticultural Science, 2002, 37, 210-213.	1.0	6
21	Tall Fescue Seedling Tolerance to Carfentrazone, Bromoxynil, Quinclorac, and Siduron. Hortscience: A Publication of the American Society for Horticultural Science, 2006, 41, 252-254.	1.0	6
22	Tolerance of Turf-type Tall Fescue Established from Seed to Postemergence Applications of Mesotrione and Quinclorac. Hortscience: A Publication of the American Society for Horticultural Science, 2007, 42, 382-385.	1.0	14
23	Assessment of the bioaccessibility of glyphosate in soil using a physiologically based extraction test. Human and Ecological Risk Assessment (HERA), 0, , 1-10.	3.4	1
24	Evaluation of newly established buffalograss for tolerance to glyphosate. Crop, Forage and Turfgrass Management, 2022, 8, .	0.6	0