

Germination of Seeds of Turfgrasses as Affected by Glyph

Weed Science

24, 191-193

DOI: [10.1017/s0043174500065735](https://doi.org/10.1017/s0043174500065735)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Glyphosate and Paraquat Effects on Weed Seed Germination and Seedling Emergence. <i>Weed Science</i> , 1978, 26, 249-251.	1.5	36
2	Phytotoxicity of Glyphosate to Italian Ryegrass(<i>Lolium multiflorum</i>)and Red Clover(<i>Trifolium</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.5	21
3	The effects of paraquat and glyphosate residues in sprayed herbage on the development of seedlings of a normal and a paraquat-tolerant variety of <i>Lolium perenne</i> . <i>Grass and Forage Science</i> , 1980, 35, 311-317.	2.9	2
4	Paraquat tolerant <i>Lolium perenne</i> L.: effects of paraquat on germinating seedlings. <i>Weed Research</i> , 1981, 21, 29-36.	1.7	10
5	Effects of Paraquat on Harvesting and Quality of Bermudagrass (<i>Cynodon dactylon</i>) Seed. <i>Weed Science</i> , 1982, 30, 73-76.	1.5	0
6	Germination and Growth of Grasses and Legumes from Seeds Treated with Glyphosate and Paraquat. <i>Weed Science</i> , 1982, 30, 235-237.	1.5	6
7	The preharvest use of glyphosate in the ryegrass seed crop. <i>Grass and Forage Science</i> , 1982, 37, 243-248.	2.9	8
8	The effect of leachates from grass trash on establishment of ryegrass. <i>Annals of Applied Biology</i> , 1984, 105, 75-86.	2.5	10
9	Reasons for poor establishment of direct re-seeded grassland. <i>Annals of Applied Biology</i> , 1984, 105, 87-96.	2.5	9
10	Effect of Herbicides on Germination and Growth of Four Grass Weeds. <i>Weed Science</i> , 1984, 32, 489-493.	1.5	17
11	Cowpea (<i>Vigna unguiculata</i>) Seed Protein Response to Glyphosate. <i>Weed Science</i> , 1985, 33, 1-6.	1.5	10
12	Weed Science Terminology Supplement: Preface. <i>Weed Science</i> , 1985, 33, 1-1.	1.5	18
13	Winged coulter depth effects on overdrilled red clover seedling emergence. <i>New Zealand Journal of Agricultural Research</i> , 1985, 28, 7-17.	1.6	9
14	Preharvest Applications of Glyphosate Affect Emergence and Seedling Growth of Field Pea (<i>Pisum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 0.9 26	0.9	26
15	No-tillage drilling of Italian ryegrass (<i>Lolium multiflorum</i> L.): Crop residue effects, yields and economic benefits. <i>Soil and Tillage Research</i> , 2007, 95, 61-68.	5.6	17
16	The Investigation of Genotoxic, Physiological and Anatomical Effects of Paraquat Herbicide on <i>Allium cepa</i> L.. <i>Cytologia</i> , 2015, 80, 343-351.	0.6	13
17	Weed Control. <i>Agronomy</i> , 2015, , 295-308.	0.2	0
18	Stand Establishment. <i>Agronomy</i> , 0, , 71-85.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Phenology of seed maturation in babysbreath (<i>Gypsophila paniculata</i>) in northwest Michigan, USA, and its relation to glyphosate efficacy. <i>Invasive Plant Science and Management</i> , 2019, 12, 194-201.	1.1	3
20	Use of Glyphosate in Sod Seeding Alfalfa(<i>Medicago sativa</i>)Establishment. <i>Weed Science</i> , 1978, 26, 163-166.	1.5	7
21	Investigation of toxic effects of the glyphosate on <i>Allium cepa</i> . <i>Tarim Bilimleri Dergisi</i> , 2011, 17, 131-142.	0.4	8
22	Efeitos dos herbicidas glyphosate e paraquat, aplicados ao solo, sobre a emergência de feijão e soja e de algumas espécies daninhas. <i>Planta Daninha</i> , 1982, 5, 23-34.	0.5	2
23	Chemical Desiccation of Onions for Set Production. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1991, 26, 23-25.	1.0	0
24	A century of weed change in New Zealand's forage seed multiplication industry. <i>NeoBiota</i> , 0, 85, 167-195.	1.0	1