

CITATION REPORT

List of articles citing

Critical evaluation of energy intake data using fundamental principles of energy physiology: 1. Derivation of cut-off limits to identify under-recording

DOI: PM/1810719

European Journal of Clinical Nutrition, 1991, 45, 569-81.

Source: <https://exaly.com/paper-pdf/126740987/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1320	Vitamin and mineral supplementation and academic performance in schoolchildren. 1992 , 51, 303-13		8
1319	Measurements of total energy expenditure provide insights into the validity of dietary measurements of energy intake. 1993 , 93, 572-9		33 ¹
1318	The energy, nutrient and food intakes of teenagers aged 16-17 years in Britain. 1. Energy, macronutrients and non-starch polysaccharides. <i>British Journal of Nutrition</i> , 1993 , 70, 15-26	3.6	59
1317	Abstracts of Communications. 1993 , 52, 272A-386A		
1316	Estimates of food and macronutrient intake in a random sample of Northern Ireland adolescents. <i>British Journal of Nutrition</i> , 1994 , 72, 343-52	3.6	65
1315	Validation of weighed records and other methods of dietary assessment using the 24 h urine nitrogen technique and other biological markers. <i>British Journal of Nutrition</i> , 1995 , 73, 531-50	3.6	314
1314	Nutrient intake and biochemical status of non-institutionalized elderly subjects in Norwich: comparison with younger adults and adolescents from the same general community. <i>British Journal of Nutrition</i> , 1995 , 74, 453-75	3.6	33
1313	Unexplained disturbance in body weight regulation: diagnostic outcome assessed by doubly labeled water and body composition analyses in obese patients reporting low energy intakes. 1995 , 95, 1393-400; quiz 1401-2		34
1312	The validation of energy and protein intakes by doubly labelled water and 24-hour urinary nitrogen excretion in post-obese subjects. <i>Journal of Human Nutrition and Dietetics</i> , 1995 , 8, 51-64	3.1	31
1311	Human nutritionists' guilty secret. 1995 , 20, 103-108		2
1310	Energy adjustment: the concepts underlying the debate. 1996 , 49, 957-62		30
1309	Weight loss during 12 week's ad libitum carbohydrate-rich diet in overweight and normal-weight subjects at a Danish work site. 1996 , 4, 347-56		47
1308	Abstracts of Communications. 1996 , 55, 213A-232A		
1307	The Gustaf study: repeated, telephone-administered 24-hour dietary recalls of obese and normal-weight men--energy and macronutrient intake and distribution over the days of the week. 1996 , 96, 686-92		17
1306	Comparison of multiple-pass 24-hour recall estimates of energy intake with total energy expenditure determined by the doubly labeled water method in young children. 1996 , 96, 1140-4		34 ¹
1305	Food habits and energy and nutrient intake in Swedish adolescents approaching the year 2000. 1996 , 415, 1-19		67
1304	Étude critique de la mesure de la dépense énergétique par la méthode ^l'eau doublement marqué. 1996 , 10, 77-88		2

1303	Nutrient intakes and impact of fortified breakfast cereals in schoolchildren. 1996 , 75, 474-81		68
1302	Relative validity and reproducibility of a French dietary history questionnaire. 1997 , 26 Suppl 1, S128-36		140
1301	Eating frequency: methodological and dietary aspects. <i>British Journal of Nutrition</i> , 1997 , 77 Suppl 1, S7-20.6		115
1300	Meal frequency and energy balance. <i>British Journal of Nutrition</i> , 1997 , 77 Suppl 1, S57-70	3.6	204
1299	Food intakes of US children and adolescents compared with recommendations. 1997 , 100, 323-9		422
1298	Nutrition and poverty in Europe: an overview. 1997 , 56, 51-62		30
1297	Relationships between micronutrient intake and biochemical indicators of nutrient adequacy in a "free-living" elderly UK population. <i>British Journal of Nutrition</i> , 1997 , 77, 225-42	3.6	74
1296	Non-starch polysaccharide intakes in Mexican villagers and residents of Mexico City. <i>British Journal of Nutrition</i> , 1997 , 77, 345-357	3.6	6
1295	Characteristics of the low-energy reporters in a longitudinal national dietary survey. <i>British Journal of Nutrition</i> , 1997 , 77, 833-51	3.6	125
1294	Reproducibility and validity of a food frequency questionnaire in European and Polynesian New Zealanders. 1997 , 2, 297-308		14
1293	Reproducibility and relative validity of a self-administered semiquantitative food frequency questionnaire applied to younger women. 1997 , 50, 303-11		46
1292	From individual variation in energy intakes...to variations in energy requirements and adaptations to them. <i>British Journal of Nutrition</i> , 1997 , 78, S81-S94	3.6	7
1291	Passive overconsumption. Fat intake and short-term energy balance. 1997 , 827, 392-407		95
1290	A pilot study of antioxidant intake in patients with cholesterol gallstones. 1997 , 13, 118-27		16
1289	Fat as a risk factor for overconsumption: satiation, satiety, and patterns of eating. 1997 , 97, S63-9		213
1288	Obesity as a major determinant of underreporting in a self-administered food frequency questionnaire: results from the EPIC-Potsdam Study. 1997 , 36, 229-36		39
1287	Living on the edge: dietary strategies of economically impoverished women in Cali, Colombia. 1997 , 102, 5-15		30
1286	Food costs for the current and recommended diet of German infants, children and adolescents. 1998 , 22, 65-71		2

1285	Literacy and body fatness are associated with underreporting of energy intake in US low-income women using the multiple-pass 24-hour recall: a doubly labeled water study. 1998 , 98, 1136-40		155
1284	The nutrient and food intakes of British male dieters aged 16-17 years. <i>Journal of Human Nutrition and Dietetics</i> , 1998 , 11, 33-40	3.1	9
1283	Validation of a food frequency questionnaire for use in a Scottish population: correlation of antioxidant vitamin intakes with biochemical measures. <i>Journal of Human Nutrition and Dietetics</i> , 1998 , 11, 373-380	3.1	29
1282	The effect of different types of dietary advice on body composition in a group of Scottish men. <i>Journal of Human Nutrition and Dietetics</i> , 1998 , 11, 473-485	3.1	20
1281	Relationship between changes in dietary sucrose and high density lipoprotein cholesterol: the CARDIA study. Coronary Artery Risk Development in Young Adults. 1998 , 8, 433-8		23
1280	The dietary intake of people with non-insulin-dependent diabetes (NIDDM): how valid is self-reported intake?. <i>Journal of Human Nutrition and Dietetics</i> , 1998 , 11, 295-306	3.1	11
1279	Assessing dietary intake: Who, what and why of under-reporting. 1998 , 11, 231-53		388
1278	Association of dietary fish and n-3 fatty acid intake with hemostatic factors in the coronary artery risk development in young adults (CARDIA) study. 1998 , 18, 1119-23		64
1277	Take Five, a nutrition education intervention to increase fruit and vegetable intakes: impact on consumer choice and nutrient intakes. <i>British Journal of Nutrition</i> , 1998 , 80, 123-31	3.6	76
1276	Magnitude, determinants and impact of under-reporting of energy intake in a cohort study in Greece. 1998 , 1, 131-7		36
1275	Calcium levels in maternal milk: relationships with calcium intake during the third trimester of pregnancy. <i>British Journal of Nutrition</i> , 1998 , 79, 501-7	3.6	29
1274	Effectiveness of a dietary intervention strategy in general practice: effects on blood lipids, health and well-being. 1998 , 1, 273-81		8
1273	Dietary macro- and micronutrient requirements of endurance athletes. 1998 , 57, 1-8		20
1272	Measuring intake in free-living human subjects: a question of bias. 1998 , 57, 333-9		39
1271	Nutrition Society Medal Lecture. Appetite, feeding behaviour and energy balance in human subjects. 1998 , 57, 341-56		43
1270	Methodological issues relating to the measurement of food, energy and nutrient intake in human laboratory-based studies. 1998 , 57, 357-72		53
1269	Abstracts of Communications. 1998 , 57, 141A-171A		1
1268	Validity of a self-administered diet history questionnaire for assessment of sodium and potassium: comparison with single 24-hour urinary excretion. 1998 , 62, 431-5		129

1267	Nutritional Aspects of Neuromuscular Diseases. 1998 , 9, 127-143		22
1266	Evaluating epidemiologic evidence of the effects of food and nutrient exposures. 1999 , 69, 1339S-1344S		49
1265	Nutrient intake of food bank users is related to frequency of food bank use, household size, smoking, education and country of birth. <i>Journal of Nutrition</i> , 1999 , 129, 883-9	4.1	48
1264	Women's dietary intakes in the context of household food insecurity. <i>Journal of Nutrition</i> , 1999 , 129, 672-9	4.1	155
1263	Underreporting of habitual food intake is explained by undereating in highly motivated lean women. <i>Journal of Nutrition</i> , 1999 , 129, 878-82	4.1	101
1262	The validity of dietary assessment in general practice. 1999 , 53, 165-72		54
1261	Dietary antioxidants and magnesium in type 1 brittle asthma: a case control study. 1999 , 54, 115-8		29
1260	The impact of modernisation on the diets of adults aged 20-40 years from Samoan church communities in Auckland. 1999 , 11, 4-9		6
1259	Under-reporting of dietary intake by smoking and non-smoking subjects counselled for hypercholesterolaemia. 1999 , 245, 337-44		12
1258	Potential underreporting of energy intake in the Ontario Health Survey and its relationship with nutrient and food intakes. 1999 , 15, 553-7		42
1257	Knowledge of calories and its effect on eating behavior in overweight, normal weight, and underweight individuals. 1999 , 4, 165-8		1
1256	Recent advances from application of doubly labeled water to measurement of human energy expenditure. <i>Journal of Nutrition</i> , 1999 , 129, 1765-8	4.1	153
1255	Assessment of a narrative approach to the diet history. 1999 , 2, 61-7		19
1254	Assessment of advice to reduce dietary fat and non-milk extrinsic sugar in a free-living male population. 1999 , 2, 187-97		12
1253	Relationship between cigarette smoking and nutrient intakes and blood status indices of older people living in the UK: further analysis of data from the National Diet and Nutrition Survey of people aged 65 years and over, 1994/95. 1999 , 2, 199-208		38
1252	Food and nutrient intake of a national sample of 4-year-old children in 1950: comparison with the 1990s. 1999 , 2, 537-47		44
1251	The Nutrition Society Medical Lecture. Obesity: from molecules to man. 1999 , 58, 1-14		50
1250	Energy under-reporting in Swedish and Irish dietary surveys: implications for food-based dietary guidelines. <i>British Journal of Nutrition</i> , 1999 , 81 Suppl 2, S127-31	3.6	39

1249	A comparison of methods of assessment of dietary selenium intakes in Otago, New Zealand. <i>British Journal of Nutrition</i> , 1999 , 82, 131-8	3.6	36
1248	Patterns of energy intake in patients with cirrhosis and healthy volunteers. <i>British Journal of Nutrition</i> , 1999 , 82, 41-8	3.6	7
1247	Plasma pyridoxal phosphate and pyridoxic acid and their relationship to plasma homocysteine in a representative sample of British men and women aged 65 years and over. <i>British Journal of Nutrition</i> , 1999 , 81, 191-201	3.6	90
1246	Effects of isoenergetic overfeeding of either carbohydrate or fat in young men. <i>British Journal of Nutrition</i> , 2000 , 84, 233-245	3.6	76
1245	Body mass index in relation to energy intake and expenditure among adults in Greece. 2000 , 11, 333-6		49
1244	Dietary influences on bone mass and bone metabolism: further evidence of a positive link between fruit and vegetable consumption and bone health?. 2000 , 71, 142-51		385
1243	Dietary strategies for lowering homocysteine concentrations. 2000 , 71, 1448-54		104
1242	Food patterns defined by cluster analysis and their utility as dietary exposure variables: a report from the MalmDiet and Cancer Study. 2000 , 3, 159-73		63
1241	Impact of Mediterranean diet education versus posted leaflet on dietary habits and serum cholesterol in a high risk population for cardiovascular disease. 2000 , 3, 273-83		41
1240	Risk factors for poor iron status in British toddlers: further analysis of data from the National Diet and Nutrition Survey of children aged 1.5-4.5 years. 2000 , 3, 433-40		77
1239	Measurement of dietary intake in children. 2000 , 59, 279-93		521
1238	Role of dietary carbohydrate and frequent eating in body-weight control. 2000 , 59, 349-58		37
1237	Validation of dietary intakes measured by diet history against 24 h urinary nitrogen excretion and energy expenditure measured by the doubly-labelled water method in middle-aged women. <i>British Journal of Nutrition</i> , 2000 , 83, 341-54	3.6	58
1236	Effects of replacing meat with soyabean in the diet on sex hormone concentrations in healthy adult males. <i>British Journal of Nutrition</i> , 2000 , 84, 557-63	3.6	67
1235	Zinc intake and status in Australian vegetarians. <i>British Journal of Nutrition</i> , 2000 , 83, 27-33	3.6	35
1234	Non-starch polysaccharide intake in vegans and the relationship with energy distribution and mineral intakes. <i>Journal of Human Nutrition and Dietetics</i> , 2000 , 13, 443-450	3.1	2
1233	Meal pattern and risk factor evaluation in one-year completers of a weight reduction program for obese men - the 'Gustaf' study. 2000 , 247, 30-8		10
1232	Commonly recommended daily intake of vitamin D is not sufficient if sunlight exposure is limited. 2000 , 247, 260-8		316

1231	Associations of leptin, insulin resistance and thyroid function with long-term weight loss in dieting obese men. 2000 , 248, 299-308		48
1230	Determination of energy density of freely selected diets: methodological issues and implications. 2000 , 24, 49-54		75
1229	Underreporting of energy intake in four populations of African origin. 2000 , 24, 882-7		37
1228	Critical evaluation of energy intake using the Goldberg cut-off for energy intake: basal metabolic rate. A practical guide to its calculation, use and limitations. 2000 , 24, 1119-30		953
1227	Does energy intake underreporting involve all kinds of food or only specific food items? Results from the Fleurbaix Laventie Ville Santé (FLVS) study. 2000 , 24, 1500-6		185
1226	Macronutrient energy intake and adiposity in non obese prepubertal children aged 5-11 y (the Fleurbaix Laventie Ville Santé Study). 2000 , 24, 1608-17		46
1225	Accuracy of energy intake data estimated by a multiple-pass, 24-hour dietary recall technique. 2000 , 100, 303-8; quiz 309-11		189
1224	Comparison of the effectiveness of a telephone 24-hour dietary recall method vs an in-person method among urban African-American women. 2000 , 100, 1172-7; quiz 1155-6		28
1223	Folate intake, lifestyle factors, and homocysteine concentrations in younger and older women. 2000 , 72, 1156-63		84
1222	Human overfeeding experiments: potentials and limitations in obesity research. <i>British Journal of Nutrition</i> , 2000 , 84, 135-137	3.6	8
1221	Food habits of Canadians: reduction in fat intake over a generation. 2000 , 91, 381-5		96
1220	Effect of dietary quercetin on oxidative DNA damage in healthy human subjects. <i>British Journal of Nutrition</i> , 2000 , 84, 919-925	3.6	41
1219	Tracking of nutrient intakes in adolescence: the experiences of the Young Hearts Project, Northern Ireland. <i>British Journal of Nutrition</i> , 2000 , 84, 541-548	3.6	31
1218	The problem of accuracy in dietary surveys. Analysis of the over 65 UK National Diet and Nutrition Survey. 2000 , 54, 611-6		58
1217	Relationship between self-reported food and fluid intake and menstrual disturbance in female recreational runners. 2001 , 28, 444-54		8
1216	Let the pyramid guide your food choices: capturing the total diet concept. <i>Journal of Nutrition</i> , 2001 , 131, 461S-472S	4.1	44
1215	Evaluation of dietary assessment instruments against doubly labeled water, a biomarker of habitual energy intake. 2001 , 281, E891-9		327
1214	Analysis, Presentation, and Interpretation of Dietary Data. 2001 , 69-79		

1213	Low-dose vitamin B-6 effectively lowers fasting plasma homocysteine in healthy elderly persons who are folate and riboflavin replete. 2001 , 73, 759-64		92
1212	Physical activity and energy intake selectively predict the waist-to-hip ratio in men but not in women. 2001 , 74, 574-8		27
1211	Comparison of total energy expenditure and energy intake in children aged 6-9 y. 2001 , 74, 643-9		30
1210	Use of a triaxial accelerometer to validate reported food intakes. 2001 , 73, 549-53		55
1209	Dietary intakes and serum nutrients differ between adults from food-insufficient and food-sufficient families: Third National Health and Nutrition Examination Survey, 1988-1994. <i>Journal of Nutrition</i> , 2001 , 131, 1232-46	4.1	199
1208	Choose a diet that is low in saturated fat and cholesterol and moderate in total fat: subtle changes to a familiar message. <i>Journal of Nutrition</i> , 2001 , 131, 510S-526S	4.1	35
1207	Plasma Homocysteine Is Not Subject to Seasonal Variation. 2001 , 47, 1430-1436		47
1206	Longitudinal trends in and tracking of energy and nutrient intake over 20 years in a Dutch cohort of men and women between 13 and 33 years of age: The Amsterdam growth and health longitudinal study. <i>British Journal of Nutrition</i> , 2001 , 85, 375-85	3.6	83
1205	A culture-sensitive quantitative food frequency questionnaire used in an African population: 2. Relative validation by 7-day weighted records and biomarkers. 2001 , 4, 63-71		79
1204	Identification of groups who report similar patterns of diet among a representative national sample of British adults aged 65 years of age or more. 2001 , 4, 787-95		45
1203	Underreporting of energy intake in repeated 24-hour recalls related to gender, age, weight status, day of interview, educational level, reported food intake, smoking habits and area of living. 2001 , 4, 919-27		260
1202	Under-reporting in dietary surveys--implications for development of food-based dietary guidelines. 2001 , 4, 683-7		49
1201	Abstracts of Original Communications. 2001 , 60, 1A-80A		
1200	Abstracts of Original Communications. 2001 , 60, 146A-170A		
1199	Abstracts of Original Communications. 2001 , 60, 171A-237A		3
1198	Changes in nutrient intake during the menstrual cycle of overweight women with premenstrual syndrome. <i>British Journal of Nutrition</i> , 2001 , 85, 475-82	3.6	59
1197	Are the proposed limits of energy intake:basal metabolic rate and dietary nitrogen:urinary nitrogen ratios suitable for validation of food intake?. <i>British Journal of Nutrition</i> , 2001 , 85, 725-31	3.6	9
1196	Comparison of two frequency questionnaires for quantifying fruit and vegetable intake. 2001 , 4, 233-9		38

1195	Validation of a quantitative food-frequency questionnaire for use in Western Mali. 2001 , 4, 1267-77		39
1194	Fortified foods. Criteria for vitamin supplementation in Spain. 2001 , 4, 1331-4		11
1193	Food patterns of Spanish schoolchildren and adolescents: The enKid Study. 2001 , 4, 1433-8		97
1192	What do users of reduced-fat dairy products know about the fat in their diets?. 2001 , 4, 227-32		2
1191	Abstracts of Original Communications. 2001 , 60, 135A-145A		
1190	Self-reported calcium intake and bone mineral content in children and adolescents. 2001 , 20, 502-9		29
1189	Glycemic index in the diet of European outpatients with type 1 diabetes: relations to glycosylated hemoglobin and serum lipids. 2001 , 73, 574-81		133
1188	Fruit and vegetable consumption is lower and saturated fat intake is higher among Canadians reporting smoking. <i>Journal of Nutrition</i> , 2001 , 131, 1952-8	4.1	103
1187	Dietary treatment of iron deficiency in women of childbearing age. 2001 , 74, 650-6		38
1186	Meals and energy intake among elderly women--an analysis of qualitative and quantitative dietary assessment methods. <i>Journal of Human Nutrition and Dietetics</i> , 2001 , 14, 467-76	3.1	12
1185	The relationships between ethnicity, gender, and short-term changes in energy balance following smoking cessation. 2001 , 8, 163-177		12
1184	Does fat intake predict adiposity in healthy children and adolescents aged 2--15 y? A longitudinal analysis. <i>European Journal of Clinical Nutrition</i> , 2001 , 55, 471-81	5.2	61
1183	Weight loss in overweight subjects following low-sucrose or sucrose-containing diets. 2001 , 25, 1122-8		23
1182	Fruit and vegetable intakes of Australians aged 2-18 years: an evaluation of the 1995 National Nutrition Survey data. 2001 , 25, 155-61		63
1181	Reduced dietary underreporting with concurrent tracking of hunger. 2001 , 101, 578-80		5
1180	Higher carbohydrate intake is associated with decreased incidence of newborn macrosomia in women with gestational diabetes. 2001 , 101, 897-902		45
1179	Underreporting of energy intake in an elderly German population. 2001 , 17, 912-6		31
1178	Lack of awareness of public health promotion messages among a group of adult New Zealanders who meet national guidelines for food intake and physical activity. 2001 , 10, 17-20		4

1177	Dietary assessment in Whitehall II: comparison of 7 d diet diary and food-frequency questionnaire and validity against biomarkers. <i>British Journal of Nutrition</i> , 2001 , 86, 405-14	3.6	226
1176	Social determinants of dietary habits in Denmark. <i>European Journal of Clinical Nutrition</i> , 2001 , 55, 959-66	5.2	145
1175	Dietary antioxidants and asthma in adults: population-based case-control study. 2001 , 164, 1823-8		216
1174	Dietary sugars and micronutrient dilution in normal adults aged 65 years and over. 2001 , 4, 1235-44		20
1173	Food patterns and components of the metabolic syndrome in men and women: a cross-sectional study within the Malmö Diet and Cancer cohort. 2001 , 154, 1150-9		203
1172	A diet containing rapeseed oil-based fats does not increase lipid peroxidation in humans when compared to a diet rich in saturated fatty acids. <i>European Journal of Clinical Nutrition</i> , 2001 , 55, 922-31	5.2	38
1171	Doing dietary research with adolescents: The problems of data collection in the school setting. 2001 , 39, 100-105		3
1170	Nature of dietary reporting by adults in the third National Health and Nutrition Examination Survey, 1988-1994. 2002 , 21, 315-27		46
1169	Dietary iodine intake and urinary iodine excretion in a Danish population: effect of geography, supplements and food choice. <i>British Journal of Nutrition</i> , 2002 , 87, 61-9	3.6	141
1168	Ten-year trends of dietary intake in a middle-aged French population: relationship with educational level. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 393-401	5.2	66
1167	Habitual fat intake and basal fat oxidation in obese and non-obese Caucasians. 2002 , 26, 150-6		10
1166	Low-energy reporters: evaluation of potential differential reporting in case-control studies. 2002 , 42, 173-9		2
1165	Lipid, protein and carbohydrate intake in relation to body mass index. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 37-43	5.2	54
1164	The effect of graded levels of exercise on energy intake and balance in free-living men, consuming their normal diet. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 129-40	5.2	118
1163	Validity of the assessment of dietary intake: problems of misreporting. 2002 , 5, 489-93		193
1162	Underreporting of energy intake is less common among pregnant women in Indonesia. 2002 , 5, 523-9		30
1161	Biomarkers in nutritional epidemiology. 2002 , 5, 821-7		192
1160	Fifteen-year time trends in energy and macronutrient intake in German children and adolescents: results of the DONALD study. <i>British Journal of Nutrition</i> , 2002 , 87, 595-604	3.6	91

1159	Validation of a short food frequency questionnaire to assess folate intake. <i>British Journal of Nutrition</i> , 2002 , 87, 383-390	3.6	74
1158	Intake and sources of phylloquinone (vitamin K1): variation with socio-demographic and lifestyle factors in a national sample of British elderly people. <i>British Journal of Nutrition</i> , 2002 , 87, 605-613	3.6	72
1157	Validation and calibration of food-frequency questionnaire measurements in the Northern Sweden Health and Disease cohort. 2002 , 5, 487-96		223
1156	Foods prepared outside the home: association with selected nutrients and body mass index in adult Australians. 2002 , 5, 441-8		94
1155	Development of a short questionnaire to assess the dietary intake of heterocyclic aromatic amines. 2002 , 5, 699-705		31
1154	Procedures for screening out inaccurate reports of dietary energy intake. 2002 , 5, 873-82		144
1153	Effect of social variation on the Irish diet. 2002 , 61, 527-36		9
1152	Long-term effects of ad libitum low-fat, high-carbohydrate diets on body weight and serum lipids in overweight subjects with metabolic syndrome. 2002 , 75, 11-20		166
1151	A methodological report from the Malmö Diet and Cancer study: development and evaluation of altered routines in dietary data processing. 2002 , 1, 3		84
1150	The most essential nutrient: defining the adequate intake of water. 2002 , 141, 587-92		88
1149	Condition féminine et activité physique intense et répétée. 2002 , 17, 269-277		1
1148	The contribution of food groups to the nutrient intake and food pattern among pre-school children. 2002 , 13, 107-116		12
1147	Fortification masks nutrient dilution due to added sugars in the diet of children and adolescents. <i>Journal of Nutrition</i> , 2002 , 132, 2785-91	4.1	33
1146	Predicting total energy expenditure from self-reported dietary records and physical characteristics in adult and elderly men and women. 2002 , 76, 529-34		13
1145	Dietary calcium intake in postmenopausal Malaysian women: comparison between the food frequency questionnaire and three-day food records. 2002 , 11, 142-6		41
1144	Assessment of a rapid method for assessing adequacy of calcium intake. 2002 , 11, 147-50		11
1143	Cross-sectional study of diet and risk factors for metabolic diseases in a Ghanaian population in Sydney, Australia. 2002 , 11, 210-6		13
1142	Physical inactivity is the major determinant of obesity in black women in the North West Province, South Africa: the THUSA study. <i>Transition and Health During Urbanisation of South Africa</i> . 2002 , 18, 422-7		96

1141	Is there a relationship between the food intakes of Scottish 5(1/2)-8(1/2)-year-olds and those of their mothers?. <i>Journal of Human Nutrition and Dietetics</i> , 2002 , 15, 271-9	3.1	52
1140	Vitamins--dietary intake and intake from dietary supplements in Germany. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 539-45	5.2	69
1139	Assessment of iodine intake in vegans: weighed dietary record vs duplicate portion technique. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 765-70	5.2	21
1138	Effects of chronic peanut consumption on energy balance and hedonics. 2002 , 26, 1129-37		135
1137	Eating frequency and body fatness in middle-aged men. 2002 , 26, 1476-83		59
1136	Impact of interviewer's body mass index on underreporting energy intake in overweight and obese women. 2002 , 10, 471-7		18
1135	Do users of dietary supplements differ from nonusers in their food consumption?. 2004 , 19, 335-41		32
1134	Evidence of sustained skeletal benefits from impact-loading exercise in young females: a 3-year longitudinal study. 2004 , 19, 314-22		79
1133	Family meal patterns: associations with sociodemographic characteristics and improved dietary intake among adolescents. 2003 , 103, 317-22		508
1132	Effectiveness of dietary advice given by community dietitians to men with elevated blood cholesterol in a clinical setting: a pilot study. <i>Journal of Human Nutrition and Dietetics</i> , 2003 , 16, 81-3	3.1	7
1131	Comparison of dietary fat and fatty acid intake estimated by the duplicate diet collection technique and estimated dietary records. <i>Journal of Human Nutrition and Dietetics</i> , 2003 , 16, 393-401	3.1	6
1130	Eating behaviors and indexes of body composition in men and women from the Qubec family study. 2003 , 11, 783-92		227
1129	Estimated energy intake, macronutrient intake and meal pattern of Flemish adolescents. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 366-75	5.2	69
1128	An evaluation of the sensitivity and specificity of energy expenditure measured by heart rate and the Goldberg cut-off for energy intake: basal metabolic rate for identifying mis-reporting of energy intake by adults and children: a retrospective analysis. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 455-63	5.2	46
1127	Dietary intakes and lifestyle factors of a vegan population in Germany: results from the German Vegan Study. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 947-55	5.2	77
1126	Food, activity and family--environmental vs biochemical predictors of weight gain in children. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 1242-9	5.2	49
1125	Validation of food variety as an indicator of diet quality assessed with a food frequency questionnaire for Western Mali. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 1283-91	5.2	49
1124	Lifestyle factors associated with glycaemic control and body mass index in older adults with diabetes. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 1386-93	5.2	10

1123	Meal pattern, food choice, nutrient intake and lifestyle factors in The Gf̈eborg Adolescence Study. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 1569-78	5.2	260
1122	Nutrient adequacy and Mediterranean Diet in Spanish school children and adolescents. <i>European Journal of Clinical Nutrition</i> , 2003 , 57 Suppl 1, S35-9	5.2	92
1121	Energy intake in Swedish adolescents: validation of diet history with doubly labelled water. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 1643-52	5.2	46
1120	Predictors to success in outpatient training in obese children and adolescents. 2003 , 27, 1087-92		78
1119	Energy metabolism in Bardet-Biedl syndrome. 2003 , 27, 1319-24		52
1118	Effects of ethnicity, family income, and education on dietary intake among adolescents. 2003 , 36, 30-40		151
1117	Relative validity of a diet history interview in an intervention trial manipulating dietary fat in the management of Type II diabetes mellitus. 2003 , 36, 420-8		48
1116	Food group and macronutrient intake behavior in a Spanish Mediterranean population. 2003 , 23, 857-868		3
1115	Outcome of patients consulting in an outpatient nutrition clinic for excessive body weight. 2003 , 29, 519-24		4
1114	Postprandial carbohydrate metabolism in healthy subjects and those with type 2 diabetes fed starches with slow and rapid hydrolysis rates determined in vitro. <i>British Journal of Nutrition</i> , 2003 , 90, 853-64	3.6	85
1113	A longitudinal study of the dietary intake of 51 adolescents in South Staffordshire, UK. 2003 , 41, 21-26		1
1112	Probabilistic modelling of human exposure to intense sweeteners in Italian teenagers: validation and sensitivity analysis of a probabilistic model including indicators of market share and brand loyalty. 2003 , 20 Suppl 1, S73-86		18
1111	Impact of fortified breakfast cereals on iron intake in German children and adolescents. 2003 , 36, 149-53		5
1110	Size makes a difference. 2003 , 6, 65-72		73
1109	Statistical approaches for assessing the relative validity of a food-frequency questionnaire: use of correlation coefficients and the kappa statistic. 2003 , 6, 313-21		273
1108	The importance of composite foods for estimates of vegetable and fruit intakes. 2003 , 6, 711-26		35
1107	The Risk of Inadequate Zinc Intake in United States and New Zealand Adults. 2003 , 38, 63-70		5
1106	Relationship between body mass index, serum cholesterol, leisure-time physical activity, and diet in a Mediterranean Southern-Europe population. <i>British Journal of Nutrition</i> , 2003 , 90, 431-9	3.6	36

1105	Associations between intake of added sugars and intakes of nutrients and food groups in the diets of German children and adolescents. <i>British Journal of Nutrition</i> , 2003 , 90, 441-7	3.6	44
1104	Comparison of commonly used procedures, including the doubly-labelled water technique, in the estimation of total energy expenditure of women with special reference to the significance of body fatness. <i>British Journal of Nutrition</i> , 2003 , 90, 961-8	3.6	39
1103	Why do some overweight children remain overweight, whereas others do not?. 2003 , 6, 549-58		37
1102	Two approaches to derive a proposal for added sugars intake for German children and adolescents. 2003 , 6, 697-702		10
1101	Association of education with dietary intake among young adults in the bi-ethnic Coronary Artery Risk Development in Young Adults (CARDIA) cohort. 2003 , 6, 689-95		3
1100	Techniques for the study of energy balance in man. 2003 , 62, 529-37		34
1099	Effect of low-glycemic-index dietary advice on dietary quality and food choice in children with type 1 diabetes. 2003 , 77, 83-90		40
1098	Appropriate calcium fortification of the food supply presents a challenge. <i>Journal of Nutrition</i> , 2003 , 133, 2232-8	4.1	19
1097	Effectiveness of the US Department of Agriculture 5-step multiple-pass method in assessing food intake in obese and nonobese women. 2003 , 77, 1171-8		510
1096	Rice-based diets in rural Bangladesh: how do different age and sex groups adapt to seasonal changes in energy intake?. 2003 , 78, 406-13		44
1095	Dietary potential renal acid load and renal net acid excretion in healthy, free-living children and adolescents. 2003 , 77, 1255-60		214
1094	Markers of the validity of reported energy intake. <i>Journal of Nutrition</i> , 2003 , 133 Suppl 3, 895S-920S	4.1	732
1093	Abstracts of Original Communications. 2003 , 62, 11A-34A		
1092	The effect of rate and extent of weight loss on urea salvage in obese male subjects. <i>British Journal of Nutrition</i> , 2003 , 90, 221-31	3.6	10
1091	Associations between diet and the metabolic syndrome vary with the validity of dietary intake data. 2003 , 78, 84-90		80
1090	Subnotificaçã da ingestã energãtica na avaliaã do consumo alimentar. 2003 , 16, 471-481		28
1089	Portion size adds limited information on variance in food intake of participants in the EPIC-Potsdam study. <i>Journal of Nutrition</i> , 2003 , 133, 510-5	4.1	61
1088	Consumption of whole-grain foods by British adults: findings from further analysis of two national dietary surveys. 2003 , 6, 479-84		55

1087	B vitamin status and concentrations of homocysteine and methylmalonic acid in elderly German women. 2003 , 78, 765-72		52
1086	[Dietary pattern and nutritional status of metalworkers in Rio de Janeiro, Brazil]. 2004 , 20, 926-34		7
1085	Eating behaviours, dietary profile and body composition according to dieting history in men and women of the Qubec Family Study. <i>British Journal of Nutrition</i> , 2004 , 91, 997-1004	3.6	41
1084	Influence of dietary factors on the clinical course of ulcerative colitis: a prospective cohort study. 2004 , 53, 1479-84		275
1083	Food consumption patterns in a mediterranean region: does the mediterranean diet still exist?. 2004 , 48, 193-201		46
1082	Issues in dietary intake assessment of children and adolescents. <i>British Journal of Nutrition</i> , 2004 , 92 Suppl 2, S213-22	3.6	624
1081	High intake of added sugar among Norwegian children and adolescents. 2004 , 7, 285-93		118
1080	UNDERESTIMATION OF ENERGY INTAKE USING 24-HOUR RECALL BY KOREAN URBAN ELDERS. 2004 , 43, 279-293		1
1079	Assessment of the influence of energy under-reporting on intake estimates of four food additives. 2004 , 21, 195-203		5
1078	Change in nutrient intake between adolescence and adulthood: a 21-year longitudinal study. 2004 , 29, 204-212		
1077	Associations between weight status, physical activity, and consumption of biscuits, cakes and confectionery among young people in Britain. 2004 , 29, 301-309		20
1076	Dietary intake of n-3, n-6 fatty acids and fish: relationship with hostility in young adults--the CARDIA study. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 24-31	5.2	100
1075	Nutrient adequacy and dietary diversity in rural Mali: association and determinants. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 594-604	5.2	200
1074	Nutritional intakes of 1072 French free-living men with and without diagnosed cardiovascular risk factors. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 787-95	5.2	5
1073	Assessment of habitual meal pattern and intake of foods, energy and nutrients in Swedish adolescent girls: comparison of diet history with 7-day record. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 1181-9	5.2	15
1072	Effects of usual nutrient intake and vitamin D status on markers of bone turnover in Swiss adolescents. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 1257-65	5.2	52
1071	Effect of high levels of intense sweetener intake in insulin dependent diabetics on the ratio of dietary sugar to fat: a case-control study. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 1336-41	5.2	5
1070	Dietary acid-base balance and intake of bone-related nutrients in Cambridge teenagers. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 1462-71	5.2	29

1069	Effect of organ and tissue masses on resting energy expenditure in underweight, normal weight and obese adults. 2004 , 28, 72-9	93
1068	Pattern of long-term fat intake and BMI during childhood and adolescence--results of the DONALD Study. 2004 , 28, 1203-9	56
1067	Energy intake and meal portions: associations with BMI percentile in U.S. children. 2004 , 12, 1875-85	159
1066	Validation of energy intake by dietary recall against different methods to assess energy expenditure. <i>Journal of Human Nutrition and Dietetics</i> , 2004 , 17, 471-80	3.1 25
1065	Associations between sociodemographic and lifestyle factors and dietary quality among adolescents in Palma de Mallorca. 2004 , 20, 502-8	18
1064	Low energy reporting may increase in intervention participants enrolled in dietary intervention trials. 2004 , 104, 357-66; quiz 491	23
1063	Accuracy of dietary recall using the USDA five-step multiple-pass method in men: an observational validation study. 2004 , 104, 595-603	333
1062	Aliments vecteurs pour une supplmentation en vitamine D : simulation d'impact sur les consommations des populations cibles. 2004 , 39, 382-390	
1061	[Food consumption, dietary habits and nutritional status of the population of Reus: follow-up from preconception throughout pregnancy and after birth]. 2004 , 123, 5-11	15
1060	Dietary intakes differ between renal transplant recipients living in patient hotels versus home. 2004 , 14, 101-8	1
1059	Energy balance and body composition in sports and exercise. 2004 , 22, 1-14	181
1058	Validity and reproducibility of an interviewer-administered food frequency questionnaire for healthy French-Canadian men and women. 2004 , 3, 13	109
1057	Dietary estimated intake of intense sweeteners by Italian teenagers. Present levels and projections derived from the INRAN-RM-2001 food survey. 2004 , 42, 677-85	44
1056	Short-term appetite and energy intake following imposed exercise in 9- to 10-year-old girls. 2004 , 43, 127-34	47
1055	A cross-cultural comparison of appetitive and dietary responses to food challenges. 2004 , 15, 129-136	2
1054	Lower estimates of net endogenous non-carbonic acid production are positively associated with indexes of bone health in premenopausal and perimenopausal women. 2004 , 79, 131-8	115
1053	Chronicle of the Institute of Medicine physical activity recommendation: how a physical activity recommendation came to be among dietary recommendations. 2004 , 79, 921S-930S	153
1052	Nutritional associations with bone loss during the menopausal transition: evidence of a beneficial effect of calcium, alcohol, and fruit and vegetable nutrients and of a detrimental effect of fatty acids. 2004 , 79, 155-65	260

1051	Intakes of antioxidants in coffee, wine, and vegetables are correlated with plasma carotenoids in humans. <i>Journal of Nutrition</i> , 2004 , 134, 562-7	4.1	234
1050	Adherence to the traditional mediterranean diet is inversely associated with body mass index and obesity in a spanish population. <i>Journal of Nutrition</i> , 2004 , 134, 3355-61	4.1	244
1049	No difference in body weight decrease between a low-glycemic-index and a high-glycemic-index diet but reduced LDL cholesterol after 10-wk ad libitum intake of the low-glycemic-index diet. 2004 , 80, 337-47		207
1048	Ecuadorian Andean women's nutrition varies with age and socioeconomic status. 2004 , 25, 239-47		9
1047	Dietary behaviour of German adults differing in levels of sport activity. 2004 , 7, 45-52		9
1046	Changes over 20 years in macronutrient intake and body mass index in 11- to 12-year-old adolescents living in Northumberland. <i>British Journal of Nutrition</i> , 2004 , 92, 321-33	3.6	34
1045	A comparison of dietary habits among women in Japan and Hawaii. 2004 , 7, 319-26		27
1044	Secular trends in diet among elderly Swedes -- cohort comparisons over three decades. 2004 , 7, 637-44		20
1043	Underreporting of energy intake from a self-administered food-frequency questionnaire completed by adults in Montreal. 2004 , 7, 675-81		71
1042	A Monte Carlo simulation to validate the EAR cut-point method for assessing the prevalence of nutrient inadequacy at the population level. 2004 , 7, 893-900		41
1041	Adherence to the Mediterranean dietary pattern among the population of the Balearic Islands. <i>British Journal of Nutrition</i> , 2004 , 92, 341-6	3.6	50
1040	Socio-economic and behavioural factors are predictors of food use in the National Food Stamp Program Survey. <i>British Journal of Nutrition</i> , 2004 , 92, 497-506	3.6	32
1039	Independent of body adiposity, breast-feeding has a protective effect on glucose metabolism in young adult women. <i>British Journal of Nutrition</i> , 2004 , 92, 905-12	3.6	24
1038	Under- and overreporting of energy is related to obesity, lifestyle factors and food group intakes in Jamaican adults. 2004 , 7, 9-19		104
1037	High alcohol consumption in Germany: results of the German National Health Interview and Examination Survey 1998. 2004 , 7, 879-84		14
1036	Underreporting of energy intake among Japanese women aged 18-20 years and its association with reported nutrient and food group intakes. 2004 , 7, 911-7		43
1035	Long-term protein intake and dietary potential renal acid load are associated with bone modeling and remodeling at the proximal radius in healthy children. 2005 , 82, 1107-14		162
1034	Influence of changes in sedentary behavior on energy and macronutrient intake in youth. 2005 , 81, 361-6		77

1033 Energy density and weight control. **2005**, 179-203

1032 Interactions between traditional regional determinants and socio-economic status on dietary patterns in a sample of French men. *British Journal of Nutrition*, **2005**, 93, 109-14 3.6 42

1031 Eight-year trends in food, energy and macronutrient intake in a sample of elderly German subjects. *British Journal of Nutrition*, **2005**, 93, 361-78 3.6 32

1030 The stability of soft drinks intake from adolescence to adult age and the association between long-term consumption of soft drinks and lifestyle factors and body weight. **2005**, 8, 149-57 90

1029 Impact of disaggregation of composite foods on estimates of intakes of meat and meat products in Irish adults. **2005**, 8, 327-37 26

1028 Consumption of red meat, white meat and processed meat in Irish adults in relation to dietary quality. *British Journal of Nutrition*, **2005**, 93, 933-42 3.6 56

1027 Attainment of precision in implementation of 24 h dietary recalls: INTERMAP UK. *British Journal of Nutrition*, **2005**, 94, 588-94 3.6 17

1026 Whole-grain intake of British young people aged 4-18 years. *British Journal of Nutrition*, **2005**, 94, 825-31 3.6 63

1025 Misreporting of energy: prevalence, characteristics of misreporters and influence on observed risk estimates in the Malmö Diet and Cancer cohort. *British Journal of Nutrition*, **2005**, 94, 832-42 3.6 83

1024 Does the diet of the Balearic population, a Mediterranean-type diet, ensure compliance with nutritional objectives for the Spanish population?. **2005**, 8, 275-83 18

1023 The influence of eating location on nutrient intakes in Irish adults: implications for developing food-based dietary guidelines. **2005**, 8, 258-65 34

1022 24-hour national dietary survey data: how do we interpret them most effectively?. **2005**, 8, 657-65 27

1021 The fundamental flaw in obesity research. **2005**, 6, 199-202 52

1020 Profile of overweight and obese people in a Mediterranean region. **2005**, 13, 527-36 44

1019 Socio-demographic inequalities in the diets of mid-aged Australian women. *European Journal of Clinical Nutrition*, **2005**, 59, 185-95 5.2 38

1018 Dietary calcium and body mass index in Portuguese children. *European Journal of Clinical Nutrition*, **2005**, 59, 861-7 5.2 44

1017 Micronutrient dilution associated with added sugar intake in elderly black South African women. *European Journal of Clinical Nutrition*, **2005**, 59, 1030-42 5.2 31

1016 How to measure dietary intake and food habits in adolescence: the European perspective. **2005**, 29 Suppl 2, S66-77 54

1015	Dietary fiber and fat are associated with excess weight in young and middle-aged US adults. 2005 , 105, 1365-72		82
1014	Participation in a behavioral weight-loss program worsens the prevalence and severity of underreporting among obese and overweight women. 2005 , 105, 1948-51		25
1013	Gestational hyperglycemia, zinc, selenium, and antioxidant vitamins. 2005 , 21, 186-91		57
1012	Food intake after gastrectomy for gastric carcinoma: the role of a gastric reservoir. 1996 , 83, 1138-43		71
1011	A statistical approach based on substitution of macronutrients provides additional information to models analyzing single dietary factors in relation to type 2 diabetes in danish adults: the Inter99 study. <i>Journal of Nutrition</i> , 2005 , 135, 1177-82	4.1	30
1010	Dietary fat intake, fat sources and fatty acid composition in serum among immigrant women from Iran and Turkey compared with women of Swedish ethnicity. 2005 , 49, 106-115		4
1009	Overweight and obesity among Norwegian schoolchildren: changes from 1993 to 2000. 2005 , 33, 99-106		116
1008	Energy balance and breast cancer risk. 2005 , 14, 1496-501		50
1007	Dietary strategies for the prevention of obesity. 2005 , 64, 217-27		29
1006	Adult recall of adolescent diet: reproducibility and comparison with maternal reporting. 2005 , 161, 89-97		79
1005	The dietary habits and nutritional status of residents in young people's homeless hostels. 2005 , 43, 23-28		2
1004	Energy requirements of adults. 2005 , 8, 994-1009		43
1003	Dietary intake measurements. 2005 , 8, 1100-7		167
1002	Antioxidant restriction and oxidative stress in short-duration exhaustive exercise. 2005 , 37, 63-71		88
1001	Is energy intake underestimated in nondialyzed chronic kidney disease patients?. 2005 , 15, 159-65		35
1000	Dietary silicon intake in post-menopausal women. <i>British Journal of Nutrition</i> , 2005 , 94, 813-7	3.6	35
999	Differences in hemoglobin adduct levels of acrylamide in the general population with respect to dietary intake, smoking habits and gender. 2005 , 580, 157-65		81
998	Cognitive restraint is associated with higher intake of vegetables in a sample of university students. 2005 , 6, 229-37		25

997	Handling of contamination variability in exposure assessment: a case study with ochratoxin A. 2005 , 43, 1541-55		10
996	Cluster analysis of individuals with similar trends of fat intake during childhood and adolescence: a new approach to analyzing dietary data. 2005 , 25, 251-260		7
995	Biochemical Parameters of Nutrition. 2006 , 59-72		2
994	[Comparison of two national food surveys (INCA 1 1998-99 and Health Nutrition Barometer 2002) with regard to five food recommendations of the National Nutrition and Health Program]. 2006 , 54, 5-14		5
993	Fitness-for-purpose of dietary survey duration: a case-study with the assessment of exposure to ochratoxin A. 2006 , 44, 499-509		7
992	Relative validity of food intake estimates using a food frequency questionnaire is associated with sex, age, and other personal characteristics. <i>Journal of Nutrition</i> , 2006 , 136, 459-65	4.1	127
991	Carotenoid and tocopherol estimates from the NCI diet history questionnaire are valid compared with multiple recalls and serum biomarkers. <i>Journal of Nutrition</i> , 2006 , 136, 3054-61	4.1	36
990	Anthropometrics provide a better estimate of urinary organic acid anion excretion than a dietary mineral intake-based estimate in children, adolescents, and young adults. <i>Journal of Nutrition</i> , 2006 , 136, 1203-8	4.1	26
989	Predictors of weight gain in a Mediterranean cohort: the Seguimiento Universidad de Navarra Study 1. 2006 , 83, 362-70; quiz 394-5		165
988	Adherence to the Mediterranean dietary pattern is positively associated with plasma adiponectin concentrations in diabetic women. 2006 , 84, 328-335		142
987	Association between dietary glycemic index, glycemic load, and body mass index in the Inter99 study: is underreporting a problem?. 2006 , 84, 641-5		43
986	Fruit and vegetable intakes and bone mineral status: a cross sectional study in 5 age and sex cohorts. 2006 , 83, 1420-8		204
985	Adherence to the Mediterranean dietary pattern is positively associated with plasma adiponectin concentrations in diabetic women. 2006 , 84, 328-35		157
984	Dietary intake and risk of coronary heart disease differ among ethnic subgroups of black Americans. <i>Journal of Nutrition</i> , 2006 , 136, 446-51	4.1	45
983	Nutrition risk in the child and adolescent population of the Basque country: the enKid Study. <i>British Journal of Nutrition</i> , 2006 , 96 Suppl 1, S58-66	3.6	16
982	Validity of a food-frequency questionnaire for elderly men in southeast China. 2006 , 9, 928-33		18
981	Tracking of energy and nutrient intakes from adolescence to young adulthood: the experiences of the Young Hearts Project, Northern Ireland. 2006 , 9, 1027-34		4
980	Home use of margarine is an important determinant of plasma trans fatty acid status: a biomarker study. <i>British Journal of Nutrition</i> , 2006 , 96, 377-83	3.6	13

979	Phyto-oestrogen intake and plasma concentrations in South Asian and native British women resident in England. <i>British Journal of Nutrition</i> , 2006 , 95, 1150-8	3.6	27
978	The influence of age and body mass index on relative accuracy of energy intake among Japanese adults. 2006 , 9, 651-7		17
977	Tracking of energy and nutrient intakes from adolescence to young adulthood: the experiences of the Young Hearts Project, Northern Ireland. 2006 , 9, 1027-1034		15
976	Underreporting of Energy Intake in Developing Nations. 2006 , 64, 319-330		26
975	Nutrition and allergic disease. 2006 , 6, 117-188		52
974	An audit of diabetes control, dietary management and quality of life in adults with type 1 diabetes mellitus, and a comparison with nondiabetic subjects. <i>Journal of Human Nutrition and Dietetics</i> , 2006 , 19, 3-11	3.1	10
973	Prepregnancy body mass index and dietary intake in the first trimester of pregnancy. <i>Journal of Human Nutrition and Dietetics</i> , 2006 , 19, 267-73	3.1	27
972	Understanding reporting bias in the dietary recall data of 11-year-old girls. 2006 , 14, 1073-84		88
971	Racial differences in correlates of misreporting of energy intake in adolescent females. 2006 , 14, 156-64		24
970	Intake of ruminant trans fatty acids in the Danish population aged 1-80 years. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 312-8	5.2	28
969	Dietary intake of B-vitamins in mothers born a child with a congenital heart defect. <i>European Journal of Nutrition</i> , 2006 , 45, 478-86	5.2	45
968	The use of a personal digital assistant for dietary self-monitoring does not improve the validity of self-reports of energy intake. 2006 , 106, 1256-9		64
967	Reported macronutrient intake and metabolic risk factors: immigrant women from Iran and Turkey compared with native Swedish women. 2006 , 50, 166-172		3
966	High consumptions of grain, fish, dairy products and combinations of these are associated with a low prevalence of metabolic syndrome. 2007 , 61, 810-7		87
965	Effects of advice on dietary intake and/or physical activity on body composition, blood lipids and insulin resistance following a low-fat, sucrose-containing, high-carbohydrate, energy-restricted diet. 2007 , 58, 383-97		20
964	Dietary intake in Swedish medical students. 2007 , 51, 79-84		6
963	Sugar intake, soft drink consumption and body weight among British children: further analysis of National Diet and Nutrition Survey data with adjustment for under-reporting and physical activity. 2007 , 58, 445-60		65
962	Trends in energy and nutrient intake and risk of inadequate intakes in Catalonia, Spain (1992-2003). 2007 , 10, 1354-67		49

961	Estimating under-reporting of energy intake in dietary surveys using an individualised method. <i>British Journal of Nutrition</i> , 2007 , 97, 1169-76	3.6	193
960	Iodine intake of Slovenian adolescents. 2007 , 51, 439-47		6
959	Dietary habits of school children: representative survey in metropolitan elementary schools. Part two. 2007 , 51, 454-60		17
958	Nutrient Data Analysis Techniques and Strategies. 2007 , 93-103		
957	Assessment of the nutritional status of preschool-age children during the second Intifada in Palestine. 2007 , 28, 274-82		16
956	Characteristics of misreporters of dietary intake and physical activity. 2007 , 10, 230-7		66
955	Identification of foods contributing to the dietary lipid profile of a Mediterranean population. <i>British Journal of Nutrition</i> , 2007 , 98, 583-92	3.6	8
954	Monetary costs of dietary energy reported by young Japanese women: association with food and nutrient intake and body mass index. 2007 , 10, 1430-9		47
953	Predictors of misreporting in an elderly population: the 'Quality of life after 65' study. 2007 , 10, 185-91		31
952	Breakfast habits affect overall nutrient profiles in adolescents. 2007 , 10, 413-21		99
951	Adiposity, education and weight loss effort are independently associated with energy reporting quality in the Ontario Food Survey. 2007 , 10, 803-9		5
950	Relationship of glycaemic index with cardiovascular risk factors: analysis of the National Diet and Nutrition Survey for people aged 65 and older. 2007 , 10, 1321-35		13
949	Phyto-oestrogens and risk of prostate cancer in Scottish men. <i>British Journal of Nutrition</i> , 2007 , 98, 388-96		63
948	Beneficial effects of a 5-week low-glycaemic index regimen on weight control and cardiovascular risk factors in overweight non-diabetic subjects. <i>British Journal of Nutrition</i> , 2007 , 98, 1288-98	3.6	46
947	Magnesium intake, glucose and insulin serum levels in pre-school very-low-birth weight pre-term children. 2007 , 17, 741-7		5
946	Illness representations among patients with type 2 diabetes and their partners: relationships with self-management behaviors. 2007 , 63, 175-84		70
945	Dietary underreporting in women with schizophrenia requiring dietary intervention: a case control study. 2007 , 12, e83-5		4
944	Low energy reporting related to lifestyle, clinical, and psychosocial factors in a randomly selected population sample of Greek adults: the ATTICA Study. 2007 , 26, 327-33		34

943	Methodologie des enquêtes alimentaires. 2007 , 42, 276-284		3
942	Dietary factors associated with obesity indicators and level of sports participation in Flemish adults: a cross-sectional study. 2007 , 6, 26		36
941	High levels of low energy reporting on 24-hour recalls and three questionnaires in an elderly low-socioeconomic status population. <i>Journal of Nutrition</i> , 2007 , 137, 1286-93	4.1	31
940	Low-income women's dietary intakes are sensitive to the depletion of household resources in one month. <i>Journal of Nutrition</i> , 2007 , 137, 1980-7	4.1	76
939	Underreporting of dietary intake by body mass index in premenopausal women participating in the Healthy Women Study. 2007 , 1, 231-6		12
938	Adherence to the polyp prevention trial dietary intervention is associated with a behavioral pattern of adherence to nondietary trial requirements and general health recommendations. <i>Journal of Nutrition</i> , 2007 , 137, 391-8	4.1	14
937	Trans fatty acid content of foods and intake levels in France. 2007 , 109, 918-929		13
936	Randomized controlled trial comparing a low-fat diet with a weight-reduction diet in breast cancer-related lymphedema. 2007 , 109, 1949-56		65
935	A randomized controlled trial of weight reduction as a treatment for breast cancer-related lymphedema. 2007 , 110, 1868-74		120
934	Relative validation of a pre-coded food diary among children, under-reporting varies with reporting day and time of the day. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 61-8	5.2	30
933	Dietary intake in asylum seeker children in The Netherlands, strongly related to age and origin. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 104-10	5.2	6
932	Validation of the assessment of folate and vitamin B12 intake in women of reproductive age: the method of triads. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 610-5	5.2	102
931	Relation between hydration status in children and their dietary profile - results from the DONALD study. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 1386-92	5.2	34
930	Eating patterns and dietary composition in relation to BMI in younger and older adults. 2007 , 31, 675-84		161
929	Dietary intake, physical activity and TV viewing as mediators of the association of socioeconomic status with body composition: a cross-sectional analysis of Australian youth. 2007 , 31, 45-52		27
928	Association of eating frequency with body fatness in pre- and postmenopausal women. 2007 , 15, 100-6		54
927	Exercise intensity. An important factor in the etiology of menstrual dysfunction?. 1996 , 6, 329-36		1
926	Back to basics: Estimating energy requirements for adult hospital patients. <i>Nutrition and Dietetics</i> , 2007 , 64, 192-199	2.5	17

925	Over- and underreporting of energy intake by patients with metabolic syndrome using an automated dietary assessment website. <i>Nutrition and Dietetics</i> , 2007 , 64, 280-284	2.5	10
924	Assessing the effect of underreporting energy intake on dietary patterns and weight status. 2007 , 107, 64-71		61
923	Supplementation with soy-protein-rich foods does not enhance weight loss. 2007 , 107, 500-5		27
922	An alternative to dietary data exclusions. 2007 , 107, 792-9		39
921	Children's nutrient intake at preschool and at home. 2007 , 90, 483-491		1
920	Fifteen year trends in water intake in German children and adolescents: Results of the DONALD Study. 2007 , 90, 732-737		58
919	The MNA, but not the DETERMINE, screening tool is a valid indicator of nutritional status in elderly Africans. 2007 , 23, 533-42		37
918	Children and adolescents with type 1 diabetes eat a more atherosclerosis-prone diet than healthy control subjects. 2007 , 50, 307-16		65
917	The influence of dietary intake and meal pattern on blood glucose control in children and adolescents using intensive insulin treatment. 2007 , 50, 2044-51		56
916	Development of a model for optimal food fortification: vitamin D among adults in Finland. <i>European Journal of Nutrition</i> , 2007 , 46, 264-70	5.2	42
915	Daily eating events among co-living and single-living, diseased older men. 2008 , 12, 176-82		13
914	Effects of fatty and lean fish intake on blood pressure in subjects with coronary heart disease using multiple medications. <i>European Journal of Nutrition</i> , 2008 , 47, 319-28	5.2	63
913	Maternal intake of fat, riboflavin and nicotinamide and the risk of having offspring with congenital heart defects. <i>European Journal of Nutrition</i> , 2008 , 47, 357-65	5.2	44
912	Nutritional status and dietary intake of outpatients with chronic obstructive pulmonary disease. <i>Nutrition and Dietetics</i> , 2008 , 65, 168-174	2.5	6
911	A quantitative analysis of energy intake reported by young men. <i>Nutrition and Dietetics</i> , 2008 , 65, 259-265	2.5	3
910	Comparison of nutrient intake between different dietary assessment methods in elderly male volunteers. <i>Nutrition and Dietetics</i> , 2008 , 65, 266-271	2.5	6
909	The increase of fatty acid-binding protein aP2 in overweight and obese children: interactions with dietary fat and impact on measures of subclinical inflammation. 2008 , 32, 1513-20		21
908	Prevalence and characteristics of energy underreporting in African-American girls. 2008 , 16, 1407-12		30

907	Polymorphisms of the FTO gene are associated with variation in energy intake, but not energy expenditure. 2008 , 16, 1961-5		246
906	Are eating occasions and their energy content related to child overweight and socioeconomic status?. 2008 , 16, 2518-23		29
905	Associations between estimated acrylamide intakes, and hemoglobin AA adducts in a sample from the Malmö Diet and Cancer cohort. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 314-23	5.2	57
904	Low-energy reporting and duration of recording period. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 1148-50	5.2	11
903	Doubly labelled water for the measurement of total energy expenditure in man: progress and applications in the last decade. 2008 , 33, 80-90		16
902	Sweets, snacking habits, and skipping meals in children and adolescents on intensive insulin treatment. 2008 , 9, 393-400		37
901	Diet and physical activity in patients with colorectal adenomas: directions for intervention programmes. <i>Journal of Human Nutrition and Dietetics</i> , 2008 , 21, 494-501	3.1	8
900	Plausible reports of energy intake may predict body mass index in pre-adolescent girls. 2008 , 108, 131-5		32
899	Psychosocial and behavioral profile and predictors of self-reported energy underreporting in obese middle-aged women. 2008 , 108, 114-9		33
898	Nutrient intakes of toddlers and preschoolers in Greece: the GENESIS study. 2008 , 108, 357-61		43
897	Underreporting of energy intake and associated factors in a Latino population at risk of developing type 2 diabetes. 2008 , 108, 1003-8		32
896	Iron status in Swedish teenage girls: impact of low dietary iron bioavailability. 2008 , 24, 638-45		13
895	A dietary pattern characterized by high consumption of whole-grain cereals and low-fat dairy products and low consumption of refined cereals is positively associated with plasma adiponectin levels in healthy women. 2008 , 57, 824-30		61
894	Commercial weight loss diets meet nutrient requirements in free living adults over 8 weeks: a randomised controlled weight loss trial. 2008 , 7, 25		15
893	Assessment of dietary exposure of nitrate and nitrite in France. 2008 , 25, 971-88		62
892	The metabolic profile of early Huntington's disease--a combined human and transgenic mouse study. 2008 , 210, 691-8		89
891	Socio-economic, behavioural and environmental factors predicted body weights and household food insecurity scores in the Early Childhood Longitudinal Study-Kindergarten. <i>British Journal of Nutrition</i> , 2008 , 100, 438-44	3.6	85
890	Dietary energy density predicts the risk of incident type 2 diabetes: the European Prospective Investigation of Cancer (EPIC)-Norfolk Study. 2008 , 31, 2120-5		57

889	The 100-Mile Diet: A Community Approach to Promote Sustainable Food Systems Impacts Dietary Quality. 2008 , 3, 270-285		23
888	Influence of partial sleep deprivation on energy balance and insulin sensitivity in healthy women. 2008 , 1, 266-73		165
887	Intake of dairy fat and dairy products, and risk of myocardial infarction: a case-control study. 2008 , 59, 155-65		18
886	The intake of saturated fat and dietary fibre: a possible indicator of diet quality. <i>British Journal of Nutrition</i> , 2008 , 100, 624-32	3.6	15
885	Characteristics of under- and over-reporters of energy intake among 18-20-year-old males: the Gothenburg Osteoporosis and Obesity Determinants (GOOD) study. 2008 , 11, 1117-23		13
884	Concurrent comparison of energy intake and expenditure among adults in Butajira District, Ethiopia. 2008 , 11, 675-83		9
883	Bone mineral status and its relation with dietary estimates of net endogenous acid production in Hong Kong Chinese adolescents. <i>British Journal of Nutrition</i> , 2008 , 100, 1283-90	3.6	4
882	Estimates of daily net endogenous acid production in the elderly UK population: analysis of the National Diet and Nutrition Survey (NDNS) of British adults aged 65 years and over. <i>British Journal of Nutrition</i> , 2008 , 100, 615-23	3.6	29
881	The US Department of Agriculture Automated Multiple-Pass Method reduces bias in the collection of energy intakes. 2008 , 88, 324-32		1005
880	Adherence rates to the Mediterranean diet are low in a representative sample of Greek children and adolescents. <i>Journal of Nutrition</i> , 2008 , 138, 1951-6	4.1	116
879	Effect of a targeted subsidy on intake of fruits and vegetables among low-income women in the Special Supplemental Nutrition Program for Women, Infants, and Children. 2008 , 98, 98-105		189
878	[Analysis of resting metabolic rate evaluated by indirect calorimetry in obese women with low and high caloric intake]. 2008 , 52, 76-84		6
877	Acculturation, meal frequency, eating-out, and body weight in Korean Americans. 2008 , 2, 269-74		11
876	Predictors of iron status in well-nourished 4-y-old children. 2008 , 87, 839-45		23
875	Desafios na mediçã quantitativa da ingestã alimentar em estudos populacionais. 2009 , 22, 151-161		12
874	Ingestã de lipídios na dieta e indicadores antropométricos de adiposidade em policiais militares. 2009 , 22, 847-855		4
873	Misreporting of energy and micronutrient intake estimated by food records and 24 hour recalls, control and adjustment methods in practice. <i>British Journal of Nutrition</i> , 2009 , 101 Suppl 2, S73-85	3.6	421
872	Mediterranean-style dietary pattern, reduced risk of metabolic syndrome traits, and incidence in the Framingham Offspring Cohort. 2009 , 90, 1608-14		171

871	The development of the Mediterranean-style dietary pattern score and its application to the American diet in the Framingham Offspring Cohort. <i>Journal of Nutrition</i> , 2009 , 139, 1150-6	4.1	115
870	Associations between dietary patterns and semen quality in men undergoing IVF/ICSI treatment. 2009 , 24, 1304-12		110
869	Diet quality: associations with health messages included in the Danish Dietary Guidelines 2005, personal attitudes and social factors. 2009 , 12, 1165-73		15
868	The Italian National Food Consumption Survey INRAN-SCAI 2005-06: main results in terms of food consumption. 2009 , 12, 2504-32		289
867	The strengths and weaknesses of dietary survey methods in materially deprived households in England: a discussion paper. 2009 , 12, 1157-64		6
866	Contribution of fish to intakes of micronutrients important for fetal development: a dietary survey of pregnant women in the Republic of Seychelles. 2009 , 12, 1312-20		29
865	The impact of dairy product consumption on nutrient adequacy and weight of Head Start mothers. 2009 , 12, 1693-701		9
864	Community-specific modifications are essential for objective assessment of maternal dietary intake--Pune Maternal Nutrition Study. 2009 , 12, 1470-6		4
863	Validation of energy requirement equations for estimation of breast milk consumption in infants. 2009 , 12, 2309-16		11
862	Five meal patterns are differently associated with nutrient intakes, lifestyle factors and energy misreporting in a sub-sample of the MalmDiet and Cancer cohort. 2009 , 53,		12
861	Tracking of dietary intake and factors associated with dietary change from early adolescence to adulthood: the ASH30 study. 2009 , 2, 157-65		37
860	Restrained eating and risk of gaining weight and body fat in middle-aged women: a 3-year prospective study. 2009 , 23, 187-94		8
859	Effects of resistance exercise and fortified milk on skeletal muscle mass, muscle size, and functional performance in middle-aged and older men: an 18-mo randomized controlled trial. 2009 , 107, 1864-73		119
858	Comparison between optical readable and open-ended weighed food records. 2009 , 53,		18
857	Increasing total fiber intake reduces risk of weight and fat gains in women. <i>Journal of Nutrition</i> , 2009 , 139, 576-81	4.1	136
856	Adherence to the Mediterranean diet is associated with lower abdominal adiposity in European men and women. <i>Journal of Nutrition</i> , 2009 , 139, 1728-37	4.1	117
855	Association between dietary patterns and indices of bone mass in a sample of Mediterranean women. 2009 , 25, 165-71		79
854	Higher dietary intake of long-chain omega-3 polyunsaturated fatty acids is inversely associated with depressive symptoms in women. 2009 , 25, 1011-9		123

853	Dietary fiber and associations with adiposity and fasting insulin among college students with plausible dietary reports. 2009 , 25, 896-904			10
852	Dietary intake of non-dioxin-like PCBs (NDL-PCBs) in France, impact of maximum levels in some foodstuffs. 2009 , 54, 287-93			56
851	Physical activity levels from a meta-analysis of doubly labeled water studies for validating energy intake as measured by dietary assessment. 1996 , 54, 170-4			54
850	Underreporting of food intake among Mexican/Mexican-American Women: rates and correlates. 2009 , 109, 624-32			29
849	Differences between food group reports of low-energy reporters and non-low-energy reporters on a food frequency questionnaire. 2009 , 109, 1194-203			27
848	ADIPOQ gene polymorphism rs1501299 interacts with fibre intake to affect adiponectin concentration in children: the GENE-Diet Attica Investigation on childhood obesity. <i>European Journal of Nutrition</i> , 2009 , 48, 493-7	5.2		17
847	The feasibility of serving liquid yoghurt supplemented with probiotic bacteria, <i>Lactobacillus rhamnosus</i> LB 21, and <i>Lactococcus lactis</i> L1A--a pilot study among old people with dementia in a residential care facility. 2009 , 13, 813-9			18
846	Assessing diet in longitudinal birth cohort studies. 2009 , 23 Suppl 1, 154-73			15
845	The effect of including a conventional snack (cereal bar) and a nonconventional snack (almonds) on hunger, eating frequency, dietary intake and body weight. <i>Journal of Human Nutrition and Dietetics</i> , 2009 , 22, 461-8	3.1		49
844	Estimating food intakes in Australia: validation of the Commonwealth Scientific and Industrial Research Organisation (CSIRO) food frequency questionnaire against weighed dietary intakes. <i>Journal of Human Nutrition and Dietetics</i> , 2009 , 22, 559-66	3.1		52
843	Estimated net endogenous acid production and intake of bone health-related nutrients in Hong Kong Chinese adolescents. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 505-12	5.2		11
842	Experience of dietary assessment and validation from three Swedish studies in the elderly. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 1, S64-8	5.2		11
841	Dietary sources and correlates of sodium and potassium intakes in the French general population. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 1169-75	5.2		71
840	Energy intake and sources of energy intake in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S3-15	5.2		21
839	Trends in child overweight rates and energy intake in France from 1999 to 2007: relationships with socioeconomic status. 2009 , 17, 1092-100			104
838	Habitual micronutrient intake during and after pregnancy in Caucasian Londoners. 2009 , 5, 1-9			39
837	Glycaemic index and glycaemic load intake patterns in older Australian women. <i>Nutrition and Dietetics</i> , 2009 , 66, 138-144	2.5		3
836	Underreporting of energy intake, socioeconomic status, and expression of nutrient intake. 1998 , 56, 179-82			26

835	Inclusion of dietary evaluation in cardiovascular disease risk prediction models increases accuracy and reduces bias of the estimations. 2009 , 29, 176-86		10
834	High maternal vitamin E intake by diet or supplements is associated with congenital heart defects in the offspring. 2009 , 116, 416-23		41
833	Fat and carbohydrate intake modify the association between genetic variation in the FTO genotype and obesity. 2009 , 90, 1418-25		191
832	Association of macronutrient intake patterns with being overweight in a population-based random sample of men in France. 2009 , 35, 129-36		13
831	Oats in a strictly gluten-free diet is associated with decreased gluten intake and increased serum bilirubin. 2009 , 4, e315-e320		3
830	Diet quality of preschool children and maternal perceptions/misperceptions: the GENESIS study. 2009 , 123, 738-42		29
829	Researching the impact of oral health on diet and nutritional status: methodological issues. 2009 , 37, 237-49		53
828	More distinct food intake patterns among women than men in northern Sweden: a population-based survey. 2009 , 8, 12		38
827	Dietary intakes in infertile women a pilot study. 2009 , 8, 53		17
826	The tracking of dietary intakes of children and adolescents in Sweden over six years: the European Youth Heart Study. 2009 , 6, 91		47
825	A small-changes approach reduces energy intake in free-living humans. 2009 , 28, 63-8		26
824	Occurrence of total aflatoxins, ochratoxin A and deoxynivalenol in foodstuffs available on the Lebanese market and their impact on dietary exposure of children and teenagers in Beirut. 2009 , 26, 189-200		31
823	Eating behaviours of non-obese individuals with and without familial history of obesity. <i>British Journal of Nutrition</i> , 2009 , 101, 1103-9	3.6	4
822	Associations between added sugars and micronutrient intakes and status: further analysis of data from the National Diet and Nutrition Survey of Young People aged 4 to 18 years. <i>British Journal of Nutrition</i> , 2009 , 101, 100-7	3.6	27
821	Effect of the introduction of 'Healthy Start' on dietary behaviour during and after pregnancy: early results from the 'before and after' Sheffield study. <i>British Journal of Nutrition</i> , 2009 , 101, 1828-36	3.6	17
820	Intake of B vitamins in childhood and adult life in relation to psychological distress among women in a British birth cohort. 2009 , 12, 166-74		16
819	Self-reported dietary energy intake of normal weight, overweight and obese adolescents. 2009 , 12, 222-7		59
818	Five-year incidence of obesity and its determinants: the ATTICA study. 2009 , 12, 36-43		34

817	Validation of the Danish 7-day pre-coded food diary among adults: energy intake v. energy expenditure and recording length. <i>British Journal of Nutrition</i> , 2009 , 102, 1838-46	3.6	53
816	General principles for the collection of national food consumption data in the view of a pan-European dietary survey. 2009 , 7, 1435		180
815	Trends in food intake in French children from 1999 to 2007: results from the INCA (étude Individuelle Nationale des Consommations Alimentaires) dietary surveys. <i>British Journal of Nutrition</i> , 2010 , 103, 585-601	3.6	110
814	Acute ingestion of resistant starch reduces food intake in healthy adults. <i>British Journal of Nutrition</i> , 2010 , 103, 917-22	3.6	106
813	Effect of postprandial modulation of glucose availability: short- and long-term analysis. <i>British Journal of Nutrition</i> , 2010 , 103, 1461-70	3.6	30
812	Energy and macronutrient intakes in Belgium: results from the first National Food Consumption Survey. <i>British Journal of Nutrition</i> , 2010 , 103, 1823-9	3.6	27
811	Nutritional composition of the diets of South Asian, black African-Caribbean and white European children in the United Kingdom: the Child Heart and Health Study in England (CHASE). <i>British Journal of Nutrition</i> , 2010 , 104, 276-85	3.6	58
810	A high eating frequency is associated with an overall healthy lifestyle in middle-aged men and women and reduced likelihood of general and central obesity in men. <i>British Journal of Nutrition</i> , 2010 , 104, 1065-73	3.6	67
809	A fenugreek seed extract selectively reduces spontaneous fat intake in overweight subjects. 2010 , 66, 449-55		48
808	Assessment of dietary intake: NuGO symposium report. 2010 , 5, 205-13		52
807	Consumption of vegetables, cooked meals, and eating dinner is negatively associated with overweight status in children. 2010 , 157, 815-20		34
806	Associations between lifestyle patterns and body mass index in a sample of Greek children and adolescents. 2010 , 110, 215-21		76
805	Fitness and weight cycling in relation to body fat and insulin sensitivity in normal-weight young women. 2010 , 110, 280-4		15
804	Determinants of childhood obesity and association with maternal perceptions of their children's weight status: the "GENESIS" study. 2010 , 110, 1527-31		41
803	Development and validation of a comprehensive semi-quantitative food frequency questionnaire that includes FODMAP intake and glycemic index. 2010 , 110, 1469-76		74
802	Dietary assessment--where is it going?. 1993 , 17, 174-5		4
801	Report from Lyon: nutrition and cancer. 1993 , 17, 388-90		
800	The implications of underreporting in dietary studies. 1994 , 18, 311-4		19

799	Diet and plasma evaluation of the main isomers of conjugated linoleic acid and trans-fatty acids in a population sample from Mediterranean north-east Spain. 2010 , 123, 296-305		14
798	Long-chain n-3 fatty acids and classical cardiovascular disease risk factors among the Catalan population. 2010 , 119, 54-61		12
797	Comparison of multiple and novel measures of dietary glycemic carbohydrate with insulin resistant status in older women. 2010 , 7, 25		4
796	Dietary Approaches to Stop Hypertension (DASH) diet: applicability and acceptability to a UK population. <i>Journal of Human Nutrition and Dietetics</i> , 2010 , 23, 3-10	3.1	36
795	Season-related variation in dietary recalls used in a paediatric population. <i>Journal of Human Nutrition and Dietetics</i> , 2010 , 23, 489-93	3.1	7
794	Maximal heat dissipation capacity and hyperthermia risk: neglected key factors in the ecology of endotherms. 2010 , 79, 726-46		249
793	Accuracy of self-reported energy intakes in low-income urban 4th grade minority children. 2010 , 18, 2220-6		10
792	Using restrictive messages to limit high-fat foods or nonrestrictive messages to increase fruit and vegetable intake: what works better for postmenopausal women?. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 194-202	5.2	17
791	Dietary energy density as a marker of dietary quality in Swedish children and adolescents: the European Youth Heart Study. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 356-63	5.2	34
790	The cumulative effect of small dietary changes may significantly improve nutritional intakes in free-living children and adults. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 782-91	5.2	16
789	Indirect lifestyle intervention through wives improves metabolic syndrome components in men. 2010 , 34, 136-45		20
788	Measuring dietary intake in children and adolescents in the context of overweight and obesity. 2010 , 34, 1103-15		138
787	An increase in high-density lipoprotein cholesterol after weight loss intervention is associated with long-term maintenance of reduced visceral abdominal fat. 2010 , 34, 1742-51		17
786	Long-term dietary exposure to lead in young children living in different European countries. 2010 , 7, 51E		9
785	Les apports en lipides d'origine animale de la population française : résultats de l'étude INCA2. 2010 , 17, 17-21		0
784	Discrepancies among ecological, household, and individual data on fruits and vegetables consumption in Brazil. 2010 , 26, 2168-76		9
783	Simple food group diversity indicators predict micronutrient adequacy of women's diets in 5 diverse, resource-poor settings. <i>Journal of Nutrition</i> , 2010 , 140, 2059S-69S	4.1	311
782	Carbohydrate quantity and quality and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition-Netherlands (EPIC-NL) study. 2010 , 92, 905-11		101

781	Coffee manooligosaccharides, consumed as part of a free-living, weight-maintaining diet, increase the proportional reduction in body volume in overweight men. <i>Journal of Nutrition</i> , 2010 , 140, 1943-8	4.1	21
780	Use of accelerometer data in prediction equations for capturing implausible dietary intakes in adolescents. 2010 , 92, 1436-45		11
779	Dietary intake and physical activity of normal weight and overweight/obese adolescents. 2010 , 2010, 785649		11
778	Diet quality of a population sample from coastal north-east Spain evaluated by a Mediterranean adaptation of the diet quality index (DQI). 2010 , 13, 12-24		11
777	Fruit and vegetable intake in Austrian adults: intake frequency, serving sizes, reasons for and barriers to consumption, and potential for increasing consumption. 2010 , 13, 480-7		36
776	Evaluating energy intake measurement in free-living subjects: when to record and for how long?. 2010 , 13, 172-80		10
775	Explaining the 25-year decline of serum cholesterol by dietary changes and use of lipid-lowering medication in Finland. 2010 , 13, 932-8		47
774	Emerging obesity and dietary habits among James Bay Cree youth. 2010 , 13, 1829-37		24
773	Sources of saturated fat and sucrose in the diets of Swedish children and adolescents in the European Youth Heart Study: strategies for improving intakes. 2010 , 13, 1955-64		10
772	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. 2010 , 92, 398-407		150
771	Are snacking patterns associated with risk of overweight among Kahnawake schoolchildren?. 2010 , 13, 163-71		17
770	FINDIET 2007 Survey: energy and nutrient intakes. 2010 , 13, 920-4		66
769	Human intestinal fatty acid binding protein 2 expression is associated with fat intake and polymorphisms. <i>Journal of Nutrition</i> , 2010 , 140, 1411-7	4.1	8
768	Parallel assessment of nutrition and activity in athletes: validation against doubly labelled water, 24-h urea excretion, and indirect calorimetry. 2010 , 28, 1435-49		15
767	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. 2010 , 92, 912-21		163
766	Ethnic differences in blood lipids and dietary intake between UK children of black African, black Caribbean, South Asian, and white European origin: the Child Heart and Health Study in England (CHASE). 2010 , 92, 776-83		41
765	Comparison of different maximum safe levels in fortified foods and supplements using a probabilistic risk assessment approach. <i>British Journal of Nutrition</i> , 2010 , 104, 1848-57	3.6	10
764	Les apports en lipides d'origine animale de la population française : résultats de l'étude INCA2. 2010 , 45, 255-260		4

763	High general self-efficacy is associated with less weight loss under a supervised dietary modification program. 2010 , 4, e83-e162	2
762	The control of food intake of free-living humans: putting the pieces back together. 2010 , 100, 446-53	33
761	Mis-reporting, previous health status and health status of family may seriously bias the association between food patterns and disease. 2010 , 9, 48	11
760	Bone mineral density and importance of strict gluten-free diet in children and adolescents with celiac disease. 2010 , 47, 598-603	53
759	The preconception nutritional status of women undergoing fertility treatment: Use of a one-year post-delivery assessment. 2010 , 5, e284-e291	5
758	Regular consumption of a cereal breakfast. Effects on mood and body image satisfaction in adult non-obese women. 2010 , 55, 512-21	14
757	Underreporting of energy intake in peritoneal dialysis patients. 2010 , 20, 263-9	17
756	Improvement of dietary quality with the aid of a low glycemic index diet in Asian patients with type 2 diabetes mellitus. 2010 , 29, 161-70	24
755	Components of the diet associated with child adiposity: a cross-sectional study. 2011 , 30, 536-46	10
754	Exercising women with menstrual disturbances consume low energy dense foods and beverages. 2011 , 36, 382-94	23
753	Mediterranean diet and type 2 diabetes risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study: the InterAct project. 2011 , 34, 1913-8	149
752	Energy and macronutrient intake in adolescent sprint athletes: a follow-up study. 2011 , 29, 73-82	19
751	Dietary intake patterns are reflected in metabolomic profiles: potential role in dietary assessment studies. 2011 , 93, 314-21	217
750	Effects of neuromedin-B on caloric compensation, eating behaviours and habitual food intake. 2011 , 57, 21-7	3
749	Increased preconception omega-3 polyunsaturated fatty acid intake improves embryo morphology. 2011 , 95, 1820-3	67
748	Correlates of low dietary energy reporting in free-living elderly: the MEDIS study. 2011 , 69, 63-8	9
747	Nutritional intake of Korean population before and after adjusting for within-individual variations: 2001 Korean National Health and Nutrition Survey Data. 2011 , 5, 266-74	16
746	Misreporting of energy intake in the 2007 Australian Children's Survey: identification, characteristics and impact of misreporters. <i>Nutrients</i> , 2011 , 3, 186-99	6.7 47

745	Dietary survey in Hungary, 2009. Part I. Macronutrients, alcohol, caffeine, fibre. 2011 , 40, 142-152		27
744	Dietary survey in Hungary, 2009. Part II: Vitamins, macro- and microelements, food supplements and food allergy. 2011 , 40, 301-312		8
743	Dietary acid-base balance in adolescent sprint athletes: a follow-up study. <i>Nutrients</i> , 2011 , 3, 200-11	6.7	6
742	Food intake and dietary glycaemic index in free-living adults with and without type 2 diabetes mellitus. <i>Nutrients</i> , 2011 , 3, 683-93	6.7	9
741	Characterising dietary glycaemic load in a representative sample of Irish adults. 2011 , 70,		
740	Diet cost, diet quality and socio-economic position: how are they related and what contributes to differences in diet costs?. 2011 , 14, 1680-92		67
739	Intake of total fat, saturated, monounsaturated and polyunsaturated fatty acids in an Irish adult population. 2011 , 70,		3
738	Dietary patterns, food and macronutrient intakes among adults in three ethnic groups in rural Kenya. 2011 , 14, 1671-9		30
737	Development of a flexible, updatable, user-friendly electronic food frequency questionnaire. 2011 , 40, 117-127		0
736	Dietary intake in adolescents with asthma--potential for improvement. 2011 , 22, 19-24		13
735	A maternal dietary pattern characterised by fish and seafood in association with the risk of congenital heart defects in the offspring. 2011 , 118, 1205-15		31
734	Energy intake misreporting among children and adolescents: a literature review. 2011 , 7, 112-27		85
733	Eating frequency is associated with energy intake but not obesity in midlife women. 2011 , 19, 552-9		53
732	Food consumption, nutrient intake and the risk of having metabolic syndrome: the DR's EXTRA Study. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 368-77	5.2	49
731	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. 2011 , 35, 416-26		41
730	Chlamydomphila pneumoniae antibodies may be independently associated with increased BMI and percentage of body fat among women. 2011 , 35, 1225-32		7
729	Methodology for adding glycaemic index values to 24-hour recalls. 2011 , 27, 59-64		36
728	Validation of an Australian electronic food frequency questionnaire to measure polyunsaturated fatty acid intake. 2011 , 27, 641-6		55

727	Dietary differences between elderly Iranians living in Sweden and Iran a cross-sectional comparative study. 2011 , 11, 411		5
726	Eating frequency is higher in weight loss maintainers and normal-weight individuals than in overweight individuals. 2011 , 111, 1730-4		32
725	Explaining the female black-white obesity gap: a decomposition analysis of proximal causes. 2011 , 48, 1429-50		21
724	Diet and serum lipids: changes over socio-economic transition period in Lithuanian rural population. 2011 , 11, 447		29
723	Nutrition transition among adolescents of a south-Mediterranean country: dietary patterns, association with socio-economic factors, overweight and blood pressure. A cross-sectional study in Tunisia. 2011 , 10, 38		67
722	Associations of body mass index and waist circumference with: energy intake and percentage energy from macronutrients, in a cohort of Australian children. 2011 , 10, 58		16
721	The behaviour of a neutral model of weight regulated only by body mass. 2011 , 270, 1-6		8
720	Dietary glycaemic index and glycaemic load among Australian children and adolescents. <i>British Journal of Nutrition</i> , 2011 , 106, 1273-82	3.6	20
719	Food and nutrient intakes of French frequent seafood consumers with regard to fish consumption recommendations: results from the CALIPSO study. <i>British Journal of Nutrition</i> , 2011 , 105, 1369-80	3.6	7
718	Characteristics of energy under-reporting in children and adolescents. <i>British Journal of Nutrition</i> , 2011 , 105, 1671-80	3.6	73
717	How much is too much? A case report of nutritional supplement use of a high-performance athlete. <i>British Journal of Nutrition</i> , 2011 , 105, 1724-8	3.6	15
716	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , 2011 , 106, 1581-91	3.6	107
715	Red meat from animals offered a grass diet increases plasma and platelet n-3 PUFA in healthy consumers. <i>British Journal of Nutrition</i> , 2011 , 105, 80-9	3.6	54
714	Methodological characteristics of the national dietary surveys carried out in the European Union as included in the European Food Safety Authority (EFSA) Comprehensive European Food Consumption Database. 2011 , 28, 975-95		95
713	Sources of sodium in Australian children's diets and the effect of the application of sodium targets to food products to reduce sodium intake. <i>British Journal of Nutrition</i> , 2011 , 105, 468-77	3.6	43
712	Polyamines: total daily intake in adolescents compared to the intake estimated from the Swedish Nutrition Recommendations Objectified (SNO). 2011 , 55,		21
711	No consistent association between consumption of energy-dense snack foods and annual weight and waist circumference changes in Dutch adults. 2011 , 94, 19-25		10
710	20-Year trends in dietary and meal behaviors were similar in U.S. children and adolescents of different race/ethnicity. <i>Journal of Nutrition</i> , 2011 , 141, 1880-8	4.1	21

709	The association between salt intake and adult systolic blood pressure is modified by birth weight. 2011 , 93, 422-6		23
708	Sociodemographic, lifestyle, mental health and dietary factors associated with direction of misreporting of energy intake. 2011 , 14, 532-41		50
707	Development of a diet quality index assessing adherence to the Swedish nutrition recommendations and dietary guidelines in the MalmDiet and Cancer cohort. 2011 , 14, 835-45		36
706	The reliability and validity of a short FFQ among Australian Aboriginal and Torres Strait Islander and non-Indigenous rural children. 2011 , 14, 388-401		32
705	Plasma alkylresorcinol concentrations correlate with whole grain wheat and rye intake and show moderate reproducibility over a 2- to 3-month period in free-living Swedish adults. <i>Journal of Nutrition</i> , 2011 , 141, 1712-8	4.1	56
704	Alternative methods of accounting for underreporting and overreporting when measuring dietary intake-obesity relations. 2011 , 173, 448-58		139
703	Scores on the dietary guideline index for children and adolescents are associated with nutrient intake and socio-economic position but not adiposity. <i>Journal of Nutrition</i> , 2011 , 141, 1340-7	4.1	98
702	Differences in food intake among obese and nonobese women and men with type 2 diabetes. 2011 , 30, 225-32		15
701	Evaluation of 2 24-h dietary recalls combined with a food-recording booklet, against a 7-day food-record method among schoolchildren. <i>European Journal of Clinical Nutrition</i> , 2011 , 65 Suppl 1, S77-83	5.2	16
700	Habitual dietary intake, eating pattern and physical activity of women with polycystic ovary syndrome. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1126-32	5.2	40
699	A comparison of two screening methods to determine the validity of 24-h food and drink records in children and adolescents. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1314-20	5.2	6
698	Postnatal acute famine and risk of overweight: the dutch hungerwinter study. 2012 , 2012, 936509		12
697	Association of TMEM18 variants with BMI and waist circumference in children and correlation of mRNA expression in the PFC with body weight in rats. 2012 , 20, 192-7		22
696	Dietary intakes of carbohydrates in relation to prostate cancer risk: a prospective study in the MalmDiet and Cancer cohort. 2012 , 96, 1409-18		65
695	Experimental research on the relation between food price changes and food-purchasing patterns: a targeted review. 2012 , 95, 789-809		142
694	The link between dietary glycemic index and nutrient adequacy. 2012 , 95, 694-702		28
693	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. 2012 , 95, 184-93		69
692	Diet quality and change in anthropometric measures: 15-year longitudinal study in Australian adults. <i>British Journal of Nutrition</i> , 2012 , 107, 1376-85	3.6	25

691	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. 2012 , 96, 382-90		156
690	Assessment of dietary exposure to annatto (E160b), nitrites (E249-250), sulphites (E220-228) and tartaric acid (E334) in the French population: the second French total diet study. 2012 , 29, 875-85		19
689	The accuracy of the Goldberg method for classifying misreporters of energy intake on a food frequency questionnaire and 24-h recalls: comparison with doubly labeled water. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 569-76	5.2	66
688	Maternal nutrient intakes and levels of energy underreporting during early pregnancy. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 906-13	5.2	51
687	Dietary reporting errors on 24 h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , 2012 , 107, 910-20	3.6	54
686	Cord blood 25-hydroxyvitamin D3 and allergic disease during infancy. 2012 , 130, e1128-35		111
685	Evaluation of dietary intake in Danish adults by means of an index based on food-based dietary guidelines. 2012 , 56,		35
684	Effectiveness of a Canteen Take Away concept in promoting healthy eating patterns among employees. 2012 , 15, 452-8		8
683	Food sources and correlates of sodium and potassium intakes in Flemish pre-school children. 2012 , 15, 1039-46		7
682	Food intake in Slovenian adolescents and adherence to the Optimized Mixed Diet: a nationally representative study. 2012 , 15, 600-8		8
681	Validation of a semi-quantitative FFQ using food records as a reference in older women in the Kuopio Fracture Prevention Study (OSTPRE-FPS). 2012 , 15, 635-9		14
680	Nutrient-rich foods in relation to various measures of anthropometry. 2012 , 29 Suppl 1, i36-43		6
679	Frequent ice cream consumption is associated with reduced striatal response to receipt of an ice cream-based milkshake. 2012 , 95, 810-7		81
678	Alkylresorcinol metabolism in Swedish adults is affected by factors other than intake of whole-grain wheat and rye. <i>Journal of Nutrition</i> , 2012 , 142, 1479-86	4.1	11
677	The use of cluster analysis to derive dietary patterns: methodological considerations, reproducibility, validity and the effect of energy mis-reporting. 2012 , 71, 599-609		62
676	Food intake of European adolescents in the light of different food-based dietary guidelines: results of the HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) Study. 2012 , 15, 386-98		117
675	The effect of energy under reporting on dietary pattern analysis. 2012 , 71,		
674	Differences in Danish children's diet quality on weekdays v. weekend days. 2012 , 15, 1653-60		41

673	Nutrition status of primary care patients with depression and anxiety. 2012 , 18, 172-6		21
672	Under- and over-reporting of energy intake in slovenian adolescents. 2012 , 44, 574-83		16
671	Milk intake is inversely related to body mass index and body fat in girls. 2012 , 171, 1467-74		28
670	Underreporting of energy intake in maintenance hemodialysis patients: a cross-sectional study. 2012 , 22, 578-83		14
669	Impact of a Health-At-Every-Size intervention on changes in dietary intakes and eating patterns in premenopausal overweight women: results of a randomized trial. 2012 , 31, 481-8		36
668	Energy underreporting in African-American girls: a longitudinal analysis. 2012 , 8, 551-60		7
667	Olive oil intake and CHD in the European Prospective Investigation into Cancer and Nutrition Spanish cohort. <i>British Journal of Nutrition</i> , 2012 , 108, 2075-82	3.6	69
666	Prospective associations of dietary insulin demand, glycemic index, and glycemic load during puberty with body composition in young adulthood. 2012 , 36, 1463-71		26
665	Dietary associations with prediabetic states--the DR's EXTRA Study (ISRCTN45977199). <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 819-24	5.2	9
664	[Hungarian Diet and Nutritional Status Survey -- the OTAP2009 study. II. Energy and macronutrient intake of the Hungarian population]. 2012 , 153, 1057-67		5
663	Time spent in home meal preparation affects energy and food group intakes among midlife women. 2012 , 58, 438-43		18
662	The relative validity and reproducibility of an iron food frequency questionnaire for identifying iron-related dietary patterns in young women. 2012 , 112, 1177-87		28
661	Associations between eating patterns, dietary intakes and eating behaviors in premenopausal overweight women. 2012 , 13, 162-5		11
660	Can an iron-rich staple food help women to achieve dietary targets in pregnancy?. 2012 , 63, 199-207		3
659	Usual energy intake mediates the relationship between food reinforcement and BMI. 2012 , 20, 1815-9		30
658	The impact of an intervention taught by trained teachers on childhood fruit and vegetable intake: a randomized trial. 2012 , 2012, 342138		16
657	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. 2012 , 131, E1134-47		24
656	Olive oil intake and mortality within the Spanish population (EPIC-Spain). 2012 , 96, 142-9		108

655	The influence of participation in Better Bones and Balance on skeletal health: evaluation of a community-based exercise program to reduce fall and fracture risk. 2012 , 23, 1813-22		10
654	Dietary patterns in relation to bone mineral density among menopausal Iranian women. 2012 , 91, 40-9		29
653	Combining food records with in-depth probing interviews improves quality of dietary intake reporting in a group of South Asian women. 2012 , 36, 135-40		5
652	Food consumption patterns in Mediterranean adolescents: are there differences between overweight and normal-weight adolescents?. 2012 , 44, 233-9		8
651	Dietary glycemic index and glycemic load among Indigenous and non-Indigenous children aged 10-12 years. 2012 , 28, e14-22		6
650	Poor food and nutrient intake among Indigenous and non-Indigenous rural Australian children. 2012 , 12, 12		21
649	Clustering of unhealthy food around German schools and its influence on dietary behavior in school children: a pilot study. 2013 , 10, 65		23
648	The role of metabonomics as a tool for augmenting nutritional information in epidemiological studies. 2013 , 34, 2776-86		15
647	Under-reporting of energy intake in elderly Australian women is associated with a higher body mass index. 2013 , 17, 112-8		25
646	Safety and efficacy of a lifestyle intervention for pregnant women to prevent excessive maternal weight gain: a cluster-randomized controlled trial. 2013 , 13, 151		70
645	Relative validity of the food frequency questionnaire used to assess dietary intake in the Leiden Longevity Study. 2013 , 12, 75		106
644	Common sources and composition of phytosterols and their estimated intake by the population in the city of São Paulo, Brazil. 2013 , 29, 865-71		24
643	Do European people with type 1 diabetes consume a high atherogenic diet? 7-year follow-up of the EURODIAB Prospective Complications Study. <i>European Journal of Nutrition</i> , 2013 , 52, 1701-10	5.2	16
642	Dietary patterns and the risk of type 2 diabetes in overweight and obese individuals. <i>European Journal of Nutrition</i> , 2013 , 52, 1127-34	5.2	29
641	Dietary supplement use and health-related behaviors in a Mediterranean population. 2013 , 45, 386-91		30
640	Balearic adults have low intakes of fruits and vegetables compared with the dietary guidelines for adults in Spain. 2013 , 33, 204-10		10
639	Energy density, diet quality, and central body fat in a nationwide survey of young Spaniards. 2013 , 29, 1350-5		26
638	Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. 2013 , 24, 2645-2651		20

637	Similar prediction of total mortality, diabetes incidence and cardiovascular events using relative- and absolute-component Mediterranean diet score: the SUN cohort. 2013 , 23, 451-8		47
636	Negative energy balance secondary to inadequate dietary intake of patients on the waiting list for liver transplantation. 2013 , 29, 1252-8		29
635	Dietary quality in a sample of adults with type 2 diabetes mellitus in Ireland; a cross-sectional case control study. 2013 , 12, 110		20
634	Underreporting in obese inpatients undergoing a psycho-nutritional rehabilitative program. 2013 , 18, 199-207		3
633	Lunch at school, at home or elsewhere. Where do adolescents usually get it and what do they eat? Results of the HELENA Study. 2013 , 71, 332-9		16
632	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. 2013 , 132, 2918-27		142
631	Smoking, low formal level of education, alcohol consumption, and the risk of rheumatoid arthritis. 2013 , 42, 123-30		34
630	Dietary glycemic index, glycemic load, and digestible carbohydrate intake are not associated with risk of type 2 diabetes in eight European countries. <i>Journal of Nutrition</i> , 2013 , 143, 93-9	4.1	66
629	Dietary vitamin A intake below the recommended daily intake during pregnancy and the risk of congenital diaphragmatic hernia in the offspring. 2013 , 97, 60-6		24
628	Assessing long-chain Ω polyunsaturated fatty acids: a tailored food-frequency questionnaire is better. 2013 , 29, 491-6		12
627	A periconceptional energy-rich dietary pattern is associated with early fetal growth: the Generation R study. 2013 , 120, 435-45		42
626	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013 , 109, 353-62	3.6	12
625	Bitter taste perception and dietary intake patterns in irish children. 2013 , 6, 43-58		39
624	The rs9939609 polymorphism in the FTO gene is associated with fat and fiber intakes in patients with type 2 diabetes. 2013 , 6, 97-106		26
623	Determinants of vitamin D status in pregnant fair-skinned women in Sweden. <i>British Journal of Nutrition</i> , 2013 , 110, 856-64	3.6	41
622	Socio-economic differences in food group and nutrient intakes among young women in Ireland. <i>British Journal of Nutrition</i> , 2013 , 110, 2084-97	3.6	22
621	Prospective associations between sugar-sweetened beverage intakes and cardiometabolic risk factors in adolescents. 2013 , 98, 327-34		119
620	Animal protein intakes during early life and adolescence differ in their relation to the growth hormone-insulin-like-growth-factor axis in young adulthood. <i>Journal of Nutrition</i> , 2013 , 143, 1147-54	4.1	15

619	Diet and cardiovascular health in asymptomatic normo- and mildly-to-moderately hypercholesterolemic participants - baseline data from the BLOOD FLOW intervention study. 2013 , 10, 62		2
618	Dietary intakes of women during pregnancy in low- and middle-income countries. 2013 , 16, 1340-53		126
617	Gluten intake in 6-36-month-old Danish infants and children based on a national survey. 2013 , 2, e7		13
616	Dietary salt intake, sugar-sweetened beverage consumption, and obesity risk. 2013 , 131, 14-21		168
615	A diet following Finnish nutrition recommendations does not contribute to the current epidemic of obesity. 2013 , 16, 786-94		22
614	Diet-obesity associations in children: approaches to counteract attenuation caused by misreporting. 2013 , 16, 256-66		29
613	Nutritional status and dietary intake of children with acute leukaemia during induction or consolidation chemotherapy. <i>Journal of Human Nutrition and Dietetics</i> , 2013 , 26 Suppl 1, 23-33	3.1	15
612	Insulin pump therapy in children and adolescents: changes in dietary habits, composition and quality of life. 2013 , 49, E300-5		6
611	Prospective association of protein intake during puberty with body composition in young adulthood. 2013 , 21, E782-9		19
610	The Western dietary pattern is prospectively associated with nonalcoholic fatty liver disease in adolescence. <i>American Journal of Gastroenterology</i> , 2013 , 108, 778-85	0.7	162
609	Decreased energy density and changes in food selection following Roux-en-Y gastric bypass. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 168-73	5.2	65
608	Maternal macronutrient intake during pregnancy and 5 years postpartum and associations with child weight status aged five. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 670-9	5.2	66
607	The influence of a low glycemic index dietary intervention on maternal dietary intake, glycemic index and gestational weight gain during pregnancy: a randomized controlled trial. 2013 , 12, 140		52
606	Consumption of dairy products and associations with incident diabetes, CHD and mortality in the Whitehall II study. <i>British Journal of Nutrition</i> , 2013 , 109, 718-26	3.6	91
605	Evaluation of food and nutrient intake assessment using concentration biomarkers in European adolescents from the Healthy Lifestyle in Europe by Nutrition in Adolescence study. <i>British Journal of Nutrition</i> , 2013 , 109, 736-47	3.6	27
604	Adherence to the Baltic Sea diet consumed in the Nordic countries is associated with lower abdominal obesity. <i>British Journal of Nutrition</i> , 2013 , 109, 520-8	3.6	49
603	Prevalence and determinants of misreporting among European children in proxy-reported 24 h dietary recalls. <i>British Journal of Nutrition</i> , 2013 , 109, 1257-65	3.6	78
602	The impact of nutritional supplement use on the prevalence of inadequate micronutrient intakes in 1884 year old Irish adults. 2013 , 72,		1

601	Development of an online database of typical food portion sizes in Irish population groups. 2013 , 2, e25		7
600	Validity of U.S. nutritional surveillance: National Health and Nutrition Examination Survey caloric energy intake data, 1971-2010. 2013 , 8, e76632		275
599	Factors associated with quality of life among hemodialysis patients in Malaysia. 2013 , 8, e84152		45
598	Analysis, Presentation, and Interpretation of Dietary Data. 2013 , 125-140		
597	Consuming more of daily caloric intake at dinner predisposes to obesity. A 6-year population-based prospective cohort study. 2014 , 9, e108467		86
596	Comparison of two methods - regression predictive model and intake shift model - for adjusting self-reported dietary recall of total energy intake of populations. 2014 , 2, 249		4
595	Improvements in iron status and cognitive function in young women consuming beef or non-beef lunches. <i>Nutrients</i> , 2013 , 6, 90-110	6.7	15
594	Dietary intervention restored menses in female athletes with exercise-associated menstrual dysfunction with limited impact on bone and muscle health. <i>Nutrients</i> , 2014 , 6, 3018-39	6.7	39
593	Micronutrient intakes among children and adults in Greece: the role of age, sex and socio-economic status. <i>Nutrients</i> , 2014 , 6, 4073-92	6.7	21
592	Food intake in patients on hemodialysis. 2014 , 27, 665-675		3
591	Plasma total homocysteine level in association with folate, pyridoxine, and cobalamin status among Iranian primary breast cancer patients. 2014 , 66, 1097-108		14
590	Dietary iron intervention using a staple food product for improvement of iron status in female runners. 2014 , 11, 50		8
589	Energy expenditure, nutritional status, body composition and physical fitness of Royal Marines during a 6-month operational deployment in Afghanistan. <i>British Journal of Nutrition</i> , 2014 , 112, 821-9	3.6	30
588	Development and validation of a Food Choices Score for use in weight-loss interventions. <i>British Journal of Nutrition</i> , 2014 , 111, 1862-70	3.6	6
587	Do patients living with ulcerative colitis adhere to healthy eating guidelines? A cross-sectional study. <i>British Journal of Nutrition</i> , 2014 , 112, 1628-35	3.6	29
586	Sugar-sweetened beverages consumption in relation to changes in body fatness over 6 and 12 years among 9-year-old children: the European Youth Heart Study. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 77-83	5.2	44
585	Usual energy and macronutrient intakes in 2-9-year-old European children. 2014 , 38 Suppl 2, S115-23		23
584	Healthy dietary habits score as an indicator of diet quality in New Zealand adolescents. <i>Journal of Nutrition</i> , 2014 , 144, 937-42	4.1	9

583	Dietary energy density in young children across Europe. 2014 , 38 Suppl 2, S124-34		22
582	High saturated-fat and low-fibre intake: a comparative analysis of nutrient intake in individuals with and without type 2 diabetes. 2014 , 4, e104		16
581	Quality assurance of the international computerised 24 h dietary recall method (EPIC-Soft). <i>British Journal of Nutrition</i> , 2014 , 111, 506-15	3.6	25
580	Characteristics of energy intake under-reporting in French adults. <i>British Journal of Nutrition</i> , 2014 , 111, 1292-302	3.6	23
579	The reliability of an adolescent dietary pattern identified using reduced-rank regression: comparison of a FFQ and 3'd food record. <i>British Journal of Nutrition</i> , 2014 , 112, 609-15	3.6	23
578	What happens to food choices when a gluten-free diet is required? A prospective longitudinal population-based study among Swedish adolescent with coeliac disease and their peers. 2014 , 3, e2		13
577	Lower resting and total energy expenditure in postmenopausal compared with premenopausal women matched for abdominal obesity. 2014 , 3, e3		28
576	Meat intake increases risk of weight gain in women: a prospective cohort investigation. 2014 , 29, e43-52		11
575	Nutritional intake of elite football referees. 2014 , 32, 1279-85		7
574	Relationship of milk intake and physical activity to abdominal obesity among adolescents. 2014 , 9, 71-80		19
573	Adequacy of vitamin D intakes in children and teenagers from the base diet, fortified foods and supplements. 2014 , 17, 721-31		34
572	Associations of the Baltic Sea diet with cardiometabolic risk factors--a meta-analysis of three Finnish studies. <i>British Journal of Nutrition</i> , 2014 , 112, 616-26	3.6	27
571	Prevalence of energy intake misreporting in Malay children varies based on application of different cut points. 2014 , 60, 472-5		2
570	A study of the dietary intake of Cypriot children and adolescents aged 6-18 years and the association of mother's educational status and children's weight status on adherence to nutritional recommendations. 2014 , 14, 13		20
569	Dietary protein intake and incidence of type 2 diabetes in Europe: the EPIC-InterAct Case-Cohort Study. 2014 , 37, 1854-62		106
568	Considering the value of dietary assessment data in informing nutrition-related health policy. 2014 , 5, 447-55		96
567	Food consumption, physical activity and socio-economic status related to BMI, waist circumference and waist-to-height ratio in adolescents. 2014 , 17, 1834-49		19
566	Estimating Energy Requirements. 2014 , 411-449		2

565	Body composition and eating behaviours in relation to dieting involvement in a sample of urban Greek adolescents from the TEENAGE (TEENs of Attica: Genes & Environment) study. 2014 , 17, 561-8		11
564	The Baltic Sea Diet Score: a tool for assessing healthy eating in Nordic countries. 2014 , 17, 1697-705		57
563	Dietary and lifestyle characteristics associated with normal-weight obesity: the National FINRISK 2007 Study. <i>British Journal of Nutrition</i> , 2014 , 111, 887-94	3.6	23
562	The association between Mediterranean Diet Score and glucokinase regulatory protein gene variation on the markers of cardiometabolic risk: an analysis in the European Prospective Investigation into Cancer (EPIC)-Norfolk study. <i>British Journal of Nutrition</i> , 2014 , 112, 122-31	3.6	17
561	Effect of vitamin E intake from food and supplement sources on plasma β -carotene and tocopherol concentrations in a healthy Irish adult population. <i>British Journal of Nutrition</i> , 2014 , 112, 1575-85	3.6	23
560	Dietary intake and body composition in HIV-positive and -negative South African women. 2014 , 17, 1603-13		22
559	The intake of energy and selected nutrients by Thai urban sedentary workers: an evaluation of adherence to dietary recommendations. 2014 , 2014, 145182		16
558	Impact of snacking pattern on overweight and obesity risk in a cohort of 11- to 13-year-old adolescents. 2014 , 59, 465-71		29
557	Nutrient intake of European adolescents: results of the HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) Study. 2014 , 17, 486-97		55
556	Dietary patterns and breast cancer risk among women. 2014 , 17, 1098-106		38
555	Modifying influence of dietary sugar in the relationship between cortisol and visceral adipose tissue in minority youth. 2014 , 22, 474-81		9
554	Number of days required for assessing usual nutrient and antioxidant intakes in a sample from a U.S. healthy college population. 2014 , 30, 1355-9		4
553	Glycaemic index of meals affects appetite sensation but not energy balance in active males. <i>European Journal of Nutrition</i> , 2014 , 53, 309-19	5.2	1
552	Associations between energy intake, daily food intake and energy density of foods and BMI z-score in 2-9-year-old European children. <i>European Journal of Nutrition</i> , 2014 , 53, 673-81	5.2	35
551	Dietary dairy product intake and incident type 2 diabetes: a prospective study using dietary data from a 7-day food diary. 2014 , 57, 909-17		126
550	The biomarker-based validity of a food frequency questionnaire to assess the intake status of folate, pyridoxine and cobalamin among Iranian primary breast cancer patients. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 316-23	5.2	47
549	Developing suitable methods of nutritional status assessment: a continuous challenge. 2014 , 5, 590S-598S		30
548	Misreporting of energy intake in the 2007 Australian Children's Survey: differences in the reporting of food types between plausible, under- and over-reporters of energy intake. <i>Journal of Human Nutrition and Dietetics</i> , 2014 , 27, 450-8	3.1	31

547	Pregnant immigrant Nigerian women: an exploration of dietary intakes. 2014 , 128, 647-53		6
546	Timing of energy intake during the day is associated with the risk of obesity in adults. <i>Journal of Human Nutrition and Dietetics</i> , 2014 , 27 Suppl 2, 255-62	3.1	155
545	Maternal low glycaemic index diet, fat intake and postprandial glucose influences neonatal adiposity--secondary analysis from the ROLO study. 2014 , 13, 78		37
544	Comparative analysis of approaches for assessing energy intake underreporting by female bariatric surgery candidates. 2014 , 33, 155-62		8
543	Dietary acid load, insulin sensitivity and risk of type 2 diabetes in community-dwelling older men. 2014 , 57, 1561-8		40
542	Caloric beverage drinking patterns are differentially associated with diet quality and adiposity among Spanish girls and boys. 2014 , 173, 1169-77		14
541	Body weight, eating patterns, and physical activity: the role of education. 2014 , 51, 1225-49		20
540	Sugars and risk of mortality in the NIH-AARP Diet and Health Study. 2014 , 99, 1077-88		56
539	Under-reporting remains a key limitation of self-reported dietary intake: an analysis of the 2008/09 New Zealand Adult Nutrition Survey. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 259-64	5.2	89
538	Parent-child associations in selected food group and nutrient intakes among overweight and obese adolescents. 2014 , 114, 1580-6		17
537	Increased intake of carbohydrates from sources with a higher glycemic index and lower consumption of whole grains during puberty are prospectively associated with higher IL-6 concentrations in younger adulthood among healthy individuals. <i>Journal of Nutrition</i> , 2014 , 144, 1586-93	4.1	29
536	Relation between the Supplemental Nutritional Assistance Program cycle and dietary quality in low-income African Americans in Baltimore, Maryland. 2014 , 99, 1006-14		33
535	Nutrient and core and non-core food intake of Australian schoolchildren differs on school days compared to non-school days. 2014 , 83, 104-111		9
534	Genetic and environmental influences on liking and reported intakes of vegetables in Irish children. 2014 , 32, 253-263		38
533	Ten-year trends in compliance with the current Spanish nutritional objectives in Balearic Islands adult population (2000-2010). 2014 , 30, 800-6		3
532	Identifying sustainable foods: the relationship between environmental impact, nutritional quality, and prices of foods representative of the French diet. 2014 , 114, 862-869		92
531	Intake of milk, but not total dairy, yogurt, or cheese, is negatively associated with the clustering of cardiometabolic risk factors in adolescents. 2014 , 34, 48-57		36
530	Under-reporting of Energy Intake from 24-hour Dietary Recalls in the Korean National Health and Nutrition Examination Survey. 2014 , 5, 85-91		31

529	Dietary intake and main food sources of vitamin D as a function of age, sex, vitamin D status, body composition, and income in an elderly German cohort. 2014 , 58,		10
528	Guidance on the EU Menu methodology. 2014 , 12, 3944		134
527	Dietary habits and weight maintenance success in high versus low exercisers in the National Weight Control Registry. 2014 , 11, 1540-8		44
526	Ovarian suppression impairs sport performance in junior elite female swimmers. 2014 , 46, 156-66		92
525	Food consumption of adults in Germany: results of the German National Nutrition Survey II based on diet history interviews. <i>British Journal of Nutrition</i> , 2015 , 113, 1603-14	3.6	102
524	Diabetes-related nutrition knowledge and dietary intake among adults with type 2 diabetes. <i>British Journal of Nutrition</i> , 2015 , 114, 439-47	3.6	39
523	Dietary intake in adults with type 1 and type 2 diabetes: validation of the Dietary Questionnaire for Epidemiological Studies version 2 FFQ against a 3-d weighed food record and 24-h urinalysis. <i>British Journal of Nutrition</i> , 2015 , 114, 2056-63	3.6	13
522	Diet quality in older age: the influence of childhood and adult socio-economic circumstances. <i>British Journal of Nutrition</i> , 2015 , 113, 1441-52	3.6	29
521	Association of protein intake with the change of lean mass among elderly women: The Osteoporosis Risk Factor and Prevention - Fracture Prevention Study (OSTPRE-FPS). 2015 , 4, e41		43
520	The cross-sectional association between snacking behaviour and measures of adiposity: the Fenland Study, UK. <i>British Journal of Nutrition</i> , 2015 , 114, 1286-93	3.6	62
519	Intake of total and added sugars and nutrient dilution in Australian children and adolescents. <i>British Journal of Nutrition</i> , 2015 , 114, 1875-86	3.6	12
518	A Discussion of the Refutation of Memory-Based Dietary Assessment Methods (M-BMs): The Rhetorical Defense of Pseudoscientific and Inadmissible Evidence. 2015 , 90, 1736-9; discussion 1739-40		29
517	Lifestyle intervention to prevent excessive maternal weight gain: mother and infant follow-up at 12 months postpartum. 2015 , 15, 265		24
516	Associations between FTO genotype and total energy and macronutrient intake in adults: a systematic review and meta-analysis. 2015 , 16, 666-78		40
515	The association between maternal dietary micronutrient intake and neonatal anthropometry - secondary analysis from the ROLO study. 2015 , 14, 105		23
514	Intake of macro- and micronutrients in Danish vegans. 2015 , 14, 115		64
513	Patterns of weight-control behavior among 15 year old girls. 2015 , 48, 589-600		18
512	Dietary compliance, dietary supplementation and traditional remedy usage of type 2 diabetic patients with and without cardiovascular disease. 2015 , 4, 18-31		4

511	Food group and micronutrient intake adequacy among children, adults and elderly women in Greece. <i>Nutrients</i> , 2015 , 7, 1841-58	6.7	22
510	Cross-continental comparison of national food consumption survey methods--a narrative review. <i>Nutrients</i> , 2015 , 7, 3587-620	6.7	19
509	Assessment of Diet and Physical Activity in Paediatric Non-Alcoholic Fatty Liver Disease Patients: A United Kingdom Case Control Study. <i>Nutrients</i> , 2015 , 7, 9721-33	6.7	18
508	Dietary Carbohydrate and Nocturnal Sleep Duration in Relation to Children's BMI: Findings from the IDEFICS Study in Eight European Countries. <i>Nutrients</i> , 2015 , 7, 10223-36	6.7	17
507	Comparison of Dietary Intake between Polycystic Ovary Syndrome Women and Controls. 2016 , 8, 54801		17
506	Effect of energy under-reporting on secular trends of dietary patterns in a mediterranean population. 2015 , 10, e0127647		7
505	Energy intake underreporting of adults in a household survey: the impact of using a population specific basal metabolic rate equation. 2015 , 31, 777-86		2
504	The Inadmissibility of What We Eat in America and NHANES Dietary Data in Nutrition and Obesity Research and the Scientific Formulation of National Dietary Guidelines. 2015 , 90, 911-26		142
503	The contribution of snacks to dietary intake and their association with eating location among Norwegian adults - results from a cross-sectional dietary survey. 2015 , 15, 369		29
502	Iso-caloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. 2015 , 14, 39		16
501	Dietary flavonoid intake and cardiovascular risk: a population-based cohort study. 2015 , 13, 218		50
500	Estimates of Energy Intake and Expenditure in Professional Rugby League Players. 2015 , 10, 551-560		12
499	Food intake assessment of elderly patients on hemodialysis. 2015 , 25, 321-6		25
498	Comparison of methods to account for implausible reporting of energy intake in epidemiologic studies. 2015 , 181, 225-33		116
497	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. 2015 , 137, 598-606		68
496	Intake of phytosterols from natural sources and risk of cardiovascular disease in the European Prospective Investigation into Cancer and Nutrition-the Netherlands (EPIC-NL) population. 2015 , 22, 1067-75		33
495	Self-Reported Interview-Assisted Diet Records Underreport Energy Intake in Maintenance Hemodialysis Patients. 2015 , 25, 357-63		16
494	Blood pressure and sodium intake from snacks in adolescents. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 681-6	5.2	12

493	Dietary energy density: estimates, trends and dietary determinants for a nationally representative sample of the Irish population (aged 5-90 years). <i>British Journal of Nutrition</i> , 2015 , 113, 172-80	3.6	12
492	Adherence to NICE guidelines on diabetes prevention in the UK: Effect on patient knowledge and perceived risk. 2015 , 9, 407-11		15
491	Implausible data, false memories, and the status quo in dietary assessment. 2015 , 6, 229-30		38
490	Anthropometric, lifestyle and parental characteristics associated with the prevalence of energy intake misreporting in children: the GRECO (Greek Childhood Obesity) study. <i>British Journal of Nutrition</i> , 2015 , 113, 1120-8	3.6	7
489	Extremes of weight gain and weight loss with detailed assessments of energy balance: Illustrative case studies and clinical recommendations. 2015 , 127, 282-8		3
488	Association of distorted eating behaviors with cardiometabolic risk indices in preadolescents. The Healthy Growth Study. 2015 , 91, 35-40		3
487	Intake of dietary folate and folic acid in Germany based on different scenarios for food fortification with folic acid. <i>European Journal of Nutrition</i> , 2015 , 54, 1045-54	5.2	10
486	Relative Validity of a Diet History Questionnaire Against a Four-Day Weighed Food Record among Older Men in Australia: The Concord Health and Ageing in Men Project (CHAMP). 2015 , 19, 603-10		20
485	Association between red and processed meat consumption and chronic diseases: the confounding role of other dietary factors. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 1060-5	5.2	36
484	Dietary intake of carotenoids and risk of type 2 diabetes. 2015 , 25, 376-81		116
483	Impact of voluntary food fortification practices in Ireland: trends in nutrient intakes in Irish adults between 1997-9 and 2008-10. <i>British Journal of Nutrition</i> , 2015 , 113, 310-20	3.6	10
482	Dietary patterns as predictors of body fat and BMI in women: a factor analytic study. 2015 , 29, e136-46		11
481	Identification of a dietary pattern prospectively associated with bone mass in Australian young adults. 2015 , 102, 1035-43		20
480	Under-reporting of dietary energy intake in five populations of the African diaspora. <i>British Journal of Nutrition</i> , 2015 , 113, 464-72	3.6	33
479	Potassium urinary excretion and dietary intake: a cross-sectional analysis in 8-10 year-old children. 2015 , 15, 60		11
478	Addressing Current Criticism Regarding the Value of Self-Report Dietary Data. <i>Journal of Nutrition</i> , 2015 , 145, 2639-45	4.1	513
477	Tocopherol Stereoisomers in Human Plasma Are Affected by the Level and Form of the Vitamin E Supplement Used. <i>Journal of Nutrition</i> , 2015 , 145, 2347-54	4.1	7
476	The use of a dietary quality score as a predictor of childhood overweight and obesity. 2015 , 15, 581		28

475	Reply to E Archer and SN Blair. 2015 , 6, 230-3		11
474	Small Increments in Vitamin D Intake by Irish Adults over a Decade Show That Strategic Initiatives to Fortify the Food Supply Are Needed. <i>Journal of Nutrition</i> , 2015 , 145, 969-76	4.1	41
473	Misreporting of dietary intake affects estimated nutrient intakes in low-income Spanish-speaking women. 2015 , 115, 1124-33		13
472	Baseline consumption and changes in sugar-sweetened beverage consumption and the incidence of hypertension: The SUN project. 2015 , 34, 1133-40		17
471	Prevalence and Related Risk Factors of Overweight and Obesity among the Adult Population in the Balearic Islands, a Mediterranean Region. 2015 , 8, 220-33		21
470	Low levels of physical activity are associated with dysregulation of energy intake and fat mass gain over 1 year. 2015 , 102, 1332-8		82
469	A novel Mediterranean diet index from Lebanon: comparison with Europe. <i>European Journal of Nutrition</i> , 2015 , 54, 1229-43	5.2	33
468	Low energy availability and low body fat of female gymnasts before an international competition. 2015 , 15, 591-9		45
467	Dietary predictors of arterial stiffness in a cohort with type 1 and type 2 diabetes. 2015 , 238, 175-81		17
466	Substituting sugar-sweetened beverages with water or milk is inversely associated with body fatness development from childhood to adolescence. 2015 , 31, 38-44		48
465	Lifestyle and dietary habits of an obese pregnant cohort. 2015 , 19, 25-32		23
464	Energy balance measurement: when something is not better than nothing. 2015 , 39, 1109-13		338
463	The relation of diet with PAF and its metabolic enzymes in healthy volunteers. <i>European Journal of Nutrition</i> , 2015 , 54, 25-34	5.2	18
462	Dietary Intake of the Urban Black Population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) Study. <i>Nutrients</i> , 2016 , 8,	6.7	12
461	Assessment of the Dietary Intake of Schoolchildren in South Africa: 15 Years after the First National Study. <i>Nutrients</i> , 2016 , 8,	6.7	7
460	Individual Differences Among Children in Sucrose Detection Thresholds: Relationship With Age, Gender, and Bitter Taste Genotype. 2016 , 65, 3-12		59
459	Vegetarian, Gluten-Free, and Energy Restricted Diets in Female Athletes. 2016 , 4,		21
458	Maternal Nutrition and Glycaemic Index during Pregnancy Impacts on Offspring Adiposity at 6 Months of Age--Analysis from the ROLO Randomised Controlled Trial. <i>Nutrients</i> , 2016 , 8,	6.7	37

457	A Pilot Study: Dietary Energy Density is Similar between Active Women with and without Exercise-Associated Menstrual Dysfunction. <i>Nutrients</i> , 2016 , 8, 230	6.7	5
456	Associations of Milk Consumption and Vitamin B ₁₂ and D ₃ Derived from Milk with Fitness, Anthropometric and Biochemical Indices in Children. The Healthy Growth Study. <i>Nutrients</i> , 2016 , 8,	6.7	11
455	Pilot Randomised Controlled Trial of a Web-Based Intervention to Promote Healthy Eating, Physical Activity and Meaningful Social Connections Compared with Usual Care Control in People of Retirement Age Recruited from Workplaces. 2016 , 11, e0159703		38
454	Inconsistency between Self-Reported Energy Intake and Body Mass Index among Urban, African-American Children. 2016 , 11, e0168303		4
453	Comparison of potential energy underreporting among pregnant women living in Ireland in two cohorts initiated a decade apart: the Lifeways Cross-Generation Cohort Study (2001-2003) and the Lifestyle in Pregnancy study (LIP; 2011). 2016 , 75,		
452	Dietary patterns and the risk of CVD and all-cause mortality in older British men. <i>British Journal of Nutrition</i> , 2016 , 116, 1246-1255	3.6	36
451	Major dietary patterns in relation to demographic and socio-economic status and food insecurity in two Iranian ethnic groups living in Urmia, Iran. 2016 , 19, 3337-3348		9
450	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. 2016 , 19, 2769-80		32
449	Sodium and potassium urinary excretion and dietary intake: a cross-sectional analysis in adolescents. 2016 , 60, 29442		19
448	Weight Perception, Satisfaction, Control, and Low Energy Dietary Reporting in the U.S. Adult Population: Results from the National Health and Nutrition Examination Survey 2007-2012. 2016 , 116, 579-89		12
447	Trends in food consumption and nutrient intake in Germany between 2006 and 2012: results of the German National Nutrition Monitoring (NEMONIT). <i>British Journal of Nutrition</i> , 2016 , 115, 1498-507	3.6	57
446	Evaluation of different methods to handle misreporting in obesity research: evidence from the Canadian national nutrition survey. <i>British Journal of Nutrition</i> , 2016 , 115, 147-59	3.6	53
445	Fat mass- and obesity-associated genotype, dietary intakes and anthropometric measures in European adults: the Food4Me study. <i>British Journal of Nutrition</i> , 2016 , 115, 440-8	3.6	17
444	24-h urinary sodium excretion is associated with obesity in a cross-sectional sample of Australian schoolchildren. <i>British Journal of Nutrition</i> , 2016 , 115, 1071-9	3.6	30
443	Dietary intake and food sources of added sugar in the Australian population. <i>British Journal of Nutrition</i> , 2016 , 115, 868-77	3.6	80
442	An overview of the contribution of dairy and cheese intakes to nutrient intakes in the Irish diet: results from the National Adult Nutrition Survey. <i>British Journal of Nutrition</i> , 2016 , 115, 709-17	3.6	18
441	Changes of dietary patterns during participation in a web-based weight-reduction programme. 2016 , 19, 1211-21		7
440	Consumption of nitrate containing vegetables and the risk of chronic kidney disease: Tehran Lipid and Glucose Study. 2016 , 38, 937-44		17

439	Reproducibility of the Online Food4Me Food-Frequency Questionnaire for Estimating Dietary Intakes across Europe. <i>Journal of Nutrition</i> , 2016 , 146, 1068-75	4.1	20
438	Macronutrient intake and food sources in the very old: analysis of the Newcastle 85+ Study. <i>British Journal of Nutrition</i> , 2016 , 115, 2170-80	3.6	30
437	Impact of a school-based intervention to promote fruit intake: a cluster randomized controlled trial. 2016 , 136, 94-100		8
436	Dietary flavonoid intake and incident coronary heart disease: the REasons for Geographic and Racial Differences in Stroke (REGARDS) study. 2016 , 104, 1236-1244		36
435	Strengthening the Reporting of Observational Studies in Epidemiology - nutritional epidemiology (STROBE-nut): An extension of the STROBE statement. 2016 , 41, 240-251		44
434	The impact of stratification by implausible energy reporting status on estimates of diet-health relationships. 2016 , 58, 1538-1551		10
433	Development and piloting of a food-based intervention to increase vitamin E intake in pregnant women in a randomized controlled trial. 2016 , 4, 848-851		4
432	Nutritional and clinical associations of food cravings in pregnancy. <i>Journal of Human Nutrition and Dietetics</i> , 2016 , 29, 281-9	3.1	22
431	The relationship between dietary intake and energy availability, eating attitudes and cognitive restraint in students enrolled in undergraduate nutrition degrees. 2016 , 107, 406-414		6
430	Dietary patterns of obese and normal-weight women of reproductive age in urban slum areas in Central Jakarta. <i>British Journal of Nutrition</i> , 2016 , 116 Suppl 1, S49-56	3.6	10
429	Dietary protein intake is associated with better physical function and muscle strength among elderly women. <i>British Journal of Nutrition</i> , 2016 , 115, 1281-91	3.6	110
428	Association between dietary patterns and low bone mineral density among adults aged 50 years and above: findings from the North West Adelaide Health Study (NWAHS). <i>British Journal of Nutrition</i> , 2016 , 116, 1437-1446	3.6	20
427	Association between energy density and diet cost in children. 2016 , 1, 106-111		3
426	Folate and vitamin B12 status and dietary intake of anaemic adolescent schoolgirls in the delta region of Myanmar. <i>British Journal of Nutrition</i> , 2016 , 116 Suppl 1, S36-41	3.6	5
425	The effect of under-reporting of energy intake on dietary patterns and on the associations between dietary patterns and self-reported chronic disease in women aged 50-69 years. <i>British Journal of Nutrition</i> , 2016 , 116, 547-58	3.6	12
424	Maternal nutrient intakes from food and drinks consumed in early pregnancy in Ireland. 2017 , 39, 754-762		3
423	Phylloquinone Intakes and Food Sources and Vitamin K Status in a Nationally Representative Sample of Irish Adults. <i>Journal of Nutrition</i> , 2016 , 146, 2274-2280	4.1	12
422	The association between maternal nutrition and lifestyle during pregnancy and 2-year-old offspring adiposity: analysis from the ROLO study. 2016 , 24, 427-436		17

421	The impact of 677C -1T risk knowledge on changes in folate intake: findings from the Food4Me study. 2016 , 11, 25		8
420	Dietary assessment among women with overweight and obesity in early postpartum. <i>Journal of Human Nutrition and Dietetics</i> , 2016 , 29, 411-7	3.1	4
419	Nutrient intake in Spanish adolescents SCOFF high-scorers: the AVENA study. 2016 , 21, 589-596		10
418	Dietary glycaemic index and glycaemic load among Australian children and adolescents: results from the 2011-2012 Australian Health Survey. <i>British Journal of Nutrition</i> , 2016 , 116, 178-87	3.6	11
417	Use of a web-based dietary assessment tool in early pregnancy. 2016 , 185, 341-55		2
416	Predictive role of the Mediterranean diet on mortality in individuals at low cardiovascular risk: a 12-year follow-up population-based cohort study. 2016 , 14, 91		27
415	Intake and sources of added sugars among Australian children and adolescents. 2016 , 55, 2347-2355		35
414	Dietary carbohydrate quantity and quality in relation to obesity: A pooled analysis of three Finnish population-based studies. 2016 , 44, 385-93		12
413	Food environments of young people: linking individual behaviour to environmental context. 2017 , 39, 95-104		16
412	High compliance with dietary recommendations in a cohort of meat eaters, fish eaters, vegetarians, and vegans: results from the European Prospective Investigation into Cancer and Nutrition-Oxford study. 2016 , 36, 464-77		118
411	Plausible self-reported dietary intakes in a residential facility are not necessarily reliable. <i>European Journal of Clinical Nutrition</i> , 2016 , 70, 130-5	5.2	11
410	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016 , 55, 2093-104	5.2	14
409	An Overweight Preventive Score associates with obesity and glycemic traits. 2016 , 65, 81-8		5
408	Dietary intake in Swedish medical students during 2007-2012. 2016 , 44, 77-83		4
407	Dietary intake of 20 polyphenol subclasses in a cohort of UK women. <i>European Journal of Nutrition</i> , 2016 , 55, 1839-47	5.2	14
406	Adolescent elite Kenyan runners are at risk for energy deficiency, menstrual dysfunction and disordered eating. 2016 , 34, 598-606		32
405	Dietary patterns in weight loss maintenance: results from the MedWeight study. <i>European Journal of Nutrition</i> , 2017 , 56, 991-1002	5.2	25
404	Lower birth weight is associated with alterations in dietary intake in adolescents independent of genetic factors: A twin study. 2017 , 36, 179-185		3

403	Vitamin B, vitamin B and total homocysteine status in children and their associations with dietary intake of B-vitamins from different food groups: the Healthy Growth Study. 2017 , 56, 321-331		11
402	The role of fortified foods and nutritional supplements in increasing vitamin D intake in Irish preschool children. <i>European Journal of Nutrition</i> , 2017 , 56, 1219-1231	5.2	13
401	Plasma n-3 polyunsaturated fatty status and its relationship with vitamin E intake and plasma level. <i>European Journal of Nutrition</i> , 2017 , 56, 1281-1291	5.2	3
400	Micronutrient status and intake in omnivores, vegetarians and vegans in Switzerland. 2017 , 56, 283-293		120
399	Late-night overeating is associated with smaller breakfast, breakfast skipping, and obesity in children: The Healthy Growth Study. 2017 , 33, 141-144		19
398	Intake and sources of gluten in 20- to 75-year-old Danish adults: a national dietary survey. 2017 , 56, 107-117		15
397	Health Promotion Intervention to Improve Diet Quality in Children. 2017 , 18, 253-262		6
396	Bias in food intake reporting in children and adolescents with type 1 diabetes: the role of body size, age and gender. 2017 , 18, 213-221		8
395	Suprathreshold measures of taste perception in children - Association with dietary quality and body weight. 2017 , 113, 116-123		16
394	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. 2017 , 116, 811-820		21
393	Naturally occurring and added sugar in relation to macronutrient intake and food consumption: results from a population-based study in adults. 2017 , 6, e7		11
392	Vitamin B12 Intake and Related Biomarkers: Associations in a Dutch Elderly Population. 2017 , 21, 1268-1276		7
391	Association of diet quality with dietary inflammatory potential in youth. 2017 , 61, 1328961		21
390	Dietary salt intake in the Australian population. 2017 , 20, 1887-1894		16
389	Dietary emissions patterns and their effect on the overall climatic impact of food consumption. 2017 , 52, 2505-2512		8
388	Adequacy of dietary intake in swimmers during the general preparation phase. 2017 , 13, 373-380		1
387	Predictors of BMI Vary along the BMI Range of German Adults - Results of the German National Nutrition Survey II. 2017 , 10, 38-49		15
386	Within-person reproducibility and sensitivity to dietary change of C15:0 and C17:0 levels in dried blood spots: Data from the European Food4Me Study. 2017 , 61, 1700142		10

385	Adverse effects of fructose on cardiometabolic risk factors and hepatic lipid metabolism in subjects with abdominal obesity. 2017 , 282, 187-201		63
384	Demonstration of the utility of biomarkers for dietary intake assessment; proline betaine as an example. 2017 , 61, 1700037		41
383	Energy and macronutrient intake over the course of the day of German adults: A DEDIPAC-study. 2017 , 114, 125-136		10
382	Dietary patterns and the phenotype of polycystic ovary syndrome: the chance of ongoing pregnancy. 2017 , 34, 668-676		10
381	The climatic impact of food consumption in a representative sample of Irish adults and implications for food and nutrition policy. 2017 , 20, 726-738		21
380	The mountainous Cretan dietary patterns and their relationship with cardiovascular risk factors: the Hellenic Isolated Cohorts MANOLIS study. 2017 , 20, 1063-1074		10
379	Association of Protein Intake with Bone Mineral Density and Bone Mineral Content among Elderly Women: The OSTPRE Fracture Prevention Study. 2017 , 21, 622-630		10
378	The Importance of Breakfast in Atherosclerosis Disease: Insights From the PESA Study. 2017 , 70, 1833-1842		61
377	Skipping breakfast among Australian children and adolescents; findings from the 2011-12 National Nutrition and Physical Activity Survey. 2017 , 41, 572-578		36
376	Perspective: An Extension of the STROBE Statement for Observational Studies in Nutritional Epidemiology (STROBE-nut): Explanation and Elaboration. 2017 , 8, 652-678		28
375	A combined high-sugar and high-saturated-fat dietary pattern is associated with more depressive symptoms in a multi-ethnic population: the HELIUS (Healthy Life in an Urban Setting) study. 2017 , 20, 2374-2382		15
374	Adherence to the Mediterranean diet is associated with the gut microbiota pattern and gastrointestinal characteristics in an adult population. <i>British Journal of Nutrition</i> , 2017 , 117, 1645-1655 ^{3.6}		150
373	Unobtrusive electromyography-based eating detection in daily life: A new tool to address underreporting?. 2017 , 118, 168-173		16
372	Global comparison of national individual food consumption surveys as a basis for health research and integration in national health surveillance programmes. 2017 , 76, 549-567		14
371	Dietary intake and weight status of urban Thai preadolescents in the context of food environment. 2017 , 8, 153-157		7
370	Fatty acid intake and its dietary sources in relation with markers of type 2 diabetes risk: The NEO study. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 245-251	5.2	20
369	Comparison of body composition and nutrients' deficiencies between Portuguese rink-hockey players. 2017 , 176, 41-50		11
368	Estimating safe maximum levels of vitamins and minerals in fortified foods and food supplements. <i>European Journal of Nutrition</i> , 2017 , 56, 2529-2539	5.2	6

367	The impact of familial, behavioural and psychosocial factors on the SES gradient for childhood overweight in Europe. A longitudinal study. 2017 , 41, 54-60		13
366	A Health at Every Size intervention improves intuitive eating and diet quality in Canadian women. 2017 , 36, 747-754		21
365	Optimization of folic acid supplementation in the prevention of neural tube defects. 2018 , 40, 827-834		7
364	Macronutrient Intakes in 553 Dutch Elite and Sub-Elite Endurance, Team, and Strength Athletes: Does Intake Differ between Sport Disciplines?. <i>Nutrients</i> , 2017 , 9,	6.7	14
363	Adequacy of Usual Vitamin and Mineral Intake in Spanish Children and Adolescents: ENALIA Study. <i>Nutrients</i> , 2017 , 9,	6.7	36
362	The Cross-Sectional Association between Consumption of the Recommended Five Food Group "Grain (Cereal)", Dietary Fibre and Anthropometric Measures among Australian Adults. <i>Nutrients</i> , 2017 , 9,	6.7	4
361	Individual Diet Modeling Shows How to Balance the Diet of French Adults with or without Excessive Free Sugar Intakes. <i>Nutrients</i> , 2017 , 9,	6.7	18
360	Reported Dietary Intake, Disparity between the Reported Consumption and the Level Needed for Adequacy and Food Sources of Calcium, Phosphorus, Magnesium and Vitamin D in the Spanish Population: Findings from the ANIBES Study. <i>Nutrients</i> , 2017 , 9,	6.7	58
359	Iron Intake and Dietary Sources in the Spanish Population: Findings from the ANIBES Study. <i>Nutrients</i> , 2017 , 9,	6.7	25
358	Carbohydrates from Sources with a Higher Glycemic Index during Adolescence: Is Evening Rather than Morning Intake Relevant for Risk Markers of Type 2 Diabetes in Young Adulthood?. <i>Nutrients</i> , 2017 , 9,	6.7	12
357	A Validation Study of an Interviewer-Administered Short Food Frequency Questionnaire in Assessing Dietary Vitamin D and Calcium Intake in Swedish Children. <i>Nutrients</i> , 2017 , 9,	6.7	12
356	Fat Taste Sensitivity Is Associated with Short-Term and Habitual Fat Intake. <i>Nutrients</i> , 2017 , 9,	6.7	22
355	Major Differences in Diet across Three Linguistic Regions of Switzerland: Results from the First National Nutrition Survey menuCH. <i>Nutrients</i> , 2017 , 9,	6.7	40
354	Validity of Dietary Assessment in Athletes: A Systematic Review. <i>Nutrients</i> , 2017 , 9,	6.7	81
353	Examining Plausibility of Self-Reported Energy Intake Data: Considerations for Method Selection. <i>Frontiers in Nutrition</i> , 2017 , 4, 45	6.2	50
352	Dietary Fiber Intake among Normal-Weight and Overweight Female Health Care Workers: An Exploratory Nested Case-Control Study within FINALE-Health. 2017 , 2017, 1096015		12
351	Dietary sources and intakes of folates and vitamin B12 in the Spanish population: Findings from the ANIBES study. 2017 , 12, e0189230		14
350	Development of a Dichotomous Indicator for Population-Level Assessment of Dietary Diversity in Women of Reproductive Age. 2017 , 1,		52

349	Development and evaluation of a concise food list for use in a web-based 24-h dietary recall tool. 2017 , 6, e46		7
348	Contribution of Discretionary Foods and Drinks to Australian Children's Intake of Energy, Saturated Fat, Added Sugars and Salt. 2017 , 4,		43
347	Intake and Dietary Food Sources of Fibre in Spain: Differences with Regard to the Prevalence of Excess Body Weight and Abdominal Obesity in Adults of the ANIBES Study. <i>Nutrients</i> , 2017 , 9,	6.7	16
346	Analysis, Presentation, and Interpretation of Dietary Data. 2017 , 167-184		2
345	Changes in dietary patterns and body composition within 12 months of liver transplantation. 2017 , 6, 317-326		10
344	Underreporting of Energy Intake and Bariatric Surgery. 2017 , 429-437		1
343	Sleep duration, body composition, dietary profile and eating behaviours among children and adolescents: a comparison between Portuguese acrobatic gymnasts. 2018 , 177, 815-825		14
342	Food Photography Is Not an Accurate Measure of Energy Intake in Obese, Pregnant Women. <i>Journal of Nutrition</i> , 2018 , 148, 658-663	4.1	12
341	Salt intake and dietary sources of salt on weekdays and weekend days in Australian adults. 2018 , 21, 2174-2182		2
340	Intake of free sugars and micronutrient dilution in Australian adults. 2018 , 107, 94-104		21
339	Clinical and Vitamin Response to a Short-Term Multi-Micronutrient Intervention in Brazilian Children and Teens: From Population Data to Interindividual Responses. 2018 , 62, e1700613		18
338	Associations between adherence to the Danish Food-Based Dietary Guidelines and cardiometabolic risk factors in a Danish adult population: the DIPI study. <i>British Journal of Nutrition</i> , 2018 , 119, 664-673	3.6	6
337	Diets with a low glycaemic load have favourable effects on prediabetes progression and regression: a prospective cohort study. <i>Journal of Human Nutrition and Dietetics</i> , 2018 , 31, 292-300	3.1	3
336	Adherence to Mediterranean Diet and Frailty. 2018 , 19, 315-322.e2		48
335	Adjustment Factors Can Improve Estimates of Food Group Intake Assessed Using a Short Dietary Assessment Instrument. 2018 , 118, 1864-1873		1
334	In Defense of Sugar: A Critique of Diet-Centrism. 2018 , 61, 10-19		20
333	Low calcium intakes among Australian adolescents and young adults are associated with higher consumption of discretionary foods and beverages. 2018 , 55-56, 146-153		8
332	The relationship between early pregnancy dietary intakes and subsequent birthweight and neonatal adiposity. 2018 , 40, 747-755		2

331	A greater glycemic load reduction was associated with a lower diabetes risk in pre-diabetic patients who consume a high glycemic load diet. 2018 , 53, 77-84		2
330	Patterns of added sugars intake by eating occasion among a nationally representative sample of Australians. <i>European Journal of Nutrition</i> , 2018 , 57, 137-154	5.2	4
329	A methodology to compile food metrics related to diet sustainability into a single food database: Application to the French case. 2018 , 238, 125-133		14
328	Associations between a Mediterranean diet pattern and inflammatory biomarkers in European adolescents. <i>European Journal of Nutrition</i> , 2018 , 57, 1747-1760	5.2	31
327	Validity of a population-specific BMR predictive equation for adults from an urban tropical setting. 2018 , 37, 208-213		5
326	Dietary sources of sugars in adolescents' diet: the HELENA study. <i>European Journal of Nutrition</i> , 2018 , 57, 629-641	5.2	19
325	A simple method for identification of misreporting of energy intake from infancy to school age: Results from a longitudinal study. 2018 , 37, 1053-1060		9
324	Associations between fruit and vegetable variety and low-grade inflammation in Portuguese adolescents from LabMed Physical Activity Study. <i>European Journal of Nutrition</i> , 2018 , 57, 2055-2068	5.2	16
323	Comparison of nutrient intake in adolescents and adults with and without food allergies. <i>Journal of Human Nutrition and Dietetics</i> , 2018 , 31, 209-217	3.1	7
322	Plasma enterolactone and risk of prostate cancer in middle-aged Swedish men. <i>European Journal of Nutrition</i> , 2018 , 57, 2595-2606	5.2	8
321	Muscular fitness, Southern European Atlantic Diet and inflammation in adolescents. Azorean Physical Activity and Health Study II. 2018 , 18, 104-111		9
320	Examining sex differences in glycemic index knowledge and intake among individuals with type 2 diabetes. 2018 , 12, 71-79		3
319	Methodological considerations and future insights for 24-hour dietary recall assessment in children. 2018 , 51, 1-11		53
318	Nutrition Status of Young Elite Female German Football Players. 2018 , 30, 157-167		16
317	The under-reporting of energy intake influences the dietary pattern reported by obese women in the waiting list for bariatric surgery. 2018 , 31, 235-249		3
316	Is Obesity in Young People With Psychosis a Foregone Conclusion? Markedly Excessive Energy Intake Is Evident Soon After Antipsychotic Initiation. 2018 , 9, 725		8
315	Larger Food Portion Sizes Are Associated with Both Positive and Negative Markers of Dietary Quality in Irish Adults. <i>Nutrients</i> , 2018 , 10,	6.7	1
314	Sources of Dietary Sodium in Food and Beverages Consumed by Spanish Schoolchildren between 7 and 11 Years Old by the Degree of Processing and the Nutritional Profile. <i>Nutrients</i> , 2018 , 10,	6.7	6

313	Maternal protein intake during pregnancy is associated with child growth up to 5 years of age, but not through insulin-like growth factor-1: findings from the ROLO study. <i>British Journal of Nutrition</i> , 2018 , 120, 1252-1261	3.6	6
312	Folate and vitamin B12 levels in early pregnancy and maternal obesity. 2018 , 231, 80-84		19
311	Can healthy motivated British adults achieve the revised UK government fibre recommendations of 30 g per day? Results from a preliminary study. 2018 , 24, 211-215		1
310	Expected changes in obesity after reformulation to reduce added sugars in beverages: A modeling study. 2018 , 15, e1002664		18
309	Response to resistance training following immobilization Influence of delaying post-exercise meal. 2018 , 1, 191-203		2
308	Dietary Fibre Intake in Australia. Paper II: Comparative Examination of Food Sources of Fibre among High and Low Fibre Consumers. <i>Nutrients</i> , 2018 , 10,	6.7	12
307	High-Sugar, High-Saturated-Fat Dietary Patterns Are Not Associated with Depressive Symptoms in Middle-Aged Adults in a Prospective Study. <i>Journal of Nutrition</i> , 2018 , 148, 1598-1604	4.1	4
306	The characterisation of overweight and obese women who are under reporting energy intake during pregnancy. 2018 , 18, 204		12
305	The Decreasing Trend in Dietary Glycaemic Index and Glycaemic Load in Australian Children and Adolescents between 1995 and 2012. <i>Nutrients</i> , 2018 , 10,	6.7	2
304	Does Providing Assistance to Children and Adolescents Increase Repeatability and Plausibility of Self-Reporting Using a Web-Based Dietary Recall Instrument?. 2018 , 118, 2324-2330		1
303	Controversy and debate: Memory-Based Methods Paper 1: the fatal flaws of food frequency questionnaires and other memory-based dietary assessment methods. 2018 , 104, 113-124		48
302	The Failure to Measure Dietary Intake Engendered a Fictional Discourse on Diet-Disease Relations. <i>Frontiers in Nutrition</i> , 2018 , 5, 105	6.2	36
301	Dietary intake of professional Australian football athletes surrounding body composition assessment. 2018 , 15, 43		33
300	Development of a Diet Quality Index Adapted for Pregnant Women. 2018 , 52, 59		3
299	Relative validation of a pre-coded food diary in a group of Norwegian adults - Comparison of underreporters and acceptable reporters. 2018 , 13, e0202907		6
298	Is misreporting of dietary intake by weighed food records or 24-hour recalls food specific?. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 1026-1034	5.2	16
297	Fish consumption and risk of stroke, coronary heart disease, and cardiovascular mortality in a Dutch population with low fish intake. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 942-950	5.2	14
296	Trends in Dietary Sodium from Food Sources in Australian Children and Adolescents from 2007 to 2011/12. 2018 , 118, 1183-1195.e6		5

295	Dietary taste patterns by sex and weight status in the Netherlands. <i>British Journal of Nutrition</i> , 2018 , 119, 1195-1206	3.6	21
294	Prospective association between adherence to dietary recommendations and incident depressive symptoms in the French NutriNet-Santé cohort. <i>British Journal of Nutrition</i> , 2018 , 120, 290-300	3.6	12
293	Dietary Determinants of Polyunsaturated Fatty Acid (PUFA) Status in a High Fish-Eating Cohort during Pregnancy. <i>Nutrients</i> , 2018 , 10,	6.7	8
292	Comparison at the first prenatal visit of the maternal dietary intakes of smokers with non-smokers in a large maternity hospital: a cross-sectional study. 2018 , 8, e021721		4
291	Are women with history of pre-eclampsia starting a new pregnancy in good nutritional status in South Africa and Zimbabwe?. 2018 , 18, 236		11
290	Insufficient Protein Intakes is Highly Prevalent among Physically Active Elderly. 2018 , 22, 1112-1114		11
289	Characterization and Comparison of Nutritional Intake between Preparatory and Competitive Phase of Highly Trained Athletes. 2018 , 54,		9
288	Adherence to the Mediterranean Diet and Inflammatory Markers. <i>Nutrients</i> , 2018 , 10,	6.7	92
287	Modifications in the Consumption of Energy, Sugar, and Saturated Fat among the Mexican Adult Population: Simulation of the Effect When Replacing Processed Foods that Comply with a Front of Package Labeling System. <i>Nutrients</i> , 2018 , 10,	6.7	4
286	Validation of the Brazilian Healthy Eating Index-Revised Using Biomarkers in Children and Adolescents. <i>Nutrients</i> , 2018 , 10,	6.7	12
285	Main Sources, Socio-Demographic and Anthropometric Correlates of Salt Intake in Austria. <i>Nutrients</i> , 2018 , 10,	6.7	13
284	Effects of Insect Protein Supplementation during Resistance Training on Changes in Muscle Mass and Strength in Young Men. <i>Nutrients</i> , 2018 , 10,	6.7	12
283	Protein Intake and Distribution in Relation to Physical Functioning and Quality of Life in Community-Dwelling Elderly People: Acknowledging the Role of Physical Activity. <i>Nutrients</i> , 2018 , 10,	6.7	33
282	Dietary Fibre Intake in Australia. Paper I: Associations with Demographic, Socio-Economic, and Anthropometric Factors. <i>Nutrients</i> , 2018 , 10,	6.7	36
281	Association between progranulin serum levels and dietary intake. 2018 , 13, e0202149		6
280	Comparison of 3 Nutritional Questionnaires to Determine Energy Intake Accuracy in Iranian Adults. 2018 , 7, 213-222		14
279	Controversy and Debate: Memory Based Methods Paper 3: Nutrition's 'Black Swans': Our reply. 2018 , 104, 130-135		12
278	Why are women slimmer than men in developed countries?. 2018 , 30, 1-13		7

277	How does food addiction influence dietary intake profile?. 2018 , 13, e0195541		23
276	Intake of free sugar and micronutrient dilution in Australian children and adolescents. <i>European Journal of Nutrition</i> , 2019 , 58, 2485-2495	5.2	10
275	Adequacy of usual macronutrient intake and macronutrient distribution in children and adolescents in Spain: A National Dietary Survey on the Child and Adolescent Population, ENALIA 2013-2014. <i>European Journal of Nutrition</i> , 2019 , 58, 705-719	5.2	31
274	The use of a food logging app in the naturalistic setting fails to provide accurate measurements of nutrients and poses usability challenges. 2019 , 57, 208-216		36
273	The combined effects of FADS gene variation and dietary fats in obesity-related traits in a population from the far north of Sweden: the GLACIER Study. 2019 , 43, 808-820		8
272	Estimating plate-based model food proportions in adults living in Scotland using short dietary assessment questionnaires. <i>Nutrition and Dietetics</i> , 2019 , 76, 521-531	2.5	0
271	Dietary underreporting in women affected by polycystic ovary syndrome: A pilot study. <i>Nutrition and Dietetics</i> , 2019 , 76, 560-566	2.5	5
270	A healthy dietary pattern associates with a lower risk of a first clinical diagnosis of central nervous system demyelination. 2019 , 25, 1514-1525		19
269	Dietary Intake, Adherence to Mediterranean Diet and Lifestyle-Related Factors in People with Schizophrenia. 2019 , 40, 851-860		7
268	Development and validation of a Brief Diet Quality Assessment Tool in the French-speaking adults from Quebec. 2019 , 16, 61		2
267	Association between the Diet Quality Index Adapted for Pregnant Women (IQDAG) and excess maternal body weight. 2019 , 19, 275-283		3
266	Sugar-Containing Beverages Consumption and Obesity in Children Aged 4-5 Years in Spain: the INMA Study. <i>Nutrients</i> , 2019 , 11,	6.7	6
265	Phenotyping Women Based on Dietary Macronutrients, Physical Activity, and Body Weight Using Machine Learning Tools. <i>Nutrients</i> , 2019 , 11,	6.7	9
264	Interaction of Dietary Linoleic Acid and α -Linolenic Acids with rs174547 in Gene on Metabolic Syndrome Components among Vegetarians. <i>Nutrients</i> , 2019 , 11,	6.7	9
263	Non-Milk Extrinsic Sugars Intake and Food and Nutrient Consumption Patterns among Adolescents in the UK National Diet and Nutrition Survey, Years 2008-16. <i>Nutrients</i> , 2019 , 11,	6.7	1
262	Associations between Consumption of Ultra-Processed Foods and Intake of Nutrients Related to Chronic Non-Communicable Diseases in Mexico. 2019 , 119, 1852-1865		44
261	Prevalence and characteristics of energy intake under-reporting among Australian adults in 1995 and 2011 to 2012. <i>Nutrition and Dietetics</i> , 2019 , 76, 546-559	2.5	7
260	Assessment of Dietary Under-Reporting in Italian College Team Sport Athletes. <i>Nutrients</i> , 2019 , 11,	6.7	3

259	Nutritional factors and cardiovascular disease risk in Black African and Black Caribbean women: a cross-sectional study. 2019 , 78,		
258	Adequacy of Critical Nutrients Affecting the Quality of the Spanish Diet in the ANIBES Study. <i>Nutrients</i> , 2019 , 11,	6.7	7
257	Consumption of Galacto-Oligosaccharides Increases Iron Absorption from Ferrous Fumarate: A Stable Iron Isotope Study in Iron-Depleted Young Women. <i>Journal of Nutrition</i> , 2019 , 149, 738-746	4.1	16
256	Time trends in nutrient intake and dietary patterns among five birth cohorts of 70-year-olds examined 1971-2016: results from the Gothenburg H70 birth cohort studies, Sweden. 2019 , 18, 66		11
255	Effects of dietary glycemic index and load on children's cardiovascular risk factors. 2019 , 40, 1-7.e3		1
254	Does exclusion of extreme reporters of energy intake (the "Goldberg cutoffs") reliably reduce or eliminate bias in nutrition studies? Analysis with illustrative associations of energy intake with health outcomes. 2019 , 110, 1231-1239		6
253	Obesity Status Affects the Relationship Between Protein Intake and Insulin Sensitivity in Late Pregnancy. <i>Nutrients</i> , 2019 , 11,	6.7	3
252	Drivers of adolescent adiposity: Evidence from the Australian LOOK study. 2019 , 22, 1330-1334		1
251	Salt Reduction Intervention in Families Investigating Metabolic, Behavioral and Health Effects of Targeted Intake Reductions: Study Protocol for a Four Months Three-Armed, Randomized, Controlled "Real-Life" Trial. 2019 , 16,		5
250	Association of Dairy Product Consumption with Metabolic and Inflammatory Biomarkers in Adolescents: A Cross-Sectional Analysis from the LabMed Study. <i>Nutrients</i> , 2019 , 11,	6.7	3
249	Reliability and validity of assessing energy and nutrient intake with the Vienna food record: a cross-over randomised study. 2019 , 18, 7		1
248	The social disorganization of eating: a neglected determinant of the Australian epidemic of overweight/obesity. 2019 , 19, 454		3
247	A Higher Mediterranean Diet Score, Including Unprocessed Red Meat, Is Associated with Reduced Risk of Central Nervous System Demyelination in a Case-Control Study of Australian Adults. <i>Journal of Nutrition</i> , 2019 , 149, 1385-1392	4.1	22
246	Prevalence and determinants of misreporting of energy intake among Latin American populations: results from ELANS study. 2019 , 68, 9-18		14
245	Influence of Oral Contraceptive Use on Adaptations to Resistance Training. 2019 , 10, 824		15
244	Eating frequency and weight status in Portuguese children aged 3-9 years: results from the cross-sectional National Food, Nutrition and Physical Activity Survey 2015-2016. 2019 , 22, 2793-2802		3
243	Mood and appetite: Their relationship with discretionary and total daily energy intake. 2019 , 207, 122-131		8
242	Study protocol: associations between dietary patterns, cognitive function and metabolic syndrome in older adults - a cross-sectional study. 2019 , 19, 535		14

241	Relative Validity of the Eat and Track (EaT) Smartphone App for Collection of Dietary Intake Data in 18-to-30-Year Olds. <i>Nutrients</i> , 2019 , 11,	6.7	9
240	Modelling the Association between Core and Discretionary Energy Intake in Adults with and without Obesity. <i>Nutrients</i> , 2019 , 11,	6.7	4
239	Higher Non-processed Red Meat Consumption Is Associated With a Reduced Risk of Central Nervous System Demyelination. 2019 , 10, 125		7
238	Habitual food consumption of the Belgian population in 2014-2015 and adherence to food-based dietary guidelines. 2019 , 77, 14		12
237	Behavioral, socio-environmental, educational and demographic correlates of excess body weight in Italian adolescents and young adults. 2019 , 29, 279-289		3
236	The effectiveness of the Keeping the Body in Mind Xtend pilot lifestyle program on dietary intake in first-episode psychosis: Two-year outcomes. 2019 , 13, 214-216		10
235	Discretionary intake among Australian adults: prevalence of intake, top food groups, time of consumption and its association with sociodemographic, lifestyle and adiposity measures. 2019 , 22, 1576-1589 ¹¹		
234	Association between trans fatty acid intake and overweight including obesity in 4 to 5-year-old children from the INMA study. 2019 , 14, e12528		5
233	Measurement of Energy Expenditure. 2019 , 101-119		1
232	A within-sibling pair analysis of lifestyle behaviours and BMI z-score in the multi-centre I.Family study. 2019 , 29, 580-589		6
231	Evolution of total body and regional adiposity from late adolescence to early adulthood in a birth cohort study. 2019 , 16, 21		0
230	Dietary calcium intake and adiposity in children and adolescents: Cross-sectional and longitudinal results from IDEFICS/I.Family cohort. 2019 , 29, 440-449		8
229	Associations of dietary energy density with body composition and cardiometabolic risk in children with overweight and obesity: role of energy density calculations, under-reporting energy intake and physical activity. <i>British Journal of Nutrition</i> , 2019 , 121, 1057-1068	3.6	5
228	Dietary and Lifestyle Patterns in the Spanish Pediatric Population (One to . <i>Nutrients</i> , 2019 , 11,	6.7	14
227	Strategies to Address Misestimation of Energy Intake Based on Self-Report Dietary Consumption in Examining Associations Between Dietary Patterns and Cancer Risk. <i>Nutrients</i> , 2019 , 11,	6.7	1
226	A Dietary Pattern with High Sugar Content Is Associated with Cardiometabolic Risk Factors in the Pomak Population. <i>Nutrients</i> , 2019 , 11,	6.7	3
225	Dietary intake in health and disease, challenges in measuring and reporting diet-disease relationships. <i>Nutrition and Dietetics</i> , 2019 , 76, 501-506	2.5	0
224	Zinc supplementation improves body weight management, inflammatory biomarkers and insulin resistance in individuals with obesity: a randomized, placebo-controlled, double-blind trial. 2019 , 11, 101		20

223	Dietary Carbohydrates and Insulin Resistance in Adolescents from Marginalized Areas of Chiapas, Mxico. <i>Nutrients</i> , 2019 , 11,	6.7	4
222	Impulsivity is associated with food intake, snacking, and eating disorders in a general population. 2019 , 109, 117-126		21
221	The Cardiometabolic Risk Profile of Underreporters of Energy Intake Differs from That of Adequate Reporters among Children at Risk of Obesity. <i>Journal of Nutrition</i> , 2019 , 149, 123-130	4.1	3
220	Individual differences in appeal of energy dense foods predicts lower body mass change during adolescence. 2019 , 133, 184-190		1
219	Healthy diet: a step toward a sustainable diet by reducing water footprint. 2019 , 99, 3769-3775		5
218	Preconception lifestyle intervention reduces long term energy intake in women with obesity and infertility: a randomised controlled trial. 2019 , 16, 3		19
217	Are boys with duchenne muscular dystrophy eating more than they need to? Maybe 2019 , 59, 277-279		1
216	Dietary patterns during pregnancy derived by reduced-rank regression and their association with gestational diabetes mellitus. 2019 , 60, 191-196		8
215	Dietary habits and adherence to dietary recommendations in patients with type 1 and type 2 diabetes compared with the general population in Denmark. 2019 , 61, 49-55		15
214	Collection and Management of Dietary Data. 2019 , 43-73		1
213	The Third French Individual and National Food Consumption (INCA3) Survey 2014-2015: method, design and participation rate in the framework of a European harmonization process. 2019 , 22, 584-600		17
212	Measuring nutritional knowledge using Item Response Theory and its validity in European adolescents. 2019 , 22, 419-430		3
211	Traditional v. modern dietary patterns among a population in western Austria: associations with body composition and nutrient profile. 2019 , 22, 455-465		5
210	Quantitative assessment of dietary supplement intake in 77,000 French adults: impact on nutritional intake inadequacy and excessive intake. <i>European Journal of Nutrition</i> , 2019 , 58, 2679-2692	5.2	6
209	Evaluation of dietary taste patterns as assessed by FFQ against 24-h recalls and biomarkers of exposure. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 132-140	5.2	3
208	Geographic and socioeconomic diversity of food and nutrient intakes: a comparison of four European countries. <i>European Journal of Nutrition</i> , 2019 , 58, 1475-1493	5.2	44
207	Whole grain intakes in Irish adults: findings from the National Adults Nutrition Survey (NANS). <i>European Journal of Nutrition</i> , 2019 , 58, 541-550	5.2	13
206	Comparison of food consumption and nutrient intake assessed with three dietary assessment methods: results of the German National Nutrition Survey II. <i>European Journal of Nutrition</i> , 2019 , 58, 193-210	5.2	11

205	Cross-sectional association of dietary water intakes and sources, and adiposity: National Adult Nutrition Survey, the Republic of Ireland. <i>European Journal of Nutrition</i> , 2019 , 58, 1193-1201	5.2	3
204	Yogurt consumption is associated with higher nutrient intake, diet quality and favourable metabolic profile in children: a cross-sectional analysis using data from years 1-4 of the National diet and Nutrition Survey, UK. <i>European Journal of Nutrition</i> , 2019 , 58, 409-422	5.2	8
203	Dietary intakes of women with Type 1 diabetes before and during pregnancy: a pre-specified secondary subgroup analysis among CONCEPTT participants. 2020 , 37, 1841-1848		8
202	Dietary sources of free sugars in the diet of European children: the IDEFICS Study. <i>European Journal of Nutrition</i> , 2020 , 59, 979-989	5.2	16
201	Diets containing the highest levels of dairy products are associated with greater eutrophication potential but higher nutrient intakes and lower financial cost in the United Kingdom. <i>European Journal of Nutrition</i> , 2020 , 59, 895-908	5.2	2
200	Consumption of a soy drink has no effect on cognitive function but may alleviate vasomotor symptoms in post-menopausal women; a randomised trial. <i>European Journal of Nutrition</i> , 2020 , 59, 755-766	5.2	7
199	Association of free sugar intake with blood pressure and obesity measures in Australian adults. <i>European Journal of Nutrition</i> , 2020 , 59, 651-659	5.2	6
198	Characterizing energy intake misreporting and its effects on intake estimations, in the Portuguese adult population. 2020 , 23, 1031-1040		4
197	Dietary patterns associated with obesity and overweight: When should misreporters be included in analysis?. 2020 , 70, 110605		4
196	Higher fish consumption and lower risk of central nervous system demyelination. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 818-824	5.2	4
195	Long-term Paleolithic diet is associated with lower resistant starch intake, different gut microbiota composition and increased serum TMAO concentrations. <i>European Journal of Nutrition</i> , 2020 , 59, 1845-1858	5.2	3 ¹
194	Dietary intake, food addiction and nutrition knowledge in young people with mental illness. <i>Nutrition and Dietetics</i> , 2020 , 77, 315-322	2.5	9
193	Is there a soft drink vs. alcohol seesaw? A cross-sectional analysis of dietary data in the Australian Health Survey 2011-12. <i>European Journal of Nutrition</i> , 2020 , 59, 2357-2367	5.2	0
192	The EHU12/24 cohort: survey design, instruments and participants. <i>British Journal of Nutrition</i> , 2020 , 123, 347-360	3.6	3
191	An observational analysis of meal patterns in overweight and obese pregnancy: exploring meal pattern behaviours and the association with maternal and fetal health measures. 2020 , 189, 585-594		4
190	Associations among eating behaviour traits, diet quality and food labelling: a mediation model. 2020 , 23, 631-641		3
189	Identifying Usual Food Choice Combinations With Walnuts: Analysis of a 2005-2015 Clinical Trial Cohort of Overweight and Obese Adults. <i>Frontiers in Nutrition</i> , 2020 , 7, 149	6.2	1
188	Dietary Selenium Intakes and Musculoskeletal Function in Very Old Adults: Analysis of the Newcastle 85+ Study. <i>Nutrients</i> , 2020 , 12,	6.7	1

187	Maternal pre-pregnancy overweight and gestational diabetes and dietary intakes among young adult offspring. 2020 , 10, 26		2
186	The Relationships between a Dietary Pattern Linked to Cardiometabolic Risk Factors and Life Satisfaction in Early Adolescence. 2020 , 17,		1
185	Potential Impact of Meat Replacers on Nutrient Quality and Greenhouse Gas Emissions of Diets in Four European Countries. 2020 , 12, 6838		9
184	Keeping our staff in mind: Dietary results of a lifestyle intervention targeting mental health staff. 2021 , 32, 451-457		1
183	Daily Protein and Energy Intake Are Not Associated with Muscle Mass and Physical Function in Healthy Older Individuals-A Cross-Sectional Study. <i>Nutrients</i> , 2020 , 12,	6.7	4
182	The Climate and Nutritional Impact of Beef in Different Dietary Patterns in Denmark. <i>Foods</i> , 2020 , 9,	4.9	7
181	Supplement with whey protein hydrolysate in contrast to carbohydrate supports mitochondrial adaptations in trained runners. 2020 , 17, 46		4
180	Dietary Intake, Nutritional Adequacy and Food Sources of Total Fat and Fatty Acids, and Relationships with Personal and Family Factors in Spanish Children Aged One to . <i>Nutrients</i> , 2020 , 12,	6.7	3
179	Muscle fiber typology is associated with the incidence of overreaching in response to overload training. 2020 , 129, 823-836		11
178	Free Sugar Consumption and Obesity in European Adolescents: The HELENA Study. <i>Nutrients</i> , 2020 , 12,	6.7	5
177	Prevalence of low-energy reporting in the 1930s. 2020 , 79,		
176	Carbohydrates, Starch, Total Sugar, Fiber Intakes and Food Sources in Spanish Children Aged One to . <i>Nutrients</i> , 2020 , 12,	6.7	2
175	Validity and Reproducibility of a Culture-Specific Food Frequency Questionnaire in Lebanon. <i>Nutrients</i> , 2020 , 12,	6.7	4
174	Adherence to the Mediterranean Diet and Chronic Disease in Australia: National Nutrition and Physical Activity Survey Analysis. <i>Nutrients</i> , 2020 , 12,	6.7	14
173	Dietary Intake of Gaelic Football Players during Game Preparation and Recovery. 2020 , 8,		6
172	Sugar-sweetened beverage consumption and association with weight status in Irish children: a cross-sectional study prior to the introduction of a government tax on sugar-sweetened beverages. 2020 , 23, 2234-2244		1
171	Is the timing of food intake a potential indicator of low weight loss responders? A secondary analysis of three weight loss studies. 2020 , 10, e12360		2
170	Total and Free Sugars Consumption in a Slovenian Population Representative Sample. <i>Nutrients</i> , 2020 , 12,	6.7	15

169	Self-reported food intake decreases over recording period in the National Diet and Nutrition Survey. <i>British Journal of Nutrition</i> , 2020 , 124, 586-590	3.6	2
168	Comparison of Structured Nutrition Therapy for Ramadan with Standard Care in Type 2 Diabetes Patients. <i>Nutrients</i> , 2020 , 12,	6.7	2
167	Obesogenic Lifestyle and Its Influence on Adiposity in Children and Adolescents, Evidence from Mexico. <i>Nutrients</i> , 2020 , 12,	6.7	4
166	Diabetes-related nutrition knowledge and dietary adherence in patients with Type 2 diabetes mellitus: A mixed-methods exploratory study. 2020 , 29, 81-90		5
165	Nutrition, Behavior Change and Physical Activity Outcomes From the PEARS RCT-An mHealth-Supported, Lifestyle Intervention Among Pregnant Women With Overweight and Obesity. 2019 , 10, 938		18
164	Traditional Self-Reported Dietary Instruments Are Prone to Inaccuracies and New Approaches Are Needed. <i>Frontiers in Nutrition</i> , 2020 , 7, 90	6.2	29
163	Dietary patterns and cardiovascular disease in Australian adults: Findings from the 2011-12 Australian Health Survey. 2020 , 30, 738-748		2
162	Weekly variation in diet and physical activity among 4-75-year-old Danes. 2020 , 23, 1350-1361		11
161	Comparison of Methods Used to Correct Self-Reported Protein Intake for Systematic Variation in Reported Energy Intake Using Quantitative Biomarkers of Dietary Intake. <i>Journal of Nutrition</i> , 2020 , 150, 1330-1336	4.1	4
160	Maternal Adiposity is Associated with Fat Mass Accretion in Female but not Male Offspring During the First 2 Years of Life. 2020 , 28, 624-630		2
159	Nutrition Knowledge is Correlated with a Better Dietary Intake in Adolescent Soccer Players: A Cross-Sectional Study. 2020 , 2020, 3519781		5
158	Optimism is associated with diet quality, food group consumption and snacking behavior in a general population. 2020 , 19, 6		6
157	Effect of nutritional interventions on discharged older patients: study protocol for a randomized controlled trial. 2020 , 21, 365		4
156	Food cravings: Associations with dietary intake and metabolic health. 2020 , 152, 104711		5
155	Energy Intake, Macronutrient Profile and Food Sources of Spanish Children Aged One to . <i>Nutrients</i> , 2020 , 12,	6.7	13
154	Dietary Patterns Based on Estimated Glomerular Filtration Rate and Kidney Function Decline in the General Population: The Lifelines Cohort Study. <i>Nutrients</i> , 2020 , 12,	6.7	4
153	Polymorphism of CLOCK Gene rs3749474 as a Modulator of the Circadian Evening Carbohydrate Intake Impact on Nutritional Status in an Adult Sample. <i>Nutrients</i> , 2020 , 12,	6.7	2
152	Impact of the occupational environment of a submerged submarine on cardiometabolic health of Royal Navy submariners. 2020 , 77, 368-373		

151	Evaluating Diet Quality of Canadian Adults Using Health Canada's Surveillance Tool Tier System: Findings from the 2015 Canadian Community Health Survey-Nutrition. <i>Nutrients</i> , 2020 , 12,	6.7	3
150	Diet diversity score and healthy eating index in relation to diet quality and socio-demographic factors: results from a cross-sectional national dietary survey of Swedish adolescents. 2020 , 23, 1754-1765		12
149	Preoccupation with Body Weight and Under-Reporting of Energy Intake in Female Japanese Nutrition Students. <i>Nutrients</i> , 2020 , 12,	6.7	6
148	A new measure of health motivation influencing food choices and its association with food intakes and nutritional biomarkers in European adolescents. 2020 , 1-11		1
147	Dietary total antioxidant capacity during pregnancy and birth outcomes. <i>European Journal of Nutrition</i> , 2021 , 60, 357-367	5.2	4
146	Meat and mental health: a systematic review of meat abstinence and depression, anxiety, and related phenomena. 2021 , 61, 622-635		15
145	Dietary fibre intake and its association with inflammatory markers in adolescents. <i>British Journal of Nutrition</i> , 2021 , 125, 329-336	3.6	4
144	Higher Levels of Physical Activity Are Associated with Greater Fruit and Vegetable intake in Older Adults. 2021 , 25, 230-241		2
143	Under-reporting of the energy intake in patients with type 2 diabetes. <i>Journal of Human Nutrition and Dietetics</i> , 2021 , 34, 73-80	3.1	1
142	Aflatoxins in maize dough and dietary exposure in rural populations of Togo. 2021 , 121, 107673		6
141	Higher egg consumption associated with increased risk of diabetes in Chinese adults - China Health and Nutrition Survey. <i>British Journal of Nutrition</i> , 2021 , 126, 110-117	3.6	8
140	Outcomes of a nutrition service provided by dietitians at a major multi-cultural competition event: An observational study. <i>Nutrition and Dietetics</i> , 2021 , 78, 183-191	2.5	0
139	Relationship between intake and plasma concentrations of vitamin B12 and folate in 873 adults with a physically active lifestyle: a cross-sectional study. <i>Journal of Human Nutrition and Dietetics</i> , 2021 , 34, 324-333	3.1	2
138	Improving health and carbon footprints of European diets using a benchmarking approach. 2021 , 24, 565-575		8
137	Eating Timing: Associations with Dietary Intake and Metabolic Health. 2021 , 121, 738-748		7
136	Assessment of Dietary Intake Using Food Photography and Video Recording in Free-Living Young Adults: A Comparative Study. 2021 , 121, 749-761.e1		4
135	Validation and calibration of the Eating Assessment in Toddlers FFQ (EAT FFQ) for children, used in the Growing Up Milk - Lite (GUMLi) randomised controlled trial. <i>British Journal of Nutrition</i> , 2021 , 125, 183-193	3.6	2
134	Dietary fibre intake and its associations with depressive symptoms in a prospective adolescent cohort. <i>British Journal of Nutrition</i> , 2021 , 125, 1166-1176	3.6	1

133	Association between body mass index and macronutrients differs along the body mass index range of German adults: results from the German National Nutrition Survey II. 2021 , 10, e8		0
132	Dietary Intake of Fatty Acids in the Slovenian Population. <i>Nutrients</i> , 2021 , 13,	6.7	4
131	Unbalanced intakes of sodium and potassium among Tunisian adults: A cross-sectional study. 2021 , 9, 2234-2246		1
130	Methodological issues in assessing change in dietary intake and appetite following gastric bypass surgery: A systematic review. 2021 , 22, e13202		5
129	Conducting research on diet-microbiome interactions: A review of current challenges, essential methodological principles, and recommendations for best practice in study design. <i>Journal of Human Nutrition and Dietetics</i> , 2021 , 34, 631-644	3.1	3
128	Defining whole-grain foods - does it change estimations of intakes and associations with CVD risk factors: an Australian and Swedish perspective. <i>British Journal of Nutrition</i> , 2021 , 126, 1725-1736	3.6	3
127	Reproducibility and validity of a food-frequency questionnaire (NFFQ) to assess food consumption based on the NOVA classification in adults. 2021 , 72, 861-869		5
126	The Association between Portion Sizes from High-Energy-Dense Foods and Body Composition in European Adolescents: The HELENA Study. <i>Nutrients</i> , 2021 , 13,	6.7	3
125	Intra-Individual Variation and Reliability of Biomarkers of the Antioxidant Defense System by Considering Dietary and Lifestyle Factors in Premenopausal Women. 2021 , 10,		0
124	Comparing Lab-Measured and Surveyed Bread Waste Data: A Possible Hybrid Approach to Correct the Underestimation of Household Food Waste Self-Assessment Surveys. 2021 , 13, 3472		0
123	Prevalence of low protein intake in 80+-year-old community-dwelling adults and association with dietary patterns and modifiable risk factors: a cross-sectional study. <i>British Journal of Nutrition</i> , 2021 , 1-12	3.6	1
122	Energy, Macronutrients, Dietary Fibre and Salt Intakes in Older Adults in Ireland: Key Sources and Compliance with Recommendations. <i>Nutrients</i> , 2021 , 13,	6.7	3
121	Relationship between the quality of the pregnant woman's diet and birth weight: a prospective cohort study. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 1819-1828	5.2	2
120	Respondent Characteristics and Dietary Intake Data Collected Using Web-Based and Traditional Nutrition Surveillance Approaches: Comparison and Usability Study. 2021 , 7, e22759		2
119	Unveiling the Correlation between Inadequate Energy/Macronutrient Intake and Clinical Alterations in Volunteers at Risk of Metabolic Syndrome by a Predictive Model. <i>Nutrients</i> , 2021 , 13,	6.7	0
118	Eggs, dietary cholesterol, choline, betaine, and diabetes risk in the Women's Health Initiative: a prospective analysis. 2021 , 114, 368-377		1
117	Retrospectively Estimating Energy Intake and Misreporting From a Qualitative Food Frequency Questionnaire: An Example Using Australian Cohort and National Survey Data. <i>Frontiers in Nutrition</i> , 2021 , 8, 624305	6.2	2
116	PUTRA-Adol study: protocol for an observational follow-up study to assess the tracking of dietary patterns linked to cardiometabolic risk factors and its prospective relationship with non-alcoholic fatty liver disease, carotid intima-medial thickness and mental well-being during adolescence in Malaysia. 2021 , 11, e044747		

115	The Contribution of Foods Prepared Outside the Home to the Diets of 18- to 30-Year-Old Australians: The MYMeals Study. <i>Nutrients</i> , 2021 , 13,	6.7	1
114	Adherence to cancer prevention recommendations is associated with a lower breast cancer risk in black urban South African women. <i>British Journal of Nutrition</i> , 2021 , 1-12	3.6	3
113	Maternal Factors and Their Association with Patterns of Beverage Intake in Mexican Children and Adolescents. 2021 , 8,		
112	The effect of different methods to identify, and scenarios used to address energy intake misestimation on dietary patterns derived by cluster analysis. 2021 , 20, 42		0
111	Risk of Iron Overload in Obesity and Implications in Metabolic Health. <i>Nutrients</i> , 2021 , 13,	6.7	4
110	Evaluation of non-invasive arterial stiffness parameters and their relationship with physical activity, anthropometric indices and lipid profiles in healthy middle-aged adults: Results of the PERSIAN cohort study. 2021 , 75, e14275		1
109	The PERSONalized Glucose Optimization Through Nutritional Intervention (PERSON) Study: Rationale, Design and Preliminary Screening Results. <i>Frontiers in Nutrition</i> , 2021 , 8, 694568	6.2	4
108	Body weight status and dietary intake of Malaysian children with Autism Spectrum Disorder. 2021 , 84, 101768		1
107	Personalised nutrition advice reduces intake of discretionary foods and beverages: findings from the Food4Me randomised controlled trial. 2021 , 18, 70		5
106	Dietary patterns related to zinc and polyunsaturated fatty acids intake are associated with serum linoleic/dihomo- Δ linolenic ratio in NHANES males and females. 2021 , 11, 12215		2
105	Nutritional quality and carbon footprint of university students' diets: results from the EHU12/24 study. 2021 , 1-13		1
104	The Diet Quality and Nutrition Inadequacy of Pre-Frail Older Adults in New Zealand. <i>Nutrients</i> , 2021 , 13,	6.7	3
103	Misreporting of dietary energy intake obtained by 24 h recalls in older adults: a comparison of five previous methods using doubly labeled water. <i>European Journal of Clinical Nutrition</i> , 2021 ,	5.2	
102	Feasibility and Acceptability of Photographic Food Record, Food Diary and Weighed Food Record in People with Serious Mental Illness. <i>Nutrients</i> , 2021 , 13,	6.7	1
101	Overview of dietary assessment methods for measuring intakes of foods, beverages, and dietary supplements in research studies. 2021 , 70, 91-96		4
100	Pulses Twice a Week in Replacement of Meat Modestly Increases Diet Sustainability. <i>Nutrients</i> , 2021 , 13,	6.7	0
99	The LEAF questionnaire is a good screening tool for the identification of the Female Athlete Triad/Relative Energy Deficiency in Sport among young football players. 2021 , 9, e12118		2
98	Dietary Intake and Energy Expenditure in Breast Cancer Survivors: A Review. <i>Nutrients</i> , 2021 , 13,	6.7	0

97	The enriched home environment and dietary intake are related to percent overBMI in children. 2021 , 23, 101440	
96	Associations of Nutrient Intake Changes During Childhood with Adolescent Hepatic Fat: The Exploring Perinatal Outcomes Among Children Study. 2021 , 237, 50-58.e3	2
95	A better quality of maternal dietary fat reduces the chance of large-for-gestational-age infants: A prospective cohort study. 2021 , 91-92, 111367	0
94	Dietary Patterns, Blood Pressure and the Glycemic and Lipidemic Profile of Two Teenage, European Populations. <i>Nutrients</i> , 2021 , 13,	6.7 2
93	Transdermal Estrogen Therapy Improves Gains in Skeletal Muscle Mass After 12 Weeks of Resistance Training in Early Postmenopausal Women. 2020 , 11, 596130	4
92	Nutritional Epidemiology. 2014 , 1659-1703	2
91	Fruit and Vegetable Consumption and Bone Health: Is There a Link?. 1998 , 199-207	3
90	Beverages, Appetite, and Energy Balance. 2004 , 261-278	1
89	Nutritional Epidemiology. 2006 , 39-63	6
88	Nutritional Epidemiology. 2005 , 999-1042	1
87	Depressive and anxiety symptoms and following of the Dutch Dietary Guidelines 2015 in adults with diabetes: Results from Diabetes MILES-The Netherlands. 2020 , 135, 110160	3
86	Zinc intake and status in Austria in the light of different reference values. 2017 , 87, 169-178	0
85	Fat intake and food choices during weight reduction with diet, behavioural modification and a lipase inhibitor. 2000 , 247, 607-14	20
84	Fruit juice consumption and the prevalence of obesity and short stature in german preschool children: results of the DONALD Study. Dortmund Nutritional and Anthropometrical Longitudinally Designed. 1999 , 29, 343-9	54
83	Cumulative Effect of Obesogenic Behaviours on Adiposity in Spanish Children and Adolescents. 2017 , 10, 584-596	6
82	Circadian rhythm and its association with birth and infant outcomes: research protocol of a prospective cohort study. 2020 , 20, 96	6
81	Strengthening the Reporting of Observational Studies in Epidemiology-Nutritional Epidemiology (STROBE-nut): An Extension of the STROBE Statement. 2016 , 13, e1002036	150
80	Dietary determinants of changes in waist circumference adjusted for body mass index - a proxy measure of visceral adiposity. 2010 , 5, e11588	76

79	Dietary glycemic load and glycemic index and risk of coronary heart disease and stroke in Dutch men and women: the EPIC-MORGEN study. 2011 , 6, e25955	52
78	Dietary fiber, carbohydrate quality and quantity, and mortality risk of individuals with diabetes mellitus. 2012 , 7, e43127	65
77	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. 2013 , 8, e57300	54
76	Determinants of vitamin D status in fair-skinned women of childbearing age at northern latitudes. 2013 , 8, e60864	21
75	Monetary Diet Cost, Diet Quality, and Parental Socioeconomic Status in Spanish Youth. 2016 , 11, e0161422	16
74	Vitamin D status is inversely associated with markers of risk for type 2 diabetes: A population based study in Victoria, Australia. 2017 , 12, e0178825	22
73	Government Dietary Guidelines: Uncertain Science Leads to Questionable Public Health Policy.	3
72	Relationship Between the Consumption of Milk-Based Oils Including Butter and Kermanshah Ghee with Metabolic Syndrome: Ravansar Non-Communicable Disease Cohort Study. 2020 , 13, 1519-1530	3
71	Online dietary intake estimation: the Food4Me food frequency questionnaire. 2014 , 16, e150	88
70	Online dietary intake estimation: reproducibility and validity of the Food4Me food frequency questionnaire against a 4-day weighed food record. 2014 , 16, e190	112
69	National Food, Nutrition, and Physical Activity Survey of the Portuguese General Population (2015-2016): Protocol for Design and Development. 2018 , 7, e42	42
68	Examining the Frequency and Contribution of Foods Eaten Away From Home in the Diets of 18- to 30-Year-Old Australians Using Smartphone Dietary Assessment (MYMeals): Protocol for a Cross-Sectional Study. 2018 , 7, e24	17
67	Adherence to the Nordic Nutrition Recommendations in a Nordic population with metabolic syndrome: high salt consumption and low dietary fibre intake (The SYSDIET study). 2013 , 57,	13
66	Association between dietary iron, iron stores, and serum lipid profile in reproductive age women. 2014 , 3, 15	9
65	A lifestyle pattern during adolescence is associated with cardiovascular risk markers in young adults: results from the DONALD cohort study. 2021 , 10, e92	3
64	The effect of consuming voluntarily fortified food and beverages on usual nutrient intakes in the Canadian population. 2021 , 65,	
63	Study of Food Intake and Physical Activity Patterns in the Working Population of the Uruguayan State Electrical Company (UTE): Design, Protocol and Methodology. <i>Nutrients</i> , 2021 , 13,	6.7
62	Nutrient Data Analysis Techniques and Strategies. 2001 ,	

61	ENERGY Intake and Energy Requirements. 2003 , 2091-2098		
60	Measuring Energy Intake in Alcohol Drinkers. 2003 , 201-217		
59	Biomarkers for Nutrient-Gene Interactions. 2006 , 37-55		
58	Dietary Intake Assessment. 2007 , 493-494		
57	Zum Zusammenhang von berichteter Nahrungsaufnahme und ADHS-Symptomen bei Jungen. 2008 , 16, 196-200		
56	Prescription difficile. 2011 , 101-115		
55	Macronutrients and Pregnancy. 100-125		
54	Stable isotopes in nutritional science and the study of energy metabolism. 1999 , 43, 56-62		
53	De voedingsanamnese [Methoden voor voedselconsumptieonderzoek van bevolkingsgroepen en individuen. 2015 , 17-53		0
52	Inadequate Intake of Dietary Fibre in Adolescents, Adults, and Elderlies: Results of Slovenian Representative SI. Menu Study. <i>Nutrients</i> , 2021 , 13,	6.7	3
51	Carbohydrate Taste Is Associated with Food Intake and Body Mass in Healthy Australian Adults. <i>Nutrients</i> , 2021 , 13,	6.7	0
50	Food intake reporting bias among adolescents with depression. <i>European Journal of Clinical Nutrition</i> , 2021 ,	5.2	1
49	Mechanisms of obesity in children and adults with phenylketonuria on contemporary treatment. 2021 , 46, 539-543		0
48	Hungarian national food consumption survey on adults. 2020 , 17, 1981E		1
47	Hungarian national food consumption survey on toddlers and other children. 2020 , 17, 1982E		1
46	The Association of Potassium Status with Parameters of Glucose Metabolism is influenced by Age in Adults. 2020 , 20, 788-796		
45	Estimating Energy Requirements. 2008 , 279-286		
44	Can dietary assessment in general practice target patients with unhealthy diets?. 2000 , 50, 43-5		7

43	Under- and overreporting of energy in a group of candidates for CABG surgery and its association with some anthropometric and sociodemographic factors, Tehran, Iran. 2008 , 4, 1115-20		2
42	Diet and obesity among Chamorro and Filipino adults on Guam. 2008 , 17, 216-22		27
41	Energy regulation in young people. 2007 , 6, 327-36		6
40	Nutritional practices of national female soccer players: analysis and recommendations. 2006 , 5, 130-7		22
39	Fluids Intake and Beverage Consumption Pattern among University Students. 2011 , 1, 54-61		3
38	Validity of energy intake reports in relation to dietary patterns. 2014 , 32, 36-45		12
37	Nutritional status, glycemic control and its associated risk factors among a sample of type 2 diabetic individuals, a pilot study. 2015 , 20, 40-6		12
36	Dietary quality maintained among overweight Brazilian women enrolled in a primary healthcare service. 2014 , 32, 608-14		
35	A proinflammatory diet is associated with an increased likelihood of first clinical diagnosis of central nervous system demyelination in women. <i>Multiple Sclerosis and Related Disorders</i> , 2021 , 57, 1034-8		1
34	Diet Quality of Australian Children and Adolescents on Weekdays versus Weekend Days: A Secondary Analysis of the National Nutrition and Physical Activity Survey 2011-2012. <i>Nutrients</i> , 2021 , 13,	6.7	0
33	Prospective Associations of Sugar-Sweetened Beverage Consumption During Adolescence with Body Composition and Bone Mass at Early Adulthood. <i>Journal of Nutrition</i> , 2021 ,	4.1	
32	Adherence to the South African Food Based Dietary Guidelines may reduce breast cancer risk in black South African women: The SABC study. 2021 , 1-39		
31	Impact of high energy oral nutritional supplements consumed in the late afternoon on appetite, energy intake and cardio-metabolic risk factors in females with lower BMI. <i>European Journal of Clinical Nutrition</i> , 2021 ,	5.2	0
30	Diet Inflammatory Index and Dementia Incidence: A Population-Based Study. 2021 ,		9
29	Dietary intake patterns, nutrient adequacy and associated factors in a multi-ethnic Caribbean population.. 2022 , 2601060211070907		0
28	Childhood nutrient intakes are differentially associated with hepatic and abdominal fats in adolescence: The EPOCH study.. 2022 , 30, 460-471		
27	Vitamin D status and associations with diet, objectively measured physical activity patterns and background characteristics among adolescents in a representative national cross-sectional survey.. 2022 , 1-28		0
26	Preliminary environmental analyses of Irish adult food consumption data to facilitate a transition to sustainable diets. 2022 , 81,		

25	Diet quality scores associated with improved cardiometabolic measures among African American adolescents.. 2021 ,		0
24	An Evaluation of Probability of Adequate Nutrient Intake (PANDiet) Scores as a Diet Quality Metric in Irish National Food Consumption Data.. <i>Nutrients</i> , 2022 , 14,	6.7	
23	Ultra-processed food consumption and kidney function decline in a population-based cohort in the Netherlands.. 2022 ,		0
22	Today's Mediterranean Diet in Greece: Findings from the National Health and Nutrition Survey-HYDRIA (2013-2014).. <i>Nutrients</i> , 2022 , 14,	6.7	2
21	Optimal design of clinical trials of dietary interventions in disorders of gut-brain interaction.. <i>American Journal of Gastroenterology</i> , 2022 ,	0.7	0
20	Adherence to the Dutch healthy diet index and change in glycemic control and cardiometabolic markers in people with type 2 diabetes.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	
19	Self-Reported Olfactory Dysfunction and Diet Quality: Findings from the 2011-2014 National Health and Nutrition Examination Survey (NHANES).. <i>Nutrients</i> , 2021 , 13,	6.7	0
18	Dietary Intake of Individual (Intrinsic and Added) Sugars and Food Sources from Spanish Children Aged One to <10 Years-Results from the EsNuPI Study.. <i>Nutrients</i> , 2022 , 14,	6.7	0
17	Table_1.pdf. 2020 ,		
16	Data_Sheet_1.PDF. 2019 ,		
15	Table_1.DOCX. 2018 ,		
14	OUP accepted manuscript. <i>Chemical Senses</i> ,	4.8	
13	Associations Between Adherence to a Dietary Index Based on the EAT-Lancet Reference Diet with Nutritional, Anthropometric and Ecological Sustainability Parameters: Results From the German DONALD Cohort Study.. <i>Journal of Nutrition</i> , 2022 ,	4.1	2
12	A healthy lifestyle during adolescence was inversely associated with fatty liver indices in early adulthood - findings from the DONALD cohort study.. <i>British Journal of Nutrition</i> , 2022 , 1-23	3.6	0
11	Relative validity and reproducibility of the CyFFQ semi-quantitative Food Frequency Questionnaire for assessing dietary intake in Cypriot adults.. <i>Journal of Human Nutrition and Dietetics</i> , 2022 ,	3.1	1
10	Effect of different food groups on energy intake within and between individuals. <i>European Journal of Nutrition</i> ,	5.2	0
9	Associations between diet quality and depression, anxiety, and fatigue in multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2022 , 63, 103910	4	0
8	Mastery Is Associated With Weight Status, Food Intake, Snacking, and Eating Disorder Symptoms in the NutriNet-Sant Cohort Study. <i>Frontiers in Nutrition</i> , 2022 , 9,	6.2	0

7	Carbohydrate quantity is more closely associated with glycaemic control than weight in pregnant women with type 1 diabetes; insights from the Diabetes and Pre-eclampsia Intervention Trial (DAPIT). <i>Journal of Human Nutrition and Dietetics</i> ,	3.1	0
6	Underreporting of Energy Intake Increases over Pregnancy: An Intensive Longitudinal Study of Women with Overweight and Obesity. <i>Nutrients</i> , 2022 , 14, 2326	6.7	
5	Patterns of discretionary food intake among Australian children and their association with socio-demographic, lifestyle, and adiposity measures. <i>Nutrition and Dietetics</i> ,	2.5	1
4	Utilising a Real-Time Continuous Glucose Monitor as Part of a Low Glycaemic Index and Load Diet and Determining Its Effect on Improving Dietary Intake, Body Composition and Metabolic Parameters of Overweight and Obese Young Adults: A Randomised Controlled Trial. <i>Foods</i> , 2022 , 11, 1754	4.9	
3	Eating frequency has an inverse correlation with adiposity measures and non-invasive arterial stiffness parameters in healthy adult people. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2022 ,	1.4	
2	Prospective dietary polyunsaturated fatty acid intake is associated with trajectories of fatty liver disease: an 8-year follow-up study from adolescence to young adulthood. <i>European Journal of Nutrition</i> ,	5.2	0
1	Adequacy of calcium and vitamin D nutritional status in a nationally representative sample of Irish teenagers aged 13-18 years. <i>European Journal of Nutrition</i> ,	5.2	0