Chronic graft-versus-host disease and other late complete transplantation

Seminars in Hematology 28, 250-9

Citation Report

#	Article	IF	CITATIONS
1	Bone marrow transplantation in sickle cell anaemia. Blood Reviews, 1993, 7, 1-3.	2.8	17
2	Bone Marrow Transplantation for Aplastic Anemia. Cell Transplantation, 1993, 2, 365-379.	1.2	26
3	Bone marrow and hemopoietic stem cell transplantation. Acta Chirurgica Austriaca, 1994, 26, 34-42.	0.2	0
4	Quality of life in adult bone marrow transplant patients: Beyond the first year. Seminars in Oncology Nursing, 1994, 10, 42-57.	0.7	38
5	Quality of life of 125 adults surviving 6–18 years after bone marrow transplantation. Social Science and Medicine, 1995, 40, 479-490.	1.8	176
6	BONE MARROW TRANSPLANTATION FOR HEMATOLOGIC MALIGNANCIES AND CANCER. Immunology and Allergy Clinics of North America, 1996, 16, 393-427.	0.7	3
7	Immunomodulation in allogeneic marrow transplantation: use of intravenous immune globulin to suppress acute graft- <i>versus</i> -host disease. Clinical and Experimental Immunology, 2019, 104, 43-48.	1.1	17
8	Pulmonary Complications of Bone Marrow Transplantation. Chest, 1996, 109, 1066-1077.	0.4	330
9	Late infections following allogeneic bone marrow transplantation: Suggested strategies for prophylaxis. Leukemia and Lymphoma, 1997, 26, 1-15.	0.6	31
10	BONE MARROW TRANSPLANTATION FOR PEDIATRIC MALIGNANCIES. Pediatric Clinics of North America, 1997, 44, 1005-1020.	0.9	25
11	Umbilical cord blood stem cells: Application for the treatment of patients with hemoglobinopathies. Journal of Pediatrics, 1997, 130, 695-703.	0.9	35
12	Transplantation of Marrow Cells From Unrelated Donors for Treatment of High-Risk Acute Leukemia: The Effect of Leukemic Burden, Donor HLA-Matching, and Marrow Cell Dose. Blood, 1997, 89, 4226-4235.	0.6	358
13	Marrow Transplants From Unrelated Donors for Treatment of Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. Blood, 1997, 90, 1410-1414.	0.6	126
14	Hematopoietic stem cell transplants from unrelated donors. Immunological Reviews, 1997, 157, 141-151.	2.8	99
15	Late complications after bone marrow transplantation in children and adolescents. Current Problems in Pediatrics, 1998, 28, 277-297.	1.1	47
16	Treatment of oral chronic graft-versus-host disease with PUVA therapy. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 1998, 86, 183-187.	1.6	34
17	Oral beclomethasone dipropionate for treatment of intestinal graft-versus-host disease: A randomized, controlled trial. Gastroenterology, 1998, 115, 28-35.	0.6	81
18	Hematopoietic Stem Cell Transplantation. , 1998, , 1062-1070.		0

TION RE

#	Article	IF	CITATIONS
19	Bone Marrow Transplants from Unrelated Donors for Patients with Chronic Myeloid Leukemia. New England Journal of Medicine, 1998, 338, 962-968.	13.9	602
20	T-Cell–Depleted Allogeneic Bone Marrow Transplantation as Postremission Therapy for Acute Myelogenous Leukemia: Freedom From Relapse in the Absence of Graft-Versus-Host Disease. Blood, 1998, 91, 1083-1090.	0.6	217
21	Update on Psychosocial Research on Leukaemia for Social Work Practitioners. Social Work in Health Care, 1999, 29, 1-20.	0.8	28
22	Opportunistic infections after blood and marrow transplantation. Transplant Infectious Disease, 1999, 1, 3-20.	0.7	62
23	New directions in leukaemia research: A focus on psychosocial issues from a consumers perspective. Australian Social Work, 1999, 52, 39-46.	0.7	11
24	CHOLESTASIS AFTER HEMATOPOIETIC CELL TRANSPLANTATION. Clinics in Liver Disease, 1999, 3, 651-668.	1.0	20
25	PATHOPHYSIOLOGY AND TREATMENT OF GRAFT-VERSUS-HOST DISEASE. Hematology/Oncology Clinics of North America, 1999, 13, 1091-1112.	0.9	168
26	Bone Marrow Transplantation for Sickle Cell Disease. Journal of Pediatric Hematology/Oncology, 1999, 21, 467-474.	0.3	36
27	Dose-reduced conditioning for allogeneic blood stem cell transplantation: durable engraftment without antithymocyte globulin. Bone Marrow Transplantation, 2000, 26, 119-125.	1.3	73
28	Prolonged fluconazole prophylaxis is associated with persistent protection against candidiasis-related death in allogeneic marrow transplant recipients: long-term follow-up of a randomized, placebo-controlled trial. Blood, 2000, 96, 2055-2061.	0.6	480
29	Late Effects of Hematopoietic Stem Cell Transplantation. Hematology, 2000, 5, 209-222.	0.7	3
30	Additional Stem Cell Therapy for Graft Failure after Allogeneic Bone Marrow Transplantation. Acta Haematologica, 2000, 104, 185-192.	0.7	25
31	HLA matching in hematopoietic cell transplantation. Human Immunology, 2000, 61, 92-100.	1.2	32
32	Changes in the Periodontal Status of Patients Undergoing Bone Marrow Transplantation. Journal of Periodontology, 2000, 71, 394-402.	1.7	19
33	Guidelines for preventing opportunistic infections among hematopoietic stem cell transplant recipients. Cytotherapy, 2001, 3, 41-54.	0.3	74
34	CASTROINTESTINAL INFECTIONS IN THE IMMUNOCOMPROMISED HOST. Infectious Disease Clinics of North America, 2001, 15, 639-670.	1.9	15
35	Preventing Opportunistic Infections After Hematopoietic Stem Cell Transplantation: The Centers for Disease Control and Prevention, Infectious Diseases Society of America, and American Society for Blood and Marrow Transplantation Practice Guidelines and Beyond. Hematology American Society of Hematology Education Program, 2001, 2001, 392-421.	0.9	123
36	Adhesion of MNC to extracellular matrix proteins following in vitro photochemotherapy. Cytotherapy, 2001, 3, 31-36.	0.3	Ο

#	Article	IF	CITATIONS
37	NONMYELOABLATIVE TRANSPLATATION IN CHILDREN. Hematology/Oncology Clinics of North America, 2001, 15, 809-834.	0.9	10
38	Hematopoietic cell transplantation in older patients with hematologic malignancies: replacing high-dose cytotoxic therapy with graft-versus-tumor effects. Blood, 2001, 97, 3390-3400.	0.6	1,306
39	How I treat chronic graft-versus-host disease. Blood, 2001, 97, 1196-1201.	0.6	232
40	Granulocyte–colony-stimulating factor (G-CSF)–primed allogeneic bone marrow: significantly less graft-versus-host disease and comparable engraftment to G-CSF–mobilized peripheral blood stem cells. Blood, 2001, 98, 3186-3191.	0.6	167
41	Health and functional status of adult recipients 1 year after allogeneic haematopoietic stem cell transplantation. British Journal of Haematology, 2001, 113, 194-201.	1.2	50
42	New therapeutic modalities in the treatment of graft-versus-host disease. Critical Reviews in Oncology/Hematology, 2001, 38, 129-138.	2.0	19
43	Rehabilitation following bone marrow transplantation. Cancer, 2001, 92, 998-1007.	2.0	34
44	A multicenter, randomized, double-blind comparison of different doses of intravenous immunoglobulin for prevention of graft-versus-host disease and infection after allogeneic bone marrow transplantation. Bone Marrow Transplantation, 2001, 28, 187-196.	1.3	76
45	Chronic graft-versus-host disease: clinical manifestation and therapy. Bone Marrow Transplantation, 2001, 28, 121-129.	1.3	219
46	Bronchiolitis obliterans and other late onset non-infectious pulmonary complications in hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2001, 28, 425-434.	1.3	264
47	Fludarabine and melphalan-based conditioning for patients with advanced hematological malignancies relapsing after a previous hematopoietic stem cell transplant. Bone Marrow Transplantation, 2001, 28, 557-562.	1.3	34
48	Clinical importance of confirming or excluding the diagnosis of chronic graft-versus-host disease. Bone Marrow Transplantation, 2001, 28, 1047-1051.	1.3	51
49	Low-intensity conditioning is sufficient to ensure engraftment in matched unrelated bone marrow transplantation. Experimental Hematology, 2001, 29, 362-370.	0.2	93
50	Stem Cell Transplantation for Sickle Cell Disease: Can We Reduce the Toxicity?. Fetal and Pediatric Pathology, 2001, 20, 73-86.	0.3	5
51	Busulfan plus cyclophosphamide compared with total-body irradiation plus cyclophosphamide before marrow transplantation for myeloid leukemia: long-term follow-up of 4 randomized studies. Blood, 2001, 98, 3569-3574.	0.6	252
52	Clinical Grading in Chronic Graft-Versus-Host Disease: Is it Time for Change?. Leukemia and Lymphoma, 2002, 43, 1211-1220.	0.6	13
53	Allogeneic related donor hematopoietic stem cell transplantation for treatment of chronic lymphocytic leukemia. Bone Marrow Transplantation, 2002, 29, 817-823.	1.3	85
54	Ethical considerations on preimplantation genetic diagnosis for HLA typing to match a future child as a donor of haematopoietic stem cells to a sibling. Human Reproduction, 2002, 17, 534-538.	0.4	110

#	Article	IF	CITATIONS
55	Stem Cell Transplantation: Supportive Care and Long-Term Complications. Hematology American Society of Hematology Education Program, 2002, 2002, 422-444.	0.9	68
56	Chronic graft-versus-host disease after allogeneic blood stem cell transplantation: long-term results of a randomized study. Blood, 2002, 100, 3128-3134.	0.6	174
57	Allogeneic blood cell transplantation following reduced-intensity conditioning is effective therapy for older patients with myelofibrosis with myeloid metaplasia. Blood, 2002, 99, 2255-2258.	0.6	148
58	Invasive aspergillosis in allogeneic stem cell transplant recipients: changes in epidemiology and risk factors. Blood, 2002, 100, 4358-4366.	0.6	911
59	Direct evidence for new T-cell generation by patients after either T-cell–depleted or unmodified allogeneic hematopoietic stem cell transplantations. Blood, 2002, 100, 2235-2242.	0.6	156
60	Supplemental peripheral blood stem cells to decrease marrow rejection in adult patients with severe aplastic anemia. American Journal of Hematology, 2002, 69, 15-22.	2.0	14
61	High prevalence of endocrine dysfunction in long-term survivors after allogeneic bone marrow transplantation for hematologic diseases. Cancer, 2002, 95, 1076-1084.	2.0	155
62	Stem Cell Transplantation for Aplastic Anemia. International Journal of Hematology, 2002, 75, 141-146.	0.7	21
63	Chronic graft-versus-host disease and late effects after hematopoietic stem cell transplantation. International Journal of Hematology, 2002, 76, 15-28.	0.7	49
64	Extracorporeal Photochemotherapy for the Treatment of Graft-Versus-Host Disease. Therapeutic Apheresis and Dialysis, 2002, 6, 296-304.	0.4	117
65	CD34+ -enriched peripheral blood progenitor cells from unrelated donors for allografting of adult patients: high risk of graft failure, infection and relapse despite donor lymphocyte add-back. British Journal of Haematology, 2002, 118, 1095-1103.	1.2	24
66	Hepatitis B virus reactivation with clinical flare in allogeneic stem cell transplants with chronic graft-versus-host disease. Bone Marrow Transplantation, 2002, 30, 189-194.	1.3	87
67	Flow cytometric findings in platelets of patients following allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2002, 30, 381-387.	1.3	19
68	Chimerism and minimal residual disease monitoring after reduced intensity conditioning (RIC) allogeneic transplantation. Leukemia, 2002, 16, 1423-1431.	3.3	103
69	Beneficial treatment with risedronate in long-term survivors after allogeneic stem cell transplantation for hematological malignancies. Osteoporosis International, 2003, 14, 1013-1019.	1.3	52
70	Allogeneic hematopoietic cell transplantation for paroxysmal nocturnal hemoglobinuria. European Journal of Haematology, 2003, 71, 114-118.	1.1	24
71	Bone marrow as stem cell source for allogeneic HLA-identical sibling transplantation following reduced-intensity preparative regimen. Experimental Hematology, 2003, 31, 873-880.	0.2	20
72	Steroid-refractory graft-vshost disease: past, present and future. Pediatric Transplantation, 2003, 7, 19-31.	0.5	26

#	Article	IF	CITATIONS
73	Nonmyeloablative stem cell transplantation with fludarabine and cyclophosphamide for patients with hematologic malignancies. International Journal of Laboratory Hematology, 2003, 25, 383-391.	0.2	3
74	Follow-up of patients with progressive multiple myeloma undergoing allografts after reduced-intensity conditioning. British Journal of Haematology, 2003, 121, 411-418.	1.2	100
75	Extracorporeal photochemotherapy for paediatric patients with graft-versus-host disease after haematopoietic stem cell transplantation. British Journal of Haematology, 2003, 122, 118-127.	1.2	174
76	Graft-versus-host disease (GVHD)-specific survival and duration of systemic immunosuppressive treatment in patients who developed chronic GVHD following allogeneic haematopoietic cell transplantation. British Journal of Haematology, 2003, 122, 637-644.	1.2	21
77	Caregiver and patient marital satisfaction and affect following hematopoietic stem cell transplantation: a prospective, longitudinal investigation. Psycho-Oncology, 2003, 12, 239-253.	1.0	109
78	Graft-versus-leukaemia effect in children: chronic GVHD has a significant impact on relapse and survival. Bone Marrow Transplantation, 2003, 31, 175-181.	1.3	61
79	Allogeneic bone marrow transplantation for acute myeloblastic leukaemia in remission: risk factors for long-term morbidity and mortality. Bone Marrow Transplantation, 2003, 31, 877-887.	1.3	28
80	High complete response rate after allogeneic hematopoietic stem cell transplantation with reduced-intensity conditioning regimens in advanced malignant lymphoma. Bone Marrow Transplantation, 2003, 32, 131-137.	1.3	22
81	Allogeneic bone marrow transplantation for chronic myeloid leukemia in childhood: a report from the Société Fran§aise de Greffe de Moelle et de Thérapie Cellulaire (SFGM-TC). Bone Marrow Transplantation, 2003, 32, 993-999.	1.3	33
82	Late hemorrhagic cystitis after reduced-intensity hematopoietic stem cell transplantation (RIST). Bone Marrow Transplantation, 2003, 32, 1089-1095.	1.3	30
83	Higher doses of CD34+ peripheral blood stem cells are associated with increased mortality from chronic graft-versus-host disease after allogeneic HLA-identical sibling transplantation. Leukemia, 2003, 17, 869-875.	3.3	124
84	Infectious complications following allogeneic HLA-identical sibling transplantation with antithymocyte globulin-based reduced intensity preparative regimen. Leukemia, 2003, 17, 2168-2177.	3.3	111
85	Chronic graft-versus-host disease. Biology of Blood and Marrow Transplantation, 2003, 9, 215-233.	2.0	801
86	Predictive factors for outcome of allogeneic hematopoietic cell transplantation for adult acute lymphoblastic leukemia. Biology of Blood and Marrow Transplantation, 2003, 9, 472-481.	2.0	75
87	Renal pathology at autopsy in patients who died after hematopoietic stem cell transplantation. Biology of Blood and Marrow Transplantation, 2003, 9, 683-688.	2.0	52
88	Hematopoietic cell transplantation from related and unrelated donors after minimal conditioning as a curative treatment modality for severe paroxysmal nocturnal hemoglobinuria. Biology of Blood and Marrow Transplantation, 2003, 9, 689-697.	2.0	46
89	Depletion of Host Reactive T Cells by Photodynamic Cell Purging and Prevention of Graft Versus Host Disease. Leukemia and Lymphoma, 2003, 44, 1871-1879.	0.6	10
90	Graft-versus-host disease after nonmyeloablative versus conventional hematopoietic stem cell transplantation. Blood, 2003, 102, 756-762.	0.6	531

ARTICLE IF CITATIONS Unrelated donor hematopoietic cell transplantation: marrow or umbilical cord blood?. Blood, 2003, 0.6 262 91 101, 4233-4244. Unrelated Donor Transplantation after Reduced Intensity Conditioning as an Approach for Patients Lacking Related Donors for Allogeneic Stem Cell Transplantation. Journal of Hematotherapy and Stem 1.8 Cell Research, 2003, 12, 331-339. Low-dose total body irradiation (TBI) and fludarabine followed by hematopoietic cell transplantation (HCT) from HLA-matched or mismatched unrelated donors and postgrafting immunosuppression with 93 0.6 424 cyclosporine and mycophenolate mofetil (MMF) can induce durable complete chimerism and sustained remissions in patients with hematological diseases. Blood, 2003, 101, 1620-1629. Allografting with nonmyeloablative conditioning following cytoreductive autografts for the 94 382 treatment of patients with multiple myeloma. Blood, 2003, 102, 3447-3454. Performance of a new clinical grading system for chronic graft-versus-host disease: a multicenter 95 0.6 132 study. Blood, 2003, 102, 802-809. Conditioning with fludarabine and targeted busulfan for transplantation of allogeneic hematopoietic stem cells. Blood, 2003, 102, 820-826. 190 Graft-versus-host disease following allogeneic transplantation from HLA-identical sibling with 97 0.6 182 antithymocyte globulin–based reduced-intensity preparative regimen. Blood, 2003, 102, 470-476. Risks and outcomes of invasive fungal infections in recipients of allogeneic hematopoietic stem cell 0.6 transplants after nonmyeloablative conditioning. Blood, 2003, 102, 827-833. Fusarium Infection in Hematopoietic Stem Cell Transplant Recipients. Clinical Infectious Diseases, 99 2.9 300 2004, 38, 1237-1242. Successful Engraftment After Reduced-Intensity Umbilical Cord Blood Transplantation for Adult 3.2 Patients with Advanced Hematological Diseases. Clinical Cancer Research, 2004, 10, 3586-3592. Breakthrough Fungal Infections in Stem Cell Transplant Recipients Receiving Voriconazole. Clinical 101 395 2.9 Infectious Diseases, 2004, 39, 743-746. Acute Renal Failure after Nonmyeloablative Hematopoietic Cell Transplantation. Journal of the 3.0 84 American Society of Nephrology: JASN, 2004, 15, 1868-1876. Retrospective study of the hepatic safety profile of patients concomitantly treated with caspofungin 103 0.7 125 and cyclosporin A. Transplant Infectious Disease, 2004, 6, 110-116. Chronic graft versus host disease. British Journal of Haematology, 2004, 125, 435-454. 104 1.2 145 Feasibility of reduced intensity hematopoietic stem cell transplantation from an HLA-matched 105 1.3 21 unrelated donor. Bone Marrow Transplantation, 2004, 33, 697-702. Reduced-intensity stem cell transplantation from an HLA-identical sibling donor in patients with myeloid malignancies. Bone Marrow Transplantation, 2004, 33, 891-900. Cyclosporine and mycophenolate mofetil prophylaxis with fludarabine and melphalan conditioning 107 for unrelated donor transplantation: a prospective study of 22 patients with hematologic 1.325 malignancies. Bone Marrow Transplantation, 2004, 33, 1123-1129. Graft-versus-myeloma effect following antithymocyte globulin-based reduced intensity conditioning 1.3 allogeneic stem cell transplantation. Bone Marrow Transplantation, 2004, 34, 77-84.

#	Article	IF	CITATIONS
109	A prospective study of health-related quality of life, fatigue, anxiety and depression 3–5 years after stem cell transplantation. Bone Marrow Transplantation, 2004, 34, 257-266.	1.3	139
110	Nonmyeloablative stem cell transplantation in metastatic renal cell carcinoma: delayed graft-versus-tumor effect is associated with chimerism conversion but transplantation has high toxicity. Bone Marrow Transplantation, 2004, 34, 309-316.	1.3	26
111	Tacrolimus as monotherapy or combined with minidose methotrexate for graft-versus-host disease prophylaxis after allogeneic peripheral blood stem cell transplantation: long-term outcomes. Bone Marrow Transplantation, 2004, 34, 425-431.	1.3	23
112	Transplantation of unrelated placental blood cells in children with high-risk sickle cell disease. Bone Marrow Transplantation, 2004, 34, 405-411.	1.3	38
113	Frequent severe liver iron overload after stem cell transplantation and its possible association with invasive aspergillosis. Bone Marrow Transplantation, 2004, 34, 505-509.	1.3	116
114	Regimen-related toxicity following reduced-intensity stem-cell transplantation (RIST): comparison between Seattle criteria and National Cancer Center Common Toxicity Criteria (NCI-CTC) version 2.0. Bone Marrow Transplantation, 2004, 34, 787-794.	1.3	14
115	Chronic Graft-versus-Host Disease: Clinical Features and Grading Systems. International Journal of Hematology, 2004, 79, 216-220.	0.7	12
116	Unrelated Cord Blood Transplantation with a Reduced-Intensity Conditioning Regimen following Autologous Transplantation for Multiple Myeloma. International Journal of Hematology, 2004, 80, 377-380.	0.7	8
117	Long term follow-up of Asian patients with chronic myeloid leukemia (CML) receiving allogeneic hematopoietic stem cell transplantation (HSCT) from HLA-identical sibling?evaluation of risks and benefits. Annals of Hematology, 2004, 83, 286-294.	0.8	9
118	Itraconazole versus fluconazole for prevention of fungal infections in patients receiving allogeneic stem cell transplants. Blood, 2004, 103, 1527-1533.	0.6	414
119	Invasive aspergillosis before allogeneic hematopoietic stem cell transplantation: 10-year experience at a single transplant center. Biology of Blood and Marrow Transplantation, 2004, 10, 494-503.	2.0	132
120	Incidence of invasive aspergillosis after allogeneic hematopoietic stem cell transplantation with a reduced-intensity regimen compared with transplantation with a conventional regimen. Biology of Blood and Marrow Transplantation, 2004, 10, 645-652.	2.0	36
121	New approach for bone marrow transplantation in patients with class 3 thalassemia aged younger than 17 years. Blood, 2004, 104, 1201-1203.	0.6	182
122	Comparing morbidity and mortality of HLA-matched unrelated donor hematopoietic cell transplantation after nonmyeloablative and myeloablative conditioning: influence of pretransplantation comorbidities. Blood, 2004, 104, 961-968.	0.6	300
123	Morbidity and mortality with nonmyeloablative compared with myeloablative conditioning before hematopoietic cell transplantation from HLA-matched related donors. Blood, 2004, 104, 1550-1558.	0.6	299
124	Early Immune Reaction after Reduced-Intensity Cord-Blood Transplantation for Adult Patients. Transplantation, 2005, 80, 34-40.	0.5	102
125	Allogeneic hematopoietic stem-cell transplantation with reduced-intensity conditioning in intermediate- or high-risk patients with myelofibrosis with myeloid metaplasia. Blood, 2005, 105, 4115-4119.	0.6	194
126	Genetic variation in the IL-10 pathway modulates severity of acute graft-versus-host disease following hematopoietic cell transplantation: synergism between IL-10 genotype of patient and IL-10 receptor I ² genotype of donor. Blood, 2005, 106, 3995-4001.	0.6	74

#	Article	IF	Citations
127	Conditioning with 8-Cy total body irradiation and fludarabine for allogeneic hematopoietic stem cell transplantation in acute myeloid leukemia. Blood, 2005, 106, 3314-3321.	0.6	67
128	Influence of T-cell depletion on chronic graft-versus-host disease: results of a multicenter randomized trial in unrelated marrow donor transplantation. Blood, 2005, 106, 3308-3313.	0.6	99
129	Hematopoietic cell transplantation (HCT)-specific comorbidity index: a new tool for risk assessment before allogeneic HCT. Blood, 2005, 106, 2912-2919.	0.6	2,427
130	Prognostic role of minimal residual disease in multiple myeloma patients after non-myeloablative allogeneic transplantation. Leukemia Research, 2005, 29, 961-966.	0.4	56
131	Cytomegalovirus infection after allogeneic stem cell transplant in children. Pediatric Transplantation, 2005, 9, 734-740.	0.5	27
132	Prognostic relevance of 'early-onset' graft-versus-host disease following non-myeloablative haematopoietic cell transplantation. British Journal of Haematology, 2005, 129, 381-391.	1.2	41
133	Outcomes of patients with acute leukaemia who relapsed after reduced-intensity stem cell transplantation from HLA-identical or one antigen-mismatched related donors. British Journal of Haematology, 2005, 129, 795-802.	1.2	16
134	Influence of the intensity of the conditioning regimen on the characteristics of acute and chronic graft-versus-host disease after allogeneic transplantation. British Journal of Haematology, 2005, 130, 394-403.	1.2	110
135	Impact of human leucocyte antigen mismatch on graft-versus-host disease and graft failure after reduced intensity conditioning allogeneic haematopoietic stem cell transplantation from related donors. British Journal of Haematology, 2005, 130, 575-587.	1.2	38
136	Safety and efficacy of allogeneic PBSC collection in normal pediatric donors: The Pediatric Blood and Marrow Transplant Consortium Experience (PBMTC) 1996–2003. Bone Marrow Transplantation, 2005, 35, 361-367.	1.3	96
137	Serious graft-versus-host disease after hematopoietic cell transplantation following nonmyeloablative conditioning. Bone Marrow Transplantation, 2005, 35, 277-282.	1.3	41
138	Medium dose long-wavelength ultraviolet A (UVA1) phototherapy for the treatment of acute and chronic graft-versus-host disease of the skin. Bone Marrow Transplantation, 2005, 35, 515-519.	1.3	66
139	Reduced-intensity hematopoietic stem-cell transplantation for malignant lymphoma: a retrospective survey of 112 adult patients in Japan. Bone Marrow Transplantation, 2005, 36, 205-213.	1.3	46
140	Risks and outcomes of invasive fungal infections in pediatric patients undergoing allogeneic hematopoietic cell transplantation. Bone Marrow Transplantation, 2005, 36, 621-629.	1.3	117
141	Long-term outcome of nonmyeloablative allogeneic transplantation in patients with high-risk multiple myeloma. Bone Marrow Transplantation, 2005, 36, 963-969.	1.3	53
142	CD34, CD4, and CD8 cell doses do not influence engraftment, graft-versus-host disease, or survival following myeloablative human leukocyte antigen-identical peripheral blood allografting for hematologic malignancies. Experimental Hematology, 2005, 33, 279-285.	0.2	43
143	Reduced intensity conditioning prior to allogeneic stem cell transplantation for patients with acute myeloblastic leukemia as a first-line treatment. Cancer, 2005, 104, 1931-1938.	2.0	56
144	Pulmonary complications following hematopoietic stem cell transplantation: Diagnostic approaches. American Journal of Hematology, 2005, 80, 137-146.	2.0	29

#	Article	IF	CITATIONS
145	Development, feasibility and compliance of a web-based system for very frequent QOL and symptom home self-assessment after hematopoietic stem cell transplantation. Quality of Life Research, 2005, 14, 77-93.	1.5	60
146	Late Gastrointestinal and Hepatic Effects. , 2005, , 181-202.		5
147	Manifestações tegumentares da doença enxerto contra hospedeiro em pacientes transplantados de medula óssea. Anais Brasileiros De Dermatologia, 2005, 80, 69-80.	0.5	10
148	Randomized trial of allogeneic related bone marrow transplantation versus peripheral blood stem cell transplantation for chronic myeloid leukemia. Biology of Blood and Marrow Transplantation, 2005, 11, 85-92.	2.0	54
149	Bloodstream Infection after Umbilical Cord Blood Transplantation Using Reduced-Intensity Stem Cell Transplantation for Adult Patients. Biology of Blood and Marrow Transplantation, 2005, 11, 429-436.	2.0	58
150	Reduced-Intensity Conditioning Allogeneic Blood Stem Cell Transplantation with Fludarabine and Oral Busulfan with or without Pharmacokinetically Targeted Busulfan Dosing in Patients with Myeloid Leukemia Ineligible for Conventional Conditioning. Biology of Blood and Marrow Transplantation, 2005, 11, 437-447.	2.0	26
151	National Institutes of Health Consensus Development Project on Criteria for Clinical Trials in Chronic Graft-versus-Host Disease: I. Diagnosis and Staging Working Group Report. Biology of Blood and Marrow Transplantation, 2005, 11, 945-956.	2.0	3,213
152	Life-threatening graft-vs-host disease. Clinics in Dermatology, 2005, 23, 285-300.	0.8	40
153	Chimerism does not influence graft-versus-myeloma and graft-versus-host disease in reduced intensity setting. Transplant Immunology, 2005, 15, 173-177.	0.6	7
154	Scoring system for monitoring oral lichenoid lesions: A preliminary study. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2005, 99, 696-703.	1.6	93
155	The Lung as a Target Organ of Graft-Versus-Host Disease. Seminars in Hematology, 2006, 43, 42-52.	1.8	57
156	Chronic Graft-Versus-Host Disease. Drugs, 2006, 66, 1041-1057.	4.9	71
157	Conditioning including antithymocyte globulin followed by unmanipulated HLA-mismatched/haploidentical blood and marrow transplantation can achieve comparable outcomes with HLA-identical sibling transplantation. Blood, 2006, 107, 3065-3073.	0.6	482
158	Severe Infections after Unrelated Donor Allogeneic Hematopoietic Stem Cell Transplantation in Adults: Comparison of Cord Blood Transplantation with Peripheral Blood and Bone Marrow Transplantation. Biology of Blood and Marrow Transplantation, 2006, 12, 734-748.	2.0	180
159	Association of Mixed Hematopoietic Chimerism with Elevated Circulating Autoantibodies and Chronic Graft-versus-Host Disease Occurrence. Transplantation, 2006, 81, 573-582.	0.5	25
160	Outcomes of alemtuzumab-based reduced intensity conditioning stem cell transplantation using unrelated donors for myelodysplastic syndromes. British Journal of Haematology, 2006, 135, 201-209.	1.2	56
161	Risk and prognostic factors for Japanese patients with chronic graft-versus-host disease after bone marrow transplantation. Bone Marrow Transplantation, 2006, 37, 289-296.	1.3	30
162	Comparable kinetics of myeloablation between fludarabine/full-dose busulfan and fludarabine/melphalan conditioning regimens in allogeneic peripheral blood stem cell transplantation. Bone Marrow Transplantation, 2006, 38, 477-482.	1.3	22

ARTICLE IF CITATIONS Chronic graft-versus-host disease. Blood Reviews, 2006, 20, 15-27. 2.8 123 163 Different \hat{I}^3/\hat{I} T clones sustain GVM and GVH effects in multiple myeloma patients after non-myeloablative 164 0.4 transplantation. Leukemia Research, 2006, 30, 529-535. Stable Engraftment after a Conditioning Regimen with Fludarabine and Melphalan for Bone Marrow 165 0.7 15 Transplantation from an Unrelated Donor. International Journal of Hematology, 2006, 83, 356-362. Clinical relevance of NK, NKT, and dendritic cell dose in patients receiving G-CSF-mobilized peripheral 24 blood allogeneic stem cell transplantation. Annals of Hematology, 2006, 85, 113-120. Cord blood transplantation for acute myelogenous leukemia using a conditioning regimen consisting of granulocyte colony-stimulating factor-combined high-dose cytarabine, fludarabine, and total body 167 1.1 13 irradiation. Éuropean Journal of Haematology, 2006, 77, 46-50. Cryptozoospermia with normal testicular function after allogeneic stem cell transplantation: A Case Report. Human Reproduction, 2007, 22, 495-499. 0.4 A Comparison of Allografting with Autografting for Newly Diagnosed Myeloma. New England Journal 169 13.9 479 of Medicine, 2007, 356, 1110-1120. The effects of imatinib mesylate treatment before allogeneic transplantation for chronic myeloid 0.6 126 leukemia. Blood, 2007, 109, 1782-1789. Extracorporeal Photopheresis for Steroid Resistant Graft Versus Host Disease in Pediatric Patients. 171 0.3 50 Journal of Pediatric Hematology/Oncology, 2007, 29, 678-687. Prediction of Nonrelapse Mortality for Patients Surviving 100 Days After Allogeneic Hematopoietic Stem Cell Transplantation. Transplantation Proceedings, 2007, 39, 3375-3379 Transplant-Associated Microangiopathy in Patients Receiving Tacrolimus Following Allogeneic Stem 173 Cell Transplantation: Risk Factors and Response to Treatment. Biology of Blood and Marrow 2.0 64 Transplantation, 2007, 13, 469-477. Cytomegalovirus Infections following Umbilical Cord Blood Transplantation Using Reduced Intensity Conditioning Regimens for Adult Patients. Biology of Blood and Marrow Transplantation, 2007, 13, 174 577-583. Impact of Postgrafting Immunosuppressive Regimens on Nonrelapse Mortality and Survival after Nonmyeloablative Allogeneic Hematopoietic Stem Cell Transplant Using the Fludarabine and Low-Dose 175 2.0 10 Total-Body Irradiation 200-cGy. Biology of Blood and Marrow Transplantation, 2007, 13, 790-805. Comparable Antileukemia/Lymphoma Effects in Nonremission Patients Undergoing Allogeneic Hematopoietic Cell Transplantation with a Conventional Cytoreductive or Reduced-Intensity Regimen. Biology of Blood and Marrow Transplantation, 2007, 13, 932-941. CD3+ Cell Dose and Disease Status Are Important Factors Determining Clinical Outcomes in Patients Undergoing Unmanipulated Haploidentical Blood and Marrow Transplantation after Conditioning 177 2.0 34 Including Antithymocyte Globulin. Biology of Blood and Marrow Transplantation, 2007, 13, 1515-1524. Long-term follow-up of Asian patients younger than 46 years with acute myeloid leukemia in first complete remission: comparison of allogeneic vs. autologous hematopoietic stem cell transplantation. Leukemia and Lymphoma, 2007, 48, 72-79. Unrelated donor bone marrow transplantation using a chemotherapy-only preparative regimen for 179 2.0 8 adults with high-risk acute myelogenous leukemia. American Journal of Hematology, 2007, 82, 6-14. Facilitating cells: Novel promoters of stem cell alloengraftment and donor-specific transplantation tolerance in the absence of GVHD. Critical Reviews in Oncology/Hematology, 2007, 61, 26-43.

#	Article	IF	CITATIONS
181	Short-term methotrexate could reduce early immune reactions and improve outcomes in umbilical cord blood transplantation for adults. Bone Marrow Transplantation, 2007, 39, 31-39.	1.3	66
182	The influence of cyclosporin alone, or cyclosporin and methotrexate, on the incidence of mixed haematopoietic chimaerism following allogeneic sibling bone marrow transplantation for severe aplastic anaemia. Bone Marrow Transplantation, 2007, 39, 109-114.	1.3	28
183	New myeloablative conditioning regimen with fludarabine and busulfan for allogeneic stem cell transplantation: comparison with BuCy2. Bone Marrow Transplantation, 2007, 40, 541-547.	1.3	65
184	Intensive postgrafting immune suppression combined with nonmyeloablative conditioning for transplantation of HLA-identical hematopoietic cell grafts: results of a pilot study for treatment of primary immunodeficiency disorders. Bone Marrow Transplantation, 2007, 40, 633-642.	1.3	38
185	Chronic graft-versus-host disease in the era of reduced-intensity conditioning. Leukemia, 2007, 21, 853-859.	3.3	28
186	Anesthesia and graft-vs-host disease after hematopoietic stem cell transplantation. Paediatric Anaesthesia, 2007, 17, 7-15.	0.6	4
187	Chronic graft-versus-host disease after allogeneic bone marrow transplantation from an unrelated donor: incidence, risk factors and association with relapse. A report from the Japan Marrow Donor Program. British Journal of Haematology, 2007, 137, 142-151.	1.2	61
188	Delayed attainment of full donor chimaerism following alemtuzumab-based reduced-intensity conditioning haematopoeitic stem cell transplantation for acute myeloid leukaemia and myelodysplastic syndromes is associated with improved outcomes. British Journal of Haematology, 2007. 138. 517-526.	1.2	39
189	Mucosal graftâ€ <i>vs</i> â€host disease. Oral Diseases, 2007, 13, 519-529.	1.5	17
190	Serologically HLA-DR—Mismatched Unrelated Donors Might Provide a Valuable Alternative in Allogeneic Transplantation: Experience from a Single Japanese Institution. International Journal of Hematology, 2007, 85, 163-169.	0.7	4
191	Unrelated-Donor Bone Marrow Transplantation with a Conditioning Regimen Including Fludarabine, Busulfan, and 4 Gy Total Body Irradiation. International Journal of Hematology, 2007, 85, 256-263.	0.7	11
192	Comparison of myeloablative and nonmyeloablative hematopoietic stem cell transplantation for treatment of chronic myeloid leukemia. International Journal of Hematology, 2007, 86, 275-281.	0.7	11
193	Postmortem examination of the kidney in allogeneic hematopoietic stem cell transplantation recipients: possible involvement of graft-versus-host disease. International Journal of Hematology, 2008, 87, 225-230.	0.7	30
194	Allogeneic stem cell transplantation for refractory adult T-cell leukemia using a non-T-cell-depleted HLA-incompatible family donor graft, with reference to the grown-up child donor to parent recipient setting: report of a pilot study. International Journal of Hematology, 2008, 87, 319-326.	0.7	6
195	Reduced-intensity unrelated donor bone marrow transplantation for hematologic malignancies. International Journal of Hematology, 2008, 88, 324-330.	0.7	5
196	Longâ€ŧerm results of survival in patients with thalassemia major treated with bone marrow transplantation. American Journal of Hematology, 2008, 83, 528-530.	2.0	70
197	Characterization of acute graftâ€versusâ€host disease following reducedâ€intensity stemâ€cell transplantation from an HLAâ€identical related donor. American Journal of Hematology, 2008, 83, 630-634.	2.0	3
198	Impact of alemtuzumab as conditioning regimen component on transplantation outcomes in case of CMVâ€seropositive recipients and donors. American Journal of Hematology, 2008, 83, 649-653.	2.0	18

#	Article	IF	CITATIONS
199	Quantitative analysis of Langerhans' cells in oral chronic graftâ€vs.â€host disease. Journal of Oral Pathology and Medicine, 2009, 38, 132-137.	1.4	9
200	Fludarabine/i.v. BU conditioning regimen: myeloablative, reduced intensity or both?. Bone Marrow Transplantation, 2008, 41, 935-940.	1.3	31
201	Extracorporeal photochemotherapy may improve outcome in children with acute GVHD. Bone Marrow Transplantation, 2008, 42, 421-425.	1.3	65
202	Cell cycle and immune-related processes are significantly altered in chronic GVHD. Bone Marrow Transplantation, 2008, 41, 1047-1057.	1.3	11
203	Clinical characteristics of chronic graft-versus-host disease following umbilical cord blood transplantation for adults. Bone Marrow Transplantation, 2008, 41, 729-736.	1.3	5
204	Relation of an interleukin-23 receptor gene polymorphism to graft-versus-host disease after hematopoietic-cell transplantation. Bone Marrow Transplantation, 2008, 41, 821-826.	1.3	64
205	Serious acute or chronic graft-versus-host disease after hematopoietic cell transplantation: a comparison of myeloablative and nonmyeloablative conditioning regimens. Bone Marrow Transplantation, 2008, 41, 887-893.	1.3	18
206	Nonâ€myeloablative allogeneic haematopoietic cell transplantation for relapsed diffuse large Bâ€cell lymphoma: a multicentre experience. British Journal of Haematology, 2008, 143, 395-403.	1.2	97
207	GVHD pathophysiology: is acute different from chronic?. Best Practice and Research in Clinical Haematology, 2008, 21, 101-117.	0.7	71
208	Diagnosis and manifestations of chronic graft-versus-host disease. Best Practice and Research in Clinical Haematology, 2008, 21, 251-257.	0.7	96
209	Prevention of chronic GVHD. Best Practice and Research in Clinical Haematology, 2008, 21, 259-270.	0.7	14
210	Long-Term Outcome after Bone Marrow Transplantation for Aplastic Anemia Using Cyclophosphamide and Total Lymphoid Irradiation as Conditioning Regimen. Biology of Blood and Marrow Transplantation, 2008, 14, 43-49.	2.0	21
211	Reduced-Intensity Allogeneic Transplant in Patients Older Than 55 Years: Unrelated Umbilical Cord Blood Is Safe and Effective for Patients without a Matched Related Donor. Biology of Blood and Marrow Transplantation, 2008, 14, 282-289.	2.0	119
212	HLA-Haploidentical Bone Marrow Transplantation for Hematologic Malignancies Using Nonmyeloablative Conditioning and High-Dose, Posttransplantation Cyclophosphamide. Biology of Blood and Marrow Transplantation, 2008, 14, 641-650.	2.0	1,525
213	Impact of T Cell Chimerism on Clinical Outcome in 117 Patients Who Underwent Allogeneic Stem Cell Transplantation with a Busulfan-Containing Reduced-Intensity Conditioning Regimen. Biology of Blood and Marrow Transplantation, 2008, 14, 1148-1155.	2.0	40
214	Comparison of Outcomes of HLA-Matched Related, Unrelated, or HLA-Haploidentical Related Hematopoietic Cell Transplantation following Nonmyeloablative Conditioning for Relapsed or Refractory Hodgkin Lymphoma. Biology of Blood and Marrow Transplantation, 2008, 14, 1279-1287.	2.0	251
215	Oral Graft-Versus-Host Disease. Dental Clinics of North America, 2008, 52, 79-109.	0.8	121
216	Gemtuzumab Ozogamicin as Part of Reduced-Intensity Conditioning for Allogeneic Hematopoietic Cell Transplantation in Patients with Relapsed Acute Myeloid Leukemia. Clinical Cancer Research, 2008, 14, 5585-5593	3.2	26

#	Article	IF	CITATIONS
217	T cell receptor excision circle levels in CD94-expressing CD8 T Cells during graft-versus-host disease. Leukemia and Lymphoma, 2008, 49, 1306-1310.	0.6	2
218	Toll-like Receptor 4 Polymorphisms and Aspergillosis in Stem-Cell Transplantation. New England Journal of Medicine, 2008, 359, 1766-1777.	13.9	408
220	Chronic graft-versus-host disease following umbilical cord blood transplantation: retrospective survey involving 1072 patients in Japan. Blood, 2008, 112, 2579-2582.	0.6	40
221	Infection prevention strategies in a stem cell transplant unit: impact of change of care in isolation practice and routine use of high dose intravenous immunoglobulins on infectious complications and transplant related mortality. European Journal of Haematology, 2009, 83, 130-138.	1.1	10
222	Invasive Fungal Infection in Haematopoietic Stem Cell Transplant Recipients: Epidemiology from the Transplant Physician's Viewpoint. Mycopathologia, 2009, 168, 283-297.	1.3	37
223	Expression of CD62L on Donor CD4+ T Cells in Allografts: Correlation with Graft-Versus-Host Disease after Unmanipulated Allogeneic Blood and Marrow Transplantation. Journal of Clinical Immunology, 2009, 29, 696-704.	2.0	20
224	Mycophenolate mofetil combined with tacrolimus and minidose methotrexate after unrelated donor bone marrow transplantation with reduced-intensity conditioning. International Journal of Hematology, 2009, 89, 538-545.	0.7	8
225	The impact of CD34 ⁺ cell dose on platelet engraftment in pediatric patients following unmanipulated haploidentical blood and marrow transplantation. Pediatric Blood and Cancer, 2009, 53, 1100-1106.	0.8	21
226	Feasibility of NIH consensus criteria for chronic graft-versus-host disease. Leukemia, 2009, 23, 78-84.	3.3	101
227	Early related or unrelated haematopoietic cell transplantation results in higher overall survival and leukaemia-free survival compared with conventional chemotherapy in high-risk acute myeloid leukaemia patients in first complete remission. Leukemia, 2009, 23, 635-640.	3.3	72
228	Spectrum of histologic changes in colonic biopsies in patients treated with mycophenolate mofetil. Modern Pathology, 2009, 22, 737-743.	2.9	151
229	Pilot study on the use of zoledronic acid to prevent bone loss in allo-SCT recipients. Bone Marrow Transplantation, 2009, 44, 35-41.	1.3	31
230	Clinicopathological manifestations and treatment of intestinal transplant-associated microangiopathy. Bone Marrow Transplantation, 2009, 44, 43-49.	1.3	64
231	Improved outcome of hematopoietic SCT in patients with homozygous gene variant of Toll-like receptor 9. Bone Marrow Transplantation, 2009, 44, 295-302.	1.3	29
232	Risk factors for invasive aspergillosis and related mortality in recipients of allogeneic SCT from alternative donors: an analysis of 306 patients. Bone Marrow Transplantation, 2009, 44, 361-370.	1.3	126
233	Therapy with mycophenolate mofetil for refractory acute and chronic GVHD. Bone Marrow Transplantation, 2009, 44, 739-748.	1.3	84
234	High complete remission rate and durable remissions achieved with rational use of autologous stemâ€cell transplantation, thalidomide maintenance, and nonâ€myeloablative allogeneic transplantation in patients with multiple myeloma. Clinical Transplantation, 2009, 23, 839-847.	0.8	2
235	Iron overload in survivors of childhood leukemia after allogeneic hematopoietic stem cell transplantation. Pediatric Transplantation, 2009, 13, 348-352.	0.5	31

#	Article	IF	CITATIONS
236	Blood Stream Infections in Allogeneic Hematopoietic Stem Cell Transplant Recipients: Reemergence of Gram-Negative Rods and Increasing Antibiotic Resistance. Biology of Blood and Marrow Transplantation, 2009, 15, 47-53.	2.0	189
237	Prolonged Chronic Graft-versus-Host Disease is a Risk Factor for Thyroid Failure in Long-Term Survivors After Matched Sibling Donor Stem Cell Transplantation for Hematologic Malignancies. Biology of Blood and Marrow Transplantation, 2009, 15, 377-381.	2.0	35
238	Platelet Engraftment in Patients with Hematologic Malignancies following Unmanipulated Haploidentical Blood and Marrow Transplantation: Effects of CD34+ Cell Dose and Disease Status. Biology of Blood and Marrow Transplantation, 2009, 15, 632-638.	2.0	63
239	Regimen-Related Mucosal Injury of the Gut Increased the Incidence of CMV Disease after Allogeneic Bone Marrow Transplantation. Biology of Blood and Marrow Transplantation, 2009, 15, 679-685.	2.0	7
240	Effect of Conditioning Regimen Intensity on CMV Infection in Allogeneic Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2009, 15, 694-703.	2.0	70
241	Improved Nonrelapse Mortality and Infection Rate with Lower Dose of Antithymocyte Globulin in Patients Undergoing Reduced-Intensity Conditioning Allogeneic Transplantation for Hematologic Malignancies. Biology of Blood and Marrow Transplantation, 2009, 15, 1422-1430.	2.0	89
242	Race and Socioeconomic Status Influence Outcomes of Unrelated Donor Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2009, 15, 1543-1554.	2.0	135
243	Polymorphism of Interleukin-23 Receptor Gene But Not of NOD2/CARD15 Is Associated with Graft-versus-Host Disease after Hematopoietic Stem Cell Transplantation in Children. Biology of Blood and Marrow Transplantation, 2009, 15, 1571-1577.	2.0	49
244	HLA-haploidentical blood and bone marrow transplantation with anti-thymocyte globulin: Long-term comparison with HLA-identical sibling transplantation. Blood Cells, Molecules, and Diseases, 2009, 43, 98-104.	0.6	43
245	Emergencies Related to Cancer Chemotherapy and Hematopoietic Stem Cell Transplantation. Emergency Medicine Clinics of North America, 2009, 27, 311-331.	0.5	22
246	Graft-versus-host disease. Lancet, The, 2009, 373, 1550-1561.	6.3	2,093
247	IL10 and IL10 Receptor Gene Variation and Outcomes After Unrelated and Related Hematopoietic Cell Transplantation, Transplantation, 2009, 87, 704-710.	0.5	27
248	Imbalance of effector and regulatory CD4 T cells is associated with graft-versus-host disease after hematopoietic stem cell transplantation using a reduced intensity conditioning regimen and alemtuzumab. Haematologica, 2009, 94, 956-966.	1.7	32
249	Nonmyeloablative allografting for newly diagnosed multiple myeloma: the experience of the Gruppo Italiano Trapianti di Midollo. Blood, 2009, 113, 3375-3382.	0.6	92
250	Impact of HLA disparity in the graft-versus-host direction on engraftment in adult patients receiving reduced-intensity cord blood transplantation. Blood, 2009, 114, 1689-1695.	0.6	44
251	Hematopoietic stem cell transplantation for children with sickle cell disease. , 2009, , CD007001.		13
252	Impact of donor characteristics in survival and graft-versus-host disease following pediatric hematopoietic stem cell transplant. Pediatric Health, 2009, 3, 181-189.	0.3	0
253	Graft-versus-host disease-related polymyositis. Clinical Rheumatology, 2010, 29, 431-433.	1.0	15

#	Article	IF	CITATIONS
254	Successful treatment of acute myelogenous leukemia with favorable cytogenetics by reduced-intensity stem cell transplantation. International Journal of Hematology, 2010, 91, 310-321.	0.7	0
255	Serum HO-1 is useful to make differential diagnosis of secondary hemophagocytic syndrome from other similar hematological conditions. International Journal of Hematology, 2010, 91, 229-237.	0.7	14
256	Hematopoietic stem cell transplantation for therapy-related myelodysplastic syndrome and acute leukemia: a single-center analysis of 47 patients. International Journal of Hematology, 2010, 92, 334-341.	0.7	7
257	¹⁸⁸ Re anti D66 radioimmunotherapy combined with reducedâ€intensity conditioning and <i>inâ€vivo</i> T cell depletion in elderly patients undergoing allogeneic haematopoietic cell transplantation. British Journal of Haematology, 2010, 148, 910-917.	1.2	21
258	Donor single nucleotide polymorphism in the CCR9 gene affects the incidence of skin GVHD. Bone Marrow Transplantation, 2010, 45, 363-369.	1.3	23
259	Eosinophilia predicts better overall survival after acute graft-versus-host-disease. Bone Marrow Transplantation, 2010, 45, 371-377.	1.3	18
260	Allogeneic hemopoietic SCT for patients with primary myelofibrosis: a predictive transplant score based on transfusion requirement, spleen size and donor type. Bone Marrow Transplantation, 2010, 45, 458-463.	1.3	141
261	Reduced-intensity conditioning using fludarabine, melphalan and thiotepa for adult patients undergoing haploidentical SCT. Bone Marrow Transplantation, 2010, 45, 429-436.	1.3	57
262	Impact on relapse of corticosteroid therapy after allogeneic hematopoietic stem cell transplantation for acute myeloid leukemia. Clinical Transplantation, 2010, 24, 772-777.	0.8	5
263	Increased risk of bacterial infection after engraftment in patients treated with allogeneic bone marrow transplantation following reduced-intensity conditioning regimen. Transplant Infectious Disease, 2010, 12, 412-420.	0.7	13
264	Fludarabine-based myeloablative regimen as pretransplant conditioning therapy in adult acute leukemia/myelodysplastic syndrome: comparison with oral or intravenous busulfan with cyclophosphamide. The Korean Journal of Hematology, 2010, 45, 102.	0.7	12
265	Transplantation of allogeneic hematopoietic stem cells for adult T-cell leukemia: a nationwide retrospective study. Blood, 2010, 116, 1369-1376.	0.6	255
266	Hematopoietic stem cell transplantation for paroxysmal nocturnal hemoglobinuria: long-term results of a retrospective study on behalf of the Gruppo Italiano Trapianto Midollo Osseo (GITMO). Haematologica, 2010, 95, 983-988.	1.7	64
267	The role of allogeneic SCT in primary myelofibrosis: a British Society for Blood and Marrow Transplantation, 2010, 45, 1587-1593.	1.3	64
268	UVA (UVA-1) therapy for the treatment of acute GVHD of the skin. Bone Marrow Transplantation, 2010, 45, 1741-1748.	1.3	28
269	Allogeneic haematopoietic SCT for chronic myelomonocytic leukaemia: a single-centre experience. Bone Marrow Transplantation, 2010, 45, 1502-1507.	1.3	51
270	Suicide gene therapy for graft-versus-host disease. Immunotherapy, 2010, 2, 521-537.	1.0	5
271	Treatment of graft-versus-host disease with monoclonal antibodies and related fusion proteins. Expert Review of Hematology, 2010, 3, 633-651.	1.0	3

#	Article	IF	CITATIONS
272	Stable hematopoietic cell engraftment after low-intensity nonmyeloablative conditioning in patients with immune dysregulation, polyendocrinopathy, enteropathy, X-linked syndrome. Journal of Allergy and Clinical Immunology, 2010, 126, 1000-1005.	1.5	61
273	Association of HMGB1 Polymorphisms with Outcome after Allogeneic Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2010, 16, 239-252.	2.0	49
274	The Effect of the Composition of Unrelated Donor Bone Marrow and Peripheral Blood Progenitor Cell Grafts on Transplantation Outcomes. Biology of Blood and Marrow Transplantation, 2010, 16, 253-262.	2.0	28
275	Low-Dose Total Body Irradiation and Fludarabine Conditioning for HLA Class I-Mismatched Donor Stem Cell Transplantation and Immunologic Recovery in Patients with Hematologic Malignancies: A Multicenter Trial. Biology of Blood and Marrow Transplantation, 2010, 16, 384-394.	2.0	39
276	Allogeneic Stem Cell Transplantation for Myelofibrosis with Leukemic Transformation. Biology of Blood and Marrow Transplantation, 2010, 16, 555-559.	2.0	46
277	Tumor Necrosis Factor.α Gene Polymorphisms Are Associated with Severity of Acute Graft-Versus-Host Disease Following Matched Unrelated Donor Bone Marrow Transplantation in Children: A Pediatric Blood and Marrow Transplant Consortium Study. Biology of Blood and Marrow Transplantation, 2010. 16. 927-936.e1.	2.0	21
278	Unrelated Transplantation for Poor-Prognosis Adult Acute Lymphoblastic Leukemia: Long-Term Outcome Analysis and Study of the Impact of Hematopoietic Graft Source. Biology of Blood and Marrow Transplantation, 2010, 16, 957-966.	2.0	35
279	Endothelial Dysfunction after Hematopoietic Stem Cell Transplantation: Role of the Conditioning Regimen andAthe Type of Transplantation. Biology of Blood and Marrow Transplantation, 2010, 16, 985-993.	2.0	109
280	Favorable Outcomes in Patients Surviving 5 or More Years after Allogeneic Hematopoietic Stem Cell Transplantation for Hematologic Malignancies. Biology of Blood and Marrow Transplantation, 2010, 16, 1162-1170.	2.0	32
281	Gene Expression Profiling-Based Identification of CD28 and PI3K as New Biomarkers for Chronic Graft-Versus-Host Disease. DNA and Cell Biology, 2011, 30, 1019-1025.	0.9	12
282	Evolution of the donor T-cell repertoire in recipients in the second decade after allogeneic stem cell transplantation. Blood, 2011, 117, 5250-5256.	0.6	18
283	Adult Dual Umbilical Cord Blood Transplantation Using Myeloablative Total Body Irradiation (1350) Tj ETQq1 1 0	.784314 rş 2.0	gBT_/Overloci
284	Immune Reactions following Cord Blood Transplantations in Adults. Stem Cells International, 2011, 2011, 1-6.	1.2	5
285	Chronic graft-versus-host disease: long-term results from a randomized trial on graft-versus-host disease prophylaxis with or without anti–T-cell globulin ATG-Fresenius. Blood, 2011, 117, 6375-6382.	0.6	281
286	Higher infused CD34+ cell dose and overall survival in patients undergoing in vivo T-cell depleted, but not t-cell repleted, allogeneic peripheral blood hematopoietic cell transplantation. Hematology/ Oncology and Stem Cell Therapy, 2011, 4, 149-156.	0.6	9
287	Comparison of reduced intensity and myeloablative conditioning regimens for stem cell transplantation in patients with malignancies: a metaâ€analysis. Clinical Transplantation, 2011, 25, E187-98.	0.8	11
288	Increased activity and improved outcome in unrelated donor haemopoietic cell transplants for acute myeloid leukaemia in Australia, 1992–2005. Internal Medicine Journal, 2011, 41, 27-34.	0.5	6
289	Improved outcome following allogeneic stem cell transplantation in chronic myeloid leukemia is associated with higher expression of BMI-1 and immune responses to BMI-1 protein. Leukemia, 2011, 25, 629-637.	3.3	27

#	Article	IF	CITATIONS
290	Reduced-intensity conditioning by fludarabine/busulfan without additional irradiation or T-cell depletion leads to low non-relapse mortality in unrelated bone marrow transplantation. International Journal of Hematology, 2011, 93, 509-516.	0.7	8
291	Outcome of medium-dose VP-16/CY/TBI superior to CY/TBI as a conditioning regimen for allogeneic stem cell transplantation in adult patients with acute lymphoblastic leukemia. International Journal of Hematology, 2011, 94, 463-471.	0.7	15
292	Clinical impact of absolute lymphocyte count on day 30 after unmanipulated haploidentical blood and marrow transplantation for pediatric patients with hematological malignancies. American Journal of Hematology, 2011, 86, 227-230.	2.0	18
293	Higher busulfan dose intensity does not improve outcomes of patients undergoing allogeneic haematopoietic cell transplantation following fludarabine, busulfanâ€based reduced toxicity conditioning. Hematological Oncology, 2011, 29, 202-210.	0.8	14
294	A prospective dose-finding trial using a modified continual reassessment method for optimization of fludarabine plus melphalan conditioning for marrow transplantation from unrelated donors in patients with hematopoietic malignancies. Annals of Oncology, 2011, 22, 1865-1871.	0.6	10
295	Tacrolimus and mycofenolate mofetil as GvHD prophylaxis following nonmyeloablative conditioning and unrelated hematopoietic SCT for adult patients with advanced hematologic diseases. Bone Marrow Transplantation, 2011, 46, 747-755.	1.3	11
296	Retrospective study of allogeneic haematopoietic stem-cell transplantation for myelofibrosis. Bone Marrow Transplantation, 2011, 46, 557-561.	1.3	19
297	Long-term follow-up of a pilot study using a chemotherapy-alone protocol for killer Ig-like receptor-ligand-mismatched haploidentical haematopoietic SCT. Bone Marrow Transplantation, 2011, 46, 1331-1338.	1.3	5
298	Alemtuzumab with fludarabine and cyclophosphamide reduces chronic graft-versus-host disease after allogeneic stem cell transplantation for acquired aplastic anemia. Blood, 2011, 118, 2351-2357.	0.6	148
299	Toll-like receptor 9, NOD2 and IL23R gene polymorphisms influenced outcome in AML patients transplanted from HLA-identical sibling donors. Bone Marrow Transplantation, 2011, 46, 702-708.	1.3	27
300	Disease stage stratified effects of cell dose in unrelated BMT for hematological malignancies: a report from Japan marrow donor program. Bone Marrow Transplantation, 2011, 46, 1192-1202.	1.3	5
301	Reduced-intensity hematopoietic cell transplantation in older patients with AML/MDS: umbilical cord blood is a feasible option for patients without HLA-matched sibling donors. Bone Marrow Transplantation, 2012, 47, 494-498.	1.3	59
302	Outcomes of a 1-day nonmyeloablative salvage regimen for patients with primary graft failure after allogeneic hematopoietic cell transplantation. Bone Marrow Transplantation, 2012, 47, 700-705.	1.3	24
303	Bronchiolitis obliterans after allo-SCT: clinical criteria and treatment options. Bone Marrow Transplantation, 2012, 47, 1020-1029.	1.3	42
304	Single center retrospective analysis of BU-based conditioning regimens in allogeneic transplantation. Bone Marrow Transplantation, 2012, 47, 181-189.	1.3	2
305	Clinical significance of hemophagocytosis in BM clot sections during the peri-engraftment period following allogeneic hematopoietic SCT. Bone Marrow Transplantation, 2012, 47, 387-394.	1.3	16
306	Fludarabine, melphalan, thiotepa and anti-thymocyte globulin conditioning for unrelated cord blood transplant. Leukemia and Lymphoma, 2012, 53, 901-906.	0.6	20
307	Effectiveness of subcutaneous low-dose alemtuzumab and rituximab combination therapy for steroid-resistant chronic graft-versus-host disease. Haematologica, 2012, 97, 717-722.	1.7	22

#	Article	IF	CITATIONS
308	Younger donor's age and upfront tandem are two independent prognostic factors for survival in multiple myeloma patients treated by tandem autologous-allogeneic stem cell transplantation: a retrospective study from the Societe Francaise de Greffe de Moelle et de Therapie Cellulaire (SFGM-TC). Haematologica, 2012, 97, 482-490.	1.7	10
309	Eosinophilia, Regardless of Degree, is Related to Better Outcomes after Allogeneic Hematopoietic Stem Cell Transplantation. Internal Medicine, 2012, 51, 851-858.	0.3	2
310	Impact of graft-versus-host disease on outcomes after allogeneic hematopoietic cell transplantation for adult T-cell leukemia: a retrospective cohort study. Blood, 2012, 119, 2141-2148.	0.6	110
311	Related transplantation with HLA-1 Ag mismatch in the GVH direction and HLA-8/8 allele-matched unrelated transplantation: a nationwide retrospective study. Blood, 2012, 119, 2409-2416.	0.6	57
312	Toll-Like 4 Receptor Variant, Asp299Gly, and Reduced Risk of Hemorrhagic Cystitis after Hematopoietic StemÂCell Transplantation. Biology of Blood and Marrow Transplantation, 2012, 18, 958-963.	2.0	6
313	Extensive Dental Caries in Patients with Oral Chronic Graft-versus-Host Disease. Biology of Blood and Marrow Transplantation, 2012, 18, 1573-1579.	2.0	39
314	Multicenter Experience Using Total Lymphoid Irradiation and Antithymocyte Globulin as Conditioning for Allografting in Hematological Malignancies. Biology of Blood and Marrow Transplantation, 2012, 18, 1600-1607.	2.0	25
315	The role of the extracorporeal photopheresis in the management of the graft-versus-host disease. Transfusion and Apheresis Science, 2012, 46, 211-219.	0.5	11
316	The incidence and risk factors of invasive fungal infection after haploidentical haematopoietic stem cell transplantation without in vitro T-cell depletion. Clinical Microbiology and Infection, 2012, 18, 997-1003.	2.8	29
317	Allogeneic Stem Cell Transplantation in Multiple Myeloma Relapsed after Autograft: A Multicenter Retrospective Study Based on Donor Availability. Biology of Blood and Marrow Transplantation, 2012, 18, 617-626.	2.0	75
318	Relationship of Race/Ethnicity and Survival after Single Umbilical Cord Blood Transplantation for Adults and Children with Leukemia and Myelodysplastic Syndromes. Biology of Blood and Marrow Transplantation, 2012, 18, 903-912.	2.0	43
319	Dynamic International Prognostic Scoring System scores, pre-transplant therapy and chronic graft-versus-host disease determine outcome after allogeneic hematopoietic stem cell transplantation for myelofibrosis. Haematologica, 2012, 97, 1574-1581.	1.7	59
320	Allogeneic stem cell transplantation for myeloproliferative neoplasm in blast phase. Leukemia Research, 2012, 36, 1147-1151.	0.4	43
321	Immune Recovery in Adult Patients after Myeloablative Dual Umbilical Cord Blood, Matched Sibling, and Matched Unrelated Donor Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2012, 18, 1664-1676.e1.	2.0	94
322	Improved Early Outcomes Using a T Cell Replete Graft Compared with T Cell Depleted Haploidentical Hematopoietic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2012, 18, 1835-1844.	2.0	227
323	Extracorporeal photopheresis: Clinical use so far. Journal of Clinical Apheresis, 2012, 27, 126-131.	0.7	15
324	Immune Reconstitution Following Unmanipulated HLA-Mismatched/Haploidentical Transplantation Compared with HLA-Identical Sibling Transplantation. Journal of Clinical Immunology, 2012, 32, 268-280.	2.0	81
325	Singleâ€institution longâ€term outcomes for patients receiving nonmyeloablative conditioning hematopoeitic cell transplantation for chronic lymphocytic leukemia and follicular lymphoma. European lournal of Haematology. 2012. 89. 151-159.	1.1	6

#	Article	IF	CITATIONS
326	Success of allogeneic marrow transplantation for children with severe aplastic anaemia. British Journal of Haematology, 2012, 158, 120-128.	1.2	23
327	Case-matched comparison with standard versus reduced intensity conditioning regimen in chronic myeloid leukemia patients. Annals of Hematology, 2012, 91, 577-586.	0.8	17
328	Lack of association of platelet-derived growth factor (PDGF) receptor autoantibodies and severity of chronic graft-versus-host disease (GvHD). Journal of Cancer Research and Clinical Oncology, 2013, 139, 1397-1404.	1.2	13
329	Differing impacts of pretransplant serum ferritin and C-reactive protein levels on the incidence of chronic graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. International Journal of Hematology, 2013, 97, 109-116.	0.7	23
330	Unrelated cord blood transplantation for central nervous system relapse in high-risk childhood acute lymphoblastic leukemia. Annals of Hematology, 2013, 92, 1665-1673.	0.8	5
331	Impact of Graft-versus-Host Disease on Allogeneic Hematopoietic Cell Transplantation for Adult T Cell Leukemia-Lymphoma Focusing on Preconditioning Regimens: Nationwide Retrospective Study. Biology of Blood and Marrow Transplantation, 2013, 19, 1731-1739.	2.0	46
332	Similar Overall Survival Using Sibling, Unrelated Donor, and Cord Blood Grafts after Reduced-Intensity Conditioning for Older Patients with Acute Myelogenous Leukemia. Biology of Blood and Marrow Transplantation, 2013, 19, 1355-1360.	2.0	81
333	Reduced-intensity conditioning therapy with fludarabine, idarubicin, busulfan and cytarabine for allogeneic hematopoietic stem cell transplantation in acute myeloid leukemia and myelodysplastic syndrome. Leukemia Research, 2013, 37, 1482-1487.	0.4	2
334	Nonrelapse Mortality and Mycophenolic Acid Exposure in Nonmyeloablative Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2013, 19, 1159-1166.	2.0	29
335	Impact of the Direction of HLA Mismatch on Transplantation Outcomes in Single Unrelated Cord Blood Transplantation. Biology of Blood and Marrow Transplantation, 2013, 19, 247-254.	2.0	46
336	Unrelated cord blood transplantation vs related transplantation with HLA 1-antigen mismatch in the graft-versus-host direction. Leukemia, 2013, 27, 286-294.	3.3	31
337	Hematopoietic stem cell transplantation for people with sickle cell disease. , 2013, , CD007001.		4
338	The significant impact of acute kidney injury on CKD in patients who survived over 10 years after myeloablative allogeneic SCT. Bone Marrow Transplantation, 2013, 48, 80-84.	1.3	42
339	Allo-SCT for multiple myeloma in the era of novel agents: a retrospective study on behalf of Swiss Blood SCT. Bone Marrow Transplantation, 2013, 48, 408-413.	1.3	6
340	Reduced-intensity allogeneic stem cell transplantation for patients aged 50 years or older with B-cell ALL in remission: a retrospective study by the Adult ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation. Bone Marrow Transplantation, 2013, 48, 1513-1518.	1.3	12
341	Peri-engraftment syndrome in allogeneic hematopoietic SCT. Bone Marrow Transplantation, 2013, 48, 523-528.	1.3	34
342	Pre-engraftment syndrome after myeloablative dual umbilical cord blood transplantation: risk factors and response to treatment. Bone Marrow Transplantation, 2013, 48, 926-931.	1.3	45
343	Incidence and Pattern of Graft-versus-Host Disease in Patients Undergoing Allogeneic Transplantation after Nonmyeloablative Conditioning with Total Lymphoid Irradiation and Antithymocyte Globulin. Bone Marrow Research, 2013, 2013, 1-8.	1.7	10

			2
#	ARTICLE	IF	CITATIONS
344	The significance of cytomegalovirus viremia at day 100 or more following allogeneic hematopoietic stem cell transplantation. Clinical Transplantation, 2013, 27, 510-516.	0.8	6
345	Early lymphocyte recovery predicts superior overall survival after unmanipulated haploidentical blood and marrow transplant for myelodysplastic syndrome and acute myeloid leukemia evolving from myelodysplastic syndrome. Leukemia and Lymphoma, 2013, 54, 2671-2677.	0.6	14
346	Ten-year follow-up of pediatric patients with non-hodgkin lymphoma treated with allogeneic or autologous stem cell transplantation. Pediatric Blood and Cancer, 2013, 60, 2018-2024.	0.8	38
347	Outcome and Challenges of Kidney Transplant in Patients with Sickle Cell Disease. Journal of Transplantation, 2013, 2013, 1-8.	0.3	16
348	Endocrinopathies after Allogeneic and Autologous Transplantation of Hematopoietic Stem Cells. Scientific World Journal, The, 2014, 2014, 1-13.	0.8	54
349	Comparison of reduced conditionings combining fludarabine with melphalan or 3-day busulfan in patients allografted for myeloid neoplasms. International Journal of Hematology, 2014, 100, 582-591.	0.7	5
350	Risk factors and organ involvement of chronic GVHD in Japan. Bone Marrow Transplantation, 2014, 49, 228-235.	1.3	50
351	Hematopoietic Stem Cell Transplantation in Adolescents and Young Adults. Acta Haematologica, 2014, 132, 313-325.	0.7	14
352	High Level of Serum Soluble Interleukin-2 Receptor at Transplantation Predicts Poor Outcome of Allogeneic Stem Cell Transplantation for Adult T Cell Leukemia. Biology of Blood and Marrow Transplantation, 2014, 20, 801-805.	2.0	23
353	Long-term outcome of HLA-haploidentical hematopoietic SCT without in vitro T-cell depletion for adult severe aplastic anemia after modified conditioning and supportive therapy. Bone Marrow Transplantation, 2014, 49, 519-524.	1.3	68
354	Extracorporeal photopheresis versus alternative treatment for chronic graft-versus-host disease after haematopoietic stem cell transplantation in paediatric patients. , 2014, , CD009898.		2
355	Human herpesvirus 6 reactivation on the 30th day after allogeneic hematopoietic stem cell transplantation can predict grade 2–4 acute graftâ€versusâ€host disease. Transplant Infectious Disease, 2014, 16, 440-449.	0.7	35
356	Tolerability and Efficacy of Busulfan and Fludarabine As Allogeneic Pretransplant Conditioning Therapy in Acute Myeloid Leukemia: Comparison With Busulfan and Cyclophosphamide Regimen. Clinical Lymphoma, Myeloma and Leukemia, 2014, 14, 493-500.	0.2	7
357	A novel reduced-intensity umbilical cord blood transplantation using a recombinant G-CSF combined with high-dose Ara-C for active myeloid malignancies. Bone Marrow Transplantation, 2014, 49, 955-960.	1.3	2
358	Effect of graft sources on allogeneic hematopoietic stem cell transplantation outcome in adults with chronic myeloid leukemia in the era of tyrosine kinase inhibitors: a Japanese Society of Hematopoietic Cell Transplantation retrospective analysis. International Journal of Hematology, 2014, 100, 296-306.	0.7	10
359	Reduced-Intensity Allogeneic Transplantation Using Alemtuzumab from HLA-Matched Related, Unrelated, or Haploidentical Related Donors for Patients with Hematologic Malignancies. Biology of Blood and Marrow Transplantation, 2014, 20, 257-263.	2.0	15
360	A prospective feasibility study of primary prophylaxis against invasive fungal disease with voriconazole following umbilical cord blood transplantation with fludarabine-based conditioning. International Journal of Hematology, 2014, 99, 652-658.	0.7	8
361	Recipient Pretransplant Inosine Monophosphate Dehydrogenase Activity in Nonmyeloablative Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2014, 20, 1544-1552.	2.0	7

#	Article	IF	CITATIONS
362	Mismatch on Glutathione S-Transferase T1 Increases the Risk of Graft-versus-Host Disease and Mortality after Allogeneic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2014, 20, 1356-1362.	2.0	12
363	MPD-RC 101 prospective study of reduced-intensity allogeneic hematopoietic stem cell transplantation in patients with myelofibrosis. Blood, 2014, 124, 1183-1191.	0.6	135
364	Favorable impact of natural killer cell reconstitution on chronic graft-versus-host disease and cytomegalovirus reactivation after allogeneic hematopoietic stem cell transplantation. Haematologica, 2014, 99, 1860-1867.	1.7	53
365	Extracorporeal photopheresis versus standard treatment for acute graft-versus-host disease after haematopoietic stem cell transplantation in paediatric patients. , 2014, , CD009759.		2
366	Impact of ABO blood group mismatch in alemtuzumab-based reduced-intensity conditioned haematopoietic SCT. Bone Marrow Transplantation, 2015, 50, 931-938.	1.3	8
367	A Safety and Efficacy Study of Medium-Dose Etoposide, Cyclophosphamide and Total Body Irradiation Conditioning Before Allogeneic Stem Cell Transplantation for Acute Lymphoblastic Leukemia. Transplantation Direct, 2015, 1, 1-7.	0.8	12
368	Extracorporeal photopheresis versus standard treatment for acute graft-versus-host disease after haematopoietic stem cell transplantation in paediatric patients. The Cochrane Library, 2015, , CD009759.	1.5	5
369	Haploidentical transplant with posttransplant cyclophosphamide vs matched unrelated donor transplant for acute myeloid leukemia. Blood, 2015, 126, 1033-1040.	0.6	565
370	Better allele-level matching improves transplant-related mortality after double cord blood transplantation. Haematologica, 2015, 100, 1361-1370.	1.7	32
371	Desialylation is associated with apoptosis and phagocytosis of platelets in patients with prolonged isolated thrombocytopenia after allo-HSCT. Journal of Hematology and Oncology, 2015, 8, 116.	6.9	34
372	Impact of the source of hematopoietic stem cell in unrelated transplants: Comparison between 10/10, 9/10â€∢scp>HLA matched donors and cord blood. American Journal of Hematology, 2015, 90, 897-903.	2.0	14
373	Extracorporeal photopheresis versus alternative treatment for chronic graft-versus-host disease after haematopoietic stem cell transplantation in paediatric patients. The Cochrane Library, 2015, , CD009898.	1.5	6
374	T-cell depleted allogeneic hematopoietic cell transplants as a platform for adoptive therapy with leukemia selective or virus-specific T-cells. Bone Marrow Transplantation, 2015, 50, S43-S50.	1.3	18
375	Association of fludarabine pharmacokinetic/dynamic biomarkers with donor chimerism in nonmyeloablative HCT recipients. Cancer Chemotherapy and Pharmacology, 2015, 76, 85-96.	1.1	14
376	In patients older than 55 years with AML in first CR, should we search for a matched unrelated donor when an old sibling donor is available?. Bone Marrow Transplantation, 2015, 50, 1411-1415.	1.3	16
377	Reduced-Intensity Conditioning Combined with 188Rhenium Radioimmunotherapy before Allogeneic Hematopoietic Stem Cell Transplantation in Elderly Patients with Acute Myeloid Leukemia: The Role of InÂVivo T Cell Depletion. Biology of Blood and Marrow Transplantation, 2015, 21, 1754-1760.	2.0	12
378	CD34-Selected Hematopoietic Stem Cell Transplants Conditioned with Myeloablative Regimens and Antithymocyte Globulin for Advanced Myelodysplastic Syndrome: Limited Graft-versus-Host Disease without Increased Relapse. Biology of Blood and Marrow Transplantation, 2015, 21, 2106-2114.	2.0	49
379	Impact of HLA Mismatch Direction on the Outcome of Unrelated Bone Marrow Transplantation: A Retrospective Analysis from the Japan Society for Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2015, 21, 305-311.	2.0	31

#	Article	IF	CITATIONS
380	Cord Blood Transplantation for Multiple Myeloma: A Study from the Multiple Myeloma Working Group of the Japan Society for Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2015, 21, 1291-1298.	2.0	10
381	A modified busulfan and cyclophosphamide preparative regimen for allogeneic transplantation in myeloid malignancies. International Journal of Clinical Pharmacy, 2015, 37, 44-52.	1.0	9
382	Clinical impact of immunophenotypic remission after allogeneic hematopoietic cell transplantation in multiple myeloma. Bone Marrow Transplantation, 2015, 50, 511-516.	1.3	6
383	Chimerism status after unrelated donor bone marrow transplantation with fludarabine-melphalan conditioning is affected by the melphalan dose and is predictive of relapse. Annals of Hematology, 2015, 94, 1139-1148.	0.8	10
384	Older recipient age is paradoxically associated with a lower incidence of chronic GVHD in Thymoglobulin recipients: a retrospective study exploring risk factors for GVHD in allogeneic transplantation with Thymoglobulin GVHD prophylaxis. Bone Marrow Transplantation, 2015, 50, 566-572.	1.3	3
385	State-of-the-art acute and chronic GVHD treatment. International Journal of Hematology, 2015, 101, 452-466.	0.7	72
386	Incidence and risk factors for ocular GVHD after allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2015, 50, 1459-1464.	1.3	53
387	Comparison of outcomes of idarubicin intensified TBI–CY and traditional TBI–CY conditioning regimen for high-risk acute lymphoblastic leukemia undergoing allogeneic hematopoietic stem cell transplantation: A single center experience. Leukemia Research, 2015, 39, 1192-1200.	0.4	13
388	Outcome of graft failure after allogeneic stem cell transplant: study of 89 patients. Leukemia and Lymphoma, 2015, 56, 656-662.	0.6	32
389	Fungal and viral infections after allogeneic hematopoietic transplantation from unrelated donors in adults: improving outcomes over time. Bone Marrow Transplantation, 2015, 50, 274-281.	1.3	18
390	Lower dose of antithymocyte globulin does not increase graft-versus-host disease in patients undergoing reduced-intensity conditioning allogeneic hematopoietic stem cell transplant. Leukemia and Lymphoma, 2015, 56, 1058-1065.	0.6	19
391	The Changing Epidemiology of Bloodstream Infections and Resistance in Hematopoietic Stem Cell Transplantation Recipients. Turkish Journal of Haematology, 2016, 33, 216-222.	0.2	14
392	Genetic Background of Immune Complications after Allogeneic Hematopoietic Stem Cell Transplantation in Children. Stem Cells International, 2016, 2016, 1-6.	1.2	3
393	Early lymphocyte recovery predicts superior outcomes after unmanipulated haploidentical blood and marrow transplant for acute myeloid leukemia. Clinical Transplantation, 2016, 30, 954-958.	0.8	4
394	Effect of extracorporeal photopheresis on lung function decline for severe bronchiolitis obliterans syndrome following allogeneic stem cell transplantation. Journal of Clinical Apheresis, 2016, 31, 347-352.	0.7	22
395	Hematopoietic stem cell transplantation for people with sickle cell disease. The Cochrane Library, 2016, , CD007001.	1.5	14
396	Comparison of transplant outcomes from matched sibling bone marrow or peripheral blood stem cell and unrelated cord blood in patients 50 years or older. American Journal of Hematology, 2016, 91, E284-92.	2.0	59
397	Successful Single-Lung Transplant for Severe Lung Graft-Versus-Host Disease Two Years After Sibling Allograft for Acute Lymphoblastic Leukemia: A Case Report. Transplantation Proceedings, 2016, 48, 3227-3230.	0.3	ο

#	Article	IF	CITATIONS
398	Profile of Inflammation-Associated Proteins in Early Post-Transplant Samples of Patients After Allogeneic Hematopoietic Stem Cell Transplantation: a Preliminary Study. Archivum Immunologiae Et Therapiae Experimentalis, 2016, 64, 55-61.	1.0	3
399	Hematopoietic stem cell transplantation for T-cell large granular lymphocyte leukemia: a retrospective study of the European Society for Blood and Marrow Transplantation. Leukemia, 2016, 30, 1201-1204.	3.3	19
400	Allogeneic Hematopoietic Cell Transplantation for Leukemic Transformation Preceded by Philadelphia Chromosome–Negative Myeloproliferative Neoplasms: A Nationwide Survey by the Adult Acute Myeloid Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2016, 22, 2208-2213.	2.0	29
403	Haploidentical and Matched Sibling Donor Hematopoietic Cell Transplantation for Patients with HLA-Homozygous Haplotypes. Biology of Blood and Marrow Transplantation, 2016, 22, 2031-2037.	2.0	5
404	Long-term outcomes of HLA-haploidentical stem cell transplantation based on an FBCA conditioning regimen compared with those of HLA-identical sibling stem cell transplantation for haematologic malignancies. Bone Marrow Transplantation, 2016, 51, 1470-1475.	1.3	8
405	Graftâ€versusâ€host disease in paediatric solid organ transplantation: A review of the literature. Pediatric Transplantation, 2016, 20, 607-618.	0.5	30
406	Graft-versus-Host Disease after HLA-Matched Sibling Bone Marrow or Peripheral Blood Stem Cell Transplantation: Comparison of North American Caucasian and Japanese Populations. Biology of Blood and Marrow Transplantation, 2016, 22, 744-751.	2.0	41
407	A comparison of tacrolimus and cyclosporine combined with methotrexate for graft-versus-host disease prophylaxis, stratified by stem cell source: a retrospective nationwide survey. International Journal of Hematology, 2016, 103, 322-333.	0.7	13
408	Review of Cutaneous Graft-vs-Host Disease. Actas Dermo-sifiliográficas, 2016, 107, 183-193.	0.2	4
409	Impacts of graft-versus-host disease on outcomes after allogeneic hematopoietic stem cell transplantation for chronic myelomonocytic leukemia: A nationwide retrospective study. Leukemia Research, 2016, 41, 48-55.	0.4	25
410	Aproximación a la enfermedad injerto contra huésped cutánea. Actas Dermo-sifiliográficas, 2016, 107, 183-193.	0.2	14
411	Efficacy and safety of deferasirox in non-thalassemic patients with elevated ferritin levels after allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2016, 51, 89-95.	1.3	30
412	Low Socioeconomic Status, Adverse Gene Expression Profiles, and Clinical Outcomes in Hematopoietic Stem Cell Transplant Recipients. Clinical Cancer Research, 2016, 22, 69-78.	3.2	63
413	Allogeneic stem cell transplantation for adult patients with acute lymphoblastic leukemia who had central nervous system involvement: a study from the Adult ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation. International Journal of Hematology, 2017, 105, 805-811.	0.7	5
414	Reduced-intensity conditioning allogeneic hematopoietic cell transplantation for younger patients with acute myeloid leukemia: a registry-based study. Bone Marrow Transplantation, 2017, 52, 818-824.	1.3	11
416	Cryopreserved CD34 + Cell Dose, but Not Total Nucleated Cell Dose, Influences Hematopoietic Recovery and Extensive Chronic Graft-versus-Host Disease after Single-Unit Cord Blood Transplantation in Adult Patients. Biology of Blood and Marrow Transplantation, 2017, 23, 1142-1150.	2.0	52
417	The intestinal microbiota in allogeneic hematopoietic cell transplant and graft-versus-host disease. Blood, 2017, 129, 927-933.	0.6	153
418	Cardiovascular Risk Factors in Survivors of Childhood Hematopoietic Cell Transplantation Treated with Total Body Irradiation: A Longitudinal Analysis. Biology of Blood and Marrow Transplantation, 2017, 23, 475-482.	2.0	29

#	Article	IF	CITATIONS
419	Chronic Kidney Disease in Long-Term Survivors after Allogeneic Hematopoietic Stem Cell Transplantation: Retrospective Analysis at a Single Institute. Biology of Blood and Marrow Transplantation, 2017, 23, 2159-2165.	2.0	23
420	Comparison of Conditioning with Fludarabine/Busulfan and Fludarabine/Melphalan in Allogeneic Transplantation Recipients 50 Years or Older. Biology of Blood and Marrow Transplantation, 2017, 23, 2079-2087.	2.0	34
421	Impact of the presence of HLA 1-locus mismatch and the use of low-dose antithymocyte globulin in unrelated bone marrow transplantation. Bone Marrow Transplantation, 2017, 52, 1390-1398.	1.3	23
422	A Chemotherapy-Only Regimen of Busulfan, Melphalan, and Fludarabine, and Rabbit Antithymocyte Globulin Followed by Allogeneic T-Cell Depleted Hematopoietic Stem Cell Transplantations for the Treatment of Myeloid Malignancies. Biology of Blood and Marrow Transplantation, 2017, 23, 2088-2095.	2.0	9
423	Impact of Human Leukocyte Antigen Allele Mismatch in Unrelated Bone Marrow Transplantation with Reduced-Intensity Conditioning Regimen. Biology of Blood and Marrow Transplantation, 2017, 23, 300-309.	2.0	12
424	Impact of graft-versus-host disease on outcomes after unrelated cord blood transplantation. Leukemia, 2017, 31, 663-668.	3.3	54
425	The Role of Anti-Thymocyte Globulin or Alemtuzumab-Based Serotherapy in the Prophylaxis and Management of Graft-Versus-Host Disease. Biomedicines, 2017, 5, 67.	1.4	16
426	Refractory Graft-Versus-Host Disease–Free, Relapse-Free Survival as an Accurate and Easy-to-Calculate Endpoint to Assess the Long-Term Transplant Success. Biology of Blood and Marrow Transplantation, 2018, 24, 1521-1526.	2.0	10
427	Inosine Monophosphate Dehydrogenase Pharmacogenetics in Hematopoietic Cell Transplantation Patients. Biology of Blood and Marrow Transplantation, 2018, 24, 1802-1807.	2.0	9
428	The Role of Allogeneic Transplantation for Multiple Myeloma in the Era of Novel Agents: A Study from the Japanese Society of Myeloma. Biology of Blood and Marrow Transplantation, 2018, 24, 1392-1398.	2.0	11
429	Risk factors predicting the survival of pediatric patients with relapsed/refractory non-Hodgkin lymphoma who underwent hematopoietic stem cell transplantation: a retrospective study from the Turkish pediatric bone marrow transplantation registry. Leukemia and Lymphoma, 2018, 59, 85-96.	0.6	5
430	Graft-Versus-Host Disease and Graft-Versus-Leukemia Responses. , 2018, , 1650-1668.e10.		1
431	Similar outcome of allogeneic stem cell transplantation after myeloablative and sequential conditioning regimen in patients with refractory or relapsed acute myeloid leukemia: A study from the Société Francophone de Greffe de Moelle et de Thérapie Cellulaire. American Journal of Hematology, 2018, 93, 416-423.	2.0	18
432	Allogeneic hematopoietic stem cell transplantation for the treatment of BCR-ABL1-negative atypical chronic myeloid leukemia and chronic neutrophil leukemia: A retrospective nationwide study in Japan. Leukemia Research, 2018, 75, 50-57.	0.4	21
433	Burden of cytomegalovirus disease in allogeneic hematopoietic cell transplant recipients: a national, matched cohort study in an inpatient setting. Current Research in Translational Medicine, 2018, 66, 95-101.	1.2	4
434	Acute Complications in Hematopoietic Stem Cell Transplantation and Cellular Immunotherapy. Clinical Pediatric Emergency Medicine, 2018, 19, 162-175.	0.4	0
435	Patients with acute myeloid leukemia undergoing allogeneic hematopoietic cell transplantation: trends in survival during the past two decades. Bone Marrow Transplantation, 2019, 54, 578-586.	1.3	17
436	Comparison between autologous and allogeneic stem cell transplantation as salvage therapy for multiple myeloma relapsing/progressing after autologous stem cell transplantation. Hematological Oncology, 2019, 37, 586-594.	0.8	8

#	Article	IF	CITATIONS
437	Tyrosine kinase inhibitor prophylaxis after transplant for Philadelphia chromosomeâ€positive acute lymphoblastic leukemia. Cancer Science, 2019, 110, 3255-3266.	1.7	32
438	A prospective observational study of immune reconstitution following transplantation with postâ€transplant reducedâ€dose cyclophosphamide from <scp>HLA</scp> â€haploidentical donors. Transplant International, 2019, 32, 1322-1332.	0.8	24
439	Monocyteâ€predominant engraftment, cytokine levels and early transplantâ€related complications in pediatric hematopoietic stem cell recipients. Cancer Medicine, 2019, 8, 890-901.	1.3	4
440	Allogeneic hematopoietic cell transplantation for patients with a history of multiple relapses of acute myeloid leukemia. Annals of Hematology, 2019, 98, 2179-2186.	0.8	8
441	Unit selection for umbilical cord blood transplantation for adults with acute myeloid leukemia in complete remission: a Japanese experience. Bone Marrow Transplantation, 2019, 54, 1789-1798.	1.3	39
442	Red blood cell transfusion burden by day 30 predicts mortality in adults after single-unit cord blood transplantation. Bone Marrow Transplantation, 2019, 54, 1836-1846.	1.3	5
443	ABO blood type incompatibility lost the unfavorable impact on outcome in unrelated bone marrow transplantation, 2019, 54, 1676-1685.	1.3	10
444	Increased opportunity for prolonged survival after allogeneic hematopoietic stem cell transplantation in patients aged 60–69Âyears with myelodysplastic syndrome. Annals of Hematology, 2019, 98, 1367-1381.	0.8	13
445	Short-term clinical outcomes after HLA 1-locus mismatched uPBSCT are similar to that after HLA-matched uPBSCT and uBMT. International Journal of Hematology, 2019, 109, 684-693.	0.7	3
446	Impacts of post-transplantation cyclophosphamide treatment after allogeneic hematopoietic stem cell transplantation in acute myeloid leukemia. Scientific Reports, 2019, 9, 2046.	1.6	8
447	Impacts of thymoglobulin in patients with acute leukemia in remission undergoing allogeneic HSCT from different donors. Blood Advances, 2019, 3, 105-115.	2.5	25
448	Nonmyeloablative TLI-ATG conditioning for allogeneic transplantation: mature follow-up from a large single-center cohort. Blood Advances, 2019, 3, 2454-2464.	2.5	12
449	HLA discrepancy between graft and host rather than that graft and first donor impact the second transplant outcome. Haematologica, 2019, 104, 1055-1061.	1.7	3
450	Prognostic impact of melphalan dose and total body irradiation use in patients with acute myeloid leukemia undergoing allogeneic stem cell transplantation with reduced-intensity conditioning. Leukemia and Lymphoma, 2019, 60, 1493-1502.	0.6	6
451	The Prognostic Impact of Pretransplantation Inflammatory and Nutritional Status in Adult Patients after Myeloablative Single Cord Blood Transplantation. Biology of Blood and Marrow Transplantation, 2019, 25, 981-988.	2.0	13
452	Haploidentical transplantation outcomes are comparable with those obtained with identical human leukocyte antigen allogeneic transplantation in Chilean patients with benign and malignant hemopathies. Hematology, Transfusion and Cell Therapy, 2020, 42, 40-45.	0.1	5
453	Analysis of glutathione S-transferase and cytochrome P450 gene polymorphism in recipients of dose-adjusted busulfan-cyclophosphamide conditioning. International Journal of Hematology, 2020, 111, 84-92.	0.7	9
454	Donor single nucleotide polymorphism in ACAT1 affects the incidence of graft-versus-host disease after bone marrow transplantation. International Journal of Hematology, 2020, 111, 112-119.	0.7	1

#	Article	IF	CITATIONS
455	Effects of Haplotype Matching on Outcomes after Adult Single-Cord Blood Transplantation. Biology of Blood and Marrow Transplantation, 2020, 26, 509-518.	2.0	11
456	Time-Varying Effects of Graft Type on Outcomes for Patients with Acute Myeloid Leukemia Undergoing Allogeneic Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2020, 26, 307-315.	2.0	12
457	Prognostic factors for adult single cord blood transplantation among European and Japanese populations: the Eurocord/ALWP-EBMT and JSHCT/JDCHCT collaborative study. Leukemia, 2020, 34, 128-137.	3.3	36
458	The effect of graftâ€versusâ€host disease on outcomes after allogeneic stem cell transplantation for refractory lymphoblastic lymphoma in children and young adults. Pediatric Blood and Cancer, 2020, 67, e28129.	0.8	5
459	Impact of HLA Allele Mismatch at HLA-A, -B, -C, and -DRB1 in Single Cord Blood Transplantation. Biology of Blood and Marrow Transplantation, 2020, 26, 519-528.	2.0	34
460	Clinical Outcomes after Allogeneic Hematopoietic Stem Cell Transplantation in Children with Juvenile Myelomonocytic Leukemia: A Report from the Japan Society for Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2020, 26, 902-910.	2.0	16
461	Comparing the outcomes between TMLI and non-TMLI conditioning regimens for adult high-risk acute lymphoblastic leukemia patients undergoing allogeneic hematopoietic stem cell transplantation: a single-center experience. Leukemia and Lymphoma, 2020, 61, 2859-2867.	0.6	3
462	Programmed death 1 ligand (PD-L1) in solid cancers after allogeneic hematopoietic stem cell transplantation: a retrospective analysis by the Nagasaki Transplant Group. International Journal of Hematology, 2020, 112, 524-534.	0.7	1
463	Patterns of Genital Examination and Vulvovaginal Graft-Versus-Host Disease in a Pediatric Post-Hematopoietic Stem Cell Transplant Population. Journal of Pediatric and Adolescent Gynecology, 2020, 33, 658-666.	0.3	7
464	Allogeneic hematopoietic cell transplantation for adults with acute myeloid leukemia conducted in Japan during the past quarter century. Annals of Hematology, 2020, 99, 1351-1360.	0.8	26
465	Comparing transplant outcomes in ALL patients after haploidentical with PTCy or matched unrelated donor transplantation. Blood Advances, 2020, 4, 2073-2083.	2.5	39
466	Effect of graft-versus-host disease on outcomes after pediatric single cord blood transplantation. Bone Marrow Transplantation, 2020, 55, 1430-1437.	1.3	9
467	Long-term results of reduced-intensity conditioning allogeneic hematopoietic cell transplantation for older patients with acute myeloid leukemia: a retrospective analysis of 10-year follow-up data. Bone Marrow Transplantation, 2020, 55, 2008-2016.	1.3	7
468	Impact of graftâ€versusâ€host disease and graftâ€versusâ€leukemia effect based on minimal residual disease in Philadelphia chromosomeâ€positive acute lymphoblastic leukemia. British Journal of Haematology, 2020, 190, 84-92.	1.2	13
469	Antithymocyte Globulin for Matched Sibling Donor Transplantation in Patients With Hematologic Malignancies: A Multicenter, Open-Label, Randomized Controlled Study. Journal of Clinical Oncology, 2020, 38, 3367-3376.	0.8	69
470	Hematopoietic stem cell transplantation for people with sickle cell disease. The Cochrane Library, 2020, 2020, CD007001.	1.5	2
471	Comparison of the outcomes after haploidentical and cord blood salvage transplantations for graft failure following allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2020, 55, 1784-1795.	1.3	17
472	Influence of HLA 1–3-locus mismatch and antithymocyte globulin administration in unrelated bone marrow transplantation. Annals of Hematology, 2020, 99, 1099-1110.	0.8	1

#	Article	IF	CITATIONS
473	Allogeneic hematopoietic cell transplantation efficacy in patients with Philadelphia chromosome-positive acute myeloid leukemia in complete remission. Bone Marrow Transplantation, 2021, 56, 232-242.	1.3	0
474	Prediction of Acute Graft versus Host Disease and Relapse by Endogenous Metabolomic Compounds in Patients Receiving Personalized Busulfan-Based Conditioning. Journal of Proteome Research, 2021, 20, 684-694.	1.8	6
475	Prognostic Impact of the Fractionation of Total Body Irradiation for Patients with Acute Myeloid Leukemia Undergoing Myeloablative Allogeneic Hematopoietic Cell Transplantation. Transplantation and Cellular Therapy, 2021, 27, 185.e1-185.e6.	0.6	2
476	Single cord blood transplantation for acute myeloid leukemia patients aged 60 years or older: a retrospective study in Japan. Annals of Hematology, 2021, 100, 1849-1861.	0.8	6
477	Adding melphalan to fludarabine and a myeloablative dose of busulfan improved survival after allogeneic hematopoietic stem cell transplantation in a propensity score-matched cohort of hematological malignancies. Bone Marrow Transplantation, 2021, 56, 1691-1699.	1.3	4
478	Prognostic factors in salvage transplantation for graft failure following allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2021, 56, 2183-2193.	1.3	3
479	Single Cord Blood Transplantation Versus Unmanipulated Haploidentical Transplantation for Adults with Acute Myeloid Leukemia in Complete Remission. Transplantation and Cellular Therapy, 2021, 27, 334.e1-334.e11.	0.6	23
480	Early-Phase Peripheral Blood Eosinophilia Predicts Lower Overall and Non-Relapse Mortality After Single-Unit Cord Blood Transplantation. Transplantation and Cellular Therapy, 2021, 27, 336.e1-336.e9.	0.6	1
481	Allogeneic hematopoietic stem cell transplantation for myelodysplastic syndrome in adolescent and young adult patients. Bone Marrow Transplantation, 2021, 56, 2510-2517.	1.3	9
482	Differential Effect of Graft-versus-Host Disease on Survival in Acute Leukemia according to Donor Type. Clinical Cancer Research, 2021, 27, 4825-4835.	3.2	14
483	Prognostic impacts of peripheral blood erythroblasts after singleâ€unit cord blood transplantation. International Journal of Laboratory Hematology, 2021, 43, 1437-1442.	0.7	0
484	Prognostic impact of the dosage of methotrexate combined with tacrolimus for graft-versus-host disease prophylaxis after cord blood transplantation. International Journal of Hematology, 2021, 114, 252-262.	0.7	1
485	Graft Failure in Patients With Hematological Malignancies: A Successful Salvage With a Second Transplantation From a Different Haploidentical Donor. Frontiers in Medicine, 2021, 8, 604085.	1.2	13
486	Are hematopoietic cell transplant recipients with Gramâ€negative bacteremia spending more time outpatient while on intravenous antibiotics? Addressing trends over 10 years at a single center. Immunity, Inflammation and Disease, 2021, 9, 1786-1794.	1.3	1
487	Difference in outcomes following allogeneic hematopoietic cell transplantation for patients with acute myeloid leukemia and myelodysplastic syndromes. Leukemia and Lymphoma, 2021, 62, 3411-3419.	0.6	0
488	Allogeneic Hematopoietic Cell Transplantation from Alternative Donors in Acute Myelogenous Leukemia: A Comparative Analysis. Transplantation and Cellular Therapy, 2021, 27, 1005.e1-1005.e8.	0.6	1
489	Syngeneic hematopoietic stem cell transplantation for acute myeloid leukemia: a propensity score-matched analysis. Blood Cancer Journal, 2021, 11, 159.	2.8	2
490	Allogeneic hematopoietic cell transplantation using non-myeloablative ATG/TLI conditioning for lymphomas. Leukemia and Lymphoma, 2022, 63, 231-234.	0.6	0

#	Article	IF	CITATIONS
491	Donor-Host Lineage-Specific Chimerism Monitoring and Analysis in Pediatric Patients Following Allogeneic Stem Cell Transplantation: Influence of Pretransplantation Variables and Correlation with Post-Transplantation Outcomes. Transplantation and Cellular Therapy, 2021, 27, 780.e1-780.e14.	0.6	6
492	Long-term outcomes following the addition of granulocyte colony-stimulating factor-combined high-dose cytarabine to total body irradiation and cyclophosphamide conditioning in single-unit cord blood transplantation for myeloid malignancies. Annals of Hematology, 2022, 101, 177-189.	0.8	4
493	Impact of HLA disparity on the risk of overall mortality in patients with grade Il–IV acute GVHD on behalf of the HLA Working Group of Japan Society for Hematopoietic Cell Transplantation. Bone Marrow Transplantation, 2021, 56, 2990-2996.	1.3	2
494	Total body irradiation-containing conditioning regimens without antithymocyte globulin in adults with aplastic anemia undergoing umbilical cord blood transplantation. Annals of Hematology, 2022, 101, 165-175.	0.8	1
495	T-Cell Depletion to Prevent Graft-vs-Host Disease. , 2004, , 431-451.		3
496	Acute Graft-vs-Host Disease. , 2004, , 159-184.		2
497	Cellular Therapy for Hematology Malignancies: Allogeneic Hematopoietic Stem Transplantation, Graft-Versus-Host Disease, and Graft Versus Leukemia Effects. , 2012, , 303-366.		1
498	Conditioning regimen for allogeneic bone marrow transplantation in children with acquired bone marrow failure: fludarabine/melphalan vs. fludarabine/cyclophosphamide. Bone Marrow Transplantation, 2020, 55, 1272-1281.	1.3	7
499	Reduced-intensity conditioning is a reasonable alternative for Philadelphia chromosome-positive acute lymphoblastic leukemia among elderly patients who have achieved negative minimal residual disease: a report from the Adult Acute Lymphoblastic Leukemia Working Group of the JSHCT. Bone Marrow Transplantation, 2020, 55, 1317-1325.	1.3	14
500	MYCOPHENOLATE MOFETIL AND CYCLOSPORINE AS GRAFT-VERSUS-HOST DISEASE PROPHYLAXIS AFTER ALLOGENEIC BLOOD STEM CELL TRANSPLANTATION. Transplantation, 1999, 67, 499-504.	0.5	99
501	LUNG TRANSPLANTATION AFTER ALLOGENEIC MARROW TRANSPLANTATION IN PEDIATRIC PATIENTS. Transplantation, 2001, 72, 1986-1990.	0.5	34
502	The gut microbiota and graft-versus-host disease. Journal of Clinical Investigation, 2019, 129, 1808-1817.	3.9	67
503	Non-Myeloablative Transplantation. Hematology American Society of Hematology Education Program, 2002, 2002, 392-421.	0.9	45
504	Direct evidence for new T-cell generation by patients after either T-cell–depleted or unmodified allogeneic hematopoietic stem cell transplantations. Blood, 2002, 100, 2235-2242.	0.6	57
505	Marrow Transplants From Unrelated Donors for Treatment of Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. Blood, 1997, 90, 1410-1414.	0.6	2
506	T-Cell–Depleted Allogeneic Bone Marrow Transplantation as Postremission Therapy for Acute Myelogenous Leukemia: Freedom From Relapse in the Absence of Graft-Versus-Host Disease. Blood, 1998, 91, 1083-1090.	0.6	2
507	Prolonged fluconazole prophylaxis is associated with persistent protection against candidiasis-related death in allogeneic marrow transplant recipients: long-term follow-up of a randomized, placebo-controlled trial. Blood, 2000, 96, 2055-2061.	0.6	5
508	High incidence of extensive chronic graft-versus-host disease in patients with the REG3A rs7588571 non-GG genotype. PLoS ONE, 2017, 12, e0185213.	1.1	6

ARTICLE IF CITATIONS Meta-analysis of the actions of antithymocyte globulin in patients undergoing allogeneic 509 0.8 23 hematopoietic cell transplantation. Oncotarget, 2017, 8, 10871-10882. Brazilian Nutritional Consensus in Hematopoietic Stem Cell Transplantation: Graft- versus -host 0.3 disease. Einstein (Sao Paulo, Brazil), 2020, 18, eAE4799. Current Preventions and Treatments of aGVHD: From Pharmacological Prophylaxis to Innovative 511 2.2 14 Therapies. Frontiers in Immunology, 2020, 11, 607030. Endoscopic diagnosis of cytomegalovirus gastritis after allogeneic hematopoietic stem cell 1.4 transplantation. World Journal of Gastroenterology, 2010, 16, 2907. A multicenter feasibility study of chronic graft-versus-host disease according to the National 513 0.7 7 Institute of Health criteria. Revista Brasileira De Hematologia E Hemoterapia, 2011, 33, 283-289. The impact of GVHD on outcomes after adult single cord blood transplantation in European and 514 1.3 Japanese populations. Bone Marrow Transplantation, 2022, 57, 57-64. Dose Reduced Conditioning for Allogeneic Blood Stem Cell Transplantation from Sibling and 515 0.0 0 Unrelated Donors in 51 Patients. Hamatologie Und Bluttransfusion, 2001, , 685-694. Allogeneic blood cell transplantation following reduced-intensity conditioning is effective therapy 0.6 for older patients with myelofibrosis with myeloid metaplasia. Blood, 2002, 99, 2255-2258. Dose Reduced Conditioning for Allogeneic Blood Stem Cell Transplantation from Sibling and 517 0 Unrelated Donors in 51 Patients., 2003, , 59-73. Pathophysiology of Lung Injury After Hematopoietic Stem Cell Transplantation., 2004, , 271-295. Chronic Graft-vs-Host Disease After Transplantation., 2004, , 185-200. 519 0 Allogeneic stem cell transplantation., 2004, , 513-537. Late effects following allogeneic stem cell transplantation., 2004, , 782-793. 521 0 HAmatopoetische Stammzelltransplantation bei angeborenen Immundefekten., 2005, 523-531. 523 Lung Injury after Hematopoietic Stem Cell Transplantation., 2008, , 495-536. 0 Chronic Graft-versus-Host Disease., 2008, , 621-649. 524 Outcomes of Salvage Autologous Versus Allogeneic Hematopoietic Cell Transplantation for Relapsed 526 Multiple Myeloma After Initial Autologous Hematopoietic Cell Transplantation. Journal of Clinical 0.6 14 Medicine Research, 2013, 5, 174-84. Therapeutic Application of Amniotic Fluid Stem Cells for Graft-Versus-Host Disease., 2014, , 43-52.

#	Article	IF	CITATIONS
528	Marrow Transplantation: Current Results and Effect of Immunoglobulin Prophylaxis. , 1997, , 107-110.		0
529	Late effects of cancer therapy. Cancer Treatment and Research, 1997, 92, 343-375.	0.2	0
530	Marrow Transplants from Unrelated Donors for the Treatment of High-Risk Acute Leukemia. Hamatologie Und Bluttransfusion, 1998, , 1111-1124.	0.0	0
531	Late Gastrointestinal and Hepatic Effects. Pediatric Oncology, 2015, , 229-252.	0.5	0
532	Bronchiolitis Obliterans Syndrome after Allogenic Hematopoietic Stem Cell Transplantation in Pediatric Patients. Clinical Pediatric Hematology-Oncology, 2015, 22, 127-135.	0.0	0
533	Cutaneous Graft-Versus-Host Disease. , 2017, , 665-683.		0
534	Tumorablative conditioning regimen for haploidentical stem cell transplantation in 102 children with hematologic malignancies: a single-center experience. Oncotarget, 2017, 8, 113749-113757.	0.8	2
535	Retrospective Evaluation Of Children After Stem Cell Transplantation: Single Center Experience. Journal of Contemporary Medicine, 0, , .	0.1	0
537	Reduction in transplant-related complications in patients given intravenous immuno globulin after allogeneic marrow transplantation. Clinical and Experimental Immunology, 1994, 97 Suppl 1, 53-7.	1.1	3
538	The Relationship between STR-PCR Chimerism Analysis and Chronic GvHD Following Hematopoietic Stem Cell Transplantation. International Journal of Hematology-Oncology and Stem Cell Research, 2017, 11, 24-29.	0.3	2
539	Comparing cord blood transplantation and matched related donor transplantation in non-remission acute myeloid leukemia. Leukemia, 2022, 36, 1132-1138.	3.3	16
540	Disease-specific impact of anti-thymocyte globulin in allogeneic hematopoietic cell transplantation: a nationwide retrospective study on behalf of the JSTCT, transplant complications working group. Bone Marrow Transplantation, 2022, 57, 479-486.	1.3	5
541	Donor lymphocyte infusion after haploidentical hematopoietic stem cell transplantation for acute myeloid leukemia. Annals of Hematology, 2022, 101, 643-653.	0.8	6
542	Deletion of Y chromosome before allogeneic hematopoietic stem cell transplantation in male recipients with female donors. Blood Advances, 2022, 6, 1895-1903.	2.5	5
543	Impact of HLA Epitope Matching on Outcomes After Unrelated Bone Marrow Transplantation. Frontiers in Immunology, 2022, 13, 811733.	2.2	2
544	Diagnosis and staging of ophthalmic manifestations of the graft-versus-host reaction after allogeneic hematopoietic stem cell transplantation. Ophthalmology Journal, 2021, 14, 91-102.	0.1	1
545	Establishment of a predictive model for GVHD-free, relapse-free survival after allogeneic HSCT using ensemble learning. Blood Advances, 2022, 6, 2618-2627.	2.5	12
546	Single Cord Blood Transplantation Versus HLA-Haploidentical-related Donor Transplantation Using Posttransplant Cyclophosphamide in Patients With Hematological Malignancies. Transplantation, 2022, 106, 1279-1287.	0.5	4

#	Article	IF	Citations
"			CHAHONS
547	Comparison of Myeloablative and Nonmyeloablative Hematopoietic Stem Cell Transplantation for Treatment of Chronic Myeloid Leukemia. International Journal of Hematology, 2007, 86, 275-281.	0.7	6
548	Effect of Multiple HLA Locus Mismatches on Outcomes after Single Cord Blood Transplantation. Transplantation and Cellular Therapy, 2022, 28, 398.e1-398.e9.	0.6	6
549	Overcoming minimal residual disease using intensified conditioning with medium-dose etoposide, cyclophosphamide and total body irradiation in allogeneic stem cell transplantation for Philadelphia chromosome-positive acute lymphoblastic leukemia in adults. Cytotherapy, 2022, 24, 954-961.	0.3	3
550	Improved trends in survival and engraftment after single cord blood transplantation for adult acute myeloid leukemia. Blood Cancer Journal, 2022, 12, .	2.8	16
551	Advantages of peripheral blood stem cells from unrelated donors versus bone marrow transplants in outcomes of adult acute myeloid leukemia patients. Cytotherapy, 2022, 24, 1013-1025.	0.3	3
552	Outcomes of salvage haploidentical transplantation using posttransplant cyclophosphamide for graft failure following allogeneic hematopoietic stem cell transplantation. International Journal of Hematology, 2022, 116, 744-753.	0.7	4
553	Characteristics of Graft-Versus-Host Disease (GvHD) After Post-Transplantation Cyclophosphamide Versus Conventional GvHD Prophylaxis. Transplantation and Cellular Therapy, 2022, 28, 681-693.	0.6	13
554	BONE MARROW TRANSPLANTATION FOR HEMATOLOGIC MALIGNANCIES AND CANCER. Radiologic Clinics of North America, 1996, 16, 393-427.	0.9	0
555	Age and allogeneic hematopoietic cell transplantation outcomes in acute myeloid leukemia. International Journal of Hematology, 2023, 117, 398-408.	0.7	1
556	Fludarabine plus reduced-intensity busulfan versus fludarabine plus myeloablative busulfan in patients with non-Hodgkin lymphoma undergoing allogeneic hematopoietic cell transplantation. Annals of Hematology, 0, , .	0.8	0