

CITATION REPORT

List of articles citing

Structure and expression of a gene encoding the precursor of subtilin, a small protein antibiotic

DOI: PM/2837490

Journal of Biological Chemistry, 1988, 263, 9508-14.

Source: <https://exaly.com/paper-pdf/127172959/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
162	Identification of a genetic locus required for biosynthesis of the lipopeptide antibiotic surfactin in <i>Bacillus subtilis</i> . 1988 , 170, 5662-8		264
161	The peptide antibiotic subtilin acts by formation of voltage-dependent multi-state pores in bacterial and artificial membranes. <i>FEBS Journal</i> , 1989 , 182, 181-6		71
160	Pep5: Strukturaufklärung eines großen Lantibioticums. 1989 , 101, 618-621		14
159	Pep5: Structure Elucidation of a Large Lantibiotic. 1989 , 28, 616-619		63
158	Pep5, a new lantibiotic: structural gene isolation and prepeptide sequence. 1989 , 152, 16-9		123
157	Homeotopic transformation and the origin of translation. 1989 , 54, 81-6		64
156	Molecular characterization of pmbA, an <i>Escherichia coli</i> chromosomal gene required for the production of the antibiotic peptide MccB17. 1990 , 4, 1921-32		32
155	Biosynthesis of the lantibiotic Pep5. Isolation and characterization of a prepeptide containing dehydroamino acids. <i>FEBS Journal</i> , 1990 , 194, 217-23		87
154	Molecular biology of antibiotic production in <i>Bacillus</i> . 1990 , 10, 223-40		70
153	Conversion of <i>Bacillus subtilis</i> 168 to a subtilin producer by competence transformation. 1991 , 173, 7387-90		23
152	Prepeptide sequence of cinnamycin (Ro 09-0198): the first structural gene of a duramycin-type lantibiotic. <i>FEBS Journal</i> , 1991 , 199, 411-5		73
151	Identification and characterization of the lantibiotic nisin Z, a natural nisin variant. <i>FEBS Journal</i> , 1991 , 201, 581-4		300
150	NMR studies of lantibiotics. The structure of nisin in aqueous solution. <i>FEBS Journal</i> , 1991 , 202, 1181-8		90
149	Lantibiotica - ribosomal synthetisierte Polypeptidwirkstoffe mit Sulfidbrücken und β -Didehydroaminoaciden. 1991 , 103, 1067-1084		43
148	Transcriptional organization and regulation of the nosiheptide resistance gene in <i>Streptomyces actuosus</i> . 1991 , 8, 1-12		9
147	Developments in nisin research. 1992 , 25, 57-66		66
146	Enter a new post-translational modification: D-amino acids in gene-encoded peptides. 1992 , 17, 481-5		59

145	Sequence-specific resonance assignment and conformational analysis of subtilin by 2D NMR. <i>FEBS Letters</i> , 1992 , 300, 56-62	3.8	32
144	The subtilin gene of <i>Bacillus subtilis</i> ATCC 6633 is encoded in an operon that contains a homolog of the hemolysin B transport protein. 1992 , 174, 1417-22		66
143	Determination of the sequence of spaE and identification of a promoter in the subtilin (spa) operon in <i>Bacillus subtilis</i> . 1992 , 174, 6699-702		43
142	[Molecular biology and regulatory mechanisms of antibiotic production in <i>Bacillus</i>]. 1992 , 79, 202-12		5
141	Analysis of genes involved in the biosynthesis of lantibiotic epidermin. <i>FEBS Journal</i> , 1992 , 204, 57-68		125
140	Synthesis and Conformational Analysis by CD Spectroscopy of Lantibiotic Leader, Pro- and Pre-Peptides. 1993 , 1993, 1125-1131		5
139	Model studies of lantibiotic biogenesis. 1993 , 34, 7833-7836		37
138	Biosynthesis of nisin in the subtilin producer <i>Bacillus subtilis</i> ATCC6633. 1993 , 15, 991-996		23
137	[Lantibiotics, a class of ribosomally synthesized peptide antibiotics]. 1993 , 80, 454-60		10
136	Characterization of the nisin gene cluster nisABTCIPR of <i>Lactococcus lactis</i> . Requirement of expression of the nisA and nisl genes for development of immunity. <i>FEBS Journal</i> , 1993 , 216, 281-91		420
135	Biosynthesis and secretion of a precursor of nisin Z by <i>Lactococcus lactis</i> , directed by the leader peptide of the homologous lantibiotic subtilin from <i>Bacillus subtilis</i> . <i>FEBS Letters</i> , 1993 , 330, 23-7	3.8	74
134	A novel post-translational modification of the peptide antibiotic subtilin: isolation and characterization of a natural variant from <i>Bacillus subtilis</i> A.T.C.C. 6633. 1993 , 291 (Pt 1), 23-7		48
133	The Molecular Biology of Nisin and Its Structural Analogues. 1993 , 93-120		8
132	Asparagine as a masked dehydroalanine residue in solid phase peptide synthesis. 1994 , 35, 467-470		14
131	Nisin as a model food preservative. 1994 , 34, 69-93		89
130	Genetics and Protein Engineering of Nisin. 1994 , 223-249		14
129	Nisin, A Lantibiotic Produced by <i>Lactococcus Lactis</i> Subsp. <i>Lactis</i> : Properties, Biosynthesis, Fermentation and Applications. 1994 , 151-221		67
128	Genetic structure of the <i>Enterococcus faecalis</i> plasmid pAD1-encoded cytolytic toxin system and its relationship to lantibiotic determinants. 1994 , 176, 7335-44		216

127	The genetics of lantibiotic biosynthesis. 1995 , 17, 793-802		30
126	Cloning, sequencing and production of the lantibiotic mersacidin. 1995 , 127, 121-6		61
125	Characterization of a chimeric proU operon in a subtilin-producing mutant of <i>Bacillus subtilis</i> 168. 1995 , 177, 6874-80		37
124	Role of the leader and structural regions of prelantibiotic peptides as assessed by expressing nisin-subtilin chimeras in <i>Bacillus subtilis</i> 168, and characterization of their physical, chemical, and antimicrobial properties. <i>Journal of Biological Chemistry</i> , 1995 , 270, 23533-9	5.4	46
123	Cationic bactericidal peptides. 1995 , 37, 135-75		203
122	Serine protease EpiP from <i>Staphylococcus epidermidis</i> catalyzes the processing of the epidermin precursor peptide. 1996 , 178, 284-8		65
121	Detection of cleavage of a prenisin-mimicking decapeptide by <i>Lactococcus lactis</i> subsp. <i>lactis</i> endoproteinase activity. 1996 , 18, 52-8		1
120	Genetics of subtilin and nisin biosyntheses: biosynthesis of lantibiotics. 1996 , 69, 109-17		50
119	Post-translational modifications of lantibiotics. 1996 , 69, 139-50		41
118	Immunity to lantibiotics. 1996 , 69, 151-9		65
117	Protein engineering of lantibiotics. 1996 , 69, 161-69		106
116	Comparison of lantibiotic gene clusters and encoded proteins. 1996 , 69, 171-84		142
115	Regulation of the nisin operons in <i>Lactococcus lactis</i> N8. 1996 , 80, 626-34		42
114	Biosynthesis of lantibiotic nisin. Posttranslational modification of its prepeptide occurs at a multimeric membrane-associated lanthionine synthetase complex. <i>Journal of Biological Chemistry</i> , 1996 , 271, 12294-301	5.4	107
113	Evidence for a multimeric subtilin synthetase complex. 1997 , 179, 1475-81		76
112	Identification and characterization of the structural and transporter genes for, and the chemical and biological properties of, sublancin 168, a novel lantibiotic produced by <i>Bacillus subtilis</i> 168. <i>Journal of Biological Chemistry</i> , 1998 , 273, 23134-42	5.4	182
111	Genetics of Lantibiotic Biosynthesis. 1999 , 275-304		
110	Genetic locus for streptolysin S production by group A streptococcus. 2000 , 68, 4245-54		165

109	Antimicrobial peptides of lactic acid bacteria: mode of action, genetics and biosynthesis. 2000 , 68, 21-60	22
108	Signal peptide-dependent protein transport in <i>Bacillus subtilis</i> : a genome-based survey of the secretome. 2000 , 64, 515-47	599
107	Peptide pheromone-dependent regulation of antimicrobial peptide production in Gram-positive bacteria: a case of multicellular behavior. 2001 , 22, 1579-96	169
106	Partial characterization of polyfermenticin SCD, a newly identified bacteriocin of <i>Bacillus polyfermenticus</i> . 2001 , 32, 146-51	51
105	Structure of the <i>Bacillus subtilis</i> peptide antibiotic subtilisin A determined by 1H-NMR and matrix assisted laser desorption/ionization time-of-flight mass spectrometry. 2001 , 20, 501-6	52
104	Two different lantibiotic-like peptides originate from the ericin gene cluster of <i>Bacillus subtilis</i> A1/3. 2002 , 184, 1703-11	114
103	Two-peptide bacteriocins produced by lactic acid bacteria. 2002 , 84, 577-92	173
102	Dual control of subtilin biosynthesis and immunity in <i>Bacillus subtilis</i> . 2002 , 44, 403-16	91
101	Bacteriocins and their Food Applications. 2003 , 2, 82-100	200
100	The spa-box for transcriptional activation of subtilin biosynthesis and immunity in <i>Bacillus subtilis</i> . 2003 , 47, 1627-36	33
99	Butyrivibriocin AR10, a new cyclic bacteriocin produced by the ruminal anaerobe <i>Butyrivibrio fibrisolvens</i> AR10: characterization of the gene and peptide. 2003 , 49, 763-73	56
98	Genetics of Bacteriocin Production in Lactic Acid Bacteria. 2003 , 225-260	3
97	Investigation of protein export in <i>Bifidobacterium breve</i> UCC2003. <i>Applied and Environmental Microbiology</i> , 2003 , 69, 6994-7001	4.8 36
96	Subtilisin production by two <i>Bacillus subtilis</i> subspecies and variance of the sbo-alb cluster. <i>Applied and Environmental Microbiology</i> , 2004 , 70, 2349-53	4.8 63
95	Characterization of a broad range antimicrobial substance from <i>Bacillus cereus</i> . 2004 , 96, 648-55	55
94	Quorum sensing control of lantibiotic production; nisin and subtilin autoregulate their own biosynthesis. 2004 , 25, 1405-14	177
93	Autoregulation of subtilin biosynthesis in <i>Bacillus subtilis</i> : the role of the spa-box in subtilin-responsive promoters. 2004 , 25, 1415-24	36
92	Decreased incidence of disease caused by <i>Sclerotinia sclerotiorum</i> and improved plant vigor of oilseed rape with <i>Bacillus subtilis</i> Tu-100. 2005 , 68, 802-7	33

91	Patellamide A and C biosynthesis by a microcin-like pathway in Prochloron didemni, the cyanobacterial symbiont of Lissoclinum patella. 2005 , 102, 7315-20		486
90	Molecular and genetic characterization of a novel nisin variant produced by Streptococcus uberis. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 1148-56	4.8	151
89	The continuing story of class IIa bacteriocins. 2006 , 70, 564-82		495
88	Role for sagA and siaA in quorum sensing and iron regulation in Streptococcus pyogenes. 2007 , 75, 5011-7		10
87	Microbial secondary metabolism: a new theoretical frontier for academia, a new opportunity for industry. 1992 , 171, 3-16; discussion 16-23		19
86	POTENTIAL OF SMALL RIBOSOMALLY SYNTHESIZED BACTERIOCINS IN DESIGN OF NEW FOOD PRESERVATIVES. 2007 , 10, 119-130		8
85	Bacteriocins with anti-MRSA activity produced by water and soil isolated bacteria. 2007 , 57, 9-14		1
84	Pumilicin 4, a novel bacteriocin with anti-MRSA and anti-VRE activity produced by newly isolated bacteria Bacillus pumilus strain WAPB4. 2007 , 55, 308-13		70
83	Sequence Analysis by NMR Spectroscopy of the Peptide Lantibiotic Epilancin K7 from Staphylococcus epidermidis K7. <i>FEBS Journal</i> , 2008 , 227, 757-771		
82	Biosynthesis and Biological Activities of Lantibiotics with Unique Post-Translational Modifications. <i>FEBS Journal</i> , 2008 , 230, 827-853		8
81	Lantibiotics. 2008 , 323-368		7
80	Engineering of Bacillus subtilis 168 for increased nisin resistance. <i>Applied and Environmental Microbiology</i> , 2009 , 75, 6688-95	4.8	22
79	SpaK/SpaR two-component system characterized by a structure-driven domain-fusion method and in vitro phosphorylation studies. 2009 , 5, e1000401		5
78	Probabilistic safety and optimal control for survival analysis of Bacillus subtilis. 2010 , 59, 79-85		1
77	Diversity and applications of Bacillus bacteriocins. 2011 , 35, 201-32		323
76	Peptide antibiotic sensing and detoxification modules of Bacillus subtilis. 2011 , 55, 515-25		82
75	Discovery and development of lantibiotics; antimicrobial agents that have significant potential for medical application. 2011 , 6, 155-70		15
74	Fungal and Plant Phenylalanine Ammonia-lyase. 2011 , 39, 257-65		112

73	The First structure of a lantibiotic immunity protein, SpaI from <i>Bacillus subtilis</i> , reveals a novel fold. <i>Journal of Biological Chemistry</i> , 2012 , 287, 35286-35298	5.4	19
72	Secondary Metabolites of <i>Bacillus</i> : Potentials in Biotechnology. 2012 , 347-366		9
71	Bacteriocin formation by dominant aerobic sporeformers isolated from traditional maari. 2012 , 154, 10-8		13
70	Ribosomally synthesized and post-translationally modified peptide natural products: overview and recommendations for a universal nomenclature. 2013 , 30, 108-60		1298
69	Co-production of surfactin and a novel bacteriocin by <i>Bacillus subtilis</i> subsp. <i>subtilis</i> H4 isolated from Bikalga, an African alkaline <i>Hibiscus sabdariffa</i> seed fermented condiment. 2013 , 162, 297-307		44
68	Thermostable Bacteriocin BL8 from <i>Bacillus licheniformis</i> isolated from marine sediment. 2013 , 114, 688-94		16
67	Stationary phase and nutrient levels trigger transcription of a genomic locus containing a novel peptide (TM1316) in the hyperthermophilic bacterium <i>Thermotoga maritima</i> . <i>Applied and Environmental Microbiology</i> , 2013 , 79, 6637-46	4.8	0
66	Peptide Antibiotics. 2014 , 897-916		40
65	Cerecidins, novel lantibiotics from <i>Bacillus cereus</i> with potent antimicrobial activity. <i>Applied and Environmental Microbiology</i> , 2014 , 80, 2633-43	4.8	42
64	Characterization of the biosynthetic gene cluster for the ribosomally synthesized cyclic peptide ustiloxin B in <i>Aspergillus flavus</i> . 2014 , 68, 23-30		97
63	Virulence Plasmids of Nonsporulating Gram-Positive Pathogens. 2014 , 2,		3
62	Improved Production of Sublancin 168 Biosynthesized by <i>Bacillus subtilis</i> 168 Using Chemometric Methodology and Statistical Experimental Designs. <i>BioMed Research International</i> , 2015 , 2015, 687915	3	3
61	Activation of Histidine Kinase SpaK Is Mediated by the N-Terminal Portion of Subtilin-Like Lantibiotics and Is Independent of Lipid II. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 5335-43	4.8	6
60	Synthesis and succinylation of subtilin-like lantibiotics are strongly influenced by glucose and transition state regulator AbrB. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 614-22	4.8	15
59	Characterization of Deep Sea Fish Gut Bacteria with Antagonistic Potential, from <i>Centroscyllium fabricii</i> (Deep Sea Shark). <i>Probiotics and Antimicrobial Proteins</i> , 2015 , 7, 157-63	5.5	13
58	Improved production of sublancin via introduction of three characteristic promoters into operon clusters responsible for this novel distinct glycopeptide biosynthesis. <i>Microbial Cell Factories</i> , 2015 , 14, 17	6.4	11
57	Autoinduction Specificities of the Lantibiotics Subtilin and Nisin. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 7914-23	4.8	19
56	Mechanistic Understanding of Lanthipeptide Biosynthetic Enzymes. <i>Chemical Reviews</i> , 2017 , 117, 5457-5620	6.20	224

55	Specificity of Subtilin-Mediated Activation of Histidine Kinase SpaK. <i>Applied and Environmental Microbiology</i> , 2017 , 83,	4.8	6
54	spp. Isolated from Puba as a Source of Biosurfactants and Antimicrobial Lipopeptides. <i>Frontiers in Microbiology</i> , 2017 , 8, 61	5.7	49
53	Influence of nisin hinge-region variants on lantibiotic immunity and resistance proteins. <i>Bioorganic and Medicinal Chemistry</i> , 2019 , 27, 3947-3953	3.4	11
52	The hidden enzymology of bacterial natural product biosynthesis. <i>Nature Reviews Chemistry</i> , 2019 , 3, 404-425	34.6	37
51	LanI-Mediated Lantibiotic Immunity in <i>Bacillus subtilis</i> : Functional Analysis. <i>Applied and Environmental Microbiology</i> , 2019 , 85,	4.8	8
50	Genus bacillus, promising probiotics in aquaculture: Aquatic animal origin, bio-active components, bioremediation and efficacy in fish and shellfish. <i>Reviews in Fisheries Science and Aquaculture</i> , 2019 , 27, 331-379	8.3	73
49	Sublichenin, a new subtilin-like lantibiotics of probiotic bacterium <i>Bacillus licheniformis</i> MCC 2512 with antibacterial activity. <i>Microbial Pathogenesis</i> , 2019 , 128, 139-146	3.8	10
48	Oxygen-Limiting Growth Conditions and Deletion of the Transition State Regulator Protein Abrb in <i>Bacillus subtilis</i> 6633 Result in an Increase in Subtilosin Production and a Decrease in Subtilin Production. <i>Probiotics and Antimicrobial Proteins</i> , 2020 , 12, 725-731	5.5	3
47	Self-immunity to antibacterial peptides by ABC transporters. <i>FEBS Letters</i> , 2020 , 594, 3920-3942	3.8	8
46	Kunkecin A, a New Nisin Variant Bacteriocin Produced by the Fructophilic Lactic Acid Bacterium, FF30-6 Isolated From Honey Bees. <i>Frontiers in Microbiology</i> , 2020 , 11, 571903	5.7	7
45	ABC Transporter DerAB of <i>Lactobacillus casei</i> Mediates Resistance against Insect-Derived Defensins. <i>Applied and Environmental Microbiology</i> , 2020 , 86,	4.8	1
44	Modeling Subtilin Production in <i>Bacillus subtilis</i> Using Stochastic Hybrid Systems. <i>Lecture Notes in Computer Science</i> , 2004 , 417-431	0.9	27
43	NMR Studies of Lantibiotics: The Three-Dimensional Structure of Nisin in Aqueous Solution. 1992 , 435-447		2
42	On the necessity of isolating peptides. 1993 , 3-20		1
41	Lantibiotics. <i>Biotechnology</i> , 1995 , 28, 283-306		6
40	Influence of amino acid substitutions in the nisin leader peptide on biosynthesis and secretion of nisin by <i>Lactococcus lactis</i> .. <i>Journal of Biological Chemistry</i> , 1994 , 269, 3555-3562	5.4	132
39	Cloning and expression of rat histidase. Homology to two bacterial histidases and four phenylalanine ammonia-lyases.. <i>Journal of Biological Chemistry</i> , 1990 , 265, 18192-18199	5.4	38
38	Structure, expression, and evolution of a gene encoding the precursor of nisin, a small protein antibiotic.. <i>Journal of Biological Chemistry</i> , 1988 , 263, 16260-16266	5.4	252

37	Identification of a D-alanine-containing polypeptide precursor for the peptide opioid, dermorphin.. <i>Journal of Biological Chemistry</i> , 1991 , 266, 6264-6270	5-4	42
36	Site-directed mutagenesis of conserved serines in rat histidase. Identification of serine 254 as an essential active site residue.. <i>Journal of Biological Chemistry</i> , 1994 , 269, 27473-27477	5-4	11
35	Sequence analysis by NMR spectroscopy of the peptide lantibiotic epilancin K7 from <i>Staphylococcus epidermidis</i> K7. <i>FEBS Journal</i> , 1995 , 227, 757-71		53
34	The Tetracyclic Lantibiotic Actagardine 1H-NMR and 13C-NMR Assignments and Revised Primary Structure. <i>FEBS Journal</i> , 1995 , 228, 786-797		55
33	Elucidation of the primary structure of the lantibiotic epilancin K7 from <i>Staphylococcus epidermidis</i> K7. Cloning and characterisation of the epilancin-K7-encoding gene and NMR analysis of mature epilancin K7. <i>FEBS Journal</i> , 1995 , 230, 587-600		74
32	Biosynthesis and biological activities of lantibiotics with unique post-translational modifications. <i>FEBS Journal</i> , 1995 , 230, 827-53		266
31	Nucleotide sequence of the lantibiotic Pep5 biosynthetic gene cluster and functional analysis of PepP and PepC. Evidence for a role of PepC in thioether formation. <i>FEBS Journal</i> , 1995 , 232, 478-89		111
30	Protein Transport Pathways in <i>Bacillus subtilis</i> : a Genome-Based Road Map. 337-355		9
29	The Genetic Map of <i>Bacillus subtilis</i> . 423-461		9
28	Protein Secretion. 713-726		23
27	Some chemical and physical properties of nisin, a small-protein antibiotic produced by <i>Lactococcus lactis</i> . <i>Applied and Environmental Microbiology</i> , 1990 , 56, 2551-8	4.8	246
26	Analysis of genes involved in biosynthesis of the lantibiotic subtilin. <i>Applied and Environmental Microbiology</i> , 1992 , 58, 132-42	4.8	162
25	Biosynthesis of the lantibiotic nisin: genomic organization and membrane localization of the NisB protein. <i>Applied and Environmental Microbiology</i> , 1992 , 58, 3730-43	4.8	161
24	Properties of nisin Z and distribution of its gene, nisZ, in <i>Lactococcus lactis</i> . <i>Applied and Environmental Microbiology</i> , 1993 , 59, 213-8	4.8	160
23	Biosynthesis of the lantibiotic subtilin is regulated by a histidine kinase/response regulator system. <i>Applied and Environmental Microbiology</i> , 1993 , 59, 296-303	4.8	123
22	Isolation and characterization of the lantibiotic salivaricin A and its structural gene salA from <i>Streptococcus salivarius</i> 20P3. <i>Applied and Environmental Microbiology</i> , 1993 , 59, 2014-21	4.8	127
21	Growth phase-dependent regulation and membrane localization of SpaB, a protein involved in biosynthesis of the lantibiotic subtilin. <i>Applied and Environmental Microbiology</i> , 1994 , 60, 1-11	4.8	70
20	The gene encoding plantaricin A, a bacteriocin from <i>Lactobacillus plantarum</i> C11, is located on the same transcription unit as an agr-like regulatory system. <i>Applied and Environmental Microbiology</i> , 1994 , 60, 160-6	4.8	98

19	Duplication of the lantibiotic structural gene in M-type 49 group A streptococcus strains producing streptococcin A-M49. <i>Applied and Environmental Microbiology</i> , 1994 , 60, 4207-9	4.8	31
18	Regulation of nisin biosynthesis and immunity in <i>Lactococcus lactis</i> 6F3. <i>Applied and Environmental Microbiology</i> , 1994 , 60, 814-25	4.8	150
17	Genes involved in self-protection against the lantibiotic subtilin produced by <i>Bacillus subtilis</i> ATCC 6633. <i>Applied and Environmental Microbiology</i> , 1994 , 60, 2793-801	4.8	125
16	Genes involved in immunity to the lantibiotic nisin produced by <i>Lactococcus lactis</i> 6F3. <i>Applied and Environmental Microbiology</i> , 1995 , 61, 1082-9	4.8	152
15	Use of alkaline phosphatase as a reporter polypeptide to study the role of the subtilin leader segment and the SpaT transporter in the posttranslational modifications and secretion of subtilin in <i>Bacillus subtilis</i> 168. <i>Applied and Environmental Microbiology</i> , 1997 , 63, 3965-71	4.8	21
14	Bacteriocins of gram-positive bacteria. <i>Microbiological Reviews</i> , 1995 , 59, 171-200		1098
13	Nisin. 2000 ,		10
12	Nisin and Related Antimicrobial Peptides. <i>Drugs and the Pharmaceutical Sciences</i> , 1997 , 437-470		5
11	Lantibiotics. 2001 , 323-368		
10	Structure, Organization, Expression, and Evolution of the Genes Encoding the Peptide Precursors of Nisin and Subtilin. 1990 , 75-89		1
9	Bioactive peptide analogs: in vivo and in vitro production. <i>Progress in Drug Research Fortschritte Der Arzneimittelforschung Progres Des Recherches Pharmaceutiques</i> , 1990 , 34, 287-317		2
8	Identification of Genes Involved in Lantibiotic Biosynthesis. 1992 , 107-116		
7	Expression of Nisin in <i>Bacillus Subtilis</i> . 1992 , 463-472		
6	Biosynthesis and biological activities of lantibiotics with unique post-translational modifications. 1995 , 163-189		
5	Molecular Genetics of Biosynthesis. 1998 , 85-122		
4	Virulence Plasmids of Nonsporulating Gram-Positive Pathogens. 439-454		
3	Virulence Plasmids of Nonsporulating Gram-Positive Pathogens. 559-576		
2	Bacteriocin: A Potential Biopreservative in Foods. <i>Environmental and Microbial Biotechnology</i> , 2021 , 129-143		

- 1 Regulation of heterologous subtilin production in *Bacillus subtilis* W168.. *Microbial Cell Factories*, **2022**, 21, 57

6.4 ○