

Neonatal *Neospora caninum* infection in dogs: isolation
experimental transmission

Journal of the American Veterinary Medical Association
193, 1259-63

Citation Report

#	ARTICLE	IF	CITATIONS
1	Neosporosis-Like Abortions in a Herd of Dairy Cattle. <i>Journal of Veterinary Diagnostic Investigation</i> , 1989, 1, 205-209.	0.5	217
2	A Neospora-like protozoon found in an aborted bovine placenta. <i>Veterinary Parasitology</i> , 1989, 34, 145-148.	0.7	49
3	Ultrastructure of Tachyzoites, Bradyzoites and Tissue Cysts of <i>Neospora caninum</i> . <i>Journal of Protozoology</i> , 1989, 36, 458-463.	0.9	45
4	Polyradiculoneuritis and Solymyositis due to a toxoplasma-like protozoan: Diagnosis and treatment. <i>Journal of Small Animal Practice</i> , 1990, 31, 102-104.	0.5	14
5	<i>Neospora caninum</i> infection in dogs. <i>Australian Veterinary Journal</i> , 1990, 67, 76-77.	0.5	20
6	Neosporosis in dogs. <i>Veterinary Parasitology</i> , 1990, 36, 147-151.	0.7	25
7	<i>Neospora Caninum</i> - Associated Myocarditis and Encephalitis in an Aborted Calf. <i>Journal of Veterinary Diagnostic Investigation</i> , 1990, 2, 66-69.	0.5	51
8	<i>Neospora Caninum</i> Induced Abortion in Sheep. <i>Journal of Veterinary Diagnostic Investigation</i> , 1990, 2, 230-233.	0.5	103
9	Neuropathology and Host-parasite Relationship of Acute Experimental Toxoplasmosis of the Blue Fox (<i>Alopex lagopus</i>). <i>Veterinary Pathology</i> , 1990, 27, 381-390.	0.8	19
10	Treatment of encephalomyelitis due to <i>Neospora caninum</i> in a litter of puppies. <i>Journal of Small Animal Practice</i> , 1991, 32, 609-612.	0.5	28
11	<i>Neospora</i> -Like Encephalomyelitis in a Calf: Pathology, Ultrastructure, and Immunoreactivity. <i>Journal of Veterinary Diagnostic Investigation</i> , 1991, 3, 39-46.	0.5	107
12	<i>Neospora</i> -like Protozoal Infections Associated with Bovine Abortions. <i>Veterinary Pathology</i> , 1991, 28, 110-116.	0.8	147
13	<i>Neospora</i> -Like Protozoal Infections Associated with Abortion in Goats. <i>Journal of Veterinary Diagnostic Investigation</i> , 1992, 4, 365-367.	0.5	90
14	Neosporosis in a Dog: The First Case Report in Japan.. <i>Journal of Veterinary Medical Science</i> , 1992, 54, 157-159.	0.3	13
15	Neosporosis in the aborted fetus and newborn calf. <i>Journal of Comparative Pathology</i> , 1992, 107, 231-237.	0.1	47
16	<i>Neospora caninum</i> Infection in English Springer Spaniel Littermates. <i>Journal of Veterinary Internal Medicine</i> , 1992, 6, 325-332.	0.6	63
17	Neosporosis. <i>Parasitology Today</i> , 1993, 9, 452-458.	3.1	108
18	Detection of Serum Antibody Responses in Cattle with Natural or Experimental <i>Neospora</i> Infections. <i>Journal of Veterinary Diagnostic Investigation</i> , 1993, 5, 572-578.	0.5	210

#	ARTICLE	IF	CITATIONS
19	Detection of <i>Neospora Caninum</i> in Tissue Sections Using a Murine Monoclonal Antibody. Journal of Veterinary Diagnostic Investigation, 1993, 5, 579-584.	0.5	50
20	<i>In vitro</i> isolation and characterization of a <i>Neospora sp.</i> from aborted bovine foetuses. Parasitology, 1993, 106, 239-249.	0.7	137
21	Toxoplasma, Neospora, Sarcocystis, and Other Tissue Cyst-Forming Coccidia of Humans and Animals. , 1993, , 1-158.		38
22	Protozoal Causes of Reproductive Failure in Domestic Ruminants. Veterinary Clinics of North America - Food Animal Practice, 1994, 10, 439-461.	0.5	45
23	Systemic Neosporosis in a California Black-Tailed Deer (<i>Odocoileus Hemionus Columbianus</i>). Journal of Veterinary Diagnostic Investigation, 1994, 6, 508-510.	0.5	82
24	Experimental Reproduction of Bovine Fetal Neospora Infection and Death with a Bovine Neospora Isolate. Journal of Veterinary Diagnostic Investigation, 1994, 6, 207-215.	0.5	127
25	Neospora caninum in dogs: detection of antibodies by ELISA using an iscom antigen. Parasite Immunology, 1994, 16, 643-648.	0.7	102
26	Neospora caninum infection in three dogs. Journal of Small Animal Practice, 1995, 36, 172-177.	0.5	30
27	Abortion caused by neosporosis in cattle. Australian Veterinary Journal, 1995, 72, 117-118.	0.5	26
28	An Enzyme-Linked Immunosorbent Assay (ELISA) for Serological Diagnosis of <i>Neospora</i> Sp. Infection in Cattle. Journal of Veterinary Diagnostic Investigation, 1995, 7, 352-359.	0.5	152
29	Characterization of the first European isolate of <i>Neospora caninum</i> (Dubey, Carpenter, Speer,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.7	104
30	Interferon gamma inhibits the intracellular multiplication of <i>Neospora caninum</i> , as shown by incorporation of 3H uracil. Journal of Comparative Pathology, 1995, 113, 95-100.	0.1	106
31	Visceral Neosporosis in a 10-Year-Old Horse. Journal of Veterinary Diagnostic Investigation, 1996, 8, 130-133.	0.5	42
32	Rapid and sensitive identification of <i>Neospora caninum</i> by <i>in vitro</i> amplification of the internal transcribed spacer 1. Parasitology, 1996, 112, 177-182.	0.7	70
33	Development of a polymerase chain reaction assay for the diagnosis of neosporosis using the <i>Neospora caninum</i> 14-3-3 gene. Molecular and Biochemical Parasitology, 1996, 75, 169-178.	0.5	48
34	WAAP and Pfizer award for excellence in veterinary parasitology research pursuing life cycles and transmission of cyst-forming coccidia of animals and humans. Veterinary Parasitology, 1996, 64, 13-20.	0.7	6
35	Distribution of <i>Neospora caninum</i> within the central nervous system and other tissues of six dogs with clinical neosporosis. Journal of Small Animal Practice, 1996, 37, 568-574.	0.5	38
36	Some epidemiologic features of canine neosporosis in Denmark. Veterinary Parasitology, 1996, 62, 345-349.	0.7	32

#	ARTICLE	IF	CITATIONS
37	A review of <i>Neospora caninum</i> and neosporosis. <i>Veterinary Parasitology</i> , 1996, 67, 1-59.	0.7	805
38	Experimental tissue cyst induced <i>Toxoplasma gondii</i> infections in dogs. <i>Journal of Eukaryotic Microbiology</i> , 1996, 43, 113S-113S.	0.8	11
39	Bovine Fetal Neosporosis: A Comparison of Epizootic and Sporadic Abortion Cases and Different Age Classes with Regard to Lesion Severity and Immunohistochemical Identification of Organisms in Brain, Heart, and Liver. <i>Journal of Veterinary Diagnostic Investigation</i> , 1997, 9, 180-185.	0.5	114
40	Protozoal encephalomyelitis of dogs involving <i>Neosporum caninum</i> and <i>Toxoplasma gondii</i> in New Zealand. <i>New Zealand Veterinary Journal</i> , 1997, 45, 231-235.	0.4	34
41	Pathological Findings of Nude Mice Inoculated with Bovine Neospora.. <i>Journal of Veterinary Medical Science</i> , 1997, 59, 947-948.	0.3	14
42	Development of Molecular Genetics for <i>Neospora caninum</i> : A Complementary System to <i>Toxoplasma gondii</i> . <i>Methods</i> , 1997, 13, 123-133.	1.9	37
43	In vitro isolation and characterisation of a bovine <i>Neospora</i> species in Japan. <i>Research in Veterinary Science</i> , 1997, 63, 77-80.	0.9	64
44	Seroprevalence of antibodies to <i>Neospora caninum</i> in Belgian dogs. <i>Journal of Small Animal Practice</i> , 1997, 38, 15-16.	0.5	33
45	Efficacy of decoquinate against <i>Neospora caninum</i> tachyzoites in cell cultures. <i>Veterinary Parasitology</i> , 1997, 68, 35-40.	0.7	27
46	An indirect enzyme-linked immunoassay (ELISA) for demonstration of antibodies to <i>Neospora caninum</i> in serum and milk of cattle. <i>Veterinary Parasitology</i> , 1997, 68, 251-260.	0.7	108
47	Mechanical transmission of <i>Toxoplasma gondii</i> oocysts by dogs. <i>Veterinary Parasitology</i> , 1997, 73, 27-33.	0.7	143
48	<i>Neospora caninum</i> : Tachyzoites Express a Potent Type-I Nucleoside Triphosphate Hydrolase, but Lack Nucleoside Diphosphate Hydrolase Activity. <i>Experimental Parasitology</i> , 1998, 90, 277-285.	0.5	53
49	Experimental porcine neosporosis. <i>Apmis</i> , 1998, 106, 475-482.	0.9	23
50	The efficiency of vertical transmission of <i>Neospora caninum</i> in dairy cattle analysed by serological techniques. <i>Veterinary Parasitology</i> , 1998, 80, 87-98.	0.7	221
51	Cellular immune responses in cattle experimentally infected with <i>Neospora caninum</i> . <i>Parasite Immunology</i> , 1998, 20, 519-526.	0.7	69
52	Neosporosis in a dog in Italy. <i>Veterinary Parasitology</i> , 1998, 77, 297-299.	0.7	12
53	A multiple antigen ELISA to detect <i>Neospora</i> -specific antibodies in bovine sera, bovine foetal fluids, ovine and caprine sera. <i>Veterinary Parasitology</i> , 1998, 79, 19-34.	0.7	57
54	Cutaneous neosporosis in a dog in Israel. <i>Veterinary Parasitology</i> , 1998, 79, 257-261.	0.7	25

#	ARTICLE	IF	CITATIONS
55	Recent advances in the diagnosis in livestock of Cryptosporidium, Toxoplasma, Giardia and other protozoa of veterinary importance. Research in Veterinary Science, 1998, 65, 183-193.	0.9	10
56	Naturally occurring vertical transmission of Neospora caninum in dogs. International Journal for Parasitology, 1998, 28, 57-64.	1.3	85
57	Canine neosporosis: clinical signs, diagnosis, treatment and isolation of Neospora caninum in mice and cell culture. International Journal for Parasitology, 1998, 28, 1293-1304.	1.3	75
58	Inflammatory diseases of the central nervous system in dogs. Topics in Companion Animal Medicine, 1998, 13, 167-178.	0.6	56
59	Rapid communication. International Journal for Parasitology, 1998, 28, 1473-1479.	1.3	818
60	An Improved Isolation Technique for Bovine <i>Neospora</i> Species. Journal of Veterinary Diagnostic Investigation, 1998, 10, 364-368.	0.5	23
61	The p29 and p35 Immunodominant Antigens of <i>Neospora caninum</i> Tachyzoites Are Homologous to the Family of Surface Antigens of <i>Toxoplasma gondii</i> . Infection and Immunity, 1998, 66, 5322-5328.	1.0	129
62	<i>Neospora caninum</i> Infection and Repeated Abortions in Humans. Emerging Infectious Diseases, 1999, 5, 278-280.	2.0	41
63	Maintenance of <i>Neospora caninum</i> tachyzoites using Mongolian gerbils (<i>Meriones</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 422 T	0.4	17
64	<i>Neospora caninum</i> infection in an aborted bovine foetus in Brazil. New Zealand Veterinary Journal, 1999, 47, 35-35.	0.4	11
65	Recent advances in Neospora and neosporosis. Veterinary Parasitology, 1999, 84, 349-367.	0.7	320
66	Confirmation that the dog is a definitive host for Neospora caninum. Veterinary Parasitology, 1999, 82, 327-333.	0.7	246
67	Seroprevalence of Neospora caninum in dairy cattle in Bahia, Brazil. Veterinary Parasitology, 1999, 86, 71-75.	0.7	60
68	Prevalence of antibodies to Neospora caninum in dogs. Veterinary Parasitology, 1999, 85, 325-330.	0.7	28
69	Serum antibody profile and reproductive performance during two consecutive pregnancies of cows naturally infected with Neospora caninum. Veterinary Parasitology, 1999, 85, 227-234.	0.7	103
70	Detection of T. gondii in tissues of sheep and cattle following oral infection. Veterinary Parasitology, 1999, 86, 155-171.	0.7	105
71	Neospora caninum: Identification of 19-, 38-, and 40-kDa Surface Antigens and a 33-kDa Dense Granule Antigen Using Monoclonal Antibodies. Experimental Parasitology, 1999, 92, 109-119.	0.5	50
72	Associations of Neospora caninum seropositivity with gestation number and pregnancy outcome in Danish dairy herds. Preventive Veterinary Medicine, 1999, 40, 151-163.	0.7	63

#	ARTICLE	IF	CITATIONS
73	Seroprevalence of <i>Neospora caninum</i> infection in dairy and beef cattle in Spain. <i>International Journal for Parasitology</i> , 1999, 29, 1201-1208.	1.3	65
74	Ingestion of <i>Neospora caninum</i> tissue cysts by <i>Mustela</i> species. <i>International Journal for Parasitology</i> , 1999, 29, 1531-1536.	1.3	16
75	Experimental inoculation of domestic pigeons (<i>Columbia livia</i>) and zebra finches (<i>Poephila guttata</i>) with <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology</i> , 1999, 29, 1525-1529.	1.3	40
76	Serological diagnosis of <i>Neospora caninum</i> infection. <i>International Journal for Parasitology</i> , 1999, 29, 1497-1507.	1.3	146
77	Detection of surface-associated and intracellular glycoconjugates and glycoproteins in <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology</i> , 1999, 29, 1597-1611.	1.3	17
78	Differentiation of <i>Neospora hughesi</i> from <i>Neospora caninum</i> based on their immunodominant surface antigen, SAG1 and SRS21. Note: Nucleotide sequence data reported in this paper are available in the GenBank database under the accession numbers AF113004, AF141960, AF141961, AF141962, AF141963, AF158089, AF160217, AF160218, AF160219, and AF160220.1. <i>International Journal for Parasitology</i> , 1999, 29, 1575-1582.	1.3	65
79	Comparative ultrastructure of tachyzoites, bradyzoites, and tissue cysts of <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> . <i>International Journal for Parasitology</i> , 1999, 29, 1509-1519.	1.3	73
80	<i>Neosporosis</i> —the first decade of research. <i>International Journal for Parasitology</i> , 1999, 29, 1485-1488.	1.3	52
81	Prevalence of antibodies to <i>Neospora Caninum</i> in dogs. <i>International Journal for Parasitology</i> , 1999, 29, 1537-1543.	1.3	73
82	The Host-Parasite Relationship in <i>Neosporosis</i> . <i>Advances in Parasitology</i> , 1999, 43, 47-104.	1.4	60
83	An IgG Avidity ELISA to Discriminate between Recent and Chronic <i>Neospora Caninum</i> Infection. <i>Journal of Veterinary Diagnostic Investigation</i> , 1999, 11, 41-44.	0.5	90
84	The inhibitory Effect of Interferon Gamma and Tumor Necrosis Factor Alpha on Intracellular Multiplication of <i>Neospora caninum</i> in Primary Bovine Brain Cells.. <i>Journal of Veterinary Medical Science</i> , 2000, 62, 347-351.	0.3	46
85	In vitro isolation and characterization of bovine <i>Neospora caninum</i> in Korea. <i>Veterinary Parasitology</i> , 2000, 90, 147-154.	0.7	46
86	<i>Neosporosis</i> in water buffalo (<i>Bubalus bubalis</i>) in southern Italy. <i>Veterinary Parasitology</i> , 2000, 91, 15-21.	0.7	46
87	<i>Neospora hughesi</i> : experimental infections in mice, gerbils, and dogs. <i>Veterinary Parasitology</i> , 2000, 92, 119-128.	0.7	32
88	Serological investigation of an outbreak of <i>Neospora caninum</i> -associated abortion in a dairy herd in southeastern United States. <i>Veterinary Parasitology</i> , 2000, 94, 17-26.	0.7	49
89	Seroprevalence of <i>Neospora caninum</i> infection following an abortion outbreak in a dairy cattle herd. <i>Australian Veterinary Journal</i> , 2000, 78, 262-266.	0.5	53
90	A European perspective on <i>Neospora caninum</i> . <i>International Journal for Parasitology</i> , 2000, 30, 877-924.	1.3	130

#	ARTICLE	IF	CITATIONS
91	Use of purified tachyzoite surface antigen p38 in an ELISA to diagnose bovine neosporosis. <i>International Journal for Parasitology</i> , 2000, 30, 1123-1130.	1.3	64
92	Evidence of point-source exposure to <i>Neospora caninum</i> and protective immunity in a herd of beef cows. <i>Journal of the American Veterinary Medical Association</i> , 2000, 217, 881-887.	0.2	130
93	Neosporosis in cattle. <i>Animal Reproduction Science</i> , 2000, 60-61, 417-431.	0.5	203
94	Recent advances in understanding the epidemiology of <i>Neospora caninum</i> in cattle. <i>New Zealand Veterinary Journal</i> , 2001, 49, 42-47.	0.4	16
95	First Isolation of <i>Neospora caninum</i> From the Feces of a Naturally Infected Dog. <i>Journal of Parasitology</i> , 2001, 87, 612-618.	0.3	143
96	Isolation of <i>Neospora caninum</i> from the brain of a naturally infected dog, and production of encysted bradyzoites in gerbils. <i>Veterinary Parasitology</i> , 2001, 101, 1-7.	0.7	77
97	Bovine neosporosis: immunoblot improves foetal serology. <i>Veterinary Parasitology</i> , 2001, 102, 279-290.	0.7	27
98	A previous infection with <i>Toxoplasma gondii</i> does not protect against a challenge with <i>Neospora caninum</i> in pregnant sheep. <i>Parasite Immunology</i> , 2001, 23, 121-132.	0.7	29
99	Molecular comparison of the dense granule proteins GRA6 and GRA7 of <i>Neospora hughesi</i> and <i>Neospora caninum</i> . <i>International Journal for Parasitology</i> , 2001, 31, 253-258.	1.3	28
100	Serological evidence for naturally occurring transmission of <i>Neospora caninum</i> among foxes (<i>Vulpes</i>) Tj ETQq1 1 0.784314 rgBT /Ove 1.3 33	1.3	33
101	Protection against vertical transmission in bovine neosporosis. <i>International Journal for Parasitology</i> , 2001, 31, 1523-1534.	1.3	140
102	Neosporosis in Mexican Dairy Herds: Lesions and Immunohistochemical Detection of <i>Neospora caninum</i> in Fetuses. <i>Journal of Comparative Pathology</i> , 2001, 125, 58-63.	0.1	40
103	<i>Neospora caninum</i> Microneme Protein NcMIC3: Secretion, Subcellular Localization, and Functional Involvement in Host Cell Interaction. <i>Infection and Immunity</i> , 2001, 69, 6483-6494.	1.0	45
104	Validation of a Commercially Available Monoclonal Antibody-Based Competitive-Inhibition Enzyme-Linked Immunosorbent Assay for Detection of Serum Antibodies to <i>Neospora caninum</i> in Cattle. <i>Journal of Clinical Microbiology</i> , 2001, 39, 3851-3857.	1.8	60
105	CHARACTERIZATION OF THE OREGON ISOLATE OF <i>NEOSPOORA HUGHESI</i> FROM A HORSE. <i>Journal of Parasitology</i> , 2001, 87, 345-353.	0.3	53
106	Prevalence of <i>Neospora caninum</i> Infection in Dogs From Beef-Cattle Farms, Dairy Farms, and From Urban Areas of Argentina. <i>Journal of Parasitology</i> , 2001, 87, 906-907.	0.3	51
107	IMPROVED PRODUCTION OF <i>NEOSPOORA CANINUM</i> OOCYSTS, CYCLICAL ORAL TRANSMISSION BETWEEN DOGS AND CATTLE, AND IN VITRO ISOLATION FROM OOCYSTS. <i>Journal of Parasitology</i> , 2002, 88, 1159-1163.	0.3	120
108	Seroprevalence of Antibodies to <i>Neospora caninum</i> in Dogs From Spain. <i>Journal of Parasitology</i> , 2002, 88, 1263-1266.	0.3	26

#	ARTICLE	IF	CITATIONS
109	Identification of a <i>Neospora caninum</i> Microneme Protein (NcMIC1) Which Interacts with Sulfated Host Cell Surface Glycosaminoglycans. <i>Infection and Immunity</i> , 2002, 70, 3187-3198.	1.0	51
110	Prevalence of <i>Neospora caninum</i> Antibodies in Dogs From Dairy Cattle Farms in Parana, Brazil. <i>Journal of Parasitology</i> , 2002, 88, 408-409.	0.3	32
111	NEOSPORA CANINUM IN VITRO: EVIDENCE THAT THE DESTINY OF A PARASITOPHOUS VACUOLE DEPENDS ON THE PHENOTYPE OF THE PROGENITOR ZOITE. <i>Journal of Parasitology</i> , 2002, 88, 1095-1099.	0.3	17
112	Steroid Hormones Do Not Reactivate <i>Neospora caninum</i> in Ovariectomized Mice.. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 773-777.	0.3	5
113	Molecular characterisation of a major 29 kDa surface antigen of <i>Sarcocystis neurona</i> . <i>International Journal for Parasitology</i> , 2002, 32, 217-225.	1.3	29
114	Companion animal parasitology: a clinical perspective. <i>International Journal for Parasitology</i> , 2002, 32, 581-593.	1.3	75
115	Diagnosis and seroepidemiology of <i>Neospora caninum</i> -associated bovine abortion. <i>International Journal for Parasitology</i> , 2002, 32, 631-636.	1.3	76
116	Immunisation of mice against neosporosis. <i>International Journal for Parasitology</i> , 2002, 32, 867-876.	1.3	48
117	Redescription of <i>Neospora caninum</i> and its differentiation from related coccidia. <i>International Journal for Parasitology</i> , 2002, 32, 929-946.	1.3	185
118	Exogenous nitric oxide triggers <i>Neospora caninum</i> tachyzoite-to-bradyzoite stage conversion in murine epidermal keratinocyte cell cultures. <i>International Journal for Parasitology</i> , 2002, 32, 1253-1265.	1.3	63
119	<i>Neospora caninum</i> and <i>Hammondia heydorni</i> are separate species/organisms. <i>Trends in Parasitology</i> , 2002, 18, 66-69.	1.5	37
120	The comparative pathogenesis of neosporosis. <i>Trends in Parasitology</i> , 2002, 18, 546-552.	1.5	155
121	Neosporosis as a cause of abortion in dairy cattle in Rio Grande do Sul, southern Brazil. <i>Veterinary Parasitology</i> , 2002, 103, 195-202.	0.7	64
122	Immunological relationship between <i>Neospora caninum</i> and <i>Besnoitia besnoiti</i> . <i>Veterinary Parasitology</i> , 2002, 106, 35-43.	0.7	54
123	p38-avidity-ELISA: examination of herds experiencing epidemic or endemic <i>Neospora caninum</i> -associated bovine abortion. <i>Veterinary Parasitology</i> , 2002, 106, 293-305.	0.7	41
124	Seroepidemiology of beef and dairy herds and fetal study of <i>Neospora caninum</i> in Argentina. <i>Veterinary Parasitology</i> , 2002, 107, 303-316.	0.7	67
125	Seroprevalence of <i>Neospora caninum</i> infection in dairy and beef cattle in Paraguay. <i>Veterinary Parasitology</i> , 2002, 110, 17-23.	0.7	15
126	The Pathogenesis of Neosporosis in Pregnant Cattle: Inoculation at Mid-gestation. <i>Journal of Comparative Pathology</i> , 2003, 129, 186-195.	0.1	77

#	ARTICLE	IF	CITATIONS
127	Serodiagnosis of <i>Neospora caninum</i> infection in cattle by enzyme-linked immunosorbent assay with recombinant truncated NcSAG1. <i>Veterinary Parasitology</i> , 2003, 118, 177-185.	0.7	59
128	Evaluation by different diagnostic techniques of bovine abortion associated with <i>Neospora caninum</i> in Spain. <i>Veterinary Parasitology</i> , 2003, 111, 143-152.	0.7	54
129	Assessment of antibody avidity in aborting cattle by a somatic <i>Neospora caninum</i> tachyzoite antigen IgG avidity ELISA. <i>Veterinary Parasitology</i> , 2003, 112, 1-10.	0.7	19
130	Prevalence of antibodies to <i>Neospora caninum</i> in dogs from Amazon, Brazil. <i>Veterinary Parasitology</i> , 2003, 115, 71-74.	0.7	32
131	Reproductive Losses due to <i>Neospora caninum</i> in a Beef Herd in Argentina. <i>Zoonoses and Public Health</i> , 2003, 50, 304-308.	1.4	22
132	Serological evidence of <i>Neospora caninum</i> infections in beef bulls in six counties of the Corrientes province, Argentina. <i>Veterinary Parasitology</i> , 2003, 114, 247-252.	0.7	16
133	IMMUNIZATION OF MICE WITH PLASMID DNA CODING FOR NcGRA7 OR NcsHSP33 CONFERS PARTIAL PROTECTION AGAINST VERTICAL TRANSMISSION OF NEOSPORA CANINUM. <i>Journal of Parasitology</i> , 2003, 89, 496-500.	0.3	47
134	REDUCED CEREBRAL INFECTION OF NEOSPORA CANINUM IN INFECTED MICE AFTER VACCINATION WITH RECOMBINANT MICRONEME PROTEIN NCMIC3 AND RIBI ADJUVANT. <i>Journal of Parasitology</i> , 2003, 89, 44-50.	0.3	67
135	Vaccination of ewes for prevention of vertical transmission of <i>Neospora caninum</i> . <i>American Journal of Veterinary Research</i> , 2003, 64, 449-452.	0.3	17
136	Prevalence of antibodies to <i>Neospora caninum</i> in dogs of rural or urban origin in central New Zealand. <i>New Zealand Veterinary Journal</i> , 2003, 51, 232-237.	0.4	23
137	Review of <i>Neospora caninum</i> and neosporosis in animals. <i>Korean Journal of Parasitology</i> , 2003, 41, 1.	0.5	566
138	Identification and Characterization of a <i>Neospora caninum</i> Microneme-Associated Protein (NcMIC4) That Exhibits Unique Lactose-Binding Properties. <i>Infection and Immunity</i> , 2004, 72, 4791-4800.	1.0	30
139	RISK OF TRANSPLACENTAL TRANSMISSION OF SARCOCYSTIS NEURONA AND NEOSPORA HUGHESI IN CALIFORNIA HORSES. <i>Journal of Parasitology</i> , 2004, 90, 1345-1351.	0.3	21
140	Isolation and molecular characterisation of <i>Neospora caninum</i> in cattle in New Zealand. <i>New Zealand Veterinary Journal</i> , 2004, 52, 364-370.	0.4	24
141	Identification and characterization of serine proteinase inhibitors from <i>Neospora caninum</i> . <i>Molecular and Biochemical Parasitology</i> , 2004, 136, 101-107.	0.5	12
142	Coyotes (<i>Canis latrans</i>) are definitive hosts of <i>Neospora caninum</i> . <i>International Journal for Parasitology</i> , 2004, 34, 159-161.	1.3	426
143	Biologic, morphologic, and molecular characterisation of <i>Neospora caninum</i> isolates from littermate dogs. <i>International Journal for Parasitology</i> , 2004, 34, 1157-1167.	1.3	32
144	The role of B- and T-cell immunity in toltrazuril-treated C57BL/6 WT, 1/2MT and nude mice experimentally infected with <i>Neospora caninum</i> . <i>Parasitology Research</i> , 2004, 93, 178-87.	0.6	23

#	ARTICLE	IF	CITATIONS
145	Comparison of three techniques for the serological diagnosis of <i>Neospora caninum</i> in the dog and their use for epidemiological studies. <i>Veterinary Parasitology</i> , 2004, 123, 25-32.	0.7	16
146	Detection of antibodies to <i>Neospora caninum</i> in two species of wild canids, <i>Lycalopex gymnocercus</i> and <i>Cerdocyon thous</i> from Brazil. <i>Veterinary Parasitology</i> , 2004, 123, 275-277.	0.7	28
147	Prevalence of <i>Neospora caninum</i> antibodies and factors associated with their presence in dairy cattle of the north of Paraná state, Brazil. <i>Veterinary Parasitology</i> , 2004, 124, 1-8.	0.7	55
148	Shedding of <i>Neospora caninum</i> oocysts by dogs fed tissues from naturally infected water buffaloes (<i>Bubalus bubalis</i>) from Brazil. <i>Veterinary Parasitology</i> , 2004, 124, 139-150.	0.7	63
149	VARIATION OF THE INTERNAL TRANSCRIBED SPACER 1 SEQUENCE WITHIN INDIVIDUAL STRAINS AND AMONG DIFFERENT STRAINS OF <i>NEOSPORA CANINUM</i> . <i>Journal of Parasitology</i> , 2004, 90, 119-122.	0.3	44
150	TRANSPLACENTAL TRANSMISSION AND ABORTION IN COWS ADMINISTERED <i>NEOSPORA CANINUM</i> OOCYSTS. <i>Journal of Parasitology</i> , 2004, 90, 1394-1400.	0.3	60
151	Alternative Mechanism of <i>Eimeria bovis</i> Sporozoites to Invade Cells In Vitro by Breaching the Plasma Membrane. <i>Journal of Parasitology</i> , 2004, 90, 1163-1165.	0.3	14
152	Gerbil model of acute neosporosis. <i>Veterinary Parasitology</i> , 2005, 127, 111-114.	0.7	22
153	Antibodies to <i>Neospora caninum</i> in the blood of European bison (<i>Bison bonasus bonasus</i> L.) living in Poland. <i>Veterinary Parasitology</i> , 2005, 128, 163-168.	0.7	28
154	Prevalence of antibodies against <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> in dogs and foxes in Austria. <i>Veterinary Parasitology</i> , 2005, 128, 189-193.	0.7	70
155	Immunisation of mice against neosporosis with recombinant NcSRS2 iscoms. <i>Veterinary Parasitology</i> , 2005, 129, 25-34.	0.7	35
156	Immune response to <i>Neospora caninum</i> in naturally infected heifers and heifers vaccinated with inactivated antigen during the second trimester of gestation. <i>Veterinary Parasitology</i> , 2005, 130, 29-39.	0.7	28
157	Serologic immunoreactivity to <i>Neospora caninum</i> antigens in dogs determined by indirect immunofluorescence, western blotting and dot-ELISA. <i>Veterinary Parasitology</i> , 2005, 130, 73-79.	0.7	17
158	Prevalence of antibodies to <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> in red foxes (<i>Vulpes vulpes</i>) from around the UK. <i>Veterinary Parasitology</i> , 2005, 130, 169-173.	0.7	39
159	Detection of specific antibodies to <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> in naturally infected alpacas (<i>Lama pacos</i>), llamas (<i>Lama glama</i>) and vicuñas (<i>Lama vicugna</i>) from Peru and Germany. <i>Veterinary Parasitology</i> , 2005, 130, 81-87.	0.7	24
160	Confirmed clinical <i>Neospora caninum</i> infection in a boxer puppy from Argentina. <i>Veterinary Parasitology</i> , 2005, 131, 299-303.	0.7	21
161	HPLC purification of recombinant NcGRA6 antigen improves enzyme-linked immunosorbent assay for serodiagnosis of bovine neosporosis. <i>Veterinary Parasitology</i> , 2005, 131, 227-234.	0.7	15
162	Occurrence of anti- <i>Neospora caninum</i> antibodies in water buffaloes (<i>Bubalus bubalis</i>) from the Northern region of Brazil. <i>Veterinary Parasitology</i> , 2005, 134, 169-171.	0.7	35

#	ARTICLE	IF	CITATIONS
163	NEOSPORA CANINUM ANTIGENS DEFINED BY ANTIGEN-DEPENDENT BOVINE CD4+T CELLS. <i>Journal of Parasitology</i> , 2005, 91, 564-568.	0.3	15
164	Inhibitory Activities of Epidermal Growth Factor Receptor Tyrosine Kinase-Targeted Dihydroxyisoflavone and Trihydroxydeoxybenzoin Derivatives on <i>Sarcocystis neurona</i> , <i>Neospora caninum</i> , and <i>Cryptosporidium parvum</i> Development. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 4628-4634.	1.4	32
165	Detection of Antibodies to <i>Neospora caninum</i> in Cattle by Enzyme-Linked Immunosorbent Assay with Truncated NcSRS2 Expressed in <i>Escherichia coli</i> . <i>Journal of Parasitology</i> , 2005, 91, 191-192.	0.3	17
166	NEOSPORA CANINUM-LIKE OOCYSTS OBSERVED IN FECES OF FREE-RANGING RED FOXES (<i>VULPES VULPES</i>) AND COYOTES (<i>CANIS LATRANS</i>). <i>Journal of Parasitology</i> , 2006, 92, 1270-1274.	0.3	60
167	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> infections of bovine endothelial cells induce endothelial adhesion molecule gene transcription and subsequent PMN adhesion. <i>Veterinary Immunology and Immunopathology</i> , 2006, 112, 272-283.	0.5	40
168	Seroprevalence of neosporosis in beef and dairy cattle breeds in Northeast Hungary. <i>Acta Veterinaria Hungarica</i> , 2006, 54, 485-491.	0.2	15
169	Vaccination with gamma-Irradiated <i>Neospora caninum</i> Tachyzoites Protects Mice Against Acute Challenge with <i>N. caninum</i> . <i>Journal of Eukaryotic Microbiology</i> , 2006, 53, 151-156.	0.8	39
170	Occurrence of <i>Neospora caninum</i> in dogs and its correlation with visceral leishmaniasis in the urban area of Campo Grande, Mato Grosso do Sul, Brazil. <i>Veterinary Parasitology</i> , 2006, 135, 375-379.	0.7	28
171	In vitro isolation and characterisation of the first canine <i>Neospora caninum</i> isolate in Australia. <i>Veterinary Parasitology</i> , 2006, 137, 355-363.	0.7	42
172	Canine neosporosis in Hungary: Screening for seroconversion of household, herding and stray dogs. <i>Veterinary Parasitology</i> , 2006, 137, 197-201.	0.7	16
173	Identification of a protein disulfide isomerase of <i>Neospora caninum</i> in excretory-secretory products and its IgA binding and enzymatic activities. <i>Veterinary Parasitology</i> , 2006, 139, 47-56.	0.7	16
174	A nationwide survey on seroprevalence of <i>Neospora caninum</i> infection in beef cattle in Uruguay. <i>Veterinary Parasitology</i> , 2006, 139, 15-20.	0.7	24
175	Diagnosis of bovine neosporosis. <i>Veterinary Parasitology</i> , 2006, 140, 1-34.	0.7	221
176	Prevalence of anti- <i>Neospora caninum</i> antibodies in cattle and dogs from Western Amazon, Brazil, in association with some possible risk factors. <i>Veterinary Parasitology</i> , 2006, 142, 71-77.	0.7	46
177	Diagnostic significance of <i>Neospora caninum</i> DNA detected by PCR in cattle serum. <i>Veterinary Parasitology</i> , 2006, 142, 207-213.	0.7	24
178	Dynamics of transcription of immunomodulatory genes in endothelial cells infected with different coccidian parasites. <i>Veterinary Parasitology</i> , 2006, 142, 214-222.	0.7	62
179	<i>Neospora caninum</i> in wildlife. <i>Trends in Parasitology</i> , 2006, 22, 247-252.	1.5	102
180	Pathogenesis of Bovine Neosporosis. <i>Journal of Comparative Pathology</i> , 2006, 134, 267-289.	0.1	230

#	ARTICLE	IF	CITATIONS
181	Validation of a commercially available cELISA test for canine neosporosis against an indirect fluorescent antibody test (IFAT). <i>Preventive Veterinary Medicine</i> , 2006, 73, 315-320.	0.7	20
182	Vaccination as a control strategy against the coccidial parasites <i>Eimeria</i> , <i>Toxoplasma</i> and <i>Neospora</i> . <i>Parasitology</i> , 2006, 133, S145-S168.	0.7	124
183	MONOCLONAL ANTIBODY DIRECTED AGAINST NEOSPOORA CANINUM TACHYZOITE CARBOHYDRATE EPITOPE REACTS SPECIFICALLY WITH APICAL COMPLEX ASSOCIATED SIALYLATED BETA TUBULIN. <i>Journal of Parasitology</i> , 2006, 92, 1235-1243.	0.3	9
184	Cellular and immunological basis of the host-parasite relationship during infection with <i>Neospora caninum</i> . <i>Parasitology</i> , 2006, 133, 261-278.	0.7	108
185	NEOSPOORA CANINUM AND TOXOPLASMA GONDII ANTIBODIES IN DOGS FROM DURANGO CITY, MEXICO. <i>Journal of Parasitology</i> , 2007, 93, 1033-1035.	0.3	21
186	The host-parasite relationship in pregnant cattle infected with <i>Neospora caninum</i> . <i>Parasitology</i> , 2007, 134, 1903-1910.	0.7	83
187	Immunogenicity and protective effect against murine cerebral neosporosis of recombinant NcSRS2 in different iscom formulations. <i>Vaccine</i> , 2007, 25, 3658-3668.	1.7	32
188	Comparative host-parasite relationships in ovine toxoplasmosis and bovine neosporosis and strategies for vaccination. <i>Vaccine</i> , 2007, 25, 5495-5503.	1.7	33
189	Epidemiology and Control of Neosporosis and <i>Neospora caninum</i> . <i>Clinical Microbiology Reviews</i> , 2007, 20, 323-367.	5.7	825
190	SEROPREVALENCE OF NEOSPOORA CANINUM ANTIBODIES IN CATTLE AND WATER BUFFALOES IN INDIA. <i>Journal of Parasitology</i> , 2007, 93, 1374-1377.	0.3	28
191	VACCINATION WITH MICRONEME PROTEIN NCMIC4 INCREASES MORTALITY IN MICE INOCULATED WITH NEOSPOORA CANINUM. <i>Journal of Parasitology</i> , 2007, 93, 1046-1055.	0.3	26
192	Prevalence of anti- <i>Neospora caninum</i> antibodies in cattle from the state of Mato Grosso do Sul, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2007, 16, 133-138.	0.2	15
193	Comparison of serological methods for the diagnosis of <i>Neospora caninum</i> infection in cattle. <i>Veterinary Parasitology</i> , 2007, 143, 166-173.	0.7	47
194	Serodiagnosis of <i>Neospora caninum</i> infection in cattle using a recombinant tNcSRS2 protein-based ELISA. <i>Veterinary Parasitology</i> , 2007, 143, 358-363.	0.7	21
195	<i>Neospora caninum</i> antibodies detected in Midwestern white-tailed deer (<i>Odocoileus virginianus</i>) by Western blot and ELISA. <i>Veterinary Parasitology</i> , 2007, 145, 152-155.	0.7	21
196	Optimization of the use of C57BL/6 mice as a laboratory animal model for <i>Neospora caninum</i> vaccine studies. <i>Veterinary Parasitology</i> , 2007, 145, 253-259.	0.7	19
197	Humoral immune response in pregnant heifers inoculated with <i>Neospora caninum</i> tachyzoites by conjunctival route. <i>Veterinary Parasitology</i> , 2007, 148, 213-218.	0.7	10
198	Neosporosis in Beagle dogs: Clinical signs, diagnosis, treatment, isolation and genetic characterization of <i>Neospora caninum</i> . <i>Veterinary Parasitology</i> , 2007, 149, 158-166.	0.7	34

#	ARTICLE	IF	CITATIONS
199	Neospora caninum: High susceptibility to the parasite in C57BL/10ScCr mice. <i>Experimental Parasitology</i> , 2007, 115, 68-75.	0.5	15
200	Prevention of vertical transmission of <i>Neospora caninum</i> in C57BL/6 mice vaccinated with <i>Brucella abortus</i> strain RB51 expressing <i>N. caninum</i> protective antigens. <i>International Journal for Parasitology</i> , 2007, 37, 1531-1538.	1.3	39
201	<i>Neospora caninum</i> emerges from the shadow of <i>Toxoplasma gondii</i> . <i>Trends in Parasitology</i> , 2007, 23, 43-44.	1.5	24
202	Serological evidence of <i>Neospora caninum</i> infections in goats from La Rioja Province, Argentina. <i>Small Ruminant Research</i> , 2007, 73, 256-258.	0.6	14
203	Immunoanalysis of three litters born to a Doberman bitch infected with <i>Neospora caninum</i> . <i>Parasitology Research</i> , 2007, 100, 837-846.	0.6	13
204	Serologic study of anti- <i>Neospora caninum</i> antibodies in household dogs and dogs living in dairy and beef cattle farms in Tehran, Iran. <i>Parasitology Research</i> , 2007, 100, 1143-1145.	0.6	43
205	Studies on synchronous egress of coccidian parasites (<i>Neospora caninum</i> , <i>Toxoplasma gondii</i> , <i>Eimeria</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T Communications, 2008, 32, 325-332.	0.6	28
206	Diagnosis of <i>Sarcocystis cruzi</i> , <i>Neospora caninum</i> , and <i>Toxoplasma gondii</i> infections in cattle. <i>Parasitology Research</i> , 2008, 102, 671-675.	0.6	81
207	Seroepidemiology of <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> infection in yaks (<i>Bos grunniens</i>) in Qinghai, China. <i>Veterinary Parasitology</i> , 2008, 152, 330-332.	0.7	39
208	Occurrence of antibodies to <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> in dogs from Pernambuco, Northeast Brazil. <i>Veterinary Parasitology</i> , 2008, 157, 9-13.	0.7	18
209	Vaccination of mice with recombinant NcROP2 antigen reduces mortality and cerebral infection in mice infected with <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology</i> , 2008, 38, 1455-1463.	1.3	73
210	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> Antibodies in Dogs From Grenada, West Indies. <i>Journal of Parasitology</i> , 2008, 94, 750-751.	0.3	19
211	Characterization of a repetitive DNA fragment in <i>Hammondia hammondi</i> and its utility for the specific differentiation of <i>H. hammondi</i> from <i>Toxoplasma gondii</i> by PCR. <i>Molecular and Cellular Probes</i> , 2008, 22, 244-251.	0.9	46
212	Occurrence of <i>Neospora caninum</i> Antibodies in Capybaras (<i>Hydrochaeris hydrochaeris</i>) From São Paulo State, Brazil. <i>Journal of Parasitology</i> , 2008, 94, 766-766.	0.3	11
213	Isolation and genetic characterization of <i>Neospora caninum</i> from asymptomatic calves in Spain. <i>Parasitology</i> , 2008, 135, 1651-1659.	0.7	76
214	Seroprevalence of <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> infection of cats in Hungary. <i>Acta Veterinaria Hungarica</i> , 2008, 56, 81-88.	0.2	32
215	Evaluation of a SRS2 Sandwich Commercial Enzyme-Linked Immunosorbent Assay for the Detection of Anti- <i>Neospora Caninum</i> Antibodies in Bovine and Canine Sera. <i>Journal of Veterinary Diagnostic Investigation</i> , 2009, 21, 108-111.	0.5	19
216	Lower Motor Neuron. , 2009, , 77-133.		34

#	ARTICLE	IF	CITATIONS
217	Indoleamine 2,3-Dioxygenase Is Involved in Defense against <i>Neospora caninum</i> in Human and Bovine Cells. <i>Infection and Immunity</i> , 2009, 77, 4496-4501.	1.0	23
218	Vaccination with recombinant NcROP2 combined with recombinant NcMIC1 and NcMIC3 reduces cerebral infection and vertical transmission in mice experimentally infected with <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology</i> , 2009, 39, 1373-1384.	1.3	72
219	Prevalence of <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> infections in sheep from Federal District, central region of Brazil. <i>Tropical Animal Health and Production</i> , 2009, 41, 547-552.	0.5	45
220	Isolation and characterization of a bovine isolate of <i>Neospora caninum</i> with low virulence. <i>Veterinary Parasitology</i> , 2009, 159, 7-16.	0.7	66
221	First isolation of <i>Neospora caninum</i> from the faeces of a dog from Portugal. <i>Veterinary Parasitology</i> , 2009, 159, 162-166.	0.7	22
222	Frequency of horizontal and vertical transmission for <i>Sarcocystis cruzi</i> and <i>Neospora caninum</i> in dairy cattle. <i>Veterinary Parasitology</i> , 2009, 160, 51-54.	0.7	44
223	Molecular comparison of <i>Neospora caninum</i> oocyst isolates from naturally infected dogs with cell culture-derived tachyzoites of the same isolates using nested polymerase chain reaction to amplify microsatellite markers. <i>Veterinary Parasitology</i> , 2009, 160, 43-50.	0.7	43
224	Prevalence of anti- <i>Toxoplasma gondii</i> and anti- <i>Neospora caninum</i> antibodies in sheep from Mossoró, Rio Grande do Norte, Brazil. <i>Veterinary Parasitology</i> , 2009, 160, 211-214.	0.7	55
225	Risk factors associated with <i>Neospora caninum</i> infections in cattle in Argentina. <i>Veterinary Parasitology</i> , 2009, 161, 122-125.	0.7	40
226	Detection of <i>Hammondia heydorni</i> and related coccidia (<i>Neospora caninum</i> and <i>Toxoplasma gondii</i>) in goats slaughtered in Bahia, Brazil. <i>Veterinary Parasitology</i> , 2009, 162, 156-159.	0.7	25
227	CpG-ODN combined with <i>Neospora caninum</i> lysate, but not with excreted-secreted antigen, enhances protection against infection in mice. <i>Vaccine</i> , 2009, 27, 2570-2579.	1.7	32
228	First epidemiological study on exposure to <i>Neospora caninum</i> in different canine populations in the Algiers District (Algeria). <i>Parasitology International</i> , 2009, 58, 444-450.	0.6	13
229	Infectious Neuromuscular Diseases of Dogs and Cats. <i>Topics in Companion Animal Medicine</i> , 2009, 24, 209-220.	0.4	8
230	Stage-specific expression of NcSAG4 as a marker of chronic <i>Neospora caninum</i> infection in a mouse model. <i>Parasitology</i> , 2009, 136, 757-764.	0.7	19
231	Stress-driven stage transformation of <i>Neospora caninum</i> . <i>Parasitology Research</i> , 2010, 106, 1009-1014.	0.6	13
232	Prevalence of antibodies to <i>Neospora caninum</i> in stray dogs of Urmia, Iran. <i>Parasitology Research</i> , 2010, 106, 1455-1458.	0.6	24
233	Occurrence of antibodies anti- <i>Neospora caninum</i> , anti- <i>Toxoplasma gondii</i> , and anti- <i>Leishmania chagasi</i> in serum of dogs from Pará State, Amazon, Brazil. <i>Parasitology Research</i> , 2010, 107, 453-457.	0.6	30
234	Flock-level seroprevalence of, and risk factors for, <i>Neospora caninum</i> among sheep and goats in northern Jordan. <i>Preventive Veterinary Medicine</i> , 2010, 93, 25-32.	0.7	36

#	ARTICLE	IF	CITATIONS
235	Neospora caninum excreted/secreted antigens trigger CC-chemokine receptor 5-dependent cell migration. International Journal for Parasitology, 2010, 40, 797-805.	1.3	29
236	Differential susceptibility of human trophoblastic (BeWo) and uterine cervical (HeLa) cells to Neospora caninum infection. International Journal for Parasitology, 2010, 40, 1629-1637.	1.3	18
237	Comparative evaluation of immunofluorescent antibody and new immunoblot tests for the specific detection of antibodies against <i>Besnoitia besnoiti</i> tachyzoites and bradyzoites in bovine sera. Veterinary Parasitology, 2010, 171, 32-40.	0.7	64
238	Microsatellite typing and avidity analysis suggest a common source of infection in herds with epidemic <i>Neospora caninum</i> -associated bovine abortion. Veterinary Parasitology, 2010, 173, 24-31.	0.7	34
239	Crystallization and preliminary X-ray structural analysis of nucleoside triphosphate hydrolases from <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> . Acta Crystallographica Section F: Structural Biology Communications, 2010, 66, 1445-1448.	0.7	6
240	Plasmacytoid and conventional dendritic cells are early producers of IL-12 in <i>Neospora caninum</i> -infected mice. Immunology and Cell Biology, 2010, 88, 79-86.	1.0	24
241	Intraperitoneal and intra-nasal vaccination of mice with three distinct recombinant <i>Neospora caninum</i> antigens results in differential effects with regard to protection against experimental challenge with <i>Neospora caninum</i> tachyzoites. Parasitology, 2010, 137, 229-240.	0.7	47
242	Prevalence of Antibodies to <i>Trypanosoma cruzi</i> , <i>Toxoplasma gondii</i> , <i>Encephalitozoon cuniculi</i> , <i>Sarcocystis neurona</i> , <i>Besnoitia darlingi</i> , and <i>Neospora caninum</i> in North American Opossums, <i>Didelphis virginiana</i> , from Southern Louisiana. Journal of Parasitology, 2010, 96, 1119-1122.	0.3	16
243	Update on the Diagnosis and Management of <i>Neospora caninum</i> Infections in Dogs. Topics in Companion Animal Medicine, 2010, 25, 170-175.	0.4	25
244	Monitoring and Investigating Natural Disease by Veterinary Pathologists in Diagnostic Laboratories. Veterinary Pathology, 2010, 47, 40-44.	0.8	9
245	A second generation multiplex PCR for typing strains of <i>Neospora caninum</i> using six DNA targets. Molecular and Cellular Probes, 2010, 24, 20-26.	0.9	23
246	Prevalence of Antibodies to <i>Trypanosoma cruzi</i> , <i>Leishmania infantum</i> , <i>Encephalitozoon cuniculi</i> , <i>Sarcocystis neurona</i> , and <i>Neospora caninum</i> in Capybara, <i>Hydrochoerus hydrochaeris</i> , from São Paulo State, Brazil. Journal of Parasitology, 2010, 96, 521-524.	0.3	27
247	<i>Neospora caninum</i> Is Associated With Abortion In Algerian Cattle. Journal of Parasitology, 2011, 97, 1121-1124.	0.3	12
248	Serological Response of Cats to Experimental <i>Besnoitia darlingi</i> and <i>Besnoitia neotomofelis</i> Infections and Prevalence of Antibodies to These Parasites in Cats from Virginia and Pennsylvania. Journal of Parasitology, 2011, 97, 259-261.	0.3	3
249	ArtinM, a d-mannose-binding lectin from <i>Artocarpus integrifolia</i> , plays a potent adjuvant and immunostimulatory role in immunization against <i>Neospora caninum</i> . Vaccine, 2011, 29, 9183-9193.	1.7	34
250	Vaccination of mice with chitosan nanogel-associated recombinant NcPDI against challenge infection with <i>Neospora caninum</i> tachyzoites. Parasite Immunology, 2011, 33, 81-94.	0.7	45
251	Experimental infection of dogs (<i>Canis familiaris</i>) with sporulated oocysts of <i>Neospora caninum</i> . Veterinary Parasitology, 2011, 176, 151-156.	0.7	18
252	Neurological diseases of ruminant livestock in Australia. III: bacterial and protozoal infections. Australian Veterinary Journal, 2011, 89, 289-296.	0.5	23

#	ARTICLE	IF	CITATIONS
253	Seroprevalence of <i>Neospora caninum</i> in free-range chickens (<i>Gallus domesticus</i>) from the Americas. <i>Veterinary Parasitology</i> , 2011, 182, 349-351.	0.7	24
254	Experimental treatment of <i>Neospora caninum</i> -infected mice with the arylimidamide DB750 and the thiazolide nitazoxanide. <i>Experimental Parasitology</i> , 2011, 129, 95-100.	0.5	28
255	<i>Neospora caninum</i> : Comparative gene expression profiling of <i>Neospora caninum</i> wild type and a temperature sensitive clone. <i>Experimental Parasitology</i> , 2011, 129, 346-354.	0.5	3
256	Evaluation of a commercial ELISA for the specific detection of antibodies against <i>Besnoitia besnoiti</i> . <i>Veterinary Parasitology</i> , 2011, 175, 52-59.	0.7	30
257	Influence of adjuvant and antigen dose on protection induced by an inactivated whole vaccine against <i>Neospora caninum</i> infection in mice. <i>Veterinary Parasitology</i> , 2011, 175, 220-229.	0.7	23
258	Development of an indirect ELISA-NcSRS2 for detection of <i>Neospora caninum</i> antibodies in cattle. <i>Veterinary Parasitology</i> , 2011, 177, 33-38.	0.7	18
259	Shedding of <i>Neospora caninum</i> oocysts by dogs fed different tissues from naturally infected cattle. <i>Veterinary Parasitology</i> , 2011, 179, 220-223.	0.7	24
260	A new thrombospondin-related anonymous protein homologue in <i>Neospora caninum</i> (NcMIC2-like1). <i>Parasitology</i> , 2011, 138, 287-297.	0.7	21
261	An applied printing immunoassay with recombinant Nc-SAG1 for detection of antibodies to <i>Neospora caninum</i> in cattle. <i>Journal of Veterinary Diagnostic Investigation</i> , 2011, 23, 971-976.	0.5	18
262	Enzyme-Linked Immunosorbent Assays Based on <i>Neospora caninum</i> Dense Granule Protein 7 and Profilin for Estimating the Stage of Neosporosis. <i>Vaccine Journal</i> , 2012, 19, 411-417.	3.2	17
263	Effects of miltefosine treatment in fibroblast cell cultures and in mice experimentally infected with <i>Neospora caninum</i> tachyzoites. <i>Parasitology</i> , 2012, 139, 934-944.	0.7	20
264	Identification and characterization of a novel <i>Neospora caninum</i> immune mapped protein 1. <i>Parasitology</i> , 2012, 139, 998-1004.	0.7	29
265	Detection of <i>Neospora caninum</i> -Specific DNA from Cerebrospinal Fluid by Polymerase Chain Reaction in a Dog with Confirmed Neosporosis. <i>Journal of Veterinary Medical Science</i> , 2012, 74, 1051-1055.	0.3	9
266	Vaccination with the recombinant chimeric antigen recNcMIC3-1-R induces a non-protective Th2-type immune response in the pregnant mouse model for <i>N. caninum</i> infection. <i>Vaccine</i> , 2012, 30, 6588-6594.	1.7	11
267	Development of latex agglutination test with recombinant NcSAG1 for the rapid detection of antibodies to <i>Neospora caninum</i> in cattle. <i>Veterinary Parasitology</i> , 2012, 189, 211-217.	0.7	17
268	The <i>Neospora caninum</i> -Spain 7 isolate induces placental damage, fetal death and abortion in cattle when inoculated in early gestation. <i>Veterinary Parasitology</i> , 2012, 189, 171-181.	0.7	50
269	Serological evidence of <i>Besnoitia</i> spp. infection in Canadian wild ruminants and strong cross-reaction between <i>Besnoitia besnoiti</i> and <i>Besnoitia tarandi</i> . <i>Veterinary Parasitology</i> , 2012, 190, 19-28.	0.7	32
270	High rate of transplacental infection and transmission of <i>Neospora caninum</i> following experimental challenge of cattle at day 210 of gestation. <i>Veterinary Research</i> , 2012, 43, 83.	1.1	32

#	ARTICLE	IF	CITATIONS
271	Infected Dendritic Cells Facilitate Systemic Dissemination and Transplacental Passage of the Obligate Intracellular Parasite <i>Neospora caninum</i> in Mice. <i>PLoS ONE</i> , 2012, 7, e32123.	1.1	60
272	Occurrence of anti- <i>Toxoplasma gondii</i> and anti- <i>Neospora caninum</i> antibodies in cats with outdoor access in SÃ£o LuÃ¡s, MaranhÃ£o, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012, 21, 107-111.	0.2	17
273	Experimental infection with <i>Neospora caninum</i> in pregnant bitches. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012, 21, 232-236.	0.2	9
274	<i>Neospora caninum</i> infection dynamics in dairy cattle. <i>Parasitology Research</i> , 2012, 111, 717-721.	0.6	12
275	Factors associated with infection by <i>Neospora caninum</i> in dogs in Brazil. <i>Veterinary Parasitology</i> , 2012, 185, 305-308.	0.7	17
276	Oocysts and high seroprevalence of <i>Neospora caninum</i> in dogs living in remote Aboriginal communities and wild dogs in Australia. <i>Veterinary Parasitology</i> , 2012, 187, 85-92.	0.7	45
277	Experimental inoculation of <i>Neospora caninum</i> in pregnant water buffalo. <i>Veterinary Parasitology</i> , 2012, 187, 72-78.	0.7	21
278	Characterization of <i>Neospora caninum</i> microneme protein 10 (NcMIC10) and its potential use as a diagnostic marker for neosporosis. <i>Veterinary Parasitology</i> , 2012, 187, 28-35.	0.7	18
279	ELISAs based on rNcGRA7 and rNcSAG1 antigens as an indicator of <i>Neospora caninum</i> activation. <i>Veterinary Parasitology</i> , 2012, 187, 379-385.	0.7	20
280	Increased incidence of DNA amplification in follicular than in uterine and blood samples indicates possible tropism of <i>Neospora caninum</i> to the ovarian follicle. <i>Veterinary Parasitology</i> , 2012, 188, 175-178.	0.7	8
281	Immunohistochemical and polymerase chain reaction studies in <i>Neospora caninum</i> experimentally infected broiler chicken embryonated eggs. <i>Veterinary Parasitology</i> , 2012, 188, 10-13.	0.7	8
282	<i>Neospora caninum</i> NC-6 Argentina induces fetopathy in both serologically positive and negative experimentally inoculated pregnant dams. <i>Parasitology Research</i> , 2013, 112, 2585-2592.	0.6	12
283	<i>Neospora caninum</i> surface antigen (p40) is a potential diagnostic marker for cattle neosporosis. <i>Parasitology Research</i> , 2013, 112, 2117-2120.	0.6	8
284	Effects of Age and Breed on the Prevalence of <i>Neospora caninum</i> in Commercial Dairy Cattle from Pakistan. <i>Journal of Parasitology</i> , 2013, 99, 368-370.	0.3	15
285	Combination of monoclonal antibodies improves immunohistochemical diagnosis of <i>Neospora caninum</i> . <i>Veterinary Parasitology</i> , 2013, 197, 477-486.	0.7	21
286	Effect of vaccination of cattle with the low virulence Nc-Spain 1H isolate of <i>Neospora caninum</i> against a heterologous challenge in early and mid-gestation. <i>Veterinary Research</i> , 2013, 44, 106.	1.1	29
287	Novel tools for the diagnosis and differentiation of acute and chronic bovine besnoitiosis. <i>International Journal for Parasitology</i> , 2013, 43, 143-154.	1.3	39
288	Immune response and protection provided by live tachyzoites and native antigens from the NC-6 Argentina strain of <i>Neospora caninum</i> in pregnant heifers. <i>Veterinary Parasitology</i> , 2013, 197, 436-446.	0.7	33

#	ARTICLE	IF	CITATIONS
289	Mice congenitally infected with low-to-moderate virulence <i>Neospora caninum</i> isolates exhibited clinical reactivation during the mating period without transmission to the next generation. <i>Experimental Parasitology</i> , 2013, 134, 244-248.	0.5	9
290	Differential effects of intranasal vaccination with recombinant Nc<scp>PDI</scp> in different mouse models of <i>Neospora caninum</i> infection. <i>Parasite Immunology</i> , 2013, 35, 11-20.	0.7	18
291	First 2-DE approach towards characterising the proteome and immunome of <i>Besnoitia besnoiti</i> in the tachyzoite stage. <i>Veterinary Parasitology</i> , 2013, 195, 24-34.	0.7	29
292	Expression of <i>Neospora caninum</i> NcSRS2 surface protein in <i>Pichia pastoris</i> and its application for serodiagnosis of <i>Neospora</i> infection. <i>Pathogens and Global Health</i> , 2013, 107, 116-121.	1.0	10
293	Identification of a Highly Antigenic Region of Subtilisin-Like Serine Protease 1 for Serodiagnosis of <i>Neospora caninum</i> Infection. <i>Vaccine Journal</i> , 2013, 20, 1617-1622.	3.2	12
294	<i>Neospora</i> spp. antibodies in horses from two geographical regions of the state of Santa Catarina, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 597-601.	0.2	12
295	Development of Two Murine Antibodies against <i>Neospora caninum</i> Using Phage Display Technology and Application on the Detection of <i>N. caninum</i> . <i>PLoS ONE</i> , 2013, 8, e53264.	1.1	13
296	Differential Induction of TLR3-Dependent Innate Immune Signaling by Closely Related Parasite Species. <i>PLoS ONE</i> , 2014, 9, e88398.	1.1	57
297	Exposure of free-living jaguars to <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> and <i>Sarcocystis neurona</i> in the Brazilian Pantanal. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 547-553.	0.2	16
298	Serological detection of <i>Toxoplasma gondii</i> , <i>Leishmania infantum</i> and <i>Neospora caninum</i> in cats from an area endemic for leishmaniasis in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 449-455.	0.2	23
299	Comparison of an ELISA assay for the detection of adhesive/invasive <i>Neospora caninum</i> tachyzoites. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 36-43.	0.2	3
300	Experimental ruminant models for bovine neosporosis: what is known and what is needed. <i>Parasitology</i> , 2014, 141, 1471-1488.	0.7	29
301	Infection by <i>Toxoplasma gondii</i> Specifically Induces Host c-Myc and the Genes This Pivotal Transcription Factor Regulates. <i>Eukaryotic Cell</i> , 2014, 13, 483-493.	3.4	47
302	A <i>Neospora caninum</i> vaccine using recombinant proteins fails to prevent foetal infection in pregnant cattle after experimental intravenous challenge. <i>Veterinary Immunology and Immunopathology</i> , 2014, 162, 142-153.	0.5	16
303	Prevalence Survey of Selected Bovine Pathogens in Water Buffaloes in the North Region of Brazil. <i>Journal of Parasitology Research</i> , 2014, 2014, 1-4.	0.5	18
304	<i>Neospora caninum</i> tachyzoites inoculated by the conjunctival route are not vertically transmitted in pregnant cattle: A descriptive study. <i>Veterinary Parasitology</i> , 2014, 199, 1-7.	0.7	6
305	Cloning and expression of <i>Neospora caninum</i> dense-granule 7 in <i>E. coli</i> . <i>Journal of Parasitic Diseases</i> , 2014, 38, 196-200.	0.4	2
306	Pathogenicity of Nc-Bahia and Nc-1 strains of <i>Neospora caninum</i> in experimentally infected cows and buffaloes in early pregnancy. <i>Parasitology Research</i> , 2014, 113, 1521-1528.	0.6	21

#	ARTICLE	IF	CITATIONS
307	Diagnostic Potential of Anti-rNcp-43 Polyclonal Antibodies for the Detection of <i>Neospora caninum</i> . <i>Current Microbiology</i> , 2014, 68, 472-476.	1.0	8
308	Vaccines against neosporosis: What can we learn from the past studies?. <i>Experimental Parasitology</i> , 2014, 140, 52-70.	0.5	58
309	<i>Neospora caninum</i> infection as a cause of reproductive failure in a sheep flock. <i>Veterinary Research</i> , 2014, 45, 88.	1.1	57
310	Protective effect of intranasal immunization with <i>Neospora caninum</i> membrane antigens against murine neosporosis established through the gastrointestinal tract. <i>Immunology</i> , 2014, 141, 256-267.	2.0	15
311	Fluorescent ester dye-based assays for the in vitro measurement of <i>Neospora caninum</i> proliferation. <i>Veterinary Parasitology</i> , 2014, 205, 14-19.	0.7	7
312	Changes in purine levels associated with cellular brain injury in gerbils experimentally infected with <i>Neospora caninum</i> . <i>Research in Veterinary Science</i> , 2014, 96, 507-511.	0.9	6
313	Systemic neosporosis in a dog treated for immune-mediated thrombocytopenia and hemolytic anemia. <i>Veterinary Clinical Pathology</i> , 2015, 44, 592-596.	0.3	9
314	Variables Associated with Infections of Cattle by <i>Brucella abortus</i> , <i>Leptospira spp.</i> , and <i>Neospora spp.</i> in Amazon Region in Brazil. <i>Transboundary and Emerging Diseases</i> , 2015, 62, e30-e36.	1.3	19
315	Brazilian donkeys (<i>Equus asinus</i>) have a low exposure to <i>Neospora spp.</i> . <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 340-344.	0.2	12
316	Risk factors for <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> seropositivity in buffaloes in Paraiba State, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 459-463.	0.2	8
317	Antibodies to <i>Neospora caninum</i> in sheep from slaughterhouses in the state of São Paulo, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 95-100.	0.2	17
318	Infection by <i>Neospora caninum</i> in dairy cattle belonging to family farmers in the northern region of Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 204-208.	0.2	17
319	Genetic diversity of bovine <i>Neospora caninum</i> determined by microsatellite markers. <i>Parasitology International</i> , 2015, 64, 357-361.	0.6	10
320	Evaluation and comparison of serological methods for the detection of bovine neosporosis in Argentina. <i>Revista Argentina De Microbiologia</i> , 2015, 47, 295-301.	0.4	13
321	Cell mediated immune responses in the placenta following challenge of vaccinated pregnant heifers with <i>Neospora caninum</i> . <i>Veterinary Parasitology</i> , 2015, 214, 247-254.	0.7	19
322	Anti- <i>Neospora caninum</i> and anti- <i>Sarcocystis spp.</i> specific antibodies cross-react with <i>Besnoitia besnoiti</i> and influence the serological diagnosis of bovine besnoitiosis. <i>Veterinary Parasitology</i> , 2015, 214, 49-54.	0.7	27
323	Abortion and foetal lesions induced by <i>Neospora caninum</i> in experimentally infected water buffaloes (<i>Bubalus bubalis</i>). <i>Parasitology Research</i> , 2015, 114, 193-199.	0.6	18
324	Blocking ELISA Using Recombinant NcSRS2 Protein for Diagnosing Bovine Neosporosis. <i>Current Microbiology</i> , 2015, 70, 429-432.	1.0	6

#	ARTICLE	IF	CITATIONS
325	Isolation and molecular characterization of a new <i>Neospora caninum</i> isolate from cattle in Argentina. <i>Experimental Parasitology</i> , 2015, 155, 8-12.	0.5	19
326	Presidential Address: My Time with the Parasites. <i>Journal of Parasitology</i> , 2015, 101, 610-615.	0.3	0
327	Secreted effectors in <i>Toxoplasma gondii</i> and related species: determinants of host range and pathogenesis?. <i>Parasite Immunology</i> , 2015, 37, 127-140.	0.7	24
328	Anti- <i>Toxoplasma gondii</i> and anti- <i>Neospora caninum</i> antibodies in capybaras (<i>Hydrochoerus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T1 116-118.	0.2	10
329	Prevalence of antibodies against <i>Neospora</i> spp. and <i>Sarcocystis neurona</i> in donkeys from northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016, 25, 109-111.	0.2	15
330	Fusion of foreign Tâ€cell epitopes and addition of <sc>TLR</sc> agonists enhance immunity against <i>Neospora caninum</i> profilin in cattle. <i>Parasite Immunology</i> , 2016, 38, 663-669.	0.7	9
331	Molecular assessment of the transplacental transmission of <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> , <i>Brucella canis</i> and <i>Ehrlichia canis</i> in dogs. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016, 49, 47-50.	0.7	24
332	Embryonated pigeon eggs as a model to investigate <i>Neospora caninum</i> infection. <i>Laboratory Animals</i> , 2017, 51, 191-203.	0.5	2
333	Evaluation of methylene blue, pyrimethamine and its combination on an <i>in vitro</i> <i>Neospora caninum</i> model. <i>Parasitology</i> , 2017, 144, 827-833.	0.7	9
334	Constitutive expression and characterization of a surface SRS (NcSRS67) protein of <i>Neospora caninum</i> with no orthologue in <i>Toxoplasma gondii</i> . <i>Parasitology International</i> , 2017, 66, 173-180.	0.6	7
335	Importance of serological cross-reactivity among <i>Toxoplasma gondii</i> , <i>Hammondia</i> spp., <i>Neospora</i> spp., <i>Sarcocystis</i> spp. and <i>Besnoitia besnoiti</i> . <i>Parasitology</i> , 2017, 144, 851-868.	0.7	60
336	Review on the immunological and molecular diagnosis of neosporosis (years 2011â€2016). <i>Veterinary Parasitology</i> , 2017, 239, 19-25.	0.7	33
337	Transplacental transmission of <i>Neospora caninum</i> in moose (<i>Alces alces</i>). <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2017, 9, 41-46.	0.3	2
338	Immunization with inactivated antigens of <i>Neospora caninum</i> induces toll-like receptors 3, 7, 8 and 9 in maternal-fetal interface of infected pregnant heifers. <i>Veterinary Parasitology</i> , 2017, 243, 12-17.	0.7	10
339	In contrast to <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> tachyzoites did not sustain multiplication <i>in vitro</i> at increased incubation temperatures. <i>Veterinary Parasitology</i> , 2017, 234, 19-24.	0.7	6
340	Bottlenose dolphins (<i>Tursiops truncatus</i>) do also cast neutrophil extracellular traps against the apicomplexan parasite <i>Neospora caninum</i> . <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2017, 6, 287-294.	0.6	12
341	Prevalence and risk factors associated with anti- <i>Neospora caninum</i> antibodies in dairy herds in the central region of Minas Gerais State, Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2017, 10, 71-74.	0.3	3
342	Potential impact of <i>Neospora caninum</i> infection on farm productivity of fallow deer (<i>Dama dama</i>). <i>Small Ruminant Research</i> , 2017, 156, 78-81.	0.6	5

#	ARTICLE	IF	CITATIONS
343	A serosurvey of selected cystogenic coccidia in Spanish equids: first detection of anti-Besnoitia spp. specific antibodies in Europe. BMC Veterinary Research, 2017, 13, 128.	0.7	14
344	Bovine Polymorphonuclear Neutrophils Cast Neutrophil Extracellular Traps against the Abortive Parasite Neospora caninum. Frontiers in Immunology, 2017, 8, 606.	2.2	187
345	High seroprevalance of Neospora caninum in dogs in Victoria, Australia, compared to 20 years ago. Parasites and Vectors, 2017, 10, 503.	1.0	14
346	Neospora. , 2018, , 125-148.		3
347	Neospora caninum in birds: A review. Parasitology International, 2018, 67, 397-402.	0.6	31
348	First detection and molecular identification of <i>Neospora caninum</i> from naturally infected cattle and sheep in North Africa. Transboundary and Emerging Diseases, 2018, 65, 976-982.	1.3	23
349	An Ibero-American inter-laboratory trial to evaluate serological tests for the detection of anti-Neospora caninum antibodies in cattle. Tropical Animal Health and Production, 2018, 50, 75-84.	0.5	15
350	Characteristic pro-inflammatory cytokines and host defence cathelicidin peptide produced by human monocyte-derived macrophages infected with <i>Neospora caninum</i> . Parasitology, 2018, 145, 871-884.	0.7	14
352	Occurrence of anti-Neospora caninum antibodies in cattle in the dairy farming region of the state of Piauí, Brazil. Brazilian Journal of Veterinary Parasitology, 2018, 27, 589-592.	0.2	1
353	Exposure to Neospora spp. and Besnoitia spp. in wildlife from Israel. International Journal for Parasitology: Parasites and Wildlife, 2018, 7, 317-321.	0.6	8
354	Genome Wide Identification of Mutational Hotspots in the Apicomplexan Parasite Neospora caninum and the Implications for Virulence. Genome Biology and Evolution, 2018, 10, 2417-2431.	1.1	17
355	Seroprevalence of Neospora caninum-specific antibodies in German breeding bitches. Parasites and Vectors, 2018, 11, 96.	1.0	7
356	Actin from the apicomplexan Neospora caninum (NcACT) has different isoforms in 2D electrophoresis. Parasitology, 2019, 146, 33-41.	0.7	2
357	Development and characterization of monoclonal antibodies against <i>Besnoitia besnoiti</i> tachyzoites. Parasitology, 2019, 146, 187-196.	0.7	2
358	The soluble fraction of Neospora caninum treated with PI-PLC is dominated by NcSRS29B and NcSRS29C. Experimental Parasitology, 2019, 204, 107731.	0.5	2
359	Global selective sweep of a highly inbred genome of the cattle parasite Neospora caninum. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 22764-22773.	3.3	20
360	Epidemiological relevance of dogs for the prevention of Toxoplasma gondii, Neospora caninum and Leptospira spp.. Brazilian Journal of Veterinary Parasitology, 2019, 28, 383-394.	0.2	10
361	Targeting of the mitochondrion by dinuclear thiolato-bridged arene ruthenium complexes in cancer cells and in the apicomplexan parasite <i>Neospora caninum</i> . Metallomics, 2019, 11, 462-474.	1.0	25

#	ARTICLE	IF	CITATIONS
362	Experimental inoculation of <i>Neospora caninum</i> tachyzoites in eared doves (<i>Zenaida auriculata</i>). <i>Experimental Parasitology</i> , 2019, 202, 1-6.	0.5	1
363	Evidence of <i>Neospora caninum</i> infection in buffaloes (<i>Bubalus bubalis</i>) from Northwestern Romania. <i>Parasitology Research</i> , 2019, 118, 1667-1671.	0.6	4
364	Congenital Transmission of <i>Toxoplasma gondii</i> After Experimental Reinfection With Brazilian Typical Strains in Chronically Infected Sheep. <i>Frontiers in Veterinary Science</i> , 2019, 6, 93.	0.9	10
365	Development of <i>Cystoisospora felis</i> in Cell Culture and in vitro Formation of Monozoic Tissue Cysts. <i>Frontiers in Veterinary Science</i> , 2019, 6, 361.	0.9	1
366	Controlling Endemic <i>Neospora caninum</i> -Related Abortions in a Dairy Herd From Argentina. <i>Frontiers in Veterinary Science</i> , 2019, 6, 446.	0.9	11
367	Delayed type hypersensitivity induced by intradermal inoculation of a <i>Neospora caninum</i> tachyzoite antigen in previously exposed cattle. <i>Veterinary Immunology and Immunopathology</i> , 2019, 207, 31-35.	0.5	3
368	A Descriptive Study of Lectin Histochemistry of the Placenta in Cattle following Inoculation of <i>Neospora caninum</i> . <i>Journal of Comparative Pathology</i> , 2019, 166, 45-53.	0.1	14
369	Serological prevalence of toxoplasmosis and neosporosis in dogs diagnosed with suspected meningoencephalitis in the UK. <i>Journal of Small Animal Practice</i> , 2019, 60, 44-50.	0.5	17
370	Prevalence of antibodies against <i>Toxoplasma gondii</i> and <i>Neospora</i> spp. in equids of Western Pará, Brazil. <i>Acta Tropica</i> , 2019, 189, 39-45.	0.9	16
371	Neosporosis: An Overview of Its Molecular Epidemiology and Pathogenesis. <i>Engineering</i> , 2020, 6, 10-19.	3.2	23
372	Detecting sequence variants in clinically important protozoan parasites. <i>International Journal for Parasitology</i> , 2020, 50, 1-18.	1.3	2
373	<i>Neospora caninum</i> , A potential cause of reproductive failure in dairy cows from Northern Greece. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 19, 100365.	0.3	12
374	Experimental infection by <i>Neospora caninum</i> in gerbil reduces activity of enzymes involved in energy metabolism. <i>Experimental Parasitology</i> , 2020, 208, 107790.	0.5	4
376	Validation and field evaluation of a competitive inhibition ELISA based on the recombinant protein tSAG1 to detect anti- <i>Neospora caninum</i> antibodies in sheep and goats. <i>Veterinary Parasitology</i> , 2020, 284, 109201.	0.7	6
377	Disseminated <i>Neospora caninum</i> infection in a dog with severe colitis. <i>Journal of Veterinary Diagnostic Investigation</i> , 2020, 32, 923-927.	0.5	2
378	First highly sensitive and specific competitive ELISA for detection of bovine besnoitiosis with potential as a multi-species test. <i>International Journal for Parasitology</i> , 2020, 50, 389-401.	1.3	4
379	Species diversity and genome evolution of the pathogenic protozoan parasite, <i>Neospora caninum</i> . <i>Infection, Genetics and Evolution</i> , 2020, 84, 104444.	1.0	8
380	Urological detection of specific antibodies against <i>Neospora caninum</i> infection in mice: A prospect for novel diagnostic approach of <i>Neospora</i> . <i>Experimental Parasitology</i> , 2020, 216, 107942.	0.5	0

#	ARTICLE	IF	CITATIONS
381	An indirect ELISA for Neosporosis: Associating recombinant <i>Neospora caninum</i> proteins NcSRS2 and NcSAG1. <i>Veterinary Parasitology</i> , 2020, 281, 109101.	0.7	5
382	Evaluation of a competitive inhibition ELISA based on the recombinant protein tSAG1 to detect anti- <i>Neospora caninum</i> antibodies in cattle. <i>Journal of Veterinary Diagnostic Investigation</i> , 2020, 32, 401-408.	0.5	5
383	Vertical transmission and kinetic of antibodies anti- <i>Neospora caninum</i> in naturally infected lambs in the semiarid region of Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e010621.	0.2	7
384	Lower Motor Neuron. , 2021, , 106-165.		0
385	Detection of antibodies to <i>Toxoplasma gondii</i> among owned dogs in Cambodia. <i>Food and Waterborne Parasitology</i> , 2021, 22, e00103.	1.1	5
386	Third-generation sequencing revises the molecular karyotype for <i>Toxoplasma gondii</i> and identifies emerging copy number variants in sexual recombinants. <i>Genome Research</i> , 2021, 31, 834-851.	2.4	19
387	Raw meat based diet (RMBD) for household pets as potential door opener to parasitic load of domestic and urban environment. Revival of understated zoonotic hazards? A review. <i>One Health</i> , 2021, 13, 100327.	1.5	22
388	Seroprevalence of <i>Neospora caninum</i> in dogs from greater Sydney, Australia unchanged from 1997 to 2019 and worldwide review of adult-onset of canine neosporosis. <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2021, 1, 100005.	0.7	6
389	Spatial distance between sites of sampling associated with genetic variation among <i>Neospora caninum</i> in aborted bovine foetuses from northern Italy. <i>Parasites and Vectors</i> , 2021, 14, 47.	1.0	11
390	Experimental infection with a low virulence isolate of <i>Neospora caninum</i> at 70 days gestation in cattle did not result in foetopathy. <i>Veterinary Research</i> , 2009, 40, 49.	1.1	68
391	Identification and characterization of <i>Neospora caninum</i> tachyzoite antigens useful for diagnosis of neosporosis. <i>Vaccine Journal</i> , 1994, 1, 214-221.	2.6	93
392	Evaluation of two <i>Neospora caninum</i> recombinant antigens for use in an enzyme-linked immunosorbent assay for the diagnosis of bovine neosporosis. <i>Vaccine Journal</i> , 1996, 3, 275-279.	2.6	70
393	Serological response over time to recombinant <i>Neospora caninum</i> antigens in cattle after a neosporosis-induced abortion. <i>Vaccine Journal</i> , 1997, 4, 270-274.	2.6	59
394	A Modified Agglutination Test for <i>Neospora caninum</i> : Development, Optimization, and Comparison to the Indirect Fluorescent-Antibody Test and Enzyme-Linked Immunosorbent Assay. <i>Vaccine Journal</i> , 1998, 5, 467-473.	2.6	93
395	Serodiagnosis of Neosporosis in Individual Cows and Dairy Herds: A Comparative Study of Three Enzyme-Linked Immunosorbent Assays. <i>Vaccine Journal</i> , 1998, 5, 711-716.	2.6	57
396	Infection of mice with <i>Neospora caninum</i> (Protozoa: Apicomplexa) does not protect against challenge with <i>Toxoplasma gondii</i> . <i>Infection and Immunity</i> , 1990, 58, 2699-2700.	1.0	28
397	Identification of bovine <i>Neospora</i> parasites by PCR amplification and specific small-subunit rRNA sequence probe hybridization. <i>Journal of Clinical Microbiology</i> , 1996, 34, 1203-1208.	1.8	66
398	Serological diagnosis of bovine neosporosis by <i>Neospora caninum</i> monoclonal antibody-based competitive inhibition enzyme-linked immunosorbent assay. <i>Journal of Clinical Microbiology</i> , 1996, 34, 1423-1428.	1.8	86

#	ARTICLE	IF	CITATIONS
399	Detection of Neospora from tissues of experimentally infected rhesus macaques by PCR and specific DNA probe hybridization. <i>Journal of Clinical Microbiology</i> , 1997, 35, 1740-1745.	1.8	25
400	Neosporosis in a Young Dog. <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 2001, 54, 565-567.	0.0	1
401	Seroepidemiological study of the exposure to <i>Toxoplasma gondii</i> among horses in Algeria and analysis of risk factors. <i>Veterinary World</i> , 2019, 12, 2007-2016.	0.7	6
402	Bovine abortion associated with <i>Neospora caninum</i> in Hungary. <i>Acta Veterinaria Hungarica</i> , 2001, 49, 185-189.	0.2	1
403	VerificaÃ§Ã£o da transmissÃ£o vertical de <i>Neospora</i> spp. em equinos. <i>Pesquisa Veterinaria Brasileira</i> , 2015, 35, 29-32.	0.5	1
404	AssociaÃ§Ã£o entre a presenÃ§a de anticorpos anti- <i>Leishmania</i> sp. e anti- <i>Neospora caninum</i> em cÃ£es de Bauru, SP. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2010, 62, 224-227.	0.1	5
405	Serological evidence of exposure to <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> in free-ranging Orinoco goose (<i>Neochen jubata</i>) in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 816-820.	0.2	1
406	Occurrence of <i>Neospora caninum</i> Antibodies in Capybaras (<i>Hydrochaeris hydrochaeris</i>) From SÃ£o Paulo State, Brazil. <i>Journal of Parasitology</i> , 2008, 94, 766.	0.3	1
407	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> Antibodies in Dogs From Grenada, West Indies. <i>Journal of Parasitology</i> , 2008, 94, 750.	0.3	1
408	ELISA detection of IgG antibody against a recombinant major surface antigen (Nc-p43) fragment of <i>Neospora caninum</i> in bovine sera. <i>Korean Journal of Parasitology</i> , 2003, 41, 175.	0.5	14
409	Loss of infectivity of <i>Neospora caninum</i> oocysts maintained for a prolonged time. <i>Korean Journal of Parasitology</i> , 2007, 45, 295.	0.5	4
410	Flavonoids Modulate the Proliferation of <i>Neospora caninum</i> in Glial Cell Primary Cultures. <i>Korean Journal of Parasitology</i> , 2014, 52, 613-619.	0.5	5
411	Interplay Between Reactive Oxygen Species and the Inflammasome Are Crucial for Restriction of <i>Neospora caninum</i> Replication. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 243.	1.8	12
412	Repeated Early Abortions in One Cow. <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 2000, 53, 383-386.	0.0	0
414	Pathological Findings on Four Abnormally Born Calves with Infection of <i>Neospora</i> -Like Protozoa. <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 1992, 45, 833-836.	0.0	0
415	Pathological Findings on Aborted Fetuses of Dairy Cattle Associated with <i>Neospora</i> -like Protozoa Infection. <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 1994, 47, 91-94.	0.0	0
416	Detection of <i>Neospora</i> Antibody and Antigens from Bovine Cases of Abortion in Okayama Prefecture (1983-85). <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 1997, 50, 386-389.	0.0	0
417	Performance of the Dot-blot test method for detecting antibodies to <i>Sarcocystis</i> spp. in cattle. <i>Pesquisa Veterinaria Brasileira</i> , 2020, 40, 385-388.	0.5	2

#	ARTICLE	IF	CITATIONS
428	Development of an Indirect ELISA Using Different Fragments of Recombinant Ncgra7 for Detection of Neospora caninum Infection in Cattle and Water Buffalo. Iranian Journal of Parasitology, 2015, 10, 69-77.	0.6	12
431	Experimental Neospora caninum Infection in Pregnant Cattle: Different Outcomes Between Inoculation With Tachyzoites and Oocysts. Frontiers in Veterinary Science, 2022, 9, .	0.9	3
432	Survey of selected pathogens in free-ranging pinnipeds in Uruguay. Diseases of Aquatic Organisms, 2022, 150, 69-83.	0.5	1