

CITATION REPORT

List of articles citing

Newly recognized fatal protozoan disease of dogs

DOI: PM/3391851

Journal of the American Veterinary Medical Association, 1988, 192, 1269-85.

Source: <https://exaly.com/paper-pdf/127410964/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
431	Neosporosis-like abortions in a herd of dairy cattle. 1989 , 1, 205-9		179
430	Diagnostic parasitology. 1989 , 19, 979-1000		35
429	Microscopic features of Sarcocystis falcatula in skeletal muscle from a Patagonian conure. 1989 , 26, 282-4		7
428	Intrahepatic biliary coccidiosis in a dog. 1989 , 26, 343-5		12
427	A Neospora-like protozoon found in an aborted bovine placenta. 1989 , 34, 145-8		47
426	Ovine sporozoan encephalomyelitis linked to Sarcocystis infection. 1989 , 34, 159-63		9
425	Polyradiculoneuritis and Solymyositis due to a toxoplasma-like protozoan: Diagnosis and treatment. 1990 , 31, 102-104		13
424	Neosporosis in dogs. 1990 , 36, 147-51		22
423	Fatal encephalitis in a dog associated with an unidentified coccidian parasite. 1990 , 2, 233-6		11
422	Neospora caninum-associated myocarditis and encephalitis in an aborted calf. 1990 , 2, 66-9		47
421	Neospora caninum induced abortion in sheep. 1990 , 2, 230-3		80
420	Neuropathology and host-parasite relationship of acute experimental toxoplasmosis of the blue fox (<i>Alopex lagopus</i>). 1990 , 27, 381-90		16
419	Neosporosis in cats. 1990 , 27, 335-9		49
418	Neospora abortion in New Zealand cattle. 1991 , 39, 129-33		90
417	Treatment of encephalomyelitis due to Neospora caninum in a litter of puppies. 1991 , 32, 609-612		24
416	Fatal cutaneous and visceral infection in a Rottweiler dog associated with a Sarcocystis-like protozoon. 1991 , 3, 72-5		19
415	Neospora-like encephalomyelitis in a calf: pathology, ultrastructure, and immunoreactivity. 1991 , 3, 39-46		93

414	Pulmonary coccidiosis in a dog. 1992 , 4, 490-2	2
413	Scoliosis and hydrocephalus in an ovine fetus infected with <i>Toxoplasma gondii</i> . 1992 , 4, 220-2	5
412	<i>Neospora</i> -like protozoal infections associated with abortion in goats. 1992 , 4, 365-7	78
411	<i>Neosporosis</i> in the aborted fetus and newborn calf. 1992 , 107, 231-7	39
410	Characterization of anti- <i>Neospora caninum</i> hyperimmune rabbit serum by western blot analysis and immunoelectron microscopy. 1992 , 78, 689-94	43
409	Canine <i>neosporosis</i> in South Africa. 1992 , 44, 291-4	20
408	<i>Neospora caninum</i> infection in English Springer Spaniel littermates. Diagnostic evaluation and organism isolation. 1992 , 6, 325-32	57
407	Visceral toxoplasmosis in dogs from Brazil. 1993 , 45, 323-6	4
406	<i>Neosporosis</i> . 1993 , 9, 452-8	100
405	Detection of serum antibody responses in cattle with natural or experimental <i>Neospora</i> infections. 1993 , 5, 572-8	181
404	Detection of <i>Neospora caninum</i> in tissue sections using a murine monoclonal antibody. 1993 , 5, 579-84	44
403	In vitro isolation and characterization of a <i>Neospora</i> sp. from aborted bovine foetuses. 1993 , 106 (Pt 3), 239-49	116
402	Infectious diseases causing bovine abortion and fetal loss. 1993 , 9, 343-68	19
401	The Skin and Appendages. 1993 , 531-738	78
400	<i>Toxoplasma</i> , <i>Neospora</i> , <i>Sarcocystis</i> , and Other Tissue Cyst-Forming Coccidia of Humans and Animals. 1993 , 1-158	22
399	The Alimentary System. 1993 , 1-318	106
398	Protozoal causes of reproductive failure in domestic ruminants. 1994 , 10, 439-61	34
397	Experimental reproduction of bovine fetal <i>Neospora</i> infection and death with a bovine <i>Neospora</i> isolate. 1994 , 6, 207-15	113

- 396 The phylogeny of *Neospora caninum* and *Toxoplasma gondii* based on ribosomal RNA sequences. **1994**, 119, 187-92 73
- 395 *Neospora caninum* in dogs: detection of antibodies by ELISA using an iscom antigen. **1994**, 16, 643-8 93
- 394 *Toxoplasma* and other protozoan infections of economic importance in New Zealand. **1994**, 21, 67-81 11
- 393 *Neospora caninum* infection in three dogs. **1995**, 36, 172-7 28
- 392 Bovine *Neospora* abortion in north-eastern New South Wales. **1995**, 72, 119-20 45
- 391 Characterization of the first European isolate of *Neospora caninum* (Dubey, Carpenter, Speer, Topper and Uggla). **1995**, 111 (Pt 5), 563-8 96
- 390 Clinical aspects of 27 cases of neosporosis in dogs. **1996**, 139, 439-43 112
- 389 Central nervous system neosporosis in a foal. **1996**, 8, 507-10 49
- 388 Visceral neosporosis in a 10-year-old horse. **1996**, 8, 130-3 38
- 387 Rapid and sensitive identification of *Neospora caninum* by in vitro amplification of the internal transcribed spacer 1. **1996**, 112 (Pt 2), 177-82 59
- 386 Development of a polymerase chain reaction assay for the diagnosis of neosporosis using the *Neospora caninum* 14-3-3 gene. **1996**, 75, 169-78 43
- 385 *Neospora caninum* infection in a Napolitan mastiff dog from Spain. **1996**, 64, 315-7 8
- 384 WAAP and Pfizer Award for excellence in veterinary parasitology research. Pursuing life cycles and transmission of cyst-forming coccidia of animals and humans. **1996**, 64, 13-20 3
- 383 Distribution of *Neospora caninum* within the central nervous system and other tissues of six dogs with clinical neosporosis. **1996**, 37, 568-74 29
- 382 The ultrastructure of bradyzoites and tissue cysts of *Neospora caninum* in dogs: absence of distinguishing morphological features between parasites of canine and bovine origin. **1996**, 62, 231-40 20
- 381 A review of *Neospora caninum* and neosporosis. **1996**, 67, 1-59 730
- 380 Neosporose : bilan des connaissances actuelles sur cette parasitose de découverte récente. **1996**, 1996, 29-34
- 379 Experimental tissue cyst induced *Toxoplasma gondii* infections in dogs. **1996**, 43, 113S 8

378	Diagnosis and prevalence of neosporosis in cattle in Northern Ireland. 1996 , 138, 419-20	36
377	Encephalitis and Meningitis. 1996 , 26, 857-874	30
376	Bovine fetal neosporosis: a comparison of epizootic and sporadic abortion cases and different age classes with regard to lesion severity and immunohistochemical identification of organisms in brain, heart, and liver. 1997 , 9, 180-5	105
375	Examination of red foxes (<i>Vulpes vulpes</i>) from Belgium for antibody to <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> . 1997 , 141, 308-9	70
374	Protozoal encephalomyelitis of dogs involving <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> in New Zealand. 1997 , 45, 231-5	23
373	Phylogeny of the tissue cyst-forming coccidia. 1997 , 39, 69-139	48
372	Development of molecular genetics for <i>Neospora caninum</i> : A complementary system to <i>Toxoplasma gondii</i> . 1997 , 13, 123-33	33
371	Seroprevalence of antibodies to <i>Neospora caninum</i> in Belgian dogs. 1997 , 38, 15-6	30
370	Efficacy of decoquinate against <i>Neospora caninum</i> tachyzoites in cell cultures. 1997 , 68, 35-40	23
369	Mechanical transmission of <i>Toxoplasma gondii</i> oocysts by dogs. 1997 , 73, 27-33	119
368	Experimental porcine neosporosis. 1998 , 106, 475-82	21
367	The pathogenesis of experimental neosporosis in pregnant sheep. 1998 , 118, 267-79	161
366	Hydrocephalus associated with <i>Neospora caninum</i> infection in an aborted bovine fetus. 1998 , 118, 169-73	12
365	Western blot analysis of the IgG responses of ruminants infected with <i>Neospora caninum</i> and with <i>Toxoplasma gondii</i> . 1998 , 119, 45-55	32
364	Isolation of the cDNA encoding a dense granule associated antigen (NCDG2) of <i>Neospora caninum</i> . 1998 , 93, 153-8	39
363	Prevalence of <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> antibodies in sera from camels from Egypt. 1998 , 75, 269-71	23
362	<i>Neospora caninum</i> identification in an aborted bovine fetus in Spain. 1998 , 77, 187-9	9
361	<i>Neospora caninum</i> infection in a Bernese cattle dog from Italy. 1998 , 78, 79-85	29

360	Recent advances in the diagnosis in livestock of Cryptosporidium, Toxoplasma, Giardia and other protozoa of veterinary importance. 1998 , 65, 183-93	9
359	Application of iscom antigen preparations in ELISAs for diagnosis of Neospora and Toxoplasma infections. 1998 , 28, 187-93	18
358	Seroprevalence of antibodies to Neospora caninum and Toxoplasma gondii in water buffaloes (Bubalus bubalis) from Egypt. 1998 , 28, 527-9	49
357	Molecular and immunodiagnostic investigations on bovine neosporosis in Switzerland. 1998 , 28, 679-91	93
356	Canine neosporosis: clinical signs, diagnosis, treatment and isolation of Neospora caninum in mice and cell culture. 1998 , 28, 1293-304	67
355	Inflammatory diseases of the central nervous system in dogs. 1998 , 13, 167-78	44
354	Rapid communication: Dogs are definitive hosts of Neospora caninum. 1998 , 28, 1473-1479	776
353	Neosporosis in a pup. 1998 , 46, 106-10	16
352	The p29 and p35 immunodominant antigens of Neospora caninum tachyzoites are homologous to the family of surface antigens of Toxoplasma gondii. 1998 , 66, 5322-8	119
351	Neospora caninum infection and repeated abortions in humans. 1999 , 5, 278-80	35
350	Serological evidence of human infection with the protozoan Neospora caninum. 1999 , 6, 765-7	83
349	Neospora caninum infection in an aborted bovine foetus in Brazil. 1999 , 47, 35	9
348	Recent advances in Neospora and neosporosis. 1999 , 84, 349-67	273
347	Confirmation that the dog is a definitive host for Neospora caninum. 1999 , 82, 327-33	229
346	Seroprevalence of Neospora caninum in dairy cattle in Bahia, Brazil. 1999 , 86, 71-5	52
345	Seroprevalence of antibodies to Neospora caninum and associated abortion in dairy cattle from central Thailand. 1999 , 86, 49-57	22
344	Prevalence of antibodies to Neospora caninum in dogs. 1999 , 85, 325-30	26
343	Detection of T. gondii in tissues of sheep and cattle following oral infection. 1999 , 86, 155-71	95

342	Neospora caninum: identification of 19-, 38-, and 40-kDa surface antigens and a 33-kDa dense granule antigen using monoclonal antibodies. 1999 , 92, 109-19	47
341	Uncovering the biology and epidemiology of Neospora caninum. 1999 , 15, 216-7	22
340	The antigenic composition of Neospora caninum. 1999 , 29, 1175-88	24
339	Towards evaluating the economic impact of bovine neosporosis. 1999 , 29, 1195-200	98
338	Seroepidemiological evidence for a relationship between Neospora caninum infections in dogs and cattle. 1999 , 29, 1677-82	147
337	Serological diagnosis of Neospora caninum infection. 1999 , 29, 1497-507	122
336	The in vitro development of Neospora caninum bradyzoites. 1999 , 29, 1713-23	46
335	Comparative ultrastructure of tachyzoites, bradyzoites, and tissue cysts of Neospora caninum and Toxoplasma gondii. 1999 , 29, 1509-19	64
334	Neosporosis--the first decade of research. 1999 , 29, 1485-8	47
333	Development of a single tube nested polymerase chain reaction assay for the detection of Neospora caninum DNA. 1999 , 29, 1589-96	41
332	Phylogenetic analysis based on full-length large subunit ribosomal RNA gene sequence comparison reveals that Neospora caninum is more closely related to Hammondia heydorni than to Toxoplasma gondii. 1999 , 29, 1545-56	72
331	Oral infection of calves with Neospora caninum oocysts from dogs: humoral and cellular immune responses. 1999 , 29, 1647-57	135
330	The host-parasite relationship in neosporosis. 1999 , 43, 47-104	53
329	An IgG avidity ELISA to discriminate between recent and chronic Neospora caninum infection. 1999 , 11, 41-4	76
328	Neospora caninum infection in a clinically healthy calf: parasitological study and serological follow-up. 2000 , 47, 47-53	18
327	Serological survey and first finding of Neospora caninum in Taiwan, and the detection of its antibodies in various body fluids of cattle. 2000 , 90, 47-55	30
326	Neosporosis in water buffalo (Bubalus bubalis) in Southern Italy. 2000 , 91, 15-21	41
325	Neospora caninum infections in Australia and New Zealand. 2000 , 78, 258-61	41

324	A European perspective on <i>Neospora caninum</i> . 2000 , 30, 877-924		122
323	Aborto bovino por <i>Neospora caninum</i> no Rio Grande do Sul. 2000 , 30, 863-868		11
322	A random amplified polymorphic DNA polymerase chain reaction technique that differentiates between <i>Neospora</i> species. <i>Journal of Parasitology</i> , 2000 , 86, 1366-8	0.9	24
321	Intergenic spacer (IGS) polymorphism: a new genetic marker for differentiation of <i>Toxoplasma gondii</i> strains and <i>Neospora caninum</i> . <i>Journal of Parasitology</i> , 2000 , 86, 716-23	0.9	24
320	Neosporosis in cattle. 2000 , 60-61, 417-31		163
319	Diagnosis and epidemiology of bovine neosporosis: a review. 2000 , 22, 71-4		25
318	Presidential address. Global change and emerging infectious diseases. <i>Journal of Parasitology</i> , 2000 , 86, 1174-81	0.9	27
317	Association between exposure to <i>Neospora caninum</i> and milk production in dairy cows. <i>Journal of the American Veterinary Medical Association</i> , 2001 , 219, 632-5	1	50
316	In the absence of endogenous gamma interferon, mice acutely infected with <i>Neospora caninum</i> succumb to a lethal immune response characterized by inactivation of peritoneal macrophages. 2001 , 8, 811-6		65
315	Evaluation of the embryo transfer procedure proposed by the International Embryo Transfer Society as a method of controlling vertical transmission of <i>Neospora caninum</i> in cattle. <i>Journal of the American Veterinary Medical Association</i> , 2001 , 218, 1803-6	1	41
314	Isolation of <i>Neospora caninum</i> from the brain of a naturally infected dog, and production of encysted bradyzoites in gerbils. 2001 , 101, 1-7		69
313	Seroprevalences of <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> in Swedish red foxes (<i>Vulpes vulpes</i>). 2001 , 102, 167-72		45
312	Neosporosis in Mexican dairy herds: lesions and immunohistochemical detection of <i>Neospora caninum</i> in fetuses. 2001 , 125, 58-63		33
311	Granulomatous encephalitis in a neurologically impaired goat kid associated with degeneration of <i>Neospora caninum</i> tissue cysts. 2001 , 13, 416-9		38
310	Characterization of <i>Neospora caninum</i> surface protein NcSRS2 based on baculovirus expression system and its application for serodiagnosis of <i>Neospora</i> infection. 2001 , 39, 3987-91		30
309	Cutaneous neosporosis in two adult dogs on chronic immunosuppressive therapy. 2001 , 13, 252-5		24
308	Seroprevalence of antibodies to <i>Neospora caninum</i> in dogs from Spain. <i>Journal of Parasitology</i> , 2002 , 88, 1263-6	0.9	22
307	Sensitive and specific identification of <i>Neospora caninum</i> infection of cattle based on detection of serum antibodies to recombinant Ncp29. 2002 , 9, 611-5		8

306	Effect of <i>Neospora caninum</i> on in vitro development of preimplantation stage bovine embryos and adherence to the zona pellucida. 2002 , 150, 316-8		15
305	Characterization of <i>Neospora caninum</i> protease, NcSUB1 (NC-P65), with rabbit anti-N54. <i>Journal of Parasitology</i> , 2002 , 88, 1113-9	0.9	13
304	Susceptibility of <i>Psammomys obesus</i> and <i>Meriones tristrami</i> to tachyzoites of <i>Neospora caninum</i> . <i>Journal of Parasitology</i> , 2002 , 88, 314-9	0.9	10
303	Companion animal parasitology: a clinical perspective. 2002 , 32, 581-93		57
302	Vero cell surface proteoglycan interaction with the microneme protein NcMIC(3) mediates adhesion of <i>Neospora caninum</i> tachyzoites to host cells unlike that in <i>Toxoplasma gondii</i> . 2002 , 32, 695-704		30
301	Immunisation of mice against neosporosis. 2002 , 32, 867-76		45
300	Redescription of <i>Neospora caninum</i> and its differentiation from related coccidia. 2002 , 32, 929-46		155
299	<i>Neospora caninum</i> and <i>Hammondia heydorni</i> are separate species/organisms. 2002 , 18, 66-9		30
298	A re-evaluation of <i>Neospora</i> and <i>Hammondia</i> spp. 2002 , 18, 246		4
297	Immune responses to <i>Neospora caninum</i> and prospects for vaccination. 2002 , 18, 497-504		164
296	The comparative pathogenesis of neosporosis. 2002 , 18, 546-52		134
295	Necrotizing cerebellitis due to <i>Neospora caninum</i> infection in an old dog. 2002 , 49, 47-50		17
294	In vitro antiprotozoal effects of artemisinin on <i>Neospora caninum</i> . 2002 , 103, 53-63		57
293	Neosporosis as a cause of abortion in dairy cattle in Rio Grande do Sul, southern Brazil. 2002 , 103, 195-202		57
292	Serological survey of <i>Neospora caninum</i> infection in dairy cattle herds in Aguascalientes, Mexico. 2002 , 106, 115-20		22
291	Neosporosis with cerebellar involvement in an adult dog. 2002 , 43, 76-9		13
290	Use of bulk milk for detection of <i>Neospora caninum</i> infection in dairy herds in Thailand. 2002 , 110, 35-44		33
289	Validation of a <i>Neospora caninum</i> iscom ELISA without a gold standard. 2003 , 57, 141-53		40

288	Neospora caninum in sheep: a herd case report. 2003 , 117, 213-20		53
287	Serodiagnosis of Neospora caninum infection in cattle by enzyme-linked immunosorbent assay with recombinant truncated NcSAG1. 2003 , 118, 177-85		52
286	Use of a multiplex polymerase chain reaction assay in the antemortem diagnosis of toxoplasmosis and neosporosis in the central nervous system of cats and dogs. 2003 , 64, 1507-13		39
285	Susceptibility of Djungarian hamsters (<i>Phodopus sungorus</i>) to Neospora caninum infection. 2003 , 65, 401-3		6
284	Review of Neospora caninum and neosporosis in animals. <i>Korean Journal of Parasitology</i> , 2003 , 41, 1-16 1.7	462	
283	Isolation and molecular characterisation of Neospora caninum in cattle in New Zealand. 2004 , 52, 364-70		24
282	Establishment of Neospora caninum antigen-specific T cell lines of primarily CD4 T cells. 2004 , 26, 243-6		6
281	Maternal and fetal immune responses of cattle inoculated with Neospora caninum at mid-gestation. 2004 , 130, 81-91		39
280	Placental pathology associated with fetal death in cattle inoculated with Neospora caninum by two different routes in early pregnancy. 2004 , 131, 142-56		78
279	Development of competitive ELISA for neosporosis by employing immunoproteomics. 2004 , 1, 235		
278	Identification of antigenic proteins from Neospora caninum recognized by bovine immunoglobulins M, E, A and G using immunoproteomics. 2004 , 4, 3600-9		26
277	Canine inflammatory myopathy: analysis of cellular infiltrates. 2004 , 29, 782-9		49
276	Prevalence of anti-Neospora caninum antibodies in dogs from urban, periurban and rural areas of the city of Uberlândia, Minas Gerais--Brazil. 2004 , 123, 33-40		39
275	Prevalence of anti-Toxoplasma gondii and anti-Neospora caninum antibodies in ovine from São Paulo State, Brazil. 2004 , 123, 161-6		73
274	Effect of a killed whole Neospora caninum tachyzoite vaccine on the crude abortion rate of Costa Rican dairy cows under field conditions. 2004 , 123, 149-59		75
273	Serological prevalence of Neospora caninum in healthy and aborted dairy cattle in Mashhad, Iran. 2004 , 124, 201-4		46
272	Variation of the internal transcribed spacer 1 sequence within individual strains and among different strains of Neospora caninum. <i>Journal of Parasitology</i> , 2004 , 90, 119-22	0.9	39
271	First cases of animal diseases published since 2000. 6. First update of dog diseases. 2004 , 26, 12-7		2

270	Canine Inflammatory Myopathies: A Clinicopathologic Review of 200 Cases. 2004 , 18, 679-691		112
269	Monoclonal antibodies preventing invasion of <i>Neospora caninum</i> tachyzoites into host cells. 2004 , 66, 1355-8		11
268	Risk factors associated with <i>Neospora caninum</i> abortion in Ontario Holstein dairy herds. 2005 , 127, 177-88		34
267	Immunisation of mice against neosporosis with recombinant NcSRS2 iscoms. 2005 , 129, 25-34		33
266	Antibodies to <i>Neospora caninum</i> in stray cats from north Italy. 2005 , 131, 31-4		17
265	Relationship between rainfall and <i>Neospora caninum</i> -associated abortion in two dairy herds in a dry environment. 2005 , 52, 147-52		11
264	Neosporosis in a young dog presenting with dermatitis and neuromuscular signs. 2005 , 46, 85-8		8
263	Immunization with native surface protein NcSRS2 induces a Th2 immune response and reduces congenital <i>Neospora caninum</i> transmission in mice. 2005 , 35, 1407-15		56
262	<i>Neospora caninum</i> : quantification of DNA in the blood of naturally infected aborted and pregnant cows using real-time PCR. 2005 , 110, 48-55		21
261	Persistence of <i>Neospora caninum</i> -specific immunoglobulin G antibodies in bovine blood and lung tissue stored at room temperature. 2005 , 17, 458-60		4
260	Reduced infection and protection from clinical signs of cerebral neosporosis in C57BL/6 mice vaccinated with recombinant microneme antigen NcMIC1. <i>Journal of Parasitology</i> , 2005 , 91, 657-65	0.9	50
259	Identification and characterization of <i>Neospora caninum</i> cyclophilin that elicits gamma interferon production. 2005 , 73, 5093-100		31
258	Neosporosis in cattle. 2005 , 21, 473-83		31
257	Prevalence of antibodies to <i>Neospora caninum</i> in local and imported cattle breeds in the Kars province of Turkey. 2005 , 78, 123-6		17
256	Serologic survey for <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> in the common brushtail possum (<i>Trichosurus vulpecula</i>) from urban Sydney, Australia. <i>Journal of Parasitology</i> , 2006 , 92, 267-72	0.9	30
255	Detection of <i>Neospora caninum</i> Tachyzoites in Canine Cerebrospinal Fluid. 2006 , 20, 410-414		20
254	Neosporosis, toxoplasmosis, and sarcocystosis in ruminants. 2006 , 22, 645-71		68
253	Neosporosis in dairy cattle: an update from an epidemiological perspective. 2006 , 66, 629-32		4

252	Freqüência de cães reagentes para <i>Neospora caninum</i> em São Luís, Maranhão. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2006 , 58, 685-687	0.3	9
251	Seroprevalence of neosporosis in beef and dairy cattle breeds in Northeast Hungary. 2006 , 54, 485-91		14
250	Supranational comparison of <i>Neospora caninum</i> seroprevalences in cattle in Germany, The Netherlands, Spain and Sweden. 2006 , 137, 17-27		81
249	In vitro isolation and characterisation of the first canine <i>Neospora caninum</i> isolate in Australia. 2006 , 137, 355-63		38
248	<i>Neospora caninum</i> : antibodies directed against tachyzoite surface protein NcSRS2 inhibit parasite attachment and invasion of placental trophoblasts in vitro. 2006 , 112, 172-8		42
247	<i>Neospora caninum</i> in wildlife. 2006 , 22, 247-52		87
246	Pathogenesis of bovine neosporosis. 2006 , 134, 267-89		195
245	Detection of immunoglobulin G antibodies to <i>Neospora caninum</i> in humans: high seropositivity rates in patients who are infected by human immunodeficiency virus or have neurological disorders. 2006 , 13, 84-9		74
244	Temporal distribution and parasite load kinetics in blood and tissues during <i>Neospora caninum</i> infection in mice. 2006 , 74, 2491-4		58
243	Monoclonal antibody directed against <i>Neospora caninum</i> tachyzoite carbohydrate epitope reacts specifically with apical complex-associated sialylated beta tubulin. <i>Journal of Parasitology</i> , 2006 , 92, 1235-43	0.9	8
242	The History and Life Cycle of <i>Toxoplasma gondii</i> . 2007 , 1-17		15
241	<i>Neospora caninum</i> and <i>Toxoplasma gondii</i> antibodies in dogs from Durango City, Mexico. <i>Journal of Parasitology</i> , 2007 , 93, 1033-5	0.9	18
240	The apicomplexan pathogen <i>Neospora caninum</i> inhibits host cell apoptosis in the absence of discernible NF-kappa B activation. 2007 , 75, 4255-62		16
239	<i>Neospora caninum</i> infection in birds: experimental infections in chicken and embryonated eggs. 2007 , 134, 1931-9		40
238	Comparative host-parasite relationships in ovine toxoplasmosis and bovine neosporosis and strategies for vaccination. 2007 , 25, 5495-503		26
237	Seroprevalence of antibodies to <i>Neospora caninum</i> in urban and rural dogs in north-west Italy. 2007 , 54, 135-9		16
236	Epidemiology and control of neosporosis and <i>Neospora caninum</i> . 2007 , 20, 323-67		689
235	Perinatal death in domestic animals. Abstracts of the 20th Symposium of the Nordic Committee for Veterinary Scientific Cooperation (NKVet). Reykjavik, Iceland. April 26-27, 2007. <i>Acta Veterinaria Scandinavica</i> , 2007 , 49 Suppl 1, S1-17	2	7

234	Prevalence of antibodies against <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> in Hungarian red foxes (<i>Vulpes vulpes</i>). 2007 , 144, 39-44		23
233	Evidence of <i>Neospora caninum</i> DNA in wild rodents. 2007 , 148, 346-9		48
232	First identification of <i>Neospora caninum</i> infection in aborted bovine foetuses in China. 2007 , 149, 72-6		16
231	Neosporosis in Beagle dogs: clinical signs, diagnosis, treatment, isolation and genetic characterization of <i>Neospora caninum</i> . 2007 , 149, 158-66		31
230	Neosporosis and hammondiosis in dogs. 2007 , 48, 308-12		58
229	Natural killer cells act as early responders in an experimental infection with <i>Neospora caninum</i> in calves. 2007 , 37, 329-39		40
228	Molecular characterisation of BSR4, a novel bradyzoite-specific gene from <i>Neospora caninum</i> . 2007 , 37, 887-96		28
227	First report of <i>Neospora caninum</i> -associated bovine abortion in Mashhad area, Iran. <i>Parasitology Research</i> , 2007 , 100, 755-7	2.4	19
226	Immunoanalysis of three litters born to a Doberman bitch infected with <i>Neospora caninum</i> . <i>Parasitology Research</i> , 2007 , 100, 837-46	2.4	13
225	Serologic study of anti- <i>Neospora caninum</i> antibodies in household dogs and dogs living in dairy and beef cattle farms in Tehran, Iran. <i>Parasitology Research</i> , 2007 , 100, 1143-5	2.4	33
224	Generation and infection of bovine PBMC-derived dendritic cells with <i>Neospora caninum</i> . 2008 , 32 Suppl 1, S207-9		1
223	Seroepidemiology of <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> infection in yaks (<i>Bos grunniens</i>) in Qinghai, China. 2008 , 152, 330-2		34
222	Detection of <i>Neospora caninum</i> in dog organs using real time PCR systems. 2008 , 155, 161-7		28
221	<i>Neospora caninum</i> : functional inhibition of protein disulfide isomerase by the broad-spectrum anti-parasitic drug nitazoxanide and other thiazolides. 2008 , 118, 80-8		45
220	<i>Neospora caninum</i> : detection in wild rabbits and investigation of co-infection with <i>Toxoplasma gondii</i> by PCR analysis. 2008 , 120, 255-60		26
219	Cerebrospinal Fluid. 2008 , 769-819		18
218	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> antibodies in dogs from Grenada, West Indies. <i>Journal of Parasitology</i> , 2008 , 94, 750-1	0.9	17
217	Inoculation of Balb/c mice with live attenuated tachyzoites protects against a lethal challenge of <i>Neospora caninum</i> . 2008 , 135, 13-21		20

216	[Occurrence of antibodies anti-Neospora caninum in dogs of Botucatu range Micro region, State of So Paulo, Brazil]. <i>Brazilian Journal of Veterinary Parasitology</i> , 2008 , 17, 1-6	1.3	7
215	Immunization with oligomannose-coated liposome-entrapped dense granule protein 7 protects dams and offspring from Neospora caninum infection in mice. 2009 , 16, 792-7		48
214	Lower Motor Neuron: Spinal Nerve, General Somatic Efferent System. 2009 , 77-133		31
213	Conservation of the glucan phosphatase laforin is linked to rates of molecular evolution and the glucan metabolism of the organism. 2009 , 9, 138		33
212	Prevalence of Toxoplasma gondii and Neospora caninum infections in sheep from Federal District, central region of Brazil. 2009 , 41, 547-52		34
211	The development of immune responses in Balb/c mice following inoculation with attenuated or virulent Neospora caninum tachyzoites. 2009 , 31, 392-401		12
210	Comparison of two PCR protocols for the detection of Neospora caninum DNA in rodents. 2009 , 159, 159-61		5
209	Pigeons (Columba livia) are a suitable experimental model for Neospora caninum infection in birds. 2009 , 159, 149-53		41
208	Effects of a transferring antibody against Neospora caninum infection in a murine model. 2009 , 160, 60-5		5
207	Prevalence of anti-Toxoplasma gondii and anti-Neospora caninum antibodies in sheep from Mossoro/Rio Grande do Norte, Brazil. 2009 , 160, 211-4		43
206	Detection of Hammondia heydorni and related coccidia (Neospora caninum and Toxoplasma gondii) in goats slaughtered in Bahia, Brazil. 2009 , 162, 156-9		21
205	Seroprevalence of Neospora caninum in dairy cattle ranches with high abortion rate: special emphasis to serologic co-existence with Toxoplasma gondii, Brucella abortus and Listeria monocytogenes. 2009 , 164, 306-10		30
204	Histopathological and clinical investigations in Neospora caninum experimentally infected broiler chicken embryonated eggs. 2009 , 166, 185-90		19
203	Toxoplasmosis and other intestinal coccidial infections in cats and dogs. 2009 , 39, 1009-34, v		76
202	Genetic diversity amongst isolates of Neospora caninum, and the development of a multiplex assay for the detection of distinct strains. 2009 , 23, 132-9		34
201	Infectious neuromuscular diseases of dogs and cats. 2009 , 24, 209-20		4
200	The evolution of the knowledge of cat and dog coccidia. 2009 , 136, 1469-75		24
199	Detection of Neospora caninum in aborted bovine fetuses and dam blood samples by nested PCR and ELISA and seroprevalence in Beijing and Tianjin, China. 2009 , 136, 1251-6		17

198	First identification of <i>Neospora caninum</i> by PCR in aborted bovine foetuses in Romania. <i>Parasitology Research</i> , 2010 , 106, 719-22	2.4	8
197	Prevalence of antibodies to <i>Neospora caninum</i> in stray dogs of Urmia, Iran. <i>Parasitology Research</i> , 2010 , 106, 1455-8	2.4	19
196	Occurrence of antibodies anti- <i>Neospora caninum</i> , anti- <i>Toxoplasma gondii</i> , and anti- <i>Leishmania chagasi</i> in serum of dogs from Pará State, Amazon, Brazil. <i>Parasitology Research</i> , 2010 , 107, 453-7	2.4	23
195	Clinical neosporosis in three dogs in Shahrekord, Iran. 2010 , 19, 315-316		
194	Seroprevalence of <i>Neospora caninum</i> infection in dogs in Chaharmahal-va-Bakhtiari Province, Iran. 2010 , 19, 269-270		5
193	<i>Neospora caninum</i> : in vitro culture of tachyzoites in MCF-7 human breast carcinoma cells. 2010 , 126, 536-9		4
192	<i>Neospora caninum</i> excreted/secreted antigens trigger CC-chemokine receptor 5-dependent cell migration. 2010 , 40, 797-805		22
191	The prevalence and spatial clustering of <i>Neospora caninum</i> in dairy herds in Norway. 2010 , 170, 153-7		9
190	Development of an indirect ELISA test using an affinity purified surface antigen (P38) for sero-diagnosis of canine <i>Neospora caninum</i> infection. 2010 , 171, 337-42		14
189	In vitro isolation and identification of the first <i>Neospora caninum</i> isolate from European bison (<i>Bison bonasus bonasus</i> L.). 2010 , 173, 200-5		16
188	Neuritis of the cauda equina in a dog. 2010 , 51, 549-52		7
187	Plasmacytoid and conventional dendritic cells are early producers of IL-12 in <i>Neospora caninum</i> -infected mice. 2010 , 88, 79-86		20
186	Prevalência de anticorpos anti- <i>Neospora caninum</i> (Apicomplexa: Sarcocystidae) em bovinos leiteiros de propriedades rurais em três microrregiões no estado do Maranhão. <i>Pesquisa Veterinaria Brasileira</i> , 2010 , 30, 729-734	0.4	11
185	<i>Toxoplasma gondii</i> infection specifically increases the levels of key host microRNAs. 2010 , 5, e8742		73
184	Molecular characterization of <i>Neospora caninum</i> MAG1, a dense granule protein secreted into the parasitophorous vacuole, and associated with the cyst wall and the cyst matrix. 2010 , 137, 1605-19		13
183	Detection of <i>Neospora caninum</i> DNA in capybaras and phylogenetic analysis. 2010 , 59, 376-9		15
182	Update on the diagnosis and management of <i>Neospora caninum</i> infections in dogs. 2010 , 25, 170-5		14
181	Monitoring and investigating natural disease by veterinary pathologists in diagnostic laboratories. 2010 , 47, 40-4		8

180	Construction of <i>Neospora caninum</i> stably expressing TgSAG1 and evaluation of its protective effects against <i>Toxoplasma gondii</i> infection in mice. 2010 , 28, 7243-7		28
179	Detection of <i>Neospora caninum</i> tachyzoites in cerebrospinal fluid of a dog following prednisone and cyclosporine therapy. 2010 , 39, 386-90		24
178	Necrotizing cerebellitis and cerebellar atrophy caused by <i>Neospora caninum</i> infection: magnetic resonance imaging and clinicopathologic findings in seven dogs. 2010 , 24, 571-8		44
177	ArtinM, a D-mannose-binding lectin from <i>Artocarpus integrifolia</i> , plays a potent adjuvant and immunostimulatory role in immunization against <i>Neospora caninum</i> . 2011 , 29, 9183-93		27
176	<i>Toxoplasma</i> in animals, food, and humans: an old parasite of new concern. 2011 , 8, 751-62		104
175	Occurrence of anti- <i>Neospora caninum</i> and anti- <i>Toxoplasma gondii</i> antibodies in dogs with visceral leishmaniasis. <i>Pesquisa Veterinaria Brasileira</i> , 2011 , 31, 527-532	0.4	3
174	Presence of antibodies against <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> and <i>Leishmania infantum</i> in dogs from Piauí <i>Brazilian Journal of Veterinary Parasitology</i> , 2011 , 20, 111-4	1.3	15
173	Vaccines against a Major Cause of Abortion in Cattle, <i>Neospora caninum</i> Infection. 2011 , 1, 306-25		26
172	Validation of a <i>Leishmania infantum</i> ELISA rapid test for serological diagnosis of <i>Leishmania chagasi</i> in dogs. 2011 , 175, 15-9		31
171	Serological profile of <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> infection in commercial sheep from São Paulo State, Brazil. 2011 , 177, 50-4		30
170	Seroprevalence and risk factors associated with neosporosis in sheep and dogs from farms. 2011 , 182, 356-8		21
169	Selection of <i>Neospora caninum</i> antigens stimulating bovine CD4+ve T cell responses through immuno-potency screening and proteomic approaches. 2011 , 42, 91		13
168	Experimental treatment of <i>Neospora caninum</i> -infected mice with the arylimidamide DB750 and the thiazolide nitazoxanide. 2011 , 129, 95-100		23
167	Tunicamycins, a class of nucleoside antibiotics similar to corynetoxins of the <i>Rathayibacter toxicus</i> , increase susceptibility of mice to <i>Neospora caninum</i> . 2011 , 177, 13-9		2
166	Identification of a gene cluster for cell-surface genes of the SRS superfamily in <i>Neospora caninum</i> and characterization of the novel SRS9 gene. 2011 , 138, 1832-42		12
165	An applied printing immunoassay with recombinant Nc-SAG1 for detection of antibodies to <i>Neospora caninum</i> in cattle. 2011 , 23, 971-6		17
164	Tetraparesis, Hemiparesis, and Ataxia. 2011 , 162-249		3
163	Comparative genomics of the apicomplexan parasites <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> : <i>Coccidia</i> differing in host range and transmission strategy. 2012 , 8, e1002567		154

162	A survey of <i>Neospora caninum</i> and <i>Toxoplasma gondii</i> infection in urban rodents from Brazil. <i>Journal of Parasitology</i> , 2012 , 98, 128-34	0.9	19
161	Epidemiological survey of <i>Neospora caninum</i> infection in dogs from Romania. 2012 , 188, 382-5		7
160	Adjuvant and immunostimulatory effects of a D-galactose-binding lectin from <i>Synadenium carinatum</i> latex (ScLL) in the mouse model of vaccination against neosporosis. 2012 , 43, 76		17
159	Neosporose bovina: avaliaçã da transmissã vertical e fraçã atribuível de aborto em uma populaçã de bovinos no Estado do Rio Grande do Sul. <i>Pesquisa Veterinaria Brasileira</i> , 2012 , 32, 396-400	0.4	9
158	Seroprevalence of antibodies to <i>Neospora caninum</i> in dogs in the state of Alagoas, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012 , 21, 287-90	1.3	7
157	<i>Neospora caninum</i> em bovinos em matadouros de Pernambuco e Alagoas. <i>Pesquisa Veterinaria Brasileira</i> , 2012 , 32, 953-966	0.4	6
156	Occurrence of anti- <i>Neospora caninum</i> antibodies in dogs in rural areas in Minas Gerais, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012 , 21, 161-4	1.3	6
155	Occurrence of anti- <i>Toxoplasma gondii</i> and anti- <i>Neospora caninum</i> antibodies in cats with outdoor access in Sã Luã, Maranhã, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012 , 21, 107-11	1.3	9
154	<i>Neospora caninum</i> infection dynamics in dairy cattle. <i>Parasitology Research</i> , 2012 , 111, 717-21	2.4	10
153	A review of the infection, genetics, and evolution of <i>Neospora caninum</i> : from the past to the present. 2013 , 13, 133-50		85
152	Combination of monoclonal antibodies improves immunohistochemical diagnosis of <i>Neospora caninum</i> . 2013 , 197, 477-86		15
151	Oligomannose-coated liposome-entrapped dense granule protein 7 induces protective immune response to <i>Neospora caninum</i> in cattle. 2013 , 31, 3528-35		21
150	A novel strategy for classifying the output from an in silico vaccine discovery pipeline for eukaryotic pathogens using machine learning algorithms. 2013 , 14, 315		26
149	Investigating the role of wild carnivores in the epidemiology of bovine neosporosis. 2013 , 140, 296-302		11
148	<i>Neospora caninum</i> : Activity of cholinesterases during the acute and chronic phases of an experimental infection in gerbils. 2013 , 135, 669-74		5
147	Characterization of the interaction between <i>Toxoplasma gondii</i> rhoptry neck protein 4 and host cellular β tubulin. 2013 , 3, 3199		19
146	Hepatic neosporosis in a dog treated for pemphigus foliaceus. 2013 , 25, 807-10		7
145	Identification of a highly antigenic region of subtilisin-like serine protease 1 for serodiagnosis of <i>Neospora caninum</i> infection. 2013 , 20, 1617-22		11

144	Seroprevalence rates of antibodies against <i>Leishmania infantum</i> and other protozoan and rickettsial parasites in dogs. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 162-6	1.3	15
143	<i>Neospora</i> spp. antibodies in horses from two geographical regions of the state of Santa Catarina, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 597-601	1.3	9
142	<i>Neospora caninum</i> and Wildlife. 2013 , 2013, 947347		26
141	Use of a Th1 Stimulator Adjuvant for Vaccination against <i>Neospora caninum</i> Infection in the Pregnant Mouse Model. 2013 , 2, 193-208		9
140	Assessment of experimental infection for dogs using <i>Gallus gallus</i> chorioallantoic membranes inoculated with <i>Neospora caninum</i> . <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 565-70	1.3	4
139	Serological cross-reactivity of <i>Trypanosoma cruzi</i> , <i>Ehrlichia canis</i> , <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> and <i>Babesia canis</i> to <i>Leishmania infantum</i> chagasi tests in dogs. 2014 , 47, 105-7		58
138	Differential induction of TLR3-dependent innate immune signaling by closely related parasite species. 2014 , 9, e88398		51
137	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> in domestic cats from the Brazilian semi-arid: seroprevalence and risk factors. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2014 , 66, 1060-1068		9
136	Produção de hibridomas secretores de anticorpos anti- <i>Neospora caninum</i> para uso em imunodiagnóstico. 2014 , 15, 228-233		1
135	Seroprevalence and risk factors for <i>Neospora caninum</i> in goats in Santa Catarina state, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014 , 23, 360-6	1.3	15
134	Occurrences of anti- <i>Toxoplasma gondii</i> and anti- <i>Neospora caninum</i> antibodies in Barbary sheep at Curitiba zoo, southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014 , 23, 255-9	1.3	7
133	Infectious Agents. 2014 , 567-574		
132	[Endemic and epidemic bovine neosporosis: description of two events in beef cattle]. 2014 , 46, 315-9		4
131	Macrophage depletion prior to <i>Neospora caninum</i> infection results in severe neosporosis in mice. 2014 , 21, 1185-8		17
130	<i>Gallus gallus domesticus</i> are resistant to infection with <i>Neospora caninum</i> tachyzoites of the NC-1 strain. 2014 , 206, 123-8		6
129	Fetal Disease and Abortion. 2014 , 479-517		0
128	Histological and immunohistochemical characterization of the inflammatory and glial cells in the central nervous system of goat fetuses and adult male goats naturally infected with <i>Neospora caninum</i> . 2014 , 10, 291		12
127	The History and Life Cycle of <i>Toxoplasma gondii</i> . 2014 , 1-17		16

126	Toxoplasma gondii and Neospora caninum in slaughtered pigs from Northeast, Brazil. 2014 , 202, 305-9		31
125	Vaccines against neosporosis: what can we learn from the past studies?. 2014 , 140, 52-70		42
124	Neospora caninum DNA detection by TaqMan real-time PCR assay in experimentally infected pregnant heifers. 2014 , 199, 129-35		10
123	Isolation and biological and molecular characterization of Toxoplasma gondii from canine cutaneous toxoplasmosis in Brazil. 2014 , 52, 4419-20		9
122	Magnetic resonance imaging characteristics in four dogs with central nervous system neosporosis. 2014 , 55, 539-46		13
121	Neospora caninum versus Brucella spp. exposure among dairy cattle in Ethiopia: a case control study. 2014 , 46, 961-6		9
120	Prevalence and correlates of antibodies to Neospora caninum in dogs in Portugal. 2014 , 21, 29		8
119	Seroprevalences of Toxoplasma gondii and Neospora caninum in pet rabbits in Japan. 2014 , 76, 855-62		11
118	Systemic neosporosis in a dog treated for immune-mediated thrombocytopenia and hemolytic anemia. 2015 , 44, 592-6		8
117	Use of ELISA based on NcSRS2 of Neospora caninum expressed in Pichia pastoris for diagnosing neosporosis in sheep and dogs. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015 , 24, 148-54	1,3	7
116	Antibodies to Neospora caninum in sheep from slaughterhouses in the state of So Paulo, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015 , 24, 95-100	1,3	12
115	Occurrences of anti-Toxoplasma gondii and anti-Neospora caninum antibodies in sheep from four districts of Tocantins state, Brazilian Legal Amazon Region. <i>Pesquisa Veterinria Brasileira</i> , 2015 , 35, 110-14	1,4	8
114	Transcriptome and histopathological changes in mouse brain infected with Neospora caninum. 2015 , 5, 7936		12
113	Molecular detection of Neospora caninum in house sparrows (Passer domesticus) in Iran. 2015 , 44, 319-22		7
112	Improving the gene structure annotation of the apicomplexan parasite Neospora caninum fulfils a vital requirement towards an in silico-derived vaccine. 2015 , 45, 305-18		10
111	A review of neosporosis and pathologic findings of Neospora caninum infection in wildlife. 2015 , 4, 216-38		98
110	Secreted effectors in Toxoplasma gondii and related species: determinants of host range and pathogenesis?. 2015 , 37, 127-40		19
109	Experimental Neospora caninum infection in domestic bird@ embryonated eggs. 2015 , 39, 241-4		4

108	Canine neosporosis: perspectives on pathogenesis and management. 2016 , 7, 59-70			12
107	Changes in neurotransmitter levels and expression of immediate early genes in brain of mice infected with <i>Neospora caninum</i> . 2016 , 6, 23052			7
106	Molecular phylogenetic analyses of tissue coccidia (sarcocystidae; apicomplexa) based on nuclear 18s RDNA and mitochondrial COI sequences confirms the paraphyly of the genus <i>Hammondia</i> . 2016 , 2, 2, 2,			18
105	Estimating <i>Neospora caninum</i> prevalence in wildlife populations using Bayesian inference. 2016 , 6, 2216-25			8
104	Genome microsatellite diversity within the Apicomplexa phylum. 2016 , 291, 2117-2129			1
103	Seroprevalence of anti- <i>Toxoplasma gondii</i> and anti- <i>Neospora caninum</i> antibodies in domestic mammals from two distinct regions in the semi-arid region of Northeastern Brazil. 2016 , 5, 14-18			3
102	Embryonated pigeon eggs as a model to investigate <i>Neospora caninum</i> infection. 2017 , 51, 191-203			2
101	Importance of serological cross-reactivity among <i>Toxoplasma gondii</i> , <i>Hammondia</i> spp., <i>Neospora</i> spp., <i>Sarcocystis</i> spp. and <i>Besnoitia besnoiti</i> . 2017 , 144, 851-868			37
100	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> induce different host cell responses at proteome-wide phosphorylation events; a step forward for uncovering the biological differences between these closely related parasites. <i>Parasitology Research</i> , 2017 , 116, 2707-2719	2.4		10
99	Activities of 11-Azaartemisinin and N-Sulfonyl Derivatives against <i>Neospora caninum</i> and Comparative Cytotoxicities. 2017 , 12, 2094-2098			9
98	PCR-based identification of <i>Neospora caninum</i> in the umbilical cord of a newborn calf in Brazil. 2017 , 47,			2
97	Dectin-1 Compromises Innate Responses and Host Resistance against Infection. 2017 , 8, 245			15
96	Towards a preventive strategy for neosporosis: challenges and future perspectives for vaccine development against infection with <i>Neospora caninum</i> . 2017 , 79, 1374-1380			14
95	A novel loop-mediated isothermal amplification-based test for detecting <i>Neospora caninum</i> DNA. <i>Parasites and Vectors</i> , 2017 , 10, 590	4		4
94	<i>Neospora</i> . 2018 , 125-148			2
93	<i>Toxoplasma</i> . 2018 , 149-168			1
92	<i>Neospora caninum</i> in birds: A review. 2018 , 67, 397-402			20
91	First detection and molecular identification of <i>Neospora caninum</i> from naturally infected cattle and sheep in North Africa. 2018 , 65, 976-982			15

90	Experimental <i>Neospora caninum</i> infection in chickens (<i>Gallus gallus domesticus</i>) with oocysts and tachyzoites of two recent isolates reveals resistance to infection. 2018 , 48, 117-123		6
89	References. 2018 , 635-698		
88	Soropositividade e fatores de risco para leptospirose, toxoplasmose e neosporose na população canina do Estado da Paraíba. <i>Pesquisa Veterinaria Brasileira</i> , 2018 , 38, 957-966	0.4	1
87	Prevalence and risk factors for IgG antibodies to <i>Neospora</i> spp. in three types of equids from Southern Punjab, Pakistan. 2018 , 188, 240-243		6
86	Seroprevalence, spatial analysis and risk factors of infection with <i>Neospora caninum</i> in cattle in Brazil's northern Pantanal wetland. <i>Brazilian Journal of Veterinary Parasitology</i> , 2018 , 27, 455-463	1.3	1
85	Genome Wide Identification of Mutational Hotspots in the Apicomplexan Parasite <i>Neospora caninum</i> and the Implications for Virulence. 2018 , 10, 2417-2431		12
84	NcGRA17 is an important regulator of parasitophorous vacuole morphology and pathogenicity of <i>Neospora caninum</i> . 2018 , 264, 26-34		15
83	Protozoa. 2019 , 379-540		
82	Current trends in bovine abortion in Argentina. <i>Pesquisa Veterinaria Brasileira</i> , 2019 , 39, 12-19	0.4	7
81	Phenotypic characterization of immune cells in fetal tissues of cattle immunized and challenged with <i>Neospora caninum</i> . 2019 , 217, 109955		2
80	<i>Neospora caninum</i> antigens displaying virus-like particles as a bivalent vaccine candidate against neosporosis. 2019 , 37, 6426-6434		3
79	Pathology in Practice. <i>Journal of the American Veterinary Medical Association</i> , 2019 , 254, 355-358	1	
78	Occurrence and genetic characterization of <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> in slaughtered domestic rabbits in central China. 2019 , 26, 36		2
77	<i>Neospora caninum</i> DNA in feces of crab-eating fox (<i>Cerdocyon thous</i> - Linnaeus, 1776) from northeastern Brazil. 2019 , 197, 105068		4
76	Histologically, immunohistochemically, ultrastructurally, and molecularly confirmed neosporosis abortion in an aborted equine fetus. 2019 , 270, 20-24		3
75	Seroprevalence of <i>Neospora caninum</i> infection and associated risk factors in dairy cattle in Serbia. <i>Parasitology Research</i> , 2019 , 118, 1875-1883	2.4	0
74	Specific Infectious Diseases Causing Infertility and Subfertility in Cattle. 2019 , 434-466		
73	Detection of DNA in Wild Birds from Italy. 2019 , 8,		2

72	Serological evidence of arboviruses and coccidia infecting horses in the Amazonian region of Brazil. 2019 , 14, e0225895		5
71	Serological prevalence of toxoplasmosis and neosporosis in dogs diagnosed with suspected meningoencephalitis in the UK. 2019 , 60, 44-50		11
70	Prevalence and Risk Factors of Brucellosis, Toxoplasmosis, and Neosporosis Among Yanbian Yellow Cattle in Jilin Province, China. 2019 , 19, 217-221		5
69	Seroprevalence of Neospora caninum infection in cattle from Pereira, Colombia. 2020 , 22, 100469		
68	Neosporosis among Egyptian camels and its associated risk factors. 2020 , 52, 3381-3385		2
67	Establishment of a model of Neospora caninum infection in pregnant mice. <i>Parasitology Research</i> , 2020 , 119, 3829-3837	2.4	1
66	Characterization of Microneme Protein 26 and Its Potential Use as a Diagnostic Marker for Neosporosis in Cattle. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 357	3.1	1
65	Detection of Infection in Aborted Equine Fetuses in Israel. 2020 , 9,		3
64	Validation and field evaluation of a competitive inhibition ELISA based on the recombinant protein tSAG1 to detect anti-Neospora caninum antibodies in sheep and goats. 2020 , 284, 109201		0
63	From Signaling Pathways to Distinct Immune Responses: Key Factors for Establishing or Combating Infection in Different Susceptible Hosts. 2020 , 9,		5
62	Epidemiological study of neosporosis in Uruguayan dairy herds. 2020 , 179, 105022		5
61	Species diversity and genome evolution of the pathogenic protozoan parasite, Neospora caninum. 2020 , 84, 104444		2
60	Functional characterization of acyl-CoA binding protein in Neospora caninum. <i>Parasites and Vectors</i> , 2020 , 13, 85	4	1
59	The history and life cycle of <i>Toxoplasma gondii</i> . 2020 , 1-19		5
58	Immediate Interferon Gamma Induction Determines Murine Host Compatibility Differences between <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> . 2020 , 88,		4
57	Evaluation of a competitive inhibition ELISA based on the recombinant protein tSAG1 to detect anti- antibodies in cattle. 2020 , 32, 401-408		1
56	Function of Neospora caninum dense granule protein 7 in innate immunity in mice. <i>Parasitology Research</i> , 2021 , 120, 197-207	2.4	2
55	Experimental infection of tachyzoites of the NC1 strain of <i>Neospora caninum</i> in female swine. <i>Parasitology Research</i> , 2021 , 120, 1049-1057	2.4	1

54	Lower Motor Neuron. 2021 , 106-165		
53	Granulomatous interstitial polymyositis and intramuscular neuritis in a dog. <i>Acta Veterinaria Scandinavica</i> , 2021 , 63, 14	2	0
52	Endochin-like quinolones (ELQs) and bumped kinase inhibitors (BKIs): Synergistic and additive effects of combined treatments against <i>Neospora caninum</i> infection in vitro and in vivo. 2021 , 17, 92-106		1
51	Seroprevalence of <i>Neospora caninum</i> in dogs from greater Sydney, Australia unchanged from 1997 to 2019 and worldwide review of adult-onset of canine neosporosis. 2021 , 1, 100005		2
50	Muscle and Tendon. 1993 , 183-265		34
49	The Nervous System. 1993 , 267-439		91
48	Cerebrospinal Fluid. 1997 , 785-827		11
47	Identification and characterization of <i>Neospora caninum</i> tachyzoite antigens useful for diagnosis of neosporosis. 1994 , 1, 214-21		78
46	Evaluation of two <i>Neospora caninum</i> recombinant antigens for use in an enzyme-linked immunosorbent assay for the diagnosis of bovine neosporosis. 1996 , 3, 275-9		57
45	Cloning and characterization of two recombinant <i>Neospora</i> protein fragments and their use in serodiagnosis of bovine neosporosis. 1997 , 4, 692-9		33
44	A modified agglutination test for <i>Neospora caninum</i> : development, optimization, and comparison to the indirect fluorescent-antibody test and enzyme-linked immunosorbent assay. 1998 , 5, 467-73		83
43	Infection of mice with <i>Neospora caninum</i> (Protozoa: Apicomplexa) does not protect against challenge with <i>Toxoplasma gondii</i> . 1990 , 58, 2699-700		19
42	Subcellular localization and functional characterization of Nc-p43, a major <i>Neospora caninum</i> tachyzoite surface protein. 1996 , 64, 4279-87		70
41	Identification of bovine <i>Neospora</i> parasites by PCR amplification and specific small-subunit rRNA sequence probe hybridization. 1996 , 34, 1203-8		55
40	Serological diagnosis of bovine neosporosis by <i>Neospora caninum</i> monoclonal antibody-based competitive inhibition enzyme-linked immunosorbent assay. 1996 , 34, 1423-8		75
39	Detection of <i>Neospora</i> from tissues of experimentally infected rhesus macaques by PCR and specific DNA probe hybridization. 1997 , 35, 1740-5		19
38	Prevalence of antibodies to <i>Toxoplasma gondii</i> in cats, dogs and horses in Sweden. <i>Acta Veterinaria Scandinavica</i> , 1990 , 31, 219-22	2	40
37	A serological survey of infectious disease in Yellowstone National Park® canid community. 2009 , 4, e7042		61

36	ROP18 is a key factor responsible for virulence difference between <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> . 2014 , 9, e99744		24
35	Seroprevalence of in local Bali dog. <i>Veterinary World</i> , 2018 , 11, 926-929	1.7	1
34	Molecular and histopathological identification of ovine neosporosis () in aborted ewes in Iraq. <i>Veterinary World</i> , 2020 , 13, 597-603	1.7	4
33	Detection of antibodies to <i>Neospora caninum</i> in moose (<i>Alces alces</i>): the first report in Europe. 2014 , 61, 34-36		6
32	Sheep abortion associated with <i>Neospora caninum</i> in Mato Grosso do Sul, Brazil. <i>Pesquisa Veterinaria Brasileira</i> , 2012 , 32, 739-742	0.4	8
31	Comparaçã das tãnicas de ELISA indireto e Imunofluorescãcia indireta na detecã de anticorpos anti- <i>Neospora caninum</i> em bãalas (<i>Bubalus bubalis</i>). <i>Pesquisa Veterinaria Brasileira</i> , 2013 , 33, 431-434	0.4	1
30	Verificaã da transmissã vertical de <i>Neospora</i> spp. em equinos. <i>Pesquisa Veterinaria Brasileira</i> , 2015 , 35, 29-32	0.4	1
29	Serological surveillance on South American wild canids for <i>Neospora caninum</i> . <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2002 , 54, 444-447	0.3	9
28	Age, gender and climate associations with the seroprevalence of <i>Neospora</i> species infection in horses in Jordan. <i>Brazilian Journal of Veterinary Parasitology</i> , 2020 , 29, e016019	1.3	1
27	Serological evaluation of <i>Neospora caninum</i> in pregnant women treated at referral center for prenatal screening in Mato Grosso do Sul, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2020 , 29, e010820	1.3	1
26	<i>Toxoplasma gondii</i> and <i>Neospora caninum</i> Antibodies in Dogs From Grenada, West Indies. <i>Journal of Parasitology</i> , 2008 , 94, 750	0.9	1
25	Antibody reaction of human anti- <i>Toxoplasma gondii</i> positive and negative sera with <i>Neospora caninum</i> antigens. <i>Korean Journal of Parasitology</i> , 1998 , 36, 269-75	1.7	16
24	Detection of IgG antibody against <i>Neospora caninum</i> in cattle in Korea. <i>Korean Journal of Parasitology</i> , 2000 , 38, 245-9	1.7	12
23	Determination of antigenic domain in GST fused major surface protein (Nc-p43) of <i>Neospora caninum</i> . <i>Korean Journal of Parasitology</i> , 2001 , 39, 241-6	1.7	3
22	Congenital neosporosis in goats from the State of Minas Gerais, Brazil. <i>Korean Journal of Parasitology</i> , 2012 , 50, 63-7	1.7	19
21	Generation and immunity testing of a recombinant adenovirus expressing NcSRS2-NcGRA7 fusion protein of bovine <i>Neospora caninum</i> . <i>Korean Journal of Parasitology</i> , 2013 , 51, 247-53	1.7	4
20	Flavonoids modulate the proliferation of <i>Neospora caninum</i> in glial cell primary cultures. <i>Korean Journal of Parasitology</i> , 2014 , 52, 613-9	1.7	4
19	Biotinylation of the <i>Neospora caninum</i> parasitophorous vacuole reveals novel dense granule proteins. <i>Parasites and Vectors</i> , 2021 , 14, 521	4	1

18	Severe deforming dermatitis in a kitten caused by <i>Caryospora bigenetica</i> . <i>Acta Veterinaria Scandinavica</i> , 2021 , 63, 39		2
17	Comparative Evaluation of Four Potent Diagnostic Antigens Using Immunochromatographic Assay for Detection of Specific Antibody in Cattle. <i>Microorganisms</i> , 2021 , 9,	4.9	1
16	References. 2009 ,		
15	Encyclopedia of Parasitology. 2016 , 1-3		
14	<i>Neospora caninum</i> . 2016 , 1888-1890		
13	Seroprevalence of anti- antibodies in cows of North-Eastern Algeria. <i>Veterinary World</i> , 2019 , 12, 765-768	1.7	
12	Validation of 2 commercial <i>Neospora caninum</i> antibody enzyme linked immunosorbent assays. <i>Canadian Journal of Veterinary Research</i> , 2002 , 66, 264-71		22
11	A review of <i>Neospora caninum</i> in dairy and beef cattle--a Canadian perspective. <i>Canadian Veterinary Journal</i> , 2005 , 46, 230-43	0.5	36
10	Cysts of a <i>Toxoplasma</i> -like organism in an Atlantic bottlenose dolphin. <i>Canadian Veterinary Journal</i> , 1990 , 31, 213-5	0.5	24
9	Central nervous system rendez-vous--canine progressive posterior paresis. <i>Canadian Veterinary Journal</i> , 1996 , 37, 55-6	0.5	2
8	Neosporosis in a golden retriever dog from Ontario. <i>Canadian Veterinary Journal</i> , 1993 , 34, 232-3	0.5	4
7	Bovine neonatal encephalomyelitis associated with a <i>Neospora</i> sp. protozoan. <i>Canadian Veterinary Journal</i> , 1994 , 35, 111-3	0.5	26
6	<i>Neospora caninum</i> and complex vertebral malformation as possible causes of bovine fetal mummification. <i>Canadian Veterinary Journal</i> , 2009 , 50, 389-92	0.5	7
5	Cloning, Nucleotide Sequencing and Bioinformatics Study of NcSRS2 Gene, an Immunogen from Iranian Isolate of <i>Neospora caninum</i> . <i>Iranian Journal of Parasitology</i> , 2013 , 8, 114-27	0.8	1
4	Isolation, Identification, and Pathogenicity of <i>Neospora caninum</i> China Yanbian strain. <i>Iranian Journal of Parasitology</i> , 2014 , 9, 394-401	0.8	4
3	TNF-TNFR1 Signaling Enhances the Protection Against Infection.. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 789398	5.9	0
2	Characterization of the <i>Neospora caninum</i> peroxiredoxin: a novel peroxidase and antioxidant enzyme.. <i>Parasitology Research</i> , 2022 , 1	2.4	0
1	Experimental <i>Neospora caninum</i> Infection in Pregnant Cattle: Different Outcomes Between Inoculation With Tachyzoites and Oocysts. <i>Frontiers in Veterinary Science</i> , 2022 , 9,	3.1	

