# CITATION REPORT List of articles citing

Aberrant glycosylation in cancer cell membranes as focused on glycolipids: overview and perspectives

DOI: PM/3886132

Cancer Research, 1985, 45, 2405-14.

Source: https://exaly.com/paper-pdf/127655726/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
620	Primary structure of a major sialyl-saccharide alditol from human amniotic mucins expressing the tumor-associated sialyl-X antigenic determinant. <b>1986</b> , 200, 42-6		12
619	Differential expression of fucosyl GM1 and a disialoganglioside with a NeuAc alpha 2-6GalNAc linkage (GD1e) in various rat ascites hepatoma cells. <b>1986</b> , 198, 66-70		21
618	Pattern of endogenous lectins of a human sarcoma (EwingN sarcoma) reveals differences to human normal tissues and tumors of epithelial and germ cell origin. <b>1986</b> , 31, 139-45		14
617	Blood group-related antigens as markers of malignant potential and heterogeneity in human carcinomas. <b>1986</b> , 17, 1089-106		99
616	Immunohistologic expression of blood-group antigens in normal human gastrointestinal tract and colonic carcinoma. <b>1986</b> , 37, 667-76		58
615	Monoclonal antibodies against antigens expressed on human hepatocellular carcinoma cells. <b>1986</b> , 6, 1396-402		16
614	The utilization of [3H] sugars by non-malignant and malignant human breast. <b>1986</b> , 149, 173-81		2
613	Lectin histochemistry of galactose and N-acetyl-galactosamine glycoconjugates in normal gastric mucosa and gastric cancer and the relationship with ABO and secretor status. <b>1986</b> , 150, 135-44		36
612	Expression of the antigen detected by the monoclonal antibody Ca 19.9 in human breast tissues. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1986</b> , 409, 375-83		7
611	The distribution of blood group antigens in experimentally produced carcinomas of rat palate. <b>1986</b> , 15, 547-51		4
610	Synthetic antigens as immunogens: Part I. The combining site specificities of antibodies formed in rabbits to synthetic disaccharide alpha-L-Fuc-(13)-D-Gal. <b>1987</b> , 16, 1-11		10
609	Chapter 9 TLC and HPTLC of Phospholipids and Glycolipids in Health and Disease. <b>1987</b> , 266-310		9
608	Carbohydrates as antigenic determinants of glycoproteins. <b>1987</b> , 245, 1-11		261
607	Shedding of human tumor-associated antigens in vitro and in vivo. <b>1987</b> , 49, 189-221		24
606	Human tumor antigens. <b>1987</b> , 40, 323-77		80
605	Mutants of embryonal carcinoma cells defective in the expression of embryoglycan. <b>1987</b> , 84, 5798-80	12	20
604	Shared carbohydrate antigenic determinant between the myelin-associated glycoprotein (MAG) and lung cancers. An immunohistochemical study by an anti-MAG IgM monoclonal antibody. <b>1987</b> , 15, 147-57		7

603	Rat alkaline phosphatase. II. Structural similarities between the osteosarcoma, bone, kidney, and placenta isoenzymes. <b>1987</b> , 254, 28-34	25
602	The structural relationship of blood group-related oligosaccharides in human carcinoma to biological function: a perspective. <b>1987</b> , 6, 541-57	14
601	Immunohistochemical examination of lung cancers using monoclonal antibodies reacting with sialosylated Lewisx and sialosylated Lewisa. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1986</b> , 410, 253-61	13
600	Carbohydrate exposure of human promyelocytic HL60 cells and histiocytic U937 cells during phagocytic differentiation assessed with fluoresceinated lectins. <b>1987</b> , 4, 203-210	1
599	Transformation-related changes in the expression of endogenous cell lectins. 1987, 39, 353-60	90
598	Ganglioside GM2 on the K562 cell line is recognized as a target structure by human natural killer cells. <b>1987</b> , 40, 12-7	49
597	Ganglioside gm2 as a target structure recognized by human natural killer cells. 1987, 1, 209-213	4
596	Molecular mimicry of carbohydrate and protein structures by hybridoma antibodies. <b>1987</b> , 7, 116-9	7
595	Inhibition of liver metastasis in mice by blocking hepatocyte lectins with arabinogalactan infusions and D-galactose. <b>1987</b> , 113, 51-5	66
594	Glycosylation mutants and the functions of mammalian carbohydrates. <b>1987</b> , 3, 77-81	68
593	Alterations in the carbohydrate moiety of alpha-1-acid glycoprotein purified from human cirrhotic ascitic fluid. <b>1987</b> , 913, 308-12	37
592	The epitope of mouse embryonic antigen(s) recognized by monoclonal antibody TEC-02 is a carbohydrate carried by high-molecular-weight glycoconjugates. <b>1987</b> , 21, 119-30	19
591	Histochemical study of lectin binding in neoplastic and non-neoplastic urothelium. 1987, 60, 399-404	16
590	Biosynthesis of Lewis fucolipid antigens in human colorectal carcinoma cells. Partial characterization of LcOse4Cer and H-1 fucolipid fucosyl transferase acceptor activities. <b>1987</b> , 168, 209-17	9
589	Inhibition of adhesion of F9 embryonal carcinoma cells to substratum by a novel monoclonal antibody, TEC-05, reactive with a developmentally regulated carbohydrate epitope. <b>1988</b> , 37, 205-14	3
588	Premalignant and malignant oral lesions are associated with changes in the glycosylation pattern of carbohydrates related to ABH blood group antigens. <b>1988</b> , 96, 813-9	34
587	Blood group related carbohydrate antigens in human fetal pancreas. <b>1988</b> , 96, 1109-17	7
586	Blood group antigen staining pattern during experimental carcinogenesis in rat palate. <b>1988</b> , 96, 161-7	5

585	Endogenous sugar-binding proteins in human breast tissue and benign and malignant breast lesions. <b>1988</b> , 61, 1125-31	68
584	Synthese von erythro-Sphingosinen Ber die Azidoderivate. <b>1988</b> , 1988, 663-667	75
583	Glycosylimidate, 35 Synthese eines Cerebrosids mit (4E,8E)-Sphingadienin-Struktur aus Tetragonia tetragonoides mit antiulcerogener Aktivit <b>l. 1988</b> , 1988, 669-674	15
582	Glycolipid-directed FH6 monoclonal antibody recognizes high molecular weight glycoprotein antigen carrying sialyl Lex-i determinant in the culture supernatant of PC-9 cells. <b>1988</b> , 1, 111-5	1
581	Synthesis of fluorescent oligosaccharides for covalent attachment to living cells. <b>1988</b> , 170, 520-7	3
580	Biosynthesis of cancer-associated sialyl-X antigen by a (13)-alpha-L-fucosyltransferase of human amniotic fluid. <b>1988</b> , 178, 23-8	27
579	Glycoprotein P3.58, associated with tumor progression in malignant melanoma, is a novel leukocyte activation antigen. <b>1988</b> , 41, 542-7	41
578	Developmentally regulated expression of cell surface carbohydrates during mouse embryogenesis. <b>1988</b> , 36, 1-14	114
577	Inhibition of liver tumor cell colonization in two animal tumor models by lectin blocking with D-galactose or arabinogalactan. <b>1988</b> , 6, 115-20	48
576	Synthesis of the H-disaccharide (2-Ofucopyranosyl-d-galactose) via the trichloroacetimidate method. <b>1988</b> , 184, 254-261	43
575	Development of distinct clonal patterns of carbohydrate-binding activity in human promyelocytic HL 60 cells and histiocytic U 937 cells during DMSO-or PMA-induced differentiation. <b>1988</b> , 5, 271-281	1
574	The natural history of a family of transplantable melanomas in hamsters. 1988, 7, 95-118	59
573	Clinical application of various plant and endogenous lectins to leukemia. <b>1988</b> , 56, 147-52	12
572	Production of monoclonal antibodies directed against carbohydrate moieties of cell surface glycoproteins. <b>1988</b> , 79, 1119-29	17
571	Comparative study of the levels of sialyltransferases responsible for the formation of sugar chains in glycoproteins and gangliosides in rat liver and hepatomas. <b>1988</b> , 79, 742-9	20
57°	Enzymatic synthesis of oligosaccharides. <b>1988</b> , 6, 256-264	173
569	Gangliosides from human melanoma immunomodulate response of T cells to interleukin-2. <b>1988</b> , 111, 410-9	54
568	Detection and isolation of oligosaccharides with Lea and Leb blood group activities by affinity chromatography using monoclonal antibodies. <b>1988</b> , 264, 203-13	10

#### (1990-1988)

Glycosphingolipids of cultured human colon carcinoma cells and their drug-resistant sublines. <b>1988</b> , 958, 235-46	5
Biosynthetic pathways for the Leb and Y glycolipids in the gastric carcinoma cell line KATO III as analyzed by a novel assay. <b>1988</b> , 151, 100-8	30
Mitogenesis of 3T3 fibroblasts induced by endogenous ganglioside is not mediated by cAMP, protein kinase C, or phosphoinositides turnover. <b>1988</b> , 177, 414-27	52
400-MHz 1H-NMR spectroscopy of fucosylated tetrasialyl oligosaccharides isolated from normal and cirrhotic alpha 1-acid glycoprotein. <b>1988</b> , 238, 390-4	24
Expression of mouse embryonic epitope TEC-2 on human carcinoma-derived cell lines and characterization of its glycoprotein carriers. <b>1988</b> , 968, 291-9	4
The distribution of lectin receptor sites in human breast lesions. <b>1988</b> , 183, 469-75	7
Tumorlectinologie: Ein Gebiet im Schnittpunkt von Zuckerchemie, Biochemie, Zellbiologie und Onkologie. <b>1988</b> , 100, 1321-1330	13
Characterization and biological implications of membrane lectins in tumor, lymphoid and myeloid cells. <b>1988</b> , 70, 1633-49	85
Azidosphingosine Glycosylation in Glycosphingolipid Synthesis. <b>1988</b> , 7, 435-452	111
Expression of Ley antigen in human immunodeficiency virus-infected human T cell lines and in peripheral lymphocytes of patients with acquired immune deficiency syndrome (AIDS) and AIDS-related complex (ARC). <b>1988</b> , 167, 323-31	64
Tumorigenic human squamous lung cancer cells have defined cell surface carbohydrates that are absent from nontumorigenic cells. <b>1988</b> , 85, 802-6	32
Detection of Lewisa antigen in sera of ovarian carcinoma patients by MOv2-MOv8 double-determinant radioimmunoassay. <b>1989</b> , 4, 197-202	
Synthesis of a (4E, 8Z)-Sphingadienine Moiety Containing Cerebroside from Tetragonia Tetragonoides with Antiulcerogenic Activity1,2. <b>1989</b> , 8, 199-216	20
Novel genetic instability associated with a developmentally regulated glycosyltransferase locus in Chinese hamster ovary cells. <b>1989</b> , 15, 387-400	13
Gangliosides in SV-40-transformed cells derived from Tay-Sachs disease fetal brain. <b>1989</b> , 4, 87-93	1
Characteristics of the distribution of lectin receptors in intrahepatic cholangiocellular carcinoma. <b>1989</b> , 21, 296-300	1
Interaction of the B subunit of cholera toxin with endogenous ganglioside GM1 causes changes in membrane potential of rat thymocytes. <b>1989</b> , 109, 21-8	7
Immunohistochemical analysis of pulmonary and pleural neoplasms with monoclonal antibodies B72.3 and CSLEX-1. <b>1990</b> , 58, 427-33	5
	Biosynthetic pathways for the Leb and Y glycolipids in the gastric carcinoma cell line KATO III as analyzed by a novel assay. 1988, 151, 100-8  Mitogenesis of 3T3 fibroblasts induced by endogenous ganglioside is not mediated by cAMP, protein kinase C, or phosphoinositides turnover. 1988, 177, 414-27  400-MHz 1H-NMR spectroscopy of fucosylated tetrasialyl oligosaccharides isolated from normal and cirrhotic alpha 1-acid glycoprotein. 1988, 238, 390-4  Expression of mouse embryonic epitope TEC-2 on human carcinoma-derived cell lines and characterization of its glycoprotein carriers. 1988, 968, 291-9  The distribution of lectin receptor sites in human breast lesions. 1988, 183, 469-75  Tumorlectinologie: Ein Gebiet im Schnittpunkt von Zuckerchemie, Biochemie, Zellbiologie und Onkologie. 1988, 100, 1321-1330  Characterization and biological implications of membrane lectins in tumor, lymphoid and myeloid cells. 1988, 70, 1633-49  Azidosphingosine Glycosylation in Glycosphingolipid Synthesis. 1988, 7, 435-452  Expression of Ley antigen in human immunodeficiency virus-infected human T cell lines and in peripheral lymphocytes of patients with acquired immune deficiency syndrome (AIDS) and AIDS-related complex (ARC). 1988, 167, 323-31  Tumorigenic human squamous lung cancer cells have defined cell surface carbohydrates that are absent from nontumorigenic cells. 1988, 85, 802-6  Detection of Lewisa antigen in sera of ovarian carcinoma patients by MOv2-MOv8 double-determinant radioimmunoassay. 1989, 4, 197-202  Synthesis of a (4E, 8Z)-Sphingadienine Moiety Containing Cerebroside from Tetragonia Tetragonoides with Antiulcerogenic Activity1, 2. 1989, 8, 199-216  Novel genetic instability associated with a developmentally regulated glycosyltransferase locus in Chinese hamster ovary cells. 1989, 15, 387-400  Gangliosides in SV-40-transformed cells derived from Tay-Sachs disease fetal brain. 1989, 4, 87-93  Characteristics of the distribution of lectin receptors in intrahepatic cholangiocellular carcinoma. 1989, 21, 296-300

549	Lectinohistochemistry of human bladder cancer: loss of lectin binding structures in invasive carcinomas. <b>1989</b> , 97, 367-73	12
548	ABH and related histo-blood group antigens; immunochemical differences in carrier isotypes and their distribution. <b>1989</b> , 56, 1-20	448
547	N-linked oligosaccharide changes with oncogenic transformation require sialylation of multiantennae. <b>1989</b> , 181, 249-60	48
546	Presence of fucosylated triantennary, tetraantennary and pentaantennary glycans in transferrin synthesized by the human hepatocarcinoma cell line Hep G2. <b>1989</b> , 184, 405-13	61
545	Monoclonal antibodies to glycolipids of the isoglobo-series detect tumor-associated antigens in rats. <b>1989</b> , 43, 317-26	7
544	Blood group ABH-related antigens in normal and malignant bladder urothelium: possible structural basis for the deletion of type-2 chain ABH antigens in invasive carcinomas. <b>1989</b> , 43, 774-80	26
543	Biochemical and immunological properties of the human carcinoma antigen CAR-5 defined by the monoclonal antibody BD-5. <b>1989</b> , 44, 67-74	8
542	Glycosyl Imidates, 43 Synthesis of Lactoneotetraosyl Ceramide. <b>1989</b> , 1989, 1107-1111	11
541	Gangliosides of human melanoma. <b>1989</b> , 63, 1166-74	63
540	Separation of fucosylated oligosaccharides using high-pH anion-exchange chromatography with pulsed-amperometric detection. <b>1989</b> , 188, 1-7	57
539	Enzymic synthesis of di- and tri-saccharide glycosides, using glycosidases and beta-D-galactoside 3-alpha-sialyl-transferase. <b>1989</b> , 188, 9-17	68
538	A plant fucosyltransferase with human Lewis blood-group specificity. <b>1989</b> , 193, 249-56	31
537	Malignant cell glycoproteins and glycolipids. <b>1989</b> , 9, 37-107	87
536	Wheat germ agglutinin binding sites on human urothelial cells of different grades of transformation. <b>1989</b> , 6, 355-65	1
535	Assignment of the 1H- and 13C-NMR spectra of eight oligosaccharides of the lacto-N-tetraose and neotetraose series. <b>1989</b> , 6, 67-83	37
534	Expression of glycoconjugates in intrahepatic cholangiocellular carcinoma. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1989</b> , 415, 395-401	2
533	Comparative study on the expression of the blood group antigens Le a, Le b, Le x, Le y and the carbohydrate antigens CA 19-9 and CA-50 in chronic pancreatitis and pancreatic carcinoma. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1989</b> , 414, 465-76	15
532	Enzyme-catalyzed synthesis of carbohydrates. <b>1989</b> , 45, 5365-5422	318

531	Changes of glycoconjugates in human hepatocellular carcinoma. <b>1989</b> , 92, 171-5	5
530	Lectin histochemistry of human gliomas. <b>1989</b> , 79, 176-82	12
529	GD3 expression by cultured human tumor cells of neuroectodermal origin. <b>1989</b> , 79, 317-25	27
528	Coordinate regulation of ganglioside glycosyltransferases in differentiating NG108-15 neuroblastoma x glioma cells. <b>1989</b> , 52, 1537-44	5
527	Immunohistochemical localization of Leu-M1 carbohydrate antigen in human oral squamous cell carcinoma. <b>1989</b> , 18, 502-5	4
526	Expression of blood group antigen-related carbohydrates by human gingival epithelia. <b>1989</b> , 24, 289-97	26
525	Analysis of glycoproteins released from benign and malignant human breast: changes in size and fucosylation with malignancy. <b>1989</b> , 25, 65-72	12
524	Modulation of galactoside-binding lectins in tumor cells by differentiation-inducing agents. <b>1989</b> , 48, 115-22	31
523	Prediction of chemical carcinogenicity from molecular and electronic structures: a comparison of MINDO/3 and CNDO/2 molecular orbital methods. <b>1989</b> , 45, 1-13	29
522	Microheterogeneity of the carbohydrate moiety of human alpha 1-acid glycoprotein in two benign liver diseases: alcoholic cirrhosis and acute hepatitis. <b>1989</b> , 186, 59-66	33
521	Antibody-mediated targeting of differentiation inducers to tumor cells: inhibition of colonic cancer cell growth in vitro and in vivo. A preliminary note. <b>1989</b> , 158, 202-8	32
520	Serological analysis of cell surface antigens in choriocarcinoma cell lines. <b>1989</b> , 19, 114-9	2
519	Synthesis of 2-Carboxy-Substituted Sphingosine Derivatives. <b>1990</b> , 9, 543-559	9
518	Hexadecanoic and neuraminic acid incorporations in two rat colon carcinoma cell lipids: selective influence of 1-O-octadecyl 2-O-methyl-3-phosphocholine on glycerolipid and ganglioside biosynthesis. <b>1990</b> , 98, 163-71	2
517	Desorption mass spectrometry of glycosphingolipids. <b>1990</b> , 193, 713-33	34
516	Immunohistological and biochemical detection of fucosylated polylactosamine antigen with monoclonal antibody ACFH18 in gastric cancer and normal gastric mucosa. <b>1990</b> , 81, 676-81	5
515	Expression of the histo-blood group ABO gene defined glycosyltransferases in epithelial tissues. <b>1990</b> , 19, 251-6	20
514	Expression of the multiple drug resistance gene (mdr-1) and epitope masking in chronic lymphatic leukaemia. <b>1990</b> , 76, 226-30	52

513	Alteration of cell surface carbohydrates associated with ordered and disordered proliferation of oral epithelia: a lectin histochemical study in oral leukoplakias, papillomas and carcinomas. <b>1990</b> , 23, 41-55	5
512	Markers for human placental trophoblasts in two-dimensional gel electrophoresis. <b>1990</b> , 26, 937-43	3
511	Serum diagnostic tests for pancreatic cancer. <b>1990</b> , 4, 833-52	7
510	High-performance liquid chromatographic analysis of fucoganglioside hydrolysis by alpha-L-fucosidase. <b>1990</b> , 189, 209-12	9
509	Altered expression of Lewis blood group and related antigens in fetal, normal adult and malignant tissues of the uterine endometrium. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1990</b> , 416, 221-8	22
508	Altered expression of Lewis blood group and related antigens in fetal, normal adult and malignant tissues of the uterine endometrium. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1990</b> , 417, 277-8	1
507	The effect of glycophorin A on oxidation of globoside by galactose oxidase. <b>1990</b> , 7, 247-253	
506	The identification of a neutral glycosphingolipid antigenic marker for metastatic cells in the R3230AC rat mammary adenocarcinoma. <b>1990</b> , 8, 141-51	5
505	O-linked mucin-type glycoproteins in normal and malignant colon mucosa: lack of T-antigen expression and accumulation of Tn and sialosyl-Tn antigens in carcinomas. <b>1990</b> , 45, 666-72	105
504	Monoclonal antibody against a tumor-associated sialoglycoprotein of superficial papillary bladder tumors and cervical condylomas. <b>1990</b> , 46, 990-7	30
503	Cautionary note on the use of the B subunit of cholera toxin as a ganglioside GM1 probe: detection of cholera toxin A subunit in B subunit preparations by a sensitive adenylate cyclase assay. <b>1990</b> , 42, 143-52	19
502	Role of galaptin in ovarian carcinoma adhesion to extracellular matrix in vitro. <b>1990</b> , 43, 43-57	49
501	Mitogenic response of near-diploid mouse cell line m5S/1M induced by epidermal growth factor. <b>1990</b> , 142, 99-107	1
500	Monoclonal antibody 43-9F as a sensitive immunohistochemical marker of carcinoma in situ of human testis. <b>1990</b> , 65, 1135-42	41
499	Lewis system alterations in gastric carcinogenesis. <b>1990</b> , 66, 1769-74	25
498	Sialosyl-Tn. A novel mucin antigen associated with prognosis in colorectal cancer patients. <b>1990</b> , 66, 1960-6	345
497	Synthesis of methyl O-(2-O-methyl-beta-D-galactopyranosyl)-(14)-O-(2-acetamido-2-deoxy-beta-D-glucopyranosyl)-(13)-beta-D-galactopyranoside and 4-nitrophenyl O-beta-D-galactopyranosyl-(14)-O-(2-acetamido-2-deoxy-beta-D-	2
496	glucopyranosyl)-(13)-beta-D-galactopyranoside. <b>1990</b> , 203, 139-47 Preparation and characterization of monoclonal antibodies to an N-linked oligosaccharide. <b>1990</b> , 188, 149-54	8

#### (1991-1990)

495	The role of the Thomsen-Friedenreich antigen as a tumor-associated molecule. 1990, 88, 255-7	32
494	Glycoconjugates and cell surface interactions in pre- and peri-implantation mammalian embryonic development. <b>1990</b> , 120, 53-167	37
493	Expression of Lewis(x) and Lewis(y) blood group related antigens in fetal livers. <b>1990</b> , 10, 681-7	7
492	Ganglioside composition of human melanoma and response to antitumor treatment. <b>1990</b> , 8, 161-7	7
491	Murine monoclonal antibodies directed to the human histo-blood group A transferase (UDP-GalNAc:Fuc alpha 12Gal alpha 13-N-acetylgalactosaminyltransferase) and the presence therein of N-linked histo-blood group A determinant. <b>1990</b> , 29, 2740-7	35
490	Cancer-associated carbohydrates identified by monoclonal antibodies. <b>1990</b> , 21, 1003-19	154
489	Tumor markers in gynecologic oncology. <b>1990</b> , 39, 1-15	13
488	Lectins: mediators of adhesion for bacteria in infectious diseases and for tumor cells in metastasis. <b>1990</b> , 274, 350-8	8
487	The major blood group ABO(H) determining genes are isolated. <b>1990</b> , 15, 330-1	11
486	The bimodal growth response of Swiss 3T3 cells to the B subunit of cholera toxin is independent of the density of its receptor, ganglioside GM1. <b>1990</b> , 189, 13-21	21
485	A monoclonal antibody directed to Tn antigen. <b>1990</b> , 170, 981-5	66
484	Sphingosylphosphorylcholine is a remarkably potent mitogen for a variety of cell lines. <b>1991</b> , 181, 361-6	107
483	Biological and NMR markers for cancer. <b>1991</b> , 50, 147-90	5
482	Carbohydrate differentiation antigens: probable ligands for cell adhesion molecules. <b>1991</b> , 16, 84-6	138
481	Variations of plasma sialic acid and N-acetylglucosamine levels in cancer, inflammatory diseases and bone marrow transplantation: a proton NMR spectroscopy study. <b>1991</b> , 73, 99-104	19
480	Demonstration of endogenous lectins in synovial tissue. <b>1991</b> , 20, 242-51	3
479	Shedding of human neuroblastoma gangliosides. <b>1991</b> , 1083, 57-64	65
478	A re-evaluation of the lipid-bound sialic acid determination. <b>1991</b> , 203, 259-68	12

477	Antitumoral effects of Pseudomonas aeruginosa lectins on Lewis lung carcinoma cells cultured in vitro without and with murine splenocytes. <b>1991</b> , 29, 1305-13	13
476	Prospects for the management of non-small-cell carcinoma of the lung with monoclonal antibodies. <b>1991</b> , 99, 1466-76	16
475	Synthesis of Glycosides. <b>1991</b> , 33-64	36
474	Immunohistochemical expression of blood group substances and related carbohydrate antigens in breast carcinoma. <b>1991</b> , 82, 559-68	15
473	Aberrant glycosylation in oral malignant and premalignant lesions. 1991, 20, 361-8	29
472	Glycosylation with highly reactive glycosyl donors: efficiency of the inverse procedure. <b>1991</b> , 32, 3353-3356	157
471	Malignant transformation in hepatocytes is associated with the general increase of glycoprotein ligands specifically binding to the endogenous lectin CSL. <b>1991</b> , 213, 117-26	7
470	Placental-like alkaline phosphatase as a marker of carcinoma-in-situ of the testis. Comparison with monoclonal antibodies M2A and 43-9F. <b>1991</b> , 99, 586-94	81
469	Expression of blood group-related carbohydrate antigens in normal human pancreatic tissue. <b>1991</b> , 99, 931-40	17
468	Histo-blood group antigens as differentiation markers in testicular germ cell tumours. <b>1991</b> , 99, 391-7	3
467	Characterization of glycosphingolipids by supercritical fluid chromatography-mass spectrometry. <b>1991</b> , 193, 24-34	19
466	Characterization of the CAMPATH-1 (CDw52) antigen: biochemical analysis and cDNA cloning reveal an unusually small peptide backbone. <b>1991</b> , 21, 1677-84	149
465	Blood group and blood-group-related antigens in normal pancreas and pancreas cancer: enhanced expression of precursor type 1, Tn and sialyl-Tn in pancreas cancer. <b>1991</b> , 47, 180-7	64
464	Histological and urinary reactivity of monoclonal antibody 1BE12 in bladder carcinoma. Purification of the antigen from urine. <b>1991</b> , 47, 221-6	5
463	Immunohistochemical studies of blood group-related antigens in human superficial esophageal carcinomas. <b>1991</b> , 67, 3042-50	21
462	Glycosyl imidates. 49. Synthesis of the octasaccharide moiety of the dimeric Lex antigen. <b>1991</b> , 1991, 425-433	31
461	Immunodetection of sialyl-Tn antigen in normal, hyperplastic and cancerous tissues of the uterine endometrium. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1991</b> , 418, 157-62	29
460	Serological and immunohistochemical studies on sialylated carbohydrate antigens in colorectal carcinoma. <b>1991</b> , 26, 303-11	14

459	Asymmetric synthesis of D-erythro-sphingosine. <b>1991</b> , 47, 2835-2842	25
458	Quantitative analysis of the molecular species of monosialogangliosides by continuous-flow fast-atom bombardment mass spectrometry. <b>1991</b> , 5, 618-21	4
457	Disialoganglioside GD2 in human neuroectodermal tumor cell lines and gliomas. <b>1991</b> , 82, 45-54	36
456	Mucin associated Tn and sialosyl-Tn antigen expression in colorectal polyps. <b>1992</b> , 33, 518-23	80
455	Lewis antigen alterations in gastric cancer precursors. <b>1992</b> , 102, 424-30	26
454	Reactivity to fucose-binding proteins of Lotus tetragonolobus correlates with metastatic phenotype of transitional cell carcinoma of the bladder. <b>1992</b> , 147, 1659-64	14
453	Lewis blood group antigen expression by cultured normal ureteral epithelial cells. 1992, 148, 1341-6	2
452	Specific biodetection of a murine spontaneous mammary carcinoma with labelled anti-human blood group-A monoclonal antibody. <b>1992</b> , 19, 589-96	1
451	Characterization of the colorectal antigen IOR-C2. <b>1992</b> , 11, 245-56	9
450	Cancer-associated glycoproteins defined by a monoclonal antibody, MLS 128, recognizing the Tn antigen. <b>1992</b> , 187, 217-24	7
449	Antibody responses to ganglio-series gangliosides in different strains of inbred mice. <b>1992</b> , 29, 625-32	37
448	The blood group antigen-related glycoepitopes: key structural determinants in immunogenesis and AIDS pathogenesis. <b>1992</b> , 39, 212-24	6
447	Generation of one set of monoclonal antibodies specific for a-pathway ganglio-series gangliosides. <b>1992</b> , 1117, 97-103	113
446	Expression of differentiation antigens and growth-related genes in normal kidney, autosomal dominant polycystic kidney disease, and renal cell carcinoma. <b>1992</b> , 19, 22-30	64
445	Histochemical and cytochemical localization of blood group antigens. <b>1992</b> , 25, 1-85	25
444	Tumour markers in oncology: past, present and future. <b>1992</b> , 150, 133-43	32
443	Characterization and clinical evaluation of tumor-associated antigen CA54/61 identified by monoclonal antibodies MA54 and MA61 in epithelial ovarian cancer. <b>1992</b> , 47, 328-36	1
442	Galactose alpha 1-3 galactose and anti-alpha galactose antibody in normal and pathological pregnancies. <b>1992</b> , 13, 475-87	12

441	Inhibition of fertilization by a monoclonal antibody recognizing the oligosaccharide sequence GalNAc beta 14Gal beta 14 on the mouse zona pellucida. <b>1992</b> , 21, 241-56	20
440	Generation of one set of monoclonal antibodies specific for b-pathway ganglio-series gangliosides. <b>1992</b> , 1123, 184-90	58
439	Glycolipid of human pancreatic cancer; the appearance of neolacto-series (type 2 chain) glycolipid and the presence of incompatible blood group antigen in tumor tissues. <b>1992</b> , 1125, 21-7	9
438	Isolation of a cDNA clone for beta 1-4 galactosyltransferase from embryonic chicken brain and comparison to its mammalian homologs. <b>1992</b> , 189, 1215-22	15
437	Generation of murine monoclonal antibodies specific for N-glycolylneuraminic acid-containing gangliosides. <b>1992</b> , 294, 427-33	31
436	Direct synthesis of nucleoside monophosphate sugars synthesis of GMP-fucose. <b>1992</b> , 33, 1585-1588	9
435	Increased expression of highly branched N-linked oligosaccharides terminating in N-acetylglucosamine residues in neoplastic and sclerodermal chicken fibroblasts. <b>1992</b> , 24, 15-20	3
434	Occurrence and specificities of alpha 3-fucosyltransferases. <b>1992</b> , 24, 761-70	47
433	Glycoproteins and lectins in cell adhesion and cell recognition processes. <b>1992</b> , 24, 791-804	37
432	Age-related expression patterns of the CD15 epitope in the human lateral geniculate nucleus (LGN). <b>1992</b> , 24, 878-89	23
431	Reassessment of the acceptor specificity and general properties of the Lewis blood-group gene associated alpha-3/4-fucosyltransferase purified from human milk. <b>1992</b> , 9, 251-64	41
430	Glycopinion. <b>1992</b> , 9, 109-117	17
429	Entry of newly synthesized gangliosides into myelin. <b>1992</b> , 58, 1477-84	8
428	Monoclonal antibody FW6 generated against a mucin-carbohydrate of human amniotic fluid recognises a colonic tumour-associated epitope. <b>1992</b> , 65, 559-65	12
427	The blood group antigens (BGA)-related glycoepitopes. A key structural determinant in immunogenesis and cancer pathogenesis. <b>1992</b> , 12, 151-66	14
426	Sialosylated Lewis chi expression in CD30-positive anaplastic large-cell lymphomas. <b>1992</b> , 119, 87-90	2
425	Cell adhesion molecules in neoplastic disease. <b>1992</b> , 22, 69-72	14
424	Blood group antigen expression in medullary carcinoma of the thyroid. An immunohistochemical study on the occurrence of type 1 chain-derived antigens. <b>1992</b> , 62, 79-88	13

423	Altered expression of ABO (H) carbohydrate antigens is seen in pleomorphic adenomas. <b>1992</b> , 100, 415-23	3
422	Extended type-1 chain glycosphingolipid antigens. Isolation and characterization of trifucosyl-Leb antigen (III4V4VI2Fuc3Lc6). <b>1992</b> , 203, 577-86	23
421	Occurrence of alpha 1-2-fucosylation in membrane glycoproteins of Morris hepatoma 7777 but not in liver. Aberrant type of fucosylation in a malignant tissue. <b>1992</b> , 208, 669-76	6
420	Epithelial hyperplasia of the breast. Comparison of incidence between cases of breast carcinoma and control autopsy specimens with immunohistochemical observation of blood group antigens. <b>1992</b> , 42, 193-200	1
419	Pulmonary Blastoma. <b>1992</b> , 42, 884-892	
418	Simultaneous determination of sugar incorporation into glycosphingolipids and glycoproteins. <b>1992</b> , 204, 265-72	8
417	Blood group-related carbohydrate antigen expression in malignant and premalignant colonic neoplasms. <b>1992</b> , 16G, 97-101	13
416	Glycolipids carrying Le(y) are preferentially expressed on small-cell lung cancer cells as detected by the monoclonal antibody MLuC1. <b>1992</b> , 51, 225-31	13
415	Glycosyl Imidates, 52. Synthesis of Globotriaosylceramide (Gb3) and Isoglobotriaosylceramide (isoGb3). <b>1992</b> , 1992, 217-224	21
414	Nuclear volume and expression of T-antigen, sialosyl-Tn-antigen, and Tn-antigen in carcinoma of the human bladder. Relation to tumor recurrence and progression. <b>1992</b> , 69, 219-27	47
413	Carbohydrate profiles shown by a lectin and a monoclonal antibody correlate with metastatic potential and prognosis of human lung carcinomas. <b>1992</b> , 69, 2084-90	24
412	Mucin oligosaccharide biosynthesis in human colonic cancerous tissues and cell lines. <b>1992</b> , 70, 1467-76	31
411	Correlation of expression of ABH blood group carbohydrate antigens with metastatic potential in human lung carcinomas. <b>1993</b> , 72, 75-81	63
410	Simple mucin-type Tn and sialosyl-Tn carbohydrate antigens in salivary gland carcinomas. <b>1993</b> , 72, 1147-54	20
409	Immunohistochemical expression of sialyl Lex antigen in relation to survival of patients with colorectal carcinoma. <b>1993</b> , 72, 2323-30	65
408	Graphic-aided study of metabolic modifications of plasma in cancer using proton magnetic resonance spectroscopy. <b>1993</b> , 6, 58-65	17
407	Characterization of CA 125 antigen identified by monoclonal antibodies that recognize different epitopes. <b>1993</b> , 26, 391-7	5
406	Quantitative and qualitative assessment of CA-125 production by human endometrial epithelial cells: comparison of eutopic and heterotopic epithelial cells. <b>1993</b> , 54, 426-34	5

405	alpha GalNAc is essential for recognition of Exo-1 epithelial antigen by mouse monoclonal antibody Pa-G-14. <b>1993</b> , 55, 857-64	4
404	Biologically Active Glycosides from Asteroidea, XXX. <b>Bynthesis of an Optically Active Ceramide of</b> GM1-Type Ganglioside from (+)-diethyl L-Tartrate. <b>1993</b> , 1993, 55-60	9
403	Glycosyl Imidates, 62. <b>Synthesis of the Heptasaccharide Moiety of Ganglioside BGM1</b> . <b>1993</b> , 1993, 859-864	18
402	Cell adhesion and metastasis: is the site specificity of cancer metastasis determined by leukocyte-endothelial cell recognition and adhesion?. <b>1993</b> , 14, 229-77	31
401	Carbohydrate antigen expression in murine embryonic stem cells and embryos. I. Lacto and neo-lacto determinants. <b>1993</b> , 25, 452-63	18
400	Semiquantitative immunohistochemical studies of blood group antigen A, B, H, Le(a), Le(b) structures and Ii backbone chains in the normal human cervix and in cervical adenocarcinoma. <b>1993</b> , 25, 228-41	8
399	Use of Phaseolus vulgaris leukoagglutinating lectin in histochemical and blotting techniques: a comparison of digoxigenin- and biotin-labelled lectins. <b>1993</b> , 100, 347-56	19
398	Sulfolipids and glycolipid sulfotransferase activities in human renal cell carcinoma cells. <b>1993</b> , 67, 76-80	48
397	Characterisation and clinical usefulness of CA130 antigen recognised by monoclonal antibodies, 130-22 and 145-9, in ovarian cancers. <b>1993</b> , 67, 237-43	2
396	Aberrant alpha 1>2fucosyltransferases found in human colorectal carcinoma involved in the accumulation of Leb and Y antigens in colorectal tumors. <b>1993</b> , 84, 989-95	50
395	Development and characterization of a novel anti-fucosylated antigen monoclonal antibody YB-2 and its usefulness in the immunohistochemical diagnosis of colorectal cancer. <b>1993</b> , 84, 641-8	19
394	Enhancement of retroviral infection in vitro by anti-Ley IgG: reversal by humanization of monoclonal mouse antibody. <b>1993</b> , 101, 711-718	5
393	Antitumor effects of a novel monoclonal antibody with high binding affinity to ganglioside GD3. <b>1993</b> , 36, 260-6	25
392	Hepatocellular injury inhibits lectin-mediated tumor colonization into BALB/c-mice livers. <b>1993</b> , 49, 547-50	3
391	Elevated Le(y) antigen expression on T-lymphocytes in schizophrenic patients. <b>1993</b> , 243, 82-6	5
390	Elevated plasma levels of a carbohydrate antigen, sialyl Lewis X, in liver diseases. <b>1993</b> , 19, 451-8	4
389	Monoclonal antibodies for diagnosis and potential therapy of small cell lung cancerthe ganglioside antigen fucosyl-GM1. <b>1993</b> , 32, 845-51	9
388	Expression of epithelial antigens EPM-1 and EXO-1 in normal, transitional, inflammatory and neoplastic colorectal mucosa. <b>1993</b> , 29A, 1723-8	

387	Binding pattern of eight different lectins in healthy subjects and patients with dysplastic and malignant lesions of the oral cavity. <b>1993</b> , 22, 301-5	10
386	CDw75 antigen expression in breast lesions. <b>1993</b> , 189, 394-8	7
385	Expression of peanut agglutinin-binding glycoconjugates in primary melanomas with high risk of metastases. <b>1993</b> , 341, 1292	15
384	A study of prognosis and clinicopathology of bladder cancer to blood group type of host patients in Japan. <b>1993</b> , 27, 199-203	2
383	Clinical aspects of glycoprotein biosynthesis. <b>1993</b> , 30, 65-151	37
382	The cytochromes P450 and mechanisms of chemical carcinogenesis. <b>1994</b> , 102, 852-3	64
381	Antigen presentation, aberrant glycosylation and tumor progression. <b>1994</b> , 17, 27-51	14
380	Desialylation of metastatic human colorectal carcinoma cells facilitates binding to Kupffer cells. <b>1994</b> , 12, 108-16	18
379	An immunohistochemical study of the distribution of blood group substances and related antigens in primary colorectal carcinomas and metastatic lymph node and liver lesions, using monoclonal antibodies against A, B, H type 2, Le(a), and Le(x) antigens. <b>1994</b> , 29, 265-75	9
378	An immunohistochemical employer monoclonal antibodies against Le(a), sialyl Le(a), Le(x), and sialyl Le(x) antigens in primary colorectal, carcinomas and lymph node and hepatic lesions. <b>1994</b> , 29, 129-38	21
377	Ganglioside conjugate vaccines. Immunotherapy against tumors of neuroectodermal origin. <b>1994</b> , 21, 299-309	22
376	A clinicopathological evaluation of anti-fucosylated antigens antibody (YB-2) in colorectal carcinoma. <b>1994</b> , 1, 31-36	13
375	Cancer-associated quantitative differences in antigen levels of sialosyl Lewisx in stool from patients with colorectal carcinomas. <b>1994</b> , 1, 111-117	
374	The ganglioside GD1 alphaNV3Neu5Ac, III6Neu5Ac-GgOse4Cer, is a major disialoganglioside in the highly metastatic murine lymphoreticular tumour cell line MDAY-D2. <b>1994</b> , 11, 153-62	20
373	Coexpression of cancer-associated carbohydrate antigens, Tn and sialyl Tn. <b>1994</b> , 11, 262-5	1
372	Patterns of reactivity with anti-glycolipid antibodies in human primary brain tumors. <b>1994</b> , 39, 148-58	13
371	Blood vessel invasion and expression of sialyl Lewisx and proliferating cell nuclear antigen in stage I non-small cell lung cancer. Relation to postoperative recurrence. <b>1994</b> , 73, 1177-83	77
370	Gangliosides as diagnostic markers of human astrocytomas and primitive neuroectodermal tumors. <b>1994</b> , 74, 3010-22	33

369	Cell-surface sulfoglycolipids are involved in the attachment of renal-cancer cells to laminin. <b>1994</b> , 56, 281-5	22
368	Re-assessment of acidic glycosphingolipids in small-cell-lung-cancer tissues and cell lines. <b>1994</b> , 8, 125-6	7
367	Synthesis and pharmacological evaluation of vinyl sulfone based anticancer agents. <b>1994</b> , 4, 1585-1590	2
366	Selective expression of PNA-binding glycoconjugates by invasive human melanomas: a new marker of metastatic potential. <b>1994</b> , 7, 461-4	7
365	Oligosaccharide ligands for NKR-P1 protein activate NK cells and cytotoxicity. <b>1994</b> , 372, 150-7	254
364	Hepatocyte growth factor elevates the activity levels of glycolipid sulfotransferases in renal cell carcinoma cells. <b>1994</b> , 219, 407-13	19
363	Serological tumor markers for small cell lung cancer and their therapeutic implications. <b>1994</b> , 102, 561-80	4
362	Cyclic AMP causes differentiation and decreases the expression of neutral glycosphingolipids in cell cultures derived from a malignant glioma. <b>1994</b> , 1222, 37-44	2
361	Importance of lectins for the prevention of bacterial infections and cancer metastases. <b>1994</b> , 281, 324-33	1
360	Editorial overview. <b>1994</b> , 4, 673-676	9
360 359	Editorial overview. <b>1994</b> , 4, 673-676  Functional consequences of the binding of gliadin to cultured rat mesangial cells: bridging immunoglobulin A to cells and modulation of eicosanoid synthesis and altered cytokine production. <b>1994</b> , 23, 290-301	9
	Functional consequences of the binding of gliadin to cultured rat mesangial cells: bridging immunoglobulin A to cells and modulation of eicosanoid synthesis and altered cytokine production.	
359	Functional consequences of the binding of gliadin to cultured rat mesangial cells: bridging immunoglobulin A to cells and modulation of eicosanoid synthesis and altered cytokine production.  1994, 23, 290-301  Prognostic value of a breast cancer-associated glycoprotein detected by monoclonal antibody	25
359 358	Functional consequences of the binding of gliadin to cultured rat mesangial cells: bridging immunoglobulin A to cells and modulation of eicosanoid synthesis and altered cytokine production. 1994, 23, 290-301  Prognostic value of a breast cancer-associated glycoprotein detected by monoclonal antibody LU-BCRU-G7. 1994, 30A, 1007-12	25 5
359 358 357	Functional consequences of the binding of gliadin to cultured rat mesangial cells: bridging immunoglobulin A to cells and modulation of eicosanoid synthesis and altered cytokine production. 1994, 23, 290-301  Prognostic value of a breast cancer-associated glycoprotein detected by monoclonal antibody LU-BCRU-G7. 1994, 30A, 1007-12  Progress with Tumour Vaccines. 1994, 2, 23-31	25 5 1
359 358 357 356	Functional consequences of the binding of gliadin to cultured rat mesangial cells: bridging immunoglobulin A to cells and modulation of eicosanoid synthesis and altered cytokine production.  1994, 23, 290-301  Prognostic value of a breast cancer-associated glycoprotein detected by monoclonal antibody LU-BCRU-G7. 1994, 30A, 1007-12  Progress with Tumour Vaccines. 1994, 2, 23-31  Prospects for an Immunological Approach to Therapy of Ovarian Cancer. 1994, 2, 409-414	25 5 1
359 358 357 356 355	Functional consequences of the binding of gliadin to cultured rat mesangial cells: bridging immunoglobulin A to cells and modulation of eicosanoid synthesis and altered cytokine production. 1994, 23, 290-301  Prognostic value of a breast cancer-associated glycoprotein detected by monoclonal antibody LU-BCRU-G7. 1994, 30A, 1007-12  Progress with Tumour Vaccines. 1994, 2, 23-31  Prospects for an Immunological Approach to Therapy of Ovarian Cancer. 1994, 2, 409-414  Role of gangliosides in tumor progression. 1994, 101, 241-50  Expression of sialyl-Tn predicts the effect of adjuvant chemotherapy in node-positive breast cancer.	25 5 1 1 15

351	Expression of sialyl Lewis(a) as a new prognostic factor for patients with advanced colorectal carcinoma. <b>1995</b> , 75, 2051-6	125
350	Sialosyl Tn antigen expression is associated with the prognosis of patients with advanced gastric cancer. <b>1995</b> , 76, 1529-36	17
349	Lectin histochemical study of cholangiocarcinoma arising from stone-bearing intrahepatic bile duct. <b>1995</b> , 59, 131-5	1
348	Detection of a glycosphingolipid antigen in bladder cancer cells with monoclonal antibody MRG-1. <b>1995</b> , 27, 247-252	3
347	Ganglioside modulation of the PDGF receptor. A model for ganglioside functions. <b>1995</b> , 24, 65-73	53
346	Importance of lectins for the prevention of bacterial infections and cancer metastases. <b>1995</b> , 12, 1-6	50
345	Adhesion of carcinoma cells to rat hepatocytes and rat fibronectin is inhibited by the OPAR monoclonal antibody, which is directed against a rat liver-specific carbohydrate epitope. <b>1995</b> , 13, 23-32	
344	Histochemical differences of the lectin affinities of backbone polylactosamine structures carrying the ABO blood group antigens in papillary carcinoma and other types of thyroid neoplasm. <b>1995</b> , 27, 139-47	6
343	Expression of sialylparagloboside in a case of liposarcoma: aberrant glycosylation in tumors arising in adipose tissues. <b>1995</b> , 86, 131-4	1
342	Expression of sialyl-Tn in gastric cancer: correlation with known prognostic factors. <b>1995</b> , 71, 1074-6	37
341	Blood group antigens as tumor markers, parasitic/bacterial/viral receptors, and their association with immunologically important proteins. <b>1995</b> , 24, 213-32	30
340	Association of Helicobacter pylori gastric infection with the suppressed Thomsen-Friedenreich antigen natural humoral response. <b>1995</b> , 30, 116-21	1
339	Severe modifications of ether- ester- or diester-linked glycerolipid and non glycerolipid synthesis in human neuroblastoma LAN-1 cells cultured with octadecylmethylglycerophosphocholine. <b>1995</b> , 103, 165-74	1
338	Chapter 5 Biosynthesis 5. Molecular Basis of Antigenic Specificity in the ABO, H and Lewis Blood-Group Systems. <b>1995</b> , 313-390	32
337	Enzymatic polymerization and oligomerization. <b>1995</b> , 1-30	182
336	Involvement of folic acid in the synthesis of membrane-associated nucleotide sugars by normal and transformed mouse fibroblasts. <b>1995</b> , 96, 233-7	1
335	Sialyl-Lewis(x) and related carbohydrate antigens in the prostate. <b>1995</b> , 26, 735-9	44
334	Comparison of cell adhesion molecule expression between glioblastoma multiforme and autologous normal brain tissue. <b>1995</b> , 57, 143-53	149

333	Total Synthesis and Proof of Structure of a Human Breast Tumor (Globo-H) Antigen. <b>1996</b> , 118, 11488-11500	95
332	Identification and synthetic pathway of sialyl-Lewis(x)-containing neolacto-series gangliosides in lens tissues. 2. Enzymatic synthesis of sialyl-Lewis(x) gangliosides in monkey and rat lenses. <b>1996</b> , 1315, 29-36	1
331	Involvement of methionine in the synthesis of certain membrane-associated nucleotide sugars by human amnion (WISH) cells. <b>1996</b> , 100, 37-40	2
330	Lectin binding characteristics of squamous cell carcinomas of the head and neck. <b>1996</b> , 116, 125-31	14
329	Oncofetal expression of blood group-related antigen on morules in thyroid carcinoma. <b>1996</b> , 46, 867-73	7
328	Histo-blood group antigens in human fetal thymus and in thymomas. <b>1996</b> , 104, 741-9	6
327	Cell surface carbohydrates as prognostic markers in human carcinomas. <b>1996</b> , 179, 358-69	200
326	Serological and immunochemical analysis of Lewis y (Ley) blood group antigen expression in epithelial ovarian cancer. <b>1996</b> , 65, 406-12	79
325	Strategies in Oligosaccharide Synthesis. <b>1996</b> , 52, 1095-1121	337
324	Elevation of an alpha(1,3)fucosyltransferase activity correlated with apoptosis in the human colon adenocarcinoma cell line, HT-29. <b>1996</b> , 13, 1021-9	27
323	Characterization of gangliosides from Ehrlich ascites tumour cells and their variants. 1996, 13, 127-34	2
322	Expression and localization of Lewis(x) glycolipids and GD1a ganglioside in human glioma cells. <b>1996</b> , 13, 135-45	7
321	Cell-cell interactions influence oligosaccharide modifications on mucins and other large glycoproteins. <b>1996</b> , 13, 741-7	11
320	Characterization of novel monoclonal antibodies raised against formalin-fixed, paraffin-embedded human ameloblastoma. <b>1996</b> , 25, 484-90	12
319	Homeostasis of cell-surface glycosphingolipid content in B16 melanoma cells. Evidence revealed by an endoglycoceramidase. <b>1996</b> , 271, 12655-60	21
318	Human tumor antigens are ready to fly. <b>1996</b> , 62, 217-56	57
317	Sulfated lewis X determinants as a major structural motif in glycans from LS174T-HM7 human colon carcinoma mucin. <b>1997</b> , 272, 31957-68	62
316	Brain contains HNK-1 immunoreactive O-glycans of the sulfoglucuronyl lactosamine series that terminate in 2-linked or 2,6-linked hexose (mannose). <b>1997</b> , 272, 8924-31	101

315	Altered Golgi localization of core 2 beta-1,6-N-acetylglucosaminyltransferase leads to decreased synthesis of branched O-glycans. <b>1997</b> , 272, 22695-702	73
314	A study of glycoconjugates in nasopharyngeal carcinoma with correlation to clinical transformation. <b>1997</b> , 36, 593-8	1
313	Carbohydrate differentiation antigens Ii, SSEA-1 (Lex) and related structures: Prototype mammalian carbohydrate antigens that serve as ligands in molecular recognition. <b>1997</b> , 29, 571-586	2
312	Cell density regulates crypticity of GM3 ganglioside on human glioma cells. <b>1997</b> , 233, 145-54	9
311	Antibody imaging in breast cancer. <b>1997</b> , 27, 30-9	11
310	Detection of medulloblastoma and astrocytoma-associated ganglioside GD3 in cerebrospinal fluid. <b>1997</b> , 120, 71-8	30
309	Very low density lipoproteins and interleukin 2 enhance the immunogenicity of 9-O-acetyl-GD3 ganglioside in BALB/c mice. <b>1997</b> , 206, 115-23	7
308	Differential glycosylation of Bence Jones protein and kidney impairment in patients with plasma cell dyscrasia. <b>1997</b> , 129, 217-23	11
307	1H NMR ganglioside ceramide resonance region on the differential diagnosis of low and high malignancy of brain gliomas. <b>1997</b> , 17, 521-35	8
306	Lactoseries carbohydrate epitopes in the vertebrate retina. <b>1997</b> , 29, 257-65	4
305	Aberrant glycosylation based on the neo-expression of poly-N-acetyllactosamine structures in squamous cell carcinomas of the head and neck. <b>1997</b> , 29, 555-62	6
304	Deletion of complex gangliosides of human glioma cells during mitotic cell division. <b>1997</b> , 34, 211-9	4
303	The usefulness of anti-fucosylated antigen antibody YB-2 for diagnosis of hepatocellular carcinoma. <b>1997</b> , 14, 81-7	3
302	In vitro experimental studies of sialyl Lewis x and sialyl Lewis a on endothelial and carcinoma cells: crucial glycans on selectin ligands. <b>1997</b> , 14, 593-600	31
301	Studies on the inhibition of sialyl- and galactosyltransferases. <b>1997</b> , 14, 57-66	29
300	Modification of blood group A expression in human pancreatic tumor cell lines by inhibitors of N-glycan processing. <b>1997</b> , 21, 21-9	1
299	Ring opening of sialyllactones with glycine esters: Synthesis of selectively protected glycinyl-NeuAc saccharopeptides. <b>1997</b> , 53, 11039-11048	14
298	Verfolgung von Festphasen-Oligosaccharidsynthesen mit hochaufl⊠ender MAS-NMR-Spektroskopie: Selektivit⊞der Festphasenkupplung von ⊞,2-Didehydrozuckerdonoren zu EGlycosiden. <b>1997</b> , 109, 507-510	11

297	Reactivity of monoclonal antibody FC-2.15 against drug resistant breast cancer cells. Additive cytotoxicity of adriamycin and taxol with FC-2.15. <b>1998</b> , 47, 163-70	4
296	Altered expression of sialylated carbohydrate antigens in HT29 colonic carcinoma cells. 1998, 15, 1155-63	9
295	The role of globo-series glycolipids in neuronal cell differentiationa review. <b>1998</b> , 23, 291-303	12
294	Sialyl-Tn antigen as a useful predictor of poor prognosis in patients with advanced stomach cancer. <b>1998</b> , 28, 682-6	18
293	Expression of carbohydrate antigens, p80NPM/ALK, cytotoxic cell-associated antigens, and Epstein-Barr virus gene products in anaplastic large cell lymphomas. <b>1998</b> , 48, 171-8	7
292	Genotypic and phenotypic characterization of the histoblood group ABO(H) in primary bladder tumors. <b>1998</b> , 75, 819-24	22
291	Immunohistopathological characterizatin of spontaneous metastases in a human lung mucoepidermoid adenocarcinoma (HLMC) xenograft. <b>1998</b> , 4, 259-66	4
290	Chemoenzymatic synthesis of iminocyclitol derivatives: a useful library strategy for the development of selective fucosyltransfer enzymes inhibitors. <b>1998</b> , 8, 3353-8	20
289	Polypeptide:N-acetylgalactosaminyltransferase activities towards the mucin MUC5AC peptide motif using microsomal preparations of normal and tumoral digestive mucosa. <b>1998</b> , 80, 69-73	12
288	Clinical characteristics of a newly developed ovarian tumour marker, galactosyltransferase associated with tumour (GAT). <b>1998</b> , 34, 489-95	21
287	Breast cancer progression is associated with a reduction in the diversity of sialylated and neutral oligosaccharides. <b>1998</b> , 271, 191-202	17
286	Use of Lewis X antigen and deoxyribonucleic acid image cytometry to increase sensitivity of urinary cytology in transitional cell carcinoma of the bladder. <b>1998</b> , 159, 384-7; discussion 387-8	19
285	Lewisx/Sialyl-Lewisx (CD15/CD15S). <b>1998</b> , 1576-1579	
284	The Syntheses of ENCS-Butyl H-Fucosides and Fucobiosides and Their Clustering to Traintennary Glycomimetics. <b>1998</b> , 17, 1131-1149	11
283	Identification of oligo-N-glycolylneuraminic acid residues in mammal-derived glycoproteins by a newly developed immunochemical reagent and biochemical methods. <b>1998</b> , 273, 2575-82	26
282	The influence of sex steroid hormones on ganglioside biosynthesis in rat kidney. <b>1998</b> , 379, 693-7	7
281	Monoclonal antibody 91.9H raised against sulfated mucins is specific for the 3Nsulfated Lewisa tetrasaccharide sequence. <b>1998</b> , 8, 1237-42	16
280	Expression of N-linked sialyl Le(x) determinants and O-glycans in the carbohydrate moiety of human amniotic fluid transferrin during pregnancy. <b>1998</b> , 8, 1053-64	35

#### (2000-1998)

279	Direct immobilization of gangliosides onto gold-carboxymethyldextran sensor surfaces by hydrophobic interaction: applications to antibody characterization. <b>1998</b> , 8, 927-38	24
278	C-type lectins and sialyl Lewis X oligosaccharides. Versatile roles in cell-cell interaction. <b>1999</b> , 147, 467-70	103
277	Epithelial salivary gland tumours. An immunohistological and prognostic investigation. <b>1999</b> , 107, 7-39	1
276	Relation between the serum E-selectin level and the survival rate of patients with resected non-small cell lung cancers. <b>1999</b> , 90, 301-7	19
275	3NAzidothymidine significantly alters glycosphingolipid synthesis in melanoma cells and decreases the shedding of gangliosides. <b>1999</b> , 16, 237-45	8
274	Identification and characterization of different subpopulations in a human lung adenocarcinoma cell line (A549). <b>1999</b> , 5, 197-204	38
273	Prognostic Relevance of Tn Expression in Breast Cancer. <b>1999</b> , 6, 175-180	15
272	Sex- and age-related differences in ceramide dihexosides of primary human brain tumors. <b>1999</b> , 34, 1-4	117
271	Binding characteristics of an anti-Siaalpha2-6GalNAcalpha-Ser/Thr (sialyl Tn) monoclonal antibody (MLS 132). <b>1999</b> , 263, 27-32	16
270	Cellular Trafficking and Cytotoxicity of Anti-Cd19-Targeted Liposomal Doxorubicin in B Lymphoma Cells. <b>1999</b> , 9, 199-228	57
269	Spatiotemporal expression gradients of the carbohydrate antigen (CD15) (Lewis X) during development of the human basal ganglia. <b>1999</b> , 88, 847-58	23
268	Lectins: Sources, Activities, and Applications. <b>1999</b> , 19, 145-178	93
267	Cytoplasmic accumulation of peanut agglutinin-binding glycoconjugates in the cells of primary melanoma correlates with clinical outcome. <b>1999</b> , 30, 556-61	16
266	Vom Labor zur Klinik: vollsynthetische Antitumor-Impfstoffe auf Kohlenhydratbasis. <b>2000</b> , 112, 882-912	72
265	alpha1,6fucosyltransferase is highly and specifically expressed in human ovarian serous adenocarcinomas. <b>2000</b> , 88, 914-9	63
264	Analysis of neutral isomeric low molecular weight carbohydrates using ferrocenyl boronate derivatization and tandem electrospray mass spectrometry. <b>2000</b> , 14, 2083-91	26
263	Immunohistochemical study of type-1 blood antigen expressions in thyroid tumors: the significance for papillary carcinomas. <b>2000</b> , 13, 736-41	9
262	Immunohistochemically visualized localisation of gangliosides Glac2 (GD3) and Gtri2 (GD2) in cells of human intracranial tumors. <b>2000</b> , 52, 277-85	15

261	Changes in ganglioside contents, plasma sialic acid and cAMP levels in experimental hepatoma in mice. <b>2000</b> , 207, 29-33	7
260	Progress in deciphering the information content of the NglycomeN-a crescendo in the closing years of the millennium. <b>2000</b> , 17, 553-65	58
259	Differences in release mechanisms and distributions for sialyl Le(a) and sialyl Le(x) antigens in colorectal cancer. <b>2000</b> , 7, 289-95	6
258	Current Concepts in Biomarker Technology for Bladder Cancers. <b>2000</b> , 46, 595-605	77
257	An O-acetylated sialyl-Tn is involved in ovarian cancer-associated antigenicity. <b>2000</b> , 271, 281-6	8
256	Ganglioside patterns in neuroepithelial tumors of childhood. <b>2000</b> , 22, 196-8	10
255	Dissection and optimization of immune effector functions of humanized anti-ganglioside GM2 monoclonal antibody. <b>2000</b> , 37, 1035-46	38
254	Modification of Glycosylation as A Therapeutic Strategy. <b>2000</b> , 19, 471-483	24
253	CDw60: an antigen expressed in many normal tissues and in some tumours. <b>2000</b> , 32, 447-56	10
252	MUC1 mucin and carbohydrate associated antigens as tumor markers in head and neck squamous cell carcinoma. <b>2001</b> , 7, 284-91	27
251	Comparison of the expression of ABH/Lewis-related antigens in polypoid and non-polypoid growth types of colorectal carcinoma. <b>2001</b> , 16, 176-83	12
250	Polyhydroxylated alkaloids natural occurrence and therapeutic applications. <b>2001</b> , 56, 265-95	621
249	Stereoselective O-glycosylation reactions using glycosyl donors with diphenylphosphinate and propane-1,3-diyl phosphate leaving groups. <b>2001</b> , 12, 1373-1381	22
248	Lipid-associated sialoprotein in the cerebrospinal fluid: association with brain malignancies. <b>2001</b> , 92, 856-62	4
247	Helix pomatia agglutinin lectin-binding oligosaccharides of aggressive breast cancer. 2001, 95, 79-85	36
246	Organisation and maturation of the human thalamus as revealed by CD15. <b>2001</b> , 437, 476-95	19
245	Simultaneous binding of mouse monoclonal antibody and streptavidin to heterobifunctional dendritic L-lysine core bearing T-antigen tumor marker and biotin. <b>2001</b> , 9, 3005-11	20
244	Lectin cytochemistry of rat cerebral and cerebellar neuronal cells. <b>2001</b> , 21, 13-18	5

# (2003-2001)

243	Protein kinase Calpha plays a critical role in mannosylerythritol lipid-induced differentiation of melanoma B16 cells. <b>2001</b> , 276, 39903-10	58
242	Natural killer cells attack tumor cells expressing high levels of sialyl Lewis x oligosaccharides. <b>2002</b> , 99, 13789-94	42
241	Inhibition of proliferation and induction of differentiation of glioma cells with Datura stramonium agglutinin. <b>2002</b> , 87, 918-23	13
240	The development of aggressive cancer: a possible role for sphingolipids. <b>2002</b> , 20, 779-86	13
239	Function and molecular modeling of the interaction between human interleukin 6 and its HNK-1 oligosaccharide ligands. <b>2002</b> , 277, 12246-52	17
238	Tumor-related expression of alpha1,2fucosylated antigens on colorectal carcinoma cells and its suppression by cell-mediated priming using sugar acceptors for alpha1,2fucosyltransferase. <b>2002</b> , 12, 545-53	17
237	On the role of cell surface carbohydrates and their binding proteins (lectins) in tumor metastasis. <b>2002</b> , 109-141	
236	A monoclonal antibody against NeuGc-containing gangliosides contains a regulatory idiotope involved in the interaction with B and T cells. <b>2002</b> , 39, 103-12	26
235	Chapter 13 TLC and HPLC of glycosphingolipids. <b>2002</b> , 66, 423-482	5
234	ABO blood group antigens in oral mucosa. What is new?. <b>2002</b> , 31, 65-70	19
233	Carbohydrate microarrays for the recognition of cross-reactive molecular markers of microbes and host cells. <b>2002</b> , 20, 275-81	490
232	Prognostic value of expression of sialosyl-Tn antigen in colorectal carcinoma and transitional mucosa. <b>2002</b> , 47, 322-30	6
231	Influence of gangliosides on the IL-2- and IL-4-dependent cell proliferation. 2002, 27, 761-70	15
230	Sialosyl-Tn expression in normal and pathological conditions of human endometrium. An immunohistochemical study. <b>2002</b> , 198, 589-95	2
229	Glycosphingolipids and cell death. <b>2004</b> , 20, 39-47	65
228	Decrease of human pancreatic cancer cell tumorigenicity by alpha1,3galactosyltransferase gene transfer. <b>2003</b> , 107, 910-8	10
227	Highly efficient preparation of tumor antigen-containing glycopeptide building blocks from novel pentenyl glycosides. <b>2003</b> , 338, 1925-35	35
226	Campylobacter jejuni binds intestinal H(O) antigen (Fuc alpha 1, 2Gal beta 1, 4GlcNAc), and fucosyloligosaccharides of human milk inhibit its binding and infection. <b>2003</b> , 278, 14112-20	446

225	Hypoxia induces adhesion molecules on cancer cells: A missing link between Warburg effect and induction of selectin-ligand carbohydrates. <b>2004</b> , 101, 8132-7	182
224	Membrane-associated heparan sulfate proteoglycans are involved in the recognition of cellular targets by NKp30 and NKp46. <b>2004</b> , 173, 2392-401	120
223	Directing Effect of Axial and Equatorial Anomeric Substituent in Site Specific Glycosylation of Glucopyranosides. <b>2004</b> , 34, 1057-1063	3
222	alpha1-acid glycoprotein fucosylation as a marker of carcinoma progression and prognosis. <b>2004</b> , 101, 2825-36	91
221	(1S,2S,3R,6R)-6-Aminocyclohex-4-ene-1,2,3-triol (= (☐Conduramine B-1) Is a Selective Inhibitor of ☐Mannosidases. Its Inhibitory Activity Is Enhanced by N-Benzylation. <b>2005</b> , 88, 2788-2811	17
220	Synthesis of Sialyl TN Glycopeptides Œnzymatic Sialylation by ₹,6-Sialyltransferase from Photobacterium damsela. <b>2005</b> , 347, 967-972	23
219	Recent advances in the chemistry of azapyranose sugars. <b>2005</b> , 16, 1239-1287	170
218	Core 3 synthase is down-regulated in colon carcinoma and profoundly suppresses the metastatic potential of carcinoma cells. <b>2005</b> , 102, 4572-7	117
217	Generation of anti-Neu-glycolyl-ganglioside antibodies by immunization with an anti-idiotype monoclonal antibody: A self versus non-self-matter. <b>2005</b> , 210, 11-21	32
216	A practical protocol for carbohydrate microarrays. <b>2005</b> , 310, 241-52	11
215	Chemoenzymatic synthesis of GM3 and GM2 gangliosides containing a truncated ceramide functionalized for glycoconjugate synthesis and solid phase applications. <b>2006</b> , 4, 142-54	29
214	Carbohydrate Antigens. 2006,	1
213	A general strategy for the stereoselective synthesis of l-1-deoxyallonojirimycin and d-1-deoxygulonojirimycin. <b>2006</b> , 47, 6041-6044	23
212	Clinical evidences of GM3 (NeuGc) ganglioside expression in human breast cancer using the 14F7 monoclonal antibody labelled with (99m)Tc. <b>2006</b> , 96, 115-21	43
211	A New Strategy for Oligosaccharide Assembly Exploiting Cyclohexane-1,2-diacetal Methodology: An Efficient Synthesis of a High Mannose Type Nonasaccharide. <b>2006</b> , 3, 431-440	62
210	Glycosylation of serum ribonuclease 1 indicates a major endothelial origin and reveals an increase in core fucosylation in pancreatic cancer. <b>2007</b> , 17, 388-400	87
209	P-selectin mediates metastatic progression through binding to sulfatides on tumor cells. <b>2007</b> , 17, 185-96	62
208	Anticarbohydrate Antibodies. <b>2007</b> , 765-785	2

# (2010-2007)

207	Estrogen-induced cholestasis results in a dramatic increase of b-series gangliosides in the rat liver. <b>2007</b> , 21, 446-50	11
206	Engineered yeast with PNGase F on cell surface for releasing of N-glycans from glycoproteins. <b>2007</b> , 40, 1496-1502	2
205	Tumor-associated carbohydrate antigens. <b>1987</b> , 16, 196-8	4
204	Metabolic oligosaccharide engineering: perspectives, applications, and future directions. <b>2007</b> , 3, 187-94	99
203	Photons to illuminate the universe of sugar diversity through bioarrays. <b>2008</b> , 25, 5-10	22
202	Regulation of tumor phenotypes by caveolin-1 and sphingolipid-controlled membrane signaling complexes. <b>2008</b> , 1780, 585-96	13
201	Current relevance of incomplete synthesis and neo-synthesis for cancer-associated alteration of carbohydrate determinantsHakomoriN concepts revisited. <b>2008</b> , 1780, 525-31	89
200	Glycoarraystools for determining protein-carbohydrate interactions and glycoenzyme specificity. <b>2008</b> , 4400-12	124
199	Lectin microarrays identify cell-specific and functionally significant cell surface glycan markers. <b>2008</b> , 18, 761-9	154
198	Biological modulation by lectins and their ligands in tumor progression and metastasis. <b>2008</b> , 8, 22-36	75
197	Carbohydrate Microarrays as Essential Tools of Postgenomic Medicine. 2008, 359-386	1
196	Isolation and functional analysis of the human glioblastoma-specific promoter region of the human GD3 synthase (hST8Sia I) gene. <b>2009</b> , 41, 237-45	11
195	Morphological features of established cultures of human squamous lung carcinoma cells and the cellular distribution of tumor-specific glycoproteins. <b>1986</b> , 94, 381-90	
194	Targeted serum glycoproteomics for the discovery of lung cancer-associated glycosylation disorders using lectin-coupled ProteinChip arrays. <b>2009</b> , 9, 2182-92	43
193	Preparation and characterization of branched beta-cyclodextrins having alpha-L-fucopyranose and a study of their functions. <b>2009</b> , 73, 562-9	12
192	Carbohydrate Arrays. <b>2009</b> , 127-139	
191	Cracking the Glycocode: Recent Developments in Glycomics. <b>2010</b> , 239-263	
190	Novel 2-[(benzylamino)methyl]pyrrolidine-3,4-diol derivatives as alpha-mannosidase inhibitors and with antitumor activities against hematological and solid malignancies. <b>2010</b> , 18, 3320-34	22

189	RNA-mediated gene silencing of FUT1 and FUT2 influences expression and activities of bovine and human fucosylated nucleolin and inhibits cell adhesion and proliferation. <b>2010</b> , 111, 229-38	16
188	Assessment of Tumor Metastasis by the Direct Determination of Cell-Membrane Sialic Acid Expression. <b>2010</b> , 122, 5626-5629	16
187	Assessment of tumor metastasis by the direct determination of cell-membrane sialic acid expression. <b>2010</b> , 49, 5494-7	147
186	Bog bilberry (Vaccinium uliginosum L.) extract reduces cultured Hep-G2, Caco-2, and 3T3-L1 cell viability, affects cell cycle progression, and has variable effects on membrane permeability. <b>2010</b> , 75, H103-7	37
185	The novel proapoptotic activity of nonnatural enantiomer of Lentiginosine. 2010, 20, 500-6	40
184	Alterations in glycosylation as biomarkers for cancer detection. <b>2010</b> , 63, 322-9	316
183	The N-glycome of human plasma. <b>2010</b> , 9, 4823-30	67
182	The specificity of frutalin lectin using biomembrane models. <b>2010</b> , 1798, 1547-55	14
181	Carbohydrate Moieties as Vaccine Candidates: meeting summary. <b>2010</b> , 28, 1121-31	14
180	Stable-isotope labeled hydrophobic hydrazide reagents for the relative quantification of N-linked glycans by electrospray ionization mass spectrometry. <b>2011</b> , 83, 6738-45	85
179	Momordica charantia seed extract reduces pre-adipocyte viability, affects lactate dehydrogenase release, and lipid accumulation in 3T3-L1 cells. <b>2011</b> , 14, 201-8	11
178	Aberrant glycosphingolipid expression and membrane organization in tumor cells: consequences on tumor-host interactions. <i>Advances in Experimental Medicine and Biology</i> , <b>2011</b> , 705, 643-67	8
177	"Natural" antibodies and histo-blood groups in biological development with respect to histo-blood group A. A perspective review. <b>2011</b> , 216, 1318-21	6
176	Preparation, characterization, and biological evaluation of 6(I),6(IV)-di-O-[H-fucopyranosyl-(1->6)-2-acetamido-2-deoxy-H-glucopyranosyl-cyclomaltoheptaose and 6-O-[H-fucopyranosyl-(1->6)-2-acetamido-2-deoxy-H-glucopyranosyl-cyclomaltoheptaose.	3
175	A glycobiology review: carbohydrates, lectins and implications in cancer therapeutics. <b>2011</b> , 113, 236-47	286
174	Aberrant glycosylation associated with enzymes as cancer biomarkers. <b>2011</b> , 8, 7	168
173	Leishmania donovani glycosphingolipid facilitates antigen presentation by inducing relocation of CD1d into lipid rafts in infected macrophages. <b>2011</b> , 41, 1376-87	21
172	Stereoselective Conversion of Dihydropyran and Glycals to 1-Azido-2-halo Derivatives Using NIS/NBS-TMSN3. <b>2011</b> , 30, 61-74	8

# (2013-2012)

171	Racotumomab: an anti-idiotype vaccine related to N-glycolyl-containing gangliosides - preclinical and clinical data. <b>2012</b> , 2, 150	27
170	Aberrant promoter methylation of beta-1,4 galactosyltransferase 1 as potential cancer-specific biomarker of colorectal tumors. <b>2012</b> , 51, 1133-43	18
169	Glycan Microarray Analysis of Tumor-Associated Antibodies. <b>2012</b> , 283-306	4
168	A C-linked disaccharide analogue of Thomsen-Friedenreich epitope induces a strong immune response in mice. <b>2012</b> , 18, 8578-82	19
167	Immunology in the clinic review series; focus on cancer: glycolipids as targets for tumour immunotherapy. <b>2012</b> , 167, 206-15	51
166	The uptake of oligogalacturonide and its effect on growth inhibition, lactate dehydrogenase activity and galactin-3 release of human cancer cells. <b>2012</b> , 132, 1987-1995	15
165	Normal to cancer microbiome transformation and its implication in cancer diagnosis. <b>2012</b> , 1826, 331-7	26
164	Effects of psychosocial stress on the pattern of salivary protein release. <b>2012</b> , 105, 841-9	30
163	Interactome mapping: using protein microarray technology to reconstruct diverse protein networks. <b>2013</b> , 11, 18-28	23
162	Fluorescence assay for glycan expression on living cancer cells based on competitive strategy coupled with dual-functionalized nanobiocomposites. <b>2013</b> , 138, 7016-22	6
161	A vision for vaccines built from fully synthetic tumor-associated antigens: from the laboratory to the clinic. <b>2013</b> , 135, 14462-72	104
160	An efficient synthesis of 1,4-dideoxy-1,4-imino-d- and l-arabinitol and 1,4-dideoxy-1,4-imino-d- and l-xylitol from chiral aziridines. <b>2013</b> , 54, 5775-5777	11
159	Natural products as platforms for the design of sphingolipid-related anticancer agents. <b>2013</b> , 117, 237-81	15
158	Detection of Lewis antigen structural change by FTIR spectroscopy. <b>2013</b> , 92, 1294-301	14
157	Ancestral gene and "complementary" antibody dominate early ontogeny. 2013, 218, 755-61	7
156	Preparation of branched cyclomaltoheptaose with 3-O-L-fucopyranosyl-D-mannopyranose and changes in fucosylation of HCT116 cells treated with the fucose-modified cyclomaltoheptaose. <b>2013</b> , 374, 49-58	9
155	HMMC-1, a human monoclonal antibody to fucosylated core 1 O-glycan, suppresses growth of uterine endometrial cancer cells. <b>2013</b> , 104, 62-9	
154	Investigation of SSEA-4 binding protein in breast cancer cells. <b>2013</b> , 135, 5934-7	20

153	Investigations on aberrant glycosylation of glycosphingolipids in colorectal cancer tissues using liquid chromatography and matrix-assisted laser desorption time-of-flight mass spectrometry (MALDI-TOF-MS). <b>2013</b> , 12, 3081-93	49
152	Bio-recognition and functional lipidomics by glycosphingolipid transfer technology. <b>2013</b> , 89, 302-20	5
151	Tissue Reactivity of the 14F7 Mab Raised against N-Glycolyl GM3 Ganglioside in Tumors of Neuroectodermal, Mesodermal, and Epithelial Origin. <b>2013</b> , 2013, 602417	13
150	Sweet and sour: the impact of differential glycosylation in cancer cells undergoing epithelial-mesenchymal transition. <b>2014</b> , 4, 59	48
149	Glyco-epitope Diversity: An Evolving Area of Glycomics Research and Biomarker Discovery. <b>2014</b> , 7,	1
148	Solid-phase methylamidation for sialoglycomics by MALDI-MS. <b>2014</b> , 406, 6235-46	10
147	Altered tumor-cell glycosylation promotes metastasis. <b>2014</b> , 4, 28	242
146	Uncovering cryptic glycan markers in multiple sclerosis (MS) and experimental autoimmune encephalomyelitis (EAE). <b>2014</b> , 75, 172-88	13
145	Aiming at the sweet side of cancer: aberrant glycosylation as possible target for personalized-medicine. <b>2014</b> , 352, 102-12	58
144	N-glycoprotein analysis discovers new up-regulated glycoproteins in colorectal cancer tissue. <b>2014</b> , 13, 4932-41	30
143	Phosphoglucomutase1 is necessary for sustained cell growth under repetitive glucose depletion. <b>2014</b> , 588, 3074-80	14
142	RPN2-mediated glycosylation of tetraspanin CD63 regulates breast cancer cell malignancy. <b>2014</b> , 13, 134	58
141	Conjugation Strategies Used for the Preparation of Carbohydrate-Conjugate Vaccines. 2014, 387-413	4
140	Therapeutic activity of glycoengineered anti-GM2 antibodies against malignant pleural mesothelioma. <b>2015</b> , 106, 102-7	7
139	Role of peptide self-assembly in antimicrobial peptides. <b>2015</b> , 21, 530-9	65
138	Structural Characterization of Mucin O-Glycosylation May Provide Important Information to Help Prevent Colorectal Tumor Recurrence. <b>2015</b> , 5, 217	6
137	Glycosyltransferases as Markers for Early Tumorigenesis. <b>2015</b> , 2015, 792672	13
136	The androgen receptor controls expression of the cancer-associated sTn antigen and cell adhesion through induction of ST6GalNAc1 in prostate cancer. <b>2015</b> , 6, 34358-74	49

#### (2016-2015)

Gangliosides Regulate Tumor Properties: With Focus on the Suppression of Metastasis-Associated 135 ppGalNAc-T13 with GM1. 2015, 55-70 Decreased expression of hepatocyte nuclear factor 4∰Hnf4∰microRNA-122 (miR-122) axis in hepatitis B virus-associated hepatocellular carcinoma enhances potential oncogenic GALNT10 134 67 protein activity. **2015**, 290, 1170-85 Glycosylation characteristics of colorectal cancer. 2015, 126, 203-56 133 95 Phenolic thio- and selenosemicarbazones as multi-target drugs. 2015, 94, 63-72 132 Mannose-mediated inhibitory effects of PA-MSHA on invasion and metastasis of hepatocellular 131 29 carcinoma via EGFR/Akt/IBINF-B pathway. 2015, 35, 1416-29 Integrated Transcriptomic and Glycomic Profiling of Glioma Stem Cell Xenografts. 2015, 14, 3932-9 130 11 A new delivery system for auristatin in STxB-drug conjugate therapy. 2015, 95, 483-91 129 21 Glucosylceramide synthase inhibitors differentially affect expression of glycosphingolipids. 2015, 128 17 25, 351-6 Carbohydrate Microarrays. 2015, 1441-1466 127 Quantitative analysis of glycans, related genes, and proteins in two human bone marrow stromal 126 cell lines using an integrated strategy. 2015, 43, 760-9.e7 Functional Consequences of Differential O-glycosylation of MUC1, MUC4, and MUC16 125 34 (Downstream Effects on Signaling). 2016, 6, Exploring human glycosylation for better therapies. 2016, 51, 125-43 124 17 Regulatory Mechanisms for Malignant Properties of Cancer Cells with Disialyl and Monosialyl 123 4 Gangliosides. 2016, 57-76 Multimodal Imaging-Guided Antitumor Photothermal Therapy and Drug Delivery Using Bismuth 122 157 Selenide Spherical Sponge. 2016, 10, 9646-9658 A Novel Chemoenzymatic Synthesis of Sulfated Type 2 Tumor-Associated Carbohydrate Antigens 121 5 by Transglycosylation of Sulfated Lewis X Oxazoline Catalyzed by Keratanase II. 2016, 17, 1879-1886 Phase I Study of Anti-GM2 Ganglioside Monoclonal Antibody BIW-8962 as Monotherapy in Patients 120 with Previously Treated Multiple Myeloma. 2016, 4, 287-301 The comparison of glycosphingolipids isolated from an epithelial ovarian cancer cell line and a 8 119 nontumorigenic epithelial ovarian cell line using MALDI-MS and MALDI-MS/MS. 2016, 431, 6-14 Stage-specific embryonic antigen-3 (SSEA-3) and BGalT5 are cancer specific and significant 118 42 markers for breast cancer stem cells. 2016, 113, 960-5

117	Multifunctional Bismuth Selenide Nanocomposites for Antitumor Thermo-Chemotherapy and Imaging. <b>2016</b> , 10, 984-97	199
116	A common approach to the total synthesis of l-1-deoxyallonojirimycin, l-homo-1-deoxyazaallose and triacetyl derivative of 5-epi hyacinthacine A5. <b>2016</b> , 57, 1763-1766	3
115	Immunobiology and Immune Based Therapies of Melanoma. <b>2017</b> , 871-890	
114	Harnessing cancer cell metabolism for theranostic applications using metabolic glycoengineering of sialic acid in breast cancer as a pioneering example. <b>2017</b> , 116, 158-173	20
113	Heterovalent Glycodendrimers as Epitope Carriers for Antitumor Synthetic Vaccines. <b>2017</b> , 23, 16283-16296	23
112	Nano-sized metabolic precursors for heterogeneous tumor-targeting strategy using bioorthogonal click chemistry in vivo. <b>2017</b> , 148, 1-15	36
111	A library of chemically defined human N-glycans synthesized from microbial oligosaccharide precursors. <b>2017</b> , 7, 15907	13
110	Synthesis of the Cancer-Associated KH-1 Antigen by Block Assembly of Its Backbone Structure Followed by One-Step Grafting of Three Fucose Residues. <b>2017</b> , 19, 6558-6561	13
109	Generation of Novel Anti-MUC1 Monoclonal Antibodies with Designed Carbohydrate Specificities Using MUC1 Glycopeptide Library. <b>2017</b> , 2, 7493-7505	15
108	Serum sialylation changes in cancer. <b>2018</b> , 35, 139-160	75
107	Recent Advances in the Mass Spectrometry Methods for Glycomics and Cancer. <b>2018</b> , 90, 208-224	47
106	Oncogenic Epstein-Barr virus recruits Nm23-H1 to regulate chromatin modifiers. <b>2018</b> , 98, 258-268	5
105	Lactoferrin inhibits aflatoxin B1- and aflatoxin M1-induced cytotoxicity and DNA damage in Caco-2, HEK, Hep-G2, and SK-N-SH cells. <b>2018</b> , 150, 77-85	17
104	Alteration of Surface Glycoproteins After Photodynamic Therapy. <b>2018</b> , 36, 452-456	1
103	Intact glycosphingolipidomic analysis of the cell membrane during differentiation yields extensive glycan and lipid changes. <b>2018</b> , 8, 10993	11
102	Gangliosides in Membrane Organization. <b>2018</b> , 156, 83-120	28
101	Synthesis of Lewis Y Analogues and Their Protein Conjugates for Structure-Immunogenicity Relationship Studies of Lewis Y Antigen. <b>2019</b> , 84, 13232-13241	5
100	Facile Fabrication of Biomimetic Chitosan Membrane with Honeycomb-Like Structure for Enrichment of Glycosylated Peptides. <b>2019</b> , 91, 2985-2993	39

99	Automated glycan assembly of Lewis type I and II oligosaccharide antigens. 2019, 10, 5634-5640	20
98	Highly Sensitive O-Glycan Profiling for Human Serum Proteins Reveals Gender-Dependent Changes in Colorectal Cancer Patients. <b>2019</b> , 91, 6180-6189	10
97	Identifying the differentially expressed microRNAs in esophagus squamous cell carcinoma of Kazakh patients in Xinjiang. <b>2019</b> , 17, 2657-2668	3
96	Carnosine Suppresses Human Colorectal Cell Migration and Intravasation by Regulating EMT and MMP Expression. <b>2019</b> , 47, 477-494	12
95	Understanding cellular glycan surfaces in the central nervous system. <b>2019</b> , 47, 89-100	19
94	Sialylation is involved in cell fate decision during development, reprogramming and cancer progression. <b>2019</b> , 10, 550-565	52
93	Identification of 9-O-acetyl-N-acetylneuraminic acid (Neu5,9Ac) as main O-acetylated sialic acid species of GD2 in breast cancer cells. <b>2019</b> , 36, 79-90	25
92	Chemical synthesis and immunological evaluation of entirely carbohydrate conjugate Globo H-PS A1. <b>2020</b> , 11, 13052-13059	5
91	Modulation of immune responses using adjuvants to facilitate therapeutic vaccination. <b>2020</b> , 296, 169-190	26
90	Title: Human Serum/Plasma Glycoprotein Analysis by H-NMR, an Emerging Method of Inflammatory Assessment. <b>2020</b> , 9,	29
90 89		29
	Assessment. 2020, 9,	
89	Assessment. 2020, 9,  Role of phosphoglucomutase in regulating trehalose metabolism in. 2020, 10, 61	1
89	Assessment. 2020, 9,  Role of phosphoglucomutase in regulating trehalose metabolism in. 2020, 10, 61  Profiling of -acetylated Gangliosides Expressed in Neuroectoderm Derived Cells. 2020, 21,  Comparative immunological studies of tumor-associated Lewis X, Lewis Y, and KH-1 antigens. 2020,	7
89 88 87	Assessment. 2020, 9,  Role of phosphoglucomutase in regulating trehalose metabolism in. 2020, 10, 61  Profiling of -acetylated Gangliosides Expressed in Neuroectoderm Derived Cells. 2020, 21,  Comparative immunological studies of tumor-associated Lewis X, Lewis Y, and KH-1 antigens. 2020, 492, 107999  Fabrication of a reusable bifunctional biomimetic Ti4+-phosphorylated cellulose monolith with a	1 7 7
89 88 87 86	Assessment. 2020, 9,  Role of phosphoglucomutase in regulating trehalose metabolism in. 2020, 10, 61  Profiling of -acetylated Gangliosides Expressed in Neuroectoderm Derived Cells. 2020, 21,  Comparative immunological studies of tumor-associated Lewis X, Lewis Y, and KH-1 antigens. 2020, 492, 107999  Fabrication of a reusable bifunctional biomimetic Ti4+-phosphorylated cellulose monolith with a coral-like structure for enrichment of phosphorylated and glycosylated peptides.	1 7 7
89 88 87 86 85	Assessment. 2020, 9,  Role of phosphoglucomutase in regulating trehalose metabolism in. 2020, 10, 61  Profiling of -acetylated Gangliosides Expressed in Neuroectoderm Derived Cells. 2020, 21,  Comparative immunological studies of tumor-associated Lewis X, Lewis Y, and KH-1 antigens. 2020, 492, 107999  Fabrication of a reusable bifunctional biomimetic Ti4+-phosphorylated cellulose monolith with a coral-like structure for enrichment of phosphorylated and glycosylated peptides.  MUC1 is an oncoprotein with a significant role in apoptosis (Review). 2021, 59,	1 7 7 2 6

81	Biosynthetic controls that determine the branching and microheterogeneity of protein-bound oligosaccharides. <i>Advances in Experimental Medicine and Biology</i> , <b>1986</b> , 205, 53-85	37
80	Biosynthesis of Gangliosides and Blood Group Glycolipids Using Solubilized Glycosyltransferases. <b>1986</b> , 233-245	2
79	Biochemical and Immunological Aspects of the Human Trophoblast Cell Surface. <b>1987</b> , 3-15	2
78	Serology, Biochemistry, and Pathology of Antigens Defined by Cold Agglutinins. <b>1995</b> , 117-152	4
77	High-Throughput Carbohydrate Microarray Technology. <b>2007</b> , 201-211	1
76	Chemical Biology and Biomedicine: Glycolipids and Glycosphingolipids. <b>2001</b> , 2183-2249	5
75	Cell, tissue and organ specific tumor markers: an overview. <b>1987</b> , 77, 367-84	4
74	Fundamentals of Genetic Control of Gangliosides: The Enigma of Carbohydrate Chain Diversity in Glycosphingolipids. <b>1987</b> , 275-292	3
73	Sphingosine, a Breakdown Product of Cellular Sphingolipids, in Cellular Proliferation and Phospholipid Metabolism. <b>1993</b> , 189-203	1
72	Glycosylation in Cancer and Oncogenic Transformation. <i>Medical Intelligence Unit</i> , <b>1997</b> , 157-173	1
71	ABO(H) System. <b>1995</b> , 47-145	1
70	ABO(H) System. <b>2000</b> , 54-183	4
69	<b>L</b> ial 3-O-Sulfotransferase-1, -2, -3, and -4. <b>2002</b> , 501-508	1
68	Synthesis of Glycoside Bonds. <b>1994</b> , 12, 252-311	2
67	Expression cloning of a GM3-specific alpha-2,8-sialyltransferase (GD3 synthase) <b>1994</b> , 269, 15950-15956	108
66	Sulfated blood group Lewis(a). A superior oligosaccharide ligand for human E-selectin <b>1994</b> , 269, 1595-1598	113
65	The LEC11 Chinese hamster ovary mutant synthesizes N-linked carbohydrates containing sialylated, fucosylated lactosamine units. Analysis by one- and two-dimensional 1H NMR spectroscopy <b>1988</b> , 263, 11374-11381	18
64	Monoclonal antibody detects monosialogangliosides having a sialic acid alpha 2B-galactosyl residue <b>1987</b> , 262, 6803-6807	25

#### (1995-1991)

63	isolation and structural elucidation of a novel type of ganglioside, deaminated neuraminic acid (KDN)-containing glycosphingolipid, from rainbow trout sperm. The first example of the natural occurrence of KDN-ganglioside, (KDN)GM3 <b>1991</b> , 266, 21929-21935	48
62	A novel tumor-associated, developmentally regulated glycolipid antigen defined by monoclonal antibody ACFH-18 <b>1988</b> , 263, 13942-13951	27
61	A Bisubstrate Analog Inhibitor for a(1->2)-Fucosyltransferase. <b>1989</b> , 264, 17174-17181	82
60	Alteration of Terminal Glycosylation Sequences on N-linked Oligosaccharides of Chinese Hamster Ovary Cells by Expression of EGalactoside (2,6-Sialyltransferase). 1989, 264, 13848-13855	212
59	Aberrant fatty acyl Hydroxylation in human neuroblastoma tumor gangliosides. <b>1989</b> , 264, 12097-12105	59
58	An EN-Acetylgalactosaminylation at the Threonine Residue of a Defined Peptide Sequence Creates the Oncofetal Peptide Epitope in Human Fibronectin. <b>1989</b> , 264, 10472-10476	78
57	Possible Involvement of a GTP-binding Protein in a Late Event During Endogenous Ganglioside-modulated Cellular Proliferation. <b>1989</b> , 264, 6766-6772	24
56	Stable Expression of Blood Group H Determinants and GDP-L-fucose: £D-galactoside 2-£L-Fucosyltransferase in Mouse Cells After Transfection with Human DNA. <b>1989</b> , 264, 3436-3447	74
55	Elucidation of an essential structure recognized by an anti-GalNAc alpha-Ser(Thr) monoclonal antibody (MLS 128). <b>1991</b> , 266, 12402-12405	55
54	Biochemical characterization of a sulfated phosphoglycoprotein antigen expressed on human small cell lung carcinoma <b>1988</b> , 263, 806-811	6
53	Cloning and characterization of DNA complementary to human UDP-GalNAc: Fuc alpha 12Gal alpha 13GalNAc transferase (histo-blood group A transferase) mRNA <b>1990</b> , 265, 1146-1151	268
52	Novel gangliosides containing the sialyl-Le(a) structure from a human rectal adenocarcinoma <b>1993</b> , 268, 26541-26545	7
51	Monoclonal antibodies directed to chemically synthesized lactogangliotetraosylceramide, a leukemia-associated antigen having a novel branching structure <b>1987</b> , 262, 1358-1362	21
50	A novel carbohydrate, differentiation antigen on fucogangliosides of human myeloid cells recognized by monoclonal antibody VIM-2 <b>1988</b> , 263, 10186-10191	79
49	Inhibition of protein kinase C-dependent cellular proliferation by interaction of endogenous ganglioside GM1 with the B subunit of cholera toxin. <b>1989</b> , 264, 16512-16517	35
48	Purification to apparent homogeneity by immunoaffinity chromatography and partial characterization of the GM3 ganglioside-forming enzyme, CMP-sialic acid:lactosylceramide ⊞ 2,3-sialyltransferase (SAT-1), from rat liver Golgi. <b>1991</b> , 266, 4448-4457	41
47	Influence of ganglioside GM3 and high density lipoprotein on the cohesion of mouse brain tumor cells <b>1997</b> , 38, 160-172	13
46	Relationship of membrane phospholipid composition, lactosylceramide molecular species, and the specificity of CMP-N-acetylneuraminate:lactosylceramide alpha 2,3-sialyltransferase to the molecular species composition of GM3 ganglioside <b>1995</b> , 36, 1274-1282	17

45	Lectin cytochemistry of rat cerebral and cerebellar neuronal cells. 2001, 21, 13-8	4
44	Immunohistochemical expression of ABH/Lewis-related antigens in primary breast carcinomas and metastatic lymph node lesions. <b>1998</b> , 22, 499-505	22
43	Comparison of adherence of Pseudomonas aeruginosa to respiratory epithelial cells from cystic fibrosis patients and healthy subjects. <b>1992</b> , 60, 2808-14	78
42	Inhibition of human immunodeficiency virus (HIV) infection in vitro by anticarbohydrate monoclonal antibodies: peripheral glycosylation of HIV envelope glycoprotein gp120 may be a target for virus neutralization. <b>1990</b> , 64, 2833-40	99
41	Attaching and effacing Escherichia coli downregulate DNA mismatch repair protein in vitro and are associated with colorectal adenocarcinomas in humans. <b>2009</b> , 4, e5517	93
40	Therapeutic targeting of Lewis(y) and Lewis(b) with a novel monoclonal antibody 692/29. <b>2013</b> , 8, e54892	13
39	Lectins identify distinct populations of coelomocytes in Strongylocentrotus purpuratus. <b>2017</b> , 12, e0187987	9
38	Glycan Carriers As Glycotools for Medicinal Chemistry Applications. <b>2019</b> , 26, 6349-6398	2
37	The 10 Anniversary of Carbohydrate Microarrays (2002-2012). <b>2013</b> , 6, e22	4
36	Detection of sugar chain expression in hydatidiform mole using lectin histochemistry. <b>2013</b> , 15, 376-80	2
35	Glycoprotein oligosaccharides as recognition structures. <b>1989</b> , 145, 62-74, discussion 74-9	4
34	Identification of endothelial cell surface carbohydrate-binding receptors by carbohydrate ligand mimicry peptides. <i>Advances in Experimental Medicine and Biology</i> , <b>2012</b> , 749, 57-66	
33	Carbohydrate Microarrays. <b>2014</b> , 1-21	
32	UDP-Gal: BetaGlcNAc Beta 1,3-Galactosyltransferase, Polypeptide 1,2 (B3GALT1,2). <b>2014</b> , 73-80	
31	Treatment of Patients with Neuroectodermal Tumors by Monoclonal Ganglioside Antibodies. <b>1987</b> , 445-451	1
30	Gangliosides as Autoantigens and Differentiation Antigens. 1987, 409-421	1
29	Tumorantigene bei menschlichen Tumoren. <b>1987</b> , 23-57	
28	Cytochemical Techniques Available for the Study of Fungal Polysaccharides. <b>1988</b> , 57-69	

27	Binding sites or monocional anti-carbonydrate antibodies. <b>1988</b> , 139, 59-79		8
26	Altered Carbohydrate Antigen Expression In Colorectal Cancer And Polyps. <b>1989</b> , 197-208		
25	Functional Properties and Application of Ganglioside Antibodies to Patients with Malignant Melanoma. <b>1989</b> , 92-97		
24	Carbohydrate Associated Antigens in Neoplastic and Preneoplastic Colon. <b>1990</b> , 387-392		
23	Therapy of Neuroectodermal Tumors with Monoclonal Antibodies. <b>1990</b> , 467-474		
22	Expression of developmentally regulated genes in embryonal carcinoma cells. <b>1991</b> , 123, 93-100		
21	The relationship between LeY antigen and the therapeutic efficacy of interferon in chronic hepatitis C. <b>1993</b> , 8, 265-9		
20	Active specific immunotherapy (ASI). An immunological approach to ovarian cancer treatment. <b>1995</b> , 339-345		
19	Analysis of sphingolipids in lymphocytes 17.3. <b>1996</b> , 1295-1306		
18	Glycosyltransferase Activities in 15 Human Meningiomas. <b>1997</b> , 913-917		
17	Growth- and Hormone-Related Functions of Glycoproteins and Cell Surface Receptors. <i>Medical Intelligence Unit</i> , <b>1997</b> , 85-98		
16	Glycosphingolipids: Diagnostic and Therapeutic Relevance in Human Gliomas. <b>1998</b> , 291-297		
15	Prognostic Factors in Bladder Cancer: Emphasis on Immunohistochemical Analysis. <i>Medical Radiology</i> , <b>1998</b> , 23-35	0.2	
14	Carbohydrate Mass Spectrometry. <b>1999</b> , 181-200		
13	A library of structurally homogeneous human N-glycans synthesized from microbial oligosaccharide precursors.		
12	Ratio of Salivary Sialic Acid to Fucose as Tumor Markers in Potentially Malignant Disorders and Oral Cancer. <i>Contemporary Clinical Dentistry</i> , <b>2020</b> , 11, 131-135	0.6	1
11	Immunobiology and Immune-Based Therapies of Melanoma. <b>2008</b> , 245-262		
10	A,B blood group antigens in tissues of AB heterozygotes. Emphasis on normal and neoplastic urothelium. <i>American Journal of Pathology</i> , <b>1990</b> , 137, 1157-62	5.8	5

9	Deletion of antigens of the Lewis a/b blood group family in human prostatic carcinoma. <i>American Journal of Pathology</i> , <b>1988</b> , 131, 578-86	5.8	12
8	Differences in cellular glycoconjugates of quiescent, inflamed, and neoplastic colonic epithelium in colitis and cancer-prone tamarins. <i>American Journal of Pathology</i> , <b>1988</b> , 131, 484-9	5.8	9
7	Characterization of colonic cellular glycoconjugates in colitis and cancer-prone tamarins versus colitis and cancer-resistant primates. <i>American Journal of Pathology</i> , <b>1988</b> , 131, 477-83	5.8	8
6	Expression of alpha 2,6-linked sialic acid residues in neoplastic but not in normal human colonic mucosa. A lectin-gold cytochemical study with Sambucus nigra and Maackia amurensis lectins. <i>American Journal of Pathology</i> , <b>1991</b> , 139, 1435-48	5.8	109
5	Cytochemical staining for beta 1,6 branching of asparagine-linked oligosaccharides in variants of metastatic human colon carcinoma cells. <i>American Journal of Pathology</i> , <b>1994</b> , 145, 470-80	5.8	13
4	Glycosphingolipids. Advances in Experimental Medicine and Biology, <b>2021</b> , 1325, 61-102	3.6	3
3	Glycoconjugates in retinoblastoma. A lectin histochemical study of ten formalin-fixed and paraffin-embedded tumours. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , <b>1987</b> , 410, 471-9		5
2	In Silico Drug Design of Benzothiadiazine Derivatives Interacting with Phospholipid Cell Membranes <i>Membranes</i> , <b>2022</b> , 12,	3.8	1
1	Nostoc muscorum is a novel source of microalgal lectins with potent antiviral activity against herpes simplex type-1 <i>International Journal of Biological Macromolecules</i> , <b>2022</b> ,	7.9	