

A plaque assay for all cells secreting Ig of a given type of

European Journal of Immunology

6, 588-590

DOI: 10.1002/eji.1830060812

Citation Report

#	ARTICLE	IF	CITATIONS
1	Immunoregulatory Mechanisms Evaluated by Quantitation of Immunoglobulin-Secreting Cells in Man. , 1981, 2, 84-90.		0
2	Frequencies of mitogen-reactive B cells in the mouse. II. Frequencies of B cells producing antibodies which lyse sheep or horse erythrocytes, and trinitrophenylated or nitrodophenylated sheep erythrocytes. Journal of Experimental Medicine, 1977, 145, 1520-1530.	4.2	125
3	Frequencies of mitogen-reactive B cells in the mouse. I. Distribution in different lymphoid organs from different inbred strains of mice at different ages. Journal of Experimental Medicine, 1977, 145, 1511-1519.	4.2	165
4	Absolute frequencies of lipopolysaccharide-reactive B cells producing A5A idiotype in unprimed, streptococcal A carbohydrate-primed, anti-A5A idiotype-sensitized and anti-A5A idiotype-suppressed A/J mice.. Journal of Experimental Medicine, 1977, 146, 1436-1449.	4.2	102
5	Clonal Growth of T Cells in vitro: Preliminary Attempts to a Quantitative Approach. Immunological Reviews, 1977, 35, 3-37.	2.8	55
6	B lymphocyte development in fetal liver. European Journal of Immunology, 1977, 7, 476-481.	1.6	78
7	B lymphocyte development in fetal liver. European Journal of Immunology, 1977, 7, 482-487.	1.6	40
8	Inhibition of antibody production in plasmacytoma cells by antigen. European Journal of Immunology, 1977, 7, 667-674.	1.6	41
9	Immunoglobulin $\mu$ and $\delta$ heavy chain classes are not determined by class-specific RNA-splicing enzymes. Nature, 1978, 274, 917-919.	13.7	21
10	A better cell line for making hybridomas secreting specific antibodies. Nature, 1978, 276, 269-270.	13.7	1,706
11	Genetic basis for unresponsiveness to lipopolysaccharide in C57BL/10Cr mice. Immunogenetics, 1978, 7, 17-24.	1.2	128
12	An antiserum which recognizes lipopolysaccharidereactive B cells in the mouse. European Journal of Immunology, 1978, 8, 56-62.	1.6	85
13	Antigen-antibody complexes suppress antibody production by mouse plasmacytoma cells in vitro. European Journal of Immunology, 1978, 8, 217-220.	1.6	33
14	Stimulation of murine B lymphocytes to IgG synthesis and secretion by the mitogens lipopolysaccharide and lipoprotein and its inhibition by anti-immunoglobulin antibodies. European Journal of Immunology, 1978, 8, 336-343.	1.6	50
15	T-independent responses in B cell-defective CBA/N mice to Brucella abortus and to trinitrophenyl (TNP) conjugates of Brucella abortus. European Journal of Immunology, 1978, 8, 459-463.	1.6	129
16	Role of membrane receptors in the induction of an in vitro secondary anti-hapten response I. Differentiation of B memory cells to plasma cells is independent of antigen-immunoglobulin receptor interaction. European Journal of Immunology, 1978, 8, 656-662.	1.6	34
17	Immunoglobulin production by lymphocyte hybridomas. European Journal of Immunology, 1978, 8, 82-88.	1.6	112
18	Cloning of murine transformed cell lines in suspension culture with efficiencies near 100%. Experimental Cell Research, 1978, 111, 309-316.	1.2	62

#	ARTICLE	IF	CITATIONS
19	A simplified technique for H-Y typing. <i>Journal of Immunological Methods</i> , 1978, 23, 197-201.	0.6	47
20	Use of staphylococcal protein A as an immunological reagent. <i>Journal of Immunological Methods</i> , 1978, 20, 241-253.	0.6	956
21	Complete replacement of serum by albumin, transferrin, and soybean lipid in cultures of lipopolysaccharide-reactive B lymphocytes.. <i>Journal of Experimental Medicine</i> , 1978, 147, 923-933.	4.2	544
22	The switch from IgM to IgG secretion in single mitogen-stimulated B-cell clones.. <i>Journal of Experimental Medicine</i> , 1978, 147, 1744-1754.	4.2	74
23	Shared antigenic determinants by mitogen receptors and antibody molecules to the same thymus-independent antigen.. <i>Journal of Experimental Medicine</i> , 1978, 148, 862-870.	4.2	35
24	Expression and Function of Idiotypes on Lymphocytes. <i>Advances in Immunology</i> , 1978, 26, 195-254.	1.1	330
25	A hemolytic plaque assay for activated murine T cells.. <i>Journal of Experimental Medicine</i> , 1979, 150, 987-1000.	4.2	19
26	Immunoglobulin subclass-specific immunodeficiency in mice with an X-linked B-lymphocyte defect.. <i>Journal of Experimental Medicine</i> , 1979, 149, 993-998.	4.2	114
27	Mitogen-activated B-cell blasts reactive to more than one mitogen.. <i>Journal of Experimental Medicine</i> , 1979, 149, 553-564.	4.2	54
28	The purified protein derivative of turberculin, a B-cell mitogen that distinguishes in its action resting, small B cells from activated B-cell blasts.. <i>Journal of Experimental Medicine</i> , 1979, 150, 1339-1350.	4.2	27
29	The enumeration of rat IgE-secreting cells using a reverse plaque-forming cell assay. <i>European Journal of Immunology</i> , 1979, 9, 471-476.	1.6	16
30	Detection of albumin-secreting hepatocytes at the single cell level by a protein A plaque assay. <i>European Journal of Immunology</i> , 1979, 9, 570-571.	1.6	14
31	Lipopolysaccharide and lipid A-induced human blood lymphocyte activation as detected by a protein A plaque assay. <i>European Journal of Immunology</i> , 1979, 9, 619-625.	1.6	26
32	Wheat germ agglutinin activates macrophages for collaboration with B cells. <i>European Journal of Immunology</i> , 1979, 9, 654-656.	1.6	16
33	Non-T cell nature of the naturally occurring, spleen-associated suppressor cells present in the newborn mouse. <i>European Journal of Immunology</i> , 1979, 9, 737-746.	1.6	56
34	Murine embryonic B lymphocyte development in the placenta. <i>Nature</i> , 1979, 277, 219-221.	13.7	83
35	Plaque Assay with Protein A-coated Erythrocytes for the Evaluation of Human Immunoglobulin-secreting Cells Induced by Pokeweed Mitogen. <i>Scandinavian Journal of Immunology</i> , 1979, 10, 297-302.	1.3	17
36	Mitogen-induced Differentiation of Human CLL Lymphocytes to Antibody-secreting Cells. <i>Scandinavian Journal of Immunology</i> , 1979, 10, 447-452.	1.3	36

#	ARTICLE	IF	CITATIONS
37	Polyclonal Antibody Secretion Induced in Human Mixed Lymphocyte Cultures. Scandinavian Journal of Immunology, 1979, 10, 487-491.	1.3	12
38	Severe Suppression of the B-cell System has No Impact on the Maturation of Natural Killer Cells in Mice. Scandinavian Journal of Immunology, 1979, 9, 167-173.	1.3	19
39	A Live Human B-Cell Activator Operating in Isolation of Other Cellular Influences. Scandinavian Journal of Immunology, 1979, 9, 507-510.	1.3	73
40	A New Approach to the Study of Human B Lymphocyte Function Using an Indirect Plaque Assay and a Direct B Cell Activator. Immunological Reviews, 1979, 45, 41-67.	2.8	189
41	Human B Cell Function in a Polyclonally Induced Plaque Forming Cell System. Cell Triggering and Immunoregulation. Immunological Reviews, 1979, 45, 93-116.	2.8	65
42	Induction of Antibody Synthesis in Human B Lymphocytes by Different Polyclonal B Cell Activators: Evaluation by Direct and Indirect PFC Assays. Immunological Reviews, 1979, 45, 195-218.	2.8	47
43	Regulation of Human B Cell Activation. Immunological Reviews, 1979, 45, 275-305.	2.8	44
44	Induction of Monoclonal Antibody Synthesis in Malignant Human B Cells by Polyclonal B Cell Activators. Relationship between B Cell Subsets and Prognosis. Immunological Reviews, 1979, 48, 123-143.	2.8	57
45	Immunobiology of a Spontaneous Murine B Cell Leukemia (BCL1). Immunological Reviews, 1979, 48, 169-195.	2.8	62
46	Antigen and T Lymphocyte Mediated Suppression of Myeloma Cells: Model Systems for Regulation of Lymphocyte Function. Immunological Reviews, 1979, 48, 245-265.	2.8	33
47	Characteristics of bone marrow and blood cells in human leukemia that produce leukemia inhibitory activity (LIA). Leukemia Research, 1979, 3, 193-203.	0.4	26
48	Differentiation of B-cell subsets after antigen priming. Cellular Immunology, 1979, 44, 283-289.	1.4	2
49	Protein I and Protein II from the Outer Membrane of Escherichia Coli are Mouse B-Lymphocyte Mitogens. Zeitschrift Fur Immunitatsforschung Immunobiology, 1979, 155, 387-398.	0.4	9
50	The Antibody Repertoire of Hybrid Cell Lines Obtained by Fusion of X63-AG8 Myeloma Cells with Mitogen-Activated B-Cell Blasts. , 1979, 81, 130-139.		62
51	Localization of spontaneously hyperactive B cells of NZB mice to a specific B cell subset.. Proceedings of the National Academy of Sciences of the United States of America, 1979, 76, 4613-4616.	3.3	34
52	IgM antibodies induce the production of antibodies of the same specificity.. Proceedings of the National Academy of Sciences of the United States of America, 1980, 77, 1125-1128.	3.3	79
53	Separation of antibody helper and antibody suppressor human T cells by using soybean agglutinin.. Proceedings of the National Academy of Sciences of the United States of America, 1980, 77, 6778-6782.	3.3	31
54	T-cell-dependent B-cell stimulation is H-2 restricted and antigen dependent only at the resting B-cell level.. Proceedings of the National Academy of Sciences of the United States of America, 1980, 77, 1612-1616.	3.3	182

#	ARTICLE	IF	CITATIONS
55	Hapten specific helper T cells restricted by the I-E(C) subregion of the MHC. <i>Immunogenetics</i> , 1980, 10, 299-303.	1.2	15
56	T cell clones: Their use for the study of specificity, induction, and effector-function of T cells. <i>Seminars in Immunopathology</i> , 1980, 3, 23-37.	4.0	17
57	Characteristics of immunoglobulin secretion in man evaluated by a reverse hemolytic plaque assay. <i>Blut</i> , 1980, 41, 81-92.	1.2	22
58	Enhanced lymphoid and decreased myeloid reconstituting ability of stem cells from long-term cultures of mouse bone marrow. <i>Journal of Supramolecular Structure</i> , 1980, 14, 77-83.	2.3	15
59	Hapten-specific helper T cells. I. Collaboration with B cells to which the hapten has been directly coupled. <i>European Journal of Immunology</i> , 1980, 10, 403-410.	1.6	63
60	Immunoglobulin M mutants. <i>European Journal of Immunology</i> , 1980, 10, 467-476.	1.6	127
61	Major histocompatibility complex-restricted and unrestricted T helper cells recognizing minor histocompatibility antigens of B cell surfaces. <i>European Journal of Immunology</i> , 1980, 10, 535-541.	1.6	19
62	H-2-unrestricted polyclonal maturation without replication of small B cells induced by antigen-activated T cell help factors. <i>European Journal of Immunology</i> , 1980, 10, 679-685.	1.6	104
63	Immunoglobulin C-gene expression. I. The commitment to IgG subclass of secretory cells is determined by the quality of the nonspecific stimuli. <i>European Journal of Immunology</i> , 1980, 10, 698-702.	1.6	69
64	Murine embryonic blood between day 10 and 13 of gestation as a source of immature precursor B cells. <i>European Journal of Immunology</i> , 1980, 10, 763-767.	1.6	25
65	Characterization of mouse thoracic duct B lymphocytes I. Evidence of functional heterogeneity. <i>European Journal of Immunology</i> , 1980, 10, 772-776.	1.6	4
66	Cellular mechanisms of restricted immunoglobulin formation in the human neonate. <i>European Journal of Immunology</i> , 1980, 10, 888-894.	1.6	39
67	Suppression of mitogen-induced peripheral B cell differentiation by soluble Fc $\gamma$ 3 receptors released from lymphocytes. <i>European Journal of Immunology</i> , 1980, 10, 894-898.	1.6	41
68	The enumeration of mouse IgE-secreting cells using plaque-forming cell assays. <i>European Journal of Immunology</i> , 1980, 10, 944-949.	1.6	10
69	Defective immunoregulation in multiple sclerosis. <i>Annals of Neurology</i> , 1980, 8, 526-533.	2.8	48
70	Induction of Immunity and Suppression by Haptenated Self Structures. <i>Immunological Reviews</i> , 1980, 50, 227-273.	2.8	12
71	The Use of Anti-immunoglobulins to Induce a Signal for Cell Division in B Lymphocytes via their Membrane IgM and IgD. <i>Immunological Reviews</i> , 1980, 52, 181-210.	2.8	85
72	Immunoglobulin Quantitation and Enumeration of Immunoglobulin-producing Cells: Comparison of Two Indexes of B-Cell Activation. <i>Scandinavian Journal of Immunology</i> , 1980, 12, 345-353.	1.3	21

#	ARTICLE	IF	CITATIONS
73	Different Macrophage Requirement in the Specific and Polyclonal Responses Induced by TNP-LPS and LPS. <i>Scandinavian Journal of Immunology</i> , 1980, 12, 453-457.	1.3	6
74	Mitogenic Activation of Human Lymphocytes: a Protein A Plaque Assay Evaluation of Polyclonal B-Cell Activators. <i>Scandinavian Journal of Immunology</i> , 1980, 11, 1-13.	1.3	20
75	Detection of Muramidase (Lysozyme)-secreting Leucocytes at the Single-Cell Level by a Protein A Plaque Assay. <i>Scandinavian Journal of Immunology</i> , 1980, 11, 79-84.	1.3	8
76	Antibody Secretion and DNA Synthesis Induced by Lipopolysaccharide in Enriched Human Lymphocyte Subpopulations. <i>Scandinavian Journal of Immunology</i> , 1980, 11, 137-145.	1.3	7
77	Spontaneous Plaque-forming Human Lymphocytes Detected with the Protein-A Plaque Assay. <i>Scandinavian Journal of Immunology</i> , 1980, 11, 283-289.	1.3	20
78	T lymphocyte-mediated suppression of myeloma function in vitro. III. Regulation of antibody production in hybrid myeloma cells by T lymphocytes.. <i>Journal of Experimental Medicine</i> , 1980, 152, 969-978.	4.2	36
79	Increased in vitro B-cell IgG secretion during acute graft-versus-host disease and infection. Observations in 50 human marrow transplant recipients. <i>Blood</i> , 1980, 55, 179-186.	0.6	28
80	A plaque assay to enumerate circulating Ig-secreting cells of each type of the different Ig classes. <i>Blood</i> , 1980, 56, 199-202.	0.6	7
81	T lymphocyte-mediated suppression of myeloma function in vitro. II. Evidence for regulation of hapten-binding myelomas by syngeneic hapten-specific cytolytic T lymphocytes.. <i>Journal of Experimental Medicine</i> , 1980, 152, 306-323.	4.2	19
82	Specific T helper cells that activate B cells polyclonally. In vitro enrichment and cooperative function.. <i>Journal of Experimental Medicine</i> , 1980, 151, 587-601.	4.2	121
83	Antigen-specific T-helper cells stimulate H-2-compatible and H-2-incompatible B-cell blasts polyclonally.. <i>Journal of Experimental Medicine</i> , 1980, 151, 194-203.	4.2	92
84	Subclass restriction of murine antibodies. III. Antigens that stimulate IgG3 in mice stimulate IgG2c in rats.. <i>Journal of Experimental Medicine</i> , 1980, 152, 209-218.	4.2	106
85	Antibody synthesis in vitro, a marker of B cell differentiation. <i>Journal of Immunological Methods</i> , 1980, 39, 203-222.	0.6	27
86	Effect of the Aggregational State on the Mitogenicity of Lipoprotein from the Outer Membrane of <i>Escherichia Coli</i> . <i>Immunobiology</i> , 1980, 156, 418-428.	0.8	3
87	Subclass restriction of murine antibodies. II. The IgG plaque-forming cell response to thymus-independent type 1 and type 2 antigens in normal mice and mice expressing an X-linked immunodeficiency.. <i>Journal of Experimental Medicine</i> , 1980, 151, 853-862.	4.2	265
88	Increased immunoglobulin-secreting cells in the blood of patients with active systemic lupus erythematosus. <i>American Journal of Medicine</i> , 1980, 69, 345-350.	0.6	184
89	Evaluation of IgM, IgG, IgA, IgD, and IgE secretion by human peripheral blood lymphocytes in cultures stimulated with pokeweed mitogen and <i>Staphylococcus aureus</i> Cowan I. <i>Cellular Immunology</i> , 1980, 50, 115-124.	1.4	65
90	Random recirculation of small T lymphocytes from thoracic duct lymph in the mouse. <i>Cellular Immunology</i> , 1980, 56, 29-39.	1.4	21

#	ARTICLE	IF	CITATIONS
91	Antigen-specific suppression of the plaque-forming cell response induced polyclonally by lipopolysaccharides. <i>Cellular Immunology</i> , 1980, 55, 456-464.	1.4	3
92	Activation of human B lymphocytes. <i>Cellular Immunology</i> , 1980, 54, 230-240.	1.4	104
93	A reverse hemolytic plaque assay for the detection and the enumeration of immunoglobulin allotype-secreting cells. <i>Cellular Immunology</i> , 1980, 50, 261-270.	1.4	17
94	The in vitro generation of antigen-binding cells. <i>Cellular Immunology</i> , 1980, 52, 140-153.	1.4	6
95	The mitogenic principle of <i>Escherichia coli</i> lipoprotein: B-lymphocyte mitogenicity of N-palmitoyl-cysteine and N-palmitoyl-glutamic acid 1±-methyl esters. <i>Biochemical and Biophysical Research Communications</i> , 1980, 92, 1389-1396.	1.0	3
96	Stimulation of human peripheral blood lymphocytes by procaryotic ribosomal proteins isolated from bacterium <i>E. coli</i> . <i>Clinical Immunology and Immunopathology</i> , 1980, 17, 606-616.	2.1	1
97	Immunoglobulin-producing cells in cultured human peripheral blood lymphocytes. <i>Clinical Immunology and Immunopathology</i> , 1980, 16, 192-201.	2.1	9
98	Surface immunoglobulin isotype, activation, and tolerance susceptibility of B lymphocytes of New Zealand black mice. <i>Cellular Immunology</i> , 1981, 63, 385-399.	1.4	5
99	A general method for studying the secretion of macromolecules by single cells. <i>Cellular Immunology</i> , 1981, 63, 154-163.	1.4	1
100	Ontogenical studies on kinetics of lipopolysaccharide-induced response to bromelain-treated mouse erythrocytes in mouse spleen cells. <i>Cellular Immunology</i> , 1981, 65, 293-306.	1.4	11
101	Insulin receptors on human lymphoid lines of B-cell origin. <i>Cellular Immunology</i> , 1981, 65, 307-316.	1.4	6
102	Human splenic and peripheral blood lymphocyte response to lipopolysaccharide. <i>Cellular Immunology</i> , 1981, 57, 400-407.	1.4	14
103	Suppressor T cells activated by lymphoblastoid cell lines inhibit pokeweed mitogen-induced immunoglobulin synthesis. <i>Cellular Immunology</i> , 1981, 60, 191-202.	1.4	13
104	Mitogenic property of a known sequence polymer, poly(Tyr-Glu-Ala-Gly). <i>Cellular Immunology</i> , 1981, 61, 114-123.	1.4	6
105	Cyclosporin a inhibits the proliferative response and the generation of helper, suppressor and cytotoxic T-cell functions in the autologous mixed lymphocyte reaction. <i>Cellular Immunology</i> , 1981, 61, 453-462.	1.4	59
106	Effect of interferon 1± on pokeweed mitogen-induced differentiation of human peripheral blood B lymphocytes. <i>Cellular Immunology</i> , 1981, 64, 20-28.	1.4	29
107	Affinity targeting of membrane vesicles to cell surfaces. <i>Experimental Cell Research</i> , 1981, 135, 137-145.	1.2	33
108	Improvement of the protein a plaque assay for immunoglobulin secreting cells by using immunoglobulin-depleted guinea pig serum as a source of complement. <i>Journal of Immunological Methods</i> , 1981, 43, 219-224.	0.6	40

#	ARTICLE	IF	CITATIONS
109	Spontaneous reverse haemolytic plaque formation. I. Technical aspects of the protein A assay. <i>Journal of Immunological Methods</i> , 1981, 41, 269-277.	0.6	31
110	Synergistic effects of human B and T lymphocyte mitogens induce uniform, high levels of immunoglobulin secretion among normal donors. <i>Journal of Immunological Methods</i> , 1981, 45, 221-226.	0.6	2
111	A sensitive micromethod for measuring human reverse haemolytic plaque-forming cells. <i>Journal of Immunological Methods</i> , 1981, 40, 253-258.	0.6	13
112	Induction of polyclonal immunoglobulin synthesis in porcine peripheral blood lymphocytes by pokeweed mitogen. <i>Developmental and Comparative Immunology</i> , 1981, 5, 313-320.	1.0	5
113	In vitro induction of human suppressor T cells by a chorionic gonadotropin preparation. <i>Journal of Reproductive Immunology</i> , 1981, 3, 75-84.	0.8	25
114	Immunoglobulin-producing cells in CSF and blood from patients with multiple sclerosis and other inflammatory neurological diseases enumerated by Protein-A plaque assay. <i>Journal of Neuroimmunology</i> , 1981, 1, 299-309.	1.1	37
115	Antigen-specific and -non-specific regulatory influences of antibody in immune responses are determined by variable region properties. <i>Annales De L'Institut Pasteur Immunologie</i> , 1981, 132, 131-144.	0.9	9
116	Effect of Anti-Î Antibodies on Clonal Expansion and Maturation of B Lymphocytes. <i>Immunobiology</i> , 1981, 160, 159-172.	0.8	8
117	Suppression of mitogen-induced human immunoglobulin (Ig)-A synthesis by heterologous antibody to IgA. <i>Clinical Immunology and Immunopathology</i> , 1981, 19, 372-382.	2.1	9
118	Spontaneous and pokeweed mitogen-induced plaque-forming cells in systemic lupus erythematosus. <i>Clinical Immunology and Immunopathology</i> , 1981, 21, 172-183.	2.1	31
119	Role of monocytes in pokeweed mitogen-induced differentiation of human peripheral blood lymphocytes. <i>Cellular Immunology</i> , 1981, 58, 323-332.	1.4	14
120	The enhancement of antibody response by IgM antibodies is dependent on antigen-specific T helper cells. <i>Immunobiology</i> , 1981, 158, 182-190.	0.8	22
121	«Self-Reactive» T Cells. IV. «Self-Reactive» T Cells Induce Polyclonal Differentiation of IgM-Producing B Cells in vivo and in vitro. <i>Immunobiology</i> , 1981, 159, 215-227.	0.8	1
122	Plaque-forming cell assays for human B cells. <i>Clinical Immunology Newsletter</i> , 1981, 2, 145-148.	0.1	1
123	Generation of immunoglobulin secreting cells in mixed lymphocyte culture. <i>Human Immunology</i> , 1981, 3, 31-44.	1.2	6
124	B lymphocyte differentiation and the control of IgM $\frac{1}{4}$ chain expression. <i>Cell</i> , 1981, 23, 379-389.	13.5	110
125	Applications of staphylococcal protein A in clinical immunology. <i>Clinical Immunology Newsletter</i> , 1981, 2, 153-160.	0.1	3
126	Cyclosporin A abrogates proliferation of T cells and generation of suppresser and cytotoxic T-Cell function induced by Epstein-Barr virus. <i>Immunobiology</i> , 1981, 160, 321-329.	0.8	15



#	ARTICLE	IF	CITATIONS
127	Frequencies of background immunoglobulin-secreting cells in mice as a function of organ, age, and immune status. <i>Immunobiology</i> , 1981, 158, 225-238.	0.8	62
128	Meningeal Involvement in Multiple Myeloma. <i>Acta Haematologica</i> , 1981, 66, 39-43.	0.7	12
129	T cell-dependent activation of resting B cells: requirement for both nonspecific unrestricted and antigen-specific Ia-restricted soluble factors.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981, 78, 2497-2501.	3.3	108
130	Suppression of a "recurrent" idiootype results in profound alterations of the whole B-cell compartment.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981, 78, 6416-6420.	3.3	51
131	[23] The reverse plaque-forming cell assay. <i>Methods in Enzymology</i> , 1981, , 326-338.	0.4	12
132	Induction of proliferation and differentiation of neoplastic B cells by anti-immunoglobulin and T-cell factors.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981, 78, 2507-2511.	3.3	33
133	A SEQUENTIAL STUDY OF HUMAN B LYMPHOCYTE FUNCTION FROM BIRTH TO TWO YEARS OF AGE. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1981, 70, 837-842.	0.7	22
134	Hapten-specific helper T cells III. Fine specificity of the (4-hydroxy-3-nitro-phenyl)-acetyl (NP)-specific response in Igh-1b mice. <i>European Journal of Immunology</i> , 1981, 11, 172-174.	1.6	7
135	Immunoglobulin isotype expression II. Frequency analysis in mitogen-reactive B cells. <i>European Journal of Immunology</i> , 1981, 11, 799-804.	1.6	23
136	Surface antigens of human melanoma cells defined by monoclonal antibodies. I. Biochemical characterization of two antigens found on cell lines and fresh tumors of diverse tissue origin. <i>European Journal of Immunology</i> , 1981, 11, 825-831.	1.6	99
137	PWM-induced generation of immunoglobulin-secreting cells in patients with multiple myeloma. <i>Klinische Wochenschrift</i> , 1981, 59, 1101-1108.	0.6	3
138	Immune mechanisms in atopic dermatitis. <i>Seminars in Immunopathology</i> , 1981, 4, 275-291.	4.0	7
139	The use of hemolysis-in-gel assays to study polyclonal antibody secretion in bone marrow transplant recipients. <i>Blut</i> , 1981, 42, 221-226.	1.2	3
140	Impaired B-lymphocyte reactivity in patients with Hodgkin's disease and non-Hodgkin-lymphomas. <i>Blut</i> , 1981, 42, 271-281.	1.2	7
141	Tumour-associated immunoglobulins and host cell infiltration. <i>Cancer Immunology, Immunotherapy</i> , 1981, 10-10, 99.	2.0	1
142	Allogeneic H-2 does not Cross-react, at the Helper T-Cell Level, with Hapten-modified Self. <i>Scandinavian Journal of Immunology</i> , 1981, 13, 41-46.	1.3	2
143	Clinical Significance of Immunoglobulin-secreting Cells in the Peripheral Blood in Patients with Multiple Myeloma. <i>Scandinavian Journal of Immunology</i> , 1981, 14, 99-108.	1.3	16
144	Differences in Specific Antibody Responses of Human Tonsillar Cells to an Oral and a Parenteral Antigen. <i>Scandinavian Journal of Immunology</i> , 1981, 14, 353-358.	1.3	17

#	ARTICLE	IF	CITATIONS
145	Interleukin-2 Dependent Culture of Cytolytic T Cell Lines. <i>Immunological Reviews</i> , 1981, 54, 81-109.	2.8	102
146	Humoral and Cellular Immunity in Humans Studied at the Cell Level from Birth to Two Years of Age. <i>Immunological Reviews</i> , 1981, 57, 5-38.	2.8	172
147	Sex hormones enhance immunoglobulin synthesis by human peripheral blood lymphocytes. <i>Immunology Letters</i> , 1981, 3, 343-346.	1.1	19
148	Human B lymphocyte subsets. I. IgG-bearing B cell response to pokeweed mitogen.. <i>Journal of Experimental Medicine</i> , 1981, 153, 339-351.	4.2	50
149	Immune networks. Frequencies of antibody- and idiotype-producing B cell clones in various steady states.. <i>Journal of Experimental Medicine</i> , 1981, 154, 552-556.	4.2	28
150	[1] Preparation of monoclonal antibodies: Strategies and procedures. <i>Methods in Enzymology</i> , 1981, 73, 3-46.	0.4	1,568
151	Sex hormone regulation of in vitro immune response. Estradiol enhances human B cell maturation via inhibition of suppressor T cells in pokeweed mitogen-stimulated cultures.. <i>Journal of Experimental Medicine</i> , 1981, 154, 1935-1945.	4.2	273
152	T cell growth factor abrogates concanavalin A-induced suppressor cell function. <i>Journal of Experimental Medicine</i> , 1981, 153, 1360-1365.	4.2	137
153	Long-term culture and cloning of nontransformed human B lymphocytes.. <i>Journal of Experimental Medicine</i> , 1981, 154, 1500-1516.	4.2	78
154	Treatment of Intractable Rheumatoid Arthritis with Total Lymphoid Irradiation. <i>New England Journal of Medicine</i> , 1981, 305, 969-976.	13.9	219
155	Characterization of a soluble suppressor of human B cell immunoglobulin biosynthesis produced by a continuous human suppressor T cell line.. <i>Journal of Experimental Medicine</i> , 1981, 154, 156-167.	4.2	23
156	Very rapid decay of mature B lymphocytes in the spleen.. <i>Journal of Experimental Medicine</i> , 1981, 154, 994-999.	4.2	61
157	Requirement for three signals in B cell responses. II. Analysis of antigen- and Ia-restricted T helper cell-B cell interaction.. <i>Journal of Experimental Medicine</i> , 1982, 156, 415-429.	4.2	54
158	Synthesis of IgM, IgG and IgA in rheumatoid arthritis.. <i>Annals of the Rheumatic Diseases</i> , 1982, 41, 607-611.	0.5	20
159	Immunologic Aspects of Otitis Media with Effusion: Characteristics of Lymphocyte and Macrophage Reactivity. <i>Journal of Infectious Diseases</i> , 1982, 145, 804-810.	1.9	13
160	Mitogen-reactive B cell subpopulations selectively express different sets of V regions.. <i>Journal of Experimental Medicine</i> , 1982, 156, 181-190.	4.2	22
161	T cell-derived B cell differentiation factor(s). Effect on the isotype switch of murine B cells.. <i>Journal of Experimental Medicine</i> , 1982, 155, 734-748.	4.2	448
162	Requirement for three signals in "T-independent" (lipopolysaccharide-induced) as well as in T-dependent B cell responses.. <i>Journal of Experimental Medicine</i> , 1982, 155, 666-680.	4.2	59

#	ARTICLE	IF	CITATIONS
163	Defective Macrophage Function in a Patient with Common Variable Immunodeficiency. <i>New England Journal of Medicine</i> , 1982, 307, 803-806.	13.9	46
164	Further Studies of the Polysaccharide of <i>Klebsiella pneumoniae</i> Possessing Strong Adjuvanticity: III. Augmentation of the Antibody Response to Subcutaneously Injected Sheep Red Blood Cells by the Adjuvant Polysaccharide. <i>Microbiology and Immunology</i> , 1982, 26, 843-852.	0.7	9
165	Mediators from cloned T helper cell lines affect immunoglobulin expression by B cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 4756-4760.	3.3	42
166	Clonal anergy: the universally anergic B lymphocyte.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 2013-2017.	3.3	92
167	The Effect of X-rays on the Precursors of Antibody Forming Cells (B Cells) as Measured with the <i>in Vitro</i> Limiting Dilution Assay. <i>International Journal of Radiation Biology and Related Studies in Physics, Chemistry, and Medicine</i> , 1982, 42, 131-139.	1.0	0
168	Mutations affecting the structure and function of immunoglobulin M.. <i>Molecular and Cellular Biology</i> , 1982, 2, 1033-1043.	1.1	76
169	Dissociation of two signals required for activation of resting B cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 1989-1993.	3.3	120
170	B-cell growth factor: distinction from T-cell growth factor and B-cell maturation factor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 7455-7459.	3.3	57
171	Abnormal humoral immune responses in peripheral blood lymphocyte cultures of bone marrow transplant recipients.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 2663-2667.	3.3	31
172	SUPPRESSOR T CELL ABNORMALITIES IN PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS OCCUR EITHER DEPENDENTLY OR INDEPENDENTLY OF B CELL HYPERACTIVITY. <i>The Journal of the Japanese Society of Internal Medicine</i> , 1982, 71, 1237-1244.	0.0	0
173	A Monoclonal Antibody that Binds Preferentially to Human Suppressor T Cells. <i>Microbiology and Immunology</i> , 1982, 26, 599-609.	0.7	0
174	The Biology of Monoclonal Lymphokines Secreted by T Cell Lines and Hybridomas. <i>Advances in Immunology</i> , 1982, 33, 73-166.	1.1	32
175	Polyclonal B-Cell Activators in the Study of the Regulation of Immunoglobulin Synthesis in the Human System. <i>Advances in Immunology</i> , 1982, 32, 1-63.	1.1	158
176	Iron-containing proteins augment responses of human lymphocytes to phytohemagglutinin and pokeweed mitogen in serum-free medium.. <i>Tohoku Journal of Experimental Medicine</i> , 1982, 137, 335-343.	0.5	13
177	Polyclonal Antibody Synthesis by Bone Marrow Cells of New Zealand Black Mice. <i>International Archives of Allergy and Immunology</i> , 1982, 69, 272-278.	0.9	3
178	Carrageenans, Highly Sulfated Polysaccharides and Macrophage-Toxic Agents: Newly Found Human T Lymphocyte Mitogens. <i>Immunobiology</i> , 1982, 163, 527-538.	0.8	26
179	Protein A of <i>Staphylococcus aureus</i> and Related Immunoglobulin Receptors Produced by <i>Streptococci</i> and <i>Pneumococci</i> . <i>Advances in Immunology</i> , 1982, 32, 157-252.	1.1	457
180	Sex-dependent induction of human suppressor T cells by chorionic gonadotropin. <i>Journal of Reproductive Immunology</i> , 1982, 4, 185-190.	0.8	32

#	ARTICLE	IF	CITATIONS
181	Induction of immunoglobulin-producing human peripheral blood lymphocytes in serum-free medium. <i>Journal of Immunological Methods</i> , 1982, 52, 255-265.	0.6	18
182	A hemolytic plaque assay for the detection of red blood cells carrying abnormal or mutant hemoglobin. <i>Journal of Immunological Methods</i> , 1982, 55, 43-50.	0.6	1
183	Quantitative determination of in vitro immunoglobulin secretion with protein A from <i>Staphylococcus aureus</i> . <i>Journal of Immunological Methods</i> , 1982, 54, 73-80.	0.6	1
184	Demonstration of immunoglobulin-secreting cells in a sensitive reversed hemolytic plaque assay. <i>Journal of Immunological Methods</i> , 1982, 53, 373-382.	0.6	6
185	T cell enrichment and depletion of human peripheral blood mononuclear cell preparations. Unexpected findings in the study of the functional activities of the separated populations. <i>Journal of Immunological Methods</i> , 1982, 50, 39-49.	0.6	102
186	A simple semi-automated plaque method for the detection of antibody-forming cell clones in microcultures. <i>Journal of Immunological Methods</i> , 1982, 52, 25-37.	0.6	11
187	Rapid replicate reverse haemolytic plaque assay directly in microwells used for tissue culture. <i>Journal of Immunological Methods</i> , 1982, 52, 43-49.	0.6	1
188	Plaque formation by B cell colonies. <i>Journal of Immunological Methods</i> , 1982, 52, 51-61.	0.6	35
189	Use of labeled protein A in quantitative immunochemical analysis of antigens and antibodies. <i>Journal of Immunological Methods</i> , 1982, 51, 3-22.	0.6	82
190	Low dose X-irradiation of thymus filler cells in limiting dilution cultures of LPS-reactive B cells reduces the background Ig-secreting cells without affecting growth-supporting capacity. <i>Journal of Immunological Methods</i> , 1982, 51, 323-330.	0.6	9
191	Heterogeneity of B cell clones: Immunoglobulin-secreting subsets. <i>Cellular Immunology</i> , 1982, 66, 70-77.	1.4	10
192	Autologous mixed lymphocyte reaction in human cord blood lymphocytes: Decreased generation of helper and cytotoxic T-cell functions and increased proliferative response and induction of suppressor T cells. <i>Cellular Immunology</i> , 1982, 66, 88-98.	1.4	17
193	Studies of mouse immunoglobulin allotypes by reverse plaque assay: Detection of spleen cells secreting immunoglobulins with specific allotype in C57BL/6J mice. <i>Cellular Immunology</i> , 1982, 66, 164-170.	1.4	3
194	Increase in the number of splenic plaque forming cells with length of gestation in untreated pregnant mice. <i>Developmental and Comparative Immunology</i> , 1982, 6, 339-348.	1.0	23
195	Pokeweed mitogen-induced immunoglobulin-secreting cells in Hepatitis B surface antigen-positive -negative chronic active hepatitis: Evaluation by a protein A plaque assay. <i>Clinical Immunology and Immunopathology</i> , 1982, 22, 168-179.	2.1	6
196	Tumor promotor phorbol myristic acetate is a T-cell-dependent inducer of immunoglobulin secretion in human lymphocytes. <i>Clinical Immunology and Immunopathology</i> , 1982, 22, 340-348.	2.1	17
197	The enhancement of immunoglobulin synthesis by human lymphocytes with lithium. <i>Clinical Immunology and Immunopathology</i> , 1982, 22, 400-407.	2.1	47
198	Immunoregulatory abnormalities in mucocutaneous lymph node syndrome. <i>Clinical Immunology and Immunopathology</i> , 1982, 23, 100-112.	2.1	116

#	ARTICLE	IF	CITATIONS
199	Special characteristics of cellular immune function in normal individuals of the HLA-DR3 type. <i>Clinical Immunology and Immunopathology</i> , 1982, 23, 269-274.	2.1	103
200	Support for an immunosuppressive action of dimethylsulfoxide. <i>Clinical Immunology and Immunopathology</i> , 1982, 25, 53-58.	2.1	10
201	Induction of human immunoglobulin secretion. <i>Clinical Immunology and Immunopathology</i> , 1982, 25, 114-125.	2.1	5
202	Evaluation of B-cell, T-helper-cell, and T-suppressor-cell function in patients with Graves' disease before and after treatment with anti-thyroid drugs. <i>Clinical Immunology and Immunopathology</i> , 1982, 25, 232-242.	2.1	9
203	Idiotypic characterization of antibody-induced antibody responses. <i>Immunobiology</i> , 1982, 162, 56-65.	0.8	12
204	Evidence for a Spontaneous Activity and a Weak Helper Function in Cord Blood Lymphocytes. <i>International Archives of Allergy and Immunology</i> , 1982, 69, 245-251.	0.9	6
205	Intraclonal diversification in immunoglobulin isotype secretion: an analysis of switch probabilities.. <i>EMBO Journal</i> , 1982, 1, 1251-1257.	3.5	25
206	Macrophage-dependent polyclonal activation of splenocytes by <i>Bordetella pertussis</i> endotoxin and its isolated polysaccharide and Lipid A regions. <i>Cellular Immunology</i> , 1982, 74, 1-13.	1.4	25
207	Immunoglobulin production by tonsil lymphocytes before and after Epstein-Barr virus transformation. <i>Cellular Immunology</i> , 1982, 74, 64-71.	1.4	6
208	Polysaccharides with sulfate groups are human T-cell mitogens and murine polyclonal B-cell activators (PBAs). <i>Cellular Immunology</i> , 1982, 74, 162-171.	1.4	38
209	Effects of <i>Staphylococcus aureus</i> Cowan I bacteria on the immunoglobulin production from human B-cell subsets. <i>Cellular Immunology</i> , 1982, 69, 70-82.	1.4	7
210	The suppressive activity of Fc $\gamma$ 3 receptors is not related to their T-cell origin. <i>Cellular Immunology</i> , 1982, 68, 252-260.	1.4	22
211	Immunoglobulin properties of Epstein-Barr virus transformed human umbilical cord and adult peripheral blood lymphocytes. <i>Cellular Immunology</i> , 1982, 67, 190-196.	1.4	12
212	The immunoglobulin production of human peripheral B lymphocytes induced by phorbol myristate acetate. <i>Cellular Immunology</i> , 1982, 72, 88-96.	1.4	14
213	Induction of human immunoglobulin secretion. <i>Cellular Immunology</i> , 1982, 70, 301-310.	1.4	8
214	Soluble mediators produced by a human continuous B-lymphoblastoid cell line. <i>Cellular Immunology</i> , 1982, 73, 159-168.	1.4	3
215	Are mitogenic sera necessary for the generation of human plaque-forming cells?. <i>Immunology Letters</i> , 1982, 4, 339-344.	1.1	0
216	Epstein-Barr virus (EBV) receptor implantation onto human B lymphocytes changes immunoglobulin secretion patterns induced by EBV infection. <i>European Journal of Immunology</i> , 1982, 12, 87-90.	1.6	16

#	ARTICLE	IF	CITATIONS
217	Human monoclonal autoimmune antibody produced in Vitro: rheumatoid factor generated by Epstein-Barr virus-transformed cell line. <i>European Journal of Immunology</i> , 1982, 12, 126-133.	1.6	51
218	Antigen-independent, IgM-induced antibody responses: requirement for recurrent idiotypes. <i>European Journal of Immunology</i> , 1982, 12, 146-151.	1.6	34
219	IgM- and IgD-bearing peripheral blood lymphocytes differentiate to IgM but not IgG or IgA immunoglobulin-secreting cells. <i>European Journal of Immunology</i> , 1982, 12, 506-510.	1.6	17
220	Polyclonal effect of HgCl <sub>2</sub> in the rat, its possible role in an experimental autoimmune disease. <i>European Journal of Immunology</i> , 1982, 12, 620-625.	1.6	184
221	Major histocompatibility complex-restricted cellular interactions determining B cell activation. <i>European Journal of Immunology</i> , 1982, 12, 627-633.	1.6	47
222	H-2-restricted T-B cell interactions involved in polyspecific B cell responses mediated by soluble antigen. <i>European Journal of Immunology</i> , 1982, 12, 634-641.	1.6	87
223	Ontogenic development of B cell reactivities to cooperative cell signals: Dissociation between proliferation and antibody secretion. <i>European Journal of Immunology</i> , 1982, 12, 653-658.	1.6	10
224	Regulation of B lymphocyte replication and maturation. <i>Journal of Cellular Biochemistry</i> , 1982, 19, 315-332.	1.2	17
225	Production of hepatitis b e antibody in epstein-barr virus-induced b lymphocyte cell lines. <i>Journal of Medical Virology</i> , 1982, 9, 293-297.	2.5	5
226	An antibody to lacto-N-biose I. <i>Carbohydrate Research</i> , 1982, 110, 345-350.	1.1	4
227	Association between endogenously activated t cells and immunoglobulin-secreting b cells in patients with active systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1982, 25, 168-173.	6.7	30
228	Antibodies to activated t cells and their soluble products in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1982, 25, 814-819.	6.7	11
229	Phorbol myristate acetate inhibits immunoglobulin synthesis by human peripheral blood lymphocytes. <i>Immunology Letters</i> , 1982, 5, 29-33.	1.1	4
230	Background immunoglobulin production: measurement, biological significance and regulation. <i>Trends in Immunology</i> , 1982, 3, 243-249.	7.5	54
231	MHC restriction of male-antigen-specific T helper cells collaborating in antibody responses. <i>Immunogenetics</i> , 1982, 15, 129-138.	1.2	30
232	Polyclonal and antigen-specific B-Cell responses in patients with common variable immunodeficiency. <i>Journal of Clinical Immunology</i> , 1982, 2, 205-213.	2.0	12
233	Immunoregulatory properties of childhood leukemias. <i>Journal of Clinical Immunology</i> , 1982, 2, 230-236.	2.0	2
234	Effects of methyl-b12 on their in vitro immune functions of human T lymphocytes. <i>Journal of Clinical Immunology</i> , 1982, 2, 101-109.	2.0	39

#	ARTICLE	IF	CITATIONS
235	Alpha-fetoprotein synthesis by clonogenic cells of rat hepatoma McA-RH 7777. <i>Bulletin of Experimental Biology and Medicine</i> , 1982, 94, 1423-1426.	0.3	0
236	Transplantable B-cell lymphomas in B10. H-2 a H-4 b p/W ts mice. <i>Immunogenetics</i> , 1982, 16, 367-371.	1.2	37
237	Characterization of the IgG Response Induced by Polyclonal B Cell Activators. <i>Immunological Reviews</i> , 1982, 67, 73-86.	2.8	49
238	Epstein-Barr Virus Increases the Proliferative Response and the Generation of Suppressor and Cytotoxic T-Cell Functions in Autologous Mixed Lymphocyte Reaction. <i>Scandinavian Journal of Immunology</i> , 1982, 15, 17-24.	1.3	16
239	Enhancement of Human B Lymphocyte Differentiation in Vitro by Thyroid Hormone. <i>Scandinavian Journal of Immunology</i> , 1982, 15, 211-215.	1.3	31
240	Interleukin-2 and Serum Thymic Factor Enable Autologous Rosette-forming T Lymphocytes to Generate Helper and Cytotoxic Functions. <i>Scandinavian Journal of Immunology</i> , 1982, 15, 233-238.	1.3	13
241	Polyclonal Activation of Human Peripheral Blood B Lymphocytes by Formaldehyde-Fixed Salmonella paratyphi B.. <i>Scandinavian Journal of Immunology</i> , 1982, 15, 249-257.	1.3	8
242	A Synergistic Polyclonal Response to Dextran Sulphate and Lipopolysaccharide.. <i>Scandinavian Journal of Immunology</i> , 1982, 15, 439-448.	1.3	24
243	The Effect of Anti-Ia Antibody on Immunoglobulin-secreting Cells from Healthy Individuals and Myeloma Patients. <i>Scandinavian Journal of Immunology</i> , 1982, 15, 567-571.	1.3	3
244	High Incidence of Spontaneous Ig-Producing Lymphocytes in Peripheral Blood and Synovial Fluid of Patients with Active Seropositive Rheumatoid Arthritis. <i>Scandinavian Journal of Immunology</i> , 1982, 16, 69-76.	1.3	39
245	Potentialiation of the PFC Response to Thymus-Independent Antigens by Heterologous Erythrocytes. <i>Scandinavian Journal of Immunology</i> , 1982, 16, 293-301.	1.3	2
246	In Vitro Immune Response of SLE Lymphocytes.. <i>Scandinavian Journal of Immunology</i> , 1982, 16, 369-377.	1.3	36
247	Cyclosporin A Inhibits Thymus-dependent but not Thymus-independent Immune Responses Induced by Dextran B512. <i>Scandinavian Journal of Immunology</i> , 1982, 16, 33-38.	1.3	11
248	B Cell Subsets and Differential Responses to Mitogens. <i>Immunological Reviews</i> , 1982, 64, 5-23.	2.8	60
249	The production of membrane or secretory forms of immunoglobulins is regulated by C-gene-specific signals. <i>Nature</i> , 1982, 299, 173-175.	13.7	27
250	Lithium chloride induces partial responsiveness to LPS in nonresponder B cells. <i>Nature</i> , 1982, 299, 363-365.	13.7	16
251	T-cell hybridomas which produce B lymphocyte replication factors only. <i>Nature</i> , 1982, 300, 355-357.	13.7	59
252	Production and Secretion of Immunoglobulins by in Vitro-Activated Human B Lymphocytes. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1982, 37, 179-185.	2.7	24



#	ARTICLE	IF	CITATIONS
253	Characterization of Effector Cells Mediating IgG and IgM Antibody-Dependent Cellular Cytotoxicity. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 19-27.	1.3	9
254	Mitogen-Induced Switching of Immunoglobulin Heavy-Chain Class Secretion in Chronic B-Lymphocytic Leukaemia and Immunocytoma Cell Populations. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 51-59.	1.3	22
255	Spontaneous Reverse Haemolytic Plaque Formation.. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 171-181.	1.3	5
256	IgM-Induced Specific Antibody Responses: Direct Correlation between Responsiveness and Natural or Induced Recurrence of the Idiotype. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 231-240.	1.3	15
257	Antibody-Secreting Cell Precursor Frequencies among the Sheep Erythrocyte-Binding Cells of Non-Immune Mice. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 251-261.	1.3	3
258	Chronic Lymphocytic Leukaemia Cells Activated in Vitro Reveal Cellular Changes that Characterize B-Prolymphocytic Leukaemia and Immunocytoma. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 397-401.	1.3	40
259	IgG Rheumatoid Factor-Secreting Lymphocytes in Rheumatoid Arthritis: Evaluation of a Haemolytic Plaque-Forming Cell Technique. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 471-478.	1.3	18
260	Activation of BCL1 Cells by Polyclonal Activators and Inhibition of Growth and IgM Secretion by Anti-IgM. <i>Scandinavian Journal of Immunology</i> , 1983, 18, 153-162.	1.3	4
261	Activation of Helper T Cells for B Lymphocytes in Primary Mixed Lymphocyte Cultures. <i>Scandinavian Journal of Immunology</i> , 1983, 18, 207-215.	1.3	6
262	Plaque-Forming Cells in Man.. <i>Scandinavian Journal of Immunology</i> , 1983, 18, 241-248.	1.3	8
263	Plaque-Forming Cells in Man.. <i>Scandinavian Journal of Immunology</i> , 1983, 18, 249-253.	1.3	5
264	Kinetic Analysis of Subset Growth and B-Cell Activation in Pokeweed Mitogen-Stimulated Cultures of Peripheral Blood Mononuclear Cells Depleted of or Enriched for OKT8+ Cells. <i>Scandinavian Journal of Immunology</i> , 1983, 18, 399-406.	1.3	4
265	The Polyclonal Lipopolysaccharide Response Is Accessory-Cell-Dependent. <i>Scandinavian Journal of Immunology</i> , 1983, 18, 279-289.	1.3	21
266	Lyb Antigens and their Role in B Lymphocyte Activation. <i>Immunological Reviews</i> , 1983, 69, 81-97.	2.8	45
267	Are Increased IgE-Levels a Signal of an Acute Graft-Versus-Host Reaction?. <i>Immunological Reviews</i> , 1983, 71, 57-76.	2.8	26
268	Antigen-Specific T-Cell Lines in DNCB-Contact Sensitivity in Guinea Pigs. <i>Journal of Investigative Dermatology</i> , 1983, 80, 398-402.	0.3	6
269	Antibody-Secreting Cell Precursor Frequencies among the Sheep-Erythrocyte-Binding Cells after Immunization. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 345-354.	1.3	81
270	Immunoglobulin-Producing Cells in Blood and Cerebrospinal Fluid during the Course of Aseptic Meningoencephalitis. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 531-537.	1.3	19



#	ARTICLE	IF	CITATIONS
271	Lymphokine-induced IgM secretion by clones of neoplastic B cells. <i>Nature</i> , 1983, 302, 825-826.	13.7	83
272	The effect of corticosteroids upon the number and organ distribution of background immunoglobulin-secreting cells in mice. <i>Cellular Immunology</i> , 1983, 77, 308-317.	1.4	14
273	Immunoregulatory factors from a human macrophage-like cell line. <i>Cellular Immunology</i> , 1983, 77, 329-337.	1.4	12
274	Functional analysis of monkey lymphocyte subsets defined by OKT4 and OKT8 monoclonal antibodies. <i>Cellular Immunology</i> , 1983, 77, 338-347.	1.4	42
275	Changes in cell populations and immunoglobulin-producing cells in the spleens of mice infected with <i>Trypanosoma cruzi</i> : Correlations with parasite-specific antibody response. <i>Cellular Immunology</i> , 1983, 80, 392-404.	1.4	41
276	Characterization of the subpopulations of human peripheral blood B lymphocytes which react to <i>Staphylococcus aureus</i> Cowan I and T-cell help. <i>Cellular Immunology</i> , 1983, 78, 130-143.	1.4	11
277	The relationship between immunization and circulating antigen-specific plaque-forming cells. <i>Cellular Immunology</i> , 1983, 78, 392-399.	1.4	7
278	Polyclonal antibody-forming cell activation and immunomodulation of the in vitro immune response induced by streptococcal extracellular products. <i>Cellular Immunology</i> , 1983, 76, 200-206.	1.4	16
279	Modification of lipopolysaccharide non-responder cells in low cell density culture. <i>Immunology Letters</i> , 1983, 6, 343-350.	1.1	4
280	Immunologic studies of three family members with the immunodeficiency with hyper-IgM syndrome. <i>Journal of Clinical Immunology</i> , 1983, 3, 127-134.	2.0	30
281	Sustained improvement of intractable rheumatoid arthritis after total lymphoid irradiation. <i>Arthritis and Rheumatism</i> , 1983, 26, 937-946.	6.7	64
282	Evidence for the ontogenic precedence of suppressor T cell functions in the human neonate. <i>European Journal of Immunology</i> , 1983, 13, 6-13.	1.6	48
283	Isotype commitment in their vivo immune responses. II. Polyclonal plaque-forming cell responses to lipopolysaccharide in the spleen and bone marrow. <i>European Journal of Immunology</i> , 1983, 13, 44-50.	1.6	23
284	An example of major histocompatibility complex-linked control of idiotypic interactions. <i>European Journal of Immunology</i> , 1983, 13, 82-85.	1.6	16
285	Clonal anergy: Inhibition of antigen-driven proliferation among single B lymphocytes from tolerant animals, and partial breakage of anergy by mitogens. <i>European Journal of Immunology</i> , 1983, 13, 214-220.	1.6	15
286	Production of human immune interferon (Hu IFN- $\beta$ ) studied at the single cell level. Origin, evidence for spontaneous secretion and effect of cyclosporin A. <i>European Journal of Immunology</i> , 1983, 13, 221-225.	1.6	49
287	Immune responses to xanthan gum I. The characteristics of lymphocyte activation by xanthan gum. <i>European Journal of Immunology</i> , 1983, 13, 225-231.	1.6	19
288	Distinct helper activities control growth or maturation of B lymphocytes. <i>European Journal of Immunology</i> , 1983, 13, 249-254.	1.6	23

#	ARTICLE	IF	CITATIONS
289	Immunoglobulin C gene expression. IV. Alternative control of IgG1-producing cells by helper cell-derived B cell-specific growth or maturation factors. <i>European Journal of Immunology</i> , 1983, 13, 269-272.	1.6	24
290	The expression of a set of antibody variable regions in lipopolysaccharide-reactive B cells at various stages of ontogeny and its control by anti-idiotypic antibody. <i>European Journal of Immunology</i> , 1983, 13, 318-325.	1.6	43
291	Requirement for macrophages or for macrophage- or T cell-derived factors in the mitogenic stimulation of murine B lymphocytes by lipopolysaccharides. <i>European Journal of Immunology</i> , 1983, 13, 528-533.	1.6	94
292	Differential requirements for activation and growth of unprimed cytotoxic and helper T lymphocytes. <i>European Journal of Immunology</i> , 1983, 13, 719-725.	1.6	40
293	The immune response against anti-idiotypic antibodies II. The induction of antibodies bearing the target idiotope (Ab3I <sup>2</sup> ) depends on the frequency of the corresponding B cells. <i>European Journal of Immunology</i> , 1983, 13, 726-732.	1.6	17
294	Failure of the human autologous mixed lymphocyte reaction in the absence of foreign antigens. <i>European Journal of Immunology</i> , 1983, 13, 1031-1036.	1.6	20
295	Direct action of cyclosporin A on human B-lymphocytes with regard to immunoglobulin production. <i>Immunology Letters</i> , 1983, 7, 11-15.	1.1	10
296	A Rapid Assay for Immunoglobulin in Hybridoma Supernatants. <i>Immunological Investigations</i> , 1983, 12, 465-471.	0.9	1
297	IgG-binding factors and polyclonal activation of human B cells. <i>Clinical Immunology Newsletter</i> , 1983, 4, 116-120.	0.1	1
298	Polymorphonuclear Leukocyte Regulation of Lymphocyte Proliferation and Differentiation. <i>Immunobiology</i> , 1983, 165, 421-431.	0.8	8
299	Studies on B-cell activation in vitro. <i>Annales De L'Institut Pasteur Immunologie</i> , 1983, 134, 63-73.	0.9	4
300	The effect of age on the infection and immunoresponsiveness of mice to <i>Babesia microti</i> . <i>Mechanisms of Ageing and Development</i> , 1983, 23, 357-369.	2.2	21
301	Plaque-forming cell response of pokeweed mitogen stimulated frozen human lymphocytes. <i>Journal of Immunological Methods</i> , 1983, 59, 183-187.	0.6	1
302	Quantification of human immunoglobulins by semiautomatic polyethylene glycol precipitation radioimmunoassays. Estimation of circulating immune complexes and immunoglobulin synthesized in vitro. <i>Journal of Immunological Methods</i> , 1983, 56, 19-32.	0.6	13
303	Comparison of the sensitivity of the protein A plaque assay and the immunofluorescence assay for detection of immunoglobulin producing cells. <i>Journal of Immunological Methods</i> , 1983, 56, 117-124.	0.6	3
304	A cell ELISA technique. The direct detection and semi-quantitation of immunoglobulin positive cells in 7 day lymphocyte cultures using the microtitre culture plates as the solid phase. <i>Journal of Immunological Methods</i> , 1983, 57, 37-42.	0.6	6
305	A monoclonal antibody with specificity for murine $\hat{1}/4$ heavy chain which inhibits the formation of antigen-specific direct IgM plaques. <i>Journal of Immunological Methods</i> , 1983, 59, 53-61.	0.6	17
306	A pre-amplified reverse hemolytic plaque assay. <i>Journal of Immunological Methods</i> , 1983, 62, 365-371.	0.6	0

#	ARTICLE	IF	CITATIONS
307	Direct measurement of in vitro antibody production using an enzyme-linked immunosorbent assay. <i>Journal of Immunological Methods</i> , 1983, 61, 377-384.	0.6	11
309	Storage of protein A-conjugated sheep erythrocytes for use in plaque-forming cell (PFC) assays. <i>Journal of Immunological Methods</i> , 1983, 60, 167-172.	0.6	2
310	Changes in the spleen cell populations of the mouse during pregnancy " The influence of the thymus. <i>Developmental and Comparative Immunology</i> , 1983, 7, 169-178.	1.0	12
311	Subpopulations of human helper and suppressor T lymphocytes. <i>Human Immunology</i> , 1983, 7, 163-175.	1.2	9
312	Effector and regulator functions of splenic and thymic lymphocytes in the clawed toad <i>Xenopus</i> . <i>Annales De L'Institut Pasteur Immunologie</i> , 1983, 134, 277-292.	0.9	15
313	The production of human hybridomas from patients with malignant melanoma. The effect of pre-stimulation of lymphocytes with pokeweed mitogen. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1983, 19, 347-355.	0.9	17
314	Binding of progestins to the glucocorticoid receptor. <i>Biochemical Pharmacology</i> , 1983, 32, 1511-1518.	2.0	141
315	Selective enhancement of human IgE production in vitro by synergy of pokeweed mitogen and mercuric chloride.. <i>Pediatrics International</i> , 1983, 25, 335-341.	0.2	0
316	Studies of the Arsonate System Using Monoclonal Antibodies. <i>Annals of the New York Academy of Sciences</i> , 1983, 418, 9-15.	1.8	3
317	Rectification of Immunological Abnormalities and Lupus Nephritis by the Transfer of Bone Marrow Cells.. <i>Annals of the New York Academy of Sciences</i> , 1983, 420, 309-314.	1.8	5
318	IgA SPECIFIC T-CELL FACTOR PRODUCED BY A HUMAN T-T HYBRIDOMA. <i>Annals of the New York Academy of Sciences</i> , 1983, 409, 238-242.	1.8	2
319	Ferritin secretion by human mononuclear cells: Association with HLA phenotype. <i>Clinical Immunology and Immunopathology</i> , 1983, 27, 124-134.	2.1	21
320	Polyclonal activation of immunoglobulin secretion without prior DNA synthesis in human B lymphocytes induced by <i>Klebsiella pneumoniae</i> . <i>Clinical Immunology and Immunopathology</i> , 1983, 27, 261-271.	2.1	12
321	The degree of monocyte participation in human B- and T-cell activation by phorbol myristate acetate. <i>Clinical Immunology and Immunopathology</i> , 1983, 26, 299-308.	2.1	13
322	A selective effect upon IgG synthesis by $T_H^3$ lymphocytes and their products in man. <i>Clinical Immunology and Immunopathology</i> , 1983, 26, 415-422.	2.1	2
323	Competence of B cells for T-cell help in pokeweed mitogen-induced immunoglobulin production. <i>Clinical Immunology and Immunopathology</i> , 1983, 26, 192-200.	2.1	24
324	Phenotypes of T lymphocytes in systemic lupus erythematosus: Decreased cytotoxic/suppressor subpopulation is associated with deficient allogeneic cytotoxic responses rather than with concanavalin A-induced suppressor cells. <i>Clinical Immunology and Immunopathology</i> , 1983, 26, 267-276.	2.1	19
325	Persistent cytomegalovirus infection: Association with profound immunodeficiency and treatment with interferon. <i>Clinical Immunology and Immunopathology</i> , 1983, 28, 77-89.	2.1	15

#	ARTICLE	IF	CITATIONS
326	Humoral and Cellular Immunity in Patients with Acute Aseptic Meningitis. Progress in Brain Research, 1983, 59, 29-46.	0.9	4
327	Mechanism of unresponsiveness to the alpha 1-6 epitope of dextran B512 in a C57BL substrain.. Journal of Experimental Medicine, 1983, 158, 66-73.	4.2	2
328	Both a monoclonal antibody and antisera specific for determinants unique to individual cloned helper T cell lines can substitute for antigen and antigen-presenting cells in the activation of T cells.. Journal of Experimental Medicine, 1983, 158, 836-856.	4.2	666
329	Frequencies of the separate human B cell subsets activatable to Ig secretion by Epstein-Barr virus and pokeweed mitogen.. Journal of Experimental Medicine, 1983, 157, 1808-1814.	4.2	53
330	Differential macrophage requirements for T helper cell and T helper cell-induced B lymphocyte proliferation.. Journal of Experimental Medicine, 1983, 157, 312-323.	4.2	29
331	DETECTION OF HORMONE RELEASE FROM INDIVIDUAL CELLS IN MIXED POPULATIONS USING A REVERSE HEMOLYTIC PLAQUE ASSAY. Endocrinology, 1983, 112, 1135-1137.	1.4	226
332	The accumulation of [35S]methimazole by human and rat lymphocytes. European Journal of Endocrinology, 1983, 102, 68-70.	1.9	11
333	Studies on a New Lymphocyte Mitogen from Pollen Aqueous Extract: Induction of Proliferation in Human and Rodent Lymphocytes. International Archives of Allergy and Immunology, 1983, 71, 6-14.	0.9	6
334	SUPPRESSION OF B LYMPHOCYTES IN MATURE NEWBORN INFANTS. Acta Paediatrica, International Journal of Paediatrics, 1983, 72, 441-447.	0.7	5
335	Monoclonal antibodies against HLA-DR antigens replace T helper cells in activation of B lymphocytes.. Proceedings of the National Academy of Sciences of the United States of America, 1983, 80, 3456-3460.	3.3	74
336	Characterization of human hybridomas secreting antibody to tetanus toxoid.. Proceedings of the National Academy of Sciences of the United States of America, 1983, 80, 6376-6380.	3.3	73
337	Phenotypic and functional analysis of leukemic cells from 16 patients with adult T-cell leukemia/lymphoma. Blood, 1983, 61, 192-199.	0.6	165
338	Studies on the origins of biliary immunoglobulins in rats. Gastroenterology, 1984, 87, 173-179.	0.6	54
339	Defective B-Lymphocyte Function in Homosexual Men in Relation to the Acquired Immunodeficiency Syndrome. Annals of Internal Medicine, 1984, 101, 757.	2.0	134
340	The B cell repertoire revealed by major histocompatibility complex-specific helper T cells. I. Frequencies of a genetically defined V region marker among mitogen- and T helper cell-reactive B lymphocytes in normal and immunized mice.. Journal of Experimental Medicine, 1984, 159, 1253-1269.	4.2	4
341	Spontaneous and induced immunoglobulin secretion by synovial fluid B lymphocytes in rheumatoid arthritis.. Annals of the Rheumatic Diseases, 1984, 43, 140-145.	0.5	17
342	Activated B cells express receptors for, and proliferate in response to, pure interleukin 2.. Journal of Experimental Medicine, 1984, 160, 1170-1183.	4.2	368
343	Interaction of helper T cells and Lyb5+ B cells responding to phosphorylcholine is MHC-restricted.. Journal of Experimental Medicine, 1984, 160, 329-334.	4.2	8

#	ARTICLE	IF	CITATIONS
344	Activation of B lymphocytes by monovalent anti-Lyb-2 antibodies.. Journal of Experimental Medicine, 1984, 159, 1796-1801.	4.2	50
345	Evaluation of the acyclovir-induced modulation of the plaque-forming cell response of human peripheral blood lymphocytes. Journal of Antimicrobial Chemotherapy, 1984, 13, 71-77.	1.3	3
346	Changes in J chain and mu chain RNA expression as a function of B cell differentiation.. Journal of Experimental Medicine, 1984, 160, 877-892.	4.2	107
347	Synovial Fluid and Blood Monocytes/Macrophages in Rheumatoid Arthritis:Influence on Polyclonal Activation of Autologous B Lymphocytes. Scandinavian Journal of Rheumatology, 1984, 13, 265-272.	0.6	3
348	Clonal analysis of B cells induced to secrete IgG by T cell-derived lymphokine(s).. Journal of Experimental Medicine, 1984, 160, 1850-1863.	4.2	87
349	Idiotypic analysis of potential and available repertoires in the arsonate system.. Journal of Experimental Medicine, 1984, 160, 1-11.	4.2	35
350	High frequency of lambda gene activation in bone marrow pre-B cells.. Journal of Experimental Medicine, 1984, 159, 617-622.	4.2	21
351	Polysaccharides with Sulfate Groups Are Human T Cell Mitogens and Murine Polyclonal B Cell Activators (PBAs). Microbiology and Immunology, 1984, 28, 831-839.	0.7	17
352	An in vivo model for the experimental selection and pharmacological study of drugs able to modulate polyclonal activation of B lymphocytes. International Journal of Immunopharmacology, 1984, 6, 637-642.	1.1	4
353	Distribution of anti-histone-antibody-secreting cells in NZB/NZW mice. Cellular Immunology, 1984, 87, 485-493.	1.4	6
354	A mutant human T-cell line producing immunosuppressive factor(s). Cellular Immunology, 1984, 87, 35-52.	1.4	20
355	Suppression of polyclonal human B cell activation by IgG binding factors: Interference with the maturation of Ig-containing cells into Ig-secreting cells. Cellular Immunology, 1984, 87, 231-239.	1.4	18
356	Derivation from an alloreactive T-cell line of a clone which cross-reacts with a self H2-E-restricted minor alloantigen. Cellular Immunology, 1984, 85, 436-446.	1.4	3
357	Proliferation of chicken peripheral blood leukocytes in response to pokeweed mitogen is macrophage dependent. Cellular Immunology, 1984, 85, 235-243.	1.4	36
358	Functional studies on B-cell hybridomas with B-cell surface antigens. Cellular Immunology, 1984, 83, 330-339.	1.4	4
359	Immunological characterization of FcR <sup>3</sup> bearing and nonbearing B cells: Functional modulation of immune complexes. Cellular Immunology, 1984, 83, 340-350.	1.4	10
360	In situ effector pathways of allograft destruction. Cellular Immunology, 1984, 89, 420-426.	1.4	8
361	Interleukin-3 supports growth of mouse pre-B-cell clones in vitro. Nature, 1984, 309, 126-131.	13.7	207

#	ARTICLE	IF	CITATIONS
362	Î³-Interferon is one of several direct B cell-maturing lymphokines. <i>Nature</i> , 1984, 309, 801-804.	13.7	234
363	Inhibition of Polyclonally Induced Immunoglobulin Secretion by Aurothiomalate. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1984, 39, 29-36.	2.7	3
364	In Vitro Plaque-Forming Cell Responses Induced by <i>Streptococcus pneumoniae</i> in Humans. <i>Scandinavian Journal of Immunology</i> , 1984, 19, 1-10.	1.3	5
365	Plaque-Forming Cells in Man.. <i>Scandinavian Journal of Immunology</i> , 1984, 19, 419-424.	1.3	0
366	Modulation of Pokeweed Mitogen-Induced Human B-Cell Differentiation by Aggregated IgG. <i>Scandinavian Journal of Immunology</i> , 1984, 20, 105-111.	1.3	4
367	Secretion of gamma-Interferon at the Cellular Level.. <i>Scandinavian Journal of Immunology</i> , 1984, 20, 425-432.	1.3	29
368	Demonstration of a Helper Factor(s) with T-Cell-Replacing Activity in Synovial Fluid. <i>Scandinavian Journal of Immunology</i> , 1984, 20, 493-501.	1.3	12
369	On the Molecular Basis of T Helper Cell Function.. <i>Scandinavian Journal of Immunology</i> , 1984, 19, 551-561.	1.3	5
370	Functional and Chemical Characterization of B-Cell Growth Factor Produced by Normal Cloned T Helper Cells. <i>Scandinavian Journal of Immunology</i> , 1984, 20, 7-14.	1.3	4
371	A Quantitative Assay Detecting Small Numbers of Effector Helper T Cells, Regardless of Clonal Specificity. <i>Scandinavian Journal of Immunology</i> , 1984, 20, 189-197.	1.3	7
372	Detection of Lactoferrin and Myeloperoxidase Release from Single Neutrophils by a Protein A Plaque Assay. <i>Scandinavian Journal of Immunology</i> , 1984, 20, 349-353.	1.3	8
373	B Cell Differentiation Factor in Synovial Fluid of Patients with Rheumatoid Arthritis. <i>Immunological Reviews</i> , 1984, 78, 7-23.	2.8	61
374	The Synergism of Accessory Cells and of Soluble a-Factors Derived from Them in the Activation of B Cells to Proliferation. <i>Immunological Reviews</i> , 1984, 78, 51-74.	2.8	77
375	Regulation of Ig Class Secretion by Soluble Products of Certain T-Cell Lines. <i>Immunological Reviews</i> , 1984, 78, 25-50.	2.8	68
376	T Cell-Dependent B Cell Activation. <i>Immunological Reviews</i> , 1984, 78, 211-224.	2.8	31
377	Heterogeneous and monoclonal helper T cells induce similar anti-(4-hydroxy-3-nitrophenyl)acetyl (NP) antibody populations in the primary adoptive response I. Isotype distribution. <i>European Journal of Immunology</i> , 1984, 14, 188-194.	1.6	24
378	B lymphocyte activation upon exclusive recognition of major histocompatibility antigens by T helper cells. <i>European Journal of Immunology</i> , 1984, 14, 222-227.	1.6	38
379	T-dependent activation of resting B cells mediated by concanavalin A. <i>European Journal of Immunology</i> , 1984, 14, 280-283.	1.6	15



#	ARTICLE	IF	CITATIONS
380	Polyclonal B cell responses in the presence of defined filler cells: complementary effects of lipopolysaccharide and anti-immunoglobulin antibodies. <i>European Journal of Immunology</i> , 1984, 14, 357-363.	1.6	13
381	The role of B cell surface Ia antigen recognition by T cells in B cell triggering. Analysis of the interaction of cloned helper T cells with normal B cells in differing states of activation and with B cells expressing theid defect. <i>European Journal of Immunology</i> , 1984, 14, 553-561.	1.6	45
382	Pneumococcal cell wall phosphorylcholine elicits polyclonal antibody secretion in mice. <i>European Journal of Immunology</i> , 1984, 14, 589-594.	1.6	9
383	Spontaneous production of interleukin 3 by T lymphocytes from autoimmune MRL/MP-lpr/lpr mice. <i>European Journal of Immunology</i> , 1984, 14, 599-605.	1.6	60
384	Induction of resting B cells to DNA synthesis by soluble monoclonal anti-immunoglobulin. <i>European Journal of Immunology</i> , 1984, 14, 753-757.	1.6	102
385	Preservation of the helper and suppressor/cytotoxic T-lymphocyte phenotype in continuous culture. <i>European Journal of Immunology</i> , 1984, 14, 762-765.	1.6	11
386	Frequencies of phosphorylcholine-specific and T15-associated 10/13 idiotope-positive B cells within lipopolysaccharide-reactive B cells of adult BALB/c mice. <i>European Journal of Immunology</i> , 1984, 14, 864-868.	1.6	12
387	Effects of $\hat{1}/4$ -specific antibodies on B cell growth and maturation. <i>European Journal of Immunology</i> , 1984, 14, 1016-1021.	1.6	16
388	Expression of cell surface determinant(s) on murine myeloma stem cells and hematopoietic stem cells. <i>European Journal of Immunology</i> , 1984, 14, 1096-1100.	1.6	1
389	Studies on antibody repertoire: ontogenic development of mitogen-reactive B cells producing phosphorylcholine-specific and/or T15-associated 10/13 idiotopepositive antibodies. <i>European Journal of Immunology</i> , 1984, 14, 1141-1144.	1.6	4
390	Selective and polyclonal induction of high levels of $\hat{1}$ light chain-bearing immunoglobulins in BALB/c and SJL mice. <i>European Journal of Immunology</i> , 1984, 14, 1159-1162.	1.6	7
391	Differentiation of chronic lymphocytic leukemia cells after in vitro treatment with epstein-barr virus or phorbol ester. I. Immunologic and morphologic studies. <i>American Journal of Hematology</i> , 1984, 17, 335-347.	2.0	9
392	The influence of D-Penicillamine therapy on numbers of circulating immunoglobulin secreting cells in rheumatoid arthritis. <i>Rheumatology International</i> , 1984, 4, 157-158.	1.5	3
393	Platelet surface antigens: Analysis by monoclonal antibodies. <i>Blut</i> , 1984, 48, 161-170.	1.2	27
394	Enumeration of human immunoglobulin-secreting cells by the ELISA-plaque method: IgE and IgG isotypes. <i>Clinical Immunology and Immunopathology</i> , 1984, 30, 159-164.	2.1	31
395	Virologic, immunologic, and clinical observations on a patient during the incubation, acute, and convalescent phases of infectious mononucleosis. <i>Clinical Immunology and Immunopathology</i> , 1984, 30, 437-450.	2.1	80
396	Identification of B-cell and T-helper-cell defects, and of suppressor cell hyperactivity, in humoral immunodeficiency. <i>Clinical Immunology and Immunopathology</i> , 1984, 32, 41-51.	2.1	8
397	Peripheral blood mononuclear cells of splenectomized patients are unable to differentiate into immunoglobulin-secreting cells after pokeweed mitogen stimulation. <i>Clinical Immunology and Immunopathology</i> , 1984, 31, 118-123.	2.1	25

#	ARTICLE	IF	CITATIONS
398	Accessory cell function of human alveolar macrophages in B-cell activation induced by pokeweed mitogen. <i>Clinical Immunology and Immunopathology</i> , 1984, 33, 351-362.	2.1	2
399	SOLUBLE FACTORS INHIBITORY FOR T-CELL- DEPENDENT IMMUNE RESPONSES IN PATIENTS WITH THE ACQUIRED IMMUNE DEFICIENCY SYNDROME AND ITS PRODROMES. <i>Annals of the New York Academy of Sciences</i> , 1984, 437, 518-525.	1.8	2
400	A Comparison of Three Reverse Haemolytic Plaque Assays. <i>Immunobiology</i> , 1984, 166, 403-409.	0.8	1
401	Anemia causes erythropoiesis and increased antibody synthesis in the spleen of the pregnant mouse. <i>Developmental and Comparative Immunology</i> , 1984, 8, 169-178.	1.0	7
402	Splenic macrophages during pregnancy in the mouse. <i>Developmental and Comparative Immunology</i> , 1984, 8, 443-450.	1.0	5
403	Immunoglobulin-secreting cells in various maternal lymphoid tissues during syngeneic and allogeneic murine pregnancy. <i>Developmental and Comparative Immunology</i> , 1984, 8, 921-929.	1.0	10
404	Polyclonal activation of canine B lymphocytes evaluated by a protein A reverse hemolytic plaque assay. <i>Veterinary Immunology and Immunopathology</i> , 1984, 6, 353-364.	0.5	8
405	Autostimulatory adherent cells in the spleen of aging mice: Characterization in the syngeneic host-versus-graft reaction. <i>Mechanisms of Ageing and Development</i> , 1984, 28, 67-81.	2.2	4
406	Reverse enzyme-linked immunospot assay (RELISPOT) for the detection of cells secreting immunoreactive substances. <i>Journal of Immunological Methods</i> , 1984, 72, 489-496.	0.6	84
407	Plaque-forming cell response of frozen human lymphocytes stimulated with pokeweed mitogen. II. Results obtained in cultures of irradiated T and untreated B lymphocytes. <i>Journal of Immunological Methods</i> , 1984, 72, 497-500.	0.6	1
408	Addition of polyethylene glycol 6000 improves the sensitivity of the protein A plaque assay for detection of human immunoglobulin secreting cells. <i>Journal of Immunological Methods</i> , 1984, 66, 341-347.	0.6	4
409	Role of Accessory Cells in B Lymphocyte Progenitor Differentiation. <i>Immunobiology</i> , 1984, 168, 441-452.	0.8	7
410	Novel B-cell maturation factor from spontaneously autoimmune viable motheaten mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 7199-7202.	3.3	40
411	Expression of an immunoglobulin heavy chain gene transfected into lymphocytes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 1292-1296.	3.3	51
412	Differentiation of Ovine Immature B Cells upon Exposure to Phorbol Myristate Acetate. <i>International Archives of Allergy and Immunology</i> , 1984, 74, 281-283.	0.9	5
413	Mice completely suppressed for the expression of immunoglobulin kappa light chain.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 211-215.	3.3	32
414	Internal complementarities in the immune system: regulation of the expression of helper T-cell idiotypes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 4520-4523.	3.3	68
415	Idiotypic determinants of natural IgM antibodies that resemble self Ia antigens.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 3175-3179.	3.3	28



#	ARTICLE	IF	CITATIONS
416	Activities of a Soluble Extract from Lymphoid Cells of MRL Mice. <i>International Archives of Allergy and Immunology</i> , 1985, 78, 233-236.	0.9	3
417	B-Cell Changes Occur in Patients with Sickle Cell Anemia. <i>American Journal of Clinical Pathology</i> , 1985, 84, 153-158.	0.4	13
418	Suppression of B-Lymphocyte Function by T-Lymphocytes in Patients With Advanced Lung Cancer&lt;xref ref-type="fn" rid="FN2"&gt;2&lt;/xref&gt;&lt;xref ref-type="fn" rid="FN3"&gt;3&lt;/xref&gt;. <i>Journal of the National Cancer Institute</i> , 0, , .	3.0	3
419	Development of B Lymphocyte Function in Childhood. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1985, 74, 568-573.	0.7	17
420	Natural effector T lymphocytes in normal mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 7691-7695.	3.3	70
421	Establishment of idiotypic helper T-cell repertoires early in life. <i>Nature</i> , 1985, 317, 721-723.	13.7	80
422	Glucocorticoids Enhance the in Vitro Ig Synthesis of Pokeweed Mitogen-Stimulated Human B Cells by Inhibiting the Suppressive Effect of T8+ T Cells. <i>Scandinavian Journal of Immunology</i> , 1985, 21, 63-71.	1.3	16
423	Characterization of Activities Inducing Polyclonal Maturation of Activated B Lymphocytes to Immunoglobulin Secretion. <i>Scandinavian Journal of Immunology</i> , 1985, 21, 297-303.	1.3	3
424	Induction of Immunoglobulin Secretion by Protein A from <i>Staphylococcus aureus</i> in Human Blood and Bone Marrow B Cells. <i>Scandinavian Journal of Immunology</i> , 1985, 22, 17-26.	1.3	14
425	Cyclosporin A Inhibits Induction but Not Production of Gamma Interferon Induced by Epstein-Barr Virus. <i>Scandinavian Journal of Immunology</i> , 1985, 22, 203-206.	1.3	1
426	Functional Analysis of Pokeweed Mitogen-Dependent Cell Interactions in Murine Spleen Cells.. <i>Scandinavian Journal of Immunology</i> , 1985, 22, 321-328.	1.3	3
427	T and B Lymphocytes in Patients with Nickel Sensitivity. <i>Scandinavian Journal of Immunology</i> , 1985, 22, 495-502.	1.3	5
428	The effect of 1 $\beta$ -hydroxyvitamin D3 on primary antibody formation in mice. <i>Immunopharmacology</i> , 1985, 9, 141-146.	2.0	10
429	Stimulation of human blood lymphocyte by different polyclonal B cell activators of bacterial and plant origin: Production of IgM, IgG and IgA estimated by the ELISA method. <i>Folia Microbiologica</i> , 1985, 30, 258-266.	1.1	18
430	Frequency analysis of the antibody specificity repertoire of mitogen-reactive B cells and spontaneously occurring background plaque-forming cells in nude mice. <i>Cellular Immunology</i> , 1985, 92, 154-162.	1.4	10
431	Ontogenical studies on kinetics of lipopolysaccharide-induced response to bromelain-treated mouse erythrocytes in mouse spleen cells. <i>Cellular Immunology</i> , 1985, 94, 60-72.	1.4	8
432	Depression of lymphocyte responses to mitogens in mangabeys with disseminated experimental leprosy. <i>Cellular Immunology</i> , 1985, 90, 115-130.	1.4	18
433	Distribution of immunoglobulin isotypes in the nonspecific B-cell response induced by infection with <i>Plasmodium chabaudi adami</i> and <i>Plasmodium yoelii</i> . <i>Cellular Immunology</i> , 1985, 90, 251-257.	1.4	23

#	ARTICLE	IF	CITATIONS
434	Immunoglobulin M and immunoglobulin G secretion by human B cells exposed to RU 41.740, a glycoprotein extract from <i>Klebsiella pneumoniae</i> . <i>Cellular Immunology</i> , 1985, 90, 569-576.	1.4	14
435	Different functional subsets of cultured murine T cells express characteristic levels of adenosine deaminase activity. <i>Cellular Immunology</i> , 1985, 95, 380-391.	1.4	7
436	Suppression of a polyclonal B-cell response by supernatants from the murine autologous mixed lymphocyte reaction. <i>Cellular Immunology</i> , 1985, 96, 61-70.	1.4	2
437	Long-lived lymphocytes include lipopolysaccharide-reactive B cells. <i>Cellular Immunology</i> , 1985, 96, 290-300.	1.4	10
438	Human monoclonal antibodies produced by Epstein-Barr virus transformed cell lines bind protein A. <i>Immunology Letters</i> , 1985, 9, 19-22.	1.1	5
439	Separation of malignant plasma cells from the bone marrow of patients with myelomatosis. <i>British Journal of Haematology</i> , 1985, 59, 419-423.	1.2	3
440	Differences of immunoglobulin secreting cells in bone marrow from those in circulation: relevance to their development. <i>British Journal of Haematology</i> , 1985, 59, 647-657.	1.2	7
441	Suppression of polyclonal B cell activation by IgG-binding factors. Requirement for T cells. <i>European Journal of Immunology</i> , 1985, 15, 96-99.	1.6	13
442	Monoclonal antibodies specific for murine IgM. II. Activation of B lymphocytes by monoclonal antibodies specific for the four constant domains of IgM. <i>European Journal of Immunology</i> , 1985, 15, 131-137.	1.6	50
443	The action of human C3 in soluble or cross-linked form with resting and activated murine B lymphocytes. <i>European Journal of Immunology</i> , 1985, 15, 184-188.	1.6	85
444	Very large and isotypically atypical polyclonal plaque-forming cell responses in mice infected with <i>Trypanosoma cruzi</i> . <i>European Journal of Immunology</i> , 1985, 15, 201-203.	1.6	87
445	Mott cells are plasma cells defective in immunoglobulin secretion. <i>European Journal of Immunology</i> , 1985, 15, 235-242.	1.6	65
446	Secretion of IgG1 induction factor by T cell clones and hybridomas. <i>European Journal of Immunology</i> , 1985, 15, 586-593.	1.6	68
447	Partial biochemical characterization of IgG1-inducing factor. <i>European Journal of Immunology</i> , 1985, 15, 593-598.	1.6	72
448	Anti-IgM treatment influences immunoglobulin heavy and light chain mRNA levels in mitogen-stimulated B lymphocytes. <i>European Journal of Immunology</i> , 1985, 15, 641-643.	1.6	19
449	Early B cell precursors in long-term bone marrow culture: selective development in the bone marrow of irradiated recipients. <i>European Journal of Immunology</i> , 1985, 15, 696-701.	1.6	17
450	Interactions of small B lymphocytes with unprimed noncytolytic T cells: dissociation between antigen presentation and growth induction. <i>European Journal of Immunology</i> , 1985, 15, 865-872.	1.6	4
451	A self-Ia reactive T cell clone directly stimulates every hundredth B cell and helps antigen-specific B cell responses. <i>European Journal of Immunology</i> , 1985, 15, 927-934.	1.6	35

#	ARTICLE	IF	CITATIONS
452	Antigen-specific major histocompatibility complex-restricted helper T cell clones are sufficient to induce unprimed B cells to switch and to secrete IgG and IgA in a primary in vitro polyclonal response. <i>European Journal of Immunology</i> , 1985, 15, 1060-1066.	1.6	9
453	A lymphoproliferative disorder of T <sub>H</sub> 3 cells with the phenotype of cytotoxic suppressor T-cell. <i>American Journal of Hematology</i> , 1985, 19, 85-93.	2.0	4
454	Helper and Suppressor Activities of Lymphocyte Subsets on Antithyroglobulin Production in Vitro*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1985, 61, 520-524.	1.8	25
455	Systemic Lupus Erythematosus with Deficiency of the T4 Epitope on T Helper/Inducer Cells. <i>New England Journal of Medicine</i> , 1985, 312, 1671-1678.	13.9	42
456	Enumeration of Lactotropes and Somatotropes among Male and Female Pituitary Cells in Culture: Evidence in Favor of a Mammosomatotrope Subpopulation in the Rat*. <i>Endocrinology</i> , 1985, 116, 1371-1378.	1.4	120
457	Retroviral induction of acute lymphoproliferative disease and profound immunosuppression in adult C57BL/6 mice.. <i>Journal of Experimental Medicine</i> , 1985, 161, 766-784.	4.2	327
458	Human malignant T cells capable of inducing an immunoglobulin class switch.. <i>Journal of Experimental Medicine</i> , 1985, 161, 134-144.	4.2	82
459	Effect of drug therapy on circulating and synovial fluid Ig-secreting cells in rheumatoid arthritis.. <i>Annals of the Rheumatic Diseases</i> , 1985, 44, 232-238.	0.5	1
460	Proliferation and Differentiation Requirements for the Induction of Two Retroviral Loci during B-Cell Activation. <i>Journal of General Virology</i> , 1985, 66, 109-120.	1.3	5
461	Synthesis of Human Immunoglobulins<u>In Vitro</u>: Comparison of two Assays of Secreted Immunoglobulin. <i>Journal of Immunoassay</i> , 1985, 6, 1-9.	0.3	4
463	In Vitro Analysis of Murine B-Cell Development. <i>Annual Review of Immunology</i> , 1985, 3, 213-235.	9.5	79
464	IL3-dependent mouse clones that express B-220 surface antigen, contain ig genes in germ-line configuration, and generate B lymphocytes in vivo. <i>Cell</i> , 1985, 41, 727-734.	13.5	716
465	Ferritin in Neuroblastoma. Impact of Tumor Load and Blood Transfusions. <i>Cancer Investigation</i> , 1985, 3, 327-338.	0.6	11
466	T lymphomas associated with human T-cell leukemia-lymphoma virus may show phenotypic and functional differences from adult T-cell leukemias. <i>Clinical Immunology and Immunopathology</i> , 1985, 36, 306-319.	2.1	6
467	Cellular targets of antilymphocyte antibodies in AIDS and LAS. <i>Clinical Immunology and Immunopathology</i> , 1985, 37, 37-47.	2.1	43
468	Antigen non-specific activities in culture supernatant of ovalbumin-specific, cloned helper T lymphoma. <i>Immunobiology</i> , 1985, 169, 520-531.	0.8	1
469	Mitogenic effects of phorbol myristate acetate (PMA) on amphibian cells. <i>Annales De L'Institut Pasteur Immunologie</i> , 1985, 136, 105-118.	0.9	4
470	Acquired immunological tolerance in aged mice III. The contribution of lymphoid cells and their environments to the age related resistance to tolerance induction. <i>Mechanisms of Ageing and Development</i> , 1985, 30, 37-52.	2.2	5

#	ARTICLE	IF	CITATIONS
471	Polyclonal induction of immunoglobulin synthesis by feline leukocytes as identified in a reverse hemolytic plaque assay. <i>Journal of Immunological Methods</i> , 1985, 81, 65-71.	0.6	7
472	A simple, rapid, reliable reverse haemolytic plaque assay and positive quality control test for routine use. <i>Journal of Immunological Methods</i> , 1985, 80, 125-135.	0.6	1
473	Rapid generation of human T cell hybridomas. <i>Journal of Immunological Methods</i> , 1985, 81, 271-281.	0.6	4
474	Low affinity of kappa chain bearing (4-hydroxy-3-nitrophenyl)acetyl (NP)-specific antibodies in the primary antibody repertoire of C57BL/6 mice may explain lambda chain dominance in primary anti-NP responses. <i>Molecular Immunology</i> , 1985, 22, 1209-1216.	1.0	11
475	Allogeneic pregnancy in B-lymphocyte deprived CBA/Ca mice – Effects on maternal lymphoid organs and fetal survival. <i>Developmental and Comparative Immunology</i> , 1985, 9, 709-717.	1.0	17
476	Acquired hyper-IgM syndrome with necrotizing granuloma. <i>Journal of Allergy and Clinical Immunology</i> , 1985, 75, 472-478.	1.5	5
477	Heterogeneity and contact-dependent regulation of hormone secretion by individual B cells. <i>Experimental Cell Research</i> , 1986, 162, 507-520.	1.2	257
478	Susceptibility of human T cells, T-cell subsets, and B cells to cryopreservation. <i>Cryobiology</i> , 1986, 23, 199-208.	0.3	15
479	The kinetic study on cell surface antigens of a hybridoma between human B cells and a mouse B-cell line. <i>Clinical Immunology and Immunopathology</i> , 1986, 41, 236-246.	2.1	1
480	Modulation of the immune response by immunoglobulin for intravenous use. <i>Clinical Immunology and Immunopathology</i> , 1986, 41, 273-280.	2.1	9
481	Antigen-specific and polyclonal B-cell responses in patients with acquired immunodeficiency disease syndrome. <i>Clinical Immunology and Immunopathology</i> , 1986, 39, 359-367.	2.1	49
482	Characterization of functional T-cell lines derived from MRL mice. <i>Clinical Immunology and Immunopathology</i> , 1986, 40, 485-496.	2.1	18
483	[53] Agglutination assay using protein A-sensitized erythrocytes for detection of immunoglobulin in tissue culture supernatants. <i>Methods in Enzymology</i> , 1986, 121, 556-561.	0.4	1
484	Ontogenetic development of lipopolysaccharide-reactive B cells against bromelain-treated mouse erythrocytes in mouse lymphoid tissues. <i>Developmental and Comparative Immunology</i> , 1986, 10, 69-78.	1.0	4
485	Cell cycle control of activated, synchronized murine B lymphocytes – roles of macrophages and complement C3. <i>Molecular Immunology</i> , 1986, 23, 1173-1176.	1.0	15
486	Background™ Ig-secreting cells in pregnant germfree mice fed a chemically defined ultrafiltered diet. <i>Journal of Reproductive Immunology</i> , 1986, 9, 237-246.	0.8	15
487	Visualization of the receptor for transferrin on K562 cells by a rosette-forming assay. <i>Journal of Immunological Methods</i> , 1986, 86, 95-101.	0.6	4
488	Separation of lymphocyte subpopulations using biotin-avidin erythrocyte rosettes. <i>Journal of Immunological Methods</i> , 1986, 89, 207-211.	0.6	14

#	ARTICLE	IF	CITATIONS
489	Mechanisms of age-related decline in antigen-specific T cell proliferative response: IL-2 receptor expression and recombinant IL-2 induced proliferative response of purified tac-positive T cells. <i>Mechanisms of Ageing and Development</i> , 1986, 36, 223-241.	2.2	118
490	Stimulatory and inhibitory influences of human immunodeficiency virus on normal B lymphocytes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 9124-9128.	3.3	121
491	B lymphocyte differentiation and suppressor activity by T lymphocytes derived from neonatal and sucking piglets. <i>Research in Veterinary Science</i> , 1986, 40, 400-405.	0.9	7
492	The effects of bovine T lymphocytes bearing immunoglobulin G receptors on the plaque forming cell response.. <i>Nihon Juigaku Zasshi</i> , 1986, 48, 1049-1052.	0.3	2
493	[31] Semiautomated plaque method for the detection of antibody-forming cell clones. <i>Methods in Enzymology</i> , 1986, 121, 341-352.	0.4	0
494	[32] Detection and measurement of secretion from individual neuroendocrine cells using a reverse hemolytic plaque assay. <i>Methods in Enzymology</i> , 1986, 124, 443-465.	0.4	104
495	Human Interferon- $\alpha$ (IFN- $\alpha$ ) Containing Cells Bear Various Surface Phenotypic Markers. <i>Microbiology and Immunology</i> , 1986, 30, 1049-1059.	0.7	6
496	Human choroidal melanocytes in tissue culture. <i>Current Eye Research</i> , 1986, 5, 587-594.	0.7	9
497	The Oral Immune System: Dynamics of Salivary Immunoglobulin Production in the Inbred Mouse. <i>Immunological Investigations</i> , 1986, 15, 339-349.	1.0	21
498	Abnormal B cell function in patients with Behçet's disease. <i>Arthritis and Rheumatism</i> , 1986, 29, 212-219.	6.7	54
499	Immunoglobulin abnormalities in cerebrospinal fluid and blood over the course of lymphocytic meningoradiculitis (Bannwarth's syndrome). <i>Annals of Neurology</i> , 1986, 20, 337-345.	2.8	87
500	Requirements for growth of immature thymocytes from fetal and adult mice in vitro. <i>European Journal of Immunology</i> , 1986, 16, 12-19.	1.6	76
501	Only T $\pm$ or T $\beta$ cells can be triggered by IgG or IgA to suppress the production of the matching Ig class. <i>European Journal of Immunology</i> , 1986, 16, 156-161.	1.6	13
502	A protective human monoclonal IgA antibody produced in vitro: Anti-pneumococcal antibody engendered by Epstein-Barr virus-immortalized cell line. <i>European Journal of Immunology</i> , 1986, 16, 187-193.	1.6	41
503	The cellular basis of salivary immunity in the mouse: Incidence and distribution of B cells, T cells and macrophages in single-cell suspensions of the major salivary glands. <i>European Journal of Immunology</i> , 1986, 16, 281-285.	1.6	28
504	The role of immunoglobulin receptors in cognate T-B cell collaboration. <i>European Journal of Immunology</i> , 1986, 16, 355-361.	1.6	8
505	The basis for major histocompatibility complex (MHC) and immunoglobulin gene control of helper T cell idiotopes. <i>European Journal of Immunology</i> , 1986, 16, 417-422.	1.6	28
506	Effector functions and specificities of normal murine T cells stimulated by syngeneic blasts. <i>European Journal of Immunology</i> , 1986, 16, 471-477.	1.6	8

#	ARTICLE	IF	CITATIONS
507	Is the antibody response specific?. European Journal of Immunology, 1986, 16, 557-562.	1.6	4
508	Autonomous activation of B and T cells in antigen-free mice. European Journal of Immunology, 1986, 16, 685-688.	1.6	189
509	The immune response to bacterial dextrans III. Ontogenic development and strain distribution of specific clonal precursors. European Journal of Immunology, 1986, 16, 957-962.	1.6	8
510	B cell growth and differentiation induced by supernatants of transformed epithelial cell lines. European Journal of Immunology, 1986, 16, 1017-1019.	1.6	51
511	Maternal transmission of idiotypic network interactions selecting available T cell repertoires. European Journal of Immunology, 1986, 16, 1445-1447.	1.6	42
512	Human antibody-secreting cells enriched by free flow electrophoresis. Electrophoresis, 1986, 7, 367-371.	1.3	8
513	Effect of auranofin on autoimmune disease in a mouse model. International Journal of Immunopharmacology, 1986, 8, 897-910.	1.1	7
514	Polyclonal activation of lymphocytes induced in the mouse by acebutolol, a beta blocking agent. International Journal of Immunopharmacology, 1986, 8, 911-917.	1.1	6
515	Immunopharmacological study of CCA(Lobenzarit disodium), an anti-arthritis agent $\beta$ . Abrogation of IL 1 secretion by LPS-stimulated human monocytes and induction of $\beta$ -interferon production with CCA. International Journal of Immunopharmacology, 1986, 8, 323-328.	1.1	7
516	Enhancement of Immunoglobulin Secretion by the Lymphokine-Like Activity of a Mycoplasma arginini Strain. Scandinavian Journal of Immunology, 1986, 23, 575-580.	1.3	18
517	Experimental strategies for the study of cellular immunity in renal disease. Kidney International, 1986, 30, 264-279.	2.6	12
518	Cloning of cDNA encoding the murine IgG1 induction factor by a novel strategy using SP6 promoter. Nature, 1986, 319, 640-646.	13.7	506
519	Cloning of complementary DNA encoding T-cell replacing factor and identity with B-cell growth factor II. Nature, 1986, 324, 70-73.	13.7	412
520	Quantitation of Blood Lymphocytes Secreting Antibodies to Pneumococcal Polysaccharides after in Vivo Antigenic Stimulation. Scandinavian Journal of Immunology, 1986, 23, 189-194.	1.3	34
521	Blastogenetic responsiveness of peripheral blood lymphocytes from patients with adult periodontitis, evaluated by a reverse hemolytic plaque assay. Journal of Clinical Periodontology, 1986, 13, 805-809.	2.3	3
522	CC11: a Monoclonal Antibody Specific for Interleukin 3-Sensitive Mouse Cells Defines Two Major Populations of B Cell Precursors in the Bone Marrow. Immunological Reviews, 1986, 93, 125-146.	2.8	20
523	Factors Controlling the B-Cell Cycle. Annual Review of Immunology, 1986, 4, 13-34.	9.5	112
524	Suppression of Immunoglobulin-Secreting Cells from Human Peripheral Blood by Toxic-Shock Syndrome Toxin-1. Journal of Infectious Diseases, 1986, 153, 772-779.	1.9	58



#	ARTICLE	IF	CITATIONS
525	Monosymptomatic Sensory Symptoms and Cerebrospinal Fluid Immunoglobulin Levels in Relation to Multiple Sclerosis. Archives of Neurology, 1986, 43, 447-451.	4.9	7
526	Two loci affecting B cell responses to B cell maturation factors.. Journal of Experimental Medicine, 1986, 163, 116-128.	4.2	10
527	Monoclonal antibodies specific for interleukin 3-sensitive murine cells.. Journal of Experimental Medicine, 1986, 163, 369-382.	4.2	22
528	The autoantigen-binding B cell repertoires of normal and of chronically graft-versus-host-diseased mice.. Journal of Experimental Medicine, 1987, 165, 1675-1687.	4.2	79
529	Bacterial lipopolysaccharide (endotoxin) enhances expression and secretion of beta 2 interferon by human fibroblasts.. Journal of Experimental Medicine, 1987, 166, 1300-1309.	4.2	210
530	Use of the Reverse Hemolytic Plaque Assay to Study the Regulation of Anterior Lobe Adrenocorticotropin (ACTH) Secretion by ACTH-Releasing Factor, Arginine Vasopressin, Angiotensin II, and Glucocorticoids*. Endocrinology, 1987, 120, 439-444.	1.4	41
531	Bone Marrow Ig-Secreting Cells in Patients with Malignant Lymphoma. Cancer Investigation, 1987, 5, 171-176.	0.6	0
532	Growth of B cell colonies in double-layer agar cultures. Methods in Enzymology, 1987, 150, 257-265.	0.4	0
533	Effect of feline leukemia virus on the development of plaque forming cells in feline peripheral blood lymphocytes.. Nihon Juigaku Zasshi, 1987, 49, 737-739.	0.3	0
534	Protein a plaque assay. Methods in Enzymology, 1987, 150, 217-222.	0.4	1
535	Culture in liquid medium of single, hapten-specific, antibody-producing B lymphocytes. Methods in Enzymology, 1987, 150, 265-275.	0.4	1
536	Regulation of immunoglobulin transcription rates and mRNA processing in proliferating normal B lymphocytes by activators of protein kinase C.. Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 9135-9139.	3.3	28
537	Antibody Synthesis in the Rat Liver: An Association between Antibody-Forming Cells in the Liver and Biliary Antibodies following Intravenous Injection of Horse Erythrocytes. International Archives of Allergy and Immunology, 1987, 82, 153-158.	0.9	20
538	Turning (I <sub>r</sub> gene) low responders into high responders by antibody manipulation of the developing immune system.. Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 3812-3816.	3.3	23
539	High efficiency gene transfer and expression in normal murine B lymphocytes. Journal of Immunological Methods, 1987, 101, 279-285.	0.6	6
540	Methanol fixation permits flow cytometric analysis of immunofluorescent stained intracellular antigens. Journal of Immunological Methods, 1987, 96, 233-237.	0.6	38
541	Age-associated changes in proliferative and differentiative response of human B cells and production of T cell-derived factors regulating B cell functions. Mechanisms of Ageing and Development, 1987, 38, 245-258.	2.2	42
542	Maintained allogeneic pregnancy in rats depleted of T cytotoxic/suppressor cells by OX8 monoclonal antibody treatment. Journal of Reproductive Immunology, 1987, 12, 23-34.	0.8	9

#	ARTICLE	IF	CITATIONS
543	Effect of T2 toxin on the spontaneous antibody-secreting cells and other non-lymphoid cells in the murine spleen. <i>Food and Chemical Toxicology</i> , 1987, 25, 25-29.	1.8	13
544	Disseminated cryptococcal infection in a patient with hypogammaglobulinemia and normal T cell functions. <i>American Journal of Medicine</i> , 1987, 82, 129-131.	0.6	48
545	Depressed antibody responses to exogenous antigens in mice with lupus-like graft-versus-host disease. <i>Clinical Immunology and Immunopathology</i> , 1987, 43, 97-109.	2.1	9
546	Lactoferrin binding by leukemia cell lines. <i>Blood</i> , 1987, 70, 264-270.	0.6	38
547	The restoration of proliferation and differentiation of peripheral blood mononuclear nonadherent cells into immunoglobulin-secreting cells by autologous synovial adherent cells from patients with rheumatoid arthritis. <i>Vigiliae Christianae</i> , 1987, 54, 350-356.	0.1	7
548	Study of the DBA/2Ha immunodeficiency: X-chromosome mosaicism and in vivo immunoresponses. <i>Immunology Letters</i> , 1987, 15, 179-185.	1.1	0
549	Pulmonary alveolar macrophages in patients with sarcoidosis and hypersensitivity pneumonitis: Characterization by monoclonal antibodies. <i>Journal of Clinical Immunology</i> , 1987, 7, 64-70.	2.0	36
550	Increased spontaneous immunoglobulin secretion associated with cyclophosphamide-induced immune suppression. <i>Journal of Clinical Immunology</i> , 1987, 7, 107-113.	2.0	5
551	Interleukin 4 (IgG1 induction factor): a multifunctional lymphokine acting also on T cells. <i>European Journal of Immunology</i> , 1987, 17, 67-72.	1.6	78
552	Long-lived B cells: mitogen reactivity as a tool for studying their life-spans. <i>European Journal of Immunology</i> , 1987, 17, 295-298.	1.6	11
553	Phenotypic identification of suppressor-effector, suppressor-amplifier and suppressor-inducer T cells of B cell differentiation in man. <i>European Journal of Immunology</i> , 1987, 17, 453-457.	1.6	25
554	Isotypic pattern of the polyclonal B cell response during primary infection by <i>Plasmodium chabaudi</i> and in immune-protected mice. <i>European Journal of Immunology</i> , 1987, 17, 599-603.	1.6	53
555	A functional idiotypic network of T helper cells and antibodies, limited to the compartment of naturally activated lymphocytes in normal mice. <i>European Journal of Immunology</i> , 1987, 17, 821-825.	1.6	30
556	The majority of naturally-immunoglobulin-secreting cells are short-lived and the progeny of cycling lymphocytes. <i>European Journal of Immunology</i> , 1987, 17, 849-854.	1.6	26
557	Regulation of the antibody response to sheep erythrocytes by monoclonal IgG antibodies. <i>European Journal of Immunology</i> , 1987, 17, 1343-1349.	1.6	30
558	A common idiotope on T cell receptors and antibodies expressed in the absence of network selection. <i>European Journal of Immunology</i> , 1987, 17, 1391-1394.	1.6	6
559	Prolonged growth of activated B lymphocytes requires interaction with helper T cells. <i>European Journal of Immunology</i> , 1987, 17, 1619-1624.	1.6	10
560	Effect of alpha interferon on the altered t-b-cell immunoregulation in patients with thalassemia major. <i>American Journal of Hematology</i> , 1987, 24, 151-159.	2.0	5



#	ARTICLE	IF	CITATIONS
561	Immunosuppressive activities of deoxyspergualin. I. Effect of the long-term administration of the drug on the development of murine lupus. <i>Immunopharmacology</i> , 1987, 14, 107-113.	2.0	25
562	Alleviation of depressed immunity caused by restraint-stress, by the immunomodulator, lobenzarit disodium (disodium 4-chloro-2,2-iminodibenzoate). <i>International Journal of Immunopharmacology</i> , 1987, 9, 433-441.	1.1	10
563	Jacalin, an IgA-binding lectin, inhibits differentiation of human B cells by both a direct effect and by activating T-suppressor cells. <i>Cellular Immunology</i> , 1987, 104, 134-141.	1.4	24
564	Regulation of antibody production by hybridoma cultures. <i>Cellular Immunology</i> , 1987, 105, 65-74.	1.4	6
565	Early development of Ig-secreting cells in young of germ-free BALB/c mice fed a chemically defined ultrafiltered diet. <i>Cellular Immunology</i> , 1987, 105, 235-245.	1.4	35
566	Induction of IgG2a secretion from mIgG2a+ B-lymphoid tumor cells by BCDF present in several antigen-specific T-helper clones. <i>Cellular Immunology</i> , 1987, 110, 149-162.	1.4	0
567	Regulation of antibody secretion by hybridoma cells. <i>Cellular Immunology</i> , 1987, 110, 233-242.	1.4	1
568	Large, activated B cells are the primary B-cell target of 8-bromoguanosine and 8-mercaptoguanosine. <i>Cellular Immunology</i> , 1987, 106, 318-329.	1.4	20
569	Functional studies of T4+ lymphocyte subsets distinguished by the monoclonal antibody 59: Suppressor-effector T4+ lymphocytes derive from the 59+ subset. <i>Cellular Immunology</i> , 1987, 107, 172-179.	1.4	2
570	Reciprocity in Lymphocyte Interactions. <i>Immunological Reviews</i> , 1987, 95, 177-194.	2.8	23
571	Neither Interleukin 2 nor Gamma Interferon Directly Promote Growth or Differentiation of Mouse B Cells. <i>Scandinavian Journal of Immunology</i> , 1987, 25, 195-202.	1.3	12
572	The Role of I-A/E Molecules in B-Lymphocyte Activation.. <i>Scandinavian Journal of Immunology</i> , 1987, 25, 225-234.	1.3	11
573	Purification of an IgM Antibody Response-Enhancing Factor to the Alpha 1-6 Epitope of Native Dextran from Serum and Supernatants from T-Cell Hybridomas. <i>Scandinavian Journal of Immunology</i> , 1987, 25, 431-440.	1.3	3
574	Idiotypic Multireactivity of 'Natural' Antibodies.. <i>Scandinavian Journal of Immunology</i> , 1987, 25, 497-505.	1.3	22
575	In Vitro and in Vivo Stimulation of Murine Lymphocytes by Human Respiratory Syncytial Virus Strains. <i>Scandinavian Journal of Immunology</i> , 1987, 26, 161-173.	1.3	1
576	Polyclonal Antibody Secretion during Acute Graft-versus-Host Disease. <i>Scandinavian Journal of Immunology</i> , 1987, 26, 469-476.	1.3	3
577	MULTIDIRECTIONAL INTERACTIONS IN AN MIs-DISPARATE RESPONSE. <i>International Journal of Immunogenetics</i> , 1988, 15, 145-152.	1.2	0
578	B cell hyperactivity and its relation to distinct clinical features and the degree of disease activity in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1988, 31, 80-87.	6.7	38

#	ARTICLE	IF	CITATIONS
579	Changes in b lymphocyte function in rheumatoid arthritis and lupus nephritis after total lymphoid irradiation. <i>Arthritis and Rheumatism</i> , 1988, 31, 1481-1491.	6.7	7
580	Physiology of IgD IX. Effect of IgD on immunoglobulin production in young and old mice. <i>European Journal of Immunology</i> , 1988, 18, 13-20.	1.6	20
581	Establishment of mouse cell lines which constitutively secrete large quantities of interleukin 2, 3, 4 or 5, using modified cDNA expression vectors. <i>European Journal of Immunology</i> , 1988, 18, 97-104.	1.6	1,103
582	T helper cell-dependent induction of resting B cell differentiation need not require cognate cell interactions. <i>European Journal of Immunology</i> , 1988, 18, 375-379.	1.6	26
583	The molecular interactions with helper T cells which limit antigen-specific B cell differentiation. <i>European Journal of Immunology</i> , 1988, 18, 381-386.	1.6	24
584	A noncognate interaction with anti-receptor antibody-activated helper T cells induces small resting murine B cells to proliferate and to secrete antibody. <i>European Journal of Immunology</i> , 1988, 18, 395-401.	1.6	65
585	B cell participation in the recursive selection of T cell repertoires. <i>European Journal of Immunology</i> , 1988, 18, 1015-1020.	1.6	54
586	Interleukin 4 instructs uncommitted B lymphocytes to switch to IgG1 and IgE. <i>European Journal of Immunology</i> , 1988, 18, 1073-1077.	1.6	124
587	Long-lasting thymus-independent immune responses to anti-idiotypic lipopolysaccharide conjugates require continuous B cell renewal. <i>European Journal of Immunology</i> , 1988, 18, 1433-1439.	1.6	4
588	PB76: a novel surface glycoprotein preferentially expressed on mouse pre-B cells and plasma cells detected by the monoclonal antibody G-52. <i>European Journal of Immunology</i> , 1988, 18, 1803-1810.	1.6	22
589	Back-stimulation of B lymphocytes binding to helper T cell surface antigens. <i>European Journal of Immunology</i> , 1988, 18, 1895-1899.	1.6	3
590	Modulation of murine T and B cell reactivity after short-term cadmium exposure in vivo. <i>Archives of Toxicology</i> , 1988, 62, 22-28.	1.9	7
591	Regulation of Growth and Differentiating of Pre-Activated B Lymphocytes. <i>Scandinavian Journal of Immunology</i> , 1988, 28, 509-518.	1.3	5
592	Most B Cells in Acute <i>Trypanosoma cruzi</i> Infection Lack Parasite Specificity. <i>Scandinavian Journal of Immunology</i> , 1988, 28, 553-561.	1.3	93
593	Antigen-Antibody Complex-Induced Immunosuppression.. <i>Scandinavian Journal of Immunology</i> , 1988, 27, 413-417.	1.3	10
594	Heterogeneity in the Specificities of an Alloreactive T Helper Cell Line. <i>Scandinavian Journal of Immunology</i> , 1988, 27, 653-660.	1.3	5
595	Cytomegalovirus-Infected Adherent Cells Interact Synergistically and Antagonistically with <i>Staphylococcus aureus</i> Protein A in vitro. <i>Scandinavian Journal of Immunology</i> , 1988, 28, 177-184.	1.3	3
596	Correlation between Specific Immunosuppression and Polyclonal B Cell Activation Induced by a Protein Secreted by <i>Streptococcus mutans</i> . <i>Scandinavian Journal of Immunology</i> , 1988, 27, 549-554.	1.3	18

#	ARTICLE	IF	CITATIONS
597	Biological Characterization of T Cell-Replacing Factor in the Synovial Fluid of Rheumatoid Arthritis Patients. <i>Scandinavian Journal of Immunology</i> , 1988, 27, 717-724.	1.3	13
598	Polyclonal induction of IgG antibody forming cells by stimulation with <i>Actinomyces viscosus</i> T14V. <i>Journal of Periodontal Research</i> , 1988, 23, 122-126.	1.4	4
599	Can B cells turn on virgin T cells?. <i>Nature</i> , 1988, 334, 253-255.	13.7	194
600	Beta blockers may induce in C57BL/6 mice a polyclonal activation of lymphocytes which is not mediated by beta adrenergic receptors. <i>International Journal of Immunopharmacology</i> , 1988, 10, 901-906.	1.1	5
601	Detection of IL-2 receptor positive tonsillar lymphocytes by monoclonal antibody and protein A coated erythrocytes. <i>Immunology Letters</i> , 1988, 17, 35-39.	1.1	3
602	The effect of cyclophosphamide on B cells and $\hat{\epsilon}$ ™ immunoglobulin-secreting cells in mice. <i>Immunopharmacology</i> , 1988, 15, 21-30.	2.0	14
603	Selective decrease in Leu8-negative T cell subpopulations following treatment with recombinant interferon- $\hat{\pm}$ 2a (rIFN- $\hat{\pm}$ 2a). <i>Cellular Immunology</i> , 1988, 117, 89-98.	1.4	2
604	The negative surface charge density is a maturation marker of human B lymphocytes. <i>Cellular Immunology</i> , 1988, 111, 354-364.	1.4	15
605	A phenotypic and functional analysis of long-lived B and T lymphocytes. <i>Cellular Immunology</i> , 1988, 117, 327-338.	1.4	3
606	5-Halo-6-phenyl pyrimidinones and 8-substituted guanosines: Biological response modifiers with similar effects on B cells. <i>Cellular Immunology</i> , 1988, 112, 156-165.	1.4	11
607	Inhibitory effect of anti-class II antibodies on human B-cell activation. <i>Cellular Immunology</i> , 1988, 112, 251-261.	1.4	9
608	<i>Schistosoma mansoni</i> : Induction of severe glomerulonephritis in female BXSb mice following chronic infection. <i>Experimental Parasitology</i> , 1988, 65, 214-221.	0.5	8
609	Rapid procedure for coupling protein antigens to red cells to be used in plaque assays, by prewashing in chromium chloride. <i>Journal of Immunological Methods</i> , 1988, 111, 31-37.	0.6	4
610	Reverse ELISPOT assay for clonal analysis of cytokine production I. Enumeration of gamma-interferon-secreting cells. <i>Journal of Immunological Methods</i> , 1988, 110, 29-36.	0.6	491
611	Application of a new ultra-microculture system. <i>Journal of Immunological Methods</i> , 1988, 111, 277-280.	0.6	0
612	Countercurrent centrifugal elutriation in a table-top centrifuge. <i>Journal of Immunological Methods</i> , 1988, 112, 213-218.	0.6	9
613	The Role of Vasoactive Intestinal Peptide and Other Neuropeptides in the Regulation of the Immune Response in Vitro and in Vivo. <i>Annals of the New York Academy of Sciences</i> , 1988, 527, 478-485.	1.8	26
614	Antibody-Producing Cells in CSF and Peripheral Blood A New Principle for Evaluation of B-Cell Response in Inflammatory Nervous System Diseases. <i>Annals of the New York Academy of Sciences</i> , 1988, 540, 277-281.	1.8	5

#	ARTICLE	IF	CITATIONS
615	Enhancement of murine splenic immunoglobulin secretion in vitro by supernatants from fetal and placental cell cultures. <i>Journal of Reproductive Immunology</i> , 1988, 14, 225-234.	0.8	10
616	An investigation of allogeneic pregnancy in multiparous mice subjected to in vivo depletion of CD8 (Ly2)-positive lymphocytes by monoclonal antibody treatment. <i>Journal of Reproductive Immunology</i> , 1988, 14, 235-245.	0.8	15
617	Effects of pseudopregnancy on immunoglobulin-secreting cells in mice. <i>Journal of Reproductive Immunology</i> , 1988, 13, 175-182.	0.8	5
618	Allopregnancy in B-cell deprived C57/Bl mice – An investigation focusing on the relationship between survival of the fetuses and anti-paternal immune activity of the mothers. <i>Developmental and Comparative Immunology</i> , 1988, 12, 167-176.	1.0	10
619	Multidirectional Interactions in vitro between Lymphoid Cells from Mls-Disparate Strains. <i>Immunobiology</i> , 1988, 177, 171-185.	0.8	2
620	Hepatic lesions induced by graft-versus-host reaction across MHC class II antigens: An implication for animal model of primary biliary cirrhosis. <i>Clinical Immunology and Immunopathology</i> , 1988, 49, 166-172.	2.1	25
621	In vitro induction of T cell-dependent B cell differentiation in patients with common varied immunodeficiency. <i>Clinical Immunology and Immunopathology</i> , 1988, 49, 273-282.	2.1	18
622	Functional maturation of murine B lymphocyte precursors – III. Soluble factors involved in the regulation of growth and differentiation. <i>Molecular Immunology</i> , 1988, 25, 1113-1127.	1.0	8
623	Autoreactive B-cell repertoire in mice with chronic graft versus host disease. <i>Molecular Immunology</i> , 1988, 25, 1217-1222.	1.0	8
624	A compartment of effector helper and suppressor T cells in the normal mouse thymus. <i>Annales De L'Institut Pasteur Immunologie</i> , 1988, 139, 55-70.	0.9	3
625	Parasitic load increases and myocardial inflammation decreases in <i>Trypanosoma cruzi</i> -infected mice after inactivation of helper T cells. <i>Annales De L'Institut Pasteur Immunologie</i> , 1988, 139, 225-236.	0.9	75
626	Immunologic and Serologic Studies in a Child with Associated HIV Infection. <i>Pediatric Asthma, Allergy and Immunology</i> , 1988, 2, 285-292.	0.2	2
627	Effects of Growth Hormone (GH)-Releasing Hormone and Somatostatin on GH Secretion from Individual Human and Monkey Fetal Anterior Pituitary Cells: Modulation by Thyroid Hormones and Glucocorticoids*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1988, 66, 395-401.	1.8	28
628	Analysis of Activation Markers on Tonsillar T Lymphocytes. <i>Acta Oto-Laryngologica</i> , 1988, 105, 113-117.	0.3	4
629	Recombinant interleukin 2 or 5, but not 3 or 4, induces maturation of resting mouse B lymphocytes and propagates proliferation of activated B cell blasts.. <i>Journal of Experimental Medicine</i> , 1988, 167, 1377-1390.	4.2	76
630	High-level expression of a bioengineered, cysteine-free hepatocyte-stimulating factor (interleukin) Tj ETQq1 1 0.784314 rgBT /Overl... 85, 9426-9430.	3.3	41
632	Detection of a Potential Progenitor Cell in the Human Fetal Pituitary That Secretes both Growth Hormone and Prolactin*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1988, 66, 24-32.	1.8	56
633	Functional Analysis of an Epstein-Barr Virus-Nontransformed Human B Cell Line. <i>Acta Haematologica</i> , 1988, 80, 139-144.	0.7	1

#	ARTICLE	IF	CITATIONS
634	Helper and suppressor T-cell function in HIV-infected hemophilia patients. <i>Blood</i> , 1989, 74, 298-302.	0.6	24
635	Monoclonal antibodies reactive with the mouse interleukin 5 receptor.. <i>Journal of Experimental Medicine</i> , 1989, 169, 1693-1701.	4.2	114
636	Interleukin 4 Induces Cellular Adhesion Among B Lymphocytes. <i>Growth Factors</i> , 1989, 2, 73-82.	0.5	16
637	Effect of Prostaglandin E <sub>2</sub> on Pokeweed Mitogen-Activated Human Lymphocyte Cultures. <i>Immunopharmacology and Immunotoxicology</i> , 1989, 11, 687-700.	1.1	7
638	One synchronous wave of B cell development in mouse fetal liver changes at day 16 of gestation from dependence to independence of a stromal cell environment.. <i>Journal of Experimental Medicine</i> , 1989, 170, 1973-1986.	4.2	72
639	A functionally unique anti-CD3 monoclonal antibody cross-reactive with basal keratinocytes. <i>Cellular Immunology</i> , 1989, 121, 247-260.	1.4	2
640	Total lymphoid irradiation reduces IgG autoantibody production and enhances specific antibody responses in NZB/NZW F1 mice. <i>Cellular Immunology</i> , 1989, 121, 423-432.	1.4	0
641	Î³-Interferon-induced monocyte major histocompatibility complex class II antigen expression in individuals with acquired immune deficiency syndrome. <i>Cellular Immunology</i> , 1989, 123, 316-324.	1.4	5
642	Immunomodulating properties of the N-(1-deoxy-D-fructos-yl) derivative of Amphotericin B in mice. <i>Immunology Letters</i> , 1989, 20, 63-67.	1.1	7
643	Can malaria-associated polyclonal B-lymphocyte activation interfere with the development of anti-sporozoite specific immunity?. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1989, 83, 289-292.	0.7	13
644	Adult T cell leukaemia cells are of CD4+CDw29+T cell origin and secrete a B cell differentiation factor. <i>British Journal of Haematology</i> , 1989, 72, 370-377.	1.2	24
645	Immune status of a ¼, ð transgenic mouse line. Deficient response to bacterially related antigens. <i>European Journal of Immunology</i> , 1989, 19, 459-468.	1.6	40
646	Disparate functions of I-A and I-E molecules on B cells as evidenced by the inhibition with anti-I-A and anti-I-E antibodies of polyclonal B cell activation. <i>European Journal of Immunology</i> , 1989, 19, 2227-2235.	1.6	8
647	Free flow electrophoresis in space shuttle program (biotex). <i>Advances in Space Research</i> , 1989, 9, 91-96.	1.2	4
648	Immunological functions in food-restricted rats: enhanced expression of high-affinity interleukin-2 receptors on splenic T cells. <i>Immunology Letters</i> , 1989, 23, 125-132.	1.1	27
649	Immunological functions and phenotypes of peripheral blood lymphocytes from human T-Cell leukemia virus-I carriers. <i>Journal of Clinical Immunology</i> , 1989, 9, 477-484.	2.0	19
650	Interactions between Mycoplasmas and the Immune System. <i>Immunological Reviews</i> , 1989, 112, 133-160.	2.8	102
651	A Model System for the Analysis of B-Cell Activation and Effector T-Cell Functions.. <i>Scandinavian Journal of Immunology</i> , 1989, 29, 49-56.	1.3	1

#	ARTICLE	IF	CITATIONS
652	Trypsin Does Not Reconstitute Responsiveness to Lipopolysaccharide in the Strain C3H/HeJ, but Is a B-Cell Mitogen-Like Lipopolysaccharide, Stimulating a Different Subpopulation. <i>Scandinavian Journal of Immunology</i> , 1989, 29, 143-149.	1.3	5
653	The Immune Response to Bacterial Dextrans.. <i>Scandinavian Journal of Immunology</i> , 1989, 29, 427-437.	1.3	2
654	Immunosuppression by a Novel Analgesic-Opioid Agonist. <i>Scandinavian Journal of Immunology</i> , 1989, 29, 449-458.	1.3	14
655	Stimulation of Human B Lymphocyte Differentiation by the Neuropeptides Substance P and Neurokinin A. <i>Scandinavian Journal of Immunology</i> , 1989, 30, 695-701.	1.3	33
656	Rheumatoid Synovial Fluid Reconstitutes the B-Cell Defect in CBA/N Mice. <i>Scandinavian Journal of Immunology</i> , 1989, 30, 749-753.	1.3	8
657	Regulation of IgG1 and IgE Synthesis by Interleukin 4 in Mouse B Cells. <i>Scandinavian Journal of Immunology</i> , 1989, 30, 355-361.	1.3	49
658	Synovial Fluid from Rheumatoid Arthritis Patients Induces Polyclonal Antibody Formation in Vivo. <i>Scandinavian Journal of Immunology</i> , 1989, 30, 587-596.	1.3	12
659	Anti-Ia treatment modulates specific and polyclonal antibody responses in <i>Trypanosoma cruzi</i> -infected mice. <i>Journal of Autoimmunity</i> , 1989, 2, 791-802.	3.0	11
660	A role for Lys-His-Gly-NH <sub>2</sub> in avian and murine B cell development. <i>Cellular Immunology</i> , 1989, 122, 319-328.	1.4	23
661	In vivo depletion of macrophages by desulfated $\hat{1}$ -carrageenan in mice. <i>Journal of Immunological Methods</i> , 1989, 124, 17-24.	0.6	23
662	Detection and enumeration of immunoglobulin secreting cells. <i>Journal of Immunological Methods</i> , 1989, 124, 35-42.	0.6	3
663	Familial Occurrence of impaired interleukin-2 activity and increased peripheral blood B cells actively secreting immunoglobulins in systemic lupus erythematosus. <i>American Journal of Medicine</i> , 1989, 86, 385-390.	0.6	29
664	Conversion of systemic lupus erythematosus to common variable Hypogammaglobulinemia. <i>American Journal of Medicine</i> , 1989, 87, 449-456.	0.6	20
665	Possible Role of <i>Streptococcus pyogenes</i> in Mucocutaneous Lymph Node Syndrome VIII. Immunological Tolerance to <i>S. pyogenes</i> -Associated Antigens Seems Essential to Induction of MCLS. <i>Pediatrics International</i> , 1989, 31, 462-468.	0.2	5
666	B-Cell Function in Kawasaki Disease and the Effect of High-Dose Gamma-Globulin Therapy. <i>Pediatrics International</i> , 1989, 31, 537-543.	0.2	6
667	Establishment of a bromelain-treated isologous red blood cell reactive B cell clone by somatic hybridization. <i>Clinical Immunology and Immunopathology</i> , 1989, 53, 78-86.	2.1	2
668	Interleukin 6 induces secretion of IgG1 by coordinated transcriptional activation and differential mRNA accumulation.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 8024-8028.	3.3	62
669	Transplantation tolerance correlates with high levels of T- and B-lymphocyte activity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 272-276.	3.3	38

#	ARTICLE	IF	CITATIONS
671	Immunological Abnormality of Peripheral Blood B Cells in Patients with Autoimmune Thyroid Disease.. <i>Endocrinologia Japonica</i> , 1989, 36, 335-342.	0.5	2
672	Lymphotoxin Induces Secretion of Granule Proteins From Adherent Neutrophils: Possible Role of Intracellular Free Calcium. <i>Journal of Leukocyte Biology</i> , 1990, 47, 506-513.	1.5	12
673	Uptake and re-secretion of human lactoferrin by B lymphocytes.. <i>Agricultural and Biological Chemistry</i> , 1990, 54, 1275-1279.	0.3	13
674	Thymus-Independent B-Cell Activation: Passively Incorporated Membrane Antibodies Serve to Focus the Antigen but Cannot Transmit Activation Signals. <i>Scandinavian Journal of Immunology</i> , 1990, 31, 423-428.	1.3	10
675	Regulation of Isotype Immunoglobulin Production by Adjuvants in Vivo. <i>Scandinavian Journal of Immunology</i> , 1990, 31, 745-754.	1.3	56
676	In vitro Effects of 17Beta-Estradiol on Thyrotropin-Releasing Hormone-Induced and Dopamine-Inhibited Prolactin Release from Adult Male Rat Lactotrophs in Primary Culture. <i>Journal of Neuroendocrinology</i> , 1990, 2, 277-284.	1.2	11
677	Low T- and B-Cell Reactivity is an Apparently Paradoxical Request for Murine Immunoprotection Against <i>Streptococcus mutans</i> . <i>Scandinavian Journal of Immunology</i> , 1990, 31, 361-366.	1.3	13
678	The frequency of B cells secreting antibodies against donor MHC antigens in rats rejecting renal allografts. <i>Transplant International</i> , 1990, 3, 86-91.	0.8	1
679	Differential response of B cells in the lymph node and the spleen to bacterial lipopolysaccharide. <i>Cellular Immunology</i> , 1990, 128, 79-88.	1.4	8
680	Inhibition by anti-CD2 monoclonal antibodies of anti-CD3-induced T cell-dependent B cell activation. <i>Cellular Immunology</i> , 1990, 130, 257-270.	1.4	9
681	The reverse hemolytic plaque assay in endocrine pathology. <i>Endocrine Pathology</i> , 1990, 1, 129-131.	5.2	1
682	The frequency of B cells secreting antibodies against donor MHC antigens in rats rejecting renal allografts. <i>Transplant International</i> , 1990, 3, 86-91.	0.8	1
683	Ly-1 b cells and disease activity in (new zealand black $\bar{A}$ — new zealand white)f1 mice. <i>Arthritis and Rheumatism</i> , 1990, 33, 553-562.	6.7	7
684	A CD4+ TH2 cell line isolated from mice chronically infected with <i>Trypanosoma cruzi</i> induces IgG2 polyclonal response in vivo. <i>European Journal of Immunology</i> , 1990, 20, 1045-1051.	1.6	34
685	Characterization of the interleukin 5-reactive splenic B cell population. <i>European Journal of Immunology</i> , 1990, 20, 1949-1956.	1.6	19
686	Effects of acetate on the immune system of mice. <i>International Journal of Immunopharmacology</i> , 1990, 12, 135-143.	1.1	9
687	Modulation of polyclonal activation of lymphocytes by cyclophosphazenic compounds bearing ethylene-imino groups and vectorized by polyamines. <i>International Journal of Immunopharmacology</i> , 1990, 12, 555-560.	1.1	2
688	Early induction of anti-double-stranded DNA antibodies in lupus-prone MRL mice inoculated with Ly-24+ cells cloned from lymph node cells of an MRL/Mp-lpr/lpr mouse: possible effect of putative cytokines produced by cloned Ly-24+ cells. <i>Immunology Letters</i> , 1990, 24, 49-55.	1.1	10



#	ARTICLE	IF	CITATIONS
689	Polyclonal Stimulation of Lymphocytes Induced by Beta Blockers in the Mouse: Influences of Age, Sex and Strain. <i>Immunopharmacology and Immunotoxicology</i> , 1990, 12, 181-190.	1.1	2
690	Tumor necrosis factor-induced degranulation in adherent human neutrophils is dependent on CD11b/CD18-integrin-triggered oscillations of cytosolic free Ca <sup>2+</sup> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 9472-9476.	3.3	168
691	Use of Anti-Cholera Toxin Iga-Secreting Hybridoma Cells for the Elaboration of an Antigen-Specific Iga-Elispot-Assay. <i>Immunological Investigations</i> , 1990, 19, 119-132.	1.0	1
692	A novel oral adjuvant for hepatitis B virus (HBV) vaccines. <i>Journal of Hepatology</i> , 1990, 11, 326-329.	1.8	3
693	Auto-MHC Class II-Reactive T Cell Line Obtained from MRL/+ Mice Suffering from «pr-GVHD» I.Characterization of Surface Phenotypes, Specificities and Functions in vitro. <i>Immunobiology</i> , 1990, 181, 367-378.	0.8	10
694	BALB/cAn B cells and T cells have distinct susceptibilities to cytotoxic effects of snake venom. <i>Toxicon</i> , 1990, 28, 351-358.	0.8	4
695	Substantially increased sensitivity of the spot-ELISA for the detection of anti-insulin antibody-secreting cells using a capture antibody and enzyme-conjugated insulin. <i>Journal of Immunological Methods</i> , 1990, 126, 89-94.	0.6	14
696	Evaluation of CD5 and other differentiation antigens on human immunoglobulin-secreting cells using a combination of immunobead rosetting and reverse haemolytic plaque formation. <i>Journal of Immunological Methods</i> , 1990, 132, 119-126.	0.6	11
697	Oral adjuvants for viral vaccines in humans. <i>Vaccine</i> , 1990, 8, 337-341.	1.7	13
698	Humoral immune activity in CBA/Ca mice during late pregnancy and the post-partum period. <i>Journal of Reproductive Immunology</i> , 1990, 18, 259-269.	0.8	10
699	Constant darkness enhances autoimmunity to type II collagen and exaggerates development of collagen-induced arthritis in DBA/1 mice. <i>Journal of Neuroimmunology</i> , 1990, 27, 79-84.	1.1	45
700	Fatty acid requirement of B lymphocytes activated in vitro. <i>Biochemical and Biophysical Research Communications</i> , 1990, 166, 879-885.	1.0	12
701	Appearance of bisected N-acetylglucosamine residue of biantennary sugar chains and decrease of high molecular weight oligosaccharides of human lymphocytic cell membranes during differentiation. <i>Clinical Immunology and Immunopathology</i> , 1990, 54, 495-499.	2.1	6
702	I-Canavanine acts on suppressor-inducer T cells to regulate antibody synthesis: Lymphocytes of systemic lupus erythematosus patients are specifically unresponsive to I-Canavanine. <i>Clinical Immunology and Immunopathology</i> , 1990, 55, 97-108.	2.1	16
703	Ductal lesions of exocrine glands and insulinitis induced by L3T4+ T cells following graft-versus-host reaction due to major histocompatibility complex class II disparity. <i>Clinical Immunology and Immunopathology</i> , 1990, 57, 339-350.	2.1	15
704	Analysis of cell proliferation and $\hat{1}/4$ -RNA processing during activation of mouse B-cells by anti- $\hat{1}/4$ and T lymphokines. <i>Molecular Immunology</i> , 1990, 27, 1249-1257.	1.0	3
705	A reverse effect of in vitro and in vivo concanavalin A-induced spleen cells on anti-sheep red blood cells response detected with a new method based on flow cytometry. <i>Journal of Proteomics</i> , 1990, 20, 335-343.	2.4	4
706	L3T4+ T cells induce hepatic lesions resembling primary biliary cirrhosis in mice with graft-versus-host reactions due to major histocompatibility complex class II disparity. <i>Clinical Immunology and Immunopathology</i> , 1991, 59, 449-461.	2.1	18



#	ARTICLE	IF	CITATIONS
707	The spontaneous apoptotic cell death of normal human lymphocytes in vitro: The release of, and immunoproliferative response to, nucleosomes in vitro. <i>Clinical Immunology and Immunopathology</i> , 1991, 60, 13-26.	2.1	101
708	Adjuvanticity of Pertussis Toxin is Mediated by Differential Effects on the Activity of T Suppressor, T Amplifier and T Helper Cells. <i>Immunobiology</i> , 1991, 183, 40-54.	0.8	3
709	Stimulation of B and T cells by in vivo high dose immunoglobulin administration in normal mice. <i>Journal of Autoimmunity</i> , 1991, 4, 325-339.	3.0	26
710	A sensitive and efficient induction system for murine IgE single cell analysis at the clonal level. <i>Journal of Immunological Methods</i> , 1991, 141, 263-275.	0.6	15
711	Long-term proliferating early pre B cell lines and clones with the potential to develop to surface Ig-positive, mitogen reactive B cells in vitro and in vivo.. <i>EMBO Journal</i> , 1991, 10, 327-336.	3.5	289
712	Enforced BCL2 expression in B-lymphoid cells prolongs antibody responses and elicits autoimmune disease.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 8661-8665.	3.3	815
713	Bâ€B Cell Interactions in the Spontaneous Activation of B Cells in Autoimmune NZB Mice. <i>Microbiology and Immunology</i> , 1991, 35, 741-753.	0.7	4
714	Mechanism of immunosuppression by a murine non-specific suppressor T cell line, SB-1.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 986-990.	0.6	0
715	The beta-blocker acebutolol down modulates the spontaneous polyclonal activation of lymphocytes in NZB Å– NZW lupus mice. <i>International Journal of Immunopharmacology</i> , 1991, 13, 517-524.	1.1	1
716	Immunological Self-Tolerance: An Analysis Employing Cytokines or Cytokine Receptors Encoded by Transgenes or a Recombinant Vaccinia Virus. <i>Immunological Reviews</i> , 1991, 122, 173-204.	2.8	25
717	Detection of Human Cytokine-Secreting Cells in Distinct Anatomical Compartments. <i>Immunological Reviews</i> , 1991, 119, 5-22.	2.8	45
718	Isolation of human B-cell subpopulations for pharmacological studies. <i>Biotechnology Progress</i> , 1991, 7, 391-396.	1.3	2
719	Postnatal Changes in Lymphocyte Function of Dairy Calves. <i>Zoonoses and Public Health</i> , 1991, 38, 49-54.	1.4	12
720	Development of lymphocytes in interleukin 7-transgenic mice. <i>European Journal of Immunology</i> , 1991, 21, 453-460.	1.6	89
721	Effector T Lymphocytes Present in Demyelinating Lesions Induced by Theiler's Virus. <i>Viral Immunology</i> , 1991, 4, 53-57.	0.6	4
722	Effect of auranofin on cytokine induced secretion of granule proteins from adherent human neutrophils in vitro.. <i>Annals of the Rheumatic Diseases</i> , 1991, 50, 372-375.	0.5	6
723	Development of autoimmune disease in SCID mice populated with long-term "in vitro" proliferating (NZB x NZW)F1 pre-B cells.. <i>Journal of Experimental Medicine</i> , 1992, 176, 1343-1353.	4.2	114
724	A Short Incubation with PGE2 Affects the Proliferative Response of T Lymphocytes to PWM. <i>Immunopharmacology and Immunotoxicology</i> , 1992, 14, 757-767.	1.1	6

#	ARTICLE	IF	CITATIONS
725	Histological Characteristics of Lupus Nephritis in F1 Mice With Chronic Graft-Versus-Host Reaction Across MHC Class II Difference. <i>Autoimmunity</i> , 1992, 12, 79-87.	1.2	10
726	Direct interaction between an antigen-specific B cell clone and an MHC class II-reactive helper T cell clone. <i>Journal of Leukocyte Biology</i> , 1992, 52, 89-96.	1.5	8
727	Selective IgM Deficiency: Functional Assessment of Peripheral Blood Lymphocytes in Vitro.. <i>Internal Medicine</i> , 1992, 31, 866-870.	0.3	28
728	Peripartum changes in antibody producing capability of lymphocytes from dairy cows. <i>Veterinary Quarterly</i> , 1992, 14, 39-40.	3.0	25
729	Clonal Analysis of Peripheral T Cell Precursors in Ipr Mice. <i>Autoimmunity</i> , 1992, 12, 295-302.	1.2	0
730	Stimulation of human peripheral blood mononuclear cells with anti-CD3 monoclonal antibody vs IL2: Disparate effects on T cell-dependent B cell differentiation despite similar effects on generation of unrestricted cytolytic activity. <i>Clinical Immunology and Immunopathology</i> , 1992, 65, 30-38.	2.1	2
731	Immunosuppressive Effects Induced by the Polysaccharide Moiety of Some Bacterial Lipopolysaccharides. <i>Immunobiology</i> , 1992, 186, 378-393.	0.8	12
732	Reverse ELISPOT assay for clonal analysis of cytokine production. <i>Journal of Immunological Methods</i> , 1992, 150, 199-206.	0.6	32
733	The detection of IgE-secreting cells in the peripheral blood of patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 1992, 89, 895-904.	1.5	8
734	A fraction of murine placental extract enhances IgA production in cultured splenocytes. <i>Journal of Reproductive Immunology</i> , 1992, 21, 189-202.	0.8	8
735	Consumption of Milk from Cows Immunized with Intestinal Bacteria Influences Age-Related Changes in Immune Competence in Mice. <i>Journal of Nutrition</i> , 1992, 122, 1875-1883.	1.3	9
736	Purification of a novel B cell growth and differentiation factor associated with lupus syndrome. <i>Immunology Letters</i> , 1992, 32, 43-48.	1.1	37
737	An in vivo model for the experimental selection of drugs able to prevent immune complex glomerulonephritis. <i>International Journal of Immunopharmacology</i> , 1992, 14, 871-876.	1.1	3
738	Functional role of self IA molecules in polyclonal B cell activation using an autoreactive B cell clone derived from (NZB X NZW) F1 mice. <i>Cellular Immunology</i> , 1992, 139, 386-398.	1.4	2
739	Immunoregulatory effects of transforming growth factor- $\beta$ 2 in a prolonged period of culture. <i>Cellular Immunology</i> , 1992, 139, 239-247.	1.4	12
740	Development and characterization of a human monoclonal antibody probably detecting the leukocyte differentiation antigen CD39. <i>Tissue Antigens</i> , 1992, 39, 174-181.	1.0	8
741	Immunomodulatory effects of ursodeoxycholic acid on immune responses. <i>Hepatology</i> , 1992, 16, 358-364.	3.6	228
742	An activated murine B cell lymphoma line (A-20) produces a factor-like activity which is functionally related to human natural killer cell stimulatory factor. <i>European Journal of Immunology</i> , 1992, 22, 3173-3178.	1.6	18

#	ARTICLE	IF	CITATIONS
743	B cell development in mice with a defective $\beta$ 5 gene. <i>European Journal of Immunology</i> , 1993, 23, 1284-1288.	1.6	103
744	Immunostimulatory potential of smokeless tobacco extract in in vitro cultures of murine lymphoid tissues. <i>Immunopharmacology</i> , 1993, 25, 95-105.	2.0	17
745	Peripheral Lymphoid Hyperplasia and Central Lymphoid Depletion in Mice Treated with a Bacterial B-Cell Mitogen (F3'EP-Si/p90). <i>Scandinavian Journal of Immunology</i> , 1993, 37, 605-614.	1.3	2
746	CD5-Positive and CD5-Negative Rheumatoid Factor-Secreting B Cells in IgA Nephropathy, Rheumatoid Arthritis and Graves'Disease. <i>Scandinavian Journal of Immunology</i> , 1993, 38, 575-580.	1.3	11
747	Partial Biochemical Characterization and Purification of IgG2b Inducing Factor as a New Cytokine from Synovial Fluid of Patients with Rheumatoid Arthritis. <i>Scandinavian Journal of Immunology</i> , 1993, 37, 430-436.	1.3	5
748	Probable role of <i>Streptococcus pyogenes</i> in Kawasaki disease. <i>European Journal of Pediatrics</i> , 1993, 152, 82-92.	1.3	27
749	Selective presence of IgG2b inducing factor in synovial fluid of patients with rheumatoid arthritis. <i>Cytokine</i> , 1993, 5, 589-594.	1.4	4
750	B cell autoimmunity to acetylcholine receptor and its subunits in Lewis rats over the course of experimental autoimmune myasthenia gravis. <i>Journal of Neuroimmunology</i> , 1993, 45, 103-112.	1.1	9
751	Effects of Acetate on Human Immune System. <i>Immunopharmacology and Immunotoxicology</i> , 1993, 15, 151-162.	1.1	21
752	Phorbol ester-induced degranulation in adherent human eosinophil granulocytes is dependent on CD11/CD18 leukocyte integrins. <i>Journal of Leukocyte Biology</i> , 1993, 53, 287-293.	1.5	23
753	Changes in frequencies of clonable pre B cells during life in different lymphoid organs of mice. <i>Blood</i> , 1993, 81, 2290-2300.	0.6	128
754	Protein-C binding material from synovial fluid of rheumatoid arthritis patients induces unorthodox autoantibodies (IgG1 rheumatoid factor) in NZB, NZW and (NZB x NZW)F1 mice. <i>European Journal of Immunology</i> , 1994, 24, 684-691.	1.6	4
755	VH-Gene Family Dominance in Ageing Mice. <i>Scandinavian Journal of Immunology</i> , 1994, 39, 184-188.	1.3	33
756	Lipopolysaccharide-stimulated events in B Cell Activation. <i>Scandinavian Journal of Immunology</i> , 1994, 40, 221-227.	1.3	7
757	Interleukin-4 Induces In Vitro Migration in Naive B Cells Through Direct Mechanisms. <i>Scandinavian Journal of Immunology</i> , 1994, 40, 429-436.	1.3	4
758	I. Immunostimulatory Effect of Thalidomide in Normal C57BL/6 Mice is Compatible with Stimulation of a Highly Connected Central Immune System. <i>Scandinavian Journal of Immunology</i> , 1994, 40, 535-542.	1.3	11
759	II. The Effects of Thalidomide Treatment on Autoimmune-Prone NZB and MRL Mice are Consistent with Stimulation of the Central Immune System. <i>Scandinavian Journal of Immunology</i> , 1994, 40, 543-548.	1.3	9
760	Characterization of a Functional Null Cell Line Derived from (NZB x NZW)F1 Mice. <i>Scandinavian Journal of Immunology</i> , 1994, 40, 669-674.	1.3	0

#	ARTICLE	IF	CITATIONS
761	Non-specific modulation of the immune response with liposomal meningococcal lipopolysaccharide: role of different cells and cytokines. <i>Vaccine</i> , 1994, 12, 1064-1070.	1.7	8
762	Cd5-Positive and Cd5-Negative Plaque-Forming Cells Against Poly-L-Lysine-Treated Sheep Erythrocytes in Patients with Systemic Lupus Erythematosus. <i>Autoimmunity</i> , 1994, 18, 189-194.	1.2	0
763	Human IgG Rheumatoid Factors and RF-Like Immune Complexes Induce IgG1 Rheumatoid Factor Production in Mice. <i>Scandinavian Journal of Immunology</i> , 1995, 41, 575-582.	1.3	12
764	Multiple Ligand Interactions for Bacterial Immunoglobulin-Binding Proteins on Human and Murine Cells of the Hematopoietic Lineage. <i>Scandinavian Journal of Immunology</i> , 1995, 42, 359-367.	1.3	14
765	Modulation of immune responses by anabolic androgenic steroids. <i>International Journal of Immunopharmacology</i> , 1995, 17, 857-863.	1.1	43
766	Evidence for a Dual Effect of Acebutolol, a Beta Blocker, on the Mouse Humoral Immune Response. <i>Immunopharmacology and Immunotoxicology</i> , 1995, 17, 529-550.	1.1	0
767	Mercury induces polyclonal B cell activation, autoantibody production and renal immune complex deposits in young (NZB $\times$ NZW)F1 hybrids. <i>European Journal of Immunology</i> , 1996, 26, 1519-1526.	1.6	54
768	Regulation of B cell growth and differentiation via CD21 and CD40. <i>European Journal of Immunology</i> , 1996, 26, 2203-2207.	1.6	23
769	Murine Acariasis. II. Immunological Dysfunction and Evidence for Chronic Activation of Th1 Lymphocytes. <i>Scandinavian Journal of Immunology</i> , 1996, 43, 604-612.	1.3	32
770	Inhibition of Immunoglobulin Production In Vitro by IgG and F(ab)2 Fragments, but not by the Fc Portion. <i>Scandinavian Journal of Immunology</i> , 1996, 43, 574-582.	1.3	15
771	Thiol compounds inhibit mercury-induced immunological and immunopathological alterations in susceptible mice. <i>Clinical and Experimental Immunology</i> , 1997, 107, 68-75.	1.1	14
772	Mercury-induced renal immune complex deposits in young (NZB $\times$ NZW)F1 mice: characterization of antibodies/autoantibodies. <i>Clinical and Experimental Immunology</i> , 1997, 110, 86-91.	1.1	21
773	A novel human monoclonal antibody rapidly induces homotypic cell aggregation and promotes antibody-secreting activity by human B lymphoblastoid cell line IM-9. <i>Journal of Clinical Immunology</i> , 1997, 17, 127-139.	2.0	6
774	Regulation of differentiation, proliferation and drug-induced apoptosis in HT58 lymphoma cells. <i>Pathology and Oncology Research</i> , 1997, 3, 100-105.	0.9	0
775	IgG2b Inducing Factor from Rheumatoid Arthritis Synovial Fluid Activates Antibody Production in Highly Purified Mouse B Lymphocytes. <i>Scandinavian Journal of Immunology</i> , 1997, 45, 43-49.	1.3	1
776	Resistance to PGE2 Inhibition of PWM-Stimulated Lymphocytes from Neoplastic Patients. <i>Clinical Immunology and Immunopathology</i> , 1998, 87, 115-123.	2.1	3
777	Age-related loss of immunoregulatory function in peripheral blood CD8 T cells. <i>Mechanisms of Ageing and Development</i> , 1998, 103, 235-253.	2.2	6
778	Naturally activated CD4+ T cells are highly enriched for cytokine-producing cells. <i>European Journal of Immunology</i> , 1998, 28, 1934-1940.	1.6	8

#	ARTICLE	IF	CITATIONS
779	Phenotypic Convergence and Divergence of Surface Immunoglobulin and CD40 Signals. <i>Scandinavian Journal of Immunology</i> , 1998, 47, 210-217.	1.3	4
780	Synovial Fluid Cytokines in Patients with Rheumatoid Arthritis or Other Arthritic Lesions. <i>Scandinavian Journal of Immunology</i> , 1998, 48, 286-292.	1.3	95
781	Non-Responsiveness to Mercury-Induced Autoimmunity in Resistant DBA/2 Mice is not Due to Immunosuppression or Biased Th1-Type Response. <i>Scandinavian Journal of Immunology</i> , 1998, 48, 515-521.	1.3	6
782	Regulation of interleukin-6 and interleukin-6R Î± (gp80) expression by murine immunoglobulin-secreting B-cell hybridomas. <i>Immunology</i> , 1998, 93, 498-504.	2.0	5
783	Experimental Murine Schistosomiasis <i>Mansoni</i> : Modulation of the B-1 Lymphocyte Distribution and Phenotype Expression. <i>Immunobiology</i> , 1998, 199, 51-62.	0.8	12
784	T Cell Dependent B Cell Activation Occurs During the Induction of T Cell Anergy by Staphylococcal Enterotoxin B in Mice. <i>Immunological Investigations</i> , 1998, 27, 73-88.	1.0	4
785	Induction of IgG Rheumatoid Factor (RF) Production by Antibody-antibody (RF-like) Immune Complexes: the Role of T cells, Complement and FcÎ³ Receptors. <i>Journal of Autoimmunity</i> , 1998, 11, 131-140.	3.0	8
786	Plaque-Forming Cell (PFC) Assays. , 1998, , 1960-1964.		0
787	Mechanism of mercury-induced autoimmunity: both T helper 1 and T helper 2 type responses are involved. <i>Immunology</i> , 1999, 96, 348-357.	2.0	56
788	Promotion of Activated Human B Cell Apoptosis and Inhibition of Ig Production by Soluble CD95 Ligand: CD95-Based Downregulation of Ig Production Need Not Culminate in Activated B Cell Death. <i>Cellular Immunology</i> , 2000, 203, 1-11.	1.4	8
789	Contribution of H-2 and non-H-2 genes in the control of mercury-induced autoimmunity. <i>International Immunology</i> , 2000, 12, 1425-1430.	1.8	36
790	Secretion of Renin-Angiotensin System (RAS) Components by Normal and Tumoral Lactotropes: A Comparative Study Using Reverse Hemolytic Plaque Assay (RHPA) and Immunoelectron Microscopy. <i>Journal of Histochemistry and Cytochemistry</i> , 2000, 48, 1691-1704.	1.3	6
791	Increased Resistance to Systemic Candidiasis in Athymic or Interleukin-10 Depleted Mice. <i>Journal of Infectious Diseases</i> , 2000, 182, 266-273.	1.9	29
792	In Vitro Antibody Production. <i>Current Protocols in Molecular Biology</i> , 2000, 50, Unit11.13.	2.9	0
793	Analysis of mercury-induced immune activation in nonobese diabetic (NOD) mice. <i>Clinical and Experimental Immunology</i> , 2001, 125, 202-210.	1.1	23
794	Immune Complex-Induced Chronic and Intense IL-4 Independent IgG1-Rheumatoid Factor Production in NZB Mice. <i>Scandinavian Journal of Immunology</i> , 2001, 53, 32-39.	1.3	1
795	Genetic Control of Resistance to Mercury-Induced Immune/Autoimmune Activation. <i>Scandinavian Journal of Immunology</i> , 2001, 54, 190-197.	1.3	18
796	In vivo staphylococcal superantigen-driven polyclonal Ig responses in mice: dependence upon CD4+ cells and human MHC class II. <i>International Immunology</i> , 2001, 13, 1291-1300.	1.8	15

#	ARTICLE	IF	CITATIONS
797	Enzyme-Linked Immunospot Assay for Detection of Thioredoxin and Thioredoxin Reductase Secretion from Cells. <i>Methods in Enzymology</i> , 2002, 353, 22-35.	0.4	12
798	Spontaneous Downregulation of Antibody/Autoantibody Synthesis in Susceptible Mice upon Chronic Exposure to Mercuric Chloride is not Owing to a General Immunosuppression. <i>Scandinavian Journal of Immunology</i> , 2002, 55, 493-502.	1.3	12
799	Potent suppression of the adaptive immune response in mice upon dietary exposure to the potent peroxisome proliferator, perfluorooctanoic acid. <i>International Immunopharmacology</i> , 2002, 2, 389-397.	1.7	146
800	Assays for B Lymphocyte Function. <i>Current Protocols in Immunology</i> , 2003, 56, Unit 3.8.	3.6	9
801	MHC class II-independent and -dependent T cell expansion and B cell hyperactivity in vivo in mice deficient in CD152 (CTLA-4). <i>International Immunology</i> , 2004, 16, 895-904.	1.8	9
802	Protection against systemic candidiasis in mice immunized with secreted aspartic proteinase 2. <i>Immunology</i> , 2004, 111, 334-342.	2.0	69
803	Mercuric Chloride Induces a Strong Immune Activation, but does not Accelerate the Development of Dermal Fibrosis in Tight Skin 1 Mice. <i>Scandinavian Journal of Immunology</i> , 2004, 59, 469-477.	1.3	10
804	Dichotomous effects of complete versus partial class II major histocompatibility complex deficiency on circulating autoantibody levels in autoimmune-prone mice. <i>Arthritis and Rheumatism</i> , 2004, 50, 2227-2239.	6.7	17
805	Reverse hemolytic plaque assays: versatility in the study of secretion. <i>Methods</i> , 2004, 33, 273-280.	1.9	5
806	Exposure to mercuric chloride during the induction phase and after the onset of collagen-induced arthritis enhances immune/autoimmune responses and exacerbates the disease in DBA/1 mice. <i>Immunology</i> , 2005, 114, 428-437.	2.0	21
807	Bacterial lipopolysaccharide both renders resistant mice susceptible to mercury-induced autoimmunity and exacerbates such autoimmunity in susceptible mice. <i>Clinical and Experimental Immunology</i> , 2005, 141, 238-247.	1.1	33
808	BAFF overexpression and accelerated glomerular disease in mice with an incomplete genetic predisposition to systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2005, 52, 2080-2091.	6.7	110
809	Humoral autoimmunity in mice overexpressing B cell surface CD19: Vital role for MHC class II. <i>Clinical Immunology</i> , 2005, 116, 257-264.	1.4	6
810	Adjuvants Influence the Immunoglobulin Subclass Distribution of Immune Responses in Vivo. <i>Scandinavian Journal of Immunology</i> , 1984, 19, 219-225.	1.3	35
811	Mycoplasma Mimicry of Lymphokine Activity in T Cell Lines. <i>Scandinavian Journal of Immunology</i> , 1985, 21, 593-600.	1.3	11
812	Induction of Immunoglobulin Secretion and DNA Synthesis in Human Lymphocytes in Vitro by Cytomegalovirus Preparations. <i>Scandinavian Journal of Immunology</i> , 1986, 24, 273-281.	1.3	12
813	Paucity of Clinical Disease despite Serological Autoimmunity and Kidney Pathology in Lupus-Prone New Zealand Mixed 2328 Mice Deficient in BAFF. <i>Journal of Immunology</i> , 2006, 177, 2671-2680.	0.4	103
814	T Cell-dependent B Cell proliferation and activation induced by administration of the drug diphenylhydantoin to mice. <i>Hematological Oncology</i> , 1983, 1, 165-176.	0.8	35



#	ARTICLE	IF	CITATIONS
815	Adult T-cell leukemia cells expressing OKT 17 antigen in the activated state. <i>Hematological Oncology</i> , 1983, 1, 263-267.	0.8	6
816	Starting at the end. <i>European Journal of Immunology</i> , 2007, 37, S125-S133.	1.6	0
817	Mycobacteria-induced autoantibody production is associated with susceptibility to infection but not with host propensity to develop autoimmune disease. <i>Clinical and Experimental Immunology</i> , 2008, 100, 75-80.	1.1	4
818	Therapeutic effect of 15-deoxyspergualin on the progression of lupus nephritis in MRL mice. I. Immunopathological analyses. <i>Clinical and Experimental Immunology</i> , 2008, 81, 446-453.	1.1	36
819	<i>In vitro</i> production of B cell growth factor and B cell differentiation factor by peripheral blood mononuclear cells and bronchoalveolar lavage T lymphocytes from patients with idiopathic pulmonary fibrosis. <i>Clinical and Experimental Immunology</i> , 2008, 82, 133-139.	1.1	40
820	Aberrant T-regulation in rheumatoid arthritis and IgA nephropathy affects CD5+ and CD5- B lymphocytes equally. <i>Clinical and Experimental Immunology</i> , 2008, 86, 212-218.	1.1	4
821	Suppressive effect of hyperbaric oxygenation on immune responses of normal and autoimmune mice. <i>Clinical and Experimental Immunology</i> , 2008, 86, 322-327.	1.1	30
822	Suppression of spontaneous murine lupus by inducing graft-versus-host reaction with CD8+ cells. <i>Clinical and Experimental Immunology</i> , 2008, 90, 260-265.	1.1	4
823	Independent Segregation of Two Functional Markers Expressed on the Same B Cell Subset in the Mouse: The Mls Determinants and LPS Receptors. <i>Scandinavian Journal of Immunology</i> , 1977, 6, 1005-1013.	1.3	14
824	Polyclonal Antibody Secretion Induced in Human Mixed Lymphocyte Cultures. <i>Tissue Antigens</i> , 1980, 15, 483-491.	1.0	3
825	IL-6 Is the Principal Factor Produced by Synovia of Patients with Rheumatoid Arthritis That Induces B Lymphocytes to Secrete Immunoglobulins. <i>Annals of the New York Academy of Sciences</i> , 1989, 557, 230-239.	1.8	43
826	Switch recombination and somatic hypermutation are controlled by the heavy chain 3' enhancer region. <i>Journal of Experimental Medicine</i> , 2009, 206, 2613-2623.	4.2	58
827	INTRATHECAL IMMUNOGLOBULIN PRODUCTION IN MULTIPLE SCLEROSIS - A COMPARISON BETWEEN IMMUNOGLOBULIN PRODUCING CELLS IN VITRO AND CSF Ig INDEX.. <i>Acta Neurologica Scandinavica</i> , 2009, 65, 270-271.	1.0	0
828	Oligoclonal IgG bands in cerebrospinal fluid. <i>Acta Neurologica Scandinavica</i> , 2009, 72, 5-112.	1.0	13
829	Influence of Autologous Monocytes on the Pokeweed Mitogen-Induced Generation of Immunoglobulin-Secreting Cells in Man. <i>Scandinavian Journal of Haematology</i> , 1982, 29, 273-282.	0.0	14
830	Functional Studies on Lymphocytes from Two Siblings with Congenital Hypogammaglobulinaemia. <i>Scandinavian Journal of Haematology</i> , 1983, 30, 117-124.	0.0	7
831	Simultaneous Occurrence of Acute Myelogenous Leukaemia and Multiple Myeloma without Previous Chemotherapy. <i>Scandinavian Journal of Haematology</i> , 1983, 30, 278-286.	0.0	10
832	The Cellular Immune Response after Splenectomy in Humans. <i>Scandinavian Journal of Haematology</i> , 1983, 31, 85-95.	0.0	15



#	ARTICLE	IF	CITATIONS
833	INDUCTION AND ABROGATION OF SUPPRESSOR CELL FUNCTION IN HUMANS: EFFECT ON B CELL ACTIVATION BY DIFFERENT POLYCLONAL ACTIVATORS. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section C, Immunology</i> , 1982, 90C, 251-255.	0.2	3
834	SECRETION OF IMMUNOGLOBULINS AND IgM RHEUMATOID FACTOR BY POKEWEEED MITOGEN-INDUCED BLOOD LYMPHOCYTES: AN EVALUATION BY PLAQUE FORMING CELL ASSAYS. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section C, Immunology</i> , 2009, 92C, 371-376.	0.2	2
835	EFFECT OF ELEVATED TEMPERATURE ON HUMAN IMMUNOGLOBULIN SYNTHESIS, LYMPHOKINE PRODUCTION AND LYMPHOCYTE PROLIFERATION IN VITRO. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section C, Immunology</i> , 1986, 94C, 239-244.	0.2	4
836	Mercury and silver induce B cell activation and anti-nucleolar autoantibody production in outbred mouse stocks: are environmental factors more important than the susceptibility genes in connection with autoimmunity?. <i>Clinical and Experimental Immunology</i> , 2009, 155, 117-124.	1.1	19
837	CD8+ Lymphocytes from patients with systemic lupus erythematosus sustain, rather than suppress, spontaneous polyclonal IgG production and synergize with CD4+ cells to support autoantibody synthesis. <i>Arthritis and Rheumatism</i> , 1990, 33, 1216-1225.	6.7	103
838	Relationship between IgG2b-inducing activity in rheumatoid arthritis synovial fluid and other well-known cytokines and inflammatory mediators. <i>Arthritis and Rheumatism</i> , 1991, 34, 1461-1465.	6.7	5
839	ELISpot for measuring human immune responses to vaccines. <i>Expert Review of Vaccines</i> , 2011, 10, 299-306.	2.0	120
840	Identification of the IgG1 Induction Factor (Interleukin 4). <i>Frontiers in Immunology</i> , 2014, 5, 628.	2.2	9
841	Exploring naphthyl-carbohydrazides as inhibitors of influenza A viruses. <i>European Journal of Medicinal Chemistry</i> , 2014, 71, 81-90.	2.6	20
842	Deletion of muscarinic type 1 acetylcholine receptors alters splenic lymphocyte functions and splenic noradrenaline concentration. <i>International Immunopharmacology</i> , 2015, 29, 135-142.	1.7	10
843	Altered B-cell subsets and functional B-cell defects in selective IgM deficiency. <i>Clinical Immunology</i> , 2015, 161, 96-102.	1.4	13
844	Specific Membrane Lectin of Human T Suppressor Cells. , 1986, , 531-535.		1
845	Effects of Sho-Saiko-to on Cytokine Cascade and Arachidonic Acid Cascade. <i>Advances in Experimental Medicine and Biology</i> , 1992, 319, 309-317.	0.8	4
846	Adult T Cell Leukemia-Lymphoma in the Nagasaki District. , 1982, , 167-184.		10
847	Effects of Staphylococcal Cell Wall Products on Immunity. , 1981, , 95-133.		4
848	The Identification of Somatic Mutations in Immunoglobulin Expression and Structure. , 1984, , 233-264.		4
849	Production of Human Monoclonal Antibodies. , 1984, , 275-309.		8
850	In Vitro Expansion of Human B Cells for the Production of Human Monoclonal Antibodies. , 1985, , 149-165.		8

#	ARTICLE	IF	CITATIONS
851	IgG1 Induction Factor: A Single Molecular Entity with Multiple Biological Functions. <i>Advances in Experimental Medicine and Biology</i> , 1987, 213, 227-236.	0.8	13
852	B Cell Development in Fetal Liver. <i>Advances in Experimental Medicine and Biology</i> , 1991, 292, 201-205.	0.8	7
853	Induction of Either Acute or Chronic Graft-Versus-Host Disease Due to Genetic Differences Among Donor T Cells. <i>Advances in Experimental Medicine and Biology</i> , 1982, 149, 537-544.	0.8	10
854	T Cell-Dependent B Cell Lymphoproliferation and Activation Induced by the Drug Diphenylhydantoin. <i>Advances in Experimental Medicine and Biology</i> , 1982, 149, 617-622.	0.8	5
855	Techniques for Separation and Selection of Antigen Specific Lymphocytes. <i>Modern Aspects of Electrochemistry</i> , 1978, 84, 1-120.	0.2	7
856	Expression of Endogenous Viral Genes in Mouse Lymphocytes. <i>Current Topics in Microbiology and Immunology</i> , 1982, 98, 27-36.	0.7	7
857	Immune Mechanisms in Atopic Dermatitis. , 1983, , 151-167.		6
859	MECHANISM OF SURFACE MEMBRANE EXPRESSION IN MURINE B-LYMPHOCYTE CELL LINES. , 1979, , 143-154.		2
860	Detection and Measurement of Secretion from Individual Neuroendocrine Cells Using a Reverse Hemolytic Plaque Assay. , 1989, , 205-227.		3
861	IMMUNOGLOBULIN SECRETING CELLS IN THE CIRCULATING BLOOD AND IN MITOGEN STIMULATED CULTURES FROM PATIENTS WITH IMMUNODEFICIENCY DISEASES. , 1979, , 325-331.		2
862	The Protein A Plaque Assay for the Detection of Immunoglobulin-Secreting Cells. , 1981, , 187-197.		20
863	A Helper Cell Assay of Cellular Antigens and Its Applications to Hapten-Specific T Cells. , 1981, , 213-220.		2
864	Establishment of Cellular Microenvironments for in Vitro B Cell Progenitor Differentiation. , 1985, , 209-220.		1
865	Development of B Cell Progenitors in Semisolid Agar Cultures. , 1985, , 221-233.		3
866	The Role of Immunoglobulin in the Induction of B Lymphocytes. , 1979, , 209-221.		4
867	PLAQUE FORMATION BY B CELL COLONIES GROWING IN SOFT AGAR. , 1982, , 179-183.		2
868	Carbohydrate-mediated clearance of immune complexes from the circulation. A role for galactose residues in the hepatic uptake of IgG-antigen complexes.. <i>Journal of Biological Chemistry</i> , 1980, 255, 6820-6825.	1.6	87
869	Synthesis and secretion of multiple forms of beta 2-interferon/B-cell differentiation factor 2/hepatocyte-stimulating factor by human fibroblasts and monocytes.. <i>Journal of Biological Chemistry</i> , 1988, 263, 7760-7766.	1.6	222

#	ARTICLE	IF	CITATIONS
870	Correlation between spontaneous oscillations of cytosolic free Ca <sup>2+</sup> and tumor necrosis factor-induced degranulation in adherent human neutrophils.. Journal of Biological Chemistry, 1990, 265, 14358-14363.	1.6	32
871	Idiotypic-bearing Lymphoid Cells in Plasma Cell Neoplasia. Clinics in Haematology, 1982, 11, 65-86.	2.2	56
872	Soluble peptidoglycan from Staphylococcus aureus is a murine B-lymphocyte mitogen. Infection and Immunity, 1983, 42, 1013-1016.	1.0	9
873	Chlamydia trachomatis stimulates human peripheral blood B lymphocytes to proliferate and secrete polyclonal immunoglobulins in vitro. Infection and Immunity, 1984, 43, 84-92.	1.0	41
874	Brucella fractions behave as nonspecific mitogens and polyclonal B-cell activators for human lymphocytes. Infection and Immunity, 1985, 50, 310-316.	1.0	16
875	A defined fragment of bacterial protein I (OmpF) is a polyclonal B-cell activator. Infection and Immunity, 1986, 51, 233-239.	1.0	16
876	Strong mitogenic effect for murine B lymphocytes of an immunosuppressor substance released by Streptococcus intermedius. Infection and Immunity, 1986, 54, 543-548.	1.0	19
877	Inactivation of suppressor T-cell activity by nontoxic monophosphoryl lipid A. Infection and Immunity, 1988, 56, 1076-1083.	1.0	81
878	Immunomodulatory activity of monophosphoryl lipid A in C3H/HeJ and C3H/HeSnJ mice. Infection and Immunity, 1989, 57, 1483-1490.	1.0	35
879	Primary antibody responses to thymus-independent antigens in the lungs and hilar lymph nodes of mice. Infection and Immunity, 1990, 58, 2035-2041.	1.0	19
880	Inactivation of suppressor T cell activity by the nontoxic lipopolysaccharide of Rhodopseudomonas sphaeroides. Infection and Immunity, 1990, 58, 2862-2868.	1.0	34
881	Lipopolysaccharidelike immunological properties of cell wall glycoproteins isolated from Cytophaga johnsonae. Infection and Immunity, 1991, 59, 2631-2637.	1.0	8
882	Structural features that influence the ability of lipid A and its analogs to abolish expression of suppressor T cell activity. Infection and Immunity, 1992, 60, 2694-2701.	1.0	29
883	Protective effect of a T-cell-dependent immunosuppressive, B-cell-mitogenic protein (F3'EP-Si, or P90) produced by Streptococcus intermedius. Infection and Immunity, 1992, 60, 3571-3578.	1.0	16
884	Immunological activities of a Candida albicans protein which plays an important role in the survival of the microorganism in the host. Infection and Immunity, 1993, 61, 1881-1888.	1.0	26
885	Molecular structures that influence the immunomodulatory properties of the lipid A and inner core region oligosaccharides of bacterial lipopolysaccharides. Infection and Immunity, 1994, 62, 2257-2269.	1.0	29
886	Effects of pure interferons on Epstein-Barr virus infection in vitro. Journal of Virology, 1985, 54, 615-618.	1.5	13
887	Immunoglobulin Secreting Cells in Normal Human Bronchial Lavage Fluids. Journal of Clinical Investigation, 1978, 62, 832-835.	3.9	83

#	ARTICLE	IF	CITATIONS
888	Mechanisms of Hypergammaglobulinemia in Pulmonary Sarcoidosis. <i>Journal of Clinical Investigation</i> , 1981, 67, 86-92.	3.9	183
889	Decreased in vitro humoral immune responses in aged humans.. <i>Journal of Clinical Investigation</i> , 1981, 67, 1094-1102.	3.9	65
890	Activation of Human B Lymphocytes after Immunization with Pneumococcal Polysaccharides. <i>Journal of Clinical Investigation</i> , 1983, 71, 1032-1040.	3.9	75
891	Functional heterogeneities among concanavalin A-activated OKT4+ and OKT8+ cells by using autologous erythrocyte rosette technique.. <i>Journal of Clinical Investigation</i> , 1983, 72, 2060-2071.	3.9	25
892	Soluble suppressor factors in patients with acquired immune deficiency syndrome and its prodrome. Elaboration in vitro by T lymphocyte-adherent cell interactions.. <i>Journal of Clinical Investigation</i> , 1983, 72, 2072-2081.	3.9	111
893	Polyclonal immunoglobulin secretion in patients with common variable immunodeficiency using monoclonal B cell differentiation factors.. <i>Journal of Clinical Investigation</i> , 1984, 74, 2115-2120.	3.9	48
894	Immunoregulatory T cells in man. Histamine-induced suppressor T cells are derived from a Leu 2+ (T8+) subpopulation distinct from that which gives rise to cytotoxic T cells.. <i>Journal of Clinical Investigation</i> , 1985, 75, 650-656.	3.9	58
895	Spontaneous immunoglobulin A secretion and lack of mitogen-responsive B cells in systemic lupus erythematosus.. <i>Journal of Clinical Investigation</i> , 1985, 76, 1865-1870.	3.9	14
896	Implications for the role of cognate interactions in in vitro human B cell activation by <i>Staphylococcus aureus</i> Cowan I and pokeweed mitogen.. <i>Journal of Clinical Investigation</i> , 1986, 77, 294-300.	3.9	37
897	Steroid-sensitive mechanism of soluble immune response suppressor production in steroid-responsive nephrotic syndrome.. <i>Journal of Clinical Investigation</i> , 1987, 79, 257-264.	3.9	31
898	Human monoclonal antibodies that recognize conserved epitopes in the core-lipid A region of lipopolysaccharides.. <i>Journal of Clinical Investigation</i> , 1987, 79, 1421-1430.	3.9	86
899	Differential mechanism for differentiation into immunoglobulin-secreting cells in human resting B lymphocyte subsets isolated on the basis of cell density.. <i>Journal of Clinical Investigation</i> , 1988, 81, 261-269.	3.9	17
900	Induction of excessive B cell proliferation and differentiation by an in vitro stimulus in culture in human systemic lupus erythematosus.. <i>Journal of Clinical Investigation</i> , 1989, 83, 937-944.	3.9	32
901	Immunogenic DNA-related factors. Nucleosomes spontaneously released from normal murine lymphoid cells stimulate proliferation and immunoglobulin synthesis of normal mouse lymphocytes.. <i>Journal of Clinical Investigation</i> , 1990, 85, 1487-1496.	3.9	102
902	Polyclonal B-Lymphocyte Stimulation in Human Malaria and its Association with Ongoing Parasitemia. <i>American Journal of Tropical Medicine and Hygiene</i> , 1991, 44, 571-577.	0.6	41
903	A personal account of the development of modern biological research in Portugal. <i>International Journal of Developmental Biology</i> , 2009, 53, 1253-1259.	0.3	0
904	Fusion of Immunoglobulin Secreting Cells. , 1979, , 275-293.		0
905	Plasma Cell Dyscrasia... <i>Journal of Clinical Investigation</i> , 1981, 67, 1094-1102.		

#	ARTICLE	IF	CITATIONS
907	「アレルギー性疾患の免疫学的研究」. Japanese Journal of Clinical Immunology, 1981, 4, 250-255.	0.0	0
908	Effect of Bromodeoxyuridine on Endogenous Retrovirus Production in Differentiating Murine Lymphocytes. Hamatologie Und Bluttransfusion, 1981, 26, 365-367.	0.0	1
909	Food Antigen Handling and Immune Complex Formation in Healthy and Allergic Individuals. , 1981, , 154-180.		2
910	A detection method of lysozyme-secreting monocytes by a protein A plaque assay. Japanese Journal of Clinical Immunology, 1981, 4, 149-152.	0.0	0
911	Title is missing!. Journal of Japanese Society of Periodontology, 1982, 24, 427-435.	0.1	0
912	ACTIVATION OF MURINE B CELL LYMPHOMAS11Supported by NIH grant CA-22105.. , 1982, , 431-443.		0
913	The Use of Immunological Techniques to Detect Cells of Rare Genotype. , 1982, , 37-93.		1
914	Die Entfernung der Peyerschen Plaques im Dünndarm und ihre Folgen auf die immunologische Abwehrlage bzw. Resorption. , 1982, , 265-268.		0
915	Immune response in patients with Kawasaki disease. Japanese Journal of Clinical Immunology, 1982, 5, 482-490.	0.0	0
916	Title is missing!. Seibutsu Butsuri Kagaku, 1982, 26, 393-396.	0.1	0
917	Evaluation of Inflammatory and Immune Processes in the Interstitial Lung Disorders: Use of Bronchoalveolar Lavage. , 1982, , 107-139.		1
918	IS LYB 2, A B-LYMPHOCYTE SURFACE ANTIGEN, A TARGET FOR A T CELL-DERIVED FACTOR?. , 1982, , 191-195.		0
919	Immunologic Tests for Diagnosis and Monitoring of Defects in Cell-Mediated Immunity. , 1982, , 359-388.		0
920	T Cell Factors Regulating B Cell Activation and Differentiation. Current Topics in Microbiology and Immunology, 1984, 113, 77-85.	0.7	1
921	Development of a Plaque Assay for the Detection of Red Blood Cells Carrying Abnormal or Mutant Hemoglobins. , 1984, , 59-80.		0
922	A case of hypogammaglobulinemia with a complication of hepatitis B with bridging necrosis. Japanese Journal of Clinical Immunology, 1984, 7, 254-260.	0.0	0
923	The effect of CCA on B cell differentiation. Ensho, 1984, 4, 118-121.	0.0	0
924	Störungen der B-Zelldifferenzierung in Vitro bei Patienten mit Lymphatischen Systemerkrankungen. , 1985, , 31-39.		0

#	ARTICLE	IF	CITATIONS
925	Genetic Control of Inununoglobulin Isotype Restriction. Current Topics in Microbiology and Immunology, 1985, 122, 205-209.	0.7	3
926	B lymphocyte function in diffuse panbronchiolitis. Japanese Journal of Clinical Immunology, 1985, 8, 336-344.	0.0	0
927	Assays for the Detection of Rheumatoid Factor-Producing Cells. , 1985, , 279-288.		0
928	In Vitro Growth and Differentiation of Rat B Cell Subpopulations. , 1985, 186, 57-64.		0
930	Studies of immunological findings on immunoblastic lymphadenopathy. Japanese Journal of Clinical Immunology, 1985, 8, 345-351.	0.0	0
931	ç°èfžé–“ç, äº1/2œç”~ã«ã,^ã,ãf’ãf~Bç°èfžæ^ç†ÿéžç”ã@è³;ç~€. Japanese Journal of Clinical Immunology, 1985, 8, 292-295. 0		0
932	Immunoglobulin Isotypes and Antibody Specificity Repertoire of Spontaneously Occurring (Background) Immunoglobulin-Secreting Cells in Germfree Mice Fed Chemically Defined Ultrafiltered Antigen-Free Diet. , 1985, 186, 131-138.		3
933	<b>PROCAINAMIDE AUGMENTS VACCINATION EFFECT</b> . Biomedical Research, 1985, 6, 87-91.	0.3	0
934	Molecular and Cellular Characteristics of Clonable Pre-B Cells. , 1986, , 42-48.		0
935	Other Effects of Lithium Mediated through Metabolic Pathways. , 1986, , 187-201.		1
936	Genes Affecting the Production or Action of B Cell-Active Lymphokines. Current Topics in Microbiology and Immunology, 1986, 132, 121-126.	0.7	0
937	Immunoglobulins: New Approaches for their Evaluation in Multiple Sclerosis. , 1987, , 175-185.		2
938	Cluster formation by human peripheral dendritic cell.. Japanese Journal of Clinical Immunology, 1988, 11, 114-120.	0.0	0
939	Biological activities of endotoxins derived from three species of oral bacteria.. Japanese Journal of Oral Biology, 1988, 30, 632-645.	0.1	0
941	Lymphocyte Purification, Growth, Cloning and Functional Assays. Handbook of Experimental Pharmacology, 1988, , 319-343.	0.9	0
942	Generation and Measurement of Antibodies. Handbook of Experimental Pharmacology, 1988, , 141-185.	0.9	1
943	Immunomodulatory abnormality in multiple myeloma.. Japanese Journal of Clinical Immunology, 1991, 14, 109-121.	0.0	0
944	Detection of immunoglobulin- secreting cells. , 1996, , 1037-1044.		0

#	ARTICLE	IF	CITATIONS
945	Detection of immunoglobulin-secreting cells. , 1996, , 1037-1044.		0
946	Studies on B cell activating system. IV. Polyclonal activation of Human B cells to <i>Salmonella paratyphi</i> B. Japanese Journal of Clinical Immunology, 1983, 6, 568-577.	0.0	0
947	T Cell Replacing Factor (TRF)-Induced IgG Production in a Human B Cell Line and the Mechanism of Transmembrane Signaling through TRF-Acceptors. , 1983, , 487-498.		0
948	SLEāāā, āāRAæ, £è€...āāāāā, <Bç°èfžā, 3āfāf·āf1/4ā1/2çæ^èf1/2āā, %āāāāā...ç—ç°ā, āāāā, āā. Japanese Journal of Clinical Immunology, 1983, 6, 434-442.	0.0	0
949	Pathogenesis in human SLE. Japanese Journal of Clinical Immunology, 1983, 6, 434-442.	0.0	0
950	Studies on monocyte function in multiple myeloma. Japanese Journal of Clinical Immunology, 1983, 6, 110-116.	0.0	0
951	Mutations Affecting the Structure and Function of Immunoglobulin M. Molecular and Cellular Biology, 1982, 2, 1033-1043.	1.1	30
952	Mitogenicity of a lipid-deficient lipoprotein from a mutant Escherichia coli strain. Infection and Immunity, 1980, 28, 818-823.	1.0	12
967	Long-term proliferating early pre B cell lines and clones with the potential to develop to surface Ig-positive, mitogen reactive B cells in vitro and in vivo. EMBO Journal, 1991, 10, 327-36.	3.5	96
969	Intraclonal diversification in immunoglobulin isotype secretion: an analysis of switch probabilities. EMBO Journal, 1982, 1, 1251-7.	3.5	12
970	Interleukin-5 induces maturation but not class switching of surface IgA-positive B cells into IgA-secreting cells. Immunology, 1989, 66, 32-8.	2.0	65
971	Calcitonin gene-related peptide (CGRP) activates human neutrophils--inhibition by chemotactic peptide antagonist BOC-MLP. Immunology, 1992, 77, 416-21.	2.0	22
972	Immunosuppressive activity of macrophages in mice undergoing graft-versus-host reaction due to major histocompatibility complex class I plus II difference. Immunology, 1993, 79, 95-102.	2.0	1
973	Con A induction of IgG secretion from a B-lymphoid tumour cell line, A20. Immunology, 1986, 59, 15-21.	2.0	8
974	Immunobiology of the oral mucosa in the mouse. Immunology, 1985, 55, 391-7.	2.0	24
975	A novel lymphokine derived from human IgG Fc receptor-bearing B cells: its suppressive effect on activated T and B lymphocytes including tumour cells in vitro. Immunology, 1985, 55, 427-36.	2.0	5
976	1 alpha,25-dihydroxyvitamin D3 inhibits pokeweed mitogen-stimulated human B-cell activation: an analysis using serum-free culture conditions. Immunology, 1985, 56, 161-7.	2.0	27
977	The effect of corticosteroids upon murine B cells in vivo and in vitro as determined in the LPS-culture system. Immunology, 1987, 62, 285-90.	2.0	18



#	ARTICLE	IF	CITATIONS
978	Comparative migration of T- and B-lymphocyte subpopulations into skin inflammatory sites. <i>Immunology</i> , 1983, 48, 519-27.	2.0	15
979	Contribution of immunoglobulin-secreting cells in the murine small intestine to the total 'background' immunoglobulin production. <i>Immunology</i> , 1987, 62, 551-5.	2.0	93
980	Monoclonal SBF produced by a hybridoma: in-vitro and in-vivo suppression of B tumour-cell proliferation. <i>Immunology</i> , 1983, 50, 595-603.	2.0	6
981	An allospecific murine T helper clone which can help both T and B cell responses in vitro and in vivo. <i>Immunology</i> , 1984, 52, 55-65.	2.0	5
982	The influence of Peyer's patches on the organ-specific distribution of IgA plasma cells. <i>Immunology</i> , 1988, 63, 411-4.	2.0	11
983	In vivo immunomodulation by the neuropeptide substance P. <i>Immunology</i> , 1988, 63, 733-5.	2.0	108
984	Pokeweed mitogen induced differentiation of human B cells: evaluation by a protein A haemolytic plaque assay. <i>Immunology</i> , 1979, 38, 181-9.	2.0	67
985	Possible different mechanisms of B cell activation in systemic lupus erythematosus and rheumatoid arthritis: opposite expression of low-affinity receptors for IgE (CD23) on their peripheral B cells. <i>Clinical and Experimental Immunology</i> , 1989, 78, 348-53.	1.1	23
986	Selective enhancement of human IgE production in vitro by synergy of pokeweed mitogen and mercuric chloride. <i>Clinical and Experimental Immunology</i> , 1983, 53, 183-91.	1.1	15
987	Human B cell function in responder and non-responder individuals. II. The role of T helper cells in promoting the PWM-induced B cell production of immunoprotein. <i>Clinical and Experimental Immunology</i> , 1983, 53, 465-72.	1.1	5
988	Neutral proteinases induce rheumatoid factor production in mouse spleen cell cultures. <i>Clinical and Experimental Immunology</i> , 1984, 55, 99-105.	1.1	6
989	Long term administration of cyclophosphamide in MRL/1 mice. I. The effects on the development of immunological abnormalities and lupus nephritis. <i>Clinical and Experimental Immunology</i> , 1984, 55, 333-9.	1.1	38
990	<i>Klebsiella pneumoniae</i> stimulate highly purified human blood B cells to mature into plaque forming cells without prior proliferation. <i>Clinical and Experimental Immunology</i> , 1983, 52, 372-80.	1.1	23
991	Studies on immunoregulatory mechanisms in acute and chronic hepatitis B. <i>Clinical and Experimental Immunology</i> , 1983, 52, 250-8.	1.1	23
992	Long term administration of cyclophosphamide into MRL/1 mice. II. The effects on the isotype of anti-DNA antibodies and immunoglobulin secreting cells in the spleen. <i>Clinical and Experimental Immunology</i> , 1984, 55, 519-24.	1.1	3
993	Evidence of cells bearing interleukin-2 receptor at sites of disease activity in sarcoid patients. <i>Clinical and Experimental Immunology</i> , 1984, 57, 331-7.	1.1	49
994	Mouse rosette positive B cells fail to synthesize immunoglobulin following incubation with pokeweed mitogen. <i>Clinical and Experimental Immunology</i> , 1983, 54, 771-7.	1.1	2
995	Activation of immune regulatory circuits among OKT4+ cells by autologous mixed lymphocyte reactions. <i>Clinical and Experimental Immunology</i> , 1984, 56, 390-8.	1.1	36

#	ARTICLE	IF	CITATIONS
996	Cord blood B cell differentiation. Synergistic effect of pokeweed mitogen and Staphylococcus aureus on in vitro differentiation of B cells from human neonates. Clinical and Experimental Immunology, 1984, 56, 415-24.	1.1	7
997	Immunoglobulin secretion by peripheral blood and bone marrow B cells in patients with multiple myeloma. Studies by the reverse haemolytic plaque assay. Clinical and Experimental Immunology, 1984, 57, 743-51.	1.1	4
998	Clinical evaluation of B cell and T-regulator cell function using a protein A haemolytic plaque assay. Clinical and Experimental Immunology, 1981, 46, 196-205.	1.1	14
999	The bone marrow: the major source of serum immunoglobulins, but still a neglected site of antibody formation. Clinical and Experimental Immunology, 1981, 46, 1-8.	1.1	306
1000	Pseudoplaque formation by cytophilic immunoglobulins in the sera of lupus patients as measured using reverse haemolytic plaque assay. Clinical and Experimental Immunology, 1982, 48, 499-504.	1.1	4
1001	Effect of plasmapheresis on T and B lymphocyte functions in patients with systemic lupus erythematosus: a double blind study. Clinical and Experimental Immunology, 1982, 48, 449-57.	1.1	18
1002	Thyroid antibodies are produced by thyroid-derived lymphocytes. Clinical and Experimental Immunology, 1982, 48, 196-200.	1.1	65
1003	Spontaneous plaque forming cells in the peripheral blood of patients with systemic lupus erythematosus. Clinical and Experimental Immunology, 1982, 49, 41-9.	1.1	17
1004	B cell activation by pokeweed mitogen in cultures of normal peripheral blood lymphocytes depleted of T regulator subsets by treatment with OKT4 and OKT8 monoclonal antibodies. Clinical and Experimental Immunology, 1983, 51, 461-9.	1.1	14
1005	Spontaneous antibody-secreting human blood lymphocytes detected with a protein A plaque assay. Clinical and Experimental Immunology, 1980, 42, 162-6.	1.1	17
1006	Polyclonal human T lymphocyte activation results in the secondary functional activation of the human B lymphocyte. Clinical and Experimental Immunology, 1981, 43, 165-73.	1.1	13
1007	Functional studies on B cells in human bone marrow: in vitro mitogen stimulation of normal and malignant B cells. Clinical and Experimental Immunology, 1981, 43, 157-64.	1.1	10
1008	Detection of IgD-secreting human lymphocytes at the single cell level by a protein A plaque assay. Clinical and Experimental Immunology, 1981, 43, 463-72.	1.1	5
1009	Ontogeny of humoral immune function in normal chickens: a comparison of immunoglobulin-secreting cells in bone marrow, spleen, lungs and intestine. Clinical and Experimental Immunology, 1981, 43, 450-7.	1.1	38
1010	Human B cell function in normal individuals of various ages. 1. In vitro enumeration of pokeweed-induced peripheral blood lymphocyte immunoglobulin-synthesizing cells and the comparison of the results with numbers of peripheral B and T cells, mitogen responses, and levels of serum immunoglobulins. Clinical and Experimental Immunology, 1981, 44, 646-53.	1.1	13
1011	Mechanism of T cell-derived helper factor production upon stimulation with pokeweed mitogen in humans. Clinical and Experimental Immunology, 1988, 71, 343-9.	1.1	9
1012	The effect of random blood transfusions on immunoglobulin production by peripheral blood mononuclear cells from uraemic patients. Clinical and Experimental Immunology, 1988, 73, 155-9.	1.1	1
1013	Enhancing effects of oral adjuvants on anti-HBs responses induced by hepatitis B vaccine. Clinical and Experimental Immunology, 1988, 72, 383-9.	1.1	11

#	ARTICLE	IF	CITATIONS
1014	Immune cell functions in iron overload. <i>Clinical and Experimental Immunology</i> , 1989, 75, 1-6.	1.1	77
1015	In vitro analysis of B lymphocyte function in uraemia. <i>Clinical and Experimental Immunology</i> , 1987, 70, 463-70.	1.1	20
1016	Inhibition of T cell-dependent human B cell proliferation and B cell differentiation by polyspecific monomeric IgG. <i>Clinical and Experimental Immunology</i> , 1987, 70, 649-57.	1.1	6
1017	Immunoglobulin production in the autologous MLR: target of the suppressor-amplifier circuit. <i>Clinical and Experimental Immunology</i> , 1986, 65, 401-8.	1.1	3
1018	A single cell assay for the study of gamma-interferon formation in leprosy patients. <i>Clinical and Experimental Immunology</i> , 1987, 67, 51-4.	1.1	1
1019	Mitogenic activity of extracellular cationic products produced by group A streptococci; analysis of the lymphocyte response. <i>Clinical and Experimental Immunology</i> , 1986, 66, 132-8.	1.1	4
1020	Selective IgM deficiency in adults: phenotypically and functionally altered profiles of peripheral blood lymphocytes. <i>Clinical and Experimental Immunology</i> , 1987, 68, 630-7.	1.1	34
1021	Distribution of IgM, IgA and IgG secreting cells in the tissues of normal and tumour-bearing mice. <i>Immunology</i> , 1982, 46, 43-8.	2.0	4
1022	Sites of autoantibody production in rats with thyroiditis. <i>Immunology</i> , 1982, 46, 465-72.	2.0	21
1023	Concanavalin-induced suppressor cells: characterization on the basis of corticosteroid and radiation sensitivity. <i>Immunology</i> , 1982, 47, 85-90.	2.0	3
1024	In vivo modulation of polyclonal activation of lymphocytes by SOAz, a cyclophosphazene derived drug. Prevention of murine glomerulonephritis induced by chronic injections of lipopolysaccharide. <i>Clinical and Experimental Immunology</i> , 1985, 59, 169-76.	1.1	3
1025	Studies on the role of the <i>lpr</i> gene in the development of immunological abnormalities and lupus nephritis. Analyses in F2 mice. <i>Clinical and Experimental Immunology</i> , 1985, 59, 161-8.	1.1	4
1026	Inhibition of pokeweed mitogen-induced B cell differentiation by compounds containing primary amine or hydrazine groups. <i>Clinical and Experimental Immunology</i> , 1985, 59, 69-76.	1.1	8
1027	Neutralization of T-replacing factor by T8-positive lymphocytes: an important suppressor mechanism operating in the regulation of polyclonal B-cell activation. <i>Clinical and Experimental Immunology</i> , 1985, 61, 642-7.	1.1	0
1028	The oestrogen antagonists, tamoxifen and FC-1157a, display oestrogen like effects on human lymphocyte functions in vitro. <i>Clinical and Experimental Immunology</i> , 1985, 61, 467-74.	1.1	26
1029	IgM, IgA and IgG producing cells in cerebrospinal fluid and peripheral blood in multiple sclerosis. <i>Clinical and Experimental Immunology</i> , 1985, 62, 176-84.	1.1	33
1030	OKT4+ and OKT8+ T lymphocytes produce soluble factors that can modulate growth and differentiation of human B cells. <i>Clinical and Experimental Immunology</i> , 1985, 62, 112-20.	1.1	12
1031	Modulation of the immune response by immunoglobulin for intravenous use. I. Inhibition of pokeweed mitogen-induced B cell differentiation. <i>Clinical and Experimental Immunology</i> , 1985, 62, 200-7.	1.1	19

#	ARTICLE	IF	CITATIONS
1032	Development of plasmacytoid cells with Russell bodies in autoimmune "viable motheaten" mice. American Journal of Pathology, 1987, 127, 38-50.	1.9	31
1033	Analysis of prolactin and growth hormone production in the MtT/F4 transplantable pituitary tumor by the reverse hemolytic plaque assay. American Journal of Pathology, 1987, 129, 441-7.	1.9	3
1034	Immunopathology of natural and experimental lymphomas induced by wild mouse leukemia virus. American Journal of Pathology, 1981, 104, 272-82.	1.9	25
1035	Normal human pluripotential and committed hematopoietic progenitors do not express the p24 antigen detected by monoclonal antibody BA-2: implications for immunotherapy of lymphocytic leukemia. Blood, 1982, 60, 1310-1316.	0.6	9
1036	Modulation of pokeweed-mitogen-induced immunoglobulin secretion by human bronchoalveolar cells. The American Review of Respiratory Disease, 1982, 126, 248-52.	2.9	11
1037	CD95 (Fas)-Based, Superantigen-Dependent, CD4+ T Cell-Mediated Down-Regulation of Human In Vitro Immunoglobulin Responses. Journal of Immunology, 1998, 160, 5231-5238.	0.4	13
1038	Superantigen-Driven, CD8+ T Cell-Mediated Down-Regulation: CD95 (Fas)-Dependent Down-Regulation of Human Ig Responses Despite CD95-Independent Killing of Activated B Cells. Journal of Immunology, 1998, 161, 3292-3298.	0.4	9