

Factor Analysis of Species Associations among Fishes of

Transactions of the American Fisheries Society
105, 17-31

DOI: [10.1577/1548-8659\(1976\)105<17:faosaa>2.0.co;2](https://doi.org/10.1577/1548-8659(1976)105<17:faosaa>2.0.co;2)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Biochemical Evidence for Congeneric Competition as a Factor Restricting Gene Flow Between Populations of a Darter (Percidae: Etheostoma). <i>Systematic Zoology</i> , 1976, 25, 228.	1.6	18
2	Winter Biogeography of North American Fringillidae (Aves): A Numerical Analysis. <i>Systematic Biology</i> , 1978, 27, 411-420.	5.6	3
3	Relation entre habitat et peuplements de poissons: Essai de definition d'une methode numerique pour des rivieres nordiques. <i>Hydrobiologia</i> , 1979, 67, 81-87.	2.0	14
4	Habitat Partitioning in the Fish Community of a Southwestern River. <i>Southwestern Naturalist</i> , 1980, 25, 51.	0.1	78
5	Factor Analysis of Associations of Fishes in Little River, Central Texas, with an Interdrainage Comparison. <i>American Midland Naturalist</i> , 1981, 106, 379.	0.4	18
6	Competition between Spotted and Largemouth Bass in Variable Pond Ecosystems. <i>Transactions of the American Fisheries Society</i> , 1982, 111, 665-674.	1.4	7
7	Small Fish Community Structure in Ozark Streams: Structured Assembly Patterns or Random Abundance of Species?. <i>American Midland Naturalist</i> , 1982, 107, 42.	0.4	42
8	Community Analysis in Fishery Management: An Application with Northern Wisconsin Lakes. <i>Transactions of the American Fisheries Society</i> , 1983, 112, 368-377.	1.4	46
9	Multivariate Assessment of Environmental Preferences of Cyprinid Fishes of the Illinois River, Oklahoma. <i>American Midland Naturalist</i> , 1983, 109, 209.	0.4	24
10	Distribution of Midwestern Fishes on Multivariate Environmental Gradients, with Emphasis on <i>Notropis lutrensis</i> . <i>American Midland Naturalist</i> , 1985, 113, 225.	0.4	50
11	Fish ecoregions of Kansas: stream fish assemblage patterns and associated environmental correlates. <i>Environmental Biology of Fishes</i> , 1986, 17, 267-279.	1.0	59
12	Fish faunal ?breaks? and stream order in the eastern and central United States. <i>Environmental Biology of Fishes</i> , 1986, 17, 81-92.	1.0	89
13	Abundance and Habitat Use of an Uncommon Fish, <i>Notropis perpallidus</i> (Cyprinidae): Comparison with Sympatric Congeners. <i>Southwestern Naturalist</i> , 1987, 32, 251.	0.1	1
14	Microhabitat use in a stream fish assemblage. <i>Journal of Zoology</i> , 1987, 212, 151-176.	1.7	179
15	The Influence of Habitat Structure on Fish Assemblage Composition in Southeastern Blackwater Streams. <i>American Midland Naturalist</i> , 1988, 120, 225.	0.4	125
16	Temporal Characteristics of Fish Assemblage Structure in an Ohio Stream. <i>Copeia</i> , 1988, 1988, 684.	1.3	39
17	Stability and Persistence of Fish Faunas and Assemblages in Three Midwestern Streams. <i>Copeia</i> , 1988, 1988, 945.	1.3	88
18	Classification of Texas Reservoirs in Relation to Limnology and Fish Community Associations. <i>Transactions of the American Fisheries Society</i> , 1990, 119, 511-520.	1.4	24

#	ARTICLE	IF	CITATIONS
19	Post-Defaunation Recovery of Fish Assemblages in Southeastern Blackwater Streams. <i>Ecology</i> , 1990, 71, 657-667.	3.2	73
20	Failed Invasion of a Southeastern Blackwater Stream by Bluegills: Implications for Conservation of Native Communities. <i>Transactions of the American Fisheries Society</i> , 1991, 120, 333-338.	1.4	21
21	Differences in fish assemblages among habitats found in the lower Willamette River, Oregon: application of and problems with multivariate analysis. <i>Fisheries Research</i> , 1992, 13, 119-132.	1.7	5
22	Fish community structure of Oklahoma gulf coastal plains. <i>Hydrobiologia</i> , 1993, 257, 29-35.	2.0	7
23	Co-Occurrence of Morphologically Similar Species of Stream Fishes. <i>American Naturalist</i> , 1995, 145, 527-545.	2.1	51
24	Regional and longitudinal patterns of fish community structure in the Seine River basin, France. <i>Environmental Biology of Fishes</i> , 1997, 50, 133-147.	1.0	58
25	Declining Status of Two Species of the <i>Macrhybopsis aestivalis</i> Complex (Teleostei: Cyprinidae) in the Arkansas River Basin and Related Effects of Reservoirs as Barriers to Dispersal. <i>Copeia</i> , 1999, 1999, 981.	1.3	97
26	Temporal Stability of Minnow Species Co-Occurrence in Streams of the Central United States. <i>Transactions of the Kansas Academy of Science</i> , 2002, 105, 162-177.	0.1	4
27	Fish Assemblages and Habitat in a Malaysian Blackwater Peat Swamp. <i>Environmental Biology of Fishes</i> , 2003, 68, 1-13.	1.0	27
28	Spatial Variation of Headwater Fish Assemblages Explained by Hydrologic Variability and Upstream Effects of Impoundment. <i>Copeia</i> , 2003, 2003, 273-284.	1.3	74
29	Elevation and Stream-Size Thresholds Affect Distributions of Native and Exotic Warmwater Fishes in Wyoming. <i>Journal of Freshwater Ecology</i> , 2004, 19, 227-236.	1.2	24
30	SOUTHERN PLAINS RIVERS. , 2005, , 282-325.		22
31	Changes in Fish Assemblage Structure Upstream of Impoundments within the Upper Wabash River Basin, Indiana. <i>Transactions of the American Fisheries Society</i> , 2006, 135, 570-583.	1.4	63
32	Stability of the Wabash River fish assemblages from 1974 to 1998. <i>Freshwater Biology</i> , 2006, 51, 1789-1797.	2.4	38
33	Persistence of Fish Species Associations in Pools of a Small Stream of the Southern Great Plains. <i>Copeia</i> , 2006, 2006, 696-710.	1.3	14
34	Distribution, Population Characteristics, and Physical Habitat Associations of Black Bass (<i>Micropterus</i>) in the Lower Eleven Point River, Arkansas. <i>Southeastern Naturalist</i> , 2009, 8, 653-670.	0.4	6
35	Comparison of Historical and Recent Fish Distribution Patterns in Oklahoma and Western Arkansas. <i>Copeia</i> , 2015, 103, 170-180.	1.3	8
36	Factor Analysis of Associations for Fish Genera in Streams of Doon Valley. <i>International Journal of Innovative Research in Science, Engineering and Technology</i> , 2014, 03, 15728-15736.	0.4	0

#	ARTICLE	IF	CITATIONS
38	Southern Plains Rivers. , 2023, , 272-312.		1