CITATION REPORT List of articles citing

The detection of disease clustering and a generalized regression approach

DOI: PM/6018555

Cancer Research, 1967, 27, 209-20.

Source: https://exaly.com/paper-pdf/128953305/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2279	GASTROFERRIN AND IRON-DEFICIENCY AN <mark>I</mark> MIA. 1967 , 289, 1059		
2278	LEUKMIA CLUSTERING IN THE LIVERPOOL AREA ?. 1967 , 289, 1058-1059		2
2277	HUMAN SCURVY. 1967 , 289, 1059		
2276	Epidemiological survey in human leukemia in a five-year period. 1968 , 16, 301-5		
2275	Significance of leukemia clusters. 1968 , 73, 101-7		29
2274	Syndrome delineation and other uses of epidemiology. 1968 , 15, 387-94		2
2273	Perspectives in the epidemiology of leukemia. 1969 , 12, 225-302		25
2272	The incidence of leukemias in children and their clustering in space and time in South Moravian Province, Czechoslovakia. 1970 , 21, 180-5		3
2271	Epidemiology of Mycobacterium ulcerans infection (Buruli ulcer) at Kinyara, Uganda. 1971 , 65, 763-75		90
2270	Space-time clustering in infectious mononucleosis. 1972 , 26, 257-8		1
2269	Neural tube defects in Quebec. A search for evidence of 'clustering' in time and place. 1972 , 26, 10-4		2
2268	The further epidemiological differentiation of cleft lip and palate: a population study of celfts in King Country, Washington, 1856-1965. 1973 , 7, 271-81		54
2267	Clustering in Hodgkin's disease. 1973 , 1, 433-4		12
2266	Glycerol and stroke. 1973 , 1, 433		1
2265	A test for space clustering and its application to congenital limb defects in Cardiff. 1973 , 27, 188-91		5
2264	A note on a 'close pairs' test for space clustering. 1974 , 28, 63-4		1
2263	Variola minor in Bragana Paulista County, 1956: lack of evidence indicating the influence of contaminated classrooms on spread of the disease. 1974 , 72, 281-8		1

2262	Processus stochastiques de population. 1975 , 189-281	О
2261	Evaluating object set partitions: Free-sort analysis and some generalizations. 1976 , 15, 459-470	43
2260	Epidemiology of childhood leukaemia in greater london: A search for evidence of transmission assuming a possibly long latent period. 1976 , 33, 1-8	21
2259	Clustering during childhood of multiple sclerosis patients. 1977 , 30, 217-24	10
2258	The comparison and fitting of given classification schemes. 1977 , 16, 233-253	56
2257	Evaluating the conformity of sociometric measurements. 1978 , 43, 31-41	57
2256	Childhood leukemia in a rural county: Does âllnusualâllncidence signify clustering?. 1978 , 2, 97-103	
2255	Contacts among patients with hematological malignancies. 1978 , 41, 2379-87	9
2254	Current assessment of "case clustering" of lymphomas and leukemias. 1978, 42, 1026-4	20
2253	Statistics and biomedical research. 1979 , 32, 17-8	Ο
2252	On asymptotic non-normality of null distributions of mrpp statistics. 1979 , 8, 1541-1550	63
2251	Generalized concordance. 1979 , 44, 135-142	24
2250	GENETIC VARIATION AND DIFFERENTIATION IN SCANDINAVIAN MOOSE (ALCES ALCES): ARE LARGE MAMMALS MONOMORPHIC?. 1980 , 34, 1037-1049	10
2249	Alternative inference models based on matching for a weighted index of nominal scale response agreement. 1980 , 14, 711-725	
2248	Space-time clustering of Burkitt's lymphoma in East Africa: analysis of recent data and a new look at old data. 1980 , 25, 197-203	18
2248		18 39
2247	at old data. 1980 , 25, 197-203 Geographic variation in Pemphigus populicaulis (Insecta: Aphididae) in Eastern North America*,â□	

2244 Spatial clustering in childhood leukemia. 1980 , 33, 703-12	11
A Permutation Technique for the Spatial Analysis of the Distribution of Artifacts into Classes. 1980 , 45, 55-59	10
2242 A heuristic method for the comparison of related structures. 1981 , 23, 214-226	70
The comparison of related data sets: Examples from multidimensional scaling and cluster analysis. $^{224^{\text{I}}}$ 1981 , 48, 57-66	5
2240 The Analysis of Social Interaction Data: A Nonparametric Technique. 1981 , 9, 339-361	64
2239 Letters to the Editor. 1982 , 37, 121-124	
2238 An Alternative Method for Assessing Goodness-of-Fit for Logit Models. 1982 , 14, 963-971	12
2237 Comparing Rectangular Data Matrices. 1982 , 14, 1087-1095	11
2236 Case clustering in pityriasis rosea: support for role of an infective agent. 1982 , 284, 371-3	36
2235 Malignant melanoma and drinking water contamination. 1982 , 28, 519-23	4
Quantitative matrix comparisons in ecological and evolutionary investigations. 1982 , 99, 777-795	159
The occurrence of multiple lymphoreticular and hematological malignancies in the same households. 1983 , 47, 853-6	2
Combinatorial procedures for the analysis of alternate models: An example from interregional migration. 1983 , 53, 105-115	4
	22
migration. 1983 , 53, 105-115 Spatial and temporal variation in the summer zooplankton community of a riverine reservoir. 1983 , 107, 249-254 Lack of robustness in time-space disease clustering. 1983 , 12, 11-22	
migration. 1983 , 53, 105-115 Spatial and temporal variation in the summer zooplankton community of a riverine reservoir. 1983 , 107, 249-254	22
migration. 1983, 53, 105-115 Spatial and temporal variation in the summer zooplankton community of a riverine reservoir. 1983, 107, 249-254 Lack of robustness in time-space disease clustering. 1983, 12, 11-22 STATISTICAL INFERENCE IN GEOGRAPHY: MODERN APPROACHES SPELL BETTER TIMES AHEAD* *Partial support for this paper was provided by the National Institute of Justice, grant	1

2226	Time space distribution of childhood leukaemia in the Netherlands. 1983, 37, 145-8	14
2225	A Statistical Procedure for Cluster Recognition with Application to Atlanta Leukemia-Lymphoma Data. 1983 , 68, 61-88	
2224	Seasonal responses of lentic midge assemblages to environmental gradients. 1983 , 6, 123-132	
2223	GENETIC VARIABILITY WITHIN AND AMONG POPULATIONS OF THE BLACK-TAILED PRAIRIE DOG. 1983 , 37, 320-331	111
2222	Assessing Cluster Analysis Results. 1983 , 20, 92-98	51
2221	On the detection of clustering and anisotropy using binary data from a lattice patch. 1984 , 13, 617-638	5
2220	Comparison of a nearest neighbor and other approaches to the detection of space-time clustering. 1984 , 2, 125-142	3
2219	A study of three techniques for time-space clustering in Hodgkin's disease. 1984 , 3, 173-84	38
2218	Diets of four sympatric species of Etheostoma (Pisces: Percidae) from southern Indiana: interspecific and intraspecific multiple comparisons. 1984 , 11, 113-120	31
2217	Epidemiological monitoring: methods for analysing routinely-collected data. 1984 , 32, 219-32	1
2216	A Generalized Procedure for Comparing Models of Spatial Choice. 1984 , 16, 1289-1301	6
2215	BIOCHEMICAL GENETICS OF MOSQUITOFISH. IV. CHANGES OF ALLELE FREQUENCIES THROUGH TIME AND SPACE. 1985 , 39, 451-460	38
2214	Spatio-temporal patterns of mortality in Pemphigus populicaulis and P. populitransversus on cottonwoods. 1985 , 67, 310-321	14
2213	Combinatorial data analysis: Association and partial association. 1985 , 50, 449-467	64
2212	Epidemiological and immunological characteristics of childhood leukaemia in The Netherlands: population-based data from a nationwide co-operative group of paediatricians. 1985 , 9, 683-8	5
2211	Childhood T-cell acute lymphoblastic leukaemia in the Campania region of Italy, 1980-1984. 1985 , 9, 771-2	4
2210	Comparison of distance matrices in studies of population structure and genetic microdifferentiation: quadratic assignment. 1985 , 68, 367-73	115
2209	EPIDEMIOLOGICAL AND IMMUNOLOGICAL CHARACTERISTICS OF CHILDHOOD LEUKAEMIA IN THE NETHERLANDS: POPULATION-BASED DATA FROM A NATIONWIDE CO-OPERATIVE GROUP OF PAEDIATRICIANS. 1985 , 25-30	

2208	Tests of Randomness: Unidimensional and Multidimensional. 1985, 17, 373-385	12
2207	Quantitative genetics and the evolution of ontogeny. III. Ontogenetic changes in correlation structure among live-body traits in randombred mice. 1985 , 46, 325-35	31
2206	Nonparametric inference procedures for multistate life table analysis. 1985 , 11, 245-63	5
2205	Tests of the theory of natural selection: An overview. 1985 , 15, 411-432	5
2204	Statistical comparison of proximity matrices: applications in animal behaviour. 1985 , 33, 239-253	154
2203	Further nonparametric tests for comparing dissimilarity matrices based on the relative neighborhood graph. 1985 , 73, 71-88	8
2202	Tests for space-time clustering. 1986 , 42-51	1
2201	Gene flow across tribal barriers and its effect among the Amazonian lana river Indians. 1986 , 69, 3-14	15
2200	Convergence of genetic distances in a migration matrix model. 1986 , 71, 209-19	17
2199	Microdifferentiation in historical Massachusetts: a comparison of migration matrix and isonymy analyses. 1986 , 71, 365-75	15
2198	Variations ^long-terme (1977â¶985) du peuplement des sables fins de la Pierre Noire (baie de Morlaix, Manche occidentale): analyse statistique de l'volution structurale. 1986 , 142, 171-186	17
2197	The genetics of differentiation in a stream population of the threespine stickleback, Gasterosteus aculeatus. 1986 , 57, 199-208	10
2196	GEOGRAPHIC PATTERNS OF VARIATION IN OFFSHORE SPOTTED DOLPHINS (STENELLA ATTENUATA) OF THE EASTERN TROPICAL PACIFIC OCEAN. 1986 , 2, 186-213	17
2195	Randomization and regression methods for testing for associations with geographical, environmental and biological distances between populations. 1986 , 28, 201-218	155
2194	A statistical method of testing for dietary differences. 1986 , 13, 113-115	18
2193	Investigation of occupational cancer clusters: theory and practice. 1987 , 77, 52-6	31
2192	MACRO- AND MICROGEOGRAPHIC STRUCTURE OF A SPATIALLY SUBDIVIDED BEETLE SPECIES IN NATURE. 1987 , 41, 401-416	18
2191	COMPUTER-INTENSIVE SIGNIFICANCE-TESTING PROCEDURES* *I wish to acknowledge, but not implicate, A.S. Fotheringham for the initial discussions that led to this paper, and John Odland, Mark Ellis and Andrew Carleton for comments made on earlier drafts 1987 , 39, 208-214	8

Spatial autocorrelation of ABO serotypes in mediaeval cemeteries as an indicator of ethnic and familial structure. 1987 , 14, 615-633	14
2189 Combining climatic variables: a case study from Texas, USA. 1987 , 28, 269-286	
2188 Book reviews. 1987 , 4, 245-278	
2187 A review of statistical methods for continuous monitoring of malformation frequencies. 1987 , 3, 6	57-77 10
Polymorphic DNA haplotypes at the human phenylalanine hydroxylase locus and their relationship with phenylketonuria. 1987 , 76, 40-6	88
2185 Genetic differentiation among cottontails from isolated playa basins. 1987 , 75, 153-7	6
Space-time clustering and bone tumours: application of Knox's method to data from a population-based cancer registry. 1987 , 40, 769-71	8
2183 Partial correlation of distance matrices in studies of population structure. 1987 , 72, 343-52	49
2182 Genetic structure of the Utah Mormons: isonymy analysis. 1987 , 72, 403-12	30
2181 QAP partialling as a test of spuriousness. 1987 , 9, 171-186	379
QAP partialling as a test of spuriousness. 1987 , 9, 171-186 2180 How many clusters are best? - An experiment. 1987 , 20, 645-663	379 166
2180 How many clusters are best? - An experiment. 1987 , 20, 645-663	166
How many clusters are best? - An experiment. 1987 , 20, 645-663 2179 Genetic variation and population subdivision in the cricket frog Acris crepitans. 1987 , 15, 377-384 Social factors influencing choice of food source in a captive group of chimpanzees (Pan	166 3
How many clusters are best? - An experiment. 1987, 20, 645-663 2179 Genetic variation and population subdivision in the cricket frog Acris crepitans. 1987, 15, 377-384 Social factors influencing choice of food source in a captive group of chimpanzees (Pan troglodytes). 1988, 16, 81-87 Effects of English admixture and geographic distance on anthropometric variation and genetic	166 3 2
How many clusters are best? - An experiment. 1987, 20, 645-663 2179 Genetic variation and population subdivision in the cricket frog Acris crepitans. 1987, 15, 377-384 2178 Social factors influencing choice of food source in a captive group of chimpanzees (Pan troglodytes). 1988, 16, 81-87 2177 Effects of English admixture and geographic distance on anthropometric variation and genetic structure in 19th-century Ireland. 1988, 76, 111-24 Genetic structure of the Saguenay, 1852-1911: evidence from migration and isonymy matrices.	166 3 2
How many clusters are best? - An experiment. 1987, 20, 645-663 2179 Genetic variation and population subdivision in the cricket frog Acris crepitans. 1987, 15, 377-384 2178 Social factors influencing choice of food source in a captive group of chimpanzees (Pan troglodytes). 1988, 16, 81-87 2177 Effects of English admixture and geographic distance on anthropometric variation and genetic structure in 19th-century Ireland. 1988, 76, 111-24 2176 Genetic structure of the Saguenay, 1852-1911: evidence from migration and isonymy matrices. 1988, 77, 321-33 Reproductive compatibility among latitudinally separated Scottolana canadensis (Willey)	166 3 2 11

Mechanisms of social reciprocity in three primate species: Symmetrical relationship characteristics or cognition?. 1988 , 9, 101-118	258
Rates of protein, chromosome and morphological evolution in four genera of rhombomyine gerbils. 1988, 16, 89-103	7
2170 Residential mobility during pregnancy: implications for environmental teratogenesis. 1988 , 41, 15-20	99
2169 Marital migration and genetic structure in Kitee, Finland. 1988 , 15, 23-33	6
2168 Resolution of Cryptic Species in Appalachian Red Crossbills. 1988 , 90, 745-760	54
2167 Genetic, geographic, and linguistic distances in Europe. 1988 , 85, 1722-6	122
2166 Epidemiology of Schülein-Henoch purpura. 1988 , 77, 125-31	112
2165 A COMPARISON OF GENETIC AND PHENOTYPIC CORRELATIONS. 1988 , 42, 958-968	401
2164 Classification of the European language families by genetic distance. 1988 , 85, 9370-2	42
Time-dependent risk of and predictors for cardiac arrest recurrence in survivors of out-of-hospital cardiac arrest with chronic coronary artery disease. 1989 , 80, 599-608	61
2162 Exact moments of the symmetric cubic assignment statistic. 1989 , 18, 4309-4320	
2161 Does infection initiate Graves disease? A population based 10 year study. 1989 , 4, 43-9	28
2160 Food sharing and reciprocal obligations among chimpanzees. 1989 , 18, 433-459	322
2159 Ecological analysis of disturbed riverbanks in the Montral area of Qubec. 1989 , 13, 215-225	7
2158 Suicide clusters: a critical review. 1989 , 19, 17-29	83
2157 Predicting smallpox epidemics: A statistical analysis of two Finnish populations. 1989 , 1, 621-629	6
Genetic variation within two linguistic Amerindian groups: relationship to geography and population size. 1989 , 79, 313-20	18
2155 Combinatorial data analysis: Confirmatory comparisons between sets of matrices. 1989 , 5, 273-325	11

2154	Assignment methods for the analysis of network subgroup interactions. 1989 , 11, 237-255	19
2153	A probabilistic measure of similarity for binary data in pattern recognition. 1989 , 22, 397-409	13
2152	Comparison of ordinations and classifications of vegetation data. 1989 , 83, 111-128	23
2151	Spatial pattern and ecological analysis. 1989 , 80, 107-138	1553
2150	Statistical concerns in the design and analysis of multispecies microcosm and mesocosm experiments. 1989 , 4, 129-147	7
2149	Detection of aberrations in the occurrence of notifiable diseases surveillance data. 1989 , 8, 323-9; discussion 331-2	103
2148	Ecological and genetic correlates of range expansion in Coenonympha tullia. 1989 , 38, 197-214	12
2147	Inbreeding in the Utah Mormons: an evaluation of estimates based on pedigrees, isonymy, and migration matrices. 1989 , 53, 339-55	118
2146	Correspondence between sexual isolation and allozyme differentiation: a test in the salamander Desmognathus ochrophaeus. 1990 , 87, 2715-9	125
2145	THE COST OF MERISTEM LIMITATION IN POLYGONUM ARENASTRUM: NEGATIVE GENETIC CORRELATIONS BETWEEN FECUNDITY AND GROWTH. 1990 , 44, 799-819	59
2144	SPATIAL RELATIONSHIP AND GENE FLOW PATHS BETWEEN POPULATIONS OF THE ALPINE SNAIL ARIANTA ARBUSTORUM (PULMONATA: HELICIDAE). 1990 , 44, 966-980	32
2143	The roles of floristics and physiognomy in avian community composition. 1990 , 15, 321-327	48
2142	Phylogenetic analysis of the distribution of chromosomal races of Mus musculus domesticus Rutty in Europe. 1990 , 41, 171-192	27
2141	Mosaic variation in Swedish Petrorhagia prolifera (Caryophyllaceae): the partitioning of morphometric and electrophoretic diversity. 1990 , 41, 353-373	39
2140	Approximate analysis of variance of spatially autocorrelated regional data. 1990 , 7, 53-75	87
2139	Characterization of the rice (Oryza sativa) actin gene family. 1990 , 15, 257-68	81
2138	A matrix partial correlation test used in investigations of reciprocity and other social interaction patterns at group level. 1990 , 143, 405-420	153
2137	Genetic differentiation between baboon subspecies: Relevance for biomedical research. 1990 , 20, 67-81	68

2136	Subspecific morphological variation in the saddle-back tamarin (Saguinus fuscicollis). 1990 , 21, 1-15	32
2135	Temporal aspects of biological distance: serial correlation and trend in a prehistoric skeletal lineage. 1990 , 82, 45-52	46
2134	Social organization of the pygmy chimpanzee (Pan paniscus): Multivariate analysis of intracommunity associations. 1990 , 83, 193-201	31
2133	A cluster-focus of multiple sclerosis at Henribourg, Saskatchewan. 1990 , 17, 391-4	11
2132	An index for cancer clustering. 1990 , 87, 157-62	4
2131	Spatial Clustering for Inhomogeneous Populations. 1990 , 52, 73-96	30
2130	Variability, Spatial Patterns and Scales of Similarity in Sizeâl requency Distributions of the Northern Shrimp (Pandalus borealis) and its Migrations in the Gulf of St. Lawrence. 1990 , 47, 794-804	18
2129	NUMERICAL TAXONOMIC STUDY OF THE BEGONIACEAE USING THE MANTEL TEST ON LEAF MICROCHARACTERS. 1990 , 39, 549-560	9
2128	Models of, and tests for, reciprocity, unidirectionality and other social interaction patterns at a group level. 1990 , 39, 1013-1029	235
2127	What do languages tell us about human microevolution?. 1991 , 6, 151-6	27
2126	Albumin evolution in West Indian frogs of the genus Eleutherodactylus (Leptodactylidae): Caribbean biogeography and a calibration of the albumin immunological clock. 1991 , 225, 413-426	25
2125	Reciprocity and interchange of grooming and âBupportâlIn captive chimpanzees. 1991 , 41, 923-935	132
2124	Measuring the severity of disease clustering using Tango's index. 1991 , 107, 235-47	5
2123	Mitochondrial DNA Variation and the Phylogeny of Zonotrichia. 1991 , 108, 578-584	
\ <u>\</u>	Millochondriat DNA Variation and the Phytogeny of Zonothtma. 1991, 100, 978 904	57
2122		11
2122		
	Analysis of co-occurrence in a fungal community. 1991 , 95, 504-507	11

2118	Genetics, ethnohistory, and linguistics of Bra[]Yugoslavia. 1991 , 3, 155-168	2
2117	Multivariable variogram and its application to the linear model of coregionalization. 1991 , 23, 899-928	57
2116	Structure and molecular evolutionary analysis of a plant cytochrome c gene: surprising implications for Arabidopsis thaliana. 1991 , 32, 227-37	20
2115	Temporal changes in wetland landscapes of a section of the St. Lawrence River, Canada. 1991 , 15, 241-250	26
2114	Social behavior of the emperor tamarin in captivity: Components of agonistic display and the agonistic network. 1991 , 12, 439-480	12
2113	A Linear Spatial Correlation Model, with Applications to Positron Emission Tomography. 1991 , 86, 55-67	29
2112	Quantitative methods: clines, hot spots and cancer clusters. 1991 , 15, 444-455	4
2111	Geographical patterns of gene frequencies in Italian populations of Ornithogalum montanum (Liliaceae). 1991 , 58, 95-104	9
2110	Coevolution of genes and languages revisited. 1992 , 89, 5620-4	112
2109	Two levels of alliance formation among male bottlenose dolphins (Tursiops sp.). 1992 , 89, 987-90	347
2108	THE INFLUENCE OF DISPERSAL PATTERNS AND MATING SYSTEM ON GENETIC DIFFERENTIATION WITHIN AND BETWEEN POPULATIONS OF THE RED HOWLER MONKEY (ALOUATTA SENICULUS). 1992, 46, 1112-1128	18
2107	HOW SEDENTARY ARE GREYWING FRANCOLINS (FRANCOLINUS AFRICANUS)?. 1992 , 46, 1477-1491	
2106	GENETIC POPULATION STRUCTURE AND LEVELS OF GENE FLOW IN THE STREAM DWELLING WATERSTRIDER, AQUARIUS (=GERRIS) REMIGIS (HEMIPTERA: GERRIDAE). 1992 , 46, 430-444	6
2105	Macrogeographic Patterns of Morphometric and Genetic Variation in the Sage Sparrow Complex. 1992 , 94, 1-19	30
2104	Genetic Variation and Population Structure of Red-cockaded Woodpeckers. 1992 , 6, 283-292	59
2103	Bessey and Engler: a numerical analysis of their classification of the flowering plants. 1992 , 41, 667-684	3
2102	Methodological problems in investigating disease clusters. 1992 , 127, 173-85	10
2101	Study of spatial components of forest cover using partial Mantel tests and path analysis. 1992 , 3, 69-78	117

2100	Introduction to the Analysis of Periodic Phenomena. 1992 , 11-25	3
2099	The ecology of a New Zealand grassland lizard guild. 1992 , 22, 91-106	23
2098	Disturbances in tallgrass prairie: local and regional effects on community heterogeneity. 1992 , 7, 243-251	51
2097	Sexual exchange relationships in captive chimpanzees?. 1992 , 30, 269-275	77
2096	A statistical test of hypotheses on the organization and origin of the genetic code. 1992 , 35, 185-9	24
2095	Phytoplankton productivity in the North Pacific ocean since 1900 and implications for absorption of anthropogenic CO2. 1992 , 358, 741-743	101
2094	Crocodilian evolution: insights from immunological data. 1992 , 1, 193-201	54
2093	Phylogenetic relationships among middle American pocket gophers (genus Orthogeomys) based on mitochondrial DNA sequences. 1992 , 1, 17-25	22
2092	Intra- and interspecific genetic variability in Ctenomys (Rodentia: Ctenomyidae). 1992 , 20, 523-534	8
2091	Genetic variability in a hybrid zone between carrion and hooded crows (Corvus corone corone and C. c. cornix, Passeriformes, Aves) in North-Western Italy. 1992 , 20, 605-613	18
2090	An investigation of three-matrix permutation tests. 1992 , 9, 275-290	68
2089	Protein variation, taxonomy and differentiation in five species of marmosets (genusCallithrix Erxleben, 1777). 1992 , 33, 227-238	15
2088	Matrix correlation analysis in anthropology and genetics. 1992 , 35, 187-213	128
2087	Spatial autocorrelation invalidates the Dow-Cheverud test. 1992 , 89, 257-264	15
2086	Genetic relationships of European populations reflect their ethnohistorical affinities. 1993 , 91, 55-70	19
2085	Relating sets of variables in environmental studies: The sediment quality triad as a paradigm. 1993 , 4, 439-457	16
2084	RAPD (random amplified polymorphic DNA) analysis of Giardia DNA and correlation with isoenzyme data. 1993 , 87, 702-5	27
2083	Cohesion, equivalence, and similarity of behavior: a theoretical and empirical assessment. 1993 , 15, 275-307	99

2082 Real data are messy. 1993 , 3, 197-199	4
$_{20}8_{1}$ Random amplified polymorphic DNA and pedigree relationships in spring barley. 1993, 8	25, 976-84 191
Latitudinal differences in sex chromosome inversions, sex linked allozymes, and mitocho variation in Drosophila subobscura. 1993 , 92, 67-74	ondrial DNA
2079 Spatio-temporal variability in fish recruitment to a coral reef (Moorea, French Polynesia).	. 1993 , 12, 105-113 24
2078 Solving the cluster puzzle: clues to follow and pitfalls to avoid. 1993 , 12, 1763-70	25
Effect of relative risk and cluster configuration on the power of the one-dimensional sca 1993 , 12, 1853-65	nn statistic. 8
2076 The statistical description of disease clusters. 1993 , 12, 1967-8	
Storage-protein variation in wild emmer (Triticum turgidum ssp.dicoccoides) from Jordan Turkey. : II. Patterns of allele distribution. 1993 , 86, 518-25	n and 17
Organic contaminants in snapping turtle (Chelydra serpentina) populations from souther Canada. 1993 , 24, 35-43	rn Ontario, 17
Geographic variation in scalation of the lizard Gallotia stehlini within the island of Gran C 1993 , 48, 75-87	Canaria. 24
2072 Genetic differentiation in Philippine bats of the genera Cynopterus and Haplonycteris. 19	993 , 49, 203-218 27
Patterns and causes of morphological population differentiation in the Tenerife skink, Cl viridanus. 1993 , 50, 313-328	halcides 12
2070 Non-parametric multivariate analyses of changes in community structure. 1993 , 18, 117-	143 8527
Genetic consequences of an invasion through a patchy environment âlthe cynipid gallwas Andricus quercuscalicis (Hymenoptera: Cynipidae). 1993 , 2, 251-268	sp 106
A new approach for interpreting the genetic diversity in space: 'Mobile Site Method'. App 2068 Gm haplotype distribution of twenty-seven Amerindian tribes from North and Central Ar 1993, 57, 221-37	-
2067 Population differentiation in scalation of the Iberian rock lizard (Lacerta monticola). 199 :	3 , 230, 451-458 4
Ecological genetics of Norwegian Daphnia. III. Clonal richness in an Arctic apomictic comp 71, 323-330	plex. 1993 ,
Genetic analysis of Actinobacillus pleuropneumoniae, and comparison with Haemophilus Taxon "minor group" and Taxon C. 1993 , 279, 83-91	s spp. 20

2064	Genetic structure of human populations in the British Isles. 1993 , 20, 215-29	40
2063	THE ONTOGENY OF POSTCRANIAL INTEGRATION IN THE COMMON TERN, STERNA HIRUNDO. 1993 , 47, 1138-1151	21
2062	Structures of and allelic diversity and relationships among the major outer membrane protein (ompA) genes of the four chlamydial species. 1993 , 175, 487-502	127
2061	Phenotypic integration and plastic correlations in Phlox drummondii (Polemoniaceae). 1993 , 80, 1224-1233	66
2060	Correlation Tests for Non-Linear Alternatives. 1993 , 55, 541-548	
2059	Effect of average heterozygosity on the genetic distance of several Indian tribes from the Amazon region. 1994 , 21, 589-95	4
2058	Behavioral and Morphological Correlates of Heterochrony in Hispaniolan Palm-Tanagers. 1994 , 96, 433-446	16
2057	Comparison of RFLP and RAPD markers to estimating genetic relationships within and among cruciferous species. 1994 , 88, 973-80	277
2056	A comparison of RAPD and isozyme analyses for determining the genetic relationships among Avena sterilis L. accessions. 1994 , 87, 689-96	103
2055	Spatial cross-correlation of undisturbed, natural shortleaf pine stands in northern Georgia. 1994 , 1, 201-217	16
2054	Freshwater fish zoogeography in west Africa: faunal similarities between river basins. 1994 , 39, 365-380	48
2053	Similarity-based testing for community pattern: the two-way layout with no replication. 1994 , 118, 167-176	369
2052	Environmental control and spatial structure in ecological communities: an example using oribatid mites (Acari, Oribatei). 1994 , 1, 37-61	247
2051	Testing positional behavior of malagasy lemurs: a randomization approach. 1994 , 94, 189-202	77
2050	Phylogeography and recent historical biogeography of Hydroporus glabriusculus Aub' (Coleoptera: Dytiscidae) in the British Isles and Scandinavia. 1994 , 51, 293-307	9
2049	Patterns of evolution and multidimensional systematics in graylings (Lepidoptera: Hipparchia). 1994 , 52, 101-119	23
2048	Genetic variability among root voles (Microtus oeconomus) from different geographic regions: populations can be distinguished by DNA fingerprinting. 1994 , 52, 273-286	15
2047	Matrix correlation tests support a single origin for modern humans. 1994 , 368, 452-4	68

2046	Geographical variation in shell morphology and isoenzymes of Helix aspersa Mler, 1774 (Gastropoda, Pulmonata), the edible land snail, from Greece and Cyprus. 1994 , 72, 23-35	15
2045	Population structure of a predatory beetle: the importance of gene flow for intertrophic level interactions. 1994 , 72 (Pt 3), 228-36	29
2044	Hierarchical structure of mitochondrial DNA gene flow among humpback whales Megaptera novaeangliae, world-wide. 1994 , 3, 313-27	140
2043	DNA fingerprinting in Speke's gazelle: a test for genetic distinctness, and the correlation between relatedness and similarity. 1994 , 3, 355-61	13
2042	Population differentiation in randomly amplified polymorphic DNA of red-cockaded woodpeckers Picoides borealis. 1994 , 3, 581-95	92
2041	Molecular biogeography of clonal lineages in a high-arctic apomictic Daphnia complex. 1994 , 3, 497-506	25
2040	HLA-DRB1, DQA1 and DQB1 DNA polymorphisms in healthy Algerian and genetic relationships with other populations. 1994 , 43, 102-9	35
2039	HLA-DPB1 DNA polymorphism in the Swiss population: linkage disequilibrium with other HLA loci and population genetic affinities. 1994 , 21, 143-57	16
2038	Spatial Autocorrelation and Assessment of HabitatâAbundance Relationships in Littoral Zone Fish. 1994 , 51, 701-712	24
2037	Song Learning as Evidenced from Song Sharing in Two Hummingbird Species (Colibri coruscans and C. thalassinus). 1994 , 111, 87-103	67
2036	10 Ecological statistics. 1994 , 307-376	2
2035	Variability among isolates of the nematophagous fungus Hirsutella rhossiliensis. 1994 , 98, 1127-1136	24
2034	Genetic Structure of Chukar (Alectoris chukar) Populations in Israel. 1994 , 111, 416-426	17
2033	GENETIC AND MORPHOLOGICAL DIVERGENCE AMONG MORPHOTYPES OF THE ISOPOD EXCIROLANA ON THE TWO SIDES OF THE ISTHMUS OF PANAMA. 1994 , 48, 530-548	51
2032	THE DUAL ROLE OF SELECTION AND EVOLUTIONARY HISTORY AS REFLECTED IN GENETIC CORRELATIONS. 1994 , 48, 587-596	44
2031	MODELING BRAIN EVOLUTION FROM BEHAVIOR: A PERMUTATIONAL REGRESSION APPROACH. 1994 , 48, 1487-1499	255
2030	Genetic differentiation and gene flow in Atlantic salmon, Salmo salar L.: a case study of the River Shannon system in Ireland. 1994 , 25, 131-145	
2029	Spatial patterns of inter-island plant and bird species movements in the Galpagos Islands. 1994 , 24, 45-63	11

2028	Detection of linkage disequilibrium in Trypanosoma brucei isolated from tsetse flies and characterized by RAPD analysis and isoenzymes. 1995 , 110 (Pt 2), 181-6	36
2027	Random amplified polymorphic DNA fingerprints of the eight taxa of Trichinella and their comparison with allozyme analysis. 1995 , 110 (Pt 4), 401-7	67
2026	The structure of allozyme and leaf shape variation in isolated, range-margin populations of the shrub Hippocrepis emerus (Leguminosae). 1995 , 18, 276-285	16
2025	Population genetics of parasitic protozoa and other microorganisms. 1995 , 36, 47-115	163
2024	A GENETIC PERSPECTIVE OF MAMMALIAN VARIATION AND EVOLUTION IN THE INDONESIAN ARCHIPELAGO: BIOGEOGRAPHIC CORRELATES IN THE FRUIT BAT GENUS CYNOPTERUS. 1995 , 49, 399-412	25
2023	COMPARATIVE METHODS AT THE SPECIES LEVEL: GEOGRAPHIC VARIATION IN MORPHOLOGY AND GROUP SIZE IN GREY-CROWNED BABBLERS (POMATOSTOMUS TEMPORALIS). 1995 , 49, 1134-1146	48
2022	A cluster analysis of detected and substantiated child maltreatment incidents in rural Colorado. 1995 , 19, 363-9	7
2021	Yeast communities associated with different plant resources in sandy coastal plains of southeastern Brazil. 1995 , 99, 1047-1054	36
2020	Evolutionary implications of allozyme and RAPD variation in diploid populations of dioecious buffalograss Buchlodactyloides. 1995 , 4, 135-148	310
2019	One hundred years of Spartina altemiflora (Poaceae) in Willapa Bay, Washington: random amplified polymorphic DNA analysis of an invasive population. 1995 , 4, 355-364	46
2018	Spatial analysis of nuclear and mitochondrial RFLP genotypes in populations of the chestnut blight fungus, Cryphonectria parasitica. 1995 , 4, 633-42	47
2017	Origins and affinities of modern humans: a comparison of mitochondrial and nuclear genetic data. 1995 , 57, 523-38	121
2016	Anthropometric variation and the population history of Ireland. 1995 , 96, 25-38	37
2015	Indo-European origins: a computer-simulation test of five hypotheses. 1995 , 96, 109-32	77
2014	Development of the WPC approach and application to linkage analysis of breast cancer. 1995 , 12, 853-7	2
2013	Comparison tests for dendrograms: A comparative evaluation. 1995 , 12, 265-282	29
2012	Mating system and genetic differentiation inDasypyrum villosum (Poaceae) in Italy. 1995 , 197, 123-147	8
2011	The identification of duplicate accessions within a rice germplasm collection using RAPD analysis. 1995 , 90, 1049-55	90

(1995-1995)

1
2
(
4

1992	Genetic variation within and among different cultivars and landraces of Brassica campestris L. and B. oleracea L. based on isozymes. 1995 , 91, 346-52	19
1991	Macroinvertebrate Community Structure and Sediment Bioassay Results from Nearshore Areas of North American Great Lakes. 1995 , 21, 42-52	30
1990	The map comparison problem: tests for the overlap of geographic boundaries. 1995 , 14, 2343-61	56
1989	Confirmation of cooperative polyandry in the Galapagos hawk (Buteo galapagoensis). 1995 , 36, 83-90	96
1988	Isolation by distance in a population of a small land snail Trochoidea geyeri: evidence from direct and indirect methods. 1996 , 263, 1211-1217	47
1987	Survival of Snails in Fragmented Landscapes. 1996 , 329-343	5
1986	Morphometric variation in Plio-Pleistocene hominid distal humeri. 1996 , 101, 401-27	48
1985	The genetic structure of a province as revealed by surnames and HLA genes: potential utility in transplantation policy. 1996 , 60, 221-9	4
1984	From Asia to Europe: mitochondrial DNA sequence variability in Bulgarians and Turks. 1996 , 60, 35-49	126
1983	âBeamount effectsâlın the zooplankton community near Cobb Seamount. 1996 , 43, 837-858	62
1982	Genetic structure and parasite compatibility of Bulinus globosus (Gastropoda: Planorbidae) from two areas of different endemicity of Schistosoma haematobium in Zimbabwe. 1996 , 26, 269-80	14
1981	Genetic analysis of Sardinia: I. data on 12 polymorphisms in 21 linguistic domains. 1996 , 60, 125-41	81
1980	Simple sequence repeat primers used in polymerase chain reaction amplifications to study genetic diversity in barley. 1996 , 39, 112-7	61
1979	LIFE-HISTORY VARIATION AND COMPARATIVE PHYLOGEOGRAPHY OF DARTERS (PISCES: PERCIDAE) FROM THE NORTH AMERICAN CENTRAL HIGHLANDS. 1996 , 50, 2023-2036	27
1978	On randomization testing in vegetation science: multifactor comparisons of relev [*] groups. 1996 , 7, 585-592	159
1977	Intra- and interindividual variation in flank gland secretions of free-ranging shrewsCrocidura russula. 1996 , 22, 1669-88	5
1976	Molecular characterization of clonal population structure and biogeography of arctic apomictic Daphnia from Greenland and Iceland. 1996 , 5, 107-18	37
1975	RAPD analysis reveals low genetic variability in the endangered light-footed clapper rail. 1996 , 5, 463-472	20

1974	Kinship and genetic divergence among populations of tuatara Sphenodon punctatus as revealed by minisatellite DNA profiling. 1996 , 5, 651-658	12
1973	Population structure of red-cockaded woodpeckers in south Florida: RAPDs revisited. 1996 , 5, 725-734	31
1972	A biogeographical analysis of terrestrial isopods (Isopoda, Oniscidea) from the central Aegean islands (Greece). 1996 , 23, 687-698	68
1971	Testing models of female reproductive migratory behaviour and population structure in the Caribbean hawksbill turtle, Eretmochelys imbricata, with mtDNA sequences. 1996 , 5, 321-328	61
1970	Cranial variation in the Iberian Peninsula and the Balearic Islands: inferences about the history of the population. 1996 , 99, 413-28	13
1969	Genetic composition of Chilean aboriginal populations: HLA and other genetic marker variation. 1996 , 101, 325-32	20
1968	Genetic structure of the Utah Mormons: A comparison of kinship estimates from DNA blood groups, genealogies, and ancestral arrays. 1996 , 8, 609-614	6
1967	Improving the robustness of the weighted pairwise correlation test for linkage analysis. 1996 , 13, 559-73	17
1966	Cognitive inconsistencies and non-symmetric friendship. 1996 , 18, 1-27	123
1965	Patterns of genetic differentiation in two annual bromegrasses,Bromus lanceolatus andB. hordeaceus (Poaceae). 1996 , 199, 65-78	13
1964	Genetic and morphological divergence in the Androcymbium gramineum complex (Colchicaceae). 1996 , 201, 149-162	12
1963	Measuring differences between overlapping but unpaired spatial surveys using a geographic information system. 1996 , 43, 237-53	
1962	Temporal and spatial variability in water quality of wetlands in the Minneapolis/St. Paul, MN metropolitan area: Implications for monitoring strategies and designs. 1996 , 40, 11-40	30
1961	Epidemiology of childhood IDDM in Northern Ireland 1989-1994: low incidence in areas with highest population density and most household crowding. Northern Ireland Diabetes Study Group. 1996 , 39, 1063-9	141
1960	Local dynamics and dispersal in a structured population of the whirligig beetle Deneutus assimilis. 1996 , 106, 325-336	25
1959	A comparative analysis of the genetic relationships between rye cultivars using RFLP and RAPD markers. 1996 , 88, 107-115	82
1958	Assessment of genetic variability in hexaploid wheat landraces of Pakistan based on polymorphism for HMW glutenin subunits. 1996 , 43, 211-220	20
1957	Comparison of an improved RAPD fingerprinting with different typing methods for discriminating clinical isolates of Staphylococcus spp. 1996 , 12, 163-9	14

1956	Discontinuous and incremental processes in the song learning of birds: evidence for a primer effect. 1996 , 179, 291	7
1955	The comparison of RFLP, RAPD, AFLP and SSR (microsatellite) markers for germplasm analysis. 1996 , 2, 225-238	1574
1954	Random amplified polymorphic DNA (RAPD) markers reveal genetic homogeneity in the endangered Himalayan species Meconopsis paniculata and M. simplicifolia. 1996 , 93, 91-6	15
1953	Comparative analysis of genetic diversity in pea assessed by RFLP- and PCR-based methods. 1996 , 93, 1103-11	98
1952	Genetic Structure and Gene Flow in Elymus glaucus (blue wildrye): Implications for Native Grassland Restoration. 1996 , 4, 1-10	82
1951	Habitat differentiation in a narrow hybrid zone between diploid and tetraploid Anthoxanthum alpinum. 1996 , 133, 531-540	93
1950	Genetic structure in the species-pair Silene vulgaris and S. uniflora (Caryophyllaceae) on the Baltic island of land. 1996 , 19, 181-193	17
1949	The genetic structure of Beta vulgaris ssp. maritima (sea beet) populations: RFLPs and isozymes show different patterns of gene flow. 1996 , 77, 245-250	38
1948	Genetic differentiation and phylogenetic relationships among Greek Salmo trutta L. (brown trout) populations as revealed by RFLP analysis of PCR amplified mitochondrial DNA segments. 1996 , 77 (Pt 6), 608-18	40
1947	Local genetic structure within two rookeries of Chelonia mydas (the green turtle). 1996 , 77 (Pt 6), 619-28	38
1946	Parallel adaptive patterns of allozyme and inversion polymorphisms on an ecological gradient. 1996 , 76, 346-354	12
1945	A hierarchical analysis of genetic structure and variability in patchily distributed coexisting Chiastocheta species (Diptera: Anthomyiidae). 1996 , 76, 437-448	14
1944	Similarity of growth among Great tits (Parus major) and Blue tits (P. caeruleus). 1996 , 58, 343-355	14
1943	Population genetic variation in rare and endangered Iliamna (Malvaceae) in Virginia. 1996 , 58, 357-369	6
1942	Seasonal and successional dietary shifts of two sympatric rodents in coastal heathland: A possible mechanism for coexistence. 1996 , 21, 121-132	14
1941	Genetic estimates of dispersal ability in the leucaena psyllid predator Curinus coeruleus (Coleoptera: Coccinellidae): implications for biological control. 1996 , 86, 355-361	21
1940	Spatial analysis of microgeographic genetic structure in Richardson's ground squirrels. 1996 , 74, 1187-1195	21
1939	A note on asymptotic distribution of permutation statistics from mixing processes. 1996 , 25, 2395-2401	1

1938	40, 806-14	38
1937	Metapopulation Biology - Pages 455-504. 1997 , 455-504	
1936	CONTRIBUTIONS OF SEXUAL AND ASEXUAL REPRODUCTION TO POPULATION STRUCTURE IN THE CLONAL SOFT CORAL, ALCYONIUM RUDYI. 1997 , 51, 112-126	65
1935	MICROSATELLITES REVEAL HIGH POPULATION VISCOSITY AND LIMITED DISPERSAL IN THE ANT FORMICA PARALUGUBRIS. 1997 , 51, 475-482	92
1934	THE INFLUENCE OF INTRASPECIFIC VARIATION IN DISPERSAL STRATEGIES ON THE GENETIC STRUCTURE OF PLANTHOPPER POPULATIONS. 1997 , 51, 1189-1206	22
1933	Relationships of wild Brassica species with chromosome number 2n = 18, based on RFLP studies. 1997 , 40, 302-8	22
1932	Comparative analysis of genetic relationships in barley based on RFLP and RAPD markers. 1997 , 40, 607-16	28
1931	Patterns of seed polymorphism and allozyme variation in the bladder campions, Silene vulgaris and Silene uniflora (Caryophyllaceae). 1997 , 75, 1868-1886	11
1930	Genetic differentiation in the New Zealand sea urchin Evechinus chloroticus (Echinodermata: Echinoidea). 1997 , 31, 261-269	27
1929	Does taxonomic resolution affect the multivariate description of the structure of freshwater benthic macroinvertebrate communities?. 1997 , 54, 1802-1807	132
1928	DIGITAL SPECTROGRAPHIC CROSS-CORRELATION: TESTS OF SENSITIVITY. 1997 , 7, 209-234	38
1927	Morphological variation in sexual and agamospermous Amelanchier (Rosaceae). 1997 , 75, 1166-1173	7
1926	Conserving genetic variation in British populations of Lobelia urens. 1997 , 79, 15-22	7
1925	Human genetic affinities for Y-chromosome P49a,f/TaqI haplotypes show strong correspondence with linguistics. 1997 , 61, 1015-35	131
1924	Random amplified polymorphic DNA analysis of the phenetic relationships among world-wide accessions of Hydrilla verticillata. 1997 , 59, 217-236	46
1923	The influence of the geology on the limnological characteristics of some lotic ecosystems of the Itanham River Basin, SP-Brazil. 1997 , 26, 860-864	
1922	[Studies on space-time disease clusters: concepts, techniques, and challenges]. 1997 , 13, 611-624	11
1921	Microsatellite diversity and the demographic history of modern humans. 1997 , 94, 3100-3	224

1920	Ethnohistory, genetics, and cancer mortality in Europeans. 1997 , 94, 12728-31		11
1919	Biogeographic area relationships in southern New Zealand: a cladistic analysis of Lepidoptera distributions. 1997 , 24, 89-99		7
1918	Rejection of non-adaptive hypotheses for intraspecific variation in trophic morphology in gape-limited predators. 1997 , 62, 209-223		32
1917	Ecological morphology of lacustrine threespine stickleback Gasterosteus aculeatus L. (Gasterosteidae) body shape. 1997 , 61, 3-50		30
1916	Genetic differentiation in the Bladder campions, Silene vulgaris and S. uniflora (Caryophyllaceae), in Sweden. 1997 , 61, 559-584		1
1915	Population genetic structure of the catadromous Australian bass from throughout its range. 1997 , 51, 909-920		18
1914	Ontogenic migration of Pleuronectes flesus larvae in the eastern English Channel. 1997 , 51, 385-396		24
1913	Patterns of gene flow and genetic structure in cave-dwelling crickets of the Tuscan endemic, Dolichopoda schiavazzii (Orthoptera, Rhaphidophoridae). 1997 , 78, 665-673		17
1912	Gene flow in the Daphnia longispina hybrid complex (Crustacea, Cladocera) inhabiting large lakes. 1997 , 79, 231-241		16
1911	The genetic structure of Beta vulgaris ssp. maritima (sea beet) populations. II. Differences in gene flow estimated from RFLP and isozyme loci are habitat-specific. 1997 , 78, 532-538		20
1910	Genetic variation in populations of the blowflies Lucilia cuprina and Lucilia sericata (Diptera: Calliphoridae). Random amplified polymorphic DNA analysis and mitochondrial DNA sequences. 1997 , 25, 81-97		38
1909	Evaluation of genetic variability in Iberian Colutea spp. using isozyme electrophoresis. 1997 , 25, 13-20		1
1908	Landscape and plant community boundaries in biogeography. <i>Progress in Physical Geography</i> , 1997 , 21, 315-353	3.5	108
1907	Genetic correlates of social behaviour in wild chimpanzees: evidence from mitochondrial DNA. 1997 , 54, 559-70		109
1906	Using distance matrices to choose between competing theories and an application to the origin of modern humans. 1997 , 32, 501-22		50
1905	Genetic structure of populations of the domestic cat in Catalonia (Spain) and upper midwestern USA: A microgeographic and macrogeographic study. 1997 , 76, 99-115		10
1904	Genetic relationships among some new cat populations sampled in Europe: A spatial autocorrelation analysis. 1997 , 76, 1-24		27
1903	An adaptive explanation for geographically structured allozyme variation inDichroplus elongatus (Orthoptera: Acrididae). 1997 , 76, 33-42		2

1902	Genetic characterization of populations of a de novo arisen sugar beet pest, Aubeonymus mariaefranciscae (Coleoptera, Curculionidae), by RAPD analysis. 1997 , 45, 24-31	15
1901	Genetic structure of the indigenous populations of Siberia. 1997 , 104, 177-92	10
1900	Estimation of inbreeding, kinship, genetic distances, and population structure from surnames: The island of Hvar, Croatia. 1997 , 9, 595-607	11
1899	Pattern of recovery of species-specific cuticular hydrocarbon mixtures by Reticulitermes santonensis and Reticulitermes lucifugus grassei after being removed from a mixed group. Is the acquisition of allospecific hydrocarbons reversible?. 1997 , 35, 237-59	3
1898	Contrasting genetic variation amongst lentil landraces from different geographical origins. 1998 , 102, 265-273	55
1897	Molecular marker analysis of European Setosphaeria turcica populations. 1998 , 104, 611-617	16
1896	Different behavior of two Trypanosoma cruzi major clones: transmission and circulation in young Bolivian patients. 1998 , 89, 285-95	82
1895	Trypanosoma cruzi: compared vectorial transmissibility of three major clonal genotypes by Triatoma infestans. 1998 , 90, 20-5	64
1894	Neotricula aperta (Gastropoda: Pomatiopsidae), the intermediate host of Schistosoma mekongi: allozyme variation and relationships between Khmer, Lao, and Thai populations. 1998 , 246, 309-324	15
1893	Quantitative sampling of stream fish assemblages: Single- vs multiple-pass electrofishing. 1998 , 23, 365-374	51
	Quantitative sampling of stream fish assemblages: Single- vs multiple-pass electrofishing. 1998 , 23, 365-374 Space-time clustering of multiple sclerosis cases around birth. 1998 , 97, 351-8	51 9
1892 1891	Space-time clustering of multiple sclerosis cases around birth. 1998 , 97, 351-8 Relating species density to environmental variables in presence of spatial autocorrelation: a study	9
1892 1891	Space-time clustering of multiple sclerosis cases around birth. 1998, 97, 351-8 Relating species density to environmental variables in presence of spatial autocorrelation: a study case on soil nematodes distribution. 1998, 21, 117-123	9 23
1892 1891 1890	Space-time clustering of multiple sclerosis cases around birth. 1998, 97, 351-8 Relating species density to environmental variables in presence of spatial autocorrelation: a study case on soil nematodes distribution. 1998, 21, 117-123 Selection for phenotypic plasticity in Rana sylvatica tadpoles. 1998, 65, 301-328 Biogeography of the Indonesian archipelago: mitochondrial DNA variation in the fruit bat,	9 23 62
1892 1891 1890 1889	Space-time clustering of multiple sclerosis cases around birth. 1998, 97, 351-8 Relating species density to environmental variables in presence of spatial autocorrelation: a study case on soil nematodes distribution. 1998, 21, 117-123 Selection for phenotypic plasticity in Rana sylvatica tadpoles. 1998, 65, 301-328 Biogeography of the Indonesian archipelago: mitochondrial DNA variation in the fruit bat, Eonycteris spelaea. 1998, 65, 329-345 Genetics and evolution of phenotypic plasticity to nutrient stress in Arabidopsis: drift, constraints	9 23 62
1892 1891 1890 1889	Space-time clustering of multiple sclerosis cases around birth. 1998, 97, 351-8 Relating species density to environmental variables in presence of spatial autocorrelation: a study case on soil nematodes distribution. 1998, 21, 117-123 Selection for phenotypic plasticity in Rana sylvatica tadpoles. 1998, 65, 301-328 Biogeography of the Indonesian archipelago: mitochondrial DNA variation in the fruit bat, Eonycteris spelaea. 1998, 65, 329-345 Genetics and evolution of phenotypic plasticity to nutrient stress in Arabidopsis: drift, constraints or selection?. 1998, 64, 17-40 Genetic structure in a coastal dune spider (Geolycosa pikei) on Long Island, New York Barrier	9 23 62 13

1884	Randomization methods and the analysis of multivariate ecological data. 1998 , 9, 37-51	20
1883	mtDNA and language support a common origin of Micronesians and Polynesians in Island Southeast Asia. 1998 , 105, 109-19	62
1882	Are Eulemur species pair-bonded? Social organization and mating strategies in Eulemur fulvus rufus from 1988-1995 in southeast Madagascar. 1998 , 105, 153-66	47
1881	Biological affinities and adaptations of Bronze Age Bactrians: III. An initial craniometric assessment. 1998 , 106, 329-48	11
1880	Palmar pattern frequencies as indicators of relationships among Sardinian linguistic groups of males. 1998 , 13, 65-80	5
1879	Spatial and temporal patterns of algae in newly constructed freshwater wetlands. 1998 , 18, 9-20	53
1878	Geographical variations in the cranium of Saguinus geoffroyi. 1998 , 39, 237-243	2
1877	Numerical and comparative analyses of the modern systems of classification of the flowering plants. 1998 , 64, 323-355	5
1876	Nuclear RFLP diversity in Eucalyptus nitens. 1998, 81, 225-233	48
1875	Genetic differentiation and relationship between genetic and geographical distance in Danish sea trout (Salmo trutta L.) populations. 1998 , 81, 493-504	77
1874	Comparison of Southern Appalachian high-elevation outcrop plant communities with their Northern Appalachian counterparts. 1998 , 25, 501-513	14
1873	Comparative analysis of two methods used to show interspecific associations in naturally acquired parasite nematode communities from the abomasum of ewes. 1998 , 76, 275-85	11
1872	Gene flow and genetic diversity of turtle grass, Thalassia testudinum, banks ex khig, in the lower Florida Keys. 1998 , 61, 147-164	25
1871	Morphometric analyses of capsule and seed traits in Scandinavian Papaver radicatum (Papaveraceae) in relation to the bicentric distribution pattern. 1998 , 18, 689-700	1
1870	Genetic epidemiology of parasitic protozoa and other infectious agents: the need for an integrated approach. 1998 , 28, 85-104	163
1869	Mitochondrial and nuclear genetic relationships among Pacific Island and Asian populations. 1998 , 63, 613-24	84
1868	A Geochemical and Biological Basis for Marine Sediment Quality Guidelines. 1998 , 14, 173-196	3
1867	Molecular Systematics of the Scaled Quail Complex (Genus Callipepla). 1998 , 115, 394-403	30

1866	A temperature cline in copy number for 412 but not roo/B104 retrotransposons in populations of Drosophila simulans. 1998 , 265, 1161-5	20
1865	A permutation test of association between configurations by means of the rv coefficient. 1998 , 27, 843-856	41
1864	Genetic diversity and gene flow in the endangered dwarf bear poppy, Arctomecon humilis (Papaveraceae). 1998 , 85, 1251-1261	21
1863	THE RELATIVE IMPORTANCE OF HISTORICAL EVENTS AND GENE FLOW ON THE POPULATION STRUCTURE OF A MEDITERRANEAN RAGWORT, SENECIO GALLICUS (ASTERACEAE). 1998 , 52, 355-367	51
1862	EVIDENCE OF A BIOGEOGRAPHIC BREAK BETWEEN POPULATIONS OF A HIGH DISPERSAL STARFISH: CONGRUENT REGIONS WITHIN THE INDO-WEST PACIFIC DEFINED BY COLOR MORPHS, mtDNA, AND ALLOZYME DATA. 1998 , 52, 87-99	7º
1861	Evaluating cluster alarms: a space-time scan statistic and brain cancer in Los Alamos, New Mexico. 1998 , 88, 1377-80	414
1860	GEOMETRIC MORPHOMETRICS OF DEVELOPMENTAL INSTABILITY: ANALYZING PATTERNS OF FLUCTUATING ASYMMETRY WITH PROCRUSTES METHODS. 1998 , 52, 1363-1375	413
1859	Relaß entre geomorfologia fluvial e biodiversidade e sua aplicaß no processo de avaliaß ambiental. 1998 , 41, 67-81	O
1858	Consistent viral evolutionary changes associated with the progression of human immunodeficiency virus type 1 infection. 1999 , 73, 10489-502	790
1857	Genetic diversity and structure of the narrow endemic Wyethia reticulata and its congener W. bolanderi (Asteraceae) using RAPD and allozyme techniques. 1999 , 86, 344-353	62
1856	Spatial Statistics in Landscape Ecology. 1999 , 253-279	41
1855	An assessment of spatial clustering of leukaemias and lymphomas among young people in New Zealand. 1999 , 53, 154-8	22
1854	Genetic diversity in Elymus caninus as revealed by isozyme, RAPD, and microsatellite markers. 1999 , 42, 420-431	64
1853	Genetic exchange in the trypanosomatidae. 1999 , 43, 1-46	85
1852	Statistical analysis on spatial and temporal patterns of the Chinese elderly population. 1999 , 28, 53-64	12
1851	Comparisons of within-population genetic variation in sexual and agamospermousAmelanchier (Rosaceae) using RAPD markers. 1999 , 215, 157-167	15
1850	What influences the structure of frog assemblages at forest streams?. 1999 , 24, 495-502	54
1849	Morphological evolution and genetic differentiation in Daphnia species complexes. 1999 , 12, 710-723	47

1848	Genetic consequences of an introduction-colonization process in an endangered butterfly species. 1999 , 12, 697-709	10
1847	Variation in thermal sensitivity of performance among colour morphs of a pygmy grasshopper. 1999 , 12, 869-878	43
1846	Changes in genetic diversity during seven cycles of recurrent selection for grainyield in oat, Avena sativa L 1999 , 118, 37-43	11
1845	Meso-scale ecology of anthrax in southern Africa: a pilot study of diversity and clustering. 1999 , 87, 204-7	32
1844	Population genetics, molecular markers and the study of dispersal in plants. 1999 , 87, 551-568	327
1843	Population structure and dispersal of the saltmarsh mosquito Aedes vigilax in Queensland, Australia. 1999 , 13, 423-30	25
1842	Postglacial recolonization patterns and genetic relationships among whitefish (Coregonus sp.) populations in Denmark, inferred from mitochondrial DNA and microsatellite markers. 1999 , 8, 239-252	53
1841	Do assemblages of Coregonus (Teleostei: Salmoniformes) in the Central Alpine region of Europe represent species flocks?. 1999 , 8, 589-603	75
1840	Canonical correspondence analysis for estimating spatial and environmental effects on microsatellite gene diversity in brook charr (Salvelinus fontinalis). 1999 , 8, 1043-1053	98
1839	Molecular phylogeography of Dryas integrifolia: glacial refugia and postglacial recolonization. 1999 , 8, 1187-1198	160
1838	Genetic divergence and phylogeographic relationships among european perch (Perca fluviatilis) populations reflect glacial refugia and postglacial colonization. 1999 , 8, 1387-404	187
1837	Influence of landscape on the population genetic structure of the alpine butterfly parnassius smintheus (Papilionidae). 1999 , 8, 1481-95	172
1836	Genetic relationship of 32 cell lines of the Euplotes octocarinatus species complex revealed by random amplified polymorphic DNA (RAPD) fingerprinting. 1999 , 8, 1971-1979	17
1835	Intraspecific phylogeography of Lasmigona subviridis (Bivalvia: Unionidae): conservation implications of range discontinuity. 1999 , 8, S65-78	90
1834	Mitochondrial phylogeography of the European pond turtle, Emys orbicularis (Linnaeus 1758). 1999 , 8, 1911-22	145
1833	Marine population structure in an anadromous fish: life-history influences patterns of mitochondrial DNA variation in the eulachon, Thaleichthys pacificus. 1999 , 8, S143-58	21
1832	Mitochondrial DNA phylogeography and population history of the grey wolf canis lupus. 1999 , 8, 2089-103	264
1831	Fragmentation Effects on Forest Birds: Relative Influence of Woodland Cover and Configuration on Landscape Occupancy. 1999 , 13, 774-783	382

1830	Conservation Priorities for Chukar Partridge in Israel Based on Genetic Diversity across an Ecological Gradient. 1999 , 13, 542-552	64
1829	Genetic Diversity, Population Size, and Fitness in Central and Peripheral Populations of a Rare Plant Lychnis viscaria. 1999 , 13, 1069-1078	187
1828	Population Density as a Predictor of Genetic Variation for Woody Plant Species. 1999 , 13, 1079-1087	29
1827	Phylogenetic relationships of Ponto-Caspian gobies and their relationship to the AtlanticaMediterranean Gobiinae. 1999 , 54, 533-555	19
1826	Spatial association of genetically similar Atlantic salmon juveniles and sex bias in spatial patterns in a river. 1999 , 55, 1-8	22
1825	Morphological correlates of diet in an assemblage of West African freshwater fishes. 1999 , 54, 1310-1325	87
1824	The Knox method and other tests for space-time interaction. 1999 , 55, 544-52	114
1823	Estimating asymptotic body size and testing geographic variation in Agama impalearis. 1999 , 22, 277-283	41
1822	Genetic structuring and gene flow in a hybrid zone between two chromosome races of the common shrew (Sorex araneus, Insectivora) revealed by microsatellites. 1999 , 82, 79-88	36
1821	Properties of AFLP markers in inheritance and genetic diversity studies of pinus sylvestris L. 1999 , 82 (Pt 3), 252-60	39
1820	High genetic identities between three oil mallee taxa, Eucalyptus kochii ssp. kochii, ssp. plenissima and E. horistes, based on nuclear RFLP analysis. 1999 , 82, 205-211	34
1819	Genetic structure of island populations of the anurans rana temporaria and bufo bufo. 1999 , 82 (Pt 3), 309-17	73
1818	Genetic structure in three haploid peat mosses (Sphagnum). 1999 , 82 Pt 4, 391-400	80
1817	Population structure and genetic variation of european wild rabbits (Oryctolagus cuniculus) in east anglia. 1999 , 82 (Pt 5), 479-87	27
1816	Spatial autocorrelation analysis of individual multiallele and multilocus genetic structure. 1999 , 82 (Pt 5), 561-73	857
1815	Gene flow among habitat patches on a fragmented landscape in the spider argiope trifasciata (Araneae: araneidae). 1999 , 83 (Pt 5), 580-5	49
1814	Contact zones between chromosomal races of Mus musculus domesticus. 1. Temporal analysis of a hybrid zone between the CD chromosomal race (2n=22) and populations with the standard karyotype. 1999 , 83 (Pt 3), 319-26	30
1813	Plasmodium falciparum: population genetic analysis by multilocus enzyme electrophoresis and other molecular markers. 1999 , 92, 232-8	14

1812	Simple sequence repeat (SSR)-based marker variation in Brassica nigra genebank accessions and weed populations. 1999 , 109, 85-92	22
1811	Analyses of genetic diversity in Cuban rice varieties using isozyme, RAPD and AFLP markers. 1999 , 109, 107-115	27
1810	Genetic diversity of Prunus rootstocks analyzed by RAPD markers. 1999 , 110, 139-149	42
1809	Methodological problems and the role of statistics in cluster response studies: a framework. 1999 , 15, 821-31	9
1808	Evaluation of a DNA pooled-sampling strategy for estimating the RFLP diversity of maize populations. 1999 , 17, 123-138	31
1807	Variation and population structure at microsatellite and isozyme loci in wild cabbage (Brassica oleracea L.) in Dorset (UK). 1999 , 46, 351-360	28
1806	The Universality of the Semantic Structure of Emotion Terms: Methods for the Study of Inter- and Intra-Cultural Variability. 1999 , 101, 529-546	66
1805	On the identification of optimal plant functional types. 1999 , 10, 631-640	77
1804	Genetic diversity within tall formSpartina alterniflora Loisel along the Atlantic and Gulf coasts of the United States. 1999 , 19, 352-358	29
1803	Sets of complementary phenotypic relationships across five isolated populations: Traces of expression of different gene complexes?. 1999 , 14, 227-242	
1802	Regeneration of Xanthorrhoea australis following epidemic disease due to Phytophthora cinnamomi in the Brisbane Ranges, Victoria. 1999 , 28, 162	6
1801	Population Migration and the Variation of Dopamine D4 Receptor (DRD4) Allele Frequencies Around the Globe. 1999 , 20, 309-324	217
1800	Spatial structuring of length-at-age of the benthivorous white sucker (Catostomus commersoni) in relation to environmental variables. 1999 , 12, 351-362	4
1799	Diversity of Phytophthora megakarya in Central and West Africa revealed by isozyme and RAPD markers. 1999 , 103, 1225-1234	36
1798	RAPD marker and isozyme characterization of Sphaeropsis sapinea from diverse coniferous hosts and locations. 1999 , 103, 1193-1202	54
1797	Nonmetric multivariate analysis in community-level ecotoxicology. 1999 , 18, 118-127	106
1796	Evaluating the techniques for a tiered testing approach to dredged sediment assessmentâl study over a metal concentration gradient. 1999 , 18, 2600-2610	9
1795	Increased incidence rates but no spaceâtime clustering of childhood astrocytoma in Sweden, 1973âd992. 1999 , 85, 2077-2090	2

1794	Some of Nathan Mantel's contributions to epidemiology. 1999 , 18, 3389-400	1
1793	Population substructure and isolation by distance in three continental regions. 1999 , 108, 147-59	35
1792	Biological affinities and adaptations of Bronze Age Bactrians: IV. A craniometric investigation of Bactrian origins. 1999 , 108, 173-92	13
1791	Genetic population structure of two African-Ecuadorian communities of Esmeraldas. 1999 , 109, 159-74	11
1790	Demographic influences on the hunting behavior of chimpanzees. 1999 , 109, 439-54	133
1789	The peopling of sub-Saharan Africa: the case study of Cameroon. 1999 , 110, 143-62	26
1788	Sequential monitoring of low event rates: an application in environmental epidemiology. 1999 , 10, 439-455	3
1787	Macrofungal diversity of a temperate oak forest: a test of species richness estimators. 1999 , 77, 1014-1027	15
1786	Genetic structure, variability, and mating system in eastern white cedar (Thuja occidentalis) populations of recent origin in an agricultural landscape in southern Quebec. 1999 , 29, 1383-1392	13
1785	Temporal patterns in bovine tuberculosis in a brushtail possum population contiguous with infected cattle in the Ahaura Valley, Westland. 1999 , 47, 119-24	14
1784	RFLP- and RAPD-based genetic relationships of seven diploid species of Avena with the A genome. 1999 , 42, 950-9	21
1783	Population genetics of the woodlouse Porcellio scaber Latr. (Isopoda: Oniscoidea) in central Europe: passive dispersal and postglacial range expansion. 1999 , 77, 1337-1347	5
1782	Genetic variation in New Zealand populations of the plant pathogen Sclerotinia sclerotiorum. 1999 , 27, 13-21	42
1781	Peopling of Sahul: mtDNA variation in aboriginal Australian and Papua New Guinean populations. 1999 , 65, 808-28	99
1780	Space-time clustering of acute lymphoblastic leukaemia in parts of the U.K. (1984-1993). 1999 , 35, 91-6	15
1779	Spatial clustering of metals in the sediments of the Skagerrak/Kattegat. 1999 , 14, 689-706	109
1778	Integration of five Southeast Asian accessions into the world-wide phenetic relationships of Hydrilla verticillata as elucidated by random amplified polymorphic DNA analysis. 1999 , 63, 161-167	13
1777	Geographical differentiation of Rumex longifolius. 1999 , 19, 15-22	O

1776	Epidemiology of biliary atresia in France: a national study 1986-96. 1999 , 31, 1006-13	165
1775	Techniques for Analyzing Vertebrate Social Structure Using Identified Individuals: Review and Recommendations. 1999 , 28, 33-74	231
1774	Repertoire Size, Repertoire Overlap, and Singing Modes in the Banded Wren (Thryothorus pleurostictus). 1999 , 116, 677-689	82
1773	Geographic patterns in the genetic diversity of a northern sedge, Carex rariflora. 1999 , 77, 269-278	3
1772	MAJOR GENETIC DIFFERENCES BETWEEN CROWN-OF-THORNS STARFISH (ACANTHASTER PLANCI) POPULATIONS IN THE INDIAN AND PACIFIC OCEANS. 1999 , 53, 1782-1795	70
1771	HIERARCHICAL PATTERNS OF GENETIC POPULATION STRUCTURE IN BLACK RAT SNAKES (ELAPHE OBSOLETA OBSOLETA) AS REVEALED BY MICROSATELLITE DNA ANALYSIS. 1999 , 53, 1995-2001	19
1770	POPULATION GENETIC STRUCTURE AND GENE FLOW ACROSS ARID VERSUS MESIC ENVIRONMENTS: A COMPARATIVE STUDY OF TWO PARAPATRIC SENECIO SPECIES FROM THE NEAR EAST. 1999 , 53, 36-54	20
1769	DID VICARIANCE MOLD PHENOTYPES OF WESTERN NORTH AMERICAN FISHES? EVIDENCE FROM GILA RIVER CYPRINIDS. 1999 , 53, 238-246	10
1768	GENETIC VARIATION IN TIME AND SPACE: MICROSATELLITE ANALYSIS OF EXTINCT AND EXTANT POPULATIONS OF ATLANTIC SALMON. 1999 , 53, 261-268	74
1767	COMPARATIVE POPULATION STRUCTURE AND GENE FLOW OF A BROOD PARASITE, THE GREAT SPOTTED CUCKOO (CLAMATOR GLANDARIUS), AND ITS PRIMARY HOST, THE MAGPIE (PICA PICA). 1999 , 53, 269-278	63
1766	KIN INTERACTIONS IN A COLONIAL HYDROZOAN (HYDRACTINIA SYMBIOLONGICARPUS): POPULATION STRUCTURE ON A MOBILE LANDSCAPE. 1999 , 53, 793-805	22
1765	MORPHOMETRIC CORRELATION PATTERNS OF ADULT BIRDS (FRINGILLIDAE: PASSERIFORMES AND COLUMBIFORMES) MIRROR THE EXPRESSION OF DEVELOPMENTAL CONTROL GENES. 1999 , 53, 899-918	22
1764	CORRELATION OF PAIRWISE GENETIC AND GEOGRAPHIC DISTANCE MEASURES: INFERRING THE RELATIVE INFLUENCES OF GENE FLOW AND DRIFT ON THE DISTRIBUTION OF GENETIC VARIABILITY. 1999 , 53, 1898-1914	854
1763	Software for Population Genetic Analyses of Molecular Marker Data. 2000 , 40, 1521-1528	35
1762	Genetic relatedness between cassava (Manihot esculenta Crantz) and M. flabellifolia and M. Peruviana based on both RAPD and AFLP markers. 2000 , 23, 417-423	5
1761	Probabilistic small area risk assessment using GIS-based data: a case study on Finnish childhood diabetes. Geographic information systems. 2000 , 19, 2345-59	18
1760	Statistical Evaluation of Algebraic Constraints for Social Networks. 2000 , 44, 536-568	36
1759	Population structure of the rural communities on the island of Krk (Croatia): A comparison of genetic, cultural, and geographic data. 2000 , 12, 509-525	4

(2000-2000)

1758	Fragmentation of Landscape as a Cause for Genetic Subdivision in Bank Voles. 2000 , 14, 1066-1074	214
1757	Effects of Fragmentation of Araucarian Vine Forest on Small Mammal Communities. 2000 , 14, 1075-1087	48
1756	Variations in antibiotic resistance profile in Enterobacteriaceae isolated from wild Australian mammals. 2000 , 2, 620-31	53
1755	Community concordance between the fish and aquatic birds of lakes in northern Alberta, Canada: the relative importance of environmental and biotic factors. 2000 , 43, 421-437	108
1754	Population structure of the pestiferous moth Helicoverpa armigera in the eastern Mediterranean using RAPD analysis. 2000 , 85 Pt 3, 251-6	53
1753	Construction of a genetic linkage map for Camellia sinensis (tea). 2000 , 85 Pt 4, 346-55	54
1752	Genetic variation in the endemic and endangered Rosmarinus tomentosus Huber-Morath & Maire (Labiatae) using RAPD markers. Random amplified polymorphic DNA. 2000 , 85 Pt 5, 434-43	35
1751	Random amplified polymorphic DNA (RAPD) and quantitative trait analyses across a major phylogeographical break in the Mediterranean ragwort Senecio gallicus Vill. (Asteraceae). 2000 , 9, 61-76	37
1750	A microsatellite-based estimation of clonal diversity and population subdivision in Zostera marina, a marine flowering plant. 2000 , 9, 127-40	133
1749	Do discrepancies between microsatellite and allozyme variation reveal differential selection between sea and lagoon in the sea bass (Dicentrarchus labrax)?. 2000 , 9, 457-67	142
1748	Intraspecific phylogeography in the sedge frog Litoria fallax (Hylidae) indicates pre-Pleistocene vicariance of an open forest species from eastern Australia. 2000 , 9, 349-58	65
1747	Ecological determinants and temporal stability of the within-river population structure in Atlantic salmon (Salmo salar L.). 2000 , 9, 615-28	161
1746	The colonization history of Olea europaea L. in Macaronesia based on internal transcribed spacer 1 (ITS-1) sequences, randomly amplified polymorphic DNAs (RAPD), and intersimple sequence repeats (ISSR). 2000 , 9, 857-68	140
1745	Population structure of long-finned pilot whales in the North Atlantic: a correlation with sea surface temperature?. 2000 , 9, 949-58	69
1744	Mitochondrial DNA evolution and population history of the Tenerife skink Chalcides viridanus. 2000 , 9, 1061-7	33
1743	Microsatellite variation in Daphnia pulex from both sides of the Baltic Sea. 2000 , 9, 1075-88	44
1742	RAPD variation and population genetic structure in Prunus mahaleb (Rosaceae), an animal-dispersed tree. 2000 , 9, 1293-305	67
1741	Genetic diversity and heavy metal tolerance in populations of Silene paradoxa L. (Caryophyllaceae): a random amplified polymorphic DNA analysis. 2000 , 9, 1319-24	92

1740	Estimation of gene flow in the tropical-rainforest tree Neobalanocarpus heimii (Dipterocarpaceae), inferred from paternity analysis. 2000 , 9, 1843-52	97
1739	Historical biogeography in a linear system: genetic variation of sea rocket (Cakile maritima) and sea holly (Eryngium maritimum) along European coasts. 2000 , 9, 1823-33	98
1738	Population structure and mating biology of the polygynous ponerine ant Gnamptogenys striatula in Brazil. 2000 , 9, 1835-41	33
1737	Patterns of genetic variation in Gymnadenia conopsea, the fragrant orchid. 2000 , 9, 1863-72	62
1736	Microsatellite analysis of genetic diversity in African buffalo (Syncerus caffer) populations throughout Africa. 2000 , 9, 2017-25	47
1735	Genetic isolation by distance in Arabidopsis thaliana: biogeography and postglacial colonization of Europe. 2000 , 9, 2109-18	276
1734	Host-specific differentiation in the anther smut fungus Microbotryum violaceum as revealed by microsatellites. 2000 , 13, 188-198	59
1733	Genetic consequences of the metapopulation biology of a facultatively sexual freshwater invertebrate. 2000 , 13, 383-395	51
1732	Testing hypotheses on the dispersal and evolutionary history of freshwater mussels (Mollusca: Bivalvia: Unionidae). 2000 , 13, 854-865	13
1731	Incipient adaptive radiation of New Zealand and Australian Microseris (Asteraceae): an amplified fragment length polymorphism (AFLP) study. 2000 , 13, 997-1008	29
1730	Amplified fragment length polymorphism (AFLP) as suitable markers to study orobanche cumana genetic diversity. 2000 , 148, 457-459	12
1729	Use of RAPD and microsatellite (SSR) variation to assess genetic relationships among populations of tetraploid alfalfa, Medicago sativa. 2000 , 119, 311-317	81
1728	Evaluation of amplified fragment length polymorphism markers in tef, Eragrostis tef (Zucc.) Trotter, and related species. 2000 , 119, 403-409	18
1727	Allozyme diversity in relation to geographic distribution and population size inLathyrus vernus (L.) Bernh. (Fabaceae). 2000 , 225, 119-132	29
1726	Detection of space-time clusters and epidemiological examinations of scabies in chamois. 2000 , 92, 63-73	12
1725	Population genetic structure of two ecologically distinct Amazonian spiny rats: separating history and current ecology. 2000 , 54, 1423-32	60
1724	Global phylogeography of a cryptic copepod species complex and reproductive isolation between genetically proximate "populations". 2000 , 54, 2014-27	243
1723	Habitat fragmentation and the structure of genetic diversity within disjunct isolates of Anthericum ramosum L. (Anthericaceae) in Scandinavia. 2000 , 69, 193-212	6

(2000-2000)

1722	northern Scandinavia. 2000 , 133, 263-284	7
1721	Genetc divergence and phylogeny of the Salmoninae based on allozyme data. 2000 , 57, 354-381	30
1720	Models of core/periphery structures. 2000 , 21, 375-395	1097
1719	Genetic structure in Atlantic brown trout (Salmo trutta L.) populations in the Iberian peninsula: evidence from mitochondrial and nuclear DNA analysis. 2000 , 117, 105-120	2
1718	A comparison of fine-scale distribution patterns of four plant groups in an Amazonian rainforest. 2000 , 23, 349-359	68
1717	A space-time cluster investigation of an outbreak of acute respiratory disease in Norwegian cattle herds. 1999 , 47, 107-19	44
1716	Associations between genetics, farm characteristics and clinical disease in field outbreaks of porcine reproductive and respiratory syndrome virus. 2000 , 43, 293-302	30
1715	Analysis of time-space clustering in veterinary epidemiology. 2000 , 43, 225-37	66
1714	Identification of six Trypanosoma cruzi phylogenetic lineages by random amplified polymorphic DNA and multilocus enzyme electrophoresis. 2000 , 30, 35-44	240
1713	Unexpected low genetic differentiation among allopatric species of section Algarobia of Prosopis (leguminosae). 2000 , 109, 255-66	14
1712	Genetic diversity in tef [Eragrostis tef (Zucc) Trotter] and its relatives as revealed by Random Amplified Polymorphic DNAs. 2000 , 112, 15-22	22
1711	Effectiveness of different classes of molecular marker for classifying and revealing variation in rice (Oryza sativa) germplasm. 2000 , 112, 275-284	63
1710	Dispersal of the cotton boll weevil (Coleoptera: Curculionidae) in South America: evidence of RAPD analysis. 2000 , 108, 127-36	18
1709	Genetic variation and population structure in desert bighorn sheep: implications for conservation. 2000 , 1, 3-15	47
1708	Space-time clustering of childhood lymphatic leukaemias and non-Hodgkin's lymphomas in Sweden. 2000 , 16, 1111-6	29
1707	Male affiliation, cooperation and kinship in wild chimpanzees. 2000 , 59, 885-893	193
1706	Space-time clustering patterns in childhood leukaemia support a role for infection. 2000, 82, 1571-6	49
1705	Relationships among Early European Maize Inbreds: IV. Genetic Diversity Revealed with AFLP Markers and Comparison with RFLP, RAPD, and Pedigree Data. 2000 , 40, 783-791	64

1704	Population genetics of the Chilean frog Batrachyla Leptopus (Leptodactylidae). 2000, 23, 43-48	10
1703	Song Types and Variation in Insular Populations of Lincoln's Sparrow (Melospiza Lincolnii), and Comparisons With Other Melospiza. 2000 , 117, 52-64	20
1702	Genetic Variation in The Endangered Southwestern Willow Flycatcher. 2000 , 117, 586-595	28
1701	Seasonal Migration and Genetic Population Structure in House Wrens. 2000 , 102, 517-528	44
1700	Allozymic Genetic Structure and Natural Habitat Fragmentation: Data for Five Species of Amazonian Forest Birds. 2000 , 102, 770-783	39
1699	AFLP Markers for Characterizing the Azuki Bean Complex. 2000 , 40, 808-815	41
1698	Statistical methods for characterizing similarities and differences between semantic structures. 2000 , 97, 518-23	43
1697	Cancer incidences in Europe related to mortalities, and ethnohistoric, genetic, and geographic distances. 2000 , 97, 6067-72	17
1696	Low levels of genetic variation within and high levels of genetic differentiation among populations of species of Abies from southern Mexico and Guatemala. 2000 , 87, 362-371	63
1695	Spatial components of bowhead whale (Balaena mysticetus) distribution in the Alaskan Beaufort Sea. 2000 , 57, 2193-2200	19
1694	Genetic relationships among biotypes of Bemisia tabaci (Hemiptera: Aleyrodidae) based on AFLP analysis. 2000 , 90, 391-6	70
1693	Genetic variation among endosymbionts of widely distributed vestimentiferan tubeworms. 2000 , 66, 651-8	69
1692	Prevalence of virulence genes and clonality in Escherichia coli strains that cause bacteremia in cancer patients. 2000 , 68, 3983-9	43
1691	Implications of taxonomic resolution and sample habitat for stream classification at a broad geographic scale. 2000 , 19, 352-361	87
1690	THE COMPARISON OF HARMONICALLY RICH SOUNDS USING SPECTROGRAPHIC CROSS-CORRELATION AND PRINCIPAL COORDINATES ANALYSIS. 2000 , 11, 89-127	81
1689	Restoration of an oak forest in east-central Missouri. 2000 , 139, 109-126	30
1688	Agonistic and proximity patterns in enclosed mouflon (Ovis gmelini) ewes in relation to age, reproductive status and kinship. 2000 , 50, 101-112	26
1687	Y-chromosomal diversity in Europe is clinal and influenced primarily by geography, rather than by language. 2000 , 67, 1526-43	471

1686 Extensive gene flow within sibling species in the deep-sea fish Beryx splendens. 2000 , 323, 315-25	22
Statistical sulcal shape comparisons: application to the detection of genetic encoding of the central sulcus shape. 2000 , 11, 564-74	al 60
The seed bank in an old-growth, temperate deciduous forest. 2000 , 78, 181-192	24
Determination of the origin of the cold-adapted populations of barnyard grass (Echinochloa crus-galli) in eastern North America: a total-evidence approach using RAPD DNA and DNA sequences. 2000 , 78, 1505-1513	5
Jewish and Middle Eastern non-Jewish populations share a common pool of Y-chromosome biallel haplotypes. 2000 , 97, 6769-74	ic 200
$_{1681}$ Riverine barriers and the geographic distribution of Amazonian species. 2000 , 97, 13672-7	189
1680 11 Spatial statistical methods for environmental epidemiology. 2000 , 18, 357-396	6
1679 Extinction dynamics and the regional persistence of a tree frog metapopulation. 2000 , 267, 1311-3	40
History or current selection? A molecular analysis of 'area effects' in the land snail Cepaea nemoralis. 2000 , 267, 1399-405	64
$_{1677}$ Spatial and dietary overlap in the Georges Bank groundfish community. 2000 , 57, 1679-1691	30
Morphometric variation in a hybrid zone between the weed, Silene vulgaris, and the endemic, Silene uniflora ssp. petraea (Caryophyllaceae), on the Baltic island of land. 2000 , 78, 1384-1397	6
Mitochondrial DNA Variation in the South American Grasshopper Dichroplus elongatus (Orthoptera: Acrididae). 2000 , 93, 653-662	7
RAPD and ISSR fingerprints as useful genetic markers for analysis of genetic diversity, varietal identification, and phylogenetic relationships in peanut (Arachis hypogaea) cultivars and wild species. 2001 , 44, 763-772	155
Above- and below-ground community structure of ectomycorrhizal fungi in three Norway spruce (Picea abies) stands in Switzerland. 2001 , 79, 1134-1151	10
Genetic Variation and Molecular Biogeography of a North American Invasive Plant Species (Alliaria petiolata, Brassicaceae). 2001 , 162, 161-169	75
Genetic and morphological stock structure of the pearlside, Maurolicus muelleri (Pisces, Sternoptychidae), among Norwegian fjords and offshore area. 2001 , 86, 191-201	12
1670 Are social equivalences ever regular?. 2001 , 23, 87-123	7
Genetic differentiation in South Amerindians is related to environmental and cultural diversity: evidence from the Y chromosome. 2001 , 68, 1485-96	151

1668	Paternal population history of East Asia: sources, patterns, and microevolutionary processes. 2001 , 69, 615-28	186
1667	African diversity from the HLA point of view: influence of genetic drift, geography, linguistics, and natural selection. 2001 , 62, 937-48	45
1666	Environmental influences on post-harvest natural regeneration in Mexican pineâbak forests. 2001 , 144, 213-228	28
1665	Morphometric variation in red-spot prawn (Metapenaeopsis barbata) in different geographic waters off Taiwan. 2001 , 53, 211-217	19
1664	[Heterochronia via procrustean superimposition: application to the skulls of Homonidae primates]. 2001 , 324, 87-93	11
1663	Population genetic structure of Blanding's turtles (Emydoidea blandingii) in an urban landscape. 2001 , 99, 323-330	32
1662	Evolution and the genetic analysis of populations: 1950â\dagge0000. 2001 , 50, 7-45	13
1661	Evidence for low genetic diversity and metapopulation structure in Canada yew (Taxus canadensis): considerations for conservation. 2001 , 31, 110-116	19
1660	Morphological variation in Scandinavian populations of the diploid?tetraploid species pair Anthericum ramosum and Anthericum liliago (Anthericaceae). 2001 , 79, 850-860	2
1659	The population structure of Armillaria ostoyae in the southern interior of British Columbia. 2001 , 79, 612-620	3
1658	The population structure of Armillaria ostoyae and Armillaria sinapina in the central interior of British Columbia. 2001 , 79, 600-611	4
1657	Effects of habitat fragmentation on population genetic structure in the white-footed mouse (Peromyscus leucopus). 2001 , 79, 285-295	53
1656	Assessment of genetic variation and differentiation of hop genotypes by microsatellite and AFLP markers. 2001 , 44, 773-782	64
1655	Morphology and AFLP markers suggest three Hordeum chilense ecotypes that differ in avoidance to rust fungi. 2001 , 79, 204-213	22
1654	Effects of Shoreline Urbanization on Littoral Fish Assemblages. 2001 , 17, 127-138	14
1653	Adaptive Ecology of Lotus corniculatus L. Genotypes: I. Plant Morphology and RAPD Marker Characterizations. 2001 , 41, 552-563	33
1652	Spatial statistical methods in health. 2001 , 17, 1083-98	41
1651	[AIDS epidemic dynamics in the municipality of Rio de Janeiro, Brazil, 1988-1996: Spatial-temporal statistic modeling]. 2001 , 17, 1123-40	12

1650	A Description and Interpretation of the NPGS Birdsfoot Trefoil Core Subset Collection. 2001 , 41, 1968-1980	12
1649	AFLP Variation in Bromus Section Ceratochloa Germplasm of Patagonia. 2001 , 41, 1609-1616	15
1648	Temperature Effects on Interspecific Interference among Two Native Wetland Grasses and Tall Fescue. 2001 , 93, 1020-1027	3
1647	Adaptive Ecology of Lotus corniculatus L. Genotypes: II. Crossing Ability. 2001 , 41, 564-570	11
1646	Geographic Variation in the Song of Willow Flycatchers: Differentiation Between Empidonax Traillii Adastus and E. T. Extimus. 2001 , 118, 366-379	19
1645	Bird Diversity Components in Australian Eucalyptus and North-Temperate Quercus Woodlands. 2001 , 118, 443-456	7
1644	Disparity tuning in macaque area V4. 2001 , 12, 365-9	57
1643	Genetic diversity and the mating system of a rare Mexican piôn, Pinus pinceana, and a comparison with Pinus maximartinezii (Pinaceae). 2001 , 88, 1977-1987	28
1642	Genetic Diversity of Everglades Sawgrass, Cladium jamaicense (Cyperaceae). 2001, 162, 817-825	21
1641	Genetic evidence on the origins of Indian caste populations. 2001 , 11, 994-1004	265
1640	Quantitative Evaluation of Genetic Diversity in Wheat Germplasm Using Molecular Markers. 2001 , 41, 682-690	158
1639	Genetic and Behavioral Evidence for Restricted Gene Flow among Coastal Cutthroat Trout Populations. 2001 , 130, 1049-1069	24
1638	Genetic Variability in Common Wheat Based on Morphological Traits, Coefficients of Parentage and RAPDs. 2001 , 3, 73-87	4
1637	Patterns of population subdivision, gene flow and genetic variability in the African wild dog (Lycaon pictus). 2001 , 10, 1703-23	71
1636	Molecular differentiation of the Old World Culicoides imicola species complex (Diptera, Ceratopogonidae), inferred using random amplified polymorphic DNA markers. 2001 , 10, 1773-86	42
1635	Unmanaged sexual reproduction and the dynamics of genetic diversity of a vegetatively propagated crop plant, cassava (Manihot esculenta Crantz), in a traditional farming system. 2001 , 10, 1895-907	113
1634	Genetic diversity of heavy metal-tolerant populations in Silene paradoxa L. (Caryophyllaceae): a chloroplast microsatellite analysis. 2001 , 10, 1909-16	70
1633	Rapid genetic divergence in postglacial populations of threespine stickleback (Gasterosteus aculeatus): the role of habitat type, drainage and geographical proximity. 2001 , 10, 2435-45	135

1632	Islands on the plains: metapopulation dynamics and female biased dispersal in hyraxes (Hyracoidea) in the Serengeti National Park. 2001 , 10, 2307-17	15
1631	Prey specialization may influence patterns of gene flow in wolves of the Canadian Northwest. 2001 , 10, 2787-98	89
1630	Geographic structure in the searching behaviour of a specialist parasitoid: combining molecular and behavioural approaches. 2001 , 14, 406-417	31
1629	Investment in survival and reproduction along a semelparityalteroparity gradient in the Beta species complex. 2001 , 14, 795-804	36
1628	Social Affiliations within Sperm Whale (Physeter macrocephalus) Groups. 2001 , 107, 323-340	46
1627	Genetic variation within and relationships among populations of Asian goats (Capra hircus). 2001 , 118, 213-233	88
1626	The genus Adriohydrobia (Hydrobiidae: Gastropoda): polytypic species or polymorphic populations?. 2001 , 39, 227-234	52
1625	Population structure and dispersal in the Canary Island caddisfly Mesophylax aspersus (Trichoptera, Limnephilidae). 2001 , 86, 370-7	33
1624	Genetic diversity within and among Pinus pinaster populations: comparison between AFLP and microsatellite markers. 2001 , 86, 469-79	108
1623	Low neighbourhood size and high interpopulation differentiation in the endangered shrub Grevillea iaspicula McGill (Proteaceae). 2001 , 86, 489-96	42
1622	Genetic similarity as a measure for connectivity between fragmented populations of the moor frog (Rana arvalis). 2001 , 86, 598-608	122
1621	Field and allozyme studies investigating optimal mating success in two sympatric spring-ephemeral plants, Trillium erectum and T. grandiflorum. 2001 , 87, 178-89	23
1620	Genetic evidence for mixed origin of recolonized sea trout populations. 2001, 87, 207-14	35
1619	Wolbachia diversity in the Porcellionides pruinosus complex of species (Crustacea: Oniscidea): evidence for host-dependent patterns of infection. 2001 , 87, 428-34	37
1618	Differences in population structure of the anther smut fungus Microbotryum violaceum on two closely related host species, Silene latifolia and S. dioica. 2001 , 10, 285-94	49
1617	Genetic structure of the annual weed Senecio vulgaris in relation to habitat type and population size. 2001 , 10, 17-28	32
1616	Genetic evidence for a family structure in stable social aggregations of the Australian lizard Egernia stokesii. 2001 , 10, 175-83	103
1615	Tripartite genetic subdivisions in the ornate shrew (Sorex ornatus). 2001 , 10, 127-47	63

(2001-2001)

1614	age within the Central Alps. 2001 , 10, 357-70	115
1613	Tandem repeats in plant mitochondrial genomes: application to the analysis of population differentiation in the conifer Norway spruce. 2001 , 10, 257-63	95
1612	Microsatellite analysis of genetic variation among and within Alpine marmot populations in the French Alps. 2001 , 10, 41-52	44
1611	Genetic structure of North American wolverine (Gulo gulo) populations. 2001 , 10, 337-47	90
1610	Population genetic structure of the endangered tropical tree species Caryocar brasiliense, based on variability at microsatellite loci. 2001 , 10, 349-56	120
1609	Spatial population structure in a patchily distributed beetle. 2001 , 10, 823-37	29
1608	Comparative allozyme and microsatellite population structure in a narrow endemic plant species, Centaurea corymbosa Pourret (Asteraceae). 2001 , 10, 879-89	59
1607	Pollen pool heterogeneity in shortleaf pine, Pinus echinata Mill. 2001 , 10, 859-66	64
1606	Contrasting patterns of mitochondrial DNA and microsatellite introgressive hybridization between lineages of lake whitefish (Coregonus clupeaformis); relevance for speciation. 2001 , 10, 965-85	124
1605	The impact of habitat fragmentation on dispersal of Cunningham's skink (Egernia cunninghami): evidence from allelic and genotypic analyses of microsatellites. 2001 , 10, 867-78	173
1604	Microsatellites reveal high levels of gene flow among populations of the California squid Loligo opalescens. 2001 , 10, 1101-9	46
1603	Mode of reproduction and amplified fragment length polymorphism variation in purple needlegrass (Nassella pulchra): utilization of natural germplasm sources. 2001 , 10, 1165-77	24
1602	Population subdivision in marine environments: the contributions of biogeography, geographical distance and discontinuous habitat to genetic differentiation in a blennioid fish, Axoclinus nigricaudus. 2001 , 10, 1439-53	155
1601	Microsatellite variation in the yellowhammer Emberiza citrinella: population structure of a declining farmland bird. 2001 , 10, 1633-44	18
1600	Geographical and genetic distances among zooplankton populations in a set of interconnected ponds: a plea for using GIS modelling of the effective geographical distance. 2001 , 10, 1929-38	115
1599	Genetic variation and structure of fisher (Martes pennanti) populations across North America. 2001 , 10, 2341-7	37
1598	Intraspecific phylogeny and geographical variation of six species of northeastern Asiatic Sorex shrews based on the mitochondrial cytochrome b sequences. 2001 , 10, 2199-213	89
1597	Allozyme and microsatellite loci provide discordant estimates of population differentiation in the endangered dusky grouper (Epinephelus marginatus) within the Mediterranean Sea. 2001 , 10, 2163-75	58

1596	Glacial biogeography of North American coho salmon (Oncorhynchus kisutch). 2001 , 10, 2775-85	55
1595	Fine-scale genetic structure, estuarine colonization and incipient speciation in the marine silverside fish Odontesthes argentinensis. 2001 , 10, 2849-66	140
1594	Predicting quantitative phytochemical markers in single Echinacea plants or clones from their DNA fingerprints. 2001 , 56, 543-9	33
1593	Mississippians in motion? A population genetic analysis of interregional gene flow in West-Central Illinois. 2001 , 114, 61-73	58
1592	Speciation and population structure in the morphospecies Lutzomyia longipalpis (Lutz & Neiva) as derived from the mitochondrial ND4 gene. 2001 , 18, 84-93	61
1591	Colony specificity in a social call of mouse lemurs (Microcebus ssp.). 2001 , 54, 129-41	22
1590	Craniometric variation and the settlement of the Americas: testing hypotheses by means of R-matrix and matrix correlation analyses. 2001 , 116, 154-65	45
1589	Do commonly used indices of 时iversity measure species turnover?. 2001 , 12, 545-552	194
1588	Why do chimpanzees hunt and share meat?. 2001 , 61, 915-924	294
1587	Trypanosoma cruzi: a considerable phylogenetic divergence indicates that the agent of Chagas disease is indigenous to the native fauna of the United States. 2001 , 99, 73-9	46
1586	Traditional management of cassava morphological and genetic diversity by the Makushi Amerindians (Guyana, South America): Perspectives for on-farm conservation of crop genetic resources. 2001 , 120, 143-157	66
1585	Statistical analysis of spatial pattern: a comparison of grid and hierarchical sampling approaches. 2001 , 69, 85-99	20
1584	Molecular characterisation of cultivars of apple (Malus domestica Borkh.) using microsatellite (SSR and ISSR) markers. 2001 , 122, 81-89	88
1583	Geographical differentiation of Asian taro, Colacasia esculenta (L.) Schott, detected by RAPD and isozyme analyses. 2001 , 122, 219-234	19
1582	Lianas and Trees in a Liana Forest of Amazonian Bolivia1. 2001 , 33, 34-47	139
1581	Use of molecular markers to differentiate between commercial strains of the button mushroom Agaricus bisporus. 2001 , 198, 45-8	15
1580	Phylogeography of the Marsh Fritillary Euphydryas aurinia (Lepidoptera: Nymphalidae) in the UK. 2001 , 72, 129-141	14
1579	Evidence for long-distance dispersal in a sedentary passerine, Gymnorhina tibicen (Artamidae). 2001 , 72, 333-343	15

(2001-2001)

1578	Comparative phylogeography of two open forest frogs from eastern Australia. 2001 , 74, 157-170	41
1577	Historical interdrainage dispersal of eastern rainbowfish from the Atherton Tableand, north-eastern Australia. 2001 , 58, 1125-1136	13
1576	Use of micreosatellite markers for identification of indigenous brown trout in a geographical region heavily influenced by stocked domensticated trout. 2001 , 58, 1197-1210	21
1575	A regression modeling approach for describing patterns of HIV genetic variation. 2001 , 57, 449-60	3
1574	Are partial mantel tests adequate?. 2001 , 55, 1703-5	162
1573	The population structure of Neisseria meningitidis serogroup A fits the predictions for clonality. 2001 , 1, 117-22	21
1572	A postal survey of blowfly strike occurrence in two Queensland shires. 2001 , 79, 769-72	4
1571	Genetic evidence against panmixia in the European eel. 2001 , 409, 1037-40	189
1570	A new method for non-parametric multivariate analysis of variance. 2001 , 26, 32-46	1278
1569	Methods to investigate spatial and temporal clustering in veterinary epidemiology. 2001 , 48, 303-20	61
1568	Absence of population genetic differentiation in the New Zealand greenshell mussel Perna canaliculus (Gmelin 1791) as assessed by allozyme variation. 2001 , 258, 173-194	14
1567	Seed isozyme variation in Petrocoptis A. Braun (Caryophyllaceae). 2001 , 29, 379-392	4
1566	Phylogenetic relationships among four species of Mullidae (Perciformes) inferred from DNA sequences of mitochondrial cytochrome b and 16S rRNA genes. 2001 , 29, 901-909	17
1565	Enhancing Mobility Behavior Analysis Using Spatial Interactive Tools and Computer Intensive Methods. 2001 , 7, 35-41	1
1564	Comparison of Greek breeds of horses using RAPD markers. 2001 , 118, 47-56	7
1563	Biogeographic range expansion into South America by Coccidioides immitis mirrors New World patterns of human migration. 2001 , 98, 4558-62	200
1562	Genetic clustering of hepatitis C virus strains and severity of recurrent hepatitis after liver transplantation. 2001 , 75, 11292-7	24
1561	Microsatellite variation in cassava (Manihot esculenta, Euphorbiaceae) and its wild relatives: further evidence for a southern Amazonian origin of domestication. 2001 , 88, 131-142	165

1560	Distinguishing among Magnolia cultivars using fluorescent Amplified Fragment Length Polymorphism (AFLP) analysis. 2001 , 29, 77-83	2
1559	Analysis of surface changes using primitive events. 2001 , 15, 523-538	11
1558	Spatial and temporal clustering of Salmonella serotypes isolated from adult diarrheic dairy cattle in California. 2001 , 13, 206-12	20
1557	Early Checking of Genetic Stability of Cork Oak Somatic Embryos by AFLP Analysis. 2001 , 162, 827-833	24
1556	Population genetic study in the Balearic endemic plant species Digitalis minor (Scrophulariaceae) using RAPD markers. 2001 , 88, 1750-1759	39
1555	Kin-structured subpopulations in Eurasian perch (Perca fluviatilis L.). 2001 , 86, 213-21	84
1554	High-resolution minisatellite-based typing as a portable approach to global analysis of Mycobacterium tuberculosis molecular epidemiology. 2001 , 98, 1901-6	364
1553	RAPD Marker Diversity Within and Among Natural Populations of the Clonal Tree Cryptomeria japonica D. Don 2002 , 15, 75-90	
1552	Microsatellite characterization of Plasmodium falciparum from cerebral and uncomplicated malaria patients in southern Vietnam. 2002 , 40, 1854-7	17
1551	Things to know and do about cancer clusters. 2002 , 20, 810-6	15
1550	Quantifying Heterogeneity in the HIV Genome. 2002 , 91-119	
1549	Sequence Differentiation Among Inversion Rearrangement are Revealed by Random Amplified Polymorphic DNA Markers in the Grasshopper Trimerotropis pallidipennis (Orthoptera: Acrididae: Oedipodinae). 2002 , 95, 201-207	4
1548	A Statistical Method for Comparing Aggregate Data Across A Priori Groups. 2002 , 14, 88-107	19
1547	Genetic structure of south Indian caste populations: a confluence of biology and culture. 2002 , 141-161	
1546	Genetic variation within the Pachycladon (Brassicaceae) complex based on fluorescent AFLP data. 2002 , 32, 427-443	12
1545	Richness and Composition of Oasis Bird Communities: Spatial Issues and Species-Area Relationships. 2002 , 119, 533-539	
1544	Genetic structure of Octopus vulgaris (Mollusca, Cephalopoda) from the Mediterranean Sea as revealed by a microsatellite locus. 2002 , 69, 295-300	16
1543	The Electoral Geography of Weimar Germany: Exploratory Spatial Data Analyses (ESDA) of Protestant Support for the Nazi Party. 2002 , 10, 217-243	34

1542	Local differentiation of Clethrionomys rutilus in northeastern Asia inferred from mitochondrial gene sequences. 2002 , 67, 157-166	29
1541	PARTIAL MANTEL TESTS: REPLY TO CASTELLANO AND BALLETTO. 2002 , 56, 1874	5
1540	Comparison of differentiation estimates based on morphometric and molecular data, exemplified by various leaf shape descriptors and RAPDs in the genus Chaenomeles (Rosaceae). 2002 , 51, 69-82	14
1539	Efficiency of three PCR-based markers in assessing genetic variation among cowpea (Vigna unguiculata subsp. unguiculata) landraces. 2002 , 45, 268-75	62
1538	Great bustard population structure in central Spain: concordant results from genetic analysis and dispersal study. 2002 , 269, 119-25	21
1537	Ribosomal DNA variation in the grasshopper, Dichroplus elongatus. 2002 , 45, 1125-33	4
1536	Partitioning of molecular variation at local spatial scales in the vulnerable neotropical freshwater turtle, Hydromedusa maximiliani (Testudines, Chelidae): implications for the conservation of aquatic organisms in natural hierarchical systems. 2002 , 104, 119-126	32
1535	Population genetic structure and the conservation of isolated populations of Acacia raddiana in the Negev Desert. 2002 , 108, 119-127	45
1534	Analysis of Genetic Diversity in Cicer arietinum L Using Random Amplified Polymorphic DNA Markers. 2002 , 11, 109-112	2
1533	Architectural and genotypic variation in the clonal shrub Taxus canadensis as determined from random amplified polymorphic DNA and amplified fragment length polymorphism. 2002 , 80, 205-219	13
1532	Genetic characterisation of the Uruguayan Creole horse and analysis of relationships among horse breeds. 2002 , 72, 69-73	11
1531	Comparison of AFLP and SAMPL markers for assessment of intra-population genetic variation in Azadirachta indica A. Juss 2002 , 162, 17-25	30
1530	Structure of Genetic diversity in Abies alba Mill. from southwestern Alps: multivariate analysis of adaptive and non-adaptive traits for conservation in France. 2002 , 157, 175-189	36
1529	White oaks phylogeography in the Iberian Peninsula. 2002 , 156, 89-102	90
1528	Lines, outlines, and landmarks: morphometric analyses of leaves of Acer rubrum, Acer saccharinum (Aceraceae) and their hybrid. 2002 , 51, 475-492	18
1527	AFLP Analysis of Enset Clonal Diversity in South and Southwestern Ethiopia for Conservation. 2002 , 42, 1105-1111	35
1526	Impact of Trypanosoma cruzi clonal evolution on its biological properties in mice. 2002, 100, 161-72	57
1525	Microsatellite analysis of Toxoplasma gondii shows considerable polymorphism structured into two main clonal groups. 2002 , 32, 27-38	216

1524	Allozyme variation in populations of scallops, Pecten jacobaeus (L.) and P. maximus (L.) (Bivalvia: Pectinidae), across the AlmeriaâDran front. 2002 , 267, 223-244	51
1523	Genetic differentiation in the mud crab Scylla serrata (Decapoda: Portunidae) within the Indian Ocean. 2002 , 272, 103-116	68
1522	Response of predators to prey abundance: separating the effects of prey density and patch size. 2002 , 273, 61-71	30
1521	Molecular and physiological diversity in the bipolar lichen-forming fungus Xanthoria elegans. 2002 , 106, 1277-1286	31
1520	Genetic variation in Arabidopsis suecica and its parental species A. arenosa and A. thaliana. 2002 , 136, 45-50	21
1519	Genetic structure of populations of Calomys laucha (muridae, sigmodontinae) from central Argentina. 2002 , 30, 1023-1036	3
1518	Origin of Fueguian-Patagonians: an approach to population history and structure using R matrix and matrix permutation methods. 2002 , 14, 308-20	23
1517	Variation at 10 protein coding loci in the Mbenzele Pygmies from the Central African Republic and a comparison with microsatellite data. 2002 , 14, 9-14	5
1516	Genetic, geographic, and linguistic variation among South American Indians: possible sex influence. 2002 , 117, 68-78	30
1515	Genetic substructure in South African Bantu-speakers: evidence from autosomal DNA and Y-chromosome studies. 2002 , 119, 175-85	46
1514	Identifying a Reordering of Rows and Columns for Multiple Proximity Matrices Using Multiobjective Programming. 2002 , 46, 731-745	11
1513	Mitochondrial phylogeography of moose (Alces alces): late pleistocene divergence and population expansion. 2002 , 22, 375-87	118
1512	Mantel statistics to correlate gene expression levels from microarrays with clinical covariates. 2002 , 23, 87-96	36
1511	Conceptual and mathematical relationships among methods for spatial analysis. 2002 , 25, 558-577	224
1510	Molecular systematics of the Acoela (Acoelomorpha, Platyhelminthes) and its concordance with morphology. 2002 , 24, 333-42	47
1509	A comparison of the power of categorical and correlational tests applied to community ecology data from gradient studies. 2002 , 71, 581-593	66
1508	Landscape patterns of hemlock decline in New England due to the introduced hemlock woolly adelgid. 2002 , 29, 1475-1487	244
1507	Colonization dynamics of the clonal moss Hylocomium splendens on islands in a Baltic land uplift area: reproduction, genet distribution and genetic variation. 2002 , 90, 925-935	75

1506	Mitochondrial phylogeography and population history of pine martens Martes martes compared with polecats Mustela putorius. 2001 , 10, 2479-88	78
1505	Phylogeography of the African buffalo based on mitochondrial and Y-chromosomal loci: Pleistocene origin and population expansion of the Cape buffalo subspecies. 2002 , 11, 267-79	64
1504	Late Quaternary distributional stasis in the submediterranean mountain plant Anthyllis montana L. (Fabaceae) inferred from ITS sequences and amplified fragment length polymorphism markers. 2002 , 11, 447-63	118
1503	Relatedness structure in Rhododendron metternichii var. hondoense revealed by microsatellite analysis. 2002 , 11, 519-27	11
1502	Genetic variation across the historical range of the wild turkey (Meleagris gallopavo). 2002, 11, 643-57	59
1501	Phylogeographical structure, postglacial recolonization and barriers to gene flow in the distinctive Valais chromosome race of the common shrew (Sorex araneus). 2002 , 11, 785-94	51
1500	Patterns of genetic diversity and biogeographical history of the tropical wetland tree, Pterocarpus officinalis (Jacq.), in the Caribbean basin. 2002 , 11, 675-83	42
1499	Comparison of genetic diversity estimates within and among populations of maritime pine using chloroplast simple-sequence repeat and amplified fragment length polymorphism data. 2002 , 11, 869-77	43
1498	Population history of Manihot esculenta (Euphorbiaceae) inferred from nuclear DNA sequences. 2002 , 11, 901-11	31
1497	Genetic structure and phylogeography of European catfish (Silurus glanis) populations. 2002 , 11, 1039-55	31
1496	Population structure of plaice (Pleuronectes platessa L.) in northern Europe: microsatellites revealed large-scale spatial and temporal homogeneity. 2002 , 11, 1165-76	136
1495	The genetic structure of natural and reintroduced roe deer (Capreolus capreolus) populations in the Alps and central Italy, with reference to the mitochondrial DNA phylogeography of Europe. 2002 , 11, 1285-97	65
1494	Genetic diversity in natural and anthropogenic inland populations of salt-tolerant plants: random amplified polymorphic DNA analyses of Aster tripolium L. (Compositae) and Salicornia ramosissima Woods (Chenopodiaceae). 2002 , 11, 1647-55	32
1493	Population genetic structure of the cyclic snowshoe hare (Lepus americanus) in southwestern Yukon, Canada. 2002 , 11, 1689-701	32
1492	Investigation of the population genetic structure and mating system in the ant Pheidole pallidula. 2002 , 11, 1805-14	20
1491	Mitochondrial DNA variation in Indo-Pacific populations of the giant tiger prawn, Penaeus monodon. 2002 , 11, 2553-69	113
1490	Postglacial recolonization and cpDNA variation of silver birch, Betula pendula. 2003, 12, 201-12	124
1489	Patterns of isozyme variation as indicators of biogeographic history in Pilgerodendron uviferum (D. Don) Florfi. 2002 , 8, 57-66	40

1488	Patterns of genetic and phenotypic variation in Iris haynei and I. atrofusca (Iris sect. Oncocyclus = the royal irises) along an ecogeographical gradient in Israel and the West Bank. 2002 , 11, 39-53	53
1487	Differential patterns of spatial divergence in microsatellite and allozyme alleles: further evidence for locus-specific selection in the acorn barnacle, Semibalanus balanoides?. 2002 , 11, 113-23	57
1486	Adult habitat preferences, larval dispersal, and the comparative phylogeography of three Atlantic surgeonfishes (Teleostei: Acanthuridae). 2002 , 11, 243-52	195
1485	Genetic diversity in Arabidopsis thaliana L. Heynh. investigated by cleaved amplified polymorphic sequence (CAPS) and inter-simple sequence repeat (ISSR) markers. 2002 , 11, 495-505	67
1484	Immigration history and gene dispersal: allozyme variation in Nordic populations of the red campion, Silene dioica (Caryophyllaceae). 2002 , 77, 23-34	20
1483	Phylogenetic relationships in brown argus butterflies (Lepidoptera: Lycaenidae: Aricia) from northwestern Europe. 2002 , 75, 27-37	29
1482	Relationship between microspatial population genetic structure and habitat heterogeneity in Pomatias elegans (O.F. Mler 1774) (Caenogastropoda, Pomatiasidae). 2002 , 76, 565-575	29
1481	Life history and ecology influences establishment success of introduced land birds. 2002 , 76, 465-480	56
1480	The importance of phylogeny and ecology in microgeographical variation in the morphology of four Canarian species of Aeonium (Crassulaceae). 2002 , 76, 521-533	7
1479	Immigration and in situ glacial survival of the low-alpine Erinus alpinus (Scrophulariaceae). 2002 , 77, 87-103	65
1478	High variability of genetic pattern in giant clam (Tridacna maxima) populations within French Polynesia. 2002 , 77, 221-231	17
1477	Clinal genetic variation and isolation by distance in the European eel Anguilla anguilla (L.). 2002 , 77, 509-521	59
1476	Allozyme variation and population structure of the very narrow endemic Seseli farrenyi (Apiaceae). 2002 , 138, 305-314	17
1475	Allozyme differentiation and genetic structure of the Lady's slipper (Cypripedium calceolus) island populations in north-east Poland. 2002 , 138, 433-440	26
1474	Correlations between observed dispersal capabilities and patterns of genetic differentiation in populations of four aquatic insect species from the Arizona White Mountains, U.S.A 2002 , 47, 1660-1673	90
1473	Genetic population structure and dispersal in Atlantic Island caddisflies. 2002 , 47, 1642-1650	24
1472	Phylogeographical lineages in brown trout (Salmo trutta): investigating microgeographical differentiation between native populations from Northern Spain. 2002 , 47, 1879-1892	7
1471	Influence of the growth substrate on the mycolic acid profiles of mycobacteria. 2002 , 4, 612-6	42

1470	Statistical analysis of denaturing gel electrophoresis (DGE) fingerprinting patterns. 2002 , 4, 634-43	432
1469	Space-time clustering of childhood Type 1 diabetes in Devon and Cornwall, England. 2002 , 19, 667-72	16
1468	Isozyme variation of Hordeum murinum in Switzerland and test of hybridization with cultivated barley. 2002 , 42, 325-333	6
1467	Population genetic analysis of white sturgeon (Acipenser transmontanus) in the Fraser River. 2002 , 18, 307-312	26
1466	Linkage disequilibrium and demographic history of the isolated population of the Faroe Islands. 2002 , 10, 381-7	33
1465	Genetic variation in the vulnerable and endemic Monkey Puzzle tree, detected using RAPDs. 2002 , 88, 243-9	91
1464	Postglacial distribution area expansion of Polyommatus coridon (Lepidoptera: Lycaenidae) from its Ponto-Mediterranean glacial refugium. 2002 , 89, 20-6	49
1463	Phylogenetic relationships among Spanish Barbus species (Pisces, Cyprinidae) shown by RAPD markers. 2002 , 89, 36-43	22
1462	Geographical and altitudinal population genetic structure of two dung fly species with contrasting mobility and temperature preference. 2002 , 89, 99-106	52
1461	Population structure of the African savannah elephant inferred from mitochondrial control region sequences and nuclear microsatellite loci. 2002 , 89, 90-8	63
1460	Population structure of a parasitic plant and its perennial host. 2002 , 89, 318-24	27
1459	Three-dimensional orientation tuning in macaque area V4. 2002 , 5, 665-70	99
1458	A geostatistical analysis of small-scale spatial variability in bacterial abundance and community structure in salt marsh creek bank sediments. 2002 , 42, 71-80	62
1457	Shape analysis of symmetric structures: quantifying variation among individuals and asymmetry. 2002 , 56, 1909-20	684
1456	Phylogeographic analysis of the brooding brittle star Amphipholis squamata (Echinodermata) along the coast of New Zealand reveals high cryptic genetic variation and cryptic dispersal potential. 2002 , 56, 1954-67	83
1455	Coevolution between Lamellodiscus (Monogenea: Diplectanidae) and Sparidae (Teleostei): the study of a complex host-parasite system. 2002 , 56, 2459-71	110
1454	Is the partial Mantel test inadequate?. 2002 , 56, 1871-3; discussion 1874-5	121
1453	PARTIAL MANTEL TESTS: REPLY TO CASTELLANO AND BALLETTO. 2002 , 56, 1874-1875	75

1452	Phylogeography of the socially polymorphic sweat bee Halictus rubicundus (Hymenoptera: Halictidae). 2002 , 56, 330-41	70
1451	Isolation by distance and vicariance drive genetic structure of a coral reef fish in the Pacific Ocean. 2002 , 56, 378-99	141
1450	Phenotypic and allozyme variation in Mediterranean and desert populations of wild barley, Hordeum spontaneum Koch. 2002 , 56, 1403-15	34
1449	Examining genetic structure in a bogus yucca moth: a sequential approach to phylogeography. 2002 , 56, 1632-43	60
1448	Population structure of odd-broodline Asian pink salmon and its contrast to the even-broodline structure. 2002 , 60, 370-388	23
1447	Demographic and social constraints on male chimpanzee behaviour. 2002 , 64, 727-737	90
1446	Genetic diversity of Brazilian oil palm (Elaeis oleifera H.B.K.) germplasm collected in the Amazon Forest. 2002 , 124, 35-45	30
1445	Evaluating genetic variation and relationships among two bromegrass species and their hybrid using RAPD and AFLP markers. 2002 , 125, 281-291	19
1444	Simplified AFLP procedure as a tool for identification of strawberry cultivars and advanced breeding lines. 2002 , 125, 273-280	33
1443	Estimation of between and within accession variation in selected Spanish melon germplasm using RAPD and SSR markers to assess strategies for large collection evaluation. 2002 , 127, 41-51	39
1442	Feasibility of integration of molecular markers and morphological descriptors in a real case study of a plant variety protection system for soybean. 2002 , 127, 95-113	20
1441	Genetic diversity in the parental lines and heterosis of the tropical rice hybrids. 2002 , 127, 139-148	26
1440	Genetic variability of Striga asiatica (L.) Kuntz based on AFLP analysis and host-parasite interaction. 2002 , 128, 375-388	26
1439	Confidence limits for regression relationships between distance matrices: Estimating gene flow with distance. 2002 , 7, 361-372	193
1438	RAPD genetic diversity of Albanian olive germplasm and its relationships with other Mediterranean countries. 2003 , 130, 387-395	26
1437	Comparisons of genetic and morphological distance with heterosis between Medicago sativa subsp. sativa and subsp. falcata. 2003 , 131, 37-45	68
1436	An RAPD (random amplified polymorphic DNA) analysis of genetic population structure of Balea biplicata (Gastropoda: Clausiliidae) in fragmented floodplain forests of the Elster/Saale riparian system. 2003 , 41, 175-99	7
1435	Genetic diversity of some accessions of Cucurbita maxima from Spain using RAPD and SBAP markers. 2003 , 50, 227-238	48

1434	Characterization of a flint maize (Zea mays var. indurata) Italian landrace, II. Genetic diversity and relatedness assessed by SSR and Inter-SSR molecular markers. 2003 , 50, 253-271	15
1433	Genetic structure of mountain lion () populations in California. 2003 , 4, 353-366	90
1432	Morphological analysis of some cryptic species in the Acanthocyclops vernalis species complex from North America. 2003 , 500, 131-143	34
1431	Molecular Marker based Genetic Diversity Analysis in Rice (Oryza sativa L.) using RAPD and SSR markers. 2003 , 133, 243-252	51
1430	Fragmentation by weirs in a riverine system: A study of genetic variation in time and space among populations of European grayling (Thymallus thymallus) in a Danish river system. 2003 , 4, 735-747	93
1429	Genetic characterization and identification of new accessions from Syria in an olive germplasm bank by means of RAPD markers. 2003 , 134, 261-268	19
1428	Implementing syndromic surveillance: a practical guide informed by the early experience. 2004 , 11, 141-50	252
1427	Genetic Variation Within and Among Metal-Tolerant and Non-Tolerant Populations of Armeria maritima (Mill.) Willd. s.l. (Plumbaginaceae) in Central and Northeast Germany. 2003 , 5, 186-193	12
1426	Patterns and dynamics of sex-biased dispersal in a nocturnal primate, the grey mouse lemur, Microcebus murinus. 2003 , 65, 709-719	65
1425	Missing data in craniometrics: a simulation study. 2003 , 48, 25-34	3
1425 1424	Missing data in craniometrics: a simulation study. 2003 , 48, 25-34 Assessment of genetic relationships in Cucurbita pepo (Cucurbitaceae) using DNA markers. 2003 , 106, 971-8	3 88
	Assessment of genetic relationships in Cucurbita pepo (Cucurbitaceae) using DNA markers. 2003 ,	
1424	Assessment of genetic relationships in Cucurbita pepo (Cucurbitaceae) using DNA markers. 2003, 106, 971-8 Population genetic structure of Pyrenophora teres Drechs. the causal agent of net blotch in	88
1424	Assessment of genetic relationships in Cucurbita pepo (Cucurbitaceae) using DNA markers. 2003, 106, 971-8 Population genetic structure of Pyrenophora teres Drechs. the causal agent of net blotch in Sardinian landraces of barley (Hordeum vulgare L.). 2003, 106, 947-59 Comparative analysis on the genetic relatedness of Sorghum bicolor accessions from Southern	88
1424 1423 1422	Assessment of genetic relationships in Cucurbita pepo (Cucurbitaceae) using DNA markers. 2003, 106, 971-8 Population genetic structure of Pyrenophora teres Drechs. the causal agent of net blotch in Sardinian landraces of barley (Hordeum vulgare L.). 2003, 106, 947-59 Comparative analysis on the genetic relatedness of Sorghum bicolor accessions from Southern Africa by RAPDs, AFLPs and SSRs. 2003, 106, 1316-25	88 64 7°
1424 1423 1422 1421	Assessment of genetic relationships in Cucurbita pepo (Cucurbitaceae) using DNA markers. 2003, 106, 971-8 Population genetic structure of Pyrenophora teres Drechs. the causal agent of net blotch in Sardinian landraces of barley (Hordeum vulgare L.). 2003, 106, 947-59 Comparative analysis on the genetic relatedness of Sorghum bicolor accessions from Southern Africa by RAPDs, AFLPs and SSRs. 2003, 106, 1316-25 Genetic diversity in an African plantain core collection using AFLP and RAPD markers. 2003, 107, 248-55 Comparative study of the discriminating capacity of RAPD, AFLP and SSR markers and of their	88 64 7° 65
1424 1423 1422 1421 1420	Assessment of genetic relationships in Cucurbita pepo (Cucurbitaceae) using DNA markers. 2003, 106, 971-8 Population genetic structure of Pyrenophora teres Drechs. the causal agent of net blotch in Sardinian landraces of barley (Hordeum vulgare L.). 2003, 106, 947-59 Comparative analysis on the genetic relatedness of Sorghum bicolor accessions from Southern Africa by RAPDs, AFLPs and SSRs. 2003, 106, 1316-25 Genetic diversity in an African plantain core collection using AFLP and RAPD markers. 2003, 107, 248-55 Comparative study of the discriminating capacity of RAPD, AFLP and SSR markers and of their effectiveness in establishing genetic relationships in olive. 2003, 107, 736-44 Regional genetic differentiation in Western Australian sandalwood (Santalum spicatum) as	88 64 70 65 221

1416	Molecular and morphological analyses of the cuttlefish Sepia apama indicate a complex population structure. 2003 , 143, 947-962	40
1415	Population genetic structure of the milkfish, Chanos chanos, based on PCR-RFLP analysis of the mitochondrial control region. 2003 , -1, 1-1	2
1414	Spatial patterns and ecology of benthic communities on a high-latitude South Florida (Broward County, USA) reef system. 2003 , 22, 447-464	34
1413	Patch quality and connectivity influence spatial dynamics in a dune wolfspider. 2003 , 135, 227-33	59
1412	Changes in habitat complexity negatively affect diverse gastropod assemblages in coralline algal turf. 2003 , 135, 431-41	83
1411	Macroecology of habitat choice in long-distance migratory birds. 2003 , 137, 296-303	34
1410	Molecular genetic variability of Australian isolates of five cereal rust pathogens. 2003, 107, 545-56	47
1409	Exploratory analysis of talitrid population genetics as an indicator of the quality of sandy beaches. 2003 , 58, 159-167	23
1408	Multivariate analysis of sexual dimorphism in two types of dermatoglyphic traits in five endogamous populations of West Bengal, India. 2003 , 53, 263-78	4
1407	Matrix decomposition model for investigating prehistoric intracemetery biological variation. 2003 , 122, 216-31	18
1406	Reconstruction of human evolutionary tree using polymorphic autosomal microsatellites. 2003 , 122, 259-68	37
1405	Statistical analysis of network dataâĦn application to diffusion of innovation. 2003 , 25, 175-195	48
1404	Genetic relationship of Sinorhizobium meliloti and Sinorhizobium medicae strains isolated from Caucasian region. 2003 , 220, 207-13	54
1403	The phylogeographic importance of the Strait of Gibraltar as a gene flow barrier in terrestrial arthropods: a case study with the scorpion Buthus occitanus as model organism. 2003 , 28, 119-30	92
1402	Primate Rituals: The Function of Greetings between Male Guinea Baboons. 2003, 109, 847-859	45
1401	Spatial ecological and genetic structure of a mixed population of sexual diploid and apomictic triploid dandelions. 2003 , 16, 343-52	44
1400	Chloroplast DNA indicates a single origin of the allotetraploid Arabidopsis suecica. 2003, 16, 1019-29	54
1399	Male fitness of honeybee colonies (Apis mellifera L.). 2003 , 16, 914-20	28

(2003-2003)

1398	Morphological and microsatellite differentiation in Melospiza melodia (Aves) at a microgeographic scale. 2003 , 16, 939-47	35
1397	Evidence for male-biased effective sex ratio and recent step-by-step colonization in the bivalve Pinctada mazatlanica. 2003 , 16, 790-6	16
1396	Weak phylogenetic effects on ecological niches of Sylvia warblers. 2003 , 16, 956-65	55
1395	Genetic structure of eighteen local south European beef cattle breeds by comparative F-statistics analysis. 2003 , 120, 73-87	38
1394	Microevolutionary dynamics of a community of Drosophilids. 2003, 41, 57-63	3
1393	Allozymic differentiation in the land snail Arianta arbustorum (Stylommatophora, Helicidae): historical inferences. 2003 , 41, 175-185	7
1392	Applicability of molecular markers in the context of protection of new varieties of cucumber. 2003 , 122, 146-152	26
1391	Assessment of within-population genetic structure in Quercus crispula and Q. dentata by amplified fragment length polymorphism analysis. 2003 , 18, 619-623	8
1390	Effects of floristics, physiognomy and non-native vegetation on riparian bird communities in a Mojave Desert watershed. 2003 , 72, 484-490	120
1389	The IndochineseâBundaic faunal transition at the Isthmus of Kra: an analysis of resident forest bird species distributions. 2003 , 30, 569-580	128
1388	A floristic analysis of the lowland dipterocarp forests of Borneo. 2003, 30, 1517-1531	97
1387	Facilitated invasion by hybridization of Sarcocornia species in a salt-marsh succession. 2003, 91, 616-626	74
1386	Habitat association among Amazonian tree species: a landscape-scale approach. 2003, 91, 757-775	245
1385	Habitat differentiation vs. isolation-by-distance: the genetic population structure of Elymus athericus in European salt marshes. 2003 , 12, 505-15	78
1384	Possible causes of morphological variation in an endemic Moroccan groundsel (Senecio leucanthemifolius var. casablancae): evidence from chloroplast DNA and random amplified polymorphic DNA markers. 2003 , 12, 423-34	19
1383	Extinction-colonization dynamics structure genetic variation of spotted sunfish (Lepomis punctatus) in the Florida Everglades. 2003 , 12, 355-68	23
1382	Testing Pleistocene refugia theory: phylogeographical analysis of Desmognathus wrighti, a high-elevation salamander in the southern Appalachians. 2003 , 12, 969-84	74
1381	Clonal diversity and genetic differentiation in Ilex leucoclada M. patches in an old-growth beech forest. 2003 , 12, 809-18	35

1380	The demographic history of the New Zealand short-tailed bat Mystacina tuberculata inferred from modified control region sequences. 2003 , 12, 1895-911	30
1379	Long-distance colonization, isolation by distance, and historical demography in a relictual Mexican pinyon pine (Pinus nelsonii Shaw) as revealed by paternally inherited genetic markers (cpSSRs). 2003 , 12, 2087-97	38
1378	Oceanic interchange and nonequilibrium population structure in the estuarine dependent Indo-Pacific tasselfish, Polynemus sheridani. 2003 , 12, 2387-97	28
1377	Population genetic structure of mahogany (Swietenia macrophylla King, Meliaceae) across the Brazilian Amazon, based on variation at microsatellite loci: implications for conservation. 2003 , 12, 2875-83	91
1376	Genetic structure of Mesoamerican populations of Big-leaf mahogany (Swietenia macrophylla) inferred from microsatellite analysis. 2003 , 12, 2885-93	94
1375	Cryptic population structure in a large, mobile mammalian predator: the Scandinavian lynx. 2003 , 12, 2623-33	63
1374	A morphological cline in Eucalyptus: a genetic perspective. 2003 , 12, 3013-25	28
1373	A molecular phylogeography approach to biological invasions of the New World by parthenogenetic Thiarid snails. 2003 , 12, 3027-39	96
1372	Conservation genetics of the wood ant, Formica lugubris, in a fragmented landscape. 2003 , 12, 2931-40	52
1371	Recent evolutionary history of the bluethroat (Luscinia svecica) across Eurasia. 2003 , 12, 3069-75	50
1370	A cyclophilin gene marker confirming geographical differentiation of Norway spruce populations and indicating viability response on excess soil-born salinity. 2003 , 12, 3147-55	31
1369	Out of the Alps: colonization of Northern Europe by East Alpine populations of the Glacier Buttercup Ranunculus glacialis L. (Ranunculaceae). 2003 , 12, 3373-81	142
1368	Genetic consequences of white-tailed deer (Odocoileus virginianus) restoration in Mississippi. 2003 , 12, 3237-52	77
1367	Microsatellite markers to assess the influence of population size, isolation and demographic change on the genetic structure of the UK butterfly Polyommatus bellargus. 2003 , 12, 3349-57	54
1366	Contrasting patterns of mitochondrial and microsatellite population structure in fragmented populations of greater prairie-chickens. 2003 , 12, 3335-47	101
1365	Linkage disequilibrium between minisatellite loci supports clonal evolution of Mycobacterium tuberculosis in a high tuberculosis incidence area. 2003 , 47, 529-38	159
1364	Habitat partitioning in European and North American pond-breeding frogs and toads. 2003 , 9, 399-410	49
1363	Potential Impact of Global Climate Change on Species Richness of Long-Distance Migrants. 2003 , 17, 577-586	93

(2003-2003)

1362	Developmental integration in a complex morphological structure: how distinct are the modules in the mouse mandible?. 2003 , 5, 522-31	246
1361	Autosomal microsatellite and mtDNA genetic analysis in Sicily (Italy). 2003, 67, 42-53	15
1360	A predominant European ancestry of paternal lineages from Canary Islanders. 2003, 67, 138-52	61
1359	Chloroplast genetic diversity and biogeography in the serpentine endemic Ni-hyperaccumulator Alyssum bertolonii. 2003 , 157, 349-356	39
1358	Phylogeography and conservation genetics of endangered European Margaritiferidae (Bivalvia: Unionoidea). 2003 , 78, 235-252	122
1357	Genetic variation of Saxifraga paniculata Mill. (Saxifragaceae): molecular evidence for glacial relict endemism in central Europe. 2003 , 80, 11-21	77
1356	Congruence of hierarchical, localized variation in cranial shape and molecular phylogenetic structure in spiny rats, genus Trinomys (Rodentia: Echimyidae). 2003 , 80, 385-396	37
1355	Life history variation between species of the relictual genus Borderea (Dioscoreaceae): phylogeography, genetic diversity, and population genetic structure assessed by RAPD markers. 2003 , 80, 483-498	29
1354	Population genetics of Dioon edule Lindl. (Zamiaceae, Cycadales): biogeographical and evolutionary implications. 2003 , 80, 457-467	49
1353	Did Polyommatus icarus (Lepidoptera: Lycaenidae) have distinct glacial refugia in southern Europe? Evidence from population genetics. 2003 , 80, 529-538	52
1352	Morphological and geographic variation of the cycad Dioon edule Lindl. (Zamiaceae): ecological and evolutionary implications. 2003 , 141, 465-470	23
1351	Relationships between fish assemblages, macrophytes and environmental gradients in the Amazon River floodplain. 2003 , 63, 547-579	153
1350	Population genetic structure of three pond-inhabiting Daphnia species on a regional scale (Flanders, Belgium). 2003 , 48, 1825-1839	10
1349	Spatial patterns of cystic fibrosis mutation spectra in European populations. 2003 , 11, 385-94	36
1348	Origin and colonization history of the white-clawed crayfish, Austropotamobius pallipes, in Ireland. 2003 , 91, 70-7	31
1347	Spatial patterns of mitochondrial and nuclear gene pools in chamois (Rupicapra r. rupicapra) from the Eastern Alps. 2003 , 91, 125-35	24
1346	Intraspecific variation, sex-biased dispersal and phylogeography of the eastern grey kangaroo (Macropus giganteus). 2003 , 91, 153-62	46
1345	Phylogenetic analysis of correlation structure in stalk-eyed flies (Diasemopsis, Diopsidae). 2003 , 57, 87-103	43

1344	Host-dependent genetic structure of parasite populations: differential dispersal of seabird tick host races. 2003 , 57, 288-96	151
1343	Genetic and geographic differentiation in the Rio Negro tuco-tuco (Ctenomys rionegrensis): inferring the roles of migration and drift from multiple genetic markers. 2003 , 57, 913-26	78
1342	Spatial autocorrelation analysis offers new insights into gene flow in the Australian bush rat, Rattus fuscipes. 2003 , 57, 1182-95	416
1341	Phylogeography of the pantropical sea urchin Tripneustes: contrasting patterns of population structure between oceans. 2003 , 57, 2026-36	188
1340	Karyotypic similarity identifies multiple host-shifts of a pathogenic fungus in natural populations. 2003 , 2, 167-72	28
1339	Genetic homogeneity of Canadian mainland marten populations underscores the distinctiveness of Newfoundland pine martens (Martes americana atrata). 2003 , 81, 57-66	41
1338	Morphological analysis of some cryptic species in the Acanthocyclops vernalis species complex from North America. 2003 , 131-143	
1337	Chemotherapy with benznidazole and itraconazole for mice infected with different Trypanosoma cruzi clonal genotypes. 2003 , 47, 223-30	113
1336	Phylogeographic Patterns in Motacilla flava and Motacilla citreola: Species Limits and Population History. 2003 , 120, 744-758	44
1335	Genetic relationships among Orobanche species as revealed by RAPD analysis. 2003 , 91, 637-42	36
1334	Cryptic species in cyanobacterial systematics: a case study of Phormidium retzii (Oscillatoriales) using RAPD molecular markers and 16S rDNA sequence data. 2003 , 77, 295-309	60
1333	Genetic diversity of different apricot geographical groups determined by SSR markers. 2003 , 46, 244-52	66
1332	Late Upper Pleistocene human peopling of the Far East: multivariate analysis and geographic patterns of variation. 2003 , 2, 625-638	7
1331	Neutral DNA markers fail to detect genetic divergence in an ecologically important trait. 2003, 110, 267-275	66
1330	Breeding bird communities in southern Tunisian oases: the importance of traditional agricultural practices for bird diversity in a semi-natural system. 2003 , 110, 285-294	34
1329	Spatial analysis of genetic diversity as a tool for plant conservation. 2003 , 113, 351-365	160
1328	Cultural transmission, language, and basketry traditions amongst the California Indians. 2003, 22, 42-74	141
1327	Modelling the benefits of farmland restoration: methodology and application to butterfly movement. 2003 , 63, 15-31	79

1326	Landscape genetics: combining landscape ecology and population genetics. 2003 , 18, 189-197	1626
1325	Early response of Pinus sylvestris and Picea abies seedlings to an experimental canopy gap in a boreal spruce forest. 2003 , 176, 321-336	52
1324	Linkage disequilibrium analysis of the human adenosine deaminase (ada) gene provides evidence for a lack of correlation between hot spots of equal and unequal homologous recombination. 2003 , 82, 20-33	12
1323	Community structure of ground-ants: the role of single trees in a Mediterranean pastureland. 2003 , 24, 195-202	31
1322	Spread of hybridization between native westslope cutthroat trout, Oncorhynchus clarki lewisi, and nonnative rainbow trout, Oncorhynchus mykiss. 2003 , 60, 1440-1451	123
1321	Phylogeography of Rice yellow mottle virus in Africa. 2003 , 84, 733-743	53
1320	INFLUENCE OF RELATEDNESS ON SNOWSHOE HARE SPACING BEHAVIOR. 2003, 84, 1100-1111	11
1319	Population Structure of Sockeye Salmon of the Central Coast of British Columbia: Implications for Recovery Planning. 2003 , 23, 703-720	15
1318	Differentiation and gene flow among island and mainland populations of the true armyworm,Pseudaletia unipuncta(Haworth) (Lepidoptera: Noctuidae). 2003 , 81, 1367-1377	6
1317	Amplified fragment length polymorphism inElymus elymoides,Elymus multisetus, and otherElymustaxa. 2003 , 81, 789-804	63
1316	Spatial Variation in Distribution and Growth Patterns of Old Growth Strip-Bark Pines. 2003, 35, 323-330	19
1315	Morphological and molecular diversity among Italian populations of Quercus petraea (Fagaceae). 2003 , 91, 707-16	77
1314	A Comparison of the Roles of Univariate and Three-Dimensional Anthropometric Data in the Description of Form. 2003 , 47, 1169-1173	1
1313	Long-term succession of structure and diversity of a biofilm formed in a model drinking water distribution system. 2003 , 69, 6899-907	173
1312	Decline of North Atlantic eels: a fatal synergy?. 2003 , 270, 681-8	112
1311	A Variable Resolution Approach to Cluster Discovery in Spatial Data Mining. 2003, 1-11	8
1310	Red-Necked Grebes Become Semicolonial When Prime Nesting Substrate is Available. 2003 , 105, 80	11
1309	Population structure of two ecologically distinct forms of ninespine stickleback, Pungitius pungitius: gene flow regimes and genetic diversity based on mtDNA sequence variations. 2003 , 60, 421-432	12

1308	Divergent selection during speciation of Lake Malawi cichlid fishes inferred from parallel radiations in nuptial coloration. 2003 , 100, 14074-9	202
1307	Analyzing microarray data using cluster analysis. 2003 , 4, 41-52	138
1306	PHYLOGEOGRAPHIC PATTERNS IN MOTACILLA FLAVA AND MOTACILLA CITREOLA: SPECIES LIMITS AND POPULATION HISTORY. 2003 , 120, 744	49
1305	Effects of Chum Salmon Redd Excavation on Benthic Communities in a Stream in the Pacific Northwest. 2003 , 132, 598-604	17
1304	Population Structure of Atlantic Salmon in Maine with Reference to Populations from Atlantic Canada. 2003 , 132, 196-209	32
1303	Within-island differentiation and between-island homogeneity: non-equilibrium population structure in the seaweed Cladophoropsis membranacea (Chlorophyta) in the Canary Islands. 2003 , 38, 15-23	11
1302	Intra-species genomic groups in Fusarium semitectum and their correlation with origin and cultural characteristics. 2003 , 110, 409-418	3
1301	Species distribution and habitat features in lentic Odonata. 2003 , 70, 39-46	10
1300	Analysis of Genetic Diversity in Crop PlantsâBalient Statistical Tools and Considerations. 2003, 43, 1235-1248	544
1299	Red-Necked Grebes Become Semicolonial When Prime Nesting Substrate is Available. 2003 , 105, 80-94	11
1298	Genetic differentiation of Macrodon ancylodon (Sciaenidae, Perciformes) populations in Atlantic coastal waters of South America as revealed by mtDNA analysis. 2003 , 26, 151-161	50
1297	RAPD Marker Variation among Smooth Bromegrass Cultivars. 2003 , 43, 1538-1547	10
1296	Genetic differentiation in geographically close populations of the water rat Nectomys squamipes (Rodentia, Sigmodontinae) from the Brazilian Atlantic Forest. 2003 , 26, 403-410	6
1295	Estrutura da comunidade de invertebrados bentílicos em dois cursos d'gua do Rio Grande do Sul, Brasil. 2003 , 20, 115-125	30
1294	Genetic polymorphism among 14 elite Coffea arabica L. cultivars using RAPD markers associated with restriction digestion. 2003 , 26, 59-64	15
1293	Genetic Diversity of Public Inbreds of Sorghum Determined by Mapped AFLP and SSR Markers. 2004 , 44, 1236-1244	117
1292	A spatially explicit investigation of phosphorus sorption and related soil properties in two riparian wetlands. 2004 , 33, 785-94	28
1291	Isozyme Diversity in Wild Red Clover Populations from the Caucasus. 2004 , 44, 665-670	9

1290	Low levels of allozyme variability in the threatened species Antirrhinum subbaeticum and A. pertegasii (Scrophulariaceae): implications for conservation of the species. 2004 , 94, 797-804	15
1289	Arthropodium bifurcatum (Asparagaceae), a new species from northern New Zealand. 2004 , 42, 233-246	10
1288	Evolution of multi-resistance plasmids in Australian clinical isolates of Escherichia coli. 2004 , 150, 1539-1546	38
1287	Expression of hepatitis C virus proteins in epithelial intestinal cells in vivo. 2004 , 85, 2515-2523	49
1286	Investigation of genetic and morphological variation in the sago palm (Metroxylon sagu; Arecaceae) in Papua New Guinea. 2004 , 94, 109-17	31
1285	Diversity and genetic structure of the Mexican endemic epiphyte Tillandsia achyrostachys E. Morr. ex Baker var. achyrostachys (Bromeliaceae). 2004 , 94, 545-51	37
1284	Correlation between molecular markers and adaptively significant genetic variation in Bromus tectorum (Poaceae), an inbreedingannual grass. 2004 , 91, 797-803	37
1283	Prospects for celeriac (Apium graveolens var. rapaceum) improvement by using genetic resources of Apium, as determined by AFLP markers and morphological characterization. 2004 , 2, 189-198	8
1282	Genetic structure and outcrossing rates in Flourensia cernua (Asteraceae) growing at different densities in the South-western Chihuahuan Desert. 2004 , 94, 419-26	28
1281	Complex data produce better characters. 2004 , 53, 1-17	53
1280	Comparative biogeography of the cytotypes of annual Microthlaspi perfoliatum (Brassicaceae) in Europe using isozymes and cpDNA data: refugia, diversity centers, and postglacial colonization. 2004 , 91, 115-24	35
1279	Controlling for the effects of history and nonequilibrium conditions in gene flow estimates in northern bullfrog (Rana catesbeiana) populations. 2004 , 168, 1491-506	46
1278	Effects of genetic variability and habitat of Qualea parviflora (Vochysiaceae) on herbivory by free-feeding and gall-forming insects. 2004 , 94, 259-68	19
1277	Genetic diversity and population structure of Mycobacterium tuberculosis in Casablanca, a Moroccan city with high incidence of tuberculosis. 2004 , 42, 461-6	15
1276	Inferring the evolutionary history of rice yellow mottle virus from genomic, phylogenetic, and phylogeographic studies. 2004 , 78, 3252-61	81
1275	Multilocus analysis of variation and speciation in the closely related species Arabidopsis halleri and A. lyrata. 2004 , 166, 373-88	112
1274	Hybridization and gene flow between a day- and night-flowering species of Zaluzianskya (Scrophulariaceae s.s., tribe Manuleeae). 2004 , 91, 1333-44	25
1273	Relationships, origin, and diversity of Galapagos tomatoes: implications for the conservation of natural populations. 2004 , 91, 86-99	46

1272	Statistical methods for linking health, exposure, and hazards. 2004 , 112, 1440-5	39
1271	Cytokine gene polymorphisms in Taiwan. 2004 , 64, 492-9	25
1270	Elevated CO2 and herbivory influence trait integration in Arabidopsis thaliana. 2004 , 7, 837-847	17
1269	Geographic range and body size in Neotropical marsupials. 2004 , 13, 439-444	17
1268	Genetic structure of Chinese sucker population Myxocyprinus asiaticus in the Yangtze River based on mitochondrial DNA marker. 2004 , 70, 412-420	11
1267	Microsatellite markers reveal population structure in gilthead sea bream Sparus auratus from the Atlantic Ocean and Mediterranean Sea. 2004 , 70, 852-859	43
1266	Genetic diversity of hexaploid wheat cultivars estimated by RAPD markers, morphological traits and coefficients of parentage. 2004 , 123, 366-369	46
1265	Genetic diversity in cornsalad (Valerianella locusta) and related species as determined by AFLP markers. 2004 , 123, 460-466	19
1264	Species identification of Chilean Artemia populations based on mitochondrial DNA RFLP analysis. 2004 , 31, 547-555	38
1263	Representing species in reserves from patterns of assemblage diversity. 2004 , 31, 1037-1050	44
1263 1262	Representing species in reserves from patterns of assemblage diversity. 2004 , 31, 1037-1050 Biogeographical patterns of genetic differentiation in dung beetles of the genus Trypocopris (Coleoptera, Geotrupidae) inferred from mtDNA and AFLP analyses. 2004 , 31, 1149-1162	23
	Biogeographical patterns of genetic differentiation in dung beetles of the genus Trypocopris	
1262	Biogeographical patterns of genetic differentiation in dung beetles of the genus Trypocopris (Coleoptera, Geotrupidae) inferred from mtDNA and AFLP analyses. 2004 , 31, 1149-1162 Spatial and temporal analysis of the distribution of hantavirus pulmonary syndrome in Buenos Aires	23
1262 1261	Biogeographical patterns of genetic differentiation in dung beetles of the genus Trypocopris (Coleoptera, Geotrupidae) inferred from mtDNA and AFLP analyses. 2004 , 31, 1149-1162 Spatial and temporal analysis of the distribution of hantavirus pulmonary syndrome in Buenos Aires Province, and its relation to rodent distribution, agricultural and demographic variables. 2004 , 9, 508-19 Quantitative trait, genetic, environmental, and geographical distances among populations of the	23 15
1262 1261 1260	Biogeographical patterns of genetic differentiation in dung beetles of the genus Trypocopris (Coleoptera, Geotrupidae) inferred from mtDNA and AFLP analyses. 2004, 31, 1149-1162 Spatial and temporal analysis of the distribution of hantavirus pulmonary syndrome in Buenos Aires Province, and its relation to rodent distribution, agricultural and demographic variables. 2004, 9, 508-19 Quantitative trait, genetic, environmental, and geographical distances among populations of the C4 grass Trachypogon plumosus in Neotropical savannas. 2004, 10, 283-292 Bluefin tuna (Thunnus thynnus) distribution in relation to sea surface temperature fronts in the	23 15 15
1262 1261 1260 1259	Biogeographical patterns of genetic differentiation in dung beetles of the genus Trypocopris (Coleoptera, Geotrupidae) inferred from mtDNA and AFLP analyses. 2004, 31, 1149-1162 Spatial and temporal analysis of the distribution of hantavirus pulmonary syndrome in Buenos Aires Province, and its relation to rodent distribution, agricultural and demographic variables. 2004, 9, 508-19 Quantitative trait, genetic, environmental, and geographical distances among populations of the C4 grass Trachypogon plumosus in Neotropical savannas. 2004, 10, 283-292 Bluefin tuna (Thunnus thynnus) distribution in relation to sea surface temperature fronts in the Gulf of Maine (1994âB6). 2004, 13, 225-238 Genetic diversity of Ranunculus acris L. (Ranunculaceae) populations in relation to species diversity	23151550
1262 1261 1260 1259	Biogeographical patterns of genetic differentiation in dung beetles of the genus Trypocopris (Coleoptera, Geotrupidae) inferred from mtDNA and AFLP analyses. 2004, 31, 1149-1162 Spatial and temporal analysis of the distribution of hantavirus pulmonary syndrome in Buenos Aires Province, and its relation to rodent distribution, agricultural and demographic variables. 2004, 9, 508-19 Quantitative trait, genetic, environmental, and geographical distances among populations of the C4 grass Trachypogon plumosus in Neotropical savannas. 2004, 10, 283-292 Bluefin tuna (Thunnus thynnus) distribution in relation to sea surface temperature fronts in the Gulf of Maine (1994åB6). 2004, 13, 225-238 Genetic diversity of Ranunculus acris L. (Ranunculaceae) populations in relation to species diversity and habitat type in grassland communities. 2004, 13, 1251-7 Long-distance seed dispersal in a metapopulation of Banksia hookeriana inferred from a population	23 15 15 50 65

1254	Genetic diversity and Wolbachia infection of the Drosophila parasitoid Leptopilina clavipes in western Europe. 2004 , 13, 1119-28	29
1253	Mitochondrial DNA variation in Northeast Atlantic and Mediterranean populations of Norway lobster, Nephrops norvegicus. 2004 , 13, 1377-90	112
1252	Population genetics of the roan antelope (Hippotragus equinus) with suggestions for conservation. 2004 , 13, 1771-84	87
1251	Red to Mediterranean Sea bioinvasion: natural drift through the Suez Canal, or anthropogenic transport?. 2004 , 13, 2333-43	49
1250	Nest architecture and genetic differentiation in a species complex of Australian stingless bees. 2004 , 13, 2317-31	48
1249	Effects of hydrographic barriers on population genetic structure of the sea star Coscinasterias muricata (Echinodermata, Asteroidea) in the New Zealand fiords. 2004 , 13, 2183-95	52
1248	Rapid recovery of genetic diversity of dogwhelk (Nucella lapillus L.) populations after local extinction and recolonization contradicts predictions from life-history characteristics. 2004 , 13, 2223-33	59
1247	The diminutive supercolony: the Argentine ants of the southeastern United States. 2004 , 13, 2235-42	64
1246	Phylogeography of a high-dispersal New Zealand sea-star: does upwelling block gene-flow?. 2004 , 13, 2797-806	84
1245	No suggestion of hybridization between the vulnerable black-faced impala (Aepyceros melampus petersi) and the common impala (A. m. melampus) in Etosha National Park, Namibia. 2004 , 13, 3007-19	23
1244	Neutral genetic variation among wild North American populations of the weedy plant Arabidopsis thaliana is not geographically structured. 2004 , 13, 3403-13	61
1243	Rivers influence the population genetic structure of bonobos (Pan paniscus). 2004 , 13, 3425-35	147
1242	Population genetics and phylogeography of endangered Oxytropis campestris var. chartacea and relatives: arctic-alpine disjuncts in eastern North America. 2004 , 13, 3657-73	17
1241	On the origins of medfly invasion and expansion in Australia. 2004 , 13, 3845-55	68
1240	Spatial genetic structure among and within populations of Primula sieboldii growing beside separate streams. 2005 , 14, 149-57	40
1239	Nucleotide variation at the myrosinase-encoding locus, TGG1, and quantitative myrosinase enzyme activity variation in Arabidopsis thaliana. 2005 , 14, 295-309	8
1238	Phylogeography and population genetics of the endangered Amazonian manatee, Trichechus inunguis Natterer, 1883 (Mammalia, Sirenia). 2005 , 14, 401-13	28
1237	Patterns of genetic diversity and migration in increasingly fragmented and declining orang-utan (Pongo pygmaeus) populations from Sabah, Malaysia. 2005 , 14, 441-56	152

1236	Microsatellites reveal regional population differentiation and isolation in Lobaria pulmonaria, an epiphytic lichen. 2005 , 14, 457-67	82
1235	Influence of Temporal Scale of Sampling on Detection of Relationships between Invasive Plants and the Diversity Patterns of Plants and Butterflies. 2004 , 18, 1525-1532	11
1234	GEOGRAPHIC GENETIC STRUCTURE IN THE FRANCISCANA DOLPHIN (PONTOPORIA BLAINVILLEI). 2004 , 20, 201-214	25
1233	Monitoring an Arizona Ponderosa Pine Restoration: Sampling Efficiency and Multivariate Analysis of Understory Vegetation. 2004 , 12, 359-367	33
1232	Relationship between size and shape in the sexually dimorphic beetle Prosopocoilus inclinatus (Coleoptera: Lucanidae). 2004 , 81, 219-233	25
1231	Allozymic differentiation of Tunisian populations of Androctonus species and Buthus occitanus (Scorpiones: Buthidae). 2004 , 81, 255-265	5
1230	Genetic differentiation of Diplodus sargus (Pisces: Sparidae) populations in the south-west Mediterranean. 2004 , 82, 249-261	32
1229	Implications of contrasting patterns of genetic variability in two vespertilionid bats from the Indonesian archipelago. 2004 , 83, 421-431	10
1228	Current and historic gene flow of the sand goby Pomatoschistus minutus on the European Continental Shelf and in the Mediterranean Sea. 2004 , 83, 561-576	44
1227	Comparative population genetic structures and local adaptation of two mutualists. 2004 , 58, 1730-47	35
1226	Effective population sizes and temporal stability of genetic structure in Rana pipiens, the northern leopard frog. 2004 , 58, 2536-45	55
1225	From micro- to macroevolution through quantitative genetic variation: positive evidence from field crickets. 2004 , 58, 2287-304	66
1224	Historical diversification of a terra-firme forest bird superspecies: a phylogeographic perspective on the role of different hypotheses of Amazonian diversification. 2004 , 58, 1303-17	141
1223	Resistance variation within and among host populations in a plantapathogen metapopulation: implications for regional pathogen dynamics. 2004 , 92, 990-1000	101
1222	Parasites in marine protected areas: success and specificity of monogeneans. 2004 , 64, 370-379	17
1221	Trophic structure in a large assemblage of phyllostomid bats in Panama. 2004 , 105, 209-220	167
1220	Relating niche and spatial overlap at the community level. 2004 , 106, 366-376	27
1219	Gene expression-based high-throughput screening(GE-HTS) and application to leukemia differentiation. 2004 , 36, 257-63	240

1218	Human X-chromosomal lineages in Europe reveal Middle Eastern and Asiatic contacts. 2004 , 12, 301-11	19
1217	Comparison of the fine-scale genetic structure of three dipterocarp species. 2004 , 92, 323-8	32
1216	Evidence for fine-scale genetic structure and estuarine colonisation in a potential high gene flow marine goby (Pomatoschistus minutus). 2004 , 92, 434-45	38
1215	Genetic architecture of wing morphology in Drosophila simulans and an analysis of temperature effects on genetic parameter estimates. 2004 , 93, 330-41	21
1214	Patterns of genetic differention between populations of the specialized herbivore Macrosiphoniella tanacetaria (Homoptera, Aphididae). 2004 , 93, 577-84	22
1213	The cultural wealth of nations. 2004 , 428, 275-8	171
1212	Inversion Polymorphisms and Natural Selection in Trimerotropis Pallidipennis (Orthoptera): Correlations with Geographical Variables. 2004 , 121, 79-86	14
1211	Distribution of genetic variation within and among Danish populations of Armeria maritima, with special reference to the effects of population size. 2004 , 124, 121-130	20
1210	Study of Gene Flow Through a Hybrid Zone in the Common Shrew (Sorex Araneus) Using Microsatellites. 2004 , 125, 159-168	25
1209	The Fixation of Metacentric Chromosomes During the Chromosomal Evolution in the Common Shrew (Sorex Araneus, Insectivora). 2004 , 125, 209-217	16
1208	Colour, Allozyme and Karyotype Variation Show Little Concordance in the New Zealand Giant Scree Weta Deinacrida Connectens (Orthoptera: Stenopelmatidae). 2004 , 125, 265-276	7
1207	Genetic Differences Between Two Wild and One Farmed Population of Atlantic Salmon (Salmo salar) Revealed by Three Classes of Genetic Markers. 2004 , 127, 239-248	48
1206	Comparison of RAMP and SSR markers for the study of wild barley genetic diversity. 1999 , 131, 5-13	38
1205	Genetic characterization of two Eragrostis species using AFLP and morphological traits. 1999 , 130, 33-40	23
1204	CACROMOS: A Computer Program to Reconstruct the Position of Chromosomes on the Metaphase Plate. 2004 , 132, 157-159	2
1203	Differentiation in the Elymus dahuricus complex (Poaceae): evidence from grain proteins, DNA, and crossability. 2001 , 135, 277-89	13
1202	Inter simple sequence repeat (ISSR) analysis of genetic diversity in tef [Eragrostis tef (Zucc.) Trotter]. 2003 , 139, 174-83	37
1201	Predominant clonal evolution leads to a close parity between gene expression profiles and subspecific phylogeny in Trypanosoma cruzi. 2004 , 137, 133-41	17

1200	A computer simulation analysis of the accuracy of partial genome sequencing and restriction fragment analysis in estimating genetic relationships: an application to papillomavirus DNA sequences. 2004 , 5, 102	1
1199	Lack of correlation between in vitro susceptibility to Benznidazole and phylogenetic diversity of Trypanosoma cruzi, the agent of Chagas disease. 2004 , 108, 24-31	46
1198	Leishmania (Viannia): genetic analysis of cutaneous and mucosal strains isolated from the same patient. 2004 , 108, 59-66	15
1197	Genetic variation in natural populations of Austrocedrus chilensis, a cypress of the Andean-Patagonian Forest. 2004 , 32, 993-1008	27
1196	Geographic distribution and recombination of genomic fragments on the short arm of chromosome 2 of Arabidopsis thaliana. 2004 , 6, 128-39	20
1195	AFLP-based genetic diversity and its comparison with diversity based on SSR, SAMPL, and phenotypic traits in bread wheat. 2004 , 42, 43-59	26
1194	The genetic structure of Oreochromis spp. (Tilapia) populations in Malaysia as revealed by microsatellite DNA analysis. 2004 , 42, 217-29	15
1193	Molecular genetic variation in Chinese populations of three subspecies of Hippophae rhamnoides. 2004 , 42, 259-67	20
1192	Distribution of plants in a California serpentine grassland: are rocky hummocks spatial refuges for native species?. 2004 , 172, 159-171	34
1191	Multiple bottlenecks in threatened western European populations of the common hamster Cricetus cricetus (L.). 2004 , 5, 181-193	35
1190	Low Levels of Nucleotide Diversity in Crocodylus moreletii and Evidence of Hybridization with C. acutus. 2004 , 5, 449-462	47
1189	Assessment of genetic variability of olive varieties by microsatellite and AFLP markers. 2004 , 136, 93-102	63
1188	Assessment of genetic diversity in selected breeding lines and cultivars of canola quality Brassica juncea and their implications for canola breeding. 2004 , 136, 211-221	33
1187	Assessing the genetic diversity of Portuguese maize germplasm using microsatellite markers. 2004 , 137, 63-72	55
1186	RAPD variation in a germplasm collection of Myracrodruon urundeuva (Anacardiaceae), an endangered tropical tree: Recommendations for conservation. 2004 , 51, 529-538	16
1185	Relating Morphologic and RAPD Marker Varlation to Collection Site Environment in wild Populations of Red Clover (Trifolium Pratense L.). 2004 , 51, 643-653	43
1184	Vegetation patterns in a calcareous sloping fen of southwestern Massachusetts, USA. 2004 , 24, 514-528	3
1183	Latitudinal variation in the shape of the species body size distribution: an analysis using freshwater fishes. 2004 , 139, 408-17	41

(2004-2004)

1182	Spatial Dependency of Vegetationâ E nvironment Linkages in an Anthropogenically Influenced Wetland Ecosystem. 2004 , 7, 75-97	84
1181	Genetic diversity of fragmented populations of Polygala reinii (Polygalaceae), a perennial herb endemic to Japan. 2004 , 117, 355-61	10
1180	Detection of forest stand-level spatial structure in ectomycorrhizal fungal communities. 2004 , 49, 319-32	178
1179	Genetic relatedness among eastern North American blackberry cultivars based on pedigree analysis. 2004 , 139, 95-104	13
1178	Subspecific relationships and genetic structure in the spotted owl. 2004 , 5, 683-705	29
1177	Extreme isolation by distance in a montane frog Rana cascadae. 2004 , 5, 827-835	40
1176	Grouping of tropical mid-altitude maize inbred lines on the basis of yield data and molecular markers. 2004 , 108, 1582-90	60
1175	Comparative analysis of seeded and vegetative biotype buffalograsses based on phylogenetic relationship using ISSRs, SSRs, RAPDs, and SRAPs. 2004 , 109, 280-8	159
1174	A comparative analysis of genetic diversity in blackgram genotypes using RAPD and ISSR markers. 2004 , 109, 1687-93	145
1173	DNA microsatellite variability and genetic differentiation among natural populations of the Cuban white shrimp Litopenaeus schmitti. 2004 , 144, 327-333	24
1172	Intraspecific phylogeographic isolation of Arabian Gulf sailfish Istiophorus platypterus inferred from mitochondrial DNA. 2004 , 145, 465-475	34
1171	The combined role of glaciation and hybridization in shaping the distribution of genetic variation in a Patagonian southern beech. 2004 , 31, 451-460	38
1170	Genetic structure of the forest herb Primula elatior in a changing landscape. 2004 , 13, 211-9	77
1169	Genetic diversity and structure of urban populations of Pieris butterflies assessed using amplified fragment length polymorphism. 2004 , 13, 245-58	51
1168	Behavioural structuring of relatedness in the spotted hyena (Crocuta crocuta) suggests direct fitness benefits of clan-level cooperation. 2004 , 13, 449-58	81
1167	The population genetics of a biological control introduction: mitochondrial DNA and microsatellie variation in native and introduced populations of Aphidus ervi, a parisitoid wasp. 2004 , 13, 337-48	91
1166	Colony genetic organization and colony fusion in the termite Reticulitermes flavipes as revealed by foraging patterns over time and space. 2004 , 13, 431-41	90
1165	Population genetics of the potentially invasive African fruit fly species, Ceratitis rosa and Ceratitis fasciventris (Diptera: Tephritidae). 2004 , 13, 683-95	45

1164	Genetic structure of the deep-sea coral Lophelia pertusa in the northeast Atlantic revealed by microsatellites and internal transcribed spacer sequences. 2004 , 13, 537-49	93
1163	Italian rice varieties: historical data, molecular markers and pedigrees to reveal their genetic relationships. 2004 , 123, 105-111	25
1162	A new protocol for evaluating putative causes for multiple variables in a spatial setting, illustrated by its application to European cancer rates. 2004 , 16, 1-16	6
1161	Patterns of phenotypic covariation and correlation in modern humans as viewed from morphological integration. 2004 , 123, 69-77	79
1160	Horse-mounted invaders from the Russo-Kazakh steppe or agricultural colonists from western Central Asia? A craniometric investigation of the Bronze Age settlement of Xinjiang. 2004 , 124, 199-222	58
1159	GM haplotype diversity of 82 populations over the world suggests a centrifugal model of human migrations. 2004 , 125, 175-92	43
1158	Phylogeography of the Atlantic bonito (Sarda sarda) in the northern Mediterranean: the combined effects of historical vicariance, population expansion, secondary invasion, and isolation by distance. 2004 , 33, 32-42	75
1157	Analysis of diversity of natural populations and commercial lines of Echinaceausing AFLP. 2004, 82, 461-484	11
1156	The utility of the nontranscribed spacer of 5S rDNA units grouped into unit classes assigned to haplomes - a test on cultivated wheat and wheat progenitors. 2004 , 47, 590-9	31
1155	Preservation of genetic diversity in restocking of the sea cucumber Holothuria scabra investigated by allozyme electrophoresis. 2004 , 61, 519-528	40
1154	Genetic Differentiation, Temporal Stability, and the Absence of Isolation by Distance among Atlantic Herring Populations. 2004 , 133, 434-446	31
1153	Can the assumption of a non-random search improve our prediction of butterfly fluxes between resource patches?. 2004 , 29, 447-456	14
1152	Morphological variation in Bromus sect. Ceratochloa germplasm of Patagonia. 2004 , 82, 136-144	9
1151	Morphological and Genetic Variation between Two Sympatric Forms of Oxymycterus (Rodentia: Sigmodontinae): An Evaluation of Hypotheses of Differentiation within the Genus. 2004 , 85, 148-161	14
1150	Microsatellite variability among wild and cultivated hops (Humulus lupulus L.). 2004, 47, 889-99	34
1149	Diversity and fruiting patterns of ectomycorrhizal and saprobic fungi in an old-growth Mediterranean forest dominated by Quercus ilex L 2004 , 82, 1711-1729	83
1148	Dynamics of genetic variation in Taxus baccata: local versus regional perspectives. 2004 , 82, 219-227	33
1147	Population genetic structure of Anopheles gambiae mosquitoes on Lake Victoria islands, west Kenya. 2004 , 3, 48	25

1146	Nuclear and chloroplast DNA differentiation in Andean potatoes. 2004 , 47, 46-56	27
1145	Effects of host sociality on ectoparasite population biology. 2004 , 90, 939-47	71
1144	Patterns of fish invasions in the Great Plains of North America. 2004 , 118, 121-131	69
1143	Population structure of plaice (Pleuronectes platessa L.) in northern Europe: a comparison of resolving power between microsatellites and mitochondrial DNA data. 2004 , 51, 183-190	67
1142	Significance test for comparing complex microbial community fingerprints using pairwise similarity measures. 2004 , 57, 187-95	135
1141	Malaria dispersal among islands: human mediated Plasmodium falciparum gene flow in Vanuatu, Melanesia. 2004 , 90, 181-5	19
1140	Identifying space-time disease clusters. 2004 , 91, 291-9	12
1139	Genetic diversity of Potamogeton maackianus in the Yangtze River. 2004 , 80, 227-240	25
1138	Community structure of fishes inhabiting aquatic refuges in a threatened Karst wetland and its implications for ecosystem management. 2004 , 116, 153-165	52
1137	Conserving marginal populations of the food plant (Impatiens noli-tangere) of an endangered moth (Eustroma reticulatum) in a changing climate. 2004 , 116, 305-317	15
1136	A Comparison of AFLP and RAPD Markers for Genetic Diversity and Cultivar Identification in Cotton. 2004 , 13, 19-24	23
1135	A Generalized Significance Testing Method for Global Measures of Spatial Association: An Extension of the Mantel Test. 2004 , 36, 1687-1703	16
1134	Microsatellite Variation Indicates Population Genetic Structure of Bocaccio. 2004, 24, 1189-1202	11
1133	The development of color categories in two languages: a longitudinal study. 2004 , 133, 554-71	79
1132	Molecular Diversity of a Germplasm Collection of Squash (Cucurbita moschata) Determined by SRAP and AFLP Markers. 2004 , 44, 653-664	75
1131	Spatial Classification of Orchards and Vineyards with High Spatial Resolution Panchromatic Imagery. 2005 , 71, 179-187	35
1130	Communicable Diseases. 2005 ,	
1129	Gene flow, colonisation and demographic history of the flat oyster Ostrea angasi. 2005 , 56, 1099	14

1128	The effects of preservatives and temperatures on arachnid DNA. 2005 , 19, 99	96
1127	Gefitinib induces myeloid differentiation of acute myeloid leukemia. 2005, 106, 2841-8	109
1126	Comparison of genomic sequences using the Hamming distance. 2005 , 130, 325-339	29
1125	Evolutionary history, population genetics, and gene flow in the common rosefinch (Carpodacus erythrinus). 2005 , 36, 669-81	24
1124	Molecular phylogeography of Dolichopoda cave crickets (Orthoptera, Rhaphidophoridae): a scenario suggested by mitochondrial DNA. 2005 , 37, 153-64	42
1123	Lack of taxonomic differentiation in an apparently widespread freshwater isopod morphotype (Phreatoicidea: Mesamphisopidae: Mesamphisopus) from South Africa. 2005 , 37, 289-305	10
1122	Genetic structure in populations of an ancient woodland sedge, Carex sylvatica Hudson, at a regional and local scale. 2005 , 7, 387-96	15
1121	Comparison of climate space and phylogeny of Marmota (Mammalia: Rodentia) indicates a connection between evolutionary history and climate preference. 2005 , 272, 519-26	20
1120	Evolution and maintenance of pollen-colour dimorphisms in Nigella degenii: habitat-correlated variation and morph-by-environment interactions. 2005 , 168, 487-98	10
1119	A Genetic Approach to Detecting Clusters in Point Data Sets. 2005 , 37, 286-314	39
1118	The Restoration of Plantâ B ollinator Interactions in Hay Meadows. 2005 , 13, 265-274	94
1117	Flowering Phenology and Genetic Similarity among Local and Recently Introduced Populations of Andropogon gerardii in Ohio. 2005 , 13, 441-447	22
1116	Effect of Vegetation Matrix on Animal Dispersal: Genetic Evidence from a Study of Endangered Skinks. 2005 , 19, 855-864	82
1115	Importance of Assessing Population Genetic Structure before Eradication of Invasive Species: Examples from Insular Norway Rat Populations. 2005 , 19, 1509-1518	92
1114	Population History, Mating System, and Fitness Variation in a Perennial Herb with a Fragmented Distribution. 2005 , 19, 349-356	47
1113	Evolutionary divergence and possible incipient speciation in post-glacial populations of a cosmopolitan aquatic plant. 2005 , 18, 19-26	29
1112	The evolution of male genitalia: patterns of genetic variation and covariation in the genital sclerites of the dung beetle Onthophagus taurus. 2005 , 18, 1281-92	52
1111	Pollinating fig wasps: genetic consequences of island recolonization. 2005 , 18, 1234-43	35

1110	Phylogeography of the scarab beetle Antitrogus parvulus Britton (Coleoptera: Scarabaeidae) in south-eastern Queensland, Australia. 2005 , 44, 29-36	5
1109	Using geometric morphometrics to investigate wing dimorphism in males and females of Hymenoptera âlà case study based on the genus Tachysphex Kohl (Hymenoptera: Sphecidae: Larrinae). 2005 , 44, 113-121	36
1108	Genetic diversification among cytotypes of Ranunculus silerifolius Lv. (Ranunculaceae). 2005, 20, 105-120	
1107	Genetic structure and random amplified polymorphic DNA diversity of the rapidly declining Angelica palustris (Apiaceae) in Eastern Germany in relation to population size and seed production. 2005 , 20, 191-200	17
1106	Spatiotemporal analysis of the distribution of urban facilities in terms of accessibility. 2005 , 84, 61-84	8
1105	Characterization of Xanthomonas axonopodis pv. cyamopsidis, the Bacterial Blight Pathogen of Cluster Bean Using PCR-based Molecular Markers. 2005 , 153, 470-479	4
1104	Evolutionary assessment of Artemia tibetiana (Crustacea, Anostraca) based on morphometry and 16S rRNA RFLP analysis. 2005 , 43, 189-198	26
1103	Morphological evolution in the mandible of spiny rats, genus Trinomys (Rodentia: Echimyidae). 2005 , 43, 332-338	27
1102	Genetic diversity in camelina germplasm as revealed by seed quality characteristics and RAPD polymorphism. 2005 , 124, 446-453	69
1101	Population structure of Columbia spotted frogs (Rana luteiventris) is strongly affected by the landscape. 2005 , 14, 483-96	252
1100	Geographical distance and physical barriers shape the genetic structure of Eurasian red squirrels (Sciurus vulgaris) in the Italian Alps. 2005 , 14, 469-81	70
1099	Population genetic structure of annual and perennial populations of Zostera marina L. along the Pacific coast of Baja California and the Gulf of California. 2005 , 14, 711-22	44
1098	Detecting Holocene divergence in the anadromous-freshwater three-spined stickleback (Gasterosteus aculeatus) system. 2005 , 14, 1001-14	57
1097	A signal for independent coastal and continental histories among North American wolves. 2005 , 14, 917-31	39
1096	Dispersal, habitat differences, and comparative phylogeography of Southeast Asian seahorses (Syngnathidae: Hippocampus). 2005 , 14, 1073-94	150
1095	Vocal dialects, sex-biased dispersal, and microsatellite population structure in the parrot Amazona auropalliata. 2005 , 14, 1197-205	87
1094	Population structure attributable to reproductive time: isolation by time and adaptation by time. 2005 , 14, 901-16	295
1093	On the verge of extinction: genetics of the critically endangered Iberian plant species, Borderea chouardii (Dioscoreaceae) and implications for conservation management. 2005 , 14, 969-82	44

1092	Microsatellite variation and structure of 28 populations of the common wetland plant, Lychnis flos-cuculi L., in a fragmented landscape. 2005 , 14, 991-1000	48
1091	A multilocus population genetic survey of the greater sage-grouse across their range. 2005 , 14, 1293-310	60
1090	Nonequilibrium conditions following landscape rearrangement: the relative contribution of past and current hydrological landscapes on the genetic structure of a stream-dwelling fish. 2005 , 14, 1321-31	78
1089	Chloroplast microsatellites: measures of genetic diversity and the effect of homoplasy. 2005 , 14, 1333-41	59
1088	Genetic analysis of the breeding system of an invasive subterranean termite, Reticulitermes santonensis, in urban and natural habitats. 2005 , 14, 1311-20	74
1087	Genetic variability and phylogeography of the invasive zebra mussel, Dreissena polymorpha (Pallas). 2005 , 14, 1655-66	89
1086	Genetic structure in the coral-reef-associated Banggai cardinalfish, Pterapogon kauderni. 2005 , 14, 1367-75	47
1085	Comparative analysis of population genetic structure in Athyrium distentifolium (Pteridophyta) using AFLPs and SSRs from anonymous and transcribed gene regions. 2005 , 14, 1681-95	113
1084	Genetic differentiation and gene flow among populations of the alpine butterfly, Parnassius smintheus, vary with landscape connectivity. 2005 , 14, 1897-909	107
1083	Streams over mountains: influence of riparian connectivity on gene flow in the Pacific jumping mouse (Zapus trinotatus). 2005 , 14, 1925-37	211
1082	Spatial genetic structure of northern pike (Esox lucius) in the Baltic Sea. 2005 , 14, 1955-64	44
1081	Habitat barriers limit gene flow and illuminate historical events in a wide-ranging carnivore, the American puma. 2005 , 14, 1965-77	111
1080	Landscape genetics of the blotched tiger salamander (Ambystoma tigrinum melanostictum). 2005 , 14, 2553-64	232
1079	Genetic diversity and population structure of an insular tree, Santalum austrocaledonicum in New Caledonian archipelago. 2005 , 14, 1979-89	50
1078	Kin interactions and changing social structure during a population outbreak of feral house mice. 2005 , 14, 2803-14	26
1077	Phylogeography of sexual Heteronotia binoei (Gekkonidae) in the Australian arid zone: climatic cycling and repetitive hybridization. 2005 , 14, 2755-72	37
1076	Phylogeny and historical biogeography of African ground squirrels: the role of climate change in the evolution of Xerus. 2005 , 14, 2773-88	25
1075	Comparative host-parasite population structures: disentangling prospecting and dispersal in the black-legged kittiwake Rissa tridactyla. 2005 , 14, 2825-38	90

(2005-2005)

1074	Comparative landscape genetics and the adaptive radiation of Darwin's finches: the role of peripheral isolation. 2005 , 14, 2943-57	157
1073	Phylogeographical disjunction in abundant high-dispersal littoral gastropods. 2005 , 14, 2789-802	97
1072	Phylogeography of the black fly Simulium tani (Diptera: Simuliidae) from Thailand as inferred from mtDNA sequences. 2005 , 14, 3989-4001	78
1071	Phylogeography of the longhorn cactus beetle Moneilema appressum LeConte (Coleoptera: Cerambycidae): was the differentiation of the Madrean sky islands driven by Pleistocene climate changes?. 2005 , 14, 3049-65	85
1070	Genetic structure of the whitefly Bemisia tabaci in the Asia-Pacific region revealed using microsatellite markers. 2005 , 14, 3695-718	82
1069	Variation at two flowering time genes within and among populations of Arabidopsis thaliana: comparison with markers and traits. 2005 , 14, 4181-92	90
1068	Evolutionary processes in a continental island system: molecular phylogeography of the Aegean Nigella arvensis alliance (Ranunculaceae) inferred from chloroplast DNA. 2005 , 14, 4065-83	90
1067	Population genetic analysis identifies source-sink dynamics for two sympatric garter snake species (Thamnophis elegans and Thamnophis sirtalis). 2005 , 14, 3965-76	76
1066	Microsatellite variation within and among populations of Oryza officinalis (Poaceae), an endangered wild rice from China. 2005 , 14, 4287-97	32
1065	The relative influence of natural selection and geography on gene flow in guppies. 2006 , 15, 49-62	236
1065	Molecular evidence for a founder effect in invasive house finch (Carpodacus mexicanus)	236
	Molecular evidence for a founder effect in invasive house finch (Carpodacus mexicanus)	
1064	Molecular evidence for a founder effect in invasive house finch (Carpodacus mexicanus) populations experiencing an emergent disease epidemic. 2006 , 15, 263-75 Microsatellites reveal a lack of structure in Australian populations of the diamondback moth,	81
1064	Molecular evidence for a founder effect in invasive house finch (Carpodacus mexicanus) populations experiencing an emergent disease epidemic. 2006 , 15, 263-75 Microsatellites reveal a lack of structure in Australian populations of the diamondback moth, Plutella xylostella (L.). 2006 , 15, 107-18	81
1064 1063 1062	Molecular evidence for a founder effect in invasive house finch (Carpodacus mexicanus) populations experiencing an emergent disease epidemic. 2006, 15, 263-75 Microsatellites reveal a lack of structure in Australian populations of the diamondback moth, Plutella xylostella (L.). 2006, 15, 107-18 Genetic and spatial structure within a swift fox population. 2005, 74, 1173-1181 The roles of geological history and colonization abilities in genetic differentiation between mammalian populations in the Philippine archipelago. 2005, 32, 229-247 Biogeography of the pearshore rocky-reef fishes at the southern and Baia California islands. 2005	81 89 44
1064 1063 1062	Molecular evidence for a founder effect in invasive house finch (Carpodacus mexicanus) populations experiencing an emergent disease epidemic. 2006, 15, 263-75 Microsatellites reveal a lack of structure in Australian populations of the diamondback moth, Plutella xylostella (L.). 2006, 15, 107-18 Genetic and spatial structure within a swift fox population. 2005, 74, 1173-1181 The roles of geological history and colonization abilities in genetic differentiation between mammalian populations in the Philippine archipelago. 2005, 32, 229-247 Biogeography of the nearshore rocky-reef fishes at the southern and Baja California islands. 2005,	81 89 44 99
1064 1063 1062 1061	Molecular evidence for a founder effect in invasive house finch (Carpodacus mexicanus) populations experiencing an emergent disease epidemic. 2006, 15, 263-75 Microsatellites reveal a lack of structure in Australian populations of the diamondback moth, Plutella xylostella (L.). 2006, 15, 107-18 Genetic and spatial structure within a swift fox population. 2005, 74, 1173-1181 The roles of geological history and colonization abilities in genetic differentiation between mammalian populations in the Philippine archipelago. 2005, 32, 229-247 Biogeography of the nearshore rocky-reef fishes at the southern and Baja California islands. 2005, 32, 187-201 A hypothetico-deductive analysis of the environmental factors involved in the current reptile	81 89 44 99 35

1056	An assessment of genetic diversity within and between populations of Phalaris minor using ISSR markers. 2005 , 45, 431-439	12
1055	Genetic diversity and differentiation of two Mediterranean pines (Pinus halepensis Mill. and Pinus pinaster Ait.) along a latitudinal cline using chloroplast microsatellite markers. 2005 , 11, 257-263	60
1054	Association between biogeographical factors and boreal lake fish assemblages. 2005 , 12, 189-199	10
1053	Ecological and historical filters constraining spatial caddisfly distribution in Mediterranean rivers. 2005 , 50, 781-797	56
1052	Contrasting patterns of Y chromosome and mtDNA variation in Africa: evidence for sex-biased demographic processes. 2005 , 13, 867-76	159
1051	Population differentiation within and among Asian elephant (Elephas maximus) populations in southern India. 2005 , 94, 71-80	71
1050	Population structure and host-plant specialization in two Scaptodrosophila flower-breeding species. 2005 , 94, 129-38	15
1049	Population genetic differentiation in taxa of Lotus (Fabaceae: Loteae) endemic to the Gran Canarian pine forest. 2005 , 94, 199-206	14
1048	Mitochondrial DNA variation of the common hippopotamus: evidence for a recent population expansion. 2005 , 95, 206-15	29
1047	Analysis of Lolium temulentum geographical differentiation by microsatellite and AFLP markers. 2005 , 45, 18-26	9
1046	Genetic diversity of the annual weed Monochoria vaginalis in southern China detected by random amplified polymorphic DNA and inter-simple sequence repeat analyses. 2005 , 45, 424-430	9
1045	Population Genetic Structure of Neotropical Mangrove Species on the Colombian Pacific Coast: Pelliciera rhizophorae (Pellicieraceae)1. 2005 , 37, 266-273	21
1044	POPULATION STRUCTURE AT TWO GEOGRAPHIC SCALES IN THE BURROWING CRUSTACEAN CALLICHIRUS ISLAGRANDE (DECAPODA, THALASSINIDEA): HISTORICAL AND CONTEMPORARY BARRIERS TO PLANKTONIC DISPERSAL. 2005 , 59, 2125-2138	26
1043	DISPERSAL, PHILOPATRY, AND INFIDELITY: DISSECTING LOCAL GENETIC SWTRUCTURE IN SUPERB FAIRY-WRENS (MALURS CYANEUS). 2005 , 59, 625-635	140
1042	EVOLUTIONARY DYNAMICS OF A SPATIALLY STRUCTURED HOST-PARASITE ASSOCIATION: DROSOPHILA INNUBILA AND MALE-KILLING WOLBACHIA. 2005 , 59, 1518-1528.	25
1041	A space-for-time substitution reveals the long-term decline in genotypic diversity of a widespread salt marsh plant, Spartina alterniflora, over a span of 1500 years. 2005 , 93, 417-430	64
1040	Elephants in space and time. 2005 , 109, 331-341	79
1039	Mitochondrial DNA and plumage evolution in the white wagtail Motacilla alba. 2005 , 36, 322-336	34

(2005-2005)

1038	Relationships among non-native plants, diversity of plants and butterflies, and adequacy of spatial sampling. 2005 , 85, 157-166	27
1037	Leaf morphometric variation in Quercus affinis and Q. laurina (Fagaceae), two hybridizing Mexican red oaks. 2005 , 147, 427-435	42
1036	Taxonomic problems in Carthamus (Asteraceae): RAPD markers and sectional classification. 2005 , 147, 375-383	54
1035	Evaluation of genetic relationships in the genus Houttuynia Thunb. in China based on RAPD and ISSR markers. 2005 , 33, 1141-1157	22
1034	Structure of Pinus sylvestris L. populations in Bulgaria revealed by chloroplast microsatellites and terpenes analysis: Provenance tests. 2005 , 33, 1226-1245	24
1033	Patterns of association between canopy-morphology and understorey assemblages across temperate Australia. 2005 , 63, 133-141	8
1032	Color categories: evidence for the cultural relativity hypothesis. 2005 , 50, 378-411	229
1031	Molecular variation within and between ten populations of Primula farinosa (Primulaceae) along an altitudinal gradient in the northern Alps. 2005 , 6, 35-45	65
1030	Dissimilar patterns of Pinus heldreichii Christ. populations in Bulgaria revealed by chloroplast microsatellites and terpenes analysis. 2005 , 33, 133-148	16
1029	Comparison of RAPDs, AFLPs and SSR markers for the genetic analysis of yeast strains of Saccharomyces cerevisiae. 2005 , 22, 561-568	29
1028	High level of genetic differentiation in the marine isopod Sphaeroma terebrans (Crustacea Isopoda Sphaeromatidae) as inferred by mitochondrial DNA analysis. 2005 , 315, 225-234	30
1027	The interpretation of fen carr pollen diagrams: pollenâllegetation relationships within the fen carr. 2005 , 133, 179-202	24
1026	POPULATION GENETICS OF GUNNISON SAGE-GROUSE: IMPLICATIONS FOR MANAGEMENT. 2005 , 69, 630-637	32
1025	GEOGRAPHICAL GENETICS: CONCEPTUAL FOUNDATIONS AND EMPIRICAL APPLICATIONS OF SPATIAL GENETIC DATA IN WILDLIFE MANAGEMENT. 2005 , 69, 1434-1453	29
1024	Haplotypes and haplotype-tagging single-nucleotide polymorphism: presentation Group 8 of Genetic Analysis Workshop 14. 2005 , 29 Suppl 1, S59-71	10
1023	Mitochondrial DNA HVRI variation in Balearic populations. 2005 , 128, 119-30	45
1022	Microevolution in prehistoric Andean populations: chronologic mtDNA variation in the desert valleys of northern Chile. 2005 , 127, 170-81	43
1021	Phylogenetic information in polymorphic L1 and Alu insertions from East Asians and Native American populations. 2005 , 128, 171-84	16

1020	Geography influences microsatellite polymorphism diversity in Amerindians. 2005, 126, 463-70	30
1019	Mitochondrial DNA variation in the European lobster (Homarus gammarus) throughout the range. 2005 , 146, 223-235	78
1018	Isolation by distance in the scleractinian coral Seriatopora hystrix from the Red Sea. 2005 , 147, 1109-1120	57
1017	Comparison of 16S rRNA and 16S rDNA T-RFLP approaches to study bacterial communities in soil microcosms treated with chromate as perturbing agent. 2005 , 50, 375-84	39
1016	Seasonal polydomy and unicoloniality in a polygynous population of the red wood ant Formica truncorum. 2005 , 57, 339-349	36
1015	AFLP reveals structural details of genetic diversity within cultivated olive germplasm from the Eastern Mediterranean. 2005 , 110, 1169-76	77
1014	Tropical maize germplasm: what can we say about its genetic diversity in the light of molecular markers?. 2005 , 111, 1288-99	55
1013	Molecular marker-based genetic diversity assessment of Striga-resistant maize inbred lines. 2005 , 110, 1145-53	20
1012	Permutation tests for the correlation among genetic distances and measures of heterosis. 2005 , 111, 95-9	6
1011	A comparative study on a permutation statistic. 2005 , 2, 155-167	
1010	Allozyme variability and phylogenetic relationships in honey bee (Hymenoptera: Apidae: Apis mellifera) populations from Greece and Cyprus. 2005 , 43, 471-83	25
1009	Significant genetic differentiation between Poland and Germany follows present-day political borders, as revealed by Y-chromosome analysis. 2005 , 117, 428-43	98
1008	Metapopulation genetic structure of two coexisting parasitoids of the Glanville fritillary butterfly. 2005 , 143, 77-84	29
1007	Disturbance frequency and community structure in a twenty-five year intervention study. 2005 , 145, 140-52	99
1006	Population structure and stock identification of Eulachon (Thaleichthys pacificus), an anadromous smelt, in the pacific northwest. 2005 , 7, 363-72	16
1005	Hemlock Woolly Adelgid in New England Forests: Canopy Impacts Transforming Ecosystem Processes and Landscapes. 2005 , 8, 233-247	101
1004	Single primer amplification reaction methods reveal exotic and indigenous mulberry varieties are similarly diverse. 2005 , 30, 669-77	31
1003	Microsatellite variation between Japanese eel (Anguilla japonica) and European eel (Anguilla anguilla). 2005 , 23, 448-454	2

(2005-2005)

1002	Clonal diversity and genetic differentiation of Maianthemum bifolium among forest fragments of different age. 2005 , 179, 169-180	14
1001	Genetic structure of Miscanthus sinensis ssp. condensatus (Poaceae) on Miyake Island: implications for revegetation of volcanically devastated sites. 2005 , 20, 233-238	21
1000	Changes in Phenotype and Genotype of Austrian Salmo trutta Populations during the Last Century. 2005 , 74, 51-65	12
999	Molecular characterisation of vegetative compatibility groups in Fusarium oxysporum f. sp. radicis-lycopersici and f. sp. lycopersici by random amplification of polymorphic DNA and microsatellite-primed PCR. 2005 , 111, 1-8	29
998	Genetic characterization of 218 elite CIMMYT maize inbred lines using RFLP markers. 2005 , 142, 97-106	34
997	Variability of wing size and shape in three populations of a recent Brazilian invader, Zaprionus indianus (Diptera: Drosophilidae), from different habitats. 2005 , 125, 271-81	24
996	Bottlenecks, drift and differentiation: the fragmented population structure of the saltmarsh beetle Pogonus chalceus. 2005 , 124, 167-77	10
995	Microsatellite analysis of olive fly populations in the Mediterranean indicates a westward expansion of the species. 2005 , 125, 231-41	52
994	Analysis of genetic diversity in Indian robusta coffee genepool (Coffea canephora) in comparison with a representative core collection using SSRs and AFLPs. 2005 , 52, 333-343	34
993	Genetic diversity in Hordeum chilense Roem. et Schult. germplasm collection as determined by endosperm storage proteins. 2005 , 52, 127-135	10
992	Assessment of Genetic Diversity in Upland Cotton (Gossypium hirsutum L.) Breeding Lines by using Amplified Fragment Length Polymorphism (AFLP) Markers and Morphological Characteristics. 2005 , 52, 989-997	20
991	Diversity of Nordic Landrace Potatoes (Solanum tuberosum L.) Revealed by AFLPs and Morphological Characters. 2005 , 52, 999-1010	17
990	Analysis of genetic diversity in Tunisian durum wheat cultivars and related wild species by SSR and AFLP markers. 2005 , 52, 21-31	44
989	Molecular marker-mediated validation of morphologically defined landraces of Pejibaye (Bactris gasipaes) and their phylogenetic relationships. 2005 , 51, 871-882	24
988	Genetic Diversity of Japanese Melon Cultivars (Cucumis melo L.) as Assessed by Random Amplified Polymorphic DNA and Simple Sequence Repeat Markers. 2005 , 52, 405-419	38
987	The ecology of sewage treatment gradients in relation to their use by waterbirds. 2005, 534, 91-108	10
986	Odonata, Amphibia and Environmental Characteristics in Motorway Stormwater Retention Ponds (Southern France). 2005 , 551, 237-251	69
985	Implications of a Hierarchical Relationship Among Channel Form, Instream Habitat, and Stream Communities for Restoration of Channelized Streams. 2005 , 548, 279-292	19

984	Association between SCMV Resistance and Macroarray-based Expression Patterns in Maize Inbreds. 2005 , 16, 173-184	5
983	Gene flow among San Joaquin kit fox populations in a severely changed ecosystem. 2005 , 6, 25-37	18
982	Range wide versus local patterns of genetic diversity in hornbeam (Carpinus betulus L.). 2005 , 6, 259-273	106
981	Conflicting patterns of genetic structure produced by nuclear and mitochondrial markers in the Oregon slender salamander (Batrachoseps wrighti): Implications for conservation efforts and species management. 2005 , 6, 275-287	19
980	Dissimilar patterns of genetic variation in two insular endemic plants sharing species characteristics, distribution, habitat, and ecological history. 2005 , 6, 341-353	7
979	An analysis of spatial and environmental factors influencing hybridization between native westslope cutthroat trout (Oncorhynchus clarki lewisi) and introduced rainbow trout (O. mykiss) in the upper Kootenay River drainage, British Columbia. 2005 , 6, 369-384	54
978	The effects of controlled propagation on an endangered species: genetic differentiation and divergence in body size among native and captive populations of the Socorro Isopod (Crustacea: Flabellifera). 2005 , 6, 355-368	8
977	Does time since colonization influence isolation by distance? A meta-analysis. 2005 , 6, 665-682	53
976	The effects of gene flow and population isolation on the genetic structure of_reintroduced wild turkey populations: Are genetic signatures of source populations retained?. 2005 , 6, 981-997	43
975	Neighboring plant influences on arbuscular mycorrhizal fungal community composition as assessed by T-RFLP analysis. 2005 , 271, 83-90	103
974	Macrogeographic genetic variability in the Gastropod Mollusk Littorina sitkana from the Northwest Pacific. 2005 , 41, 291-300	6
973	Haplotype-sharing analysis using Mantel statistics for combined genetic effects. 2005 , 6 Suppl 1, S70	10
972	Haplotype-sharing analysis for alcohol dependence based on quantitative traits and the Mantel statistic. 2005 , 6 Suppl 1, S75	5
971	Population genetic analysis of Arapaima gigas, one of the largest freshwater fishes of the Amazon basin: implications for its conservation. 2005 , 8, 297-308	78
970	Dealing with spatial autocorrelation. 2005 , 212-255	1
969	Concordance Between Morphological and Molecular Markers in Assessing Hybridization Between Sharp-Tailed Sparrows in New England. 2005 , 122, 94-107	24
968	Song Structure and Microgeographic Song Variation in Wedge-Tailed Sabrewings (Campylopterus Curvipennis) in Veracruz, Mexico. 2005 , 122, 593-607	16
967	Population Genetics of the Galþagos Hawk (Buteo Galapagoensis): Genetic Monomorphism Within Isolated Populations. 2005 , 122, 1210-1224	35

(2005-2005)

966	Geographical Variation of St. Lucia Parrot Flight Vocalizations. 2005 , 107, 62-68	16
965	Geographic Variation in Mitochondrial DNA Sequences of an Amazonian Nonpasserine: The Black-Spotted Barbet Complex. 2005 , 107, 527-536	16
964	Genetic variability of pre and post-fragmentation cohorts of Aspidosperma polyneuron Muell. Arg. (Apocynaceae). 2005 , 48, 171-180	19
963	Relation between small-mammal species composition and anthropic variables in the Brazilian Atlantic Forest. 2005 , 65, 495-501	34
962	Geographic Epidemiology. 2005 ,	
961	Simultaneous Agronomic and Molecular Characterization of Genotypes via the Generalised Procrustes Analysis: An Application to Cucumber. 2005 , 45, 1603-1609	15
960	Genomic Constitution and Genetic Relationship among the Tropical and Subtropical Indian Sugarcane Cultivars Revealed by AFLP. 2005 , 45, 1750-1757	45
959	Clustering. 2005,	
958	Genetic Variation in Sorghum Germplasm from Sudan, ICRISAT, and USA Assessed by Simple Sequence Repeats (SSRs). 2005 , 45, 1636-1644	32
957	Spatial analysis of population data. 2005 , 32-110	1
956	Preface. 2005 , xi-xiv	
955	Introduction. 2005 , 1-31	
954	Spatial analysis of sample data. 2005 , 111-173	2
953	Spatial partitioning of regions: patch and boundary. 2005 , 174-211	
952	Spatio-temporal analysis. 2005 , 256-316	
951	Closing comments and future directions. 2005 , 317-335	
950	Appendices. 2005 , 336-337	
949	References. 2005 , 338-357	

948	Pedigree- vs. DNA Marker-Based Genetic Similarity Estimates in Cotton. 2005 , 45, 2281-2287	58
947	Francisella tularensis in the United States. 2005 , 11, 1835-41	153
946	Genetic consequence of restricted habitat and population decline in endangered Isoetes sinensis (Isoetaceae). 2005 , 96, 1265-74	38
945	Genetic differentiation among populations of the salt marsh beetle Pogonus littoralis (Coleoptera: Carabidae): a comparison between Atlantic and Mediterranean populations. 2005 , 96, 381-7	9
944	Allozyme variation in the endangered insular endemic Castilleja grisea. 2005, 95, 1221-7	14
943	Macrogeographic population structure of the tsetse fly, Glossina pallidipes (Diptera: Glossinidae). 2005 , 95, 437-47	22
942	POPULATION GENETICS OF RESURGENCE: WHITE-TAILED DEER IN KENTUCKY. 2005 , 69, 345-355	16
941	A single domestication for potato based on multilocus amplified fragment length polymorphism genotyping. 2005 , 102, 14694-9	274
940	Habitat selection and ecological speciation in Galpagos warbler finches (Certhidea olivacea and Certhidea fusca). 2005 , 272, 819-26	42
939	Genetic fingerprinting of germplasm accessions as an aid for species conservation: a case study with Borderea chouardii (Dioscoreaceae), one of the most critically endangered Iberian plants. 2005 , 96, 1283-92	5
938	Widespread genetic exchange among terrestrial bacteriophages. 2005, 102, 19009-14	47
937	Comparison of AFLPs with other markers for phylogenetic inference in wild tomatoes [Solanum L. section Lycopersicon (Mill.) Wettst.]. 2005 , 54, 43-61	130
936	Assessment of the qualitative variation in bacterial microflora among compartments of the intestinal tract of dogs by use of a molecular fingerprinting technique. 2005 , 66, 1556-62	62
935	Genetic Divergence Among Host-Specific Cryptic Species in Cotesia melitaearum Aggregate (Hymenoptera: Braconidae), Parasitoids of Checkerspot Butterflies. 2005 , 98, 382-394	51
934	Phylogenetic relationships among Secale species revealed by amplified fragment length polymorphisms. 2005 , 48, 792-801	46
933	Complex segregation analysis of quantitative dermatoglyphic traits in five Indian populations. 2005 , 32, 445-68	6
932	Genetic diversity of loquat germplasm (Eriobotrya japonica (Thunb) Lindl) assessed by SSR markers. 2005 , 48, 108-14	48
931	Spatial patterns of viable spore deposition of the corn ear rot pathogen, Gibberella zeae, in first-year corn fields. 2005 , 27, 225-233	6

930	Domestic Burglary Repeats and Space-Time Clusters: The Dimensions of Risk. 2005, 2, 67-92	132
929	Genetic and clonal diversity of two cattail species, Typha latifolia and T. angustifolia (Typhaceae), from Ukraine. 2005 , 92, 1161-9	35
928	CONCORDANCE BETWEEN MORPHOLOGICAL AND MOLECULAR MARKERS IN ASSESSING HYBRIDIZATION BETWEEN SHARP-TAILED SPARROWS IN NEW ENGLAND. 2005 , 122, 94	25
927	Genome size evolution in New Zealand triplefin fishes. 2005 , 96, 356-62	28
926	Haplotype sharing analysis using mantel statistics. 2005 , 59, 67-78	49
925	Genetic diversity among Japanese indigenous common buckwheat (Fagopyrum esculentum) cultivars as determined from amplified fragment length polymorphism and simple sequence repeat markers and quantitative agronomic traits. 2005 , 48, 367-77	41
924	Spatial autocorrelation of assemblages of benthic invertebrates and its relationship to environmental factors in two upland rivers in southeastern Australia. 2005 , 11, 375-386	23
923	Molecular Marker Based Coefficient of Parentage Analysis for Establishing Distinctness in Indian Rice (Oryza sativa L) Varieties. 2005 , 14, 135-139	
922	Genetic variation within and among populations of a dominant desert tree Haloxylon ammodendron (Amaranthaceae) in China. 2005 , 96, 245-52	35
921	Terrestrial growth and marine dispersal? Comparative phylogeography of five coastal plant species at a European scale. 2005 , 54, 861-876	74
920	Population genetics and conservation of the critically endangered Clematis acerifolia (Ranunculaceae). 2005 , 83, 1248-1256	6
919	Panmixia in the European eel: a matter of time. 2005 , 272, 1129-37	117
918	Phylogenetic signal in bone microstructure of sauropsids. 2005 , 54, 562-74	100
917	Regional, watershed, and site-specific environmental influences on fish assemblage structure and function in western Lake Superior tributaries. 2005 , 62, 1254-1270	30
916	Genetic structure and mating system of northern Arbutus menziesii (Ericaceae) populations. 2005 , 83, 1581-1589	6
915	Differential gene expression in benznidazole-resistant Trypanosoma cruzi parasites. 2005 , 49, 2701-9	29
914	Behaviourally specific preferred associations in bottlenose dolphins, Tursiops spp 2005 , 83, 1566-1573	64
913	Among- and within-patch components of genetic diversity respond at different rates to habitat fragmentation: an empirical demonstration. 2005 , 272, 553-60	106

912	Semi-automated genetic analyses of soil microbial communities: comparison of T-RFLP and RISA based on descriptive and discriminative statistical approaches. 2005 , 61, 349-60	92
911	Dietary overlap between prairie dog (Cynomys mexicanus) and beef cattle in a desert rangeland of northern Mexico. 2005 , 62, 449-458	7
910	Association mapping of segregating sites in the early trypsin gene and susceptibility to dengue-2 virus in the mosquito Aedes aegypti. 2005 , 35, 771-88	16
909	Sampling tree diversity in Malaysian tropical forests: an evaluation of a pre-felling inventory. 2005 , 205, 385-395	4
908	Effect of aspen (Populus tremuloides) as a companion species on the growth of black spruce (Picea mariana) in the southwestern boreal forest of Quebec. 2005 , 208, 211-222	27
907	High differentiation among populations of the woody legume Sesbania sesban in sub-Saharan Africa: Implications for conservation and cultivation during germplasm introduction into agroforestry systems. 2005 , 210, 225-238	18
906	Anthropogenic determinants of primate and carnivore local extinctions in a fragmented forest landscape of southern Amazonia. 2005 , 124, 383-396	256
905	Species compositional similarity and ecoregions: Do ecoregion boundaries represent zones of high species turnover?. 2005 , 126, 24-40	52
904	Genetic structure, population size, and seed production of Pulsatilla vulgaris Mill. (Ranunculaceae) in Central Germany. 2005 , 200, 3-14	42
903	Phylogenetic relationships, evolutionary origin, taxonomic status, and genetic structure of the endangered local Lower Elbe river (Germany) endemic Oenanthe conioides (Nolte ex Rchb.f.) Lange (Apiaceae): ITS and AFLP evidence. 2005 , 200, 15-29	13
902	Population genetic structure of Orchesella cincta (Collembola; Hexapoda) in NW Europe, as revealed by microsatellite markers. 2005 , 49, 167-174	12
901	Genetic structure of island populations of wild cardoon [Cynara cardunculus L. var. sylvestris (Lamk) Fiori] detected by AFLPs and SSRs. 2005 , 169, 199-210	41
900	Molecular analyses on the genetic diversity and inheritance of (â bisabolol and chamazulene content in tetraploid chamomile (Chamomilla recutita (L.) Rausch.). 2005 , 169, 917-927	22
899	Bridging the gap between molecular epidemiologists and evolutionists. 2005 , 13, 575-80	32
898	Use of RAPD markers for identifying Nelore bulls with early reproductive maturation onset. 2005 , 85, 183-91	4
897	Distances and directions in multidimensional shape spaces: implications for morphometric applications. 2005 , 54, 678-88	279
896	Genetic diversity among varieties and wild species accessions of pea (Pisum sativum L.) based on molecular markers, and morphological and physiological characters. 2005 , 48, 257-72	95
895	POPULATION GENETICS OF THE GALPAGOS HAWK (BUTEO GALAPAGOENSIS): GENETIC MONOMORPHISM WITHIN ISOLATED POPULATIONS. 2005 , 122, 1210	41

(2006-2005)

894	MITOCHONDRIAL PHYLOGEOGRAPHY AND CONSERVATION GENETICS OF WOLVERINE (GULO GULO) OF NORTHWESTERN NORTH AMERICA. 2005 , 86, 386-396	38
893	Geographic Variation in Mitochondrial DNA Sequences of an Amazonian Nonpasserine: The Black-Spotted Barbet Complex. 2005 , 107, 527	15
892	Song Structure and Microgeographic Song Variation in Wedge-Tailed Sabrewings (Campylopterus Curvipennis) in Veracruz, Mexico. 2005 , 122, 593	16
891	GEOGRAPHICAL VARIATION OF ST. LUCIA PARROT FLIGHT VOCALIZATIONS. 2005 , 107, 62	13
890	Does domestication mimic speciation? 1. A population-genetic analysis of Hordeum spontaneum and Hordeum vulgare based on AFLP and evolutionary considerations. 2005 , 83, 1496-1512	18
889	Genetic diversity inferred from AFLP fingerprinting in populations of Onosma echioides (Boraginaceae) from serpentine and calcareous soils. 2006 , 140, 211-219	39
888	Gene flow in complex landscapes: testing multiple hypotheses with causal modeling. 2006 , 168, 486-99	495
887	Relict islands of the temperate rainforest tree Aextoxicon punctatum (Aextoxicaceae) in semi-arid Chile: genetic diversity and biogeographic history. 2006 , 54, 733	22
886	Geostatistics, spatial rate of change analysis and boundary detection in plant ecology and biogeography. <i>Progress in Physical Geography</i> , 2006 , 30, 201-231	32
885	Comparative Methods for Studying Cultural Trait Evolution: A Simulation Study. 2006 , 40, 177-209	59
884	Retrotransposon-based S-SAP as a platform for the analysis of genetic variation and linkage in globe artichoke. 2006 , 49, 1149-59	14
883	KANGAROO MICE (MICRODIPODOPS MEGACEPHALUS) OF THE MONO BASIN: PHYLOGEOGRAPHY OF A PERIPHERAL ISOLATE. 2006 , 87, 1204-1217	11
882	Species affinity and infracommunity ordination of helminths of Leptodactylus chaquensis (Anura: Leptodactylidae) in two contrasting environments from northeastern Argentina. 2006 , 92, 1171-9	52
881	Caprella penantis Leach, 1814 and Caprella dilatata Kroyer, 1843 (Crustacea: Amphipoda) from the Strait of Gibraltar: a molecular approach to explore intra- and interspecific variation. 2006 , 2, 100-108	7
880	Demographic independence along ecosystem boundaries in Steller sea lions revealed by mtDNA analysis: implications for management of an endangered species. 2006 , 84, 1796-1809	24
879	Geographically partitioned spatial synchrony among cyclic moth populations. 2006 , 114, 349-359	42
878	Effects of landscape composition and substrate availability on saproxylic beetles in boreal forests: a study using experimental logs for monitoring assemblages. 2006 , 29, 191-204	83
877	Spatial distribution and environmental correlates of Australian snubfin and Indo-Pacific humpback dolphins. 2006 , 29, 396-406	45

876	Spatial structure in the diet of imperial eagles Aquila heliaca in Kazakhstan. 2006 , 37, 594-600	13
875	Fine-scale genetic structure and dispersal in Canada lynx (Lynx canadensis) within Alberta, Canada. 2006 , 84, 1112-1119	18
874	RAPD diversity of Stipa grandis populations and its relationship with some ecological factors. 2006 , 26, 1312-1318	33
873	Songs of the Savannah Sparrow: structure and geographic variation. 2006 , 84, 1637-1646	15
872	Geographic variation in body size of American mink (Mustela vison) / Variation gographique de la taille du corps chez le vison d'Amfique (Mustela vison). 2006 , 70,	1
871	Range size: disentangling current traits and phylogenetic and biogeographic factors. 2006, 167, 555-67	105
870	Alu insertion polymorphisms in Native Americans and related Asian populations. 2006, 33, 142-60	22
869	Cross-species microsatellite amplification in Vasconcellea and related genera and their use in germplasm classification. 2006 , 49, 786-98	15
868	PHYLOGEOGRAPHY OF THE SUBTERRANEAN RODENT CTENOMYS AUSTRALIS IN SAND-DUNE HABITATS: EVIDENCE OF POPULATION EXPANSION. 2006 , 87, 1192-1203	37
867	Genetic structure, habitat fragmentation and bottlenecks in Danish bank voles (Clethrionomys glareolus). 2006 , 71, 144-158	32
866	Geometric morphometric analysis of geographic variation in the RB Negro tuco-tuco, Ctenomys rionegrensis (Rodentia: Ctenomyidae). 2006 , 71, 288-298	16
865	Genetic diversity among varieties of the native forage grass Trichloris crinita based on AFLP markers, morphological characters, and quantitative agronomic traits. 2006 , 49, 906-18	20
864	Comparative genetic analysis of highland maize inbred lines using AFLP and SSR markers. 2006 , 23, 99-104	
863	Nematode small subunit phylogeny correlates with alignment parameters. 2006 , 55, 972-92	61
862	Genetic analysis of the gametophytes of Undaria pinnatifida (Phaeophyceae) with ISSR method. 2006 , 258, 250-256	12
861	Genetic structure of natural populations of the sand fly Lutzomyia longipalpis (Diptera: Psychodidae) from the Brazilian northeastern region. 2006 , 98, 15-24	27
860	Morphometric and meristic variation between stocks of Bluefish (Pomatomus saltatrix) in the Black, Marmara, Aegean and northeastern Mediterranean Seas. 2006 , 79, 139-147	82
859	Microsatellite polymorphism in Italian populations of northern pike (Esox lucius L.). 2006 , 80, 251-262	12

858	Assessing the performance of linear geostatistical tools applied to artificial fisheries data. 2006 , 82, 263-279	10
857	Plant-pollinator biodiversity and pollination services in a complex Mediterranean landscape. 2006 , 129, 519-529	155
856	Prioritisation of conservation areas in the Western Ghats, India. 2006 , 133, 16-31	108
855	Genetic structure, population dynamics, and conservation of Black caiman (Melanosuchus niger). 2006 , 133, 474-482	29
854	A multivariate analysis of larval fish and paralarval cephalopod assemblages at Great Meteor Seamount. 2006 , 53, 1635-1657	19
853	The structure of genetic diversity in Engelmann spruce and a comparison with blue spruce. 2006 , 84, 1806-1828	13
852	Gene flow within and between regions: The population genetic structure of the phantom midge Chaoborus crystallinus (Diptera: Chaoboridae). 2006 , 36, 147-154	1
851	Plants used by the Cree Nation of Eeyou Istchee (Quebec, Canada) for the treatment of diabetes: A novel approach in quantitative ethnobotany. 2006 , 105, 55-63	115
850	Coincidence of small-scale spatial discontinuities in leaf morphology and nuclear microsatellite variation of Quercus petraea and Q. robur in a mixed forest. 2007 , 99, 713-22	46
849	Comparative analysis of genetic diversity in Prunus L. as revealed by RAPD and SSR markers. 2006 , 108, 253-259	13
848	RAPD analysis of genetic diversity among and within Portuguese landraces of common white bean (Phaseolus vulgaris L.). 2006 , 108, 133-142	34
847	Population structure of the thornback ray (Raja clavata L.) in British waters. 2006 , 56, 305-316	34
846	Genetic structure among earthworms (Lumbricus terrestris L.) from different sampling sites in western Germany based on random amplified polymorphic DNA. 2006 , 50, 257-266	26
845	Characterization and genetic diversity analysis of cotton cultivars using microsatellites. 2006 , 29, 321-329	42
844	Hierarchical Cluster Analysis. 2006,	1
843	Determination of genetic variation in Rhodiola crenulata from the Hengduan Mountains Region, China using inter-simple sequence repeats. 2006 , 29, 339-344	21
842	Microsatellites for the inference of population structures in the Red Mason beeOsmia rufa(Hymenoptera, Megachilidae). 2006 , 37, 75-83	11
841	Spatial Autocorrelation Coefficient, Moran's. 2006 ,	1

840	Structure and Genetic Diversity of Wild Populations of Lima Bean (Phaseolus lunatus L.) from the Yucatan Peninsula, Mexico. 2006 , 46, 1071-1080	21
839	Testing the ecomorphological hypothesis in a headwater riffles fish assemblage of the rio Sö Francisco, southeastern Brazil. 2006 , 4, 203-214	98
838	Aggregation. 2006,	
837	Genetic Diversity in the Core Subset of the U.S. Red Clover Germplasm. 2006 , 46, 758-762	8
836	Population Genetic Structure in Temperate and Tropical Species of Viola (Violaceae) with a Mixed Breeding System. 2006 , 167, 503-512	7
835	Microsatellite analysis reveals substantial levels of genetic variation but low levels of genetic divergence among isolated populations of Kaka (Nestor meridionalis). 2006 , 106, 329-338	4
834	Genetic variability among different Italian populations of the aphid Myzus persicae. 2006, 59, 326-333	1
833	Intraspecific Variation in isolates of Bursaphelenchus xylophilus (Nematoda: Aphelenchoididae) revealed by ISSR and RAPD fingerprints. 2006 , 113, 275-282	10
832	HSP90 AND THE QUANTITATIVE VARIATION OF WING SHAPE IN DROSOPHILA MELANOGASTER. 2006 , 60, 2529	37
831	Population genetic analysis of Caiman crocodilus (Linnaeus, 1758) from South America. 2006 , 29, 220-230	24
830	Molecular taxonomy and phylogeography of Miniopterus schreibersii (Kuhl, 1817) (Chiroptera: Vespertilionidae), in the Eurasian transition. 2006 , 87, 577-582	24
829	Historical influences on genital morphology among sympatric species: gonopod evolution and reproductive isolation in the crayfish genusOrconectes(Cambaridae). 2006 , 89, 1-12	19
828	Molecular genetic variation in Passiflora alata (Passifloraceae), an invasive species in southern Brazil. 2006 , 88, 611-630	12
827	Testing hypotheses of speciation in thePlethodon jordanispecies complex with allozymes and mitochondrial DNA sequences. 2006 , 89, 25-51	33
826	Analysis of molecular differentiation in a hybrid zone between chromosomally distinct races of the common shrewSorex araneus(Insectivora: Soricidae) suggests their common ancestry. 2006 , 89, 79-90	19
825	Geographic allozyme variation in the Japanese clouded salamander, Hynobius nebulosus (Amphibia: Urodela). 2006 , 89, 311-330	27
824	Festuca inops and Festuca gracilior (Poaceae): are they two different species?. 2006 , 151, 239-258	11
823	Fine scale genetic population structure of the freshwater and Omono types of nine-spined stickleback Pungitius pungitius (L.) within the Omono River system, Japan. 2006 , 69, 155-176	6

(2006-2006)

822	The use of otolith shape and chemistry to determine stock structure of Mediterranean horse mackerel Trachurus mediterraneus (Steindachner). 2006 , 69, 165-180	37
821	MASKING INTERFERENCE AND THE EVOLUTION OF THE ACOUSTIC COMMUNICATION SYSTEM IN THE AMAZONIAN DENDROBATID FROG ALLOBATES FEMORALIS. 2006 , 60, 1874-1887	83
820	QUANTITATIVE GENETICS OF PLASTRON SHAPE IN SLIDER TURTLES (TRACHEMYS SCRIPTA). 2006 , 60, 563-572	34
819	HSP90 AND THE QUANTITATIVE VARIATION OF WING SHAPE IN DROSOPHILA MELANOGASTER. 2006 , 60, 2529-2538	80
818	Is Difference in Body Weight, Antler Length, Age or Dominance Rank related to the Number of Fights between Fallow Deer (Dama dama)?. 2006 , 112, 258-269	31
817	Genetic differentiation among sea trout, Salmo trutta L., populations from western Norway. 2006 , 22, 57-61	6
816	Human-mediated foot-and-mouth disease epidemic dispersal: disease and vector clusters. 2006 , 53, 1-10	10
815	Evolutionary relationships among hares from North Africa (Lepus sp. or Lepus spp.), cape hares (L. capensis) from South Africa, and brown hares (L. europaeus), as inferred from mtDNA PCR-RFLP and allozyme data. 2006 , 44, 88-99	20
814	HLA-C molecular characterization of a Lebanese population and genetic structure of 39 populations from Europe to India-Pakistan. 2006 , 68, 44-57	21
813	In search of clinal variation in the period and clock timing genes in Australian Drosophila melanogaster populations. 2006 , 19, 551-7	27
812	Disassociation between weak sexual isolation and genetic divergence in a hermaphroditic land snail and implications about chirality. 2006 , 19, 1631-40	11
811	On the track of the Red Queen: bark beetles, their nematodes, local climate and geographic parthenogenesis. 2006 , 19, 1939-47	14
810	Contrasting patterns of body shape and neutral genetic divergence in marine and lake populations of threespine sticklebacks. 2006 , 19, 1803-12	171
809	Analysis of population genetic structure of two closely related tortricid species of economic importance on macadamias and litchis in South Africa. 2006 , 8, 113-119	5
808	Ecological significance of microsatellite variation in western North American populations of Bromus tectorum. 2006 , 21, 61-73	33
807	Factors influencing species selection for littoral rainforest restoration: Do environmental gradients matter?. 2006 , 7, 113-122	1
806	Sex-biased dispersal and high levels of gene flow among local populations in the argentine boa constrictor, Boa constrictor occidentalis. 2006 , 31, 948-955	28
805	Analysis of meso scaled spatial distribution of dab Limanda limanda in the German Bight: does the type of fishing gear matter?. 2006 , 72, 95-104	9

804	Resilience of southwestern Amazon forests to anthropogenic edge effects. 2006 , 20, 1698-710	27
803	Development of family specific contact calls in the Long-tailed Tit Aegithalos caudatus. 2006 , 148, 649-656	22
802	Effects of an ENSO-related fire on birds of a lowland tropical forest in Sumatra. 2006, 9, 292-301	27
801	A geometric morphometric analysis of the shape of the first upper molar in mice of the genus Mus (Muridae, Rodentia). 2006 , 270, 672-681	43
800	Molecular evidence for multiple polyploidization and lineage recombination in the Chrysanthemum indicum polyploid complex (Asteraceae). 2006 , 171, 875-86	48
799	Weed response to herbicides: regional-scale distribution of herbicide resistance alleles in the grass weed Alopecurus myosuroides. 2006 , 171, 861-73	55
798	Developmental regulation of skull morphology II: ontogenetic dynamics of covariance. 2006 , 8, 46-60	61
797	The brachymorph mouse and the developmental-genetic basis for canalization and morphological integration. 2006 , 8, 61-73	78
796	GENETIC STRUCTURE OF NATURAL POPULATIONS IN THE RED ALGAE GELIDIUM CANARIENSE (GELIDIALES, RHODOPHYTA) INVESTIGATED BY RANDOM AMPLIFIED POLYMORPHIC DNA (RAPD) MARKERS1. 2006 , 42, 304-311	23
795	Ranking the magnitude of crop and farming system effects on soil microbial biomass and genetic structure of bacterial communities. 2006 , 57, 378-88	66
794	THE SHORT-TERM BEHAVIORAL REACTIONS OF BOTTLENOSE DOLPHINS TO INTERACTIONS WITH BOATS IN DOUBTFUL SOUND, NEW ZEALAND. 2006 , 22, 802-818	84
793	Population genetic structure of Carchesium polypinum (Ciliophora: Peritrichia) in four Chinese lakes inferred from ISSR fingerprinting: high diversity but low differentiation. 2006 , 53, 358-63	14
792	A truce with neutral theory: local deterministic factors, species traits and dispersal limitation together determine patterns of diversity in stream invertebrates. 2006 , 75, 476-84	249
791	Hydrological disturbance benefits a native fish at the expense of an exotic fish. 2006 , 43, 930-939	84
790	Input data, analytical methods and biogeography of Elegia (Restionaceae). 2006 , 33, 47-62	40
789	Long-distance seed dispersal, clone longevity and lack of phylogeographical structure in the European distributional range of the coastal Calystegia soldanella (L.) R. Br. (Convolvulaceae). 2006 , 33, 1461-1469	35
788	Population structure and inbreeding in a rare and declining bumblebee, Bombus muscorum (Hymenoptera: Apidae). 2006 , 15, 601-11	100
787	Kin distribution of amphibian larvae in the wild. 2006 , 15, 1139-45	19

(2021-2006)

786	Genetic variation and relationships among eight Indian riverine buffalo breeds. 2006, 15, 593-600	78
785	Y-chromosome analysis confirms highly sex-biased dispersal and suggests a low male effective population size in bonobos (Pan paniscus). 2006 , 15, 939-49	95
784	Late Quaternary climate change and spatial genetic structure in the shrub Banksia hookeriana. 2006 , 15, 1125-37	13
783	Estimating population structure under nonequilibrium conditions in a conservation context: continent-wide population genetics of the giant Amazon river turtle, Podocnemis expansa (Chelonia; Podocnemididae). 2006 , 15, 985-1006	64
782	Genetic variation and population differentiation in the lichen-forming ascomycete Xanthoria parietina on the island Storfosna, central Norway. 2006 , 15, 1545-59	63
781	Distribution of genetic variation within and among local populations of Arabidopsis thaliana over its species range. 2006 , 15, 1405-18	82
780	Patterns of genetic variation in the adaptive radiation of New World crossbills (Aves: Loxia). 2006 , 15, 1873-87	62
779	Migration ecology of western gray catbirds. 2021 , 9, 10	2
778	Morphological and Molecular Characterization of Quinoa Genotypes. 2021 , 11, 286	0
777	PhyloQuant approach provides insights into Trypanosoma cruzi evolution using a systems-wide mass spectrometry-based quantitative protein profile. 2021 , 4, 324	1
776	Duckweed Species Genotyping and Interspecific Hybrid Discovery by Tubulin-Based Polymorphism Fingerprinting. 2021 , 12, 625670	5
775	The representational dynamics of perceived voice emotions evolve from categories to dimensions. 2021 , 5, 1203-1213	2
774	The Instability of Functional Connectomes Across the First Year of Life.	0
773	Genetic Diversity of L. (Hydrocharitaceae) Stands across Europe. 2021 , 10,	1
772	Our everyday pollution: Are rural streams really more conserved than urban streams?. 2021 , 83, 1	3
771	Successful Restoration of a Native Fish Assemblage in the Blue River, Arizona. 2021 , 41, 746-756	О
770	Genetic Diversity and Population Structure of Gynaephora qinghaiensis in Yushu Prefecture, Qinghai Province Based on the Mitochondrial COI Gene. 2021 , 59, 1396-1412	0
769	Diffusion geometry of multiplex and interdependent systems. 2021 , 103, 042301	1

768	Phenotypic, Genetic, and Epigenetic Variation among Diverse Sweet Cherry Gene Pools. 2021 , 11, 680	0
767	Creating small food-habituated groups might alter genetic diversity in the endangered Yunnan snub-nosed monkey. 2021 , 26, e01422	1
766	Insight into the Genetic Population Structure of Wild Red Foxes in Poland Reveals Low Risk of Genetic Introgression from Escaped Farm Red Foxes. 2021 , 12,	1
765	Space-time border analysis to evaluate and detect clusters. 1-31	
764	SSR markers and seed quality traits revealed genetic diversity in durum wheat (Triticum durum Desf.). 2021 , 48, 3185-3193	1
763	Low effective population size and high spatial genetic structure of black poplar populations from the Oder valley in Poland. 2021 , 78, 1	O
762	Detection and dispersal risk of genetically disturbed individuals in endangered wetland plant species Pecteilis radiata (Orchidaceae) in Japan. 2021 , 30, 1913-1927	2
761	Effects of long-term floodplain disconnection on multiple facets of lake fish biodiversity: Decline of alpha diversity leads to a regional differentiation through time. 2021 , 763, 144177	6
760	Exploring the social mechanisms for variation reduction for direct store delivery (DSD) and vendor managed inventory performance: An integrated network governance and coordination theory perspective. 2021 , 234, 108025	1
759	Detecting silent stressors: Trace element effects on nutritional status of declining scoter ducks of Puget Sound, USA. 2021 , 766, 144247	
758	Transcriptomics Provides a Genetic Signature of Vineyard Site and Offers Insight into Vintage-Independent Inoculated Fermentation Outcomes. 2021 , 6,	5
757	Scale dependency of joint species distribution models challenges interpretation of biotic interactions. 2021 , 48, 1541-1551	7
756	Genetic variation in non-indigenous populations of the land snails Harmozica ravergiensis and Brephulopsis cylindrica (Gastropoda: Stylommatophora) in the south of the Central Russian Upland (Eastern Europe). 2021 , 41, 172-182	
755	Plant species classification in salt marshes using phenological parameters derived from Sentinel-2 pixel-differential time-series. 2021 , 256, 112320	17
754	A comparative assessment of morphological and molecular characterization among three species. 2021 , 27, 1007-1025	0
753	Challenges in benchmarking metagenomic profilers. 2021 , 18, 618-626	15
75²	Population structure of the fungus Sclerotinia sclerotiorum in common bean fields of Argentina. 2021 , 160, 841-853	1
75 ¹	Long-Term Soil Nutrient Management Affects Taxonomic and Functional Weed Community Composition and Structure. 2021 , 3,	O

750	Diversification, selective sweep, and body size in the invasive Palearctic alfalfa weevil infected with Wolbachia. 2021 , 11, 9664	0
749	Temporal edge effects structure the assemblages of Drosophilidae (Diptera) in a Restinga forest fragment in Southern Brazil. 2021 , 16, 299-315	
748	Do all roads lead to resistance? State road density is the main impediment to gene flow in a flagship species inhabiting a severely fragmented anthropogenic landscape. 2021 , 11, 8528-8541	4
747	Global population genetic structure and demographic trajectories of the black soldier fly, Hermetia illucens. 2021 , 19, 94	12
746	Genetic diversity and phylogenetic relationships of Malayan tapir (Tapirus indicus) populations in the Malay Peninsula based on mitochondrial DNA control region. 2021 , 30, 2433-2449	О
745	Test-Retest Reliability of the Open Card Sorting Method. 2021,	4
744	A machine learning approach to integrating genetic and ecological data in tsetse flies () for spatially explicit vector control planning. 2021 , 14, 1762-1777	0
743	Processes that drive the population structuring of (Cyprinidontiformes, Anablepidae) in the La Plata Basin. 2021 , 11, 6119-6132	2
742	Adaptive population structure shifts in invasive parasitic mites,. 2021 , 11, 5937-5949	2
741	Linking Linguistic and Geographic Distance in Four Semantic Domains: Computational Geo-Analyses of Internal and External Factors in a Dialect Continuum. 2021 , 4, 668035	1
740	New source of alleles for resistance to black spot and phoma spot in papaya (Carica papaya L.). 2021 , 217, 1	О
739	Deciphering the global phylogeography of a coastal shrub (Scaevola taccada) reveals the influence of multiple forces on contemporary population structure.	Ο
738	Comparison of matK and rbcL DNA barcodes for genetic classification of jewel orchid accessions in Vietnam. 2021 , 19, 93	3
737	Spatial and Temporal Genetic Diversity and Population Structure of Hemileia vastatrix from Peruvian Coffee Plantations. 2021 , 37, 280-290	1
736	ISSR-Based Genetic Diversity Assessment of Genus L. (Oleaceae) from Pakistan. 2021 , 10,	Ο
735	Microsatellite variation in Helicoverpa gelotopoeon (Lepidoptera: Noctuidae) populations from Argentina. 2021 , 23, 536	1
734	Contrasting Phylogeographic Patterns in Mangroves Across the Indo-West Pacific. 2021 , 12, 637009	О
733	Genotyping of Two Mediterranean Trout Populations in Central-Southern Italy for Conservation Purposes Using a Rainbow-Trout-Derived SNP Array. 2021 , 11,	3

732	Genetic diversity and structure of the endemic and endangered species growing along the Jinsha River. 2021 , 43, 225-233	2
731	Tracing the Origin of Korean Invasive Populations of the Spotted Lanternfly, (Hemiptera: Fulgoridae). 2021 , 12,	1
730	Remote sensing of forest diversities: the effect of image resolution and spectral plot extent. 2021 , 42, 5985-6002	Ο
729	Rectifying I: three point and continuous fit of the spatial autocorrelation metric, Moranâß I, to ideal form. 2021 , 36, 2897-2918	2
728	Population history of Brazilian south and southeast shellmound builders inferred through dental morphology. 2021 , 176, 192-207	2
727	Collection and characterization of banana gene pools (Musa spp.) in Manipur (N.E. India) using PCRâ R FLP and RAPD and ISSR markers. 2021 , 44, 671-684	Ο
726	Distinct bacterial communities in the environmental water, sediment and intestine between two crayfish-plant coculture ecosystems. 2021 , 105, 5087-5101	3
725	Tone and genes: New cross-linguistic data and methods support the weak negative effect of the "derived" allele of ASPM on tone, but not of Microcephalin. 2021 , 16, e0253546	
724	Carabid beetle (Coleoptera, Carabidae) richness, diversity, and community structure in the understory of temporarily flooded and non-flooded Amazonian forests of Ecuador. 2021 , 1044, 831-876	0
723	The phylogeographic history of a range disjunction in eastern North America: the role of post-glacial expansion into newly suitable habitat. 2021 , 108, 1042-1057	3
722	Chicomendes (Euphorbiaceae, Tragiinae): a new Amazonian genus segregated from Tragia. 2021 , 307, 1	О
721	A general theory of avian migratory connectivity. 2021 , 24, 1848-1858	4
720	Evidence of the interplay of genetics and culture in Ethiopia. 2021 , 12, 3581	5
719	SNP analyses and acoustic tagging reveal multiple origins and widespread dispersal of invasive brown trout in the Falkland Islands. 2021 , 14, 2134-2144	1
718	Population Diversity, Dynamics, and Differentiation of Wheat Stripe Rust Pathogen f. sp. From 2010 to 2017 and Comparison With 1968 to 2009 in the United States. 2021 , 12, 696835	О
717	Complex population structure of the Atlantic puffin revealed by whole genome analyses. 2021 , 4, 922	2
716	Aquatic biota responses to temperature in a high Andean geothermal stream. 2021 , 66, 1889-1900	1
715	Application of Target Enrichment Sequencing for Population Genetic Analyses of the Obligate Plant Pathogens and 'in Michigan. 2021 , 34, 1103-1118	O

714	Unusual evolution of tree frog populations in the Chernobyl exclusion zone 2022, 15, 203-219	1
713	Genetic variability and nitrogen response indices in common bean (Phaseolus vulgaris) cultivars under contrasting nitrogen environments. 2021 , 140, 907	O
712	Population genetic structure and evolutionary history of (Trin.) Bor (Poaceae) revealed by AFLP marker. 2021 , 11, 10258-10276	4
711	Genotype variation in drought tolerance and associated DNA markers in Fragaria sp 2021 , 119-124	
710	Multiple evolutionary lineages for the main vector of Leishmania guyanensis, Lutzomyia umbratilis (Diptera: Psychodidae), in the Brazilian Amazon. 2021 , 11, 15323	O
709	Cluster Analysis and Genotype-Phenotype Assessment of Geographic Atrophy in Age-Related Macular Degeneration: Age-Related Eye Disease Study 2 Report 25. 2021 , 5, 1061-1073	2
708	Landscape Genetics of American Beaver in Coastal Oregon. 2021 , 85, 1462-1475	
707	Ridge-penalized adaptive Mantel test and its application in imaging genetics. 2021 , 40, 5313-5332	1
706	Clinically Healthy Human Gingival Tissues Show Significant Inter-individual Variability in GCF Chemokine Expression and Subgingival Plaque Microbial Composition 2021 , 2, 689475	1
705	Moderate Genetic Diversity and Demographic Reduction in the Threatened Giant Anteater,. 2021 , 12, 669350	O
704	Mesoscopic laddering in consumer behaviour: Analysing the modalities of consumption on a micro-individual scale in the Meeting, Incentive, Conference, Exhibitions (MICE) sector. 2021 , 44, 100527	0
703	A comparative study of population genetic structure reveals patterns consistent with selection at functional microsatellites in common sunflower.	1
702	Phylogeography, colouration, and cryptic speciation across the Indo-Pacific in the sea urchin genus Echinothrix. 2021 , 11, 16568	O
701	Review of the Merodon natans group with description of a new species, a key to the adults of known species of the natans lineage and first descriptions of some preimaginal stages. 79, 343-378	2
700	Assessment of genetic relationships among native and introduced Himalayan balsam () plants based on genome profiling. 2021 , 11, 13295-13304	2
699	Non-linear genetic diversity and notable population differentiation caused by low gene flow of bermudagrass [(L.) Pers.] along longitude gradients. 2021 , 9, e11953	1
698	The gut microbiome buffers dietary adaptation in Bronze Age domesticated dogs. 2021 , 24, 102816	3
697	Neural correlates of tactile hardness intensity perception during active grasping. 2021 , 9, e11760	1

696	Genetic diversity and population structure of a global invader Mayweed chamomile (): management implications. 2021 , 13, plab049	1
695	Morphological and Chemical Diversity and Antioxidant Capacity of the Service Tree (L.) Fruits from Two Eco-Geographical Regions. 2021 , 10,	3
694	Complete Chloroplast Genomes of L. Reveal Sequence Conservation in the Inverted Repeat and the Presence of Allelic Variation in NUPTs. 2021 , 12,	О
693	Large- and small-scale geographic structures affecting genetic patterns across populations of an Alpine butterfly. 2021 , 11, 14697-14714	Ο
692	The role of vocal learning in call acquisition of wild grey seal pups. 2021 , 376, 20200251	3
691	Genetic Signature of a Past Anthropogenic Transportation of a Far-Eastern Endemic Cladoceran (Crustacea: Daphniidae) to the Volga Basin. 2021 , 13, 2589	2
690	Weak spatial-genetic structure in a native invasive, the southern pine beetle (), across the eastern United States. 2021 , 9, e11947	
689	Spatiotemporal analysis and the characteristics of the case transmission network of 2019 novel coronavirus disease (COVID-19) in Zhejiang Province, China. 2021 , 16, e0257587	O
688	Reciprocal Recurrent Genomic Selection Is Impacted by Genotype-by-Environment Interactions. 2021 , 12, 703419	0
687	Genetic diversity and phylogeography of urban hedgehogs (Erinaceus europaeus) around Helsinki, Finland, revealed by mitochondrial DNA and microsatellite analyses. 1	1
686	Long-Term Population Dynamics of Namib Desert Tenebrionid Beetles Reveal Complex Relationships to Pulse-Reserve Conditions. 2021 , 12,	1
685	Phylogeographic and demographic modeling analyses of the multiple origins of the rheophytic goldenrod Solidago yokusaiana Makino. 2021 , 126, 831-845	
684	Morphological and Molecular Assessment of Genetic Diversity of Seven Species of the Genus Artemisia L. (Asteraceae). 2021 , 46, 5361-5371	
683	Matrilineal evidence for genetic structure and Late Pleistocene demographic expansion of the Ornate goby Istigobius ornatus (Teleostei: Gobiidae) in the Persian Gulf and Oman Sea. 2021 , 42,	2
682	Attribution of river water-quality trends to agricultural land use and climate variability in New Zealand. 2021 , NULL	2
681	Genetic response to human-induced habitat changes in the marine environment: A century of evolution of European sprat in Landvikvannet, Norway. 2021 , 11, 1691-1718	1
680	OUP accepted manuscript.	
679	Effects of aging on the skin and gill microbiota of farmed seabass and seabream. 2021 , 3, 10	10

678	Genetic Population Structure of Wild Pigs in Southern Texas. 2021, 11,	1
677	Pseudoperonospora humuli might be an introduced species in Central Europe with low genetic diversity but high distribution potential. 2021 , 159, 903-915	2
676	Haplotype Sharing Methods.	3
675	Fish Population Structure and its Relation to Fisheries Yield in Small Reservoirs in CEe d'Ivoire. 112-122	1
674	Multivariate Quantitative Methods in Paleoanthropology. 75-96	3
673	Basics of Population Genetics: Quantifying Neutral and Adaptive Genetic Variation for Landscape Genetic Studies. 35-57	3
672	Basics of Spatial Data Analysis: Linking Landscape and Genetic Data for Landscape Genetic Studies. 77-98	11
671	Landscapes and Plant Population Genetics. 181-198	1
670	MOLECULAR SIMILARITY ANALYSIS. 343-399	9
669	Consequences of population topology for studying gene flow using link-based landscape genetic methods. 2017 , 7, 5070-5081	5
668	Shape disparity of bovid (Mammalia, Artiodactyla) horn sheaths and horn cores allows discrimination by species in 3D geometric morphometric analyses. 2018 , 279, 361-374	3
667	Comparison of Coordinate and Craniometric Data for Biological Distance Studies. 2005 , 215-230	8
666	The role of geographic information science in applied geography. 2004, 95-111	6
665	Arthropod diversity in Lama forest reserve (South Benin), a mosaic of natural, degraded and plantation forests. 2006 , 3-23	1
664	Analysis of Bursaphelenchus xylophilus (Nematoda: Parasitaphelenchidae) Provenances Using ISSR and RAPD Fingerprints. 2008 , 175-186	5
663	Clustering Studies for Identifying the Role of Environmental Factors in Aetiology of Human Cancers. 2010 , 97-114	2
662	Focused Assessment of Scale-Dependent Vegetation Pattern. 2011 , 111-138	4
661	Spatial Scan Statistics: Models, Calculations, and Applications. 1999 , 303-322	101

660	Ratchet Scan and Disjoint Statistics. 1999 , 67-96	2
659	Encyclopedia of Criminology and Criminal Justice. 2014 , 3242-3254	7
658	Recent Advances in Correlation Studies of Spatial Patterns of Genetic Variation. 1993, 95-155	76
657	The History of Iberian and Moroccan Populations: Evidence from Genetic Data (DNA Studies and Classical Polymorphisms). 2000 , 51-64	3
656	Dispersal, heterogeneity and resistance: challenging soil quality assessment. 1997 , 191-212	3
655	Correlations of Malformation Frequency with Environmental and Genetic Attributes in Man. 1977 , 243-324	3
654	Spatial analysis of disease. 2002 , 113, 113-50	13
653	Randomly Amplified Polymorphic DNA (RAPD). 2008 , 133-147	3
652	Multilocus sequence typing. 2009 , 551, 129-40	37
651	Identification of trypanosomes: from morphology to molecular biology. 1999 , 7-29	6
650	Downy-Oak Woods of Italy: Phytogeographical Remarks on a Controversial Taxonomic and Ecologic Issue. 2015 , 139-151	7
649	Cranial Morphology of Early South Americans: Implications for Understanding Human Dispersion into the New World. 2015 , 103-116	1
648	Spatial and Temporal Diversity During the Neolithic Spread in the Western Mediterranean: The First Pottery Productions. 2017 , 373-397	14
647	QAP Analysis of Company Co-mention Network. 2018 , 83-98	5
646	The Detection of Outbreaks of Infectious Disease. 1998 , 97-117	6
645	The Analysis of Spatial Association by Use of Distance Statistics. 2010 , 127-145	118
644	An Ecological Approach to Measuring Locality in Linear Genotype to Phenotype Maps. 2012 , 170-181	5
643	Topological Comparisons of Proximity Measures. 2012 , 379-391	6

642	Modelling and Explaining Online News Preferences. 2013, 65-77	2
641	Sur la Signification des Classes Issues Dâline Classification Automatique de Donnees. 1983 , 179-198	3
640	Inference Procedures for the Evaluation and Comparison of Proximity Matrices. 1983, 209-228	14
639	Application of Numerical Taxonomic Techniques in the Study of Behavior. 1983 , 562-581	1
638	Constrained Clustering. 1987 , 289-307	39
637	Quantitative Methods and Biogeographic Analysis. 1990 , 9-34	63
636	Detection and Assessment of Case Clustering in Burkittâl Lymphoma and Hodgkinâl Disease. 1972 , 201-209	2
635	Aetiology of Childhood Cancer: Epidemiological Approach. 1976, 14-27	2
634	Spatial Epidemiological Applications in Public Health Research: Examples from the Megacity of Dhaka. 2011 , 243-261	4
633	How to validate phylogenetic trees? A stepwise procedure. 1998 , 71-88	6
632	Animal Movement Data: GPS Telemetry, Autocorrelation and the Need for Path-Level Analysis. 2010 , 131-149	20
631	Relationships between spatial configuration of tropical forest patches and woody plant diversity in northeastern Puerto Rico. 2008 , 101-113	1
630	Population structure of Alaskan shortraker rockfish, Sebastes borealis, inferred from microsatellite variation. 2004 , 201-210	2
629	The Genus Rhododendron: A Case Study to Test the Value of Various Molecular Techniques as Measures of Biodiversity. 1998 , 441-448	3
628	Genetics of Insect Populations in Fragmented Landscapes - A Comparison of Species and Habitats. 1996 , 344-355	5
627	Epidemic Colon Cancer in Children and Adolescents?. 1982 , 127-146	5
626	Knowing When to Stop: Cluster Concept âlConcept Cluster. 1991 , 149-171	6
625	Sampling with Multiple Objectives and the Role of Spatial Autocorrelation. 1991 , 29-39	2

624	Statistical Design and Analysis in Long-Term Vegetation Monitoring. 2001, 17-39	2
623	The detection of spatial variation in widespread marine species: methods and bias in the analysis of population structure in the crown of thorns starfish (Echinodermata: Asteroidea). 2000 , 1-14	1
622	Comparative Genetic Diversity, Population Structure, and Adaptations of Walleye and Yellow Perch Across North America. 2015 , 643-689	11
621	Comparative analysis of genetic diversity in pea assessed by RFLP- and PCR-based methods. 1996 , 93, 1103	14
620	Confirmation of cooperative polyandry in the Galapagos hawk (Buteo galapagoensis). 1995, 36, 83	6
619	Influences of landscape characteristics and historical barriers on the population genetic structure in the endangered sand-dune subterranean rodent Ctenomys australis. 2020 , 148, 149-164	5
618	Comparisons of Classifications. 1985 , 21-36	2
617	Future of Numerical Taxonomy. 1985 , 415-431	3
616	Population Biodistance in Global Perspective. 2016 , 425-445	4
615	Methods for Detecting Spatial and Spatio-Temporal Clusters. 2006 , 243-254	18
615 614	Methods for Detecting Spatial and Spatio-Temporal Clusters. 2006 , 243-254 Would tropical climatic variations impact the genetic variability of triatomines: Rhodnius ecuadoriensis, principal vector of Chagas disease in Ecuador?. 2020 , 209, 105530	18
	Would tropical climatic variations impact the genetic variability of triatomines: Rhodnius	
614	Would tropical climatic variations impact the genetic variability of triatomines: Rhodnius ecuadoriensis, principal vector of Chagas disease in Ecuador?. 2020 , 209, 105530 Geographically well-distributed citizen science data reveals range-wide variation in the chipping	3
614	Would tropical climatic variations impact the genetic variability of triatomines: Rhodnius ecuadoriensis, principal vector of Chagas disease in Ecuador?. 2020 , 209, 105530 Geographically well-distributed citizen science data reveals range-wide variation in the chipping sparrow's simple song. 2020 , 161, 63-76 Spatial covariance between ecosystem services and biodiversity pattern at a national scale (France).	3 7
614 613 612	Would tropical climatic variations impact the genetic variability of triatomines: Rhodnius ecuadoriensis, principal vector of Chagas disease in Ecuador?. 2020, 209, 105530 Geographically well-distributed citizen science data reveals range-wide variation in the chipping sparrow's simple song. 2020, 161, 63-76 Spatial covariance between ecosystem services and biodiversity pattern at a national scale (France). 2017, 82, 574-586 Combining the potential resilience of avian communities with climate change scenarios to identify	3 7 20
614 613 612	Would tropical climatic variations impact the genetic variability of triatomines: Rhodnius ecuadoriensis, principal vector of Chagas disease in Ecuador?. 2020, 209, 105530 Geographically well-distributed citizen science data reveals range-wide variation in the chipping sparrow's simple song. 2020, 161, 63-76 Spatial covariance between ecosystem services and biodiversity pattern at a national scale (France). 2017, 82, 574-586 Combining the potential resilience of avian communities with climate change scenarios to identify areas of conservation concern. 2020, 116, 106509 Classification of the Gut Microbiota of Patients in Intensive Care Units During Development of	3 7 20 2
614 613 612 611	Would tropical climatic variations impact the genetic variability of triatomines: Rhodnius ecuadoriensis, principal vector of Chagas disease in Ecuador?. 2020, 209, 105530 Geographically well-distributed citizen science data reveals range-wide variation in the chipping sparrow's simple song. 2020, 161, 63-76 Spatial covariance between ecosystem services and biodiversity pattern at a national scale (France). 2017, 82, 574-586 Combining the potential resilience of avian communities with climate change scenarios to identify areas of conservation concern. 2020, 116, 106509 Classification of the Gut Microbiota of Patients in Intensive Care Units During Development of Sepsis and Septic Shock. 2020, 18, 696-707	3 7 20 2 8

606	Comparison of Isozymes and Quantitative Traits for Evaluating Patterns of Genetic Variation in Purple Needlegrass (Nassella pulchra). 1998 , 12, 1031-1041	54
605	Genetic and morphological characterisation of the Ankole Longhorn cattle in the African Great Lakes region. 2008 , 40, 467-490	13
604	Impact of strong selection for the PrP major gene on genetic variability of four French sheep breeds(Open Access publication). 2008 , 40, 663-680	15
603	Ecological genetics of the wind-pollinated, tetraploid, Allocasuarina emuina L. Johnson (Casuarinaceae) from southeast Queensland reveals montane refugia for coastal heath during the last interglacial. 2012 , 60, 718	5
602	Microsatellites-based genetic analysis of the Lophiidae fish in Europe. 2008 , 59, 865	3
601	A Test of Spatial Autocorrelation Analysis Using an Isolation-by-Distance Model. 1983 , 105, 219-37	320
600	The genetic structure of a tribal population, the Yanomama Indians. XV. Patterns inferred by autocorrelation analysis. 1986 , 114, 259-87	83
599	The allelic correlation structure of Gainj- and Kalam-speaking people. II. The genetic distance between population subdivisions. 1987 , 117, 273-83	18
598	Spatial autocorrelation analysis of migration and selection. 1989 , 121, 845-55	117
597	Geographic variation in human mitochondrial DNA from Papua New Guinea. 1990 , 124, 717-33	151
596	Analysis of molecular variance inferred from metric distances among DNA haplotypes: application to human mitochondrial DNA restriction data. 1992 , 131, 479-91	9836
595	Rates and patterns of base change in the small subunit ribosomal RNA gene. 1993 , 134, 597-608	83
594	The effects of mutation and natural selection on codon bias in the genes of Drosophila. 1994 , 137, 1049-56	68
593	Genetic population structure and gene flow in the Atlantic cod Gadus morhua: a comparison of allozyme and nuclear RFLP loci. 1995 , 139, 375-85	254
592	Analysis of DNA diversity by spatial autocorrelation. 1995 , 140, 811-9	77
591	Phylogeographic structure of white oaks throughout the European continent. 1997 , 146, 1475-87	352
590	Mitochondrial DNA polymorphism, sex ratio distorters and population genetics in the isopod Armadillidium vulgare. 1999 , 152, 1669-77	35
589	A scan for linkage disequilibrium across the human genome. 1999 , 152, 1711-22	126

588	Spectrum of nonrandom associations between microsatellite loci on human chromosome 11p15. 2001 , 158, 1235-51	19
587	Distribution of nonrandom associations between pairs of protein loci along the third chromosome of Drosophila melanogaster. 2002 , 161, 1539-50	15
586	Is a multivariate consensus representation of genetic relationships among populations always meaningful?. 2002 , 162, 473-84	26
585	Locus-specific genetic differentiation at Rw among warfarin-resistant rat (Rattus norvegicus) populations. 2003 , 164, 1055-70	40
584	Genetic structure and diversity among maize inbred lines as inferred from DNA microsatellites. 2003 , 165, 2117-28	359
583	Detecting Phylogenetic Signal and Adaptation in Papionin Cranial Shape by Decomposing Variation at Different Spatial Scales. 2021 , 70, 694-706	2
582	CYP2D6 worldwide genetic variation shows high frequency of altered activity variants and no continental structure. 2007 , 17, 93-101	287
581	Genetic, geographical and temporal variation of porcine reproductive and respiratory syndrome virus in Illinois. 2000 , 81, 171-9	63
580	Allele-specific PCR shows that genetic exchange occurs among genetically diverse Nodularia (cyanobacteria) filaments in the Baltic Sea. 2000 , 146 (Pt 11), 2865-2875	43
579	Genetic diversity of currently circulating rubella viruses: a need to define more precise viral groups. 2017 , 98, 396-404	21
578	The complete replicons of 16 Ensifer meliloti strains offer insights into intra- and inter-replicon gene transfer, transposon-associated loci, and repeat elements. 2018 , 4,	8
577	Antibiotic resistomes of healthy pig faecal metagenomes. 2019 , 5,	9
576	Metagenomic approaches in microbial ecology: an update on whole-genome and marker gene sequencing analyses. 2020 , 6,	25
575	Latitude delineates patterns of biogeography in terrestrialStreptomyces.	1
574	Integrating ecological genomics and eco-evo-devo reveals multiple adaptive peaks in ant populations of the Arizona Sky Islands.	1
573	Fast Inference of Individual Admixture Coefficients Using Geographic Data.	4
572	Deconstructing isolation-by-distance: the genomic consequences of limited dispersal.	1
571	Genome-wide SNP discovery in field and laboratory colonies of Australian Plutella species.	5

570	Phenotypic and genotypic parallel evolution in parapatric ecotypes of Senecio.	4
569	An approach for normalization and quality control for NanoString RNA expression data.	3
568	Permutation tests for hypothesis testing with animal social network data: problems and potential solutions.	4
567	Genetic diversity of maize landraces from the South-West of France.	2
566	How ancient forest fragmentation and riparian connectivity generate high levels of genetic diversity in a micro-endemic Malagasy tree.	1
565	American Gut: an Open Platform for Citizen-Science Microbiome Research.	11
564	Genomic Data from an Endangered Amphibian Reveal Unforeseen Consequences of Fragmentation by Roads.	2
563	Evolutionary inference from QST-FST comparisons: disentangling local adaptation from altitudinal gradient selection in snapdragon plants.	2
562	Diversity and population genetic structure of the wax palmCeroxylon quindiuensein the Colombian Coffee Region.	1
561	Extensive field-sampling reveals the uniqueness of a trophy mountain goat population.	2
561 560	Extensive field-sampling reveals the uniqueness of a trophy mountain goat population. Effects of male age and female presence on male associations in a large, polygynous mammal in southern India.	1
	Effects of male age and female presence on male associations in a large, polygynous mammal in	
560	Effects of male age and female presence on male associations in a large, polygynous mammal in southern India.	1
560 559	Effects of male age and female presence on male associations in a large, polygynous mammal in southern India. Plant-microbe specificity varies as a function of elevation. Sampling strategy optimization to increase statistical power in landscape genomics: a	1
560 559 558	Effects of male age and female presence on male associations in a large, polygynous mammal in southern India. Plant-microbe specificity varies as a function of elevation. Sampling strategy optimization to increase statistical power in landscape genomics: a simulation-based approach. The effects of soil phosphorous content on microbiota are driven by the plant phosphate starvation	1 1
560 559 558 557	Effects of male age and female presence on male associations in a large, polygynous mammal in southern India. Plant-microbe specificity varies as a function of elevation. Sampling strategy optimization to increase statistical power in landscape genomics: a simulation-based approach. The effects of soil phosphorous content on microbiota are driven by the plant phosphate starvation response. PhenoGMM: Gaussian mixture modelling of microbial cytometry data enables efficient predictions	1 1 1
560 559 558 557 556	Effects of male age and female presence on male associations in a large, polygynous mammal in southern India. Plant-microbe specificity varies as a function of elevation. Sampling strategy optimization to increase statistical power in landscape genomics: a simulation-based approach. The effects of soil phosphorous content on microbiota are driven by the plant phosphate starvation response. PhenoGMM: Gaussian mixture modelling of microbial cytometry data enables efficient predictions of biodiversity. Seizure pathways change on circadian and slower timescales in individual patients with focal	1 1 1 4

552	The role of environment, local adaptation and past climate fluctuation on the amount and distribution of genetic diversity in the teosinte in Mexico.	1
551	Flexible coordinator and switcher hubs for adaptive task control.	O
550	Scale-dependent responses to forest cover displayed by frugivore bats. 2008,	1
549	Genetic variation and evolution in the genus Apodemus (Muridae: Rodentia). 2002 , 75, 395-419	60
548	Testing models of female reproductive migratory behaviour and population structure in the Caribbean hawksbill turtle, Eretmochelys imbricata, with mtDNA sequences. 1996 , 5, 321-328	50
547	Glacial survival does not matter: RAPD phylogeography of Nordic Saxifraga oppositifolia. 1997 , 6, 831-842	115
546	Genetic variation in Batrachospermum helminthosum (Batrachospermales, Rhodophyta) among and within stream reaches using intersimple sequence repeat molecular markers. 2002 , 50, 155-162	11
545	Kin discrimination and outer membrane exchange in Myxococcus xanthus: A comparative analysis among natural isolates. 2018 , 27, 3146-3158	13
544	Population genetic structure of Sedum polytrichoides (Crassulaceae): Insights into barriers to gene flow. 2016 , 46, 361-370	2
543	Clonal diversity of the taxon Porphyromonas gingivalis assessed by random amplified polymorphic DNA fingerprinting. 1995 , 63, 2522-31	77
542	Parity among the randomly amplified polymorphic DNA method, multilocus enzyme electrophoresis, and Southern blot hybridization with the moderately repetitive DNA probe Ca3 for fingerprinting Candida albicans. 1997 , 35, 2348-58	155
541	Abiotic environmental factors override phytoplankton succession in shaping both free-living and attached bacterial communities in a highland lake. 2019 , 9, 170	6
540	Genetics and Applied Management. 2007 , 317-336	1
539	Evolutionary Relationships, Population Genetics, and Ecological and Genomic Adaptations of Perch (Perca). 2015 , 7-46	8
538	Genetic and phenotypic diversity for drought tolerance in perennial ryegrass (Lolium perenne L.). 2014 , 101, 411-418	10
537	Inferential Structure Determination of Chromosomes from Single-Cell Hi-C Data. 2016 , 12, e1005292	36
536	Conservation of Distinct Genetically-Mediated Human Cortical Pattern. 2016 , 12, e1006143	10
535	Deconstructing isolation-by-distance: The genomic consequences of limited dispersal. 2017 , 13, e1006911	52

534	Genetic diversity of the cestode Echinococcus multilocularis in red foxes at a continental scale in Europe. 2009 , 3, e452	60
533	Population genetics of Trypanosoma evansi from camel in the Sudan. 2011 , 5, e1196	10
532	Contrasting population structures of two vectors of African trypanosomoses in Burkina Faso: consequences for control. 2011 , 5, e1217	31
531	Genetic diversity and population structure of the tsetse fly Glossina fuscipes fuscipes (Diptera: Glossinidae) in Northern Uganda: Implications for vector control. 2017 , 11, e0005485	22
530	Demographic and genetic patterns of variation among populations of Arabidopsis thaliana from contrasting native environments. 2009 , 4, e7213	60
529	Are unfamiliar neighbours considered to be dear-enemies?. 2010 , 5, e12428	13
528	Predictions of native American population structure using linguistic covariates in a hidden regression framework. 2011 , 6, e16227	8
527	Exploring demographic, physical, and historical explanations for the genetic structure of two lineages of Greater Antillean bats. 2011 , 6, e17704	21
526	Evolutionary constraints in hind wing shape in Chinese dung beetles (Coleoptera: Scarabaeinae). 2011 , 6, e21600	26
525	Species delimitation in the continental forms of the genus Epicrates (Serpentes, Boidae) integrating phylogenetics and environmental niche models. 2011 , 6, e22199	20
524	Population structure of the malaria vector Anopheles sinensis (Diptera: Culicidae) in China: two gene pools inferred by microsatellites. 2011 , 6, e22219	18
523	The oriental fruit fly, Bactrocera dorsalis, in China: origin and gradual inland range expansion associated with population growth. 2011 , 6, e25238	41
522	Long distance dispersal of zooplankton endemic to isolated mountaintopsan example of an ecological process operating on an evolutionary time scale. 2011 , 6, e26730	21
521	Genetic structure, nestmate recognition and behaviour of two cryptic species of the invasive big-headed ant Pheidole megacephala. 2012 , 7, e31480	22
520	From Late Miocene to Holocene: processes of differentiation within the Telestes genus (Actinopterygii: Cyprinidae). 2012 , 7, e34423	26
519	Tetraploid wheat landraces in the Mediterranean basin: taxonomy, evolution and genetic diversity. 2012 , 7, e37063	52
518	The female perspective of mating in A. femoralis, a territorial frog with paternal carea spatial and genetic analysis. 2012 , 7, e40237	35
517	Patterns of genetic variation across altitude in three plant species of semi-dry grasslands. 2012 , 7, e41608	31

516	Environmental heterogeneity explains the genetic structure of Continental and Mediterranean populations of Fraxinus angustifolia Vahl. 2012 , 7, e42764	45
515	Scale-dependent effects of a heterogeneous landscape on genetic differentiation in the Central American squirrel monkey (Saimiri oerstedii). 2012 , 7, e43027	21
514	Mutualisms and population regulation: mechanism matters. 2012 , 7, e43510	18
513	An overview of the genetic structure within the Italian population from genome-wide data. 2012 , 7, e43759	44
512	Reconstructing the history of Mesoamerican populations through the study of the mitochondrial DNA control region. 2012 , 7, e44666	24
511	Abstract profiles of structural stability point to universal tendencies, family-specific factors, and ancient connections between languages. 2012 , 7, e45198	43
510	Variation revealed by SNP genotyping and morphology provides insight into the origin of the tomato. 2012 , 7, e48198	106
509	Population genetics of Ceratitis capitata in South Africa: implications for dispersal and pest management. 2013 , 8, e54281	43
508	Some structural aspects of language are more stable than others: a comparison of seven methods. 2013 , 8, e55009	34
507	The sensitivity of genetic connectivity measures to unsampled and under-sampled sites. 2013, 8, e56204	19
506	Genetic structure and demographic history reveal migration of the diamondback moth Plutella xylostella (Lepidoptera: Plutellidae) from the southern to northern regions of China. 2013 , 8, e59654	63
505	Drug target prediction and repositioning using an integrated network-based approach. 2013, 8, e60618	149
504	Quantifying spatial genetic structuring in mesophotic populations of the precious coral Corallium rubrum. 2013 , 8, e61546	23
503	Causes and evolutionary consequences of population subdivision of an Iberian mountain lizard, Iberolacerta monticola. 2013 , 8, e66034	7
502	Disentangling the spatio-environmental drivers of human settlement: an eigenvector based variation decomposition. 2013 , 8, e67726	7
501	The relationships between chemical and genetic differentiation and environmental factors across the distribution of Erigeron breviscapus (Asteraceae). 2013 , 8, e74490	6
500	High genetic diversity and structured populations of the oriental fruit moth in its range of origin. 2013 , 8, e78476	24
499	Genetic structure of bluefin tuna in the mediterranean sea correlates with environmental variables. 2013 , 8, e80105	21

498	Geographic patterns of genetic variation in a broadly distributed marine vertebrate: new insights into loggerhead turtle stock structure from expanded mitochondrial DNA sequences. 2014 , 9, e85956	61
497	A novel method to identify routes of hepatitis C virus transmission. 2014 , 9, e86098	10
496	Applications of self-organizing maps for ecomorphological investigations through early ontogeny of fish. 2014 , 9, e86646	10
495	Does the cosmopolitan diatom Gomphonema parvulum (KEzing) KEzing have a biogeography?. 2014 , 9, e86885	58
494	Unexpectedly low rangewide population genetic structure of the imperiled eastern box turtle Terrapene c. carolina. 2014 , 9, e92274	12
493	Genetic heterogeneity reveals on-going speciation and cryptic taxonomic diversity of stream-dwelling gudgeons (Teleostei, Cyprinidae) in the middle Danubian hydrosystem (Hungary). 2014 , 9, e97278	11
492	Gene flow within and between catchments in the threatened riparian plant Myricaria germanica. 2014 , 9, e99400	16
491	Mitochondrial DNA markers reveal high genetic diversity but low genetic differentiation in the black fly Simulium tani Takaoka & Davies along an elevational gradient in Malaysia. 2014 , 9, e100512	22
490	AFLPs and mitochondrial haplotypes reveal local adaptation to extreme thermal environments in a freshwater gastropod. 2014 , 9, e101821	21
489	A nuclear DNA perspective on delineating evolutionarily significant lineages in polyploids: the case of the endangered shortnose sturgeon (Acipenser brevirostrum). 2014 , 9, e102784	5
488	Soil charcoal to assess the impacts of past human disturbances on tropical forests. 2014 , 9, e108121	26
487	The evolutionary history of the rediscovered Austrian population of the giant centipede Scolopendra cingulata Latreille 1829 (Chilopoda, Scolopendromorpha). 2014 , 9, e108650	6
486	Contagion in Mass Killings and School Shootings. 2015 , 10, e0117259	131
485	Incongruity between affinity patterns based on mandibular and lower dental dimensions following the transition to agriculture in the Near East, Anatolia and Europe. 2015 , 10, e0117301	15
484	So far away, yet so close: strong genetic structure in Homonota uruguayensis (Squamata, Phyllodactylidae), a species with restricted geographic distribution in the Brazilian and Uruguayan Pampas. 2015 , 10, e0118162	7
483	Pleistocene niche stability and lineage diversification in the subtropical spider Araneus omnicolor (Araneidae). 2015 , 10, e0121543	32
482	Depth as an organizing force in Pocillopora damicornis: intra-reef genetic architecture. 2015 , 10, e0122127	15
481	Phylogeography, Interaction Patterns and the Evolution of Host Choice in Drosophila-Parasitoid Systems in Ryukyu Archipelago and Taiwan. 2015 , 10, e0129132	4

480	Latitudinal Gradient in Otolith Shape among Local Populations of Atlantic Herring (Clupea harengus L.) in Norway. 2015 , 10, e0130847	18
479	The Paternal Landscape along the Bight of Benin - Testing Regional Representativeness of West-African Population Samples Using Y-Chromosomal Markers. 2015 , 10, e0141510	5
478	Event Networks and the Identification of Crime Pattern Motifs. 2015, 10, e0143638	10
477	Phylogeographic Structure of the White-Footed Mouse and the Deer Mouse, Two Lyme Disease Reservoir Hosts in Qubec. 2015 , 10, e0144112	16
476	Integrating Paleodistribution Models and Phylogeography in the Grass-Cutting Ant Acromyrmex striatus (Hymenoptera: Formicidae) in Southern Lowlands of South America. 2016 , 11, e0146734	14
475	Diversity and Biogeography of Bathyal and Abyssal Seafloor Bacteria. 2016 , 11, e0148016	77
474	Lowered Diversity and Increased Inbreeding Depression within Peripheral Populations of Wild Rice Oryza rufipogon. 2016 , 11, e0150468	7
473	Understanding the Spatial Scale of Genetic Connectivity at Sea: Unique Insights from a Land Fish and a Meta-Analysis. 2016 , 11, e0150991	10
472	Comparison of RAPD, ISSR, and AFLP Molecular Markers to Reveal and Classify Orchardgrass (Dactylis glomerata L.) Germplasm Variations. 2016 , 11, e0152972	40
471	Assessment of the Genetic Diversity of Different Job's Tears (Coix lacryma-jobi L.) Accessions and the Active Composition and Anticancer Effect of Its Seed Oil. 2016 , 11, e0153269	29
470	Emergence of a New Population of Rathayibacter toxicus: An Ecologically Complex, Geographically Isolated Bacterium. 2016 , 11, e0156182	13
469	Yalongjiang River Has Had an Important Role in the Dispersal and Divergence of Rosa soulieana in the Hengduan Mountains of China. 2016 , 11, e0158586	4
468	Users Polarization on Facebook and Youtube. 2016 , 11, e0159641	89
467	Strong Genetic Differentiation of Submerged Plant Populations across Mountain Ranges: Evidence from Potamogeton pectinatus in Iran. 2016 , 11, e0161889	11
466	The Tubulin-Based-Polymorphism Method Provides a Simple and Effective Alternative to the Genomic Profiling of Grape. 2016 , 11, e0163335	11
465	Population Genetic Structure of Glycyrrhiza inflata B. (Fabaceae) Is Shaped by Habitat Fragmentation, Water Resources and Biological Characteristics. 2016 , 11, e0164129	5
464	Network Analysis Shows Asymmetrical Flows within a Bird Metapopulation. 2016 , 11, e0166701	2
463	Phylogeographic Insights into a Peripheral Refugium: The Importance of Cumulative Effect of Glaciation on the Genetic Structure of Two Endemic Plants. 2016 , 11, e0166983	13

462	Between the Balkans and the Baltic: Phylogeography of a Common Vole Mitochondrial DNA Lineage Limited to Central Europe. 2016 , 11, e0168621	19
461	Testing the effect of the Himalayan mountains as a physical barrier to gene flow in Hippophae tibetana Schlect. (Elaeagnaceae). 2017 , 12, e0172948	13
460	Genetic diversity and association mapping in the Colombian Central Collection of Solanum tuberosum L. Andigenum group using SNPs markers. 2017 , 12, e0173039	39
459	Phylogeography and genetic structure of the oriental river prawn Macrobrachium nipponense (Crustacea: Decapoda: Palaemonidae) in East Asia. 2017 , 12, e0173490	4
458	Genetic diversity and population structure of Chinese natural bermudagrass [Cynodon dactylon (L.) Pers.] germplasm based on SRAP markers. 2017 , 12, e0177508	21
457	Mitochondrial DNA markers reveal high genetic diversity and strong genetic differentiation in populations of Dendrolimus kikuchii Matsumura (Lepidoptera: Lasiocampidae). 2017 , 12, e0179706	11
456	Invasions but not extinctions change phylogenetic diversity of angiosperm assemblage on southeastern Pacific Oceanic islands. 2017 , 12, e0182105	10
455	Phenotypic and molecular characterization of sweet sorghum accessions for bioenergy production. 2017 , 12, e0183504	16
454	Spatial mismatch analysis among hotspots of alien plant species, road and railway networks in Germany and Austria. 2017 , 12, e0183691	16
453	Validation of a smartphone app to map social networks of proximity. 2017 , 12, e0189877	14
453 452	Validation of a smartphone app to map social networks of proximity. 2017 , 12, e0189877 Phylogeography and population diversity of Simulium hirtipupa Lutz (Diptera: Simuliidae) based on mitochondrial COI sequences. 2017 , 12, e0190091	3
	Phylogeography and population diversity of Simulium hirtipupa Lutz (Diptera: Simuliidae) based on	
452	Phylogeography and population diversity of Simulium hirtipupa Lutz (Diptera: Simuliidae) based on mitochondrial COI sequences. 2017 , 12, e0190091 Phylogenetic diversity, antimicrobial susceptibility and virulence gene profiles of Brachyspira	3
45 ² 45 ¹	Phylogeography and population diversity of Simulium hirtipupa Lutz (Diptera: Simuliidae) based on mitochondrial COI sequences. 2017 , 12, e0190091 Phylogenetic diversity, antimicrobial susceptibility and virulence gene profiles of Brachyspira hyodysenteriae isolates from pigs in Germany. 2018 , 13, e0190928	3
452 451 450	Phylogeography and population diversity of Simulium hirtipupa Lutz (Diptera: Simuliidae) based on mitochondrial COI sequences. 2017, 12, e0190091 Phylogenetic diversity, antimicrobial susceptibility and virulence gene profiles of Brachyspira hyodysenteriae isolates from pigs in Germany. 2018, 13, e0190928 Modelling human hard palate shape with Bžier curves. 2018, 13, e0191557 Comparative analysis of genetic diversity and differentiation of cauliflower (Brassica oleracea var.	3 9 8
452 451 450 449	Phylogeography and population diversity of Simulium hirtipupa Lutz (Diptera: Simuliidae) based on mitochondrial COI sequences. 2017, 12, e0190091 Phylogenetic diversity, antimicrobial susceptibility and virulence gene profiles of Brachyspira hyodysenteriae isolates from pigs in Germany. 2018, 13, e0190928 Modelling human hard palate shape with Bzeier curves. 2018, 13, e0191557 Comparative analysis of genetic diversity and differentiation of cauliflower (Brassica oleracea var. botrytis) accessions from two ex situ genebanks. 2018, 13, e0192062 Assessment of genetic diversity, population structure, and gene flow of tigers (Panthera tigris	3 9 8
452 451 450 449 448	Phylogeography and population diversity of Simulium hirtipupa Lutz (Diptera: Simuliidae) based on mitochondrial COI sequences. 2017, 12, e0190091 Phylogenetic diversity, antimicrobial susceptibility and virulence gene profiles of Brachyspira hyodysenteriae isolates from pigs in Germany. 2018, 13, e0190928 Modelling human hard palate shape with Bžier curves. 2018, 13, e0191557 Comparative analysis of genetic diversity and differentiation of cauliflower (Brassica oleracea var. botrytis) accessions from two ex situ genebanks. 2018, 13, e0192062 Assessment of genetic diversity, population structure, and gene flow of tigers (Panthera tigris tigris) across Nepal's Terai Arc Landscape. 2018, 13, e0193495 Genetic diversity and population structure in the endangered tree Hopea hainanensis	3 9 8 18

444	Genetic diversity, population structure and taxonomy of Calopteryx splendens (Odonata: Calopterygidae): An AFLP analysis. 2010 , 107, 137-146	5
443	A tiered, Bayesian approach to estimating of population variability for regulatory decision-making. 2017 , 34, 377-388	27
442	Genetic diversity of Potamogeton pectinatus L. in Iran as revealed by ISSR markers. 2017, 76, 177-182	2
441	Patterns of Pollen Flow and Genetic Differentiation Among Pollen Pools in Quercus salicina in a Warm Temperate Oldågrowth Evergreen Broad-leaved Forest. 2004 , 53, 258-264	26
440	Assessment of AFLP-Based Genetic Variation in the Populations of Picea asperata. 2005 , 54, 24-30	11
439	The Effect of Altitude on the Pattern of Gene Flow in the Endemic Canary Island Pine, Pinus canariensis. 2008 , 57, 357-363	11
438	Genetic Variation and Structure of native and introduced Casuarina equisetifolia (L. Johnson) Provenances. 2009 , 58, 79-85	5
437	Genetic diversity of Picea likiangensis natural population at different altitudes revealed by EST-SSR markers. 2014 , 63, 191-197	1
436	A comparison of vegetation patterns in the tree and herb layers of a hardwood forest. 2005 , 6, 29-37	6
435	DIVERGINCIA GENITICA DE ACESSOS DE MARACUJIUTILIZANDO DESCRITORES QUANTITATIVOS E QUALITATIVOS. 2015 , 37, 442-449	3
434	Agronomic potential of BC1F2 dwarf round tomato populations. 44,	4
433	Image phenotyping of lettuce germplasm with genetically diverse carotenoid levels. 2020 , 79, 224-235	2
432	GENETIC DIVERGENCE AMONG COTTON GENOTYPES GROWN IN THE MAIN SEASON AND OFF SEASON. 2017 , 30, 377-390	3
431	Morphological characterization and selection of castor bean accessions for mechanized production1. 49,	2
430	Comparaß entre medidas de distficia genealgica, morfolgica e molecular em aveia em experimentos com e sem a aplicaß de fungicida. 2005 , 64, 51-60	14
429	Correlaß entre heterose e divergñcia gentica estimadas por cruzamentos diallicos e marcadores moleculares rapd em populaßs de milho-pipoca. 2007 , 66, 183-192	8
428	Variabilidade gentica de Colletotrichum guaranicola usando marcadores AFLP. 2011 , 41, 251-256	9
427	Analysis of the genetic variability of PvMSP-3\textbf{\textbf{a}}mong Plasmodium vivax in Brazilian field isolates. 2011 , 106 Suppl 1, 27-33	6

426	Respostas de tipos funcionais de plantas ^intensidade de pastejo em vegeta® campestre. 2004 , 39, 1-9	9
425	Distficia gentica e sua associati com heterose e desempenho de htridos em aveia. 2006 , 41, 591-598	5
424	Divergñcia gentica entre acessos alicarados e no alicarados de mandioca. 2008 , 43, 1707-1715	9
423	Caracterizalo agronfinica e molecular de genlipos diplides melhorados de bananeira. 2009 , 31, 154-161	17
422	Produ ő de frutos e caracteriza ő de ambientes de ocorrñcia de plantas nativas de araticum no cerrado de Goi ő . 2009 , 31, 461-473	5
421	Caracteriza® molecular de cultivares de cebola por marcadores RAPD. 2009 , 27, 420-424	2
420	Univariate and multivariate procedures for agronomic evaluation of organically grown tomato cultivars. 2016 , 34, 374-380	12
419	Identifica ß de gen t īpos de feijß-caupi tolerantes a salinidade avaliado por meio de mtodo multivariado. 2011 , 41, 1884-1889	3
418	Genetics, surnames, grandparents' nationalities, and ethnic admixture in Southern Brazil: Do the patterns of variation coincide?. 1999 , 22, 151-161	30
417	Isozyme and RAPD studies in Prosopis glandulosa and P. Velutina (Leguminosae, Mimosoideae). 2000 , 23, 639-648	13
416	Chromosomal organization and phylogenetic relationships in Hypochaeris species (Asteraceae) from Brazil. 2005 , 28, 129-139	26
415	Genetic structure of Brazilian wild rice (Oryza glumaepatula Steud., Poaceae) populations analyzed using microsatellite markers. 2007 , 30, 400-410	19
414	Comparative linkage mapping of Oryza glumaepatula and Oryza sativa interspecific crosses based on microsatellite and expressed sequence tag markers. 2007 , 30, 614-622	2
413	Spatial synchrony of a highly endemic fish assemblage (Segredo Reservoir, Iguaü River, Paranü State, Brazil). 2005 , 65, 439-49	2
412	Estrutura gentica de populalis naturais de Cryptocarya aschersoniana Mez (Lauraceae) atravs de marcadores isoenzimíticos. 2002 , 2, 1-19	7
411	Diferencia ö gentica e diversidade em populaës naturais de Cryptocarya aschersoniana Mez (Lauraceae). 2003 , 3, 1-10	2
410	Genetic structure of natural populations of Cryptocarya moschata Nees (Lauraceae) from southeastern Brazilian Atlantic rain forest. 2004 , 4, 01-16	4
409	The Stability and Breakup of Nations: A Quantitative Analysis.	1

408	Nation Formation and Genetic Diversity.	8
407	Phylogeography of North American Mountain Bromes. 2005 , 6, 29-35	2
406	Dissecting the Genotypic and Environmental Factors Underpinning the Quantitative Trait Variation in a Set of Wild Tomato (Solanum habrochaites LA1777) Introgression Lines. 2021 , 11, 38	1
405	Spatial Co-Clustering of Cardiovascular Diseases and Select Risk Factors among Adults in South Africa. 2020 , 17,	3
404	Evidence for Recent Polygenic Selection on Educational Attainment and Intelligence Inferred from Gwas Hits: A Replication of Previous Findings Using Recent Data. 2019 , 1, 55-75	9
403	Identification of Lactobacillus Species Isolated From Traditional Dairy Products Using RAPD-PCR. 2018 , 5, 7-13	4
402	Epigenetic and genetic variation between two behaviorally isolated species of Neoconocephalus (Orthoptera: Tettigonioidea). 2019 , 28, 11-19	2
401	, gen. et sp. n.: an overlooked and rare, new gall-inducing micromoth associated with in southern Brazil (Lepidoptera, Cecidosidae). 2017 , 37-74	8
400	Phylogeography and species distribution modelling of (Coleoptera: Chrysomelidae): is this alpine endemic species close to extinction?. 2019 , 856, 3-25	16
399	Population genetics and diversity structure of an invasive earthworm in tropical and temperate pastures from Veracruz, Mexico. 2020 , 941, 49-69	O
398	Sistemas complejos adaptativos y simulacifi computacional en Arqueologfi. 2017 , 74, 9	3
397	Genetic and Chemical Profiling of Accessions from Central India: Its Implication for Quality Control and Therapeutic Potential of Plant. 2016 , 12, S407-S413	3
396	Congenital Chagas Disease in the Ecuadorian Amazon: Maternal Screening at Delivery and Evaluation of Risk Factors Associated with Vector Exposure. 2019 , 101, 1350-1358	1
395	Morphological and genetic variability among Ecklonia cava (Laminariales, Phaeophyceae) populations in Korea. 2015 , 30, 89-101	2
394	Plainware and Polychrome: Quantifying Perceptual Differences in Ceramic Classification Between Diverse Groups to Further a Strong Objectivity. 2020 , 3, 135-150	2
393	Genetic Diversity Studies and Identification of Molecular and Biochemical Markers Associated with Fusarium Wilt Resistance in Cultivated Faba Bean (. 2020 , 36, 11-28	12
392	A comparative analysis of genetic diversity in Portuguese grape germplasm from ampelographic collections fit for quality wine production. 2016 , 14, e0712	2
391	Multiple alleles at a single locus control seed dormancy in Swedish. 2016 , 5,	43

390	Discovering and deciphering relationships across disparate data modalities. 2019, 8,	12
389	The genetic diversity and population structure of two endemic Amazonian quillwort (L.) species. 2020 , 8, e10274	5
388	Taxonomic identification of Lower Pleistocene fossil hominins based on distal humeral diaphyseal cross-sectional shape. 2015 , 3, e1084	12
387	A novel multilocus variable number tandem repeat analysis typing scheme for African phylotype III strains of the Ralstonia solanacearum species complex. 2016 , 4, e1949	12
386	Genetic structure and diversity of the selfing model grass Brachypodium stacei (Poaceae) in Western Mediterranean: out of the Iberian Peninsula and into the islands. 2016 , 4, e2407	10
385	Catchments catch all in South African coastal lowlands: topography and palaeoclimate restricted gene flow in (Meliaceae)-a multilocus phylogeographic and distribution modelling approach. 2017 , 5, e2965	2
384	Glacial allopatry vs. postglacial parapatry and peripatry: the case of hedgehogs. 2017, 5, e3163	13
383	Asymmetrical dispersal and putative isolation-by-distance of an intertidal blenniid across the Atlantic-Mediterranean divide. 2017 , 5, e3195	3
382	Re-examining the relationship between invasive lionfish and native grouper in the Caribbean. 2014 , 2, e348	34
381	Effects of landscape features on population genetic variation of a tropical stream fish, Stone lapping minnow, , in the upper Nan River drainage basin, northern Thailand. 2018 , 6, e4487	5
380	Salt marsh sediment bacterial communities maintain original population structure after transplantation across a latitudinal gradient. 2018 , 6, e4735	7
379	Genetic differentiation, local adaptation and phenotypic plasticity in fragmented populations of a rare forest herb. 2018 , 6, e4929	12
378	Spatial genetic structure across a hybrid zone between European rabbit subspecies. 2014, 2, e582	5
377	Evidence of cryptic lineages within a small South American crocodilian: the Schneider's dwarf caiman (Alligatoridae: Caimaninae). 2019 , 7, e6580	19
376	Using road patrol data to identify factors associated with carnivore roadkill counts. 2019, 7, e6650	12
375	Larval assemblages over the abyssal plain in the Pacific are highly diverse and spatially patchy. 2019 , 7, e7691	7
374	Population genetics and historical demographic inferences of the blue crab in the US based on microsatellites. 2019 , 7, e7780	8
373	Phylogeography of the rare and endangered lycophyte. 2020 , 8, e8270	1

372	Influence of host phylogeny, geographical location and seed harvesting diet on the bacterial community of globally distributed ants. 2020 , 8, e8492	4
371	Recent population expansion of longtail tuna (Bleeker, 1851) inferred from the mitochondrial DNA markers. 2020 , 8, e9679	3
370	Population genomics reveals a mismatch between management and biological units in green abalone (). 2020 , 8, e9722	3
369	Possible dispersal of the coastal and subterranean carabid beetle Thalassoduvalius masidai (Coleoptera) by ocean currents.	O
368	Genomic and environmental influences on resilience in a cold-water fish near the edge of its range 2021 , 14, 2794-2814	0
367	Migration and non-breeding ecology of the Yellow-breasted Chat 2022 , 163, 37-50	
366	Evaluating the correlation between area, environmental heterogeneity, and species richness using terrestrial isopods (Oniscidea) from the Pontine Islands (West Mediterranean). 1	0
365	Genetic and morphological characterization of the freshwater mussel clubshell species complex (and to inform conservation planning. 2021 , 11, 15325-15350	1
364	Multiomic study of skin, peripheral blood, and serum: is serum proteome a reflection of disease process at the end-organ level in systemic sclerosis?. 2021 , 23, 259	O
363	Language Processing Differences Between Blind and Sighted Individuals and the Abstract Versus Concrete Concept Difference. 2021 , 45, e13044	
362	Seasonal migration patterns and the maintenance of evolutionary diversity in a cryptic bird radiation. 2021 ,	O
361	Diversity and Genetic Structure of (Cycadales: Zamiaceae) in the Mexican Pacific Coast Biogeographic Province: Implications for Conservation. 2021 , 10,	O
360	The impact of feral domestic cats on native bird populations. Predictive modelling approach on a country scale. 2021 , 48, 100964	1
359	Statistical Models for Social Networks. 2000 , 285-295	
358	Genetic structure in Atlantic brown trout (Salmo truttaL.) populations in the Iberian peninsula: evidence from mitochondrial and nuclear DNA analysis. 2000 , 117, 105-120	
357	The longitudinal distribution of copepods in Corumble Reservoir, State of Goil, Brazil. 2001 , 385-391	
356	Comparative Analyses of the Genetic Diversity among European Spelt and Wheat Accessions with AFLP, RFLP and SSR Markers. 2001 , 733-738	
355	Combinatorial Data Analysis. 2001 , 2263-2267	

354	References. 2002,
353	RAPD variation among North Vietnamese Flemingia macrophylla (Willd.) Kuntze ex Merr. accessions. 2006 , 43-57
352	Avaliaß e aplicaß de testes para a detecß da autocorrelaß espacial usando marcadores genticos. 2006 , 30, 206-213
351	Ecological Statistics.
350	Plant strategies.
349	Genetic divergence of climatically marginal populations of Vicia pisiformis on the Scandinavian Peninsula. 2008 , 080110025951001-0
348	The effects of dispersal limitation and topographic heterogeneity on beta diversity and phylobetadiversity in a subtropical forest. 2009 , 57-76
347	Statistical Challenges in BioSurveillance. 2009 , 163-187
346	Microarray Dimension Reduction Based on Maximizing Mantel Correlation Coefficients Using a Genetic Algorithm Search Strategy. 2010 , 49-60
345	Bibliography. 289-320
344	Introduction. 2011 , 1-17
343	A study on a new applicability of the variety descriptions used in the DUS examination. 2011 , 39, 598-606
342	References. 2012 , 599-618
341	Identifying Geographically Based Metapopulations for Development of Plant Materials Indigenous to Rangeland Ecosystems of the Western USA. 2013 , 265-291
340	Comparison of Proximity Measures: A Topological Approach. 2013 , 43-58
339	Ecological Statistics.
338	Bibliography. 367-388
337	How Social Networks Influence Consumer Choice of Mobile Phone Carriers in the UK, Europe and Asia. 91-135

336	1960â¶979. 2014 , 199-274
335	Mapping Spatiotemporal Patterns of Liquor Law Violation Citations During Oktoberfest in College Town of La Crosse, Wisconsin. 2014 , 201-220
334	Socially-Driven Computer Vision for Group Behavior Analysis. 2014 , 223-256
333	Quality assurance/quality control in biological sampling. 2014 , 206-233
332	Comparative analysis of DNA polymorphisms and phylogenetic relationships among Syzygium cumini Skeels based on phenotypic characters and RAPD technique. 2014 , 10, 201-8
331	Detection and Assessment of Case Clustering in Burkittâl Lymphoma and Hodgkinâl Disease. 1972 , 201-209
330	Detection and Assessment of Case Clustering in Burkitt's Lymphoma and Hodgkin's Disease. 1972 , 201-209
329	Aetiology and Epidemiology. 1975 , 3-8
328	Aetiology and Epidemiology. 1975 , 3-8
327	Historisches, Definition, Klassifikation und Epidemiologie der Leukfhien. 1978 , 1-48
327 326	Historisches, Definition, Klassifikation und Epidemiologie der Leukfhien. 1978, 1-48 Diets of four sympatric species of Etheostoma (Pisces: Percidae) from southern Indiana: interspecific and intraspecific multiple comparisons. 1984, 37-44
	Diets of four sympatric species of Etheostoma (Pisces: Percidae) from southern Indiana:
326	Diets of four sympatric species of Etheostoma (Pisces: Percidae) from southern Indiana: interspecific and intraspecific multiple comparisons. 1984 , 37-44 CHILDHOOD T-CELL ACUTE LYMPHOBLASTIC LEUKAEMIA IN THE CAMPANIA REGION OF ITALY,
326 325	Diets of four sympatric species of Etheostoma (Pisces: Percidae) from southern Indiana: interspecific and intraspecific multiple comparisons. 1984 , 37-44 CHILDHOOD T-CELL ACUTE LYMPHOBLASTIC LEUKAEMIA IN THE CAMPANIA REGION OF ITALY, 1980â[1984. 1985 , 107-108
326 325 324	Diets of four sympatric species of Etheostoma (Pisces: Percidae) from southern Indiana: interspecific and intraspecific multiple comparisons. 1984, 37-44 CHILDHOOD T-CELL ACUTE LYMPHOBLASTIC LEUKAEMIA IN THE CAMPANIA REGION OF ITALY, 1980â 1984. 1985, 107-108 References. 1986, 252-271 Variations ^long-terme (1977â 1985) du peuplement des sables fins de la Pierre Noire (baie de
326 325 324 323	Diets of four sympatric species of Etheostoma (Pisces: Percidae) from southern Indiana: interspecific and intraspecific multiple comparisons. 1984, 37-44 CHILDHOOD T-CELL ACUTE LYMPHOBLASTIC LEUKAEMIA IN THE CAMPANIA REGION OF ITALY, 1980â 1984. 1985, 107-108 References. 1986, 252-271 Variations ^long-terme (1977â 1985) du peuplement des sables fins de la Pierre Noire (baie de Morlaix, Manche occidentale): analyse statistique de r\u00f6olution structural. 1987, 171-186 COMPARING RELATIONAL VARIABLES ACCORDING TO LIKELIHOOD OF THE LINKS
326 325 324 323 322	Diets of four sympatric species of Etheostoma (Pisces: Percidae) from southern Indiana: interspecific and intraspecific multiple comparisons. 1984, 37-44 CHILDHOOD T-CELL ACUTE LYMPHOBLASTIC LEUKAEMIA IN THE CAMPANIA REGION OF ITALY, 1980aff984. 1985, 107-108 References. 1986, 252-271 Variations ^long-terme (1977aff985) du peuplement des sables fins de la Pierre Noire (baie de Morlaix, Manche occidentale): analyse statistique de r\u00f6olution structural. 1987, 171-186 COMPARING RELATIONAL VARIABLES ACCORDING TO LIKELIHOOD OF THE LINKS CLASSIFICATION METHOD. 1988, 187-200

318	Robust Procedures for Detecting Non-Random Patterns. 1994 , 183-203	
317	Simple Repetitive Sequences in DNA Databanks. 1997 , 121-134	
316	A Spatio-Temporal Model: An Application to the AIDS Epidemic in SB Paulo, Brazil. 1998 , 43-53	
315	Statistical Approaches and Methods in Population Genetics Using Microsatellite Data. 1999 , 215-228	
314	Genetic Population Structure in Tephritidae. 1999 , 711-731	1
313	Geographic Variation and Local Growth Superiority for Coastal Douglas-fir âlRotation-age Growth Performance in a Douglas-fir Provenance Test. 2014 , 63, 116-124	
312	Footprints of middle ages kingdoms are still visible in the contemporary surname structure of Spain. 2015 , 10, e0121472	2
311	Epidemiology. 28-51	1
310	Evaluation of horticultural traits and genetic relationship in melon germplasm. 2015, 42, 401-408	
309	Comparing Attributes by a Probabilistic and Statistical Association II. 2016 , 251-323	
308	Developing Climate-Change Adaptive Crops to Sustain Agriculture in Dryland Systems through Applied Mathematics and Genomics. 2016 , 215-226	
307	Water availability drives signatures of local adaptation in whitebark pine (Pinus albicaulis Englm.) across fine spatial scales of the Lake Tahoe Basin, USA.	
306	Detection of statistically significant network changes in complex biological networks.	
305	Decontextualizing Big Data for a Better Perception of Macroecology.	
304	Flexibility of co-evolutionary patterns in ectoparasite populations: genetic structure and diversity in Apodemus mice and their lice.	
303	Predicting functional neuroanatomical maps from fusing brain networks with genetic information.	O
302	Factors contributing to the accumulation of reproductive isolation: a mixed model approach.	
301	Genetic dissimilarity and definition of recombination clusters among green corn half-sib progenies. 2016 , 75, 401-410	3

300	An assessment of phylogenetic tools for analyzing the interplay between interspecific interactions and phenotypic evolution.	1
299	Testing the neutral hypothesis of phenotypic evolution.	O
298	Identifying the diamond in the rough: a study of allelic diversity underlying flowering time adaptation in maize landraces.	1
297	Bibliography. 2017 , 157-159	
296	Comparative Analysis of Two Variants of the Knox Test: Inferences from Space-Time Crime Pattern Analysis. 2017 , 770-778	O
295	The Use of Similarity Indices in the Analysis of Temporal Distribution of Mammals. 2017 , 11-19	
294	Discussion and Final Considerations. 2017 , 115-120	
293	Habitat fragmentation causes coevolutionary burning spots.	
292	Using Kolmogorov Complexity to Study the Coevolution of Header Files and Source Files of C-alike Programs. 2017 , 8, 17-26	
291	Differential Community Detection in Paired Biological Networks.	
290	Evolutionary genetics of cytoplasmic incompatibility genes cifA and cifB in prophage WO of Wolbachia.	1
289	Genome-Wide SNPs Reveal the Drivers of Gene Flow In An Urban Population of the Asian Tiger Mosquito, Aedes albopictus.	О
288	Spatiotemporal Point Pattern Analysis Using Ripley's K Function. 2017 , 155-176	0
287	Genetic structure of brown pelicans (Pelecanus occidentalis) in the northern Gulf of Mexico in the context of human management and disturbance. 2017 , 12, e0185309	1
286	Genomic evidence of a widespread southern distribution during the Last Glacial Maximum for two eastern North American hickory species.	1
285	Rolling a mycobiome down a hill: endophytes in the Taiwanese Cloud Forest.	
284	Patterns of Z chromosome divergence among Heliconius species highlight the importance of historical demography.	1
283	Skilled lipreaders read and listen to lips.	

282	Comparative analysis of genetic diversity and differentiation of cauliflower (Brassica oleracea var. botrytis) accessions from two ex situ genebanks.	1
281	Gene flow and Andean uplift shape the diversification of Gasteracantha cancriformis (Araneae: Araneidae) in Northern South America.	1
280	Role of Prices in Welfare Comparisons. 2018 , 65-88	
279	iTOP: Inferring the Topology of Omics Data.	
278	Probiotics enhance susceptibility of mice to cryptosporidiosis.	
277	High genetic diversity and presence of genetic structure characterise the Corso-Sardinian endemics Ruta corsica and Ruta lamarmorae (Rutaceae).	O
276	Pleistocene climate changes explain large-scale genetic variation in a dominant grassland species, Lolium perenne L.	О
275	Assessing connectivity despite high diversity in island populations of a malaria mosquito.	
274	Change in sexual signaling traits outruns morphological divergence in a recent avian radiation across an ecological gradient.	
273	SIMNETS: a computationally efficient and scalable framework for identifying sub-networks of functionally similar neurons.	
272	Using transcriptome sequencing and pooled exome capture to study local adaptation in the giga-genome of Pinus cembra.	
271	31° South: Dietary niche of an arid-zone endemic passerine.	
270	Distribuiß espaß - temporal de sclerotinia sclerotiorum em campo de feijoeiro tratado com diferentes mtodos de controle foliar. 2018 , 44, 361-367	
269	Mllerian mimicry in bumble bees is a transient continuum.	2
268	Erosion of phylogenetic diversity in Neotropical bat assemblages: findings from a whole-ecosystem fragmentation experiment.	
267	The human microbiota is associated with cardiometabolic risk across the epidemiologic transition.	
266	Local parasite pressures and host genotype may modulate epigenetic diversity in a mixed-mating fish.	
265	Mating strategy is determinant of Adenovirus prevalence in European bats.	

264	perfectphyloR: An R package for reconstructing perfect phylogenies.	
263	Atypical MEG inter-subject correlation during listening to continuous natural speech in dyslexia.	
262	Mozambican genetic variation provides new insights into the Bantu expansion.	
261	BIN overlap confirms transcontinental distribution of pest aphids (Hemiptera: Aphididae).	
260	Adaptive evolution shapes the present-day distribution of the thermal sensitivity of population growth rate.	0
259	Characterizing allele-by-environment interactions using maize introgression lines.	
258	Utility of theOnchocerca volvulusmitochondrial genome for delineation of parasite transmission zones.	2
257	Decoding the Language of Microbiomes: Leveraging Patterns in 16S Public Data using Word-Embedding Techniques and Applications in Inflammatory Bowel Disease.	1
256	Genetic Diversity and Structure of Northern Populations of the Declining Coastal Plant Eryngium maritimum. 2019 , 73, 446-454	1
255	Genetic relatedness cannot explain social preferences in black-and-white ruffed lemurs (Varecia variegata).	
254	Sub-species niche specialization in the oral microbiome is associated with nasopharyngeal carcinoma risk.	
253	Diversity of parasitoid wasps in conventional and organic guarana (Paullinia cupana var. sorbilis) cultivation areas in the Brazilian Amazon. 2019 , 49, 283-293	1
252	Genetic diversity in Calibrachoa pygmaea (Solanaceae): A hawkmoth-pollinated nightshade from the Pampas. 2019 , 33, 664-671	1
251	A Registration and Deep Learning Approach to Automated Landmark Detection for Geometric Morphometrics.	O
250	Local adaptation at fine spatial scale through chromosomal inversions and mito-nuclear epistasis: Findings in Drosophila subobscura (Diptera: Drosophilidae). 116, 492-503	1
249	Spatiotemporal clustering of in-hospital infection. 2020 , 41, 418-424	O
248	Geographic variation in vocalisations of the Military Macaw in western Mexico. 2021, 30, 197-214	1
247	Accurate Classification of the Gut Microbiota of Patients in Intensive Care Units During the Development of Sepsis and Septic Shock.	

246	Greenhouse spatial effects detected in the barley (Hordeum vulgareL.) epigenome underlie stochasticity of DNA methylation.	
245	Influence of isolation by environment and landscape heterogeneity on genetic structure of wild riceZizania latifoliaalong a latitudinal gradient.	O
244	Productivity, acylsugar concentrations and resistance to the two-spotted spider mite in genotypes of salad tomatoes. 2020 , 24, 596-602	1
243	Conservation genetics of a wide-ranged temperate snake: same species, different locations, and different behaviour. 1	1
242	Spatial and host related genomic variation in partially sympatric cactophagous moth species. 2021,	О
241	Genetic connectivity of trypanosomes between tsetse-infested and tsetse-free areas of Kenya 2022 , 149, 285-297	1
240	Permutation tests for hypothesis testing with animal social network data: Problems and potential solutions.	6
239	Epidemiologic Approaches to Chemical Hazard Assessment. 1983 , 133-189	
238	Mapping neural activity patterns to contextualized fearful facial expressions onto callous-unemotional (CU) traits: intersubject representational similarity analysis reveals less variation among high-CU adolescents. 2020 , 3, e12	2
237	Stability of Patches of Higher Population Density within the Heterogenous Distribution of the Gray Field Slug in Arable Fields in the UK. 2020 , 12,	2
236	Population genetic structure and evolution of Batesian mimicry in from the Ryukyu Islands, Japan, analyzed by genotyping-by-sequencing. 2021 , 11, 872-886	О
235	Variation in insect herbivore communities on individual plants reveals phylogenetic signal in uncertainty of attack in Brassicaceae.	
234	Integrating Genetic Data and Demographic Modeling to Facilitate Conservation of Small, Isolated Mountain Goat Populations. 2021 , 85, 271-282	Ο
233	High genetic drift in endangered northern peripheral populations of the Behr's hairstreak butterfly (Satyrium behrii). 2021 , 14, 403-411	1
232	Unusual evolution of tree frog populations in the Chernobyl exclusion zone.	
231	Microbial community composition in the rhizosphere of Larix decidua under different light regimes with additional focus on methane cycling microorganisms. 2020 , 10, 22324	7
230	Determining genetic diversity in cotton genotypes to improve variability. 2020 , 67, 464-473	1
229	A Chemometry of L. (Waterwheel, Droseraceae) Populations. 2020 , 26,	1

228	Mating strategy is determinant of adenovirus prevalence in European bats. 2020, 15, e0226203	2
227	Genetic control of wood quality of Myracrodruon urundeuva populations under anthropogenic disturbance. 2020 , 20,	
226	Health, Well-being, and Structural Violence After Sociopolitical Revolution. 2020 , 233-251	
225	Zooplankton trajectory before, during and after a hydropower dam construction. 32,	1
224	Genetic Diversity Between and Within Astrocaryum acaule Mart. (Arecaceae) Populations. 2020 , 27,	
223	New insights into Trypanosoma cruzi evolution and genotyping based on system-wide protein expression profiles (PhyloQuant).	
222	Accumulation of mutations in genes associated with sexual reproduction contributed to the domestication of a vegetatively propagated staple crop, enset.	
221	The classification of tetraploid wheat by phylogenetic and cytogenetic analyses. 64, 324-334	O
220	Selection of Proximity Measures for a Topological Correspondence Analysis. 2020 , 101-121	
219	Asian wild apples threatened by gene flow from domesticated apples and by their pestified pathogen.	
218	A conserved genetic architecture among populations of the maize progenitor, teosinte, was radically altered by domestication. 2021 , 118,	
217	Impact of model assumptions on demographic inferences: the case study of two sympatric mouse lemurs in northwestern Madagascar. 2021 , 21, 197	1
216	Chapter 15. Free sorting task for exploring sensory categories. 2021 , 537-572	
215	Phylogenetics analysis of TP53 gene in humans and its use in biosensors for breast cancer diagnosis.	
214	Phylogeographic Patterns in Motacilla Flava and Motacilla Citreola: Species Limits and Population History. 2003 , 120, 744-758	
213	Estimating Risks to the Public Health. 2005 , 217-254	
212	Effects of fragmentation of evergreen broad-leaved forests on genetic diversity of Ardisia crenata var. bicolor (Myrsinaceae). 2006 , 279-291	
211	Genetic diversity in traditional Ethiopian highland maize accessions assessed by AFLP markers and morphological traits. 2005 , 315-331	

210	Genetic intraspecific diversity of parasitizing vegetables in southern Iran. 2020, 52, 1-13	О
209	The tale of springs and streams: how different aquatic ecosystems impacted the mtDNA population structure of two riffle beetles in the Western Carpathians. 2020 , 8, e10039	2
208	Genetic diversity of Juglans sigillata Dode germplasm in Yunnan Province, China, as revealed by SSRs. 2020 , 18, 417-426	0
207	Complex population structure of the Atlantic puffin revealed by whole genome analyses.	
206	Challenges in Benchmarking Metagenomic Profilers.	1
205	River Microbiome Composition Reflects Macroscale Climatic and Geomorphic Differences in Headwater Streams. 2020 , 2,	1
204	Association between genetic sequence homology of Porcine reproductive and respiratory syndrome virus and geographic distance between pig sites. 2006 , 70, 237-9	15
203	Limited diversity of Anopheles darlingi in the Peruvian Amazon region of Iquitos. 2006, 75, 238-45	15
202	Space-time clustering of, and risk factors for, farmer-diagnosed winter dysentery in dairy cattle. 1989 , 30, 948-51	14
201	Polymorphic haplotypes and recombination rates at the LDL receptor gene locus in subjects with and without familial hypercholesterolemia who are from different populations. 1993 , 52, 808-26	31
200	Linkage disequilibrium in the neurofibromatosis 1 (NF1) region: implications for gene mapping. 1993 , 53, 1038-50	51
199	Genetic population structure of Italy. II. Physical and cultural barriers to gene flow. 1991 , 48, 398-411	45
198	Genetic affinities of Jewish populations. 1991 , 49, 131-46	56
197	Microevolution in lower Central America: genetic characterization of the Chibcha-speaking groups of Costa Rica and Panama, and a consensus taxonomy based on genetic and linguistic affinity. 1990 , 46, 63-84	66
196	Hodgkin's disease: a clue or a fluke?. 1972 , 4, 564-5	
195	Discordant patterns of linkage disequilibrium of the peptide-transporter loci within the HLA class II region. 1995 , 57, 1436-44	96
194	Linkage disequilibrium predicts physical distance in the adenomatous polyposis coli region. 1994 , 54, 884-98	90
193	Linkage disequilibrium patterns vary with chromosomal location: a case study from the von Willebrand factor region. 1994 , 55, 348-55	29

192	Lack of Genetic Variation of Bursaphelenchus xylophilus in Portugal Revealed by RAPD-PCR Analyses. 2007 , 39, 118-26	21
191	Fungicide resistance and genetic variability in plant pathogenic strains of Guignardia citricarpa. 2009 , 40, 308-13	4
190	Association between the genetic similarity of the open reading frame 5 sequence of Porcine reproductive and respiratory syndrome virus and the similarity in clinical signs of Porcine reproductive and respiratory syndrome in Ontario swine herds. 2014 , 78, 250-9	1
189	Comparisons of distance methods for combining covariates and abundances in microbiome studies. 2012 , 213-24	22
188	Mitochondrial DNA variation, genetic structure and demographic history of Iranian populations. 2014 , 3, 45-65	3
187	Genetic Variation of Native Germplasms Collected from South Korea Using Simple Sequence Repeat (SSR) Markers and Morphological Characteristics. 2021 , 10,	
186	Morphological variation, genetic diversity and phylogenetic relationships of Hypericum triquetrifolium Turra populations from Tunisia. 2021 , 35, 1505-1519	
185	Flowering map of papaya germplasm: Support for genetic breeding and conservation programs. 2022 , 293, 110699	Ο
184	Diversity, Dispersal and Mode of Reproduction of in Southern China 2021 , 12,	1
183	Phenotypic Diversity of Almond-Leaved Pear (Pyrus spinosa Forssk.) along Eastern Adriatic Coast. 2021 , 12, 1630	1
182	Genetic diversity and relationships among populations of jackfruit, an underutilized nutrient-rich climate-smart fruit tree crop in Kenya and Uganda. 1-19	1
181	Population genomics of Monadenia (Gastropoda: Stylommatophora: Xanthonychidae) land snails reveals structuring but gene-flow across distinct species and morphotypes. 1	
180	Fingerprinting and genetic variability in drumstick (Moringa oleifera Lam.) elite trees using RAPD markers- An underutilized and wild edible future crop. 2021 ,	O
179	The effects of habitat fragmentation on the genetic structure of wild boar (Sus scrofa) population in Lithuania. 2021 , 22, 53	1
178	Genetic diversity in North American Cercis Canadensis reveals an ancient population bottleneck that originated after the last glacial maximum. 2021 , 11, 21803	2
177	Assessing information-sharing networks within small-scale fisheries and the implications for conservation interventions. 2021 , 8, 211240	1
176	Factors that influence the quality of metabolomics data in in vitro cell toxicity studies: a systematic survey. 2021 , 11, 22119	0
175	Genetic Characterisation of Chestnut Cultivars in Crete. 2021 , 12, 1659	O

174	Epidemiological associations with genomic variation in SARS-CoV-2. 2021 , 11, 23023	O
173	Genomic and common garden approaches yield complementary results for quantifying environmental drivers of local adaptation in rubber rabbitbrush, a foundational Great Basin shrub 2021 , 14, 2881-2900	1
172	Investigating Carnivore Guild Structure: Spatial and Temporal Relationships amongst Threatened Felids in Myanmar. 2021 , 10, 808	О
171	Spatially varying effects of measured confounding variables on disease risk. 2021 , 20, 45	
170	Two-stage algorithms for visually exploring spatio-temporal clustering of avian influenza virus outbreaks in poultry farms. 2021 , 11, 22553	1
169	Phylogeographic pattern of a cryptoviviparous mangrove, Aegiceras corniculatum, in the Indo-West Pacific, provides insights for conservation actions. 2021 , 255, 7	O
168	OUP accepted manuscript.	
167	Representational Similarity Scores of Digits in the Sensorimotor Cortex Are Associated with Behavioral Performance 2022 ,	O
166	Analysis of Genetic Relationships of Mulberry (Morus´L.) Genotypes Using Inter-Simple Sequence Repeats (ISSR) Markers. 2022 , 64, 75	0
165	DNA marker-based auditing of genetic diversity and population structuring of Indian mango (Mangifera indica L.) elites. 1	
164	A unique diploid âltriploid contact zone provides insights into the evolutionary mechanisms of cytotype coexistence in flowering rush (Butomus umbellatus). 2022 , 54, 125659	0
163	Genetic Variation of Native Perilla Germplasms Collected from South Korea Using Simple Sequence Repeat (SSR) Markers and Morphological Characteristics. 2021 , 10, 1764	0
162	Full Issue PDF. 2021 , 34,	
161	Conservation of Genetic Diversity of Scots Pine (Pinus sylvestris L.) in a Central European National Park Based on cpDNA Studies. 2022 , 14, 93	1
160	Erianthus germplasm collection in Thailand: genetic structure and phylogenetic aspects of tetraploid and hexaploid accessions 2022 , 22, 45	
159	Mitochondrial Genetic Diversity and Structure of the Langur Population in a Complex Landscape of the Nepal Himalaya. 2022 , 14, 69	
158	From Gondwana to the Yellow Sea, evolutionary diversifications of true toads sp. in the Eastern Palearctic and a revisit of species boundaries for Asian lineages 2022 , 11,	3
157	Molecular Genetic Analysis with Microsatellite-like Loci Reveals Specific Dairy-Associated and Environmental Populations of the Yeast 2022 , 10,	Ο

156	Mitochondrial DNA based diversity studies reveal distinct and sub-structured populations of pearlspot, Etroplus suratensis (Bloch, 1790) in Indian waters. 2022 , 101, 1	O
155	Weak population spatial genetic structure and low infraspecific specificity for fungal partners in the rare mycoheterotrophic orchid Epipogium aphyllum 2022 , 135, 275	o
154	Evaluating restoration trajectories using DNA metabarcoding of ground-dwelling and airborne invertebrates and associated plant communities 2022 ,	О
153	How microbiomes can help inform conservation: landscape characterisation of gut microbiota helps shed light on additional population structure in a specialist folivore 2022 , 4, 12	1
152	Population genomics of a forest fungus reveals high gene flow and climate adaptation signatures 2022 ,	
151	High Level of Phenotypic Differentiation of Common Yew (Taxus baccata L.) Populations in the North-Western Part of the Balkan Peninsula. 2022 , 13, 78	O
150	Melastomataceae Juss. do Complexo de Serras da Bocaina e de Carrancas, Estado de Minas Gerais, Brasil: invent í io e compara ö floríitica.	
149	Assessing the potential of native ecotypes of Poa pratensis L. for forage yield and phytochemical compositions under water deficit conditions 2022 , 12, 1121	O
148	Genetic diversity among local mango (Mangifera indica L.) germplasm using morphological, biochemical and chloroplast DNA barcodes analyses 2022 , 1	0
147	Defining Management Units for Wild Nile Tilapia Oreochromis niloticus from Nine River Basins in Ghana. 2022 , 14, 73	O
146	Considerations and best practices in animal science 16S ribosomal RNA gene sequencing microbiome studies 2022 , 100,	3
145	RELATIONSHIP BETWEEN GENETIC AND ENVIRONMENTAL CHARACTERISTICS OF LITHUANIAN POPULATIONS OF PURPLE LOOSESTRIFE (LYTHRUM SALICARIA). 2022 , 30, 81-93	3
144	Strong Philopatry, Isolation by Distance, and Local Habitat Have Promoted Genetic Structure in Heermannâ日 Gull. 2022 , 14, 108	1
143	Lack of Genetic Structure Among Populations of Striped Flea Beetle Phyllotreta striolata (Coleoptera: Chrysomelidae) Across Southern China. 2022 , 9,	
142	From photos to sketches - how humans and deep neural networks process objects across different levels of visual abstraction 2022 , 22, 4	О
141	Predicting Parkinson's Disease Progression: Evaluation of Ensemble Methods in Machine Learning 2022 , 2022, 2793361	2
140	Population genomics and geographic dispersal in Chagas disease vectors: Landscape drivers and evidence of possible adaptation to the domestic setting 2022 , 18, e1010019	О
139	Computation-free nonparametric testing for local spatial association with application to the US and Canadian electorate. 2022 , 48, 100617	2

Estimation of genetic architecture of biochemical traits in mid-late cauliflower (L. var.) under sub-temperate conditions of north western Himalayas. **2019**, 98,

137	Understanding Health Data by Mobility Analytics. 2022 , 79-90	
136	Phenotypic Characterization, Genetic Diversity Assessment in 6,778 Accessions of Barley (L. ssp.) Germplasm Conserved in National Genebank of India and Development of a Core Set 2022 , 13, 771920	0
135	Assessment of PCBs in Surface Waters at Ultratrace Levels: Traditional Approaches and Biomonitoring (Lake Baikal, Russia). 2022 , 12, 2145	O
134	Similarity in Temporal Movement Patterns in Laying Hens Increases with Time and Social Association 2022 , 12,	1
133	Assessing taxonomic and functional change in British breeding bird assemblages over time. 2022 , 31, 925-939	1
132	Diversity Assessment and DNA-Based Fingerprinting of Sicilian Hazelnut (L.) Germplasm 2022, 11,	O
131	Genetic Diversity of Wild and Cultivated Muscadine Grapes (Michx.) 2022 , 13, 852130	1
130	Genetic diversity and population structure of an African yam bean (Sphenostylis stenocarpa) collection from IITA GenBank 2022 , 12, 4437	
129	Ridge Penalization in High-Dimensional Testing With Applications to Imaging Genetics 2022 , 16, 836100	
128	Morphometric and Microsatellite Diversity in Seabuckthorn (L.) Natural Populations Originating from the Different Geographical Regions of the Indian Himalayas 2022 , 1-13	O
127	Genome-Wide Survey and Development of the First Microsatellite Markers Database () in L 2022 , 23,	1
126	Reticulate Evolution in AA-Genome Wild Rice in Australia 2022, 13, 767635	2
125	Molecular and morphological evidence revalidates (Characiformes, Characidae) and shows hidden diversity 2022 , 1091, 99-117	
124	Evaluation of Elite Accessions of Aegle 'marmelos' (L.) Correa for Commercial Yield and Quality Parameters Under Indian Conditions. 1	
123	Dissection of genetic diversity and population structure in oregano (Origanum acutidens L.) genotypes based on agro-morphological properties and start codon targeted (SCoT) markers. 2022 , 77, 1231	1
122	Population Genetics Reveals That the Western Tianshan Mountains Populations of (Coleoptera: Buprestidae) May Have Not been Recently Introduced 2022 , 13, 857866	O
121	Assessing the nonlinear decay of community similarity: Permutation and site-block resampling significance tests.	O

120	Contrasting Reproductive Strategies of Two Species Affect Existing Natural Genetic Diversity as Assessed by Microsatellite Markers: Implications for Conservation and Wetlands Restoration 2022 , 13, 773572	0
119	Assessment of genotyping markers in the molecular characterization of a population of clinical isolates of Fusarium in Colombia 2022 , 42, 18-30	O
118	Spatial Distribution and Habitat Overlap of Five Species in the Czech Republic 2022, 12,	
117	Variation in cross-sectional indicator of femoral robusticity in Homo sapiens and Neandertals 2022 , 12, 4739	
116	Analysis of the Relationship between the Phylogenetic Diversity of Benthic Communities and Degree of Mineralization of Plain Rivers of the Lower Volga River Basin. 2022 , 53, 100-110	
115	What Drives Caterpillar Guilds on a Tree: Enemy Pressure, Leaf or Tree Growth, Genetic Traits, or Phylogenetic Neighbourhood?. 2022 , 13,	
114	Population genetic characterization of the endangered dung beetle Copris tripartitus (Coleoptera: Scarabaeidae) using novel microsatellite markers. 2022 , 25, 101899	0
113	Genetic variability and population genetic structure in autotriploid saffron using allelic phenotypes of microsatellite markers. 2022 , 299, 111043	О
112	Genotyping by sequencing suggests overwintering of Peronospora destructor in southwestern Qubec, Canada 2021 ,	1
111	Population connectivity in voles (Microtus sp.) as a gauge for tall grass prairie restoration in midwestern North America. 2021 , 16, e0260344	O
110	Correlation between acoustic divergence and phylogenetic distance in soniferous European gobiids (Gobiidae; Gobius lineage). 2021 , 16, e0260810	1
109	Genetic Diversity and Differentiation of Eleven Species from Campania Region Revealed by Nuclear and Chloroplast Microsatellites Markers 2021 , 13,	O
108	Intra-Alpine Islands: Population genomic inference reveals high degree of isolation between freshwater spring habitats. 2022 , 28, 291-305	2
107	DNA barcodes evidence the contact zone of eastern and western caddisfly lineages in the Western Carpathians 2021 , 11, 24020	O
106	CLARITY: comparing heterogeneous data using dissimilarity 2021 , 8, 202182	
105	Potential Human Health Hazard of Post-Hurricane Harvey Sediments in Galveston Bay and Houston Ship Channel: A Case Study of Using Bioactivity Data to Inform Risk Management Decisions 2021 , 18,	O
104	No Evidence of Low Genetic Diversity Despite High Levels of Inbreeding and Poor Genetic Connectivity Among Tetrastigma loheri (Vitaceae) Populations in Remaining Forest Areas in Cebu, Philippines. 2021 , 46, 951-961	
103	Cost distances and least cost paths respond differently to cost scenario variations: a sensitivity analysis of ecological connectivity modeling. 1-25	2

102	OUP accepted manuscript.	0
101	Genomic distances reveal relationships of wild and cultivated beets 2022 , 13, 2021	1
100	An Evaluation of Phylogenetic Workflows in Viral Molecular Epidemiology 2022, 14,	О
99	The apportionment of citations: a scientometric analysis of Lewontin 1972 2022 , 377, 20200409	3
98	Bankâdlient cross-ownership of bank stocks: A network analysis.	
97	Selection and characterization of in vitroâlhduced mutants of Dendrobium âlarsakulâlfesistant to black rot.	
96	Phylogeographic structure of the Persian Squirrel, Sciurus anomalus Gldenstdt, 1785 (Mammalia: Rodentia) in the Anatolian Peninsula, based on mitochondrial DNA sequences: implications for metapopulation. 1-14	0
95	Table_1.doc. 2018 ,	
94	Table_2.doc. 2018 ,	
93	Table_3.xls. 2018 ,	
92	Table_4.xls. 2018 ,	
91	Table_5.xls. 2018 ,	
90	Table_6.doc. 2018 ,	
89	Table_7.doc. 2018 ,	
88	Image1.JPEG. 2018 ,	
87	Image2.JPEG. 2018 ,	
86	Table1.xlsx. 2018 ,	
85	lmage_1.jpeg. 2019 ,	



(2022-2020)



48	OUP accepted manuscript.	
47	Testing spatial and environmental factors to explain body shape variation in the widespread Central American Blackbelt cichlid Vieja maculicauda (Teleostei: Cichlidae). 2022 , 20,	
46	Evaluation of the Current State of Preservation of Vaccinio uliginosi-Pinetum Kleist 1929 in Eastern Poland. 2022 , 14, 5387	
45	Profiling, monitoring and conserving caterpillar fungus in the Himalayan region using anchored hybrid enrichment markers 2022 , 289, 20212650	1
44	Genetic Diversity of Porcine Circovirus 2 in Wild Boar and Domestic Pigs in Ukraine. 2022, 14, 924	1
43	An Analysis of Genetic Variability and Population Structure in Wheat Germplasm Using Microsatellite and Gene-Based Markers 2022 , 11,	1
42	Genetic diversity and population structure of Tunisian wild Kermes oak (Quercus coccifera L.): Assessment by ISSR molecular markers and implication for conservation 2022 , 1	О
41	Long-term population decline of a genetically homogenous continental-wide top Arctic predator.	Ο
40	Ecological drivers of macroinvertebrate metacommunity assembly in a subtropical river basin in the Yangtze River Delta, China 2022 , 155687	О
39	Spatial point pattern analysis of drug related crimes in October 2017 in Manila City. 1-20	
38	Successions and interactions of phyllospheric microbiome in response to NH exposure 2022 , 837, 155805	1
37	Conservation genetics of Firmiana major, a threatened tree species with potential for afforestation of hot, arid climates. 2022 , 36, e02136	
36	Pathogenicity and microsatellite characterization of Puccinia hordei in South Africa. 2022, 158, 106014	
35	Genetic diversity and population structure of six autochthonous pig breeds from Croatia, Serbia, and Slovenia 2022 , 54, 30	2
34	Landscape connectivity and genetic structure in a mainstem and a tributary stonefly (Plecoptera) species using a novel reference genome 2022 ,	
33	Genetic identification and diversity of stocks of the African bonytongue, Heterotis niloticus (Osteoglossiformes: Arapaiminae), in Nigeria, West Africa 2022 , 12, 8417	
32	Concordficia entre plantas regenerantes, formigas e outros artrfiodes na Mata Atlfitica: a importficia da identidade das fivores no dossel. 112,	
31	Smooth and Hard or Beautiful and Elegant? ExpertsâlConceptual Structure of the Aesthetics of	1

Materials. **2022**, 12, 215824402210961

30	Fine scale transitions of the microbiota and metabolome along the gastrointestinal tract of herbivorous fishes. 2022 , 4,	O
29	Morphological Variation in the Wing Mite Periglischrus paracaligus (Acari: Spinturnicidae) Associated With Different Moving Strategies of the Host Leptonycteris yerbabuenae (Chiroptera: Phyllostomidae).	O
28	Evolution of an Amazonian Fish Is Driven by Allopatric Divergence Rather Than Ecological Divergence. 10,	1
27	The genetic diversity of Ethiopian barley genotypes in relation to their geographical origin. 2022 , 17, e0260422	O
26	An equivalence test between features lists, based on the Sorensenâ D ice index and the joint frequencies of GO term enrichment. 2022 , 23,	
25	Pathwalker: A New Individual-Based Movement Model for Conservation Science and Connectivity Modelling. 2022 , 11, 329	O
24	Environmental quality assessment in central Andean Rivers: Using the ecological thresholds concept, environmental quality standards, and biotic indexes.	
23	Molecular markers applied to the genetic characterization of Dalbergia nigra: implications for conservation and management.	
22	A Bocage Landscape Restricts the Gene Flow of Pest Vole Populations. 2022 , 12, 800	
21	The early days of contemporary philosophy of science: novel insights from machine translation and topic-modeling of non-parallel multilingual corpora. 2022 , 200,	
20	Spatial genetic structure and limited gene flow in fragmented populations of the threatened Malleefowl (Leipoa ocellata). 2022 , 100127	О
19	Microbial Community Structure Is Mostly Strongly Associated With Geographical Distance and pH in Salt Lake Sediments. 2022 , 13,	
18	Oxygen availability driven trends in DOM molecular composition and reactivity in a seasonally stratified fjord. 2022 , 220, 118690	O
17	PollenâNegetation relationship based on lake surface sediments of arid and semi-arid northern China; considerations and limitations. 2022 , 303, 104694	
16	Spatio-Temporal Data Clustering using Deep Learning: A Review. 2022 ,	
15	Genetic differentiation that is exceptionally high and unexpectedly sensitive to geographic distance in the absence of gene flow: Insights from the genus Eranthis in East Asian regions. 2022 , 12,	
14	Profiling the Diversity of Sweet Pepper â P eperone Cornetto di PontecorvoâlPDO (Capsicum annuum) through Multi-Phenomic Approaches and Sequencing-Based Genotyping. 2022 , 12, 1433	
13	Cultural transmission of traditional songs in the Ryukyu Archipelago. 2022 , 17, e0270354	

