

# Food of Fruit-Pigeons in New Guinea

Emu

76, 49-58

DOI: [10.1071/mu9760049](https://doi.org/10.1071/mu9760049)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A Bird Community of New Guinean Lowland Rainforest. 3 Vertical Distribution of the Avifauna. <i>Emu</i> , 1982, 82, 143-162.	0.6	44
2	Seed Dispersal by Cassowaries ( <i>Casuaris casuarius</i> ) in North Queensland's Rainforests. <i>Biotropica</i> , 1983, 15, 170.	1.6	87
3	The Native Forest Birds of Guam. <i>Ornithological Monographs</i> , 1983, , ii-61.	1.3	38
4	Fruits and the Ecology of Resplendent Quetzals. <i>Auk</i> , 1983, 100, 286-301.	1.4	159
5	A Bird Community of Lowland Rainforest in New Guinea. 6 Foraging Ecology and Community Structure of the Avifauna. <i>Emu</i> , 1984, 84, 142-158.	0.6	27
6	Seed Dispersal by Fruit-Eating Birds and Mammals. , 1986, , 123-189.		259
7	Patterns of Mutualistic Interactions in Pollination and Seed Dispersal: Connectance, Dependence Asymmetries, and Coevolution. <i>American Naturalist</i> , 1987, 129, 657-677.	2.1	655
8	Patterns of Tropical Vertebrate Frugivore Diversity. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 1987, 18, 91-109.	6.7	289
9	Trophic structure of a neotropical frugivore community: is there competition between birds and bats?. <i>Oecologia</i> , 1989, 79, 403-411.	2.0	89
10	Feeding Ecology of Fruit Pigeons in Subtropical Rainforests of South-Eastern Queensland.. <i>Wildlife Research</i> , 1989, 16, 365.	1.4	54
11	Ultrastructural basis and function of iridescent blue colour of fruits in <i>Elaeocarpus</i> . <i>Nature</i> , 1991, 349, 260-262.	27.8	91
12	Temporal Patterns in Diet of Nestling White-Crowned Pigeons: Implications for Conservation of Frugivorous Columbids. <i>Auk</i> , 1994, 111, 844-852.	1.4	25
13	The effects of ecological rehabilitation on vegetation recruitment: some observations from the Wet Tropics of North Queensland. <i>Forest Ecology and Management</i> , 1997, 99, 133-152.	3.2	140
14	Distribution, Relative Abundance, and Habitat Relationships of Landbirds in the Vava'u Group, Kingdom of Tonga. <i>Condor</i> , 1998, 100, 609-628.	1.6	25
15	The influence of body mass, climate, and distribution on the energetics of South Pacific pigeons. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2000, 127, 309-329.	1.8	54
16	Rainfall, Fruiting Phenology, and the Nesting Season of White-Crowned Pigeons in the Upper Florida Keys. <i>Auk</i> , 2000, 117, 416-426.	1.4	31
17	EXPLOITATION OF A SEASONAL RESOURCE BY NONBREEDING PLAIN AND WHITE-CROWNED PIGEONS: IMPLICATIONS FOR CONSERVATION OF TROPICAL DRY FORESTS. <i>The Wilson Bulletin</i> , 2001, 113, 73-77.	0.5	11
18	DIET OF THE ENDEMIC MADEIRA LAUREL PIGEON AND FRUIT RESOURCE AVAILABILITY: A STUDY USING MICROHISTOLOGICAL ANALYSES. <i>Condor</i> , 2002, 104, 811.	1.6	18

#	ARTICLE	IF	CITATIONS
19	Diet of the Endemic Madeira Laurel Pigeon and Fruit Resource Availability: A Study Using Microhistological Analyses. <i>Condor</i> , 2002, 104, 811-822.	1.6	14
20	Metabolism, body temperature and thermal conductance of fruit-doves (Aves: Columbidae.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i> 2002, 131, 417-428.	1.8	15
21	Potential disruptions to seed dispersal mutualisms in Tonga, Western Polynesia. <i>Journal of Biogeography</i> , 2002, 29, 695-712.	3.0	125
22	The historic biogeography and community ecology of Polynesian pigeons and doves. <i>Journal of Biogeography</i> , 2003, 24, 737-753.	3.0	64
23	Scatter-hoarding by musky rat-kangaroos, <i>Hypsiprymnodon moschatus</i> , a tropical rain-forest marsupial from Australia: implications for seed dispersal. <i>Journal of Tropical Ecology</i> , 2003, 19, 619-627.	1.1	35
25	The Frugivore Community and the Fruiting Plant Flora in a New Guinea Rainforest: Identifying Keystone Frugivores. , 2005, , 185-203.		6
26	The influence of fruit abundance on the use of forest and cultivated field habitats by the endemic Madeira laurel pigeon <i>Columba trocaz</i> : Implications for conservation. <i>Biological Conservation</i> , 2006, 130, 538-548.	4.1	2
27	Patterns of supra-canopy flight by pigeons and parrots at a hill-forest site in Papua New Guinea. <i>Emu</i> , 2007, 107, 115-125.	0.6	8
28	Bird Assemblage and Visitation Pattern at Fruiting <i>Elmerrillia tsiampaca</i> (Magnoliaceae) Trees in Papua New Guinea. <i>Biotropica</i> , 2010, 42, 229-235.	1.6	5
29	Can Functional Traits Predict Ecological Interactions? A Case Study Using Rain forest Frugivores and Plants in Australia. <i>Biotropica</i> , 2010, 42, 318-326.	1.6	37
30	Nutmeg-Vertebrate Interactions in the Asia-Pacific Region: Importance of Frugivores for Seed Dispersal in Myristicaceae. <i>Tropical Conservation Science</i> , 2013, 6, 608-636.	1.2	12
31	Phylogeny of <i>Acronychia</i> (Rutaceae) and First Insights into Its Historical Biogeography and the Evolution of Fruit Characters. <i>PLoS ONE</i> , 2015, 10, e0136296.	2.5	6
33	Seasonal and inter-island variation in the foraging strategy of the critically endangered Red-headed Wood Pigeon <i>Columba janthina nitens</i> in disturbed island habitats derived from high-throughput sequencing. <i>Ibis</i> , 2016, 158, 291-304.	1.9	12
34	Historical biogeography of <i>Melicope</i> (Rutaceae) and its close relatives with a special emphasis on Pacific dispersals. <i>Journal of Systematics and Evolution</i> , 2018, 56, 576-599.	3.1	32
35	The odd one out or a hidden generalist: Hawaiian <i>Melicope</i> (Rutaceae) do not share traits associated with successful island colonization. <i>Journal of Systematics and Evolution</i> , 2018, 56, 621-636.	3.1	18
36	Genetic and ecological conservation issues for oceanic island birds, revealed by a combination of the latest molecular techniques and conventional field work. <i>Ecological Research</i> , 2019, 34, 255-264.	1.5	7
37	Dietary composition of birds in isolated ecosystems: a case study of Black Wood Pigeon in Republic of Korea. <i>Ecosystem Health and Sustainability</i> , 2020, 6, .	3.1	1
38	Complete mitogenome of <i>Treron sphenurus</i> (Aves, Columbiformes): the first representative from the genus <i>Treron</i> , genomic comparisons and phylogenetic analysis of Columbidae. <i>Animal Biotechnology</i> , 2021, , 1-11.	1.5	0

#	ARTICLE	IF	CITATIONS
39	Diet, Keystone Resources and Altitudinal Movement of Dwarf Cassowaries in Relation to Fruiting Phenology in a Papua New Guinean Rainforest. , 2005, , 205-236.		16
40	Bird Species Diversity of Lowland Tropical Rainforests of New Guinea and Northern Australia. Ecological Studies, 1989, , 123-152.	1.2	9
41	Stemonuraceae. , 2016, , 367-376.		2
42	Physiological Ecology of Fruits and Their Seeds. , 1983, , 625-655.		53
43	Elaeocarpaceae. , 2004, , 135-144.		10
44	RAINFALL, FRUITING PHENOLOGY, AND THE NESTING SEASON OF WHITE-CROWNED PIGEONS IN THE UPPER FLORIDA KEYS. Auk, 2000, 117, 416.	1.4	24
45	Rainfall, Fruiting Phenology, and the Nesting Season of White-Crowned Pigeons in the Upper Florida Keys. Auk, 2000, 117, 416-426.	1.4	1
46	Identification of Alkaloidâ€™s Profile in Ficus benjamina L. Extracts with Higher Antioxidant Power. American Journal of Plant Sciences, 2014, 05, 4029-4039.	0.8	9
48	Species coexistence by wide constant size spacing. Proceedings of the National Academy of Sciences of the United States of America, 2023, 120, .	7.1	0