

CITATION REPORT

List of articles citing

Contractile properties of small arterial resistance vessels in spontaneously hypertensive and normotensive rats

DOI: 10.1161/01.res.41.1.19

Circulation Research, 1977, 41, 19-26.

Source: <https://exaly.com/paper-pdf/12962060/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|--|------|-----------|
| 1904 | Intravital measurement of arteriolar pressure and tangential wall stress in normotensive and spontaneously hypertensive rats (established hypertension). 1978 , 34, 865-7 | | 9 |
| 1903 | Direct evidence that the greater contractility of resistance vessels in spontaneously hypertensive rats is associated with a narrowed lumen, a thickened media, and an increased number of smooth muscle cell layers. <i>Circulation Research</i> , 1978 , 43, 854-64 | 15.7 | 425 |
| 1902 | The distribution of cardiac output in the anaesthetized spontaneously hypertensive rat. 1978 , 55, 317-20 | | 6 |
| 1901 | Mechanical properties of smooth muscle cells in the walls of arterial resistance vessels. 1978 , 275, 85-101 | | 81 |
| 1900 | The active tension-length curve of vascular smooth muscle related to its cellular components. 1979 , 74, 85-104 | | 132 |
| 1899 | Cardiovascular reactivity to graded splanchnic nerve stimulation in spontaneously hypertensive and normotensive control rats. 1979 , 106, 169-76 | | 6 |
| 1898 | Morphological and mechanical properties of small mesenteric arteries and veins in spontaneously hypertensive rats. 1979 , 107, 309-12 | | 16 |
| 1897 | The contractility of venous vascular smooth muscle in spontaneously hypertensive or renal hypertensive rats. 1979 , 74, 21-34 | | 8 |
| 1896 | The undamped and damped series elastic components of a vascular smooth muscle. 1979 , 26, 401-13 | | 41 |
| 1895 | Mechanical and morphological properties of arterial resistance vessels in young and old spontaneously hypertensive rats. <i>Circulation Research</i> , 1979 , 45, 250-9 | 15.7 | 119 |
| 1894 | Chemical Energetics of Vascular Smooth Muscle. 1980 , 201-235 | | 14 |
| 1893 | Reduced responses to noradrenaline of isolated digital arteries from hypertensives. 1980 , 7, 505-8 | | 19 |
| 1892 | An increased calcium sensitivity of mesenteric resistance vessels in young and adult spontaneously hypertensive rats. 1980 , 71, 585-96 | | 168 |
| 1891 | Similarities of genetic (spontaneous) hypertension. Man and rat. <i>Circulation Research</i> , 1981 , 48, 309-19 | 15.7 | 406 |
| 1890 | The anatomical location of the series elastic component in rat vascular smooth muscle. 1981 , 314, 321-30 | | 23 |
| 1889 | Membrane activation of smooth muscle from rabbit basilar artery by dopamine. 1981 , 390, 296-8 | | 6 |
| 1888 | Hypertrophy-induced increase of intermediate filaments in vascular smooth muscle. 1981 , 88, 96-100 | | 76 |

| | | | |
|------|--|------|------|
| 1887 | Energy turnover and mechanical properties of resting and contracting aortas and portal veins from normotensive and spontaneously hypertensive rats. <i>Circulation Research</i> , 1981 , 48, 539-48 | 15.7 | 34 |
| 1886 | Increased vascular catecholamine sensitivity and alpha-adrenergic receptor affinity in female and estrogen-treated male rats. <i>Circulation Research</i> , 1982 , 50, 805-11 | 15.7 | 139 |
| 1885 | Time course of arterial wall changes with DOCA plus salt hypertension in the rat. 1982 , 4, 27-38 | | 41 |
| 1884 | Role of membrane potential in the response of rat small mesenteric arteries to exogenous noradrenaline stimulation. 1982 , 332, 363-73 | | 129 |
| 1883 | Quantitative morphology of arterioles from the hamster cheek pouch related to mechanical analysis. 1982 , 24, 249-71 | | 49 |
| 1882 | Mechanism of action of angiotensin II on excitation-contraction coupling in the rat portal vein. 1982 , 75, 425-32 | | 13 |
| 1881 | Physiological aspects of primary hypertension. 1982 , 62, 347-504 | | 1585 |
| 1880 | Characterization of the rat basilar artery in vitro. 1982 , 38, 1187-8 | | 15 |
| 1879 | Vasoconstrictor nerve influence on isolated mesenteric resistance vessels from normotensive and spontaneously hypertensive rats. 1982 , 116, 205-8 | | 41 |
| 1878 | Are isolated femoral resistance vessels or tail arteries good models for the hindquarter vasculature of spontaneously hypertensive rats?. 1982 , 116, 275-83 | | 27 |
| 1877 | Diminished vascular response to noradrenaline in experimental chronic uremia. 1982 , 21, 20-7 | | 77 |
| 1876 | Cardiovascular effects of antihypertensive renomedullary lipids (APRL and ANRL). 1983 , 117, 465-7 | | 34 |
| 1875 | Mechanical properties of rat cerebral arteries as studied by a sensitive device for recording of mechanical activity in isolated small blood vessels. 1983 , 117, 49-61 | | 388 |
| 1874 | Abstracts Scandinavian Physiological Society Meeting in Oslo. 1983 , 118, 1A-40A | | 1 |
| 1873 | Intestinal vascular responses to dopamine during fentanyl-nitrous oxide anaesthesia, supplemented with dixyrazin. 1983 , 27, 255-61 | | 2 |
| 1872 | Human and rat resistance vessels: a comparison of their morphological and pharmacological characteristics. 1983 , 14, 85-7 | | 4 |
| 1871 | Vascular Mechanics. 1983 , 65-102 | | 46 |
| 1870 | Compared myocardial and vascular effects of captopril and dihydralazine during hypertension development in spontaneously hypertensive rats. 1983 , 80, 533-43 | | 115 |

| | | | |
|------|--|------|-----|
| 1869 | Decreased relaxation of isolated mesenteric resistance vessels from 2-kidney, 1 clip Goldblatt hypertensive rats. 1983 , 5, 383-400 | | 9 |
| 1868 | Structural and functional changes in cerebral arteries from spontaneously hypertensive rats. 1983 , 5, 292-7 | | 86 |
| 1867 | Sodium metabolism in rat resistance vessels. 1983 , 343, 105-16 | | 24 |
| 1866 | Cardiovascular studies in rats with respect to some functional and structural relationships of relevance in hypertension and ordinary aging. 1984 , 6, 587-98 | | 2 |
| 1865 | Metabolic and mechanical properties of aortas from aldosterone-salt hypertensive rats. <i>Circulation Research</i> , 1984 , 55, 349-57 | 15.7 | 8 |
| 1864 | Cellular proliferation in atherosclerosis and hypertension. 1984 , 26, 355-72 | | 97 |
| 1863 | Different nerve responses in consecutive sections of the arterial system. 1984 , 121, 353-61 | | 37 |
| 1862 | Morphology and angiotensin II responsiveness of isolated resistance vessels from patients with pre-eclampsia. 1984 , 169, 57-60 | | 7 |
| 1861 | Impaired systemic arterial compliance in borderline hypertension. 1984 , 108, 132-6 | | 83 |
| 1860 | Attenuated arteriolar dilator responses to calcium in genetically hypertensive rats. 1984 , 6, 647-53 | | 17 |
| 1859 | Intracellular sodium, membrane potential, and contractility of rat mesenteric small arteries. <i>Circulation Research</i> , 1984 , 54, 740-9 | 15.7 | 75 |
| 1858 | Effect of ouabain on tone, membrane potential and sodium efflux compared with [³ H]ouabain binding in rat resistance vessels. 1985 , 362, 215-31 | | 41 |
| 1857 | Intraocular pressure and systemic blood pressure after administration of vasoactive substances in hypertensive and normal rats. 1985 , 223, 145-9 | | 14 |
| 1856 | Vasodilator responses to enflurane in the small intestine. 1985 , 29, 287-93 | | 6 |
| 1855 | The influence of the sympathetic impulse pattern on contractile responses of rat mesenteric arteries and veins. 1985 , 123, 303-9 | | 105 |
| 1854 | Interaction between prejunctional alpha 2-receptors and neuronal transmitter reuptake in small mesenteric arteries from the rat. 1985 , 125, 245-52 | | 7 |
| 1853 | Effects of high and low sodium diets on the resistance vessels and their adrenergic vasoconstrictor fibre control in normotensive (WKY) and hypertensive (SHR) rats. 1985 , 125, 323-34 | | 36 |
| 1852 | Distension-dependent changes in noradrenaline sensitivity in small arteries from the rat. 1985 , 125, 429-35 | | 36 |

| | | | |
|------|---|------|-----|
| 1851 | Lack of effect of anti-hypertensive treatment with felodipine on cardiovascular structure of young spontaneously hypertensive rats. 1985 , 19, 528-36 | | 47 |
| 1850 | Ouabain binding and Na ⁺ content in resistance vessels and skeletal muscles of spontaneously hypertensive rats and K ⁺ -depleted rats. 1985 , 7, 277-86 | | 22 |
| 1849 | Coronary diastolic pressure-flow relation and zero flow pressure explained on the basis of intramyocardial compliance. <i>Circulation Research</i> , 1985 , 56, 293-309 | 15.7 | 189 |
| 1848 | Response to the article by Klocke et al. on "Coronary pressure-flow relationships: controversial issues and probable implications". <i>Circulation Research</i> , 1985 , 56, 789-92 | 15.7 | 8 |
| 1847 | Differences in norepinephrine activation and diltiazem inhibition of calcium channels in isolated rabbit aorta and mesenteric resistance vessels. <i>Circulation Research</i> , 1985 , 56, 822-8 | 15.7 | 60 |
| 1846 | Cardiac mass and peripheral vascular structure in hydralazine-treated spontaneously hypertensive rats. 1985 , 7, 734-41 | | 41 |
| 1845 | Isolated perfused mesenteric arteries of hypertensive and normotensive rats; response to norepinephrine, lysine vasopressin and angiotensin II. 1985 , 7, 1583-96 | | 7 |
| 1844 | Two-component responses to sympathetic nerve stimulation in the rat tail artery. 1985 , 81, 311-7 | | 5 |
| 1843 | Atrial natriuretic factor causes specific relaxation of rat renal arcuate arteries. 1985 , 86, 447-53 | | 69 |
| 1842 | Dynorphin receptor in the blood vessel. 1985 , 5, 595-8 | | 16 |
| 1841 | Effects of calcium entry blockers on Ca ²⁺ -induced contraction of depolarized and noradrenaline-exposed rat resistance vessels. 1986 , 129, 261-70 | | 17 |
| 1840 | Alpha 2-adrenoceptors and endothelium-dependent relaxation in canine large arteries. 1986 , 88, 767-77 | | 130 |
| 1839 | Pregnancy-induced changes in resistance blood vessels. 1986 , 155, 1296-9 | | 38 |
| 1838 | A strain-gauge myograph for isometric measurements of tension in isolated small blood vessels and other muscle preparations. 1986 , 16, 215-25 | | 26 |
| 1837 | Neurohumoral contributions to chronic angiotensin-induced hypertension. 1986 , 250, H52-61 | | 10 |
| 1836 | Morphological and functional characteristics of isolated resistance vessels in advanced uraemia. 1986 , 71, 657-63 | | 41 |
| 1835 | Effects of endothelium-derived relaxing factor on the smooth muscle of the rat tail artery. 1986 , 13, 249-57 | | 10 |
| 1834 | Adrenergic innervation and neurogenic response in large and small arteries and veins from the rat. 1986 , 126, 121-33 | | 53 |

1833 POSTER COMMUNICATIONS. **1986**, 128, 15A-63A

| | | | |
|------|--|------|-----|
| 1832 | Pharmacology and force development of single freshly isolated bovine carotid artery smooth muscle cells. <i>Circulation Research</i> , 1986 , 58, 399-406 | 15.7 | 40 |
| 1831 | Evidence for increased media thickness, increased neuronal amine uptake, and depressed excitation--contraction coupling in isolated resistance vessels from essential hypertensives. <i>Circulation Research</i> , 1987 , 61, 181-6 | 15.7 | 260 |
| 1830 | Enhanced dilatation by atrial natriuretic peptide of renal arcuate arteries from young, but not adult, spontaneously hypertensive rats. 1987 , 9, 1789-801 | | 1 |
| 1829 | Studies of isolated resistance vessels from offspring of essential hypertensive patients. 1987 , 9, III155-8 | | 19 |
| 1828 | Actions of neuropeptide Y on innervated and denervated rat tail arteries. 1987 , 386, 19-30 | | 65 |
| 1827 | Proceedings of the Physiological Society, 27-28 March 1987, University College London/Middlesex Meeting: Communications. 1987 , 390, 16-75 | | |
| 1826 | Evidence for an inhibitor of leucocyte sodium transport in the serum of neonates. 1987 , 73, 291-7 | | 20 |
| 1825 | Vascular changes in hypertension. 1987 , 71, 827-41 | | 17 |
| 1824 | Relaxant effects of ATP and adenosine on canine large and small coronary arteries in vitro. 1987 , 143, 119-26 | | 48 |
| 1823 | Responses of femoral resistance vessels to angiotensin in vitro. 1987 , 135, 61-8 | | 40 |
| 1822 | Active, passive and myogenic characteristics of isolated rat intramural coronary resistance arteries. 1987 , 410, 664-70 | | 57 |
| 1821 | Compared effects of calcium entry blockers on calcium-induced tension in rat isolated cerebral and peripheral resistance vessels. 1987 , 336, 670-6 | | 8 |
| 1820 | Mechanical, morphological and pharmacological properties of oesophageal varices and small mesenteric veins in portal hypertensive rabbits. 1987 , 130, 649-56 | | 16 |
| 1819 | Post-tetanic potentiation of the vascular neurogenic response in rats. 1987 , 131, 499-505 | | 4 |
| 1818 | Vascular actions of atrial natriuretic peptide. 1988 , 20 Suppl 3, 23-34 | | 6 |
| 1817 | Clinical experience and rationale for angiotensin-converting enzyme inhibition with lisinopril as the initial treatment for hypertension in older patients. 1988 , 85, 19-24 | | 6 |
| 1816 | Blood vessels and human essential hypertension. 1988 , 20, 15-28 | | 5 |

| | | |
|------|--|-----|
| 1815 | Vasodilatation with pinacidil. Mode of action in rat resistance vessels. 1988 , 36 Suppl 7, 33-40 | 6 |
| 1814 | Potentialiation by neuropeptide Y of vasoconstriction in rat resistance arteries. 1988 , 95, 419-28 | 37 |
| 1813 | Effects of ryanodine on tension development in rat aorta and mesenteric resistance vessels. 1988 , 95, 605-13 | 29 |
| 1812 | Dietary omega 3 polyunsaturated fatty acids augment endothelium-dependent relaxation to bradykinin in coronary microvessels of the pig. 1988 , 95, 1191-6 | 31 |
| 1811 | Pinacidil opens K ⁺ -selective channels causing hyperpolarization and relaxation of noradrenaline contractions in rat mesenteric resistance vessels. 1988 , 95, 103-8 | 42 |
| 1810 | POSTER COMMUNICATIONS. 1988 , 95, 792P-905P | 16 |
| 1809 | POSTER COMMUNICATIONS. 1988 , 93, 148P-306P | 1 |
| 1808 | DEMONSTRATION. 1988 , 93, 307P-309P | 1 |
| 1807 | Effects of drug treatment on human resistance arteriole morphology in essential hypertension: direct evidence for structural remodelling of resistance vessels. 1988 , 2, 1209-12 | 53 |
| 1806 | Cellular hypertrophy in mesenteric resistance vessels from renal hypertensive rats. 1988 , 12, 162-7 | 68 |
| 1805 | Intracellular pH regulation in resting and contracting segments of rat mesenteric resistance vessels. 1988 , 402, 391-410 | 106 |
| 1804 | Role of alpha-adrenoceptors in constrictor responses of rat, guinea-pig and rabbit small arteries to neural activation. 1988 , 403, 495-510 | 81 |
| 1803 | Effects of hypertension and its reversal on canine arterial wall properties. 1988 , 12, 301-9 | 17 |
| 1802 | Endothelium-dependent and endothelium-independent vasodilation in resistance arteries from hypertensive rats. 1988 , 11, 440-4 | 185 |
| 1801 | Increased alpha-adrenergic receptor affinity in resistance vessels from hypertensive rats. 1988 , 11, 635-8 | 30 |
| 1800 | Relaxation and hyperpolarization of the smooth muscle of the rat tail artery following electrical stimulation. 1988 , 397, 489-501 | 8 |
| 1799 | Pharmacologic responsiveness of rat parenchymal strips, bronchi, and bronchioles. 1988 , 14, 575-85 | 14 |
| 1798 | Mechanical properties of carotid arteries from DOCA hypertensive swine. 1989 , 13, 102-9 | 18 |

| | | |
|------|---|-----|
| 1797 | 1,25 (OH) ₂ vitamin D ₃ modifies growth and contractile function of vascular smooth muscle of spontaneously hypertensive rats. 1989 , 2, 553-6 | 40 |
| 1796 | Balloon catheter injury to rabbit carotid artery. II. Selective increase in reactivity to some vasoconstrictor drugs. 1989 , 9, 299-307 | 24 |
| 1795 | In vivo exposure to hyperoxia increases airway responsiveness in rats. Demonstration in vivo and in vitro. 1989 , 140, 942-7 | 21 |
| 1794 | Adrenergic responses in isolated bovine retinal resistance arteries. 1989 , 13, 103-7 | 27 |
| 1793 | Sympathetic transmission in small mesenteric arteries from the rat: highly calcium-dependent at low stimulation rates. 1989 , 135, 505-11 | 9 |
| 1792 | Effects of pre-junctional alpha-receptor blockade on vascular neuro-effector characteristics in rats on high sodium intake. 1989 , 137, 437-41 | 3 |
| 1791 | Calcium dependency of the post-stimulatory potentiation of the neurogenic response in small mesenteric arteries from the rat. 1989 , 137, 443-8 | 2 |
| 1790 | Reactivity of endothelin-1 on human and canine large veins compared with large arteries in vitro. 1989 , 171, 17-24 | 60 |
| 1789 | Increases in vascular alpha 1-adrenoceptor affinity and PI turnover in DOCA-salt hypertensive rats. 1989 , 164, 365-8 | 6 |
| 1788 | Calcium antagonist-induced relaxation of the prostaglandin-F ₂ alpha response of isolated calf retinal resistance arteries. 1989 , 48, 329-35 | 27 |
| 1787 | Endothelium-derived relaxing factor. 1989 , 41, 303-52 | 128 |
| 1786 | Postjunctional alpha 2-adrenoceptors mediate vasoconstriction in human subcutaneous resistance vessels. 1989 , 97, 829-34 | 41 |
| 1785 | The action of dopamine and vascular dopamine (DA ₁) receptor agonists on human isolated subcutaneous and omental small arteries. 1989 , 97, 950-6 | 6 |
| 1784 | The effect of atrial natriuretic peptide on human isolated resistance arteries. 1989 , 97, 1027-30 | 12 |
| 1783 | COMMUNICATION. 1989 , 96, 1P-368P | 1 |
| 1782 | Communications. 1989 , 97, 369P-605P | 2 |
| 1781 | A comparison of contractile function in large and small pulmonary arterial vessels of the rat. 1989 , 74, 947-50 | 7 |
| 1780 | Indomethacin improves the impaired endothelium-dependent relaxations in small mesenteric arteries of the spontaneously hypertensive rat. 1990 , 3, 55-8 | 87 |

| | | |
|------|---|---------|
| 1779 | Effects of Calcium on Vascular Smooth Muscle Tone. 1990 , 3, 291S-298S | 12 |
| 1778 | Effects of Calcium on Vascular Smooth Muscle Tone. 1990 , 3, 291S-298S | 4 |
| 1777 | Effect of NG-monomethyl-L-arginine on endothelium-dependent relaxation of human subcutaneous resistance arteries. 1990 , 79, 273-8 | 38 |
| 1776 | Vascular hypertrophy, renin and blood pressure in the young spontaneously hypertensive rat. 1990 , 79, 523-30 | 11 |
| 1775 | Contractile responses to alpha 1-adrenoceptor stimulation during maturation in the aorta of the normotensive and spontaneously hypertensive rat: relation to structure. 1990 , 17, 69-82 | 7 |
| 1774 | Arterial dilations in response to calcitonin gene-related peptide involve activation of K ⁺ channels. 1990 , 344, 770-3 | 401 |
| 1773 | Hyperpolarization and relaxation of arterial smooth muscle caused by nitric oxide derived from the endothelium. 1990 , 346, 69-71 | 361 |
| 1772 | Transmitter characteristics of small mesenteric arteries from the rat. 1990 , 138, 203-12 | 56 |
| 1771 | Endothelium-independent potentiation by neuropeptide Y of vasoconstrictor responses in isolated arteries from rat and rabbit. 1990 , 138, 503-7 | 26 |
| 1770 | Vascular adrenergic responses in morphine-dependent rats. 1990 , 139, 333-9 | 1 |
| 1769 | Neurally evoked responses of rat mesenteric resistance arteries are dependent on intracellular release of calcium. 1990 , 140, 459-66 | 2 |
| 1768 | G-proteins are involved in contractile responses of isolated mesenteric resistance arteries to agonists. 1990 , 342, 462-8 | 27 |
| 1767 | The mechanism of action of endothelin-1 on small pulmonary arterial vessels. 1990 , 3, 103-9 | 17 |
| 1766 | Mechanism of the vasodilator action of pinacidil. 1990 , 27, 314-8 | 4 |
| 1765 | Venous reactivity in canine renovascular hypertension. 1990 , 12, 507-31 | 1 |
| 1764 | Characterization of vasopressin actions in isolated submucosal arterioles of the intestinal microcirculation. <i>Circulation Research</i> , 1990 , 67, 1017-26 | 15.7 43 |
| 1763 | Short chain fatty acids dilate isolated human colonic resistance arteries. 1990 , 31, 1391-4 | 126 |
| 1762 | Changes to the vascular system resulting from hypertension and their effects on response to therapy. 1990 , 39 Suppl 1, 9-20 | 5 |

| | | |
|------|--|----|
| 1761 | Response of the rat tail artery to prolonged exposure to noradrenaline. 1990 , 21, 105-7 | 1 |
| 1760 | Characterization of norepinephrine sensitivity in the maternal splanchnic circulation during pregnancy. 1990 , 162, 1296-301 | 26 |
| 1759 | Estimation of the role of presynaptic alpha 2-adrenoceptors in the circulation. Influence of neuronal uptake. 1990 , 604, 55-68 | 3 |
| 1758 | Changes in Vascular Reactivity following Endothelial Denudation. 1990 , 598, 564-566 | 2 |
| 1757 | Converting enzyme inhibition in isolated porcine resistance artery potentiates bradykinin relaxation. 1990 , 190, 159-66 | 25 |
| 1756 | Angiotensin II does not contract bovine retinal resistance arteries in vitro. 1990 , 50, 469-74 | 19 |
| 1755 | The level of spontaneous myogenic tone in isolated human posterior ciliary arteries decreases with age. 1990 , 51, 711-5 | 28 |
| 1754 | In vitro characterization of the mechanical properties of canine ophthalmociliary artery. 1990 , 51, 729-34 | 6 |
| 1753 | Active wall tension--length curve and morphology of isolated bovine retinal small arteries: important feature for pharmacodynamic studies. 1990 , 51, 217-24 | 27 |
| 1752 | Contractile and relaxing effects of arachidonic acid derivatives on isolated bovine retinal resistance arteries. 1990 , 50, 305-11 | 39 |
| 1751 | Increased calcium sensitivity in isolated resistance arteries from spontaneously hypertensive rats: effects of dihydropyridines. 1990 , 179, 403-12 | 24 |
| 1750 | The divergence in the excitation-contraction coupling of rat mesenteric resistance arteries lies distal to the receptor site. 1990 , 179, 1-7 | 8 |
| 1749 | Omega-conotoxin GVIA is a potent inhibitor of sympathetic neurogenic responses in rat small mesenteric arteries. 1990 , 100, 180-4 | 59 |
| 1748 | The influence of the initial stretch and the agonist-induced tone on the effect of basal and stimulated release of EDRF. 1990 , 100, 767-73 | 48 |
| 1747 | Effects of cyclic AMP-affecting agents on contractile reactivity of isolated mesenteric and renal resistance arteries of the rat. 1990 , 101, 859-64 | 22 |
| 1746 | Responses to noradrenaline in human subcutaneous resistance arteries are mediated by both alpha 1- and alpha 2-adrenoceptors. 1990 , 99, 31-4 | 25 |
| 1745 | Enhancement by neuropeptide Y (NPY) of the dihydropyridine-sensitive component of the response to alpha 1-adrenoceptor stimulation in rat isolated mesenteric arterioles. 1990 , 99, 389-95 | 17 |
| 1744 | Action of noradrenaline on isolated proximal and distal coronary arteries of rat: selective release of endothelium-derived relaxing factor in proximal arteries. 1990 , 100, 552-6 | 19 |

| | | |
|------|--|----|
| 1743 | POSTER COMMUNICATIONS. 1990 , 101, 530P-604P | 1 |
| 1742 | COMMUNICATIONS. 1990 , 100, 303P-376P | |
| 1741 | (+)-S-12967 and (-)-S-12968: 1,4-dihydropyridine stereoisomers with calcium channel agonistic and antagonistic properties in rat resistance arteries. 1991 , 103, 1703-8 | 8 |
| 1740 | Primate vascular responses to octimibate, a non-prostanoid agonist at the prostacyclin receptor. 1991 , 102, 260-6 | 16 |
| 1739 | Ageing is associated with increased 5-HT ₂ -receptor affinity and decreased receptor reserve in rat isolated coronary arteries. 1991 , 102, 282-6 | 23 |
| 1738 | The effects of adenosine triphosphate (ATP) and related purines on human isolated subcutaneous and omental resistance arteries. 1991 , 102, 645-50 | 29 |
| 1737 | Evidence that acetylcholine-mediated hyperpolarization of the rat small mesenteric artery does not involve the K ⁺ channel opened by cromakalim. 1991 , 103, 1184-90 | 71 |
| 1736 | Attenuated responses to endothelin-1, KCl and CaCl ₂ , but not noradrenaline, of aortae from rats with streptozotocin-induced diabetes mellitus. 1991 , 104, 928-32 | 67 |
| 1735 | ORAL COMMUNICATIONS. 1991 , 104, 1P-96P | 1 |
| 1734 | POSTER COMMUNICATIONS. 1991 , 104, 351P-474P | |
| 1733 | POSTER COMMUNICATIONS. 1991 , 102, 159P-391P | 1 |
| 1732 | Does nimodipine eliminate arterial hypertension as a prognostic risk factor in subarachnoid haemorrhage?. 1991 , 5, 485-9 | 11 |
| 1731 | Drug-induced modification of vascular structure: effects of antihypertensive drugs. 1991 , 122, 316-23 | 8 |
| 1730 | Characterisation of Ca ²⁺ or Mg ²⁺ -dependent nucleoside triphosphatase from rat mesenteric small arteries. 1991 , 1067, 191-200 | 17 |
| 1729 | Nucleotide hydrolytic activity of isolated intact rat mesenteric small arteries. 1991 , 1067, 201-7 | 18 |
| 1728 | 1,25 (OH) ₂ vitamin D ₃ attenuates the loss of resistance artery contractile function associated with incubation in culture media. 1991 , 174, 11-7 | 15 |
| 1727 | Effects of a phorbol ester and staurosporine on electro- and pharmacomechanical coupling in a resistance artery. 1991 , 202, 25-32 | 5 |
| 1726 | Studies of the renin-angiotensin system in the wall of rat femoral resistance vessels. 1991 , 198, 77-83 | 3 |

| | | |
|------|--|-----|
| 1725 | Role of the endothelium in acetylcholine-induced relaxation and spontaneous tone of bovine isolated retinal small arteries. 1991 , 52, 575-9 | 60 |
| 1724 | Sodium-calcium exchange in vascular smooth muscle. 1991 , 639, 498-504 | 13 |
| 1723 | Is there a role for the vascular renin-angiotensin system in the determination of vascular structure?. 1991 , 28, 224-30 | 2 |
| 1722 | Steady-state effects of arginine vasopressin on force and pHi of isolated mesenteric resistance arteries from rats. 1991 , 261, C1010-7 | 34 |
| 1721 | Proceedings of the Physiological Society, 18-19 December 1990, Birmingham Meeting: Communications. 1991 , 435, 14-73 | 1 |
| 1720 | Chloride and bicarbonate transport in rat resistance arteries. 1991 , 436, 57-73 | 53 |
| 1719 | Functional properties in vitro of systemic small arteries from rabbits fed a cholesterol-rich diet for 12 weeks. 1991 , 80, 119-29 | 41 |
| 1718 | Effect of destruction of the vascular endothelium upon pressure/flow relations and endothelium-dependent vasodilatation in resistance beds of spontaneously hypertensive rats. 1991 , 80, 463-9 | 14 |
| 1717 | Intracellular pH in rat resistance arteries during the development of experimental hypertension. 1991 , 81, 65-72 | 8 |
| 1716 | Low-concentration ouabain does not inhibit noradrenaline-induced contraction of human resistance arteries. 1991 , 81, 525-9 | 4 |
| 1715 | Increased relaxation by felodipine on pulmonary artery from rats with monocrotaline-induced pulmonary hypertension does not reflect functional impairment of the endothelium. 1991 , 4, 60-6 | 10 |
| 1714 | Abnormalities of resistance vessel structure in essential hypertension: are these important?. 1991 , 18, 13-20 | 11 |
| 1713 | Direct vasopressor effect of recombinant human erythropoietin on renal resistance vessels. 1991 , 39, 259-65 | 132 |
| 1712 | Effects of bupivacaine and calcium antagonists on the rat uterine artery. 1991 , 35, 77-80 | 6 |
| 1711 | Mechanical properties of isolated human oesophageal submucosal veins. 1991 , 141, 383-90 | 4 |
| 1710 | Molecular mechanisms of vascular diseases. 1991 , 47, 93-137 | |
| 1709 | Differential contractile effects of changes in carbon dioxide tension on rat mesenteric resistance arteries precontracted with noradrenaline. 1991 , 419, 51-6 | 21 |
| 1708 | Reducing pulse pressure in hypertension may normalize small artery structure. 1991 , 18, 722-7 | 117 |

| | | |
|------|--|---------|
| 1707 | Effect of ouabain on endothelium-dependent relaxation of human resistance arteries. 1991 , 17, 619-25 | 58 |
| 1706 | Angiotensin II causes vascular hypertrophy in part by a non-pressor mechanism. 1991 , 17, 626-35 | 358 |
| 1705 | Higher Ca ²⁺ sensitivity of triton-skinned guinea pig mesenteric microarteries as compared with large arteries. <i>Circulation Research</i> , 1991 , 69, 989-96 | 15.7 19 |
| 1704 | Effects of protection from pressure on resistance artery morphology and reactivity in spontaneously hypertensive and Wistar-Kyoto rats. <i>Circulation Research</i> , 1991 , 68, 1230-40 | 15.7 61 |
| 1703 | Airway generation-dependent induction of muscarinic hyperresponsiveness by thromboxane mimetic in vitro. 1991 , 144, 64-9 | 7 |
| 1702 | Effect of induced hypercholesterolemia in rabbits on functional responses of isolated large proximal and small distal coronary arteries. 1992 , 12, 380-92 | 16 |
| 1701 | Proceedings of the Ninth Scientific Meeting of the Inter-American Society of Hypertension. Rio de Janeiro, Brazil, March 10-13, 1991. 1992 , 19, 111-283 | 1 |
| 1700 | Isolated pulmonary resistance vessels from fetal lambs. Contractile behavior and responses to indomethacin and endothelin-1. <i>Circulation Research</i> , 1992 , 71, 320-30 | 15.7 55 |
| 1699 | Relationships between pHi and tension in isolated rat mesenteric resistance arteries. 1992 , 29, 330-40 | 39 |
| 1698 | Insulin attenuates vasoconstriction by noradrenaline, serotonin and potassium chloride in rat mesenteric arterioles. 1992 , 14, 733-40 | 10 |
| 1697 | Effects of endothelin-1 and vasopressin on resistance arteries of spontaneously hypertensive rats. 1992 , 5, 817-22 | 63 |
| 1696 | Danish Orthopedic Society. 1992 , 63, 31-43 | 1 |
| 1695 | Endothelium-dependent relaxation and noradrenaline sensitivity in mesenteric resistance arteries of streptozotocin-induced diabetic rats. 1992 , 107, 393-9 | 108 |
| 1694 | Effect of the thromboxane A ₂ -mimetic U46619 on 5-HT ₁ -like and 5-HT ₂ receptor-mediated contraction of the rabbit isolated femoral artery. 1992 , 107, 418-21 | 31 |
| 1693 | The resistance of some rat cerebral arteries to the vasorelaxant effect of cromakalim and other K ⁺ channel openers. 1992 , 105, 51-8 | 39 |
| 1692 | Evidence that nitric oxide does not mediate the hyperpolarization and relaxation to acetylcholine in the rat small mesenteric artery. 1992 , 105, 429-35 | 285 |
| 1691 | Neurally evoked responses of human isolated resistance arteries are mediated by both alpha 1- and alpha 2-adrenoceptors. 1992 , 106, 568-73 | 18 |
| 1690 | Effects of glucose, insulin or aldose reductase inhibition on responses to endothelin-1 of aortic rings from streptozotocin-induced diabetic rats. 1992 , 106, 644-9 | 22 |

| | | |
|------|---|-----|
| 1689 | The influence of endothelin-1 on human foeto-placental blood vessels: a comparison with 5-hydroxytryptamine. 1992 , 106, 937-41 | 34 |
| 1688 | ORAL COMMUNICATIONS. 1992 , 105, 1P-129P | 6 |
| 1687 | POSTER COMMUNICATIONS. 1992 , 105, 130P-312P | 2 |
| 1686 | ORAL COMMUNICATIONS. 1992 , 106, 1P-71P | |
| 1685 | POSTER COMMUNICATIONS. 1992 , 107, 108P-232P | 6 |
| 1684 | Effect of bufalin and pregnanes on vasoreactivity of human resistance arteries. 1992 , 186, 1-7 | 16 |
| 1683 | The influence of age and sex on human internal mammary artery size and reactivity. 1992 , 53, 792-7 | 30 |
| 1682 | Coronary artery endothelial cell and smooth muscle dysfunction after global myocardial ischemia. 1992 , 53, 311-7 | 48 |
| 1681 | Remodeling and reparation of the cardiovascular system. 1992 , 20, 3-16 | 271 |
| 1680 | The endothelin ETB receptor mediates both vasodilation and vasoconstriction in vivo. 1992 , 186, 867-73 | 357 |
| 1679 | Direct vascular actions of hydrochlorothiazide and indapamide in isolated small vessels. 1992 , 220, 19-26 | 42 |
| 1678 | Effects of oxodipine on isolated rabbit aorta and mesenteric resistance vessels. 1992 , 219, 279-84 | 11 |
| 1677 | L-arginine induces relaxation of small mesenteric arteries from endotoxin-treated rats. 1992 , 211, 269-72 | 35 |
| 1676 | Evidence that 5-HT ₂ receptors predominantly mediate the contraction of the rat basilar artery to 5-hydroxytryptamine. 1992 , 221, 17-25 | 15 |
| 1675 | Neurotransmission in human resistance arteries: contribution of alpha 1- and alpha 2-adrenoceptors but not P 2-purinoceptors. 1992 , 29, 347-52 | 15 |
| 1674 | Reactivity of small blood vessels in hypertension: relation with structural changes. State of the art lecture. 1992 , 19, 111-9 | 99 |
| 1673 | Reactivity of gastroepiploic and internal mammary arteries. 1992 , 103, 116-123 | 55 |
| 1672 | Endogenous and exogenous agonist-induced changes in the coupling between [Ca ²⁺] _i and force in rat resistance arteries. 1992 , 420, 536-43 | 54 |

| | | |
|------|--|-----|
| 1671 | Assessing vascular reactivity of arteries in the small vessel myograph. 1992 , 19, 815-25 | 42 |
| 1670 | Enhanced contraction to noradrenaline, serotonin and nerve stimulation but normal endothelium-derived relaxing factor response in skin small arteries in human primary hypertension. 1992 , 19, 39-47 | 22 |
| 1669 | The clinical pharmacology of ACE inhibitors: evidence for clinically relevant differences?. 1992 , 19, 49-53 | 5 |
| 1668 | Difference between aortic and renal vascular reactivity in cyclosporin A treated rats and the effect of cicletanine. 1992 , 345, 356-61 | 14 |
| 1667 | Effects of trandolapril on vascular morphology and function during the established phase of systemic hypertension in the spontaneously hypertensive rat. 1992 , 70, 35D-42D | 9 |
| 1666 | Potassium channel activator drugs: mechanism of action, pharmacological properties, and therapeutic potential. 1992 , 12, 73-148 | 125 |
| 1665 | Spike generating smooth muscle cells in mesenteric artery of rats. 1993 , 425, 187-9 | 1 |
| 1664 | Pathophysiological role of endothelin revealed by the first orally active endothelin receptor antagonist. 1993 , 365, 759-61 | 469 |
| 1663 | Structural influences on resistance in the hindlimb vascular bed of the renal hypertensive rabbit. 1993 , 20, 377-9 | 1 |
| 1662 | Rhythmic contractions of isolated small arteries from rat: influence of the endothelium. 1993 , 148, 153-63 | 76 |
| 1661 | Rhythmic contractions of isolated small arteries from rat: role of calcium. 1993 , 149, 283-91 | 54 |
| 1660 | Lipid hydroperoxides potentiate mesenteric artery vasoconstrictor responses. 1993 , 14, 397-407 | 29 |
| 1659 | Long-term effects of angiotensin-converting enzyme inhibition on the arterial wall of adult spontaneously hypertensive rats. 1993 , 71, 8E-16E | 32 |
| 1658 | Endothelium-dependent control of vascular tone in the rabbit kidney after ischemia and reperfusion. 1993 , 231, 215-21 | 4 |
| 1657 | Effects of (+)-S-12967 and (-)-S-12968, two enantiomers of a new slow-acting 1,4-dihydropyridine, on rat coronary resistance arteries. 1993 , 238, 27-35 | 2 |
| 1656 | Effects of manidipine and other calcium antagonists on rat renal arcuate arteries. 1993 , 125, 571-7 | 5 |
| 1655 | Effect of NG-monomethyl-L-arginine on the beta-adrenoceptor-mediated relaxation of rat mesenteric resistance arteries. 1993 , 52, PL135-9 | 8 |
| 1654 | Beta-adrenoceptor agonist mediated relaxation of rat isolated resistance arteries: a role for the endothelium and nitric oxide. 1993 , 108, 631-7 | 131 |

| | | |
|------|--|----------|
| 1653 | Relaxing actions of corticotropin-releasing factor on rat resistance arteries. 1993 , 108, 941-7 | 38 |
| 1652 | Heterogeneity of muscarinic receptors in lamb isolated coronary resistance arteries. 1993 , 109, 998-1007 | 21 |
| 1651 | Comparison of contractile responses to 5-hydroxytryptamine and sumatriptan in human isolated coronary artery: synergy with the thromboxane A ₂ -receptor agonist, U46619. 1993 , 110, 360-8 | 56 |
| 1650 | Nitric oxide-mediated changes in vascular reactivity in pregnancy in spontaneously hypertensive rats. 1993 , 110, 1184-8 | 21 |
| 1649 | Evidence for heterogeneity of endothelin receptor distribution in human coronary artery. 1993 , 110, 1201-5 | 71 |
| 1648 | Endothelium-dependent noradrenaline-induced relaxation of rat isolated cerebral arteries: pharmacological characterization of receptor subtypes involved. 1993 , 110, 1321-8 | 20 |
| 1647 | ORAL COMMUNICATIONS. 1993 , 108, 1P-123P | 1 |
| 1646 | POSTER COMMUNICATIONS. 1993 , 108, 124P-309P | 1 |
| 1645 | On the vascular inotropic action of 1,25-(OH) ₂ vitamin D ₃ . 1993 , 6, 388-96 | 44 |
| 1644 | Abnormal endothelial cell function of resistance arteries from women with preeclampsia. 1993 , 168, 1323-30 | 239 |
| 1643 | Effect of the vascular endothelium on norepinephrine-induced contractions in uterine radial arteries from the nonpregnant and pregnant human uterus. 1993 , 168, 1623-8 | 28 |
| 1642 | Endothelium-dependent relaxation of hypertensive resistance arteries is not impaired under all conditions. <i>Circulation Research</i> , 1993 , 72, 290-6 | 15.7 55 |
| 1641 | Structural and functional remodeling of poststenotic arteries in the rat. 1993 , 346, 283-90 | 7 |
| 1640 | Regulation of diacylglycerol metabolism by vasoconstrictor hormones in intact small arteries. <i>Circulation Research</i> , 1993 , 72, 1163-71 | 15.7 18 |
| 1639 | Vascular remodelling in hypertension. 1993 , 14 Suppl C, 2-4 | 11 |
| 1638 | Selective inhibition of endothelium-dependent vasodilator capacity by Escherichia coli endotoxemia. <i>Circulation Research</i> , 1993 , 72, 539-51 | 15.7 123 |
| 1637 | Force, membrane potential, and [Ca ²⁺] _i during activation of rat mesenteric small arteries with norepinephrine, potassium, aluminum fluoride, and phorbol ester. Effects of changes in pHi. <i>Circulation Research</i> , 1993 , 73, 314-24 | 15.7 52 |
| 1636 | Effect of hypertension induced by nitric oxide synthase inhibition on structure and function of resistance arteries in the rat. 1993 , 15, 527-37 | 52 |

| | | |
|------|--|---------|
| 1635 | Endothelium-derived contracting factors in resistance arteries of young spontaneously hypertensive rats before development of overt hypertension. 1993 , 21, 280-8 | 82 |
| 1634 | Potassium preserves endothelial function and enhances aortic compliance in Dahl rats. 1993 , 22, 315-22 | 44 |
| 1633 | Changes in extracellular Ca ²⁺ over a physiologic concentration range differentially modulate reactivity of resistance arteries of spontaneously hypertensive and normotensive rats. 1993 , 15, 849-66 | 8 |
| 1632 | Stretch revealed three components in the hyperpolarization of guinea-pig coronary artery in response to acetylcholine. 1993 , 465, 459-76 | 109 |
| 1631 | Decreased arteriolar endothelium-derived relaxing factor production during the development of genetic hypertension. 1993 , 15, 511-26 | 18 |
| 1630 | The Sympathetic Nervous System and Small Artery Neuroeffector Function in Hypertension. 1994 , vmr-5, 73-91 | 1 |
| 1629 | Ischemic preconditioning protects against coronary endothelial dysfunction induced by ischemia and reperfusion. 1994 , 89, 1254-61 | 161 |
| 1628 | Alterations in coronary artery vascular reactivity of hypertensive Ren-2 transgenic rats. 1994 , 89, 2780-6 | 16 |
| 1627 | "Vasoactivators"--a new concept for naturally secreted vasoconstrictor substances. 1994 , 45, 265-71 | 6 |
| 1626 | Influence of arterial diameter on vasomotor responses in the porcine coronary vasculature. 1994 , 28, 695-9 | 6 |
| 1625 | Vascular structural and functional alterations before and after the development of hypertension in SHR. 1994 , 7, 193-200 | 81 |
| 1624 | Drug-induced endothelium-dependent and -independent relaxations in isolated resistance vessels taken from simultaneously hypertensive and streptozotocin-diabetic rats. 1994 , 3, 418-27 | 12 |
| 1623 | In vitro perfusion studies of human resistance artery function in essential hypertension. 1994 , 24, 16-23 | 61 |
| 1622 | Altered pulmonary microvascular reactivity to norepinephrine in canine pacing-induced heart failure. <i>Circulation Research</i> , 1994 , 75, 347-56 | 15.7 18 |
| 1621 | Differential vascular effects of neuropeptide Y(NPY) selective receptor agonists. 1994 , 50, 936-8 | 6 |
| 1620 | Hydrocortisone administration enhances vessel contractility in Koltushi low-, and Koltushi high-avoidance rats. 1994 , 50, 105-6 | |
| 1619 | Mechanisms of renal vasoconstriction following furosemide in conscious rats. 1994 , 349, 528-37 | 13 |
| 1618 | Action of heparin and ruthenium red on responses of reversibly-permeabilised rat mesenteric arteries. 1994 , 268, 319-25 | 8 |

| | | |
|------|--|----|
| 1617 | Mechanisms of the pressor response to intravenous thyrotropin-releasing hormone in the rat. 1994 , 21, 93-100 | 2 |
| 1616 | Vasoconstrictor responses to components of the renin-angiotensin system in cyclosporin-induced hypertension in the rat. 1994 , 21, 227-30 | 5 |
| 1615 | The effect of cocaine and desipramine on neuronal uptake of [3H]-noradrenaline and sensitivity to noradrenaline of rat mesenteric resistance arteries. 1994 , 21, 623-30 | 4 |
| 1614 | Short chain fatty acids relax isolated resistance arteries from the human ileum by a mechanism dependent on anion-exchange. 1994 , 75, 181-5 | 13 |
| 1613 | Rhythmic contractions in isolated small arteries of rat: role of K ⁺ channels and the Na ⁺ ,K ⁽⁺⁾ -pump. 1994 , 150, 161-70 | 38 |
| 1612 | Rhythmic contractions of isolated, pressurized small arteries from rat. 1994 , 152, 145-52 | 46 |
| 1611 | The endothelium mediates a nitric oxide-independent hyperpolarization and relaxation in the rat hepatic artery. 1994 , 152, 375-84 | 38 |
| 1610 | Histochemical and functional evidence for a cholinergic innervation of the equine ureter. 1994 , 47, 159-70 | 21 |
| 1609 | Endothelium-dependent relaxation of human resistance arteries in pregnancy. 1994 , 171, 1309-15 | 49 |
| 1608 | Functional characteristics of small placental arteries. 1994 , 170, 945-51 | 63 |
| 1607 | Vasorelaxant actions of 5-OH-indapamide, a major metabolite of indapamide: comparison with indapamide, hydrochlorothiazide and cicletanine. 1994 , 256, 185-91 | 11 |
| 1606 | Heterogenous effects of histamine on isolated rat coronary arteries. 1994 , 271, 17-23 | 14 |
| 1605 | In vitro studies on responses to pentoxifylline and aminophylline of rat mesenteric resistance vessels. 1994 , 261, 105-10 | 7 |
| 1604 | Effect of flosequinan on human small subcutaneous arteries. 1994 , 257, 189-93 | |
| 1603 | Interdependence of contractile responses of rat small mesenteric arteries on nitric oxide and cyclo-oxygenase and lipoxygenase products of arachidonic acid. 1994 , 112, 360-8 | 15 |
| 1602 | Relative roles of nitric oxide and cyclo-oxygenase and lipoxygenase products of arachidonic acid in the contractile responses of rat renal arcuate arteries. 1994 , 112, 369-76 | 13 |
| 1601 | Effects of dietary marine oil supplementation on reactivity of human buttock subcutaneous arteries and forearm veins in vitro. 1994 , 112, 566-70 | 9 |
| 1600 | Differences in sensitivity of rat mesenteric small arteries to agonists when studied as ring preparations or as cannulated preparations. 1994 , 112, 579-87 | 65 |

| | | |
|------|---|-----|
| 1599 | Contribution of both nitric oxide and a change in membrane potential to acetylcholine-induced relaxation in the rat small mesenteric artery. 1994 , 112, 831-6 | 62 |
| 1598 | Prevention by insulin treatment of endothelial dysfunction but not enhanced noradrenaline-induced contractility in mesenteric resistance arteries from streptozotocin-induced diabetic rats. 1994 , 111, 35-41 | 72 |
| 1597 | Endothelin receptors mediating functional responses in human small arteries and veins. 1994 , 111, 609-15 | 69 |
| 1596 | POSTER COMMUNICATIONS. 1994 , 111, 147P-333P | 1 |
| 1595 | POSTER COMMUNICATIONS. 1994 , 112, 158P-436P | 1 |
| 1594 | The effect of hyperglycaemia on function of rat isolated mesenteric resistance artery. 1994 , 113, 801-8 | 83 |
| 1593 | Role of endogenous endothelin in myocardial and coronary endothelial injury after ischaemia and reperfusion in rats: studies with bosentan, a mixed ETA-ETB antagonist. 1994 , 113, 869-76 | 48 |
| 1592 | The relative importance of nitric oxide and nitric oxide-independent mechanisms in acetylcholine-evoked dilatation of the rat mesenteric bed. 1994 , 113, 1275-80 | 46 |
| 1591 | Proceedings Dissertations. 1994 , 65, 1-98 | |
| 1590 | Danish Orthopedic Society. 1994 , 65, 1-11 | |
| 1589 | Smooth Muscle Physiology. 1994 , 475, 43-54 | |
| 1588 | Handling of cytoplasmic Ca ²⁺ by the sarcoplasmic reticulum during alpha 1-adrenoceptor-mediated contraction of rat mesenteric resistance arteries. 1994 , 64, 89-96 | 10 |
| 1587 | Impaired contraction and endothelium-dependent relaxation in isolated resistance vessels from patients with insulin-dependent diabetes mellitus. 1994 , 87, 31-6 | 128 |
| 1586 | Resistance artery structure and neuroeffector mechanisms in hypertension induced by inhibition of nitric oxide synthase. 1994 , 7, 996-1004 | 27 |
| 1585 | Effect of hypoxia on force, intracellular pH and Ca ²⁺ concentration in rat cerebral and mesenteric small arteries. 1995 , 482 (Pt 2), 409-19 | 30 |
| 1584 | Glaxo/MRS Young Investigator Prize. Endothelium-mediated vascular function in insulin-dependent diabetes mellitus. 1995 , 88, 245-55 | 190 |
| 1583 | Effects of potassium channel openers in isolated human cerebral arteries. 1995 , 37, 1146-53 | 13 |
| 1582 | Microvascular dysfunction after myocardial ischemia. 1995 , 109, 892-7; discussion 897-8 | 19 |

| | | |
|------|---|----|
| 1581 | Regression of media-to-lumen ratio of human subcutaneous arteries and left ventricular hypertrophy during treatment with an angiotensin-converting enzyme inhibitor-based regimen in hypertensive patients. 1995 , 76, 38E-40E | 19 |
| 1580 | Vascular reactivity to noradrenaline and neuropeptide Y in the streptozotocin-induced diabetic rat. 1995 , 25, 974-9 | 10 |
| 1579 | The effect of insulin on the vascular reactivity of isolated resistance arteries taken from healthy volunteers. 1995 , 38, 467-73 | 31 |
| 1578 | Electrophysiological properties of the rat middle cerebral artery at different levels of passive wall tension. 1995 , 22, 724-31 | 8 |
| 1577 | Mechanical and contractile properties of in situ localized mesenteric arteries in normotensive and spontaneously hypertensive rats. 1995 , 33, 159-70 | 19 |
| 1576 | Quinidine-induced potentiation of cardiovascular effects of nitrendipine: functional aspects and possible molecular mechanisms. 1995 , 351, 636-43 | 4 |
| 1575 | Decreased Response to Vasopressin in the Mesenteric Resistance Arteries of Pregnant Rats: Effects of Nifedipine and Bay K 8644. 1995 , 2, 516-522 | 13 |
| 1574 | Investigations of the function of the vascular endothelium in portal hypertensive rats. 1995 , 51, 381-90 | 10 |
| 1573 | Remodeling of resistance arteries in human hypertension: effects of cilazapril, an angiotensin-I-converting enzyme inhibitor. 1995 , 86 Suppl 1, 16-22 | 11 |
| 1572 | Regional differences in vasculotoxic effects of cyclosporin in rats. 1995 , 73, 1661-8 | 7 |
| 1571 | Short communication: the effect of mode of delivery on contractile function of placental arteries in vitro. 1995 , 16, 743-7 | 6 |
| 1570 | Vasoconstrictor effects of galanin and distribution of galanin containing fibres in three species of elasmobranch fish. 1995 , 58, 123-34 | 14 |
| 1569 | Comparison of hCRF and oCRF effects on cardiovascular responses after central, peripheral, and in vitro application. 1995 , 16, 843-9 | 47 |
| 1568 | Effects of U46619 on contractions to 5-HT, sumatriptan and methysergide in canine coronary artery and saphenous vein in vitro. 1995 , 116, 2183-90 | 12 |
| 1567 | Endothelium-dependent relaxations in sheep pulmonary arteries and veins: resistance to block by NG-nitro-L-arginine in pulmonary hypertension. 1995 , 116, 2457-67 | 22 |
| 1566 | Exposure and characterization of the action of noradrenaline at dopamine receptors mediating endothelium-independent relaxation of rat isolated small mesenteric arteries. 1995 , 116, 3237-42 | 11 |
| 1565 | Substance P-induced relaxation and hyperpolarization in human cerebral arteries. 1995 , 115, 889-94 | 46 |
| 1564 | Endothelial modulation of vasoconstrictor responses to endothelin-1 in human placental stem villi small arteries. 1995 , 115, 1038-42 | 17 |

| | | |
|------|---|----|
| 1563 | Myocardial and coronary endothelial protective effects of acetylcholine after myocardial ischaemia and reperfusion in rats: role of nitric oxide. 1995 , 115, 1532-8 | 51 |
| 1562 | ORAL COMMUNICATIONS. 1995 , 116, 1P-82P | |
| 1561 | ORAL COMMUNICATIONS. 1995 , 116, 274P-341P | |
| 1560 | ORAL COMMUNICATIONS. 1995 , 115, 1P-50P | 1 |
| 1559 | Endothelial and smooth muscle properties of coronary and mesenteric resistance arteries in spontaneously hypertensive rats compared to WKY rats. 1995 , 9, 37-45 | 16 |
| 1558 | In vitro contractile and relaxant responses of human resistance placental stem villi arteries of healthy parturients: role of endothelium. 1995 , 9, 46-51 | 28 |
| 1557 | Time course of action of amlodipine and felodipine in the rat is most rapid in small arteries. 1995 , 274, 109-15 | 5 |
| 1556 | Relaxant effect of levromakalim in isolated human small subcutaneous arteries. 1995 , 287, 313-6 | 7 |
| 1555 | Laplace's Law adapted to a blood vessel with two-phase wall structure. | |
| 1554 | Effects of calcium channel blockers on the response to endothelin-1, bradykinin and sodium nitroprusside in porcine ciliary arteries. 1995 , 60, 505-10 | 43 |
| 1553 | Mise en évidence d'un mécanisme impliquant le monoxyde d'azote dans l'hyperactivité de la noradrénergique de vaisseaux artériels de faible calibre au cours du choc endotoxinique chez le rat. 1995 , 4, 19-26 | |
| 1552 | Effects of diabetes, insulin treatment, and osmolality on contractility of isolated rat resistance arteries. 1995 , 77, 209-15 | 4 |
| 1551 | Effects of portal hypertension on responsiveness of rat mesenteric artery and aorta. 1995 , 114, 791-6 | 22 |
| 1550 | Effects of tyrosine kinase inhibitors on the contractility of rat mesenteric resistance arteries. 1995 , 114, 1266-72 | 54 |
| 1549 | Evidence that nitric oxide from the endothelium attenuates inherent tone in isolated pulmonary arteries from rats with hypoxic pulmonary hypertension. 1995 , 114, 109-14 | 30 |
| 1548 | Increase in tone and intracellular Ca ²⁺ in rabbit isolated ear artery by platelet-derived growth factor. 1995 , 114, 138-42 | 29 |
| 1547 | Release of endothelium-derived hyperpolarizing factor (EDHF) by M3 receptor stimulation in guinea-pig coronary artery. 1995 , 115, 717-22 | 26 |
| 1546 | Extended concentration-response curves used to reflect full agonist efficacies and receptor occupancy-response coupling ranges. 1995 , 115, 745-52 | 15 |

| | | |
|------|--|-----|
| 1545 | ORAL COMMUNICATIONS. 1995 , 114, 1P-175P | 1 |
| 1544 | POSTER COMMUNICATIONS. 1995 , 114, 176P-443P | 2 |
| 1543 | Relaxation and decrease in $[Ca^{2+}]_i$ by hydrochlorothiazide in guinea-pig isolated mesenteric arteries. 1995 , 114, 703-7 | 26 |
| 1542 | Effects of estradiol-17 beta and progesterone on isolated human omental artery from premenopausal nonpregnant women and from normotensive and preeclamptic pregnant women. 1996 , 174, 246-53 | 28 |
| 1541 | Effect of cold storage in University of Wisconsin solution on the responses of porcine hepatic arteries to 5-hydroxytryptamine and bradykinin in vitro. 1996 , 117, 142-6 | 5 |
| 1540 | Vascular reactivity in mesenteric resistance arteries following chronic nitric oxide synthase inhibition in Wistar rats. 1996 , 117, 341-6 | 46 |
| 1539 | Mechanism of butyrate-induced vasorelaxation of rat mesenteric resistance artery. 1996 , 117, 365-71 | 17 |
| 1538 | Alteration by lipopolysaccharide of the relationship between intracellular calcium levels and contraction in rat mesenteric artery. 1996 , 118, 1218-22 | 34 |
| 1537 | Analysis of the effects of alpha 1-adrenoceptor antagonists on noradrenaline-mediated contraction of rat small mesenteric artery. 1996 , 118, 1308-16 | 24 |
| 1536 | Effects of N-, P- and Q-type neuronal calcium channel antagonists on mammalian peripheral neurotransmission. 1996 , 119, 49-56 | 68 |
| 1535 | EndothelinB receptor-mediated contraction in human pulmonary resistance arteries. 1996 , 119, 1125-30 | 77 |
| 1534 | Coronary artery constriction by the isoprostane 8-epi prostaglandin F2 alpha. 1996 , 119, 1276-80 | 109 |
| 1533 | Analysis of relaxation and repolarization mechanisms of nicorandil in rat mesenteric artery. 1996 , 119, 1549-56 | 7 |
| 1532 | Alterations of cyclo-oxygenase products and NO in responses to angiotensin II of resistance arteries from the spontaneously hypertensive rat. 1996 , 119, 1635-41 | 18 |
| 1531 | ORAL COMMUNICATIONS. 1996 , 118, 1P-51P | |
| 1530 | Increase by lysophosphatidylcholines of smooth muscle Ca^{2+} sensitivity in alpha-toxin-permeabilized small mesenteric artery from the rat. 1996 , 117, 1238-44 | 13 |
| 1529 | ORAL COMMUNICATIONS. 1996 , 117, 1P-129P | |
| 1528 | Communications. 1996 , 119, 1P-289P | |

| | | |
|------|--|----|
| 1527 | Communications. 1996 , 119, 290P-373P | 1 |
| 1526 | Pharmacodynamic behaviour of isolated resistance vessels obtained from hypertensive-diabetic rats. 1996 , 10, 329-36 | 4 |
| 1525 | Inhibition by bosentan, an endothelin antagonist, of the hypersensitivity to Ca ²⁺ channel activator evoked by salt-loading in basilar artery of stroke-prone spontaneously hypertensive rats. 1996 , 59, PL247-53 | 6 |
| 1524 | Benextramine acts as an irreversible noncompetitive antagonist of U46619-mediated contraction of the rat small mesenteric artery. 1996 , 300, 211-4 | 3 |
| 1523 | Corticotropin-releasing hormone (CRH) receptors in the mesenteric small arteries of rats resemble the (2)-subtype. 1996 , 52, 829-33 | 35 |
| 1522 | Hyporeactivity of mesenteric resistance arteries in portal hypertensive rats. 1996 , 24, 487-90 | 44 |
| 1521 | The effect of galanin and galanin fragments on blood pressure in the Cane toad, <i>Bufo marinus</i> . 1996 , 67, 153-62 | 1 |
| 1520 | Effects of Angiotensin-Converting Enzyme Inhibitors on the Heart and Vessels in Clinical and Experimental Hypertension. 1996 , 12, 226-243 | 6 |
| 1519 | Cardiovascular structural alterations in hypertension: effect of treatment. 1996 , 18, 513-22 | 3 |
| 1518 | Dipyridamole Potentiates the Endothelium-Dependent and -Independent Vasomotion in Isolated Human Small Arteries. 1996 , 1, 203-209 | 3 |
| 1517 | Endothelin-1 does not mediate the endothelium-dependent hypoxic contractions of small pulmonary arteries in rats. 1996 , 110, 189-97 | 36 |
| 1516 | Mechanism of lactate-induced relaxation of isolated rat mesenteric resistance arteries. 1996 , 490 (Pt 3), 783-92 | 24 |
| 1515 | Small artery structural alterations of patients with microvascular angina (syndrome X). 1996 , 91, 739-43 | 11 |
| 1514 | Role of endothelial nitric oxide in the response to angiotensin II of small mesenteric arteries of the rat. 1996 , 33, 386-94 | 8 |
| 1513 | Neomycin inhibits K ⁺ -induced force and Ca ²⁺ channel current in rat arterial smooth muscle. 1996 , 433, 188-93 | 10 |
| 1512 | A comparison of endothelium-dependent relaxation in omental and myometrial resistance arteries in pregnant and nonpregnant women. 1996 , 175, 1307-12 | 32 |
| 1511 | Myogenic and flow-mediated responses in isolated mesenteric small arteries from pregnant and nonpregnant rats. 1996 , 174, 1631-6 | 36 |
| 1510 | Randomized comparison of ultrasonic aspiration versus conventional electrocautery for dissection of the human internal thoracic artery. 1996 , 111, 1194-9 | 8 |

| | | |
|------|--|----|
| 1509 | Neonatal chronic sympathectomy in normotensive rats affects pial arteries: enhanced stiffness and reduced capacity to dilate. 1996 , 157, 217-24 | 2 |
| 1508 | Method for assessment of vascular reactivity in bone: in vitro studies on resistance arteries isolated from porcine cancellous bone. 1996 , 14, 962-71 | 13 |
| 1507 | Effects of noradrenaline and neuropeptide Y on rat mesenteric microvessel contraction. 1996 , 353, 314-23 | 35 |
| 1506 | The influence of hyperthyroidism on beta-adrenoceptor-mediated relaxation of isolated small mesenteric arteries. 1996 , 353, 438-44 | 11 |
| 1505 | Oxidized low-density lipoproteins inhibit endothelium-dependent relaxations in isolated large and small rabbit coronary arteries. 1996 , 16, 261-7 | 11 |
| 1504 | Spontaneous and agonist-induced contractions and endothelium-dependent relaxation in aortae from SHRSP and WKY rats under various levels of passive force. 1996 , 23, 483-9 | 9 |
| 1503 | Relative contributions of extracellular Ca ²⁺ and Ca ²⁺ stores to smooth muscle contraction in arteries and arterioles of rat, guinea-pig, dog and rabbit. 1996 , 23, 310-6 | 40 |
| 1502 | Mechanical properties of small femoral arteries in spontaneously hypertensive rats. 1996 , 18, 1013-34 | 6 |
| 1501 | Effect of dipyridamole on vascular responses of porcine ciliary arteries. 1996 , 15, 387-93 | 15 |
| 1500 | The effect of afterload and angiotensin II on proto-oncogene mRNA levels in the isolated working rat heart. 1996 , 31, 907-916 | 2 |
| 1499 | Antihypertensive drugs in the stroke-prone spontaneously hypertensive rat. 1997 , 19, 925-36 | 14 |
| 1498 | Amlodipine and benazeprilat differently affect the responses to endothelin-1 and bradykinin in porcine ciliary arteries: effects of a low and high dose combination. 1997 , 16, 208-13 | 11 |
| 1497 | Use of isolated ocular arteries in vitro to define the pathology of vascular changes in glaucoma. 1997 , 81, 599-607 | 11 |
| 1496 | Structure-function relationships of omega-conotoxin GVIA. Synthesis, structure, calcium channel binding, and functional assay of alanine-substituted analogues. 1997 , 272, 12014-23 | 85 |
| 1495 | Vasorelaxation in isolated bone arteries. Vasoactive intestinal peptide, substance P, calcitonin gene-related peptide, and bradykinin studied in pigs. 1997 , 68, 481-9 | 29 |
| 1494 | The guanylyl cyclase-deficient mouse defines differential pathways of natriuretic peptide signaling. 1997 , 272, 23064-8 | 68 |
| 1493 | The control of blood flow to the placenta. 1997 , 82, 377-87 | 63 |
| 1492 | Structural changes of small resistance arteries in spontaneously hypertensive rats after treatment with various doses of lacidipine. 1997 , 15, 619-25 | 10 |

- 1491 The pathogenesis of hypertension in autosomal dominant polycystic kidney disease. **1997**, 15, 925-33 39
- 1490 The vasoconstriction induced by endothelin-1 is mediated only by ET(A) receptors in mesenteric small resistance arteries of spontaneously hypertensive rats and Wistar Kyoto rats. **1997**, 15, 1653-7 10
- 1489 Effects of chronic losartan treatment on vascular reactivity in normotensive rats. **1997**, 15, 523-9 5
- 1488 How to assess vascular remodelling in small and medium-sized muscular arteries in humans. **1997**, 15, 571-84 74
- 1487 Endothelial function in subcutaneous resistance arteries from elderly hypertensive and normotensive subjects. **1997**, 92, 139-45 16
- 1486 Insulin-induced attenuation of noradrenaline-mediated vasoconstriction in resistance arteries from Wistar rats is nitric oxide dependent. **1997**, 92, 147-52 21
- 1485 Impaired insulin-induced attenuation of noradrenaline-mediated vasoconstriction in insulin-resistant obese Zucker rats. **1997**, 93, 235-41 42
- 1484 Spontaneous running increases aortic compliance in Wistar-Kyoto rats. **1997**, 35, 132-7 61
- 1483 Heterogeneity of the inhibitory influence of sulfonylureas on prostanoid-induced smooth muscle contraction. **1997**, 325, 41-6 11
- 1482 The antipsychotic drug sertindole is a specific inhibitor of alpha1A-adrenoceptors in rat mesenteric small arteries. **1997**, 336, 29-35 27
- 1481 Effect of hydroxocobalamin on vasodilatations to nitrenergic transmitter, nitric oxide and endothelium-derived relaxing factor in guinea-pig basilar artery. **1997**, 340, 181-6 18
- 1480 Mechanism of prostaglandin E2-, F2alpha- and latanoprost acid-induced relaxation of submental veins. **1997**, 340, 195-201 22
- 1479 Aminoguanidine reverses aortic hyporeactivity to noradrenaline in portal vein-ligated rats. **1997**, 329, 137-146 4
- 1478 Apamin-sensitive K⁺ channels involved in the inhibition of acetylcholine-induced contractions in lamb coronary small arteries. **1997**, 329, 153-163 13
- 1477 Prolonged effects of short-term fosinopril on blood pressure and vascular morphology and function in rats. **1997**, 10, 1034-43 22
- 1476 Influence of ETR-p1/f1 antisense peptide on endothelin-induced constriction in rat renal arcuate arteries. **1997**, 122, 316-20 6
- 1475 Vip-induced relaxation of small arteries of the rainbow trout, *Oncorhynchus mykiss*, involves prostaglandin synthesis but not nitric oxide. **1997**, 63, 68-76 38
- 1474 The diastolic decay constant in spontaneously hypertensive rats versus WKY rats as an indicator for vasomotor control. **1997**, 64, 24-32 4

| | | |
|------|---|-----|
| 1473 | Adrenoceptor-mediated regulation of the contractility in horse penile resistance arteries. 1997 , 34, 90-102 | 38 |
| 1472 | Reduction of renal mass is lethal in mice lacking vimentin. Role of endothelin-nitric oxide imbalance. 1997 , 100, 1520-8 | 71 |
| 1471 | Blood pressure response to chronic episodic hypoxia: role of the sympathetic nervous system. 1997 , 83, 95-101 | 171 |
| 1470 | Nitric oxide is the mediator of both endothelium-dependent relaxation and hyperpolarization of the rabbit carotid artery. 1997 , 94, 4193-8 | 185 |
| 1469 | Sympathetic activity and blood pressure in the sleep apnea syndrome. 1997 , 64 Suppl 1, 22-8 | 42 |
| 1468 | The influence of pregnancy on endothelium-derived nitric oxide mediated relaxations in isolated human resistance vessels. 1997 , 11, 371-7 | 3 |
| 1467 | Loss of endothelium-dependent relaxation in myometrial resistance arteries in pre-eclampsia. 1997 , 104, 1152-8 | 86 |
| 1466 | Interactions between neuropeptide Y and the adenylate cyclase pathway in rat mesenteric small arteries: role of membrane potential. 1997 , 502 (Pt 2), 281-92 | 22 |
| 1465 | Relaxation of rat resistance arteries by acetylcholine involves a dual mechanism: activation of K ⁺ channels and formation of nitric oxide. 1997 , 80, 280-5 | 11 |
| 1464 | Involvement of ATP in the non-adrenergic non-cholinergic inhibitory neurotransmission of lamb isolated coronary small arteries. 1997 , 120, 411-20 | 33 |
| 1463 | Evidence that mechanisms dependent and independent of nitric oxide mediate endothelium-dependent relaxation to bradykinin in human small resistance-like coronary arteries. 1997 , 120, 757-62 | 64 |
| 1462 | Contribution of alpha-adrenoceptors to depolarization and contraction evoked by continuous asynchronous sympathetic nerve activity in rat tail artery. 1997 , 120, 1513-21 | 19 |
| 1461 | Evidence for specific regional patterns of responses to different vasoconstrictors and vasodilators in sheep isolated pulmonary arteries and veins. 1997 , 121, 441-50 | 21 |
| 1460 | Role of nitric oxide in the contractile response to 5-hydroxytryptamine of the basilar artery from Wistar Kyoto and stroke-prone rats. 1997 , 121, 1051-8 | 19 |
| 1459 | Action of ryanodine on neurogenic responses in rat isolated mesenteric small arteries. 1997 , 122, 142-8 | 6 |
| 1458 | Response of normoxic pulmonary arteries of the rat in the resting and contracted state to NO synthase blockade. 1997 , 122, 99-102 | 6 |
| 1457 | Vascular actions of octreotide in the portal hypertensive rat. 1997 , 122, 698-702 | 8 |
| 1456 | Investigation of alpha1-adrenoceptor subtypes mediating vasoconstriction in rabbit cutaneous resistance arteries. 1997 , 122, 825-32 | 25 |

| | | |
|------|--|-----|
| 1455 | A comparison of EDHF-mediated and anandamide-induced relaxations in the rat isolated mesenteric artery. 1997 , 122, 1573-84 | 118 |
| 1454 | In vitro evidence for vascular hyporesponsiveness in clinical and experimental cirrhosis. 1997 , 75, 51-68 | 24 |
| 1453 | Interactions between vasoconstrictors in isolated human cerebral arteries. 1997 , 139, 574-81; discussion 581-2 | 13 |
| 1452 | Royal Academy of Medicine in Ireland Section of Biomedical Sciences. 1997 , 166, 157-194 | |
| 1451 | Endothelial control of vascular tone in diabetes mellitus. 1997 , 40 Suppl 2, S113-4 | 13 |
| 1450 | Mechanical properties and effects of sympathetic co-transmitters on human coronary arteries and veins. 1997 , 92, 168-80 | 22 |
| 1449 | Vasoconstriction of rat renal interlobar arteries by noradrenaline and neuropeptide Y. 1997 , 17, 137-46 | 17 |
| 1448 | Non-specificity of chloride channel blockers in rat cerebral arteries: block of the L-type calcium channel. 1998 , 507 (Pt 2), 433-9 | 67 |
| 1447 | Mechanisms of Ca ²⁺ sensitization of force production by noradrenaline in rat mesenteric small arteries. 1998 , 510 (Pt 2), 577-90 | 48 |
| 1446 | Streptomycin inhibition of myogenic tone, K ⁺ -induced force and block of L-type calcium current in rat cerebral arteries. 1998 , 508 (Pt 3), 793-800 | 14 |
| 1445 | Differential time course of the vasodilator action of various calcium antagonists. 1998 , 12, 607-12 | 22 |
| 1444 | Plasma from pre-eclamptic women and functional change in myometrial resistance arteries. 1998 , 105, 459-61 | 32 |
| 1443 | Endothelium-dependent sensory NANC vasodilatation: involvement of ATP, CGRP and a possible NO store. 1998 , 123, 310-6 | 46 |
| 1442 | Epoxyeicosatrienoic acids, potassium channel blockers and endothelium-dependent hyperpolarization in the guinea-pig carotid artery. 1998 , 123, 574-80 | 75 |
| 1441 | Influence of applied tension and nitric oxide on responses to endothelins in rat pulmonary resistance arteries: effect of chronic hypoxia. 1998 , 123, 991-9 | 22 |
| 1440 | Endothelial dysfunction and metabolic control in streptozotocin-induced diabetic rats. 1998 , 123, 1495-502 | 54 |
| 1439 | Preservation of vascular function in rat mesenteric resistance arteries following cold storage, studied by small vessel myography. 1998 , 123, 1555-60 | 17 |
| 1438 | Endothelin receptor subtypes and their functional relevance in human small coronary arteries. 1998 , 124, 499-506 | 19 |

| | | |
|------|---|-----|
| 1437 | Modulation of relaxation to levromakalim by S-nitroso-N-acetylpenicillamine (SNAP) and 8-bromo cyclic GMP in the rat isolated mesenteric artery. 1998 , 124, 1219-26 | 7 |
| 1436 | Human vascular to cardiac tissue selectivity of L- and T-type calcium channel antagonists. 1998 , 125, 109-19 | 32 |
| 1435 | Enhanced acetylcholine induced relaxation in small mesenteric arteries from pregnant rats: an important role for endothelium-derived hyperpolarizing factor (EDHF). 1998 , 125, 455-60 | 71 |
| 1434 | The actions of some cannabinoid receptor ligands in the rat isolated mesenteric artery. 1998 , 125, 533-41 | 66 |
| 1433 | Characterization of receptors mediating contraction of the rat isolated small mesenteric artery and aorta to arginine vasopressin and oxytocin. 1998 , 125, 865-73 | 18 |
| 1432 | Modulation of AT1 receptor-mediated contraction of rat uterine artery by AT2 receptors. 1998 , 125, 1429-36 | 41 |
| 1431 | Interspecies differences in thromboxane A2 receptors are distinguished by glibenclamide. 1998 , 354, 173-8 | 6 |
| 1430 | Effects of K ⁺ channel openers on relaxations to nitric oxide and endothelium-derived hyperpolarizing factor in rat mesenteric artery. 1998 , 357, 41-51 | 16 |
| 1429 | Chronic endothelin-1-induced changes in vascular reactivity in rat resistance arteries and aorta. 1998 , 359, 69-75 | 7 |
| 1428 | Calcium-contraction relationship in rat mesenteric arterial smooth muscle. Effects of exogenous and neurogenic noradrenaline. 1998 , 436, 262-9 | 6 |
| 1427 | The role of [Ca ²⁺] _i , membrane potential and pHi in the relaxation of rat mesenteric arteries to hyperosmolar acetate. 1998 , 436, 705-11 | 7 |
| 1426 | Dietary antioxidant supplementation reduces lipid peroxidation but impairs vascular function in small mesenteric arteries of the streptozotocin-diabetic rat. 1998 , 41, 148-56 | 100 |
| 1425 | Morphologic and functional consequences of intimal hyperplasia in the rat carotid artery. 1998 , 357, 133-42 | 3 |
| 1424 | Vascular responses of isolated mesenteric resistance and basilar arteries from short- and long-term diabetic rats. 1998 , 358, 663-70 | 21 |
| 1423 | Comparative vascular responses in elasmobranchs to different structures of neuropeptide Y and peptide YY. 1998 , 78, 57-67 | 11 |
| 1422 | Calcitonin gene-related peptide (CGRP), but not tachykinins, causes relaxation of small arteries from the rainbow trout gut. 1998 , 19, 577-84 | 20 |
| 1421 | Activation of Na ⁺ , H ⁺ exchanger produces vasoconstriction of renal resistance vessels. 1998 , 11, 1214-21 | 11 |
| 1420 | Regionally different influence of contractile agonists on isolated rat airway segments. 1998 , 112, 185-94 | 8 |

| | | |
|------|--|----|
| 1419 | Hypoxic pulmonary vasoconstriction is impaired in rats with nitrofen-induced congenital diaphragmatic hernia. 1998 , 33, 1358-62 | 11 |
| 1418 | Caliber dependent calcitonin gene-related peptide-induced relaxation in rat coronary arteries: effect of K ⁺ on the tachyphylaxis. 1998 , 351, 53-9 | 14 |
| 1417 | Relations between cardiac and vascular structure in patients with primary and secondary hypertension. 1998 , 32, 985-92 | 88 |
| 1416 | Effects of prostaglandin E ₂ , F ₂ alpha, and latanoprost acid on isolated ocular blood vessels in vitro. 1998 , 14, 119-28 | 22 |
| 1415 | Thiol-induced nitric oxide release from 3-halogeno-3,4-dihydrodiazete 1,2-dioxides. 1998 , 41, 1027-33 | 14 |
| 1414 | Mechanisms involved in the vasorelaxing influence of histamine on isolated human subcutaneous resistance arteries. 1998 , 349, 61-6 | 17 |
| 1413 | Functional assessment of human femoral arteries after cryopreservation. 1998 , 28, 273-83 | 31 |
| 1412 | Effects of hypotensive and non-hypotensive doses of manidipine on structure, responses to endothelin-1 and ICAM-1 production in mesenteric small resistance arteries of spontaneously hypertensive rats. 1998 , 7, 324-30 | 11 |
| 1411 | Role of the endothelium in modulating functional responses of isolated bovine anterior ciliary arteries to vasoconstrictor agonists. 1998 , 82, 826-9 | 11 |
| 1410 | Effects of losartan and enalapril on small artery structure in hypertensive rats. 1998 , 32, 305-10 | 72 |
| 1409 | Role of intracellular calcium for noradrenaline-induced depolarization in rat mesenteric small arteries. 1998 , 35, 36-44 | 36 |
| 1408 | Offspring of normal and diabetic rats fed saturated fat in pregnancy demonstrate vascular dysfunction. 1998 , 98, 2899-904 | 83 |
| 1407 | Retinal arterial tone is controlled by a retinal-derived relaxing factor. <i>Circulation Research</i> , 1998 , 83, 714-20 | 51 |
| 1406 | Reactivity of small intramyocardial arteries from atherosclerotic and non-atherosclerotic human hearts. 1998 , 35, 170-8 | 4 |
| 1405 | Contractions induced by NO synthase inhibition in isolated rat basilar artery: role of the endothelium and endogenous vasoconstrictors. 1998 , 20, 63-72 | 12 |
| 1404 | Microvascular & Endothelial Physiology. 1998 , 513, 147P-158P | |
| 1403 | On the cellular mechanism for the effect of acidosis on vascular tone. 1998 , 164, 517-25 | 36 |
| 1402 | Pharmacological characterization of coronary small arteries from pigs with chronic ischaemic myocardial remodelling. 1998 , 94, 141-7 | 0 |

| | | |
|------|---|-----|
| 1401 | Chronic Blockade of Nitric Oxide Synthase and Endothelin Receptors During Pregnancy in the Rat: Effect on Reactivity of the Uterine Artery In Vitro. 1998 , 5, 288-295 | 6 |
| 1400 | Effect of acidosis on tension and $[Ca^{2+}]_i$ in rat cerebral arteries: is there a role for membrane potential?. 1998 , 274, H655-62 | 28 |
| 1399 | Endothelial dysfunction in human intramyocardial small arteries in atherosclerosis and hypercholesterolemia. 1998 , 275, H1482-8 | 6 |
| 1398 | Role of wall tension in hypoxic responses of isolated rat pulmonary arteries. 1998 , 275, L1069-77 | 14 |
| 1397 | Chronic blockade of endothelin ETA receptors improves flow dependent dilation in resistance arteries of hypertensive rats. 1998 , 39, 657-64 | 34 |
| 1396 | Structure and in vitro function of human subcutaneous small arteries in mild heart failure. 1998 , 274, C1298-305 | 6 |
| 1395 | Effects of IBMX on norepinephrine-induced vasoconstriction in small mesenteric arteries. 1999 , 276, G909-14 | 6 |
| 1394 | Effect of milrinone on small mesenteric artery vasoconstriction: role of $K(+) $ channels. 1999 , 277, G69-78 | 4 |
| 1393 | Betamethasone-mediated vascular dysfunction and changes in hematological profile in the ovine fetus. 1999 , 276, H1137-43 | 28 |
| 1392 | Relation between outer and luminal diameter in cannulated arteries. 1999 , 277, H1745-53 | 38 |
| 1391 | Contribution of endogenous carbon monoxide to regulation of diameter in resistance vessels. 1999 , 276, R1087-94 | 61 |
| 1390 | Mechanisms of endothelium-dependent relaxation in myometrial resistance vessels and their alteration in preeclampsia. 1999 , 18, 57-71 | 25 |
| 1389 | On the regulation of tone in vasa vasorum. 1999 , 41, 237-45 | 19 |
| 1388 | Human vascular reactivity and polymorphisms of the angiotensin-converting enzyme and the angiotensin type 1 receptor genes. 1999 , 36, 445-55; discussion 535-8 | 11 |
| 1387 | Contractility and endothelium-dependent relaxation of resistance vessels in polycystic kidney disease rats. 1999 , 36, 502-9 | 28 |
| 1386 | Inhibition of carbonic anhydrase accounts for the direct vascular effects of hydrochlorothiazide. 1999 , 33, 1043-8 | 110 |
| 1385 | Low dose indapamide plus perindopril combination effects on cardiovascular structure and function in genetic hypertension. 1999 , 26, 622-7 | 2 |
| 1384 | Influence of losartan and nifedipine on the contractile responses of human subcutaneous arteries and veins to angiotensin II. 1999 , 13, 43-9 | 5 |

| | | |
|------|---|-----|
| 1383 | Comparative effects of mibefradil and other calcium antagonists on resistance arteries of different end organs. 1999 , 13, 198-203 | 5 |
| 1382 | Effects of Changes in pH and PCO ₂ on Wall Tension in Isolated Rat Intrapulmonary Arteries. 1999 , 84, 529-539 | 10 |
| 1381 | The Influence of Erythropoietin on the Vascular Responses of Rat Resistance Arteries. 1999 , 84, 917-927 | 4 |
| 1380 | Determination of an Optimal Axial-Length Tension for the Study of Isolated Resistance Arteries on a Pressure Myograph. 1999 , 84, 1085-1094 | 9 |
| 1379 | Cholesterol-independent endothelial dysfunction in virgin and pregnant rats fed a diet high in saturated fat. 1999 , 517 (Pt 2), 607-16 | 30 |
| 1378 | Mechanisms of hypoxic vasodilatation of isolated rat mesenteric arteries: a comparison with metabolic inhibition. 1999 , 516 (Pt 1), 249-59 | 8 |
| 1377 | In vitro simultaneous measurements of relaxation and nitric oxide concentration in rat superior mesenteric artery. 1999 , 516 (Pt 1), 271-82 | 87 |
| 1376 | Threshold concentrations of endothelin-1: the effects on contractions induced by 5-hydroxytryptamine in isolated rat cerebral and mesenteric arteries. 1999 , 85, 115-22 | 7 |
| 1375 | Role of iNOS in the vasodilator responses induced by L-arginine in the middle cerebral artery from normotensive and hypertensive rats. 1999 , 126, 111-20 | 20 |
| 1374 | Acetylcholine-induced relaxation in blood vessels from endothelial nitric oxide synthase knockout mice. 1999 , 126, 219-26 | 174 |
| 1373 | Endothelium-dependent hyperpolarization in resting and depolarized mammary and coronary arteries of guinea-pigs. 1999 , 126, 421-8 | 3 |
| 1372 | Mechanisms of melatonin-induced vasoconstriction in the rat tail artery: a paradigm of weak vasoconstriction. 1999 , 126, 1408-18 | 26 |
| 1371 | Analysis of alpha 1L-adrenoceptor pharmacology in rat small mesenteric artery. 1999 , 127, 661-70 | 37 |
| 1370 | Mechanisms of noradrenaline-induced vasorelaxation in isolated femoral arteries of the neonatal rat. 1999 , 127, 809-12 | 21 |
| 1369 | Action of AT1 receptor antagonists on angiotensin II-induced tone in human isolated subcutaneous resistance arteries. 1999 , 127, 1876-82 | 19 |
| 1368 | Acetylcholine-induced relaxation of peripheral arteries isolated from mice lacking endothelial nitric oxide synthase. 1999 , 128, 653-8 | 99 |
| 1367 | Endothelin alters the reactivity of vasa vasorum: mechanisms and implications for conduit vessel physiology and pathophysiology. 1999 , 128, 1229-34 | 25 |
| 1366 | Effect of nitro-L-arginine on electrical and mechanical responses to acetylcholine in the superior mesenteric artery from stroke-prone hypertensive rat. 1999 , 128, 1513-23 | 14 |

| | | |
|------|---|-----|
| 1365 | Functional reduction and associated cellular rearrangement in SHRSP rat basilar arteries are affected by salt load and calcium antagonist treatment. 1999 , 19, 517-27 | 22 |
| 1364 | Streptozotocin diabetes in the pregnant rat induces cardiovascular dysfunction in adult offspring. 1999 , 42, 81-9 | 74 |
| 1363 | Altered endothelium-derived hyperpolarizing factor-mediated endothelial function in coronary microarteries by St Thomas Hospital solution. 1999 , 118, 173-80 | 23 |
| 1362 | Mechanisms involved in the vasorelaxant effect of (-)-stepholidine in rat mesenteric small arteries. 1999 , 365, 193-204 | 11 |
| 1361 | Aminoguanidine induces constrictive vascular remodeling and inhibits smooth muscle cell death after balloon injury. 1999 , 372, 157-66 | 2 |
| 1360 | Superoxide anion and K ⁺ channels mediate electrical stimulation-induced relaxation in the rat basilar artery. 1999 , 372, 179-86 | 10 |
| 1359 | Protective effect of cromakalim and diazoxide, and proulcerogenic effect of glibenclamide on indomethacin-induced gastric injury. 1999 , 374, 461-70 | 22 |
| 1358 | Analysis of receptor inactivation experiments with the operational model of agonism yields correlated estimates of agonist affinity and efficacy. 1999 , 41, 117-25 | 12 |
| 1357 | Vasorelaxation by new hybrid compounds containing dihydropyridine and pinacidil-like moieties. 1999 , 42, 5266-71 | 7 |
| 1356 | Alterations in vascular reactivity in isolated vessel segments from dogs with naturally occurring heart failure. 1999 , 67, 277-84 | 2 |
| 1355 | Coronary endothelial dysfunction of isolated hearts subjected to prolonged cold storage: patterns and contributing factors. 1999 , 18, 239-47 | 42 |
| 1354 | Equipotent in vitro actions of alpha- and beta-CGRP on guinea pig basilar artery are likely to be mediated via CRLR derived CGRP receptors. 1999 , 85, 67-75 | 7 |
| 1353 | In vitro studies of the effects of beta-adrenergic drugs on retinal and posterior ciliary microarteries. 1999 , 43 Suppl 1, S183-90 | 15 |
| 1352 | Pharmacology of coronary artery bypass grafts. 1999 , 67, 878-88 | 119 |
| 1351 | Endothelin-1 stimulates hydrolysis of phosphatidylcholine by phospholipases C and D in intact rat mesenteric arteries. 1999 , 36, 35-46 | 13 |
| 1350 | Role of erythropoietin and nitric oxide in modulating the tone of human renal interlobular and subcutaneous arteries from uraemic subjects. 1999 , 97, 639 | 3 |
| 1349 | Altered small artery morphology and reactivity in critical limb ischaemia. 1999 , 96, 155-163 | 10 |
| 1348 | Relationship between erythropoietin and nitric oxide in the contraction of rat renal arcuate arteries and human umbilical vein endothelial cells. 1999 , 97, 413-419 | 8 |

| | | |
|------|--|-----|
| 1347 | Role of erythropoietin and nitric oxide in modulating the tone of human renal interlobular and subcutaneous arteries from uraemic subjects. 1999 , 97, 639-647 | 3 |
| 1346 | Altered small artery morphology and reactivity in critical limb ischaemia. 1999 , 96, 155 | 6 |
| 1345 | Relationship between erythropoietin and nitric oxide in the contraction of rat renal arcuate arteries and human umbilical vein endothelial cells. 1999 , 97, 413 | 7 |
| 1344 | Measurements of vascular remodeling by confocal microscopy. 1999 , 307, 246-73 | 12 |
| 1343 | Cholesterol enhances contractile responses in isolated small mesenteric arteries of normotensive and spontaneously hypertensive rats. 1999 , 17, 1941-7 | 2 |
| 1342 | Blockade and reversal of endothelin-induced constriction in pial arteries from human brain. 1999 , 30, 638-43 | 35 |
| 1341 | Maternal food restriction in the second half of pregnancy affects vascular function but not blood pressure of rat female offspring. 1999 , 81, 73-80 | 134 |
| 1340 | Aging, Serum Estradiol Levels, and Pregnancy Differentially Affect Vascular Reactivity of the Rat Uterine Artery. 2000 , 7, 106-113 | 12 |
| 1339 | Resveratrol induces vasorelaxation of mesenteric and uterine arteries from female guinea-pigs. 2000 , 98, 537-543 | 67 |
| 1338 | Aging reduces the responsiveness of coronary arteries from male Wistar rats to the vasodilatory action of testosterone. 2000 , 99, 77-82 | 32 |
| 1337 | Aging reduces the responsiveness of coronary arteries from male Wistar rats to the vasodilatory action of testosterone. 2000 , 99, 77 | 6 |
| 1336 | Resveratrol induces vasorelaxation of mesenteric and uterine arteries from female guinea-pigs. 2000 , 98, 537 | 38 |
| 1335 | Time course of apoptosis in small resistance arteries of spontaneously hypertensive rats. 2000 , 18, 885-91 | 30 |
| 1334 | The differential time courses of the vasodilator effects of various 1,4-dihydropyridines in isolated human small arteries are correlated to their lipophilicity. 2000 , 18, 1677-82 | 19 |
| 1333 | Enhanced vascular reactivity in the sympathectomized rat: studies in vivo and in small isolated resistance arteries. 2000 , 18, 1041-9 | 16 |
| 1332 | Ultrastructure of substance P-immunoreactive terminals and their relation to vascular smooth muscle cells of rat small mesenteric arteries. 2000 , 416, 277-290 | 16 |
| 1331 | Nitric oxide, prostanoid and non-NO, non-prostanoid involvement in acetylcholine relaxation of isolated human small arteries. 2000 , 129, 184-92 | 76 |
| 1330 | Mechanisms of 17 beta-oestradiol induced vasodilatation in isolated pressurized rat small arteries. 2000 , 129, 555-65 | 61 |

| | | |
|------|--|-----|
| 1329 | Potassium- and acetylcholine-induced vasorelaxation in mice lacking endothelial nitric oxide synthase. 2000 , 129, 1194-200 | 62 |
| 1328 | Neuropeptide Y regulates intracellular calcium through different signalling pathways linked to a Y(1)-receptor in rat mesenteric small arteries. 2000 , 129, 1689-99 | 32 |
| 1327 | EDHF, NO and a prostanoid: hyperpolarization-dependent and -independent relaxation in guinea-pig arteries. 2000 , 130, 605-18 | 39 |
| 1326 | Electrophysiological effects of endothelin-1 and their relationship to contraction in rat renal arterial smooth muscle. 2000 , 130, 787-96 | 27 |
| 1325 | Mechanisms of nitric oxide-independent relaxations induced by carbachol and acetylcholine in rat isolated renal arteries. 2000 , 130, 1191-200 | 24 |
| 1324 | Potassium does not mimic EDHF in rat mesenteric arteries. 2000 , 130, 1174-82 | 49 |
| 1323 | Evidence against a role of inducible nitric oxide synthase in the endothelial protective effects of delayed preconditioning. 2000 , 130, 1547-52 | 12 |
| 1322 | Sphingosine-1-phosphate and sphingosylphosphorylcholine constrict renal and mesenteric microvessels in vitro. 2000 , 130, 1871-7 | 85 |
| 1321 | Influence of hypertension on nitric oxide synthase expression and vascular effects of lipopolysaccharide in rat mesenteric arteries. 2000 , 131, 185-94 | 37 |
| 1320 | Vascular bed heterogeneity in age-related endothelial dysfunction with respect to NO and eicosanoids. 2000 , 131, 303-11 | 106 |
| 1319 | Role of EDHF in the vasodilatory effect of loop diuretics in guinea-pig mesenteric resistance arteries. 2000 , 131, 1211-9 | 6 |
| 1318 | Cardiovascular and autonomic effects of omega-conotoxins MVIIA and CVID in conscious rabbits and isolated tissue assays. 2000 , 131, 1325-36 | 47 |
| 1317 | Simultaneous Monitoring of Vascular Contractility, Intracellular Ph and Intracellular Calcium in Isolated Rat Mesenteric Arteries; Effects of Weak Bases. 2000 , 85, 349-351 | 11 |
| 1316 | Action of a NO donor on the excitation-contraction pathway activated by noradrenaline in rat superior mesenteric artery. 2000 , 522 Pt 1, 83-96 | 15 |
| 1315 | Clotrimazole inhibits smooth muscle cell proliferation and has a vasodilator effect on resistance arteries. 2000 , 14, 477-85 | 4 |
| 1314 | Effect of lipopolysaccharide treatment on neurogenic contraction and noradrenaline release in rat arteries. 2000 , 14, 593-600 | 4 |
| 1313 | Differential responses in human subcutaneous and skeletal muscle vascular beds to critical limb ischaemia. 2000 , 19, 387-95 | 17 |
| 1312 | Functional heterogeneity of large and small resistance arteries isolated from biopsies of subcutaneous fat: implications for investigation of vascular pathophysiology. 2000 , 35, 119-27 | 3 |

| | | |
|------|---|-----|
| 1311 | Techniques to study the pharmacodynamics of isolated large and small blood vessels. 2000 , 44, 395-407 | 77 |
| 1310 | Novel endothelium-derived relaxing factors. Identification of factors and cellular targets. 2000 , 44, 441-52 | 17 |
| 1309 | Correction of glycosylated oxyhemoglobin-induced impairment of endothelium-dependent vasodilatation by gliclazide. 2000 , 14, 207-14 | 8 |
| 1308 | Effects of undernutrition in early pregnancy on systemic small artery function in late-gestation fetal sheep. 2000 , 183, 1301-7 | 56 |
| 1307 | Effects of isopropyl unoprostone on rabbit ciliary artery. 2000 , 44, 214-20 | 8 |
| 1306 | Pharmacological characterisation of cannabinoid CB(1) receptors in the rat and mouse. 2000 , 391, 151-61 | 25 |
| 1305 | Hyperpolarisation of rat mesenteric endothelial cells by ATP-sensitive K(+) channel openers. 2000 , 397, 279-90 | 28 |
| 1304 | Interaction of cyclic AMP modulating agents with levromakalim in the relaxation of rat isolated mesenteric artery. 2000 , 401, 85-96 | 5 |
| 1303 | Heterogeneity in relaxation mechanisms in the carotid and the femoral artery of the mouse. 2000 , 404, 341-51 | 17 |
| 1302 | CGRP and adrenomedullin receptor populations in human cerebral arteries: in vitro pharmacological and molecular investigations in different artery sizes. 2000 , 408, 183-93 | 30 |
| 1301 | The influence of chronic inhibition of nitric oxide synthesis on contractile and relaxant properties of rat carotid and mesenteric arteries. 2000 , 362, 504-11 | 11 |
| 1300 | Beta-adrenergic responses are significantly enhanced in rat carotid artery with intimal hyperplasia. 2000 , 362, 276-83 | 4 |
| 1299 | Changes of the potassium currents in rat aortic smooth muscle cells during postnatal development. 2000 , 441, 388-97 | 12 |
| 1298 | Raised saturated-fat intake worsens vascular function in virgin and pregnant offspring of streptozotocin-diabetic rats. 2000 , 84, 285-296 | 9 |
| 1297 | Role of nitric oxide in the pathogenesis of chronic pulmonary hypertension. 2000 , 80, 1337-72 | 201 |
| 1296 | Effect of mitogens on growth and contractile responses of rat small arteries: In vitro studies. 2000 , 169, 103-13 | 4 |
| 1295 | Microvascular and myocardial contractile responses to ischemia: influence of exercise training. 2000 , 88, 433-42 | 28 |
| 1294 | Differential effects of furosemide on porcine bronchial arterial and airway smooth muscle. 2000 , 89, 1360-4 | 10 |

| | | |
|------|---|-----|
| 1293 | Cardiovascular actions of centrally and peripherally administered trout urotensin-I in the trout. 2000 , 279, R484-91 | 9 |
| 1292 | Blockade of angiotensin II type 1 receptor and not of endothelin receptor prevents hypertension and cardiovascular disease in transgenic (mREN2)27 rats via adrenocortical steroid-independent mechanisms. 2000 , 20, 949-56 | 45 |
| 1291 | Cardiovascular effects of visnagin on rats. 2000 , 66, 35-9 | 23 |
| 1290 | Effects of potassium channel inhibitors on the relaxation induced by the nitric oxide donor diethylamine nitric oxide in isolated human cerebral arteries. 2000 , 93, 1048-54 | 8 |
| 1289 | Prevention of increases in blood pressure and left ventricular mass and remodeling of resistance arteries in young New Zealand genetically hypertensive rats: the effects of chronic treatment with valsartan, enalapril and felodipine. 2000 , 37, 134-45 | 13 |
| 1288 | Pharmacological effects of pilocarpine on rabbit ciliary artery. 2000 , 20, 254-259 | 13 |
| 1287 | Cellular hypertrophy in subcutaneous small arteries of patients with renovascular hypertension. 2000 , 35, 931-5 | 88 |
| 1286 | Hypoxia, metabolic inhibition, and isolated rat mesenteric tone: influence of arterial diameter. 2000 , 59, 107-14 | 6 |
| 1285 | A novel family of S-nitrosothiols: chemical synthesis and biological actions. 2000 , 4, 550-60 | 32 |
| 1284 | Effect of episodic hypoxia on sympathetic activity and blood pressure. 2000 , 119, 189-97 | 119 |
| 1283 | Structure and mechanical properties of resistance arteries in hypertension: role of adhesion molecules and extracellular matrix determinants. 2000 , 36, 312-8 | 359 |
| 1282 | A possible link between endothelial dysfunction and insulin resistance in hypertension. A LIFE substudy. Losartan Intervention For Endpoint-Reduction in Hypertension. 2000 , 9, 132-9 | 18 |
| 1281 | Endothelium-derived hyperpolarizing factor and potassium use different mechanisms to induce relaxation of human subcutaneous resistance arteries. 2001 , 133, 902-8 | 19 |
| 1280 | Effects of cod bradykinin and its analogs on vascular and intestinal smooth muscle of the Atlantic cod, <i>Gadus morhua</i> . 2001 , 22, 1023-9 | 19 |
| 1279 | Insulin-mediated vasorelaxation in pregnancy. 2001 , 108, 1088-1093 | 1 |
| 1278 | Role of potassium channels in the relaxation induced by the nitric oxide (NO) donor DEA/NO in the isolated rat basilar artery. 2001 , 313, 21-4 | 18 |
| 1277 | Endothelial dysfunction in resistance arteries is related to high blood pressure and circulating low density lipoproteins in previously treated hypertension. 2001 , 14, 861-7 | 10 |
| 1276 | Comparison of pulmonary vascular function and structure in early and established hypoxic pulmonary hypertension in rats. 2001 , 79, 227-237 | 21 |

| | | |
|------|--|-----|
| 1275 | Enhanced Ca ²⁺ -induced contractions and attenuated alpha-adrenoceptor responses in resistance arteries from rats with congestive heart failure. 2001 , 3, 7-13 | 4 |
| 1274 | Comparison of effects of diabetes mellitus on an EDHF-dependent and an EDHF-independent artery. 2001 , 281, H232-40 | 102 |
| 1273 | Simulated microgravity enhances vasoconstrictor responsiveness of rat basilar artery. 2001 , 90, 2296-305 | 46 |
| 1272 | Hypoxic release of calcium from the sarcoplasmic reticulum of pulmonary artery smooth muscle. 2001 , 281, L318-25 | 93 |
| 1271 | Nitric oxide increases fluid extravasation from the splenic circulation of the rat. 2001 , 280, R959-67 | 14 |
| 1270 | Na(+)/H(+) exchange subtype 1 inhibition reduces endothelial dysfunction in vessels from stunned myocardium. 2001 , 281, H1575-82 | 28 |
| 1269 | Effect of in vivo fetal infusion of dexamethasone at 0.75 GA on fetal ovine resistance artery responses to ET-1. 2001 , 281, R261-8 | 37 |
| 1268 | Vasodilatation, not hypotension, improves resistance vessel design during treatment of essential hypertension: a literature survey. 2001 , 19, 1001-6 | 71 |
| 1267 | Persistent cardiovascular effects of chronic renin-angiotensin system inhibition following withdrawal in adult spontaneously hypertensive rats. 2001 , 19, 1393-402 | 32 |
| 1266 | Effect of the AT1-receptor antagonists losartan, irbesartan, and telmisartan on angiotensin II-induced facilitation of sympathetic neurotransmission in the rat mesenteric artery. 2001 , 38, 141-8 | 43 |
| 1265 | Effect of the blood substitute diaspirin crosslinked hemoglobin in rat mesenteric and human radial collateral arteries. 2001 , 37, 394-405 | 8 |
| 1264 | The mechanism of resveratrol-induced vasorelaxation differs in the mesenteric resistance arteries of lean and obese rats. 2001 , 100, 55 | 17 |
| 1263 | Selective enhancement of sensitivity to endothelin-1 despite normal endothelium-dependent relaxation in subcutaneous resistance arteries isolated from patients with Type I diabetes. 2001 , 100, 311 | 7 |
| 1262 | The mechanism of resveratrol-induced vasorelaxation differs in the mesenteric resistance arteries of lean and obese rats. 2001 , 100, 55-60 | 29 |
| 1261 | Selective enhancement of sensitivity to endothelin-1 despite normal endothelium-dependent relaxation in subcutaneous resistance arteries isolated from patients with Type I diabetes. 2001 , 100, 311-318 | 15 |
| 1260 | Differential distribution of beta-adrenergic receptor subtypes in blood vessels of knockout mice lacking beta(1)- or beta(2)-adrenergic receptors. 2001 , 60, 955-62 | 85 |
| 1259 | Enhanced endothelin-1-induced contractions in mesenteric arteries from rats with congestive heart failure: role of ET(B) receptors. 2001 , 3, 293-9 | 6 |
| 1258 | Nifedipine inhibits sphingosine-1-phosphate-induced renovascular contraction in vitro and in vivo. 2001 , 364, 179-82 | 23 |

- 1257 Involvement of cyclic GMP and potassium channels in relaxation evoked by the nitric oxide donor, diethylamine NONOate, in the rat small isolated mesenteric artery. **2001**, 364, 220-5 26
- 1256 Melatonin potentiates the vasoconstrictive effect of noradrenaline in renal artery from newborn hooded seals (*Cystophora cristata*) and harp seals (*Phoca groenlandica*). **2001**, 171, 491-6 7
- 1255 Reactivity of intraosseous femoral head arteries after long term glucocorticoid treatment: An experimental study in immature pigs. **2001**, 10, 96-100
- 1254 Adrenergic responses in human small arteries isolated from the femoral neck. **2001**, 19, 104-12 6
- 1253 Mechanisms of decreased bradykinin- induced vasodilation in experimental hyperlipemia-hyperglycemia: contribution of nitric oxide and Ca²⁺-activated K⁺ channels. **2001**, 15, 335-42 7
- 1252 Vasomotor effects of arg-gly-asp (RGD) peptides are limited and not related to endothelium-derived hyperpolarizing factor-mediated relaxation in rat mesenteric arteries. **2001**, 28, 873-6 5
- 1251 Functional and compositional studies of arteries stored in University of Wisconsin solution compared with Krebs-B[ring buffer. **2001**, 71, 265-73 5
- 1250 Effects of oophorectomy on functional properties of resistance arteries isolated from the cancellous bone of the rabbit femur. **2001**, 19, 391-7 8
- 1249 Blockade of chloride channels reveals relaxations of rat small mesenteric arteries to raised potassium. **2001**, 132, 293-301 26
- 1248 Pharmacological evidence for CGRP uptake into perivascular capsaicin sensitive nerve terminals. **2001**, 132, 1145-53 27
- 1247 Endothelium-dependent vasorelaxation independent of nitric oxide and K⁽⁺⁾ release in isolated renal arteries of rats. **2001**, 132, 1558-64 26
- 1246 Physiological antagonism of endothelin-1 in human conductance and resistance coronary artery. **2001**, 133, 568-74 34
- 1245 Functional characterization of alpha(1)-adrenoceptor subtypes in human skeletal muscle resistance arteries. **2001**, 133, 679-86 27
- 1244 Evidence that ET-1, but not ET-3 and S6b, ET(A)-receptor mediated contractions in isolated rat mesenteric arteries are modulated by co-activation of ET(B) receptors. **2001**, 133, 927-35 32
- 1243 Pharmacological evidence for the activation of potassium channels as the mechanism involved in the hypotensive and vasorelaxant effect of dioclein in rat small resistance arteries. **2001**, 133, 849-58 28
- 1242 CGRP receptors mediating CGRP-, adrenomedullin- and amylin-induced relaxation in porcine coronary arteries. Characterization with @ompound 1Q(WO98/11128), a non-peptide antagonist. **2001**, 133, 1405-13 27
- 1241 Mechanism of action of angiotensin II in human isolated subcutaneous resistance arteries. **2001**, 134, 188-96 15
- 1240 Cellular target of voltage and calcium-dependent K⁽⁺⁾ channel blockers involved in EDHF-mediated responses in rat superior mesenteric artery. **2001**, 134, 1021-8 39

| | | | |
|------|--|------|-----|
| 1239 | Urocortin relaxes rat tail arteries by a PKA-mediated reduction of the sensitivity of the contractile apparatus for calcium. 2001 , 134, 1564-70 | | 43 |
| 1238 | Loss of SM-B myosin affects muscle shortening velocity and maximal force development. 2001 , 3, 1025-9 | | 79 |
| 1237 | Insulin-mediated vasorelaxation in pregnancy. 2001 , 108, 1088-93 | | |
| 1236 | Volume overload left ventricular hypertrophy: effects on coronary microvascular reactivity in rabbits. 2001 , 86, 725-32 | | 6 |
| 1235 | Endothelial kinin B(1)-receptors are induced by myocardial ischaemia-reperfusion in the rabbit. 2001 , 530, 69-78 | | 25 |
| 1234 | Abnormal aortic fatty acid composition and small artery function in offspring of rats fed a high fat diet in pregnancy. 2001 , 533, 815-22 | | 77 |
| 1233 | Dietary restriction in pregnant rats causes gender-related hypertension and vascular dysfunction in offspring. 2001 , 530, 141-52 | | 260 |
| 1232 | Characterisation of the effects of a non-peptide CGRP receptor antagonist in SK-N-MC cells and isolated human cerebral arteries. 2001 , 415, 39-44 | | 56 |
| 1231 | The role of cGMP hydrolysing phosphodiesterases 1 and 5 in cerebral artery dilatation. 2001 , 420, 55-65 | | 43 |
| 1230 | The alpha(1A)-adrenoceptor subtype mediates contraction in rat femoral resistance arteries. 2001 , 422, 127-35 | | 16 |
| 1229 | Factors involved in the time course of response to acetylcholine in mesenteric arteries from spontaneously hypertensive rats. 2001 , 423, 47-55 | | 4 |
| 1228 | Vasoactive effects of 8-epi-prostaglandin F(2alpha) in isolated human placental conduit and resistance blood vessels in vitro. 2001 , 22, 526-33 | | 17 |
| 1227 | Cyclic ADP-ribose is the primary trigger for hypoxic pulmonary vasoconstriction in the rat lung in situ. <i>Circulation Research</i> , 2001 , 89, 77-83 | 15.7 | 100 |
| 1226 | The effect of type 1 diabetes mellitus on vascular responses to endothelin-1 in pregnant women. 2001 , 86, 4939-42 | | 7 |
| 1225 | Hypotension, autonomic failure, and cardiac hypertrophy in transgenic mice overexpressing the alpha 1B-adrenergic receptor. 2001 , 276, 13738-43 | | 78 |
| 1224 | ABSORPTION SPECTROSCOPY FOR THE ASSESSMENT OF SMALL-ARTERY STRUCTURE. 2001 , 13, 175-180 | | |
| 1223 | Blockade of angiotensin receptor subtypes in arcuate uterine artery of pregnant and postpartum rats. 2001 , 38, 1017-23 | | 22 |
| 1222 | Hypothesis for the initiation of vasomotion. <i>Circulation Research</i> , 2001 , 88, 810-5 | 15.7 | 211 |

| | | | |
|------|---|------|-----|
| 1221 | Smooth muscle cell changes during flow-related remodeling of rat mesenteric resistance arteries. <i>Circulation Research</i> , 2001 , 89, 180-6 | 15.7 | 115 |
| 1220 | Effect of adrenomedullin on placental arteries in normal and preeclamptic pregnancies. 2001 , 37, 227-31 | | 38 |
| 1219 | An endothelium-derived hyperpolarizing factor-like factor moderates myogenic constriction of mesenteric resistance arteries in the absence of endothelial nitric oxide synthase-derived nitric oxide. 2001 , 38, 833-9 | | 73 |
| 1218 | Modulation by 20-HETE of phenylephrine-induced mesenteric artery contraction in spontaneously hypertensive and Wistar-Kyoto rats. 2001 , 38, 1311-5 | | 47 |
| 1217 | Vascular function and blood pressure in GH transgenic mice. 2001 , 142, 3317-23 | | 45 |
| 1216 | The effect of vitamin A on contraction of the ductus arteriosus in fetal rat. 2001 , 49, 747-54 | | 41 |
| 1215 | Selective microvascular dysfunction in mice lacking the gene encoding for desmin. 2002 , 16, 117-9 | | 47 |
| 1214 | Alterations by age of calcium handling in rat resistance arteries. 2002 , 40, 832-40 | | 14 |
| 1213 | Vasodilation to vascular endothelial growth factor in the uterine artery of the pregnant rat is blunted by low dietary protein intake. 2002 , 51, 485-91 | | 56 |
| 1212 | Vasoactivity of diadenosine polyphosphates in human small mesenteric resistance arteries. 2002 , 302, 787-94 | | 15 |
| 1211 | Systemic vascular endothelial cell dysfunction in normal pressure glaucoma. 2002 , 86, 227-32 | | 64 |
| 1210 | Paradoxical overexpression and translocation of connexin43 in homocysteine-treated endothelial cells. 2002 , 282, H2124-33 | | 69 |
| 1209 | Structural changes in small resistance arteries and left ventricular geometry in patients with primary and secondary hypertension. 2002 , 20, 1439-44 | | 64 |
| 1208 | Alterations of the nitric oxide pathway in cerebral arteries from spontaneously hypertensive rats. 2002 , 39, 378-88 | | 25 |
| 1207 | New animal model for the study of postmenopausal coronary and cerebral artery function: the Watanabe heritable hyperlipidemic rabbit fed on a diet avoiding phytoestrogens. 2002 , 5, 178-189 | | 13 |
| 1206 | Prejunctional and postjunctional inhibitory actions of eprosartan and candesartan in the isolated rabbit mesenteric artery. 2002 , 40, 50-7 | | 15 |
| 1205 | The role of inducible nitric oxide synthase in lipopolysaccharide-mediated hyporeactivity to vasoconstrictors differs among isolated rat arteries. 2002 , 102, 297-305 | | 15 |
| 1204 | The role of inducible nitric oxide synthase in lipopolysaccharide-mediated hyporeactivity to vasoconstrictors differs among isolated rat arteries. 2002 , 102, 297 | | 10 |

| | | |
|------|--|-----|
| 1203 | Vasorelaxing effect of mesaconitine, an alkaloid from <i>Aconitum japonicum</i> , on rat small gastric artery: possible involvement of endothelium-derived hyperpolarizing factor. 2002 , 89, 380-7 | 11 |
| 1202 | Preserved endothelium-dependent but impaired beta-adrenergic relaxation of the resistance vessels in experimental renal failure. 2002 , 10, 348-54 | 9 |
| 1201 | Cerebral ischemia upregulates vascular endothelin ET(B) receptors in rat. 2002 , 33, 2311-6 | 115 |
| 1200 | Chronic hypoxia increases MCA contractile response to U-46619 by reducing NO production and/or activity. 2002 , 92, 1859-64 | 11 |
| 1199 | Testosterone acts as a coronary vasodilator by a calcium antagonistic action. 2002 , 25, 455-8 | 101 |
| 1198 | Vasodilatory effects of nipradilol, an alpha- and beta-adrenergic blocker with nitric oxide releasing action, in rabbit ciliary artery. 2002 , 75, 669-76 | 11 |
| 1197 | Chronic hydralazine improves flow (shear stress)-induced endothelium-dependent dilation in mouse mesenteric resistance arteries in vitro. 2002 , 64, 127-34 | 20 |
| 1196 | TNFalpha and IL-1beta exert no direct vasoactivity in human isolated resistance arteries. 2002 , 20, 244-6 | 6 |
| 1195 | Cardiovascular activity1. 2002 , 26-276 | |
| 1194 | Role of ET(A) receptors in the vasoconstriction induced by endothelin-1 in subcutaneous small arteries of normotensive subjects and hypertensive patients. 2002 , 11, 6-12 | 3 |
| 1193 | Hypertension alters the participation of contractile prostanoids and superoxide anions in lipopolysaccharide effects on small mesenteric arteries. 2002 , 71, 1997-2014 | 21 |
| 1192 | 6-Chloro-3-alkylamino-4H-thieno[3,2-e]-1,2,4-thiadiazine 1,1-dioxide derivatives potently and selectively activate ATP sensitive potassium channels of pancreatic beta-cells. 2002 , 45, 4171-87 | 46 |
| 1191 | Is cardiovascular remodeling in patients with essential hypertension related to more than high blood pressure? A LIFE substudy. Losartan Intervention For Endpoint-Reduction in Hypertension. 2002 , 144, 530-7 | 45 |
| 1190 | The vasorelaxant effect of pituitary adenylate cyclase activating polypeptide and vasoactive intestinal polypeptide in isolated rat basilar arteries is partially mediated by activation of nitrenergic neurons. 2002 , 107, 115-23 | 17 |
| 1189 | Efectos de irbesartil y losartil en conejos hipercolesterolmicos. 2002 , 14, 230-238 | |
| 1188 | A knockout approach indicates a minor vasoconstrictor role for vascular alpha1B-adrenoceptors in mouse. 2002 , 9, 85-91 | 73 |
| 1187 | Vascular function in normal pregnancy and preeclampsia. 2002 , 398-426 | |
| 1186 | Neuropeptide Y effects on vasorelaxation and intestinal contraction in the Atlantic cod <i>Gadus morhua</i> . 2002 , 282, R1414-21 | 17 |

| | | |
|------|--|----|
| 1185 | Peroxynitrite triggers a delayed resistance of coronary endothelial cells against ischemia-reperfusion injury. 2002 , 283, H1418-23 | 14 |
| 1184 | Decreased expression of myocardial eNOS and caveolin in dogs with hypertrophic cardiomyopathy. 2002 , 282, H219-31 | 41 |
| 1183 | Blood pressure and mesenteric resistance arterial function after spaceflight. 2002 , 92, 13-7 | 15 |
| 1182 | Modulatory role of a constitutively active population of alpha(1D)-adrenoceptors in conductance arteries. 2002 , 282, H475-81 | 17 |
| 1181 | Endothelial function after prolonged coronary artery oxygen persufflation in a rabbit model of heart preservation. 2002 , 1, 16-22 | 1 |
| 1180 | Characterization of small arteries isolated from the human placental chorionic plate. 2002 , 23, 400-9 | 68 |
| 1179 | Two angiotensin AT1 receptor antagonists, irbesartan and losartan, effects in cholesterol-fed rabbits. 2002 , 442, 99-106 | 5 |
| 1178 | Endothelial cell response to hyperlipemia. Activation-dysfunction-injury, the protective role of simvastatin. 2002 , 38, 275-82 | 4 |
| 1177 | Polyphenol-enriched extract of oil palm fronds (<i>Elaeis guineensis</i>) promotes vascular relaxation via endothelium-dependent mechanisms. 2002 , 11 Suppl 7, S467-72 | 29 |
| 1176 | Changes in alpha(1)-adrenergic vascular reactivity in monocrotaline-treated rats. 2002 , 365, 87-95 | 12 |
| 1175 | Calcium-independent activation of the contractile apparatus in smooth muscle of mouse aorta by protein phosphatase inhibition. 2002 , 366, 562-9 | 7 |
| 1174 | Beneficial effects of L-arginine supplementation in experimental hyperlipemia-hyperglycemia in the hamster. 2002 , 308, 109-20 | 29 |
| 1173 | Pulmonary endothelial dysfunction after cardiopulmonary bypass in neonatal pigs. 2002 , 46, 853-9 | 12 |
| 1172 | Alpha2-adrenoceptor ligands inhibit alpha1-adrenoceptor-mediated contraction of isolated rat arteries. 2002 , 16, 281-7 | 7 |
| 1171 | Activation of the peroxisome proliferator-activated receptor alpha protects against myocardial ischaemic injury and improves endothelial vasodilatation. 2002 , 2, 10 | 61 |
| 1170 | Effect of pH changes on reactivity of rat mesenteric artery segments at different magnitude of stretch. 2002 , 174, 1-7 | 10 |
| 1169 | Endothelial function in mesenteric resistance arteries from the genetically hypertensive rat. 2002 , 29, 405-11 | 18 |
| 1168 | Heat stress increases endothelium-dependent relaxations and prevents reperfusion-induced endothelial dysfunction. 2002 , 29, 956-62 | 8 |

| | | |
|------|---|-----|
| 1167 | Propionate-induced relaxation in rat mesenteric arteries: a role for endothelium-derived hyperpolarising factor. 2002 , 538, 879-90 | 17 |
| 1166 | Acute cardiovascular protective effects of corticosteroids are mediated by non-transcriptional activation of endothelial nitric oxide synthase. 2002 , 8, 473-9 | 446 |
| 1165 | Pathological role of a constitutively active population of alpha(1D)-adrenoceptors in arteries of spontaneously hypertensive rats. 2002 , 135, 206-16 | 34 |
| 1164 | Transient relaxation of rat mesenteric microvessels by ceramides. 2002 , 135, 417-26 | 14 |
| 1163 | Modulation of contraction by alpha(2A/D)-adrenoceptors in mouse aorta: evidence employing knockout technology. 2002 , 135, 1209-12 | 3 |
| 1162 | Regulation of human penile smooth muscle tone by prostanoid receptors. 2002 , 136, 23-30 | 68 |
| 1161 | Cellular basis of endothelial dysfunction in small mesenteric arteries from spontaneously diabetic (db/db -/-) mice: role of decreased tetrahydrobiopterin bioavailability. 2002 , 136, 255-63 | 147 |
| 1160 | Enzymatic activation of endothelial protease-activated receptors is dependent on artery diameter in human and porcine isolated coronary arteries. 2002 , 136, 492-501 | 19 |
| 1159 | Involvement of T-type calcium channels in excitatory junction potentials in rat resistance mesenteric arteries. 2002 , 137, 805-12 | 9 |
| 1158 | Endothelial function is preserved in pregnant women with well-controlled type 1 diabetes. 2002 , 109, 699-707 | 13 |
| 1157 | Pharmacological effects of latanoprost, prostaglandin E2, and F2alpha on isolated rabbit ciliary artery. 2002 , 240, 120-5 | 15 |
| 1156 | Quantitative fluorine 18 deoxyglucose uptake by myocardial positron emission tomography in rats. 2002 , 9, 616-21 | 8 |
| 1155 | Early and intermediate Amadori glycosylation adducts, oxidative stress, and endothelial dysfunction in the streptozotocin-induced diabetic rats vasculature. 2003 , 46, 556-66 | 60 |
| 1154 | Functional evidence that K ⁺ is the non-nitric oxide, non-prostanoid endothelium-derived relaxing factor in rat femoral arteries. 2003 , 40, 23-8 | 25 |
| 1153 | Enoxaparin--a low molecular weight heparin, restores the altered vascular reactivity of resistance arteries in aged and aged-diabetic hamsters. 2003 , 40, 167-74 | 10 |
| 1152 | Maternal dexamethasone increases endothelin-1 sensitivity and endothelin a receptor expression in ovine foetal placental arteries. 2003 , 24, 392-402 | 12 |
| 1151 | Only weak vasorelaxant properties of loop diuretics in isolated resistance arteries from man, rat and guinea pig. 2003 , 466, 281-7 | 9 |
| 1150 | S1P3 receptors mediate the potent constriction of cerebral arteries by sphingosine-1-phosphate. 2003 , 469, 125-34 | 101 |

| | | |
|------|---|-----|
| 1149 | Ca ²⁺ -activated K ⁺ channels in the endothelial cell layer involved in modulation of neurogenic contractions in rat penile arteries. 2003 , 474, 103-15 | 20 |
| 1148 | Vascular reactivity of the preplacental vasculature in Guinea pigs. 2003 , 24, 686-97 | 8 |
| 1147 | Vasoactive responses of veins isolated from the human placental chorionic plate. 2003 , 24, 790-6 | 29 |
| 1146 | Characterization of vasomotion in porcine retinal arterioles. 2003 , 81, 278-82 | 29 |
| 1145 | Cardiovascular status following combined angiotensin-converting enzyme and AT1 receptor inhibition in conscious spontaneously hypertensive rats. 2003 , 30, 317-23 | 6 |
| 1144 | The contractile response of the mesenteric resistance arteries to prostaglandin F ₂ α; effects of simultaneous hyperlipemia-diabetes. 2003 , 17, 683-9 | 6 |
| 1143 | Vasopressin-induced facilitation of adrenergic responses in the rat mesenteric artery is V ₁ -receptor dependent. 2003 , 23, 35-41 | 3 |
| 1142 | Endothelial dysfunction and reduced nitric oxide in resistance arteries in autosomal-dominant polycystic kidney disease. 2003 , 64, 1381-8 | 106 |
| 1141 | In vitro comparison of glyceryl trinitrate-verapamil with other dilators of human saphenous vein. 2003 , 73, 313-20 | 4 |
| 1140 | Transmitter characteristics of cutaneous, renal and skeletal muscle small arteries in the rat. 2003 , 177, 157-66 | 22 |
| 1139 | Vasodilatory activity in horsefly and deerfly salivary glands. 2003 , 17, 395-402 | 7 |
| 1138 | Effect of tumour necrosis factor-α and interleukin 1β on endothelium-dependent relaxation in rat mesenteric resistance arteries in vitro. 2003 , 138, 1285-94 | 51 |
| 1137 | Endothelium-dependent relaxation and endothelial hyperpolarization by P ₂ Y receptor agonists in rat-isolated mesenteric artery. 2003 , 139, 661-71 | 12 |
| 1136 | Endothelium-independent relaxation to cannabinoids in rat-isolated mesenteric artery and role of Ca ²⁺ influx. 2003 , 139, 585-97 | 41 |
| 1135 | Calcium dobesilate potentiates endothelium-derived hyperpolarizing factor-mediated relaxation of human penile resistance arteries. 2003 , 139, 854-62 | 37 |
| 1134 | Vascular natriuretic peptide receptor-linked particulate guanylate cyclases are modulated by nitric oxide-cyclic GMP signalling. 2003 , 139, 1289-96 | 51 |
| 1133 | Acute effects of oestrogen receptor subtype-specific agonists on vascular contractility. 2003 , 139, 1249-53 | 30 |
| 1132 | Extracellular L-arginine is required for optimal NO synthesis by eNOS and iNOS in the rat mesenteric artery wall. 2003 , 139, 1487-97 | 24 |

| | | |
|------|---|-----|
| 1131 | Functional role of angiotensin II AT2 receptor in modulation of AT1 receptor-mediated contraction in rat uterine artery: involvement of bradykinin and nitric oxide. 2003 , 140, 987-95 | 72 |
| 1130 | Mechanisms involved in the early increase of serotonin contraction evoked by endotoxin in rat middle cerebral arteries. 2003 , 140, 671-80 | 25 |
| 1129 | Uterine artery function in pregnant rats fed a diet supplemented with animal lard. 2003 , 88, 389-98 | 72 |
| 1128 | The use of fluorescent nuclear dyes and laser scanning confocal microscopy to study the cellular aspects of arterial remodelling in human subjects with critical limb ischaemia. 2003 , 88, 547-54 | 12 |
| 1127 | Purinergic and adrenergic Ca ²⁺ transients during neurogenic contractions of rat mesenteric small arteries. 2003 , 549, 801-8 | 52 |
| 1126 | Effect of nutritional restriction in early pregnancy on isolated femoral artery function in mid-gestation fetal sheep. 2003 , 553, 637-47 | 59 |
| 1125 | Secretory and vascular effects of adrenomedullin in gastric ulcer: role of CGRP- and adrenomedullin-receptors. 2003 , 24, 1175-80 | 18 |
| 1124 | Long-term estradiol treatment improves VIP-mediated vasodilation in atherosclerotic proximal coronary arteries. 2003 , 116, 155-62 | |
| 1123 | Diabetes impairs endothelium-dependent relaxation of human penile vascular tissues mediated by NO and EDHF. 2003 , 312, 1202-8 | 89 |
| 1122 | Effects of adrenomedullin on the contraction of gastric arteries during reserpine-induced gastric ulcer. 2003 , 24, 117-22 | 13 |
| 1121 | VIP and PACAP display different vasodilatory effects in rabbit coronary and cerebral arteries. 2003 , 110, 179-88 | 26 |
| 1120 | Vasoreactions to acute hypoxia, whole lungs and isolated vessels compared: modulation by NO. 2003 , 134, 115-29 | 14 |
| 1119 | Mechanisms underlying the programming of small artery dysfunction: review of the model using low protein diet in pregnancy in the rat. 2003 , 111, 23-35 | 61 |
| 1118 | Prognostic significance of small-artery structure in hypertension. 2003 , 108, 2230-5 | 399 |
| 1117 | Delayed recovery of receptor-mediated functional responses to acetylcholine in mouse isolated carotid arteries following endothelial denudation in vivo. 2003 , 40, 449-59 | 8 |
| 1116 | Arterial structural changes in hypertension: a consideration of methodology, terminology and functional consequence. 2003 , 40, 547-57 | 58 |
| 1115 | Fluvastatin prevents renal dysfunction and vascular NO deficit in apolipoprotein E-deficient mice. 2003 , 23, 183-9 | 33 |
| 1114 | Contrasting regression of blood pressure and cardiovascular structure in declipped renovascular hypertensive rats. 2003 , 41, 540-5 | 8 |

| | | |
|------|--|-----|
| 1113 | Structure, function, and endothelium-derived hyperpolarizing factor in the caudal artery of the SHR and WKY rat. 2003 , 23, 822-8 | 52 |
| 1112 | Investigation of CGRP receptors and peptide pharmacology in human coronary arteries. Characterization with a nonpeptide antagonist. 2003 , 304, 326-33 | 46 |
| 1111 | Acute effects of tibolone on cerebral vascular reactivity in vitro. 2003 , 6, 228-237 | 4 |
| 1110 | Protection against lipopolysaccharide-induced endothelial dysfunction in resistance and conduit vasculature of iNOS knockout mice. 2003 , 17, 773-5 | 112 |
| 1109 | Release of C-type natriuretic peptide accounts for the biological activity of endothelium-derived hyperpolarizing factor. 2003 , 100, 1426-31 | 195 |
| 1108 | Gender-linked hypertension in offspring of lard-fed pregnant rats. 2003 , 41, 168-75 | 307 |
| 1107 | Vasodilation by the calcium-mobilizing messenger cyclic ADP-ribose. 2003 , 278, 9602-8 | 46 |
| 1106 | Intracellular pathways involved in upregulation of vascular endothelin type B receptors in cerebral arteries of the rat. 2003 , 34, 1479-83 | 57 |
| 1105 | Heterogeneity of endothelium-dependent vasorelaxation in conductance and resistance arteries from Lyon normotensive and hypertensive rats. 2003 , 21, 1505-12 | 28 |
| 1104 | Impaired nitric oxide function in the basilar artery of the obese Zucker rat. 2003 , 42, 497-505 | 37 |
| 1103 | Stress susceptibility as a determinant of endothelium-dependent vascular reactivity in rat mesenteric arteries. 2003 , 41, 625-31 | 2 |
| 1102 | Decreased facilitation by angiotensin II of noradrenergic neurotransmission in isolated mesenteric artery of rabbits with chronic heart failure. 2003 , 41, 356-62 | 6 |
| 1101 | Adrenergic mechanisms and remodeling of subcutaneous small resistance arteries in humans. 2003 , 21, 2345-52 | 30 |
| 1100 | Treatment of secondary hyperparathyroidism by high calcium diet is associated with enhanced resistance artery relaxation in experimental renal failure. 2003 , 18, 2560-9 | 20 |
| 1099 | Acute effects of transdermal estrogen on hemodynamic and vascular reactivity in elderly postmenopausal healthy women. 2003 , 21, 387-94 | 8 |
| 1098 | Oestrogen modulates vascular adrenergic reactivity of the spontaneously hypertensive rat. 2003 , 21, 1695-702 | 18 |
| 1097 | Relationships between coronary flow vasodilator capacity and small artery remodelling in hypertensive patients. 2003 , 21, 625-31 | 134 |
| 1096 | Elasticity of passive blood vessels: a new concept. 2003 , 285, H1986-2000 | 38 |

| | | |
|------|--|-----|
| 1095 | Increased calcium intake reduces plasma cholesterol and improves vasorelaxation in experimental renal failure. 2003 , 285, H1882-9 | 14 |
| 1094 | Evidence for a differential cellular distribution of inward rectifier K channels in the rat isolated mesenteric artery. 2003 , 40, 159-68 | 48 |
| 1093 | Stretch-induced calcium sensitization of rat lymphatic smooth muscle. 2003 , 285, H2573-7 | 35 |
| 1092 | Effects of Pressure Overload and its Recovery on Vascular Reactivity and Remodeling of the Rat Carotid Artery. 2003 , 33, 936 | |
| 1091 | Modulation of protein kinase C (PKC)-mediated contraction and the possible role of PKC epsilon in rat mesenteric arteries. 2003 , 8, a133-8 | 7 |
| 1090 | NO produced by endothelial NO synthase is a mediator of delayed preconditioning-induced endothelial protection. 2003 , 284, H2053-60 | 41 |
| 1089 | Improved coronary vascular function evoked by high-intensity treadmill training is maintained in arteries exposed to ischemia and reperfusion. 2003 , 95, 1638-47 | 8 |
| 1088 | CO modulates pulmonary vascular response to acute hypoxia: relation to endothelin. 2004 , 286, H137-44 | 29 |
| 1087 | Reducing arginase activity via dietary manganese deficiency enhances endothelium-dependent vasorelaxation of rat aorta. 2004 , 229, 1143-53 | 20 |
| 1086 | Daily short-period gravitation can prevent functional and structural changes in arteries of simulated microgravity rats. 2004 , 97, 1022-31 | 20 |
| 1085 | Determination of signaling pathways responsible for hypoxic pulmonary vasoconstriction: use of the small vessel myograph. 2004 , 381, 71-87 | 9 |
| 1084 | Characterization of vasoconstrictor responses in small bovine adrenal cortical arteries in vitro. 2004 , 145, 1571-8 | 15 |
| 1083 | Vasodilatory mechanism of unoprostone isopropyl on isolated rabbit ciliary artery. 2004 , 28, 167-74 | 15 |
| 1082 | Angiotensin II type 2 receptor-mediated vasodilation in human coronary microarteries. 2004 , 109, 2296-301 | 161 |
| 1081 | Shed membrane particles from T lymphocytes impair endothelial function and regulate endothelial protein expression. 2004 , 109, 1653-9 | 188 |
| 1080 | Vasoconstriction of small arteries isolated from the human placental chorionic plate in normal and compromised pregnancy. 2004 , 23, 237-46 | 12 |
| 1079 | Autosomal-dominant hypertension with type E brachydactyly is caused by rearrangement on the short arm of chromosome 12. 2004 , 43, 471-6 | 29 |
| 1078 | Dopamine D1 receptor augmentation of D3 receptor action in rat aortic or mesenteric vascular smooth muscles. 2004 , 43, 673-9 | 51 |

| | | |
|------|--|-----|
| 1077 | Activation of resistance arteries with endothelin-1: from vasoconstriction to functional adaptation and remodeling. 2004 , 41, 174-82 | 63 |
| 1076 | In vivo measurement of the dynamic 3-D kinematics of the ovine stifle joint. 2004 , 126, 301-5 | 63 |
| 1075 | Abnormal vasoconstrictor responses to angiotensin II and noradrenaline in isolated small arteries from patients with cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL). 2004 , 35, 853-8 | 24 |
| 1074 | Cerebral ischemia enhances vascular angiotensin AT1 receptor-mediated contraction in rats. 2004 , 35, 970-4 | 96 |
| 1073 | Predictive adaptive responses to maternal high-fat diet prevent endothelial dysfunction but not hypertension in adult rat offspring. 2004 , 110, 1097-102 | 186 |
| 1072 | Influence of adrenomedullin on tone of isolated bovine retinal arteries. 2004 , 45, 552-9 | 21 |
| 1071 | Mediators of bradykinin-induced vasorelaxation in human coronary microarteries. 2004 , 43, 488-92 | 47 |
| 1070 | A guide to wire myography. 2005 , 108, 91-104 | 25 |
| 1069 | Different cerebrovascular effects of medroxyprogesterone acetate and norethisterone acetate in the New Zealand White rabbit. 2004 , 7, 12-22 | 5 |
| 1068 | Hypertension alters role of iNOS, COX-2, and oxidative stress in bradykinin relaxation impairment after LPS in rat cerebral arteries. 2004 , 287, H225-34 | 43 |
| 1067 | Aberrant D1 and D3 dopamine receptor transregulation in hypertension. 2004 , 43, 654-60 | 24 |
| 1066 | Endothelium-dependent hyperpolarization in small gastric arteries. 2004 , 63, 331-7 | 1 |
| 1065 | Increased vascular sensitivity and connexin43 expression after sympathetic denervation. 2004 , 62, 388-96 | 22 |
| 1064 | Modulation of cerebral vascular tone by activated glia: involvement of nitric oxide. 2004 , 91, 1171-9 | 12 |
| 1063 | The evaluation of the N-type channel blocking properties of cilnidipine and other voltage-dependent calcium antagonists. 2004 , 18, 309-19 | 16 |
| 1062 | Comparison of noradrenaline and lysosphingolipid-induced vasoconstriction in mouse and rat small mesenteric arteries. 2004 , 24, 77-85 | 15 |
| 1061 | Effects of chronic sumatriptan and zolmitriptan treatment on 5-HT receptor expression and function in rats. 2004 , 24, 398-407 | 54 |
| 1060 | Association between vascular dysfunction and reduced myocardial flow reserve in patients with hypertension: a LIFE substudy. 2004 , 18, 445-52 | 31 |

| | | |
|------|---|-----|
| 1059 | Is inappropriate left ventricular mass related to neurohormonal factors and/or arterial changes in hypertension? A LIFE substudy. 2004 , 18, 437-43 | 6 |
| 1058 | The superoxide dismutase mimetic, tempol, blunts right ventricular hypertrophy in chronic hypoxic rats. 2004 , 141, 105-13 | 74 |
| 1057 | Characterisation of the vasorelaxant properties of the novel endocannabinoid N-arachidonoyl-dopamine (NADA). 2004 , 141, 803-12 | 57 |
| 1056 | Alpha1-adrenoceptor subtypes involved in vasoconstrictor responses to exogenous and neurally released noradrenaline in rat femoral resistance arteries. 2004 , 141, 915-24 | 25 |
| 1055 | Bradykinin-induced relaxation of coronary microarteries: S-nitrosothiols as EDHF?. 2004 , 142, 125-35 | 59 |
| 1054 | Importance of ERK1/2 in upregulation of endothelin type B receptors in cerebral arteries. 2004 , 142, 1155-61 | 58 |
| 1053 | Heterogeneity in the mechanisms of vasorelaxation to anandamide in resistance and conduit rat mesenteric arteries. 2004 , 142, 435-42 | 66 |
| 1052 | Junctional and nonjunctional effects of heptanol and glycyrrhetic acid derivatives in rat mesenteric small arteries. 2004 , 142, 961-72 | 73 |
| 1051 | Ouabain-induced hypertension alters the participation of endothelial factors in alpha-adrenergic responses differently in rat resistance and conductance mesenteric arteries. 2004 , 143, 215-25 | 35 |
| 1050 | Noncompetitive antagonism of BIBN4096BS on CGRP-induced responses in human subcutaneous arteries. 2004 , 143, 1066-73 | 15 |
| 1049 | Novel role for P2X receptor activation in endothelium-dependent vasodilation. 2004 , 143, 611-7 | 38 |
| 1048 | KATP-channel-induced vasodilation is modulated by the Na,K-pump activity in rabbit coronary small arteries. 2004 , 143, 872-80 | 14 |
| 1047 | Pronounced hypoperfusion during spreading depression in mouse cortex. 2004 , 24, 1172-82 | 144 |
| 1046 | Tail arteries from chronically spinalized rats have potentiated responses to nerve stimulation in vitro. 2004 , 556, 545-55 | 48 |
| 1045 | Chronic decentralization potentiates neurovascular transmission in the isolated rat tail artery, mimicking the effects of spinal transection. 2004 , 561, 583-96 | 40 |
| 1044 | Superoxide dismutase entrapped-liposomes restore the impaired endothelium-dependent relaxation of resistance arteries in experimental diabetes. 2004 , 484, 111-8 | 11 |
| 1043 | In vivo pertussis toxin treatment reduces contraction of rat resistance arteries but not that of mouse trachea. 2004 , 488, 127-35 | 8 |
| 1042 | Vascular effects of the <i>Mangifera indica</i> L. extract (Vimang). 2004 , 499, 297-305 | 31 |

| | | |
|------|---|-----|
| 1041 | Pharmacological characterization of alpha1-adrenoceptors in mouse isolated femoral small arteries. 2004 , 503, 155-63 | 11 |
| 1040 | Not so EEZE: the α DHF α antagonist 14, 15 epoxyeicosa-5(Z)-enoic acid has vasodilator properties in mesenteric arteries. 2004 , 506, 165-8 | 15 |
| 1039 | Enhanced growth and improved vascular function in offspring from successive pregnancies in endothelial nitric oxide synthase knockout mice. 2004 , 191, 1470-6 | 11 |
| 1038 | Urotensin-II: a novel systemic hypertensive factor in the cat. 2004 , 369, 274-80 | 36 |
| 1037 | Vasorelaxation and hyperpolarisation of rat small mesenteric artery by the quaternary anion tetraphenylboron. 2004 , 369, 367-73 | 2 |
| 1036 | An aqueous extract of the marine sponge <i>Ectyoplasia ferox</i> stimulates L-type Ca ²⁺ -current by direct interaction with the Cav1.2 subunit. 2004 , 370, 474-83 | 7 |
| 1035 | Hypertension. 2004 , | |
| 1034 | Preserved vascular reactivity of rat renal arteries after cold storage. 2004 , 48, 95-8 | 1 |
| 1033 | Pharmacological vascular reactivity in isolated hypercholesterolemic rabbit ciliary artery. 2004 , 78, 805-13 | 2 |
| 1032 | Cellular distribution of immunoreactive urotensin-II in human tissues with evidence of increased expression in atherosclerosis and a greater constrictor response of small compared to large coronary arteries. 2004 , 25, 1767-74 | 104 |
| 1031 | Neurokinin B causes concentration-dependent relaxation of isolated human placental resistance vessels. 2004 , 117, 123-6 | 18 |
| 1030 | Moderately elevated plasma homocysteine impairs functional endothelial recovery following denudation of mouse carotid arteries. 2004 , 53, 760-5 | 5 |
| 1029 | Contractile responses of isolated rat mesenteric arteries to acute episodes of severe hypoxia and subsequent reoxygenation. 2004 , 68, 303-12 | 3 |
| 1028 | Tibolone and its metabolites acutely relax rabbit coronary arteries in vitro. 2004 , 49, 179-88 | 3 |
| 1027 | Progestins used in hormonal replacement therapy display different effects in coronary arteries from New Zealand white rabbits. 2004 , 49, 304-14 | 7 |
| 1026 | Methylprednisolone enhances contraction of porcine femoral head epiphyseal arteries. 2004 , 112-7 | 27 |
| 1025 | Bradykinin and matrix metalloproteinases are involved the structural alterations of rat small resistance arteries with inhibition of ACE and NEP. 2004 , 22, 759-66 | 22 |
| 1024 | Different AT1 receptor subtypes at pre- and postjunctional sites: AT1A versus AT1B receptors. 2004 , 43, 14-20 | 8 |

| | | |
|------|---|----|
| 1023 | Analysis of arterial pressure regulating systems in renal post-transplantation hypertension. 2004 , 22, 199-207 | 17 |
| 1022 | Role of tissue kallikrein in response to flow in mouse resistance arteries. 2004 , 22, 745-50 | 16 |
| 1021 | Testosterone-induced coronary vasodilatation occurs via a non-genomic mechanism: evidence of a direct calcium antagonism action. 2004 , 107, 149-58 | 67 |
| 1020 | Voluntary physical exercise-induced vascular effects in spontaneously hypertensive rats. 2004 , 107, 571-81 | 36 |
| 1019 | Smooth muscle F-actin disassembly and RhoA/Rho-kinase signaling during endotoxin-induced alterations in pulmonary arterial compliance. 2004 , 287, L649-55 | 26 |
| 1018 | An in vitro study of different extracts and fractions of <i>Allium sativum</i> (garlic): vascular reactivity. 2004 , 94, 434-42 | 8 |
| 1017 | Isolated Vessels. 2005 , 198-211 | 5 |
| 1016 | Hemorrhagic shock resuscitation affects early and selective mesenteric artery endothelial function through a free radical-dependent mechanism. 2005 , 23, 411-6 | 17 |
| 1015 | Vasodilator treatment with hydralazine increases blood flow in mdx mice resistance arteries without vascular wall remodelling or endothelium function improvement. 2005 , 23, 1855-60 | 10 |
| 1014 | Effects of vasoactive agents on intracellular calcium and force in myometrial and subcutaneous resistance arteries isolated from preeclamptic, pregnant, and nonpregnant woman. 2005 , 192, 625-32 | 31 |
| 1013 | Ageing affects nitric oxide synthase, cyclooxygenase and oxidative stress enzymes expression differently in mesenteric resistance arteries. 2005 , 25, 155-62 | 27 |
| 1012 | Vasoconstrictor responses are normal but prostanoid-mediated vasodilatation is enhanced in human cirrhotic mesenteric arteries. 2005 , 20, 1158-64 | 10 |
| 1011 | Enhanced vascular reactivity of small mesenteric arteries from diabetic mice is associated with enhanced oxidative stress and cyclooxygenase products. 2005 , 144, 953-60 | 78 |
| 1010 | The effects of Delta9-tetrahydrocannabinol in rat mesenteric vasculature, and its interactions with the endocannabinoid anandamide. 2005 , 145, 514-26 | 39 |
| 1009 | Increased alphaCGRP potency and CGRP-receptor antagonist affinity in isolated hypoxic porcine intramyocardial arteries. 2005 , 145, 646-55 | 5 |
| 1008 | Direct demonstration of beta1- and evidence against beta2- and beta3-adrenoceptors, in smooth muscle cells of rat small mesenteric arteries. 2005 , 146, 679-91 | 48 |
| 1007 | Rho kinase inhibitors reduce neurally evoked contraction of the rat tail artery in vitro. 2005 , 146, 854-61 | 11 |
| 1006 | Evidence for involvement of alpha1D-adrenoceptors in contraction of femoral resistance arteries using knockout mice. 2005 , 146, 942-51 | 12 |

| | | |
|------|---|-----|
| 1005 | Endothelial dysfunction in the streptozotocin-induced diabetic apoE-deficient mouse. 2005 , 146, 1110-8 | 86 |
| 1004 | The cellular mechanisms involved in the vasodilator effect of nebivolol on the renal artery. 2005 , 508, 159-66 | 46 |
| 1003 | Ageing alters the production of nitric oxide and prostanoids after IL-1beta exposure in mesenteric resistance arteries. 2005 , 126, 710-21 | 24 |
| 1002 | Expression, localisation and function of ACE and chymase in normal and atherosclerotic human coronary arteries. 2005 , 42, 99-108 | 15 |
| 1001 | Implications for repetitive application of acetylcholine in the determination of the mechanisms of endothelium-dependent relaxation. 2005 , 43, 227-33 | 6 |
| 1000 | Role of oxidative stress in angiotensin-II mediated contraction of human conduit arteries in patients with cardiovascular disease. 2005 , 43, 277-82 | 16 |
| 999 | The vasorelaxing effect of CGRP and natriuretic peptides in isolated bovine retinal arteries. 2005 , 46, 1420-7 | 17 |
| 998 | Deletion of MLCK210 induces subtle changes in vascular reactivity but does not affect cardiac function. 2005 , 289, H2342-9 | 20 |
| 997 | Fetal origins of adult vascular dysfunction in mice lacking endothelial nitric oxide synthase. 2005 , 288, R1114-21 | 31 |
| 996 | Correlation between mRNA levels and functional role of alpha1-adrenoceptor subtypes in arteries: evidence of alpha1L as a functional isoform of the alpha1A-adrenoceptor. 2005 , 289, H1923-32 | 45 |
| 995 | Endothelial dysfunction in Type 2 diabetes correlates with deregulated expression of the tail-anchored membrane protein SLMAP. 2005 , 289, H206-11 | 17 |
| 994 | Clozapine directly relaxes bovine retinal arteries. 2005 , 30, 139-46 | 6 |
| 993 | Investigation of vascular responses in endothelial nitric oxide synthase/cyclooxygenase-1 double-knockout mice: key role for endothelium-derived hyperpolarizing factor in the regulation of blood pressure in vivo. 2005 , 111, 796-803 | 175 |
| 992 | Reduced uteroplacental perfusion alters uterine arcuate artery function in the pregnant Sprague-Dawley rat. 2005 , 72, 762-6 | 41 |
| 991 | Umbilical artery Doppler waveform indices from normal pregnant women are related to vasodilatation of placental chorionic plate small arteries. 2005 , 25, 248-52 | 4 |
| 990 | Effects of oxygen tension and normalization pressure on endothelin-induced constriction of human placental chorionic plate arteries. 2005 , 12, 488-94 | 9 |
| 989 | Selective angiotensin-converting enzyme C-domain inhibition is sufficient to prevent angiotensin I-induced vasoconstriction. 2005 , 45, 120-5 | 42 |
| 988 | Transgenic activation of the kallikrein-kinin system inhibits intramyocardial inflammation, endothelial dysfunction and oxidative stress in experimental diabetic cardiomyopathy. 2005 , 19, 2057-9 | 97 |

| | | |
|-----|---|-----|
| 987 | Acute and chronic captopril, but not prazosin or nifedipine, normalize alterations in adrenergic intracellular Ca ²⁺ handling observed in the mesenteric arterial tree of spontaneously hypertensive rats. 2005 , 313, 359-67 | 9 |
| 986 | G-protein-coupled receptor Mas is a physiological antagonist of the angiotensin II type 1 receptor. 2005 , 111, 1806-13 | 309 |
| 985 | Mechanism of contraction of rat isolated tail arteries by hyposmotic solutions. 2005 , 42, 93-100 | 6 |
| 984 | GLUT4 facilitative glucose transporter specifically and differentially contributes to agonist-induced vascular reactivity in mouse aorta. 2005 , 25, 1596-602 | 33 |
| 983 | Enhanced endothelium derived hyperpolarising factor activity in resistance arteries from normal pressure glaucoma patients: implications for vascular function in the eye. 2005 , 89, 223-8 | 12 |
| 982 | Isolated placental vessel response to vascular endothelial growth factor and placenta growth factor in normal and growth-restricted pregnancy. 2005 , 59, 102-7 | 30 |
| 981 | Effects of cGMP on coordination of vascular smooth muscle cells of rat mesenteric small arteries. 2005 , 42, 301-11 | 32 |
| 980 | Skeletonization of internal thoracic artery affects its innervation and reactivity. 2005 , 28, 551-7 | 17 |
| 979 | Endothelial NOS-mediated relaxations of isolated thoracic aorta of the C57BL/6J mouse: a methodological study. 2005 , 45, 225-31 | 19 |
| 978 | Visualisation of morphological changes in living intact human microvessels using confocal microscopy. 2005 , 69, 173-7 | 2 |
| 977 | Induced nitric oxide impairs relaxation but not contraction in endotoxin-exposed rat pulmonary arteries. 2005 , 127, 197-202 | 10 |
| 976 | Angiotensin-converting enzyme inhibitors reveal non-NO-, non-prostacycline-mediated endothelium-dependent relaxation in internal thoracic artery of hypertensive patients. 2005 , 102, 455-60 | 14 |
| 975 | Novel time-dependent vascular actions of Delta9-tetrahydrocannabinol mediated by peroxisome proliferator-activated receptor gamma. 2005 , 337, 824-31 | 126 |
| 974 | Hypoxia-reoxygenation, St. Thomas cardioplegic solution, and nicorandil on endothelium-derived hyperpolarizing factor in coronary microarteries. 2005 , 80, 1803-11 | 20 |
| 973 | Phase resetting of arterial vasomotion by burst stimulation of perivascular nerves. 2005 , 42, 165-73 | 7 |
| 972 | New 3-alkylamino-4H-thieno-1,2,4-thiadiazine 1,1-dioxide derivatives activate ATP-sensitive potassium channels of pancreatic beta cells. 2006 , 49, 4127-39 | 25 |
| 971 | Effect of acidosis on isolated porcine retinal vessels. 2006 , 31, 427-34 | 16 |
| 970 | Involvement of calcium/calmodulin-dependent protein kinase II to endotoxin-induced vascular hyporeactivity in rat superior mesenteric artery. 2006 , 54, 208-18 | 7 |

| | | |
|-----|---|-----|
| 969 | Effect of hypoxia-reoxygenation on endothelial function in porcine cardiac microveins. 2006 , 81, 1708-14 | 13 |
| 968 | Pharmacological vascular reactivity in isolated diabetic rabbit ciliary artery. 2006 , 83, 1317-24 | 2 |
| 967 | Medroxyprogesterone acetate attenuates long-term effects of 17beta-estradiol in coronary arteries from hyperlipidemic rabbits. 2006 , 71, 834-42 | 1 |
| 966 | Assessment of vasoconstrictive potential of D-lysergic acid using an isolated bovine lateral saphenous vein bioassay. 2006 , 84, 3167-75 | 47 |
| 965 | Placental insufficiency leads to developmental hypertension and mesenteric artery dysfunction in two generations of Sprague-Dawley rat offspring. 2006 , 74, 538-44 | 63 |
| 964 | Early aging and anatomic heterogeneity determine cyclooxygenase-mediated vasoconstriction to angiotensin II in mice. 2006 , 48, 30-3 | 11 |
| 963 | Effects of idarubicin and idarubicinol on rat coronary resistance and vasoconstrictor responsiveness of isolated aorta and mesentery. 2006 , 17, 69-74 | 2 |
| 962 | Quercetin-supplemented diets lower blood pressure and attenuate cardiac hypertrophy in rats with aortic constriction. 2006 , 47, 531-41 | 79 |
| 961 | Activation of nitric oxide modulator effect by isometric contraction in rat resistance arteries. 2006 , 47, 51-4 | 6 |
| 960 | Analysis of effects of connexin-mimetic peptides in rat mesenteric small arteries. 2006 , 291, H357-67 | 52 |
| 959 | Inhibition of PKC activity blocks the increase of ETB receptor expression in cerebral arteries. 2006 , 6, 13 | 10 |
| 958 | Effect of cyclic guanosine-monophosphate on porcine retinal vasomotion. 2006 , 84, 228-33 | 18 |
| 957 | SESSION H: PHARMACODYNAMICS. 2006 , 29, 211-238 | |
| 956 | Urocortin increases the intracellular cAMP concentration and thus decreases the degree of phosphorylation of MYPT1 and increases the myosin phosphatase activity. 2006 , 51, 679-686 | 5 |
| 955 | Increase in the sensitivity of the vascular smooth muscle to constrictor factors after denervation and with a decrease in blood pressure. 2006 , 51, 805-810 | 2 |
| 954 | ERK1/2 inhibition attenuates cerebral blood flow reduction and abolishes ET(B) and 5-HT(1B) receptor upregulation after subarachnoid hemorrhage in rat. 2006 , 26, 846-56 | 63 |
| 953 | Hypoxic pulmonary vasoconstriction: mechanisms and controversies. 2006 , 570, 53-8 | 116 |
| 952 | Cardiovascular consequences of life-long exposure to dietary isoflavones in the rat. 2006 , 571, 477-87 | 10 |

| | | |
|-----|---|----|
| 951 | Regulation of the crossbridge cycle in vascular smooth muscle by cAMP signalling. 2006 , 27, 445-54 | 3 |
| 950 | Effect and mechanism of betaxolol and timolol on vascular relaxation in isolated rabbit ciliary artery. 2006 , 50, 504-508 | 13 |
| 949 | Effect of adenovirus-mediated gene transfer of nitric oxide synthase on vascular reactivity of rat isolated pulmonary arteries. 2006 , 452, 213-21 | 6 |
| 948 | Dual effect of initial [K] on vascular tone in rat mesenteric arteries. 2006 , 453, 33-41 | 10 |
| 947 | Effect of pressure overload and its recovery on the rat carotid artery: change of vascular reactivity and remodeling process. 2006 , 21, 48-55 | 6 |
| 946 | Modulation of sympathetic neurotransmission by neuropeptide Y Y2 receptors in rats and guinea pigs. 2006 , 173, 346-52 | 10 |
| 945 | Ca(2+) sensitisation of force production by noradrenaline in femoral conductance and resistance arteries from rats with postinfarction congestive heart failure. 2006 , 44, 156-65 | 1 |
| 944 | Effect of gap junction uncoupler heptanol on resistance arteries reactivity in experimental models of diabetes, hyperlipemia and hyperlipemia-diabetes. 2006 , 44, 513-8 | 11 |
| 943 | The role of oxidant stress in angiotensin II-mediated contraction of human resistance arteries in the state of health and the presence of cardiovascular disease. 2006 , 45, 395-9 | 7 |
| 942 | Intracellular smooth muscle [Ca2+] in acetylcholine and nitric oxide-mediated relaxation of human small arteries. 2006 , 535, 243-7 | 3 |
| 941 | Noradrenaline-induced increases in calcium and tension in skeletal muscle conductance and resistance arteries from rats with post-infarction heart failure. 2006 , 537, 143-54 | 1 |
| 940 | Pharmacological characteristics of endothelium-derived hyperpolarizing factor-mediated relaxation of small mesenteric arteries from db/db mice. 2006 , 551, 98-107 | 42 |
| 939 | Enhanced contractility of small blood vessels in JNK knockout mice. 2006 , 29, 335-9 | 7 |
| 938 | Oxygen tension and normalisation pressure modulate nifedipine-sensitive relaxation of human placental chorionic plate arteries. 2006 , 27, 402-10 | 12 |
| 937 | Methanandamide hyperpolarizes gastric arteries by stimulation of TRPV1 receptors on perivascular CGRP containing nerves. 2006 , 47, 303-9 | 15 |
| 936 | Comparison of contractile responses in isolated mouse aorta and pulmonary artery: Influence of strain and sex. 2006 , 48, 820-6 | 4 |
| 935 | Antenatal betamethasone administration has a dual effect on adult sheep vascular reactivity. 2006 , 60, 705-10 | 21 |
| 934 | Effects of chronic portal hypertension on agonist-induced actin polymerization in small mesenteric arteries. 2006 , 290, H1915-21 | 24 |

| | | | |
|-----|---|------|-----|
| 933 | Reduced Ca ²⁺ -dependent activation of large-conductance Ca ²⁺ -activated K ⁺ channels from arteries of Type 2 diabetic Zucker diabetic fatty rats. 2006 , 290, H1520-7 | | 42 |
| 932 | Femoral artery constriction by norepinephrine is enhanced by methylprednisolone in a rat model. 2006 , 88 Suppl 3, 162-6 | | 19 |
| 931 | Alterations in structure and mechanics of resistance arteries from ouabain-induced hypertensive rats. 2006 , 291, H193-201 | | 44 |
| 930 | Enhanced neurally evoked responses and inhibition of norepinephrine reuptake in rat mesenteric arteries after spinal transection. 2006 , 290, H398-405 | | 40 |
| 929 | Exercise training increases basal tone in arterioles distal to chronic coronary occlusion. 2006 , 290, H1128-35 | | 26 |
| 928 | Effects of hypoxia, anoxia, and metabolic inhibitors on KATP channels in rat femoral artery myocytes. 2006 , 291, H71-80 | | 27 |
| 927 | Endothelin-1-induced femoral head epiphyseal artery constriction is enhanced by long-term corticosteroid treatment. 2006 , 88 Suppl 3, 173-9 | | 23 |
| 926 | CNP, but not ANP or BNP, relax human isolated subcutaneous resistance arteries by an action involving cyclic GMP and BKCa channels. 2006 , 7, 87-91 | | 22 |
| 925 | NBCn1 (slc4a7) mediates the Na ⁺ -dependent bicarbonate transport important for regulation of intracellular pH in mouse vascular smooth muscle cells. <i>Circulation Research</i> , 2006 , 98, 515-23 | 15.7 | 72 |
| 924 | Remodeling and angiotensin II responses of the uterine arcuate arteries of pregnant rats are altered by low- and high-sodium intake. 2006 , 131, 331-9 | | 16 |
| 923 | Further characterization of the time-dependent vascular effects of delta9-tetrahydrocannabinol. 2006 , 317, 428-38 | | 51 |
| 922 | Angiotensin II infusion alters vascular function in mouse resistance vessels: roles of O and endothelium. 2006 , 43, 109-19 | | 35 |
| 921 | Enhanced vascular responses to adrenomedullin in mice overexpressing receptor-activity-modifying protein 2. <i>Circulation Research</i> , 2006 , 98, 262-70 | 15.7 | 42 |
| 920 | alphaV integrins are necessary for eutrophic inward remodeling of small arteries in hypertension. 2006 , 47, 281-7 | | 43 |
| 919 | Urocortin-induced decrease in Ca ²⁺ sensitivity of contraction in mouse tail arteries is attributable to cAMP-dependent dephosphorylation of MYPT1 and activation of myosin light chain phosphatase. <i>Circulation Research</i> , 2006 , 98, 1159-67 | 15.7 | 34 |
| 918 | Perivascular adipose tissue and mesenteric vascular function in spontaneously hypertensive rats. 2006 , 26, 1297-302 | | 133 |
| 917 | A nonthiazolidinedione peroxisome proliferator-activated receptor gamma agonist reverses endothelial dysfunction in diabetic (db/db ^{-/-}) mice. 2006 , 316, 364-70 | | 8 |
| 916 | Mismatched pre- and postnatal nutrition leads to cardiovascular dysfunction and altered renal function in adulthood. 2007 , 104, 9529-33 | | 122 |

| | | | |
|-----|--|------|-----|
| 915 | Conditioning effect of blood flow on resistance artery smooth muscle myosin phosphatase. <i>Circulation Research</i> , 2007 , 100, 730-7 | 15.7 | 37 |
| 914 | Role of Ca ²⁺ -independent phospholipase A2 and store-operated pathway in urocortin-induced vasodilatation of rat coronary artery. <i>Circulation Research</i> , 2007 , 101, 1194-203 | 15.7 | 49 |
| 913 | Cerebrovascular ETB, 5-HT _{1B} , and AT ₁ receptor upregulation correlates with reduction in regional CBF after subarachnoid hemorrhage. 2007 , 293, H3750-8 | | 50 |
| 912 | Nitrite-dependent vasodilation is facilitated by hypoxia and is independent of known NO-generating nitrite reductase activities. 2007 , 292, H3072-8 | | 95 |
| 911 | Alteration in flow (shear stress)-induced remodelling in rat resistance arteries with aging: improvement by a treatment with hydralazine. 2008 , 77, 600-8 | | 45 |
| 910 | Definitive role for natriuretic peptide receptor-C in mediating the vasorelaxant activity of C-type natriuretic peptide and endothelium-derived hyperpolarising factor. 2007 , 74, 515-25 | | 70 |
| 909 | Functional role of the soluble guanylyl cyclase alpha(1) subunit in vascular smooth muscle relaxation. 2007 , 76, 149-59 | | 40 |
| 908 | ATP-induced relaxation of porcine retinal arterioles depends on the perivascular retinal tissue and acts via an adenosine receptor. 2007 , 32, 353-9 | | 23 |
| 907 | Elucidation of the temporal relationship between endothelial-derived NO and EDHF in mesenteric vessels. 2007 , 293, H1682-8 | | 19 |
| 906 | The dietary flavonoid quercetin activates BKCa currents in coronary arteries via production of H ₂ O ₂ . Role in vasodilatation. 2007 , 73, 424-31 | | 64 |
| 905 | Interaction between Na ⁺ /K ⁺ -pump and Na ⁺ /Ca ²⁺ -exchanger modulates intercellular communication. <i>Circulation Research</i> , 2007 , 100, 1026-35 | 15.7 | 43 |
| 904 | Endothelium-dependent relaxation is resistant to inhibition of nitric oxide synthesis, but sensitive to blockade of calcium-activated potassium channels in essential hypertension. 2007 , 21, 808-14 | | 12 |
| 903 | Chronic cystamine treatment inhibits small artery remodelling in rats. 2007 , 44, 471-82 | | 35 |
| 902 | Antagonism of lipopolysaccharide-induced blood pressure attenuation and vascular contractility. 2007 , 27, 2170-6 | | 25 |
| 901 | Polyunsaturated fatty acids are cerebral vasodilators via the TREK-1 potassium channel. <i>Circulation Research</i> , 2007 , 101, 176-84 | 15.7 | 107 |
| 900 | Left ventricular hypertrophy induced by aortic banding impairs relaxation of isolated coronary arteries. 2007 , 113, 473-8 | | 16 |
| 899 | Src family tyrosine kinases mediate contraction of rat isolated tail arteries in response to a hyposmotic stimulus. 2007 , 25, 1871-8 | | 13 |
| 898 | Small artery structure is an independent predictor of cardiovascular events in essential hypertension. 2007 , 25, 1021-6 | | 141 |

| | | |
|-----|---|-----|
| 897 | Differential effects of vasopressin and norepinephrine on vascular reactivity in a long-term rodent model of sepsis. 2007 , 35, 2337-43 | 58 |
| 896 | Prorenin is the endogenous agonist of the (pro)renin receptor. Binding kinetics of renin and prorenin in rat vascular smooth muscle cells overexpressing the human (pro)renin receptor. 2007 , 25, 2441-53 | 168 |
| 895 | Evolving in thin air--lessons from the llama fetus in the altiplano. 2007 , 158, 298-306 | 25 |
| 894 | Estrogen and phytoestrogens: Effect on eNOS expression and in vitro vasodilation in cerebral arteries in ovariectomized Watanabe heritable hyperlipidemic rabbits. 2007 , 130, 84-92 | 17 |
| 893 | Vasodilatory mechanism of levobunolol on vascular smooth muscle cells. 2007 , 84, 1039-46 | 17 |
| 892 | The vascular phenotypes in hypertension: Relation with the natural history of hypertension. 2007 , 1, 56-67 | 16 |
| 891 | Cardiovascular Activity. 2007 , 47-391 | |
| 890 | Vascular dysfunction in type 2 diabetic TallyHo mice: role for an increase in the contribution of PGH2/TxA2 receptor activation and cytochrome p450 products. 2007 , 85, 404-12 | 22 |
| 889 | Homeostatic role of Toll-like receptor 4 in the endothelium and heart. 2007 , 12, 322-6 | 16 |
| 888 | Contribution of both Ca ²⁺ entry and Ca ²⁺ sensitization to the alpha1-adrenergic vasoconstriction of rat penile small arteries. 2007 , 292, H1157-69 | 41 |
| 887 | Intrauterine growth restriction delays cardiomyocyte maturation and alters coronary artery function in the fetal sheep. 2007 , 578, 871-81 | 110 |
| 886 | Prenatal stress in the rat results in increased blood pressure responsiveness to stress and enhanced arterial reactivity to neuropeptide Y in adulthood. 2007 , 582, 665-74 | 37 |
| 885 | Protein kinase C inhibition prevents upregulation of vascular ET(B) and 5-HT(1B) receptors and reverses cerebral blood flow reduction after subarachnoid haemorrhage in rats. 2007 , 27, 21-32 | 36 |
| 884 | The function of alpha- and beta-adrenoceptors of the saphenous artery in caveolin-1 knockout and wild-type mice. 2007 , 150, 261-70 | 18 |
| 883 | Effects of chronic nitric oxide synthase inhibition on the cardiovascular responses to cannabinoids in vivo and in vitro. 2007 , 150, 662-71 | 10 |
| 882 | Contractile and relaxant properties of rat-isolated pulmonary veins related to localization and histology. 2007 , 21, 55-65 | 9 |
| 881 | Protein kinase C inhibition attenuates vascular ETB receptor upregulation and decreases brain damage after cerebral ischemia in rat. 2007 , 8, 7 | 20 |
| 880 | Altered Ca ²⁺ handling of smooth muscle cells in aorta of apolipoprotein E-deficient mice before development of atherosclerotic lesions. 2007 , 41, 295-302 | 34 |

| | | |
|-----|---|-----|
| 879 | Antiphase oscillations of endothelium and smooth muscle $[Ca^{2+}]_i$ in vasomotion of rat mesenteric small arteries. 2007 , 42, 536-47 | 28 |
| 878 | 2-Hydroxy-fendiline analogues as potent relaxers of isolated arteries. 2007 , 561, 160-3 | 3 |
| 877 | Protective effects of nebivolol and reversal of endothelial dysfunction in diabetes associated with hypertension. 2007 , 570, 149-58 | 21 |
| 876 | Adrenoceptor and cholinergic modulation of rat pulmonary vein cardiac muscle contractility. 2007 , 46, 166-70 | 2 |
| 875 | Inhibition of Src family tyrosine kinases prevents lipopolysaccharide-induced hyporeactivity in isolated rat tail arteries. 2007 , 46, 195-200 | 7 |
| 874 | Hydrogen peroxide modulates angiotensin II-induced contraction of mesenteric arteries from streptozotocin-induced diabetic rats. 2007 , 46, 223-8 | 9 |
| 873 | An automated method to control preload by compensation for stress relaxation in spontaneously contracting, isometric rat mesenteric lymphatics. 2007 , 14, 603-12 | 10 |
| 872 | Length-dependence of lymphatic phasic contractile activity under isometric and isobaric conditions. 2007 , 14, 613-25 | 38 |
| 871 | MEK1/2 inhibition attenuates vascular ETA and ETB receptor alterations after cerebral ischaemia. 2007 , 178, 470-6 | 45 |
| 870 | Mechanisms of the effect of nitroglycerine on contraction of smooth muscles of the rat femoral artery. 2007 , 39, 178-183 | |
| 869 | Vasoactivity of blood vessels using a novel isovolumic myograph. 2007 , 35, 356-66 | 20 |
| 868 | Persistence of PAR-2 vasodilation despite endothelial dysfunction in BPH/2 hypertensive mice. 2007 , 454, 535-43 | 21 |
| 867 | Quantitative FDG-uptake by positron emission tomography in progressive hypertrophy of rat hearts in vivo. 2007 , 21, 569-76 | 27 |
| 866 | Orthostatic hypotensive effect of antipsychotic drugs in Wistar rats by in vivo and in vitro studies of α_1 -adrenoceptor function. 2008 , 199, 15-27 | 26 |
| 865 | Vasomotion has chloride-dependency in rat mesenteric small arteries. 2008 , 457, 389-404 | 35 |
| 864 | Engineering microporosity in bacterial cellulose scaffolds. 2008 , 2, 320-30 | 179 |
| 863 | Endothelin mediated contraction of equine laminar veins. 2008 , 40, 488-92 | 16 |
| 862 | The relaxing effect of perivascular tissue on porcine retinal arterioles in vitro is mimicked by N-methyl-D-aspartate and is blocked by prostaglandin synthesis inhibition. 2008 , 86, 26-33 | 23 |

| | | |
|-----|---|----|
| 861 | Adenosine increases calcium sensitivity via receptor-independent activation of the p38/MK2 pathway in mesenteric arteries. 2008 , 193, 37-46 | 10 |
| 860 | Aldosterone induces endothelial dysfunction in resistance arteries from normotensive and hypertensive rats by increasing thromboxane A2 and prostacyclin. 2008 , 154, 1225-35 | 63 |
| 859 | A technique for simultaneous measurement of Ca ²⁺ , FRET fluorescence and force in intact mouse small arteries. 2008 , 586, 2437-43 | 18 |
| 858 | A comparative analysis of the vasomotor responses and innervation of small arteries in rat locomotor and respiratory muscles. 2008 , 53, 621-625 | 6 |
| 857 | The contribution of protein kinase C and rho-kinase to the regulation of receptor-dependent contraction of arteries decreases with age independently of sympathetic innervation. 2008 , 53, 626-631 | 2 |
| 856 | Analysis of sphingosine 1-phosphate receptors involved in constriction of isolated cerebral arteries with receptor null mice and pharmacological tools. 2008 , 153, 140-7 | 97 |
| 855 | Paraoxonase 1 gene transfer lowers vascular oxidative stress and improves vasomotor function in apolipoprotein E-deficient mice with pre-existing atherosclerosis. 2008 , 153, 508-16 | 40 |
| 854 | Anatomical, immunohistochemical and physiological characteristics of the vomeronasal vessels in cows and their possible role in vomeronasal reception. 2008 , 212, 686-96 | 22 |
| 853 | Hypoxia-induced pulmonary vascular remodeling and right ventricular hypertrophy is unaltered by long-term oral L-arginine administration. 2008 , 49, 71-6 | 11 |
| 852 | Enhanced expression of contractile endothelin ET(B) receptors in rat coronary artery after organ culture. 2008 , 582, 94-101 | 14 |
| 851 | Effects of angiotensin II and its metabolites in the rat coronary vascular bed: is angiotensin III the preferred ligand of the angiotensin AT2 receptor?. 2008 , 588, 286-93 | 37 |
| 850 | Ouabain treatment changes the role of endothelial factors in rat resistance arteries. 2008 , 600, 110-6 | 13 |
| 849 | C-type natriuretic peptide hyperpolarizes and relaxes human penile resistance arteries. 2008 , 5, 1114-1125 | 35 |
| 848 | Evaluation of equine laminar vein function: harvesting, dissection and the use of functional methods to distinguish between veins and arteries. 2008 , 57, 92-9 | 8 |
| 847 | Vasospasm in traumatic brain injury. 2008 , 104, 421-425 | 11 |
| 846 | Inhibition of superoxide anion-mediated impairment of endothelium by treatment with luteolin and apigenin in rat mesenteric artery. 2008 , 83, 110-7 | 28 |
| 845 | Increased expression in calcitonin-like receptor induced by aldosterone in cerebral arteries from spontaneously hypertensive rats does not correlate with functional role of CGRP receptor. 2008 , 146, 125-30 | 5 |
| 844 | Purification, structural characterization, and myotropic activity of a peptide related to des-Arg(9)-bradykinin from an elasmobranch fish, the little skate, <i>Leucoraja erinacea</i> . 2008 , 29, 1280-6 | 5 |

| | | |
|-----|---|-----|
| 843 | Relaxing effect and mechanism of tafluprost on isolated rabbit ciliary arteries. 2008 , 87, 251-6 | 22 |
| 842 | PAR-2 mediates increased inflammatory cell adhesion and neointima formation following vascular injury in the mouse. 2008 , 198, 57-64 | 26 |
| 841 | Coronary Flow Reserve and Small Artery Remodelling in Hypertensive Patients. 2008 , 15, 127-134 | 2 |
| 840 | Antiphospholipid antibodies induce vascular functional changes in mice: a mechanism of vascular lesions in antiphospholipid syndrome?. 2008 , 17, 185-94 | 23 |
| 839 | ICS Medal Winners and Research Abstract Presentations. 2008 , 9, 77-94 | |
| 838 | Effects of insulin on endothelial and contractile function of subcutaneous small resistance arteries of hypertensive and diabetic patients. 2008 , 45, 512-20 | 7 |
| 837 | Selective arterial dilatation by glyceryl trinitrate is not associated with nitric oxide formation in vitro. 2008 , 45, 375-85 | 15 |
| 836 | Aldosterone synthase inhibition improves cardiovascular function and structure in rats with heart failure: a comparison with spironolactone. 2008 , 29, 2171-9 | 97 |
| 835 | Nebivolol induces a hyperpolarizing effect on smooth muscle cells in the mouse renal artery by activation of beta-2-adrenoceptors. 2008 , 81, 110-7 | 11 |
| 834 | Low mercury concentrations cause oxidative stress and endothelial dysfunction in conductance and resistance arteries. 2008 , 295, H1033-H1043 | 113 |
| 833 | Hypoxia-induced vasoconstriction in alligator (<i>Alligator mississippiensis</i>) intrapulmonary arteries: a role for endothelin-1?. 2008 , 211, 1565-70 | 12 |
| 832 | Blood flow-dependent arterial remodelling is facilitated by inflammation but directed by vascular tone. 2008 , 78, 341-8 | 69 |
| 831 | Uterine artery myosin phosphatase isoform switching and increased sensitivity to SNP in a rat L-NAME model of hypertension of pregnancy. 2008 , 294, C564-71 | 35 |
| 830 | Key role of alpha(1)beta(1)-integrin in the activation of PI3-kinase-Akt by flow (shear stress) in resistance arteries. 2008 , 294, H1906-13 | 38 |
| 829 | Rho kinase is involved in Ca ²⁺ entry of rat penile small arteries. 2008 , 294, H1923-32 | 30 |
| 828 | Determinants of the structure of resistance-sized arteries in hypertensive patients. 2008 , 17, 204-11 | 12 |
| 827 | Notch3 is a major regulator of vascular tone in cerebral and tail resistance arteries. 2008 , 28, 2216-24 | 73 |
| 826 | Perivascular tissue of internal thoracic artery releases potent nitric oxide and prostacyclin-independent anticontractile factor. 2008 , 33, 225-31 | 61 |

| | | |
|-----|--|-----|
| 825 | Regression of L-NAME-induced hypertension: the role of nitric oxide and endothelium-derived constricting factor. 2008 , 31, 793-803 | 59 |
| 824 | A reduction in the amount and anti-contractile effect of periadventitial mesenteric adipose tissue precedes hypertension development in spontaneously hypertensive rats. 2008 , 31, 1415-23 | 51 |
| 823 | Transmission of raised blood pressure and endothelial dysfunction to the F2 generation induced by maternal protein restriction in the F0, in the absence of dietary challenge in the F1 generation. 2008 , 100, 760-6 | 93 |
| 822 | Progestins oppose the effects of estradiol on the endothelin-1 receptor type B in coronary arteries from ovariectomized hyperlipidemic rabbits. 2008 , 15, 503-10 | 17 |
| 821 | An increased regional blood flow precedes mesenteric inflammation in rats treated by a phosphodiesterase 4 inhibitor. 2009 , 107, 298-305 | 8 |
| 820 | The synaptic proteins neurexins and neuroligins are widely expressed in the vascular system and contribute to its functions. 2009 , 106, 20782-7 | 45 |
| 819 | Type 2 diabetes severely impairs structural and functional adaptation of rat resistance arteries to chronic changes in blood flow. 2009 , 81, 788-96 | 39 |
| 818 | Equal contribution of increased intracranial pressure and subarachnoid blood to cerebral blood flow reduction and receptor upregulation after subarachnoid hemorrhage. Laboratory investigation. 2009 , 111, 978-87 | 21 |
| 817 | Functional alterations of mesenteric small resistance arteries in Milan hypertensive and normotensive rats. 2009 , 32, 581-5 | 5 |
| 816 | Antihypertensive, antidyslipidemic and endothelial modulating activities of <i>Orchis mascula</i> . 2009 , 32, 997-1003 | 15 |
| 815 | Neointimal hyperplasia, vein graft remodeling, and long-term patency. 2009 , 297, H1194-5 | 12 |
| 814 | Developmental programming of lipid metabolism and aortic vascular function in C57BL/6 mice: a novel study suggesting an involvement of LDL-receptor. 2009 , 296, R1029-40 | 23 |
| 813 | CHIP represses myocardin-induced smooth muscle cell differentiation via ubiquitin-mediated proteasomal degradation. 2009 , 29, 2398-408 | 63 |
| 812 | Inhibition of p38 MAPK reverses hypoxia-induced pulmonary artery endothelial dysfunction. 2009 , 296, H1312-20 | 36 |
| 811 | Local inflammation and hypoxia abolish the protective anticontractile properties of perivascular fat in obese patients. 2009 , 119, 1661-70 | 437 |
| 810 | Hypertension increases contractile responses to hydrogen peroxide in resistance arteries through increased thromboxane A ₂ , Ca ²⁺ , and superoxide anion levels. 2009 , 328, 19-27 | 48 |
| 809 | Human Embryogenesis. 2009 , | |
| 808 | Blood pressure regulation and characteristics of small arteries in hypertension. 1982 , 670, 21-8 | 3 |

| | | |
|-----|--|-----|
| 807 | Raised intracellular sodium does not cause myogenic contraction of resting rat 150-microns mesenteric resistance vessels. 1983 , 677, 60-3 | |
| 806 | Resistance vessel abnormalities in preeclampsia. 1985 , 693, 23-7 | |
| 805 | Antihypertensive, antioxidant, antidyslipidemic and endothelial modulating activities of a polyherbal formulation (POL-10). 2009 , 50, 57-64 | 20 |
| 804 | The novel antioxidant, AC3056 (2,6-di-t-butyl-4-((dimethyl-4-methoxyphenylsilyl)methoxy)phenol), reverses erectile dysfunction in diabetic rats and improves NO-mediated responses in penile tissue from diabetic men. 2009 , 6, 373-87 | 27 |
| 803 | Functional characterization of contractions to tegaserod in human isolated proximal and distal coronary arteries. 2009 , 619, 61-7 | 25 |
| 802 | Cod CGRP and tachykinins in coeliac artery innervation of the Atlantic cod, <i>Gadus morhua</i> : presence and vasoactivity. 2009 , 35, 369-76 | 6 |
| 801 | Inhibition of cerebral vasoconstriction by dantrolene and nimodipine. 2009 , 10, 93-102 | 37 |
| 800 | Poster presentations. 2009 , 32, 129-265 | 15 |
| 799 | Activation by Ca ²⁺ /calmodulin of an exogenous myosin light chain kinase in mouse arteries. 2009 , 587, 2599-612 | 29 |
| 798 | Chronic venous insufficiency is associated with elevated level of circulating microparticles. 2009 , 7, 1566-75 | 21 |
| 797 | Endothelium modulates vasoconstrictor response to prostaglandin I ₂ in rat mesenteric resistance arteries: interaction between EP1 and TP receptors. 2009 , 158, 1787-95 | 19 |
| 796 | Y27632, a Rho-activated kinase inhibitor, normalizes dysregulation in alpha1-adrenergic receptor-induced contraction of Lyon hypertensive rat artery smooth muscle. 2009 , 23, 169-78 | 13 |
| 795 | Reactive oxygen species are necessary for high flow (shear stress)-induced diameter enlargement of rat resistance arteries. 2009 , 16, 391-402 | 31 |
| 794 | Adenosine enhances the relaxing influence of retinal tissue. 2009 , 88, 71-8 | 9 |
| 793 | Urocortin inhibits mesenteric arterial remodeling in spontaneously hypertensive rats. 2009 , 30, 1117-23 | 7 |
| 792 | Hormone therapy modulates ET(A) mRNA expression in the aorta of ovariectomised New Zealand White rabbits. 2009 , 25, 175-82 | 9 |
| 791 | Generation of nitric oxide from nitrite by carbonic anhydrase: a possible link between metabolic activity and vasodilation. 2009 , 297, H2068-74 | 160 |
| 790 | Toll-like receptors 4 contribute to endothelial injury and inflammation in hemorrhagic shock in mice. 2009 , 37, 1724-8 | 21 |

| | | |
|-----|--|----|
| 789 | Losartan and tempol treatments normalize the increased response to hydrogen peroxide in resistance arteries from hypertensive rats. 2009 , 27, 1814-22 | 10 |
| 788 | Maternal undernutrition leads to endothelial dysfunction in adult male rat offspring independent of postnatal diet. 2009 , 101, 27-33 | 45 |
| 787 | Activation of BKCa channels by nitric oxide prevents coronary artery endothelial dysfunction in ouabain-induced hypertensive rats. 2009 , 27, 83-91 | 15 |
| 786 | Melatonin improves the restoration of endothelium-derived constricting factor signalling and inner diameter in the rat femoral artery after cessation of L-NAME treatment. 2010 , 28 Suppl 1, S19-24 | 12 |
| 785 | Structural alterations in subcutaneous small resistance arteries predict changes in the renal function of hypertensive patients. 2010 , 28, 1951-8 | 17 |
| 784 | Maternal copper deficiency perpetuates altered vascular function in Sprague-Dawley rat offspring. 2010 , 1, 131-40 | 2 |
| 783 | Impaired recovery of intracellular calcium and force after activation in isolated myometrial and subcutaneous resistance arteries from women with preeclampsia. 2010 , 28, 568-74 | 5 |
| 782 | Simultaneous inhibition of TXA(2) and PGI(2) synthesis increases NO release in mesenteric resistance arteries from cirrhotic rats. 2010 , 119, 283-92 | 13 |
| 781 | Enhanced constriction of supplying arteries--a mechanism of femoral head necrosis in Wistar rats?. 2010 , 192, 58-61 | 10 |
| 780 | Black walnut extract-induced laminitis in horses is associated with heterogeneous dysfunction of the laminar microvasculature. 2005 , 37, 546-51 | 31 |
| 779 | Upregulation of contractile endothelin type B receptors by lipid-soluble cigarette smoking particles in rat cerebral arteries via activation of MAPK. 2010 , 249, 25-32 | 24 |
| 778 | Comparison of MEK/ERK pathway inhibitors on the upregulation of vascular G-protein coupled receptors in rat cerebral arteries. 2010 , 644, 128-37 | 24 |
| 777 | Partial contributions of developmental hypoxia and undernutrition to prenatal alterations in somatic growth and cardiovascular structure and function. 2010 , 203, 495.e24-34 | 66 |
| 776 | Subarachnoid hemorrhage induces enhanced expression of thromboxane A2 receptors in rat cerebral arteries. 2010 , 1316, 163-72 | 27 |
| 775 | Diabetes exacerbates the functional deficiency of NO/cGMP pathway associated with erectile dysfunction in human corpus cavernosum and penile arteries. 2010 , 7, 758-68 | 92 |
| 774 | Nebivolol dilates human penile arteries and reverses erectile dysfunction in diabetic rats through enhancement of nitric oxide signaling. 2010 , 7, 2681-97 | 21 |
| 773 | Role for tyrosine kinases in contraction of rat penile small arteries. 2010 , 7, 2086-2095 | 9 |
| 772 | Non-invasive and quantitative evaluation of peripheral vascular resistances in rats by combined NMR measurements of perfusion and blood pressure using ASL and dynamic angiography. 2010 , 23, 188-95 | 4 |

| | | |
|-----|--|----|
| 771 | Vascular effects of egg white-derived peptides in resistance arteries from rats. Structure-activity relationships. 2010 , 90, 1988-93 | 26 |
| 770 | Transient supersensitivity to alpha-adrenoceptor agonists, and distinct hyper-reactivity to vasopressin and angiotensin II after denervation of rat tail artery. 2010 , 159, 142-53 | 20 |
| 769 | Vasorelaxation to N-oleoylethanolamine in rat isolated arteries: mechanisms of action and modulation via cyclooxygenase activity. 2010 , 160, 701-11 | 20 |
| 768 | Interaction between anandamide and sphingosine-1-phosphate in mediating vasorelaxation in rat coronary artery. 2010 , 161, 176-92 | 23 |
| 767 | Uridine adenosine tetraphosphate affects contractility of mouse aorta and decreases blood pressure in conscious rats and mice. 2010 , 200, 171-9 | 23 |
| 766 | Melatonin interactions with blood pressure and vascular function during L-NAME-induced hypertension. 2010 , 48, 102-8 | 39 |
| 765 | Alterations in nitric oxide and endothelin-1 bioactivity underlie cerebrovascular dysfunction in ApoE-deficient mice. 2010 , 30, 1494-503 | 29 |
| 764 | The effect of cooling on the contractility of equine digital small lamellar arteries: modulating role of the endothelium. 2010 , 95, 1033-42 | 6 |
| 763 | Diaphragm muscle and its feed artery after chronic respiratory airway obstruction in rats. 2010 , 55, 826-830 | 1 |
| 762 | SELECTIVITY OF ECNOTOXIN GVIA FOR N-TYPE CALCIUM CHANNELS IN RAT ISOLATED SMALL MESENTERIC ARTERIES. 2010 , 23, 16-21 | 18 |
| 761 | The assessment of rat ureteral pressure generation in vitro: regional heterogeneity and influence of distending pressure. 2010 , 97, 307-15 | 2 |
| 760 | Reactive oxygen species and cyclooxygenase 2-derived thromboxane A2 reduce angiotensin II type 2 receptor vasorelaxation in diabetic rat resistance arteries. 2010 , 55, 339-44 | 36 |
| 759 | Characterization of the calcitonin gene-related peptide receptor antagonist telcagepant (MK-0974) in human isolated coronary arteries. 2010 , 334, 746-52 | 55 |
| 758 | Axon reflexes evoked by transient receptor potential vanilloid 1 activation are mediated by tetrodotoxin-resistant voltage-gated Na ⁺ channels in intestinal afferent nerves. 2010 , 334, 566-75 | 11 |
| 757 | Small artery remodeling: current concepts and questions. 2010 , 47, 183-202 | 75 |
| 756 | Involvement of angiotensin II in the remodeling induced by a chronic decrease in blood flow in rat mesenteric resistance arteries. 2010 , 33, 857-66 | 7 |
| 755 | Nuclear receptor Nur77 inhibits vascular outward remodelling and reduces macrophage accumulation and matrix metalloproteinase levels. 2010 , 87, 561-8 | 35 |
| 754 | Sympathetic vasoconstriction is potentiated in arteries caudal but not rostral to a spinal cord transection in rats. 2010 , 27, 2077-89 | 20 |

| | | |
|-----|---|----|
| 753 | Effect of the calcitonin gene-related peptide (CGRP) receptor antagonist telcagepant in human cranial arteries. 2010 , 30, 1233-40 | 62 |
| 752 | Effects of estrogen plus progesterone on hemodynamic and vascular reactivity in hypertensive postmenopausal women. 2010 , 19, 156-63 | 4 |
| 751 | Imatinib ameliorates fibrosis in uraemic cardiac disease in BALB/c without improving cardiac function. 2010 , 25, 1817-24 | 6 |
| 750 | Cyclooxygenase-2 preserves flow-mediated remodelling in old obese Zucker rat mesenteric arteries. 2010 , 86, 516-25 | 21 |
| 749 | Vasoactivity of hydrogen sulfide in normoxic and anoxic turtles (<i>Trachemys scripta</i>). 2010 , 298, R1225-39 | 12 |
| 748 | Hypoxic relaxation of penile arteries: involvement of endothelial nitric oxide and modulation by reactive oxygen species. 2010 , 299, H915-24 | 24 |
| 747 | Human thoracic duct in vitro: diameter-tension properties, spontaneous and evoked contractile activity. 2010 , 299, H811-8 | 42 |
| 746 | Effects of angiotensin metabolites in the coronary vascular bed of the spontaneously hypertensive rat: loss of angiotensin II type 2 receptor-mediated vasodilation. 2010 , 55, 516-22 | 51 |
| 745 | Adaptative nitric oxide overproduction in perivascular adipose tissue during early diet-induced obesity. 2010 , 151, 3299-306 | 89 |
| 744 | Tension Measurement in Isolated Rat and Mouse Pulmonary Artery. 2010 , 7, 123-130 | 13 |
| 743 | Long-term incubation with beta-amyloid peptides impairs endothelium-dependent vasodilatation in isolated rat basilar artery. 2010 , 61, 157-61 | 24 |
| 742 | Vessel-specific role of sphingosine kinase 1 in the vasoconstriction of isolated basilar arteries. 2010 , 62, 465-74 | 25 |
| 741 | Vascular smooth muscle contractility assays for inflammatory and immunological mediators. 2010 , 10, 1344-53 | 13 |
| 740 | Endothelial dysfunction in myometrial arteries of women with gestational diabetes. 2010 , 89, 134-40 | 8 |
| 739 | Reduced effects of endothelium-derived hyperpolarizing factor in ocular ciliary arteries from spontaneous hypertensive rats. 2010 , 90, 324-9 | 8 |
| 738 | How to assess microvascular structure in humans. 2011 , 18, 169-77 | 35 |
| 737 | Endothelium-dependent vasomotor effects of telmisartan in isolated rat femoral arteries. 2011 , 63, 199-206 | 7 |
| 736 | Long-term intake of a milk casein hydrolysate attenuates the development of hypertension and involves cardiovascular benefits. 2011 , 63, 398-404 | 43 |

| | | |
|-----|---|----|
| 735 | Reduced endothelial dependent vasodilation in vessels from TLR4(-/-) mice is associated with increased superoxide generation. 2011 , 408, 511-5 | 9 |
| 734 | Intact rat superior mesenteric artery endothelium is an electrical syncytium and expresses strong inward rectifier K ⁺ conductance. 2011 , 410, 501-7 | 11 |
| 733 | Retina evokes biphasic relaxations in retinal artery unrelated to endothelium, K(V), K(ATP), K(Ca) channels and methyl palmitate. 2011 , 81, 295-302 | 12 |
| 732 | Evaluation of cold storage conditions for vessels obtained from donor rats after cardiac death. 2011 , 54, 1769-77 | 4 |
| 731 | Improvement of left ventricular diastolic function induced by β blockade: a comparison between nebivolol and metoprolol. 2011 , 51, 168-76 | 18 |
| 730 | The pharmacology of Malo maxima jellyfish venom extract in isolated cardiovascular tissues: A probable cause of the Irukandji syndrome in Western Australia. 2011 , 201, 221-9 | 12 |
| 729 | Effects of doxazosin on functional alterations of isolated coronary arteries from cholesterol-fed rabbits. 1996 , 48, 607-14 | 1 |
| 728 | Cold-storage of rabbit thoracic aorta in University of Wisconsin solution reduces endothelium-independent vasodilation. 1997 , 49, 1096-101 | 16 |
| 727 | Effects of 17 β -oestradiol on rat isolated coronary and mesenteric artery tone: involvement of nitric oxide. 1998 , 50, 531-8 | 19 |
| 726 | 3 β -O-Dihydroxyflavonol reduces superoxide and improves nitric oxide function in diabetic rat mesenteric arteries. 2011 , 6, e20813 | 37 |
| 725 | Impaired vascular contractility and aortic wall degeneration in fibulin-4 deficient mice: effect of angiotensin II type 1 (AT1) receptor blockade. 2011 , 6, e23411 | 31 |
| 724 | Enoxaparin reduces adrenergic contraction of resistance arterioles in aging and in aging associated with diabetes via engagement of MAP kinase pathway. 2011 , 22, 310-6 | 6 |
| 723 | Vasodilation in response to the GPR30 agonist G-1 is not different from estradiol in the mRen2.Lewis female rat. 2011 , 57, 598-603 | 84 |
| 722 | Impairment of endothelium-dependent relaxation and changes in levels of cyclic GMP in carotid arteries from stroke-prone spontaneously hypertensive rats. 1990 , 42, 763-6 | 12 |
| 721 | Interaction between cicletanine and the eicosanoid system in human subcutaneous resistance arteries. 1992 , 44, 574-8 | 10 |
| 720 | Dysfunction of human subcutaneous fat arterioles in obesity alone or obesity associated with Type 2 diabetes. 2011 , 120, 463-72 | 42 |
| 719 | Acute modulation of vasoconstrictor responses by pravastatin in small vessels. 2011 , 75, 1506-14 | 16 |
| 718 | Impairment of both nitric oxide-mediated and EDHF-type relaxation in small mesenteric arteries from rats with streptozotocin-induced diabetes. 2011 , 162, 365-77 | 95 |

| | | |
|-----|--|-----|
| 717 | Expression and function of the K ⁺ channel KCNQ genes in human arteries. 2011 , 162, 42-53 | 104 |
| 716 | Endothelial dysfunction of rat coronary arteries after exposure to low concentrations of mercury is dependent on reactive oxygen species. 2011 , 162, 1819-31 | 59 |
| 715 | Effect of hypoxia in mice mesenteric arteries surrounded by adipose tissue. 2011 , 203, 235-44 | 6 |
| 714 | Pkd1-inactivation in vascular smooth muscle cells and adaptation to hypertension. 2011 , 91, 24-32 | 24 |
| 713 | Alteration in contractile G-protein coupled receptor expression by moist snuff and nicotine in rat cerebral arteries. 2011 , 252, 138-49 | 3 |
| 712 | Fetal and postnatal pulmonary circulation in the Alto Andino. 2011 , 32 Suppl 2, S100-3 | 20 |
| 711 | Cardiovascular and vasoconstrictive actions of skate bradykinin in the little skate, <i>Leucoraja erinacea</i> (Elasmobranchii). 2011 , 174, 89-96 | 8 |
| 710 | Aldosterone alters the participation of endothelial factors in noradrenaline vasoconstriction differently in resistance arteries from normotensive and hypertensive rats. 2011 , 654, 280-8 | 11 |
| 709 | 3-O-dihydroxyflavonol restores endothelium-dependent relaxation in small mesenteric artery from rats with type 1 and type 2 diabetes. 2011 , 659, 193-8 | 21 |
| 708 | Pharmacological characterization and expression of VIP and PACAP receptors in isolated cranial arteries of the rat. 2011 , 670, 186-94 | 30 |
| 707 | Maternal smoking and impaired endothelium-dependent nitric oxide-mediated relaxation of uterine small arteries in vitro. 2011 , 204, 177.e1-7 | 6 |
| 706 | Contribution of different local vascular responses to mid-gestational vasodilation. 2011 , 205, 155.e12-7 | 4 |
| 705 | Modulation of α_2C adrenergic receptor temperature-sensitive trafficking by HSP90. 2011 , 1813, 346-57 | 22 |
| 704 | Acute vasomotor paralysis and potential downstream effects of paclitaxel from stents implanted for saphenous vein aorto-coronary bypass stenosis. 2011 , 106, 681-9 | 15 |
| 703 | Effects of Rho-associated protein kinase inhibitors Y-27632 and Y-39983 on isolated rabbit ciliary arteries. 2011 , 55, 411-417 | 26 |
| 702 | Weight and inflammation are the major determinants of vascular dysfunction in the aortae of db/db mice. 2011 , 383, 483-92 | 10 |
| 701 | Inhibition of cerebrovascular raf activation attenuates cerebral blood flow and prevents upregulation of contractile receptors after subarachnoid hemorrhage. 2011 , 12, 107 | 28 |
| 700 | Human cerebrovascular contractile receptors are upregulated via a B-Raf/MEK/ERK-sensitive signaling pathway. 2011 , 12, 5 | 19 |

| | | |
|-----|---|---------|
| 699 | Effect of silibinin on endothelial dysfunction and ADMA levels in obese diabetic mice. 2011 , 10, 62 | 54 |
| 698 | Neutral sphingomyelinase, NADPH oxidase and reactive oxygen species. Role in acute hypoxic pulmonary vasoconstriction. 2011 , 226, 2633-40 | 34 |
| 697 | Nerve-evoked constriction of rat tail veins is potentiated and venous diameter is reduced after chronic spinal cord transection. 2011 , 28, 821-9 | 5 |
| 696 | Interleukin-10 released by CD4(+)CD25(+) natural regulatory T cells improves microvascular endothelial function through inhibition of NADPH oxidase activity in hypertensive mice. 2011 , 31, 2534-42 | 131 |
| 695 | Vasoconstrictor potential of coronary aspirate from patients undergoing stenting of saphenous vein aortocoronary bypass grafts and its pharmacological attenuation. <i>Circulation Research</i> , 2011 , 108, 344-52 | 15.7 75 |
| 694 | Pharmacological characterization of VIP and PACAP receptors in the human meningeal and coronary artery. 2011 , 31, 181-9 | 50 |
| 693 | Inhibition of inducible nitric oxide synthase promotes vein graft neoadventitial inflammation and remodelling. 2011 , 48, 141-9 | 5 |
| 692 | Effect of cystamine on blood pressure and vascular characteristics in spontaneously hypertensive rats. 2011 , 48, 476-84 | 17 |
| 691 | Downregulation of Kv7.4 channel activity in primary and secondary hypertension. 2011 , 124, 602-11 | 109 |
| 690 | Effects of pioglitazone and rosiglitazone on vascular function of mesenteric resistance arteries in rat genetic hypertension. 2011 , 88, 72-81 | 7 |
| 689 | Phosphodiesterase-5A (PDE5A) is localized to the endothelial caveolae and modulates NOS3 activity. 2011 , 90, 353-63 | 27 |
| 688 | Acute simvastatin increases endothelial nitric oxide synthase phosphorylation via AMP-activated protein kinase and reduces contractility of isolated rat mesenteric resistance arteries. 2011 , 121, 449-58 | 42 |
| 687 | Slow and incomplete sympathetic reinnervation of rat tail artery restores the amplitude of nerve-evoked contractions provided a perivascular plexus is present. 2011 , 300, H541-54 | 8 |
| 686 | Aging attenuates the vasodilator response to relaxin. 2011 , 300, H1609-15 | 24 |
| 685 | Ca ²⁺ sensitization and PKC contribute to exercise training-enhanced contractility in porcine collateral-dependent coronary arteries. 2011 , 300, H1201-9 | 12 |
| 684 | Role of myosin light chain kinase in regulation of basal blood pressure and maintenance of salt-induced hypertension. 2011 , 301, H584-91 | 48 |
| 683 | Assessment of endothelial function of large, medium, and small vessels: a unified myograph. 2011 , 300, H94-H100 | 27 |
| 682 | Reactivity of the aorta and mesenteric resistance arteries from the obese spontaneously hypertensive rat: effects of glitazones. 2011 , 301, H1319-30 | 20 |

| | | |
|-----|---|-----|
| 681 | Prominent contribution of L-type Ca ²⁺ channels to cutaneous neurovascular transmission that is revealed after spinal cord injury augments vasoconstriction. 2012 , 302, H752-62 | 10 |
| 680 | Coronary microvascular dysfunction in a porcine model of early atherosclerosis and diabetes. 2012 , 302, H85-94 | 47 |
| 679 | Sites of action of ghrelin receptor ligands in cardiovascular control. 2012 , 303, H1011-21 | 32 |
| 678 | Vascular function in rats with adenine-induced chronic renal failure. 2012 , 302, R1426-35 | 21 |
| 677 | Biaxial vasoactivity of porcine coronary artery. 2012 , 302, H2058-63 | 31 |
| 676 | Impaired vascular responses to relaxin in diet-induced overweight female rats. 2012 , 112, 962-9 | 18 |
| 675 | Effect of ageing on the passive and active tension and pharmacodynamic characteristics of rat coronary arteries: age-dependent increase in sensitivity to 5-HT and K ⁺ . 2012 , 90, 160-8 | 6 |
| 674 | Endoplasmic reticulum stress is involved in cardiac damage and vascular endothelial dysfunction in hypertensive mice. 2012 , 32, 1652-61 | 151 |
| 673 | Mesenteric endothelial dysfunction in a cardiopulmonary bypass rat model: the effect of diabetes. 2012 , 9, 270-9 | 5 |
| 672 | Morphological and functional alterations in the aorta of the chronically hypoxic fetal rat. 2012 , 49, 50-8 | 26 |
| 671 | Different effect of Rho kinase inhibition on calcium signaling in rat isolated large and small arteries. 2012 , 49, 522-33 | 8 |
| 670 | Divergent electrocardiographic responses to whole and particle-free diesel exhaust inhalation in spontaneously hypertensive rats. 2012 , 125, 558-68 | 31 |
| 669 | Early onset inflammation in pre-insulin-resistant diet-induced obese rats does not affect the vasoreactivity of isolated small mesenteric arteries. 2012 , 90, 125-32 | 3 |
| 668 | Angiotensin II-aldosterone interaction in human coronary microarteries involves GPR30, EGFR, and endothelial NO synthase. 2012 , 94, 136-43 | 57 |
| 667 | The contribution of d-tubocurarine-sensitive and apamin-sensitive K-channels to EDHF-mediated relaxation of mesenteric arteries from eNOS ^{-/-} mice. 2012 , 59, 413-25 | 1 |
| 666 | Chronic mild stress-induced depression-like symptoms in rats and abnormalities in catecholamine uptake in small arteries. 2012 , 74, 278-87 | 21 |
| 665 | Compensatory remodeling of coronary microvasculature maintains shear stress in porcine left-ventricular hypertrophy. 2012 , 30, 608-16 | 17 |
| 664 | AMP-activated protein kinase activator AICAR acutely lowers blood pressure and relaxes isolated resistance arteries of hypertensive rats. 2012 , 30, 725-33 | 47 |

| | | |
|-----|--|----|
| 663 | Bioassay-comparison of the antioxidant efficacy of hydrogen sulfide and superoxide dismutase in isolated arteries and veins. 2012 , 99, 411-9 | 13 |
| 662 | The β isoform of the Na,K-pump is important for intercellular communication, agonist-induced contraction, and EDHF-like response in rat mesenteric arteries. 2012 , 303, H36-46 | 17 |
| 661 | Albumin limits mesenteric endothelial dysfunction and inflammatory response in cardiopulmonary bypass. 2012 , 36, 962-71 | 8 |
| 660 | Age-related differences in the effects of α and β peroxisome proliferator-activated receptor subtype agonists on endothelial vasodilation in human microvessels. 2012 , 47, 734-40 | 21 |
| 659 | A pharmacological investigation of the venom extract of the Australian box jellyfish, <i>Chironex fleckeri</i> , in cardiac and vascular tissues. 2012 , 209, 11-20 | 23 |
| 658 | G-protein β subunits in vasorelaxing and anti-endothelinergic effects of calcitonin gene-related peptide. 2012 , 166, 297-308 | 27 |
| 657 | FTY720 (fingolimod) increases vascular tone and blood pressure in spontaneously hypertensive rats via inhibition of sphingosine kinase. 2012 , 166, 1411-8 | 16 |
| 656 | Effect of age and COX-2-derived prostanoids on the progression of adult vascular dysfunction in the offspring of diabetic rats. 2012 , 166, 2198-208 | 19 |
| 655 | Functional, morphologic, and molecular characterization of cold storage injury. 2012 , 56, 189-98.e3 | 9 |
| 654 | Vasostatin I (CgA17-76) vasoconstricts rat splanchnic vascular bed but does not affect central cardiovascular function. 2012 , 166, 22-8 | 4 |
| 653 | Large conductance Ca^{2+} -activated K^{+} channels modulate endothelial cell outward currents and nitric oxide release in the intact rat superior mesenteric artery. 2012 , 417, 1007-13 | 10 |
| 652 | NHE1 knockout reduces blood pressure and arterial media/lumen ratio with no effect on resting pH(i) in the vascular wall. 2012 , 590, 1895-906 | 41 |
| 651 | Small Vessel Myography. 2012 , 39-48 | 1 |
| 650 | Endothelium-dependent mechanisms of the vasodilatory effect of the endocannabinoid, anandamide, in the rat pulmonary artery. 2012 , 66, 251-9 | 28 |
| 649 | Nitrite- and nitroxyl-induced relaxation in porcine coronary (micro-) arteries: underlying mechanisms and role as endothelium-derived hyperpolarizing factor(s). 2012 , 66, 409-18 | 5 |
| 648 | Different cardiovascular protective effects of quercetin administered orally or intraperitoneally in spontaneously hypertensive rats. 2012 , 3, 643-50 | 37 |
| 647 | Glucuronidated quercetin lowers blood pressure in spontaneously hypertensive rats via deconjugation. 2012 , 7, e32673 | 76 |
| 646 | Interaction between advanced glycation end products formation and vascular responses in femoral and coronary arteries from exercised diabetic rats. 2012 , 7, e53318 | 39 |

| | | |
|-----|--|----|
| 645 | Tianma modulates blood vessel tonicity. 2012 , 6, 56-65 | 16 |
| 644 | Age-dependent ultrastructural changes of coronary artery in spontaneously hypertensive rats. 2011 , 30, 364-72 | 14 |
| 643 | Reactivity of the mesenteric bed arteries of normotensive rats exposed to chronic social stress. 2012 , 31, 279-90 | 6 |
| 642 | Hydrogen sulfide mediates hypoxic vasoconstriction through a production of mitochondrial ROS in trout gills. 2012 , 303, R487-94 | 20 |
| 641 | Divergent mechanisms involved in CO and CORM-2 induced vasorelaxation. 2012 , 674, 370-7 | 29 |
| 640 | Hydrogen peroxide as a mediator of vasorelaxation evoked by N-oleoylethanolamine and anandamide in rat small mesenteric arteries. 2012 , 674, 384-90 | 7 |
| 639 | Differential effects of sulfonylurea derivatives on vascular ATP-sensitive potassium channels. 2012 , 681, 75-9 | 4 |
| 638 | Vasoconstrictor 5-HT receptors in the smooth muscle of the rat middle cerebral artery. 2012 , 689, 160-4 | 9 |
| 637 | A new NO donor failed to release NO and to induce relaxation in the rat basilar artery. 2012 , 45, 344-50 | 14 |
| 636 | Circulating microparticles and endothelial progenitor cells in atherosclerosis: pharmacological effects of irbesartan. 2012 , 10, 680-91 | 36 |
| 635 | Cytokines and growth factors modify the upregulation of contractile endothelin ET(A) and ET(B) receptors in rat cerebral arteries after organ culture. 2012 , 205, 266-78 | 24 |
| 634 | New insights into the brain protein metabolism of <i>Gastrodia elata</i> -treated rats by quantitative proteomics. 2012 , 75, 2468-79 | 23 |
| 633 | Irbesartan administration therapeutically influences circulating endothelial progenitor cell and microparticle mobilization by involvement of pro-inflammatory cytokines. 2013 , 711, 27-35 | 22 |
| 632 | MAPK signaling pathway regulates cerebrovascular receptor expression in human cerebral arteries. 2013 , 14, 12 | 19 |
| 631 | Removal of half the sympathetic innervation does not reduce vasoconstrictor responses in rat tail artery. 2013 , 591, 2867-84 | 4 |
| 630 | Erectile dysfunction precedes coronary artery endothelial dysfunction in rats fed a high-fat, high-sucrose, Western pattern diet. 2013 , 10, 694-703 | 16 |
| 629 | Involvement of IP ₃ -receptor activation in endothelin-1-induced Ca ²⁺ influx in rat pulmonary small artery. 2013 , 720, 255-63 | 7 |
| 628 | Erythropoietin has a restorative effect on the contractility of arteries following experimental hypoxia. 2013 , 4, 164-9 | 2 |

| | | |
|-----|---|----|
| 627 | Comparison of responses to vasoactive drugs in human and rat cerebral arteries using myography and pressurized cerebral artery method. 2013 , 33, 152-9 | 20 |
| 626 | Different β -adrenoceptor subtypes coupling to cAMP or NO/cGMP pathways: implications in the relaxant response of rat conductance and resistance vessels. 2013 , 169, 413-25 | 46 |
| 625 | Functional remodelling of arterial endothelium during early postnatal development in rats. 2013 , 99, 612-21 | 21 |
| 624 | Angiotensin II Type 1 receptor blockade protects endothelium-derived hyperpolarising factor-mediated relaxation in a rat model of monoarthritis. 2013 , 92, 1131-7 | 7 |
| 623 | Endothelial alkalinisation inhibits gap junction communication and endothelium-derived hyperpolarisations in mouse mesenteric arteries. 2013 , 591, 1447-61 | 25 |
| 622 | Short-term incubation of equine laminar veins with cortisol and insulin alters contractility in vitro: possible implications for the pathogenesis of equine laminitis. 2013 , 36, 382-8 | 10 |
| 621 | Secondhand cigarette smoke exposure causes upregulation of cerebrovascular 5-HT(1) (B) receptors via the Raf/ERK/MAPK pathway in rats. 2013 , 207, 183-93 | 16 |
| 620 | Dual effect of prostaglandins on isolated intraocular porcine ciliary arteries. 2013 , 91, 498-504 | 12 |
| 619 | Relaxant effect of all-trans-retinoic acid via NO-sGC-cGMP pathway and calcium-activated potassium channels in rat mesenteric artery. 2013 , 304, H51-7 | 12 |
| 618 | Structural limits on force production and shortening of smooth muscle. 2013 , 34, 43-60 | 11 |
| 617 | Streptozotocin-induced diabetes differentially affects sympathetic innervation and control of plantar metatarsal and mesenteric arteries in the rat. 2013 , 304, H215-28 | 6 |
| 616 | Superparamagnetic iron oxide polyacrylic acid coated Fe_2O_3 nanoparticles do not affect kidney function but cause acute effect on the cardiovascular function in healthy mice. 2013 , 266, 276-88 | 50 |
| 615 | Vasoactive effects of prostaglandins from the perivascular fat of mesenteric resistance arteries in WKY and SHROB rats. 2013 , 93, 1023-32 | 34 |
| 614 | Long-lasting physiological antagonism of calcitonin gene-related peptide towards endothelin-1 in rat mesenteric arteries and human coronary arteries. 2013 , 720, 303-9 | 8 |
| 613 | Propranolol-induced relaxation in the rat basilar artery. 2013 , 58, 307-12 | 7 |
| 612 | Chronic hypoxia inhibits tetrahydrobiopterin-induced NO production in rat lungs. 2013 , 185, 547-52 | 6 |
| 611 | VIP/PACAP receptors in cerebral arteries of rat: characterization, localization and relation to intracellular calcium. 2013 , 47, 85-92 | 34 |
| 610 | Hydrogen peroxide increases nerve-evoked contractions in mouse tail artery by an endothelium-dependent mechanism. 2013 , 698, 362-9 | 1 |

| | | |
|-----|--|-----|
| 609 | Effects of bariatric surgery on human small artery function: evidence for reduction in perivascular adipocyte inflammation, and the restoration of normal anticontractile activity despite persistent obesity. 2013 , 62, 128-135 | 118 |
| 608 | Linking phospholipase C isoforms with differentiation function in human vascular smooth muscle cells. 2013 , 1833, 3006-3012 | 7 |
| 607 | The new NO donor Terpy induces similar relaxation in mesenteric resistance arteries of renal hypertensive and normotensive rats. 2013 , 35, 47-53 | 17 |
| 606 | Reduced anti-contractile effect of perivascular adipose tissue on mesenteric small arteries from spontaneously hypertensive rats: role of Kv7 channels. 2013 , 698, 310-5 | 33 |
| 605 | Stimulated release of a hyperpolarizing factor (ADHF) from mesenteric artery perivascular adipose tissue: involvement of myocyte BKCa channels and adiponectin. 2013 , 169, 1500-9 | 50 |
| 604 | Sphingosine 1-Phosphate (S1P) Signaling and the Vasculature. 2013 , 313-347 | 4 |
| 603 | Ca ²⁺ -activated K ⁺ channel (KCa) stimulation improves relaxant capacity of PDE5 inhibitors in human penile arteries and recovers the reduced efficacy of PDE5 inhibition in diabetic erectile dysfunction. 2013 , 169, 449-61 | 34 |
| 602 | Potent vasorelaxant activity of the TMEM16A inhibitor T16A(inh)-A01. 2013 , 168, 773-84 | 72 |
| 601 | Vasodilatory effects of antivasculature endothelium growth factor (VEGF) antibody, corticosteroid, and nitric oxide on the posterior ciliary arteries. 2013 , 57, 320-6 | 2 |
| 600 | Pulsatile hemodynamics and microcirculation: evidence for a close relationship in hypertensive patients. 2013 , 61, 130-6 | 69 |
| 599 | Modulation of mesenteric vasoreactivity and inflammatory response by protein undernutrition in cardiopulmonary bypass. 2013 , 29, 318-24 | 2 |
| 598 | Intravascular infusion of PEGylated Au nanoparticles affects cardiovascular function in healthy mice. 2013 , 32, 216-21 | 4 |
| 597 | Testosterone and Ebestradiol prevent inward remodelling of rat small mesenteric arteries: role of NO and transglutaminase. 2013 , 124, 719-28 | 7 |
| 596 | Protection against high intravascular pressure in giraffe legs. 2013 , 305, R1021-30 | 18 |
| 595 | Hypoxia stress test reveals exaggerated cardiovascular effects in hypertensive rats after exposure to the air pollutant acrolein. 2013 , 132, 467-77 | 23 |
| 594 | Analysis of the vascular responses in a murine model of polycystic ovary syndrome. 2013 , 218, 205-13 | 11 |
| 593 | Functional role of TRPV4-KCa _{2.3} signaling in vascular endothelial cells in normal and streptozotocin-induced diabetic rats. 2013 , 62, 134-9 | 69 |
| 592 | Altered reactivity of tertiary mesenteric arteries following acute myocardial ischemia. 2013 , 50, 100-8 | 11 |

| | | |
|-----|---|-----|
| 591 | Vasopressin-induced constriction of the isolated rat occipital artery is segment dependent. 2013 , 50, 478-85 | 4 |
| 590 | Quercetin relaxes rat tail main artery partly via a PKG-mediated stimulation of KCa 1.1 channels. 2013 , 208, 329-39 | 17 |
| 589 | DMSO-soluble cigarette smoke particles alter the expression of endothelin B receptor in rat coronary artery. 2013 , 50, 238-48 | 9 |
| 588 | Role of KCNQ channels in skeletal muscle arteries and periadventitial vascular dysfunction. 2013 , 61, 151-9 | 54 |
| 587 | Long-term social stress induces nitric oxide-independent endothelial dysfunction in normotensive rats. 2013 , 16, 331-9 | 30 |
| 586 | Involvement of large-conductance Ca(2+) -activated K(+) channels in both nitric oxide and endothelium-derived hyperpolarization-type relaxation in human penile small arteries. 2013 , 113, 19-24 | 20 |
| 585 | Splice cassette II of Na ⁺ ,HCO ₃ ⁻ cotransporter NBCn1 (slc4a7) interacts with calcineurin A: implications for transporter activity and intracellular pH control during rat artery contractions. 2013 , 288, 8146-8155 | 25 |
| 584 | Notch transcriptional control of vascular smooth muscle regulatory gene expression and function. 2013 , 288, 11191-202 | 17 |
| 583 | Low intrinsic exercise capacity in rats predisposes to age-dependent cardiac remodeling independent of macrovascular function. 2013 , 304, H729-39 | 19 |
| 582 | Peroxynitrite mediates testosterone-induced vasodilation of microvascular resistance vessels. 2013 , 345, 7-14 | 18 |
| 581 | Studies on two polyherbal formulations (ZPTO and ZTO) for comparison of their antidyslipidemic, antihypertensive and endothelial modulating activities. 2013 , 13, 371 | 6 |
| 580 | The (pro)renin receptor handle region peptide upregulates endothelium-derived contractile factors in aliskiren-treated diabetic transgenic (mREN2)27 rats. 2013 , 31, 292-302 | 22 |
| 579 | Mice generated by in vitro fertilization exhibit vascular dysfunction and shortened life span. 2013 , 123, 5052-60 | 121 |
| 578 | High vascular tone of mouse femoral arteries in vivo is determined by sympathetic nerve activity via α A- and α D-adrenoceptor subtypes. 2013 , 8, e65969 | 19 |
| 577 | COX-2-derived prostanoids and oxidative stress additionally reduce endothelium-mediated relaxation in old type 2 diabetic rats. 2013 , 8, e68217 | 19 |
| 576 | Regulation of vascular smooth muscle tone by adipose-derived contracting factor. 2013 , 8, e79245 | 57 |
| 575 | Upregulation of ERK1/2-eNOS via AT2 receptors decreases the contractile response to angiotensin II in resistance mesenteric arteries from obese rats. 2014 , 9, e106029 | 11 |
| 574 | Imbalance between pro and anti-oxidant mechanisms in perivascular adipose tissue aggravates long-term high-fat diet-derived endothelial dysfunction. 2014 , 9, e95312 | 61 |

| | | |
|-----|--|----|
| 573 | Dextromethorphan mediated bitter taste receptor activation in the pulmonary circuit causes vasoconstriction. 2014 , 9, e110373 | 26 |
| 572 | STAT1-dependent signal integration between IFN γ and TLR4 in vascular cells reflect pro-atherogenic responses in human atherosclerosis. 2014 , 9, e113318 | 46 |
| 571 | Defining uremic arterial functional abnormalities in patients recently started on haemodialysis: combined in vivo and ex vivo assessment. 2014 , 9, e113462 | |
| 570 | Vasodilator responses to acetylcholine are not mediated by the activation of soluble guanylate cyclase or TRPV4 channels in the rat. 2014 , 306, H1495-506 | 10 |
| 569 | Raised tone reveals ATP as a sympathetic neurotransmitter in the porcine mesenteric arterial bed. 2014 , 10, 639-49 | 11 |
| 568 | Downregulation of L-type Ca ²⁺ channel in rat mesenteric arteries leads to loss of smooth muscle contractile phenotype and inward hypertrophic remodeling. 2014 , 306, H1287-301 | 19 |
| 567 | Neural programming of mesenteric and renal arteries. 2014 , 307, H563-73 | 17 |
| 566 | Age-related alterations in endothelial function of femoral artery in young SHR and WKY rats. 2014 , 2014, 658479 | 27 |
| 565 | Endothelial function in a mouse model of myeloperoxidase deficiency. 2014 , 2014, 128046 | 11 |
| 564 | Time-related alteration in flow- (shear stress-) mediated remodeling in resistance arteries from spontaneously hypertensive rats. 2014 , 2014, 859793 | 8 |
| 563 | Acute intravenous injection of serelaxin (recombinant human relaxin-2) causes rapid and sustained bradykinin-mediated vasorelaxation. 2014 , 3, e000493 | 39 |
| 562 | Nitric oxide and protein kinase G act on TRPC1 to inhibit 11,12-EET-induced vascular relaxation. 2014 , 104, 138-46 | 20 |
| 561 | Differential localization and characterization of functional calcitonin gene-related peptide receptors in human subcutaneous arteries. 2014 , 210, 811-22 | 18 |
| 560 | Double disruption of α A- and α C-adrenoceptors induces endothelial dysfunction in mouse small arteries: role of nitric oxide synthase uncoupling. 2014 , 99, 1427-38 | 11 |
| 559 | Trophic action of sympathetic nerves reduces arterial smooth muscle Ca(2+) sensitivity during early post-natal development in rats. 2014 , 212, 128-41 | 24 |
| 558 | Changes in arterial function in a mouse model of human familial hypercholesterolaemia. 2014 , 211, 61-72 | 2 |
| 557 | Myosin phosphatase isoforms as determinants of smooth muscle contractile function and calcium sensitivity of force production. 2014 , 21, 239-48 | 17 |
| 556 | Hypotensive effects of ghrelin receptor agonists mediated through a novel receptor. 2014 , 171, 1275-86 | 16 |

| | | |
|-----|--|----|
| 555 | Exercise training-induced adaptations in mediators of sustained endothelium-dependent coronary artery relaxation in a porcine model of ischemic heart disease. 2014 , 21, 388-400 | 10 |
| 554 | Endothelin A (ET(A)) receptors are involved in augmented adrenergic vasoconstriction and blunted nitric oxide-mediated relaxation of penile arteries from insulin-resistant obese Zucker rats. 2014 , 11, 1463-74 | 8 |
| 553 | Neurogenic contraction induced by the antiarrhythmic compound, AVE 0118, in rat small mesenteric arteries. 2014 , 115, 315-20 | 1 |
| 552 | NO-donating oximes relax corpora cavernosa through mechanisms other than those involved in arterial relaxation. 2014 , 11, 1664-74 | 6 |
| 551 | Cushing's disease and hypertension: in vivo and in vitro study of the role of the renin-angiotensin-aldosterone system and effects of medical therapy. 2014 , 170, 181-91 | 14 |
| 550 | Anticontractile activity of perivascular fat in obese mice and the effect of long-term treatment with melatonin. 2014 , 32, 1264-74 | 38 |
| 549 | Evaluation of microvascular structure in humans: a State-of-the-art Document of the Working Group on Macrovascular and Microvascular Alterations of the Italian Society of Arterial Hypertension. 2014 , 32, 2120-9; discussion 2129 | 40 |
| 548 | Potentiated adrenomedullin-induced vasorelaxation during hypoxia in organ cultured porcine coronary arteries. 2014 , 63, 58-67 | 3 |
| 547 | Rostafuroxin ameliorates endothelial dysfunction and oxidative stress in resistance arteries from deoxycorticosterone acetate-salt hypertensive rats: the role of Na ⁺ K ⁺ -ATPase/ cSRC pathway. 2014 , 32, 542-54 | 29 |
| 546 | Dietary fish oil improves endothelial function and lowers blood pressure via suppression of sphingolipid-mediated contractions in spontaneously hypertensive rats. 2014 , 32, 1050-8; discussion 1058 | 20 |
| 545 | Effects of glucagon-like peptide-1 in diabetic rat small resistance arteries. 2014 , 64, 277-84 | 7 |
| 544 | Damage-associated molecular pattern activated Toll-like receptor 4 signalling modulates blood pressure in L-NAME-induced hypertension. 2014 , 101, 464-72 | 51 |
| 543 | Dual effects of resveratrol on arterial damage induced by insulin resistance in aged mice. 2014 , 69, 260-9 | 15 |
| 542 | Changes in adrenoceptors and G-protein-coupled receptor kinase 2 in L-NAME-induced hypertension compared to spontaneous hypertension in rats. 2014 , 51, 209-20 | 7 |
| 541 | Occipital Artery Function during the Development of 2-Kidney, 1-Clip Hypertension in Rats. 2014 , 2014, 659617 | 2 |
| 540 | Dual effects of adenosine on the tone of porcine retinal arterioles in vitro. 2014 , 55, 1630-6 | 15 |
| 539 | Association between endothelial dysfunction and depression-like symptoms in chronic mild stress model of depression. 2014 , 76, 268-76 | 27 |
| 538 | Effect of severe acidosis on vasoactive effects of epinephrine and norepinephrine in human distal mammary artery. 2014 , 147, 1698-705 | 5 |

- 537 Acidosis prevents and alkalosis augments endothelium-dependent contractions in mouse arteries. **2014**, 466, 295-305 13
- 536 Injected nanoparticles: the combination of experimental systems to assess cardiovascular adverse effects. **2014**, 87, 64-72 16
- 535 Microvascular dysfunction in the course of metabolic syndrome induced by high-fat diet. **2014**, 13, 31 20
- 534 Genetic fuzzy system predicting contractile reactivity patterns of small arteries. **2014**, 3, e108
- 533 Myosin light chain kinase controls voltage-dependent calcium channels in vascular smooth muscle. **2014**, 466, 1377-89 9
- 532 Nebivolol potentiates the efficacy of PDE5 inhibitors to relax corpus cavernosum and penile arteries from diabetic patients by enhancing the NO/cGMP pathway. **2014**, 11, 1182-92 17
- 531 Vasorelaxant effects of novel Kv 7.4 channel enhancers ML213 and NS15370. **2014**, 171, 4413-24 34
- 530 New 5-unsubstituted dihydropyridines with improved CaV1.3 selectivity as potential neuroprotective agents against ischemic injury. **2014**, 57, 4313-23 36
- 529 The role of voltage-operated and non-voltage-operated calcium channels in endothelin-induced vasoconstriction of rat cerebral arteries. **2014**, 742, 65-73 7
- 528 Effects of Kaempferia parviflora rhizomes dichloromethane extract on vascular functions in middle-aged male rat. **2014**, 156, 162-74 19
- 527 Enhanced age-dependent cerebrovascular dysfunction is mediated by adaptor protein p66Shc. **2014**, 175, 446-50 24
- 526 Attenuated aortic vasodilation and sympathetic prejunctional facilitation in epinephrine-deficient mice: selective impairment of α -adrenoceptor responses. **2014**, 351, 243-9 12
- 525 Comparison of the vasodilator responses of isolated human and rat middle meningeal arteries to migraine related compounds. **2014**, 15, 22 17
- 524 Impaired dopamine D1 receptor-mediated vasorelaxation of mesenteric arteries in obese Zucker rats. **2014**, 13, 50 10
- 523 Endothelial function is impaired in conduit arteries of pannexin1 knockout mice. **2014**, 9, 8 13
- 522 Mechanism of endoplasmic reticulum stress-induced vascular endothelial dysfunction. **2014**, 1843, 1063-75 97
- 521 Atherosclerosis affects calcium signalling in endothelial cells from apolipoprotein E knockout mice before plaque formation. **2014**, 55, 146-54 12
- 520 Cyclooxygenase metabolism mediates vasorelaxation to 2-arachidonoylglycerol (2-AG) in human mesenteric arteries. **2014**, 81, 74-82 24

| | | |
|-----|---|----|
| 519 | Photophysical characterisation and studies of the effect of palladium(II) 5,10,15,20-tetrakis-(4-sulfonatophenyl)-porphyrin on isometric contraction of isolated human mesenteric artery: good news for photodynamic therapy. 2014 , 11, 391-9 | 5 |
| 518 | Vasoconstrictor responses to vasopressor agents in human pulmonary and radial arteries: an in vitro study. 2014 , 121, 930-6 | 73 |
| 517 | High-cholesterol diet enriched with onion affects endothelium-dependent relaxation and NADPH oxidase activity in mesenteric microvessels from Wistar rats. 2014 , 11, 57 | 15 |
| 516 | Human lymphatic vessel contractile activity is inhibited in vitro but not in vivo by the calcium channel blocker nifedipine. 2014 , 592, 4697-714 | 34 |
| 515 | The stress of maternal separation causes misprogramming in the postnatal maturation of rat resistance arteries. 2015 , 309, H1468-78 | 11 |
| 514 | Translational value of mechanical and vasomotor properties of mouse isolated mesenteric resistance-sized arteries. 2015 , 3, e00200 | 7 |
| 513 | Fundamental role for the KCNE4 ancillary subunit in Kv7.4 regulation of arterial tone. 2015 , 593, 5325-40 | 47 |
| 512 | Purinergic mechanisms and prostaglandin E receptors involved in ATP-induced relaxation of porcine retinal arterioles in vitro. 2015 , 54, 135-42 | 5 |
| 511 | Perivascular tissue inhibits rho-kinase-dependent smooth muscle Ca(2+) sensitivity and endothelium-dependent H ₂ S signalling in rat coronary arteries. 2015 , 593, 4747-64 | 12 |
| 510 | Functional changes in the uterine artery precede the hypertensive phenotype in a transgenic model of hypertensive pregnancy. 2015 , 309, E811-7 | 9 |
| 509 | ATP is not involved in α -adrenoceptor-mediated vasoconstriction in resistance arteries. 2015 , 769, 162-6 | 9 |
| 508 | Mechanics of Vascular Smooth Muscle. 2015 , 6, 111-68 | 16 |
| 507 | The influence of ruthenium on vascular tone. 2015 , 67, 1263-71 | 3 |
| 506 | Heterogeneity in Kv7 channel function in the cerebral and coronary circulation. 2015 , 22, 109-121 | 22 |
| 505 | Blockade of the renin-angiotensin system in small arteries and anticontractile function of perivascular adipose tissue. 2015 , 33, 1039-45 | 18 |
| 504 | Hydrogen peroxide activates store-operated Ca(2+) entry in coronary arteries. 2015 , 172, 5318-32 | 18 |
| 503 | K(V)7.4 channels participate in the control of rodent renal vascular resting tone. 2015 , 214, 402-14 | 8 |
| 502 | Eugenol dilates mesenteric arteries and reduces systemic BP by activating endothelial cell TRPV4 channels. 2015 , 172, 3484-94 | 34 |

| | | |
|-----|--|----|
| 501 | New selective inhibitors of calcium-activated chloride channels - T16A(inh) -A01, CaCC(inh) -A01 and MONNA - what do they inhibit?. 2015 , 172, 4158-72 | 48 |
| 500 | Microvascular function: disturbed by obesity and rescued by angiotensin blockade. 2015 , 33, 928-30 | |
| 499 | Impaired NO-mediated vasodilatation in rat coronary arteries after asphyxial cardiac arrest. 2015 , 59, 654-67 | 8 |
| 498 | Spinal cord injury increases the reactivity of rat tail artery to angiotensin II. 2014 , 8, 435 | 9 |
| 497 | Effects of PDE5 Inhibitors and sGC Stimulators in a Rat Model of Artificial Ureteral Calculosis. 2015 , 10, e0141477 | 6 |
| 496 | The Dipeptidyl Peptidase-4 Inhibitor Linagliptin Preserves Endothelial Function in Mesenteric Arteries from Type 1 Diabetic Rats without Decreasing Plasma Glucose. 2015 , 10, e0143941 | 12 |
| 495 | Cerebrospinal fluid from patients with subarachnoid haemorrhage and vasospasm enhances endothelin contraction in rat cerebral arteries. 2015 , 10, e0116456 | 6 |
| 494 | Cross-talk Between Nitrate-Nitrite-NO and NO Synthase Pathways in Control of Vascular NO Homeostasis. 2015 , 23, 295-306 | 73 |
| 493 | Vasorelaxant and blood pressure lowering effects of alchemilla vulgaris: A comparative study of methanol and aqueous extracts. 2015 , 11, 163-9 | 6 |
| 492 | What is the source of anticontractile factor released by the pedicle of human internal thoracic artery?. 2015 , 21, 301-7 | 1 |
| 491 | Remodeling of Afferent Arterioles From Mice With Oxidative Stress Does Not Account for Increased Contractility but Does Limit Excessive Wall Stress. 2015 , 66, 550-6 | 17 |
| 490 | Chronic selective serotonin reuptake inhibition modulates endothelial dysfunction and oxidative state in rat chronic mild stress model of depression. 2015 , 309, R814-23 | 31 |
| 489 | Retina derived relaxation is mediated by K(ir) channels and the inhibition of Ca(2+) sensitization in isolated bovine retinal arteries. 2015 , 132, 240-8 | 8 |
| 488 | NaHS induces relaxation response in prostaglandin F(2 β)precontracted bovine retinal arteries partially via K(v) and K(ir) channels. 2015 , 132, 190-7 | 14 |
| 487 | Pannexin-1 channels do not regulate α -adrenoceptor-mediated vasoconstriction in resistance arteries. 2015 , 750, 43-51 | 8 |
| 486 | FM19G11 reverses endothelial dysfunction in rat and human arteries through stimulation of the PI3K/Akt/eNOS pathway, independently of mTOR/HIF-1 α activation. 2015 , 172, 1277-91 | 17 |
| 485 | Dihydroergotamine and sumatriptan in isolated human coronary artery, middle meningeal artery and saphenous vein. 2015 , 35, 182-9 | 11 |
| 484 | Epoxyeicosatrienoic acids act through TRPV4-TRPC1-KCa1.1 complex to induce smooth muscle membrane hyperpolarization and relaxation in human internal mammary arteries. 2015 , 1852, 552-9 | 32 |

| | | |
|-----|---|----|
| 483 | Spaceflight on the Bion-M1 biosatellite alters cerebral artery vasomotor and mechanical properties in mice. 2015 , 118, 830-8 | 30 |
| 482 | Oximes induce erection and are resistant to oxidative stress. 2015 , 12, 906-15 | 3 |
| 481 | The DPP-4 inhibitor linagliptin and the GLP-1 receptor agonist exendin-4 improve endothelium-dependent relaxation of rat mesenteric arteries in the presence of high glucose. 2015 , 94, 26-33 | 24 |
| 480 | Role of smooth muscle cell mineralocorticoid receptor in vascular tone. 2015 , 467, 1643-50 | 13 |
| 479 | Adaptations of the endothelin system after exercise training in a porcine model of ischemic heart disease. 2015 , 22, 68-78 | 3 |
| 478 | Contrasting cardiovascular properties of the μ -opioid agonists morphine and methadone in the rat. 2015 , 762, 372-81 | 7 |
| 477 | Nitrite-mediated renal vasodilatation is increased during ischemic conditions via cGMP-independent signaling. 2015 , 84, 154-160 | 26 |
| 476 | Analysis of the ghrelin receptor-independent vascular actions of ulimorelin. 2015 , 752, 34-9 | 6 |
| 475 | Redox signaling and splicing dependent change in myosin phosphatase underlie early versus late changes in NO vasodilator reserve in a mouse LPS model of sepsis. 2015 , 308, H1039-50 | 17 |
| 474 | Barnidipine ameliorates the vascular and renal injury in L-NAME-induced hypertensive rats. 2015 , 764, 433-442 | 14 |
| 473 | TRA2 β controls Mypt1 exon 24 splicing in the developmental maturation of mouse mesenteric artery smooth muscle. 2015 , 308, C289-96 | 9 |
| 472 | Pannexin 1 facilitates arterial relaxation via an endothelium-derived hyperpolarization mechanism. 2015 , 589, 1164-70 | 15 |
| 471 | Assessment of Preclinical Organ Damage in Hypertension. 2015 , | 1 |
| 470 | Handbook of Vascular Biology Techniques. 2015 , | |
| 469 | Arterial Disorders. 2015 , | 1 |
| 468 | c-Src, ERK1/2 and Rho kinase mediate hydrogen peroxide-induced vascular contraction in hypertension: role of TXA ₂ , NAD(P)H oxidase and mitochondria. 2015 , 33, 77-87 | 27 |
| 467 | Arginase-endothelial nitric oxide synthase imbalance contributes to endothelial dysfunction during chronic intermittent hypoxia. 2015 , 33, 515-24; discussion 524 | 20 |
| 466 | Noradrenaline enhances angiotensin II responses via p38 MAPK activation after hypoxia/re-oxygenation in renal interlobar arteries. 2015 , 213, 920-32 | 11 |

| | | |
|-----|--|----|
| 465 | Thymoquinone modulates nitric oxide production and improves organ dysfunction of sepsis. 2015 , 143, 131-8 | 21 |
| 464 | Metformin improves endothelial function in aortic tissue and microvascular endothelial cells subjected to diabetic hyperglycaemic conditions. 2015 , 98, 412-21 | 33 |
| 463 | Involvement of Potassium Channels and Calcium-Independent Mechanisms in Hydrogen Sulfide-Induced Relaxation of Rat Mesenteric Small Arteries. 2016 , 356, 53-63 | 28 |
| 462 | Efficacy of flavonoids in the management of high blood pressure. 2015 , 73, 799-822 | 54 |
| 461 | Optimum AT1 receptor-nepriylsin inhibition has superior cardioprotective effects compared with AT1 receptor blockade alone in hypertensive rats. 2015 , 88, 109-20 | 32 |
| 460 | Enhanced nitric oxide bioavailability in coronary arteries prevents the onset of heart failure in rats with myocardial infarction. 2015 , 86, 110-20 | 31 |
| 459 | Wire Myography to Study Vascular Tone and Vascular Structure of Isolated Mouse Arteries. 2015 , 1339, 255-76 | 15 |
| 458 | Prevention of vascular dysfunction and arterial hypertension in mice generated by assisted reproductive technologies by addition of melatonin to culture media. 2015 , 309, H1151-6 | 30 |
| 457 | Effects of long-term dietary nitrate supplementation in mice. 2015 , 5, 234-242 | 47 |
| 456 | Uterine artery dysfunction in pregnant ACE2 knockout mice is associated with placental hypoxia and reduced umbilical blood flow velocity. 2015 , 309, E84-94 | 39 |
| 455 | Chronic fluoxetine treatment increases NO bioavailability and calcium-sensitive potassium channels activation in rat mesenteric resistance arteries. 2015 , 765, 375-83 | 10 |
| 454 | Endogenous oestrogens do not regulate endothelial nitric oxide production in early postnatal rats. 2015 , 765, 598-605 | 7 |
| 453 | NADPH oxidase in the renal microvasculature is a primary target for blood pressure-lowering effects by inorganic nitrate and nitrite. 2015 , 65, 161-70 | 71 |
| 452 | An optimal initial tension for rat basilar artery in wire myography. 2015 , 97, 156-8 | 6 |
| 451 | Device for Investigation of Mechanical Tension of Isolated Smooth Muscle Vessels and Airway Segments of Animals. 2016 , 769, 012022 | |
| 450 | Low-Dose Lithium Stabilizes Human Endothelial Barrier by Decreasing MLC Phosphorylation and Universally Augments Cholinergic Vasorelaxation Capacity in a Direct Manner. 2016 , 7, 593 | 20 |
| 449 | Adenine-induced chronic renal failure in rats decreases aortic relaxation rate and alters expression of proteins involved in vascular smooth muscle calcium handling. 2016 , 218, 250-264 | 3 |
| 448 | Assessment of retinal arteriolar morphology by noninvasive methods: the philosopher's stone?. 2016 , 34, 1044-6 | 5 |

| | | |
|-----|--|----|
| 447 | Apocynin reduces blood pressure and restores the proper function of vascular endothelium in SHR. 2016 , 87, 38-48 | 21 |
| 446 | Involvement of transglutaminase 2 and voltage-gated potassium channels in cystamine vasodilatation in rat mesenteric small arteries. 2016 , 173, 839-55 | 13 |
| 445 | Effects of transplanted circulating endothelial progenitor cells and platelet microparticles in atherosclerosis development. 2016 , 108, 219-43 | 25 |
| 444 | A high-throughput in vitro ring assay for vasoactivity using magnetic 3D bioprinting. 2016 , 6, 30640 | 39 |
| 443 | Impaired Nitric Oxide Mediated Vasodilation In The Peripheral Circulation In The R6/2 Mouse Model Of Huntington Disease. 2016 , 6, 25979 | 5 |
| 442 | . 2016 , 61, 741-747 | 1 |
| 441 | Adventitial ablation technique that permits the assessment of adventitial-dependent contribution to microvascular contractile function. 2016 , 499, 71-77 | |
| 440 | Obesity-Related Perivascular Adipose Tissue Damage Is Reversed by Sustained Weight Loss in the Rat. 2016 , 36, 1377-85 | 61 |
| 439 | Loss of anti-contractile effect of perivascular adipose tissue in offspring of obese rats. 2016 , 40, 1205-14 | 21 |
| 438 | Cerebrovascular endothelial dysfunction induced by mercury exposure at low concentrations. 2016 , 53, 282-289 | 10 |
| 437 | A differential impact of lithium on endothelium-dependent but not on endothelium-independent vessel relaxation. 2016 , 67, 98-106 | 15 |
| 436 | In focus: Fe ₃ O ₄ nanoparticles and human mesenteric artery interaction in vitro. 2016 , 11, 921-32 | 1 |
| 435 | Tributyltin chloride increases phenylephrine-induced contraction and vascular stiffness in mesenteric resistance arteries from female rats. 2016 , 295, 26-36 | 14 |
| 434 | Structure-related blockage of calcium channels by vasodilator alkamides in mice mesenteric artery. 2016 , 82, 60-5 | 7 |
| 433 | Novel β adrenoceptor antagonism by the fluroquinolone antibiotic trovafloxacin. 2016 , 791, 179-184 | 15 |
| 432 | Blood pressure-independent renoprotection in diabetic rats treated with AT1 receptor-nepriylsin inhibition compared with AT1 receptor blockade alone. 2016 , 130, 1209-20 | 28 |
| 431 | Consequences of postnatal vascular smooth muscle EGFR deletion on acute angiotensin II action. 2016 , 130, 19-33 | 12 |
| 430 | The calcilytics Calhex-231 and NPS 2143 and the calcimimetic Calindol reduce vascular reactivity via inhibition of voltage-gated Ca channels. 2016 , 791, 659-668 | 11 |

| | | |
|-----|---|----|
| 429 | The effects of MEK1/2 inhibition on cigarette smoke exposure-induced ET receptor upregulation in rat cerebral arteries. 2016 , 304, 70-8 | 9 |
| 428 | Functional pharmacological characterization of SER100 in cardiovascular health and disease. 2016 , 173, 3386-3401 | 5 |
| 427 | Increased Contractile Response to Noradrenaline Induced By Factors Associated with the Metabolic Syndrome in Cultured Small Mesenteric Arteries. 2016 , 97, 48-56 | 2 |
| 426 | Increased vascular eNOS and cystathionine-β-lyase protein after 6 weeks oral administration of 3, 5, 7, 3Q4Qpentamethoxyflavone to middle-aged male rats. 2016 , 389, 1183-1194 | 3 |
| 425 | Raised arterial blood pressure in neurokinin-1 receptor-deficient mice (NK1R(-/-)): evidence for a neural rather than a vascular mechanism. 2016 , 101, 588-98 | 3 |
| 424 | Assessment of Basilar Artery Reactivity in Stroke and Subarachnoid Hemorrhage Using Wire Myograph. 2016 , 1462, 625-43 | 4 |
| 423 | Minimally Modified LDL-Induced Impairment of Endothelium-Dependent Relaxation in Small Mesenteric Arteries of Mice. 2016 , 53, 58-71 | 7 |
| 422 | 2-AMINOETHYLDIPHENYLBORINATE MODIFIES THE PULMONARY CIRCULATION IN PULMONARY HYPERTENSIVE NEWBORN LAMBS WITH PARTIAL GESTATION AT HIGH ALTITUDE. 2016 , 311, L788-L799 | 10 |
| 421 | Aspirate from human stented saphenous vein grafts induces epicardial coronary vasoconstriction and impairs perfusion and left ventricular function in rat bioassay hearts with pharmacologically induced endothelial dysfunction. 2016 , 4, e12874 | 9 |
| 420 | Central Role of P2Y6 UDP Receptor in Arteriolar Myogenic Tone. 2016 , 36, 1598-606 | 50 |
| 419 | Sensitivity to the thromboxane A2 analog U46619 varies with inner diameter in human stem villous arteries. 2016 , 39, 111-5 | 3 |
| 418 | Protective effect of resveratrol and quercetin on in vitro-induced diabetic mouse corpus cavernosum. 2016 , 15, 46 | 15 |
| 417 | Extracellular HCO ₃ ⁻ is sensed by mouse cerebral arteries: Regulation of tone by receptor protein tyrosine phosphatase \square 2016 , 36, 965-80 | 27 |
| 416 | Vascular reactivity of rabbit isolated renal and femoral resistance arteries in renal wrap hypertension. 2016 , 773, 32-41 | 2 |
| 415 | Evidence that diclofenac and celecoxib are thyroid hormone receptor beta antagonists. 2016 , 146, 66-72 | 12 |
| 414 | Contribution of K(+) channels to endothelium-derived hypolarization-induced renal vasodilation in rats in vivo and in vitro. 2016 , 468, 1139-1149 | 12 |
| 413 | Endothelial nitric oxide weakens arterial contractile responses and reduces blood pressure during early postnatal development in rats. 2016 , 55-56, 1-9 | 16 |
| 412 | Stimulation of calcium-sensing receptors induces endothelium-dependent vasorelaxations via nitric oxide production and activation of IKCa channels. 2016 , 80, 75-84 | 27 |

| | | |
|-----|--|----|
| 411 | In silico modelling of prostacyclin and other lipid mediators to nuclear receptors reveal novel thyroid hormone receptor antagonist properties. 2016 , 122, 18-27 | 3 |
| 410 | Low-salt diet increases NO bioavailability and COX-2 vasoconstrictor prostanoid production in spontaneously hypertensive rats. 2016 , 145, 66-73 | 4 |
| 409 | STAT1 and IRF8 in Vascular Inflammation and Cardiovascular Disease: Diagnostic and Therapeutic Potential. 2016 , 35, 434-454 | 25 |
| 408 | Glucocorticoid exposure in early placentation induces preeclampsia in rats via interfering trophoblast development. 2016 , 225, 61-70 | 22 |
| 407 | Aging-related alterations in eNOS and nNOS responsiveness and smooth muscle reactivity of murine basilar arteries are modulated by apocynin and phosphorylation of myosin phosphatase targeting subunit-1. 2017 , 37, 1014-1029 | 9 |
| 406 | Evidence of a Cardiovascular Function for Microtubule-Associated Protein Tau. 2017 , 56, 849-860 | 13 |
| 405 | Binding and functional pharmacological characteristics of gepant-type antagonists in rat brain and mesenteric arteries. 2017 , 90, 36-43 | 14 |
| 404 | Nitregic cardiovascular regulation in the African lungfish, <i>Protopterus aethiopicus</i> . 2017 , 207, 52-56 | 10 |
| 403 | Novel technique to determine the pK of clonidine at prejunctional β adrenoceptors in cardiac and vascular sympathetic transmission. 2017 , 800, 81-95 | |
| 402 | Chronic treatment with fluoxetine modulates vascular adrenergic responses by inhibition of pre- and post-synaptic mechanisms. 2017 , 800, 70-80 | 9 |
| 401 | Adiponectin improves endothelial function in mesenteric arteries of rats fed a high-fat diet: role of perivascular adipose tissue. 2017 , 174, 3514-3526 | 49 |
| 400 | Src tyrosine kinases contribute to serotonin-mediated contraction by regulating calcium-dependent pathways in rat skeletal muscle arteries. 2017 , 469, 767-777 | 4 |
| 399 | Hypotensive and vasorelaxant effect of Diapocynin in normotensive rats. 2017 , 106, 148-157 | 10 |
| 398 | Endothelium-independent vasodilator effect of 2-nitro-1-phenyl-1-propanol on mesenteric resistance vessels in rats. 2017 , 806, 52-58 | 4 |
| 397 | Sepiapterin reductase gene-disrupted mice suffer from hypertension with fluctuation and bradycardia. 2017 , 5, e13196 | 6 |
| 396 | Potassium-Channel-Independent Relaxing Influence of Adipose Tissue on Mouse Carotid Artery. 2017 , 54, 51-57 | 1 |
| 395 | EETs promote hypoxic pulmonary vasoconstriction via constrictor prostanoids. 2017 , 313, L350-L359 | 19 |
| 394 | Hyperglycaemia in pregnant rats causes sex-related vascular dysfunction in adult offspring: role of cyclooxygenase-2. 2017 , 102, 1019-1036 | 9 |

- 393 Ferulic acid-4-O-sulfate rather than ferulic acid relaxes arteries and lowers blood pressure in mice. **2017**, 44, 44-51 26
- 392 Hemodynamic Consequences of Changes in Microvascular Structure. **2017**, 30, 939-946 25
- 391 The Role of O-GlcNAcylation in Perivascular Adipose Tissue Dysfunction of Offspring of High-Fat Diet-Fed Rats. **2017**, 54, 79-91 6
- 390 Circulating Concentrations of Adipocytokines and Their Receptors in the Isolated Corpus Cavernosum and Femoral Artery from Trained Rats on a High-Fat Diet. **2017**, 54, 33-50 4
- 389 Eosinophils are key regulators of perivascular adipose tissue and vascular functionality. **2017**, 7, 44571 61
- 388 Extracellular acidosis and very low [Na⁺] inhibit NBCn1- and NHE1-mediated net acid extrusion from mouse vascular smooth muscle cells. **2017**, 221, 129-141 9
- 387 NO-mediated anticontractile effect of the endothelium is abolished in coronary arteries of adult rats with antenatal/early postnatal hypothyroidism. **2017**, 63, 21-28 12
- 386 Relationships between blood pressure variability and indices of large artery stiffness: does the microvasculature play a role?. **2017**, 40, 348-350 5
- 385 Endothelial basement membrane laminin 511 is essential for shear stress response. **2017**, 36, 183-201 34
- 384 Estrogenic vascular effects are diminished by chronological aging. **2017**, 7, 12153 16
- 383 Intrauterine growth-restricted Yucatan miniature pigs experience early catch-up growth, leading to greater adiposity and impaired lipid metabolism as young adults. **2017**, 42, 1322-1329 8
- 382 Fetal Sheep Mesenteric Resistance Arteries: Functional and Structural Maturation. **2017**, 54, 259-271
- 381 PDE1A inhibition elicits cGMP-dependent relaxation of rat mesenteric arteries. **2017**, 174, 4186-4198 10
- 380 Activation of Veratridine Sensitive Sodium Channels, But not Electrical Field Stimulation, Dilates Porcine Retinal Arterioles with Preserved Perivascular Tissue. **2017**, 42, 1497-1502 2
- 379 Heteromeric TRPV4/TRPC1 channels mediate calcium-sensing receptor-induced nitric oxide production and vasorelaxation in rabbit mesenteric arteries. **2017**, 96-98, 53-62 30
- 378 Backup Mechanisms Maintain PACAP/VIP-Induced Arterial Relaxations in Pituitary Adenylate Cyclase-Activating Polypeptide-Deficient Mice. **2017**, 54, 180-192 14
- 377 Chronic iron overload induces functional and structural vascular changes in small resistance arteries via NADPH oxidase-dependent O₂ production. **2017**, 279, 43-52 21
- 376 Losartan reverses COX-2-dependent vascular dysfunction in offspring of hyperglycaemic rats. **2017**, 184, 71-80 5

| | | |
|-----|--|----|
| 375 | Mechanical and vasomotor properties of piglet isolated middle cerebral artery. 2017 , 5, e00279 | 3 |
| 374 | Antenatal/early postnatal hypothyroidism alters arterial tone regulation in 2-week-old rats. 2017 , 235, 137-151 | 8 |
| 373 | Vasoactive properties of antihypertensive lactoferrin-derived peptides in resistance vessels: Effects in small mesenteric arteries from SHR rats. 2017 , 186, 118-124 | 6 |
| 372 | Distortion of K estimates of endothelin-1 ET and ET receptor antagonists in pulmonary arteries: Possible role of an endothelin-1 clearance mechanism. 2017 , 5, e00374 | 7 |
| 371 | Evaluation of Vascular Control Mechanisms Utilizing Video Microscopy of Isolated Resistance Arteries of Rats. 2017 , | |
| 370 | Exercise facilitates early recognition of cardiac and vascular remodeling in chronic thromboembolic pulmonary hypertension in swine. 2018 , 314, H627-H642 | 9 |
| 369 | Aging-Induced Modulation of Pituitary Adenylate Cyclase-Activating Peptide- and Vasoactive Intestinal Peptide-Induced Vasomotor Responses in the Arteries of Mice. 2017 , 54, 359-366 | 4 |
| 368 | The Sulforaphane and pyridoxamine supplementation normalize endothelial dysfunction associated with type 2 diabetes. 2017 , 7, 14357 | 28 |
| 367 | GPER agonist dilates mesenteric arteries via PI3K-Akt-eNOS and potassium channels in both sexes. 2017 , 183, 21-27 | 22 |
| 366 | Characterisation of preproendothelin-1 derived peptides identifies Endothelin-Like Domain Peptide as a modulator of Endothelin-1. 2017 , 7, 4956 | 2 |
| 365 | Vascular structural and functional changes: their association with causality in hypertension: models, remodeling and relevance. 2017 , 40, 311-323 | 32 |
| 364 | Effect of long-term treatment with melatonin on vascular markers of oxidative stress/inflammation and on the anticontractile activity of perivascular fat in aging mice. 2017 , 40, 41-50 | 41 |
| 363 | Vasodilatory effect of L-arginine on isolated rabbit and human posterior ciliary arteries in vitro and increased optic disc blood flow in vivo. 2017 , 255, 2381-2388 | 1 |
| 362 | Glucagon-like peptide-1 acutely affects renal blood flow and urinary flow rate in spontaneously hypertensive rats despite significantly reduced renal expression of GLP-1 receptors. 2017 , 5, e13503 | 18 |
| 361 | Proliferative Role of Kv11 Channels in Murine Arteries. 2017 , 8, 500 | 3 |
| 360 | Obesity Induces Artery-Specific Alterations: Evaluation of Vascular Function and Inflammatory and Smooth Muscle Phenotypic Markers. 2017 , 2017, 5038602 | 12 |
| 359 | Antioxidant and vasorelaxant activities induced by northeastern Brazilian fermented grape skins. 2017 , 17, 376 | 7 |
| 358 | Hyperinflation of bronchi in vitro impairs bronchodilation to simulated breathing and increases sensitivity to contractile activation. 2018 , 23, 750-755 | 8 |

| | | |
|-----|---|----|
| 357 | Differential effects of long-term slow-pressor and subpressor angiotensin II on contractile and relaxant reactivity of resistance versus conductance arteries. 2018 , 6, e13623 | 1 |
| 356 | Pituitary adenylate cyclase-activating polypeptide ameliorates vascular dysfunction induced by hyperglycaemia. 2018 , 15, 277-285 | 9 |
| 355 | Role of Sympathetic Nerves and Adipocyte Catecholamine Uptake in the Vasorelaxant Function of Perivascular Adipose Tissue. 2018 , 38, 880-891 | 35 |
| 354 | The Unexpected Role of Calcium-Activated Potassium Channels: Limitation of NO-Induced Arterial Relaxation. 2018 , 7, | 16 |
| 353 | Vascular and molecular pharmacology of the metabolically stable CGRP analogue, SAX. 2018 , 829, 85-92 | 11 |
| 352 | Higher Ca ²⁺ -sensitivity of arterial contraction in 1-week-old rats is due to a greater Rho-kinase activity. 2018 , 223, e13044 | 11 |
| 351 | Phosphodiesterase-3 inhibitor cilostazol reverses endothelial dysfunction with ageing in rat mesenteric resistance arteries. 2018 , 822, 59-68 | 13 |
| 350 | Long-term diet-induced hypertension in rats is associated with reduced expression and function of small artery SK, IK, and Kir2.1 channels. 2018 , 132, 461-474 | 11 |
| 349 | Caveolin 1 Promotes Renal Water and Salt Reabsorption. 2018 , 8, 545 | 6 |
| 348 | Microtubule Regulation of Kv7 Channels Orchestrates cAMP-Mediated Vasorelaxations in Rat Arterial Smooth Muscle. 2018 , 71, 336-345 | 12 |
| 347 | Voluntary exercise training restores anticontractile effect of NO in coronary arteries of adult rats with antenatal/early postnatal hypothyroidism. 2018 , 74, 10-18 | 8 |
| 346 | New Methods to Study the Microcirculation. 2018 , 31, 265-273 | 22 |
| 345 | Alterations of the Purinergic Regulation in Mesenteric Arteries of Pannexin-1-Knockout Mice. 2018 , 12, 62-69 | 0 |
| 344 | The involvement of phosphorylation of myosin phosphatase targeting subunit 1 (MYPT1) and MYPT1 isoform expression in NO/cGMP mediated differential vasoregulation of cerebral arteries compared to systemic arteries. 2018 , 224, e13079 | 7 |
| 343 | Endothelial modulation of a nitric oxide donor complex-induced relaxation in normotensive and spontaneously hypertensive rats. 2018 , 201, 130-140 | 4 |
| 342 | Carbonic anhydrase inhibitors modify intracellular pH transients and contractions of rat middle cerebral arteries during CO ₂ /HCO ₃ ⁻ fluctuations. 2018 , 38, 492-505 | 13 |
| 341 | Myoendothelial coupling through Cx40 contributes to EDH-induced vasodilation in murine renal arteries: evidence from experiments and modelling. 2018 , 222, e12906 | 14 |
| 340 | Extravasal albumin concentration modulates contractile responses of renal afferent arterioles. 2018 , 222, e12925 | 0 |

| | | |
|-----|--|-----|
| 339 | Glucocorticoid exposure induces preeclampsia via dampening 1,25-dihydroxyvitamin D. 2018 , 41, 104-111 | 6 |
| 338 | Deletion of the EGF receptor in vascular smooth muscle cells prevents chronic angiotensin II-induced arterial wall stiffening and media thickening. 2018 , 222, e12996 | 12 |
| 337 | 4-Aminopyridine: a pan voltage-gated potassium channel inhibitor that enhances K _v 7.4 currents and inhibits noradrenaline-mediated contraction of rat mesenteric small arteries. 2018 , 175, 501-516 | 15 |
| 336 | Nicotinamide Riboside Preserves Cardiac Function in a Mouse Model of Dilated Cardiomyopathy. 2018 , 137, 2256-2273 | 132 |
| 335 | Contractile Responses in Spontaneously Hypertensive Rats after Transient Middle Cerebral Artery Occlusion. 2018 , 101, 120-132 | 1 |
| 334 | Isolation and identification of a tribenzylisoquinoline alkaloid from <i>Nelumbo nucifera</i> Gaertn, a novel potential smooth muscle relaxant. 2018 , 124, 58-65 | 14 |
| 333 | Nicotinamide riboside has protective effects in a rat model of mesenteric ischaemia-reperfusion. 2018 , 99, 304-311 | 6 |
| 332 | Different mechanisms involved in liraglutide and glucagon-like peptide-1 vasodilatation in rat mesenteric small arteries. 2019 , 176, 386-399 | 9 |
| 331 | The effect of intrauterine growth restriction on Ca ²⁺ -activated force and contractile protein expression in the mesenteric artery of adult (6-month-old) male and female Wistar-Kyoto rats. 2018 , 6, e13954 | 5 |
| 330 | Impaired Kv7 channel function in cerebral arteries of a tauopathy mouse model (rTg4510). 2018 , 6, e13920 | 5 |
| 329 | Vascular responses of aortic, renal, and uterine arteries in suramin-induced preeclampsia-like syndrome in rats. 2018 , 48, 1328-1339 | 1 |
| 328 | Assessment of Vascular Reactivity. 2018 , 173-184 | |
| 327 | Pulmonary microvascular remodeling in chronic thrombo-embolic pulmonary hypertension. 2018 , 315, L951-L964 | 9 |
| 326 | Oxidative stress induced by prenatal LPS leads to endothelial dysfunction and renal haemodynamic changes through angiotensin II/NADPH oxidase pathway: Prevention by early treatment with Etocopherol. 2018 , 1864, 3577-3587 | 12 |
| 325 | The Na,K-ATPase-Dependent Src Kinase Signaling Changes with Mesenteric Artery Diameter. 2018 , 19, | 4 |
| 324 | Changes in the nitric oxide pathway of the pulmonary vasculature after exposure to hypoxia in swine model of neonatal pulmonary vascular disease. 2018 , 6, e13889 | 4 |
| 323 | Nitrite mediated vasorelaxation in human chorionic plate vessels is enhanced by hypoxia and dependent on the NO-sGC-cGMP pathway. 2018 , 80, 82-88 | 12 |
| 322 | Notch signaling regulates arterial vasoreactivity through opposing functions of Jagged1 and Dll4 in the vessel wall. 2018 , 315, H1835-H1850 | 6 |

| | | |
|-----|--|----|
| 321 | Antenatal/early postnatal hypothyroidism increases the contribution of Rho-kinase to contractile responses of mesenteric and skeletal muscle arteries in adult rats. 2018 , 84, 112-117 | 5 |
| 320 | l-Phenylalanine Restores Vascular Function in Spontaneously Hypertensive Rats Through Activation of the GCH1-GFRP Complex. 2018 , 3, 366-377 | 8 |
| 319 | Tributyltin and Vascular Dysfunction: The Role of Oxidative Stress. 2018 , 9, 354 | 7 |
| 318 | Increased Contractile Function of Human Saphenous Vein Grafts Harvested by "No-Touch" Technique. 2017 , 8, 1135 | 4 |
| 317 | Exposure to Maternal Diabetes Is Associated With Early Abnormal Vascular Structure in Offspring. 2018 , 9, 350 | 9 |
| 316 | βAdrenoceptor stimulation of perivascular adipocytes leads to increased fat cell-derived NO and vascular relaxation in small arteries. 2018 , 175, 3685-3698 | 21 |
| 315 | Murine breast cancer feed arteries are thin-walled with reduced βAdrenoceptor expression and attenuated sympathetic vasoconstriction. 2018 , 20, 20 | 7 |
| 314 | Activation of TP receptors induces high release of PGI in coronary arteries of renal hypertensive rats. 2018 , 122, 125-133 | 4 |
| 313 | Resistance training and caloric restriction prevent systolic blood pressure rise by improving the nitric oxide effect on smooth muscle and morphological changes in the aorta of ovariectomized rats. 2018 , 13, e0201843 | 1 |
| 312 | Isometric Contractility Measurement of the Mouse Mesenteric Artery Using Wire Myography. 2018 , | 4 |
| 311 | Fremanezumab blocks CGRP induced dilatation in human cerebral, middle meningeal and abdominal arteries. 2018 , 19, 66 | 22 |
| 310 | Linoleic acid reduces vascular reactivity and improves the vascular dysfunction of the small mesentery in hypertension. 2018 , 62, 18-27 | 4 |
| 309 | Quantitative systems pharmacology analysis of drug combination and scaling to humans: the interaction between noradrenaline and vasopressin in vasoconstriction. 2018 , 175, 3394-3406 | 6 |
| 308 | Transition from post-capillary pulmonary hypertension to combined pre- and post-capillary pulmonary hypertension in swine: a key role for endothelin. 2019 , 597, 1157-1173 | 15 |
| 307 | Negative feedback regulation of vasoconstriction by potassium channels in 10- to 15-day-old rats: Dominating role of K ₇ channels. 2019 , 225, e13176 | 8 |
| 306 | Interactions between renal vascular resistance and endothelium-derived hyperpolarization in hypertensive rats in vivo. 2019 , 7, e14168 | 1 |
| 305 | Comparison of Ca ²⁺ Handling for the Regulation of Vasoconstriction between Rat Coronary and Renal Arteries. 2019 , 56, 191-203 | 1 |
| 304 | Intervening with the Nitric Oxide Pathway to Alleviate Pulmonary Hypertension in Pulmonary Vein Stenosis. 2019 , 8, | 4 |

| | | |
|-----|--|----|
| 303 | Characterization of binding, functional activity, and contractile responses of the selective 5-HT receptor agonist lasmiditan. 2019 , 176, 4681-4695 | 39 |
| 302 | Synergistic effects of a cremophor EL drug delivery system and its U0126 cargo in an model. 2019 , 26, 680-688 | 1 |
| 301 | Erenumab (AMG 334), a monoclonal antagonist antibody against the canonical CGRP receptor, does not impair vasodilatory or contractile responses to other vasoactive agents in human isolated cranial arteries. 2019 , 39, 1745-1752 | 20 |
| 300 | Human myometrial artery function and endothelial cell calcium signalling are reduced by obesity: Can this contribute to poor labour outcomes?. 2019 , 227, e13341 | 3 |
| 299 | Characterisation of vasodilatory responses in the presence of the CGRP receptor antibody erenumab in human isolated arteries. 2019 , 39, 1735-1744 | 16 |
| 298 | Recent Advances in Cannabinoid Physiology and Pathology. 2019 , | 2 |
| 297 | Cannabinoids and Cardiovascular System. 2019 , 1162, 63-87 | 8 |
| 296 | Clinical Implications and Translation of an Off-Target Pharmacology Profiling Hit: Adenosine Uptake Inhibition In Vitro. 2019 , 12, 1296-1304 | 3 |
| 295 | Chronic iron overload intensifies atherosclerosis in apolipoprotein E deficient mice: Role of oxidative stress and endothelial dysfunction. 2019 , 233, 116702 | 31 |
| 294 | Fremanezumab inhibits vasodilatory effects of CGRP and capsaicin in rat cerebral artery - Potential role in conditions of severe vasoconstriction. 2019 , 864, 172726 | 3 |
| 293 | Heteromeric TRPV4/TRPC1 channels mediate calcium-sensing receptor-induced relaxations and nitric oxide production in mesenteric arteries: comparative study using wild-type and TRPC1 mice. 2019 , 13, 410-423 | 8 |
| 292 | Increased Vascular Contractility in Hypertension Results From Impaired Endothelial Calcium Signaling. 2019 , 74, 1200-1214 | 26 |
| 291 | VPAC1 receptors play a dominant role in PACAP-induced vasorelaxation in female mice. 2019 , 14, e0211433 | 3 |
| 290 | Activation of Ca _v 1.2 and BK is involved in the downregulation of caffeine-induced contraction in mice mesenteric arteries. 2019 , 231, 116555 | 2 |
| 289 | Assessment of Vascular Tone Responsiveness using Isolated Mesenteric Arteries with a Focus on Modulation by Perivascular Adipose Tissues. 2019 , | 1 |
| 288 | Vascular Effects of Hydrogen Sulfide. 2019 , | |
| 287 | Simultaneous Measurements of Tension and Free HS in Mesenteric Arteries. 2019 , 2007, 125-136 | |
| 286 | Vascular Myography to Examine Functional Responses of Isolated Blood Vessels. 2019 , 2007, 205-217 | 1 |

| | | |
|-----|---|----|
| 285 | Acidosis inhibits rhythmic contractions of human thoracic ducts. 2019 , 7, e14074 | 2 |
| 284 | Acute-on-chronic liver disease enhances phenylephrine-induced endothelial nitric oxide release in rat mesenteric resistance arteries through enhanced PKA, PI3K/AKT and cGMP signalling pathways. 2019 , 9, 6993 | 4 |
| 283 | Inhibition of MPO (Myeloperoxidase) Attenuates Endothelial Dysfunction in Mouse Models of Vascular Inflammation and Atherosclerosis. 2019 , 39, 1448-1457 | 41 |
| 282 | Reduced caveolae density in arteries of SHR contributes to endothelial dysfunction and ROS production. 2019 , 9, 6696 | 16 |
| 281 | Augmented contractility of murine femoral arteries in a streptozotocin diabetes model is related to increased phosphorylation of MYPT1. 2019 , 7, e13975 | 5 |
| 280 | [Ca ²⁺] _i changes in sympathetic varicosities and Schwann cells in rat mesenteric arteries-Relation to noradrenaline release and contraction. 2019 , 226, e13279 | 3 |
| 279 | Role of Phosphatidylinositol 3-Kinase (PI3K), Mitogen-Activated Protein Kinase (MAPK), and Protein Kinase C (PKC) in Calcium Signaling Pathways Linked to the β Adrenoceptor in Resistance Arteries. 2019 , 10, 55 | 11 |
| 278 | Mechanisms underlying the vasorelaxant effect of trans-4-methoxy- β -nitrostyrene in the rat mesenteric resistance arteries. 2019 , 853, 201-209 | 5 |
| 277 | Morphological and pharmacological characterization of the porcine popliteal artery: A novel model for study of lower limb arterial disease. 2019 , 26, e12527 | 3 |
| 276 | NO donors induce vascular relaxation by different cellular mechanisms in hypertensive and normotensive rats. 2019 , 86, 12-20 | 11 |
| 275 | Singlet molecular oxygen regulates vascular tone and blood pressure in inflammation. 2019 , 566, 548-552 | 51 |
| 274 | Stimulation history affects vasomotor responses in rat mesenteric arterioles. 2019 , 471, 271-283 | 2 |
| 273 | Equilin displays similar endothelium-independent vasodilator potential to 17 β -estradiol regardless of lower potential to inhibit calcium entry. 2019 , 141, 46-54 | 1 |
| 272 | Enhanced nitric oxide signaling amplifies vasorelaxation of human colon cancer feed arteries. 2019 , 316, H245-H254 | 5 |
| 271 | Vascular pathology of large cerebral arteries in experimental subarachnoid hemorrhage: Vasoconstriction, functional CGRP depletion and maintained CGRP sensitivity. 2019 , 846, 109-118 | 7 |
| 270 | Formyl peptide receptor-1 activation exerts a critical role for the dynamic plasticity of arteries via actin polymerization. 2019 , 141, 276-290 | 16 |
| 269 | Trigeminovascular calcitonin gene-related peptide function in Cacna1a R192Q-mutated knock-in mice. 2019 , 39, 718-729 | 8 |
| 268 | Chronic Cadmium Exposure Accelerates the Development of Atherosclerosis and Induces Vascular Dysfunction in the Aorta of ApoE Mice. 2019 , 187, 163-171 | 31 |

| | | |
|-----|---|----|
| 267 | Effects of a novel selenium substituted-sugar (1,4-anhydro-4-seleno-d-talitol, SeTal) on human coronary artery cell lines and mouse aortic rings. 2020 , 173, 113631 | 3 |
| 266 | Characterisation of the calcitonin gene-related peptide receptor antagonists ubrogepant and atogepant in human isolated coronary, cerebral and middle meningeal arteries. 2020 , 40, 357-366 | 29 |
| 265 | Abnormal neurovascular coupling as a cause of excess cerebral vasodilation in familial migraine. 2020 , 116, 2009-2020 | 6 |
| 264 | Vasodilation of rat skeletal muscle arteries by the novel BK channel opener GoSlo is mediated by the simultaneous activation of BK and K ₇ channels. 2020 , 177, 1164-1186 | 8 |
| 263 | Functional and structural changes in aorta of mice divergently selected for basal metabolic rate. 2020 , 190, 101-112 | 1 |
| 262 | Microbiota are critical for vascular physiology: Germ-free status weakens contractility and induces sex-specific vascular remodeling in mice. 2020 , 125-126, 106633 | 13 |
| 261 | Effect of ischemic preconditioning and a Kv7 channel blocker on cardiac ischemia-reperfusion injury in rats. 2020 , 866, 172820 | 3 |
| 260 | Metabolic syndrome inhibits store-operated Ca entry and calcium-induced calcium-release mechanism in coronary artery smooth muscle. 2020 , 182, 114222 | 4 |
| 259 | Microbiota Introduced to Germ-Free Rats Restores Vascular Contractility and Blood Pressure. 2020 , 76, 1847-1855 | 19 |
| 258 | Microcirculation in Cardiovascular Diseases. 2020 , | |
| 257 | Lycopene-supplemented diet ameliorates metabolic syndrome induced by fructose in rats. 2020 , 73, 104098 | 8 |
| 256 | Antioxidant Properties of Egg White Hydrolysate Prevent Mercury-Induced Vascular Damage in Resistance Arteries. 2020 , 11, 595767 | 0 |
| 255 | A paradoxical increase of force development in saphenous and tail arteries from heterozygous ANO1 knockout mice. 2020 , 8, e14645 | 3 |
| 254 | Estrogen receptors α and GPER in the CNS and trigeminal system - molecular and functional aspects. 2020 , 21, 131 | 22 |
| 253 | Grape Seed Extract Polyphenols Improve Resistance Artery Function in Pregnant eNOS Mice. 2020 , 11, 588000 | 3 |
| 252 | Low-Frequency (20 kHz) Ultrasonic Modulation of Drug Action. 2020 , 46, 3017-3031 | 3 |
| 251 | Structure and function of resistance arteries from BB-creatine kinase and ubiquitous Mt-creatine kinase double knockout mice. 2020 , 52, 1033-1041 | |
| 250 | Glucocorticoid Exposure Induces Preeclampsia Dampening Lipoxin A, an Endogenous Anti-Inflammatory and Proresolving Mediator. 2020 , 11, 1131 | 1 |

| | | |
|-----|---|----|
| 249 | Cadmium exposure activates NADPH oxidase, renin-angiotensin system and cyclooxygenase 2 pathways in arteries, inducing hypertension and vascular damage. 2020 , 333, 80-89 | 11 |
| 248 | MARCKS mediates vascular contractility through regulating interactions between voltage-gated Ca channels and PIP. 2020 , 132, 106776 | 3 |
| 247 | Overview of the Assessment of Endothelial Function in Humans. 2020 , 7, 542567 | 15 |
| 246 | Enhanced KCl-mediated contractility and Ca sensitization in porcine collateral-dependent coronary arteries persist after exercise training. 2020 , 319, H915-H926 | 1 |
| 245 | TASK-1 channel blockade by AVE1231 increases vasocontractile responses and BP in 1- to 2-week-old but not adult rats. 2020 , 177, 5148-5162 | 4 |
| 244 | Redox Signaling and Regional Heterogeneity of Endothelial Dysfunction in Mice. 2020 , 21, | 1 |
| 243 | Trophic sympathetic influence weakens pro-contractile role of Cl channels in rat arteries during postnatal maturation. 2020 , 10, 20002 | 0 |
| 242 | YAP/TAZ Are Required to Suppress Osteogenic Differentiation of Vascular Smooth Muscle Cells. 2020 , 23, 101860 | 3 |
| 241 | Genetic Deletion of p66shc and/or Cyclophilin D Results in Decreased Pulmonary Vascular Tone. 2020 , | 2 |
| 240 | Small Resistance Artery Disease and ACE2 in Hypertension: A New Paradigm in the Context of COVID-19. 2020 , 7, 588692 | 5 |
| 239 | Electrical stimulation of the carotid sinus lowers arterial pressure and improves heart rate variability in L-NAME hypertensive conscious rats. 2020 , 43, 1057-1067 | 1 |
| 238 | Beetroot juice lowers blood pressure and improves endothelial function in pregnant eNOS mice: importance of nitrate-independent effects. 2020 , 598, 4079-4092 | 9 |
| 237 | GLP-1-induced renal vasodilation in rodents depends exclusively on the known GLP-1 receptor and is lost in prehypertensive rats. 2020 , 318, F1409-F1417 | 10 |
| 236 | Synchronous detection of vascular tension and nitric oxide release in pulmonary artery: A combined application of confocal wire myograph with confocal laser scanning microscopy. 2020 , 28, 619-628 | |
| 235 | Excitability and contractility in arterioles and venules from the urinary bladder. 2020 , 85, 301-326 | 1 |
| 234 | Hydrogen sulfide dilates the isolated retinal artery mainly via the activation of myosin phosphatase. 2020 , 255, 117834 | 1 |
| 233 | Validation of canine uterine and testicular arteries for the functional characterisation of receptor-mediated contraction as a replacement for laboratory animal tissues in teaching. 2020 , 15, e0230516 ^O | |
| 232 | Bothrops leucurus venom induces acute hypotension in rats by means of its phospholipase A (bID-PLA). 2020 , 185, 5-14 | 1 |

| | | |
|-----|--|----|
| 231 | Cholinergic regulation along the pulmonary arterial tree of the South American rattlesnake: vascular reactivity, muscarinic receptors, and vagal innervation. 2020 , 319, R156-R170 | 4 |
| 230 | Knockout of vascular smooth muscle EGF receptor in a mouse model prevents obesity-induced vascular dysfunction and renal damage in vivo. 2020 , 63, 2218-2234 | 5 |
| 229 | Aqueous Fraction from Relaxes Mesenteric Arteries of Normotensive and Hypertensive Rats through Calcium Current Reduction and Possibly Potassium Channels Modulation. 2020 , 12, | 2 |
| 228 | Determining the Optimal Normalization Factor of Different Target Arteries for ex vivo Vascular Function Experiments: A New Standardized Procedure. 2020 , 57, 106-112 | 2 |
| 227 | Acetaminophen (Paracetamol) Metabolites Induce Vasodilation and Hypotension by Activating Kv7 Potassium Channels Directly and Indirectly. 2020 , 40, 1207-1219 | 7 |
| 226 | The β 2-adrenoceptor agonist bronchodilators terbutaline and orciprenaline are also weak β 2-adrenoceptor antagonists. 2020 , 882, 173304 | 2 |
| 225 | Acute hypotensive effect of diminazene aceturate in spontaneously hypertensive rats: role of NO and Mas receptor. 2020 , 47, 1723-1730 | 1 |
| 224 | Simulated Microgravity Induces Regionally Distinct Neurovascular and Structural Remodeling of Skeletal Muscle and Cutaneous Arteries in the Rat. 2020 , 11, 675 | 2 |
| 223 | Anti-migraine Calcitonin Gene-Related Peptide Receptor Antagonists Worsen Cerebral Ischemic Outcome in Mice. 2020 , 88, 771-784 | 34 |
| 222 | Effect of increased potassium intake on the renin-angiotensin-aldosterone system and subcutaneous resistance arteries: a randomized crossover study. 2020 , | 2 |
| 221 | Intravenous Administration of Allogenic Cell-Derived Microvesicles of Healthy Origins Defend Against Atherosclerotic Cardiovascular Disease Development by a Direct Action on Endothelial Progenitor Cells. 2020 , 9, | 17 |
| 220 | CGRP in rat mesenteric artery and vein - receptor expression, CGRP presence and potential roles. 2020 , 875, 173033 | 1 |
| 219 | Loss of smooth muscle β -actin effects on mechanosensing and cell-matrix adhesions. 2020 , 245, 374-384 | 7 |
| 218 | How Structure, Mechanics, and Function of the Vasculature Contribute to Blood Pressure Elevation in Hypertension. 2020 , 36, 648-658 | 21 |
| 217 | Circulating cord blood HDL-S1P complex preserves the integrity of the feto-placental vasculature. 2020 , 1865, 158632 | 9 |
| 216 | Influence of connexin45 on renal autoregulation. 2020 , 318, F732-F740 | 5 |
| 215 | Mitochondrial DNA Promotes NLRP3 Inflammasome Activation and Contributes to Endothelial Dysfunction and Inflammation in Type 1 Diabetes. 2019 , 10, 1557 | 32 |
| 214 | Lipoxin A suppresses angiotensin II type 1 receptor autoantibody in preeclampsia via modulating caspase-1. 2020 , 11, 78 | 9 |

| | | |
|-----|---|---|
| 213 | Contractile Behavior of Mouse Aorta Depends on SERCA2 Isoform Distribution: Effects of Replacing SERCA2a by SERCA2b. 2020 , 11, 282 | 3 |
| 212 | Lack of PCSK6 Increases Flow-Mediated Outward Arterial Remodeling in Mice. 2020 , 9, | 1 |
| 211 | Baroreceptor denervation reduces inflammatory status but worsens cardiovascular collapse during systemic inflammation. 2020 , 10, 6990 | 4 |
| 210 | Exposure to maternal diabetes induces endothelial dysfunction and hypertension in adult male rat offspring. 2021 , 133, 104076 | 4 |
| 209 | Pregnancy decreases O-GlcNAc-modified proteins in systemic arteries of normotensive and spontaneously hypertensive rats. 2021 , 266, 118885 | 1 |
| 208 | Proteolytic activity of saliva associated with PAR-2 activation and vasodilation. 2021 , 27, e20200098 | 3 |
| 207 | Thio-ether functionalized glycolipid amphiphilic compounds reveal a potent activator of SK3 channel with vasorelaxation effect. 2021 , 19, 2753-2766 | |
| 206 | Pathophysiological adaptations of resistance arteries in rat offspring exposed in utero to maternal obesity is associated with sex-specific epigenetic alterations. 2021 , 45, 1074-1085 | 2 |
| 205 | Renovascular effects of inorganic nitrate following ischemia-reperfusion of the kidney. 2021 , 39, 101836 | 2 |
| 204 | Dynein regulates Kv7.4 channel trafficking from the cell membrane. 2021 , 153, | 4 |
| 203 | Chronic Intermittent Hypobaric Hypoxia Decreases High Blood Pressure by Stabilizing the Vascular Renin-Angiotensin System in Spontaneously Hypertensive Rats. 2021 , 12, 639454 | 0 |
| 202 | Restoring Perivascular Adipose Tissue Function in Obesity Using Exercise. 2021 , 35, 1291-1304 | 4 |
| 201 | Endothelial epidermal growth factor receptor is of minor importance for vascular and renal function and obesity-induced dysfunction in mice. 2021 , 11, 7269 | 3 |
| 200 | Albumin covering maintains endothelial function upon magnetic iron oxide nanoparticles intravenous injection in rats. 2021 , 109, 2017-2026 | 5 |
| 199 | Dietary salt modifies the blood pressure response to renin-angiotensin inhibition in experimental chronic kidney disease. 2021 , 320, F654-F668 | 2 |
| 198 | Enhanced Nitrite-Mediated Relaxation of Placental Blood Vessels Exposed to Hypoxia Is Preserved in Pregnancies Complicated by Fetal Growth Restriction. 2021 , 22, | 0 |
| 197 | Cadmium-induced hypertension is associated with renal myosin light chain phosphatase inhibition via increased T697 phosphorylation and p44 mitogen-activated protein kinase levels. 2021 , 44, 941-954 | 0 |
| 196 | Differential vasodilator effect of Dioclea rostrata lectin in conductance and resistance arteries: Mechanisms and glycoconjugate binding relationships. 2021 , 129, 130-138 | |

| | | |
|-----|--|---|
| 195 | Increased AT receptor expression mediates vasoconstriction leading to hypertension in Snx1 mice. 2021 , 44, 906-917 | 2 |
| 194 | MAPKs Are Highly Abundant but Do Not Contribute to β Adrenergic Contraction of Rat Saphenous Arteries in the Early Postnatal Period. 2021 , 22, | 1 |
| 193 | Synthetic resin acid derivatives selectively open the hK 7.2/7.3 channel and prevent epileptic seizures. 2021 , 62, 1744-1758 | 0 |
| 192 | Basement membrane collagen IV deficiency promotes abdominal aortic aneurysm formation. 2021 , 11, 12903 | 3 |
| 191 | Caldesmon ablation in mice causes umbilical herniation and alters contractility of fetal urinary bladder smooth muscle. 2021 , 153, | 0 |
| 190 | Sex Differences in the Vasodilation Mediated by G Protein-Coupled Estrogen Receptor (GPER) in Hypertensive Rats. 2021 , 12, 659291 | 1 |
| 189 | Intrauterine Nitric Oxide Deficiency Weakens Differentiation of Vascular Smooth Muscle in Newborn Rats. 2021 , 22, | 0 |
| 188 | Intrauterine growth restriction weakens anticontractile influence of NO in coronary arteries of adult rats. 2021 , 11, 14475 | 0 |
| 187 | Vascular tone regulation in renal interlobar arteries of male rats is dysfunctional after intrauterine growth restriction. 2021 , 321, F93-F105 | 1 |
| 186 | Losartan protects endothelium-dependent relaxation in vivo in a murine model of rheumatoid arthritis. 2021 , 904, 174133 | 1 |
| 185 | Chronic cyclooxygenase-2 inhibition prevents the worsening of hypertension and endothelial dysfunction induced by ouabain in resistance arteries of spontaneously hypertensive rats. 2021 , 139, 106880 | 0 |
| 184 | Enhanced Vasoconstriction Mediated by β Adrenergic Mechanisms in Small Femoral Arteries in Newborn Llama and Sheep Gestated at Low and High Altitudes. 2021 , 12, 697211 | 1 |
| 183 | Effects of High-Fat and High-Fat/High-Sucrose Diet-Induced Obesity on PVAT Modulation of Vascular Function in Male and Female Mice. 2021 , 12, 720224 | 2 |
| 182 | Characterization of endothelium-dependent and -independent processes in occipital artery of the rat: relevance to control of blood flow to nodose sensory cells. 2021 , 131, 1067-1079 | |
| 181 | ET-CORM Mediated Vasorelaxation of Small Mesenteric Arteries: Involvement of Kv7 Potassium Channels. 2021 , 12, 702392 | 0 |
| 180 | Thyroxine Induces Acute Relaxation of Rat Skeletal Muscle Arteries via Integrin α ₅ , ERK1/2 and Integrin-Linked Kinase. 2021 , 12, 726354 | |
| 179 | Rapid discovery of potentially vasodilative compounds from Uncaria by UHPLC/Q-Orbitrap-MS based metabolomics and correlation analysis. 2021 , 206, 114384 | 1 |
| 178 | Fetal Sex and Fetal Environment Interact to Alter Diameter, Myogenic Tone, and Contractile Response to Thromboxane Analog in Rat Umbilical Cord Vessels. 2021 , 12, 620058 | |

- 177 Autophagy Is Involved in Stellate Ganglion Block Reversing Posthemorrhagic Shock Mesenteric Lymph-Mediated Vascular Hyporeactivity. **2021**, 12, 728191 0
- 176 Coronary vasodilation mediated by T cells expressing choline acetyltransferase. **2021**, 321, H933-H939 0
- 175 Paradoxical effects of acidosis on the noradrenaline-induced and neurogenic constriction of the rat tail artery at low temperatures. **2021**, 99, 1036-1047
- 174 Functional effects of visfatin in isolated rat mesenteric small resistance arteries. **2021**, 908, 174333 2
- 173 Ca²⁺ Channel Inhibitors. **2021**,
- 172 Chronic Low-Level Lead Exposure Increases Mesenteric Vascular Reactivity: Role of Cyclooxygenase-2-Derived Prostanoids. **2020**, 11, 590308 1
- 171 Histamine exerts both direct H-mediated and indirect catecholaminergic effects on heart rate in pythons. **2021**, 191, 347-355
- 170 Common In Vitro Investigative Methods. **1991**, 45-57 2
- 169 Endothelium-Dependent Responses in Large Arteries and in the Microcirculation. **1988**, 361-387 2
- 168 Altered excitation-contraction coupling in hypertension: role of plasma membrane phospholipids and ion channels. **1991**, 304, 273-90 2
- 167 Endotoxin Permeabilization of Rat Mesenteric Small Arteries and Effects of Stretch. **1994**, 23-29 4
- 166 Pressure Myography to Study the Function and Structure of Isolated Small Arteries. **2015**, 1339, 277-95 8
- 165 Gestation-induced uterine vascular remodeling. **2009**, 550, 103-23 4
- 164 Human Vascular Receptors in Disease: Pharmacodynamic Analyses in Isolated Tissue. **2000**, 15-49 1
- 163 Calcium, Dihydropyridines and Resistance Vessel Tone. **1985**, 362-369 1
- 162 Vascular Smooth Muscle Function under Conditions of Sepsis and Endotoxemia. **1995**, 44-61 3
- 161 Cardiovascular abnormalities in spontaneously hypertensive rats. Causes or consequences of the increased blood pressure?. **1983**, 253-257 1
- 160 Some Aspects of Cardiovascular Nervous Control in Spontaneously Hypertensive Rats: Central and Peripheral Mechanisms. **1984**, 321-333 1


| | | |
|-----|---|----|
| 159 | Membrane Electrical Activation of Arterial Smooth Muscle. 1982 , 71-97 | 9 |
| 158 | Agonist-induced production of 1,2-diacylglycerol and phosphatidic acid in intact resistance arteries. Evidence that accumulation of diacylglycerol is not a prerequisite for contraction.. 1990 , 265, 8921-8928 | 25 |
| 157 | Reversal of prolonged obesity-associated cerebrovascular dysfunction by inhibiting microglial Tak1. 2020 , 23, 832-841 | 12 |
| 156 | The interactive vascular resistance amplifier and non-interactive reviewers. 2002 , 20, 1023-1027 | 6 |
| 155 | Correction of remodeling and function of small arteries in human hypertension by cilazapril, an angiotensin I-converting enzyme inhibitor. 1996 , 27 Suppl 2, S13-8 | 48 |
| 154 | beta-Adrenergic relaxation in mesenteric resistance arteries of spontaneously hypertensive and Wistar-Kyoto rats: the role of precontraction and intracellular Ca ²⁺ . 1996 , 27, 27-32 | 9 |
| 153 | Contractile responses to various stimuli in isolated resistance vessels from simultaneously hypertensive and streptozotocin-diabetic rats. 1996 , 27, 167-75 | 14 |
| 152 | Mibefradil, a selective calcium T-channel blocker, in stroke-prone spontaneously hypertensive rats. 1996 , 27, 686-94 | 29 |
| 151 | Coronary arterial hyperreactivity and mesenteric arterial hyporeactivity after myocardial infarction in the rat. 1997 , 29, 780-8 | 19 |
| 150 | Influence of cytochrome P-450 inhibitors on endothelium-dependent nitro-L-arginine-resistant relaxation and cromakalim-induced relaxation in rat mesenteric arteries. 1997 , 29, 827-32 | 30 |
| 149 | Relative contribution of endothelin A and endothelin B receptors to vasoconstriction in small arteries from human heart and brain. 1998 , 31 Suppl 1, S74-6 | 18 |
| 148 | Actions of 8 epi prostaglandin F ₂ alpha on isolated rat aorta. 1998 , 32, 471-8 | 15 |
| 147 | Propofol-induced relaxation of rat mesenteric arteries: evidence for a cyclic GMP-mediated mechanism. 1998 , 32, 709-13 | 12 |
| 146 | Preparation and application of an isolated superior mesenteric arterial vascular preparation. 1998 , 32, 721-7 | 1 |
| 145 | Effects of candesartan cilexetil and enalapril on structural alterations and endothelial function in small resistance arteries of spontaneously hypertensive rats. 1998 , 32, 798-806 | 28 |
| 144 | Effect of short- and long-term heart failure on small artery morphology and endothelial function in the rat. 1999 , 34, 34-40 | 11 |
| 143 | EDHF-mediated relaxation in rat gastric small arteries: influence of ouabain/Ba ²⁺ and relation to potassium ions. 2000 , 35, 543-8 | 19 |
| 142 | [Arg8]-vasopressin-induced responses on coronary and mesenteric arteries of rats with myocardial infarction: the effects of V1a- and V2-receptor antagonists. 2000 , 36, 38-44 | 3 |

| | | |
|-----|--|-----|
| 141 | Effects of angiotensin II AT1-receptor blockade on coronary dynamics, function, and structure in postischemic heart failure in rats. 2000 , 36, 329-37 | 18 |
| 140 | Effects of Potassium Channel Openers in Isolated Human Cerebral Arteries. 1995 , 37, 1146-1153 | 2 |
| 139 | Angiotensin II type 2 receptor mediates sex differences in mice renal interlobar arteries response to angiotensin II. 2012 , 30, 1791-8 | 8 |
| 138 | Augmentation of coronary conductance in adult sheep made anaemic during fetal life. 2003 , 547, 53-9 | 44 |
| 137 | Maternal protein restriction in the rat impairs resistance artery but not conduit artery function in pregnant offspring. 2003 , 547, 77-84 | 91 |
| 136 | Measurements of mouse pulmonary artery biomechanics. 2004 , 126, 309-14 | 29 |
| 135 | Rapid nontranscriptional activation of endothelial nitric oxide synthase mediates increased cerebral blood flow and stroke protection by corticosteroids. 2002 , 110, 1729-1738 | 145 |
| 134 | Carbon monoxide of vascular origin attenuates the sensitivity of renal arterial vessels to vasoconstrictors. 2001 , 107, 1163-71 | 155 |
| 133 | Mevalonate availability affects human and rat resistance vessel function. 1995 , 96, 239-44 | 21 |
| 132 | Association and cosegregation of stroke with impaired endothelium-dependent vasorelaxation in stroke prone, spontaneously hypertensive rats. 1996 , 98, 256-61 | 74 |
| 131 | Vascular estrogen receptors and endothelium-derived nitric oxide production in the mouse aorta. Gender difference and effect of estrogen receptor gene disruption. 1997 , 99, 2429-37 | 214 |
| 130 | Rapid nontranscriptional activation of endothelial nitric oxide synthase mediates increased cerebral blood flow and stroke protection by corticosteroids. 2002 , 110, 1729-38 | 53 |
| 129 | Involvement of chymase-mediated angiotensin II generation in blood pressure regulation. 2004 , 114, 112-120 | 77 |
| 128 | Involvement of chymase-mediated angiotensin II generation in blood pressure regulation. 2004 , 114, 112-20 | 42 |
| 127 | Developmental changes in the contractile system of the mesenteric small artery of rabbit. 1997 , 41, 65-71 | 12 |
| 126 | ATP-dependent K ⁺ channel activation in isolated normal and hypertensive newborn and adult porcine pulmonary vessels. 1997 , 42, 317-26 | 11 |
| 125 | Developmental changes in the effect of acidosis on contraction, intracellular pH, and calcium in the rabbit mesenteric small artery. 1997 , 42, 750-7 | 12 |
| 124 | Correlation between Echo-Tracking Parameters and In Vitro Measurements of Arterial Contraction and Relaxation in Rats Fed a High-Cholesterol Diet. 2015 , 21, 2933-42 | 1 |

| | | |
|-----|--|----|
| 123 | Antioxidant treatment alters peripheral vascular dysfunction induced by postnatal glucocorticoid therapy in rats. 2010 , 5, e9250 | 49 |
| 122 | The PPARbeta/delta agonist GW0742 relaxes pulmonary vessels and limits right heart hypertrophy in rats with hypoxia-induced pulmonary hypertension. 2010 , 5, e9526 | 37 |
| 121 | Increased cyclooxygenase-2-derived prostanoids contributes to the hyperreactivity to noradrenaline in mesenteric resistance arteries from offspring of diabetic rats. 2012 , 7, e50593 | 17 |
| 120 | Pre-weaning growth hormone treatment reverses hypertension and endothelial dysfunction in adult male offspring of mothers undernourished during pregnancy. 2013 , 8, e53505 | 40 |
| 119 | Male-female differences in upregulation of vasoconstrictor responses in human cerebral arteries. 2013 , 8, e62698 | 25 |
| 118 | Reduced endothelium-dependent relaxation to anandamide in mesenteric arteries from young obese Zucker rats. 2013 , 8, e63449 | 24 |
| 117 | Tranilast increases vasodilator response to acetylcholine in rat mesenteric resistance arteries through increased EDHF participation. 2014 , 9, e100356 | 6 |
| 116 | Modified cytoplasmic Ca ²⁺ sequestration contributes to spinal cord injury-induced augmentation of nerve-evoked contractions in the rat tail artery. 2014 , 9, e111804 | 1 |
| 115 | Vascular Endothelium-Dependent and Independent Actions of Oleanolic Acid and Its Synthetic Oleanane Derivatives as Possible Mechanisms for Hypotensive Effects. 2016 , 11, e0147395 | 11 |
| 114 | Endothelium-dependent relaxation of small resistance vessels is impaired in patients with autosomal dominant polycystic kidney disease. 2000 , 11, 1371-1376 | 69 |
| 113 | ENDOTHELIN-1-INDUCED FEMORAL HEAD EPIPHYSEAL ARTERY CONSTRICTION IS ENHANCED BY LONG-TERM CORTICOSTEROID TREATMENT. 2006 , 88, 173-179 | 0 |
| 112 | Endothelial cell dysfunction and the vascular complications associated with type 2 diabetes: assessing the health of the endothelium. 2005 , 1, 55-71 | 80 |
| 111 | Increased contractility to noradrenaline and normal endothelial function in mesenteric small arteries from the Goto-Kakizaki rat model of type 2 diabetes. 2008 , 58, 333-9 | 11 |
| 110 | Chronic social stress increases nitric oxide-dependent vasorelaxation in normotensive rats. 2010 , 3, 109-17 | 10 |
| 109 | Short-term administration of alibernet red wine extract failed to affect blood pressure and to improve endothelial function in young normotensive and spontaneously hypertensive rats. 2013 , 62, 631-41 | 3 |
| 108 | Endothelial dysfunction in femoral artery of the hypertensive rats is nitric oxide independent. 2013 , 62, 615-29 | 11 |
| 107 | The determination of optimal initial tension in rat coronary artery using wire myography. 2014 , 63, 143-6 | 9 |
| 106 | The Functional Availability of Arterial Kv7 Channels Is Suppressed Considerably by Large-Conductance Calcium-Activated Potassium Channels in 2- to 3-Month Old but Not in 10- to 15-Day Old Rats. 2020 , 11, 597395 | 3 |

- 105 Endothelial function rather than endothelial restoration is altered in paclitaxel- as compared to bare metal-, sirolimus and tacrolimus-eluting stents. **2010**, 6, 117-125 14
- 104 Caveolar disruption causes contraction of rat femoral arteries via reduced basal NO release and subsequent closure of BKCa channels. **2015**, 3, e966 10
- 103 The Role of Reactive Oxygen Species in the Tone Regulation of Respiratory and Locomotor Muscle Arteries of the Rat. **2021**, 76, 111-117
- 102 Age Impairs Soluble Guanylyl Cyclase Function in Mouse Mesenteric Arteries. **2021**, 22, 1 1
- 101 Ovariectomy reduces vasocontractile responses of rat middle cerebral arteries after focal cerebral ischemia. **2021**, 0
- 100 Vascular region-specific changes in arterial tone in rats with type 2 diabetes mellitus: Opposite responses of mesenteric and femoral arteries to acetylcholine and 5-hydroxytryptamine. **2021**, 286, 120011
- 99 Peptidoglycan changes mechanical properties of vessel walls of elastic type. **2000**, 16, 35-39 1
- 98 FEMORAL ARTERY CONSTRICTION BY NOREPINEPHRINE IS ENHANCED BY METHYLPREDNISOLONE IN A RAT MODEL. **2006**, 88, 162-166 0
- 97 Model Systems for Studying Control of the Vasculature. **2007**, 1-5
- 96 Subarachnoid hemorrhage induces upregulation of vascular receptors and reduction in rCBF via an ERK1/2 mechanism. **2008**, 65-67
- 95 Effects on Blood Supply and on Arterial and Venous Tonus. **2014**, 1-91
- 94 Evidence against Raised Intracellular Sodium Causing Myogenic Contraction in Rat Resistance Vessels. **1984**, 212-222
- 93 Endothelium-Dependent Vascular Relaxation. **1985**, 327-335
- 92 Calcium Membrane Theory of Essential Hypertension. **1986**, 223-242 5
- 91 Systolic hypertension in the elderly. **1987**, 105-114
- 90 Compliance of Isolated Resistance Vessels from Spontaneously Hypertensive Rats. **1989**, 125-134
- 89 Vascular Mechanisms in Development and Maintenance of Hypertension in Spontaneously Hypertensive Rats. **1989**, 239-250
- 88 Coronary circulation and 5-hydroxytryptamine. **1990**, 365-378

- 87 Geometry, Structure, and Mechanics of Resistance Arteries. **1991**, 115-126
- 86 Structure and Function of Resistance Vessels in Hypertension. **1991**, 3-11
- 85 Vessel Cylinders. **1993**, 169-181
- 84 Noradrenaline-Induced Calcium Inflow Appears not Mediated by Receptor-Operated Calcium Channels in Rat Mesenteric Small Arteries. **1994**, 83-92
- 83 Resistance Vessel Structure in Essential Hypertension. **1994**, 333-338
- 82 In Vitro Small Artery Methodology. **1994**, 333-342 1
- 81 Hypercholesterolaemia and Vascular Function. **1994**, 339-346
- 80 The Effect of Platelet-Derived Growth Factor on Tone and $[Ca^{2+}]_i$ in Vascular Smooth Muscle. **1994**, 225-233
- 79 Effect of Antihypertensive Treatment on Structure and Function of Resistance Arteries in Essential Hypertensive Patients. **1994**, 323-332
- 78 Small Artery Function in Streptozotocin-Induced Diabetic Rats. **1994**, 289-300
- 77 Up/Down: A New Method for Determining Agonist Properties. **1994**, 237-245
- 76 A582 WALL TENSION DETERMINES HYPOXIC PULMONARY VASOCONSTRICTION IN ISOLATED RAT ARTERIES. **1997**, 87, 582A
- 75 Assessment of Vascular Function and Contractility, Ex Vivo. **2015**, 65-79
- 74 Micromyography. **2015**, 117-126
- 73 Studies in Isolated Organs. **2015**, 1-43
- 72 Arterial Alterations in Hypertension. **2015**, 285-297
- 71 Effects on Blood Supply and on Arterial and Venous Tonus. **2016**, 349-428
- 70 Studies in Isolated Organs. **2016**, 3-39

- 69    **2017**, 137-146
- 68 Oestrogenic vascular effects are diminished by ageing.
- 67 Wire myography in modern scientific researches: methodical aspects. **2018**, 17, 83-89 1
- 66 Baroreceptor denervation reduces inflammatory status and worsens cardiovascular collapse during systemic inflammation.
- 65 Assessment of Small Artery Structure and Function by Micromyography. **2020**, 15-25
- 64 is an ischemia risk locus essential for HCO-dependent regulation of endothelial function and tissue perfusion. **2020**, 9, 5
- 63 Effects of Drugs, Phytoestrogens, Nutrients and Probiotics on Endothelial Dysfunction in the Estrogen-Deficient State. **2020**, 26, 3711-3722 3
- 62 Microvascular Alterations in Obesity. **2020**, 137-147
- 61 Comparison of Adrenergic and Purinergic Receptor Contributions to Vasomotor Responses in Mesenteric Arteries of C57BL/6J Mice and Wistar Rats. **2020**, 58, 1-15
- 60 Impaired vessel relaxation response and increased infarct size in smooth muscle cannabinoid receptor 1 knockout mice. **2022**, 139, 104263
- 59 Modulation of Small Artery Function by Insulin in Young Women: Role of Adiposity. **2020**, 20, 1244-1252
- 58 Proceedings of the British Pharmacological Society. Nottingham, 7th-9th September 1988. Abstracts. **1988**, 95 Suppl, 715P-910P
- 57 Metabolic parameters and responsiveness of isolated iliac artery in LDLr mice: role of aerobic exercise training. **2017**, 7, 64-71 1
- 56 Cardiovascular protection effect of a Northeastern Brazilian lyophilized red wine in spontaneously hypertensive rats. **2022**, 88, 104868 0
- 55 Intrauterine L-NAME Exposure Weakens the Development of Sympathetic Innervation and Induces the Remodeling of Arterial Vessels in Two-Week-Old Rats. **2021**, 22, 0
- 54 Sexual dimorphism in prostacyclin-mimetic responses within rat mesenteric arteries: A novel role for K_v7.1 in shaping IP-receptor mediated relaxation. **2021**, 0
- 53 Hydrogen peroxide signaling via its transformation to a stereospecific alkyl hydroperoxide that escapes reductive inactivation. **2021**, 12, 6626 2
- 52 Functional sympatholysis in mouse skeletal muscle involves sarcoplasmic reticulum swelling in arterial smooth muscle cells. **2021**, 9, e15133

- 51 Cardiovascular characterization of the novel organic mononitrate NDIBP in rats.. **2021**, 119, 50-50 o
- 50 Region-specific effects of antenatal/early postnatal hypothyroidism on endothelial NO-pathway activity in systemic circulation.. **2022**, 5, 8-15
- 49 Vasorelaxing properties of the perivascular tissue of the human radial artery.. **2022**, 1
- 48 Diet-induced hypertension in rats is associated with increased renal vasoconstrictor response to angiotensin II after imitated endothelial dysfunction.. **2022**, 141, 104333
- 47 Optimal Wire Myography Normalization for the Rat Dorsal Penile, Internal Pudendal and Internal Iliac Arteries. **2021**, 70,
- 46 The Use of Wire Myography to Investigate Vascular Tone and Function.. **2022**, 2419, 361-376
- 45 Ellagic Acid prevents vascular dysfunction in small mesenteric arteries of ovariectomized hypertensive rats.. **2022**, 108995
- 44 Optimal Wire Myography Normalization for the Rat Dorsal Penile, Internal Pudendal and Internal Iliac Arteries. **2021**, 931-937
- 43 Optimal Wire Myography Normalization for the Rat Dorsal Penile, Internal Pudendal and Internal Iliac Arteries. **2021**, 931-937 o
- 42 Efemp1 modulates elastic fiber formation and mechanics of the extrahepatic bile duct.
- 41 The Effects of Nitric Oxide Synthase Inhibitors in Acetaminophen-Induced Hepatic Injury in Mice. **2022**, 2022, 1
- 40 Image_1.pdf. **2020**,
- 39 Image_1.tif. **2020**,
- 38 Data_Sheet_1.docx. **2020**,
- 37 Image_1.TIFF. **2020**,
- 36 Image_10.TIFF. **2020**,
- 35 Image_2.TIFF. **2020**,
- 34 Image_3.TIFF. **2020**,

33 Image_4.TIFF. 2020,

32 Image_5.TIFF. 2020,

31 Image_6.TIFF. 2020,

30 Image_7.TIFF. 2020,

29 Image_8.TIFF. 2020,

28 Image_9.TIFF. 2020,

27 Data_Sheet_1.pdf. 2020,

26 Image_1.JPEG. 2019,

25 Image_2.JPEG. 2019,

24 Image1.pdf. 2018,

23 Data_Sheet_1.pdf. 2020,

22 Image_1.TIF. 2020,

21 Image_2.TIF. 2020,

20 Image_1.TIF. 2021,

19 Difference in the characteristics of ETA-receptor-stimulated response between rat small pulmonary and renal arteries. **2006**, 47, 476-86

1

18 TWIK-Related Acid-Sensitive Potassium Channels (TASK-1) Emerge as Contributors to Tone Regulation in Renal Arteries at Alkaline pH. **2022**, 13,

0

17 The Effects of Acidosis on eNOS in the Systemic Vasculature: A Focus on Early Postnatal Ontogenesis. **2022**, 23, 5987

0

16 Characterization of Endothelium-Dependent Relaxation in the Saphenous Artery and Its Caudal Branches in Young and Old Adult Sprague Dawley Rats. **2022**, 12, 889

0

- 15 Depot- and diabetes-specific differences in norepinephrine-mediated adipose tissue angiogenesis, vascular tone, collagen deposition and morphology in obesity. **2022**, 305, 120756
- 14 ROS Suppression by Egg White Hydrolysate in DOCA-Salt Rats: An Alternative Tool against Vascular Dysfunction in Severe Hypertension. **2022**, 11, 1713
- 13 Chloride Ions, Vascular Function and Hypertension. **2022**, 10, 2316
- 12 Contribution of calcium dysregulation to impaired coronary artery contraction in Zucker diabetic fatty rats.
- 11 Ontogenetic scaling of the baroreflex function in the green iguana (*Iguana iguana*).
- 10 Sex hormones and vascular reactivity: a temporal evaluation in resistance arteries of male rats. **2022**,
- 9 Intravenous Nicotinamide Riboside Administration Has a Cardioprotective Effect in Chronic Doxorubicin-Induced Cardiomyopathy. **2022**, 23, 13096
- 8 Increased Arterial Responsiveness to Angiotensin II in Mice Conceived by Assisted Reproductive Technologies. **2022**, 23, 13357
- 7 Indoxyl Sulphate Retention Is Associated with Microvascular Endothelial Dysfunction after Kidney Transplantation. **2023**, 24, 3640
- 6 *Limosilactobacillus reuteri* ameliorates preeclampsia in mice via improving gut dysbiosis and endothelial dysfunction. **2023**, 161, 114429
- 5 Pretreatment with egg white hydrolysate protects resistance arteries from damage induced after treatment with accidental cadmium exposure values. **2023**, 104, 105529
- 4 Phosphodiesterases type 2, 3 and 4 promote vascular tone in mesenteric arteries from rats with heart failure. **2023**, 944, 175562
- 3 The imperative of arachidonic acid in human reproduction. **2023**, 101222
- 2 EphrinA4/EphA4 controls blood pressure via arterial sympathetic innervation.
- 1 Effect of long-term antihypertensive treatment on cerebrovascular structure and function in hypertensive rats. **2023**, 13,