

Cloning and expression of a cDNA for the human prosta

Journal of Biological Chemistry

269, 2632-6

Citation Report

#	ARTICLE	IF	CITATIONS
1	Tunicamycin inhibits prostaglandin F2? receptor-mediated phosphoinositide hydrolysis in cultured rat astrocytes. <i>Neurochemical Research</i> , 1994, 19, 1545-1550.	3.3	3
2	Cloning and expression of a cDNA for rat prostaglandin F2 \pm receptor. <i>Prostaglandins</i> , 1994, 48, 31-41.	1.2	46
3	Cyclooxygenase-Dependent Formation of the Isoprostane 8-EPI Prostaglandin F2?. <i>Annals of the New York Academy of Sciences</i> , 1994, 744, 139-145.	3.8	14
4	Cloning and expression of a cDNA for the human prostacyclin receptor. <i>FEBS Letters</i> , 1994, 344, 74-78.	2.8	96
5	Cloning of the rat and human prostaglandin F2 \pm receptors and the expression of the rat prostaglandin F2 \pm receptor. <i>FEBS Letters</i> , 1994, 355, 317-325.	2.8	64
6	Expression and site-directed mutagenesis of mouse prostaglandin E2 receptor EP3 subtype in insect cells. <i>Biochemical Journal</i> , 1995, 307, 493-498.	3.7	35
7	Aspects of the thromboxane receptor system. <i>General Pharmacology</i> , 1995, 26, 463-472.	0.7	34
8	Comparison of mRNA levels for the PGF2 \pm receptor (FP) during luteolysis and early pregnancy in the ovine corpus luteum. <i>Endocrine</i> , 1995, 3, 781-787.	2.2	19
9	Molecular Cloning and Characterization of the Human Prostanoid DP Receptor. <i>Journal of Biological Chemistry</i> , 1995, 270, 18910-18916.	3.4	299
10	Molecular biology of prostanoid receptors; an overview. <i>Journal of Lipid Mediators and Cell Signalling</i> , 1995, 12, 343-359.	0.9	123
11	Differential activation of Gi and GS proteins by E- and I-type prostaglandins in membranes from the human erythroleukaemia cell line, HEL. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1995, 1265, 8-14.	4.1	27
12	Chromosomal localization of the human prostanoid receptor gene family. <i>Genomics</i> , 1995, 25, 740-742.	2.9	36
13	Identification of a prostanoid FP receptor population producing endotheliumâ€dependent vasorelaxation in the rabbit jugular vein. <i>British Journal of Pharmacology</i> , 1995, 116, 3035-3041.	5.4	39
14	Molecular mechanisms of diverse actions of prostanoid receptors. <i>Lipids and Lipid Metabolism</i> , 1995, 1259, 109-119.	2.6	355
15	Functional characterization of the prostanoid DP receptor in human myometrium. <i>European Journal of Pharmacology</i> , 1995, 283, 73-81.	3.5	27
16	Eicosanoids and the gastrointestinal tract. <i>Gastroenterology</i> , 1995, 109, 285-301.	1.3	384
17	Comparison of the EP receptor subtypes mediating relaxation of the rabbit jugular and pig saphenous veins. <i>Prostaglandins</i> , 1995, 49, 225-237.	1.2	23
18	Characterization and ontogeny of PGE2 and PGF2 \pm receptors on the retinal vasculature of the pig. <i>Prostaglandins</i> , 1995, 50, 253-267.	1.2	23

#	ARTICLE	IF	CITATIONS
19	Expression and regulation of prostaglandin F receptor mRNA in rodent osteoblastic cells. <i>Prostaglandins</i> , 1995, 50, 349-358.	1.2	15
20	Cloning of human prostanoid receptors. <i>Trends in Pharmacological Sciences</i> , 1995, 16, 253-256.	8.7	78
21	Comparative studies on prostanoid receptors in human non-pigmented ciliary epithelial and mouse fibroblast cell lines. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1996, 55, 231-240.	2.2	11
22	Cloning, sequencing and proposed structure for a prostaglandin F ₂ receptor regulatory protein. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1996, 55, 261-268.	2.2	18
23	Negative regulatory activity of a prostaglandin F ₂ receptor associated protein (FPRP). <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1996, 54, 247-259.	2.2	30
24	Hormonal regulation of prostaglandin F ₂ alpha receptor gene expression in mouse ovary. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1996, 271, E686-E693.	3.5	5
25	Prostaglandins increase proMMP-1 and proMMP-3 secretion by human ciliary smooth muscle cells. <i>Current Eye Research</i> , 1996, 15, 869-875.	1.5	138
26	Chapter 14. Prostanoid receptors and signal transduction. <i>Progress in Brain Research</i> , 1996, 113, 231-241.	1.4	28
27	Platelet prostanoid receptors. , 1996, 72, 171-191.		87
28	Preadipocyte differentiation blocked by prostaglandin stimulation of prostanoid FP ₂ receptor in murine 3T3-L1 cells. <i>Differentiation</i> , 1996, 60, 203-210.	1.9	89
29	Functional Characterization of the Ocular Prostaglandin F ₂ (PGF ₂) Receptor. <i>Journal of Biological Chemistry</i> , 1997, 272, 27147-27154.	3.4	97
30	Molecular cloning and characterization of the four rat prostaglandin E ₂ prostanoid receptor subtypes. <i>European Journal of Pharmacology</i> , 1997, 340, 227-241.	3.5	267
31	Detection of EP ₂ , EP ₄ , and FP receptors in human ciliary epithelial and ciliary muscle cells. <i>Biochemical Pharmacology</i> , 1997, 53, 1249-1255.	4.4	46
32	Prostaglandin F ₂ Receptor (FP Receptor) Agonists Are Potent Adipose Differentiation Inhibitors for Primary Culture of Adipocyte Precursors in Defined Medium. <i>Biochemical and Biophysical Research Communications</i> , 1997, 233, 200-202.	2.1	70
33	The Prostaglandin E ₂ and F ₂ Receptor Genes Are Expressed in Human Myometrium and Are Down-regulated during Pregnancy. <i>Biochemical and Biophysical Research Communications</i> , 1997, 238, 838-841.	2.1	81
34	Localization of the prostaglandin F ₂ alpha receptor in rat tissues. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1997, 57, 527-532.	2.2	18
35	The molecular biology and ocular distribution of prostanoid receptors. <i>Survey of Ophthalmology</i> , 1997, 41, S15-S21.	4.0	48
36	Cloning of a Carboxyl-terminal Isoform of the Prostanoid FP Receptor. <i>Journal of Biological Chemistry</i> , 1997, 272, 883-887.	3.4	86

#	ARTICLE	IF	CITATIONS
37	Key role for cyclooxygenase-2 in PGE ₂ and PGF ₂ receptor regulation and cerebral blood flow of the newborn. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1997, 273, R1283-R1290.	1.8	29
38	Characterization of the prostanoid receptor(s) on human blood monocytes at which prostaglandin E ₂ inhibits lipopolysaccharide-induced tumour necrosis factor- α generation. <i>British Journal of Pharmacology</i> , 1997, 122, 149-157.	5.4	90
39	Regulation of Prostaglandin F ₂ -Receptor mRNA in Human Granulosa-Luteal Cells by Human Chorionic Gonadotrophin and Prostaglandin F ₂ . <i>Endocrine</i> , 1998, 8, 261-268.	2.2	7
40	Stepwise Activation of the Gonadotropic Signal Transduction Pathway, and the Ability of Prostaglandin F ₂ to Inhibit This Activated Pathway. <i>Endocrine</i> , 1998, 8, 301-308.	2.2	4
41	Characterization of the recombinant human prostanoid DP receptor and identification of L-644,698, a novel selective DP agonist. <i>British Journal of Pharmacology</i> , 1998, 123, 1317-1324.	5.4	68
42	Effects of norgestrel acetate on spontaneous and sulprostone-induced uterine contractions in pregnant cynomolgus monkeys monitored by telemetry. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 178, 150-155.	1.3	10
43	Tyrosine kinase inhibitors suppress prostaglandin F ₂ -induced phosphoinositide hydrolysis, Ca ²⁺ elevation and contraction in iris sphincter smooth muscle. <i>European Journal of Pharmacology</i> , 1998, 360, 185-193.	3.5	16
44	Prostanoid-Induced Contraction of the Rabbit Isolated Uterus Is Mediated by FP Receptors. Prostaglandins and Other Lipid Mediators, 1998, 55, 387-394.	1.9	13
45	Actions of Prostaglandin E ₂ on Rat Supraoptic Neurons. <i>Journal of Neuroendocrinology</i> , 1998, 10, 927-936.	2.6	33
46	Regulation of a common, low-affinity binding site for primary prostanoids on bovine aortic endothelial cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1998, 1380, 289-296.	2.4	11
47	Expression and tissue distribution of the mRNAs encoding the human thromboxane A ₂ receptor (TP) α and β isoforms. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1998, 1425, 543-559.	2.4	114
48	Ontogeny of cerebral and ocular prostanoids and prostanoid receptors: biological and clinical significance in the perinatal period. <i>Seminars in Fetal and Neonatal Medicine</i> , 1998, 3, 119-126.	2.7	0
49	Prostanoid Receptors. <i>Annual Reports in Medicinal Chemistry</i> , 1998, 33, 223-232.	0.9	9
50	Co-expression of Prostaglandin Receptors with Opposite Effects. <i>Biochemical Pharmacology</i> , 1998, 55, 239-246.	4.4	38
51	Prostaglandins Promote and Block Adipogenesis through Opposing Effects on Peroxisome Proliferator-activated Receptor β . <i>Journal of Biological Chemistry</i> , 1998, 273, 1855-1858.	3.4	263
52	Prostaglandin F ₂ (PGF ₂) and the Isoprostane, 8,12-iso-Isoprostane F ₂ -III, Induce Cardiomyocyte Hypertrophy. <i>Journal of Biological Chemistry</i> , 1998, 273, 22442-22452.	3.4	115
53	A new prostaglandin E receptor mediates calcium influx and acrosome reaction in human spermatozoa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 3008-3013.	7.1	85
54	Regulation of Luteal Regression: The Ewe as a Model. <i>Journal of the Society for Gynecologic Investigation</i> , 1998, 5, 49-57.	1.7	8

#	ARTICLE	IF	CITATIONS
55	Prostaglandin Receptors in the Kidney: A New Route for Intervention?. <i>Nephron Experimental Nephrology</i> , 1998, 6, 180-188.	2.2	16
56	Prostanoid Receptors: Structures, Properties, and Functions. <i>Physiological Reviews</i> , 1999, 79, 1193-1226.	28.8	2,228
57	No mutations found in candidate genes for dystocia. <i>Human Reproduction</i> , 1999, 14, 2451-2454.	0.9	9
59	Activation of FP Prostanoid Receptor Isoforms Leads to Rho-mediated Changes in Cell Morphology and in the Cell Cytoskeleton. <i>Journal of Biological Chemistry</i> , 1999, 274, 35944-35949.	3.4	101
60	New class of biphenylene dibenzazocinones as potent ligands for the human EP1 prostanoid receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 2699-2704.	2.2	21
61	Prostaglandin F2 α upregulates intercellular adhesion molecule-1 expression in human gingival fibroblasts. <i>Journal of Periodontal Research</i> , 1999, 34, 277-281.	2.7	8
62	An Automated Aequorin Luminescence-Based Functional Calcium Assay for G-Protein-Coupled Receptors. <i>Analytical Biochemistry</i> , 1999, 272, 34-42.	2.4	56
63	Bovine iris-sphincter muscle lacks FP receptor binding sites. <i>Ocular Immunology and Inflammation</i> , 1999, 7, 39-50.	1.8	3
64	Genomic Structure, 5 α €² Flanking Sequences, and Precise Localization in 1P31.1 of the Human Prostaglandin F Receptor Gene. <i>Biochemical and Biophysical Research Communications</i> , 1999, 254, 413-416.	2.1	17
65	Replacement of the carboxylic acid group of prostaglandin F2 \pm with a hydroxyl or methoxy substituent provides biologically unique compounds. <i>British Journal of Pharmacology</i> , 2000, 130, 1933-1943.	5.4	36
66	Eicosanoids and the large intestine \hat{t} . <i>Prostaglandins and Other Lipid Mediators</i> , 2000, 61, 145-161.	1.9	38
67	Mitogen-activated protein kinase inhibitors suppress prostaglandin F2 \pm -induced myosin-light chain phosphorylation and contraction in iris sphincter smooth muscle. <i>European Journal of Pharmacology</i> , 2000, 407, 17-26.	3.5	9
68	Synthetic Modification of Prostaglandin F2 \pm Indicates Different Structural Determinants for Binding to the Prostaglandin F Receptor Versus the Prostaglandin Transporter. <i>Molecular Pharmacology</i> , 2000, 58, 1511-1516.	2.3	25
69	Review: G-protein-coupled Receptors on Eosinophils. <i>Pulmonary Pharmacology and Therapeutics</i> , 2000, 13, 195-223.	2.6	12
70	The utilization of recombinant prostanoid receptors to determine the affinities and selectivities of prostaglandins and related analogs. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000, 1483, 285-293.	2.4	492
71	Human Granulosa-Lutein Cells Express Functional EP1 and EP2 Prostaglandin Receptors. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 1089-1094.	2.1	33
72	PGF2 \pm , a Prostanoid Released by Endothelial Cells Activated by Hypoxia, Is a Chemoattractant Candidate for Neutrophil Recruitment. <i>American Journal of Pathology</i> , 2001, 159, 345-357.	3.8	44
73	Key Structural Features of Prostaglandin E ₂ and Prostanoid Analogs Involved in Binding and Activation of the Human EP ₁ Prostanoid Receptor. <i>Molecular Pharmacology</i> , 2001, 59, 1446-1456.	2.3	55

#	ARTICLE	IF	CITATIONS
74	Interaction of Prostaglandin F ₂ and Prostaglandin-E ₂ on Progesterone Production in Human Granulosa-Luteal Cells. <i>NeuroSignals</i> , 2001, 10, 380-388.	0.9	5
75	Structure-activity relationship on the human EP3 prostanoid receptor by use of solid-support chemistry. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 747-749.	2.2	27
76	Structure-activity relationship of cinnamic acylsulfonamide analogues on the human EP3 prostanoid receptor. <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 1977-1984.	3.0	105
77	Effects of gestational age and labor on the expression of prostanoid receptor genes in pregnant baboon cervix. <i>Prostaglandins and Other Lipid Mediators</i> , 2001, 63, 153-163.	1.9	23
78	Prostaglandin F ₂ Regulation of the Bovine Corpus Luteum Endothelin System During the Early and Midluteal Phase. <i>Biology of Reproduction</i> , 2001, 65, 1710-1717.	2.7	43
79	Prostaglandin F ₂ Receptor in the Corpus Luteum: Recent Information on the Gene, Messenger Ribonucleic Acid, and Protein. <i>Biology of Reproduction</i> , 2001, 64, 1041-1047.	2.7	53
80	Expression and Localization of the Contractile Prostaglandin F Receptor in Pregnant Rat Myometrium in Late Gestation, Labor, and Postpartum. <i>Biology of Reproduction</i> , 2001, 65, 1029-1037.	2.7	36
81	Identification of a Novel Human Eicosanoid Receptor Coupled to Gi/o. <i>Journal of Biological Chemistry</i> , 2002, 277, 31459-31465.	3.4	140
82	Effects of Prostaglandins on the Aqueous Humor Outflow Pathways. <i>Survey of Ophthalmology</i> , 2002, 47, S53-S64.	4.0	213
83	Parathyroid hormone induces RGS-2 expression by a cyclic adenosine 3',5'-monophosphate-mediated pathway in primary neonatal murine osteoblasts. <i>Bone</i> , 2002, 30, 677-684.	2.9	35
84	Prostanoid receptor subtypes. <i>Prostaglandins and Other Lipid Mediators</i> , 2002, 68-69, 535-556.	1.9	145
85	The role of prostaglandins in the initiation of parturition. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2003, 17, 717-730.	2.8	212
86	Myometrial Activation and Preterm Labour: Evidence Supporting a Role for the Prostaglandin F Receptor - A Review. <i>Placenta</i> , 2003, 24, S47-S54.	1.5	51
87	Comparison of Prostaglandin F ₂ , Bimatoprost (Prostamide), and Butaprost (EP2 Agonist) on Cyr61 and Connective Tissue Growth Factor Gene Expression. <i>Journal of Biological Chemistry</i> , 2003, 278, 27267-27277.	3.4	68
88	Expression of the prostaglandin F receptor (FP) gene along the mouse genitourinary tract. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, F1164-F1170.	2.7	35
89	Identification by site-directed mutagenesis of amino acids contributing to ligand-binding specificity or signal transduction properties of the human FP prostanoid receptor. <i>Biochemical Journal</i> , 2003, 371, 443-449.	3.7	21
90	Nuclear Orphan Receptor Nurr1 Directly Transactivates the Osteocalcin Gene in Osteoblasts. <i>Journal of Biological Chemistry</i> , 2004, 279, 53167-53174.	3.4	50
91	Prostaglandin E2 Selectively Antagonizes Prostaglandin F ₂ -stimulated T-cell Factor/ β -Catenin Signaling Pathway by the FPB Prostanoid Receptor. <i>Journal of Biological Chemistry</i> , 2004, 279, 43386-43391.	3.4	10

#	ARTICLE	IF	CITATIONS
92	Proteinase-Activated Receptor-2 Stimulates Prostaglandin Production in Keratinocytes: Analysis of Prostaglandin Receptors on Human Melanocytes and Effects of PGE2 and PGF2 μ on Melanocyte Dendricity. <i>Journal of Investigative Dermatology</i> , 2004, 122, 1214-1224.	0.7	116
93	EP1 - and FP-mediated cross-desensitization of the alpha (I_1) and beta (I_2) isoforms of the human thromboxane A2 receptor. <i>British Journal of Pharmacology</i> , 2004, 142, 203-221.	5.4	24
94	Pharmacology and signaling of prostaglandin receptors: Multiple roles in inflammation and immune modulation. , 2004, 103, 147-166.		721
95	Functional characterization of prostaglandin F2 μ receptor in the spinal cord for tactile pain (allodynia). <i>Journal of Neurochemistry</i> , 2004, 86, 374-382.	3.9	24
96	Pharmacological characteristics of AFP-168 (tafluprost), a new prostanoid FP receptor agonist, as an ocular hypotensive drug. <i>Experimental Eye Research</i> , 2004, 78, 767-776.	2.6	141
97	Expression, localization and function of prostaglandin receptors in myometrium. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2004, 70, 137-148.	2.2	63
98	Cloning and localization of hFPS: a six-transmembrane mRNA splice variant of the human FP prostanoid receptor. <i>Archives of Biochemistry and Biophysics</i> , 2004, 421, 175-185.	3.0	29
99	Role of the ERC motif in the proximal part of the second intracellular loop and the C-terminal domain of the human prostaglandin F2 μ receptor (hFP-R) in G-protein coupling control. <i>Biochemical Journal</i> , 2005, 388, 317-324.	3.7	9
100	Specific PGF μ receptor (FP) antagonism and human uterine contractility <i>in vitro</i> . <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 1034-1042.	2.3	23
101	A Novel Angiogenic Role for Prostaglandin F2 μ -FP Receptor Interaction in Human Endometrial Adenocarcinomas. <i>Cancer Research</i> , 2005, 65, 7707-7716.	0.9	96
102	The Promise of Prostaglandins: Have They Fulfilled Their Potential as Therapeutic Targets for the Delay of Preterm Birth?. <i>Journal of the Society for Gynecologic Investigation</i> , 2005, 12, 466-478.	1.7	21
103	A Positive Feedback Loop that Regulates Cyclooxygenase-2 Expression and Prostaglandin F2 μ Synthesis via the F-Series-Prostanoid Receptor and Extracellular Signal-Regulated Kinase 1/2 Signaling Pathway. <i>Endocrinology</i> , 2005, 146, 4657-4664.	2.8	48
104	Characterization of a Rabbit Kidney Prostaglandin F2 μ Receptor Exhibiting Gi-restricted Signaling That Inhibits Water Absorption in the Collecting Duct. <i>Journal of Biological Chemistry</i> , 2005, 280, 35028-35037.	3.4	32
105	Latanoprost induces matrix metalloproteinase μ 1 expression in human nonpigmented ciliary epithelial cells through a cyclooxygenase μ 2 μ -dependent mechanism. <i>FASEB Journal</i> , 2005, 19, 1929-1931.	0.5	54
106	Prostaglandins E2and F2 μ Enhance Differentiation of Cementoblastic Cells. <i>Journal of Periodontology</i> , 2005, 76, 303-309.	3.4	10
107	Characterization of the molecular mechanisms of the coupling between intracellular loops of prostacyclin receptor with the C-terminal domain of the G μ s protein in human coronary artery smooth muscle cells. <i>Archives of Biochemistry and Biophysics</i> , 2006, 454, 80-88.	3.0	12
108	Neuroprotective effect of latanoprost on rat retinal ganglion cells. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2006, 244, 1003-1009.	1.9	37
109	Activation of the human FP prostanoid receptor disrupts mitosis progression and generates aneuploidy and polyploidy. <i>Cellular and Molecular Life Sciences</i> , 2006, 63, 112-121.	5.4	0

#	ARTICLE	IF	CITATIONS
110	Prostanoids as pharmacological targets in COPD and asthma. <i>European Journal of Pharmacology</i> , 2006, 533, 89-100.	3.5	81
111	A Multistep Kinase-Based Sertoli Cell Autocrine-Amplifying Loop Regulates Prostaglandins, Their Receptors, and Cytokines. <i>Endocrinology</i> , 2006, 147, 1706-1716.	2.8	24
112	Lipoxygenase and prostaglandin G/H synthase cascades in cardiovascular disease. <i>Expert Review of Clinical Immunology</i> , 2006, 2, 649-658.	3.0	7
113	Prostaglandins in the kidney: developments since Y2K. <i>Clinical Science</i> , 2007, 113, 297-311.	4.3	45
114	Association between Genetic Polymorphisms of the Prostaglandin F ₂ ± Receptor Gene and Response to Latanoprost. <i>Ophthalmology</i> , 2007, 114, 1039-1045.	5.2	55
115	Human skin pigmentation: melanocytes modulate skin color in response to stress. <i>FASEB Journal</i> , 2007, 21, 976-994.	0.5	746
116	Tocolytic effect of a selective FP receptor antagonist in rodent models reveals an innovative approach to the treatment of preterm labor. <i>BMC Pregnancy and Childbirth</i> , 2007, 7, S16.	2.4	15
117	Myometrial function in prematurity. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2007, 21, 807-819.	2.8	21
118	Arrest of preterm labor in rat and mouse by an oral and selective nonprostanoid antagonist of the prostaglandin F ₂ ± receptor (FP). <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 54.e1-54.e9.	1.3	27
119	Neuronal Cyclooxygenase-2 Activity and Prostaglandins PGE ₂ , PGD ₂ , and PGF ₂ ± Exacerbate Hypoxic Neuronal Injury in Neuron-enriched Primary Culture. <i>Neurochemical Research</i> , 2008, 33, 490-499.	3.3	42
120	PGF ₂ ±-associated vascular smooth muscle hypertrophy is ROS dependent and involves the activation of mTOR, p70S6k, and PTEN. <i>Prostaglandins and Other Lipid Mediators</i> , 2008, 85, 49-57.	1.9	21
121	AKR1C2 and AKR1C3 mediated prostaglandin D ₂ metabolism augments the PI3K/Akt proliferative signaling pathway in human prostate cancer cells. <i>Molecular and Cellular Endocrinology</i> , 2008, 289, 60-66.	3.2	49
122	Assembling NMR structures for the intracellular loops of the human thromboxane A ₂ receptor: Implication of the G protein-coupling pocket. <i>Archives of Biochemistry and Biophysics</i> , 2008, 470, 73-82.	3.0	16
123	Canine prostaglandin F ₂ ± receptor (FP) and prostaglandin F ₂ ± synthase (PGFS): Molecular cloning and expression in the corpus luteum. <i>Animal Reproduction Science</i> , 2008, 107, 161-175.	1.5	33
124	A Simple, Quick, and High-Yield Preparation of the Human Thromboxane A ₂ Receptor in Full Size for Structural Studies. <i>Biochemistry</i> , 2008, 47, 6819-6826.	2.5	11
125	Recent Renaissance of Prostaglandin Research. <i>Annual Reports in Medicinal Chemistry</i> , 2008, 43, 293-309.	0.9	1
126	FP Prostanoid Receptor-Mediated Induction of the Expression of Early Growth Response Factor-1 by Activation of a Ras/Raf/Mitogen-Activated Protein Kinase Signaling Cascade. <i>Molecular Pharmacology</i> , 2008, 73, 111-118.	2.3	9
127	Role of PKC μ in PGF ₂ ±-Stimulated MMP-2 Secretion from Human Ciliary Muscle Cells. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2008, 24, 268-277.	1.4	9

#	ARTICLE	IF	CITATIONS
128	Differential Gene Expression in the Bovine Corpus Luteum During Transition from Early Phase to Midphase and Its Potential Role in Acquisition of Luteolytic Sensitivity to Prostaglandin F2 Alpha1. <i>Biology of Reproduction</i> , 2009, 80, 980-988.	2.7	36
129	Prostaglandin F2 \pm -F-Prostanoid Receptor Signaling Promotes Neutrophil Chemotaxis via Chemokine (C-X-C Motif) Ligand 1 in Endometrial Adenocarcinoma. <i>Cancer Research</i> , 2009, 69, 5726-5733.	0.9	45
130	Thematic Review Series: Proteomics. An integrated omics analysis of eicosanoid biology. <i>Journal of Lipid Research</i> , 2009, 50, 1015-1038.	4.2	438
131	Expression and functional evidence of the prostaglandin F2 \pm receptor mediating contraction in human umbilical vein. <i>European Journal of Pharmacology</i> , 2009, 610, 68-74.	3.5	10
132	PGF2 \pm FP Receptor Contributes to Brain Damage Following Transient Focal Brain Ischemia. <i>Neurotoxicity Research</i> , 2009, 15, 62-70.	2.7	37
133	Prostanoid receptor antagonists: development strategies and therapeutic applications. <i>British Journal of Pharmacology</i> , 2009, 158, 104-145.	5.4	145
134	Prostaglandin F ₂ \pm stimulates MEK \rightarrow ERK signalling but decreases the expression of alkaline phosphatase in dental pulp cells. <i>International Endodontic Journal</i> , 2010, 43, 461-468.	5.0	15
135	Labour is associated with decreased expression of the PGF2 \pm receptor (PTGFR) and a novel PTGFR splice variant in human myometrium but not decidua. <i>Molecular Human Reproduction</i> , 2010, 16, 752-760.	2.8	11
136	PG F2 \pm Receptor: A Promising Therapeutic Target for Cardiovascular Disease. <i>Frontiers in Pharmacology</i> , 2010, 1, 116.	3.5	32
137	Induction of Angiogenic Immediate Early Genes by Activation of FP Prostanoid Receptors in Cultured Human Ciliary Smooth Muscle Cells. <i>Current Eye Research</i> , 2010, 35, 408-418.	1.5	12
138	Prostanoid signaling: Dual role for prostaglandin E2 in neurotoxicity. <i>NeuroToxicology</i> , 2011, 32, 312-319.	3.0	58
139	International Union of Basic and Clinical Pharmacology. LXXXIII: Classification of Prostanoid Receptors, Updating 15 Years of Progress. <i>Pharmacological Reviews</i> , 2011, 63, 471-538.	16.0	377
140	Aging-Shifted Prostaglandin Profile in Endothelium as a Factor in Cardiovascular Disorders. <i>Journal of Aging Research</i> , 2012, 2012, 1-16.	0.9	26
141	Putative Role of Prostaglandin Receptor in Intracerebral Hemorrhage. <i>Frontiers in Neurology</i> , 2012, 3, 145.	2.4	39
142	Prostanoids as Regulators of Innate and Adaptive Immunity. <i>Advances in Immunology</i> , 2012, 116, 143-174.	2.2	92
143	Interaction of the human prostacyclin receptor and the NHERF4 family member intestinal and kidney enriched PDZ protein (IKEPP). <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 1998-2012.	4.1	4
144	siRNA \rightarrow mediated knock \rightarrow down of COX \rightarrow 2 in melanocytes suppresses melanogenesis. <i>Experimental Dermatology</i> , 2012, 21, 420-425.	2.9	39
145	Prostaglandin FP receptor inhibitor reduces ischemic brain damage and neurotoxicity. <i>Neurobiology of Disease</i> , 2012, 48, 58-65.	4.4	28

#	ARTICLE	IF	CITATIONS
146	The Concise Guide to PHARMACOLOGY 2013/14: G Proteinâ€Coupled Receptors. British Journal of Pharmacology, 2013, 170, 1459-1581.	5.4	528
147	Eicosanoids and Renal Function. , 2013, , 487-509.		1
148	Non-steroid anti-inflammatory drugs, prostaglandins, and cancer. Cell and Bioscience, 2013, 3, 8.	4.8	53
149	Effects of prostaglandins and COX-inhibiting drugs on skeletal muscle adaptations to exercise. Journal of Applied Physiology, 2013, 115, 909-919.	2.5	76
150	Prostaglandin and myokine involvement in the cyclooxygenase-inhibiting drug enhancement of skeletal muscle adaptations to resistance exercise in older adults. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2013, 304, R198-R205.	1.8	44
151	Effects of Prostaglandin F2Î± on Adipocyte Biology Relevant to Graves' Orbitopathy. Thyroid, 2013, 23, 1600-1608.	4.5	24
152	Role of Candidate Genes Regulating Uterine Prostaglandins Biosynthesis for Maternal Recognition of Pregnancy in Domestic Animals. ISRN Physiology, 2013, 2013, 1-8.	0.4	4
153	Topical Prostaglandin Analogue Drugs Inhibit Adipocyte Differentiation. Korean Journal of Ophthalmology: KJO, 2014, 28, 257.	1.1	5
154	Endogenous Prostaglandin D ₂ and Its Metabolites Protect the Heart Against Ischemiaâ€Reperfusion Injury by Activating Nrf2. Hypertension, 2014, 63, 80-87.	2.7	79
155	Effects of Prostaglandin Analogues on Aqueous Humor Outflow Pathways. Journal of Ocular Pharmacology and Therapeutics, 2014, 30, 102-109.	1.4	99
156	Association between genetic polymorphisms of the prostaglandin F2Î± receptor gene, and response to latanoprost in patients with glaucoma and ocular hypertension. British Journal of Ophthalmology, 2014, 98, 469-473.	3.9	32
157	Dietary Polyunsaturated Fatty Acids, Intraocular Pressure, and Glaucoma. , 2014, , 111-119.		1
158	Characterization of Prostaglandin F2Î± Receptors in Human Eyelids. European Journal of Ophthalmology, 2015, 25, 81-84.	1.3	10
159	Selective modulation of the prostaglandin F2Î± pathway markedly impacts on endometriosis progression in a xenograft mouse model. Molecular Human Reproduction, 2015, 21, 905-916.	2.8	15
160	Overexpression of AKR1C3 significantly enhances human prostate cancer cells resistance to radiation. Oncotarget, 2016, 7, 48050-48058.	1.8	45
161	Prostaglandins in the eye: Function, expression, and roles in glaucoma. Ophthalmic Genetics, 2017, 38, 108-116.	1.2	64
162	Functional screening for G protein-coupled receptor targets of 14,15-epoxyeicosatrienoic acid. Prostaglandins and Other Lipid Mediators, 2017, 132, 31-40.	1.9	31
163	Genetic variation in the eicosanoid pathway is associated with non-small-cell lung cancer (NSCLC) survival. PLoS ONE, 2017, 12, e0180471.	2.5	8

#	ARTICLE	IF	CITATIONS
164	Influence of omega-3 polyunsaturated fatty acids from fish oil or meal on the structure of lipid microdomains in bovine luteal cells. <i>Animal Reproduction Science</i> , 2018, 193, 40-57.	1.5	1
165	Comprehensive profiling of prostaglandins in human ovarian follicular fluid using mass spectrometry. <i>Prostaglandins and Other Lipid Mediators</i> , 2018, 134, 7-15.	1.9	18
166	The Role of Eicosanoids in Alzheimer's Disease. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2560.	2.6	46
167	G protein-coupled receptors in acquired epilepsy: Druggability and translatability. <i>Progress in Neurobiology</i> , 2019, 183, 101682.	5.7	34
168	Effects of the Selective EP2 Receptor Agonist Omidenepag on Adipocyte Differentiation in 3T3-L1 Cells. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2020, 36, 162-169.	1.4	27
169	A Review of Prostanoid Receptors: Expression, Characterization, Regulation, and Mechanism of Action. <i>Journal of Cell Communication and Signaling</i> , 2021, 15, 155-184.	3.4	31
170	Small molecules targeting cyclooxygenase/prostanoid cascade in experimental brain ischemia: Do they translate?. <i>Medicinal Research Reviews</i> , 2021, 41, 828-857.	10.5	15
171	Prostaglandin E2 and F2 α Alter Expression of Select Cholesteryl Esters and Triacylglycerols Produced by Human Meibomian Gland Epithelial Cells. <i>Cornea</i> , 2021, Publish Ahead of Print, 95-105.	1.7	0
172	Cell Surface Receptors and the G Protein-Coupled Receptor Superfamily. <i>Molecular Biology Intelligence Unit</i> , 1995, , 1-63.	0.2	2
173	Molecular Characterization of the Mouse Prostanoid EP1 Receptor Gene. <i>FEBS Journal</i> , 1995, 231, 809-814.	0.2	64
174	lloprost suppresses connective tissue growth factor production in fibroblasts and in the skin of scleroderma patients. <i>Journal of Clinical Investigation</i> , 2001, 108, 241-250.	8.2	178
175	Prostaglandin E2 inhibits renal collecting duct Na ⁺ absorption by activating the EP1 receptor.. <i>Journal of Clinical Investigation</i> , 1998, 102, 194-201.	8.2	127
176	Prostaglandin F2 α . Inhibits SERCA2 Gene Transcription Through an Induction of Egr-1 in Cultured Neonatal Rat Cardiac Myocytes. <i>International Heart Journal</i> , 2008, 49, 329-342.	1.0	13
177	Biochemical and Structural Characteristics, Gene Regulation, Physiological, Pathological and Clinical Features of Lipocalin-Type Prostaglandin D2 Synthase as a Multifunctional Lipocalin. <i>Frontiers in Physiology</i> , 2021, 12, 718002.	2.8	21
178	FP Prostanoid Receptor. , 2007, , 1-21.		0
180	Prostanoid Receptors. , 1996, , 137-154.		3
181	Prostaglandins and their receptors. , 1996, , 144-151.		1
182	Enhancement of scleral macromolecular permeability with prostaglandins. <i>Transactions of the American Ophthalmological Society</i> , 2001, 99, 319-43.	1.4	25

#	ARTICLE	IF	CITATIONS
183	PGF2 \hat{I} -FP Receptor Ameliorates Senescence of VSMCs in Vascular Remodeling by Src/PAI-1 Signal Pathway. Oxidative Medicine and Cellular Longevity, 2022, 2022, 1-17.	4.0	4