Brief physician advice for problem alcohol drinkers. A recommunity-based primary care practices

JAMA - Journal of the American Medical Association 277, 1039-45

Citation Report

#	Article	IF	CITATIONS
1	Screening for problem drinking. Journal of General Internal Medicine, 1998, 13, 251-256.	2.6	45
2	Screening for problem drinking. Journal of General Internal Medicine, 1998, 13, 379-388.	2.6	245
3	Alcohol counseling. Journal of General Internal Medicine, 1998, 13, 692-698.	2.6	73
4	Physician awareness of alcohol use disorders among older patients. Journal of General Internal Medicine, 1998, 13, 729-734.	2.6	53
5	Increasing screening for alcohol use disorders. Journal of General Internal Medicine, 1998, 13, 781-782.	2.6	0
6	Medical risks for women who drink alcohol. Journal of General Internal Medicine, 1998, 13, 627-639.	2.6	142
7	Alcohol and other psychoactive drugs in trauma patients aged 10-14 years. Injury Prevention, 1999, 5, 94-97.	2.4	18
8	Managing Alcohol Problems and Risky Drinking. American Journal of Health Promotion, 1999, 14, 98-103.	1.7	20
9	Screening and intervention for alcohol problems. Journal of General Internal Medicine, 2000, 15, 84-91.	2.6	215
10	Screening and brief intervention for hazardous drinking in an HMO: Effects on medical care utilization. Journal of Behavioral Health Services and Research, 2000, 27, 446-453.	1.4	59
11	Predictors of patient entry into alcohol treatment after initial diagnosis. Journal of Behavioral Health Services and Research, 2000, 27, 339-346.	1.4	24
12	Screening and Identification of Older Adults with Alcohol Problems in Primary Care. Journal of Geriatric Psychiatry and Neurology, 2000, 13, 106-114.	2.3	77
13	Capture-recapture methods to size alcohol related problems in a population. Journal of Epidemiology and Community Health, 2000, 54, 603-610.	3.7	24
14	Comorbidity of Phobic Disorders with Alcoholism in a Canadian Community Sample. Canadian Journal of Psychiatry, 2001, 46, 733-740.	1.9	36
16	Drinking patterns, health care utilization, and costs among HMO primary care patients. Journal of Behavioral Health Services and Research, 2001, 28, 378-399.	1.4	32
17	Problem drinking and medication adherence among persons with HIV infection. Journal of General Internal Medicine, 2001, 16, 83-88.	2.6	246
18	A Call for Papers. Substance Abuse: Innovations In Primary Care. Journal of General Internal Medicine, 2001, 16, 70-71.	2.6	2
19	Integrating Primary Medical Care With Addiction Treatment. JAMA - Journal of the American Medical Association, 2001, 286, 1715.	7.4	336

#	Article	IF	CITATIONS
20	Preventive mental health and substance abuse programs and services in managed care. Journal of Behavioral Health Services and Research, 2002, 29, 233-258.	1.4	4
21	The impact of drinking and drinking consequences on short-term employment outcomes in at-risk drinkers in six southern states. Journal of Behavioral Health Services and Research, 2002, 29, 157-166.	1.4	37
22	Alcohol, Drug Abuse, and Mental Health Care for Uninsured and Insured Adults. Health Services Research, 2002, 37, 1055-1066.	2.0	57
23	Alcohol Use Disorders in Primary Care. Do Gender-specific Differences Exist?. Journal of General Internal Medicine, 2002, 17, 387-397.	2.6	100
24	Mutual Mistrust in the Medical Care of Drug Users. The Keys to the "Narc" Cabinet. Journal of General Internal Medicine, 2002, 17, 327-333.	2.6	247
25	Baby, Be Safe: the effect of tailored communications for pediatric injury prevention provided in a primary care setting. Patient Education and Counseling, 2002, 46, 175-190.	2.2	82
27	Evidence-based practices for substance use disorders. Psychiatric Clinics of North America, 2003, 26, 991-1010.	1.3	72
28	Health Care Utilization by Older Alcohol-Using Veterans: Effects of a Brief Intervention to Reduce At-Risk Drinking. Health Education and Behavior, 2003, 30, 305-321.	2.5	15
29	Medical specialization, profession, and mediating beliefs that predict stated likelihood of alcohol screening and brief intervention: Targeting educational interventions. Substance Abuse, 2003, 24, 141-156.	2.3	18
30	Screening in brief intervention trials targeting excessive drinkers in general practice: systematic review and meta-analysis. BMJ: British Medical Journal, 2003, 327, 536-542.	2.3	197
31	Training Medical Providers to Conduct Alcohol Screening and Brief Interventions. Substance Abuse, 2004, 25, 17-26.	2.3	88
32	Networks For New Knowledge In Family Medicine. Annals of Family Medicine, 2004, 2, 521-522.	1.9	0
33	Primary Care Clinicians Evaluate Integrated and Referral Models of Behavioral Health Care For Older Adults: Results From a Multisite Effectiveness Trial (PRISM-E). Annals of Family Medicine, 2004, 2, 305-309.	1.9	109
34	Comfortably Engaging: Which Approach to Alcohol Screening Should We Use?. Annals of Family Medicine, 2004, 2, 398-404.	1.9	34
35	Brief Physician Advice For High-Risk Drinking Among Young Adults. Annals of Family Medicine, 2004, 2, 474-480.	1.9	60
36	Improving Screening for Alcohol Use During Pregnancy: The Massachusetts ASAP Program. Maternal and Child Health Journal, 2004, 8, 137-147.	1.5	46
37	Metropolitan-Area Estimates of Binge Drinking in the United States. American Journal of Public Health, 2004, 94, 663-671.	2.7	26
38	Delivery of HIV Prevention Counseling by Physicians at HIV Medical Care Settings in 4 US Cities. American Journal of Public Health, 2004, 94, 1186-1192.	2.7	58

#	Article	IF	Citations
39	Interventions for preventing injuries in problem drinkers. The Cochrane Library, 2004, , CD001857.	2.8	54
40	Brief Intervention for Prenatal Alcohol Use: A Randomized Trial. Obstetrics and Gynecology, 2005, 105, 991-998.	2.4	185
41	Alcohol Interventions for Trauma Patients Treated in Emergency Departments and Hospitals. Annals of Surgery, 2005, 241, 541-550.	4.2	257
42	Development and Implementation of an Emergency Practitioner-Performed Brief Intervention for Hazardous and Harmful Drinkers in the Emergency Department. Academic Emergency Medicine, 2005, 12, 249-256.	1.8	85
43	Problem drinkers: Find them, keep them, don't lose them—Treat them. Journal of General Internal Medicine, 2005, 20, 96-97.	2.6	3
44	Brief physician and nurse practitioner-delivered counseling for high-risk drinking. Journal of General Internal Medicine, 2005, 20, 7-13.	2.6	66
45	Alcohol screening in young persons attending a sexually transmitted disease clinic. Journal of General Internal Medicine, 2005, 20, 1 -6.	2.6	130
46	Spending on substance abuse treatment: how much is enough?. Addiction, 2005, 100, 1240-1248.	3.3	57
47	Intergenerational Health Disparities: Socioeconomic Status, Women's Health Conditions, and Child Behavior Problems. Public Health Reports, 2005, 120, 399-408.	2.5	48
48	Overcoming Barriers to Prevention, Care, and Treatment of Hepatitis C in Illicit Drug Users. Clinical Infectious Diseases, 2005, 40, S276-S285.	5.8	185
51	Organization and Financing of Alcohol and Substance Abuse Programs for American Indians and Alaska Natives. American Journal of Public Health, 2006, 96, 1469-1477.	2.7	24
52	The BRENDA Model: Integrating Psychosocial Treatment and Pharmacotherapy for the Treatment of Alcohol Use Disorders. Journal of Psychiatric Practice, 2006, 12, 80-89.	0.7	81
53	Effectiveness of skills-based training using the Drink-less package to increase family practitioner confidence in intervening for alcohol use disorders. BMC Medical Education, 2006, 6, 8.	2.4	14
54	Insights from a national survey into why substance abuse treatment units add prevention and outreach services. Substance Abuse Treatment, Prevention, and Policy, 2006, 1, 21.	2.2	19
55	How Primary Care Providers Talk to Patients About Alcohol Journal of General Internal Medicine, 2006, 21, 060721075157048-???.	2.6	70
56	Training primary care clinicians in maintenance care for moderated alcohol use. Journal of General Internal Medicine, 2006, 21, 1269-1275.	2.6	17
57	Harm reduction and individually focused alcohol prevention. International Journal of Drug Policy, 2006, 17, 304-309.	3.3	39
58	Predictors of Adherence Within an Intervention Research Study of the At-Risk Older Drinker: PRISM-E. Journal of Geriatric Psychiatry and Neurology, 2006, 19, 231-238.	2.3	8

#	Article	IF	CITATIONS
59	Utilization and Cost of Mental Health, Substance Abuse, and Medical Services among At-Risk Drinkers. Medical Care Research and Review, 2007, 64, 431-448.	2.1	2
60	Preventing unintentional pediatric injuries: a tailored intervention for parents and providers. Health Education Research, 2007, 23, 656-669.	1.9	56
61	Trends in Socioeconomic Inequalities in Adult Health Behaviors among U.S. States, 1990–2004. Public Health Reports, 2007, 122, 177-189.	2.5	135
62	Psychosocial interventions by general practitioners. The Cochrane Library, 2007, , CD003494.	2.8	34
63	Contracts between patients and healthcare practitioners for improving patients' adherence to treatment, prevention and health promotion activities. The Cochrane Library, 2007, , CD004808.	2.8	75
64	Preventing Alcohol-Exposed Pregnancies. American Journal of Preventive Medicine, 2007, 32, 1-10.	3.0	245
65	Psychiatric Issues in Multiple Sclerosis. Psychiatric Clinics of North America, 2007, 30, 803-817.	1.3	115
66	Practitionerâ€level predictors of alcohol problems detection and management activities. Journal of Substance Use, 2007, 12, 191-202.	0.7	8
67	Enabling health systems transformation: what progress has been made in re-orienting health services?. Global Health Promotion, 2007, 14, 23-27.	0.7	57
68	Health Plan Requirements for Mental Health and Substance Use Screening in Primary Care. Journal of General Internal Medicine, 2007, 22, 930-936.	2.6	10
69	Effect of Training on Primary Care Residents' Performance in Brief Alcohol Intervention: A Randomized Controlled Trial. Journal of General Internal Medicine, 2007, 22, 1144-1149.	2.6	40
70	HIV Prevention Services Received at Health Care and HIV Test Providers by Young Men who Have Sex with Men: An Examination of Racial Disparities. Journal of Urban Health, 2008, 85, 727-743.	3.6	15
71	Effectiveness of the AUDIT-C as a Screening Test for Alcohol Misuse in Three Race/Ethnic Groups. Journal of General Internal Medicine, 2008, 23, 781-787.	2.6	260
72	A web-based Alcohol Clinical Training (ACT) curriculum: Is in-person faculty development necessary to affect teaching?. BMC Medical Education, 2008, 8, 11.	2.4	13
73	Brief Intervention for Hazardous and Harmful Drinkers in the Emergency Department. Annals of Emergency Medicine, 2008, 51, 742-750.e2.	0.6	118
74	The Healthy Moms Study: The Efficacy of Brief Alcohol Intervention in Postpartum Women. Alcoholism: Clinical and Experimental Research, 2008, 32, 1600-1606.	2.4	52
75	Substance abuse treatment in human immunodeficiency virus: The role of patient–provider discussions. Journal of Substance Abuse Treatment, 2008, 35, 294-303.	2.8	37
76	The Men's Domestic Abuse Check-Up. Violence Against Women, 2008, 14, 589-605.	1.7	22

#	Article	IF	CITATIONS
77	Brief Alcohol Intervention in the Emergency Department: Moderators of Effectiveness. Journal of Studies on Alcohol and Drugs, 2008, 69, 550-560.	1.0	79
78	Prevalence and Record of Alcoholism Among Emergency Department Patients. Clinics, 2009, 64, 29-34.	1.5	1
79	Cost-Effectiveness of an Opportunistic Screening Programme and Brief Intervention for Excessive Alcohol Use in Primary Care. PLoS ONE, 2009, 4, e5696.	2.5	30
80	Correlates of Intimate Partner Violence Among Men and Women in an Inner City Emergency Department. Journal of Addictive Diseases, 2009, 28, 366-381.	1.3	34
81	What May Stimulate General Practitioners to Undertake Screening and Brief Intervention for Excess Alcohol Consumption in Slovenia? A Focus Group Study. Journal of International Medical Research, 2009, 37, 1561-1569.	1.0	13
82	Costâ€Effectiveness of Screening for Unhealthy Alcohol Use with %Carbohydrate Deficient Transferrin: Results From a Literatureâ€Based Decision Analytic Computer Model. Alcoholism: Clinical and Experimental Research, 2009, 33, 1440-1449.	2.4	15
83	Extreme College Drinking and Alcoholâ€Related Injury Risk. Alcoholism: Clinical and Experimental Research, 2009, 33, 1532-1538.	2.4	53
84	Prevalence of Past Year Assault Among Inner-City Emergency Department Patients. Annals of Emergency Medicine, 2009, 53, 814-823.e15.	0.6	33
85	Do Minority or White Patients Respond to Brief Alcohol Intervention in Trauma Centers? A Randomized Trial. Annals of Emergency Medicine, 2009, 54, 285-293.	0.6	21
86	Alcohol-impaired driving behavior and sensation-seeking disposition in a college population receiving routine care at campus health services centers. Accident Analysis and Prevention, 2009, 41, 380-386.	5.7	46
87	Screening, brief interventions, referral to treatment (SBIRT) for illicit drug and alcohol use at multiple healthcare sites: Comparison at intake and 6 months later. Drug and Alcohol Dependence, 2009, 99, 280-295.	3.2	579
88	Gender Differences in Violence Exposure Among University Students Attending Campus Health Clinics in the United States and Canada. Journal of Adolescent Health, 2009, 45, 587-594.	2.5	44
89	Rape: When the Exam Is Normal. Journal of Pediatric and Adolescent Gynecology, 2009, 22, 7-10.	0.7	6
90	2009 Canadian Hypertension Education Program recommendations: The scientific summary – an annual update. Canadian Journal of Cardiology, 2009, 25, 271-277.	1.7	35
91	THE EFFECT OF BRIEF ALCOHOL INTERVENTION ON POSTPARTUM DEPRESSION. MCN the American Journal of Maternal Child Nursing, 2009, 34, 297-302.	0.7	17
92	Perceived Need for Treatment for Alcohol Use Disorders: Results From Two National Surveys. Psychiatric Services, 2009, 60, 1618-1628.	2.0	89
93	At-Risk Drinking among Diabetic Patients. Substance Abuse: Research and Treatment, 2009, 3, SART.S2243.	0.9	2
94	Alcohol Screening and Brief Intervention in a College Student Health Center: A Randomized Controlled Trial. Journal of Studies on Alcohol and Drugs Supplement, 2009, , 131-142.	3.7	94

#	Article	IF	CITATIONS
95	Screening and Brief Intervention for Unhealthy Drug Use in Primary Care Settings: Randomized Clinical Trials Are Needed. Journal of Addiction Medicine, 2010, 4, 123-130.	2.6	90
96	Brief Physician Advice for Heavy Drinking College Students: A Randomized Controlled Trial in College Health Clinics. Journal of Studies on Alcohol and Drugs, 2010, 71, 23-31.	1.0	77
97	Why do general practitioners not screen and intervene regarding alcohol consumption in Slovenia? A focus group study. Wiener Klinische Wochenschrift, 2010, 122, 68-73.	1.9	14
98	Do Health Educator Telephone Calls Reduce At-risk Drinking Among Older Adults in Primary Care?. Journal of General Internal Medicine, 2010, 25, 334-339.	2.6	33
99	Brief Interventions for Patients Presenting to the Psychiatric Emergency Service (PES) with Major Mental Illnesses and At-risk Drinking. Community Mental Health Journal, 2010, 46, 149-155.	2.0	8
100	A Dual-Focus Motivational Intervention to Reduce the Risk of Alcohol-Exposed Pregnancy. Cognitive and Behavioral Practice, 2010, 17, 203-212.	1.5	53
101	Integrated Management of Physicianâ€delivered Alcohol Care for Tuberculosis Patients: Design and Implementation. Alcoholism: Clinical and Experimental Research, 2010, 34, 317-330.	2.4	24
102	Determinants of Early Reductions in Drinking in Older Atâ€Risk Drinkers Participating in the Intervention Arm of a Trial to Reduce Atâ€Risk Drinking in Primary Care. Journal of the American Geriatrics Society, 2010, 58, 227-233.	2.6	13
103	Alcohol screening and brief intervention in primary care: Absence of evidence for efficacy in people with dependence or very heavy drinking. Drug and Alcohol Review, 2010, 29, 631-640.	2.1	200
104	Conducting economic evaluations of screening and brief intervention for hazardous drinking: Methods and evidence to date for informing policy. Drug and Alcohol Review, 2010, 29, 623-630.	2.1	17
105	Brief Alcohol Intervention among At-Risk Drinkers with Diabetes. Substance Abuse: Research and Treatment, 2010, 4, SART.S4071.	0.9	7
106	Hypertension Guidelines for Pharmacists: 2009 Update. Canadian Pharmacists Journal, 2010, 143, 20-27.	0.8	0
107	Inside the Physician's Black Bag: Critical Ingredients of Brief Alcohol Interventions. Substance Abuse, 2010, 31, 240-250.	2.3	15
108	Cigarette smoking and associated health risks among students at five universities. Nicotine and Tobacco Research, 2010, 12, 96-104.	2.6	92
109	Substance Use and Facial Injury. Oral and Maxillofacial Surgery Clinics of North America, 2010, 22, 231-238.	1.0	9
110	Naltrexone and combined behavioral intervention effects on trajectories of drinking in the COMBINE study. Drug and Alcohol Dependence, 2010, 107, 221-229.	3.2	44
111	The effectiveness of brief intervention among injured patients with alcohol dependence: Who benefits from brief interventions?. Drug and Alcohol Dependence, 2010, 111, 13-20.	3.2	49
112	Alcohol Use in Students Seeking Primary Care Treatment at University Health Services. Journal of American College Health, 2010, 59, 217-223.	1.5	19

#	Article	IF	CITATIONS
113	Alcohol and drug use among patients presenting to an inner-city emergency department: A latent class analysis. Addictive Behaviors, 2011, 36, 793-800.	3.0	50
114	Depression and suicide ideation among students accessing campus health care American Journal of Orthopsychiatry, 2011, 81, 101-107.	1.5	234
115	Alcohol Screening and Changes in Problem Drinking Behaviors in Medical Care Settings: A Longitudinal Perspective*. Journal of Studies on Alcohol and Drugs, 2011, 72, 471-479.	1.0	2
116	Secondary prevention in the intensive care unit: Does intensive care unit admission represent a "teachable moment?― Critical Care Medicine, 2011, 39, 1500-1506.	0.9	39
117	A Systematic Review and Meta-Analysis of Health Care Utilization Outcomes in Alcohol Screening and Brief Intervention Trials. Medical Care, 2011, 49, 287-294.	2.4	58
118	Primary care-based intervention to reduce at-risk drinking in older adults: a randomized controlled trial. Addiction, 2011, 106, 111-120.	3.3	90
119	Web-Based Intervention for Returning Veterans with Symptoms of Posttraumatic Stress Disorder and Risky Alcohol Use. Journal of Contemporary Psychotherapy, 2011, 41, 237-246.	1,2	30
120	Promotoras as Mental Health Practitioners in Primary Care: A Multi-Method Study of an Intervention to Address Contextual Sources of Depression. Journal of Community Health, 2011, 36, 316-331.	3.8	83
121	Substance Use, Depression, and Mental Health Functioning in Patients Seeking Acute Medical Care in an Inner-City ED. Journal of Behavioral Health Services and Research, 2011, 38, 358-372.	1.4	21
122	Update in Addiction Medicine for the Generalist. Journal of General Internal Medicine, 2011, 26, 77-82.	2.6	7
123	A randomised controlled trial of extended brief intervention for alcohol dependent patients in an acute hospital setting (ADPAC). BMC Public Health, 2011, 11, 528.	2.9	10
124	Alcohol-related brief intervention in patients treated for opiate or cocaine dependence: a randomized controlled study. Substance Abuse Treatment, Prevention, and Policy, 2011, 6, 22.	2.2	14
125	Prevalence and Correlates of Drinking Behaviors Among Previously Deployed Military and Matched Civilian Populations. Military Psychology, 2011, 23, 6-21.	1.1	48
126	Smoking Prevalence in Addiction Treatment: A Review. Nicotine and Tobacco Research, 2011, 13, 401-411.	2.6	181
127	Frequent Binge Drinking After Combat-Acquired Traumatic Brain Injury Among Active Duty Military Personnel With a Past Year Combat Deployment. Journal of Head Trauma Rehabilitation, 2012, 27, 349-360.	1.7	58
128	Alcohol Use After Combat-Acquired Traumatic Brain Injury: What We Know and Don't Know. Journal of Social Work Practice in the Addictions, 2012, 12, 28-51.	0.7	27
129	Computer-Facilitated Substance Use Screening and Brief Advice for Teens in Primary Care: An International Trial. Pediatrics, 2012, 129, 1072-1082.	2.1	126
130	Who Seeks Care Where? Utilization of Mental Health and Substance Use Disorder Treatment in Two National Samples of Individuals with Alcohol Use Disorders. Journal of Studies on Alcohol and Drugs, 2012, 73, 635-646.	1.0	93

#	Article	IF	CITATIONS
131	Intercepting Binge Drinkers in Medical Settings: A View from California. Journal of Psychoactive Drugs, 2012, 44, 334-341.	1.7	2
132	Integrating Screening, Brief Intervention, and Referral to Treatment (SBIRT) into Clinical Practice Settings: A Brief Review. Journal of Psychoactive Drugs, 2012, 44, 307-317.	1.7	198
133	What Should We Do When Participants Report Dangerous Drinking? The Impact of Personalized Letters Versus General Pamphlets as a Function of Sex and Controlled Orientation. Ethics and Behavior, 2012, 22, 1-15.	1.8	3
134	Barriers and Facilitators in Implementing "Prevention for Positives―Alcohol-Reduction Support: The Perspectives of Directors and Providers in Hospital-Based HIV Care Centers. Journal of the Association of Nurses in AIDS Care, 2012, 23, 30-40.	1.0	14
135	A Brief Intervention Reduces Hazardous and Harmful Drinking in Emergency Department Patients. Annals of Emergency Medicine, 2012, 60, 181-192.	0.6	177
136	Ethnic differences in the effect of drug use and drug dependence on brief motivational interventions targeting alcohol use. Drug and Alcohol Dependence, 2012, 126, 21-26.	3.2	14
137	Alcohol and Substance Misuse in Older Adults. Current Psychiatry Reports, 2012, 14, 310-319.	4.5	115
138	Can screening and brief intervention lead to population-level reductions in alcohol-related harm?. Addiction Science & Clinical Practice, 2012, 7, 15.	2.6	67
139	Fatores associados a beber pesado epis \tilde{A}^3 dico entre estudantes de medicina. Revista Brasileira De Educacao Medica, 2012, 36, 524-530.	0.2	8
140	An alcohol-focused intervention versus a healthy living intervention for problem drinkers identified in a general hospital setting (ADAPTA): study protocol for a randomized, controlled pilot trial. Trials, 2013, 14, 117.	1.6	2
141	Emergency Department–Based Brief Intervention to Reduce Risky Driving and Hazardous/Harmful Drinking in Young Adults: A Randomized Controlled Trial. Alcoholism: Clinical and Experimental Research, 2013, 37, 1753-1762.	2.4	46
142	Alcohol use of diabetes patients: the need for assessment and intervention. Acta Diabetologica, 2013, 50, 93-99.	2.5	66
143	Preconceptional motivational interviewing interventions to reduce alcohol-exposed pregnancy risk. Journal of Substance Abuse Treatment, 2013, 44, 407-416.	2.8	47
144	2013 Update in addiction medicine for the generalist. Addiction Science & Eamp; Clinical Practice, 2013, 8, 18.	2.6	3
145	Sustainability of Tailored Goal Oriented Community Brief Intervention Model among Risky Drinkers in Community in Thailand. BioMed Research International, 2013, 2013, 1-7.	1.9	0
146	Clinician Suspicion of an Alcohol Problem: An Observational Study From the AAFP National Research Network. Annals of Family Medicine, 2013, 11, 53-59.	1.9	15
147	The Use of Deception in Public Health Behavioral Intervention Trials: A Case Study of Three Online Alcohol Trials. American Journal of Bioethics, 2013, 13, 39-47.	0.9	34
148	Health Care Providers' Recommendations for Physical Activity and Adherence to Physical Activity Guidelines Among Adults With Arthritis. Preventing Chronic Disease, 2013, 10, E182.	3.4	18

#	Article	IF	CITATIONS
149	Risky driving, mental health, and health-compromising behaviours: risk clustering in late adolescents and adults. Injury Prevention, 2014, 20, 365-372.	2.4	37
150	Brief Intervention for Problem Drug Use in Safety-Net Primary Care Settings. JAMA - Journal of the American Medical Association, 2014, 312, 492.	7.4	171
151	An early evaluation of implementation of brief intervention for unhealthy alcohol use in the US Veterans Health Administration. Addiction, 2014, 109, 1472-1481.	3.3	60
152	The Use of Protective Behaviors in Relation to Gambling Among College Students. Journal of Gambling Studies, 2014, 30, 27-46.	1.6	24
153	Accuracy of one or two simple questions to identify alcohol-use disorder in primary care: a meta-analysis. British Journal of General Practice, 2014, 64, e408-e418.	1.4	20
154	The efficacy-effectiveness distinction in trials of alcohol brief intervention. Addiction Science & Clinical Practice, 2014, 9, 13.	2.6	32
155	HealthCall for the smartphone: technology enhancement of brief intervention in HIV alcohol dependent patients. Addiction Science & Eamp; Clinical Practice, 2014, 9, 5.	2.6	50
156	Integration of substance use disorder services with primary care: health center surveys and qualitative interviews. Substance Abuse Treatment, Prevention, and Policy, 2014, 9, 15.	2.2	42
157	Regression to the mean and alcohol consumption: A cohort study exploring implications for the interpretation of change in control groups in brief intervention trials. Drug and Alcohol Dependence, 2014, 135, 156-159.	3.2	38
158	Alcohol Use Trajectories Among Non–Treatment-Seeking Heavy Drinkers. Journal of Studies on Alcohol and Drugs, 2014, 75, 415-422.	1.0	24
159	Use of Hospital-Based Services Among Young Adults With Behavioral Health Diagnoses Before and After Health Insurance Expansions. JAMA Psychiatry, 2014, 71, 404.	11.0	32
160	Project QUIT (Quit Using Drugs Intervention Trial): a randomized controlled trial of a primary careâ€based multiâ€component brief intervention to reduce risky drug use. Addiction, 2015, 110, 1777-1790.	3.3	51
161	Physician versus non-physician delivery of alcohol screening, brief intervention and referral to treatment in adult primary care: the ADVISe cluster randomized controlled implementation trial. Addiction Science & Drickley 2015, 10, 26.	2.6	87
162	Brief Intervention Decreases Drinking Frequency in HIV-Infected, Heavy Drinking Women. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 70, 137-145.	2.1	72
163	Examining the Impact of Separate Components of a Multicomponent Intervention Designed to Reduce Atâ€Risk Drinking Among Older Adults: The Project <scp>SHARE</scp> Study. Alcoholism: Clinical and Experimental Research, 2015, 39, 1227-1235.	2.4	7
164	ADAPTA: A pilot randomised controlled trial of an alcohol-focused intervention versus a healthy living intervention for problem drinkers identified in a general hospital setting. Drug and Alcohol Dependence, 2015, 154, 117-124.	3.2	9
165	Does Individualized Health Information regarding Alcohol Consumption Affect Consumption among Risky Drinkers?. American Journal of Health Promotion, 2015, 29, 230-237.	1.7	3
166	Primary Care Residents Lack Comfort and Experience with Alcohol Screening and Brief Intervention: A Multi-Site Survey. Journal of General Internal Medicine, 2015, 30, 790-796.	2.6	16

#	ARTICLE	IF	CITATIONS
167	Comparison of provider-documented and patient-reported brief intervention for unhealthy alcohol use in VA outpatients. Drug and Alcohol Dependence, 2015, 153, 159-166.	3.2	16
168	Alcohol Screening Scores and the Risk of Intensive Care Unit Admission and Hospital Readmission. Substance Abuse, 2016, 37, 466-473.	2.3	14
169	How effective are brief interventions in reducing alcohol consumption: do the setting, practitioner group and content matter? Findings from a systematic review and metaregression analysis. BMJ Open, 2016, 6, e011473.	1.9	95
170	Participatory development of MIDY (Mobile Intervention for Drinking in Young people). BMC Public Health, 2016, 16, 184.	2.9	35
171	Is it time for a more ambitious research agenda for decreasing alcohol-related harm among young adults?. Addiction, 2016, 111, 1531-1532.	3.3	2
172	Adult Binge Drinking: Childhood Sexual Abuse, Gender and the Role of Adolescent Alcohol-Related Experiences. Alcohol and Alcoholism, 2016, 51, 136-141.	1.6	9
173	The Starting Treatment for Ethanol in Primary care Trials (STEP Trials): Protocol for Three Parallel Multi-Site Stepped Care Effectiveness Studies for Unhealthy Alcohol Use in HIV-Positive Patients. Contemporary Clinical Trials, 2017, 52, 80-90.	1.8	25
174	The Experience of Patients with Alcohol Misuse after Surviving a Critical Illness: A Qualitative Study. Annals of the American Thoracic Society, 2017, 14, 1154-1161.	3.2	4
175	Implementation and Quality Improvement of a Screening and Counseling Program for Unhealthy Alcohol Use in an Academic General Internal Medicine Practice. Journal for Healthcare Quality: Official Publication of the National Association for Healthcare Quality, 2017, 39, 15-27.	0.7	7
176	Influence of a targeted performance measure for brief intervention on gender differences in receipt of brief intervention among patients with unhealthy alcohol use in the Veterans Health Administration. Journal of Substance Abuse Treatment, 2017, 81, 11-16.	2.8	24
177	Prevalence and predictors of substance use disorders among homeless women seeking primary care: An 11 site survey. American Journal on Addictions, 2017, 26, 680-688.	1.4	23
178	Patient-centered primary care for adults at high risk for AUDs: the Choosing Healthier Drinking Options In primary CarE (CHOICE) trial. Addiction Science & Emp; Clinical Practice, 2017, 12, 15.	2.6	14
179	Development and Evaluation of a Short Adverse Childhood Experiences Measure. American Journal of Preventive Medicine, 2017, 52, 163-172.	3.0	43
180	Evaluation of a Pilot Implementation to Integrate Alcohol-Related Care within Primary Care. International Journal of Environmental Research and Public Health, 2017, 14, 1030.	2.6	48
181	Consistency and sources of divergence in recommendations on screening with questionnaires for presently experienced health problems or symptoms: a comparison of recommendations from the Canadian Task Force on Preventive Health Care, UK National Screening Committee, and US Preventive Services Task Force. BMC Medicine, 2017, 15, 150.	5.5	37
182	Perceived barriers by health care providers for screening and management of excessive alcohol use in an emergency department of a low-income country. Alcohol, 2018, 71, 65-73.	1.7	14
183	Effectiveness of brief alcohol interventions in primary care populations. The Cochrane Library, 2018, 2018, CD004148.	2.8	568
184	Homeless women's service use, barriers, and motivation for participating in substance use treatment. American Journal of Drug and Alcohol Abuse, 2018, 44, 252-262.	2.1	29

#	Article	IF	CITATIONS
185	Effects of substance use screening and brief intervention on health-related quality of life. Quality of Life Research, 2018, 27, 2329-2336.	3.1	4
186	Integrated stepped alcohol treatment for patients with HIV and liver disease: A randomized trial. Journal of Substance Abuse Treatment, 2019, 106, 97-106.	2.8	14
187	The efficacy of a brief intervention to reduce alcohol use in persons with HIV in South Africa, a randomized clinical trial. PLoS ONE, 2019, 14, e0220799.	2.5	22
188	Using implementation facilitation to implement primary care mental health integration via clinical video telehealth in rural clinics: protocol for a hybrid type 2 cluster randomized stepped-wedge design. Implementation Science, 2019, 14, 33.	6.9	8
189	Elucidating the Effect of a Brief Drinking Intervention Using Neuroimaging: A Preliminary Study. Alcoholism: Clinical and Experimental Research, 2019, 43, 367-377.	2.4	10
190	Trial study design to test a bilingual digital health tool for alcohol use disorders among Latino emergency department patients. Contemporary Clinical Trials, 2020, 96, 106104.	1.8	0
191	Act Scholarly! Embrace your inner behavioral <i>scientist</i> . International Journal of Psychiatry in Medicine, 2020, 55, 304-313.	1.8	0
192	Integrated stepped alcohol treatment for patients with HIV and at-risk alcohol use: a randomized trial. Addiction Science & Eamp; Clinical Practice, 2020, 15, 28.	2.6	11
194	Binge drinking e fatores associados em indÃgenas da etnia Karipuna. SMAD Revista Eletrônica Saúde Mental Ãlcool E Drogas (Edição Em Português), 2021, 17, 7-16.	0.2	1
195	Patient and provider factors associated with receipt and delivery of brief interventions for unhealthy alcohol use in primary care. Alcoholism: Clinical and Experimental Research, 2021, 45, 2179-2189.	2.4	8
196	Effectiveness of Screening and Brief Alcohol Intervention at the Workplace: A Study Protocol for a Randomized Controlled Trial at Five Japan-Based Companies. Yonago Acta Medica, 2021, 64, 330-338.	0.7	1
197	Decreased Alcohol Consumption in Outpatient Drinkers Is Associated with Improved Quality of Life and Fewer Alcohol-related Consequences. Journal of General Internal Medicine, 2002, 17, 382-386.	2.6	40
198	Alcohol-related Discussions during General Medicine Appointments of Male VA Patients Who Screen Positive for At-risk Drinking. Journal of General Internal Medicine, 2002, 17, 315-326.	2.6	26
199	Persistence of Impaired Functioning and Psychological Distress After Medical Hospitalization for Men with Co-Occurring Psychiatric and Substance Use Disorders. Journal of General Internal Medicine, 2001, 16, 57-65.	2.6	8
200	The Roles of Low Literacy and Social Support in Predicting the Preventability of Hospital Admission. Journal of General Internal Medicine, 2006, 21, 140-145.	2.6	29
201	Screening patients for alcohol, tobacco, and other drug misuse: the role of brief interventions. Western Journal of Medicine, 2000, 172, 53-57.	0.3	7
202	Perceived Need for Treatment for Alcohol Use Disorders: Results From Two National Surveys. Psychiatric Services, 2009, 60, 1618-28.	2.0	52
203	Providing Web-Based Feedback and Social Norms Information to Reduce Student Alcohol Intake: A Multisite Investigation. Journal of Medical Internet Research, 2010, 12, e59.	4.3	80

#	Article	IF	CITATIONS
204	Alcohol Screening, Brief Intervention, and Referral to Treatment (SBIRT) for Girls and Women. Alcohol Research: Current Reviews, 2020, 40, 07.	3.6	12
205	Development of a Simple Tool for Identifying Alcohol Use Disorder in Female Korean Drinkers from Previous Questionnaires. Korean Journal of Family Medicine, 2016, 37, 18.	1.2	2
206	Mortality and Return to Work of Drug Abusers From Therapeutic Community Treatment 3 Years After Entry. Primary Care Companion To the Journal of Clinical Psychiatry, 2003, 5, 164-167.	0.6	3
207	Effects of brief substance use interventions delivered in general medical settings: a systematic review and metaâ€nalysis. Addiction, 2022, 117, 877-889.	3.3	15
208	Response to diagnosis of pre-diabetes in socioeconomically deprived areas: a qualitative study. BJGP Open, 2019, 3, bjgpopen19X101661.	1.8	10
209	Preoperative behavioural intervention to reduce drinking before elective orthopaedic surgery: the PRE-OP BIRDS feasibility RCT. Health Technology Assessment, 2020, 24, 1-176.	2.8	9
210	A randomized trial of three marketing strategies to disseminate a screening and brief alcohol intervention programme to general practitioners. British Journal of General Practice, 1999, 49, 695-8.	1.4	21
211	A RCT of three training and support strategies to encourage implementation of screening and brief alcohol intervention by general practitioners. British Journal of General Practice, 1999, 49, 699-703.	1.4	84
212	General practitioner psychological management of common emotional problems (II): A research agenda for the development of evidence-based practice. British Journal of General Practice, 2000, 50, 396-400.	1.4	26
213	Screening properties of questionnaires and laboratory tests for the detection of alcohol abuse or dependence in a general practice population. British Journal of General Practice, 2001, 51, 206-17.	1.4	132
214	Patient and practitioner characteristics predict brief alcohol intervention in primary care. British Journal of General Practice, 2001, 51, 822-7.	1.4	90
215	Motivational interviewing: a systematic review and meta-analysis. British Journal of General Practice, 2005, 55, 305-12.	1.4	1,105
216	Efficacy of an emergency department-based motivational teenage smoking intervention. Preventing Chronic Disease, 2007, 4, A08.	3.4	32
219	Short-term outcomes in patients attending a primary care-based addiction shared care program. Canadian Family Physician, 2009, 55, 1108-1109.e5.	0.4	8
220	Brief interventions in substance abuse. Indian Journal of Psychiatry, 2000, 42, 172-83.	0.7	0
222	Retained risk-taking behaviors among past alcohol dependent trauma patients. Annual Proceedings, 2005, 49, 295-309.	0.2	2
223	Patient and provider comfort discussing substance use. Family Medicine, 2013, 45, 109-17.	0.5	20
225	Interventions targeting HIV-infected risky drinkers: drops in the bottle. Alcohol Research, 2010, 33, 267-79.	1.0	28

#	Article	IF	CITATIONS
226	Drinking Over the Lifespan: Focus on Older Adults. , 2016, 38, 115-20.		17
227	Mental Health Screening of Older Adults in Primary Care. Journal of Mental Health and Aging, 2002, 8, 139-149.	0.0	6
228	Analyzing the costs and benefits of brief intervention. Alcohol Research, 2006, 29, 34-6.	1.0	9
229	Translating research findings into practice: example of treatment services for adolescents in managed care. Alcohol Research, 2006, 29, 11-8.	1.0	2
230	Use and misuse of alcohol among older women. Alcohol Research, 2002, 26, 308-15.	1.0	30
231	Research refines alcoholism treatment options. Alcohol Research, 2000, 24, 53-61.	1.0	0
232	Alcoholism treatment in the United States. An overview. Alcohol Research, 1999, 23, 69-77.	1.0	17
233	Brief intervention in primary care settings. A primary treatment method for at-risk, problem, and dependent drinkers. Alcohol Research, 1999, 23, 128-37.	1.0	32
234	Motivation for change and alcoholism treatment. Alcohol Research, 1999, 23, 86-92.	1.0	43
235	Strategies to increase alcohol screening in health care settings. Alcohol Health and Research World, 1997, 21, 340-7.	0.2	26
236	Integrating medical care and addiction treatment. Journal of General Internal Medicine, 2003, 18, 68-9.	2.6	4