

CITATION REPORT

List of articles citing

EORTC classification for primary cutaneous lymphomas: a proposal from the Cutaneous Lymphoma Study Group of the European Organization for Research and Treatment of Cancer

DOI: PM/9207472
Blood, 1997, 90, 354-71.

Source: <https://exaly.com/paper-pdf/130211053/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|----|-----------|
| 845 | Cutaneous and subcutaneous lymphomas in children. 540-561 | | |
| 844 | Erythrodermic mycosis fungoides with hypereosinophilic syndrome: a rare presentation. 2013 , 7, 337 | | 1 |
| 843 | Cutaneous lymphomas. 1997 , 9, 137-204 | | 59 |
| 842 | Primary cutaneous B-cell lymphoma: a clinically homogeneous entity?. 1997 , 37, 1012-6 | | 50 |
| 841 | Subcutaneous panniculitis-like T-cell lymphoma: further evidence for a distinct neoplasm originating from large granular lymphocytes of T/NK phenotype. 1998 , 25, 394-400 | | 32 |
| 840 | Comparative analysis of histological and immunohistological features in mycosis fungoides and S ary syndrome. 1998 , 25, 407-12 | | 55 |
| 839 | Detection of clonal T cells in cutaneous T cell lymphoma by polymerase chain reaction: comparison of mutation detection enhancement-polyacrylamide gel electrophoresis, temperature gradient gel electrophoresis and fragment analysis of sequencing gels. 1998 , 19, 653-8 | | 34 |
| 838 | Epidermal interferon-gamma inducible protein-10 (IP-10) and monokine induced by gamma-interferon (Mig) but not IL-8 mRNA expression is associated with epidermotropism in cutaneous T cell lymphomas. 1998 , 111, 222-6 | | 52 |
| 837 | Predominant expression of CD44 splice variant v10 in malignant and reactive human skin lymphocytes. 1998 , 111, 464-71 | | 18 |
| 836 | Peripheral nervous system involvement in a patient with large T-cell lymphoma arising from a pre-existing mycosis fungoides. 1998 , 139, 299-301 | | 16 |
| 835 | Evaluation and management of the "new" lymphoma entities: mantle cell lymphoma, lymphoma of mucosa-associated lymphoid tissue, anaplastic large-cell lymphoma, and primary mediastinal B-cell lymphoma. 1998 , 22, 283-368 | | 7 |
| 834 | Cutaneous malignant lymphomas. 1998 , 19, 100-103 | | 9 |
| 833 | Antitumor activity of DAB389IL-2 fusion toxin in mycosis fungoides. 1998 , 39, 63-73 | | 116 |
| 832 | Letter to the editor Current Diagnostic Pathology - Volume 5, Issue 2. 1998 , 5, 106-107 | | |
| 831 | Classification of cutaneous lymphomas: crosstalk between pathologist and clinician. 1998 , 5, 23-33 | | 16 |
| 830 | Cutaneous CD30+ lymphoproliferative disorders: expression of bcl-2 and proteins of the tumor necrosis factor receptor superfamily. 1998 , 29, 1223-30 | | 29 |
| 829 | Subcutaneous tissue involvement of CD30-positive large cell lymphoma. 1998 , 25, 553-5 | | 5 |

| | | | |
|-----|---|-----|-----|
| 828 | From the R.E.A.L. Classification to the upcoming WHO scheme: a step toward universal categorization of lymphoma entities?. 1998 , 9, 607-12 | | 47 |
| 827 | Peripheral T-cell lymphoma: a developing concept. 1998 , 9, 797-801 | | 6 |
| 826 | Report of the European Task Force on Lymphomas: workshop on peripheral T-cell lymphomas. 1998 , 9, 835-43 | | 33 |
| 825 | Characterization of t(2;5) Reciprocal Transcripts and Genomic Breakpoints in CD30+ Cutaneous Lymphoproliferations. <i>Blood</i> , 1998 , 91, 4668-4676 | 2.2 | 62 |
| 824 | Isolation of Tumor-Specific Cytotoxic CD4+ and CD4+CD8dim+ T-Cell Clones Infiltrating a Cutaneous T-Cell Lymphoma. <i>Blood</i> , 1998 , 91, 4331-4341 | 2.2 | 114 |
| 823 | VH Gene Analysis of Primary Cutaneous B-Cell Lymphomas: Evidence for Ongoing Somatic Hypermutation and Isotype Switching. <i>Blood</i> , 1998 , 92, 3857-3864 | 2.2 | 64 |
| 822 | Transformation of Mycosis Fungoides/Szary Syndrome: Clinical Characteristics and Prognosis. <i>Blood</i> , 1998 , 92, 1150-1159 | 2.2 | 243 |
| 821 | Szary syndrome revealed by routine blood examination. 1999 , 141, 768-9 | | 1 |
| 820 | Adverse Effects of Activated Cytotoxic T Lymphocytes on the Clinical Outcome of Nodal Anaplastic Large Cell Lymphoma. <i>Blood</i> , 1999 , 93, 2688-2696 | 2.2 | 43 |
| 819 | CD30-CD30 Ligand Interaction in Primary Cutaneous CD30+T-Cell Lymphomas: A Clue to the Pathophysiology of Clinical Regression. <i>Blood</i> , 1999 , 94, 3077-3083 | 2.2 | 72 |
| 818 | Primary cutaneous B-cell lymphoma: how useful is the new European Organisation for Research and Treatment of Cancer Classification?. 1999 , 141, 352-3; author reply 354 | | 13 |
| 817 | Pseudoepitheliomatous hyperplasia in cutaneous T-cell lymphoma. A clinical, histopathological and immunohistochemical study with particular interest in epithelial growth factor expression. The French Study Group on Cutaneous Lymphoma. 1999 , 140, 421-6 | | 46 |
| 816 | Szary syndrome in a young man with severe atopic dermatitis. 1999 , 140, 704-7 | | 16 |
| 815 | Follicular cutaneous T-cell lymphoma: a clinicopathological study of nine cases. 1999 , 141, 315-22 | | 51 |
| 814 | Meningeal involvement by a transformed mycosis fungoides following Hodgkin's disease. 1999 , 141, 909-13 | | 8 |
| 813 | Increased serum neopterin levels in mycosis fungoides and Szary syndrome. 1999 , 141, 1136-7 | | 30 |
| 812 | Chronic hepatitis c virus infection and primary cutaneous B-cell lymphoma. 1999 , 105, 841 | | 13 |
| 811 | Specific skin lesions occurring in a patient with Hodgkin's lymphoma. 1999 , 40, 41-3 | | 21 |

| | | |
|-----|--|---------|
| 810 | Spectrum of p53 gene mutations suggests a possible role for ultraviolet radiation in the pathogenesis of advanced cutaneous lymphomas. 1999 , 112, 317-21 | 62 |
| 809 | Primary cutaneous B-cell lymphoma: treatment with low dose intralesional recombinant interferon-alpha 2A. 1999 , 12, 70-1 | 16 |
| 808 | Follicular mycosis fungoides: presentation of a case and review of the literature. 1999 , 13, 131-136 | 15 |
| 807 | Mainly unmutated V(H) genes rearranged in B cells forming germinal centers in a cutaneous pleomorphic T-cell lymphoma. 1999 , 26, 6-12 | 5 |
| 806 | Secondary lymph node involvement from primary cutaneous large B-cell lymphoma of the leg. 1999 , 85, 199-207 | 26 |
| 805 | Increased risk of lymphoid and nonlymphoid malignancies in patients with lymphomatoid papulosis. 1999 , 86, 1240-1245 | 84 |
| 804 | Expression of Fas and Fas ligand in cutaneous B-cell lymphomas. 1999 , 189, 533-8 | 10 |
| 803 | Cutaneous lymphoma. Understanding the new classification schemes. 1999 , 17, 569-92 | 15 |
| 802 | Diagnostic immunohistology: cutaneous lymphomas and pseudolymphomas. 1999 , 18, 64-70 | 41 |
| 801 | Ophthalmic abnormalities in patients with cutaneous T-cell lymphoma. 1999 , 106, 1339-44 | 39 |
| 800 | T-cell and T/natural killer-cell lymphomas involving ocular and ocular adnexal tissues: a clinicopathologic, immunohistochemical, and molecular study of seven cases. 1999 , 106, 2109-20 | 187 |
| 799 | Primary cutaneous marginal zone B-cell lymphoma: a report of 9 cases. 1999 , 41, 181-8 | 37 |
| 798 | Epidermotropic cutaneous B-cell lymphoma mimicking mycosis fungoides. 1999 , 41, 271-4 | 16 |
| 797 | Primary cutaneous B-cell lymphoma with a dermatomal distribution. 1999 , 41, 884-6 | 14 |
| 796 | Ultraviolet A1 (340-400 nm) phototherapy for cutaneous T-cell lymphoma. 1999 , 41, 47-50 | 83 |
| 795 | Morphologic spectrum of cutaneous B-cell lymphomas. 1999 , 17, 593-9, ix | 21 |
| 794 | Primary cutaneous CD8-positive epidermotropic cytotoxic T cell lymphomas. A distinct clinicopathological entity with an aggressive clinical behavior. <i>American Journal of Pathology</i> , 1999 , 155, 483-92 | 5.8 399 |
| 793 | Expression of cytotoxic proteins by neoplastic T cells in mycosis fungoides increases with progression from plaque stage to tumor stage disease. <i>American Journal of Pathology</i> , 1999 , 154, 1203-10 ⁵⁸ | 62 |

| | | |
|-----|---|-----|
| 792 | Primary cutaneous B-cell lymphoma and <i>Borrelia burgdorferi</i> infection in patients from the Highlands of Scotland. 2000 , 24, 1279-85 | 200 |
| 791 | Clinicopathologic reassessment of primary cutaneous B-cell lymphomas with immunophenotypic and molecular genetic characterization. 2000 , 24, 694-702 | 101 |
| 790 | Efficacy of histologic criteria for diagnosing early mycosis fungoides: an EORTC cutaneous lymphoma study group investigation. European Organization for Research and Treatment of Cancer. 2000 , 24, 40-50 | 110 |
| 789 | Epstein-Barr virus is present in neoplastic cytotoxic T cells in extranodal, and predominantly in B cells in nodal T non-Hodgkin lymphomas. 2000 , 191, 400-6 | 23 |
| 788 | Frequency of central nervous system involvement in primary cutaneous B-cell lymphoma. 2000 , 89, 913-9 | 32 |
| 787 | Reduction of tumor burden and stabilization of disease by systemic therapy with anti-CD20 antibody (rituximab) in patients with primary cutaneous B-cell lymphoma. 2000 , 89, 1835-1844 | 98 |
| 786 | Increased risk of secondary cancers in patients with primary cutaneous T cell lymphoma. 2000 , 115, 62-5 | 45 |
| 785 | Peripheral blood T cell clonality in mycosis fungoides -an independent prognostic marker?. 2000 , 115, 504-5 | 13 |
| 784 | Distinct effects of CD30 and Fas signaling in cutaneous anaplastic lymphomas: a possible mechanism for disease progression. 2000 , 115, 1034-40 | 34 |
| 783 | CD4 + /CD7- T cell frequency and polymerase chain reaction-based clonality assay correlate with stage in cutaneous T cell lymphomas. 2000 , 114, 107-11 | 30 |
| 782 | Microanatomical compartments of clonal and reactive T cells in mycosis fungoides: molecular demonstration by single cell polymerase chain reaction of T cell receptor gene rearrangements. 2000 , 115, 620-4 | 28 |
| 781 | Monoclonality of intraepidermal T lymphocytes in early mycosis fungoides detected by molecular analysis after laser-beam-based microdissection. 2000 , 114, 1154-7 | 27 |
| 780 | Cutaneous T cell lymphoma reactive CD4+ cytotoxic T lymphocyte clones display a Th1 cytokine profile and use a fas-independent pathway for specific tumor cell lysis. 2000 , 115, 74-80 | 67 |
| 779 | Primary cutaneous CD30-positive large cell lymphoma. 2000 , 14, 51-3 | 1 |
| 778 | Granulomatous mycosis fungoides. Report of two cases and review of the literature. 2000 , 14, 196-202 | 46 |
| 777 | Granulomatous slack skin: successful treatment with recombinant interferon-gamma. 2000 , 142, 353-7 | 14 |
| 776 | Primary cutaneous B-cell lymphoma: a clinical, histological, phenotypic and genotypic study of 21 cases. 2000 , 142, 913-23 | 68 |
| 775 | Multiple cutaneous immunocytoma with secondary anetoderma: a report of two cases. 2000 , 143, 165-70 | 29 |

| | | | |
|-----|---|-----|-----|
| 774 | Expression of Fas and Fas-ligand in primary cutaneous T-cell lymphoma (CTCL): association between lack of Fas expression and aggressive types of CTCL. 2000 , 143, 313-9 | | 92 |
| 773 | Detection of Epstein-Barr virus and human herpesvirus 7 and 8 genomes in primary cutaneous T- and B-cell lymphomas. 2000 , 143, 320-3 | | 52 |
| 772 | The current status of lymphoma classification. 2000 , 109, 258-66 | | 19 |
| 771 | Collagenase digestion and mechanical disaggregation as a method to extract and immunophenotype tumour lymphocytes in cutaneous T-cell lymphomas. 2000 , 25, 423-31 | | 32 |
| 770 | Primary CD30-positive cutaneous T-cell lymphomas and lymphomatoid papulosis frequently express cytotoxic proteins. 2000 , 36, 136-44 | | 62 |
| 769 | Effective high-dose chemotherapy combined with CD34+-selected autologous peripheral blood stem cell transplantation in a patient with cutaneous CD30-negative large T cell lymphoma. 2000 , 25, 1315-7 | | 6 |
| 768 | Extracorporeal photochemotherapy in long-term treatment of early stage cutaneous T-cell lymphoma. 2000 , 143, 894-6 | | 10 |
| 767 | Primary cutaneous B-cell lymphoma in Japanese patients. 2000 , 50, 960-6 | | 11 |
| 766 | Cutaneous T-cell lymphoma/leukemia. 2000 , 1, 43-50 | | 6 |
| 765 | Primary and secondary cutaneous CD30+lymphoproliferative disorders: a report from the Dutch Cutaneous Lymphoma Group on the long-term follow-up data of 219 patients and guidelines for diagnosis and treatment. <i>Blood</i> , 2000 , 95, 3653-3661 | 2.2 | 617 |
| 764 | Primary cutaneous follicle center cell lymphoma with follicular growth pattern. <i>Blood</i> , 2000 , 95, 3922-3928 | | 188 |
| 763 | Functional characterization of an IL-7 α -dependent CD4+CD8 α Th3-type malignant cell line derived from a patient with a cutaneous T-cell lymphoma. <i>Blood</i> , 2000 , 96, 1056-1063 | 2.2 | 26 |
| 762 | Diagnostic value of dominant T-cell clones in peripheral blood in 363 patients presenting consecutively with a clinical suspicion of cutaneous lymphoma. <i>Blood</i> , 2000 , 96, 2987-2992 | 2.2 | 105 |
| 761 | Hematopoietic and lymphoid tumors. 2000 , 304-388 | | |
| 760 | Photopheresis in Cutaneous T-Cell Lymphoma: Five-Year Experience. 2000 , 23, 55-62 | | 34 |
| 759 | Cutaneous lymphomas: A proposal for a unified approach to classification using the R.E.A.L./WHO Classification. 2000 , 11, S17-S21 | | 18 |
| 758 | Idiopathic eosinophilia. 2000 , 342, 659-60; author reply 660-1 | | 1 |
| 757 | Allelic deletion at 9p21-22 in primary cutaneous CD30(+) large cell lymphoma. 2000 , 115, 1104-7 | | 1 |

| | | |
|-----|---|-----|
| 756 | Immunoreactivity of B-cell markers (CD79a, L26) in rare cases of extranodal cytotoxic peripheral T-(NK/T-) cell lymphomas. 2000 , 13, 766-72 | 70 |
| 755 | Immunohistochemical analysis of CD30-positive lymphoproliferative disorders for expression of CD95 and CD95L. 2000 , 13, 446-51 | 9 |
| 754 | A non-healing leg ulcer associated with malignant lymphoma. 2000 , 9, 45-6 | 1 |
| 753 | Extranodal lymphomas. 2000 , 11 Suppl 3, 219-22 | 39 |
| 752 | ALK expression in extranodal anaplastic large cell lymphoma favours systemic disease with (primary) nodal involvement and a good prognosis and occurs before dissemination. 2000 , 53, 445-50 | 86 |
| 751 | EORTC Classification for primary cutaneous lymphomas: A comparison with the R.E.A.L. Classification and the proposed WHO Classification. 2000 , 11, S11-S15 | 17 |
| 750 | Clonal evolution in a primary cutaneous follicle center B cell lymphoma revealed by single cell analysis in sequential biopsies. 2000 , 201, 631-44 | 6 |
| 749 | Nonerythrodermic, leukemic variant of cutaneous T-cell lymphoma with indolent clinical course: Th2-type tumor cells lacking T-cell receptor/CD3 expression and coinfiltrating tumoricidal CD8 T cells. 2000 , 43, 946-54 | 12 |
| 748 | Primary cutaneous plasmacytoma: Report of a case with review of the literature. 2000 , 43, 962-965 | 39 |
| 747 | Mycosis fungoides d'emble? CD30-negative cutaneous large T-cell lymphoma. 2000 , 43, 861-3 | 17 |
| 746 | Relative frequency of various forms of primary cutaneous lymphomas. 2000 , 43, 793-6 | 57 |
| 745 | Cutaneous lymphoid hyperplasias. 2000 , 19, 133-41 | 73 |
| 744 | Treatment of cutaneous T-cell lymphomas. 2000 , 19, 142-8 | 6 |
| 743 | Eradication of <i>Borrelia burgdorferi</i> infection in primary marginal zone B-cell lymphoma of the skin. 2000 , 31, 263-8 | 183 |
| 742 | [Advantages and deficiencies of the current classification of lymphomas]. 2000 , 200, 239-41 | |
| 741 | Sentinel lymphadenectomy in gynecologic and solid malignancies other than melanoma and breast cancer. 2000 , 80, 1787-98 | 11 |
| 740 | Cutaneous T-cell lymphomas: prognosis and quality-of-life issues. 2000 , 1 Suppl 1, S21-5 | 12 |
| 739 | Commentary on "Cutaneous Manifestations of Lymphoma: A Clinical Guide Based on the WHO Classification" 2001 , 2, 101-102 | 6 |

| | | | |
|-----|---|-----|-----|
| 738 | Cutaneous manifestations of lymphoma: a clinical guide based on the WHO classification. World Health Organization. 2001 , 2, 86-100; discussion 101-2 | | 41 |
| 737 | Differential expression of cytotoxic molecules and killer cell inhibitory receptors in CD8+ and CD56+ cutaneous lymphomas. <i>American Journal of Pathology</i> , 2001 , 158, 1593-8 | 5.8 | 26 |
| 736 | Primary cutaneous B-cell lymphoma. 2001 , 7, 33-44 | | 8 |
| 735 | The diagnosis, evaluation, and treatment of cutaneous T-cell lymphoma. 2001 , 13, 301-340 | | 3 |
| 734 | Mucosal involvement in a patient with lymphomatoid papulosis. 2001 , 44, 339-41 | | 23 |
| 733 | Cutaneous immunocytoma presenting with multiple infiltrated macules and papules. 2001 , 44, 324-9 | | 6 |
| 732 | Pseudocarcinomatous change in lymphomatoid papulosis and primary cutaneous CD30+ lymphoma: a clinicopathologic and immunohistochemical study of 6 patients. 2001 , 44, 239-47 | | 47 |
| 731 | "High-dose" UVA1 therapy of widespread plaque-type, nodular, and erythrodermic mycosis fungoides. 2001 , 44, 629-33 | | 73 |
| 730 | CD2- CD4+ CD56+ hematodermic/hematolymphoid malignancy. 2001 , 44, 231-8 | | 29 |
| 729 | CD4(+)CD7(-) T cells compose the dominant T-cell clone in the peripheral blood of patients with Szary syndrome. 2001 , 44, 456-61 | | 57 |
| 728 | Regression of multifocal, skin-restricted, CD30-positive large T-cell lymphoma with interferon alfa and bexarotene therapy. 2001 , 45, 914-8 | | 27 |
| 727 | [Primary cutaneous large cell lymphoma B of the legs and rheumatoid polyarthriti]. 2001 , 22, 490-1 | | 1 |
| 726 | Linfomas cutáneos de células citotóxicas. 2001 , 16, 193-197 | | 2 |
| 725 | Transformación de la micosis fungoide/síndrome de Szary a linfoma de células grandes. 2001 , 92, 391-396 | | 4 |
| 724 | Papulosis linfomatoide en una niña de 23 meses. 2001 , 92, 349-353 | | 1 |
| 723 | ¿Qué debe saber el dermatólogo «práctico» de la evaluación y tratamiento de los linfomas cutáneos?. 2001 , 16, 149-155 | | |
| 722 | Micosis fungoide y síndrome de Szary. 2001 , 92, 193-206 | | 3 |
| 721 | Anaplastic large cell lymphoma: the shifting sands of diagnostic hematopathology. 2001 , 14, 219-28 | | 154 |

| | | | |
|-----|---|-----|-----|
| 720 | Histopathological aspects of cutaneous lymphoma. 2001 , 94, 337-40 | | 1 |
| 719 | Subcutaneous panniculitis-like T-cell lymphoma: an elusive case presenting as lipomembranous panniculitis and a review of 72 cases in the literature. 2001 , 23, 206-15 | | 104 |
| 718 | Primary cutaneous large B-cell lymphoma: the relation between morphology, clinical presentation, immunohistochemical markers, and survival. 2001 , 25, 307-15 | | 33 |
| 717 | Cutaneous follicle center cell lymphoma, follicular type. 2001 , 23, 370-3 | | 15 |
| 716 | Primary cutaneous large B-cell lymphoma of the legs: a distinct clinical pathologic entity treated with CD20 monoclonal antibody (rituximab). 2001 , 24, 237-40 | | 32 |
| 715 | CD4(+) cutaneous T-cell lymphoma cells express the p140-killer cell immunoglobulin-like receptor. <i>Blood</i> , 2001 , 97, 1388-91 | 2.2 | 97 |
| 714 | Inhibitor of histone deacetylation, depsipeptide (FR901228), in the treatment of peripheral and cutaneous T-cell lymphoma: a case report. <i>Blood</i> , 2001 , 98, 2865-8 | 2.2 | 418 |
| 713 | Prognostic significance of tumor burden in the blood of patients with erythrodermic primary cutaneous T-cell lymphoma. <i>Blood</i> , 2001 , 97, 624-30 | 2.2 | 117 |
| 712 | The application of a pCR technique for the detection of immunoglobulin heavy chain gene rearrangements in fresh or paraffin-embedded skin tissue. 2001 , 33, 222-225 | | 19 |
| 711 | Chapter 15 Topical sensitization—oncologic indications—others (lymphoma). 2001 , 2, 249-257 | | |
| 710 | Cutaneous b-cell lymphomas of follicular and marginal zone types: use of Bcl-6, CD10, Bcl-2, and CD21 in differential diagnosis and classification. 2001 , 25, 732-41 | | 124 |
| 709 | Cutaneous follicular B-cell lymphoma: description of a series of 18 cases. 2001 , 25, 875-83 | | 67 |
| 708 | Tumor biology in cutaneous malignant lymphomas. 2001 , 28, 606-9 | | |
| 707 | The relevance of the CD4+ CD26- subset in the identification of circulating S ζ ary cells. 2001 , 144, 125-35 | | 155 |
| 706 | Lymphomatoid papulosis in children: a study of 10 children registered by the Dutch Cutaneous Lymphoma Working Group. 2001 , 144, 351-4 | | 44 |
| 705 | Immunophenotyping of S ζ ary cells. 2001 , 144, 2-3 | | 3 |
| 704 | Absence of the t(14;18) chromosomal translocation in primary cutaneous B-cell lymphoma. 2001 , 144, 735-44 | | 106 |
| 703 | Immunoglobulin heavy chain variable region family expression in primary cutaneous follicle centre cell lymphomas. 2001 , 144, 862-5 | | 8 |

| | | |
|-----|---|-----|
| 702 | Differential expression of Fas in tumour-stage mycosis fungoides (MF) and MF-like cutaneous T-cell pseudolymphoma. 2001 , 144, 903 | 2 |
| 701 | Primary cutaneous pleomorphic small/medium-sized T-cell lymphoma in a young man. 2001 , 144, 903-5 | 16 |
| 700 | Erythrodermic cutaneous T-cell lymphoma with disseminated pustulosis. Production of high levels of interleukin-8 by tumour cells. 2001 , 144, 1073-9 | 16 |
| 699 | Intralesional rituximab for cutaneous B-cell lymphoma. 2001 , 144, 1239-43 | 61 |
| 698 | Immunoglobulin heavy chain variable region family expression in primary cutaneous B-cell lymphomas. 2001 , 145, 680 | 1 |
| 697 | Proapoptotic and antiapoptotic markers in cutaneous T-cell lymphoma skin infiltrates and lymphomatoid papulosis. 2001 , 145, 928-37 | 31 |
| 696 | Alk+ CD30+ lymphomas: a distinct molecular genetic subtype of non-Hodgkin's lymphoma. 2001 , 113, 275-95 | 83 |
| 695 | Anaplastic large cell lymphoma: pathological, molecular and clinical features. 2001 , 114, 741-60 | 106 |
| 694 | T-cell depletion and autologous stem cell transplantation in the management of tumour stage mycosis fungoides with peripheral blood involvement. 2001 , 114, 624-31 | 57 |
| 693 | A 62-year-old man presenting with widespread nodulo-ulcerative cutaneous lesions. 2001 , 26, 115-9 | |
| 692 | Systemic B-cell lymphoma presenting as an isolated lesion on the ear. 2001 , 26, 166-9 | 7 |
| 691 | Gene expression profile in a case of primary cutaneous CD30-negative large T-cell lymphoma with a blastic phenotype. 2001 , 26, 201-4 | 4 |
| 690 | Szary syndrome with a complex, frameshift p53 gene mutation in a Chernobyl survivor. 2001 , 26, 683-5 | 5 |
| 689 | Variable CD7 expression on T cells in the leukemic phase of cutaneous T cell lymphoma (Szary syndrome). 2001 , 117, 654-62 | 36 |
| 688 | Disseminated pagetoid reticulosis: plaques and tumoral lesions occurring simultaneously in the same patient. 2001 , 15, 59-61 | |
| 687 | Primary cutaneous CD30+ T-cell lymphomas: hypothesis for a highly distinctive clinicobiological behaviour. 2001 , 15, 108-9 | 5 |
| 686 | Bexarotene capsules and gel for previously treated patients with cutaneous T-cell lymphoma: results of the Australian patients treated on phase II trials. 2001 , 42, 91-7 | 25 |
| 685 | Peripheral T/NK-cell lymphoma: a report of the IXth Workshop of the European Association for Haematopathology. 2001 , 38, 250-70 | 69 |

| | | |
|-----|---|-----|
| 684 | Cutaneous lymphocyte-associated antigen (CLA) expression in a lymphoblastoid mantle cell lymphoma presenting with skin lesions. Comparison with other clinicopathologic presentations of mantle cell lymphoma. 2001 , 28, 256-64 | 26 |
| 683 | Expression of cutaneous lymphocyte-associated antigen and TIA-1 by lymphocytes in pityriasis lichenoides et varioliformis acuta and lymphomatoid papulosis: immunohistochemical study. 2001 , 28, 453-9 | 18 |
| 682 | Lymphomatoid papulosis and human herpesviruses--A PCR-based evaluation for the presence of human herpesvirus 6, 7 and 8 related herpesviruses. 2001 , 28, 29-33 | 26 |
| 681 | CD45RA+ immunophenotype in mycosis fungoides: clinical, histological and immunophenotypical features in 22 patients. 2001 , 28, 356-62 | 30 |
| 680 | Follicular mycosis fungoides. A histopathologic analysis of nine cases. 2001 , 28, 525-30 | 66 |
| 679 | Shortened telomere length is demonstrated in T-cell subsets together with a pronounced increased telomerase activity in CD4 positive T cells from blood of patients with mycosis fungoides and parapsoriasis. 2001 , 10, 329-36 | 15 |
| 678 | Functional characterization of neurotensin receptors in human cutaneous T cell lymphoma malignant lymphocytes. 2001 , 117, 687-93 | 17 |
| 677 | Allelotyping in mycosis fungoides and S ary syndrome: common regions of allelic loss identified on 9p, 10q, and 17p. 2001 , 117, 663-70 | 42 |
| 676 | Evidence that an identical T cell clone in skin and peripheral blood lymphocytes is an independent prognostic factor in primary cutaneous T cell lymphomas. 2001 , 117, 920-6 | 53 |
| 675 | Primary cutaneous follicle center cell lymphomas and large B cell lymphomas of the leg descend from germinal center cells. A single cell polymerase chain reaction analysis. 2001 , 117, 1512-20 | 40 |
| 674 | Diagnostic and prognostic importance of T-cell receptor gene analysis in patients with S ary syndrome. 2001 , 92, 1745-52 | 19 |
| 673 | An approach to the sensitivity of temperature-gradient gel electrophoresis in the detection of clonally expanded T-cells in cutaneous T-cell lymphoma. 2001 , 22, 33-8 | 6 |
| 672 | T cells engrafted with a recombinant anti-CD30 receptor target autologous CD30(+) cutaneous lymphoma cells. 2001 , 8, 891-5 | 41 |
| 671 | Identification of sample-specific sequences in mammalian cDNA and genomic DNA by the novel ligation-mediated subtraction (Limes). 2001 , 29, E20 | 3 |
| 670 | Expression of killer cell inhibitory receptors is restricted to true NK cell lymphomas and a subset of intestinal enteropathy-type T cell lymphomas with a cytotoxic phenotype. 2001 , 54, 224-8 | 33 |
| 669 | Cutaneous presentation of follicular lymphomas. 2001 , 14, 913-9 | 23 |
| 668 | Serological detection of cutaneous T-cell lymphoma-associated antigens. 2001 , 98, 629-634 | 119 |
| 667 | Angiotropic lymphoma: an immunophenotypically and clinically heterogeneous lymphoma. 2001 , 14, 1147-56 | 92 |

| | | | | |
|-----|--|-----|--|-----|
| 666 | Oral bexarotene in the treatment of cutaneous T-cell lymphoma. 2001 , 35, 1056-65 | | | 17 |
| 665 | Cutaneous follicle center lymphoma: a clinicopathologic study of 19 cases. 2001 , 14, 828-35 | | | 51 |
| 664 | Primary cutaneous follicle center cell lymphoma. 2001 , 42, 891-900 | | | 19 |
| 663 | Primary cutaneous follicle center cell lymphoma and limited stage follicular non-Hodgkin's lymphoma: a comparison of clinical and biological features. 2002 , 43, 2109-15 | | | 3 |
| 662 | Primary cutaneous non-Hodgkin's lymphoma with aggressive histology: inferior outcome is associated with peripheral T-cell type and elevated lactate dehydrogenase, but not extent of cutaneous involvement. 2002 , 13, 1290-9 | | | 4 |
| 661 | Primary cutaneous diffuse large B-cell lymphoma: a clinicopathologic study of 15 cases. 2002 , 117, 574-80 | | | 39 |
| 660 | CD4+CD7- leukemic T cells from patients with Szary syndrome are protected from galectin-1-triggered T cell death. 2002 , 16, 840-5 | | | 97 |
| 659 | Identification of cell surface molecules characterizing human cutaneous T-cell lymphomas. 2002 , 43, 741-6 | | | 10 |
| 658 | Cutaneous presentation of orbital follicular lymphoma: clinical differential diagnosis with lymphocytoma cutis. 2002 , 86, 596-7 | | | |
| 657 | . 2002 , 10, 7-14 | | | 42 |
| 656 | Lymphomatoid papulosis associated with Sjögren's syndrome. 2002 , 29, 174-7 | | | 6 |
| 655 | Verruca vulgaris with CD30-positive lymphoid infiltrate: a case report. 2002 , 24, 260-3 | | | 13 |
| 654 | Hydroa-like cutaneous T-cell lymphoma: a clinicopathologic and molecular genetic study of 16 pediatric cases from Peru. 2002 , 10, 7-14 | | | 83 |
| 653 | Mantle cell lymphoma involving skin: cutaneous lesions may be the first manifestation of disease and tumors often have blastoid cytologic features. 2002 , 26, 1312-8 | | | 66 |
| 652 | Primary cutaneous lymphomas: applicability of current classification schemes (European Organization for Research and Treatment of Cancer, World Health Organization) based on clinicopathologic features observed in a large group of patients. <i>Blood</i> , 2002 , 99, 800-5 | 2.2 | | 205 |
| 651 | HLA-G protein up-regulation in primary cutaneous lymphomas is associated with interleukin-10 expression in large cell T-cell lymphomas and indolent B-cell lymphomas. <i>Blood</i> , 2002 , 99, 609-17 | 2.2 | | 137 |
| 650 | Single-cell analysis of CD30+ cells in lymphomatoid papulosis demonstrates a common clonal T-cell origin. <i>Blood</i> , 2002 , 100, 578-84 | 2.2 | | 65 |
| 649 | Engagement of ILT2/CD85j in Szary syndrome cells inhibits their CD3/TCR signaling. <i>Blood</i> , 2002 , 100, 1019-25 | 2.2 | | 23 |

| | | |
|-----|--|-----|
| 648 | Cutaneous lymphomas: which pathological classification?. 2002 , 34, 36-45 | 9 |
| 647 | Treatment of extranodal lymphomas. 2002 , 15, 533-47 | 31 |
| 646 | Immunomodulators in the treatment of cutaneous lymphomas. 2002 , 2, 279-86 | 6 |
| 645 | Primary cutaneous large B-cell lymphoma of the leg: histogenetic analysis of a controversial clinicopathologic entity. 2002 , 33, 937-43 | 46 |
| 644 | Ki-1 (CD30) positive anaplastic large cell lymphoma: primary nodal disease relapsing as erythroderma. 2002 , 47, S201-4 | 5 |
| 643 | Update on erythrodermic cutaneous T-cell lymphoma: report of the International Society for Cutaneous Lymphomas. 2002 , 46, 95-106 | 374 |
| 642 | Localized cutaneous small to medium-sized pleomorphic T-cell lymphoma: a report of 3 cases stable for years. 2002 , 46, 531-5 | 40 |
| 641 | <i>Borrelia burgdorferi</i> -associated lymphocytoma cutis simulating a primary cutaneous large B-cell lymphoma. 2002 , 47, 530-4 | 61 |
| 640 | Practical evaluation and management of cutaneous lymphoma. 2002 , 46, 325-57; quiz, 358-60 | 71 |
| 639 | Total skin electron radiation in the management of mycosis fungoides: Consensus of the European Organization for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Project Group. 2002 , 47, 364-70 | 147 |
| 638 | Assessment of tumor burden and treatment response by 18F-fluorodeoxyglucose injection and positron emission tomography in patients with cutaneous T- and B-cell lymphomas. 2002 , 47, 623-8 | 36 |
| 637 | The role of the EORTC pathologist in clinical trials: achievements and perspectives. European Organisation for Research and Treatment of Cancer. 2002 , 38 Suppl 4, S120-4 | 5 |
| 636 | EORTC cutaneous lymphoma task force. European Organisation for Research and Treatment of Cancer. 2002 , 38 Suppl 4, S60-4 | 107 |
| 635 | Expression of cancer/testis antigens in cutaneous T cell lymphomas. 2002 , 97, 668-70 | 23 |
| 634 | Comparative genomic hybridization analysis of primary cutaneous B-cell lymphomas: identification of common genomic alterations in disease pathogenesis. 2002 , 35, 144-55 | 84 |
| 633 | Primary cutaneous plasmacytoma: a clinicopathological study of two cases with a long-term follow-up and review of the literature. 2002 , 29, 244-8 | 32 |
| 632 | Fascin expression in CD30-positive cutaneous lymphoproliferative disorders. 2002 , 29, 295-300 | 47 |
| 631 | Expression of CD44 and CD44v6 in primary cutaneous CD30 positive T-cell lymphoproliferative disorders. 2002 , 29, 459-64 | 8 |

| | | |
|-----|--|-----|
| 630 | Cutaneous large B-cell lymphoma of the leg masquerading as a chronic venous ulcer. 2002 , 146, 144-7 | 28 |
| 629 | Frequent abnormalities of the p15 and p16 genes in mycosis fungoides and sezary syndrome. 2002 , 118, 493-9 | 91 |
| 628 | Primary subcutaneous follicular centre cell lymphoma with involvement of the galea: a case report and short review of the literature. 2002 , 146, 663-6 | 9 |
| 627 | Primary cutaneous marginal zone B-cell lymphoma: a clinical, histopathological, immunophenotypic and molecular genetic study of 22 cases. 2002 , 147, 1147-58 | 105 |
| 626 | Dendritic cells and apoptosis in mycosis fungoides. 2002 , 147, 1171-9 | 42 |
| 625 | The new World Health Organization classification of haematopoietic and lymphoid tumours: a dermatopathological perspective. 2002 , 147, 633-9 | 21 |
| 624 | Absence of the t(14; 18) chromosomal translocation in primary cutaneous B-cell lymphoma: reply from authors. 2002 , 146, 1111-1111 | 4 |
| 623 | Absence of t(14,18) chromosomal translocation in primary cutaneous B-cell lymphoma. 2002 , 146, 1110-1; author reply 1111-2 | 7 |
| 622 | Coexistence of CD30-positive anaplastic large cell lymphoma and mycosis fungoides. 2002 , 27, 212-5 | 16 |
| 621 | Vaccination therapy for cutaneous T-cell lymphoma. 2002 , 27, 602-7 | 7 |
| 620 | Mycosis fungoides presenting with extensive pyoderma gangrenosum-like ulcers. 2002 , 16, 401-4 | 15 |
| 619 | Extranodal NK/T-cell lymphoma with extensive subcutaneous involvement, mimicking subcutaneous panniculitis-like T cell lymphoma. 2002 , 41, 919-21 | 5 |
| 618 | Clinicopathologic reassessment of non-mycosis fungoides primary cutaneous lymphomas during 17 years. 2002 , 41, 735-43 | 7 |
| 617 | Neurofibromatosis type 1 and mycosis fungoides. 2002 , 41, 236-8 | 5 |
| 616 | Vakzinationstherapie kutaner T-Zell-Lymphome. 2002 , 77, 679-684 | |
| 615 | SHP-1 expression in peripheral T cells from patients with Sezary syndrome and in the T cell line HUT-78: implications in JAK3-mediated signaling. 2002 , 16, 1470-7 | 19 |
| 614 | T-cell variant of classical Hodgkin's lymphoma with nodal and cutaneous manifestations demonstrated by single-cell polymerase chain reaction. 2002 , 82, 1103-9 | 35 |
| 613 | Hydroa vacciniforme-like primary cutaneous CD8-positive T-cell lymphoma. 2002 , 147, 587-91 | 60 |

| | | |
|-----|--|-----|
| 612 | Subcutaneous panniculitis-like T-cell lymphoma during pregnancy with successful autologous stem cell transplantation. 2003 , 82, 305-9 | 24 |
| 611 | Phenotypic analysis of peripheral T/NK cell lymphoma: study of 408 Japanese cases with special reference to their anatomical sites. 2003 , 53, 333-44 | 23 |
| 610 | Molecular cytogenetic characterization of Szary syndrome. 2003 , 36, 250-60 | 77 |
| 609 | Cytotoxic/natural killer cell cutaneous lymphomas. Report of EORTC Cutaneous Lymphoma Task Force Workshop. 2003 , 97, 610-27 | 200 |
| 608 | Multicenter study of pegylated liposomal doxorubicin in patients with cutaneous T-cell lymphoma. 2003 , 98, 993-1001 | 178 |
| 607 | Tumor-specific antigens in cutaneous T-cell lymphoma: expression and sero-reactivity. 2003 , 104, 482-7 | 32 |
| 606 | Primary cutaneous lymphomas: a review with current treatment options. 2003 , 17, 131-42 | 33 |
| 605 | Lymphome centrofolliculaire cutané primitif: à propos d'un cas. 2003 , 2003, 67-69 | |
| 604 | Long-term efficacy, curative potential, and prognostic factors of radiotherapy in primary cutaneous B-cell lymphoma. 2003 , 55, 899-906 | 43 |
| 603 | Sezary syndrome: cutaneous immunoperoxidase double-labeling technique demonstrates CD4/CD8 ratio non-specificity. 2003 , 30, 437-42 | 4 |
| 602 | Hepatitis C and G viruses in B-cell lymphomas of the skin. 2003 , 30, 369-72 | 22 |
| 601 | Automated kappa and lambda light chain mRNA expression for the assessment of B-cell clonality in cutaneous B-cell infiltrates: its utility and diagnostic application. 2003 , 30, 504-11 | 23 |
| 600 | Bexarotene--an alternative therapy for progressive cutaneous T-cell lymphoma? First experiences. 2003 , 1, 785-9 | 6 |
| 599 | Management of the primary cutaneous lymphomas. 2003 , 44, 227-40; quiz 241-2 | 19 |
| 598 | Clinical study of primary cutaneous B-cell lymphoma using both the European Organization for Research and Treatment of Cancer and World Health Organization classifications. 2003 , 44, 110-5 | 14 |
| 597 | T cell receptor-gamma gene analysis of CD30+ large atypical individual cells in CD30+ large primary cutaneous T cell lymphomas. 2003 , 120, 670-5 | 12 |
| 596 | Gene expression profiles of cutaneous B cell lymphoma. 2003 , 120, 865-70 | 56 |
| 595 | Exploring primary cutaneous B-cell lymphoma by microarray technology. 2003 , 120, vii-viii | 1 |

| | | |
|-----|--|-----|
| 594 | ctAGE: a cutaneous T cell lymphoma associated antigen family with tumor-specific splicing. 2003 , 121, 198-206 | 42 |
| 593 | Chemokine receptor expression on neoplastic and reactive T cells in the skin at different stages of mycosis fungoides. 2003 , 121, 1045-52 | 89 |
| 592 | Cytotoxic gamma/delta subcutaneous panniculitis-like T-cell lymphoma: report of a case with pulmonary involvement unresponsive to therapy. 2003 , 17, 219-22 | 25 |
| 591 | Specific immune therapy-related cutaneous B-cell pseudolymphoma with following dissemination. 2003 , 17, 208-12 | 14 |
| 590 | Isolation of a CD8alphaalpha+ CD4- tumour T-cell clone with cytotoxic activity from a CD4+ CD8- cutaneous T-cell lymphoma. 2003 , 148, 24-9 | 15 |
| 589 | Rare occurrence of CD30+ circulating cells in patients with cutaneous CD30+ anaplastic large cell lymphoma: a study of nine patients. 2003 , 148, 246-51 | 6 |
| 588 | Minimal residual disease in mycosis fungoides follow-up can be assessed by polymerase chain reaction. 2003 , 148, 265-71 | 17 |
| 587 | Chromosomal abnormalities in relation to clinical disease in patients with cutaneous T-cell lymphoma: a 5-year follow-up study. 2003 , 148, 55-64 | 46 |
| 586 | The relevance of peripheral blood T-helper 1 and 2 cytokine pattern in the evaluation of patients with mycosis fungoides and Szary syndrome. 2003 , 148, 709-18 | 62 |
| 585 | Subcutaneous panniculitis-like T-cell lymphoma: a clinicopathological, immunophenotypic and molecular analysis of six patients. 2003 , 148, 516-25 | 122 |
| 584 | Expression of T-cell activation marker CD134 (OX40) in lymphomatoid papulosis. 2003 , 148, 885-91 | 11 |
| 583 | Cutaneous lymphomas other than mycosis fungoides in Singapore: a clinicopathological analysis using recent classification systems. 2003 , 149, 542-53 | 28 |
| 582 | Recurrent primary CD30+ lymphoma of the penis. 2003 , 149, 903-5 | 13 |
| 581 | Primary cutaneous B-cell lymphomas. 2003 , 28, 8-12 | 14 |
| 580 | Granulomatous mycosis fungoides presenting as an acquired ichthyosis. 2003 , 28, 174-6 | 18 |
| 579 | Characteristics of cutaneous lymphomas in Korea. 2003 , 28, 639-46 | 28 |
| 578 | Killer cell immunoglobulin-like receptor expression delineates in situ Szary syndrome lymphocytes. 2003 , 199, 77-83 | 37 |
| 577 | ALK-negative systemic anaplastic large cell lymphoma: differential diagnostic and prognostic aspects--a review. 2003 , 200, 4-15 | 97 |

| | | |
|-----|---|-----|
| 576 | Infrequent somatic Fas mutations but no evidence of Bcl10 mutations or t(11;18) in primary cutaneous MALT-type lymphoma. 2003 , 201, 134-40 | 26 |
| 575 | Chromosomal imbalances: a hallmark of tumour relapse in primary cutaneous CD30+ T-cell lymphoma. 2003 , 201, 421-9 | 19 |
| 574 | Detection of circulating lymphoma cells in subcutaneous panniculitis-like T-cell lymphoma. 2003 , 149, 1081-2 | 5 |
| 573 | Bcl-2, Bcl-6 and CD10 expression in cutaneous B-cell lymphoma: further support for a follicle centre cell origin and differential diagnostic significance. 2003 , 149, 1183-91 | 128 |
| 572 | Prognostic factors in S \ddot{z} ary syndrome: a study of 28 patients. 2003 , 149, 1152-8 | 26 |
| 571 | Joint British Association of Dermatologists and U.K. Cutaneous Lymphoma Group guidelines for the management of primary cutaneous T-cell lymphomas. 2003 , 149, 1095-1107 | 190 |
| 570 | Complete remission of a radiochemotherapy-resistant cutaneous T-cell lymphoma with allogeneic non-myeloablative stem cell transplantation. 2003 , 32, 345-7 | 15 |
| 569 | Value of the CD8-CD3 ratio for the diagnosis of mycosis fungoides. 2003 , 16, 857-62 | 25 |
| 568 | Diagnosis, staging, and monitoring of cutaneous T-cell lymphoma. 2003 , 16, 269-75 | 18 |
| 567 | The S \ddot{z} ary syndrome: hematologic criteria. 2003 , 17, 1367-89, viii | 53 |
| 566 | Cutaneous T-cell lymphoma. 2003 , 78, 1054-5; author reply 1055 | |
| 565 | Primary cutaneous B-cell lymphomas: a practical approach. 2003 , 17, 1333-50 | 13 |
| 564 | Prognosis, clinical outcomes and quality of life issues in cutaneous T-cell lymphoma. 2003 , 17, 1485-507 | 28 |
| 563 | Histopathology and genetics of cutaneous T-cell lymphoma. 2003 , 17, 1277-311 | 42 |
| 562 | Immunopathogenesis of cutaneous T-cell lymphomas. 2003 , 17, 1313-7, vii | 3 |
| 561 | Primary cutaneous CD30-positive lymphoproliferative disorders. 2003 , 17, 1319-32, vii-viii | 27 |
| 560 | Classification systems for acute and chronic leukaemias. 2003 , 16, 561-82 | 29 |
| 559 | Systemic and primary cutaneous anaplastic large cell lymphomas. 2003 , 40, 244-56 | 70 |

| | | |
|-----|---|-----|
| 558 | BCA-1, A B-cell chemoattractant signal, is constantly expressed in cutaneous lymphoproliferative B-cell disorders. 2003 , 39, 1625-31 | 20 |
| 557 | Thymus and activation-regulated chemokine (TARC/CCL17) in mycosis fungoides: serum TARC levels reflect the disease activity of mycosis fungoides. 2003 , 48, 23-30 | 127 |
| 556 | Purely follicular mycosis fungoides without mucinosis: report of two cases with review of the literature. 2003 , 48, 448-52 | 23 |
| 555 | Cutaneous marginal zone B-cell lymphoma: a case accompanied by massive plasmacytoid cells. 2003 , 48, S82-5 | 11 |
| 554 | Folliculotropic mycosis fungoides with central nervous system involvement: demonstration of tumor clonality in intrafollicular T cells using laser capture microdissection. 2003 , 48, 238-43 | 13 |
| 553 | Narrowband UVB and psoralen-UVA in the treatment of early-stage mycosis fungoides: a retrospective study. 2003 , 48, 215-9 | 126 |
| 552 | Systemic therapy with cyclophosphamide and anti-CD20 antibody (rituximab) in relapsed primary cutaneous B-cell lymphoma: a report of 7 cases. 2003 , 49, 281-7 | 23 |
| 551 | Large B-cell lymphoma of the leg: clinical and pathologic characteristics in a North American series. 2003 , 49, 223-8 | 30 |
| 550 | Extracorporeal photochemoimmunotherapy in cutaneous T-cell lymphoma. 2003 , 28, 81-9 | 52 |
| 549 | Intravascular B-cell lymphoma: report of two cases with different clinical presentation but rapid central nervous system involvement. 2003 , 44, 1353-9 | 32 |
| 548 | Definition of TCR epitopes for CTL-mediated attack of cutaneous T cell lymphoma. 2003 , 171, 2714-24 | 19 |
| 547 | Cutaneous T-cell lymphoma with adrenal insufficiency. 2003 , 96, 503-4 | 0 |
| 546 | Cutaneous T-Cell Lymphoma. 2003 , 78, 1054-1055 | |
| 545 | CD30-positive atypical lymphoid cells in common non-neoplastic cutaneous infiltrates rich in neutrophils and eosinophils. 2003 , 27, 912-8 | 72 |
| 544 | Peripheral blood T-cell clonality in mycosis fungoides and nonlymphoma controls. 2003 , 12, 142-50 | 35 |
| 543 | Primary and secondary cutaneous diffuse large B-cell lymphomas: a multiparameter analysis of 25 cases including fluorescence in situ hybridization for t(14;18) translocation. 2003 , 27, 356-64 | 34 |
| 542 | Primary cutaneous diffuse large B-cell lymphoma: prognostic significance of clinicopathological subtypes. 2003 , 27, 1538-45 | 80 |
| 541 | Neutrophil-rich anaplastic large cell lymphoma presenting in the skin. 2003 , 25, 142-7 | 15 |

| | | | |
|-----|--|-----|-----|
| 540 | Borrelia-associated primary cutaneous MALT lymphoma in a nonendemic region. 2003 , 27, 702-3 | | 39 |
| 539 | Primary cutaneous follicle center cell lymphoma of the scalp successfully treated with anti CD20 monoclonal antibody and CHOP combination therapy with no subsequent permanent loss of hair. 2003 , 30, 683-8 | | 8 |
| 538 | Cutaneous lymphomas and association to sex hormones. 2003 , 2, 312-5 | | 6 |
| 537 | Relapsing ulcerative papules over bilateral hands and scrotum in an Asian man: an atypical manifestation of primary cutaneous CD30-positive lymphoma. 2003 , 30, 230-5 | | 1 |
| 536 | Functional expression of the eotaxin receptor CCR3 in CD30+ cutaneous T-cell lymphoma. <i>Blood</i> , 2003 , 101, 1487-93 | 2.2 | 76 |
| 535 | Gamma-delta T-cell phenotype is associated with significantly decreased survival in cutaneous T-cell lymphoma. <i>Blood</i> , 2003 , 101, 3407-12 | 2.2 | 232 |
| 534 | Amplification and overexpression of JUNB is associated with primary cutaneous T-cell lymphomas. <i>Blood</i> , 2003 , 101, 1513-9 | 2.2 | 159 |
| 533 | Lymphoid malignancies: immunophenotypic analysis. 2003 , 37, 293-353 | | 0 |
| 532 | Cutaneous T-Cell Lymphoma with Adrenal Insufficiency. 2003 , 96, 503-504 | | |
| 531 | Reassessment of diagnostic criteria in cutaneous lymphocytic infiltrates. 2004 , 122, 161-5 | | 9 |
| 530 | CD56+ hematological neoplasms presenting in the skin: a retrospective analysis of 23 new cases and 130 cases from the literature. 2004 , 15, 1097-108 | | 165 |
| 529 | Familial cutaneous mycosis fungoides: successful treatment with a combination of gemcitabine and alemtuzumab. 2004 , 208, 281-3 | | 7 |
| 528 | Serological immunomarkers in cutaneous T cell lymphoma. 2004 , 209, 296-300 | | 24 |
| 527 | CD26 expression on cutaneous infiltrates from patients with cutaneous T-cell lymphoma (CTCL) CD26 in cutaneous T-cell lymphoma patients. 2003 , 524, 223-34 | | 10 |
| 526 | Transition of Szary syndrome into mycosis fungoides after complete clinical and molecular remission under extracorporeal photophoresis. 2004 , 57, 1325-8 | | 8 |
| 525 | Treatment of primary cutaneous follicular centre lymphoma with rituximab: a report of two cases. 2004 , 45, 34-7 | | 12 |
| 524 | Follicular mycosis fungoides mimicking a cutaneous B-cell lymphoproliferative disorder. 2004 , 45, 188-91 | | 11 |
| 523 | SEREX identification of new tumour-associated antigens in cutaneous T-cell lymphoma. 2004 , 150, 252-8 | | 26 |

| | | |
|-----|--|-----|
| 522 | Treatment of advanced mycosis fungoides/Szary syndrome with fludarabine and potential adjunctive benefit to subsequent extracorporeal photochemotherapy. 2004 , 150, 327-36 | 44 |
| 521 | Polyclonal expansion of T cells with the TCR V beta type of the tumour cell in lesions of cutaneous T-cell lymphoma: evidence for possible superantigen involvement. 2004 , 150, 1013-7 | 33 |
| 520 | A case of primary cutaneous anaplastic large cell lymphoma with variant anaplastic lymphoma kinase translocation. 2004 , 150, 1202-7 | 32 |
| 519 | Bone marrow histopathology in peripheral T-cell lymphomas. 2004 , 127, 140-54 | 54 |
| 518 | Scalp tumour as a sign of systemic B-cell lymphoma. 2004 , 18, 196-8 | 8 |
| 517 | Clinicopathological spectrum of mycosis fungoides. 2004 , 18, 397-415 | 195 |
| 516 | C-KIT expression in primary cutaneous T-cell lymphomas. 2004 , 31, 577-82 | 16 |
| 515 | Three children with CD30 cutaneous anaplastic large cell lymphomas bearing the t(2;5)(p23;q35) translocation. 2004 , 21, 212-7 | 24 |
| 514 | The spectrum of cutaneous lymphomas in patients less than 20 years of age. 2004 , 21, 525-33 | 143 |
| 513 | Chromosomal aberration patterns differ in subtypes of primary cutaneous B cell lymphomas. 2004 , 122, 1495-502 | 46 |
| 512 | Genomic aberrations and survival in cutaneous T cell lymphomas. 2004 , 122, 579-86 | 56 |
| 511 | Cellular coincidence of clonal T cell receptor rearrangements and complex clonal chromosomal aberrations-a hallmark of malignancy in cutaneous T cell lymphoma. 2004 , 122, 574-8 | 13 |
| 510 | The cell infiltrate in lymphomatoid papulosis comprises a mixture of polyclonal large atypical cells (CD30-positive) and smaller monoclonal T cells (CD30-negative). 2004 , 122, 859-61 | 29 |
| 509 | GBP-5 splicing variants: New guanylate-binding proteins with tumor-associated expression and antigenicity. 2004 , 122, 1510-7 | 32 |
| 508 | Molecular cytogenetic analysis of chromosomal breakpoints in the IGH, MYC, BCL6, and MALT1 gene loci in primary cutaneous B-cell lymphomas. 2004 , 123, 213-9 | 87 |
| 507 | Graft-versus-lymphoma effect in refractory cutaneous T-cell lymphoma after reduced-intensity HLA-matched sibling allogeneic stem cell transplantation. 2004 , 34, 521-5 | 59 |
| 506 | IgV(H) and bcl6 somatic mutation analysis reveals the heterogeneity of cutaneous B-cell lymphoma, and indicates the presence of undisclosed local antigens. 2004 , 17, 623-30 | 8 |
| 505 | Increased angiogenesis in cutaneous T-cell lymphomas. 2004 , 10, 34-6 | 32 |

| | | | |
|-----|---|-----|----|
| 504 | [Large B-cell lymphoma of the lower leg]. 2004 , 55, 395-7 | | 1 |
| 503 | [Cutaneous lymphoma]. 2004 , 55, 1005-16; quiz 1017 | | 1 |
| 502 | Sezary syndrome cells unlike normal circulating T lymphocytes fail to migrate following engagement of NT1 receptor. 2004 , 122, 111-8 | | 12 |
| 501 | Syndrome de sżary. 2004 , 2004, 51-56 | | 2 |
| 500 | Cutaneous B-cell lymphoma: pathological spectrum and clinical outcome in 51 consecutive patients. 2004 , 75, 195-9 | | 24 |
| 499 | Phase II study of pentostatin in advanced T-cell lymphoid malignancies: update of an M.D. Anderson Cancer Center series. 2004 , 100, 342-9 | | 66 |
| 498 | [Frequency of associated malignancies in cutaneous lymphomas: a retrospective study of 86 cases]. 2004 , 131, 339-45 | | 1 |
| 497 | [NK phenotype and/or cytotoxic-cell cutaneous lymphomas]. 2004 , 131, 837-41 | | 1 |
| 496 | [Multiple cutaneous plasmocytoma treated with topical applications of miltefosine]. 2004 , 131, 204-5 | | 0 |
| 495 | Cutaneous T-cell lymphoma: a paradigm for biological therapies. 2004 , 45, 1755-65 | | 27 |
| 494 | Diagnostic principles and new developments in primary cutaneous B-cell lymphomas. 2004 , 34, 167-75 | | 20 |
| 493 | Pathology of primary cutaneous B-cell lymphomas: diagnosis and classification. 2004 , 5, 89-97 | | 9 |
| 492 | Diagnóstico y tratamiento de los linfomas cutáneos de células T primarios. 2004 , 95, 473-490 | | 12 |
| 491 | [Hematodermic CD4/CD56 neoplasm]. 2004 , 24, 241-55; quiz 227 | | 12 |
| 490 | Diagnóstico y tratamiento de los linfomas cutáneos primarios de células B. 2004 , 95, 537-547 | | 12 |
| 489 | Current management strategies for cutaneous T-cell lymphoma. 2004 , 22, 197-208 | | 36 |
| 488 | Site-specific expression of polycomb-group genes encoding the HPC-HPH/PRC1 complex in clinically defined primary nodal and cutaneous large B-cell lymphomas. <i>American Journal of Pathology</i> , 2004 , 164, 533-42 | 5.8 | 30 |
| 487 | Comparison of selective retinoic acid receptor- and retinoic X receptor-mediated efficacy, tolerance, and survival in cutaneous t-cell lymphoma. 2004 , 51, 25-32 | | 37 |

| | | |
|-----|---|-----|
| 486 | The role of interleukin 10 in the pathogenesis and potential treatment of skin diseases. 2004 , 50, 657-75; quiz 676-8 | 63 |
| 485 | Management of multifocal primary cutaneous CD30 anaplastic large cell lymphoma. 2004 , 51, 103-10 | 56 |
| 484 | Clonal identity between skin and synovial tissue in a case of mycosis fungoides with polyarthritis. 2004 , 51, 111-7 | 6 |
| 483 | Primary follicular mucinosis and association with mycosis fungoides and other cutaneous T-cell lymphomas. 2004 , 51, 146-7; author reply 147-8 | 14 |
| 482 | Inflammatory Dermatopathology. 2004 , 9, 60-65 | |
| 481 | Neoplastic cells do not carry bcl2-JH rearrangements detected in a subset of primary cutaneous follicle center B-cell lymphomas. 2004 , 28, 748-55 | 39 |
| 480 | Cutaneous involvement in Hodgkin's lymphoma: report of two cases. 2004 , 31, 330-4 | 8 |
| 479 | Follicular and Marginal Zone Lesions of the Lymph Node. 2004 , 9, 185-191 | |
| 478 | Differential diagnosis of cutaneous infiltrates of B lymphocytes with follicular growth pattern. 2004 , 26, 4-13 | 97 |
| 477 | Disseminated cutaneous B-cell lymphoma mimicking pseudolymphoma over a period of six years. 2004 , 26, 225-9 | 3 |
| 476 | Mycosis fungoides and the Szary syndrome. 2004 , 16, 421-8 | 32 |
| 475 | Advances in the diagnosis and classification of chronic lymphoproliferative disorders. 2004 , 121, 145-65 | 5 |
| 474 | Diagnostic pathology of lymphoproliferative disorders. 2005 , 37, 434-56 | 8 |
| 473 | Maligne Lymphome der Haut. 2005 , 1366-1386 | 0 |
| 472 | Follicular mycosis fungoides: variability of a rare entity. 2005 , 4, 12-7 | 5 |
| 471 | Histopathologic features of early (patch) lesions of mycosis fungoides: a morphologic study on 745 biopsy specimens from 427 patients. 2005 , 29, 550-60 | 138 |
| 470 | What's new in the management of cutaneous T-cell lymphoma?. 2005 , 17, 174-84 | 10 |
| 469 | Intravascular B-cell lymphoma diagnosed by skin biopsy. 2005 , 46, 261-5 | 13 |

| | | |
|-----|---|-----|
| 468 | Mycosis fungoides and Sezary syndrome: therapeutic approach and outcome in 113 patients. 2005 , 44, 559-65 | 18 |
| 467 | Mycosis fungoides--a retrospective study of 40 cases in Hong Kong. 2005 , 44, 215-20 | 10 |
| 466 | Diffuse large B-cell lymphoma on the back of a patient with AIDS: successful treatment by the CD20 monoclonal antibody rituximab. 2005 , 44, 976-8 | 1 |
| 465 | Primary cutaneous B-cell lymphoma associated with actinic prurigo. 2005 , 153, 186-9 | 7 |
| 464 | T-cell receptor gamma gene rearrangement by multiplex polymerase chain reaction/heteroduplex analysis in patients with cutaneous T-cell lymphoma (mycosis fungoides/Szary syndrome) and benign inflammatory disease: correlation with clinical, histological and immunophenotypical findings. 2005 , 153, 565-73 | 88 |
| 463 | Systemic eight-cycle anti-CD20 monoclonal antibody (rituximab) therapy in primary cutaneous B-cell lymphomas--an applicational observation. 2005 , 153, 167-73 | 54 |
| 462 | Prognostic factors and prediction of prognosis by the CTCL Severity Index in mycosis fungoides and Szary syndrome. 2005 , 153, 118-24 | 50 |
| 461 | Pegylated liposomal doxorubicin in stage IVB mycosis fungoides. 2005 , 153, 183-5 | 23 |
| 460 | Diagnosing erythrodermic cutaneous T-cell lymphoma. 2005 , 153, 1-5 | 29 |
| 459 | Circulating CD8+ lymphocytes, white blood cells, and survival in patients with mycosis fungoides. 2005 , 153, 324-30 | 31 |
| 458 | Richter syndrome first manifesting as cutaneous B-cell lymphoma clonally distinct from primary B-cell chronic lymphocytic leukaemia. 2005 , 153, 833-7 | 18 |
| 457 | Pathogenetic mechanisms of vitiligo in a patient with Szary syndrome. 2005 , 153, 1207-12 | 5 |
| 456 | The new World Health Organization-European Organization for Research and Treatment of Cancer classification for cutaneous lymphomas: a practical marriage of two giants. 2005 , 153, 874-80 | 120 |
| 455 | Treatment of radiation-relapsing primary cutaneous B-cell lymphoma with an anti-CD20 monoclonal antibody. 2005 , 30, 46-8 | 18 |
| 454 | Absence of CD26 expression on skin-homing CLA+ CD4+ T lymphocytes in peripheral blood is a highly sensitive marker for early diagnosis and therapeutic monitoring of patients with Szary syndrome. 2005 , 30, 702-6 | 48 |
| 453 | Comparative genomic hybridization analysis of cutaneous large B-cell lymphomas. 2005 , 14, 883-90 | 12 |
| 452 | Absence of SV40 and other polyomavirus (JCV, BKV) DNA in primary cutaneous B cell lymphomas. 2005 , 124, 278-9 | 12 |
| 451 | Expression of the bcl-6 and MUM1/IRF4 proteins correlate with overall and disease-specific survival in patients with primary cutaneous large B-cell lymphoma: a tissue microarray study. 2005 , 32, 227-34 | 40 |

| | | |
|-----|--|-----|
| 450 | WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. 2005 , 32, 647-74 | 271 |
| 449 | Apoptosis in CD30-positive lymphoproliferative disorders of the skin. 2005 , 14, 380-5 | 16 |
| 448 | Large cell transformation of mycosis fungoides: tetraploidization within skin tumor large cells. 2005 , 163, 1-6 | 20 |
| 447 | Aberrant DNA methylation in cutaneous malignancies. 2005 , 32, 479-87 | 59 |
| 446 | Autopsy case of CD4/CD8 cutaneous T-cell lymphoma presenting disseminated pagetoid reticulosis with aggressive granulomatous invasion to the lungs and pancreas. 2005 , 55, 32-9 | 11 |
| 445 | Fine mapping of chromosome 10q deletions in mycosis fungoides and sezary syndrome: identification of two discrete regions of deletion at 10q23.33-24.1 and 10q24.33-25.1. 2005 , 42, 184-92 | 27 |
| 444 | CCR10 is expressed in cutaneous T-cell lymphoma. 2005 , 115, 641-7 | 60 |
| 443 | Gemcitabine as frontline treatment for cutaneous T-cell lymphoma: phase II study of 32 patients. 2005 , 104, 2437-41 | 129 |
| 442 | Primary cutaneous CD30-positive anaplastic large cell lymphoma in childhood: report of 4 cases and review of the literature. 2005 , 8, 52-60 | 46 |
| 441 | FISH analysis of MALT lymphoma-specific translocations and aneuploidy in primary cutaneous marginal zone lymphoma. 2005 , 205, 302-10 | 51 |
| 440 | A case of peripheral T-cell lymphoma unspecified involving subcutaneous tissue. 2005 , 46, 785-8 | 4 |
| 439 | Solitary CD30+ anaplastic large cell lymphoma of the eyelid showing regression. 2005 , 89, 385 | 8 |
| 438 | Overexpression of c-myb in leukaemic and non-leukaemic variants of cutaneous T-cell lymphoma. 2005 , 211, 84-92 | 12 |
| 437 | Définition, classification, diagnostic clinique et histologique des lymphomes T cutanés. 2005 , 132, 5-10 | 0 |
| 436 | [Pathological and clinical correlations in primary cutaneous B-cell lymphomas: a series of 44 cases]. 2005 , 25, 8-17 | 7 |
| 435 | In situ eosinophil activation in 26 primary cutaneous T-cell lymphomas with blood eosinophilia. 2005 , 52, 32-9 | 36 |
| 434 | Primary cutaneous follicular center cell lymphoma of the nose with maxillary sinus involvement in a pediatric patient. 2005 , 52, S73-5 | 29 |
| 433 | Medium-dose UVA1 therapy of lymphomatoid papulosis. 2005 , 52, 530-2 | 13 |

| | | |
|-----|---|-----|
| 432 | Treatment of primary cutaneous B-cell lymphoma with rituximab. 2005 , 52, 847-53 | 77 |
| 431 | CD8(+) T lymphocytes reactive against Epstein-Barr virus antigens in skin lesions of a patient with Sary syndrome. 2005 , 53, 897-900 | 8 |
| 430 | A review of 55 cases of cutaneous lymphoid hyperplasia: reassessment of the histopathologic findings leading to reclassification of 4 lesions as cutaneous marginal zone lymphoma and 19 as pseudolymphomatous folliculitis. 2005 , 36, 505-11 | 81 |
| 429 | Panniculitis. 2005 , 11, 236-244 | 1 |
| 428 | [Follicular mycosis fungoides, comedo-like and cystic]. 2005 , 96, 102-5 | 4 |
| 427 | [Primary cutaneous diffuse large B-cell lymphoma of the leg according to the new WHO-EORTC classification. Two cases]. 2005 , 96, 607-11 | 4 |
| 426 | 9th Annual International Congress on Hematologic Malignancies, Whistler, BC, Canada; 41st Annual Meeting of the American Society of Clinical Oncology, Orlando, FL; 46th Annual Meeting of the American Society of Hematology, San Diego, CA. 2005 , 6, 4-10 | 1 |
| 425 | Treatment with IFN-gamma increases serum levels of Th1 chemokines and decreases those of Th2 chemokines in patients with mycosis fungoides. 2005 , 38, 189-95 | 22 |
| 424 | [Cutaneous CD8+ squamous T-cell bullous lymphoma]. 2005 , 132, 359-61 | |
| 423 | Management of refractory early-stage cutaneous T-cell lymphoma. 2006 , 7, 155-69 | 14 |
| 422 | Extracorporeal photochemoimmunotherapy in cutaneous T cell lymphomas. 2001 , 941, 123-38 | 36 |
| 421 | Evidence for an oncogenic role of AHI-1 in Sezary syndrome, a leukemic variant of human cutaneous T-cell lymphomas. 2006 , 20, 1593-601 | 27 |
| 420 | [Cutaneous CD8+ epidermotropic cytotoxic T-cell lymphoma with aggressive course]. 2006 , 133, 253-6 | 5 |
| 419 | Linfomas cutneos: aporte de la clasificacin OMS-EORTC. 2006 , 40, 1-9 | |
| 418 | Papulosis linfomatoide, linfomas cutneos primarios CD30+ y enfermedad de Hodgkin. 2006 , 40, 1-10 | |
| 417 | A malignant fibroleiomyoma of the testis. 2006 , 6, 414-6 | |
| 416 | Aberrant nuclear BCL10 expression and lack of t(11;18)(q21;q21) in primary cutaneous marginal zone B-cell lymphoma. 2006 , 37, 867-73 | 31 |
| 415 | Cutaneous malignancy and human immunodeficiency virus disease. 2006 , 54, 189-206; quiz 207-10 | 110 |

| | | | |
|-----|---|-----|-----|
| 414 | Unusual presentation of B-cell lymphoma as a cutaneous abscess. 2006 , 55, S24-7 | | 5 |
| 413 | Primary cutaneous T-cell lymphoma occurring after organ transplantation. 2006 , 54, 668-75 | | 61 |
| 412 | Topical photodynamic therapy for primary cutaneous B-cell lymphoma: a pilot study. 2006 , 54, 524-6 | | 33 |
| 411 | Warren L. Macaulay (1915-2006). 2006 , 55, 730-732 | | 3 |
| 410 | Treatment of mycosis fungoides and Sary syndrome: recent advances and novel therapies. 2006 , 1, 569-577 | | |
| 409 | Quantitative PCR on 5 genes reliably identifies CTCL patients with 5% to 99% circulating tumor cells with 90% accuracy. <i>Blood</i> , 2006 , 107, 3189-96 | 2.2 | 77 |
| 408 | Haploinsufficiency of C2GnT-I glycosyltransferase renders T lymphoma cells resistant to cell death. <i>Blood</i> , 2006 , 108, 2399-406 | 2.2 | 43 |
| 407 | Lymphomes cutans : apport de la classification Organisation mondiale de la sant(OMS)-European Organization for research and Treatment of Cancer (EORTC). 2006 , 1, 1-9 | | |
| 406 | Papulose lymphomatode, lymphomes cutans primitifs CD30+ et maladie de Hodgkin. 2006 , 1, 1-10 | | |
| 405 | Lymphomes cutans pidermotropes. 2006 , 1, 1-8 | | |
| 404 | Molecular cytogenetic evidence of t(14;18)(IGH;BCL2) in a substantial proportion of primary cutaneous follicle center lymphomas. 2006 , 30, 529-36 | | 70 |
| 403 | Diagnosis of mycosis fungoides: a comparative immunohistochemical study of T-cell markers using a novel anti-CD7 antibody. 2006 , 14, 291-5 | | 8 |
| 402 | Rimming of adipocytes by neoplastic lymphocytes: a histopathologic feature not restricted to subcutaneous T-cell lymphoma. 2006 , 28, 9-12 | | 69 |
| 401 | t(14;18)(q32;q21) involving IGH and MALT1 is uncommon in cutaneous MALT lymphomas and primary cutaneous diffuse large B-cell lymphomas. 2006 , 33, 286-92 | | 27 |
| 400 | On the diagnosis of erythrodermic cutaneous T-cell lymphoma. 2006 , 33 Suppl 1, 27-42 | | 51 |
| 399 | CD30+ lymphoproliferative disorders: histopathology, differential diagnosis, new variants, and simulators. 2006 , 33 Suppl 1, 58-70 | | 132 |
| 398 | A case of pseudolymphomatous folliculitis. 2006 , 20, 230-2 | | 14 |
| 397 | Characteristics of primary cutaneous lymphomas in Tehran, Iran (1998-2004). 2006 , 20, 758-60 | | 7 |

| | | |
|-----|---|-----|
| 396 | Extracorporeal photochemotherapy in patients with cutaneous T-cell lymphoma: is clinical response predictable?. 2006 , 20, 1100-7 | 15 |
| 395 | Mycosis fungoides presenting as pigmented purpuric dermatitis. 2006 , 23, 350-4 | 31 |
| 394 | Hypopigmented mycosis fungoides associated with atopy in two children. 2006 , 23, 493-6 | 12 |
| 393 | Analysis of Clonality in Cutaneous T Cell Lymphoma and Associated Diseases. 2006 , 941, 26-30 | 32 |
| 392 | Crosstalk between tumor T lymphocytes and reactive T lymphocytes in cutaneous T cell lymphomas. 2001 , 941, 31-8 | 33 |
| 391 | Molecular genetics of cutaneous lymphomas. 2001 , 941, 39-45 | 19 |
| 390 | Expression of chemokines and chemokine receptors in cutaneous CD30+ lymphoproliferative disorders. 2006 , 154, 904-9 | 29 |
| 389 | Relative frequency and survival of patients with primary cutaneous lymphomas: data from a single-centre study of 203 patients. 2006 , 154, 1206-7 | 25 |
| 388 | Small cell variant of CD30+ primary cutaneous T-cell lymphoma with epidermotropism that completely regressed after incisional skin biopsy. 2006 , 155, 484-7 | 12 |
| 387 | ¹⁸ F-fluorodeoxyglucose-positron emission tomography in evaluation of primary cutaneous lymphoma. 2006 , 155, 357-63 | 53 |
| 386 | Staging and management of cutaneous T-cell lymphoma. 2006 , 31, 181-6 | 33 |
| 385 | Consequences of misdiagnosis of lymphomatoid papulosis. 2006 , 15, 194-8 | 5 |
| 384 | Primary cutaneous aggressive epidermotropic CD8(+) cytotoxic T-cell lymphoma with atypical presentation. 2006 , 33, 632-4 | 12 |
| 383 | Epstein-Barr virus in CD30 anaplastic large cell lymphoma involving the skin and lymphomatoid papulosis in South Korea. 2006 , 45, 1312-6 | 22 |
| 382 | CD25 expression is correlated with histological grade and response to denileukin diftitox in cutaneous T-cell lymphoma. 2006 , 126, 575-83 | 87 |
| 381 | Molecular analysis of T-cell receptor beta genes in cutaneous T-cell lymphoma reveals Jbeta1 bias. 2006 , 126, 1893-9 | 24 |
| 380 | The risk of lymphoma in patients with psoriasis. 2006 , 126, 2194-201 | 219 |
| 379 | Rituximab: applications in dermatology. 2006 , 45, 1143-55; quiz 1155 | 24 |

| | | | |
|-----|--|-----|----|
| 378 | [Cutaneous lymphomas: classification and stage-adjusted therapy]. 2006 , 57, 744-55 | | 2 |
| 377 | Primary cutaneous marginal zone B-cell lymphoma (PCMZL-MALT). 2006 , 8, 542-3 | | |
| 376 | Recurrent primary cutaneous large B-cell lymphoma after a long-term remission. 2006 , 56, 645-7 | | 2 |
| 375 | Identification of HLA class I dependent immunogenic peptides from clonotypic TCRbeta expressed in cutaneous T-cell lymphoma. 2006 , 119, 2476-80 | | 4 |
| 374 | Synthesis of [phenyl-U-14C]aryl and [8-14C]carboxy labeled tracers of vorinostat. 2006 , 49, 437-443 | | 3 |
| 373 | Primary cutaneous follicle center lymphoma of the arm with a novel chromosomal translocation t(12;21)(q13;q22): a case report. 2006 , 81, 448-53 | | 8 |
| 372 | Expression pattern of chemokine receptors and chemokine release in inflammatory erythroderma and Szary syndrome. 2006 , 213, 284-92 | | 31 |
| 371 | Cutaneous B-cell lymphoma responds to rituximab: a report of five cases and a review of the literature. 2006 , 47, 1902-7 | | 23 |
| 370 | Evaluation of B-cell clonality in archival skin biopsy samples of cutaneous B-cell lymphoma by immunoglobulin heavy chain gene polymerase chain reaction. 2006 , 47, 487-93 | | 42 |
| 369 | SC5 mAb represents a unique tool for the detection of extracellular vimentin as a specific marker of Sezary cells. 2006 , 176, 652-9 | | 53 |
| 368 | Neoplastic and reactive diseases of the skin and mammary glands. 2007 , 746-781 | | 2 |
| 367 | Molecular cytogenetics in the study of cutaneous T-cell lymphomas (CTCL). 2007 , 118, 353-61 | | 28 |
| 366 | Killer cell Ig-like receptors CD158a and CD158b display a coactivatory function, involving the c-Jun NH2-terminal protein kinase signaling pathway, when expressed on malignant CD4+ T cells from a patient with Sezary syndrome. <i>Blood</i> , 2007 , 109, 5064-5 | 2.2 | 19 |
| 365 | Need for an improved molecular/genetic classification for CD30+ lymphomas involving the skin. 2007 , 14, 124-32 | | 27 |
| 364 | New prognostic relevant factors in primary cutaneous diffuse large B-cell lymphomas. 2007 , 56, 588-97 | | 47 |
| 363 | Cutaneous T-Cell Lymphoma (Mycosis Fungoides). 2007 , 63, 188-90 | | |
| 362 | [Primary cutaneous lymphomas]. 2007 , 27, 284-309 | | |
| 361 | Evaluation of new tumors in the setting of stage I/IIA mycosis fungoides. 2007 , 7, 480-5 | | |

| | | | |
|-----|--|-----|-----|
| 360 | Recent advances in cutaneous lymphomas. 2007 , 48, 157-67 | | 19 |
| 359 | Classification and treatment of rare and aggressive types of peripheral T-cell/natural killer-cell lymphomas of the skin. 2007 , 14, 112-23 | | 15 |
| 358 | Mycosis fungoides: a dermatological masquerader. 2007 , 156, 1-10 | | 92 |
| 357 | Abnormal activator protein 1 transcription factor expression in CD30-positive cutaneous large-cell lymphomas. 2007 , 157, 914-21 | | 12 |
| 356 | The applicability and prognostic value of the new TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and Szary syndrome: results on a large cohort of primary cutaneous B-cell lymphomas and comparison with the system used by the Dutch Cutaneous Lymphoma Group. 2007 , 157, 1205-11 | | 35 |
| 355 | Interferon-alpha is effective for CD4(+), CCR4(-) mycosis fungoides. 2007 , 46, 435-8 | | 4 |
| 354 | Cutaneous lymphomas in Germany: an analysis of the Central Cutaneous Lymphoma Registry of the German Society of Dermatology (DDG). 2007 , 5, 662-8 | | 73 |
| 353 | Spectral karyotyping demonstrates genetically unstable skin-homing T lymphocytes in cutaneous T-cell lymphoma. 2007 , 16, 98-103 | | 13 |
| 352 | Cutaneous lymphomas. 2007 , 17, 158-68 | | 22 |
| 351 | [The history of lymphoma classifications with special consideration of cutaneous lymphomas]. 2008 , 59, 394-9 | | 3 |
| 350 | Granulomatous slack skin: report of a case with response to electron beam therapy. 2008 , 25, 178-81 | | 3 |
| 349 | Structuration dâ€™un rseau national et dâ€™une runion de concertation pluridisciplinaire nationale de recours pour la prise en charge des lymphomes cutanş rares. 2008 , 10, 433-436 | | 1 |
| 348 | Inactivation of p16INK4a/CDKN2A gene may be a diagnostic feature of large B cell lymphoma leg type among cutaneous B cell lymphomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 452, 607-20 | 5.1 | 31 |
| 347 | Cutaneous lymphoma. 2008 , 32, 43-87 | | 14 |
| 346 | A genomic and expression study of AP-1 in primary cutaneous T-cell lymphoma: evidence for dysregulated expression of JUNB and JUND in MF and SS. 2008 , 35, 899-910 | | 42 |
| 345 | IL-4 production by CD8+ lymphomatoid papulosis, type C, attracts background eosinophils. 2008 , 35 Suppl 1, 38-45 | | 8 |
| 344 | Induction of T-cell responses against cutaneous T-cell lymphomas ex vivo by autologous dendritic cells transfected with amplified tumor mRNA. 2008 , 128, 2631-2639 | | 22 |
| 343 | Primary cutaneous CD4-positive small/medium-sized pleomorphic T-cell lymphoma: a clonal T-cell lymphoproliferative disorder with indolent behavior. 2008 , 21, 708-15 | | 121 |

| | | |
|-----|---|---------|
| 342 | Prognostic significance of the therapeutic targets histone deacetylase 1, 2, 6 and acetylated histone H4 in cutaneous T-cell lymphoma. 2008 , 53, 267-77 | 95 |
| 341 | TCRgamma-chain gene rearrangement by PCR-based GeneScan: diagnostic accuracy improvement and clonal heterogeneity analysis in multiple cutaneous T-cell lymphoma samples. 2008 , 128, 1030-8 | 61 |
| 340 | Large cell transformation mimicking regional lymphomatoid papulosis in a patient with mycosis fungoides. 2008 , 35, 283-8 | 6 |
| 339 | Abnormal AP-1 protein expression in primary cutaneous B-cell lymphomas. 2008 , 159, 145-51 | 5 |
| 338 | Human herpesvirus 7 detection by quantitative real time polymerase chain reaction in primary cutaneous T-cell lymphomas and healthy subjects: lack of a pathogenic role. 2008 , 159, 1131-7 | 14 |
| 337 | Primary cutaneous B-cell lymphoma: report of eight cases and review of the literature. 2008 , 47, 675-80 | 2 |
| 336 | Primary cutaneous B cell lymphoma presenting as recurrent eyelid swelling. 2008 , 36, 672-4 | 9 |
| 335 | Functional copy number changes in S ary syndrome: toward an integrated molecular cytogenetic map III. 2008 , 185, 86-94 | 14 |
| 334 | Heterogeneity of circulating CD4+ memory T-cell subsets in erythrodermic patients: CD27 analysis can help to distinguish cutaneous T-cell lymphomas from inflammatory erythroderma. 2008 , 216, 213-21 | 22 |
| 333 | Extracorporeal photopheresis for the treatment of S ary syndrome using a novel treatment protocol. 2008 , 59, 589-95 | 35 |
| 332 | Anaplastic large cell lymphoma in gingiva: case report and literature review. 2008 , 106, e29-34 | 16 |
| 331 | Procesos linfoproliferativos CD 30+ de la piel. 2008 , 23, 238-244 | |
| 330 | Mycosis fungoides and S ary syndrome. 2008 , 371, 945-57 | 215 |
| 329 | Primary cutaneous B-cell lymphomas - clinicopathological, prognostic and therapeutic characterisation of 54 cases according to the WHO-EORTC classification and the ISCL/EORTC TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and Sezary syndrome. 2008 , 49, 1004-103 | 63 |
| 328 | Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , 2008 , 111, 838-45 | 2.2 492 |
| 327 | EBV positivity in primary cutaneous large B-cell lymphoma with immunophenotypic features of leg type: an isolated incident or something more significant?. 2008 , 47, 461-4 | 9 |
| 326 | The role of environmental factors in the etiology of lymphoma. 2008 , 26, 306-16 | 27 |
| 325 | Mature T-Cell and NK-Cell Neoplasms. 2008 , 397-440 | |

| | | |
|-----|---|---------|
| 324 | Cutaneous non-Hodgkin's lymphoma of the foot: a rare case report. 2009 , 48, 581-4 | 3 |
| 323 | Recurrent lymphomatoid papulosis associated with nephrotic syndrome. An occurrence of uncertain origin. 2009 , 24, 189-92 | 5 |
| 322 | Immunochemotherapy for Bcl-2 and MUM-negative aggressive primary cutaneous B-cell non-Hodgkin's lymphoma. 2009 , 301, 689-92 | 18 |
| 321 | Overall survival in erythrodermic cutaneous T-cell lymphoma: an analysis of prognostic factors in a cohort of patients with erythrodermic cutaneous T-cell lymphoma. 2009 , 48, 243-52 | 92 |
| 320 | Analysis of extracutaneous spread in mycosis fungoides. 2009 , 129, 2905-7 | 0 |
| 319 | CD30 positive anaplastic large-cell lymphoma mimicking Langerhans cell histiocytosis. 2010 , 37, 787-92 | 6 |
| 318 | Canine cutaneous epitheliotropic T-cell lymphoma: a review. 2009 , 7, 1-14 | 64 |
| 317 | Central nervous system involvement from primary cutaneous large B-cell lymphoma of the leg. 2009 , 33, e59-60 | 4 |
| 316 | Low-dose palliative radiotherapy for cutaneous B- and T-cell lymphomas. 2009 , 74, 154-8 | 105 |
| 315 | Cutaneous lymphomas: from morphology to chip technology. 2009 , 100 Suppl 1, 3-17 | 8 |
| 314 | Extranodal nasal-type natural killer/T-cell lymphoma of the skin: a clinicopathologic study of 16 cases in China. 2009 , 40, 807-16 | 34 |
| 313 | Cutaneous CD30 lymphoproliferative disorders and similar conditions: a clinical and pathologic prospective on a complex issue. 2009 , 26, 131-40 | 24 |
| 312 | How I treat mycosis fungoides and Szary syndrome. <i>Blood</i> , 2009 , 114, 4337-53 | 2.2 126 |
| 311 | CD8-positive primary cutaneous anaplastic large T-cell lymphoma (PCALCL): case report and review of this unusual variant of PCALCL. 2010 , 32, 489-91 | 19 |
| 310 | Immunohistochemical study of the expression of matrix metalloproteinase-9 in skin lesions of mycosis fungoides. 2010 , 32, 162-9 | 15 |
| 309 | Long-term evolution of an untreated primary cutaneous follicle center lymphoma of the scalp. 2010 , 32, 91-4 | 16 |
| 308 | Pyrogenic variant of primary cutaneous anaplastic large-cell lymphoma: a lymphoproliferative disorder with a predilection for the immunocompromized and the young. 2010 , 32, 821-7 | 23 |
| 307 | IgM expression on paraffin sections distinguishes primary cutaneous large B-cell lymphoma, leg type from primary cutaneous follicle center lymphoma. 2010 , 34, 1043-8 | 73 |

| | | | |
|-----|---|-----|-----|
| 306 | Sezary syndrome and mycosis fungoides arise from distinct T-cell subsets: a biologic rationale for their distinct clinical behaviors. <i>Blood</i> , 2010 , 116, 767-71 | 2.2 | 335 |
| 305 | Lesi3n nodular de r3pido crecimiento en el brazo. 2010 , 25, 100-103 | | |
| 304 | Eight-cycle rituximab therapy resulted in complete remission in primary cutaneous marginal zone lymphoma. 2010 , 34, e160-3 | | 6 |
| 303 | Primary cutaneous lymphoma: An overview based on the WHO-EORTC classification. 2010 , 16, 168-181 | | 4 |
| 302 | Somatostatin receptor scintigraphy in primary cutaneous T- and B-cell lymphomas. 2010 , 24, 13-7 | | 7 |
| 301 | Symmetrical primary cutaneous marginal zone lymphoma associated with rheumatoid arthritis. 2010 , 37, 600-4 | | 6 |
| 300 | Canine cutaneous epitheliotropic T-cell lymphoma: a review of 30 cases. 2010 , 21, 267-75 | | 53 |
| 299 | Multiple nodules: cause for concern?. 2010 , 35, e193-5 | | |
| 298 | Aggressive epidermotropic cutaneous CD8+ (Berti's) lymphoma. 2010 , 35, e210-2 | | 6 |
| 297 | Classification of cutaneous lymphomas - an update. 2010 , 56, 57-70 | | 81 |
| 296 | Papular mycosis fungoides: two new cases of a recently described clinicopathological variant of early mycosis fungoides. 2010 , 37, 330-5 | | 21 |
| 295 | Non-mycosis fungoides cutaneous T-cell lymphoma: reclassification according to the WHO-EORTC classification. 2010 , 37, 516-24 | | 13 |
| 294 | A morphological study of 608 cases of canine malignant lymphoma in France with a focus on comparative similarities between canine and human lymphoma morphology. 2010 , 47, 414-33 | | 152 |
| 293 | Primary cutaneous anaplastic large cell lymphoma. 2010 , 27, 558-63 | | 4 |
| 292 | TCRgamma-chain gene rearrangement by GeneScan: incidence and significance of clonal heterogeneity in Szary syndrome. 2010 , 130, 2312-9 | | 8 |
| 291 | Genome-wide analysis of cutaneous T-cell lymphomas identifies three clinically relevant classes. 2010 , 130, 1707-18 | | 81 |
| 290 | Primary Cutaneous CD30+ Lymphoproliferative Disorders. 2010 , 101, 119-128 | | 1 |
| 289 | Cutaneous Lymphoma in Actas Dermo-Sifiligrficas: A Historical Perspective. 2010 , 101, 411-414 | | |

| | | |
|-----|--|----|
| 288 | Lymphomatoid Papulosis in Children: Report of 9 Cases and Review of the Literature. 2010 , 101, 693-701 | 1 |
| 287 | Approaches to Classification of Lymphoma and Leukemia. 2010 , 3-20 | 1 |
| 286 | Primary cutaneous aggressive epidermotropic CD8+ T-cell lymphoma. 2010 , 62, 300-7 | 54 |
| 285 | Síndrome linfoproliferativo CD30+ cutáneo primario. 2010 , 101, 119-128 | 18 |
| 284 | Perspectiva histórica de los linfomas cutáneos a través de actas Dermo-Sifiligráficas. 2010 , 101, 411-414 | |
| 283 | Papulosis linfomatoide en la infancia: presentación de 9 casos y revisión de la literatura. 2010 , 101, 693-701 | 16 |
| 282 | Interventions for mycosis fungoides. 2011 , | 2 |
| 281 | Experiencia de linfomas cutáneos entre enero de 1995 y abril de 2008 en el Instituto Nacional de Cancerología. 2011 , 15, 178-189 | 0 |
| 280 | Skin Malignancies. 2011 , 99.1-99.28 | 0 |
| 279 | Pityriasis Lichenoides. 2011 , 100.1-100.3 | |
| 278 | Cutaneous Lymphomas. 2011 , 102.1-102.17 | |
| 277 | Réplica. 2011 , 102, 309 | |
| 276 | Case for diagnosis. 2011 , 86, 817-8 | |
| 275 | Radiological and clinical features of subcutaneous panniculitis-like T-cell lymphoma. 2011 , 35, 394-401 | 12 |
| 274 | Cutaneous peripheral T-cell lymphoma of cytotoxic phenotype mimicking extranodal NK/T-cell lymphoma. 2011 , 33, e17-20 | 10 |
| 273 | Neoplasms. 2011 , 118-204 | |
| 272 | Expression of CD30 antigen in superficial mycotic infections of the skin: a possible non-specific finding without clinical relevance. 2011 , 54, e360-3 | 5 |
| 271 | Cutaneous epitheliotropic T-cell lymphoma in the cat: a review of the literature and five new cases. 2011 , 22, 454-61 | 36 |

| | | |
|-----|---|----|
| 270 | Retrospective analysis of 133 patients with cutaneous lymphomas from a single Japanese medical center between 1995 and 2008. 2011 , 38, 524-30 | 33 |
| 269 | Primary cutaneous lymphoma: two-decade comparison in a population of 263 cases from a Swiss tertiary referral centre. 2011 , 164, 1071-7 | 37 |
| 268 | Type and maturational status of dendritic cells in cutaneous B cell lymphoproliferative disorders. 2011 , 59, 421-32 | 3 |
| 267 | Primary cutaneous marginal zone lymphoma with subclinical cutaneous involvement and biclonality. 2011 , 38, 724-30 | 15 |
| 266 | Placas y nódulos eritematosos en la espalda de morfología anular y lento crecimiento. Diagnóstico y comentario. 2011 , 26, 472-474 | |
| 265 | CLIP1: a new prognostic index for indolent cutaneous B cell lymphoma proposed by the International Extranodal Lymphoma Study Group (IELSG 11). 2011 , 90, 401-8 | 21 |
| 264 | A rare case of CD30(+), radiation-induced cutaneous angiosarcoma misdiagnosed as T-cell lymphoma. 2011 , 29, e362-4 | 11 |
| 263 | Integrated genomic analysis of Szary syndrome. 2011 , 2011, 980150 | 2 |
| 262 | Primary cutaneous anaplastic CD30 + large-cell lymphoma that completely regressed after incisional skin biopsy. 2011 , 30, 163-6 | 1 |
| 261 | Antigens. 2011 , 1-157 | 0 |
| 260 | Regulation of T-plastin expression by promoter hypomethylation in primary cutaneous T-cell lymphoma. 2012 , 132, 2042-9 | 28 |
| 259 | Mycosis fungoides and Szary syndrome: clinical, immunological and molecular distinctions that suggest two different diseases. 2012 , 7, 181-193 | |
| 258 | Primary cutaneous B-cell lymphomas: recent advances in diagnosis and management. 2012 , 19, 236-44 | 34 |
| 257 | Lymphomes cutanés: classification. 2012 , 7, 1-5 | |
| 256 | A comparative analysis of cutaneous marginal zone lymphoma and cutaneous chronic lymphocytic leukemia. 2012 , 34, 18-23 | 15 |
| 255 | Efficacy and safety of bexarotene combined with psoralen-ultraviolet A (PUVA) compared with PUVA treatment alone in stage IB-IIA mycosis fungoides: final results from the EORTC Cutaneous Lymphoma Task Force phase III randomized clinical trial (NCT00056056). 2012 , 167, 678-87 | 60 |
| 254 | [New developments in Szary syndrome]. 2012 , 139, 31-40 | 5 |
| 253 | Nuclear Factor kappa B is central to Marek's disease herpesvirus induced neoplastic transformation of CD30 expressing lymphocytes in-vivo. 2012 , 6, 123 | 15 |

| | | |
|-----|--|----|
| 252 | Primary cutaneous anaplastic large cell lymphoma simulating an aggressive angiocentric T-cell lymphoma. 2013 , 52, 1241-4 | |
| 251 | Primary cutaneous aggressive epidermotropic CD8+ T-cell lymphoma: proposed diagnostic criteria and therapeutic evaluation. 2012 , 67, 748-59 | 83 |
| 250 | World Health Organization-European Organization for Research and Treatment of Cancer classification of cutaneous lymphoma in Korea: a retrospective study at a single tertiary institution. 2012 , 67, 1200-9 | 32 |
| 249 | Interventions for mycosis fungoides. 2012 , CD008946 | 8 |
| 248 | A case of cutaneous large B-cell lymphoma of the legs appearing as chronic venous ulceration. 2012 , 4, e6 | 2 |
| 247 | Time course, clinical pathways, and long-term hazards risk trends of disease progression in patients with classic mycosis fungoides: a multicenter, retrospective follow-up study from the Italian Group of Cutaneous Lymphomas. 2012 , 118, 5830-9 | 70 |
| 246 | Comparison of pegylated interferon β plus psoralen PUVA versus standard interferon α plus PUVA in patients with cutaneous T-cell lymphoma. 2012 , 26, 71-8 | 23 |
| 245 | Extranodal diffuse large B cell lymphoma of cutaneous follicle centre lymphoma type: a study of 24 patients with non-cutaneous primary limited stage extranodal diffuse large B cell lymphoma in support of a new concept. 2012 , 60, 774-84 | 4 |
| 244 | Pagetoid reticulosis in a prepubescent boy successfully treated with photodynamic therapy. 2012 , 37, 759-61 | 15 |
| 243 | A rare case of ulcerative proctitis associated with type B lymphomatoid papulosis and superimposed human cytomegalovirus infection. 2012 , 51, 838-9 | |
| 242 | Radiotherapy of primary cutaneous follicle center lymphoma: case report and review of literature. 2013 , 8, 147 | 4 |
| 241 | Primary cutaneous B-cell lymphomas: part I. Clinical features, diagnosis, and classification. 2013 , 69, 329.e1-13; quiz 341-2 | 49 |
| 240 | Radiotherapy in the management of localized primary cutaneous B-cell lymphoma. 2013 , 54, 726-30 | 7 |
| 239 | Analysis of cutaneous lymphomas in a medical center in Bahia, Brazil. 2013 , 140, 348-54 | 12 |
| 238 | Linfomas cutâneos: clasificaci3n. 2013 , 47, 1-6 | 1 |
| 237 | Cutaneous CD30-positive lymphoproliferative disorders with CD8 expression: a clinicopathologic study of 21 cases. 2013 , 40, 236-47 | 46 |
| 236 | Concordance between in vivo reflectance confocal microscopy and optical histology of lymphomatoid papulosis. 2013 , 19, 308-13 | 10 |
| 235 | Incidence and survival patterns of cutaneous T-cell lymphomas in the United States. 2013 , 54, 752-9 | 77 |

- 234 Lymphome T sous-cutané type de panniculite. **2013**, 117-132
- 233 Lymphomes B cutanés Ghfaliés, classifications. **2013**, 157-160
- 232 TH2 cytokines from malignant cells suppress TH1 responses and enforce a global TH2 bias in leukemic cutaneous T-cell lymphoma. **2013**, 19, 3755-63 114
- 231 Total skin electron irradiation techniques: a review. **2013**, 30, 50-5 35
- 230 A case of diffuse large B-cell lymphoma misdiagnosed as an erysipelas of the face. **2013**, 30, 268-70 3
- 229 Aleukemic cutaneous myeloid sarcoma. **2013**, 40, 996-1005 18
- 228 Primary cutaneous CD4+ small to medium-size pleomorphic T-cell lymphoma in a 12-year-old girl. **2013**, 30, 595-9 11
- 227 Extracorporeal photopheresis for the treatment of erythrodermic cutaneous T-cell lymphoma: a single center clinical experience with long-term follow-up data and a brief overview of the literature. **2013**, 52, 1308-18 27
- 226 Characteristics of primary cutaneous lymphoma according to WHO-EORTC classification in Korea. **2013**, 38, 457-63 9
- 225 Cutaneous B-cell lymphoproliferative disorders: report of the 2011 Society for Hematopathology/European Association for Haematopathology workshop. **2013**, 139, 515-35 43
- 224 Lymphomes B cutanés centrofolliculaires. **2013**, 169-175
- 223 Idiopathic cutaneous pseudolymphoma: An enigma. **2014**, 5, 224-6 5
- 222 Multiple primary cutaneous plasmacytomas: an unusual presentation. **2014**, 18, 361-4 6
- 221 Expression dynamics of CXCL12 and CXCR4 during the progression of mycosis fungoides. **2014**, 171, 722-31 14
- 220 Secondary cancers, comorbidities and mortality associated with nitrogen mustard therapy in patients with mycosis fungoides: a 30-year population-based cohort study. **2014**, 170, 699-704 23
- 219 A review of the solitary cutaneous T-cell lymphomas. **2014**, 41, 703-14 18
- 218 T-cell receptor gene rearrangement analysis of sequential biopsies in cutaneous T-cell lymphomas with the Biomed-2 PCR reveals transient T-cell clones in addition to the tumor clone. **2014**, 23, 504-8 10
- 217 Rituximab plus liposomal pegylated doxorubicin in the treatment of primary cutaneous B-cell lymphomas. **2014**, 93, 129-36 18

| | | |
|-----|--|----|
| 216 | Treatment of indolent primary cutaneous B-cell lymphomas with subcutaneous interferon-alfa. 2014 , 70, 709-715 | 12 |
| 215 | CD30-Negative Cutaneous T-Cell Lymphomas Other than Mycosis Fungoides. 2014 , 7, 229-52 | 7 |
| 214 | Subsequent cancers, mortality, and causes of death in patients with mycosis fungoides and parapsoriasis: a Danish nationwide, population-based cohort study. 2014 , 71, 529-35 | 19 |
| 213 | Introduction. 2014 , 1-8 | |
| 212 | The current management of mycosis fungoides and S ary syndrome and the role of radiotherapy: Principles and indications. 2014 , 19, 77-91 | 17 |
| 211 | Vitamin D deficiency in mycosis fungoides and S ary syndrome patients is similar to other cancer patients. 2014 , 14, 518-24 | 13 |
| 210 | A review of survival in mycosis fungoides. 2014 , 141, 706-11 | 6 |
| 209 | Placas ulceradas en un adolescente. Diagn stico y comentario. 2014 , 29, 578-580 | |
| 208 | Cutaneous lymphoma of the tarsus in cats: 23 cases (2000-2012). 2014 , 244, 1429-34 | 9 |
| 207 | Chromosomal anomalies in primary cutaneous follicle center cell lymphoma do not portend a poor prognosis. 2014 , 70, 1010-20 | 25 |
| 206 | Total skin electron irradiation-The technique where the electron beams are still irreplaceable. 2014 , 19, 69-71 | 2 |
| 205 | Choosing a systemic treatment for advanced stage cutaneous T-cell lymphoma: mycosis fungoides and S ary syndrome. 2015 , 2015, 529-44 | 11 |
| 204 | Claves del diagn stico dermatopatol gico de las neoplasias cut neas con nidos intraepid rmicos. 2015 , 30, 518-526 | |
| 203 | Treatment of localized mycosis fungoides with digital UV photochemotherapy. 2015 , 31, 333-40 | 2 |
| 202 | Evaluation of the 2008 World Health Organization classification for non-mycosis fungoides, non-Sezary syndrome T/NK-cell lymphomas with primary cutaneous involvement. 2015 , 42, 965-973 | 6 |
| 201 | Frequency of primary cutaneous lymphoma variants in Austria: retrospective data from a dermatology referral centre between 2006 and 2013. 2015 , 29, 1517-23 | 10 |
| 200 | Primary cutaneous lymphomas: diagnosis and treatment. 2015 , 32, 368-83 | 25 |
| 199 | Cutaneous primary B-cell lymphomas: from diagnosis to treatment. 2015 , 90, 687-706 | 34 |

| | | |
|-----|--|----|
| 198 | Mycosis fungoides in Iranian population: an epidemiological and clinicopathological study. 2015 , 2015, 306543 | 9 |
| 197 | Mycosis fungoides: therapeutic difficulties. 2015 , 32, 404-8 | |
| 196 | Analysis of the IL-31 pathway in Mycosis fungoides and Szary syndrome. 2015 , 307, 479-85 | 18 |
| 195 | ALK-positive (2p23 rearranged) anaplastic large cell lymphoma with localization to the skin in a pediatric patient. 2015 , 42, 182-187 | 20 |
| 194 | MiRNAs in primary cutaneous lymphomas. 2015 , 48, 271-7 | 44 |
| 193 | Blood flow cytometry in Szary syndrome: new insights on prognostic relevance and immunophenotypic changes during follow-up. 2015 , 143, 57-69 | 33 |
| 192 | Conjunctival Involvement of T-Cell Lymphoma in a Patient with Mycosis Fungoides. 2016 , 2016, 4786498 | 2 |
| 191 | Imaging Evaluation of Cutaneous Lymphoma Using Functional and Structural Imaging. 2016 , 485-490 | 2 |
| 190 | Polish Lymphoma Research Group Experience With Bexarotene in the Treatment of Cutaneous T-Cell Lymphoma. 2016 , 23, e749-56 | 8 |
| 189 | Primary cutaneous anaplastic large-cell lymphoma: a case report. 2016 , 29, 224-7 | 2 |
| 188 | Evaluation of Immunophenotypic and Molecular Biomarkers for Szary Syndrome Using Standard Operating Procedures: A Multicenter Study of 59 Patients. 2016 , 136, 1364-1372 | 59 |
| 187 | Mycosis Fungoides. 2016 , 1556-1576.e4 | 1 |
| 186 | Introduction to the Classification of Lymphoma. 2016 , 1-13 | |
| 185 | Mogamulizumab for the treatment of cutaneous T-cell lymphoma: recent advances and clinical potential. 2016 , 7, 171-4 | 26 |
| 184 | Cutaneous lymphoma misdiagnosed as chronic lymphadenitis. 2016 , 13, 1227-1230 | |
| 183 | Cutaneous anaplastic large-cell lymphoma (ALCL): A comparative clinical feature and survival outcome analysis of 52 cases according to primary tumor site. 2016 , 74, 1135-43 | 15 |
| 182 | Non-Hodgkin's Lymphoma. 2016 , 1524-1546.e7 | 1 |
| 181 | Primary cutaneous diffuse large B-cell lymphoma presenting as chronic non-healing ulcer. 2017 , 14, 830-832 | 1 |

| | | |
|-----|--|----|
| 180 | Intralesional anti-CD20 antibody for low-grade primary cutaneous B-cell lymphoma: Adverse reactions correlate with favorable clinical outcome. 2017 , 15, 319-323 | 3 |
| 179 | Intralesionale Therapie niedrig maligner primär kutaner B-Zell-Lymphome mit Anti-CD20-Antikörper: Nebenwirkungen korrelieren mit gutem klinischen Ansprechen. 2017 , 15, 319-324 | 0 |
| 178 | Intravascular large B-cell lymphoma in the United States (US): a population-based study using Surveillance, Epidemiology, and End Results program and National Cancer Database. 2017 , 58, 1-9 | 36 |
| 177 | MYD88 L265P mutation in cutaneous involvement by Waldenström macroglobulinemia. 2017 , 44, 625-631 | 7 |
| 176 | The role of macrophages in the pathogenesis of mycosis fungoides. 2017 , 42, 496-502 | 2 |
| 175 | Lymphoma of the eyelid. 2017 , 62, 312-331 | 20 |
| 174 | Past, present and future of cutaneous lymphomas. 2017 , 34, 3-14 | 10 |
| 173 | Cutaneous marginal zone lymphomas. 2017 , 34, 76-84 | 28 |
| 172 | A 92-year-old man with primary cutaneous diffuse large B-cell non-Hodgkin's lymphoma manifesting as a giant scalp mass: A case report. 2017 , 96, e6270 | 1 |
| 171 | Diagnostic value of STMN1, LMO2, HGAL, AID expression and 1p36 chromosomal abnormalities in primary cutaneous B cell lymphomas. 2017 , 71, 648-660 | 13 |
| 170 | Primary cutaneous B-cell lymphomas with large cell predominance-primary cutaneous follicle center lymphoma, diffuse large B-cell lymphoma, leg type and intravascular large B-cell lymphoma. 2017 , 34, 85-98 | 17 |
| 169 | Global patterns of care in advanced stage mycosis fungoides/Sezary syndrome: a multicenter retrospective follow-up study from the Cutaneous Lymphoma International Consortium. 2017 , 28, 2517-2525 | 58 |
| 168 | AEDV Primary Cutaneous Lymphoma Registry. 2017 , 108, 181-183 | 3 |
| 167 | Cutaneous Lymphomas. 2017 , 89-107 | |
| 166 | Primary Cutaneous B-cell Lymphomas. 2017 , 37, 547-574 | 18 |
| 165 | Primary cutaneous T-cell lymphoma: experience from the Peruvian National Cancer Institute. 2017 , 92, 649-654 | 6 |
| 164 | Linfoma cutáneo primario de células T agresivo epidermotrópico citotóxico CD8 positivo. 2018 , 33, 168-172 | |
| 163 | Cutaneous Lymphomas. 2018 , 155-187 | |

| | | | |
|-----|--|-----|----|
| 162 | Concomitant 1p36 deletion and TNFRSF14 mutations in primary cutaneous follicle center lymphoma frequently expressing high levels of EZH2 protein. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018 , 473, 453-462 | 5.1 | 15 |
| 161 | T-Cell Lymphomas. 2018 , 1343-1380 | | |
| 160 | Treatment of Vulvar Mycosis Fungoides Tumors With Localized Radiotherapy. 2018 , 18, e279-e281 | | 5 |
| 159 | Multi-institutional Investigation: Circulating CD4:CD8 ratio is a prognosticator of response to total skin electron beam radiation in mycosis fungoides. 2019 , 131, 88-92 | | 3 |
| 158 | DNA copy number imbalances in primary cutaneous lymphomas. 2019 , 33, 1062-1075 | | 3 |
| 157 | Cutaneous lymphoma and important differential diagnoses: emphasis on cases with a cytotoxic phenotype. 2019 , 25, 240-248 | | 1 |
| 156 | Skin Health and Healthy Aging: Skin Disease. 2019 , 115-132 | | |
| 155 | Primary Cutaneous Follicle Center Lymphoma of the Eyelid: A Case Report and Review of the Literature in Light of Recent Changes to the WHO Classification of Lymphoid Neoplasms. 2019 , 5, 147-152 | | 1 |
| 154 | Primary Cutaneous Lymphoma. 2019 , 1044-1062 | | 1 |
| 153 | Rare T-Cell Subtypes. 2019 , 176, 195-224 | | 3 |
| 152 | Cutaneous B-Cell Lymphoma. 2019 , 33, 149-161 | | 16 |
| 151 | Canine and Feline Cutaneous Epitheliotropic Lymphoma and Cutaneous Lymphocytosis. 2019 , 49, 67-81 | | 9 |
| 150 | Management of Cutaneous T-Cell Lymphoma/Mycosis Fungoides Occurring in the Setting of Solid Organ Transplantation: Report of 2 Cases. 2020 , 20, e39-e42 | | |
| 149 | Epidemiology of Cutaneous T-Cell Lymphomas: A Systematic Review and Meta-Analysis of 16,953 Patients. 2020 , 12, | | 14 |
| 148 | The molecular landscape and other distinctive features of primary cutaneous follicle center lymphoma. 2020 , 106, 93-105 | | 11 |
| 147 | Introduction. 2020 , 1-12 | | |
| 146 | Suppressed microRNA-195-5p expression in mycosis fungoides promotes tumor cell proliferation. 2021 , 30, 1141-1149 | | 2 |
| 145 | A Comparison of Immunoglobulin Variable Region N-Linked Glycosylation in Healthy Donors, Autoimmune Disease and Lymphoma. 2020 , 11, 241 | | 14 |

| | | |
|-----|---|----|
| 144 | Interventions for mycosis fungoides. 2020 , 7, CD008946 | 4 |
| 143 | Skin. 2020 , 3-227 | |
| 142 | Non-mycosis fungoides cutaneous lymphomas in a referral center in Taiwan: A retrospective case series and literature review. 2020 , 15, e0228046 | 3 |
| 141 | The prognostic role of age in primary cutaneous B-cell lymphoma: a proposal derived from a population-based registry. 2021 , 33, 429-436 | |
| 140 | Importance of diagnostics and risk of secondary malignancies in primary cutaneous lymphomas. 2021 , 19, 373-381 | 3 |
| 139 | Stellenwert diagnostischer Verfahren und Risiko von Zweittumoren bei primärkutanen Lymphomen. 2021 , 19, 373-382 | |
| 138 | From Benign Inflammatory Dermatitis to Cutaneous Lymphoma. DNA Copy Number Imbalances in Mycosis Fungoides versus Large Plaque Parapsoriasis. 2021 , 57, | 0 |
| 137 | Cutaneous T cell lymphoma. 2021 , 7, 61 | 10 |
| 136 | CCL27 Signaling in the Tumor Microenvironment. 2021 , 1302, 113-132 | 0 |
| 135 | Multidrug resistance related proteins in primary cutaneous lymphomas. 1999 , 457, 119-31 | 7 |
| 134 | Hematolymphoid Proliferations of the Skin. 2015 , 3-36 | 1 |
| 133 | Cutaneous B-Cell Lymphomas. 2011 , 247-262 | 2 |
| 132 | Radiation Treatment of Skin Lymphomas. 2004 , 97-107 | 1 |
| 131 | Kutane Lymphome. 2002 , 33-51 | 0 |
| 130 | Cutaneous lymphomas and pseudolymphomas: newly described entities. 2002 , 160, 283-93 | 18 |
| 129 | Clinical aspects and pathology of primary cutaneous B-cell lymphomas. 2002 , 160, 294-300 | 4 |
| 128 | Modern diagnosis of cutaneous lymphoma. 2002 , 160, 303-6 | 3 |
| 127 | New concepts in cutaneous B-cell lymphomas. 2001 , 94, 79-91 | 1 |

| | | |
|-----|---|--------|
| 126 | Cutaneous T-Cell Lymphoma and Cutaneous B-Cell Lymphoma. 2008 , 2405-2424 | 4 |
| 125 | Specialized techniques in dermatopathology. 2012 , 32-45 | 1 |
| 124 | Nonerythrodermic, leukemic variant of cutaneous T-cell lymphoma with indolent clinical course: Th2-type tumor cells lacking T-cell receptor/CD3 expression and coinfiltrating tumoricidal CD8+ T cells. 2000 , 43, 946-954 | 2 |
| 123 | Primary cutaneous plasmacytoma: Report of a case with review of the literature. 2000 , 43, 962-965 | 3 |
| 122 | Allelic Deletion at 9p21-22 in Primary Cutaneous CD30+ Large Cell Lymphoma. 2000 , 115, 1104-1107 | 8 |
| 121 | Serological detection of cutaneous T-cell lymphoma-associated antigens. 2001 , 98, 629-34 | 58 |
| 120 | EORTC classification for primary cutaneous lymphomas: the best guide to good clinical management. European Organization for Research and Treatment of Cancer. 1999 , 21, 265-73 | 60 |
| 119 | The revised European-American Classification of Lymphoid Neoplasms (REAL): a preferred approach for the classification of cutaneous lymphomas. 1999 , 21, 274-8 | 30 |
| 118 | Angiogenesis in cutaneous lymphoproliferative disorders: microvessel density discriminates between cutaneous B-cell lymphomas and B-cell pseudolymphomas. 2000 , 22, 140-3 | 27 |
| 117 | Mycosis fungoides with CD30-positive cells in the epidermis. 2000 , 22, 212-6 | 28 |
| 116 | Primary cutaneous B-cell lymphoma of the leg in a chronic lymphedematous extremity. 2000 , 22, 257-60 | 29 |
| 115 | Cutaneous spindle B-cell lymphoma: a reappraisal. 2002 , 24, 526-7; author reply 527-8 | 25 |
| 114 | Primary cutaneous marginal zone B-cell lymphoma: a recently described entity of low-grade malignant cutaneous B-cell lymphoma. 1997 , 21, 1307-15 | 206 |
| 113 | Statistical evaluation of diagnostic and prognostic features of CD30+ cutaneous lymphoproliferative disorders: a clinicopathologic study of 65 cases. 1998 , 22, 1192-202 | 91 |
| 112 | Cutaneous lymphoid hyperplasia and cutaneous marginal zone lymphoma: comparison of morphologic and immunophenotypic features. 1999 , 23, 88-96 | 115 |
| 111 | Molecular Genetic Characterization of Primary Cutaneous B-Cell Lymphomas. 2001 , 25, 538-539 | 3 |
| 110 | Prognostic significance of the therapeutic targets histone deacetylase 1, 2, 6 and acetylated histone H4 in cutaneous T-cell lymphoma. 2008 , 53, ???-??? | 46 |
| 109 | Isolation of Tumor-Specific Cytotoxic CD4+ and CD4+CD8dim+ T-Cell Clones Infiltrating a Cutaneous T-Cell Lymphoma. <i>Blood</i> , 1998 , 91, 4331-4341 | 2.2 10 |

| | | | |
|-----|---|-----|----|
| 108 | Characterization of t(2;5) Reciprocal Transcripts and Genomic Breakpoints in CD30+ Cutaneous Lymphoproliferations. <i>Blood</i> , 1998 , 91, 4668-4676 | 2.2 | 1 |
| 107 | VH Gene Analysis of Primary Cutaneous B-Cell Lymphomas: Evidence for Ongoing Somatic Hypermutation and Isotype Switching. <i>Blood</i> , 1998 , 92, 3857-3864 | 2.2 | 2 |
| 106 | Transformation of Mycosis Fungoides/Sezary Syndrome: Clinical Characteristics and Prognosis. <i>Blood</i> , 1998 , 92, 1150-1159 | 2.2 | 8 |
| 105 | Primary and secondary cutaneous CD30+lymphoproliferative disorders: a report from the Dutch Cutaneous Lymphoma Group on the long-term follow-up data of 219 patients and guidelines for diagnosis and treatment. <i>Blood</i> , 2000 , 95, 3653-3661 | 2.2 | 39 |
| 104 | Primary cutaneous follicle center cell lymphoma with follicular growth pattern. <i>Blood</i> , 2000 , 95, 3922-3928 | | 7 |
| 103 | Functional characterization of an IL-7â€­dependent CD4+CD8â€­ Th3-type malignant cell line derived from a patient with a cutaneous T-cell lymphoma. <i>Blood</i> , 2000 , 96, 1056-1063 | 2.2 | 1 |
| 102 | Diagnostic value of dominant T-cell clones in peripheral blood in 363 patients presenting consecutively with a clinical suspicion of cutaneous lymphoma. <i>Blood</i> , 2000 , 96, 2987-2992 | 2.2 | 1 |
| 101 | Mycosis Fungoides. 2004 , 1-16 | | 1 |
| 100 | TP53 alterations in primary and secondary S ary syndrome: A diagnostic tool for the assessment of malignancy in patients with erythroderma. 2017 , 12, e0173171 | | 9 |
| 99 | Processos linfoproliferativos da pele: Parte 1 - Linfomas cut neos de c ulas B. 2005 , 80, 461-471 | | 7 |
| 98 | EPHA4 is overexpressed but not functionally active in S ary syndrome. 2015 , 6, 31868-76 | | 3 |
| 97 | Primary cutaneous B-cell lymphoma: narrative review of the literature. 2019 , 154, 466-479 | | 3 |
| 96 | Extrinsic apoptotic pathways: a new potential "target" for more sufficient therapy in a case of cutaneous anaplastic large cd30+ alk-T-cell lymphoma. <i>Indian Journal of Dermatology</i> , 2011 , 56, 87-91 | 0.9 | 2 |
| 95 | A Small Case Series of Intravascular Large B-Cell Lymphoma with Unexpected Findings: Subset of Cases with Concomitant Extravascular Central Nervous System (CNS) Involvement Mimicking Primary CNS Lymphoma. 2017 , 51, 284-291 | | 5 |
| 94 | Profile of mycosis fungoides in 43 Saudi patients. 2012 , 32, 283-7 | | 8 |
| 93 | Subcutaneous panniculitis-like T-cell lymphoma: redefinition of diagnostic criteria in the recent World Health Organization-European Organization for Research and Treatment of Cancer classification for cutaneous lymphomas. 2009 , 133, 303-8 | | 61 |
| 92 | Usefulness of cutaneous T-cell clonality analysis for the diagnosis of cutaneous T-cell lymphoma in patients with erythroderma. 2005 , 129, 372-6 | | 15 |
| 91 | Klassifikation kutaner Lymphome. 2000 , 467-469 | | |

- 90 Malignant Lymphomas. **2000**, 1611-1639
- 89 Lymphomas Primary Cutaneous. **2000**, 340-354
- 88 Pathogenese kutaner T-Zell-Lymphome. **2000**, 455-456
- 87 Behandlung kutaner T-Zell-Lymphome. **2000**, 470-473
- 86 Dermatologie im Spannungsfeld der Medizin: kutane maligne lymphome. **2001**, 90-93
- 85 Subcutaneous panniculitis-like T-cell lymphoma. **2001**, 56-57
- 84 Clinical and prognostic significance of molecular studies in cutaneous T-cell lymphoma. **2001**, 94, 93-101 1
- 83 The Spleen in Lymphoproliferative Disease. **2002**, 223-250
- 82 Die Parapsoriasisgruppe und Verwandtes. **2002**, 363-375
- 81 Strahlentherapie kutaner Lymphome. **2003**, 111-117
- 80 Hauterkrankungen. **2003**, 1385-1425
- 79 Cutaneous T Cell Lymphomas. **2003**, 283-294
- 78 Lymphomas (primary cutaneous). **2003**, 309-320
- 77 Nodal and Leukemic NK/T-Cell Lymphoma. **2004**, 121-185 1
- 76 Maligne Lymphome. **2004**, 1711-1774
- 75 Onkologische Dermatologie. **2004**, 1-33
- 74 Tumors of Skin-Homing Lymphocytes. **2004**, 691-704
- 73 Immunological Strategies to Fight Skin Cancer. **2004**, 745-770

72 References. **2004**, 379-401

71 Cutaneous B-Cell Lymphoma. **2006**, 415-423

70 Kutane Non-Hodgkin-Lymphome. **2006**, 3086-3100

69 Neoplasms of the Skin and Immunodermatology. **2006**, 533-609

68 Kutane Lymphome: Diagnostik und Therapie. **2007**, 301-305

67 Hematologic malignancies: correlation between morphology, phenotype,. **2008**, 125-242

66 Aktuelles zu kutanen Lymphomen. **2009**, 86-94

65 Lymphomes T cutan (hors mycosis fungode et syndrome de Szary). **2009**, 25-35

64 Lymphomes B cutan. **2009**, 37-42

63 Cutaneous infiltrates lymphomatous and leukemic. **2010**, 971-1005.e30

1

62 Epidemiology of Cutaneous Lymphomas. **2010**, 27-31

61 Cutaneous Lymphoma. **2010**, 343-354

60 Cutaneous Lymphomas and Lymphocytic Infiltrates. 1-64

6

59 Primary Cutaneous CD30-Positive T-Cell Lymphoproliferative Disorders. **2011**, 604-616

1

58 Primary Cutaneous B-Cell Lymphoma. **2011**, 306-318

57 Mycosis Fungoides and Szary Syndrome. **2011**, 588-603

56 Cutaneous Lymphomas. **2011**, 281-326

55 Cutaneous Lymphoma. **2012**, 309-321

- 54 Cutaneous Diseases of the External Genitalia. **2012**, 436-467.e7
- 53 Cutaneous lymphoproliferative diseases and related disorders. **2012**, 1311-1420
- 52 Mycosis Fungoides. **2012**, 1583-1603
- 51 Non-Hodgkin's Lymphoma. **2012**, 1545-1572
- 50 Aggressive Follicular Lesions Involving Head and Neck. **2013**, 243-254
- 49 Ulcerated Nodules in a Healthy Woman. **2013**, 301-308
- 48 Lymphomes B cutanés à grandes cellules, de type membre inférieur. **2013**, 177-182
- 47 Cutaneous B-Cell Lymphoma. **2013**, 279-285
- 46 Primary Cutaneous CD30+ Anaplastic Lymphoma: A Case Report and Reappraisal. *Indian Journal of Dermatology*, **2013**, 58, 165 0.9 1
- 45 Lymphomes cutanés: perspective historique et évolution des concepts Classification OMS/EORTC actualisée. **2013**, 3-12
- 44 Cutaneous Lymphoma (Excluding Mycosis Fungoides) and Pseudolymphoma. **2014**, 299-303
- 43 Primary Cutaneous Lymphomas. **2014**, 173-191
- 42 Cutaneous T-Cell Lymphoma. **2014**, 133-167
- 41 Neoplastic Nodular B-Cell Pattern. **2014**, 253-268
- 40 Classification of Malignant Lymphomas. **1999**, 181-189
- 39 Adverse Effects of Activated Cytotoxic T Lymphocytes on the Clinical Outcome of Nodal Anaplastic Large Cell Lymphoma. *Blood*, **1999**, 93, 2688-2696 2.2 2
- 38 CD30-CD30 Ligand Interaction in Primary Cutaneous CD30+T-Cell Lymphomas: A Clue to the Pathophysiology of Clinical Regression. *Blood*, **1999**, 94, 3077-3083 2.2
- 37 Pseudolymphome. **2015**, 1-17

- 36 Personalized Treatment in Cutaneous T-Cell Lymphoma (CTCL). **2015**, 47-59
- 35 Introduction and a Brief History of Cutaneous Lymphoma Classification. **2015**, 1-3
- 34 Dosimetry of large electron beam fields and treatment protocol for mycosis fungoides using the total skin irradiation technique. *Medicina E Investigaci3n*, **2015**, 3, 22-29
- 33 Immunohistology and Molecular Studies of Cutaneous B-Cell Lymphomas. **2016**, 207-227
- 32 Immunohistology and Molecular Studies of Cutaneous T-Cell Lymphomas and Mimics. **2016**, 229-259
- 31 Pseudolymphome. **2016**, 891-902 4
- 30 Pitfalls in cutaneous lymphoma diagnosis - a pathologists point of view. *Onkologie (Czech Republic)*, **2018**, 12, 105-110 0.1 1
- 29 DNA copy number imbalances in primary cutaneous lymphomas (PCL).
- 28 Poikilodermatous Mycosis Fungoides with Erosive Lesions. *Indian Journal of Dermatology*, **2019**, 64, 251 0.9
- 27 Primary Cutaneous B-cell Lymphomas: FL, MCL, Differential Diagnosis. *Molecular and Translational Medicine*, **2020**, 95-113 0.4
- 26 Risk Factors for Large Cell Transformation in Patients with Sezary Syndrome.
- 25 Non-melanoma Skin Cancer and Cutaneous Melanoma from Radiotherapeutic Point of View. **2020**, 119-138
- 24 Strahlentherapie kutaner Lymphome. **2006**, 140-147 1
- 23 Tumorerkrankungen der Haut. **2005**, 1437-1445
- 22 Lyme Borreliosis. **2006**, 122-133
- 21 Recurrent Vesicular Eruptions. **2006**, 199-209
- 20 Kutane Lymphome. **2006**, 205-214
- 19 Angiocentric non-Hodgkin's lymphoma of the leg. **2006**, 38-39

| | | | |
|----|---|-----|----|
| 18 | Unusual case of mycosis fungoides clinically mimicking a dermatophytosis subsequently evolving in aggressive CD30- cutaneous lymphoma. 2006 , 8-9 | | |
| 17 | T-Cell Non-Hodgkin Lymphoma. 2006 , 161-220 | | 0 |
| 16 | Cutaneous T-Cell Lymphomas and Rare T-Cell Non-Hodgkin Lymphomas. 2007 , 215-231 | | |
| 15 | Kutane lymphoproliferative und hämatopoietische Erkrankungen. 2009 , 979-1002 | | |
| 14 | Tumors of muscle, cartilage, and bone. 2010 , 851-881 | | |
| 13 | Ophthalmic abnormalities in patients with cutaneous T-cell lymphoma. <i>Transactions of the American Ophthalmological Society</i> , 1998 , 96, 309-24; discussion 324-7 | | 9 |
| 12 | HOXC4, HOXC5, and HOXC6 expression in primary cutaneous lymphoid lesions. High expression of HOXC5 in anaplastic large-cell lymphomas. <i>American Journal of Pathology</i> , 1997 , 151, 1067-74 | 5.8 | 12 |
| 11 | Diffuse large B-cell lymphoma mimicking advanced basal cell carcinoma. <i>Journal of the National Medical Association</i> , 2007 , 99, 948-50 | 2.3 | 2 |
| 10 | Immunophenotypic diagnosis of primary cutaneous lymphomas: a review for the practicing dermatologist. <i>Journal of Clinical and Aesthetic Dermatology</i> , 2010 , 3, 21-5 | 1.2 | 7 |
| 9 | Review of the treatment of mycosis fungoides and Szary syndrome: A stage-based approach. <i>International Journal of Health Sciences</i> , 2013 , 7, 220-39 | 1.1 | 9 |
| 8 | Necrotizing fasciitis associated with primary cutaneous B-cell lymphoma. A case report. <i>Giornale Di Chirurgia</i> , 2017 , 38, 130-134 | 2.2 | |
| 7 | Antineoplastic effect of a novel nanosized curcumin on cutaneous T cell lymphoma. <i>Oncology Letters</i> , 2020 , 20, 304 | 2.6 | 0 |
| 6 | Recent advances on cutaneous lymphoma epidemiology.. <i>Presse Medicale</i> , 2022 , 51, 104108 | 2.2 | 0 |
| 5 | Antineoplastic effect of a novel nanosized curcumin on cutaneous T cell lymphoma. <i>Oncology Letters</i> , 2020 , 20, 1-1 | 2.6 | 0 |
| 4 | Cell-of-origin classification using the Hans and Lymph2Cx algorithms in primary cutaneous large B-cell lymphomas.. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022 , 480, 667 | 5.1 | 3 |
| 3 | Cutaneous precursor T-lymphoblastic lymphoma in a child.. <i>Pediatric Blood and Cancer</i> , 2022 , e29635 | 3 | |
| 2 | Cutaneous tumors and tumor-like conditions. 363-456 | | |
| 1 | Primary cutaneous lymphoma: the 2018 update of the WHO-EORTC classification.. <i>Presse Medicale</i> , 2022 , 104126 | 2.2 | 0 |

