CITATION REPORT List of articles citing

The Functional Assessment of Cancer Therapy-Anemia (FACT-An) Scale: a new tool for the assessment of outcomes in cancer anemia and fatigue

DOI: PM/9253779

Seminars in Hematology, 1997, 34, 13-9.

Source: https://exaly.com/paper-pdf/130223692/citation-report.pdf

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper Paper	IF	Citations
456	The impact of decision models on self-perceived quality of life: a study on brain cancer patients. 2010 , 4, 187		12
455	Quality of life and psychosocial adjustment in patients with myelodysplastic syndromes. 1998 , 22 Suppl 1, S41-7		25
454	Multiple myeloma cells and cells of the human osteoclast lineage share morphological and cell surface markers. 1998 , 71, 559-568		9
453	Anemia of Aging: A Model of Erythropoiesis in Cancer Patients. 1998 , 5, 17-21		25
452	Cancer-Related Fatigue: Guidelines for Evaluation and Management. <i>Oncologist</i> , 1999 , 4, 1-10	5.7	311
451	Multiple myeloma: An update on biology and treatment. 1999 , 10, S31-S43		2
450	Mechanisms of myeloma cell growth control. 1999 , 13, 1145-57		20
449	Chemotherapy-induced anemia in adults: incidence and treatment. 1999 , 91, 1616-34		703
448	Living with cancer: "good" days and "bad" dayswhat produces them? Can the McGill quality of life questionnaire distinguish between them?. <i>Cancer</i> , 2000 , 89, 1854-65	6.4	92
447	Fatigue during acute isovolemic anemiain healthy, resting humans. 2000, 40, 457-60		50
446	Measurement of fatigue in cancer patients: further validation of the Fatigue Symptom Inventory. 2000 , 9, 847-54		177
445	Applying cognitive design principles to formatting HRQOL instruments. 2000, 9, 13-27		36
444	Commitment of B lymphocytes to a plasma cell fate is associated with Blimp-1 expression in vivo. 2000 , 165, 5462-71		266
443	Recombinant Human Erythropoietin as an Alternative to Blood Transfusion in Cancer-Related Anaemia. 2000 , 8, 259-272		18
442	Multidisciplinary care of the terminally ill patient. 2000 , 80, 729-45, xi		4
441	Commentry. 2001 , 5, 218-220		1
440	The role of B-cell-specific activator protein in the response of malignant B-1 cells to LPS. 2001 , 264, 23.	3-43	3

439	Deriving a compound quality of life measure from the EORTC-QLQ-C30/LC13 instrument for use in economic evaluations of lung cancer clinical trials. 2001 , 37, 1081-8	6
438	Conferenza Nazionale su Batiguelhel Paziente Oncologico con il Patrocinio dell'Associazione Italiana di Oncologia Medica. 2001 , 87, 1-13	
437	STAT3 is constitutively activated in Hodgkin cell lines. 2001 , 98, 762-70	166
436	Naive and memory B cells in T-cell-dependent and T-independent responses. 2001 , 23, 405-19	46
435	Guidelines for the clinical use of red cell transfusions. 2001 , 113, 24-31	266
434	Delayed and deficient establishment of the long-term bone marrow plasma cell pool during early life. 2001 , 31, 939-46	69
433	Novel erythropoiesis stimulating protein (NESP) for the treatment of anaemia of chronic disease associated with cancer. 2001 , 84 Suppl 1, 24-30	73
432	Anaemia and its functional consequences in cancer patients: current challenges in management and prospects for improving therapy. 2001 , 84 Suppl 1, 31-7	80
431	Epoetin alfa in cancer patients: evidence-based guidelines. 2001 , 22, 954-65	34
430	Use of cognitive-behavioral interventions in the treatment of cancer-related fatigue: A case study report. 2001 , 8, 289-296	4
429	Epoetin treatment of anemia associated with cancer therapy: a systematic review and meta-analysis of controlled clinical trials. 2001 , 93, 1204-14	183
428	Chemotherapy-induced moderate tolife-threatening anemia in early-stage breast cancer. 2001 , 7, 127-132	1
427	Quality of life: gynaecological cancers. 2001 , 12 Suppl 3, S37-42	23
426	Multivariate regression analyses of data from a randomised, double-blind, placebo-controlled study confirm quality of life benefit of epoetin alfa in patients receiving non-platinum chemotherapy. 2002 , 87, 1341-53	105
425	Managing anemia in the cancer patient: old problems, future solutions. <i>Oncologist</i> , 2002 , 7, 331-41 5.7	28
424	Chemotherapy-induced moderate to severe anemia in intermediate-grade non-Hodgkin lymphoma patients. 2002 , 8, 73-80	1
423	The development and utilisation of the European Organisation for research and treatment of cancer quality of life group item bank. 2002 , 38, 1611-4	23
422	Anemia and Blood Transfusion in the Critically Ill:The Role of Erythropoietin. 2002, 4, 139-143	

421	Validity of cancer-related fatigue instruments. 2002 , 22, 1433-41		29
420	The validity and clinical utility of symptom monitoring in advanced lung cancer: a literature review. 2002 , 4, 153-60		19
419	Yttrium 90 ibritumomab tiuxetan radioimmunotherapy for relapsed or refractory low-grade non-Hodgkin's lymphoma. 2002 , 29, 87-92		47
418	Meaningful survival in lung cancer patients. 2002 , 29, 125-31		7
417	Combining anchor and distribution-based methods to derive minimal clinically important differences on the Functional Assessment of Cancer Therapy (FACT) anemia and fatigue scales. 2002 , 24, 547-61		574
416	Fatigue in cancer patients compared with fatigue in the general United States population. <i>Cancer</i> , 2002 , 94, 528-38	6.4	520
415	The PedsQL in pediatric cancer: reliability and validity of the Pediatric Quality of Life Inventory Generic Core Scales, Multidimensional Fatigue Scale, and Cancer Module. <i>Cancer</i> , 2002 , 94, 2090-106	6.4	919
414	Changing patient perceptions of the side effects of cancer chemotherapy. <i>Cancer</i> , 2002 , 95, 155-63	6.4	320
413	Standards of care for anemia management in oncology: focus on lung carcinoma. <i>Cancer</i> , 2002 , 95, 613-	26 .4	20
412	Relationship between changes in hemoglobin level and quality of life during chemotherapy in anemic cancer patients receiving epoetin alfa therapy. <i>Cancer</i> , 2002 , 95, 888-95	6.4	338
411	Interleukin 10 abolishes the growth inhibitory effects of all-trans retinoic acid on human myeloma cells. 2002 , 116, 787-95		9
410	The Study of Treatment for Renal Insufficiency: Data and Evaluation (STRIDE), a national registry of chronic kidney disease. 2002 , 15, 366-9		11
409	Fatigue in patients with advanced cancer: a review. 2002 , 12, 424-8		96
408	Quality of life: a new perspective for cancer patients. 2002 , 2, 873-9		76
407	The level of haemoglobin in anaemic cancer patients correlates positively with quality of life. 2002 , 86, 1243-9		83
406	Item banking to improve, shorten and computerize self-reported fatigue: an illustration of steps to create a core item bank from the FACIT-Fatigue Scale. 2003 , 12, 485-501		146
405	Evaluation of quality of life in a clinical trial with nonrandom dropout: the effect of epoetin alfa in anemic cancer patients. 2003 , 12, 1013-27		30
404	Effect of recombinant human erythropoietin on quality of life in cancer patients receiving chemotherapy: results of a randomized, controlled trial. 2003 , 25, 512-8		32

(2003-2003)

403	The relationship between psychologic distress and cancer-related fatigue. <i>Cancer</i> , 2003 , 98, 198-203 6.4	63
402	Cancer-related fatigue: evolving concepts in evaluation and treatment. <i>Cancer</i> , 2003 , 98, 1786-801 6.4	240
401	Transcriptional regulatory cascades controlling plasma cell differentiation. 2003, 194, 19-28	73
400	Identification of mature plasma cells in early rat yolk sac. A possible origin from the endodermal cell layer: immunohistochemistry and immunoelectron microscopic study. 2003 , 81, 335-42	1
399	Efficacy and safety of darbepoetin alfa in anaemic patients with lymphoproliferative malignancies: a randomized, double-blind, placebo-controlled study. 2003 , 122, 394-403	259
398	A dose- and schedule-finding study of darbepoetin alpha for the treatment of chronic anaemia of cancer. 2003 , 88, 1851-8	66
397	Improvement in performance status after erythropoietin treatment in lung cancer patients undergoing concurrent chemoradiotherapy. 2003 , 55, 116-24	19
396	Early initiation of epoetin alfa prevents development of chemotherapy-associated anemia and preserves quality of life. 2003 , 1, 16-9	
395	Hemoglobin increase is associated with improved health-related quality of life in patients with cancer not receiving chemotherapy. 2003 , 1, 49-54	5
394	Darbepoetin alfa: in patients with chemotherapy-related anaemia. 2003, 63, 1067-74; discussion 1075-7	8
393	Anemia in lung cancer: clinical impact and management. 2003 , 5, 90-7	26
392	The implications of anemia in multiple myeloma. 2003 , 4 Suppl 1, S23-9	31
391	Quality of life in patients receiving treatment for gynecologic malignancies: special considerations for patient care. 2003 , 83 Suppl 1, 211-29	24
390	The effect of anemia treatment on selected health-related quality-of-life domains: a systematic review. 2003 , 25, 1786-805	92
389	Acute normovolemic hemodilution: physiology, limitations, and clinical use. 2003, 17, 747-54	67
388	Impact of epoetin beta on quality of life in patients with malignant disease. 2003 , 88, 988-95	108
387	Control of cancer-related anemia with erythropoietic agents: a review of evidence for improved quality of life and clinical outcomes. 2003 , 14, 511-9	82
386	Anemia, cancer, and aging. 2003 , 10, 478-86	58

385	Efficacy of Epoetin Alfa in a Retrospective Non-stratified Subgroup Analysis of a Breast Cancer Cohort Receiving Non-platinum Chemotherapy. 2004 , 90, 449-457		3
384	Management of cancer anemia. 2004 , 16 Suppl 4, 112-6		2
383	rHuEPO and treatment outcomes: the clinical experience. <i>Oncologist</i> , 2004 , 9 Suppl 5, 55-69	5.7	20
382	Fatigue in cancer patients receiving chemotherapy: an analysis of published studies. 2004 , 15, 712-20		81
381	The longitudinal relationship of hemoglobin, fatigue and quality of life in anemic cancer patients: results from five randomized clinical trials. 2004 , 15, 979-86		169
380	Decision-making and quality of life in older adults with acute myeloid leukemia or advanced myelodysplastic syndrome. 2004 , 18, 809-16		160
379	Further validation of the multidimensional fatigue symptom inventory-short form. 2004 , 27, 14-23		251
378	Relationship of hemoglobin levels to fatigue and cognitive functioning among cancer patients receiving chemotherapy. 2004 , 28, 7-18		79
377	Anemia impact and management: focus on patient needs and the use of erythropoietic agents. 2004 , 31, 4-11		10
376	Medical visits for chemotherapy and chemotherapy-induced neutropenia: a survey of the impact on patient time and activities. 2004 , 4, 22		41
375	Chemotherapy-induced alopecia: psychosocial impact and therapeutic approaches. <i>Supportive Care in Cancer</i> , 2004 , 12, 543-9	3.9	93
374	Association between exercise and quality of life in multiple myeloma cancer survivors. <i>Supportive Care in Cancer</i> , 2004 , 12, 780-8	3.9	85
373	Adjuvante Therapie beim Zervixkarzinom. 2004 , 37, 901-906		
372	A randomized controlled trial of darbepoetin alfa administered as a fixed or weight-based dose using a front-loading schedule in patients with anemia who have nonmyeloid malignancies. <i>Cancer</i> , 2004 , 100, 859-68	6.4	47
371	Parent proxy-reported health-related quality of life and fatigue in pediatric patients diagnosed with brain tumors and acute lymphoblastic leukemia. <i>Cancer</i> , 2004 , 101, 2116-25	6.4	181
370	Radioimmunotherapy in non-Hodgkin's lymphoma: trials of yttrium 90-labeled ibritumomab tiuxetan and beyond. 2004 , 5 Suppl 1, S11-5		4
369	Quality of life and brain function following high-dose recombinant human erythropoietin in low-risk myelodysplastic syndromes: a preliminary report. 2004 , 72, 113-20		25
368	Treatment of cancer-related anemia with epoetin alfa: a review. 2004 , 30, 563-75		47

(2005-2004)

367	Fatigue and psychological distressexploring the relationship in women treated for breast cancer. 2004 , 40, 1689-95		52
366	Prevalence and outcomes of anemia in cancer: a systematic review of the literature. 2004 , 116 Suppl 7A, 11S-26S		413
365	Costs of human resources in delivering cancer chemotherapy and managing chemotherapy-induced neutropenia in community practice. 2004 , 1, 23-28		12
364	The impact of medical visits for chemotherapy-induced anemia and neutropenia on the patient and caregiver: a national survey. 2004 , 1, 211-217		15
363	Anemia, tumor hypoxemia, and the cancer patient. 2005 , 63, 25-36		108
362	Associations among exercise, body weight, and quality of life in a population-based sample of endometrial cancer survivors. 2005 , 97, 422-30		162
361	Impact of a new dosing regimen of epoetin alfa on quality of life and anemia in patients with low-risk myelodysplastic syndrome. 2005 , 84, 167-76		89
360	Fatigue in cancer patients is not related to changes in oxyhaemoglobin dissociation. <i>Supportive Care in Cancer</i> , 2005 , 13, 854-8	.9	7
359	Once-weekly dose of epoetinum alfa in cancer patients with anemia receiving radiotherapy. 2005 , 7, 486-92		4
358	The feasibility, reliability and validity of the McGill Quality of Life Questionnaire-Cardiff Short Form (MQOL-CSF) in palliative care population. 2005 , 14, 1669-81		16
357	Differences in quality of life between non-Hodgkin's lymphoma survivors meeting and not meeting public health exercise guidelines. 2005 , 14, 979-91		98
356	Health-related quality of life for those with myelodysplastic syndrome: conceptualization, measurement, and implications for research and practice. 2005 , 263-296		1
355	Fadiga: uma anlīse do conceito. 2005 , 18, 285-293		16
354	Management of anaemia in patients with breast cancer: role of epoetin. 2005 , 16, 817-24		16
353	Cancer-related anemia: biological findings, clinical implications and impact on quality of life. 2005 , 68 Suppl 1, 12-21		37
352	Darbepoetin alfa for the treatment of anemic patients with low- and intermediate-1-risk myelodysplastic syndromes. 2005 , 16, 1921-7		72
351	Application and safety of erythropoietin in cancer management. 2005, 16 Suppl 2, ii47-52		2
350	Randomized comparison of epoetin alfa (40,000 U weekly) and darbepoetin alfa (200 microg every 2 weeks) in anemic patients with cancer receiving chemotherapy. <i>Oncologist</i> , 2005 , 10, 642-50	·7	75

349	Standard of care for cancer-related anemia: improving hemoglobin levels and quality of life. 2005 , 68 Suppl 1, 22-32	16
348	Treatment of anemia with erythropoietic agents in patients with hematologic malignancies. 2005 , 2, 215-24	1
347	Reductions in anaemia and fatigue are associated with improvements in productivity in cancer patients receiving chemotherapy. 2005 , 23, 505-14	30
346	Optimizing hemoglobin levels and beyond: strength for living and meaningful survival?. 2005 , 68 Suppl 1, 1-2	
345	Effects of early intervention with epoetin alfa on transfusion requirement, hemoglobin level and survival during platinum-based chemotherapy: Results of a multicenter randomised controlled trial. 2005 , 41, 1560-9	39
344	Optimising the management of anaemia in patients with cancer with practice guidelines using erythropoiesis-stimulating proteins. 2005 , 9 Suppl 1, S3-S13	Ο
343	Developing a self-report outcome measure for complementary and alternative medicine. 2005 , 1, 177-85	12
342	Feasibility of quantifying the effects of epoetin alfa therapy on cognitive function in women with breast cancer undergoing adjuvant or neoadjuvant chemotherapy. 2005 , 5, 439-46	90
341	Weekly epoetin alfa during adjuvant chemotherapy for breast cancer: effect on hemoglobin levels and quality of life. 2005 , 6, 132-42	24
340	Cancer-related anemia: pathogenesis, prevalence and treatment. 2005 , 68 Suppl 1, 3-11	121
340	Cancer-related anemia: pathogenesis, prevalence and treatment. 2005, 68 Suppl 1, 3-11 Anemia profiles in patients with lung cancer: what have we learned from the European Cancer Anaemia Survey (ECAS)?. 2005, 50, 401-12	121 35
	Anemia profiles in patients with lung cancer: what have we learned from the European Cancer	
339	Anemia profiles in patients with lung cancer: what have we learned from the European Cancer Anaemia Survey (ECAS)?. 2005 , 50, 401-12	35
339	Anemia profiles in patients with lung cancer: what have we learned from the European Cancer Anaemia Survey (ECAS)?. 2005, 50, 401-12 Cancer-related anemia. 2005, 4, 233-245 Darbepoetin alfa as primary prophylaxis of anemia in patients with breast cancer treated	35 9
339338337	Anemia profiles in patients with lung cancer: what have we learned from the European Cancer Anaemia Survey (ECAS)?. 2005, 50, 401-12 Cancer-related anemia. 2005, 4, 233-245 Darbepoetin alfa as primary prophylaxis of anemia in patients with breast cancer treated preoperatively with docetaxel/doxorubicin/cyclophosphamide. 2006, 3, 103-9 Efficacy of Darbepoetin Alfa in the Treatment of Chemotherapy-Induced Anemia in Non-Hodgkin's	35 9 2
339338337336	Anemia profiles in patients with lung cancer: what have we learned from the European Cancer Anaemia Survey (ECAS)?. 2005, 50, 401-12 Cancer-related anemia. 2005, 4, 233-245 Darbepoetin alfa as primary prophylaxis of anemia in patients with breast cancer treated preoperatively with docetaxel/doxorubicin/cyclophosphamide. 2006, 3, 103-9 Efficacy of Darbepoetin Alfa in the Treatment of Chemotherapy-Induced Anemia in Non-Hodgkin's Lymphoma. 2006, 3, 232-9 Economic evaluation of weekly epoetin alfa versus biweekly darbepoetin alfa for	35 9 2 8
339338337336335	Anemia profiles in patients with lung cancer: what have we learned from the European Cancer Anaemia Survey (ECAS)?. 2005, 50, 401-12 Cancer-related anemia. 2005, 4, 233-245 Darbepoetin alfa as primary prophylaxis of anemia in patients with breast cancer treated preoperatively with docetaxel/doxorubicin/cyclophosphamide. 2006, 3, 103-9 Efficacy of Darbepoetin Alfa in the Treatment of Chemotherapy-Induced Anemia in Non-Hodgkin's Lymphoma. 2006, 3, 232-9 Economic evaluation of weekly epoetin alfa versus biweekly darbepoetin alfa for chemotherapy-induced anaemia: evidence from a 16-week randomised trial. 2006, 24, 479-94 Resource utilisation and time commitment associated with correction of anaemia in cancer patients	35 9 2 8

(2006-2006)

331	Aged garlic extract prevents a decline of NK cell number and activity in patients with advanced cancer. 2006 , 136, 816S-820S		90
330	Association of coping style, pain, age and depression with fatigue in women with primary breast cancer. 2006 , 15, 772-9		58
329	The implementation of an oncologist referred, exercise self-management program for older breast cancer survivors. 2006 , 15, 884-90		44
328	Epoetin alfa in platinum-treated ovarian cancer patients: results of a multinational, multicentre, randomised trial. 2006 , 94, 947-54		44
327	Evaluation of the effectiveness of treatment with erythropoietin on anemia, cognitive functioning and functions studied by comprehensive geriatric assessment in elderly cancer patients with anemia related to cancer chemotherapy. 2006 , 57, 175-82		57
326	The relationship between patient knowledge of hemoglobin levels and health-related quality of life. 2006 , 15, 57-68		11
325	Fatigue Diagnostik, klinische Implikationen und Therapie. 2006 , 12, 36-40		6
324	Rehabilitative Mallahmen bei Patienten mit Pankreaskarzinom. 2006 , 12, 451-459		1
323	Epoetin alfa increases hemoglobin levels and improves quality of life in anemic geriatric cancer patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2006 , 14, 1184-94	3.9	9
322	Erythropoietin plus granulocyte colony-stimulating factor is better than erythropoietin alone to treat anemia in low-risk myelodysplastic syndromes: results from a randomized single-centre study. 2006 , 85, 174-80		67
321	Giving meaning to measure: linking self-reported fatigue and function to performance of everyday activities. 2006 , 31, 229-41		65
320	Efficacy of darbepoetin alfa in alleviating fatigue and the effect of fatigue on quality of life in anemic patients with lymphoproliferative malignancies. 2006 , 31, 317-25		34
319	Independent risk factors for anemia in cancer patients receiving chemotherapy: results from the European Cancer Anaemia Survey. 2006 , 70, 34-48		44
318	Cancer-related anemia and recombinant human erythropoietinan updated overview. 2006 , 3, 152-64		90
317	Darbepoetin alfa administered every three weeks is effective for the treatment of chemotherapy-induced anemia. <i>Oncologist</i> , 2006 , 11, 409-17	5.7	33
316	Early Intervention with epoetin alfa during platinum-based chemotherapy: an analysis of quality-of-life results of a multicenter, randomized, controlled trial compared with population normative data. <i>Oncologist</i> , 2006 , 11, 197-205	5.7	9
315	Early intervention with epoetin alfa during platinum-based chemotherapy: an analysis of the results of a multicenter, randomized, controlled trial based on initial hemoglobin level. <i>Oncologist</i> , 2006 , 11, 206-16	5.7	16
314	Correlation between anemia and functional/cognitive capacity in elderly lung cancer patients treated with chemotherapy. 2006 , 17, 146-50		53

313	Symptom control in palliative carePart II: cachexia/anorexia and fatigue. 2006 , 9, 409-21		47
312	Prediction of the responsiveness to treatment with erythropoiesis-stimulating factors: a prospective clinical study in patients with solid tumors. <i>Oncologist</i> , 2007 , 12, 748-55	5.7	16
311	Efficacy and safety of erythropoiesis-stimulating proteins in myelodysplastic syndrome: a systematic review and meta-analysis. <i>Oncologist</i> , 2007 , 12, 1264-73	5.7	57
310	Anemia in cancer and critical care patients: pharmacoeconomic considerations. 2007 , 64, S22-7; quiz S2	8-30	2
309	Mechanisms of cancer-related fatigue. <i>Oncologist</i> , 2007 , 12 Suppl 1, 22-34	5.7	364
308	The effectiveness of darbepoetin alfa administered every 3 weeks on hematologic outcomes and quality of life in older patients with chemotherapy-induced anemia. <i>Oncologist</i> , 2007 , 12, 584-93	5.7	12
307	Risks and benefits of erythropoiesis-stimulating agents in cancer management. <i>Seminars in Hematology</i> , 2007 , 44, 157-65	4	14
306	Randomized controlled trial of a structured training program in breast cancer patients with tumor-related chronic fatigue. 2007 , 30, 429-34		37
305	Epoetin alfa treatment for patients with chemotherapy-induced anemia. 2007, 4, 78-91		2
304	EythropoEine (EPO) et anEnie en soins palliatifs chez le patient atteint de cancer. 2007 , 6, 274-284		O
303	Symptom burden among patients with renal cell carcinoma (RCC): content for a symptom index. 2007 , 5, 34		25
302	Guidelines and recommendations for the management of anaemia in patients with lymphoid malignancies. 2007 , 67, 175-94		7
301	The burden of fatigue and quality of life in myeloproliferative disorders (MPDs): an international Internet-based survey of 1179 MPD patients. <i>Cancer</i> , 2007 , 109, 68-76	6.4	301
300	Assessing symptom burden using the M. D. Anderson symptom inventory in patients with chemotherapy-induced anemia: results of a multicenter, open-label study (SURPASS) of patients treated with darbepoetin-alpha at a dose of 200 microg every 2 weeks. <i>Cancer</i> , 2007 , 110, 1629-40	6.4	26
299	The impact of acute myeloid leukemia and its treatment on quality of life and functional status in older adults. 2007 , 64, 19-30		55
298			
_)°	Three-year single institution audit on transfusion requirements in oncology patients. 2007 , 19, 223-7		5
297	Three-year single institution audit on transfusion requirements in oncology patients. 2007 , 19, 223-7 Fatigue during head-and-neck radiotherapy: prospective study on 117 consecutive patients. 2007 , 68, 403-15		5

(2008-2007)

295	Anemia and quality of life including anemia-related symptoms in patients with solid tumors in clinical practice. 2007 , 24, 95-102		6
294	Clinical validity of the Japanese version of the Functional Assessment of Cancer Therapy-Anemia Scale. <i>Supportive Care in Cancer</i> , 2007 , 15, 1-6	3.9	2
293	Correlation between variation in quality of life and change in hemoglobin level after treatment with epoetin alfa 40,000 IU administered once-weekly. <i>Supportive Care in Cancer</i> , 2007 , 15, 1057-66	3.9	11
292	Prospective evaluation of fatigue during a course of curative radiotherapy for localised prostate cancer. <i>Supportive Care in Cancer</i> , 2007 , 15, 1169-76	3.9	28
291	Fatigues et mEamorphoses de lImage du corps chez les patients atteints de cancer: entre replis du corps et nEessaire travail de la dBression. 2007 , 1, 13-18		7
290	Impact of erythropoietin treatment on the quality of life of oncologic patients. 2007, 9, 645-51		5
289	Cognitive function after chemotherapy in adults with solid tumours. 2007, 63, 183-202		158
288	The PedsQL Multidimensional Fatigue Scale in young adults: feasibility, reliability and validity in a University student population. 2008 , 17, 105-14		76
287	Fatigue. 2008 , 3, 44-53		2
286	Conducting routine fatigue assessments for use in clinical oncology practice: patient and provider perspectives. <i>Supportive Care in Cancer</i> , 2008 , 16, 379-86	3.9	11
285	Effect of exercise on upper extremity pain and dysfunction in head and neck cancer survivors: a randomized controlled trial. <i>Cancer</i> , 2008 , 113, 214-22	6.4	157
284	Safety and feasibility of aerobic training on cardiopulmonary function and quality of life in postsurgical nonsmall cell lung cancer patients: a pilot study. <i>Cancer</i> , 2008 , 113, 3430-9	6.4	114
283	Common troublesome symptoms and their impact on quality of life in patients with myelodysplastic syndromes (MDS): results of a large internet-based survey. 2008 , 32, 691-8		70
282	Switching to letrozole or exemestane improves hot flushes, mood and quality of life in tamoxifen intolerant women. 2008 , 98, 1494-9		17
281	Does epoetin alfa improve health-related quality of life in chronically ill patients with anemia? Summary of trials of cancer, HIV/AIDS, and chronic kidney disease. 2008 , 11, 57-75		41
280	Anemia in patients with midgut carcinoid, treated with alpha interferon: effects by erythropoietin treatment on the perceived quality of life. 2008 , 17, 200-4		5
279	Cancer fatigue: a review for psychiatrists. 2008 , 30, 233-44		9

277	[Management of cancer-related fatigue]. 2008 , 37, 957-66	6
276	Cancer-related fatigue. 2008 , 44, 1097-104	168
275	Extended-dosing epoetin alfa for chemotherapy-induced anemia: focus on elderly breast and colorectal cancer patients. 2008 , 5, 310-321	1
274	Epoetin treatment of anemia associated with multiple myeloma and non-Hodgkin lymphoma. 2008 , 433-448	
273	Cancer fatigue: a neurobiological review for psychiatrists. 2008 , 49, 283-91	10
272	Anemia in Patients With Cancer or Undergoing Cancer Therapy: Impact and Current Treatment Practice. 2008 , 6, 14-25	2
271	Molecular epidemiology, cancer-related symptoms, and cytokines pathway. 2008 , 9, 777-85	79
270	Breast Cancer and Fatigue. 2008 , 3, 61-71	63
269	Parenteral iron with erythropoiesis-stimulating agents for chemotherapy-induced anemia. 2008, 14, 5-22	7
268	A systematic review and meta-analysis of the pharmacological treatment of cancer-related fatigue. 2008 , 100, 1155-66	195
267	Treatment options for anemia, taking risks into consideration: erythropoiesis-stimulating agents	
	versus transfusions. <i>Oncologist</i> , 2008 , 13 Suppl 3, 27-32	7
266		7
266 265	versus transfusions. <i>Oncologist</i> , 2008 , 13 Suppl 3, 27-32 Fibronectin promotes cell proliferation of human pre-B cell line via its interactions with VLA-4 and	
	versus transfusions. <i>Oncologist</i> , 2008 , 13 Suppl 3, 27-32 Fibronectin promotes cell proliferation of human pre-B cell line via its interactions with VLA-4 and VLA-5. 2008 , 13, 236-43 Innovative use of quality-of-life data: correlating physiologic parameters with patient-centered	11
265	Versus transfusions. Oncologist, 2008, 13 Suppl 3, 27-32 Fibronectin promotes cell proliferation of human pre-B cell line via its interactions with VLA-4 and VLA-5. 2008, 13, 236-43 Innovative use of quality-of-life data: correlating physiologic parameters with patient-centered symptoms the example of anemia on the vitality of surgical oncology patients. 2008, 15, 47-51	2
265 264	Fibronectin promotes cell proliferation of human pre-B cell line via its interactions with VLA-4 and VLA-5. 2008, 13, 236-43 Innovative use of quality-of-life data: correlating physiologic parameters with patient-centered symptoms the example of anemia on the vitality of surgical oncology patients. 2008, 15, 47-51 Letter to editor: an observational study of red cell transfusion in specialist palliative care. 2008, 22, 874-5 Epoetin beta once weekly: review of its efficacy and safety in patients with chemotherapy-induced	11 2 8
265264263	Fibronectin promotes cell proliferation of human pre-B cell line via its interactions with VLA-4 and VLA-5. 2008, 13, 236-43 Innovative use of quality-of-life data: correlating physiologic parameters with patient-centered symptoms the example of anemia on the vitality of surgical oncology patients. 2008, 15, 47-51 Letter to editor: an observational study of red cell transfusion in specialist palliative care. 2008, 22, 874-5 Epoetin beta once weekly: review of its efficacy and safety in patients with chemotherapy-induced anemia. 2008, 8, 875-85 Erythropoietin or Darbepoetin for patients with cancer - meta-analysis based on individual patient	11 2 8 1

(2009-2009)

259	Evaluation of screening instruments for cancer-related fatigue syndrome in breast cancer survivors. 2009 , 27, 1197-201	55
258	Erythropoietin or Darbepoetin for patients with cancermeta-analysis based on individual patient data. 2009 , CD007303	75
257	Anemia management in oncology and hematology. <i>Oncologist</i> , 2009 , 14 Suppl 1, 43-56 5.7	96
256	The measurement of fatigue in chronic illness: a systematic review of unidimensional and multidimensional fatigue measures. 2009 , 37, 107-28	268
255	L-carnitine supplementation in patients with advanced cancer and carnitine deficiency: a double-blind, placebo-controlled study. 2009 , 37, 622-31	48
254	Evaluating the dimensionality of perceived cognitive function. 2009 , 37, 982-95	56
253	Hand-held dynamometry in patients with haematological malignancies: measurement error in the clinical assessment of knee extension strength. 2009 , 10, 31	44
252	Comparison of the quality of life of early and advanced stage ovarian cancer survivors. 2009 , 114, 353-9	95
251	Health-related quality of life assessment in randomised controlled trials in multiple myeloma: a critical review of methodology and impact on treatment recommendations. 2009 , 83, 279-89	43
250	Quality of life and use of red cell transfusion in patients with myelodysplastic syndromes. A systematic review. 2009 , 84, 671-7	43
249	Associations between quality of life, fatigue, and cytokine levels in patients aged 50+ with acute myeloid leukemia. <i>Supportive Care in Cancer</i> , 2009 , 17, 539-46	28
248	Restorative yoga for women with breast cancer: findings from a randomized pilot study. 2009 , 18, 360-8	188
247	Quality of life changes and clinical outcomes in thyroid cancer patients undergoing radioiodine remnant ablation (RRA) with recombinant human TSH (rhTSH): a randomized controlled study. 2009 , 71, 115-23	74
246	Effect of age on hemoglobin levels and quality of life following treatment with epoetin alfa in cancer patients. 2009 , 69, 175-82	6
245	Reliability of ambulatory walking activity in patients with hematologic malignancies. 2009, 90, 58-65	12
244	Reliability and validity of a new scale on internal coherence (ICS) of cancer patients. 2009 , 7, 59	14
243	Interpretation and review of health-related quality of life data in CKD patients receiving treatment for anemia. 2009 , 75, 15-24	100
242	Clinical and patient-reported outcomes based on achieved hemoglobin levels in chemotherapy-treated cancer patients receiving erythropoiesis-stimulating agents. 2009 , 6, 403-408	4

241	Diminished quality of life and physical function in community-dwelling elderly with anemia. 2009 , 88, 107-114	80
240	Review: the use of proteomics as a research methodology for studying cancer-related fatigue: a review. 2010 , 24, 310-6	19
239	Health-related quality of life after breast-conserving surgery and intraoperative radiotherapy for breast cancer using low-kilovoltage X-rays. 2010 , 17 Suppl 3, 359-67	35
238	[Modafinil for the treatment of cancer-related fatigue : an intervention study]. 2010 , 24, 587-95	10
237	Validation of the Portuguese version of functional assessment of cancer therapy-fatigue (FACT-F) in Brazilian cancer patients. <i>Supportive Care in Cancer</i> , 2010 , 18, 481-90	29
236	Cancer-related symptom clusters, eosinophils, and survival in hepatobiliary cancer: an exploratory study. 2010 , 39, 859-71	35
235	The lung cancer exercise training study: a randomized trial of aerobic training, resistance training, or both in postsurgical lung cancer patients: rationale and design. 2010 , 10, 155	49
234	'Pragmatic randomized controlled trial of individually prescribed exercise versus usual care in a heterogeneous cancer survivor population': a feasibility study PEACH trial: prescribed exercise after chemotherapy. 2010 , 10, 42	9
233	Epoetin Theta in Anaemic Cancer Patients Receiving Platinum-Based Chemotherapy: A Randomised Controlled Trial. 2010 , 3, 45-53	15
232	Placebo and nocebo effects in randomized double-blind clinical trials of agents for the therapy for fatigue in patients with advanced cancer. <i>Cancer</i> , 2010 , 116, 766-74	95
231	Sleep quality, fatigue and physical activity following a cancer diagnosis. 2010 , 19, 761-8	39
230	Long-term adjustment of survivors of ovarian cancer treated for advanced-stage disease. 2010 , 28, 451-69	32
229	Health-related quality of life in survivors of lymphoma: a systematic review and methodological critique. 2010 , 51, 628-40	38
228	Use of latent growth curve models for assessing the effects of darbepoetin alfa on hemoglobin and fatigue. 2010 , 31, 172-9	8
227	[Transfusion in palliative care in child with malignant disease]. 2010, 17, 353-6	6
226	A structured review and guide through studies on health-related quality of life in kidney cancer, hepatocellular carcinoma, and leukemia. 2010 , 28, 312-22	29
225	Aggregating single patient (n-of-1) trials in populations where recruitment and retention was difficult: the case of palliative care. 2011 , 64, 471-80	67
224	Fatigue, sleep, pain, mood, and performance status in patients with multiple myeloma. 2011 , 34, 219-27	41

223	A randomized phase 3 study of lenalidomide versus placebo in RBC transfusion-dependent patients with Low-/Intermediate-1-risk myelodysplastic syndromes with del5q. 2011 , 118, 3765-76		348
222	Multiplicative rating scales do not enable measurement of vision-related quality of life. 2011 , 94, 52-62		14
221	Postoperative anemia after joint replacement surgery is not related to quality of life during the first two weeks postoperatively. 2011 , 51, 71-81		24
220	Epoetin Theta with a New Dosing Schedule in Anaemic Cancer Patients Receiving Nonplatinum-Based Chemotherapy: A Randomised Controlled Trial. 2011 , 4, 33-41		11
219	Phase II comparison study of intraoperative autotransfusion for major oncologic procedures. 2011 , 18, 166-73		33
218	Cancer-related fatigue: clinical practice versus practice guidelines. <i>Supportive Care in Cancer</i> , 2011 , 19, 531-8	.9	21
217	Psychometric properties of the Perform Questionnaire: a brief scale for assessing patient perceptions of fatigue in cancer. <i>Supportive Care in Cancer</i> , 2011 , 19, 657-66	5.9	18
216	Effectiveness of darbepoetin alfa in a cohort of oncology patients with chemotherapy-induced anaemia. Relationship between variation in three fatigue-specific quality of life questionnaire scores and change in haemoglobin level. 2011 , 13, 341-7		11
215	Cross-cultural development of an item list for computer-adaptive testing of fatigue in oncological patients. 2011 , 9, 19		20
214	Heath-related quality of life in thyroid cancer patients following radioiodine ablation. 2011 , 9, 33		25
213	Quality of life domains among non-Hodgkin lymphoma survivors: an integrative literature review. 2011 , 52, 972-85		16
212	Phase III, randomized study of the effects of parenteral iron, oral iron, or no iron supplementation on the erythropoietic response to darbepoetin alfa for patients with chemotherapy-associated anemia. 2011 , 29, 97-105		93
211	Darbepoetin alfa impact on health status in diabetes patients with kidney disease: a randomized trial. 2011 , 6, 845-55		43
2 10	Polarity Therapy for cancer-related fatigue in patients with breast cancer receiving radiation therapy: a randomized controlled pilot study. 2011 , 10, 27-37		20
209	Validity of the Psycho-Oncology Screening Tool (POST). 2011 , 29, 475-98		7
208	Quality of life following treatment for B-cell lymphoma. 2011 , 11, 523-32		1
207	Effects of an outpatient physical exercise program on hematopoietic stem-cell transplantation recipients: a randomized clinical trial. 2011 , 46, 1245-55		80
206	Effects of exercise on fatigue, sleep, and performance: a randomized trial. 2012 , 39, 468-77		47

205 The Role of Signs or Symptoms. **2012**, 121-158

204	A comparison of cognitive function, sleep and activity levels in disease-free breast cancer patients with or without cancer-related fatigue syndrome. 2012 , 2, 231-8		35
203	Prevalence and contributors to fatigue in individuals hospitalized with advanced cancer: a prospective, observational study. 2012 , 49, 1146-54		17
202	A prospective study comparing the outcomes and health-related quality of life in adult patients with myeloid malignancies undergoing allogeneic transplantation using myeloablative or reduced-intensity conditioning. 2012 , 18, 113-24		28
201	Fatigue in patients undergoing chemotherapy, their self-care and the role of health professionals: a qualitative study. 2012 , 16, 165-71		33
200	The Alberta moving beyond breast cancer (AMBER) cohort study: a prospective study of physical activity and health-related fitness in breast cancer survivors. 2012 , 12, 525		25
199	Erythropoietin or darbepoetin for patients with cancer. 2012 , 12, CD003407		100
198	Haematological support, fatigue and elderly patients. 2012 , 3, 246-255		
197	A clinical trial of supervised exercise for adult inpatients with acute myeloid leukemia (AML) undergoing induction chemotherapy. 2012 , 36, 1255-61		54
196	Older age is associated with similar quality of life and physical function compared to younger age during intensive chemotherapy for acute myeloid leukemia. 2012 , 36, 1241-8		37
195	An examination of distress, sleep, and fatigue in metastatic breast cancer patients. 2012 , 21, 100-7		57
194	Physical activity is associated with clinically important differences in health-related quality of life among rural and small-town breast cancer survivors. <i>Supportive Care in Cancer</i> , 2012 , 20, 1079-87	3.9	15
193	Not so benign haematology: anaemia of the elderly. 2012 , 156, 173-85		45
192	Epoetin alpha decreases the number of erythrocyte transfusions in patients with acute lymphoblastic leukemia, lymphoblastic lymphoma, and Burkitt leukemia/lymphoma: results of a randomized clinical trial. <i>Cancer</i> , 2012 , 118, 848-55	6.4	17
191	Assessing the effect of darbepoetin alfa on patient-reported fatigue in chemotherapy-induced anemia in four randomized, placebo-controlled clinical trials. 2012 , 21, 311-21		8
190	Predictors of adherence to an exercise program for shoulder pain and dysfunction in head and neck cancer survivors. <i>Supportive Care in Cancer</i> , 2012 , 20, 515-22	3.9	27
189	Prospective study of erythropoietin use on quality of life and cost effectiveness in acute myeloid leukemia and allogeneic hematopoietic stem cell transplantation patients. <i>Cancer</i> , 2013 , 119, 107-14	6.4	9
188	Using aggregated single patient (N-of-1) trials to determine the effectiveness of psychostimulants to reduce fatigue in advanced cancer patients: a rationale and protocol. 2013 , 12, 17		17

187	Randomized controlled trial of a behavior change intervention to increase physical activity and quality of life in prostate cancer survivors. 2013 , 46, 382-93	28
186	Fatigue 『Tumorersch』fung. 2013 , 19, 279-289	5
185	Feasibility and efficacy of a supervised exercise intervention in de-conditioned cancer survivors during the early survivorship phase: the PEACH trial. 2013 , 7, 551-62	35
184	Recommendations for high-priority research on cancer-related fatigue in children and adults. 2013 , 105, 1432-40	102
183	Radiation-related quality of life parameters after targeted intraoperative radiotherapy versus whole breast radiotherapy in patients with breast cancer: results from the randomized phase III trial TARGIT-A. 2013 , 8, 9	47
182	Dragon boat racing and health-related quality of life of breast cancer survivors: a mixed methods evaluation. 2013 , 13, 205	20
181	Hemoglobin level at initiation of darbepoetin alfa: impact on need for transfusion and associated costs in chemotherapy-induced anemia treatment in Europe. <i>Supportive Care in Cancer</i> , 2013 , 21, 485-93 ³⁻⁹	8
180	Correlation between cytokine levels and changes in fatigue and quality of life in patients with acute myeloid leukemia. 2013 , 37, 274-9	36
179	Erythropoiesis-stimulating agents (ESAs): do they still have a role in chemotherapy-induced anemia (CIA)?. 2013 , 87, 132-9	5
178	Effects of exercise in patients treated with stem cell transplantation for a hematologic malignancy:	100
,	a systematic review and meta-analysis. 2013 , 39, 682-90	
177	Health-related quality of life changes following major and minor hepatic resection: the impact of complications and postoperative anemia. 2013 , 206, 443-50	7
	Health-related quality of life changes following major and minor hepatic resection: the impact of	7
177	Health-related quality of life changes following major and minor hepatic resection: the impact of complications and postoperative anemia. 2013 , 206, 443-50	7 29
177	Health-related quality of life changes following major and minor hepatic resection: the impact of complications and postoperative anemia. 2013, 206, 443-50 Mechanisms of Cancer Related Fatigue. 2013, 217-232 Antioxidant vitamins C and E supplementation increases markers of haemolysis in sickle cell	
177 176	Health-related quality of life changes following major and minor hepatic resection: the impact of complications and postoperative anemia. 2013, 206, 443-50 Mechanisms of Cancer Related Fatigue. 2013, 217-232 Antioxidant vitamins C and E supplementation increases markers of haemolysis in sickle cell anaemia patients: a randomized, double-blind, placebo-controlled trial. 2013, 160, 688-700	29
177 176 175	Health-related quality of life changes following major and minor hepatic resection: the impact of complications and postoperative anemia. 2013, 206, 443-50 Mechanisms of Cancer Related Fatigue. 2013, 217-232 Antioxidant vitamins C and E supplementation increases markers of haemolysis in sickle cell anaemia patients: a randomized, double-blind, placebo-controlled trial. 2013, 160, 688-700 Assessment of daily and weekly fatigue among African American cancer survivors. 2013, 31, 413-29 Optimal positioning of hematopoietic stem cell transplantation for older patients with	29
177 176 175 174	Health-related quality of life changes following major and minor hepatic resection: the impact of complications and postoperative anemia. 2013, 206, 443-50 Mechanisms of Cancer Related Fatigue. 2013, 217-232 Antioxidant vitamins C and E supplementation increases markers of haemolysis in sickle cell anaemia patients: a randomized, double-blind, placebo-controlled trial. 2013, 160, 688-700 Assessment of daily and weekly fatigue among African American cancer survivors. 2013, 31, 413-29 Optimal positioning of hematopoietic stem cell transplantation for older patients with myelodysplastic syndromes. 2013, 20, 150-6 Darbepoetin-alfa and intravenous iron administration after autologous hematopoietic stem cell	29 7 13
177 176 175 174 173	Health-related quality of life changes following major and minor hepatic resection: the impact of complications and postoperative anemia. 2013, 206, 443-50 Mechanisms of Cancer Related Fatigue. 2013, 217-232 Antioxidant vitamins C and E supplementation increases markers of haemolysis in sickle cell anaemia patients: a randomized, double-blind, placebo-controlled trial. 2013, 160, 688-700 Assessment of daily and weekly fatigue among African American cancer survivors. 2013, 31, 413-29 Optimal positioning of hematopoietic stem cell transplantation for older patients with myelodysplastic syndromes. 2013, 20, 150-6 Darbepoetin-alfa and intravenous iron administration after autologous hematopoietic stem cell transplantation: a prospective multicenter randomized trial. 2013, 88, 990-6 Community-based recreational football: a novel approach to promote physical activity and quality	29 7 13 26

169	Cognitive function and fatigue after diagnosis of colorectal cancer. 2014 , 25, 2404-2412		76
168	Prehabilitation for men undergoing radical prostatectomy: a multi-centre, pilot randomized controlled trial. 2014 , 14, 89		31
167	Safety and efficacy of aerobic training in operable breast cancer patients receiving neoadjuvant chemotherapy: a phase II randomized trial. 2014 , 53, 65-74		100
166	Are we causing the recurrence-impact of perioperative period on long-term cancer prognosis: Review of current evidence and practice. 2014 , 30, 153-9		28
165	Psychometric assessment of the MSAS-SF and the FACIT-Fatigue Scale in Spanish-speaking patients with cancer in Uruguay. 2014 , 47, 936-45		17
164	Erythropoietin therapy after allogeneic hematopoietic cell transplantation: a prospective, randomized trial. 2014 , 124, 33-41		23
163	Associations of objectively assessed physical activity and sedentary time with health-related quality of life among colon cancer survivors. <i>Cancer</i> , 2014 , 120, 2919-26	·4	66
162	Secukinumab treatment in rheumatoid arthritis is associated with incremental benefit in the clinical outcomes and HRQoL improvements that exceed minimally important thresholds. 2014 , 12, 31		16
161	Quality of life in MPN comes of age as a therapeutic target. 2014 , 9, 324-30		14
160	Biosimilar epoetin in elderly patients with low-risk myelodysplastic syndromes improves anemia, quality of life, and brain function. 2014 , 93, 1523-9		21
159	Long-Term Response in a Patient with del(5q) Myelodysplastic Syndrome Who Discontinued Lenalidomide and Obtained a Good Response and Tolerance to Rechallenge. 2014 , 7, 277-84		3
158	Reply to "Debilitating fatigue as a treatment indication in chronic hepatitis C". 2015, 63, 1534-5		1
157	Management of symptoms in polycythemia vera and essential thrombocythemia patients. 2015 , 2015, 340-8		10
156	Sustainability of outcomes after a randomized crossover trial of resistance exercise for shoulder dysfunction in survivors of head and neck cancer. 2015 , 67, 85-93		13
155	Experiencing brain cancer: what physicians should know about patients. 2015 , 9, 591		
154	Fatigue trajectories during the first 8 months after breast cancer diagnosis. 2015 , 24, 2671-9		28
153	A phase II RCT and economic analysis of three exercise delivery methods in men with prostate cancer on androgen deprivation therapy. 2015 , 15, 312		18
152	Erythropoiesis-stimulating agents in allogeneic and autologous hematopoietic stem cell transplantation. 2015 , 15, 195-211		O

(2016-2015)

151	cancer fatigue. 2015 , 32, 578-88		16
150	Quality of life and physical function in adults treated with intensive chemotherapy for acute myeloid leukemia improve over time independent of age. 2015 , 6, 262-71		47
149	The Effect of Methylphenidate on Fatigue in Advanced Cancer: An Aggregated N-of-1 Trial. 2015 , 50, 289-96		29
148	A phase 3 trial of armodafinil for the treatment of cancer-related fatigue for patients with multiple myeloma. <i>Supportive Care in Cancer</i> , 2015 , 23, 1503-12	3.9	22
147	Cognitive Function in Patients With Colorectal Cancer Who Do and Do Not Receive Chemotherapy: A Prospective, Longitudinal, Controlled Study. 2015 , 33, 4085-92		122
146	A randomized comparison of once weekly epoetin alfa to extended schedule epoetin or darbepoetin in chemotherapy-associated anemia. 2015 , 90, 877-81		5
145	Erythroblast apoptosis and microenvironmental iron restriction trigger anemia in the VK*MYC model of multiple myeloma. 2015 , 100, 834-841		41
144	[Management of chemotherapy-induced anemia in lung cancer]. 2015 , 32, 809-21		1
143	Phase II, randomised, double-blind, placebo-controlled trial of methylphenidate for reduction of fatigue levels in patients with prostate cancer receiving LHRH-agonist therapy. 2015 , 116, 744-52		20
142	Integrating diet and exercise into care of prostate cancer patients on androgen deprivation therapy. 2016 , 8, 133-43		20
141	Erythropoiesis-stimulating agents for myelodysplastic syndromes. 2016,		
140	Randomized trial of a physical activity intervention in women with metastatic breast cancer. <i>Cancer</i> , 2016 , 122, 1169-77	6.4	63
139	Use of n-of-1 (single patient) trials to assess the effect of age of transfused blood on health-related quality of life in transfusion-dependent patients. 2016 , 56, 1192-200		4
138	Postoperative anemia and early functional outcomes after fast-track hip arthroplasty: a prospective cohort study. 2016 , 56, 917-25		25
138			25 O
	cohort study. 2016 , 56, 917-25 Far-western blotting as a solution to the non-specificity of the anti-erythropoietin receptor		
137	cohort study. 2016 , 56, 917-25 Far-western blotting as a solution to the non-specificity of the anti-erythropoietin receptor antibody. 2016 , 12, 1575-1580 Physical activity and quality of life after colorectal cancer: overview of evidence and future		0

133	Design and rationale of the QUAZAR Lower-Risk MDS (AZA-MDS-003) trial: a randomized phase 3 study of CC-486 (oral azacitidine) plus best supportive care vs placebo plus best supportive care in patients with IPSS lower-risk myelodysplastic syndromes and poor prognosis due to red blood cell		24
132	transfusion-dependent anemia and thrombocytopenia. 2016 , 16, 12 Azacitidine-lenalidomide (ViLen) combination yields a high response rate in higher risk myelodysplastic syndromes (MDS)-ViLen-01 protocol. 2016 , 95, 1811-8		5
131	Connect MDS/AML: design of the myelodysplastic syndromes and acute myeloid leukemia disease registry, a prospective observational cohort study. 2016 , 16, 652		10
130	The influence of baseline characteristics and disease stage on health-related quality of life in multiple myeloma: findings from six randomized controlled trials. 2016 , 174, 368-81		17
129	Feasibility and diagnostic accuracy of the Patient-Reported Outcomes Measurement Information System (PROMIS) item banks for routine surveillance of sleep and fatigue problems in ambulatory cancer care. <i>Cancer</i> , 2016 , 122, 2906-17	6.4	22
128	Morbidity, mortality and quality of life in the ageing haemodialysis population: results from the ELDERLY study. 2016 , 9, 839-848		12
127	Patient-reported outcomes, body composition, and nutrition status in patients with head and neck cancer: Results from an exploratory randomized controlled exercise trial. <i>Cancer</i> , 2016 , 122, 1185-200	6.4	53
126	Prospective international validation of the Quality of Life in Myelodysplasia Scale (QUALMS). 2016 , 101, 781-8		25
125	Management of anemia and iron deficiency in a cancer center in France. <i>Supportive Care in Cancer</i> , 2016 , 24, 1091-6	3.9	4
124	Short- and long-term benefits of lenalidomide treatment in patients with lower-risk del(5q) myelodysplastic syndromes. 2016 , 27, 62-8		17
123	Impact of anaemia on health-related quality of life and cardiac remodelling in patients with lower risk myelodysplastic syndromes. Results of GlobQoL study. 2017 , 26, e12426		
122	Docetaxel-related fatigue in men with metastatic prostate cancer: a descriptive analysis. <i>Supportive Care in Cancer</i> , 2017 , 25, 2871-2879	3.9	6
121	Reallocating time to sleep, sedentary, and active behaviours in non-Hodgkin lymphoma survivors: associations with patient-reported outcomes. 2017 , 96, 749-755		15
120	Biosimilar epoetin alfa increases haemoglobin levels and brings cognitive and socio-relational benefits to elderly transfusion-dependent multiple myeloma patients: results from a pilot study. 2017 , 96, 779-786		6
119	Ibrutinib for patients with rituximab-refractory Waldenstrth's macroglobulinaemia (iNNOVATE): an open-label substudy of an international, multicentre, phase 3 trial. 2017 , 18, 241-250		159
118	Evaluation of a Web-Based Cognitive Rehabilitation Program in Cancer Survivors Reporting Cognitive Symptoms After Chemotherapy. 2017 , 35, 217-225		90
117	A turning point: Head and neck cancer patients' exercise preferences and barriers before and after participation in an exercise intervention. 2018 , 27, e12826		11
116	Prognostic indices of inflammatory markers, cognitive function and fatigue for survival in patients with localised colorectal cancer. 2018 , 3, e000302		3

115	Associations of objectively assessed physical activity and sedentary time with health-related quality of life among lung cancer survivors: A quantile regression approach. 2018 , 119, 78-84	13
114	Interventions for cancer-related fatigue: a scoping review. 2018 , 27, e12516	29
113	Anemia in Malignancy. 2018 , 157-171	3
112	Red blood cell transfusion in adult palliative care: a systematic review. 2018 , 58, 233-241	23
111	Study design and methods for the ACTIVity And TEchnology (ACTIVATE) trial. 2018, 64, 112-117	10
110	Fatigue- and health-related quality-of-life in anemic patients with lymphoma or multiple myeloma. Supportive Care in Cancer, 2018, 26, 1253-1264	9 3
109	Paroxysmal nocturnal hemoglobinuria testing in patients with myelodysplastic syndrome in clinical practice-frequency and indications. 2018 , 25, e391-e397	1
108	Symptoms as Patient-Reported Outcomes in Cancer Patients Undergoing Immunotherapies. 2018 , 995, 165-182	2
107	Protocol for a phase III RCT and economic analysis of two exercise delivery methods in men with PC on ADT. 2018 , 18, 1031	1
106	Health-related quality of life in patients with iron deficiency anemia: impact of treatment with intravenous iron. 2018 , 9, 285-298	16
105	Feasibility of Intravenous Iron Isomaltoside to Improve Anemia and Quality of Life During Palliative Chemotherapy for Esophagogastric Adenocarcinoma. 2018 , 70, 1106-1117	4
104	Fatigue, Pain, and Other Physical Symptoms of Living Liver Donors in the Adult-to-Adult Living Donor Liver Transplantation Cohort Study. 2018 , 24, 1221-1232	13
103	Measurement properties of the Short Form-36 (SF-36) and the Functional Assessment of Cancer Therapy - Anemia (FACT-An) in patients with anemia associated with chronic kidney disease. 2018 , 16, 111	13
102	Tai Chi Chuan in postsurgical non-small cell lung cancer patients: study protocol for a randomized controlled trial. 2018 , 19, 2	7
101	Using generalized estimating equations and extensions in randomized trials with missing longitudinal patient reported outcome data. 2018 , 27, 2125-2131	12
100	Does packed red cell transfusion provide symptomatic benefits to cancer palliative patients?: a longitudinal study from a single private oncology center in Nepal. 2019 , 18, 67	O
99	A Pilot Exploratory Proteomics Investigation of Mental Fatigue and Mental Energy. 2019 , 1140, 601-611	10
98	Which cancer survivors are at risk for a physically inactive and sedentary lifestyle? Results from pooled accelerometer data of 1447 cancer survivors. 2019 , 16, 66	16

97	Improving quality of life among latino cancer survivors: Design of a randomized trial of patient navigation. 2019 , 76, 41-48	3
96	A phase II randomized controlled trial of three exercise delivery methods in men with prostate cancer on androgen deprivation therapy. 2019 , 19, 2	17
95	Body composition and nutritional status in malignant pleural mesothelioma: implications for activity levels and quality of life. 2019 , 73, 1412-1421	8
94	The impact of pre-operative intravenous iron on quality of life after colorectal cancer surgery: outcomes from the intravenous iron in colorectal cancer-associated anaemia (IVICA) trial. 2019 , 74, 714-725	28
93	CrF, ein Symptomkomplex mit vielen Implikationen. 2019 , 22, 73-77	2
92	Health-Related Quality of Life and Treatment of Older Adults with Acute Myeloid Leukemia: a Young International Society of Geriatric Oncology Review Paper. 2019 , 14, 523-535	9
91	Pulmonary Metastasectomy versus Continued Active Monitoring in Colorectal Cancer (PulMiCC): a multicentre randomised clinical trial. 2019 , 20, 718	89
90	Association between preoperative anaemia and blood transfusion with long-term functional and quality of life outcomes amongst patients undergoing primary total knee arthroplasty in Singapore: a single-centre retrospective study. 2019 , 28, 85-98	5
89	Effects of a 12-week home-based exercise program on quality of life, psychological health, and the level of physical activity in colorectal cancer survivors: a randomized controlled trial. <i>Supportive</i> Sare in Cancer, 2019 , 27, 2933-2940	31
88	Validation of a patient-reported outcomes symptom measure for patients with nontransfusion-dependent thalassemia (NTDT-PRO). 2019 , 94, 177-183	3
87	The Case for Patient Navigation in Lung Cancer Screening in Vulnerable Populations: A Systematic Review. 2019 , 22, 347-361	15
86	Fatigue, symptom burden, and health-related quality of life in patients with myelodysplastic syndrome, aplastic anemia, and paroxysmal nocturnal hemoglobinuria. 2019 , 8, 543-553	12
85	Positive Psychological Constructs and Health Outcomes in Hematopoietic Stem Cell Transplantation Patients: A Systematic Review. 2019 , 25, e5-e16	22
84	The mediating role of coping between self-reported health complaints and functional limitations, self-assessed work ability and work status of long-term sick-listed cancer survivors. 2019 , 28, e12928	2
83	Age-related cytokine effects on cancer-related fatigue and quality of life in acute myeloid leukemia. 2020 , 11, 402-409	1
82	Patient-reported outcome measures (PROMs) in pancreatic cancer: a systematic review. 2020 , 22, 187-203	12
81	Real-world incidence and burden of adverse events among non-metastatic prostate cancer patients treated with secondary hormonal therapies following androgen deprivation therapy. 2020 , 23, 330-346	8
80	Myalgic Encephalomyelitis/Chronic Fatigue Syndrome: Efficacy of Repeat Immunoadsorption. 2020 , 9,	10

79 Limited resections versus lobectomy for stage I non-small cell lung cancer. **2020**,

78	Translating guidelines to practice: a training session about cancer-related fatigue. 2020 , 27, e163-e170	3
77	The IPSS-R more accurately captures fatigue severity of newly diagnosed patients with myelodysplastic syndromes compared with the IPSS index. 2020 , 34, 2451-2459	9
76	Patient-Reported Outcomes in Myelodysplastic Syndromes: the Move from Life Span to Health Span. 2020 , 15, 149-154	1
75	Patient-reported outcome measures in studies of myelodysplastic syndromes and acute myeloid leukemia: Literature review and landscape analysis. 2020 , 104, 476-487	13
74	Patient-reported outcomes: using ESAS to screen for anemia. Supportive Care in Cancer, 2020 , 28, 4141-45145	4
73	Fatigue, barriers to physical activity and predictors for motivation to exercise in advanced Cancer patients. 2020 , 19, 43	20
72	Correlates of cognitive impairment in adult cancer survivors who have received chemotherapy and report cognitive problems. <i>Supportive Care in Cancer</i> , 2021 , 29, 1377-1386	4
71	Pulmonary metastasectomy in colorectal cancer: health utility scores by EQ-5D-3L in a randomized controlled trial show no benefit from lung metastasectomy. 2021 , 23, 200-205	17
70	Changes in fatigue, barriers, and predictors towards physical activity in advanced cancer patients over a period of 12 months-a comparative study. <i>Supportive Care in Cancer</i> , 2021 , 29, 5127-5137	1
69	Does exercise intensity matter for fatigue during (neo-)adjuvant cancer treatment? The Phys-Can randomized clinical trial. 2021 , 31, 1144-1159	9
68	Fatigue in newly diagnosed acute myeloid leukaemia: general population comparison and predictive factors. 2021 ,	O
67	Phase III, Randomized, Placebo-Controlled Trial of CC-486 (Oral Azacitidine) in Patients With Lower-Risk Myelodysplastic Syndromes. 2021 , 39, 1426-1436	17
66	Case-Control Analysis of the Impact of Anemia on Quality of Life in Patients with Cancer: A Qca Study Analysis. 2021 , 13,	1
65	Patients' Communication Preferences Around Cancer Symptom Reporting During Cancer Treatment: A Phenomenological Study. 2021 , 12, 364-372	0
64	Efficacy and safety of modafinil versus dexamethasone in cancer-related fatigue: a prospective randomized controlled study. 2021 , 17, 1735-1747	1
63	Development of a preliminary conceptual model of the patient experience of chronic kidney disease: a targeted literature review and analysis. 2021 , 22, 233	0
62	Patient Experiences, Satisfaction, and Expectations with Current Systemic Lupus Erythematosus Treatment: Results of the SLE-UPDATE Survey. 2021 , 8, 1189-1205	2

61	A mixed-methods study of cyclin-dependent kinase 4 and 6 inhibitor symptom burden and quality of life among metastatic breast cancer patients and providers. 2021 , 10, 4823-4831		3
60	Myelodysplastic Syndromes in the Postgenomic Era and Future Perspectives for Precision Medicine. 2021 , 13,		Ο
59	Correlates of fatigue severity in patients with chronic myeloid leukemia treated with targeted therapy. <i>Supportive Care in Cancer</i> , 2022 , 30, 87-94	3.9	
58	Psycho-Oncology: A Bibliometric Review of the 100 Most-Cited Articles. 2021 , 9,		O
57	Associations between baseline demographic, clinical and lifestyle factors, and changes in fatigue, depression, and health-related quality of life in long-term cancer survivors: a cohort study. <i>Supportive Care in Cancer</i> , 2021 , 29, 4711-4722	3.9	1
56	Assessment of Financial Toxicity Among Older Adults With Advanced Cancer. <i>JAMA Network Open</i> , 2020 , 3, e2025810	10.4	17
55	Cognitive rehabilitation program to improve cognition of cancer patients treated with chemotherapy: A 3-arm randomized trial. <i>Cancer</i> , 2020 , 126, 5328-5336	6.4	6
54	Palliative care for patients with brain metastases. Cancer Treatment and Research, 2007, 136, 215-33	3.5	2
53	Health-Related Quality of Life. 2006 , 237-251		2
52	Definition, classification and characterization of anemia in cancer. 2008 , 117-148		1
51	Significance of anemia in cancer chemotherapy. 2008 , 207-248		2
51	Significance of anemia in cancer chemotherapy. 2008 , 207-248 Symptoms and impacts in anemia of chronic kidney disease. <i>Journal of Patient-Reported Outcomes</i> , 2020 , 4, 64	2.6	2
	Symptoms and impacts in anemia of chronic kidney disease. <i>Journal of Patient-Reported Outcomes</i> ,	2.6	
50	Symptoms and impacts in anemia of chronic kidney disease. <i>Journal of Patient-Reported Outcomes</i> , 2020 , 4, 64 The importance of quality of life for patients living with myelodysplastic syndromes. <i>Clinical Journal</i>		1
50	Symptoms and impacts in anemia of chronic kidney disease. <i>Journal of Patient-Reported Outcomes</i> , 2020 , 4, 64 The importance of quality of life for patients living with myelodysplastic syndromes. <i>Clinical Journal of Oncology Nursing</i> , 2012 , 16 Suppl, 47-57 Immunoadsorption to remove 2 adrenergic receptor antibodies in Chronic Fatigue Syndrome	1.1	1 11
50 49 48	Symptoms and impacts in anemia of chronic kidney disease. <i>Journal of Patient-Reported Outcomes</i> , 2020 , 4, 64 The importance of quality of life for patients living with myelodysplastic syndromes. <i>Clinical Journal of Oncology Nursing</i> , 2012 , 16 Suppl, 47-57 Immunoadsorption to remove ② adrenergic receptor antibodies in Chronic Fatigue Syndrome CFS/ME. <i>PLoS ONE</i> , 2018 , 13, e0193672	1.1 3.7	1 11 41
50 49 48 47	Symptoms and impacts in anemia of chronic kidney disease. <i>Journal of Patient-Reported Outcomes</i> , 2020 , 4, 64 The importance of quality of life for patients living with myelodysplastic syndromes. <i>Clinical Journal of Oncology Nursing</i> , 2012 , 16 Suppl, 47-57 Immunoadsorption to remove ② adrenergic receptor antibodies in Chronic Fatigue Syndrome CFS/ME. <i>PLoS ONE</i> , 2018 , 13, e0193672 Iron in multiple myeloma. <i>Critical Reviews in Oncogenesis</i> , 2013 , 18, 449-61	1.1 3.7	1 11 41 9

(2011-2018)

43	Validation of the Korean Version of the Quality of Life-Cancer Survivors (QOL-CS-K) Questionnaire in Lymphoma Survivors. <i>Cancer Research and Treatment</i> , 2018 , 50, 204-211	5.2	7
42	Multimodal physical exercise and functional rehabilitation program in oncological patients with asthenia. study protocol. <i>BMC Nursing</i> , 2021 , 20, 207	3.2	
41	Cancer, Carcinogenesis, and Aging. 2001 , 38-45		
40	Recombinant human erythropoietin (rhEPO) in anemia associated with multiple myeloma and non-Hodgkin lymphoma. 2002 , 223-234		1
39	Relationship between anemia, fatigue, and quality of life in cancer patients. 2002, 173-184		1
38	Optimal level of hemoglobin in cancer patients. 2002 , 369-390		
37	Pathogenesis and Treatment of Anemia. 2004 , 303-318		
36	Hematopoietic Growth Factors in Lung Cancer. 2004 , 249-274		
35	Tumorersch¤fungssyndrom (Fatigue). 2006 , 1305-1313		
34	Pathogenese und Therapie der therapie- und tumorbedingten Anfhie. 2006 , 2011-2024		1
33	Supportive Care. 2006 , 95-98		
32	Palliative Care in the Management of Cancer Pain. 2007, 360-375		1
31	Relationship of hemoglobin, fatigue, and quality of life in anemic cancer patients. 2008, 369-391		2
30	Impact of anemia and red blood cell transfusion on organ function. 2008, 317-367		
29	Anemia and Erythropoeitic Growth Factors in Multiple Myeloma. 2008, 455-468		
28	Symptoms of anemia. 2008 , 307-315		O
27	Myeloproliferative Disorders and the Chronic Leukemias: Symptom Burden and Impact in Quality of Life. 2010 , 2887-2904		
26	Palliative Care in the Management of Cancer Pain. 2011 , 336-348		

25	Quality of Life after the Diagnosis of Hematological Malignancies. 384-397		
24	Symptoms and HRQOL Assessment. 2012 , 199-246		
23	Outcomes Research. 2012 , 140-156.e8		
22	Erythropoiesis-stimulating agents for myelodysplastic syndromes.		
21	Management of Low-Risk MDS. 2013 , 171-187		
20	Quality of Life in Patients with Ovarian Cancer. 2014 , 241-260		
19	Diagnosis and Assessment. 2015 , 19-37		
18	The Effectiveness of a Nursing Care Program Supplemented with Iron Intake on Anemia and Fatigue in Cancer Patients Undergoing Chemotherapy. 2020 , 9,		
17	Rehabilitation and palliation of patients with bronchial cancer. <i>Collection De LuAcadinie Europianne De Midecine De Ridaptation</i> , 2007 , 335-384		
16	Psychological support and self-help groups in cancer rehabilitation and palliation. <i>Collection De LuAcadInie Europ</i> Enne De Milecine De Rildaptation, 2007 , 27-49		1
15	Social support in cancer rehabilitation and palliation. <i>Collection De Lu</i> Acadinie Europienne De Milecine De Ridaptation, 2007 , 51-63		
14	Rehabilitation and palliation of breast cancer patients. <i>Collection De LuAcadinie Europiènne De Milecine De Riadaptation</i> , 2007 , 127-187		
13	Rehabilitation and palliation of patients with pancreatic cancer. <i>Collection De LuAcadinie Europ</i> Anne De Midecine De Ridaptation, 2007 , 245-278		
12	A 4-week home-based aerobic and resistance exercise program during radiation therapy: a pilot randomized clinical trial. <i>The Journal of Supportive Oncology</i> , 2009 , 7, 158-67		75
11	A clinically translatable mouse model for chemotherapy-related fatigue. <i>Comparative Medicine</i> , 2013 , 63, 491-7	1.6	33
10	Changes in daily activities of cancer patients after diagnosis: how do canadian and Iranian patients perceive the change?. <i>Iranian Journal of Cancer Prevention</i> , 2014 , 7, 28-34		2
9	[Correlation between pre-treatment anemia and prognosis in non-small cell lung cancer patients]. <i>Chinese Journal of Lung Cancer</i> , 2010 , 13, 722-6	0.6	1
8	Prognostic significance of baseline fatigue for overall survival: A patient-level meta-analysis of 43 oncology clinical trials with 3915 patients. <i>Trends in Cancer Research</i> , 2017 , 12, 97-110	2	5

CITATION REPORT

7	Cohort Study (CAMARA Study) <i>Oncologist</i> , 2022 , 27, 328-333	5.7	
6	La astenia en el paciente con clicer. 2001 , 3, 292-299		1
5	Literature Review of Fatigue Scales and Association with Clinically Meaningful Improvements in Outcomes Among Patients With and Without Paroxysmal Nocturnal Hemoglobinuria <i>Advances in Therapy</i> , 2022 , 1	4.1	
4	Health-Related Quality of Life Assessment in Patients with Myelodysplastic Syndromes: Evidence from Randomized Clinical Trials <i>Clinical Practice and Epidemiology in Mental Health</i> , 2021 , 17, 307-314	3.2	O
3	Lack of cognitive impairment in long-term survivors of colorectal cancer <i>Supportive Care in Cancer</i> , 2022 , 1	3.9	О
2	Support Drugs. 2022 , 339-369		
1	Stepped-care cognitive behaviour therapy program for treating cancer-related fatigue: protocol for	1.9	0