Force Feedback Control of Manipulator Fine Motions

#	Paper	IF	Citations
517	Constrained motion control of a robot manipulator.		1
516	Fuzzy modeling of MIMO non linear system: complexity reduction.		
515	Research on Advanced Assembly Automation. **1977**, 10, 24-38		25
514	Dynamic decoupling of a remote manipulator system. **1978**, 23, 713-717		2
513	Real-Time Control of a Multiple-Element Mechanical Linkage with a Microcomputer. **1979**, IECI-26, 227-234		17
512	A systematic method of hybrid position/force control of a manipulator.		58
511	Assembly research. **1980**, 16, 595-613		75
510	. **1980**, 10, 393-400		58
509	Compliance and Force Control for Computer Controlled Manipulators. **1981**, 11, 418-432		882
508	Articulated Hands: Force Control and Kinematic Issues. **1982**, 1, 4-17		1070
507	On the force feedback control of a manipulator with a compliant wrist force sensor. **1983**, 18, 57-62		13
506	An anatomy of industrial robots and their controls. **1983**, 28, 133-153		72
505	Adaptive linear controller for robotic manipulators. **1983**, 28, 162-171		210
504	Robot programming. **1983**, 71, 821-841		164
503	Joint torque control by a direct feedback for industrial robots. **1983**, 28, 153-161		130
502	Robust compensation for a robotic manipulator. **1984**, 29, 564-567		1
501	Automatic Synthesis of Fine-Motion Strategies for Robots. **1984**, 3, 3-24		518

| 482 | Singular systems of differential equations as dynamic models for constrained robot systems. | 83 |

| 481 | Experiments in force control of robotic manipulators. | 67 |

| 480 | Robust compliant motion for manipulators, part I: The fundamental concepts of compliant motion. **1986**, 2, 83-92 | 234 |

| 479 | Robot Systems Completely Based on Sensory Feedback. **1986**, IE-33, 105-109 | 13 |

| 478 | Control of Manipulator with Force Sensing Capability. **1986**, 19, 301-306 | |

| 477 | Using Backprojections for Fine Motion Planning with Uncertainty. **1986**, 5, 19-45 | 161 |

| 476 | . | 2 |

| 475 | Dynamic hybrid position/force control of robot manipulators description of hand constraints and calculation of joint driving force. | 31 |

| 474 | The fundamental concepts of robust compliant motion for robot manipulators. | 32 |

| 473 | Multisensory robots and sensor-based path generation. | 8 |

| 472 | Force-position-velocity control with self-tuning for robotic manipulators. | 9 |

| 471 | Implementation of Force Feedback in Manipulation Robots. **1986**, 5, 66-76 | 20 |

| 470 | Direct teaching and automatic program generation for the hybrid control of robot manipulators. | 25 |

| 469 | . | 9 |

| 468 | On the Implementation of an Adaptive Hybrid Position/Force Control for Manipulators. **1987**, 201, 403-412 | |

| 467 | The Effect of coulomb friction and stiction on force control. | 80 |

| 466 | Direct-drive, active compliant end-effector (active RCC). | 9 |

| 465 | Position-based impedance control - Achieving stability in practice. **1987**, | 21 |

446	Generalized inverses for robotic manipulators. **1987**, 22, 507-514	17
445	Force interaction and allocation for the legs of a walking vehicle. **1987**, 3, 546-555	46
444	Introduction to dynamic models for robot force control. **1987**, 7, 48-52	77
443	. **1988**, 8, 21-25	34
442	. **1988**, 4, 223-228	16
441	. **1988**, 4, 77-85	24
440	. **1988**, 4, 287-293	6
439	. **1988**, 4, 324-333	34
438	. **1988**, 4, 677-686	168
437	Application of robots in assembly automation. **1988**, 4, 175-180	2
436	. **1988**, 35, 26-30	3
435	Compliant Robot Motion II. A Control Approach Based on External Control Loops. **1988**, 7, 18-33	186
434	.	1
433	Application of Microcomputer-Based A.M.F.C. Technique to Trajectory / Pressure Control of Robotic Manipulator Equipped with Pressure Sensor.	
432	A Compliance Control Mehtod Suggested by Muscle Networks In Human Arms.	6
431	. **1988**, 33, 419-426	456
430	.	4
429	.	51

410	.	
409	.	30
408	.	13
407	.	29
406	A quantification of dexterity. **1989**, 6, 3-14	11
405	. **1989**, 19, 832-839	2
404	Design and analysis of the statically balanced direct-drive robot manipulator. **1989**, 6, 287-293	7
403	Adaptive edge-following force control of an industrial robot. **1989**, 6, 331-337	1
402	Trajectory tracking control for industrial robots. **1989**, 20, 273-281	1
401	A Survey of General- Purpose Manipulation. **1989**, 8, 38-62	63
400	. **1989**, 5, 112-118	3
399	.	127
398	. **1989**, 5, 752-764	40
397	.	12
396	.	0
395	.	1
394	.	0
393	. **1989**, 5, 166-173	46

392	. **1989**, 5, 658-669	31
391	Adaptation to environment stiffness in the control of manipulators. **1990**, 150-165	3
390	Hybrid position force control of robot manipulator with an instrumented compliant wrist. **1990**, 244-270	4
389	Automatic Fine-Motion Planning Based on Position/Force States. **1990**, 23, 301-307	
388	The complexity of planar compliant motion planning under uncertainty. **1990**, 5, 353-382	23
387	Neural networks in robotics: A survey. **1990**, 3, 51-66	37
386	Predictive displays and shared compliance control for time-delayed telemanipulation.	24
385	.	120
384	.	4
383	.	15
382	.	1
381	Force Control in Locomotion of Legged Vehicles over Rigid and Soft Surfaces. **1990**, 9, 4-23	75
380	A Quantification of Machine Dexterity Applied to an Assembly Task. **1990**, 9, 49-62	23
379	Task-Level Adaptive Hybrid Manipulator Control. **1990**, 9, 63-73	7
378	Experimental Modeling of Robot Manipulators with Actuator Dynamics for Force and Motion Control.	
377	Impedance control of a direct-drive manipulator without using force sensors. **1990**, 5, 183-205	16
376	.	14
375	Shape recovery from robot contour-tracking with force feedback. **1990**, 5, 257-273	4

374	. **1990**, 6, 303-311	22
373	.	4
372	.	2
371	.	1
370	Postural stability of constrained three dimensional robotic systems. **1990**,	6
369	. **1990**, 35, 710-714	33
368	.	19
367	. **1990**, 6, 274-277	4
366	.	63
365	.	7
364	. **1990**,	8
363	.	7
362	. **1991**, 7, 21-30	7
361	.	1
360	.	13
359	. **1991**, 7, 320-332	139
358	Adaptive force control of screwdriving with a positioning-controlled manipulator. **1991**, 7, 57-65	10
357	A control architecture for an advanced fault-tolerant robot system. **1991**, 7, 211-225	20

338	.	1
337	. **1992**, 8, 213-227	66
336	.	0
335	. **1992**, 37, 1501-1505	48
334	.	7
333	.	2
332	.	3
331	. **1992**, 8, 132-138	5
330	.	53
329	. **1992**, 8, 176-185	220
328	Compliant Motion Control of Robots by Using Variable Impedance. **1992**, 7, 322-332	4
327	Task encoding: Toward a scientific paradigm for robot planning and control. **1992**, 9, 5-39	17
326	On the robust adaptive control of a contour-following robotic system. **1992**, 9, 283-297	2
325	Comprehensive dynamic modeling and motion/force control of flexible manipulators. *Mechatronics*, **1992**, 2, 129-148	3	6
324	Force and motion control of a single flexible manipulator link. **1992**, 9, 87-99	11
323	The development of a robotic compliance control system. **1992**, 32, 477-486	2
322	An efficient algorithm for one-step planar compliant motion planning with uncertainty. **1992**, 8, 195-208	15
321	Compliant motions and force/moment constraints in the presence of uncertainties. **1993**, 17, 89-102	0

302	.	
301	.	
300	Damping control with consideration of dynamics of environment.	1
299	.	4
298	.	2
297	Robotic Exploration of Surfaces With a Compliant Wrist Sensor. **1993**, 12, 107-120	11
296	.	
295	A Study on Interaction Control through Passive Degrees of Freedom: Stability and Adaptation of Impedance Variation. **1993**, 34, 1-20	
294	Some Strategies in Automated Assembly of Small Rigid Parts Based on Force Feedback. **1993**, 16, 199-208	
293	. **1994**, 14, 14-25	2
292	.	8
291	.	15
290	Static Friction Effects During Hard-on-Hard Contact Tasks and Their Implications for Manipulator Design: Communication. **1994**, 13, 508-520	9
289	Space robotics research activity with Experimental Free-Floating Robot Satellite (EFFORTS) simulators. **1994**, 561-578	2
288	.	2
287	.	
286	Computational considerations in the implementation of force control strategies. **1994**, 9, 121-148	14
285	Unconstrained and constrained motion control of a planar two-link structurally flexible robotic manipulator. **1994**, 11, 557-571	10

284	Compliance control safety: An architecture-independent analysis. **1994**, 11, 725-741	
283	.	28
282	.	49
281	. **1994**, 41, 12-24	34
280	.	1
279	. **1994**, 10, 465-479	29
278	An approach to autonomous robot assembly. **1994**, 12, 137-155	24
277	Techniques For Collision Prevention, Impact Stability, And Force Control By Space Manipulators. **1994**, 175-212	3
276	Towards integrated robot planning and control. **1994**, 27, 351-359	
275	Progressive learning for robot impedance control.	
274	.	30
273	Fast stable contact transitions with a stiff manipulator using force and vision feedback.	2
272	COMRADE: Compliant Motion Research and Development Environment. **1995**, 28, 71-77	
271	Direct adaptive control of force-guided assembly robots using tuned dither.	0
270	. **1995**, 14, 292-300	70
269	Robust Impedance Control and Force Regulation: Theory and Experiments. **1995**, 14, 225-254	61
268	Control strategies for rodotic contact tasks: An experimental study. **1995**, 12, 67-92	20
267	A geometric simulator SimRep for testing the replanning approach toward assembly motions in the presence of uncertainties.	2

266	Progressive learning for robotic assembly: learning impedance with an excitation scheduling method.		
265	Understanding Action and Sensing by Designing Action-Based Sensors. **1995**, 14, 483-509		46
264	Implementation of a neuromuscular-like control for compliance on a PUMA 560 robot.		
263	Controlling the contact compliance via internal forces on objects held by dual-arm robots.		2
262	Fine Motion Strategies for Robotic Peg-Hole Insertion. **1995**, 209, 429-448		8
261	Frequency-shaped implicit force control of flexible link manipulators.		6
260	Series elastic actuators.		972
259	. **1995**, 11, 504-515		32
258	. **1995**, 11, 56-71		15
257	Detection of kinematic constraint from search motion of a robot using link weights of a neural network.		
256	Experiments in dexterous hybrid force and position control of a master/slave electrohydraulic manipulator.		4
255	Two-stage adaptive impedance control applied to a legged robot.		3
254	.		4
253	Optimizing robot motion strategies for assembly with stochastic models of the assembly process. **1996**, 12, 160-174		4
252	Task-oriented force control of parallel link robot for the assembly of segments of a shield tunnel excavation system. *IEEE/ASME Transactions on Mechatronics*, **1996**, 1, 250-258	5.5	17
251	Force and vision resolvability for assimilating disparate sensory feedback. **1996**, 12, 714-731		59
250	Six-legged robot for service operations.		2
249	Progressive learning and its application to robot impedance learning. **1996**, 7, 941-52		21

248	Force control of micro robotic finger using fuzzy controllor.	
247	Assembly of segments for shield tunnel excavation system using task-oriented force control of parallel link mechanism.	0
246	Force control of power shovel for construction of subterrain line.	0
245	Manufacturing Robotics: Basic Issues and Challenges. **1996**, 29, 319-330	2
244	Dynamic modeling and control of a multi-robot system for assembly of flexible payloads with applications to automotive body assembly. **1996**, 13, 817-836	26
243	Automated polishing of an unknown three-dimensional surface. **1996**, 12, 261-270	35
242	Application of fuzzy on-line self-adaptive controller for a contour tracking robot on unknown contours. **1996**, 82, 17-25	5
241	Constrained accelerated-feedback control for robot motion. **1996**, 12, 251-259	
240	Robotic manipulation using high bandwidth force and vision feedback. **1996**, 24, 11-29	22
239	Frequency-shaped explicit output feedback force control for flexible link manipulators.	
238	Robust path planning in the plane. **1996**, 12, 347-352	8
237	Twin-head six-axis force sensors. **1996**, 12, 146-154	16
236	A reactive external force loop approach to control manipulators in the presence of environmental disturbances.	6
235	Learning of admittance matrix elements for manipulative operations.	4
234	Task-oriented force control of parallel link mechanism for assembly of segments of tunnel bolling machine.	
233	Stiffness isnℝ everything. **1997**, 253-262	42
232	Analysis and implementation of a neuromuscular-like control for robotic compliance. **1997**, 5, 586-597	12
231	On Motion Planning in Changing, Partially Predictable Environments. **1997**, 16, 775-805	27

| 230 | An integrated robotics and medical control device to quantify atheromatous plaques: experiments on the arteries of a patient. | 9 |

| 229 | Automatic Synthesis of Robot Compliant Motions in Dynamic Environments. **1997**, 16, 730-748 | 3 |

| 228 | Neural Networks for Force Control of an Assembly Robot. **1997**, 30, 1015-1021 | |

| 227 | Power Approach on Control of Elastic Joints Robot During Constrained Motion Tasks. **1997**, 30, 479-484 | |

| 226 | Passive compliance of flexible link robots. II. Analysis and application. | 1 |

| 225 | A spatial impedance controller for robotic manipulation. **1997**, 13, 546-556 | 48 |

| 224 | A linear space of admittance control laws that guarantees force-assembly with friction. **1997**, 13, 656-667 | 10 |

| 223 | Control of a robot handling an object in cooperation with a human. | 41 |

| 222 | Robot impedance generation from logic task description through progressive learning. | 2 |

| 221 | A compliant motion control for insertion of complex shaped objects using contact. | 7 |

| 220 | Contour-following of a force-controlled industrial robot using preview control. **1997**, 11, 115-124 | 3 |

| 219 | Robot planning and control. **1997**, 21, 249-261 | 13 |

| 218 | Control of interaction impedance using an electrohydraulic servosystem: an application to robotic deburring. **1997**, 65, 172-178 | 2 |

| 217 | An on-line relative position and orientation error calibration methodology for workcell robot operations. **1997**, 13, 89-99 | 15 |

| 216 | Assembly of complex shaped objects: A stiffness control with contact localization. **1998**, 12, 451 | 2 |

| 215 | The bounds and realization of spatial stiffnesses achieved with simple springs connected in parallel. **1998**, 14, 466-475 | 89 |

| 214 | Advanced telerobotics. **1998**, 97-124 | 1 |

| 213 | Integration of real-time planning and control in an unstructured manufacturing workcell. **1998**, 13, 473-492 | 1 |

194	Human Safety Mechanisms of Human-Friendly Robots: Passive Viscoelastic Trunk and Passively Movable Base. **2000**, 19, 307-335		51
193	Sensor-based hybrid position/force control of a robot manipulator in an uncalibrated environment. **2000**, 8, 635-645		94
192	Force control of robot manipulators.		78
191	Force/moment accommodation control for tele-operated manipulators performing contact tasks in stiff environment.		1
190	Hamlet: force/position controlled hexapod walker - design and systems.		10
189	Robotic Surface Finishing Processes: Modeling, Control, and Experiments. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2001**, 123, 93-102	1.6	30
188	Vibrations of machines subjected to digital force control. **2001**, 38, 2149-2159		44
187	Multidirectional compliance and constraint for improved robotic deburring. Part 1: improved positioning. **2001**, 17, 277-286		7
186	Robot Control Using Disparate Multiple Sensors. **2001**, 20, 364-377		15
185	Adaptive control of robotic surface finishing processes. **2001**,		13
184	Force control of remote maintenance robot for the ITER.		1
183	Force control with fuzzy compensation of gravity and actuators' friction forces of a hydraulic parallel link manipulator.		
182	New algorithm for simplification of rule base generated by automated fuzzy modeling.		1
181	Experimental comparative evaluation of compliant control schemes for an anthropomorphic personal robot. **2002**,		2
180	Sufficient conditions used in admittance selection for planar force-guided assembly.		
179	Admittance enhancement in force feedback of dynamic systems.		12
178	Robotic grasping: gripper designs, control methods and grasp configurations a review of research. **2002**, 13, 520-531		17
177	.		

176   An impedance-compliance control for a cable-actuated robot.   3

175   Fuzzy impedance control for robots in complex spatial edge following.   1

174   Compliant control for a cable-actuated anthropomorphic robot arm: an experimental validation of different solutions.   7

173   A new legged-robot configuration for research in force distribution. *Mechatronics*, **2003**, 13, 907-932   3   46

172   An experimental study on compliance control for a redundant personal robot arm. **2003**, 44, 101-129   44

171   .   28

170   Sufficient conditions for admittance to ensure planar force-assembly in multi-point frictionless contact.

169   Sufficient conditions used in admittance selection for force-guided assembly of polygonal parts. **2003**, 19, 737-742   10

168   Admittance selection for planar force-guided assembly for single-point contact with friction.

167   Stability of the Damped Mathieu Equation With Time Delay. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2003**, 125, 166-171   1.6   36

166   Accuracy/Robustness Dilemma in Impedance Control. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2003**, 125, 310-319   1.6   46

165   . **2004**,   10

164   Admittance selection for force-guided assembly of polygonal parts despite friction. **2004**, 20, 817-829   7

163   Admittance selection for force-guided assembly of polyhedral parts in single-point contact. **2004**,   0

162   An integrative approach for multi-sensor based robot task programming. **2004**,   1

161   Application study of robotic control system based on force information.

160   . **2004**, 20, 488-498   82

159   An evaluation of ultrasonic motors as driving technology in impedance controlled robots. **2004**,

| 158 | Machining with flexible manipulator: toward improving robotic machining performance. | 56 |

| 157 | Passive Compensator Load Variation for Deep Water Contact Operations. **2006**, | |

| 156 | Spatial admittance selection conditions for frictionless force-guided assembly of polyhedral parts in single principal contact. **2006**, 22, 225-239 | 1 |

| 155 | 6D Force and Acceleration Sensor Fusion for Compliant Manipulation Control. **2006**, | 10 |

| 154 | Control System of Three Degree Freedom Parallel Manipulator. **2006**, | |

| 153 | Improvements to Series Elastic Actuators. **2006**, | 41 |

| 152 | Force and acceleration sensor fusion for compliant manipulation control in 6 degrees of freedom. **2007**, 21, 1603-1616 | 13 |

| 151 | . **2007**, 32, 593-602 | 24 |

| 150 | . **2007**, 23, 232-244 | 160 |

| 149 | An Approach to Consider Upper Limb Kinematics for the Improvement of Motion Control in a Two Arm Robotic Rehabilitation System. **2007**, | 1 |

| 148 | Robust force control strategy based on the virtual environment concept. **2007**, 21, 485-498 | 8 |

| 147 | Design and Evaluation of a Linear Haptic Device. **2007**, | 7 |

| 146 | Influencia de la rigidez del sistema y la frecuencia de correcciones en el control de fuerzas de robots industriales. **2007**, 4, 39-50 | |

| 145 | A Robust Approach to Control Robot Manipulators by Fusing Visual and Force Information. **2007**, 48, 437-456 | 10 |

| 144 | Improvement of a delayed velocity reference control (DVRC) for machining operations. **2007**, 47, 496-508 | 1 |

| 143 | Analysis of effects of differential gain on dynamic stability of digital force control. **2008**, 43, 514-520 | 16 |

| 142 | User-modulated impedance control of a prosthetic elbow in unconstrained, perturbed motion. **2008**, 55, 1043-55 | 55 |

| 141 | A manipulator plays Jenga. **2008**, 15, 79-84 | 17 |

140	Force Control. **2008**, 161-185		117
139	Biological stiffness control strategies for the Anatomically Correct Testbed (ACT) hand. **2008**,		24
138	Fast position control considering robot safety based on dual dynamic torque compensation. **2008**,		1
137	A control strategy for operating unknown constrained mechanisms. **2010**,		13
136	Parallel Stiffness Actuators with Six Degrees of Freedom for Efficient Force/Torque Control Applications. *Springer Tracts in Advanced Robotics*, **2010**, 275-291	0.5	4
135	Telepresence in Industrial Applications: Implementation Issues for Assembly Tasks. **2010**, 19, 415-429		11
134	Position and Force Control of a Robot in a Free or Constrained Space. **2010**, 241-278		
133	Force Tracking with Feed-Forward Motion Estimation for Beating Heart Surgery. **2010**, 26, 888-896		63
132	. *IEEE/ASME Transactions on Mechatronics*, **2010**, 15, 291-298	5.5	17
131	Interaction control for a brake actuated manipulator. **2010**,		
130	Teaching data characteristics for direct teaching using a robot with a dual-shell structure. **2012**,		
129	Controlling and maximizing humanoid robot pushing force through posture. **2012**,		
128	An impedance approach to reduce the contact-instability whilst drilling with active heave compensation. **2012**, 49, 25-32		9
127	Simulation of force control algorithms for serial robots. **2012**,		2
126	Position feedback in force control of industrial manipulators - An experimental comparison with basic algorithms. **2012**,		9
125	Development of the Cartesian arm exoskeleton system (CAES) using a 3-axis force/torque sensor. **2013**, 11, 976-983		10
124	Modeling, design, and optimization of Mindwalker series elastic joint. **2013**, 2013, 6650381		6
123	Admittance control scheme for implementing model-based assistance-as-needed on a robot. **2013**, 2013, 870-3		14

122	Model-based compliant motion control scheme for assembly tasks using vision and force information. **2013**,		4
121	Hybrid Force-Position Control Three Fingers End Effector. **2013**, 346, 75-82		
120	Effect of compliance location in series elastic actuators. **2013**, 31, 1313-1318		12
119	Encyclopedia of Systems and Control. **2013**, 1-10		
118	Capuchin: A Free-Climbing Robot. **2013**, 10, 194		9
117	Robot Force/Torque Control in Assembly Tasks. **2013**, 46, 796-801		0
116	Optimal Passive Dynamics for Physical Interaction: Catching a Mass. **2013**, 2, 45-58		2
115	Estimation of contact forces using a virtual force sensor. **2014**,		61
114	An autonomous manipulation system based on force control and optimization. **2014**, 36, 11-30		48
113	A Sliding-Mode-Like Position Controller for Admittance Control With Bounded Actuator Force. *IEEE/ASME Transactions on Mechatronics*, **2014**, 19, 1489-1500	5.5	28
112	Human-inspired force compliant grasping primitives. **2014**, 37, 209-225		25
111	Force control for automatic cashew shelling considering size variance. **2014**, 8, JAMDSM0018-JAMDSM0018		2
110	Applied Research in Cartesian Impedance Control for 6-UPS Space Docking Mechanism. **2014**, 540, 363-367		1
109	Robotic co-manipulation with 6 DoF admittance control: Application to patient positioning in proton-therapy. **2015**,		4
108	Static analysis of a 3-RRS and a 3-RSR Spherical Parallel Robots. **2015**,		2
107	On the stability and accuracy of high stiffness rendering in non-backdrivable actuators through series elasticity. *Mechatronics*, **2015**, 26, 64-75	3	19
106	Virtual performance evaluation of an industrial SCARA robot prior to real-world task. **2015**, 21, 2605-2609		4
105	Position-force combination control with passive flexibility for versatile in-hand manipulation based on posture interpolation. **2016**,		4

104	Compliance control based on Particle Swarm Optimization approach for physical human-robot interaction. **2016**,		2
103	Cascade control for compliant joint robots with redundant position sensors. **2016**,		1
102	Dynamic analysis of series elastic actuator in terms of controller design. **2016**,		
101	Explicit and implicit force control of an industrial manipulator An experimental summary. **2016**,		3
100	Force Control. **2016**, 195-220		25
99	A review on the evolvement trend of robotic interaction control. **2016**, 43, 535-551		9
98	Manipulation and Control. **2016**, 255-320		
97	Compliance control based on PSO algorithm to improve the feeling during physical human-robot interaction. **2016**, 3, 19		1
96	A Review of Algorithms for Compliant Control of Stiff and Fixed-Compliance Robots. *IEEE/ASME Transactions on Mechatronics*, **2016**, 21, 613-624	5.5	129
95	Hybrid motion/force control of multi-backbone continuum robots. **2016**, 35, 422-434		78
94	Impedance and admittance control for respiratory-motion compensation during robotic needle insertion - a preliminary test. **2017**, 13, e1795		11
93	Impedance control of series elastic actuators: Passivity and acceleration-based control. *Mechatronics*, **2017**, 47, 37-48	3	43
92	Hybrid motion/force control: a review. **2017**, 31, 1102-1113		20
91	An EMG-based variable impedance control for elbow exercise: preliminary study. **2017**, 31, 809-820		7
90	High-Precision Robust Force Control of a Series Elastic Actuator. *IEEE/ASME Transactions on Mechatronics*, **2017**, 22, 71-80	5.5	124
89	Design and experimental study of compliant joints of robot based on magneto-rheological fluid. **2017**,		
88	Control of UVMSs. *Springer Tracts in Advanced Robotics*, **2018**, 175-329	0.5	
87	A Rationale for Acceleration Feedback in Force Control of Series Elastic Actuators. **2018**, 34, 48-61		26

86	Understanding Environment-Adaptive Force Control of Series Elastic Actuators. *IEEE/ASME Transactions on Mechatronics*, **2018**, 23, 413-423	5.5	19
85	Direct teaching of industrial manipulators using current sensors. **2018**, 38, 216-225		3
84	Admittance control for physical human–robot interaction. **2018**, 37, 1421-1444		93
83	Stable Numerical Solution of Inverse Kinematics in Singular Posture and Unsolvable Problem Based on Minimization of Elastic Energy of Virtual Spring. **2018**, 36, 645-653		2
82	Active Impedance Control of Bioinspired Motion Robotic Manipulators: An Overview. **2018**, 2018, 8203054		16
81	Deep Reinforcement Learning Algorithm for Object Placement Tasks with Manipulator. **2018**,		2
80	Compliant Manipulation of Free-Floating Objects. **2018**,		1
79	Multi-Component FBG-Based Force Sensing Systems by Comparison With Other Sensing Technologies: A Review. **2018**, 18, 7345-7357		24
78	The Next-Generation Surgical Robots. **2018**,		6
77	Impedance Control of Hydraulic Actuation Systems With Inherent Backdrivability. *IEEE/ASME Transactions on Mechatronics*, **2019**, 24, 1921-1930	5.5	7
76	An introductory review of active compliant control. **2019**, 119, 185-200		18
75	Improving Stability in Upper Limb Rehabilitation Using Variable Stiffness. **2019**, 2019, 122-125		
74	A Buckling Flexure-Based Force-Limiting Mechanism. **2019**, 11,		2
73	Motion Retargeting and Control for Teleoperated Physical Human-Robot Interaction. **2019**,		3
72	Admittance Control of an Industrial Robot during Resistance Training. **2019**, 52, 223-228		1
71	Variable Stiffness Mechanism for Suppressing Unintended Forces in Physical Human–Robot Interaction. **2019**, 11,		7
70	Introducing Series Elastic Links for Affordable Torque-Controlled Robots. **2019**, 4, 137-144		3
69	Actuator Technologies. **2019**, 31-59		0

| 68 | Kinematics. **2019**, 15-82 | 0 |

| 67 | Posture adjustment method for large components of aircraft based on hybrid force-position control. **2020**, 47, 381-393 | 5 |

| 66 | Hybrid Force Tracking Impedance Control-Based Autonomous Robotic System for Tooth Brushing Assistance of Disabled People. **2020**, 2, 649-660 | 2 |

| 65 | Joint Angle Estimation of a Tendon-Driven Soft Wearable Robot through a Tension and Stroke Measurement. **2020**, 20, | 5 |

| 64 | A Review of Sensory Feedback in Upper-Limb Prostheses From the Perspective of Human Motor Control. **2020**, 14, 345 | 34 |

| 63 | Separating neural influences from peripheral mechanics: the speed-curvature relation in mechanically constrained actions. **2020**, 123, 1870-1885 | 6 |

| 62 | Variable Admittance Control With Virtual Stiffness Guidance for Human Robot Collaboration. **2020**, 8, 117335-117346 | 9 |

| 61 | A ball head positioning method based on hybrid force-position control. **2021**, 235, 1433-1444 | 1 |

| 60 | . **2021**, | 2 |

| 59 | A visibility-based approach to computing non-deterministic bouncing strategies. **2021**, 40, 1196-1211 | 1 |

| 58 | Force restrained control to extend flexibility of trajectory planning. **2021**, | |

| 57 | Electrotactile Feedback for the Discrimination of Different Surface Textures Using a Microphone. **2021**, 21, | 2 |

| 56 | A variable admittance controller for human-robot manipulation of large inertia objects. **2021**, | 1 |

| 55 | Contact and Physical Interaction. **2022**, 5, | 2 |

| 54 | Encyclopedia of Systems and Control. **2021**, 827-833 | |

| 53 | Geometric reasoning in motion planning. **1989**, 377-413 | 1 |

| 52 | Interaction Control. **2000**, 271-294 | 5 |

| 51 | Parallel Robots: Open Problems. **2000**, 27-32 | 15 |

14	A Focus on Motion Dynamics: Planning Impedance Behaviors in Physical Interaction. *Springer Tracts in Advanced Robotics*, **2022**, 171-184	0.5	
13	A Review of End-Effector Research Based on Compliance Control. *Machines*, **2022**, 10, 100	2.9	3
12	Remotely Manipulated Peg-in-Hole Task Conducted by Cable-Driven Parallel Robots. *IEEE/ASME Transactions on Mechatronics*, **2022**, 1-11	5.5	1
11	How to reduce the impedance for pHRI: Admittance control or underactuation?. *Mechatronics*, **2022**, 84, 102768	3	0
10	Offline Meta-Reinforcement Learning for Industrial Insertion. **2022**,		1
9	Cooperative Multilift Slung Load Transportation Using Haptic Admittance Control Guidance. *Journal of Guidance, Control, and Dynamics*, 1-14	2.1	1
8	Quasiperiodic oscillations in robot dynamics. *Nonlinear Dynamics*, **1995**, 8, 513-528	5	18
7	A survey of robot manipulation in contact. **2022**, 156, 104224		3
6	Robust Artificial Delay based Impedance Control of Robotic Manipulators with Uncertain Dynamics. **2022**,		0
5	Vision-driven Deep Reinforcement Learning for Electronic Components Robotic Insertion Tasks.		0
4	Embodied Communication: How Robots and People Communicate Through Physical Interaction. **2023**, 6,		0
3	Force control of lightweight series elastic systems using enhanced disturbance observers. **2023**, 164, 104407		0
2	A Light-Weight Quasi-Direct Drive Collaborative Robot Arm. **2023**,		0
1	Promises of industry 4.0 under the magnifying glass of interdisciplinarity: revealing operators and managers work and challenging collaborative robot design.		0