

# CITATION REPORT

List of articles citing

## Clinical applications of intracranial perfusion MR imaging

DOI: PM/10318717

Neuroimaging Clinics of North America, 1999, 9, 309-31.

**Source:** <https://exaly.com/paper-pdf/130588502/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
103	Neuroimaging: do we really need new contrast agents for MRI?. <b>2000</b> , 34, 166-78		34
102	Dynamic contrast-enhanced brain perfusion imaging: technique and clinical applications. <b>2000</b> , 21, 462-77		64
101	Functional MRI and its applications to the clinical neurosciences. <b>2001</b> , 7, 64-79		43
100	Dynamic susceptibility contrast MRI of gliomas. <i>Neuroimaging Clinics of North America</i> , <b>2002</b> , 12, 501-23	3	89
99	Perfusion MR imaging: clinical utility for the differential diagnosis of various brain tumors. <b>2002</b> , 3, 171-9		43
98	Newer MR imaging techniques for head and neck. <b>2003</b> , 11, 449-69, vi		27
97	Herpes encephalitis. <b>2003</b> , 361, 260		1
96	Angiogenesis in glioma: molecular mechanisms and roadblocks to translation. <b>2003</b> , 9, 205-13		37
95	Correlation of MR perfusion imaging and vessel tortuosity parameters in assessment of intracranial neoplasms. <b>2004</b> , 3, 585-90		31
94	Conventional MR imaging with simultaneous measurements of cerebral blood volume and vascular permeability in ganglioglioma. <b>2004</b> , 22, 599-606		25
93	Advances in the assessment of childhood brain tumors and treatment-related sequelae. <b>2005</b> , 5, 119-26		2
92	Advanced magnetic resonance imaging techniques to evaluate CNS glioma. <b>2005</b> , 5, S3-11		4
91	High-grade and low-grade gliomas: differentiation by using perfusion MR imaging. <b>2005</b> , 60, 493-502		156
90	Stroke imaging at 3.0 T. <i>Neuroimaging Clinics of North America</i> , <b>2006</b> , 16, 343-66, xii	3	8
89	Perfusion magnetic resonance imaging predicts patient outcome as an adjunct to histopathology: a second reference standard in the surgical and nonsurgical treatment of low-grade gliomas. <b>2006</b> , 58, 1099-107; discussion 1099-107		86
88	Angiogenesis in gliomas: imaging and experimental therapeutics. <b>2005</b> , 15, 342-63		44
87	Correcting the effects of background microcirculation in the measurement of arterial input functions using dynamic susceptibility contrast MRI of the brain. <b>2006</b> , 24, 619-23		8

86	Evaluation of different cerebral mass lesions by perfusion-weighted MR imaging. <b>2006</b> , 24, 817-24		168
85	A prospective study on the added value of pulsed arterial spin-labeling and apparent diffusion coefficients in the grading of gliomas. <i>American Journal of Neuroradiology</i> , <b>2007</b> , 28, 1693-9	4-4	76
84	Role of perfusion CT in glioma grading and comparison with conventional MR imaging features. <i>American Journal of Neuroradiology</i> , <b>2007</b> , 28, 1981-7	4-4	93
83	MR imaging of temporal lobe epilepsy. <b>2007</b> , 28, 424-36		19
82	Comparison of region-of-interest analysis with three different histogram analysis methods in the determination of perfusion metrics in patients with brain gliomas. <b>2007</b> , 26, 1053-63		69
81	Clinical neuroimaging using arterial spin-labeled perfusion magnetic resonance imaging. <b>2007</b> , 4, 346-59		180
80	Improving lesion detection and visualization: implications for neurosurgical planning and follow-up. <b>2007</b> , 49 Suppl 1, S27-34		3
79	Low-Grade Astrocytomas. <b>2008</b> , 341-354		
78	Histogram analysis of MR imaging-derived cerebral blood volume maps: combined glioma grading and identification of low-grade oligodendroglial subtypes. <i>American Journal of Neuroradiology</i> , <b>2008</b> , 29, 1664-70	4-4	57
77	Quantitative estimation of permeability surface-area product in astroglial brain tumors using perfusion CT and correlation with histopathologic grade. <i>American Journal of Neuroradiology</i> , <b>2008</b> , 29, 694-700	4-4	113
76	Gliomas: predicting time to progression or survival with cerebral blood volume measurements at dynamic susceptibility-weighted contrast-enhanced perfusion MR imaging. <b>2008</b> , 247, 490-8		403
75	Advanced imaging techniques in brain tumors. <b>2009</b> , 9 Spec No A, S4-9		33
74	Automatic vessel removal in gliomas from dynamic susceptibility contrast imaging. <b>2009</b> , 61, 1210-7		15
73	Glioma grading: sensitivity, specificity, positive and negative predictive values of diffusion and perfusion imaging. <b>2009</b> , 94, 87-96		137
72	Idiopathic normal pressure hydrocephalus: thoughts on etiology and pathophysiology. <b>2009</b> , 73, 718-24		17
71	Magnetic resonance perfusion and permeability imaging in brain tumors. <i>Neuroimaging Clinics of North America</i> , <b>2009</b> , 19, 527-57	3	109
70	High-relaxivity contrast-enhanced magnetic resonance neuroimaging: a review. <b>2010</b> , 20, 2461-74		46
69	The striate sign: peritumoural perfusion pattern of infiltrative primary and recurrent gliomas. <b>2010</b> , 33, 193-203; discussion 203-4		9

68	Elevated peritumoural rCBV values as a mean to differentiate metastases from high-grade gliomas. <b>2010</b> , 152, 1893-9		36
67	Perfusion weighted magnetic resonance imaging to distinguish the recurrence of metastatic brain tumors from radiation necrosis after stereotactic radiosurgery. <b>2010</b> , 99, 81-8		125
66	Dynamic susceptibility contrast perfusion weighted imaging in grading of nonenhancing astrocytomas. <b>2010</b> , 32, 803-8		34
65	Glioblastoma multiforme regional genetic and cellular expression patterns: influence on anatomic and physiologic MR imaging. <b>2010</b> , 254, 564-76		128
64	Solitary metastases and high-grade gliomas: radiological differentiation by morphometric analysis and perfusion-weighted MRI. <b>2010</b> , 65, 15-20		52
63	Mean intensity curve on dynamic contrast-enhanced susceptibility-weighted perfusion MR imaging--review of a new parameter to differentiate intracranial tumors. <b>2011</b> , 38, 199-206		5
62	T1- and T2*-dominant extravasation correction in DSC-MRI: part I--theoretical considerations and implications for assessment of tumor hemodynamic properties. <b>2011</b> , 31, 2041-53		83
61	Tumor vascular leakiness and blood volume estimates in oligodendrogliomas using perfusion CT: an analysis of perfusion parameters helping further characterize genetic subtypes as well as differentiate from astroglial tumors. <b>2011</b> , 102, 287-93		25
60	Stripe-like increase of rCBV beyond the visible border of glioblastomas: site of tumor infiltration growing after neurosurgery. <b>2011</b> , 103, 575-84		22
59	Heterogeneity in malignant gliomas: a magnetic resonance analysis of spatial distribution of metabolite changes and regional blood volume. <b>2011</b> , 103, 663-72		16
58	Metabolism and regional cerebral blood volume in autoimmune inflammatory demyelinating lesions mimicking malignant gliomas. <b>2011</b> , 258, 113-22		19
57	Perfusion and permeability MR imaging of gliomas. <b>2011</b> , 10, 59-71		24
56	Regional variation in histopathologic features of tumor specimens from treatment-naïve glioblastoma correlates with anatomic and physiologic MR Imaging. <b>2012</b> , 14, 942-54		147
55	The added value of apparent diffusion coefficient to cerebral blood volume in the preoperative grading of diffuse gliomas. <i>American Journal of Neuroradiology</i> , <b>2012</b> , 33, 701-7	4-4	98
54	Does MR perfusion imaging impact management decisions for patients with brain tumors? A prospective study. <i>American Journal of Neuroradiology</i> , <b>2012</b> , 33, 556-62	4-4	35
53	Stroke: high-field magnetic resonance imaging. <i>Neuroimaging Clinics of North America</i> , <b>2012</b> , 22, 191-205, x	3	8
52	Quantification of cerebral tumour blood flow and permeability with T1-weighted dynamic contrast enhanced MRI: a feasibility study. <b>2012</b> , 39, 227-35		9
51	The alphabet soup of perfusion CT and MR imaging: terminology revisited and clarified in five questions. <b>2012</b> , 54, 907-18		21

50	Quantitative analysis of neovascular permeability in glioma by dynamic contrast-enhanced MR imaging. <b>2012</b> , 19, 820-3		41
49	Imaging of neurocysticercosis. <i>Neuroimaging Clinics of North America</i> , <b>2012</b> , 22, 659-76	3	70
48	Perfusion CT cerebral blood volume and permeability surface in low and high grades of brain glioma. <b>2012</b> , 43, 449-456		1
47	Perfusion MRI: the five most frequently asked clinical questions. <b>2013</b> , 201, W495-510		71
46	Evaluation of perfusion CT in grading and prognostication of high-grade gliomas at diagnosis: a pilot study. <b>2013</b> , 200, W504-9		14
45	Brain tumors: a multimodality approach with diffusion-weighted imaging, diffusion tensor imaging, magnetic resonance spectroscopy, dynamic susceptibility contrast and dynamic contrast-enhanced magnetic resonance imaging. <b>2013</b> , 21, 199-239		42
44	Magnetic resonance spectroscopy and perfusion weighted imaging as predictors for tumor response to gamma knife radiosurgery: A single center experience. <b>2013</b> , 44, 83-91		
43	Metabolic-Oncological MR Imaging of Diffuse Low-Grade Glioma: A Dynamic Approach. <b>2013</b> , 219-234		
42	Gliomas: application of cumulative histogram analysis of normalized cerebral blood volume on 3 T MRI to tumor grading. <b>2013</b> , 8, e63462		32
41	Benefits of dynamic susceptibility-weighted contrast-enhanced perfusion MRI for glioma diagnosis and therapy. <b>2014</b> , 3, 407-19		22
40	Effect of contrast leakage on the detection of abnormal brain tumor vasculature in high-grade glioma. <b>2014</b> , 116, 543-549		10
39	Relative cerebral blood volume from dynamic susceptibility contrast perfusion in the grading of pediatric primary brain tumors. <b>2015</b> , 57, 299-306		21
38	Pro-angiogenic cellular and genomic expression patterns within glioblastoma influences dynamic susceptibility weighted perfusion MRI. <b>2015</b> , 70, 1087-95		15
37	Imaging of acute stroke: CT and/or MRI. <b>2015</b> , 42, 55-64		28
36	Comparison of Cerebral Blood Volume and Plasma Volume in Untreated Intracranial Tumors. <b>2016</b> , 11, e0161807		7
35	Multiparametric MRI-based differentiation of WHO grade II/III glioma and WHO grade IV glioblastoma. <b>2016</b> , 6, 35142		44
34	Low-Grade Astrocytomas. <b>2016</b> , 439-460		
33	Perfusion MRI in the Evaluation of Suspected Glioblastoma Recurrence. <b>2016</b> , 26, 116-23		22

32	Comparison between dynamic susceptibility contrast magnetic resonance imaging and arterial spin labeling techniques in distinguishing malignant from benign brain tumors. <b>2016</b> , 85, 1545-53	15
31	Evaluation of diagnostic accuracy in CT perfusion analysis in moyamoya disease. <b>2016</b> , 34, 28-34	1
30	Malignant Astrocytomas. <b>2016</b> , 421-438	
29	A comprehensive review of imaging findings in human cysticercosis. <b>2016</b> , 34, 241-57	25
28	Whole-tumor histogram analysis of the cerebral blood volume map: tumor volume defined by 11C-methionine positron emission tomography image improves the diagnostic accuracy of cerebral glioma grading. <b>2017</b> , 35, 613-621	3
27	Tumor recurrence versus treatment effects in glioma: A comparative study of three dimensional pseudo-continuous arterial spin labeling and dynamic susceptibility contrast imaging. <b>2017</b> , 96, e9332	19
26	Comparison of Different Post-Processing Algorithms for Dynamic Susceptibility Contrast Perfusion Imaging of Cerebral Gliomas. <b>2017</b> , 16, 129-136	6
25	New MR perfusion features in primary central nervous system lymphomas: pattern and prognostic impact. <b>2018</b> , 265, 647-658	7
24	Correlation of quantitative parameters of magnetic resonance perfusion-weighted imaging with vascular endothelial growth factor, microvessel density and hypoxia-inducible factor-1 $\alpha$ in nasopharyngeal carcinoma: Evaluation on radiosensitivity study. <b>2018</b> , 43, 425-433	7
23	Improved differentiation between high- and low-grade gliomas by combining dual-energy CT analysis and perfusion CT. <b>2018</b> , 97, e11670	8
22	Optimization of Acquisition and Analysis Methods for Clinical Dynamic Susceptibility Contrast MRI Using a Population-Based Digital Reference Object. <i>American Journal of Neuroradiology</i> , <b>2018</b> , 39, 1981-1988	20
21	Asymptomatic carotid artery stenosis is associated with cerebral hypoperfusion. <b>2021</b> , 73, 1611-1621.e2	8
20	Low-Grade Gliomas. <b>2011</b> , 73-156	1
19	High-Grade Gliomas. <b>2011</b> , 157-200	2
18	A Population-Based Digital Reference Object (DRO) for Optimizing Dynamic Susceptibility Contrast (DSC)-MRI Methods for Clinical Trials. <b>2017</b> , 3, 41-49	18
17	Malignant Astrocytomas. <b>2008</b> , 325-340	
16	Computed Tomography and Magnetic Resonance Imaging of the Brain. <b>2011</b> , 277-310	
15	Clinical Applications of Dynamic Contrast-Enhanced (DCE) Permeability Imaging. <b>2011</b> , 117-137	

14	MR Perfusion Imaging: ASL, T2*-Weighted DSC, and T1-Weighted DCE Methods. <b>2014</b> , 3-25		
13	3.0T Imaging of Brain Gliomas. <b>2017</b> , 271-319		
12	Functional In Vivo Imaging of Tumors. <b>2020</b> , 180, 3-50		
11	Comparison of cerebral blood volume and vascular permeability from dynamic susceptibility contrast-enhanced perfusion MR imaging with glioma grade. <i>American Journal of Neuroradiology</i> , <b>2004</b> , 25, 746-55	4.4	353
10	Glial tumor grading and outcome prediction using dynamic spin-echo MR susceptibility mapping compared with conventional contrast-enhanced MR: confounding effect of elevated rCBV of oligodendrogliomas [corrected]. <i>American Journal of Neuroradiology</i> , <b>2004</b> , 25, 214-21	4.4	329
9	Gliomatosis cerebri has normal relative blood volume: really?! Who cares? Should you?. <i>American Journal of Neuroradiology</i> , <b>2002</b> , 23, 345-6	4.4	3
8	Dynamic susceptibility contrast-enhanced perfusion and conventional MR imaging findings for adult patients with cerebral primitive neuroectodermal tumors. <i>American Journal of Neuroradiology</i> , <b>2004</b> , 25, 997-1005	4.4	15
7	Is volume transfer coefficient (K(trans)) related to histologic grade in human gliomas?. <i>American Journal of Neuroradiology</i> , <b>2005</b> , 26, 2455-65	4.4	99
6	Histogram analysis versus region of interest analysis of dynamic susceptibility contrast perfusion MR imaging data in the grading of cerebral gliomas. <i>American Journal of Neuroradiology</i> , <b>2007</b> , 28, 761-6	4.4	105
5	Comparing perfusion metrics obtained from a single compartment versus pharmacokinetic modeling methods using dynamic susceptibility contrast-enhanced perfusion MR imaging with glioma grade. <i>American Journal of Neuroradiology</i> , <b>2006</b> , 27, 1975-82	4.4	71
4	Do cerebral blood volume and contrast transfer coefficient predict prognosis in human glioma?. <i>American Journal of Neuroradiology</i> , <b>2006</b> , 27, 853-8	4.4	105
3	Glioma grading: sensitivity, specificity, and predictive values of perfusion MR imaging and proton MR spectroscopic imaging compared with conventional MR imaging. <i>American Journal of Neuroradiology</i> , <b>2003</b> , 24, 1989-98	4.4	725
2	Preoperative assessment of intracranial tumors with perfusion MR and a volumetric interpolated examination: a comparative study with DSA. <i>American Journal of Neuroradiology</i> , <b>2002</b> , 23, 1767-74	4.4	20
1	Advanced MR techniques in brain tumor imaging. 9-18		3