

CITATION REPORT

List of articles citing

Diffusion MR imaging. Theory and applications

DOI: PM/10318719

Neuroimaging Clinics of North America, 1999, 9, 343-61.

Source: <https://exaly.com/paper-pdf/130588504/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
97	Neuroimaging: do we really need new contrast agents for MRI?. <i>European Journal of Radiology</i> , 2000 , 34, 166-78	4.7	34
96	Neuroimaging in bipolar disorder: what have we learned?. <i>Biological Psychiatry</i> , 2000 , 48, 505-17	7.9	124
95	Diffusion-weighted echo-planar MR imaging of CNS involvement in systemic lupus erythematosus. <i>Academic Radiology</i> , 2001 , 8, 741-53	4.3	49
94	Diffusion MRI: apparent diffusion coefficient (ADC) values in the normal brain and a classification of brain disorders based on ADC values. <i>Computerized Medical Imaging and Graphics</i> , 2001 , 25, 299-326	7.6	129
93	Herpes simplex encephalitis: diffusion MR imaging findings. <i>Computerized Medical Imaging and Graphics</i> , 2001 , 25, 391-7	7.6	70
92	Quantitative diffusion weighted magnetic resonance imaging, cerebral atrophy, and disability in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001 , 70, 318-22	5.5	33
91	Three-dimensional anisotropy contrast magnetic resonance axonography to predict the prognosis for motor function in patients suffering from stroke. <i>Journal of Neurosurgery</i> , 2001 , 94, 955-60	3.2	78
90	Molecular Imaging of Gene Expression and Efficacy following Adenoviral-Mediated Brain Tumor Gene Therapy. <i>Molecular Imaging</i> , 2002 , 1, 153535002002000	3.7	3
89	Newer techniques in magnetic resonance imaging and their potential for neuropsychiatric research. <i>Journal of Psychosomatic Research</i> , 2002 , 53, 677-85	4.1	11
88	Epilepsy surgery. Presurgical evaluation. <i>Neurologic Clinics</i> , 2002 , 20, 1195-215	4.5	12
87	Diffusion MRI in neurofibromatosis type 1: ADC evaluations of the optic pathways, and a comparison with normal individuals. <i>Computerized Medical Imaging and Graphics</i> , 2002 , 26, 59-64	7.6	15
86	Longstanding tectal tumors: proton MR spectroscopy and diffusion MRI findings. <i>Computerized Medical Imaging and Graphics</i> , 2002 , 26, 25-31	7.6	3
85	Small animal neuroimaging using magnetic resonance microscopy. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2002 , 40, 275-306	10.4	16
84	Diffusion-weighted images in children with meningoencephalitis. <i>Clinical Imaging</i> , 2003 , 27, 5-10	2.7	7
83	Parametric MRI of Water Diffusion in Breast Cancer. <i>Israel Journal of Chemistry</i> , 2003 , 43, 103-114	3.4	2
82	Diffusion-weighted magnetic resonance imaging and the evaluation of cortical blindness in preeclampsia. <i>Survey of Ophthalmology</i> , 2003 , 48, 647-50	6.1	17
81	Diffusion weighted magnetic resonance imaging in stroke. <i>European Journal of Radiology</i> , 2003 , 45, 185-247	7.4	85

80	Pyramidal tract mapping by diffusion tensor magnetic resonance imaging in multiple sclerosis: improving correlations with disability. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003 , 74, 203-7	5.5	108
79	Neuroimaging of stroke: a review. <i>Southern Medical Journal</i> , 2003 , 96, 367-79	0.6	27
78	Systemic Lupus Erythematosus: Anatomic and Functional Imaging Studies. <i>Handbook of Systemic Autoimmune Diseases</i> , 2004 , 3, 45-68	0.3	
77	Diffusion-weighted imaging of edema following traumatic brain injury in rats: effects of secondary hypoxia. <i>Journal of Neurotrauma</i> , 2005 , 22, 857-72	5.4	78
76	In vivo absorption, scattering, and physiologic properties of 58 malignant breast tumors determined by broadband diffuse optical spectroscopy. <i>Journal of Biomedical Optics</i> , 2006 , 11, 044005	3.5	297
75	Magnetic resonance microscopy for monitoring osteogenesis in tissue-engineered construct in vitro. <i>Physics in Medicine and Biology</i> , 2006 , 51, 719-32	3.8	39
74	Diffusion-weighted magnetic resonance imaging and its application to cancer. <i>Cancer Imaging</i> , 2006 , 6, 135-43	5.6	250
73	Evaluating tumors and tumorlike lesions of the nasal cavity, the paranasal sinuses, and the adjacent skull base with diffusion-weighted MRI. <i>Journal of Computer Assisted Tomography</i> , 2006 , 30, 490-5	2.2	60
72	Early diffusion-weighted magnetic resonance imaging findings in neonatal herpes encephalitis. <i>Journal of Paediatrics and Child Health</i> , 2006 , 42, 824-6	1.3	23
71	Role of diffusion-weighted MR imaging in cervical lymphadenopathy. <i>European Radiology</i> , 2006 , 16, 1468-77	3.77	268
70	The role of diffusion-weighted magnetic resonance imaging in pediatric brain tumors. <i>Childs Nervous System</i> , 2006 , 22, 1435-9	1.7	50
69	Role of diffusion-weighted echo-planar MR imaging in differentiation of residual or recurrent head and neck tumors and posttreatment changes. <i>American Journal of Neuroradiology</i> , 2007 , 28, 1146-52	4.4	179
68	Diffusion tensor imaging analysis of long association bundles in the presence of an arteriovenous malformation. <i>Journal of Neurosurgery</i> , 2007 , 107, 509-14	3.2	14
67	Predicting response to breast cancer neoadjuvant chemotherapy using diffuse optical spectroscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 4014-9	11.5	225
66	Proton magnetic resonance spectroscopy and diffusion-weighted imaging in intracranial cystic mass lesions. <i>World Neurosurgery</i> , 2007 , 68 Suppl 1, S25-36		70
65	Role of diffusion weighted MR in the discrimination diagnosis of the cystic and/or necrotic head and neck lesions. <i>European Journal of Radiology</i> , 2007 , 62, 205-13	4.7	47
64	Apparent diffusion coefficient of the prostate in men prior to biopsy: determination of a cut-off value to predict malignancy of the peripheral zone. <i>NMR in Biomedicine</i> , 2007 , 20, 505-11	4.4	53
63	Neuro MR: principles. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 26, 823-37	5.6	49

62	Principles and implementation of diffusion-weighted and diffusion tensor imaging. <i>Pediatric Radiology</i> , 2007 , 37, 739-48	2.8	26
61	Detection of lymph node metastasis in cervical and uterine cancers by diffusion-weighted magnetic resonance imaging at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 28, 128-35	5.6	187
60	Sinonasal secretions: evaluation by diffusion-weighted imaging and apparent diffusion coefficients. <i>Clinical Imaging</i> , 2008 , 32, 382-6	2.7	9
59	Diffusion-weighted magnetic resonance imaging: a potential non-invasive marker of tumour aggressiveness in localized prostate cancer. <i>Clinical Radiology</i> , 2008 , 63, 774-82	2.9	215
58	Whole brain-based computerized neuroimaging in ALS and other motor neuron disorders. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2008 , 9, 238-48		24
57	Head and neck squamous cell carcinoma: usefulness of diffusion-weighted MR imaging in the prediction of a neoadjuvant therapeutic effect. <i>European Radiology</i> , 2009 , 19, 103-9	8	68
56	Diffusion-weighted MR imaging derived apparent diffusion coefficient is predictive of clinical outcome in primary central nervous system lymphoma. <i>American Journal of Neuroradiology</i> , 2010 , 31, 60-6	4.4	162
55	Glioblastoma multiforme regional genetic and cellular expression patterns: influence on anatomic and physiologic MR imaging. <i>Radiology</i> , 2010 , 254, 564-76	20.5	128
54	Lymph node imaging in gynecologic malignancy. <i>Seminars in Ultrasound, CT and MRI</i> , 2010 , 31, 363-76	1.7	16
53	In vivo proton MR spectroscopy evaluation of pyogenic brain abscesses: a report of 194 cases. <i>American Journal of Neuroradiology</i> , 2010 , 31, 360-6	4.4	67
52	Regional variation in histopathologic features of tumor specimens from treatment-naive glioblastoma correlates with anatomic and physiologic MR Imaging. <i>Neuro-Oncology</i> , 2012 , 14, 942-54	1	147
51	An extended Kalman filtering approach for the estimation of human head tissue conductivities by using EEG data: a simulation study. <i>Physiological Measurement</i> , 2012 , 33, 571-86	2.9	6
50	Diffusion-weighted imaging in the diagnosis of enterovirus 71 encephalitis. <i>Acta Radiologica</i> , 2012 , 53, 208-13	2	25
49	Role of diffusion-weighted imaging with ADC mapping and in vivo ¹ H-MR spectroscopy in thyroid nodules. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2012 , 43, 183-192	1.4	6
48	Neck lymph nodes: Characterization with diffusion-weighted MRI. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2012 , 43, 173-181	1.4	12
47	A proposal for combined MRI and PET/CT interpretation criteria for preoperative nodal staging in non-small-cell lung cancer. <i>European Radiology</i> , 2012 , 22, 1537-46	8	36
46	DW-MRI as a Predictive Biomarker of Radiosensitization of GBM through Targeted Inhibition of Checkpoint Kinases. <i>Translational Oncology</i> , 2013 , 6, 133-42	4.9	8
45	Tumor volume and subvolume concordance between FDG-PET/CT and diffusion-weighted MRI for squamous cell carcinoma of the cervix. <i>Journal of Magnetic Resonance Imaging</i> , 2013 , 37, 431-4	5.6	39

44	Diffusion-weighted imaging and positron emission tomography in various cytological subtypes of primary lung adenocarcinoma. <i>Clinical Imaging</i> , 2013 , 37, 876-83	2.7	10
43	Cerebral radiation necrosis: a review of the pathobiology, diagnosis and management considerations. <i>Journal of Clinical Neuroscience</i> , 2013 , 20, 485-502	2.2	120
42	ADC values and prognosis of malignant astrocytomas: does lower ADC predict a worse prognosis independent of grade of tumor?--a meta-analysis. <i>American Journal of Roentgenology</i> , 2013 , 200, 624-9	5.4	53
41	Diagnostic value of diffusion-weighted magnetic resonance imaging in pelvic abscesses. <i>Journal of Computer Assisted Tomography</i> , 2013 , 37, 971-9	2.2	13
40	Primary neurolymphomatosis of the lower cranial nerves presenting as Dysphagia and hoarseness: a case report. <i>Journal of Neurological Surgery Reports</i> , 2014 , 75, e62-6	1.1	6
39	ADC texture--an imaging biomarker for high-grade glioma?. <i>Medical Physics</i> , 2014 , 41, 101903	4.4	59
38	Role of diffusion weighted imaging and proton magnetic resonance spectroscopy in ring enhancing brain lesions. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2014 , 45, 825-832	1.4	1
37	Value of combined real time sonoelastography and apparent diffusion coefficient value measurement in differentiation of enlarged neck lymph nodes. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2014 , 45, 387-394	1.4	6
36	White Matter Pathology, Brain Development, and Psychiatric Disorders: Lessons from Corpus Callosum Studies. 2015 , 742-761		
35	Diagnostic value of diffusion-weighted magnetic resonance imaging: differentiation of benign and malignant lymph nodes in different regions of the body. <i>Clinical Imaging</i> , 2015 , 39, 856-62	2.7	13
34	Evaluation of Concurrent Radiation, Temozolomide and ABT-888 Treatment Followed by Maintenance Therapy with Temozolomide and ABT-888 in a Genetically Engineered Glioblastoma Mouse Model. <i>Neoplasia</i> , 2016 , 18, 82-9	6.4	20
33	A fractional motion diffusion model for grading pediatric brain tumors. <i>NeuroImage: Clinical</i> , 2016 , 12, 707-714	5.3	20
32	The Development of Reduced Diffusion Following Bevacizumab Therapy Identifies Regions of Recurrent Disease in Patients with High-grade Glioma. <i>Academic Radiology</i> , 2016 , 23, 1073-82	4.3	13
31	Apparent diffusion coefficient mapping in medulloblastoma predicts non-infiltrative surgical planes. <i>Child Nervous System</i> , 2016 , 32, 2183-2187	1.7	6
30	DWI as a Quantitative Biomarker in Predicting Chemotherapeutic Efficacy at Multitime Points on Gastric Cancer Lymph Nodes Metastases. <i>Medicine (United States)</i> , 2016 , 95, e3236	1.8	9
29	Diffusion volume (DV) measurement in endometrial and cervical cancer: A new MRI parameter in the evaluation of the tumor grading and the risk classification. <i>European Journal of Radiology</i> , 2016 , 85, 113-124	4.7	24
28	Diffusion-weighted imaging can correctly identify false-positive lymph nodes on positron emission tomography in non-small cell lung cancer. <i>Surgery Today</i> , 2016 , 46, 1146-51	3	8
27	Performance of DWI in the Nodal Characterization and Assessment of Lung Cancer: A Meta-Analysis. <i>American Journal of Roentgenology</i> , 2016 , 206, 283-90	5.4	22

26	Impaired white matter connectivity between regions containing mirror neurons, and relationship to negative symptoms and social cognition, in patients with first-episode schizophrenia. <i>Brain Imaging and Behavior</i> , 2018 , 12, 229-237	4.1	16
25	Diffusion-Weighted Magnetic Resonance Imaging for the Detection of Thyroid Cancer. <i>Cirugía Española (English Edition)</i> , 2018 , 96, 620-626	0.1	1
24	Diffusion-weighted magnetic resonance imaging for the detection of thyroid cancer. <i>Cirugía Española</i> , 2018 , 96, 620-626	0.7	3
23	Texture analysis of diffusion weighted imaging for the evaluation of glioma heterogeneity based on different regions of interest. <i>Oncology Letters</i> , 2018 , 15, 7297-7304	2.6	12
22	The primary lesion apparent diffusion coefficient is a prognostic factor for locoregionally advanced nasopharyngeal carcinoma: a retrospective study. <i>BMC Cancer</i> , 2019 , 19, 470	4.8	6
21	Drs. Lambert and Maksymowych reply. <i>Journal of Rheumatology</i> , 2019 , 46, 542	4.1	1
20	The role of MRI in the diagnosis and treatment of gastric cancer. <i>Diagnostic and Interventional Radiology</i> , 2020 , 26, 176-182	3.2	9
19	Consensus recommendations for MRI and PET imaging of primary central nervous system lymphoma: guideline statement from the International Primary CNS Lymphoma Collaborative Group (IPCG). <i>Neuro-Oncology</i> , 2021 , 23, 1056-1071	1	16
18	Neuroimaging of parenchymal brain metastases. <i>Cancer Treatment and Research</i> , 2007 , 136, 31-51	3.5	12
17	Image Registration for Distortion Correction in Diffusion Tensor Imaging. <i>Lecture Notes in Computer Science</i> , 2003 , 171-180	0.9	7
16	Use of Preoperative Apparent Diffusion Coefficients to Predict Brain Tumor Grade. <i>Cureus</i> , 2018 , 10, e2284	1.2	8
15	Accuracy of MRI in Prediction of Tumour Thickness and Nodal Stage in Oral Tongue and Gingivobuccal Cancer With Clinical Correlation and Staging. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2016 , 10, TC01-5	0	15
14	Use of Magnetic Resonance Imaging for Evaluation of Treatment Response.		1
13	Imaging Modalities. 2008 , 623-652		
12	Pediatrics. 2009 , 297-340		
11	A Comparison of the Pathological Malignant Grade with the Preoperative Diagnostic Imaging of Three Resected Cases of Solitary Fibrous Tumor of the Pleura. <i>Japanese Journal of Lung Cancer</i> , 2011 , 51, 712-717	0.1	1
10	Computed Tomography and Magnetic Resonance Imaging of the Brain. 2011 , 277-310		
9	Imaging of Medulloblastoma. 2015 , 287-312		

8	Comparison of the diagnostic accuracy of diffusion-weighted magnetic resonance imaging and positron emission tomography/computed tomography in pulmonary nodules: a prospective study. <i>Polish Journal of Radiology</i> , 2019 , 84, e498-e503	1.6	0
7	Diagnostic Efficacy of Diffusion-Weighted Magnetic Resonance Imaging (DWI) in the Differentiation of Benign and Malignant Cervical Lymphadenopathies. <i>Iranian Journal of Radiology</i> , 2020 , 17,	1.4	
6	Pediatrics. 2005 , 181-200		
5	Neuroimaging in pediatric brain tumors: Gd-DTPA-enhanced, hemodynamic, and diffusion MR imaging compared with MR spectroscopic imaging. <i>American Journal of Neuroradiology</i> , 2002 , 23, 322-33	4.4	49
4	Peritumoral diffusion tensor imaging of high-grade gliomas and metastatic brain tumors. <i>American Journal of Neuroradiology</i> , 2003 , 24, 937-41	4.4	269
3	Brain abscess and necrotic brain tumor: discrimination with proton MR spectroscopy and diffusion-weighted imaging. <i>American Journal of Neuroradiology</i> , 2002 , 23, 1369-77	4.4	183
2	Multiple sclerosis: comparison of trace apparent diffusion coefficients with MR enhancement pattern of lesions. <i>American Journal of Neuroradiology</i> , 2000 , 21, 869-74	4.4	88
1	Apparent diffusion coefficients for differentiation of cerebellar tumors in children. <i>American Journal of Neuroradiology</i> , 2006 , 27, 1362-9	4.4	212