

CITATION REPORT

List of articles citing

Occupational exposure to manganese, copper, lead, iron, mercury and zinc and the risk of Parkinson's disease

DOI: PM/10385887

NeuroToxicology, 1999, 20, 239-47.

Source: <https://exaly.com/paper-pdf/130609102/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
307	Natural Approaches to the Treatment of Parkinson's Disease. 1999 , 5, 271-274		
306	An integrated strategy for evaluation of metabolic and oxidative defects in neurodegenerative illness using magnetic resonance techniques. 1999 , 893, 214-42		14
305	Acute exposure to organochlorine pesticides does not affect striatal dopamine in mice. 2001 , 3, 537-43		5
304	Iron, neuromelanin and ferritin content in the substantia nigra of normal subjects at different ages: consequences for iron storage and neurodegenerative processes. 2001 , 76, 1766-73		277
303	Combined biochemical separation and INAA for the determination of iron and other metals in Neuromelanin of human brain Substantia Nigra. 2001 , 249, 449-454		8
302	Metal-triggered structural transformations, aggregation, and fibrillation of human alpha-synuclein. A possible molecular NK between Parkinson's disease and heavy metal exposure. <i>Journal of Biological Chemistry</i> , 2001 , 276, 44284-96	5.4	791
301	Magnesium inhibits spontaneous and iron-induced aggregation of alpha-synuclein. <i>Journal of Biological Chemistry</i> , 2002 , 277, 16116-23	5.4	147
300	Oxidative stress and mitochondrial-mediated apoptosis in dopaminergic cells exposed to methylcyclopentadienyl manganese tricarbonyl. 2002 , 302, 26-35		75
299	Caffeinated clues and the promise of adenosine A(2A) antagonists in PD. 2002 , 58, 1154-60		130
298	Environment, mitochondria, and Parkinson's disease. 2002 , 8, 192-7		92
297	The role of iron and copper in the aetiology of neurodegenerative disorders: therapeutic implications. 2002 , 16, 339-52		98
296	Occupational and environmental risk factors for Parkinson's disease. 2002 , 8, 297-309		110
295	Low cumulative manganese exposure affects striatal GABA but not dopamine. <i>NeuroToxicology</i> , 2002 , 23, 69-76	4.4	99
294	Conformational behavior of human alpha-synuclein is modulated by familial Parkinson's disease point mutations A30P and A53T. <i>NeuroToxicology</i> , 2002 , 23, 553-67	4.4	117
293	Synergistic effects of pesticides and metals on the fibrillation of alpha-synuclein: implications for Parkinson's disease. <i>NeuroToxicology</i> , 2002 , 23, 527-36	4.4	163
292	In vitro neurotoxicity of methylisothiazolinone, a commonly used industrial and household biocide, proceeds via a zinc and extracellular signal-regulated kinase mitogen-activated protein kinase-dependent pathway. 2002 , 22, 7408-16		70
291	Potential neurotoxic "agents provocateurs" in Parkinson's disease. 2002 , 24, 571-7		25

290	Effect of the iron chelator desferrioxamine on manganese-induced toxicity of rat pheochromocytoma (PC12) cells. 2002 , 68, 76-83		26
289	Hair-element analysis--still on the fringe. 2002 , 28 Suppl 1, 31-4		4
288	Lead-induced endoplasmic reticulum (ER) stress responses in the nervous system. 2003 , 28, 153-62		60
287	Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese. 2003 , 66, 1-13		184
286	A protein-chameleon: conformational plasticity of alpha-synuclein, a disordered protein involved in neurodegenerative disorders. 2003 , 21, 211-34		391
285	Essential metals--case study on iron. 2003 , 56, 190-200		99
284	The role of metals in neurodegenerative processes: aluminum, manganese, and zinc. 2003 , 62, 15-28		252
283	Effect of manganese exposure on MPTP neurotoxicities. <i>NeuroToxicology</i> , 2003 , 24, 657-65	4-4	29
282	The rotenone model of Parkinson's disease: genes, environment and mitochondria. 2003 , 9 Suppl 2, S59-64		166
281	High-throughput microwave-digestion procedures to monitor neurotoxic elements in body fluids by means of inductively coupled plasma mass spectrometry. 2003 , 377, 65-70		37
280	Neurologic effects of manganese in humans: a review. 2003 , 9, 153-63		125
279	Etiology of Parkinson's disease. 2003 , 30 Suppl 1, S10-8		29
278	PARK1 and α Synuclein: A New Era in Parkinson's Research. 2003 , 287-304		
277	Rotenone induces non-specific central nervous system and systemic toxicity. 2004 , 18, 717-9		153
276	Oxidative basis of manganese neurotoxicity. 2004 , 1012, 129-41		105
275	The relevance of iron in the pathogenesis of Parkinson's disease. 2004 , 1012, 193-208		254
274	Manganese-induced parkinsonism and Parkinson's disease. 2004 , 1012, 209-23		354
273	Neurotoxicant-induced animal models of Parkinson's disease: understanding the role of rotenone, maneb and paraquat in neurodegeneration. 2004 , 318, 225-41		218

272	Redox imbalance. 2004 , 318, 201-13		160
271	Differences in age at onset and familial aggregation between clinical types of idiopathic Parkinson's disease. 2004 , 19, 1059-64		35
270	Elevated airborne exposures of teenagers to manganese, chromium, and iron from steel dust and New York City's subway system. 2004 , 38, 732-7		171
269	Multiple risk factors for Parkinson's disease. 2004 , 217, 169-74		160
268	Dieldrin promotes proteolytic cleavage of poly(ADP-ribose) polymerase and apoptosis in dopaminergic cells: protective effect of mitochondrial anti-apoptotic protein Bcl-2. <i>NeuroToxicology</i> , 2004 , 25, 589-98	4-4	44
267	Manganese in Neurodegeneration. 2004 , 1-13		
266	A cohort study of Parkinson's disease and other neurodegenerative disorders in Danish welders. 2005 , 47, 466-72		44
265	Coordination abilities of N-terminal fragments of alpha-synuclein towards copper(II) ions: a combined potentiometric and spectroscopic study. 2005 , 99, 2282-91		56
264	Steel dust in the New York City subway system as a source of manganese, chromium, and iron exposures for transit workers. 2005 , 82, 33-42		65
263	Metals in cigarette smoke. 2005 , 57, 805-9		187
262	Systemic exposure to paraquat and maneb models early Parkinson's disease in young adult rats. 2005 , 20, 360-71		128
261	Therapeutic potential of adenosine A(2A) receptor antagonists in Parkinson's disease. 2005 , 105, 267-310		186
260	Effect of metals on herbicides-alpha-synuclein association: a possible factor in neurodegenerative disease studied by capillary electrophoresis. 2005 , 26, 3256-64		25
259	The involvement of copper transporter in lead-induced oxidative stress in astroglia. 2005 , 30, 429-38		31
258	Neurodegenerative diseases: an overview of environmental risk factors. 2005 , 113, 1250-6		266
257	Manganese dosimetry: species differences and implications for neurotoxicity. 2005 , 35, 1-32		238
256	Basal Ganglia accumulation and motor assessment following manganese chloride exposure in the C57BL/6 mouse. 2005 , 24, 389-97		48
255	Brain mitochondria contain aquaporin water channels: evidence for the expression of a short AQP9 isoform in the inner mitochondrial membrane. 2005 , 19, 1459-67		102

254	Differential profiles of copper-induced ROS generation in human neuroblastoma and astrocytoma cells. 2005 , 134, 323-32		33
253	Occupations and Parkinson's disease: a multi-center case-control study in South Korea. <i>NeuroToxicology</i> , 2005 , 26, 99-105	4.4	42
252	The heavy metal content of skeletons from an ancient metalliferous polluted area in southern Jordan with particular reference to bioaccumulation and human health. 2005 , 60, 295-300		38
251	Rotenone induces cell death in primary dopaminergic culture by increasing ROS production and inhibiting mitochondrial respiration. 2006 , 49, 379-86		163
250	A retrospective cohort study of Parkinson's disease in Korean shipbuilders. <i>NeuroToxicology</i> , 2006 , 27, 445-9	4.4	24
249	Speciation of manganese in cells and mitochondria: a search for the proximal cause of manganese neurotoxicity. <i>NeuroToxicology</i> , 2006 , 27, 765-76	4.4	142
248	In vitro models for assessing neurotoxicity of mixtures. <i>NeuroToxicology</i> , 2006 , 27, 835-9	4.4	18
247	Paraquat exposure as an etiological factor of Parkinson's disease. <i>NeuroToxicology</i> , 2006 , 27, 1110-22	4.4	240
246	Differential effect of nerve growth factor on dopaminergic neurotoxin-induced apoptosis. 2006 , 99, 416-25		18
245	Chronic dementing conditions, genomics, and new opportunities for nursing interventions. 2006 , 38, 328-34		5
244	Effects of chronic manganese exposure on cognitive and motor functioning in non-human primates. 2006 , 1118, 222-31		80
243	Neuropathology, tremor and electromyogram in rats exposed to manganese phosphate/sulfate mixture. 2006 , 26, 419-26		10
242	Iron metabolism in Parkinsonian syndromes. 2006 , 21, 1299-310		144
241	Temporal responses in the disruption of iron regulation by manganese. 2006 , 83, 1601-10		41
240	Addressing the linkage between exposure to pesticides and human health effects--research trends and priorities for research. 2006 , 9, 441-56		23
239	Regulation of p53 by activated protein kinase C-delta during nitric oxide-induced dopaminergic cell death. <i>Journal of Biological Chemistry</i> , 2006 , 281, 2215-24	5.4	57
238	Parkinson's disease and other basal ganglia or movement disorders in a large nationwide cohort of Swedish welders. 2006 , 63, 135-40		60
237	Parkinson's disease: genetics and beyond. 2007 , 5, 99-113		20

236	Adequacy and consistency of animal studies to evaluate the neurotoxicity of chronic low-level manganese exposure in humans. 2007 , 70, 594-605		57
235	Putative proteins involved in manganese transport across the blood-brain barrier. 2007 , 26, 295-302		26
234	Manganese does not alter the severe neurotoxicity of MPTP. 2007 , 26, 203-11		9
233	Redox Imbalance: In the Triad of Genetic Disturbances and Mitochondrial Dysfunction in Parkinson's Disease. 2007 , 183-200		3
232	Epidemiology of Parkinson's disease. 2007 , 53, 200-5		21
231	Peripheral iron dextran induced degeneration of dopaminergic neurons in rat substantia nigra. 2007 , 51, 32-6		37
230	Neuromotor function in a cohort of Danish steel workers. <i>NeuroToxicology</i> , 2007 , 28, 336-44	4.4	16
229	Manganese induces cell swelling in cultured astrocytes. <i>NeuroToxicology</i> , 2007 , 28, 807-12	4.4	44
228	Lead and cognitive function in adults: a questions and answers approach to a review of the evidence for cause, treatment, and prevention. 2007 , 19, 671-92		13
227	Environmental, biochemical and molecular factors regulating manganese-induced neurological injury. 2007 , 3, 110-122		
226	Manganese chloride stimulates rat microglia to release hydrogen peroxide. 2007 , 173, 88-100		58
225	Invertebrates as Powerful Genetic Models for Human Neurodegenerative Diseases. 2007 ,		
224	Oxidative stress-induced phosphorylation, degradation and aggregation of alpha-synuclein are linked to upregulated CK2 and cathepsin D. 2007 , 26, 863-74		92
223	Neuropathology, biochemistry, and biophysics of alpha-synuclein aggregation. 2007 , 103, 17-37		373
222	Optimization of bioprocess for production of copper-enriched biomass of industrially important microorganism <i>Saccharomyces cerevisiae</i> . 2007 , 103, 331-7		21
221	Clinical characteristics of Parkinson's disease among Jewish Ethnic groups in Israel. 2008 , 115, 1279-84		14
220	Alpha-synuclein and its role in metal binding: relevance to Parkinson's disease. 2008 , 86, 496-503		37
219	The olfactory vector hypothesis of neurodegenerative disease: is it viable?. 2008 , 63, 7-15		273

218	Mathematical approach to understand the kinetics of alpha-synuclein aggregation: relevance to Parkinson's disease. 2008 , 38, 1084-93		10
217	Caenorhabditis Elegans Models of Parkinson's Disease: A Robust Genetic System to Identify and Characterize Endogenous and Environmental Components Involved in Dopamine Neuron Degeneration. 2008 , 347-360		3
216	Effects of combined treatment with heavy metals and piracetam on learning and memory in rats. 2008 , 422, 301-4		3
215	Mitochondrial-dependent manganese neurotoxicity in rat primary astrocyte cultures. 2008 , 1203, 1-11		108
214	Elevated blood harmaline (1-methyl-9H-pyrido[3,4-b]indole) concentrations in essential tremor. <i>NeuroToxicology</i> , 2008 , 29, 294-300	4-4	73
213	Impact of dietary exposure to food contaminants on the risk of Parkinson's disease. <i>NeuroToxicology</i> , 2008 , 29, 584-90	4-4	79
212	Gazing into the future: Parkinson's disease gene therapeutics to modify natural history. 2008 , 209, 101-13		8
211	alpha-Synuclein: a therapeutic target for Parkinson's disease?. 2008 , 58, 271-80		31
210	Environmental epidemiology of essential tremor. 2008 , 31, 139-49		59
209	Dietary iron intake and risk of Parkinson's disease. 2008 , 168, 1381-8		70
208	Using leucine zipper to facilitate alpha-synuclein assembly. 2008 , 22, 3165-74		10
207	Concerted action of metals and macromolecular crowding on the fibrillation of alpha-synuclein. 2008 , 15, 1079-85		20
206	The divalent metal transporter homologues SMF-1/2 mediate dopamine neuron sensitivity in caenorhabditis elegans models of manganese and parkinson disease. <i>Journal of Biological Chemistry</i> , 2009 , 284, 35758-68	5-4	80
205	Air-borne particles from the wheel-rail contact. 2009 , 550-575		3
204	Repeated developmental exposure to chlorpyrifos and methyl parathion causes persistent alterations in nicotinic acetylcholine subunit mRNA expression with chlorpyrifos altering dopamine metabolite levels. 2009 , 31, 98-103		16
203	Occupational factors and risk of Parkinson's disease: A population-based case-control study. 2010 , 53, 217-23		61
202	Changes in Dietary Iron Levels Affect Brain Manganese Accumulation and Distribution. 2009 , 25, 185-215		
201	Are there common biochemical and molecular mechanisms controlling manganese and parkinsonism. 2009 , 11, 281-96		75

200	From manganism to manganese-induced parkinsonism: a conceptual model based on the evolution of exposure. 2009 , 11, 311-21	117
199	Iron Deficiency and Excess in the Brain: Implications for Cognitive Impairment and Neurodegeneration. 2009 , 95-123	
198	Identification of the minimal copper(II)-binding alpha-synuclein sequence. 2009 , 48, 9303-7	47
197	Microglia enhance manganese chloride-induced dopaminergic neurodegeneration: role of free radical generation. 2009 , 217, 219-30	50
196	Iron, the substantia nigra and related neurological disorders. 2009 , 1790, 606-14	93
195	An electrospray/inductively coupled plasma dual-source time-of-flight mass spectrometer for rapid metallomic and speciation analysis: instrument design. 2009 , 1, 67-77	24
194	Welding occupations and mortality from Parkinson's disease and other neurodegenerative diseases among United States men, 1985-1999. 2009 , 6, 267-72	36
193	Biophysics of Parkinson's disease: structure and aggregation of alpha-synuclein. 2009 , 10, 483-99	250
192	The Role of Copper Ion and the Ubiquitin System in Neurodegenerative Disorders. 2010 , 1-30	
191	Protective effects of sodium para-amino salicylate on manganese-induced neuronal death: the involvement of reactive oxygen species. 2010 , 61, 1563-1569	13
190	Aquaporin-4 in manganese-treated cultured astrocytes. 2010 , 58, 1490-9	48
189	In vivo monitoring of the transfer kinetics of trace elements in animal brains with hyphenated inductively coupled plasma mass spectrometry techniques. 2010 , 29, 392-424	19
188	Synergistic dopaminergic neurotoxicity of manganese and lipopolysaccharide: differential involvement of microglia and astroglia. 2010 , 112, 434-43	62
187	Beta-carboline alkaloids and essential tremor: exploring the environmental determinants of one of the most prevalent neurological diseases. 2010 , 10, 1783-94	13
186	Heavy Metal-Regulated Gene Expression. 2010 , 495-521	1
185	Metal emissions and urban incident Parkinson disease: a community health study of Medicare beneficiaries by using geographic information systems. 2010 , 172, 1357-63	103
184	Extracellular dopamine potentiates mn-induced oxidative stress, lifespan reduction, and dopaminergic neurodegeneration in a BLI-3-dependent manner in <i>Caenorhabditis elegans</i> . <i>PLoS Genetics</i> , 2010 , 6, e1001084	6 141
183	Metalloproteomics and metal toxicology of Synuclein. 2010 , 2, 378-92	79

182	Manganese accumulates within golgi apparatus in dopaminergic cells as revealed by synchrotron X-ray fluorescence nanoimaging. 2010 , 1, 194-203		59
181	Role of zinc in human islet amyloid polypeptide aggregation. 2010 , 132, 8973-83		181
180	Relationship between blood harmaline and harmine concentrations in familial essential tremor, sporadic essential tremor and controls. <i>NeuroToxicology</i> , 2010 , 31, 674-9	4-4	13
179	Conjugal Parkinsonism and Parkinson disease: a case series with environmental risk factor analysis. 2010 , 16, 163-6		16
178	Aquaglyceroporin 9 in brain pathologies. 2010 , 168, 1047-57		52
177	Effect of zinc and paraquat co-exposure on neurodegeneration: Modulation of oxidative stress and expression of metallothioneins, toxicant responsive and transporter genes in rats. 2010 , 44, 950-65		42
176	Mercury. 2010 , 171-173		1
175	Metal attenuating therapies in neurodegenerative disease. 2011 , 11, 1717-45		17
174	Patterns of levels of biological metals in CSF differ among neurodegenerative diseases. 2011 , 303, 95-9		184
173	Inorganic lead (Pb)- and mercury (Hg)-induced neuronal cell death involves cytoskeletal reorganization. 2011 , 27, 219-25		16
172	Role of metal ions in aggregation of intrinsically disordered proteins in neurodegenerative diseases. 2011 , 3, 1163-80		88
171	Oxidative genome damage and its repair in neurodegenerative diseases: function of transition metals as a double-edged sword. 2011 , 24 Suppl 2, 183-98		59
170	Epidemiology and etiology of Parkinson's disease: a review of the evidence. 2011 , 26 Suppl 1, S1-58		707
169	Manganese accumulation in the CNS and associated pathologies. 2011 , 24, 811-25		87
168	Occupational risk factors for Parkinson's disease: a case-control study in Japan. 2011 , 11, 83		8
167	Essential tremor. 2011 , 100, 433-48		21
166	How does an occupational neurologist assess welders and steelworkers for a manganese-induced movement disorder? An international team's experiences in Guanxi, China, part I. 2012 , 54, 1432-4		6
165	Interactions of α Synuclein with Metal Ions: New Insights into the Structural Biology and Bioinorganic Chemistry of Parkinson's Disease. 2012 , 339-378		2

164	Thiol-redox signaling, dopaminergic cell death, and Parkinson's disease. 2012 , 17, 1764-84		59
163	Inflammation in Parkinson's disease. 2012 , 88, 69-132		130
162	Industrial toxicants and Parkinson's disease. <i>NeuroToxicology</i> , 2012 , 33, 178-88	4.4	90
161	ER chaperone-metal interactions: links to protein folding disorders. <i>NeuroToxicology</i> , 2012 , 33, 545-57	4.4	19
160	β-synuclein misfolding and Parkinson's disease. 2012 , 1822, 261-85		406
159	Metal ions and amyloid fiber formation in neurodegenerative diseases. Copper, zinc and iron in Alzheimer's, Parkinson's and prion diseases. 2012 , 256, 2271-2284		282
158	Bioinorganic chemistry of copper coordination to alpha-synuclein: Relevance to Parkinson's disease. 2012 , 256, 2188-2201		101
157	Can mesenchymal stem cells reduce vulnerability of dopaminergic neurons in the substantia nigra to oxidative insult in individuals at risk to Parkinson's disease?. 2012 , 36, 617-24		10
156	Manganese-induced toxicity in normal and human B lymphocyte cell lines containing a homozygous mutation in parkin. 2012 , 26, 1143-9		11
155	Structural basis behind the interaction of Zn ²⁺ with the protein β-synuclein and the Aβ-peptide: a comparative analysis. 2012 , 117, 334-41		40
154	Rodent models and contemporary molecular techniques: notable feats yet incomplete explanations of Parkinson's disease pathogenesis. 2012 , 46, 495-512		26
153	Peculiarities of copper binding to alpha-synuclein. 2012 , 29, 825-42		26
152	Parkinson's disease and other neurodegenerative disorders among welders: a Danish cohort study. 2012 , 27, 1283-9		13
151	Syndrome of hepatic cirrhosis, dystonia, polycythemia, and hypermanganesemia caused by mutations in SLC30A10, a manganese transporter in man. 2012 , 90, 457-66		245
150	Parkinson disease protein DJ-1 binds metals and protects against metal-induced cytotoxicity. <i>Journal of Biological Chemistry</i> , 2013 , 288, 22809-20	5.4	59
149	The Role of skn-1 in methylmercury-induced latent dopaminergic neurodegeneration. 2013 , 38, 2650-60		28
148	Epidemiology and Clinical Diagnosis of Parkinson Disease. 2013 , 8, 447-58		5
147	Manganese-induced oxidative DNA damage in neuronal SH-SY5Y cells: attenuation of thymine base lesions by glutathione and N-acetylcysteine. 2013 , 218, 299-307		63

146	Association between PARK16 and Parkinson's disease in the Han Chinese population: a meta-analysis. 2013 , 34, 2442.e5-9		10
145	Manganese efflux in Parkinsonism: insights from newly characterized SLC30A10 mutations. 2013 , 432, 1-4		34
144	The Nrf2/SKN-1-dependent glutathione S-transferase γ homologue GST-1 inhibits dopamine neuron degeneration in a <i>Caenorhabditis elegans</i> model of manganism. <i>NeuroToxicology</i> , 2013 , 38, 51-60	4-4	34
143	Oxidative damage to macromolecules in human Parkinson disease and the rotenone model. 2013 , 62, 111-120		209
142	Metals, oxidative stress and neurodegeneration: a focus on iron, manganese and mercury. 2013 , 62, 575-94		347
141	Manganese homeostasis and transport. 2013 , 12, 169-201		39
140	Involvement of NF kappa B in potentiated effect of Mn-containing dithiocarbamates on MPP(+) induced cell death. 2013 , 33, 815-23		11
139	The effect of manganese on dopamine toxicity and dopamine transporter (DAT) in control and DAT transfected HEK cells. <i>NeuroToxicology</i> , 2013 , 35, 121-8	4-4	36
138	Down-regulation of LRRK2 in control and DAT transfected HEK cells increases manganese-induced oxidative stress and cell toxicity. <i>NeuroToxicology</i> , 2013 , 37, 100-7	4-4	9
137	Essential Tremor and Other Forms of Kinetic Tremor. 2013 , 167-201		3
136	Targeting the chameleon: a focused look at β -Synuclein and its roles in neurodegeneration. 2013 , 47, 446-59		17
135	Agrochemicals, β -Synuclein, and Parkinson's disease. 2013 , 47, 598-612		24
134	Biophysical Characterization of β -Synuclein and Rotenone Interaction. <i>Biomolecules</i> , 2013 , 3, 703-32	5,9	22
133	Consequences of manganese administration for striatal dopamine and motor behavior in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-exposed C57BL/6 mice. 2013 , 32, 865-80		10
132	Manganese and the brain. 2013 , 110, 277-312		123
131	Parkinson's Disease. 2013 , 131-168		
130	Manganese neurotoxicity: new perspectives from behavioral, neuroimaging, and neuropathological studies in humans and non-human primates. 2013 , 5, 23		121
129	Metal dyshomeostasis and inflammation in Alzheimer's and Parkinson's diseases: possible impact of environmental exposures. 2013 , 2013, 726954		79

128	Activation of MAPK and FoxO by manganese (Mn) in rat neonatal primary astrocyte cultures. 2014 , 9, e94753	33
127	Copper and copper proteins in Parkinson's disease. 2014 , 2014, 147251	97
126	Abnormal Copper Homeostasis: Mechanisms and Roles in Neurodegeneration. 2014 , 2, 327-345	61
125	Regulation of copper transport crossing brain barrier systems by Cu-ATPases: effect of manganese exposure. 2014 , 139, 432-51	34
124	In vitro aggregation assays for the characterization of β -synuclein prion-like properties. 2014 , 8, 19-32	54
123	Accumulation of Lead, Zinc, and Copper in Scalp Hair of Residents in a Long-Term Irrigation Area Downstream of the Second Songhua River, Northeast China. 2014 , 20, 137-149	7
122	Parkinson's disease and occupation: differences in associations by case identification method suggest referral bias. 2014 , 57, 163-71	14
121	Protective and toxic roles of dopamine in Parkinson's disease. 2014 , 129, 898-915	271
120	Manganese Neurotoxicity. 2014 , 843-864	1
119	Role of Trichloroethylene in Parkinson's Disease. 2014 , 91-129	
118	Environmental Risk Assessment Based on High-Resolution Spatial Maps of Potentially Toxic Elements Sampled on Stream Sediments of Santiago, Cape Verde. 2014 , 4, 297-315	22
117	Prolactin levels in manganese-exposed male welders. 2014 , 17, 564-8	8
116	Effects of metal(loid)-based nanomaterials on essential element homeostasis: the central role of nanometallomics for nanotoxicology. 2014 , 6, 729-47	33
115	Alzheimer's and Parkinson's diseases: an environmental proteomic point of view. 2014 , 104, 24-36	7
114	Divalent metal ions enhance DOPAL-induced oligomerization of alpha-synuclein. 2014 , 569, 27-32	46
113	RTP801 regulates maneb- and mancozeb-induced cytotoxicity via NF- κ B. 2014 , 28, 302-11	6
112	Neuromelanin of the human substantia nigra: an update. 2014 , 25, 13-23	149
111	SLC30A10 is a cell surface-localized manganese efflux transporter, and parkinsonism-causing mutations block its intracellular trafficking and efflux activity. 2014 , 34, 14079-95	139

110	BDNF and Huntingtin protein modifications by manganese: implications for striatal medium spiny neuron pathology in manganese neurotoxicity. 2014 , 131, 655-66		18
109	Linking alpha-synuclein phosphorylation to reactive oxygen species formation and mitochondrial dysfunction in SH-SY5Y cells. 2014 , 62, 51-9		65
108	Correlation between the biochemical pathways altered by mutated parkinson-related genes and chronic exposure to manganese. <i>NeuroToxicology</i> , 2014 , 44, 314-25	4-4	33
107	Catecholamine autotoxicity. Implications for pharmacology and therapeutics of Parkinson disease and related disorders. 2014 , 144, 268-82		107
106	The Olfactory System as a Route of Delivery for Agents to the Brain and Circulation. 2015 , 453-484		4
105	Occupational exposures and parkinsonism. 2015 , 131, 225-39		14
104	Manganese-Induced Parkinsonism and Parkinson's Disease: Shared and Distinguishable Features. 2015 , 12, 7519-40		176
103	Manganese-Enhanced MRI: Biological Applications in Neuroscience. 2015 , 6, 161		37
102	Synuclein-lanthanide metal ions interaction: binding sites, conformation and fibrillation. 2015 , 9, 1		14
101	Low concentrations of copper in drinking water increase AP-1 binding in the brain. 2015 , 31, 1178-84		5
100	Age- and manganese-dependent modulation of dopaminergic phenotypes in a C. elegans DJ-1 genetic model of Parkinson's disease. 2015 , 7, 289-98		35
99	Perinatal manganese exposure and hydroxyl radical formation in rat brain. 2015 , 27, 1-14		11
98	Parkinson's Disease. 2015 , 267-288		
97	Copper binding to the N-terminally acetylated, naturally occurring form of alpha-synuclein induces local helical folding. 2015 , 137, 6444-7		52
96	Cumulative lead exposure is associated with reduced olfactory recognition performance in elderly men: The Normative Aging Study. <i>NeuroToxicology</i> , 2015 , 49, 158-64	4-4	33
95	Overexpression of alpha-synuclein at non-toxic levels increases dopaminergic cell death induced by copper exposure via modulation of protein degradation pathways. 2015 , 81, 76-92		47
94	Melatonin antagonizes Mn-induced oxidative injury through the activation of keap1-Nrf2-ARE signaling pathway in the striatum of mice. 2015 , 27, 156-71		42
93	PARK2 patient neuroprogenitors show increased mitochondrial sensitivity to copper. 2015 , 73, 204-12		37

92	Potential Role of Epigenetic Mechanism in Manganese Induced Neurotoxicity. 2016 , 2016, 2548792	29
91	Structural Elements in the Transmembrane and Cytoplasmic Domains of the Metal Transporter SLC30A10 Are Required for Its Manganese Efflux Activity. <i>Journal of Biological Chemistry</i> , 2016 , 291, 15940-57	5-4 43
90	Reduced Risk of Parkinson Disease in Patients With Rheumatoid Arthritis: A Nationwide Population-Based Study. 2016 , 91, 1346-1353	23
89	Environmental and genetic factors support the dissociation between α -Synuclein aggregation and toxicity. 2016 , 113, E6506-E6515	62
88	Interactions between Iron and other Metals. 2016 , 482-515	
87	Manganese neurotoxicity: behavioral disorders associated with dysfunctions in the basal ganglia and neurochemical transmission. 2016 , 136, 677-691	72
86	AMPK Inhibition Enhances the Neurotoxicity of Cu(II) in SH-SY5Y Cells. 2016 , 30, 499-509	6
85	"Manganese-induced neurotoxicity: a review of its behavioral consequences and neuroprotective strategies". 2016 , 17, 57	174
84	Efficient and biologically relevant consensus strategy for Parkinson's disease gene prioritization. 2016 , 9, 12	15
83	Manganese and aging. <i>NeuroToxicology</i> , 2016 , 56, 262-268	4.4 28
82	The neurotoxicity of iron, copper and cobalt in Parkinson's disease through ROS-mediated mechanisms. 2016 , 29, 665-78	52
81	Brain Iron Metabolism Dysfunction in Parkinson's Disease. 2017 , 54, 3078-3101	92
80	Proteomic studies associated with Parkinson's disease. 2017 , 14, 193-209	8
79	α -Synuclein Enhances Cadmium Uptake and Neurotoxicity via Oxidative Stress and Caspase Activated Cell Death Mechanisms in a Dopaminergic Cell Model of Parkinson's Disease. 2017 , 32, 231-246	8
78	Role of neurotoxicants and traumatic brain injury in α -Synuclein protein misfolding and aggregation. 2017 , 133, 60-70	31
77	Two mTOR inhibitors, rapamycin and Torin 1, differentially regulate iron-induced generation of mitochondrial ROS. 2017 , 30, 975-980	11
76	Occupational Metal Exposure and Parkinsonism. 2017 , 18, 143-158	17
75	Clinical effects of chemical exposures on mitochondrial function. 2017 , 391, 90-99	36

74	The effects of metal ion contaminants on the double stranded DNA helix and diseases. 2017 , 52, 1030-1040	7
73	Risk of Parkinson disease after organophosphate or carbamate poisoning. 2017 , 136, 129-137	10
72	β-synuclein aggregation and its modulation. 2017 , 100, 37-54	72
71	A future perspective on neurodegenerative diseases: nasopharyngeal and gut microbiota. 2017 , 122, 306-320	9
70	Coherent and Contradictory Facts, Feats and Fictions Associated with Metal Accumulation in Parkinson's Disease: Epicenter or Outcome, Yet a Demigod Question. 2017 , 54, 4738-4755	4
69	Circadian Clock Protein Content and Daily Rhythm of Locomotor Activity Are Altered after Chronic Exposure to Lead in Rat. 2017 , 11, 178	6
68	Metal Dyshomeostasis and Their Pathological Role in Prion and Prion-Like Diseases: The Basis for a Nutritional Approach. 2017 , 11, 3	31
67	Nutritional, Genetic, and Molecular Aspects of Manganese Intoxication. 2017 , 367-376	5
66	Oxidative stress and cellular pathologies in Parkinson's disease. 2017 , 10, 53	211
65	Metal Transporters in Neurodegeneration. 2017 , 313-347	1
64	Hair in Parkinson's disease patients exhibits differences in Calcium, Iron and Zinc concentrations measured by flame atomic absorption spectrometry - FAAS. 2018 , 47, 134-139	8
63	Traumatic injury induces stress granule formation and enhances motor dysfunctions in ALS/FTD models. 2018 , 27, 1366-1381	50
62	Neurotoxicity Linked to Dysfunctional Metal Ion Homeostasis and Xenobiotic Metal Exposure: Redox Signaling and Oxidative Stress. 2018 , 28, 1669-1703	87
61	Molecular and Clinical Aspects of Protein Aggregation Assays in Neurodegenerative Diseases. 2018 , 55, 7588-7605	12
60	Astroglial and microglial contributions to iron metabolism disturbance in Parkinson's disease. 2018 , 1864, 967-973	24
59	Association of soil selenium, strontium, and magnesium concentrations with Parkinson's disease mortality rates in the USA. 2018 , 40, 349-357	19
58	Human predisposition to cognitive impairment and its relation with environmental exposure to potentially toxic elements. 2018 , 40, 1767-1784	40
57	Manganese exposure exacerbates progressive motor deficits and neurodegeneration in the MitoPark mouse model of Parkinson's disease: Relevance to gene and environment interactions in metal neurotoxicity. <i>NeuroToxicology</i> , 2018 , 64, 240-255	4.4 27

56	Olfactory toxicity in rats following manganese chloride nasal instillation: A pilot study. <i>NeuroToxicology</i> , 2018 , 64, 284-290	4-4	10
55	Neonatal C57BL/6J and parkin mice respond differently following developmental manganese exposure: Result of a high dose pilot study. <i>NeuroToxicology</i> , 2018 , 64, 291-299	4-4	1
54	Autophagy plays a protective role in Mn-induced toxicity in PC12 cells. 2018 , 394, 45-53		26
53	Association of circulating manganese levels with Parkinson's disease: A meta-analysis. 2018 , 665, 92-98		9
52	Lead-Induced Developmental Neurotoxicity and Modulated Gene Expression. 2018 , 307-336		
51	Use of CALPUFF to predict airborne Mn levels at schools in an urban area impacted by a nearby manganese alloy plant. 2018 , 119, 455-465		6
50	High Dietary Iron Supplement Induces the Nigrostriatal Dopaminergic Neurons Lesion in Transgenic Mice Expressing Mutant A53T Human Alpha-Synuclein. 2018 , 10, 97		8
49	Water Quality and Brain Function. 2017 , 15,		12
48	Diffusion profile simulations and enhanced iron sensing in generator-collector mode at interdigitated nanowire electrode arrays. 2018 , 277, 235-243		13
47	A review of copper concentrations in Iranian populations. 2019 , 191, 537		4
46	Iron Concentration Does Not Differ in Blood but Tends to Decrease in Cerebrospinal Fluid in Parkinson's Disease. 2019 , 13, 939		5
45	Altered nigrostriatal dopaminergic and noradrenergic system prompted by systemic lead toxicity versus a treatment by curcumin-III in the desert rodent <i>Meriones shawi</i> . 2019 , 342, 192-198		6
44	Spermine protects alpha-synuclein expressing dopaminergic neurons from manganese-induced degeneration. 2019 , 35, 147-159		16
43	Neurotoxicity of low-level lead exposure: History, mechanisms of action, and behavioral effects in humans and preclinical models. <i>NeuroToxicology</i> , 2019 , 73, 58-80	4-4	53
42	Iron and manganese-related CNS toxicity: mechanisms, diagnosis and treatment. 2019 , 19, 243-260		23
41	Genetic Disorders Associated with Metal Metabolism. 2019 , 8,		13
40	Heavy Metals of Santiago Island (Cape Verde) Alluvial Deposits: Baseline Value Maps and Human Health Risk Assessment. 2018 , 16,		29
39	<i>Crocus sativus</i> restores dopaminergic and noradrenergic damages induced by lead in <i>Meriones shawi</i> : A possible link with Parkinson's disease. 2019 , 121, 171-181		17

38	An Inter-disciplinary Approach to Evaluate Human Health Risks Due to Long-Term Exposure to Contaminated Groundwater Near a Chemical Complex. 2020 , 12, 199-214		23
37	Brain manganese and the balance between essential roles and neurotoxicity. <i>Journal of Biological Chemistry</i> , 2020 , 295, 6312-6329	5-4	66
36	Maintaining Translational Relevance in Animal Models of Manganese Neurotoxicity. 2020 , 150, 1360-1369		12
35	Epigenetic Basis of Lead-Induced Neurological Disorders. 2020 , 17,		15
34	Gut microbiota differences between healthy older adults and individuals with Parkinson's disease: A systematic review. 2020 , 112, 227-241		32
33	Iron-mediated interaction of alpha synuclein with lipid raft model membranes. 2020 , 12, 7631-7640		8
32	Copper Ions and Parkinson's Disease: Why Is Homeostasis So Relevant?. <i>Biomolecules</i> , 2020 , 10,	5-9	37
31	Adult brain activation in response to pain is changed by neonatal painful stimulation according to sex: A manganese-enhanced MRI study. 2021 , 53, 571-587		
30	Identification of Three Small Molecules That Can Selectively Influence Cellular Manganese Levels in a Mouse Striatal Cell Model. 2021 , 26,		
29	Interaction of Neuromelanin with Xenobiotics and Consequences for Neurodegeneration; Promising Experimental Models. 2021 , 10,		6
28	Comparison of Serum Lead and Cadmium Levels in Parkinson's Patients and Healthy Controls. 2021 , In Press,		0
27	Up-regulation of the manganese transporter SLC30A10 by hypoxia-inducible factors defines a homeostatic response to manganese toxicity. 2021 , 118,		3
26	Factors Affecting the Fibrillation of α -Synuclein, a Natively Unfolded Protein. 2006 , 265-285		4
25	α -Synuclein Aggregation and Parkinson's Disease. 2007 , 61-110		2
24	Scutellarin inhibits the uninduced and metal-induced aggregation of α -Synuclein and disaggregates preformed fibrils: implications for Parkinson's disease. 2020 , 477, 645-670		11
23	Targeted deletion of the aquaglyceroporin AQP9 is protective in a mouse model of Parkinson's disease. 2018 , 13, e0194896		10
22	Effect of family history, occupation and diet on the risk of Parkinson disease: A case-control study. 2020 , 15, e0243612		5
21	Divalent metal transporter DMT1 (SLC11A2). 2003 , 107-122		

20	Astroglia and Lead Neurotoxicity. 2004 , 417-438		
19	A diet for dopaminergic neurons?. 2009 , 317-31		2
18	Blood Lead Level in Populations Resident in Some Abandoned Mine Area. 2010 , 19, 527-532		2
17	Epidemiological Studies on Particulate Air Pollution. 267		
16	α-Synuclein and Metals. 2010 , 169-191		
15	Neurology. 2011 , 491-527		
14	Parkinson's disease. 2011 , 715-730		
13	Parkinson's Disease. 471-513		1
12	A Research Note on Heavy Metals Change Effects of Piracetam on Learning and Memory. 2015 , 131-137		
11	Iron-Catalyzed Reactive Oxygen Species in Sporadic Models of Parkinson's Disease. 2016 , 75-113		
10	Nutrition and Lifestyle Interventions for Managing Parkinson's Disease: A Narrative Review. 2020 , 13, 97-104		5
9	Age-dependent decline of copper clearance at the blood-cerebrospinal fluid barrier. <i>NeuroToxicology</i> , 2021 , 88, 44-56	4.4	1
8	Retrospection on the Role of Soluble Guanylate Cyclase in Parkinson's Disease. <i>Journal of Pharmacology and Pharmacotherapeutics</i> , 2017 , 8, 87-91	0.2	3
7	Manganese Transport into the Brain: Putative Mechanisms. 2008 , 10, 695-700		
6	Ca ²⁺ administration prevents α-synuclein proteotoxicity by stimulating calcineurin-dependent lysosomal proteolysis. <i>PLoS Genetics</i> , 2021 , 17, e1009911	6	0
5	Manganese promotes α-synuclein amyloid aggregation through the induction of protein phase transition. <i>Journal of Biological Chemistry</i> , 2021 , 101469	5.4	6
4	Endocrine-Disrupting Chemicals and Their Adverse Effects on the Endoplasmic Reticulum.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	1
3	α-Synuclein: An Enigmatic Protein with Diverse Functionality.. <i>Biomolecules</i> , 2022 , 12,	5.9	2

2 Differential deposition of manganese in the rat brain following subchronic exposure to manganese: a T1-weighted magnetic resonance imaging study. *Israel Medical Association Journal*, **2008**, 10, 793-8 0.9 21

1 Factors Affecting the Fibrillation of β -Synuclein, a Natively Unfolded Protein. 265-285