

CITATION REPORT

List of articles citing

SENSE: sensitivity encoding for fast MRI

DOI: PM/10542355

Magnetic Resonance in Medicine, 1999, 42, 952-62.

Source: <https://exaly.com/paper-pdf/130648600/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1659	An analytical SMASH procedure (ASP) for sensitivity-encoded MRI. <i>Magnetic Resonance in Medicine</i> , 2000 , 43, 716-25	4.4	21
1658	Low-latency temporal filter design for real-time MRI using UNFOLD. <i>Magnetic Resonance in Medicine</i> , 2000 , 44, 933-9	4.4	15
1657	SMASH imaging with an eight element multiplexed RF coil array. 2000 , 10, 93-104		29
1656	Cardiovascular MRI probes for the outside in and for the inside out. 2000 , 11, 49-51		7
1655	Measurements of left ventricular dimensions using real-time acquisition in cardiac magnetic resonance imaging: comparison with conventional gradient echo imaging. 2001 , 13, 101-8		21
1654	Recent advances in image reconstruction, coil sensitivity calibration, and coil array design for SMASH and generalized parallel MRI. 2002 , 13, 158-63		30
1653	Myocardial wall tagging with undersampled projection reconstruction. <i>Magnetic Resonance in Medicine</i> , 2001 , 45, 562-7	4.4	33
1652	Planar strip array (PSA) for MRI. <i>Magnetic Resonance in Medicine</i> , 2001 , 45, 673-83	4.4	71
1651	Techniques for fast stereoscopic MRI. <i>Magnetic Resonance in Medicine</i> , 2001 , 46, 317-23	4.4	25
1650	Ghost artifact cancellation using phased array processing. <i>Magnetic Resonance in Medicine</i> , 2001 , 46, 335-43	4.4	34
1649	Multishot EPI-SSFP in the heart. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 655-64	4.4	37
1648	Phased array ghost elimination (PAGE) for segmented SSFP imaging with interrupted steady-state. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 1076-80	4.4	8
1647	2D SENSE for faster 3D MRI. 2002 , 14, 10-9		183
1646	MR image reconstruction algorithms for sparse k-space data: a Java-based integration. 2002 , 15, 18-26		1
1645	Magnetic resonance imaging for the non-invasive detection of stenosis in coronary artery bypass grafts: clinical reality?. 2002 , 18, 479-82		1
1644	A brief review of parallel magnetic resonance imaging. 2003 , 13, 2323-37		138
1643	Magnetic resonance coronary angiography. 2003 , 5, 55-62		4

1642	[Assessment of axonal degeneration on Alzheimer's disease with diffusion tensor MRI]. 2003 , 43, 566-75	31
1641	[Radiologic diagnostics of dementia]. 2003 , 43, 531-6	3
1640	[Magnetic resonance imaging. Sequence acronyms and other abbreviations in MR imaging]. 2003 , 43, 745-63, quiz 764-5	10
1639	Neurovascular MRI with dynamic contrast-enhanced subtraction angiography. 2003 , 45, 843-50	28
1638	A degeneracy study in the circulant and bordered-circulant approach to birdcage and planar coils. 2003 , 16, 103-11	7
1637	A wavelet-based approximation of surface coil sensitivity profiles for correction of image intensity inhomogeneity and parallel imaging reconstruction. 2003 , 19, 96-111	59
1636	Automatic in-plane rotation for doubly-oblique cardiac imaging. 2003 , 18, 612-5	1
1635	Real-time accelerated interactive MRI with adaptive TSENSE and UNFOLD. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 315-21	4-4 77
1634	Estimating Motion From MRI Data. 2003 , 9, 1627-1648	36
1633	Detection of scarred and viable myocardium using a new magnetic resonance imaging technique: blood oxygen level dependent (BOLD) MRI. 2003 , 89, 738-44	23
1632	A review of structural magnetic resonance neuroimaging. 2004 , 75, 1235-44	126
1631	Three-dimensional MR digital subtraction angiography using parallel imaging and keyhole data sampling in cerebrovascular diseases: initial experience. 2004 , 14, 1494-7	24
1630	3D pulmonary perfusion MRI and MR angiography of pulmonary embolism in pigs after a single injection of a blood pool MR contrast agent. 2004 , 14, 1291-6	29
1629	3D time-of-flight MR angiography of the intracranial vessels: optimization of the technique with water excitation, parallel acquisition, eight-channel phased-array head coil and low-dose contrast administration. 2004 , 14, 2067-71	22
1628	New partially parallel acquisition technique in cerebral imaging: preliminary findings. 2004 , 14, 2273-81	8
1627	Color-encoded semiautomatic analysis of multi-slice first-pass magnetic resonance perfusion: comparison to tetrofosmin single photon emission computed tomography perfusion and X-ray angiography. 2004 , 20, 371-84; discussion 385-7	12
1626	Auto-SENSE view-sharing cine cardiac imaging. 2004 , 17, 63-7	2
1625	[Feasibilities and limitations of high field parallel MRI]. 2004 , 44, 49-55	16

1624	[Clinical MR at 3 Tesla: current status]. 2004 , 44, 11-8		26
1623	[Technical survey: from local MRI to whole-body MR using fast imaging techniques]. 2004 , 44, 820-5		2
1622	[Comparison of high resolution whole-body MRI using parallel imaging and PET-CT. First experiences with a 32-channel MRI system]. 2004 , 44, 889-98		17
1621	[The significance of MR angiography for the diagnosis of carotid stenoses]. 2004 , 44, 975-84		4
1620	[Whole-body MRI and PET/CT in tumor diagnosis]. 2004 , 44, 1079-87		8
1619	[Modern visualization of the liver with MRT. Current trends and future perspectives]. 2004 , 44, 1160-9		16
1618	MR angiography of the intracranial vessels: technical aspects and clinical applications. 2004 , 46, 955-72		109
1617	High-resolution MR imaging of the elbow using a microscopy surface coil and a clinical 1.5 T MR machine: preliminary results. 2004 , 33, 265-71		14
1616	Medial temporal lobe activation during encoding and retrieval of novel face-name pairs. 2004 , 14, 919-30		261
1615	Extended coverage first-pass perfusion imaging using slice-interleaved TSENSE. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 200-4	4.4	67
1614	Lumped-element planar strip array (LPSA) for parallel MRI. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 172-83	4.4	34
1613	Imaging of myocardial infarction for diagnosis and intervention using real-time interactive MRI without ECG-gating or breath-holding. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 354-61	4.4	28
1612	Highly parallel volumetric imaging with a 32-element RF coil array. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 869-77	4.4	123
1611	Improved venous suppression and spatial resolution with SENSE in elliptical centric 3D contrast-enhanced MR angiography. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 761-5	4.4	22
1610	Large field-of-view real-time MRI with a 32-channel system. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 878-84	4.4	42
1609	Time-domain combination of MR spectroscopy data acquired using phased-array coils. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 1207-13	4.4	81
1608	Field-of-view limitations in parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 1118-26	4.4	468
1607	Point spread function mapping with parallel imaging techniques and high acceleration factors: fast, robust, and flexible method for echo-planar imaging distortion correction. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 1156-66	4.4	296

1606	Parallel imaging performance as a function of field strength--an experimental investigation using electrodynamic scaling. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 953-64	4.4	156
1605	POCSense: POCS-based reconstruction for sensitivity encoded magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 1397-406	4.4	105
1604	Editorial. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 1221-1222	4.4	0
1603	Microtesla MRI with a superconducting quantum interference device. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7857-61	11.5	132
1602	Magnetic resonance imaging of atherosclerosis. 2005 , 15, 1087-99		48
1601	Whole-body MRI at high field: technical limits and clinical potential. 2005 , 15, 946-59		238
1600	Comparison of volume, four- and eight-channel head coils using standard and parallel imaging. 2005 , 15, 1555-62		15
1599	Influence of high magnetic field strengths and parallel acquisition strategies on image quality in cardiac 2D CINE magnetic resonance imaging: comparison of 1.5 T vs. 3.0 T. 2005 , 15, 1586-97		76
1598	Evaluation of steady state free precession imaging of the pancreas. 2005 , 15, 1629-33		2
1597	Low-dose intra-arterial contrast-enhanced MR aortography in patients based on a theoretically derived injection protocol. 2005 , 15, 2347-53		8
1596	Quantification of pancreatic exocrine function with secretin-enhanced magnetic resonance cholangiopancreatography: normal values and short-term effects of pancreatic duct drainage procedures in chronic pancreatitis. Initial results. 2005 , 15, 2110-21		66
1595	Higher lesion conspicuity for SENSE dynamic MRI in detecting hypervascular hepatocellular carcinoma: analysis through the measurements of liver SNR and lesion-liver CNR comparison with conventional dynamic MRI. 2005 , 15, 2427-34		6
1594	Within-subject reproducibility of category-specific visual activation with functional MRI. 2005 , 25, 402-8		120
1593	Contrast-enhanced peripheral MR angiography using SENSE in multiple stations: feasibility study. 2005 , 21, 37-45		54
1592	Coronary arteries at 3.0 T: Contrast-enhanced magnetization-prepared three-dimensional breathhold MR angiography. 2005 , 21, 133-9		46
1591	Multi-contrast delayed enhancement provides improved contrast between myocardial infarction and blood pool. 2005 , 22, 605-13		41
1590	Transmit and receive transmission line arrays for 7 Tesla parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 434-45	4.4	313
1589	Sensitivity encoding as a means of enhancing the SNR efficiency in steady-state MRI. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 177-85	4.4	29

1588	Reduction of artifacts by optimization of the sensitivity map in sensitivity-encoded spectroscopic imaging. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 30-4	4.4	16
1587	Artifact and noise suppression in GRAPPA imaging using improved k-space coil calibration and variable density sampling. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 186-93	4.4	49
1586	Preliminary investigation of respiratory self-gating for free-breathing segmented cine MRI. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 159-68	4.4	156
1585	Motion-corrected free-breathing delayed enhancement imaging of myocardial infarction. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 194-200	4.4	90
1584	Functional MRI using regularized parallel imaging acquisition. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 343-53	4.4	44
1583	S5FP: spectrally selective suppression with steady state free precession. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 918-28	4.4	23
1582	Continuously moving table MRI with SENSE: application in peripheral contrast enhanced MR angiography. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 1025-31	4.4	15
1581	High-resolution steady-state free precession coronary magnetic resonance angiography within a breath-hold: parallel imaging with extended cardiac data acquisition. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 1100-6	4.4	11
1580	Real-time blood flow imaging using autocalibrated spiral sensitivity encoding. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 1557-61	4.4	20
1579	Image reconstruction in SNR units: a general method for SNR measurement. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 1439-47	4.4	359
1578	Three-dimensional isotropic contrast-enhanced MR angiography of the carotid artery using sensitivity-encoding and random elliptic centric k-space filling: technique optimization. 2005 , 47, 668-73		12
1577	Real-time magnetic resonance imaging to guide pediatric endovascular procedures. 2005 , 26, 251-9		5
1576	Magnetic resonance angiography of the body in pediatric patients: experience with a contrast-enhanced time-resolved technique. 2005 , 35, 3-10		30
1575	Complication rates of diagnostic cerebral arteriography in children. 2005 , 35, 1174-7		23
1574	Extension of rapid phase-contrast magnetic resonance imaging using BRISK in multidirectional flow. 2005 , 33, 929-36		4
1573	Efficient foldover suppression using SENSE. 2005 , 18, 63-8		9
1572	Versatile coil design and positioning of transverse-field RF surface coils for clinical 1.5-T MRI applications. 2005 , 18, 69-75		14
1571	Basic considerations on the impact of the coil array on the performance of Transmit SENSE. 2005 , 18, 81-8		26

1570	Rapid vessel prototyping: vascular modeling using 3t magnetic resonance angiography and rapid prototyping technology. 2005 , 18, 288-92		38
1569	Integrated head-thoracic vascular MRI at 3 T: assessment of cranial, cervical and thoracic involvement of giant cell arteritis. 2005 , 18, 193-200		22
1568	The future of real-time cardiac magnetic resonance imaging. 2005 , 7, 45-51		22
1567	Evaluation of intracardiac shunts with cardiac magnetic resonance. 2005 , 7, 52-8		17
1566	Three-dimensional, isotropic MRI: a unified approach to quantification and visualization in congenital heart disease. 2005 , 21, 283-92		33
1565	Magnetic resonance angiography for anatomical evaluation of the great arteries. 2005 , 21, 323-4		7
1564	Neural correlates of reach errors. 2005 , 25, 9919-31		454
1563	Functional magnetic resonance imaging activity during the gradual acquisition and expression of paired-associate memory. 2005 , 25, 5720-9		112
1562	Detecting and adjusting for artifacts in fMRI time series data. <i>NeuroImage</i> , 2005 , 27, 624-34	7.9	213
1561	Real-time, Interactive MRI for cardiovascular interventions. 2005 , 12, 1121-7		31
1560	Rapid volumetric MRI using parallel imaging with order-of-magnitude accelerations and a 32-element RF coil array: feasibility and implications. 2005 , 12, 626-35		59
1559	Neural activity during encoding predicts false memories created by misinformation. 2005 , 12, 3-11		86
1558	An adaptive filter for suppression of cardiac and respiratory noise in MRI time series data. <i>NeuroImage</i> , 2006 , 33, 1072-81	7.9	79
1557	Feasibility and diagnostic accuracy of whole heart coronary MR angiography using free-breathing 3D balanced turbo-field-echo with SENSE and the half-fourier acquisition technique. 2006 , 7, 235-42		13
1556	In vivo MRI using liquid nitrogen cooled phased array coil at 3.0 T. 2006 , 24, 819-23		11
1555	Myocardial perfusion imaging by cardiac magnetic resonance. 2006 , 13, 841-54		28
1554	Cross-sectional vascular imaging with CT and MR angiography. 2006 , 13, 385-401		5
1553	Total-body 3D magnetic resonance angiography influences the management of patients with peripheral arterial occlusive disease. 2006 , 16, 685-91		35

1552	Three-dimensional dynamic magnetic resonance angiography for the evaluation of radiosurgically treated cerebral arteriovenous malformations. 2006 , 16, 583-91	45
1551	Modern cross-sectional imaging in the diagnosis and follow-up of intracranial aneurysms. 2006 , 16, 2051-66	22
1550	MR imaging of the pulmonary vasculature--an update. 2006 , 16, 1374-86	31
1549	Coronary magnetic resonance imaging: visualization of the vessel lumen and the vessel wall and molecular imaging of arteriothrombosis. 2006 , 16, 1-14	33
1548	Whole-body MRI and PET-CT in the management of cancer patients. 2006 , 16, 1216-25	57
1547	Muskuloskeletal MR imaging at 3.0 T: current status and future perspectives. 2006 , 16, 1298-307	43
1546	MRA of abdominal vessels: technical advances. 2006 , 16, 1637-50	17
1545	Fast magnetic resonance imaging of the knee using a parallel acquisition technique (mSENSE): a prospective performance evaluation. 2006 , 16, 1659-66	21
1544	Cardiac stress MR imaging with dobutamine. 2006 , 16, 2728-38	22
1543	Motion in the mind's eye: comparing mental and visual rotation. 2006 , 6, 323-32	15
1542	The impact of susceptibility gradients on cartesian and spiral EPI for BOLD fMRI. 2006 , 19, 105-14	6
1541	Accelerated time-resolved 3D contrast-enhanced MR angiography at 3T: clinical experience in 31 patients. 2006 , 19, 187-95	22
1540	Dual-contrast single breath-hold 3D abdominal MR imaging. 2006 , 19, 297-304	2
1539	Time-resolved 3D contrast-enhanced MRA with GRAPPA on a 1.5-T system for imaging of craniocervical vascular disease: initial experience. 2006 , 48, 291-9	38
1538	Is there a role for magnetic resonance imaging in the evaluation of non-traumatic intraparenchymal haemorrhage in children?. 2006 , 36, 940-6	32
1537	[Oxygen-enhanced MRI of the lung: optimized calculation of difference images]. 2006 , 46, 300-2, 304-8	7
1536	[Sequences in MRI. Part II]. 2006 , 46, 803-17; quiz 818-9	1
1535	Magnetic resonance cholangiopancreatography: comparison of respiratory-triggered three-dimensional fast-recovery fast spin-echo with parallel imaging technique and breath-hold half-Fourier two-dimensional single-shot fast spin-echo technique. 2006 , 24, 202-9	28

1534	Imaging of atherosclerosis using magnetic resonance: state of the art and future directions. 2006 , 8, 131-9		13
1533	Advances in MRI tagging techniques for determining regional myocardial strain. 2006 , 8, 53-8		22
1532	Advances in interventional cardiovascular MRI. 2006 , 8, 70-5		2
1531	Phased array ghost elimination. 2006 , 19, 352-61		25
1530	Sodium and T1rho MRI for molecular and diagnostic imaging of articular cartilage. 2006 , 19, 781-821		234
1529	Affective judgment and beneficial decision making: ventromedial prefrontal activity correlates with performance in the Iowa Gambling Task. 2006 , 27, 572-87		82
1528	Combination of 2D sensitivity encoding and 2D partial fourier techniques for improved acceleration in 3D contrast-enhanced MR angiography. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 16-22	4.4	26
1527	32-element receiver-coil array for cardiac imaging. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 1142-9	4.4	47
1526	Diffusion tensor magnetic resonance imaging at 3.0 tesla shows subtle cerebral grey matter abnormalities in patients with migraine. 2006 , 77, 686-9		38
1525	OPTIMAL MULTI-CHANNEL TIME-SEQUENTIAL ACQUISITION IN DYNAMIC MRI WITH PARALLEL COILS. 2006 ,		5
1524	AFFINE-CORRECTED : FREE-BREATHING PATIENT-ADAPTIVE CARDIAC MRI WITH SENSITIVITY ENCODING. 2007 ,		5
1523	High-field MRI of brain cortical substructure based on signal phase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 11796-801	11.5	541
1522	Functional responses in the human spinal cord during willed motor actions: evidence for side- and rate-dependent activity. 2007 , 27, 4182-90		74
1521	Time-resolved spinal MR angiography: initial clinical experience in the evaluation of spinal arteriovenous shunts. <i>American Journal of Neuroradiology</i> , 2007 , 28, 1806-10	4.4	40
1520	High-spatial-resolution contrast-enhanced MR angiography of the intracranial venous system with fourfold accelerated two-dimensional sensitivity encoding. 2007 , 243, 853-61		22
1519	ADAPTIVE REAL-TIME CARDIAC MRI USING : VALIDATION BY THE PHYSIOLOGICALLY IMPROVED PHANTOM. 2007 ,		16
1518	Flow and myocardial interaction: an imaging perspective. 2007 , 362, 1329-41		26
1517	Pseudolesions arising from unfolding artifacts in diffusion imaging with use of parallel acquisition: origin and remedies. <i>American Journal of Neuroradiology</i> , 2007 , 28, 1099-101	4.4	10

1516	Assessment of myocardial perfusion for detection of coronary artery stenoses by steady-state, free-precession magnetic resonance first-pass imaging. <i>Heart</i> , 2007 , 93, 1381-5	5.1	35
1515	Three-dimensional breathhold magnetization-prepared TrueFISP: a pilot study for magnetic resonance imaging of the coronary artery disease. 2007 , 42, 665-70		18
1514	Dissociating timing and coordination as functions of the cerebellum. 2007 , 27, 6291-301		93
1513	Reproducibility of quantitative tractography methods applied to cerebral white matter. <i>NeuroImage</i> , 2007 , 36, 630-44	7.9	1209
1512	Neural system for updating object working memory from different sources: sensory stimuli or long-term memory. <i>NeuroImage</i> , 2007 , 38, 617-30	7.9	48
1511	Activations in visual and attention-related areas predict and correlate with the degree of perceptual learning. 2007 , 27, 11401-11		132
1510	Diffusion Tensor Estimation by Maximizing Rician Likelihood. 2007 , 1-8		17
1509	Peak velocity and flow quantification validation for sensitivity-encoded phase-contrast MR imaging. 2007 , 14, 258-69		15
1508	Cutting-edge imaging of the spine. 2007 , 17, 117-36		40
1507	High-resolution fMRI investigation of the medial temporal lobe. 2007 , 28, 959-66		98
1506	Bayesian parallel imaging with edge-preserving priors. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 8-21	4.4	45
1505	Augmented generalized SENSE reconstruction to correct for rigid body motion. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 90-102	4.4	77
1504	Time-resolved 3D quantitative flow MRI of the major intracranial vessels: initial experience and comparative evaluation at 1.5T and 3.0T in combination with parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 127-40	4.4	132
1503	Clinical multishot DW-EPI through parallel imaging with considerations of susceptibility, motion, and noise. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 881-90	4.4	103
1502	T2-prepared SSFP improves diagnostic confidence in edema imaging in acute myocardial infarction compared to turbo spin echo. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 891-7	4.4	186
1501	Perfusion mapping with multiecho multishot parallel imaging EPI. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 70-81	4.4	51
1500	SSFP and GRE phase contrast imaging using a three-echo readout. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 1288-93	4.4	2
1499	Intrinsic signal amplification in the application of 2D SENSE parallel imaging to 3D contrast-enhanced elliptical centric MRA and MRV. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 855-64	4.4	21

1498	SENSE phase-constrained magnitude reconstruction with iterative phase refinement. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 910-21	4.4	16
1497	Parallel imaging reconstruction for arbitrary trajectories using k-space sparse matrices (kSPA). <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 1171-81	4.4	33
1496	4D radial contrast-enhanced MR angiography with sliding subtraction. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 962-72	4.4	22
1495	Coronary MR angiography at 3T during diastole and systole. 2007 , 26, 921-6		38
1494	Parallel magnetic resonance imaging. 2007 , 4, 499-510		10
1493	Diffusion tensor imaging of the brain. 2007 , 4, 316-29		1673
1492	Hemodynamic responses in human multisensory and auditory association cortex to purely visual stimulation. 2007 , 8, 14		25
1491	Interventional cardiovascular magnetic resonance imaging. 2007 , 17, 196-202		11
1490	Dual breath-hold magnetic resonance cine evaluation of global and regional cardiac function. 2007 , 17, 73-80		40
1489	Time-resolved contrast-enhanced magnetic resonance angiography of the hand with parallel imaging and view sharing: initial experience. 2007 , 17, 183-92		29
1488	Assessment of the abdominal aorta and its visceral branches by contrast-enhanced dynamic volumetric hepatic parallel magnetic resonance imaging: feasibility, reliability and accuracy. 2007 , 17, 541-51		8
1487	MR imaging of the cervical spine: assessment of image quality with parallel imaging compared to non-accelerated MR measurements. 2007 , 17, 1147-55		18
1486	Reliable 5-min real-time MR technique for left-ventricular-wall motion analysis. 2007 , 17, 1836-41		1
1485	Peritumoral edema of meningiomas and metastatic brain tumors: differences in diffusion characteristics evaluated with diffusion-tensor MR imaging. 2007 , 49, 489-94		28
1484	Extrahepatic portosystemic shunt in congenital absence of the portal vein depicted by time-resolved contrast-enhanced MR angiography. 2007 , 37, 706-9		11
1483	[Whole body MRI--diagnostic strategy of the future?]. 2007 , 47, 904-14		4
1482	[The bases of magnetic resonance tomography]. 2007 , 47 Suppl 1, S7-23; quiz S24-5		4
1481	Fast spin echo sequences for BOLD functional MRI. 2007 , 20, 11-7		51

1480	Parallel acquisition for effective density weighted imaging: PLANED imaging. 2007 , 20, 19-25	6
1479	Comparative evaluation of active contour model extensions for automated cardiac MR image segmentation by regional error assessment. 2007 , 20, 69-82	13
1478	Hepatic pseudo-anisotropy: a specific artifact in hepatic diffusion-weighted images obtained with respiratory triggering. 2007 , 20, 205-11	53
1477	Fixed versus dynamic orientations in environmental learning from ground-level and aerial perspectives. 2007 , 71, 333-46	29
1476	Normal-appearing white and grey matter damage in MS. A volumetric and diffusion tensor MRI study at 3.0 Tesla. 2007 , 254, 513-8	65
1475	Diffusion-weighted magnetic resonance imaging in the evaluation of renal function: a preliminary study. 2007 , 112, 1201-10	52
1474	COmplex-Model-Based Estimation of thermal noise for fMRI data in the presence of artifacts. 2007 , 25, 1079-88	7
1473	Reduction of flow- and eddy-currents-induced image artifacts in coronary magnetic resonance angiography using a linear centric-encoding SSFP sequence. 2007 , 25, 1138-47	12
1472	Parallel MRI at microtesla fields. 2008 , 192, 197-208	59
1471	Correction of B0 susceptibility induced distortion in diffusion-weighted images using large-deformation diffeomorphic metric mapping. 2008 , 26, 1294-302	72
1470	Ultra-high field parallel imaging of the superior parietal lobule during mental maze solving. 2008 , 187, 551-61	17
1469	MRI of degenerative lumbar spine disease: comparison of non-accelerated and parallel imaging. 2008 , 50, 403-9	8
1468	The promise of whole-heart coronary MRI. 2008 , 10, 46-50	11
1467	Volume parcellation for improved dynamic shimming. 2008 , 21, 31-40	29
1466	Parallel imaging in non-bijective, curvilinear magnetic field gradients: a concept study. 2008 , 21, 5-14	107
1465	Automatic coil selection for channel reduction in SENSE-based parallel imaging. 2008 , 21, 187-96	18
1464	MR imaging of the prostate in clinical practice. 2008 , 21, 379-92	57
1463	[Usefulness of cardiovascular magnetic resonance imaging for the detection of coronary artery disease]. 2008 , 158, 140-7	

1462	Characterization of patients with acute chest pain using cardiac magnetic resonance imaging. 2008 , 97, 760-7		44
1461	Correction of misaligned slices in multi-slice cardiovascular magnetic resonance using slice-to-volume registration. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008 , 10, 13	6.9	22
1460	Myocardial first-pass perfusion cardiovascular magnetic resonance: history, theory, and current state of the art. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008 , 10, 18	6.9	157
1459	Feasibility of single breath-hold left ventricular function with 3 Tesla TSENSE acquisition and 3D modeling analysis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008 , 10, 24	6.9	14
1458	Accelerated CMR using zonal, parallel and prior knowledge driven imaging methods. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008 , 10, 29	6.9	34
1457	Interventional cardiovascular magnetic resonance: still tantalizing. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008 , 10, 62	6.9	62
1456	Intracranial contrast-enhanced magnetic resonance venography with 6.4-fold sensitivity encoding at 1.5 and 3.0 Tesla. 2008 , 27, 653-8		7
1455	Stem cell therapy: MRI guidance and monitoring. 2008 , 27, 299-310		66
1454	Fast four-dimensional coronary MR angiography with k-t GRAPPA. 2008 , 27, 659-65		16
1453	Robust GRAPPA reconstruction and its evaluation with the perceptual difference model. 2008 , 27, 1412-20		22
1452	Cartilage imaging at 3.0T with gradient refocused acquisition in the steady-state (GRASS) and IDEAL fat-water separation. 2008 , 28, 167-74		21
1451	Specific absorption rate studies of the parallel transmission of inner-volume excitations at 7T. 2008 , 28, 1005-18		54
1450	Comparison of reconstruction accuracy and efficiency among autocalibrating data-driven parallel imaging methods. <i>Magnetic Resonance in Medicine</i> , 2008 , 59, 382-95	4.4	141
1449	Fast parallel spiral chemical shift imaging at 3T using iterative SENSE reconstruction. <i>Magnetic Resonance in Medicine</i> , 2008 , 59, 891-7	4.4	23
1448	A 128-channel receive-only cardiac coil for highly accelerated cardiac MRI at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2008 , 59, 1431-9	4.4	120
1447	Using GRAPPA to improve autocalibrated coil sensitivity estimation for the SENSE family of parallel imaging reconstruction algorithms. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 462-7	4.4	17
1446	3D high temporal and spatial resolution contrast-enhanced MR angiography of the whole brain. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 749-60	4.4	79
1445	Comparison of parallel MRI reconstruction methods for accelerated 3D fast spin-echo imaging. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 650-60	4.4	10

1444	Multiple-profile homogeneous image combination: application to phase-cycled SSFP and multicoil imaging. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 732-8	4.4	23
1443	Comprehensive quantification of signal-to-noise ratio and g-factor for image-based and k-space-based parallel imaging reconstructions. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 895-907	4.4	285
1442	Improved 3D phase contrast MRI with off-resonance corrected dual echo VIPR. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 1329-36	4.4	147
1441	Single-shot multiecho parallel echo-planar imaging (EPI) for diffusion tensor imaging (DTI) with improved signal-to-noise ratio (SNR) and reduced distortion. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 1512-7	4.4	19
1440	Three-element phased-array coil for imaging of rat spinal cord at 7T. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 1498-505	4.4	7
1439	Silent and continuous fMRI scanning differentially modulate activation in an auditory language comprehension task. 2008 , 29, 46-56		51
1438	Microtesla MRI of the human brain combined with MEG. 2008 , 194, 115-20		144
1437	Limited view CT reconstruction and segmentation via constrained metric labeling. 2008 , 112, 67-80		9
1436	SNR and functional sensitivity of BOLD and perfusion-based fMRI using arterial spin labeling with spiral SENSE at 3 T. 2008 , 26, 513-22		26
1435	Quantification of cerebral perfusion using the "bookend technique": an evaluation in CNS tumors. 2008 , 26, 1352-9		34
1434	Cardiac magnetic resonance at high field: promises and problems. 2008 , 37, 49-56		16
1433	Highly accelerated cardiovascular MR imaging using many channel technology: concepts and clinical applications. 2008 , 18, 87-102		38
1432	Valvular heart disease: what does cardiovascular MRI add?. 2008 , 18, 197-208		31
1431	Whole-Body MRA. 2008 , 18, 1925-36		19
1430	Three-dimensional contrast-enhanced magnetic-resonance angiography of the renal arteries: interindividual comparison of 0.2 mmol/kg gadobutrol at 1.5 T and 0.1 mmol/kg gadobenate dimeglumine at 3.0 T. 2008 , 18, 1260-8		28
1429	Whole-body magnetic resonance angiography at 3.0 Tesla. 2008 , 18, 1473-83		7
1428	Comparison of image quality in magnetic resonance imaging of the knee at 1.5 and 3.0 Tesla using 32-channel receiver coils. 2008 , 18, 2258-64		15
1427	Accuracy of accelerated cine MR imaging at 3 Tesla in longitudinal follow-up of cardiac function. 2008 , 18, 2095-101		11

1426	Prospective comparison of high- and low-spatial-resolution dynamic MR imaging with sensitivity encoding (SENSE) for hypervascular hepatocellular carcinoma. 2008 , 18, 2206-12		2
1425	Peripheral contrast-enhanced MR angiography at 3.0T, improved spatial resolution and low dose contrast: initial clinical experience. 2008 , 18, 2893-900		30
1424	Relationship between trabecular bone structure and articular cartilage morphology and relaxation times in early OA of the knee joint using parallel MRI at 3 T. 2008 , 16, 1150-9		109
1423	Individual preferences modulate incentive values: Evidence from functional MRI. 2008 , 4, 55		23
1422	Sparsity-enforced slice-selective MRI RF excitation pulse design. 2008 , 27, 1213-29		45
1421	Tract probability maps in stereotaxic spaces: analyses of white matter anatomy and tract-specific quantification. <i>NeuroImage</i> , 2008 , 39, 336-47	7.9	1002
1420	Hybrid two-dimensional navigator correction: a new technique to suppress respiratory-induced physiological noise in multi-shot echo-planar functional MRI. <i>NeuroImage</i> , 2008 , 39, 1142-50	7.9	18
1419	Integrated SENSE DTI with correction of susceptibility- and eddy current-induced geometric distortions. <i>NeuroImage</i> , 2008 , 40, 53-8	7.9	19
1418	Stereotaxic white matter atlas based on diffusion tensor imaging in an ICBM template. <i>NeuroImage</i> , 2008 , 40, 570-582	7.9	1188
1417	Event-related single-shot volumetric functional magnetic resonance inverse imaging of visual processing. <i>NeuroImage</i> , 2008 , 42, 230-47	7.9	43
1416	Automated fiber tracking of human brain white matter using diffusion tensor imaging. <i>NeuroImage</i> , 2008 , 42, 771-7	7.9	73
1415	Linear constraint minimum variance beamformer functional magnetic resonance inverse imaging. <i>NeuroImage</i> , 2008 , 43, 297-311	7.9	32
1414	Human brain white matter atlas: identification and assignment of common anatomical structures in superficial white matter. <i>NeuroImage</i> , 2008 , 43, 447-57	7.9	378
1413	Functional imaging: CT and MRI. 2008 , 29, 195-216, vii		52
1412	Advances in clinical applications of cardiovascular magnetic resonance imaging. <i>Heart</i> , 2008 , 94, 1485-955.1		29
1411	Preliminary experience with visualization of intracortical fibers by focused high-resolution diffusion tensor imaging. <i>American Journal of Neuroradiology</i> , 2008 , 29, 146-50	4.4	29
1410	Diffusion tensor MR imaging and fiber tractography: technical considerations. <i>American Journal of Neuroradiology</i> , 2008 , 29, 843-52	4.4	299
1409	Volume-selective magnetic resonance imaging using an adjustable, single-sided, portable sensor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 20601-4	11.5	23

1408	Coronary artery anomalies and variants: technical feasibility of assessment with coronary MR angiography at 3 T. 2008 , 247, 220-7		57
1407	k-Space and time sensitivity encoding-accelerated myocardial perfusion MR imaging at 3.0 T: comparison with 1.5 T. 2008 , 249, 493-500		80
1406	Quantitative image quality evaluation of MR images using perceptual difference models. 2008 , 35, 2541-53		22
1405	Diffusion-weighted imaging with apparent diffusion coefficient mapping and spectroscopy in prostate cancer. 2008 , 19, 261-72		48
1404	Recollection- and familiarity-based decisions reflect memory strength. 2008 , 2, 1		125
1403	Functional MRI of Rehabilitation in Chronic Stroke Patients Using Novel MR-Compatible Hand Robots. 2008 , 2, 94-101		18
1402	Virtual milgram: empathic concern or personal distress? Evidence from functional MRI and dispositional measures. 2009 , 3, 29		63
1401	MR diagnosis of a pulmonary embolism: comparison of P792 and Gd-DOTA for first-pass perfusion MRI and contrast-enhanced 3D MRA in a rabbit model. 2009 , 10, 447-54		11
1400	A genetic variation of the noradrenergic system is related to differential amygdala activation during encoding of emotional memories. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 19191-6	11.5	155
1399	Visual field map clusters in macaque extrastriate visual cortex. 2009 , 29, 7031-9		133
1398	Neural signatures of semantic and phonemic fluency in young and old adults. 2009 , 21, 2007-18		151
1397	Localization of the subthalamic nucleus: optimization with susceptibility-weighted phase MR imaging. <i>American Journal of Neuroradiology</i> , 2009 , 30, 1717-24	4.4	60
1396	The foveal confluence in human visual cortex. 2009 , 29, 9050-8		118
1395	3D high-spatial-resolution cerebral MR venography at 3T: a contrast-dose-reduction study. <i>American Journal of Neuroradiology</i> , 2009 , 30, 349-55	4.4	9
1394	Peripheral vasculature: high-temporal- and high-spatial-resolution three-dimensional contrast-enhanced MR angiography. 2009 , 253, 831-43		38
1393	Time-of-arrival mapping at three-dimensional time-resolved contrast-enhanced MR angiography. 2009 , 253, 532-42		18
1392	MREIT with SENSE acceleration using a dedicated RF coil design. 2009 , 30, 913-29		9
1391	In vivo 7.0-tesla magnetic resonance imaging of the wrist and hand: technical aspects and applications. 2009 , 13, 74-84		29

1390	Mapping of functional areas in the human cortex based on connectivity through association fibers. 2009 , 19, 1889-95		47
1389	The representation of the verb argument structure as disclosed by fMRI. 2009 , 10, 3		8
1388	Improved time series reconstruction for dynamic magnetic resonance imaging. 2009 , 28, 1093-104		23
1387	A practical acceleration algorithm for real-time imaging. 2009 , 28, 2042-51		25
1386	Modeling direct effects of neural current on MRI. 2009 , 30, 1-12		17
1385	Differential force scaling of fine-graded power grip force in the sensorimotor network. 2009 , 30, 2453-65		60
1384	Increased self-focus in major depressive disorder is related to neural abnormalities in subcortical-cortical midline structures. 2009 , 30, 2617-27		203
1383	Halving imaging time of whole brain diffusion spectrum imaging and diffusion tractography using simultaneous image refocusing in EPI. 2009 , 29, 517-22		51
1382	CE-MRA of the lower extremities using HYPR stack-of-stars. 2009 , 29, 917-23		14
1381	(1)H spectroscopic imaging of human brain at 3 Tesla: comparison of fast three-dimensional magnetic resonance spectroscopic imaging techniques. 2009 , 30, 473-80		37
1380	Improved in vivo measurement of myocardial transverse relaxation with 3 Tesla magnetic resonance imaging. 2009 , 30, 684-9		4
1379	Diffusion-weighted imaging of human carotid artery using 2D single-shot interleaved multislice inner volume diffusion-weighted echo planar imaging (2D ss-IMIV-DWEPI) at 3T: diffusion measurement in atherosclerotic plaque. 2009 , 30, 1068-77		19
1378	Electrodynamic constraints on homogeneity and radiofrequency power deposition in multiple coil excitations. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 315-34	4.4	85
1377	Parallel spectroscopic imaging reconstruction with arbitrary trajectories using k-space sparse matrices. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 267-72	4.4	16
1376	Water saturation shift referencing (WASSR) for chemical exchange saturation transfer (CEST) experiments. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 1441-50	4.4	440
1375	Rigid-body motion correction with self-navigation MRI. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 739-47	4.4	19
1374	Radial sliding-window magnetic resonance angiography (MRA) with highly-constrained projection reconstruction (HYPR). <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 1103-13	4.4	16
1373	Calculating T2 in images from a phased array receiver. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 962-9	4.4	10

1372	Improving non-contrast-enhanced steady-state free precession angiography with compressed sensing. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 1122-31	4.4	48
1371	Accelerated three-dimensional upper airway MRI using compressed sensing. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 1434-40	4.4	56
1370	SEMAC: Slice Encoding for Metal Artifact Correction in MRI. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 66-76	4.4	283
1369	Controlled experimental study depicting moving objects in view-shared time-resolved 3D MRA. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 85-95	4.4	19
1368	Temporally constrained reconstruction applied to MRI temperature data. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 406-19	4.4	38
1367	Robust estimation of spatially variable noise fields. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 500-9	4.4	24
1366	Inversion recovery with embedded self-calibration (IRES). <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 459-67	4.4	1
1365	96-Channel receive-only head coil for 3 Tesla: design optimization and evaluation. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 754-62	4.4	211
1364	A respiratory self-gating technique with 3D-translation compensation for free-breathing whole-heart coronary MRA. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 731-8	4.4	54
1363	Independent slab-phase modulation combined with parallel imaging in bilateral breast MRI. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 1221-31	4.4	6
1362	High spatial and temporal resolution cardiac cine MRI from retrospective reconstruction of data acquired in real time using motion correction and resorting. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 1557-64	4.4	80
1361	Numerical field calculations considering the human subject for engineering and safety assurance in MRI. 2009 , 22, 919-26		29
1360	Estimation and application of spatially variable noise fields in diffusion tensor imaging. 2009 , 27, 741-51		25
1359	Facilitated acquisition of whole-heart coronary magnetic resonance angiography with visual feedback of respiration status. 2009 , 25, 397-403		3
1358	Bulk motion-independent analyses of water diffusion changes in the brain during the cardiac cycle. 2009 , 2, 133-7		12
1357	Body MRI artefacts: from image degradation to diagnostic utility. 2009 , 114, 18-31		6
1356	Efficacy of double arterial phase dynamic magnetic resonance imaging with the sensitivity encoding technique versus dynamic multidetector-row helical computed tomography for detecting hypervascular hepatocellular carcinoma. 2009 , 27, 229-36		8
1355	MRI of myocardial infarction with tissue tagging. 2009 , 2, 73-82		2

1354	High field MRI in the diagnosis of multiple sclerosis: high field-high yield?. 2009 , 51, 279-92		63
1353	Parallel imaging: is GRAPPA a useful acquisition tool for MR imaging intended for volumetric brain analysis?. <i>BMC Medical Imaging</i> , 2009 , 9, 15	2.9	10
1352	Three dimensional three component whole heart cardiovascular magnetic resonance velocity mapping: comparison of flow measurements from 3D and 2D acquisitions. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009 , 11, 3	6.9	44
1351	Myocardial tissue tagging with cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009 , 11, 55	6.9	144
1350	Medical imaging: MRI rides the wave. 2009 , 457, 971-2		5
1349	HASTE sequence with parallel acquisition and T2 decay compensation: application to carotid artery imaging. 2009 , 27, 13-22		11
1348	GRAPPA-based susceptibility-weighted imaging of normal volunteers and patients with brain tumor at 7 T. 2009 , 27, 480-8		36
1347	In vivo diffusion tensor imaging of thoracic and cervical rat spinal cord at 7 T. 2009 , 27, 1236-41		9
1346	Improved self-calibrated spiral parallel imaging using JSENSE. 2009 , 31, 510-4		3
1345	3D sensitivity encoded ellipsoidal MR spectroscopic imaging of gliomas at 3T. 2009 , 27, 1249-57		16
1344	Optimal decay rate constant estimates from phased array data utilizing joint Bayesian analysis. 2009 , 198, 49-56		24
1343	Reducing ghosting due to k-space discontinuities in fast spin echo (FSE) imaging by a new combination of k-space ordering and parallel imaging. 2009 , 200, 119-25		4
1342	Gd-BOPTA for assessment of myocardial viability on MRI: changes of T1 value and their impact on delayed enhancement. 2009 , 19, 2136-46		12
1341	Preoperative fMRI in tumour surgery. 2009 , 19, 2523-34		54
1340	MR angiography with parallel acquisition for assessment of the visceral arteries: comparison with conventional MR angiography and 64-detector-row computed tomography. 2009 , 19, 2679-88		3
1339	Current trends and challenges in MRI acquisitions to investigate brain function. 2009 , 73, 33-42		19
1338	Contrast-enhanced whole-heart coronary magnetic resonance angiography at 3.0-T: a comparative study with X-ray angiography in a single center. 2009 , 54, 69-76		139
1337	Interventional cardiovascular magnetic resonance imaging: a new opportunity for image-guided interventions. 2009 , 2, 1321-31		51

1336	Quantifying coronary sinus flow and global LV perfusion at 3T. <i>BMC Medical Imaging</i> , 2009 , 9, 9	2.9	21
1335	A feasibility study of parametric response map analysis of diffusion-weighted magnetic resonance imaging scans of head and neck cancer patients for providing early detection of therapeutic efficacy. 2009 , 2, 184-90		124
1334	Parallel imaging artifacts in body magnetic resonance imaging. 2009 , 60, 91-8		15
1333	Accelerated focused ultrasound imaging. 2009 , 56, 2612-23		19
1332	Making the most of fMRI at 7 T by suppressing spontaneous signal fluctuations. <i>NeuroImage</i> , 2009 , 44, 448-54	7.9	37
1331	Landmark-referenced voxel-based analysis of diffusion tensor images of the brainstem white matter tracts: application in patients with middle cerebral artery stroke. <i>NeuroImage</i> , 2009 , 44, 906-13	7.9	21
1330	Reliability of MRI-derived cortical and subcortical morphometric measures: effects of pulse sequence, voxel geometry, and parallel imaging. <i>NeuroImage</i> , 2009 , 44, 1324-33	7.9	172
1329	Atlas-based whole brain white matter analysis using large deformation diffeomorphic metric mapping: application to normal elderly and Alzheimer's disease participants. <i>NeuroImage</i> , 2009 , 46, 486-99	7.9	354
1328	Connectivity alterations assessed by combining fMRI and MR-compatible hand robots in chronic stroke. <i>NeuroImage</i> , 2009 , 47 Suppl 2, T90-7	7.9	48
1327	Superresolution parallel magnetic resonance imaging: application to functional and spectroscopic imaging. <i>NeuroImage</i> , 2009 , 47, 220-30	7.9	18
1326	Multi-contrast large deformation diffeomorphic metric mapping for diffusion tensor imaging. <i>NeuroImage</i> , 2009 , 47, 618-27	7.9	147
1325	New methods in diffusion-weighted and diffusion tensor imaging. 2009 , 17, 175-204		51
1324	Proton magnetic resonance spectroscopy in multiple sclerosis. 2009 , 19, 45-58		95
1323	Advances in magnetic resonance neuroimaging. 2009 , 27, 1-19, xiii		24
1322	Cortical Enhanced Tissue Segmentation of Neonatal Brain MR Images Acquired by a Dedicated Phased Array Coil. 2009 , 2009, 39-45		1
1321	Image quality and diagnostic accuracy of unenhanced SSFP MR angiography compared with conventional contrast-enhanced MR angiography for the assessment of thoracic aortic diseases. 2010 , 20, 1311-20		89
1320	Magnetic resonance diffusion tensor imaging and tractography of the lower spinal cord: application to diastematomyelia and tethered cord. 2010 , 20, 2194-9		27
1319	Single breath-hold magnetic resonance cine imaging for fast assessment of global and regional left ventricular function in clinical routine. 2010 , 20, 2341-7		13

1318	[Significance of MR angiography for imaging diagnostics of carotid artery diseases]. 2010 , 50, 597-606	4
1317	[Cardiac functional analysis with MRI]. 2010 , 50, 514-22	2
1316	[3 tesla magnetic resonance imaging in children and adults with congenital heart disease]. 2010 , 50, 799-806, 808	1
1315	Impact of fMRI-guided advanced DTI fiber tracking techniques on their clinical applications in patients with brain tumors. 2010 , 52, 37-46	90
1314	The use of parallel imaging for MRI assessment of knees in children and adolescents. 2010 , 40, 284-93	6
1313	Whole-body diffusion-weighted imaging for staging malignant lymphoma in children. 2010 , 40, 1592-602; quiz 1720-1	66
1312	Study of brain anatomy with high-field MRI: recent progress. 2010 , 28, 1210-5	36
1311	Diagnostic performance of magnetic resonance first pass perfusion imaging is equally potent in female compared to male patients with coronary artery disease. 2010 , 99, 21-8	16
1310	Three-dimensional localization of impacted teeth using magnetic resonance imaging. 2010 , 14, 169-76	58
1309	Combining RF encoding with parallel imaging: a simulation study. 2010 , 23, 31-8	1
1308	Fast reduction of undersampling artifacts in radial MR angiography with 3D total variation on graphics hardware. 2010 , 23, 103-14	19
1307	Evaluation of the biliary and pancreatic system with 2D SSFSE, breathhold 3D FRFSE and respiratory-triggered 3D FRFSE sequences. 2010 , 115, 467-82	23
1306	3 T magnetic resonance imaging of the musculoskeletal system. 2010 , 115, 571-84	6
1305	Quantification in cardiac MRI: advances in image acquisition and processing. 2010 , 26 Suppl 1, 27-40	88
1304	Shielded microstrip array for 7T human MR imaging. 2010 , 29, 179-84	45
1303	Auto-calibrated parallel imaging reconstruction for arbitrary trajectories using k-space sparse matrices (kSPA). 2010 , 29, 950-9	2
1302	Variable-density parallel imaging with partially localized coil sensitivities. 2010 , 29, 1173-81	6
1301	Performance evaluation of a 32-element head array with respect to the ultimate intrinsic SNR. 2010 , 23, 142-51	41

1300	MRI of the wrist at 7 tesla using an eight-channel array coil combined with parallel imaging: preliminary results. 2010 , 31, 740-6		50
1299	Accelerated slice encoding for metal artifact correction. 2010 , 31, 987-96		77
1298	Breathheld autocalibrated phase-contrast imaging. 2010 , 31, 1004-14		2
1297	Improved coronary MR angiography using wideband steady state free precession at 3 tesla with sub-millimeter resolution. 2010 , 31, 1224-9		9
1296	Predicting and monitoring cancer treatment response with diffusion-weighted MRI. 2010 , 32, 2-16		271
1295	A three-dimensional variable-density spiral spatial-spectral RF pulse with rotated gradients. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 828-34	4.4	3
1294	A 2D MTF approach to evaluate and guide dynamic imaging developments. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 407-18	4.4	12
1293	Improvements in parallel imaging accelerated functional MRI using multiecho echo-planar imaging. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 959-69	4.4	24
1292	Multiple-mouse MRI with multiple arrays of receive coils. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 803-10	4.4	13
1291	POCS-enhanced correction of motion artifacts in parallel MRI. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1104-10	4.4	17
1290	T2-weighted 3D fMRI using S2-SSFP at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1015-20	4.4	34
1289	Model predictive filtering for improved temporal resolution in MRI temperature imaging. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1269-79	4.4	36
1288	Echo-planar spectroscopic imaging (EPSI) of the water resonance structure in human breast using sensitivity encoding (SENSE). <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1557-63	4.4	13
1287	Multiband multislice GE-EPI at 7 tesla, with 16-fold acceleration using partial parallel imaging with application to high spatial and temporal whole-brain fMRI. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1144-53	4.4	954
1286	A 32-channel lattice transmission line array for parallel transmit and receive MRI at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1478-85	4.4	61
1285	A high-throughput eight-channel probe head for murine MRI at 9.4 T. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 80-7	4.4	7
1284	O-space imaging: Highly efficient parallel imaging using second-order nonlinear fields as encoding gradients with no phase encoding. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 447-56	4.4	77
1283	SPIRiT: Iterative self-consistent parallel imaging reconstruction from arbitrary k-space. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 457-71	4.4	505

1282	Max CAPR: high-resolution 3D contrast-enhanced MR angiography with acquisition times under 5 seconds. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 1171-81	4.4	11
1281	Patient-adaptive reconstruction and acquisition in dynamic imaging with sensitivity encoding (PARADISE). <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 501-13	4.4	30
1280	Fast inversion recovery magnetic resonance angiography of the intracranial arteries. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1648-58	4.4	8
1279	Combination of compressed sensing and parallel imaging for highly accelerated first-pass cardiac perfusion MRI. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 767-76	4.4	384
1278	Effect of improving spatial or temporal resolution on image quality and quantitative perfusion assessment with k-t SENSE acceleration in first-pass CMR myocardial perfusion imaging. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 1616-24	4.4	16
1277	Improving temporal resolution of pulmonary perfusion imaging in rats using the partially separable functions model. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 1162-70	4.4	25
1276	Performance of external and internal coil configurations for prostate investigations at 7 T. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 1625-39	4.4	54
1275	Robust EPI Nyquist ghost elimination via spatial and temporal encoding. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 1781-91	4.4	28
1274	Time-resolved contrast-enhanced coronary magnetic resonance angiography with highly constrained projection reconstruction. 2010 , 28, 195-9		2
1273	Effects of cardiac pulsation in diffusion tensor imaging of the rat brain. 2010 , 194, 116-21		6
1272	Accelerated cardiovascular magnetic resonance of the mouse heart using self-gated parallel imaging strategies does not compromise accuracy of structural and functional measures. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010 , 12, 43	6.9	20
1271	MRI and MRA of Aortic Disease. 2010 , 3, 196-201		5
1270	Training facilitates object recognition in cubist paintings. 2010 , 4, 11		14
1269	Human fronto-tectal and fronto-striatal-tectal pathways activate differently during anti-saccades. 2010 , 4, 41		11
1268	Multiplexed echo planar imaging for sub-second whole brain fMRI and fast diffusion imaging. 2010 , 5, e15710		889
1267	Free-breathing diffusion-weighted single-shot echo-planar MR imaging using parallel imaging (GRAPPA 2) and high b value for the detection of primary rectal adenocarcinoma. 2010 , 10, 32-9		39
1266	High-resolution diffusion tensor MR imaging for evaluating myocardial anisotropy and fiber tracking at 3T: the effect of the number of diffusion-sensitizing gradient directions. 2010 , 11, 54-9		3
1265	Quality-evaluation scheme for cerebral time-resolved 3D contrast-enhanced MR angiography techniques. <i>American Journal of Neuroradiology</i> , 2010 , 31, 1480-7	4.4	13

1264	Ultrahigh-resolution microstructural diffusion tensor imaging reveals perant path degradation in aged humans in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 12687-91	11.5	176
1263	Coronary MR imaging: effect of timing and dose of isosorbide dinitrate administration. 2010 , 254, 401-9		20
1262	Improved pediatric MR imaging with compressed sensing. 2010 , 256, 607-16		180
1261	White matter impairment in Rett syndrome: diffusion tensor imaging study with clinical correlations. <i>American Journal of Neuroradiology</i> , 2010 , 31, 295-9	4.4	42
1260	MRI: time is dose--and money and versatility. 2010 , 7, 650-2		17
1259	Three dimensional echo-planar imaging at 7 Tesla. <i>NeuroImage</i> , 2010 , 51, 261-6	7.9	197
1258	Atlas-guided tract reconstruction for automated and comprehensive examination of the white matter anatomy. <i>NeuroImage</i> , 2010 , 52, 1289-301	7.9	226
1257	MODEL-BASED IMAGE RECONSTRUCTION FOR MRI. 2010 , 27, 81-89		167
1256	Performance degradation and altered cerebral activation during dual performance: evidence for a bottom-up attentional system. 2010 , 210, 229-39		17
1255	Increased ventral striatal BOLD activity during non-drug reward anticipation in cannabis users. <i>NeuroImage</i> , 2010 , 49, 1133-43	7.9	147
1254	BOLD fMRI using a modified HASTE sequence. <i>NeuroImage</i> , 2010 , 49, 457-66	7.9	15
1253	K-space reconstruction of magnetic resonance inverse imaging (K-Inv) of human visuomotor systems. <i>NeuroImage</i> , 2010 , 49, 3086-98	7.9	22
1252	DISTORTION-OPTIMAL SELF-CALIBRATING PARALLEL MRI BY BLIND INTERPOLATION IN SUBSAMPLED FILTER BANKS. 2011 , 2011,		4
1251	MR imaging of articular cartilage physiology. 2011 , 19, 249-82		86
1250	A magnetic resonance (MR) microscopy system using a microfluidically cryo-cooled planar coil. 2011 , 11, 2197-203		9
1249	Data-driven optimization and evaluation of 2D EPI and 3D PRESTO for BOLD fMRI at 7 Tesla: I. Focal coverage. <i>NeuroImage</i> , 2011 , 55, 1034-43	7.9	23
1248	Multi-contrast human neonatal brain atlas: application to normal neonate development analysis. <i>NeuroImage</i> , 2011 , 56, 8-20	7.9	220
1247	Whole brain high-resolution functional imaging at ultra high magnetic fields: an application to the analysis of resting state networks. <i>NeuroImage</i> , 2011 , 57, 1031-44	7.9	61

1246	Spatial HARDI: improved visualization of complex white matter architecture with Bayesian spatial regularization. <i>NeuroImage</i> , 2011 , 54, 396-409	7.9	17
1245	Functional magnetic resonance imaging using RASER. <i>NeuroImage</i> , 2011 , 54, 350-60	7.9	44
1244	Multi-parametric neuroimaging reproducibility: a 3-T resource study. <i>NeuroImage</i> , 2011 , 54, 2854-66	7.9	228
1243	Functional magnetic resonance inverse imaging of human visuomotor systems using eigenspace linearly constrained minimum amplitude (eLCMA) beamformer. <i>NeuroImage</i> , 2011 , 55, 87-100	7.9	6
1242	Physiological noise and signal-to-noise ratio in fMRI with multi-channel array coils. <i>NeuroImage</i> , 2011 , 55, 597-606	7.9	131
1241	Phase contrast imaging in neonates. <i>NeuroImage</i> , 2011 , 55, 1068-72	7.9	32
1240	Resonant Mode Reduction in Radiofrequency Volume Coils for Ultrahigh Field Magnetic Resonance Imaging. 2011 , 4, 1333-1344		12
1239	Derivative encoding for parallel magnetic resonance imaging. 2011 , 38, 5582-9		1
1238	Differential effect of contrast polarity reversals in closed squares and open L-junctions. 2011 , 2, 47		6
1237	The Gender of Face Stimuli is Represented in Multiple Regions in the Human Brain. 2011 , 4, 238		44
1236	Faces and eyes in human lateral prefrontal cortex. 2011 , 5, 51		39
1235	The human likeness dimension of the "uncanny valley hypothesis": behavioral and functional MRI findings. 2011 , 5, 126		82
1234	Comprehensive small animal imaging strategies on a clinical 3 T dedicated head MR-scanner; adapted methods and sequence protocols in CNS pathologies. 2011 , 6, e16091		16
1233	Multiple indices of diffusion identifies white matter damage in mild cognitive impairment and Alzheimer's disease. 2011 , 6, e21745		93
1232	Fast undersampled functional magnetic resonance imaging using nonlinear regularized parallel image reconstruction. 2011 , 6, e28822		33
1231	Statistical epistasis and functional brain imaging support a role of voltage-gated potassium channels in human memory. 2011 , 6, e29337		5
1230	Sub-Nyquist acquisition and constrained reconstruction in time resolved angiography. 2011 , 38, 2975-85		19
1229	Alcohol effects on cerebral blood flow in subjects with low and high responses to alcohol. 2011 , 35, 1034-40		47

1228	Optimization of coronary whole-heart MRA free-breathing technique at 3 Tesla. 2011 , 29, 1125-30		11
1227	Compressed sensing with wavelet domain dependencies for coronary MRI: a retrospective study. 2011 , 30, 1090-9		36
1226	Parallel MR image reconstruction using augmented Lagrangian methods. 2011 , 30, 694-706		149
1225	Dorsolateral and ventromedial prefrontal cortex orchestrate normative choice. 2011 , 14, 1468-74		230
1224	"Number needed to read"--how to facilitate clinical trials in MR-angiography. 2011 , 21, 1034-42		5
1223	Current CONTROLLED Transmit And Receive Coil Elements (CONTAR) for Parallel Acquisition and Parallel Excitation Techniques at High-Field MRI. 2011 , 41, 507-523		4
1222	Accurate assessment of carotid artery stenosis in atherosclerotic mice using accelerated high-resolution 3D magnetic resonance angiography. 2011 , 24, 9-18		5
1221	Adapted random sampling patterns for accelerated MRI. 2011 , 24, 43-50		80
1220	Analytic image concept combined to SENSE reconstruction. 2011 , 24, 305-13		
1219	Implementation of 3 T lactate-edited 3D 1H MR spectroscopic imaging with flyback echo-planar readout for gliomas patients. 2011 , 39, 193-204		30
1218	[Value of CT and MR angiography for diagnostics of intracranial aneurysms]. 2011 , 51, 106-12		5
1217	Retrospectively gated cardiac cine imaging with temporal and spatial acceleration. 2011 , 29, 457-69		4
1216	Evaluation of left ventricular function using cardiac magnetic resonance imaging. 2011 , 18, 351-65		8
1215	Optimization of the number of selectable channels for spine phased array coils for transverse imaging. 2011 , 29, 166-70		2
1214	Myocardial tagging by cardiovascular magnetic resonance: evolution of techniques--pulse sequences, analysis algorithms, and applications. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011 , 13, 36	6.9	186
1213	Acceleration of tissue phase mapping by k-t BLAST: a detailed analysis of the influence of k-t-BLAST for the quantification of myocardial motion at 3T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011 , 13, 5	6.9	16
1212	Acceleration of tissue phase mapping with sensitivity encoding at 3T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011 , 13, 59	6.9	8
1211	Assessment of the kidneys: magnetic resonance angiography, perfusion and diffusion. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011 , 13, 70	6.9	14

1210	High temporal and spatial resolution 3D time-resolved contrast-enhanced magnetic resonance angiography of the hands and feet. 2011 , 34, 2-12		19
1209	Targeted single-shot methods for diffusion-weighted imaging in the kidneys. 2011 , 33, 1517-25		30
1208	Practical signal-to-noise ratio quantification for sensitivity encoding: application to coronary MR angiography. 2011 , 33, 1330-40		19
1207	Optimized high-resolution contrast-enhanced hepatobiliary imaging at 3 tesla: a cross-over comparison of gadobenate dimeglumine and gadoxetic acid. 2011 , 34, 585-94		51
1206	Three-dimensional late gadolinium enhancement imaging of the left atrium with a hybrid radial acquisition and compressed sensing. 2011 , 34, 1465-71		26
1205	A fast Edge-preserving Bayesian reconstruction method for Parallel Imaging applications in cardiac MRI. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 184-9	4.4	3
1204	Accelerated cardiac magnetic resonance imaging in the mouse using an eight-channel array at 9.4 Tesla. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 60-70	4.4	22
1203	Improved radial GRAPPA calibration for real-time free-breathing cardiac imaging. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 492-505	4.4	77
1202	Intrinsic detection of motion in segmented sequences. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1084-94	4.4	6
1201	A novel method for quantifying scanner instability in fMRI. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1053-61	4.4	38
1200	Statistical noise analysis in GRAPPA using a parametrized noncentral Chi approximation model. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1195-206	4.4	71
1199	Variable-density spiral-in/out functional magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1287-96	4.4	15
1198	Novel 16-channel receive coil array for accelerated upper airway MRI at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1711-7	4.4	14
1197	Improvements in multislice parallel imaging using radial CAIPIRINHA. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1630-7	4.4	43
1196	Accelerated cardiac T2 mapping using breath-hold multiecho fast spin-echo pulse sequence with k-t FOCUSS. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1661-9	4.4	60
1195	A new approach to autocalibrated dynamic parallel imaging based on the Karhunen-Loeve transform: KL-TSENSE and KL-TGRAPPA. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1786-92	4.4	17
1194	Custom-fitted 16-channel bilateral breast coil for bidirectional parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 281-9	4.4	23
1193	Spectral localization by imaging using multielement receiver coils. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 1-10	4.4	21

1192	Combining two-dimensional spatially selective RF excitation, parallel imaging, and UNFOLD for accelerated MR thermometry imaging. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 112-22	4.4	33
1191	A 20-channel receive-only mouse array coil for a 3 T clinical MRI system. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 584-95	4.4	14
1190	Slice encoding for metal artifact correction with noise reduction. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1352-7	4.4	27
1189	Interleaved variable density sampling with a constrained parallel imaging reconstruction for dynamic contrast-enhanced MR angiography. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 428-36	4.4	19
1188	Diffusion imaging with prospective motion correction and reacquisition. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 154-67	4.4	57
1187	Low-dimensional-structure self-learning and thresholding: regularization beyond compressed sensing for MRI reconstruction. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 756-67	4.4	100
1186	Calculation of radiofrequency electromagnetic fields and their effects in MRI of human subjects. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1470-82	4.4	91
1185	Motion correction using coil arrays (MOCCA) for free-breathing cardiac cine MRI. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 467-75	4.4	22
1184	Sparse-CAPR: highly accelerated 4D CE-MRA with parallel imaging and nonconvex compressive sensing. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 1019-32	4.4	34
1183	Two-dimensional phase cycled reconstruction for inherent correction of echo-planar imaging Nyquist artifacts. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 1057-66	4.4	24
1182	Parallel reconstruction using null operations. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 1241-53	4.4	36
1181	32-channel RF coil optimized for brain and cervical spinal cord at 3 T. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 1198-208	4.4	38
1180	CINE turbo spin echo imaging. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 1286-92	4.4	8
1179	Diffusion tensor imaging and beyond. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1532-56	4.4	618
1178	Size-optimized 32-channel brain arrays for 3 T pediatric imaging. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 1777-87	4.4	92
1177	A radial self-calibrated (RASCAL) generalized autocalibrating partially parallel acquisition (GRAPPA) method using weight interpolation. 2011 , 24, 844-54		7
1176	Diffusion tensor imaging of white matter involvement in essential tremor. 2011 , 32, 896-904		96
1175	Active and passive touch differentially activate somatosensory cortex in texture perception. 2011 , 32, 1067-80		63

1174	A 20-channel coil for improved magnetic resonance imaging of the optic nerve. 2011 , 39B, 26-36		6
1173	Numerical Analysis of Human Sample Effect on RF Penetration and Liver MR Imaging at Ultrahigh Field. 2011 , 39B, 206-216		11
1172	Magnetic resonance in the era of molecular imaging of cancer. 2011 , 29, 587-600		76
1171	Multi-channel metabolic imaging, with SENSE reconstruction, of hyperpolarized [1-(13)C] pyruvate in a live rat at 3.0 tesla on a clinical MR scanner. 2011 , 208, 171-7		47
1170	Fast fat-suppressed reduced field-of-view temperature mapping using 2DRF excitation pulses. 2011 , 210, 38-43		11
1169	Diffusion-Tensor MRI Based Skeletal Muscle Fiber Tracking. 2011 , 3, 675-687		25
1168	Contrast-enhanced MR angiography of the abdomen with highly accelerated acquisition techniques. 2011 , 261, 587-97		10
1167	Optimization and initial experience of a multisection balanced steady-state free precession cine sequence for the assessment of fetal behavior in utero. <i>American Journal of Neuroradiology</i> , 2011 , 32, 331-8	4.4	38
1166	Modeling non-stationarity of kernel weights for k-space reconstruction in partially parallel imaging. 2011 , 38, 4760-73		8
1165	Measuring signal-to-noise ratio in partially parallel imaging MRI. 2011 , 38, 5049-57		76
1164	ICE decoupling technique for RF coil array designs. 2011 , 38, 4086-93		75
1163	Feasibility study of a unilateral RF array coil for MR-scintimammography. <i>Physics in Medicine and Biology</i> , 2011 , 56, 6809-22	3.8	3
1162	Diffuse abnormality of low to moderately organized white matter in schizophrenia. 2011 , 1, 511-9		8
1161	Two-axis acceleration of functional connectivity magnetic resonance imaging by parallel excitation of phase-tagged slices and half k-space acceleration. 2011 , 1, 81-90		14
1160	Evaluation of image quality of a 32-channel versus a 12-channel head coil at 1.5T for MR imaging of the brain. <i>American Journal of Neuroradiology</i> , 2011 , 32, 365-73	4.4	28
1159	Striatal and medial temporal lobe functional interactions during visuomotor associative learning. 2011 , 21, 647-58		40
1158	Expertise reduces neural cost but does not modulate repetition suppression. 2011 , 2, 57-65		12
1157	Advances in High-Field BOLD fMRI. 2011 , 4, 1941-1955		16

1156	Hemodynamic traveling waves in human visual cortex. 2012 , 8, e1002435		67
1155	3.0T whole-heart coronary magnetic resonance angiography performed with 32-channel cardiac coils: a single-center experience. 2012 , 5, 573-9		39
1154	Parallel imaging of the cervical spine at 3T: optimized trade-off between speed and image quality. <i>American Journal of Neuroradiology</i> , 2012 , 33, 1867-74	4.4	6
1153	Inversion-recovery single-shot cardiac MRI for the assessment of myocardial infarction at 1.5 T with a dedicated cardiac coil. 2012 , 85, e709-15		3
1152	Accelerated late gadolinium enhancement cardiac MR imaging with isotropic spatial resolution using compressed sensing: initial experience. 2012 , 264, 691-9		70
1151	Clinical assessment of standard and generalized autocalibrating partially parallel acquisition diffusion imaging: effects of reduction factor and spatial resolution. <i>American Journal of Neuroradiology</i> , 2012 , 33, 1337-42	4.4	9
1150	MRI-based nonrigid motion correction in simultaneous PET/MRI. 2012 , 53, 1284-91		144
1149	Noninvasive evaluation of cerebral arteriovenous malformations by 4D-MRA for preoperative planning and postoperative follow-up in 56 patients: comparison with DSA and intraoperative findings. <i>American Journal of Neuroradiology</i> , 2012 , 33, 1095-101	4.4	39
1148	Encoding of sensory prediction errors in the human cerebellum. 2012 , 32, 4913-22		110
1147	Sparse Methods for Biomedical Data. 2012 , 14, 4-15		52
1146	Targeted MRI contrast agents for pediatric hepatobiliary disease. 2012 , 54, 454-62		9
1145	Optimal sampling for "Noquist" reduced-data cine magnetic resonance imaging. 2013 , 40, 012302		
1144	SC-GRAPPA: Self-constraint noniterative GRAPPA reconstruction with closed-form solution. 2012 , 39, 7686-93		2
1143	Fast fMRI compressed sensing parallel imaging MRI: scalable parallel implementation and clinically feasible runtime. 2012 , 31, 1250-62		198
1142	PKCs genetically linked to memory capacity in healthy subjects and to risk for posttraumatic stress disorder in genocide survivors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 8746-51	11.5	50
1141	Separate magnitude and phase regularization via compressed sensing. 2012 , 31, 1713-23		73
1140	The Human Connectome Project: a data acquisition perspective. <i>NeuroImage</i> , 2012 , 62, 2222-31	7.9	1284
1139	Subject-specific estimation of respiratory navigator tracking factor for free-breathing cardiovascular MR. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1665-72	4.4	25

1138	What is the optimal b value in diffusion-weighted MR imaging to depict prostate cancer at 3T?. 2012 , 22, 703-9		101
1137	[Cerebrovascular diagnostics: imaging]. 2012 , 52, 1101-6		1
1136	Imaging sequences in cardiovascular magnetic resonance: current role, evolving applications, and technical challenges. 2012 , 28, 2027-47		7
1135	Dual-tasking alleviated sleep deprivation disruption in visuomotor tracking: an fMRI study. 2012 , 78, 248-56		6
1134	Perfusion cardiovascular magnetic resonance: Comparison of an advanced, high-resolution and a standard sequence. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012 , 14, 34	6.9	18
1133	A CMR study of the effects of tissue edema and necrosis on left ventricular dyssynchrony in acute myocardial infarction: implications for cardiac resynchronization therapy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012 , 14, 47	6.9	13
1132	Single breath-hold assessment of cardiac function using an accelerated 3D single breath-hold acquisition technique--comparison of an intravascular and extravascular contrast agent. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012 , 14, 53	6.9	21
1131	Volumetric motion quantification by 3D tissue phase mapped CMR. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012 , 14, 74	6.9	10
1130	T2-weighted cardiac magnetic resonance imaging of edema in myocardial diseases. 2012 , 2012, 194069		24
1129	Fast and tissue-optimized mapping of magnetic susceptibility and T2* with multi-echo and multi-shot spirals. <i>NeuroImage</i> , 2012 , 59, 297-305	7.9	108
1128	Least squares for diffusion tensor estimation revisited: propagation of uncertainty with Rician and non-Rician signals. <i>NeuroImage</i> , 2012 , 59, 4032-43	7.9	18
1127	Resolution of crossing fibers with constrained compressed sensing using diffusion tensor MRI. <i>NeuroImage</i> , 2012 , 59, 2175-86	7.9	97
1126	Differentiating BOLD and non-BOLD signals in fMRI time series using multi-echo EPI. <i>NeuroImage</i> , 2012 , 60, 1759-70	7.9	331
1125	The PRESTO technique for fMRI. <i>NeuroImage</i> , 2012 , 62, 676-81	7.9	31
1124	The rapid development of high speed, resolution and precision in fMRI. <i>NeuroImage</i> , 2012 , 62, 720-5	7.9	91
1123	Ultrafast inverse imaging techniques for fMRI. <i>NeuroImage</i> , 2012 , 62, 699-705	7.9	25
1122	Multi-projection magnetic resonance inverse imaging of the human visuomotor system. <i>NeuroImage</i> , 2012 , 61, 304-13	7.9	6
1121	Functional MRI: A confluence of fortunate circumstances. <i>NeuroImage</i> , 2012 , 61, A3-A11	7.9	16

1120	The road to functional imaging and ultrahigh fields. <i>NeuroImage</i> , 2012 , 62, 726-35	7.9	50
1119	The future of acquisition speed, coverage, sensitivity, and resolution. <i>NeuroImage</i> , 2012 , 62, 1221-9	7.9	34
1118	An implanted 8-channel array coil for high-resolution macaque MRI at 3T. <i>NeuroImage</i> , 2012 , 62, 1529-367.9		38
1117	Improving diffusion MRI using simultaneous multi-slice echo planar imaging. <i>NeuroImage</i> , 2012 , 63, 569-80		226
1116	The SENSE-Isomorphism Theoretical Image Voxel Estimation (SENSE-ITIVE) model for reconstruction and observing statistical properties of reconstruction operators. 2012 , 30, 1143-66		3
1115	Functional MRI using super-resolved spatiotemporal encoding. 2012 , 30, 1401-8		21
1114	Signal-to-noise ratio, contrast-to-noise ratio and pharmacokinetic modeling considerations in dynamic contrast-enhanced magnetic resonance imaging. 2012 , 30, 1313-22		37
1113	Optimal compressed sensing reconstructions of fMRI using 2D deterministic and stochastic sampling geometries. 2012 , 11, 25		13
1112	MRI of the lung (1/3): methods. <i>Insights Into Imaging</i> , 2012 , 3, 345-53	5.6	164
1111	An analysis approach for high-field fMRI data from awake non-human primates. 2012 , 7, e29697		7
1110	Multishot versus single-shot pulse sequences in very high field fMRI: a comparison using retinotopic mapping. 2012 , 7, e34626		15
1109	Multi-reception strategy with improved SNR for multichannel MR imaging. 2012 , 7, e42237		5
1108	Altered cerebral blood flow and neurocognitive correlates in adolescent cannabis users. 2012 , 222, 675-84		55
1107	Single breathhold noncontrast thoracic MRA using highly accelerated parallel imaging with a 32-element coil array. 2012 , 35, 963-8		13
1106	Differential Subsampling with Cartesian Ordering (DISCO): a high spatio-temporal resolution Dixon imaging sequence for multiphasic contrast enhanced abdominal imaging. 2012 , 35, 1484-92		90
1105	Parallel MR imaging. 2012 , 36, 55-72		263
1104	Effects of MRI scan acceleration on brain volume measurement consistency. 2012 , 36, 1234-40		17
1103	Accelerated 3D MERGE carotid imaging using compressed sensing with a hidden Markov tree model. 2012 , 36, 1194-202		17

1102	Comparison between eight- and sixteen-channel TEM transceive arrays for body imaging at 7 T. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 954-64	4.4	46
1101	Parallel traveling-wave MRI: a feasibility study. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 965-78	4.4	22
1100	Sparsity and low-contrast object detectability. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1022-32	4.4	8
1099	Accelerated phase-contrast cine MRI using k-t SPARSE-SENSE. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1054-64	4.4	93
1098	Blipped-controlled aliasing in parallel imaging for simultaneous multislice echo planar imaging with reduced g-factor penalty. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1210-24	4.4	846
1097	Exploiting sparsity to accelerate noncontrast MR angiography in the context of parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1391-400	4.4	10
1096	Improved least squares MR image reconstruction using estimates of k-space data consistency. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1600-8	4.4	36
1095	k-t ISD: dynamic cardiac MR imaging using compressed sensing with iterative support detection. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 41-53	4.4	72
1094	Ideal current patterns yielding optimal signal-to-noise ratio and specific absorption rate in magnetic resonance imaging: computational methods and physical insights. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 286-304	4.4	77
1093	Simultaneous variable flip angle-actual flip angle imaging method for improved accuracy and precision of three-dimensional T1 and B1 measurements. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 54-64 [†]	4.4	39
1092	Null space imaging: nonlinear magnetic encoding fields designed complementary to receiver coil sensitivities for improved acceleration in parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1166-75	4.4	25
1091	Reconstruction of MRI data encoded by multiple nonbijective curvilinear magnetic fields. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1145-56	4.4	29
1090	Denosing sparse images from GRAPPA using the nullspace method. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1176-89	4.4	17
1089	Nonrigid motion correction in 3D using autofocusing with localized linear translations. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1785-97	4.4	67
1088	Correlation imaging for multiscan MRI with parallel data acquisition. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 2005-17	4.4	17
1087	Accelerated contrast-enhanced whole-heart coronary MRI using low-dimensional-structure self-learning and thresholding. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1434-43	4.4	29
1086	The mentalizing network orchestrates the impact of parochial altruism on social norm enforcement. 2012 , 33, 1452-69		102
1085	Physiological noise reduction using volumetric functional magnetic resonance inverse imaging. 2012 , 33, 2815-30		23

1084	Effect of mild cognitive impairment and APOE genotype on resting cerebral blood flow and its association with cognition. 2012 , 32, 1589-99		58
1083	In vivo structural imaging of the cerebellum, the contribution of ultra-high fields. 2012 , 11, 384-91		13
1082	The fornix sign: a potential sign for Alzheimer disease based on diffusion tensor imaging. 2012 , 22, 365-74		65
1081	RF field visualization of RF ablation at the Larmor frequency. 2012 , 31, 938-47		6
1080	Accuracy of the morphology enabled dipole inversion (MEDI) algorithm for quantitative susceptibility mapping in MRI. 2012 , 31, 816-24		73
1079	A simple noniterative principal component technique for rapid noise reduction in parallel MR images. 2012 , 25, 84-92		1
1078	Considerations in high-resolution skeletal muscle diffusion tensor imaging using single-shot echo planar imaging with stimulated-echo preparation and sensitivity encoding. 2012 , 25, 766-78		31
1077	The fast spiral-SelMQC technique for in vivo MR spectroscopic imaging of polyunsaturated fatty acids in human breast tissue. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 8-19	4.4	5
1076	Parallel imaging with nonlinear reconstruction using variational penalties. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 34-41	4.4	67
1075	Nonexponential T ₂ decay in white matter. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 110-7	4.4	84
1074	Accelerated water-fat imaging using restricted subspace field map estimation and compressed sensing. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 650-9	4.4	23
1073	MR fluoroscopy in vascular and cardiac interventions (review). 2012 , 28, 117-37		32
1072	Interoceptive awareness enhances neural activity during empathy. 2013 , 34, 1615-24		65
1071	Phase informed model for motion and susceptibility. 2013 , 34, 3086-100		14
1070	Right and left perisylvian cortex and left inferior frontal cortex mediate sentence-level rhyme detection in spoken language as revealed by sparse fMRI. 2013 , 34, 3182-92		9
1069	Single-shot echo-planar imaging with Nyquist ghost compensation: interleaved dual echo with acceleration (IDEA) echo-planar imaging (EPI). <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 37-47	4.4	16
1068	Compressed sensing reconstruction for whole-heart imaging with 3D radial trajectories: a graphics processing unit implementation. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 91-102	4.4	50
1067	An 11-channel radio frequency phased array coil for magnetic resonance guided high-intensity focused ultrasound of the breast. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 295-302	4.4	22

1066	Rapid time-resolved magnetic resonance angiography via a multiecho radial trajectory and GraDeS reconstruction. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 346-59	4.4	16
1065	Coil compression for accelerated imaging with Cartesian sampling. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 571-82	4.4	128
1064	Chemical shift encoded water-fat separation using parallel imaging and compressed sensing. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 456-66	4.4	18
1063	In vivo O-Space imaging with a dedicated 12 cm Z2 insert coil on a human 3T scanner using phase map calibration. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 444-55	4.4	24
1062	High-resolution human diffusion tensor imaging using 2-D navigated multishot SENSE EPI at 7 T. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 793-802	4.4	80
1061	Increased vessel depiction of the carotid bifurcation with a specialized 16-channel phased array coil at 3T. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 1486-93	4.4	10
1060	High-resolution functional MRI at 3 T: 3D/2D echo-planar imaging with optimized physiological noise correction. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 1657-64	4.4	61
1059	Magnetic resonance coronary angiography: where are we today?. 2013 , 15, 328		17
1058	A comparison of shimming techniques for optimizing fat suppression in MR mammography. 2013 , 6, 486-91		5
1057	Combined acquisition technique (CAT) for high-field neuroimaging with reduced RF power. 2013 , 26, 411-8		4
1056	Non-ECG-gated unenhanced MRA of the carotids: optimization and clinical feasibility. 2013 , 23, 3020-8		11
1055	Effects of image reconstruction on fiber orientation mapping from multichannel diffusion MRI: reducing the noise floor using SENSE. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1682-9	4.4	132
1054	Cardiovascular magnetic resonance artefacts. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013 , 15, 41	6.9	99
1053	Efficient and reproducible high resolution spiral myocardial phase velocity mapping of the entire cardiac cycle. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013 , 15, 34	6.9	23
1052	Proton magnetic resonance spectroscopy: technique for the neuroradiologist. 2013 , 23, 381-92		43
1051	[Neurofunctional MRI at high magnetic fields]. 2013 , 53, 415-21		1
1050	Investigating the need of triggering the acquisition for infant diffusion MRI: a quantitative study including bootstrap statistics. <i>NeuroImage</i> , 2013 , 69, 198-205	7.9	5
1049	More IMPATIENT: A Gridding-Accelerated Toeplitz-based Strategy for Non-Cartesian High-Resolution 3D MRI on GPUs. 2013 , 73, 686-697		30

1048	Regional alveolar partial pressure of oxygen measurement with parallel accelerated hyperpolarized gas MRI. 2013 , 20, 1224-33		6
1047	High-resolution cardiovascular MRI by integrating parallel imaging with low-rank and sparse modeling. 2013 , 60, 3083-92		40
1046	Magnetic nanoparticles: surface effects and properties related to biomedicine applications. 2013 , 14, 21266-305		667
1045	Image artifacts on prostate diffusion-weighted magnetic resonance imaging: trade-offs at 1.5 Tesla and 3.0 Tesla. 2013 , 20, 1041-7		46
1044	Multimodal imaging enables early detection and characterization of changes in tumor permeability of brain metastases. 2013 , 172, 812-22		42
1043	[Contrast in static images in clinical magnetic resonance imaging. Part 2: Sequences for various contrast weightings and applications]. 2013 , 53, 709-21; quiz 722		0
1042	k-t BLAST and SENSE accelerated time-resolved three-dimensional phase contrast MRI in an intracranial aneurysm. 2013 , 26, 261-70		15
1041	In vivo MRI cell tracking using perfluorocarbon probes and fluorine-19 detection. 2013 , 26, 860-71		122
1040	Towards a five-minute comprehensive cardiac MR examination using highly accelerated parallel imaging with a 32-element coil array: feasibility and initial comparative evaluation. 2013 , 38, 180-8		14
1039	Sparsity-promoting calibration for GRAPPA accelerated parallel MRI reconstruction. 2013 , 32, 1325-35		51
1038	Accelerated regularized estimation of MR coil sensitivities using augmented Lagrangian methods. 2013 , 32, 556-64		21
1037	A 64-channel 3T array coil for accelerated brain MRI. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 248-58	4.4	148
1036	A comparison and evaluation of reduced-FOV methods for multi-slice 7T human imaging. 2013 , 31, 1349-59		20
1035	A robust multi-shot scan strategy for high-resolution diffusion weighted MRI enabled by multiplexed sensitivity-encoding (MUSE). <i>NeuroImage</i> , 2013 , 72, 41-7	7.9	184
1034	Denosing MRI using spectral subtraction. 2013 , 60, 1556-62		19
1033	Localized high-resolution DTI of the human midbrain using single-shot EPI, parallel imaging, and outer-volume suppression at 7T. 2013 , 31, 810-9		24
1032	Evaluation of slice accelerations using multiband echo planar imaging at 3 T. <i>NeuroImage</i> , 2013 , 83, 991-1001	10.1	306
1031	Whole-head rapid fMRI acquisition using echo-shifted magnetic resonance inverse imaging. <i>NeuroImage</i> , 2013 , 78, 325-38	7.9	22

1030	Diffusion weighted MRI by spatiotemporal encoding: analytical description and in vivo validations. 2013 , 232, 76-86		33
1029	Highly-accelerated quantitative 2D and 3D localized spectroscopy with linear algebraic modeling (SLAM) and sensitivity encoding. 2013 , 237, 125-138		21
1028	Massively parallel MRI detector arrays. 2013 , 229, 75-89		118
1027	A new perceptual difference model for diagnostically relevant quantitative image quality evaluation: a preliminary study. 2013 , 31, 596-603		11
1026	Human brain atlas for automated region of interest selection in quantitative susceptibility mapping: application to determine iron content in deep gray matter structures. <i>NeuroImage</i> , 2013 , 82, 449-69	7.9	112
1025	Magnetic resonance fingerprinting. 2013 , 495, 187-92		789
1024	Proactive control of sequential saccades in the human supplementary eye field. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, E1311-20	11.5	15
1023	Neural correlates of risk perception during real-life risk communication. 2013 , 33, 10340-7		42
1022	The role of tissue microstructure and water exchange in biophysical modelling of diffusion in white matter. 2013 , 26, 345-70		102
1021	A theoretical framework for quantifying blood volume flow rate from dynamic angiographic data and application to vessel-encoded arterial spin labeling MRI. 2013 , 17, 1025-36		7
1020	Motion-compensation techniques in neonatal and fetal MR imaging. <i>American Journal of Neuroradiology</i> , 2013 , 34, 1124-36	4.4	82
1019	Multiparametric MRI of prostate cancer: an update on state-of-the-art techniques and their performance in detecting and localizing prostate cancer. 2013 , 37, 1035-54		174
1018	A simple application of compressed sensing to further accelerate partially parallel imaging. 2013 , 31, 75-85		11
1017	In vivo detection of microscopic anisotropy using quadruple pulsed-field gradient (qPFG) diffusion MRI on a clinical scanner. <i>NeuroImage</i> , 2013 , 64, 229-39	7.9	51
1016	Combination of tagging and tissue phase mapping to accelerate myocardial motion measurements in three directions. 2013 , 26, 239-47		2
1015	Dynamic MR imaging of a minipig knee using a high-density multi-channel receive array and a movement device. 2013 , 26, 215-28		3
1014	Pushing spatial and temporal resolution for functional and diffusion MRI in the Human Connectome Project. <i>NeuroImage</i> , 2013 , 80, 80-104	7.9	534
1013	Interaction of age and APOE genotype on cerebral blood flow at rest. 2013 , 34, 921-35		71

1012	Ultra-fast MRI of the human brain with simultaneous multi-slice imaging. 2013 , 229, 90-100		297
1011	Highly efficient 3D motion-compensated abdomen MRI from undersampled golden-RPE acquisitions. 2013 , 26, 419-29		21
1010	Independent sources of spontaneous BOLD fluctuation along the visual pathway. 2013 , 26, 525-37		6
1009	Automatic intra-subject registration-based segmentation of abdominal fat from water-fat MRI. 2013 , 37, 423-30		36
1008	Kalman filter techniques for accelerated Cartesian dynamic cardiac imaging. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 1346-56	4.4	11
1007	Design of a nested eight-channel sodium and four-channel proton coil for 7T knee imaging. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 259-68	4.4	43
1006	Spatially selective implementation of the adiabatic T2Prep sequence for magnetic resonance angiography of the coronary arteries. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 97-105	4.4	9
1005	Highly accelerated real-time cardiac cine MRI using k-t SPARSE-SENSE. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 64-74	4.4	143
1004	Multidimensionally encoded magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 86-96	4.4	17
1003	Buildup of image quality in view-shared time-resolved 3D CE-MRA. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 348-57	4.4	10
1002	A throughput-optimized array system for multiple-mouse MRI. 2013 , 26, 237-47		2
1001	Advanced respiratory motion compensation for coronary MR angiography. <i>Sensors</i> , 2013 , 13, 6882-99	3.8	31
1000	Compressed Sensing-Based MRI Reconstruction Using Complex Double-Density Dual-Tree DWT. 2013 , 2013, 907501		22
999	Wireless amplified nuclear MR detector (WAND) for high-spatial-resolution MR imaging of internal organs: preclinical demonstration in a rodent model. 2013 , 268, 228-36		28
998	A hitchhiker's guide to diffusion tensor imaging. 2013 , 7, 31		404
997	Calibrationless parallel magnetic resonance imaging: a joint sparsity model. <i>Sensors</i> , 2013 , 13, 16714-35	3.8	8
996	A comparison of five standard methods for evaluating image intensity uniformity in partially parallel imaging MRI. 2013 , 40, 082302		17
995	Combination of multichannel single-voxel MRS signals using generalized least squares. 2013 , 37, 1445-50		21

994	Combined parallel and partial fourier MR reconstruction for accelerated 8-channel hyperpolarized carbon-13 in vivo magnetic resonance Spectroscopic imaging (MRSI). 2013 , 38, 701-13		31
993	Pulmonary perfusion MRI using interleaved variable density sampling and Highly constrained cartesian reconstruction (HYCR). 2013 , 38, 751-6		10
992	Magnetic resonance field strength effects on diffusion measures and brain connectivity networks. 2013 , 3, 72-86		33
991	Coil combination of multichannel MRSI data at 7 T: MUSICAL. 2013 , 26, 1796-805		32
990	Comparison of gross body fat-water magnetic resonance imaging at 3 Tesla to dual-energy X-ray absorptiometry in obese women. 2013 , 21, 765-74		30
989	Non-cartesian MRI reconstruction with automatic regularization Via Monte-Carlo SURE. 2013 , 32, 1411-22		5
988	Arterial spin labeling with simultaneous multi-slice echo planar imaging. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1500-6	4-4	37
987	High-frequency subband compressed sensing MRI using quadruplet sampling. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1306-18	4-4	11
986	Accelerated aortic flow assessment with compressed sensing with and without use of the sparsity of the complex difference image. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 851-8	4-4	33
985	Noise amplification in parallel whole-head ultra-low-field magnetic resonance imaging using 306 detectors. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 595-600	4-4	7
984	Free-breathing 3D cardiac MRI using iterative image-based respiratory motion correction. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1005-15	4-4	14
983	Accelerating MR parameter mapping using sparsity-promoting regularization in parametric dimension. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1263-73	4-4	80
982	Multiband phase-constrained parallel MRI. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 974-80	4-4	35
981	Highly accelerated projection imaging with coil sensitivity encoding for rapid MRI. 2013 , 40, 022305		1
980	Advanced MR Imaging Technologies in Fetuses. 2012 , 1, e113		4
979	Suppressing multi-channel ultra-low-field MRI measurement noise using data consistency and image sparsity. 2013 , 8, e61652		6
978	Using high angular resolution diffusion imaging data to discriminate cortical regions. 2013 , 8, e63842		28
977	A connectome-based comparison of diffusion MRI schemes. 2013 , 8, e75061		16

976	Prefrontal control of the amygdala during real-time fMRI neurofeedback training of emotion regulation. 2013 , 8, e79184		100
975	Abnormal functional connectivity during visuospatial processing is associated with disrupted organisation of white matter in autism. 2013 , 7, 434		22
974	The implicit processing of categorical and dimensional strategies: an fMRI study of facial emotion perception. 2013 , 7, 551		12
973	Quantitative multi-parameter mapping of R1, PD(*), MT, and R2(*) at 3T: a multi-center validation. 2013 , 7, 95		301
972	Sparse constrained reconstruction for accelerating parallel imaging based on variable splitting method. 2013 , 2013, 605632		
971	Single echo MRI. 2014 , 9, e86008		4
970	Accelerated fast spin-echo magnetic resonance imaging of the heart using a self-calibrated split-echo approach. 2014 , 9, e94654		3
969	Automatic high-bandwidth calibration and reconstruction of arbitrarily sampled parallel MRI. 2014 , 9, e98937		2
968	Interactive effects of vascular risk burden and advanced age on cerebral blood flow. 2014 , 6, 159		49
967	Diffusion tensor imaging in Alzheimer's disease: insights into the limbic-diencephalic network and methodological considerations. 2014 , 6, 266		74
966	Brain activation associated with active and passive lower limb stepping. 2014 , 8, 828		43
965	Susceptibility-weighted cardiovascular magnetic resonance in comparison to T2 and T2 star imaging for detection of intramyocardial hemorrhage following acute myocardial infarction at 3 Tesla. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014 , 16, 86	6.9	15
964	Cortical correlates of human motion perception biases. 2014 , 34, 2592-604		39
963	The retinotopic organization of macaque occipitotemporal cortex anterior to V4 and caudoventral to the middle temporal (MT) cluster. 2014 , 34, 10168-91		69
962	A comparison between gadofosveset trisodium and gadobenate dimeglumine for steady state MRA of the thoracic vasculature. 2014 , 2014, 625614		16
961	New imaging strategies using a motion-resistant liver sequence in uncooperative patients. 2014 , 2014, 142658		11
960	Tilted microstrip phased arrays with improved electromagnetic decoupling for ultrahigh-field magnetic resonance imaging. 2014 , 93, e311		5
959	Various MRS application tools for Alzheimer disease and mild cognitive impairment. <i>American Journal of Neuroradiology</i> , 2014 , 35, S4-11	4.4	41

958	Diffusion-weighted imaging with dual-echo echo-planar imaging for better sensitivity to acute stroke. <i>American Journal of Neuroradiology</i> , 2014 , 35, 1293-302	4.4	10
957	Phase reconstruction from multiple coil data using a virtual reference coil. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 563-9	4.4	38
956	Clinical performance of contrast enhanced abdominal pediatric MRI with fast combined parallel imaging compressed sensing reconstruction. 2014 , 40, 13-25		61
955	Nineteen-channel receive array and four-channel transmit array coil for cervical spinal cord imaging at 7T. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 291-300	4.4	42
954	3D late gadolinium enhancement in a single prolonged breath-hold using supplemental oxygenation and hyperventilation. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 850-7	4.4	11
953	Clinical evaluation of CAIPIRINHA: comparison against a GRAPPA standard. 2014 , 39, 189-94		31
952	Noise estimation from averaged diffusion weighted images: Can unbiased quantitative decay parameters assist cancer evaluation?. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 2105-17	4.4	17
951	A 3 T sodium and proton composite array breast coil. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 2231-42	4.4	32
950	Relaxation by amplitude modulation: A rapid T1 measurement method. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 2155-65	4.4	
949	Magnetic resonance image enhancement by reducing receptors effective size and enabling multiple channel acquisition. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2014 , 2014, 2420-3	0.9	
948	Impact of reduced k-space acquisition on pathologic detectability for volumetric MR spectroscopic imaging. 2014 , 39, 224-34		22
947	Calibrationless parallel imaging reconstruction based on structured low-rank matrix completion. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 959-70	4.4	210
946	Free-breathing cardiac MR stress perfusion with real-time slice tracking. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 689-98	4.4	11
945	Three-dimensional Fourier encoding of simultaneously excited slices: generalized acquisition and reconstruction framework. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 2071-81	4.4	51
944	Spiral tissue phase velocity mapping in a breath-hold with non-cartesian SENSE. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 659-68	4.4	14
943	Vascular masking for improved unfolding in 2D SENSE-accelerated 3D contrast-enhanced MR angiography. 2014 , 39, 1161-70		4
942	Feasibility of three-dimensional MRI of proximal femur microarchitecture at 3 tesla using 26 receive elements without and with parallel imaging. 2014 , 40, 229-38		24
941	Golden-angle radial sparse parallel MRI: combination of compressed sensing, parallel imaging, and golden-angle radial sampling for fast and flexible dynamic volumetric MRI. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 707-17	4.4	406

940	Three-dimensional through-time radial GRAPPA for renal MR angiography. 2014 , 40, 864-74		15
939	Design of k-space channel combination kernels and integration with parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 2139-54	4.4	8
938	Breast MRI at 7 Tesla with a bilateral coil and robust fat suppression. 2014 , 39, 540-9		20
937	Quantification of the statistical effects of spatiotemporal processing of nontask fMRI data. 2014 , 4, 649-61		7
936	k-t GRAPPA accelerated four-dimensional flow MRI in the aorta: effect on scan time, image quality, and quantification of flow and wall shear stress. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 522-33	4.4	67
935	Referenceless acquisition of phase-sensitive inversion-recovery with decisive reconstruction (RAPID) imaging. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 806-15	4.4	3
934	Interslice leakage artifact reduction technique for simultaneous multislice acquisitions. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 93-102	4.4	162
933	Localized spatio-temporal constraints for accelerated CMR perfusion. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 629-39	4.4	11
932	Sampling strategies for subsampled segmented EPI PRF thermometry in MR guided high intensity focused ultrasound. 2014 , 41, 092301		14
931	Design and application of combined 8-channel transmit and 10-channel receive arrays and radiofrequency shimming for 7-T shoulder magnetic resonance imaging. 2014 , 49, 35-47		16
930	Model for b1 imaging in MRI using the rotating RF field. 2014 , 2014, 461647		6
929	Pushing CT and MR imaging to the molecular level for studying the "omics": current challenges and advancements. 2014 , 2014, 365812		5
928	Ultrahigh-resolution imaging of the human brain with phase-cycled balanced steady-state free precession at 7 T. 2014 , 49, 278-89		19
927	Wireless MR tracking of interventional devices using phase-field dithering and projection reconstruction. 2014 , 32, 693-701		22
926	Super-resolved parallel MRI by spatiotemporal encoding. 2014 , 32, 60-70		22
925	Application of kt-BLAST acceleration to reduce cardiac MR imaging time in healthy and infarcted mice. 2014 , 27, 201-10		3
924	Feasibility of asymmetric stretch assessment in the ascending aortic wall with DENSE cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014 , 16, 6	6.9	17
923	High-resolution 3D whole-heart coronary MRA: a study on the combination of data acquisition in multiple breath-holds and 1D residual respiratory motion compensation. 2014 , 27, 435-43		23

922	ESPIRiT--an eigenvalue approach to autocalibrating parallel MRI: where SENSE meets GRAPPA. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 990-1001	4.4	577
921	Two-dimensional accelerated MP-RAGE imaging with flexible linear reordering. 2014 , 27, 455-62		24
920	Myocardial arterial spin labeling perfusion imaging with improved sensitivity. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014 , 16, 15	6.9	18
919	The influence of spatial resolution and smoothing on the detectability of resting-state and task fMRI. <i>NeuroImage</i> , 2014 , 86, 221-30	7.9	32
918	High spatial and temporal resolution dynamic contrast-enhanced magnetic resonance angiography using compressed sensing with magnitude image subtraction. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 1771-83	4.4	32
917	Motion-compensated compressed sensing for dynamic contrast-enhanced MRI using regional spatiotemporal sparsity and region tracking: block low-rank sparsity with motion-guidance (BLOSM). <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 1028-38	4.4	50
916	Contributions of human hippocampal subfields to spatial and temporal pattern separation. 2014 , 24, 293-302		52
915	Magnetic resonance imaging at ultrahigh fields. 2014 , 61, 1364-79		81
914	Evaluation of a multiple spin- and gradient-echo (SAGE) EPI acquisition with SENSE acceleration: applications for perfusion imaging in and outside the brain. 2014 , 32, 1171-80		24
913	Non-Cartesian parallel imaging reconstruction. 2014 , 40, 1022-40		63
912	Solving 2D Fredholm Integral from Incomplete Measurements Using Compressive Sensing. 2014 , 7, 1775-1798		16
911	Transition into driven equilibrium of the balanced steady-state free precession as an ultrafast multisection T2-weighted imaging of the brain. <i>American Journal of Neuroradiology</i> , 2014 , 35, 1137-44	4.4	
910	Diffusion-weighted imaging of the liver: techniques and applications. 2014 , 22, 373-95		39
909	Uncertainty estimation in diffusion MRI using the nonlocal bootstrap. 2014 , 33, 1627-40		10
908	Augmented Lagrangian with variable splitting for faster non-Cartesian L1-SPIRiT MR image reconstruction. 2014 , 33, 351-61		34
907	Spatio-temporal wavelet regularization for parallel MRI reconstruction: application to functional MRI. 2014 , 27, 509-29		20
906	Robust volume-targeted balanced steady-state free-precession coronary magnetic resonance angiography in a breathhold at 3.0 Tesla: a reproducibility study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014 , 16, 27	6.9	7
905	A comparison of dual gradient-echo and spin-echo fMRI of the inferior temporal lobe. 2014 , 35, 4118-28		70

904	Improving the spatial resolution of magnetic resonance inverse imaging via the blipped-CAIPI acquisition scheme. <i>NeuroImage</i> , 2014 , 91, 401-11	7.9	5
903	Real-time imaging with radial GRAPPA: Implementation on a heterogeneous architecture for low-latency reconstructions. 2014 , 32, 747-58		22
902	Simultaneous Multi-Slice fMRI using spiral trajectories. <i>NeuroImage</i> , 2014 , 92, 8-18	7.9	25
901	Correlation imaging with arbitrary sampling trajectories. 2014 , 32, 551-62		4
900	The current state-of-the-art of spinal cord imaging: methods. <i>NeuroImage</i> , 2014 , 84, 1070-81	7.9	201
899	Adaptive smoothing of multi-shell diffusion weighted magnetic resonance data by msPOAS. <i>NeuroImage</i> , 2014 , 95, 90-105	7.9	27
898	Neural representation and clinically relevant moderators of individualised self-criticism in healthy subjects. 2014 , 9, 1333-40		25
897	Monte Carlo SURE-based parameter selection for parallel magnetic resonance imaging reconstruction. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 1760-70	4.4	18
896	Fat-suppression techniques for 3-T MR imaging of the musculoskeletal system. 2014 , 34, 217-33		201
895	Highly accelerated aortic 4D flow MR imaging with variable-density random undersampling. 2014 , 32, 1012-20		15
894	Four-channel surface coil array for 300-MHz pulsed EPR imaging: proof-of-concept experiments. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 853-8	4.4	7
893	Dynamic and inherent B0 correction for DTI using stimulated echo spiral imaging. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 1044-53	4.4	5
892	Accelerating sequences in the presence of metal by exploiting the spatial distribution of off-resonance. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 1658-67	4.4	10
891	Approaching Ultimate Intrinsic SNR in a Uniform Spherical Sample with Finite Arrays of Loop Coils. 2014 , 44, 53-65		29
890	Application of direct virtual coil to dynamic contrast-enhanced MRI and MR angiography with data-driven parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 783-9	4.4	2
889	Acceleration apportionment: a method of improved 2D SENSE acceleration applied to 3D contrast-enhanced MR angiography. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 672-80	4.4	9
888	3D multislab, multishot acquisition for fast, whole-brain MR elastography with high signal-to-noise efficiency. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 477-85	4.4	67
887	High-resolution multishot spiral diffusion tensor imaging with inherent correction of motion-induced phase errors. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 790-6	4.4	34

886	Closely-spaced double-row microstrip RF arrays for parallel MR imaging at ultrahigh fields. 2015 , 46, 1239-1248		10
885	SENSE and simultaneous multislice imaging. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 1356-62	4.4	46
884	Low-Cost High-Performance MRI. <i>Scientific Reports</i> , 2015 , 5, 15177	4.9	116
883	Selective Functional Disconnection of the Dorsal Subregion of the Temporal Pole in Schizophrenia. <i>Scientific Reports</i> , 2015 , 5, 11258	4.9	9
882	Accelerated acquisition of tagged MRI for cardiac motion correction in simultaneous PET-MR: phantom and patient studies. 2015 , 42, 1087-97		32
881	Image-guided spatial localization of heterogeneous compartments for magnetic resonance. 2015 , 42, 5278-86		4
880	A high resolution 7-Tesla resting-state fMRI test-retest dataset with cognitive and physiological measures. 2015 , 2, 140054		30
879	Accelerated and navigator-gated look-locker imaging for cardiac T1 estimation (ANGIE): Development and application to T1 mapping of the right ventricle. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 150-60	4.4	47
878	Image reconstruction in k-space from MR data encoded with ambiguous gradient fields. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 857-64	4.4	6
877	Slab profile encoding (PEN) for minimizing slab boundary artifact in three-dimensional diffusion-weighted multislabs acquisition. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 605-13	4.4	25
876	Fast T2 mapping with multiple echo, Caesar cipher acquisition and model-based reconstruction. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1065-74	4.4	14
875	Accelerated 4D quantitative single point EPR imaging using model-based reconstruction. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1692-701	4.4	5
874	Design of parallel transmission pulses for simultaneous multislice with explicit control for peak power and local specific absorption rate. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1946-53	4.4	43
873	Dixon-type and subtraction-type contrast-enhanced magnetic resonance angiography: A theoretical and experimental comparison of SNR and CNR. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 81-92	4.4	7
872	Minimizing lipid signal bleed in brain (1) H chemical shift imaging by post-acquisition grid shifting. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 320-9	4.4	4
871	Integrated image reconstruction and gradient nonlinearity correction. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 1019-31	4.4	31
870	Parallel reconstruction in accelerated multivoxel MR spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 599-606	4.4	15
869	Coronary artery size and origin imaging in children: a comparative study of MRI and trans-thoracic echocardiography. <i>BMC Medical Imaging</i> , 2015 , 15, 48	2.9	11

868	Image reconstruction: an overview for clinicians. 2015 , 41, 573-85		25
867	Accelerated whole-heart coronary MRA using motion-corrected sensitivity encoding with three-dimensional projection reconstruction. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 284-91	4.4	35
866	In vivo lung morphometry with accelerated hyperpolarized (3) He diffusion MRI: a preliminary study. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1609-14	4.4	18
865	POCS-based reconstruction of multiplexed sensitivity encoded MRI (POCSMUSE): A general algorithm for reducing motion-related artifacts. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 1336-48	4.4	38
864	Accelerating parameter mapping with a locally low rank constraint. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 655-61	4.4	115
863	Chemical shift separation with controlled aliasing for hyperpolarized (13) C metabolic imaging. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 978-89	4.4	8
862	Reconstruction of dynamic image series from undersampled MRI data using data-driven model consistency condition (MOCCO). <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 1279-90	4.4	28
861	Fast pediatric 3D free-breathing abdominal dynamic contrast enhanced MRI with high spatiotemporal resolution. 2015 , 41, 460-73		68
860	Motion-compensated real-time MR thermometry augmented by tracking coils. 2015 , 41, 851-7		8
859	Artifactual microhemorrhage generated by susceptibility weighted image processing. 2015 , 41, 1695-700		5
858	Phase contrast MRI with flow compensation view sharing. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 505-13	4.4	3
857	Noise propagation in region of interest measurements. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1300-8	4.4	6
856	A 31-channel MR brain array coil compatible with positron emission tomography. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2363-75	4.4	32
855	Correlated spectroscopic imaging of calf muscle in three spatial dimensions using group sparse reconstruction of undersampled single and multichannel data. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 1199-208	4.4	8
854	Selection and evaluation of optimal two-dimensional CAIPIRINHA kernels applied to time-resolved three-dimensional CE-MRA. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2234-42	4.4	5
853	Free-breathing pediatric MRI with nonrigid motion correction and acceleration. 2015 , 42, 407-20		106
852	Recent advances in 3D time-resolved contrast-enhanced MR angiography. 2015 , 42, 3-22		27
851	Lipid elimination with an echo-shifting N/2-ghost acquisition (LEENA) MRI. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 711-7	4.4	3

850	Wave-CAIPI for highly accelerated 3D imaging. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2152-62	4.4	120
849	Improved diffusion tensor imaging of the optic nerve using multishot two-dimensional navigated acquisitions. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 953-63	4.4	10
848	Wavelet-space correlation imaging for high-speed MRI without motion monitoring or data segmentation. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 1574-86	4.4	5
847	High-sensitivity, broadband-decoupled (13) C MR spectroscopy in humans at 7T using two-dimensional heteronuclear single-quantum coherence. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 903-14	4.4	14
846	The Need and Initial Practice of Parallel Imaging and Compressed Sensing in Hyperpolarized C MRI. 2015 , 4,		2
845	Physiological and Functional Magnetic Resonance Imaging Using Balanced Steady-state Free Precession. 2015 , 16, 550-9		20
844	Fornix White Matter is Correlated with Resting-State Functional Connectivity of the Thalamus and Hippocampus in Healthy Aging but Not in Mild Cognitive Impairment - A Preliminary Study. 2015 , 7, 10		11
843	Compressed Sensing for fMRI: Feasibility Study on the Acceleration of Non-EPI fMRI at 9.4T. 2015 , 2015, 131926		3
842	Resting state BOLD functional connectivity at 3T: spin echo versus gradient echo EPI. 2015 , 10, e0120398		12
841	Multichannel compressive sensing MRI using noiselet encoding. 2015 , 10, e0126386		12
840	Single session imaging of cerebellum at 7 Tesla: obtaining structure and function of multiple motor subsystems in individual subjects. 2015 , 10, e0134933		22
839	Evaluation of Multiband EPI Acquisitions for Resting State fMRI. 2015 , 10, e0136961		54
838	Reproducibility and Temporal Structure in Weekly Resting-State fMRI over a Period of 3.5 Years. 2015 , 10, e0140134		75
837	Wavelet Domain Radiofrequency Pulse Design Applied to Magnetic Resonance Imaging. 2015 , 10, e0141151		3
836	Using High Spatial Resolution to Improve BOLD fMRI Detection at 3T. 2015 , 10, e0141358		12
835	Fast Imaging Technique for fMRI: Consecutive Multishot Echo Planar Imaging Accelerated with GRAPPA Technique. 2015 , 2015, 394213		10
834	Neural basis of decision making guided by emotional outcomes. 2015 , 113, 3056-68		16
833	Signal-to-noise ratio and parallel imaging performance of commercially available phased array coils in 3.0 T brain magnetic resonance imaging. 2015 , 8, 305-11		3

832	Quantification of hepatic blood flow using a high-resolution phase-contrast MRI sequence with compressed sensing acceleration. 2015 , 204, 510-8		11
831	Prospective motion correction of segmented diffusion weighted EPI. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 1675-81	4.4	21
830	Covert shifts of spatial attention in the macaque monkey. 2015 , 35, 7695-714		48
829	Clinically feasible NODDI characterization of glioma using multiband EPI at 7 T. 2015 , 9, 291-9		53
828	Short-echo three-dimensional H-1 MR spectroscopic imaging of patients with glioma at 7 Tesla for characterization of differences in metabolite levels. 2015 , 41, 1332-41		36
827	Scan time reduction for readout-segmented EPI using simultaneous multislice acceleration: Diffusion-weighted imaging at 3 and 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 136-149	4.4	46
826	High resolution whole brain diffusion imaging at 7T for the Human Connectome Project. <i>NeuroImage</i> , 2015 , 122, 318-31	7.9	114
825	Detection of demyelination in multiple sclerosis by analysis of [Formula: see text] relaxation at 7 T. 2015 , 7, 709-14		14
824	[Modern magnetic resonance imaging of the liver]. 2015 , 55, 1045-56		1
823	Right prefrontal and ventral striatum interactions underlying impulsive choice and impulsive responding. 2015 , 36, 187-98		31
822	Engaged listeners: shared neural processing of powerful political speeches. 2015 , 10, 1137-43		70
821	Robust 4D flow denoising using divergence-free wavelet transform. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 828-42	4.4	37
820	Accelerated MR parameter mapping with low-rank and sparsity constraints. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 489-98	4.4	99
819	T1 mapping: characterisation of myocardial interstitial space. <i>Insights Into Imaging</i> , 2015 , 6, 189-202	5.6	36
818	K-t GRAPPA-accelerated 4D flow MRI of liver hemodynamics: influence of different acceleration factors on qualitative and quantitative assessment of blood flow. 2015 , 28, 149-59		12
817	Recommended implementation of arterial spin-labeled perfusion MRI for clinical applications: A consensus of the ISMRM perfusion study group and the European consortium for ASL in dementia. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 102-16	4.4	1159
816	Fast parallel MR image reconstruction via B1-based, adaptive restart, iterative soft thresholding algorithms (BARISTA). 2015 , 34, 578-88		18
815	Advances in cardiac magnetic resonance imaging of congenital heart disease. 2015 , 45, 5-19		13

814	Design and Test of Magnetic Wall Decoupling for Dipole Transmit/Receive Array for MR Imaging at the Ultrahigh Field of 7T. 2015 , 46, 59-66		18
813	Incorporation of image data from a previous examination in 3D serial MR imaging. 2015 , 28, 413-25		3
812	2D phase contrast blood flow velocity measurements of the thoracic vasculature: comparison of the effect of gadofosveset trisodium and gadopentetate dimeglumine. 2015 , 31, 409-16		2
811	Cardiac MR perfusion imaging: where we are. 2015 , 120, 190-205		5
810	Improving the robustness of 3D turbo spin echo imaging to involuntary motion. 2015 , 28, 329-45		16
809	Consideration of the effects of intense tissue heating on the RF electromagnetic fields during MRI: simulations for MRgFUS in the hip. <i>Physics in Medicine and Biology</i> , 2015 , 60, 301-7	3.8	1
808	Highly undersampled peripheral Time-of-Flight magnetic resonance angiography: optimized data acquisition and iterative image reconstruction. 2015 , 28, 437-46		13
807	An L1-norm phase constraint for half-Fourier compressed sensing in 3D MR imaging. 2015 , 28, 459-72		12
806	Elevated cerebrovascular resistance index is associated with cognitive dysfunction in the very-old. 2015 , 7, 3		11
805	RARE/turbo spin echo imaging with Simultaneous Multislice Wave-CAIPI. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 929-938	4.4	51
804	Real diffusion-weighted MRI enabling true signal averaging and increased diffusion contrast. <i>NeuroImage</i> , 2015 , 122, 373-84	7.9	67
803	A majorize-minimize framework for Rician and non-central chi MR images. 2015 , 34, 2191-202		21
802	Evaluation of highly accelerated simultaneous multi-slice EPI for fMRI. <i>NeuroImage</i> , 2015 , 104, 452-9	7.9	81
801	The Dixon technique and the frequency-selective fat suppression technique in three-dimensional T1 weighted MRI of the liver: a comparison of contrast-to-noise ratios of hepatocellular carcinomas-to-liver. 2015 , 88, 20150117		12
800	Human brain diffusion tensor imaging at submillimeter isotropic resolution on a 3Tesla clinical MRI scanner. <i>NeuroImage</i> , 2015 , 118, 667-75	7.9	40
799	Diagnosis of posttraumatic stress disorder (PTSD) based on correlations of prewhitened fMRI data: outcomes and areas involved. 2015 , 233, 2695-705		14
798	Multichannel Double-Row Transmission Line Array for Human MR Imaging at Ultrahigh Fields. 2015 , 62, 1652-9		14
797	Effective connectivity of depth-structure-selective patches in the lateral bank of the macaque intraparietal sulcus. 2015 , 13, e1002072		44

796	Enhanced identification of BOLD-like components with multi-echo simultaneous multi-slice (MESMS) fMRI and multi-echo ICA. <i>NeuroImage</i> , 2015 , 112, 43-51	7.9	46
795	High-resolution dynamic speech imaging with joint low-rank and sparsity constraints. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1820-32	4.4	47
794	Hybrid monopole/loop coil array for human head MR imaging at 7T. 2015 , 46, 541-550		15
793	Interventional CMR: Clinical applications and future directions. 2015 , 17, 31		33
792	Differential diagnosis between hepatic metastases and benign focal lesions using DWI with parallel acquisition technique: a meta-analysis. 2015 , 36, 983-90		14
791	Anticipatory anxiety disrupts neural valuation during risky choice. 2015 , 35, 3085-99		58
790	Motion artifacts in MRI: A complex problem with many partial solutions. 2015 , 42, 887-901		264
789	Parallel Magnetic Resonance Imaging as Approximation in a Reproducing Kernel Hilbert Space. 2015 , 31, 045008		6
788	Accelerated vs. unaccelerated serial MRI based TBM-SyN measurements for clinical trials in Alzheimer's disease. <i>NeuroImage</i> , 2015 , 113, 61-9	7.9	26
787	Compressive sensing in medical imaging. 2015 , 54, C23-44		88
786	Compressed sensing MRI: a review of the clinical literature. 2015 , 88, 20150487		171
785	High-resolution 3D-GRE imaging of the abdomen using controlled aliasing acceleration technique - a feasibility study. 2015 , 25, 3596-605		7
784	Thirst and the state-dependent representation of incentive stimulus value in human motive circuitry. 2015 , 10, 1722-9		15
783	Magnetic Resonance Sequences and Rapid Acquisition for MR-Guided Interventions. 2015 , 23, 669-79		18
782	Functional Magnetic Resonance Imaging Methods. 2015 , 25, 289-313		75
781	Body MR Imaging: Artifacts, k-Space, and Solutions. 2015 , 35, 1439-60		57
780	A novel coil array for combined TMS/fMRI experiments at 3 T. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 1492-501	4.4	29
779	A model-based reconstruction for undersampled radial spin-echo DTI with variational penalties on the diffusion tensor. 2015 , 28, 353-66		30

778	Acoustic-noise-optimized diffusion-weighted imaging. 2015 , 28, 511-21		11
777	Altered functional connectivity of the cingulate subregions in schizophrenia. 2015 , 5, e575		30
776	Clinical performance of a free-breathing spatiotemporally accelerated 3-D time-resolved contrast-enhanced pediatric abdominal MR angiography. 2015 , 45, 1635-43		11
775	MRI reconstruction of multi-image acquisitions using a rank regularizer with data reordering. 2015 , 42, 4734-44		2
774	Constrained Source Space MR Spectroscopy: Multiple Voxels, No Gradient Readout. <i>American Journal of Neuroradiology</i> , 2015 , 36, 1436-43	4.4	0
773	The feasibility of quantitative MRI of perivascular spaces at 7T. 2015 , 256, 151-6		35
772	Cardiovascular magnetic resonance phase contrast imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015 , 17, 71	6.9	135
771	A neuroradiologist's guide to arterial spin labeling MRI in clinical practice. 2015 , 57, 1181-202		148
770	Effects of changing from non-accelerated to accelerated MRI for follow-up in brain atrophy measurement. <i>NeuroImage</i> , 2015 , 107, 46-53	7.9	15
769	MR physics in practice: how to optimize acquisition quality and time for cardiac MR imaging. 2015 , 23, 1-6		13
768	Fast reconstruction for multichannel compressed sensing using a hierarchically semiseparable solver. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1034-40	4.4	13
767	Feasibility of multianimal hyperpolarized (13) C MRS. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1726-32	4.4	4
766	Distributed MRI reconstruction using Gadgetron-based cloud computing. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1015-25	4.4	38
765	Pseudo-random center placement O-space imaging for improved incoherence compressed sensing parallel MRI. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2212-24	4.4	13
764	k-t FASTER: Acceleration of functional MRI data acquisition using low rank constraints. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 353-64	4.4	49
763	Interleaved diffusion-weighted improved by adaptive partial-Fourier and multiband multiplexed sensitivity-encoding reconstruction. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1872-84	4.4	22
762	Quantitative susceptibility mapping (QSM): Decoding MRI data for a tissue magnetic biomarker. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 82-101	4.4	478
761	Non-invasive and in vivo assessment of osteoarthritic articular cartilage: a review on MRI investigations. 2015 , 35, 1-16		19

760	Magnetic resonance imaging of traumatic brain injury: a pictorial review. 2015 , 22, 65-78		9
759	Motion correction of multi-contrast images applied to T1 and T2 quantification in cardiac MRI. 2015 , 28, 1-12		7
758	Real-time magnetic resonance imaging of deep venous flow during muscular exercise-preliminary experience. 2016 , 6, 473-481		7
757	Application of Arterial Spin Labelling in the Assessment of Ocular Tissues. 2016 , 2016, 6240504		6
756	Neural Correlates of the Perception of Spoiled Food Stimuli. 2016 , 10, 302		11
755	A Hitchhiker's Guide to Functional Magnetic Resonance Imaging. 2016 , 10, 515		77
754	Investigating the Group-Level Impact of Advanced Dual-Echo fMRI Combinations. 2016 , 10, 571		4
753	Efficacy of the projection onto convex sets (POCS) algorithm at Gd-EOB-DTPA-enhanced hepatobiliary-phase hepatic MRI. 2016 , 5, 1311		0
752	A 32-Channel Head Coil Array with Circularly Symmetric Geometry for Accelerated Human Brain Imaging. 2016 , 11, e0149446		3
751	ZOOM or Non-ZOOM? Assessing Spinal Cord Diffusion Tensor Imaging Protocols for Multi-Centre Studies. 2016 , 11, e0155557		39
750	Probe-Specific Procedure to Estimate Sensitivity and Detection Limits for 19F Magnetic Resonance Imaging. 2016 , 11, e0163704		7
749	Automated patient-specific optimization of three-dimensional double-inversion recovery magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 585-93	4.4	9
748	4D spiral imaging of flows in stenotic phantoms and subjects with aortic stenosis. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 1018-29	4.4	8
747	Functional imaging of the lungs with gas agents. 2016 , 43, 295-315		78
746	Experimental O-space turbo spin echo imaging. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 1654-61	4.4	11
745	Accelerating magnetic resonance fingerprinting (MRF) using t-blipped simultaneous multislice (SMS) acquisition. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 2078-85	4.4	38
744	Partial fourier and parallel MR image reconstruction with integrated gradient nonlinearity correction. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 2534-44	4.4	12
743	Improvement of temporal signal-to-noise ratio of GRAPPA accelerated echo planar imaging using a FLASH based calibration scan. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 2362-71	4.4	27

742	Highly accelerated chemical exchange saturation transfer (CEST) measurements with linear algebraic modeling. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 136-44	4.4	21
741	Improved MRI thermometry with multiple-echo spirals. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 747-56	4.4	11
740	Variable flip angle 3D-GRASE for high resolution fMRI at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 897-904	4.4	24
739	A semiflexible 64-channel receive-only phased array for pediatric body MRI at 3T. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 1015-21	4.4	20
738	Rapid brain MRI acquisition techniques at ultra-high fields. 2016 , 29, 1198-221		65
737	Flexible, 31-Channel breast coil for enhanced parallel imaging performance at 3T. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 897-905	4.4	6
736	Accelerating T1 ρ cartilage imaging using compressed sensing with iterative locally adapted support detection and JSENSE. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 1617-29	4.4	27
735	Quality assurance in MRI breast screening: comparing signal-to-noise ratio in dynamic contrast-enhanced imaging protocols. <i>Physics in Medicine and Biology</i> , 2016 , 61, 37-49	3.8	6
734	Direct and accelerated parameter mapping using the unscented Kalman filter. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 1989-99	4.4	3
733	First-pass myocardial perfusion imaging with whole-heart coverage using L1-SPIRiT accelerated variable density spiral trajectories. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 1375-1387	4.4	15
732	Split Bregman multicoil accelerated reconstruction technique: A new framework for rapid reconstruction of cardiac perfusion MRI. 2016 , 43, 1969		6
731	Skeletal Muscle Quantitative Nuclear Magnetic Resonance Imaging and Spectroscopy as an Outcome Measure for Clinical Trials. 2016 , 3, 1-28		92
730	Effects of coplanar shielding for high field MRI. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2016 , 2016, 6250-6253	0.9	3
729	Shock-like haemodynamic responses induced in the primary visual cortex by moving visual stimuli. 2016 , 13,		8
728	Four-dimensional MRI flow examinations in cerebral and extracerebral vessels - ready for clinical routine?. 2016 , 29, 419-28		32
727	High-resolution whole-brain DCE-MRI using constrained reconstruction: Prospective clinical evaluation in brain tumor patients. 2016 , 43, 2013		22
726	Body MR angiography in children: how we do it. 2016 , 46, 748-63		5
725	A nested phosphorus and proton coil array for brain magnetic resonance imaging and spectroscopy. <i>NeuroImage</i> , 2016 , 124, 602-611	7.9	14

724	Development and testing of hyperpolarized (13)C MR calibrationless parallel imaging. 2016 , 262, 1-7		14
723	Accelerated MRI for the assessment of cardiac function. 2016 , 89, 20150655		17
722	Eight-Channel Monopole Array Using ICE Decoupling for Human Head MR Imaging at 7 T. 2016 , 47, 527-538		6
721	B0-adjusted and sensitivity-encoded spectral localization by imaging (BASE-SLIM) in the human brain in vivo. <i>NeuroImage</i> , 2016 , 134, 355-364	7.9	9
720	High spatial resolution diffusion weighted imaging on clinical 3 T MRI scanners using multislabs spiral acquisitions. <i>Journal of Medical Imaging</i> , 2016 , 3, 023501	2.6	9
719	Mapping Brain Anatomical Connectivity Using Diffusion Magnetic Resonance Imaging: Structural connectivity of the human brain. 2016 , 33, 36-51		8
718	Transmit Array Spatial Encoding (TRASE) using broadband WURST pulses for RF spatial encoding in inhomogeneous B0 fields. 2016 , 268, 36-48		17
717	Retrospectively gated intracardiac 4D flow MRI using spiral trajectories. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 196-206	4.4	15
716	Correction of inter-scan motion artifacts in quantitative R1 mapping by accounting for receive coil sensitivity effects. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 1478-1485	4.4	15
715	Optimization of 4D vessel-selective arterial spin labeling angiography using balanced steady-state free precession and vessel-encoding. 2016 , 29, 776-86		21
714	Concentric rings K-space trajectory for hyperpolarized (13)C MR spectroscopic imaging. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 19-31	4.4	27
713	Model predictive filtering MR thermometry: Effects of model inaccuracies, k-space reduction factor, and temperature increase rate. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 207-16	4.4	4
712	Reducing sensitivity losses due to respiration and motion in accelerated echo planar imaging by reordering the autocalibration data acquisition. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 665-79	4.4	83
711	Dense, shape-optimized posterior 32-channel coil for submillimeter functional imaging of visual cortex at 3T. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 321-8	4.4	8
710	Simultaneous multislice (SMS) imaging techniques. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 63-81	4.4	280
709	Accelerating functional MRI using fixed-rank approximations and radial-cartesian sampling. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 1825-1836	4.4	22
708	High-resolution diffusion MRI at 7T using a three-dimensional multi-slab acquisition. <i>NeuroImage</i> , 2016 , 143, 1-14	7.9	41
707	Image quality assessment of single-shot turbo spin echo diffusion-weighted imaging with parallel imaging technique: a phantom study. 2016 , 89, 20160512		17

706	Screen-printed flexible MRI receive coils. 2016 , 7, 10839		102
705	A novel anthropomorphic flow phantom for the quantitative evaluation of prostate DCE-MRI acquisition techniques. <i>Physics in Medicine and Biology</i> , 2016 , 61, 7466-7483	3.8	8
704	Multiparametric imaging with heterogeneous radiofrequency fields. 2016 , 7, 12445		112
703	Fast frequency-sweep spectroscopic imaging with an ultra-low flip angle. <i>Scientific Reports</i> , 2016 , 6, 30066	4.6	2
702	The Vanderbilt Memory & Aging Project: Study Design and Baseline Cohort Overview. 2016 , 52, 539-59		24
701	Motion immune diffusion imaging using augmented MUSE for high-resolution multi-shot EPI. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 639-52	4.4	28
700	Reduced field of view imaging using a static second-order gradient for functional MRI applications. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 817-22	4.4	3
699	P-LORAKS: Low-rank modeling of local k-space neighborhoods with parallel imaging data. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 1499-514	4.4	72
698	Sparse Reconstruction Techniques in Magnetic Resonance Imaging: Methods, Applications, and Challenges to Clinical Adoption. 2016 , 51, 349-64		59
697	Highly accelerated cardiac MRI using iterative SENSE reconstruction: initial clinical experience. 2016 , 32, 955-63		10
696	3D non-contrast-enhanced ECG-gated MR angiography of the lower extremities with dual-source radiofrequency transmission at 3.0 T: Intraindividual comparison with contrast-enhanced MR angiography in PAOD patients. 2016 , 26, 2871-80		8
695	Joint correction of Nyquist artifact and minuscule motion-induced aliasing artifact in interleaved diffusion weighted EPI data using a composite two-dimensional phase correction procedure. 2016 , 34, 974-9		5
694	Reproducibility of resting state spinal cord networks in healthy volunteers at 7 Tesla. <i>NeuroImage</i> , 2016 , 133, 31-40	7.9	36
693	A subspace-based coil combination method for phased-array magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 762-74	4.4	1
692	Correction and optimization of a T2-based approach to map blood oxygenation in small cerebral veins. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 1100-9	4.4	9
691	Adaptively optimized combination (AOC) of magnetic resonance spectroscopy data from phased array coils. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 2235-44	4.4	5
690	Respiration artifact correction in three-dimensional proton resonance frequency MR thermometry using phase navigators. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 206-13	4.4	18
689	Rotated stack-of-spirals partial acquisition for rapid volumetric parallel MRI. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 127-35	4.4	17

688	Trajectory Auto-Corrected image reconstruction. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 757-68	4.4	11
687	Coil compression in simultaneous multislice functional MRI with concentric ring slice-GRAPPA and SENSE. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 1196-209	4.4	9
686	Accelerated two-dimensional cine DENSE cardiovascular magnetic resonance using compressed sensing and parallel imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016 , 18, 38	6.9	14
685	Magnetic Resonance Imaging of the Liver (Including Biliary Contrast Agents) Part 1: Technical Considerations and Contrast Materials. 2016 , 51, 308-316		10
684	Accelerated magnetic resonance diffusion tensor imaging of the median nerve using simultaneous multi-slice echo planar imaging with blipped CAIPIRINHA. 2016 , 26, 1921-8		17
683	FLAIR2: A Combination of FLAIR and T2 for Improved MS Lesion Detection. <i>American Journal of Neuroradiology</i> , 2016 , 37, 259-65	4.4	27
682	Simulation verification of SNR and parallel imaging improvements by ICE-decoupled loop array in MRI. 2016 , 47, 395-403		7
681	CNR improvement of MP2RAGE from slice encoding directional acceleration. 2016 , 34, 779-784		7
680	High spatial resolution compressed sensing (HSPARSE) functional MRI. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 440-55	4.4	23
679	Reducing slab boundary artifacts in three-dimensional multislabs diffusion MRI using nonlinear inversion for slab profile encoding (NPEN). <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 1183-95	4.4	20
678	High-temporospatial-resolution dynamic contrast-enhanced (DCE) wrist MRI with variable-density pseudo-random circular Cartesian undersampling (CIRCUS) acquisition: evaluation of perfusion in rheumatoid arthritis patients. 2016 , 29, 15-23		13
677	Maximum Likelihood Reconstruction for Magnetic Resonance Fingerprinting. 2016 , 35, 1812-23		75
676	Acoustic noise reduction in T 1- and proton-density-weighted turbo spin-echo imaging. 2016 , 29, 5-15		5
675	Separation of parallel encoded complex-valued slices (SPECS) from a single complex-valued aliased coil image. 2016 , 34, 359-69		2
674	Hybrid-Space SENSE Reconstruction for Simultaneous Multi-Slice MRI. 2016 , 35, 1824-36		27
673	Comparison of a 32-channel head coil and a 2-channel surface coil for MR imaging of the temporomandibular joint at 3.0 T. 2016 , 45, 20150420		9
672	Development of Real-Time Magnetic Resonance Imaging of Mouse Hearts at 9.4 Tesla--Simulations and First Application. 2016 , 35, 912-20		9
671	Real-time measurement and correction of both B0 changes and subject motion in diffusion tensor imaging using a double volumetric navigated (DVNav) sequence. <i>NeuroImage</i> , 2016 , 126, 60-71	7.9	24

670	Improved Lesion Detection by Using Axial T2-Weighted MRI with Full Spinal Cord Coverage in Multiple Sclerosis. <i>American Journal of Neuroradiology</i> , 2016 , 37, 963-9	4.4	10
669	Probabilistic maps of the white matter tracts with known associated functions on the neonatal brain atlas: Application to evaluate longitudinal developmental trajectories in term-born and preterm-born infants. <i>NeuroImage</i> , 2016 , 128, 167-179	7.9	37
668	Multiparametric MR Imaging in Abdominal Malignancies. 2016 , 24, 157-186		22
667	Improved receiver arrays and optimized parallel imaging accelerations applied to time-resolved 3D fluoroscopically tracked peripheral runoff CE-MRA. 2016 , 34, 280-8		2
666	Role of Diffusion Tensor MR Imaging in Degenerative Cervical Spine Disease: a Review of the Literature. 2016 , 26, 265-76		13
665	Assessment of Silent T1-weighted head imaging at 7 T. 2016 , 26, 1879-88		16
664	Quantitative and qualitative comparison of MR imaging of the temporomandibular joint at 1.5 and 3.0 T using an optimized high-resolution protocol. 2016 , 45, 20150240		11
663	Rapid multi-orientation quantitative susceptibility mapping. <i>NeuroImage</i> , 2016 , 125, 1131-1141	7.9	38
662	Biophysical changes in subcortical nuclei: the impact of diabetes and major depression. 2016 , 21, 531-6		5
661	STEP: Self-supporting tailored k-space estimation for parallel imaging reconstruction. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 750-61	4.4	4
660	High-resolution diffusion-weighted imaging of the breast with multiband 2D radiofrequency pulses and a generalized parallel imaging reconstruction. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 209-220	4.4	19
659	Estimating absolute-phase maps using ESPIRiT and virtual conjugate coils. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1201-1207	4.4	13
658	Susceptibility-weighted imaging: current status and future directions. 2017 , 30, e3552		85
657	Fast simultaneous noncontrast angiography and intraplaque hemorrhage (fSNAP) sequence for carotid artery imaging. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 753-758	4.4	8
656	Accelerating chemical exchange saturation transfer (CEST) MRI by combining compressed sensing and sensitivity encoding techniques. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 779-786	4.4	46
655	Added value of diffusion-weighted magnetic resonance imaging for the detection of pancreatic fluid collection infection. 2017 , 27, 1064-1073		15
654	Joint MR-PET Reconstruction Using a Multi-Channel Image Regularizer. 2017 , 36, 1-16		72
653	Diffusion-weighted imaging with reverse phase-encoding polarity: the added value to the conventional diffusion-weighted imaging in differentiating acute infarctions from hyperintense brainstem artifacts. 2017 , 27, 859-867		2

652	Resolving phase ambiguity in dual-echo dixon imaging using a projected power method. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 2066-2076	4.4	11
651	Single-step quantitative susceptibility mapping with variational penalties. 2017 , 30, e3570		35
650	Real-time free-breathing cardiac imaging with self-calibrated through-time radial GRAPPA. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 250-264	4.4	7
649	Accelerated phase contrast flow imaging with direct complex difference reconstruction. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1036-1048	4.4	11
648	A 16-channel combined loop-dipole transceiver array for 7 Tesla body MRI. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 884-894	4.4	107
647	Magnetic barcode imaging for contrast agents. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 970-978	4.4	7
646	LORAKS makes better SENSE: Phase-constrained partial fourier SENSE reconstruction without phase calibration. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1021-1035	4.4	30
645	Improved performance of prostate DCE-MRI using a 32-coil vs. 12-coil receiver array. 2017 , 39, 15-23		5
644	Imaging based magnetic resonance spectroscopy (MRS) localization for quantitative neurochemical analysis and cerebral metabolism studies. 2017 , 529, 40-47		9
643	Imaging and T relaxometry of short-T connective tissues in the knee using ultrashort echo-time double-echo steady-state (UTEDESS). <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 2136-2148	4.4	24
642	A New Joint-Blade SENSE Reconstruction for Accelerated PROPELLER MRI. <i>Scientific Reports</i> , 2017 , 7, 42602	4.9	2
641	New resonator geometries for ICE decoupling of loop arrays. 2017 , 277, 59-67		9
640	Susceptibility-Based Neuroimaging: Standard Methods, Clinical Applications, and Future Directions. 2017 , 5, 1		4
639	Highly-accelerated self-gated free-breathing 3D cardiac cine MRI: validation in assessment of left ventricular function. 2017 , 30, 337-346		14
638	Interchangeable neck shape-specific coils for a clinically realizable anterior neck phased array system. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 2460-2468	4.4	7
637	Fast magnetic resonance spectroscopic imaging techniques in human brain- applications in multiple sclerosis. 2017 , 24, 17		16
636	Model-based iterative reconstruction for single-shot EPI at 7T. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 2250-2264	4.4	7
635	Multiplexed MRI methods for rapid estimation of global cerebral metabolic rate of oxygen consumption. <i>NeuroImage</i> , 2017 , 149, 393-403	7.9	6

634	Image formation in diffusion MRI: A review of recent technical developments. 2017 , 46, 646-662		52
633	Review of key concepts in magnetic resonance physics. 2017 , 47, 497-506		8
632	Simultaneous Time Interleaved MultiSlice (STIMS) for Rapid Susceptibility Weighted acquisition. <i>NeuroImage</i> , 2017 , 155, 577-586	7.9	17
631	Multi-component quantitative magnetic resonance imaging by phasor representation. <i>Scientific Reports</i> , 2017 , 7, 861	4.9	14
630	Recent advances in parallel imaging for MRI. 2017 , 101, 71-95		76
629	Cardiac MOLLI T mapping at 3.0 T: comparison of patient-adaptive dual-source RF and conventional RF transmission. 2017 , 33, 889-897		1
628	The ultimate signal-to-noise ratio in realistic body models. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 1969-1980	4.4	42
627	O-space with high resolution readouts outperforms radial imaging. 2017 , 37, 107-115		5
626	Tradeoffs in pushing the spatial resolution of fMRI for the 7T Human Connectome Project. <i>NeuroImage</i> , 2017 , 154, 23-32	7.9	68
625	Bayesian framework inspired no-reference region-of-interest quality measure for brain MRI images. <i>Journal of Medical Imaging</i> , 2017 , 4, 025504	2.6	6
624	Simultaneous multislice imaging for native myocardial T mapping: Improved spatial coverage in a single breath-hold. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 462-471	4.4	24
623	Spatially-segmented undersampled MRI temperature reconstruction for transcranial MR-guided focused ultrasound. 2017 , 5, 13		5
622	Reduction of across-run variability of temporal SNR in accelerated EPI time-series data through FLEET-based robust autocalibration. <i>NeuroImage</i> , 2017 , 152, 348-359	7.9	8
621	Comparing functional MRI protocols for small, iron-rich basal ganglia nuclei such as the subthalamic nucleus at 7 T and 3 T. 2017 , 38, 3226-3248		43
620	Novel High Spatiotemporal Resolution Versus Standard-of-Care Dynamic Contrast-Enhanced Breast MRI: Comparison of Image Quality. 2017 , 52, 198-205		13
619	Pulse sequence considerations for simulation and postimplant dosimetry of prostate brachytherapy. 2017 , 16, 743-753		10
618	Use of pattern recognition for unaliasing simultaneously acquired slices in simultaneous multislice MR fingerprinting. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 1870-1876	4.4	20
617	Autocalibrating motion-corrected wave-encoding for highly accelerated free-breathing abdominal MRI. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 1757-1766	4.4	9

616	Four-dimensional diffusion-weighted MR imaging (4D-DWI): a feasibility study. 2017 , 44, 397-406		10
615	Impacting the effect of fMRI noise through hardware and acquisition choices - Implications for controlling false positive rates. <i>NeuroImage</i> , 2017 , 154, 15-22	7.9	23
614	Compressed sensing for body MRI. 2017 , 45, 966-987		125
613	Motion correction for diffusion weighted SMS imaging. 2017 , 38, 33-38		4
612	Towards a mechanistic understanding of the human subcortex. 2016 , 18, 57-65		55
611	Real-time probing of granular dynamics with magnetic resonance. 2017 , 3, e1701879		34
610	Decoupled dynamic magnetic field measurements improves diffusion-weighted magnetic resonance images. <i>Scientific Reports</i> , 2017 , 7, 11630	4.9	4
609	3D-MB-MUSE: A robust 3D multi-slab, multi-band and multi-shot reconstruction approach for ultrahigh resolution diffusion MRI. <i>NeuroImage</i> , 2017 , 159, 46-56	7.9	23
608	Comprehensive Multi-Dimensional MRI for the Simultaneous Assessment of Cardiopulmonary Anatomy and Physiology. <i>Scientific Reports</i> , 2017 , 7, 5330	4.9	26
607	Perceived moral traits of others differentiate the neural activation that underlies inequity-aversion. <i>Scientific Reports</i> , 2017 , 7, 43317	4.9	1
606	Improved Liver R2* Mapping by Averaging Decay Curves. <i>Scientific Reports</i> , 2017 , 7, 6158	4.9	1
605	High-resolution gradient-recalled echo imaging at 9.4T using 16-channel parallel transmit simultaneous multislice spokes excitations with slice-by-slice flip angle homogenization. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 1050-1058	4.4	17
604	Dual-volume excitation and parallel reconstruction for J-difference-edited MR spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 16-22	4.4	10
603	Correction of parallel transmission using concurrent RF and gradient field monitoring. 2017 , 30, 473-488		3
602	PEAR: PERiodic And fixed Rank separation for fast fMRI. 2017 , 44, 6166-6182		7
601	Fetal cardiac cine magnetic resonance imaging in utero. <i>Scientific Reports</i> , 2017 , 7, 15540	4.9	20
600	Comparing test-retest reliability of dynamic functional connectivity methods. <i>NeuroImage</i> , 2017 , 158, 155-175	7.9	102
599	Optshrink LR+ λ S: accelerated fMRI reconstruction using non-convex optimal singular value shrinkage. 2017 , 4, 65-83		7

598	Real-time phase-contrast flow cardiovascular magnetic resonance with low-rank modeling and parallel imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2017 , 19, 19	6.9	15
597	Cardiac 4D phase-contrast CMR at 9.4 T using self-gated ultra-short echo time (UTE) imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2017 , 19, 39	6.9	12
596	Body Diffusion Weighted Imaging Using Non-CPMG Fast Spin Echo. 2017 , 36, 549-559		6
595	Autocalibrated wave-CAIPI reconstruction; Joint optimization of k-space trajectory and parallel imaging reconstruction. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 1093-1099	4.4	37
594	(2 + 1)D-CAIPIRINHA accelerated MR spectroscopic imaging of the brain at 7T. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 429-440	4.4	38
593	Prospective motion correction in functional MRI. <i>NeuroImage</i> , 2017 , 154, 33-42	7.9	71
592	Efficient, Convergent SENSE MRI Reconstruction for Nonperiodic Boundary Conditions via Tridiagonal Solvers. <i>IEEE Transactions on Computational Imaging</i> , 2017 , 3, 11-21	4.5	6
591	Phase-contrast MRI with hybrid one and two-sided flow-encoding and velocity spectrum separation. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 182-192	4.4	4
590	Comparing an accelerated 3D fast spin-echo sequence (CS-SPACE) for knee 3-T magnetic resonance imaging with traditional 3D fast spin-echo (SPACE) and routine 2D sequences. 2017 , 46, 7-15		37
589	Direct estimation of tracer-kinetic parameter maps from highly undersampled brain dynamic contrast enhanced MRI. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 1566-1578	4.4	29
588	MR imaging of the temporomandibular joint: comparison between acquisitions at 7.0 T using dielectric pads and 3.0 T. 2017 , 46, 20160280		8
587	Knee imaging: Rapid three-dimensional fast spin-echo using compressed sensing. 2017 , 45, 1712-1722		48
586	Relation between one- and two-dimensional noise power spectra of magnetic resonance images. 2017 , 10, 161-170		1
585	Fast Realistic MRI Simulations Based on Generalized Multi-Pool Exchange Tissue Model. 2017 , 36, 527-537		36
584	3D-accelerated, stack-of-spirals acquisitions and reconstruction of arterial spin labeling MRI. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 1405-1419	4.4	14
583	MRI-based quantitative susceptibility mapping (QSM) and R2* mapping of liver iron overload: Comparison with SQUID-based biomagnetic liver susceptometry. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 264-270	4.4	46
582	ISMRM Raw data format: A proposed standard for MRI raw datasets. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 411-421	4.4	36
581	Combining phase images from array coils using a short echo time reference scan (COMPOSER). <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 318-327	4.4	37

580	Infimal convolution of total generalized variation functionals for dynamic MRI. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 142-155	4.4	35
579	Chemical exchange saturation transfer (CEST) imaging with fast variably-accelerated sensitivity encoding (vSENSE). <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 2225-2238	4.4	22
578	Measurement of Hypothalamic Glucose Under Euglycemia and Hyperglycemia by MRI at 3T. 2017 , 45, 681-691		6
577	Materials and methods for higher performance screen-printed flexible MRI receive coils. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 775-783	4.4	21
576	Diffusion Tractography of the Entire Left Ventricle by Using Free-breathing Accelerated Simultaneous Multisection Imaging. 2017 , 282, 850-856		25
575	Thrombus-mimicking artifacts in two-point Dixon MRI: Prevalence, appearance, and severity. 2017 , 45, 229-236		3
574	Distortion correction in diffusion-weighted imaging of the breast: Performance assessment of prospective, retrospective, and combined (prospective + retrospective) approaches. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 247-253	4.4	19
573	Accelerated ferumoxytol-enhanced 4D multiphase, steady-state imaging with contrast enhancement (MUSIC) cardiovascular MRI: validation in pediatric congenital heart disease. 2017 , 30, e3663		20
572	Combining a reduced field of excitation with SENSE-based parallel imaging for maximum imaging efficiency. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 88-96	4.4	9
571	An illustrated comparison of processing methods for MR phase imaging and QSM: combining array coil signals and phase unwrapping. 2017 , 30, e3601		78
570	Electrical Properties Tomography Based on B_1 Maps in MRI: Principles, Applications, and Challenges. 2017 , 64, 2515-2530		34
569	Highly Accelerated SSFP Imaging with Controlled Aliasing in Parallel Imaging and integrated-SSFP (CAIPI-iSSFP). 2017 , 21, 210-222		2
568	Disrupted Thalamus White Matter Anatomy and Posterior Default Mode Network Effective Connectivity in Amnesic Mild Cognitive Impairment. 2017 , 9, 370		11
567	From Thirst to Satiety: The Anterior Mid-Cingulate Cortex and Right Posterior Insula Indicate Dynamic Changes in Incentive Value. 2017 , 11, 234		10
566	Patch-Based Super-Resolution of MR Spectroscopic Images: Application to Multiple Sclerosis. 2017 , 11, 13		20
565	Analysis of the Precision of Variable Flip Angle Mapping with Emphasis on the Noise Propagated from RF Transmit Field Maps. 2017 , 11, 106		13
564	Aberrant Cerebral Blood Flow in Response to Hunger and Satiety in Women Remitted from Anorexia Nervosa. 2017 , 4, 32		8
563	Accelerated Computing in Magnetic Resonance Imaging: Real-Time Imaging Using Nonlinear Inverse Reconstruction. 2017 , 2017, 3527269		14

562	A Feasibility Study of Geometric-Decomposition Coil Compression in MRI Radial Acquisitions. 2017 , 2017, 7685208		2
561	Low-Rank and Sparse Decomposition Model for Accelerating Dynamic MRI Reconstruction. 2017 , 2017, 9856058		4
560	Iterative Schemes to Solve Low-Dimensional Calibration Equations in Parallel MR Image Reconstruction with GRAPPA. 2017 , 2017, 3872783		5
559	Locally Low-Rank Tensor Regularization for High-Resolution Quantitative Dynamic MRI. 2017 , 2017,		10
558	The Impact of Injector-Based Contrast Agent Administration on Bolus Shape and Magnetic Resonance Angiography Image Quality. 2017 , 10, 1178623X17705894		6
557	Three-dimensional Cardiac MR Imaging: Related Techniques and Clinical Applications. 2017 , 16, 183-189		9
556	Assessing tissue metabolism by phosphorous-31 magnetic resonance spectroscopy and imaging: a methodology review. <i>Quantitative Imaging in Medicine and Surgery</i> , 2017 , 7, 707-726	3.6	40
555	Susceptibility Imaging in Glial Tumor Grading; Using 3 Tesla Magnetic Resonance (MR) System and 32 Channel Head Coil. 2017 , 82, 179-187		6
554	3D hyperpolarized C-13 EPI with calibrationless parallel imaging. 2018 , 289, 92-99		22
553	Comparison between whole-body and head and neck neurovascular coils for 3-T magnetic resonance proton resonance frequency shift thermography guidance in the head and neck region. 2018 , 33, 369-373		2
552	Accelerating 3D-T mapping of cartilage using compressed sensing with different sparse and low rank models. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1475-1491	4.4	26
551	Printed Receive Coils with High Acoustic Transparency for Magnetic Resonance Guided Focused Ultrasound. <i>Scientific Reports</i> , 2018 , 8, 3392	4.9	16
550	Feasibility of high spatiotemporal resolution for an abbreviated 3D radial breast MRI protocol. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1452-1466	4.4	13
549	T mapping of cerebrospinal fluid: 3 T versus 7 T. 2018 , 31, 415-424		16
548	Robust Self-Calibrating nCPMG Acquisition: Application to Body Diffusion-Weighted Imaging. 2018 , 37, 200-209		2
547	Time-resolved contrast-enhanced MR angiography with single-echo Dixon fat suppression. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1556-1567	4.4	3
546	Simultaneous multislice acquisition without trajectory modification for hyperpolarized C experiments. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1588-1594	4.4	10
545	A highly decoupled transmit-receive array design with triangular elements at 7T. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 2267-2274	4.4	6

544	Assessment of velopharyngeal function with dual-planar high-resolution real-time spiral dynamic MRI. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1467-1474	4.4	11
543	Novel practical SNR determination method for MRI using double echo with longest second echo time (DELSET). 2018 , 91, 20170652		4
542	Multiple sclerosis lesions affect intrinsic functional connectivity of the spinal cord. 2018 , 141, 1650-1664		25
541	On-the-Fly Adaptive k -Space Sampling for Linear MRI Reconstruction Using Moment-Based Spectral Analysis. 2018 , 37, 557-567		11
540	Influence of principal component analysis acceleration factor on velocity measurement in 2D and 4D PC-MRI. 2018 , 31, 469-481		8
539	Free-breathing whole-heart 3D cine magnetic resonance imaging with prospective respiratory motion compensation. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 181-189	4.4	18
538	A bayesian method for accelerated magnetic resonance elastography of the liver. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1178-1188	4.4	7
537	Dynamic 2D self-phase-map Nyquist ghost correction for simultaneous multi-slice echo planar imaging. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1577-1587	4.4	0
536	PRIM: An Efficient Preconditioning Iterative Reweighted Least Squares Method for Parallel Brain MRI Reconstruction. 2018 , 16, 425-430		2
535	Attention Shifts Recruit the Monkey Default Mode Network. 2018 , 38, 1202-1217		15
534	Simultaneous bilateral-knee MR imaging. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 529-537	4.4	13
533	Cardiac MR elastography using reduced-FOV, single-shot, spin-echo EPI. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 231-238	4.4	6
532	Distortion correction of echo planar images applying the concept of finite rate of innovation to point spread function mapping (FRIP). 2018 , 31, 449-456		1
531	Dynamic field-of-view imaging to increase temporal resolution in the early phase of contrast media uptake in breast DCE-MRI: A feasibility study. 2018 , 45, 1050-1058		4
530	Improving parallel imaging by jointly reconstructing multi-contrast data. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 619-632	4.4	38
529	Reducing sedation for pediatric body MRI using accelerated and abbreviated imaging protocols. 2018 , 48, 37-49		43
528	RF pulse methods for use with surface coils: Frequency-modulated pulses and parallel transmission. 2018 , 291, 84-93		3
527	Cerebrospinal fluid β -amyloid and neurofilament light relate to white matter hyperintensities. 2018 , 68, 18-25		29

526	Super-resolution musculoskeletal MRI using deep learning. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 2139-2154	4.4	160
525	Image reconstruction by domain-transform manifold learning. 2018 , 555, 487-492		695
524	TARgeted Motion Estimation and Reduction (TAMER): Data Consistency Based Motion Mitigation for MRI Using a Reduced Model Joint Optimization. 2018 , 37, 1253-1265		30
523	Placental perfusion imaging using velocity-selective arterial spin labeling. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1036-1047	4.4	24
522	Key clinical benefits of neuroimaging at 7T. <i>NeuroImage</i> , 2018 , 168, 477-489	7.9	73
521	A method for the dynamic correction of B-related distortions in single-echo EPI at 7T. <i>NeuroImage</i> , 2018 , 168, 321-331	7.9	36
520	Pediatric neuro MRI: tricks to minimize sedation. 2018 , 48, 50-55		27
519	Reduced field of view single-shot spiral perfusion imaging. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 208-216	4.4	4
518	Ultrafast compartmentalized relaxation time mapping with linear algebraic modeling. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 286-297	4.4	4
517	5D whole-heart sparse MRI. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 826-838	4.4	76
516	Evaluation of SLice Dithered Enhanced Resolution Simultaneous MultiSlice (SLIDER-SMS) for human fMRI. <i>NeuroImage</i> , 2018 , 164, 164-171	7.9	10
515	Wave-CAIPI for highly accelerated MP-RAGE imaging. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 401-406	4.4	29
514	Regional assessment of in vivo myocardial stiffness using 3D magnetic resonance elastography in a porcine model of myocardial infarction. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 361-369	4.4	15
513	Pulse sequences and parallel imaging for high spatiotemporal resolution MRI at ultra-high field. <i>NeuroImage</i> , 2018 , 168, 101-118	7.9	38
512	Accelerated noncontrast-enhanced 4-dimensional intracranial MR angiography using golden-angle stack-of-stars trajectory and compressed sensing with magnitude subtraction. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 867-878	4.4	19
511	Accelerated whole-heart MR angiography using a variable-density poisson-disc undersampling pattern and compressed sensing reconstruction. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 761-769	4.4	5
510	Single-breath-hold 3-D CINE imaging of the left ventricle using Cartesian sampling. 2018 , 31, 19-31		24
509	Imaging at ultrahigh magnetic fields: History, challenges, and solutions. <i>NeuroImage</i> , 2018 , 168, 7-32	7.9	60

508	Super-resolution intracranial quiescent interval slice-selective magnetic resonance angiography. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 683-691	4.4	11
507	Ghost reduction in echo-planar imaging by joint reconstruction of images and line-to-line delays and phase errors. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 3114-3121	4.4	5
506	MRI sport-specific pulley imaging. 2018 , 47, 989-992		4
505	Body diffusion-weighted imaging using magnetization prepared single-shot fast spin echo and extended parallel imaging signal averaging. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 3032-3044	4.4	4
504	Fast 3D magnetic resonance fingerprinting for a whole-brain coverage. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 2190-2197	4.4	74
503	Simultaneous bright- and black-blood whole-heart MRI for noncontrast enhanced coronary lumen and thrombus visualization. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1460-1472	4.4	20
502	Five-minute knee MRI for simultaneous morphometry and T relaxometry of cartilage and meniscus and for semiquantitative radiological assessment using double-echo in steady-state at 3T. 2018 , 47, 1328-1341 ²⁸		28
501	Arterial spin labeling for the measurement of cerebral perfusion and angiography. 2018 , 38, 603-626		49
500	A rigid, stand-off hybrid dipole, and birdcage coil array for 7 T body imaging. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 822-832	4.4	14
499	An efficient sequence for fetal brain imaging at 3T with enhanced T contrast and motion robustness. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 137-146	4.4	4
498	Learning a variational network for reconstruction of accelerated MRI data. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 3055-3071	4.4	585
497	Technical note: Accelerated nonrigid motion-compensated isotropic 3D coronary MR angiography. 2018 , 45, 214-222		16
496	The role of fMRI in drug development. 2018 , 23, 333-348		35
495	General phase regularized reconstruction using phase cycling. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 112-125	4.4	20
494	Fast quantitative MRI as a nonlinear tomography problem. 2018 , 46, 56-63		26
493	Self-calibrated correlation imaging with k-space variant correlation functions. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1483-1494	4.4	2
492	Quantitative susceptibility mapping: Report from the 2016 reconstruction challenge. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1661-1673	4.4	95
491	Modular transmit/receive arrays using very-high permittivity dielectric resonator antennas. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1781-1788	4.4	9

490	Simultaneous multi slice (SMS) balanced steady state free precession first-pass myocardial perfusion cardiovascular magnetic resonance with iterative reconstruction at 1.5 T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 84	6.9	22
489	Analysis and improvement of motion encoding in magnetic resonance elastography. 2018 , 31, e3908		11
488	Advances and Future Direction of Magnetic Resonance Elastography. 2018 , 27, 363-384		7
487	Accelerated Simultaneous Multi-Slice MRI using Subject-Specific Convolutional Neural Networks. 2018 , 2018, 1636-1640		5
486	Common artefacts encountered on images acquired with combined compressed sensing and SENSE. <i>Insights Into Imaging</i> , 2018 , 9, 1107-1115	5.6	30
485	A survey of GPU-based acceleration techniques in MRI reconstructions. <i>Quantitative Imaging in Medicine and Surgery</i> , 2018 , 8, 196-208	3.6	25
484	A practical protocol for measurements of spinal cord functional connectivity. <i>Scientific Reports</i> , 2018 , 8, 16512	4.9	10
483	Fast GPU Implementation of a Scan-Specific Deep Learning Reconstruction for Accelerated Magnetic Resonance Imaging. 2018 , 2018, 399-403		2
482	Rapid compositional mapping of knee cartilage with compressed sensing MRI. 2018 , 48, 1185-1198		13
481	Improving apparent diffusion coefficient accuracy on a compact 3T MRI scanner using gradient nonlinearity correction. 2018 , 48, 1498-1507		8
480	Noninvasive aortic imaging. 2018 , 8, S3-S18		12
479	Simultaneous and inherent correction of B and eddy-current induced distortions in high-resolution diffusion MRI using reversed polarity gradients and multiplexed sensitivity encoding (RPG-MUSE). <i>NeuroImage</i> , 2018 , 183, 985-993	7.9	5
478	Draining the pond and catching the fish: Uncovering the ecosystem of auditory verbal hallucinations. 2018 , 20, 830-843		6
477	Improved Parallel Magnertic Resonance Imaging reconstruction with Complex Proximal Support Vector Regression. <i>Scientific Reports</i> , 2018 , 8, 15093	4.9	
476	Upper Airway Narrowing during Central Apnea in Obese Adolescents. 2018 , 15, 1465-1471		2
475	Subject-Specific Convolutional Neural Networks for Accelerated Magnetic Resonance Imaging. 2018 , 2018,		
474	Accelerated diffusion-weighted imaging for lymph node assessment in the pelvis applying simultaneous multislice acquisition: A healthy volunteer study. 2018 , 97, e11745		7
473	Self-decoupled radiofrequency coils for magnetic resonance imaging. 2018 , 9, 3481		35

472	Effect of head motion on MRI B field distribution. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 2538-2548	4.4	20
471	Single-breath-hold abdominal [Formula: see text] mapping using 3D Cartesian Look-Locker with spatiotemporal sparsity constraints. 2018 , 31, 399-414		1
470	Magnetic Resonance Imaging technology-bridging the gap between noninvasive human imaging and optical microscopy. 2018 , 50, 250-260		13
469	Navigator-Free EPI Ghost Correction With Structured Low-Rank Matrix Models: New Theory and Methods. 2018 , 37, 2390-2402		19
468	Longitudinal Deformation of the Right Ventricle in Hypoplastic Left Heart Syndrome: A Comparative Study of 2D-Feature Tracking Magnetic Resonance Imaging and 2D-Speckle Tracking Echocardiography. 2018 , 39, 1265-1275		12
467	A Dedicated 36-Channel Receive Array for Fetal MRI at 3T. 2018 , 37, 2290-2297		10
466	SERIAL transmit - parallel receive (STPR) MR imaging produces acceptable proton image uniformity without compromising field of view or SAR guidelines for human neuroimaging at 9.4 Tesla. 2018 , 293, 145-153		2
465	A diffusion-matched principal component analysis (DM-PCA) based two-channel denoising procedure for high-resolution diffusion-weighted MRI. 2018 , 13, e0195952		10
464	Rapid B field mapping at 3 T using the 180° signal null method with extended flip angle. 2018 , 53, 173-179		5
463	Kernel Principal Component Analysis of Coil Compression in Parallel Imaging. 2018 , 2018, 4254189		1
462	Fast MR thermometry using an echo-shifted sequence with simultaneous multi-slice imaging. 2018 , 31, 771-779		7
461	Non-contrast assessment of microvascular integrity using arterial spin labeled cardiovascular magnetic resonance in a porcine model of acute myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 45	6.9	8
460	THE FOURIER RADIAL ERROR SPECTRUM PLOT: A MORE NUANCED QUANTITATIVE EVALUATION OF IMAGE RECONSTRUCTION QUALITY. 2018 , 2018, 61-64		7
459	Combining SENSE and reduced field-of-view for high-resolution diffusion weighted magnetic resonance imaging. 2018 , 17, 77		5
458	A robust multi-scale approach to quantitative susceptibility mapping. <i>NeuroImage</i> , 2018 , 183, 7-24	7.9	30
457	Fast, free-breathing and motion-minimized techniques for pediatric body magnetic resonance imaging. 2018 , 48, 1197-1208		29
456	Hybrid Imaging: Instrumentation and Data Processing. 2018 , 6,		18
455	Multicompartment Magnetic Resonance Fingerprinting. 2018 , 34,		21

454	Variable-Density Single-Shot Fast Spin-Echo MRI with Deep Learning Reconstruction by Using Variational Networks. 2018 , 289, 366-373		54
453	C-acetate PET/MRI in bladder cancer staging and treatment response evaluation to neoadjuvant chemotherapy: a prospective multicenter study (ACEBIB trial). 2018 , 18, 25		18
452	Neural Responses to Naturalistic Clips of Behaving Animals in Two Different Task Contexts. 2018 , 12, 316		7
451	Tactile-to-Visual Cross-Modal Transfer of Texture Categorisation Following Training: An fMRI Study. 2018 , 12, 24		3
450	Improvements in High Resolution Laryngeal Magnetic Resonance Imaging for Preoperative Transoral Laser Microsurgery and Radiotherapy Considerations in Early Lesions. 2018 , 8, 216		14
449	Performance study of a radio-frequency field-penetrable PET insert for simultaneous PET/MRI. 2018 , 2, 422-431		10
448	Impulse response timing differences in BOLD and CBV weighted fMRI. <i>NeuroImage</i> , 2018 , 181, 292-300	7.9	6
447	An in-vivo comparison of stimulated-echo and motion compensated spin-echo sequences for 3 T diffusion tensor cardiovascular magnetic resonance at multiple cardiac phases. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 1	6.9	42
446	Simple motion correction strategy reduces respiratory-induced motion artifacts for k-t accelerated and compressed-sensing cardiovascular magnetic resonance perfusion imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 6	6.9	23
445	A high-impedance detector-array glove for magnetic resonance imaging of the hand. 2018 , 2, 570-577		38
444	Technical Note: Retrospective reduction in systematic differences across scanner changes by accounting for noise floor effects in diffusion tensor imaging. 2018 , 45, 4171		5
443	Technical Aspects of Contrast-enhanced MR Angiography: Current Status and New Applications. 2018 , 17, 3-12		10
442	Accurate modeling of temporal correlations in rapidly sampled fMRI time series. 2018 , 39, 3884-3897		43
441	RF coils: A practical guide for nonphysicists. 2018 , 48, 590		65
440	KerNL: Kernel-Based Nonlinear Approach to Parallel MRI Reconstruction. 2019 , 38, 312-321		8
439	Estimation of Spatiotemporal Sensitivity Using Band-limited Signals with No Additional Acquisitions for k-t Parallel Imaging. 2019 , 18, 19-28		1
438	Combined angiography and perfusion using radial imaging and arterial spin labeling. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 182-194	4.4	7
437	Accelerating compressed sensing in parallel imaging reconstructions using an efficient circulant preconditioner for cartesian trajectories. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 670-685	4.4	8

436	Head motion measurement and correction using FID navigators. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 258-274	4.4	24
435	Evaluating the Utility of EPIK in a Finger Tapping fMRI Experiment using BOLD Detection and Effective Connectivity. <i>Scientific Reports</i> , 2019 , 9, 10978	4.9	2
434	Radiomics and machine learning of multisequence multiparametric prostate MRI: Towards improved non-invasive prostate cancer characterization. 2019 , 14, e0217702		46
433	Ultimate MRI. 2019 , 306, 139-144		9
432	In vivo magnetic resonance imaging and spectroscopy. Technological advances and opportunities for applications continue to abound. 2019 , 306, 55-65		6
431	Simultaneous metabolic and functional imaging of the brain using SPICE. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1993-2002	4.4	8
430	Multipoint 5D flow cardiovascular magnetic resonance - accelerated cardiac- and respiratory-motion resolved mapping of mean and turbulent velocities. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019 , 21, 42	6.9	31
429	Orthogonal tensor dictionary learning for accelerated dynamic MRI. 2019 , 57, 1933-1946		4
428	Beyond T2 and 3T: New MRI techniques for clinicians. 2019 , 18, 87-97		6
427	Quantitative assessment of phased array coils with different numbers of receiving channels in terms of signal-to-noise ratio and spatial noise variation in magnetic resonance imaging. 2019 , 14, e0219407		3
426	Extracting Reproducible Time-Resolved Resting State Networks Using Dynamic Mode Decomposition. 2019 , 13, 75		14
425	Parallel magnetic resonance image reconstruction from a single-element parametric amplifier. 2019 , 63, 147-154		1
424	Evaluation of compressed sensing MRI for accelerated bowel motility imaging. 2019 , 3, 7		9
423	The advantages of radial trajectories for vessel-selective dynamic angiography with arterial spin labeling. 2019 , 32, 643-653		0
422	Silent volumetric multi-contrast 7 Tesla MRI of ocular tumors using Zero Echo Time imaging. 2019 , 14, e0222573		5
421	Improved statistical efficiency of simultaneous multi-slice fMRI by reconstruction with spatially adaptive temporal smoothing. <i>NeuroImage</i> , 2019 , 203, 116165	7.9	2
420	No relationship between fornix and cingulum degradation and within-network decreases in functional connectivity in prodromal Alzheimer disease. 2019 , 14, e0222977		4
419	Reconstruction techniques for cardiac cine MRI. <i>Insights Into Imaging</i> , 2019 , 10, 100	5.6	10

418	SUPER: A blockwise curve-fitting method for accelerating MR parametric mapping with fast reconstruction. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 3515-3529	4.4	4
417	Noise reduction in diffusion MRI using non-local self-similar information in joint x-q space. 2019 , 53, 79-94		14
416	Improved chemical exchange saturation transfer imaging with real-time frequency drift correction. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 2915-2923	4.4	19
415	Sparsity adaptive reconstruction for highly accelerated cardiac MRI. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 3875-3887	4.4	3
414	hMRI - A toolbox for quantitative MRI in neuroscience and clinical research. <i>NeuroImage</i> , 2019 , 194, 191-210	7.9	73
413	Echo planar time-resolved imaging (EPTI). <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 3599-3615	4.4	30
412	Complex diffusion-weighted image estimation via matrix recovery under general noise models. <i>NeuroImage</i> , 2019 , 200, 391-404	7.9	58
411	The relationship between patellofemoral arthritis and fat tissue volume, body mass index and popliteal artery intima-media thickness through 3T knee MRI. 2019 , 49, 844-853		2
410	Banding-free balanced SSFP cardiac cine using frequency modulation and phase cycle redundancy. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1604-1616	4.4	0
409	Model-inferred mechanisms of liver function from magnetic resonance imaging data: Validation and variation across a clinically relevant cohort. 2019 , 15, e1007157		4
408	A dual-tuned multichannel bilateral RF coil for H/ Na breast MRI at 7 T. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1566-1575	4.4	8
407	Multiple-Input Multiple-Output (MIMO) MRI: Combining Parallel Excitation and Parallel Reception for Enhanced Imaging. <i>IEEE Transactions on Computational Imaging</i> , 2019 , 5, 596-605	4.5	1
406	SANTIS: Sampling-Augmented Neural neTwork with Incoherent Structure for MR image reconstruction. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1890-1904	4.4	41
405	Artificial Intelligence in Musculoskeletal Imaging: Current Status and Future Directions. 2019 , 213, 506-513		47
404	Non-Cartesian GRAPPA and coil combination using interleaved calibration data - application to concentric-ring MRSI of the human brain at 7T. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1587-1603	4.4	14
403	Feasibility of Quantitative Magnetic Resonance Fingerprinting in Ovarian Tumors for T and T Mapping in a PET/MR Setting. 2019 , 3, 509-515		4
402	A combined 32-channel receive-loops/8-channel transmit-dipoles coil array for whole-brain MR imaging at 7T. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1229-1241	4.4	16
401	Deep residual network for off-resonance artifact correction with application to pediatric body MRA with 3D cones. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1398-1411	4.4	8

400	Highly accelerated multishot echo planar imaging through synergistic machine learning and joint reconstruction. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1343-1358	4.4	17
399	A 3D k-space Fourier encoding and reconstruction framework for simultaneous multi-slab acquisition. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1012-1024	4.4	2
398	Denoising of Diffusion MRI Data via Graph Framelet Matching in x-q Space. 2019 , 38, 2838-2848		13
397	Reduction of procedure times in routine clinical practice with Compressed SENSE magnetic resonance imaging technique. 2019 , 14, e0214887		28
396	Quantification of aortic pulse wave velocity from a population based cohort: a fully automatic method. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019 , 21, 27	6.9	5
395	Free-breathing cine imaging with motion-corrected reconstruction at 3T using SPiral Acquisition with Respiratory correction and Cardiac Self-gating (SPARCS). <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 706-720	4.4	15
394	Virtual slice concept for improved simultaneous multi-slice MRI employing an extended leakage constraint. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 377-386	4.4	2
393	A GRAPPA algorithm for arbitrary 2D/3D non-Cartesian sampling trajectories with rapid calibration. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1101-1112	4.4	7
392	Network Accelerated Motion Estimation and Reduction (NAMER): Convolutional neural network guided retrospective motion correction using a separable motion model. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1452-1461	4.4	34
391	HF-SENSE: an improved partially parallel imaging using a high-pass filter. <i>BMC Medical Imaging</i> , 2019 , 19, 27	2.9	3
390	Investigating the impact of autocorrelation on time-varying connectivity. <i>NeuroImage</i> , 2019 , 197, 37-48	7.9	14
389	MRI of Uveal Melanoma. <i>Cancers</i> , 2019 , 11,	6.6	28
388	ENLIVE: An Efficient Nonlinear Method for Calibrationless and Robust Parallel Imaging. <i>Scientific Reports</i> , 2019 , 9, 3034	4.9	10
387	High-dimensionality undersampled patch-based reconstruction (HD-PROST) for accelerated multi-contrast MRI. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 3705-3719	4.4	43
386	High Acceleration Three-Dimensional T1-Weighted Dual Echo Dixon Hepatobiliary Phase Imaging Using Compressed Sensing-Sensitivity Encoding: Comparison of Image Quality and Solid Lesion Detectability with the Standard T1-Weighted Sequence. 2019 , 20, 438-448		15
385	Amygdala Modulation During Emotion Regulation Training With fMRI-Based Neurofeedback. 2019 , 13, 89		13
384	Steady-state double-angle method for rapid B mapping. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 189-201		5
383	Comparison of four MR carotid surface coils at 3T. 2019 , 14, e0213107		4

382	Radiofrequency phase encoded half-pulses in simultaneous multislice ultrashort echo time imaging. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 3720-3733	4.4	
381	Diffusion Acceleration with Gaussian process Estimated Reconstruction (DAGER). <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 107-125	4.4	10
380	Dynamic MRI using model-based deep learning and STORM priors: MoDL-STORM. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 485-494	4.4	44
379	Resolving estimation uncertainties of chemical shift encoded fat-water imaging using magnetization transfer effect. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 202-212	4.4	3
378	MANTIS: Model-Augmented Neural neTwork with Incoherent k-space Sampling for efficient MR parameter mapping. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 174-188	4.4	36
377	Compressed sensing MRI: a review from signal processing perspective. 2019 , 1, 8		40
376	The Relationship Between Regional Cerebral Blood Flow Estimates and Alcohol Problems at 5-Year Follow-Up: The Role of Level of Response. 2019 , 43, 812-821		6
375	Homogeneous B for bilateral breast imaging at 7 T using a five dipole transmit array merged with a high density receive loop array. 2019 , 32, e4039		9
374	Ristretto MRE: A generalized multi-shot GRE-MRE sequence. 2019 , 32, e4049		8
373	Brain imaging with improved acceleration and SNR at 7 Tesla obtained with 64-channel receive array. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 495-509	4.4	26
372	Cancer in the crosshairs: targeting cancer metabolism with hyperpolarized carbon-13 MRI technology. 2019 , 32, e3937		8
371	Segmented Echo Planar Imaging Improves Detection of Subcortical Functional Connectivity Networks in the Rat Brain. <i>Scientific Reports</i> , 2019 , 9, 1397	4.9	3
370	Manifold recovery using kernel low-rank regularization: application to dynamic imaging. <i>IEEE Transactions on Computational Imaging</i> , 2019 , 5, 478-491	4.5	14
369	Magnetic resonance thermometry and its biological applications - Physical principles and practical considerations. 2019 , 110, 34-61		42
368	Multimodality imaging-guided local injection of eccentric magnetic microcapsules with electromagnetically controlled drug release. 2019 , 2, e1154		8
367	Highly-accelerated volumetric brain examination using optimized wave-CAIPI encoding. 2019 , 50, 961-974		21
366	OEDIPUS: An Experiment Design Framework for Sparsity-Constrained MRI. 2019 , 38, 1545-1558		23
365	Accelerated Time-of-Flight Magnetic Resonance Angiography with Sparse Undersampling and Iterative Reconstruction for the Evaluation of Intracranial Arteries. 2019 , 20, 265-274		7

364	Modular preprocessing pipelines can reintroduce artifacts into fMRI data. 2019 , 40, 2358-2376		89
363	Clinical Potential of a New Approach to MRI Acceleration. <i>Scientific Reports</i> , 2019 , 9, 1912	4.9	4
362	Minimal Linear Networks for Magnetic Resonance Image Reconstruction. <i>Scientific Reports</i> , 2019 , 9, 195279		7
361	Artificial intelligence in pediatric and adult congenital cardiac MRI: an unmet clinical need. 2019 , 9, S310-S325		19
360	Improved Regularized Reconstruction for Simultaneous Multi-Slice Cardiac MRI Mapping. 2019 , 2019,		4
359	Arterial spin labeling MR image denoising and reconstruction using unsupervised deep learning. 2019 , e4224		5
358	Super-Resolution H Magnetic Resonance Spectroscopic Imaging Utilizing Deep Learning. 2019 , 9, 1010		27
357	Optimized fast GPU implementation of robust artificial-neural-networks for k-space interpolation (RAKI) reconstruction. 2019 , 14, e0223315		3
356	Topics on quantitative liver magnetic resonance imaging. <i>Quantitative Imaging in Medicine and Surgery</i> , 2019 , 9, 1840-1890	3.6	19
355	Parallel Transmission for Ultrahigh Field MRI. 2019 , 28, 159-171		15
354	Comparison of Motion-Insensitive T2-Weighted MRI Pulse Sequences for Visualization of the Prostatic Urethra During MR Simulation. 2019 , 9, e534-e540		9
353	Accelerating chemical exchange saturation transfer MRI with parallel blind compressed sensing. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 504-513	4.4	12
352	Scan-specific robust artificial-neural-networks for k-space interpolation (RAKI) reconstruction: Database-free deep learning for fast imaging. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 439-453	4.4	145
351	Combined application of isotropic three-dimensional fast spin echo (3D-FSE-Cube) with 2-point Dixon fat/water separation (FLEX) and 3D-FSE-cube in MR dacryocystography. 2019 , 92, 20180157		3
350	Tilted-CAIPI for highly accelerated distortion-free EPI with point spread function (PSF) encoding. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 377-392	4.4	23
349	Size-adaptable "Trellis" structure for tailored MRI coil arrays. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 3406-3415	4.4	7
348	Impact of the Number of Iterations in Compressed Sensing Reconstruction on Ultrafast Dynamic Contrast-enhanced Breast MR Imaging. 2019 , 18, 200-207		10
347	Cartesian MR fingerprinting in the eye at 7T using compressed sensing and matrix completion-based reconstructions. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 2551-2565	4.4	12

346	Efficient Dynamic Parallel MRI Reconstruction for the Low-Rank Plus Sparse Model. <i>IEEE Transactions on Computational Imaging</i> , 2019 , 5, 17-26	4.5	7
345	A Novel Expandable Catheter Wireless Amplified NMR Detector for MR Sensitivity Accessing the Kidney in Rodent Model. 2019 , 13, 444-453		4
344	Low-field MRI: An MR physics perspective. 2019 , 49, 1528-1542		79
343	Targeted rapid knee MRI exam using T shuffling. 2019 , 49, e195-e204		7
342	Sliding motion compensated low-rank plus sparse (SMC-LS) reconstruction for high spatiotemporal free-breathing liver 4D DCE-MRI. 2019 , 58, 56-66		4
341	Rapid T quantification from high resolution 3D data with model-based reconstruction. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 2072-2089	4.4	17
340	Comparing signal-to-noise ratio for prostate imaging at 7T and 3T. 2019 , 49, 1446-1455		9
339	Compressed sensing acceleration of biexponential 3D-T relaxation mapping of knee cartilage. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 863-880	4.4	13
338	Whole-heart spiral simultaneous multi-slice first-pass myocardial perfusion imaging. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 852-862	4.4	20
337	Multi-modal synergistic PET and MR reconstruction using mutually weighted quadratic priors. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 2120-2134	4.4	8
336	Deep Learning Based Multi-Modal Fusion for Fast MR Reconstruction. 2018 ,		44
335	Model-based reconstruction framework for correction of signal pile-up and geometric distortions in prostate diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1979-1992	4.4	6
334	Potential acceleration performance of a 256-channel whole-brain receive array at 7 T. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1659-1670	4.4	10
333	On the sensitivity of quantitative susceptibility mapping for measuring trabecular bone density. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1739-1754	4.4	11
332	Wave-LORAKS: Combining wave encoding with structured low-rank matrix modeling for more highly accelerated 3D imaging. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1620-1633	4.4	10
331	a-f BLAST: Non-Iterative Radial k-t BLAST Reconstruction for Real-Time Imaging. 2019 , 38, 775-790		0
330	A circular echo planar sequence for fast volumetric fMRI. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1685-1698	4.4	2
329	Hippocampal Shape Maturation in Childhood and Adolescence. 2019 , 29, 3651-3665		8

328	Dual regression physiological modeling of resting-state EPI power spectra: Effects of healthy aging. <i>NeuroImage</i> , 2019 , 187, 68-76	7.9	9
327	Recent progress in ASL. <i>NeuroImage</i> , 2019 , 187, 3-16	7.9	39
326	Validity and Normative Data for the Biber Figure Learning Test: A Visual Supraspan Memory Measure. 2020 , 27, 1320-1334		2
325	Adaptive phase correction of diffusion-weighted images. <i>NeuroImage</i> , 2020 , 206, 116274	7.9	7
324	Toward whole-cortex enhancement with an ultrahigh dielectric constant helmet at 3T. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1123-1134	4.4	4
323	Self-regulation of ventromedial prefrontal cortex activation using real-time fMRI neurofeedback-Influence of default mode network. 2020 , 41, 342-352		11
322	Shielded-coaxial-cable coils as receive and transceive array elements for 7T human MRI. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1135-1146	4.4	16
321	Field drift correction of proton resonance frequency shift temperature mapping with multichannel fast alternating nonselective free induction decay readouts. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 962-973	4.4	6
320	Low-Rank Tensor Models for Improved Multi-Dimensional MRI: Application to Dynamic Cardiac Mapping. <i>IEEE Transactions on Computational Imaging</i> , 2019 , 6, 194-207	4.5	13
319	MoDL-MUSSELS: Model-Based Deep Learning for Multishot Sensitivity-Encoded Diffusion MRI. 2020 , 39, 1268-1277		14
318	SMS MUSSELS: A navigator-free reconstruction for simultaneous multi-slice-accelerated multi-shot diffusion weighted imaging. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 154-169	4.4	7
317	Simultaneous Multi-VENC and Simultaneous Multi-Slice Phase Contrast Magnetic Resonance Imaging. 2020 , 39, 742-752		
316	Data Quality and Optimal Background Correction Order of Respiratory-Gated k-Space Segmented Spoiled Gradient Echo (SGRE) and Echo Planar Imaging (EPI)-Based 4D Flow MRI. 2020 , 51, 885-896		4
315	Designing parallel transmit head coil arrays based on radiofrequency pulse performance. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 2331-2342	4.4	4
314	Joint B and image estimation integrated with model based reconstruction for field map update and distortion correction in prostate diffusion MRI. 2020 , 65, 90-99		2
313	Navigator-based reacquisition and estimation of motion-corrupted data: Application to multi-echo spin echo for carotid wall MRI. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 2026-2041	4.4	4
312	Four-angle method for practical ultra-high-resolution magnetic resonance mapping of brain longitudinal relaxation time and apparent proton density. 2020 , 66, 57-68		
311	Accelerated mono- and biexponential 3D-T1 ρ relaxation mapping of knee cartilage using golden angle radial acquisitions and compressed sensing. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1291-1309	4.4	8

310	Impact of (k,t) sampling on DCE MRI tracer kinetic parameter estimation in digital reference objects. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1625-1639	4.4	4
309	Multi-shot diffusion-weighted MRI reconstruction with magnitude-based spatial-angular locally low-rank regularization (SPA-LLR). <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1596-1607	4.4	8
308	Correcting time-intensity curves in dynamic contrast-enhanced breast MRI for inhomogeneous excitation fields at 7T. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 1000-1010	4.4	1
307	Acquisition strategies for spatially resolved magnetic resonance detection of hyperpolarized nuclei. 2020 , 33, 221-256		9
306	Accuracy, uncertainty, and adaptability of automatic myocardial ASL segmentation using deep CNN. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1863-1874	4.4	4
305	Removing rician bias in diffusional kurtosis of the prostate using real-data reconstruction. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 2243-2252	4.4	4
304	The four-minute approach revisited: accelerating MRI-based multi-factorial age estimation. 2020 , 134, 1475-1485		6
303	Self-calibrated interpolation of non-Cartesian data with GRAPPA in parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1837-1850	4.4	1
302	Whole-Brain Myelin Imaging Using 3D Double-Echo Sliding Inversion Recovery Ultrashort Echo Time (DESIRE UTE) MRI. 2020 , 294, 362-374		16
301	Assessment and correction of macroscopic field variations in 2D spoiled gradient-echo sequences. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 620-633	4.4	2
300	Accelerated spin-echo functional MRI using multisection excitation by simultaneous spin-echo interleaving (MESSI) with complex-encoded generalized slice dithered enhanced resolution (cgSlider) simultaneous multislice echo-planar imaging. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 206-220	4.4	5
299	Improved acceleration of phase-contrast flow imaging with magnitude difference regularization. 2020 , 67, 1-6		0
298	Multi-site harmonization of 7 tesla MRI neuroimaging protocols. <i>NeuroImage</i> , 2020 , 206, 116335	7.9	17
297	Diffusion tensor cardiovascular magnetic resonance in hypertrophic cardiomyopathy: a comparison of motion-compensated spin echo and stimulated echo techniques. 2020 , 33, 331-342		0
296	Rapid Knee MRI Acquisition and Analysis Techniques for Imaging Osteoarthritis. 2020 , 52, 1321-1339		19
295	Simultaneous multislice imaging of the heart using multiband balanced SSFP with blipped-CAIPI. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 2185-2196	4.4	8
294	A 16-channel AC/DC array coil for anesthetized monkey whole-brain imaging at 7T. <i>NeuroImage</i> , 2020 , 207, 116396	7.9	12
293	Accelerating Non-Cartesian MRI Reconstruction Convergence Using k-Space Preconditioning. 2020 , 39, 1646-1654		4

292	High-Fidelity Accelerated MRI Reconstruction by Scan-Specific Fine-Tuning of Physics-Based Neural Networks. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2020 , 2020, 1481-1484	0.9	3
291	Rapid MR relaxometry using deep learning: An overview of current techniques and emerging trends. 2020 , e4416		9
290	A multi-scale residual network for accelerated radial MR parameter mapping. 2020 , 73, 152-162		2
289	Multi-site benchmarking of clinical C RF coils at 3T. 2020 , 318, 106798		5
288	Using high spatial resolution fMRI to understand representation in the auditory network. 2020 , 207, 101887		4
287	Activity or connectivity? A randomized controlled feasibility study evaluating neurofeedback training in Huntington's disease. 2020 , 2, fcaa049		4
286	Over-overlapped loop arrays: A numerical study. 2020 , 72, 135-142		1
285	Parallel imaging with a combination of sensitivity encoding and generative adversarial networks. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020 , 10, 2260-2273	3.6	2
284	Deep Generalization of Structured Low-Rank Algorithms (Deep-SLR). 2020 , 39, 4186-4197		11
283	Breath-hold and free-breathing quantitative assessment of biventricular volume and function using compressed SENSE: a clinical validation in children and young adults. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020 , 22, 54	6.9	10
282	Relaxation-Enhanced Angiography Without Contrast and Triggering (REACT) for Fast Imaging of Extracranial Arteries in Acute Ischemic Stroke at 3 T. 2021 , 31, 815-826		2
281	Integration of Simultaneous Resting-State Electroencephalography, Functional Magnetic Resonance Imaging, and Eye-Tracker Methods to Determine and Verify Electroencephalography Vigilance Measure. 2020 , 10, 535-546		2
280	New acquisition techniques and their prospects for the achievable resolution of fMRI. 2020 , 207, 101936		7
279	Quantitative T mapping using accelerated 3D stack-of-spiral gradient echo readout. 2020 , 73, 138-147		6
278	Reliability of quantitative transverse relaxation time mapping with [Formula: see text]-prepared whole brain pCASL. <i>Scientific Reports</i> , 2020 , 10, 18299	4.9	1
277	A Review of Non-H RF Receive Arrays in Magnetic Resonance Imaging and Spectroscopy.. 2020 , 1, 290-300		1
276	Realistic Dynamic Numerical Phantom for MRI of the Upper Vocal Tract. <i>Journal of Imaging</i> , 2020 , 6, 3.1	3.1	1
275	Using Deep Learning to Accelerate Knee MRI at 3 T: Results of an Interchangeability Study. 2020 , 215, 1421-1429		33

274	Deep-learning-based image quality enhancement of compressed sensing magnetic resonance imaging of vessel wall: comparison of self-supervised and unsupervised approaches. <i>Scientific Reports</i> , 2020 , 10, 13950	4.9	16
273	Ceramic resonators for targeted clinical magnetic resonance imaging of the breast. 2020 , 11, 3840		15
272	Capacitive versus Overlap Decoupling of Adjacent Radio Frequency Phased Array Coil Elements: An Imaging Robustness Comparison When Sample Load Varies for 3 Tesla MRI. 2020 , 2020,		0
271	Real-Time Magnetic Resonance Imaging. 2020 ,		3
270	Fast multicomponent 3D-T relaxometry. 2020 , 33, e4318		3
269	Estimation of pharmacokinetic parameters from DCE-MRI by extracting long and short time-dependent features using an LSTM network. 2020 , 47, 3447-3457		3
268	Temperature Measurements in the Vicinity of Human Intracranial EEG Electrodes Exposed to Body-Coil RF for MRI at 1.5T. 2020 , 14, 429		2
267	What scans we will read: imaging instrumentation trends in clinical oncology. 2020 , 20, 38		9
266	A half-century of innovation in technology-preparing MRI for the 21st century. 2020 , 93, 20200113		6
265	High-Spatial-Resolution Multishot Multiplexed Sensitivity-encoding Diffusion-weighted Imaging for Improved Quality of Breast Images and Differentiation of Breast Lesions: A Feasibility Study. 2020 , 2, e190076		10
264	Technical Aspects of in vivo Small Animal CMR Imaging. 2020 , 8,		6
263	Advancing machine learning for MR image reconstruction with an open competition: Overview of the 2019 fastMRI challenge. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 3054-3070	4.4	77
262	Arterial spin labeling detects perfusion patterns related to motor symptoms in Parkinson disease. 2020 , 76, 21-28		3
261	Does higher sampling rate (multiband + SENSE) improve group statistics - An example from social neuroscience block design at 3T. <i>NeuroImage</i> , 2020 , 213, 116731	7.9	9
260	Retrospective Motion Correction in Multishot MRI using Generative Adversarial Network. <i>Scientific Reports</i> , 2020 , 10, 4786	4.9	18
259	B-field dependence of MRI T relaxation in human brain. <i>NeuroImage</i> , 2020 , 213, 116700	7.9	11
258	Joint multi-contrast variational network reconstruction (jVN) with application to rapid 2D and 3D imaging. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 1456-1469	4.4	12
257	Pushing functional MRI spatial and temporal resolution further: High-density receive arrays combined with shot-selective 2D CAIPIRINHA for 3D echo-planar imaging at 7 T. 2020 , 33, e4281		12

256	Self-Navigated Three-Dimensional Ultrashort Echo Time Technique for Motion-Corrected Skull MRI. 2020 , 39, 2869-2880		4
255	Self-supervised learning of physics-guided reconstruction neural networks without fully sampled reference data. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 3172-3191	4.4	54
254	CALIBRATIONLESS PARALLEL MRI USING MODEL BASED DEEP LEARNING (C-MODL). 2020 , 2020, 1428-1431		1
253	Denoise magnitude diffusion magnetic resonance images via variance-stabilizing transformation and optimal singular-value manipulation. <i>NeuroImage</i> , 2020 , 215, 116852	7.9	6
252	Improved autoregressive model for correction of noise serial correlation in fast fMRI. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 1293-1305	4.4	6
251	MR spectroscopy using static higher order shimming with dynamic linear terms (HOS-DLT) for improved water suppression, interleaved MRS-fMRI, and navigator-based motion correction at 7T. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 1101-1112	4.4	6
250	A 16-channel loop array for in vivo macaque whole-brain imaging at 3 T. 2020 , 68, 167-172		6
249	Improving the Speed of MRI with Artificial Intelligence. 2020 , 24, 12-20		15
248	Simultaneous multislice rapid magnetic resonance elastography of the liver. 2020 , 33, e4252		5
247	Gender Differences in the Associations Between Gray Matter Volume and the Centrality of Visual Product Aesthetics. 2020 , 431, 64-72		2
246	Deep-Learning Methods for Parallel Magnetic Resonance Imaging Reconstruction: A Survey of the Current Approaches, Trends, and Issues. 2020 , 37, 128-140		115
245	A 12-channel flexible receiver coil for accelerated tongue imaging. 2020 , 33, 581-590		3
244	Imaging of the pulmonary vasculature in congenital heart disease without gadolinium contrast: Intra-individual comparison of a novel Compressed SENSE accelerated 3D modified REACT with 4D contrast-enhanced magnetic resonance angiography. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020 , 22, 8	6.9	8
243	Wave-CAIPI susceptibility-weighted imaging achieves diagnostic performance comparable to conventional susceptibility-weighted imaging in half the scan time. 2020 , 30, 2182-2190		7
242	Optimization Methods for Magnetic Resonance Image Reconstruction: Key Models and Optimization Algorithms. 2020 , 37, 33-40		57
241	Compressed Sensing: From Research to Clinical Practice with Deep Neural Networks. 2020 , 37, 111-127		62
240	Clinical feasibility of ultrafast intracranial vessel imaging with non-Cartesian spiral 3D time-of-flight MR angiography at 1.5T: An intra-individual comparison study. 2020 , 15, e0232372		7
239	Extreme MRI: Large-scale volumetric dynamic imaging from continuous non-gated acquisitions. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 1763-1780	4.4	11

238	Non-contrast coronary magnetic resonance angiography: current frontiers and future horizons. 2020 , 33, 591-612		2
237	Perspectives in Wireless Radio Frequency Coil Development for Magnetic Resonance Imaging. 2020 , 8,		3
236	Fast Phase-Contrast Cine MRI for Assessing Intracranial Hemodynamics and Cerebrospinal Fluid Dynamics. <i>Diagnostics</i> , 2020 , 10,	3.8	7
235	Echo planar time-resolved imaging with subspace reconstruction and optimized spatiotemporal encoding. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 2442-2455	4.4	11
234	Technical Note: A custom-designed flexible MR coil array for spine radiotherapy treatment planning. 2020 , 47, 3143-3152		2
233	MR-based PET attenuation correction using a combined ultrashort echo time/multi-echo Dixon acquisition. 2020 , 47, 3064-3077		7
232	A Perspective on MR Fingerprinting. 2021 , 53, 676-685		10
231	Accelerated Acquisition of High-resolution Diffusion-weighted Imaging of the Brain with a Multi-shot Echo-planar Sequence: Deep-learning-based Denoising. 2021 , 20, 99-105		10
230	Assessment of vascular stiffness in the internal carotid artery proximal to the carotid canal in Alzheimer's disease using pulse wave velocity from low rank reconstructed 4D flow MRI. 2021 , 41, 298-311		11
229	Robustness of a Combined Modified Dixon and PROPELLER Sequence with Two Interleaved Echoes in Clinical Head and Neck MRI. 2021 , 20, 76-82		1
228	Clinical Importance of Myocardial T Mapping and Texture Analysis. 2021 , 20, 139-151		1
227	Diffusion Imaging in the Post HCP Era. 2021 , 54, 36-57		11
226	A Frequency Translation System for Multi-Channel, Multi-Nuclear MR Spectroscopy. 2021 , 68, 109-118		2
225	Accelerated J-resolved H-MRSI with limited and sparse sampling of (k _t -space. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 30-41	4.4	1
224	Ultra-high spatial resolution BOLD fMRI in humans using combined segmented-accelerated VFA-FLEET with a recursive RF pulse design. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 120-139	4.4	7
223	Accelerating cardiac cine MRI using a deep learning-based ESPIRiT reconstruction. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 152-167	4.4	29
222	Fully self-gated whole-heart 4D flow imaging from a 5-minute scan. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 1222-1236	4.4	4
221	The sensitivity of diffusion MRI to microstructural properties and experimental factors. 2021 , 347, 108951		13

220	Improving the image quality of DWI in breast cancer: comparison of multi-shot DWI using multiplexed sensitivity encoding to conventional single-shot echo-planar imaging DWI. 2021 , 94, 20200427		1
219	Real-time exercise stress cardiac MRI with Fourier-series reconstruction from golden-angle radial data. 2021 , 75, 89-99		3
218	Simultaneous Multiple Resonance Frequency imaging (SMURF): Fat-water imaging using multi-band principles. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 1379-1396	4.4	3
217	CG-SENSE revisited: Results from the first ISMRM reproducibility challenge. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 1821-1839	4.4	6
216	Magnetic resonance imaging with submillisecond temporal resolution. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 2434-2444	4.4	4
215	Performance Comparison of Compressed Sensing Algorithms for Accelerating T Mapping of Human Brain. 2021 , 53, 1130-1139		0
214	In vivo methods and applications of xenon-129 magnetic resonance. 2021 , 122, 42-62		8
213	Fast variable density Poisson-disc sample generation with directional variation for compressed sensing in MRI. 2021 , 77, 186-193		6
212	Myelin water imaging depends on white matter fiber orientation in the human brain. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 2221-2231	4.4	14
211	Multi-shot acquisitions for stimulus-evoked spinal cord BOLD fMRI. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 2016-2026	4.4	1
210	Highly accelerated submillimeter resolution 3D GRASE with controlled blurring in T_2 -weighted functional MRI at 7 Tesla: A feasibility study. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 2490-2506	4.4	6
209	Robust autocalibrated structured low-rank EPI ghost correction. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 3403-3419	4.4	0
208	Nonrigid 3D motion estimation at high temporal resolution from prospectively undersampled k-space data using low-rank MR-MOTUS. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 2309-2326	4.4	5
207	Adaptive slice-specific z-shimming for 2D spoiled gradient-echo sequences. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 818-830	4.4	1
206	Age-related alterations in functional connectivity along the longitudinal axis of the hippocampus and its subfields. 2021 , 31, 11-27		8
205	Comparison of a novel Compressed SENSE accelerated 3D modified relaxation-enhanced angiography without contrast and triggering with CE-MRA in imaging of the thoracic aorta. 2021 , 37, 315-329		4
204	Over-and-Under Complete Convolutional RNN for MRI Reconstruction. 2021 , 12906, 13-23		3
203	Comparison of multi echo T relaxation and steady state approaches for myelin imaging in the central nervous system. <i>Scientific Reports</i> , 2021 , 11, 1369	4.9	2

202	PIC-GAN: A Parallel Imaging Coupled Generative Adversarial Network for Accelerated Multi-Channel MRI Reconstruction. <i>Diagnostics</i> , 2021 , 11,	3.8	15
201	Introducing Swish and Parallelized Blind Removal Improves the Performance of a Convolutional Neural Network in Denoising MR Images. 2021 , 20, 410-424		
200	Bayesian Uncertainty Estimation of Learned Variational MRI Reconstruction. 2021 , PP,		5
199	Data-Driven Retrospective Correction of B Field Inhomogeneity in Fast Macromolecular Proton Fraction and R Mapping. 2021 , 40, 3473-3484		1
198	Whole-body magnetic resonance imaging: technique, guidelines and key applications. 2021 , 15, 1164		5
197	Deep J-Sense: Accelerated MRI Reconstruction via Unrolled Alternating Optimization.. 2021 , 12906, 350-360		2
196	Distortion-Free Diffusion Imaging Using Self-Navigated Cartesian Echo-Planar Time Resolved Acquisition and Joint Magnitude and Phase Constrained Reconstruction. 2021 , PP,		0
195	Improving subspace constrained radial fast spin echo MRI using block matching driven non-local low rank regularization. <i>Physics in Medicine and Biology</i> , 2021 , 66, 04NT03	3.8	
194	Application of Adaptive Image Receive Coil Technology for Whole-Brain Imaging. 2021 , 216, 552-559		3
193	Improved simultaneous multislice cardiac MRI using readout concatenated k-space SPIRiT (ROCK-SPIRiT). <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 3036-3048	4.4	4
192	QSM reconstruction challenge 2.0: A realistic in silico head phantom for MRI data simulation and evaluation of susceptibility mapping procedures. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 526-542	4.4	9
191	No need to detune transmitters in 32-channel receiver arrays at 7 T. 2021 , 34, e4491		1
190	Region-optimized virtual (ROVir) coils: Localization and/or suppression of spatial regions using sensor-domain beamforming. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 197-212	4.4	1
189	Analysis of deep complex-valued convolutional neural networks for MRI reconstruction and phase-focused applications. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 1093-1109	4.4	14
188	Distortion-free, high-isotropic-resolution diffusion MRI with gSlider BUDA-EPI and multicoil dynamic B shimming. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 791-803	4.4	6
187	Evaluating phase synchronization methods in fMRI: A comparison study and new approaches. <i>NeuroImage</i> , 2021 , 228, 117704	7.9	3
186	Quantity and quality: Normative open-access neuroimaging databases. 2021 , 16, e0248341		0
185	An empirical investigation of the benefit of increasing the temporal resolution of task-evoked fMRI data with multi-band imaging. 2021 , 34, 667-676		1

184	Visualization of Human Aortic Valve Dynamics Using Magnetic Resonance Imaging with Sub-Millisecond Temporal Resolution. 2021 , 54, 1246-1254		2
183	A self-decoupled 32-channel receive array for human-brain MRI at 10.5 T. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 1759-1772	4.4	4
182	Measurement of Three-Dimensional Internal Dynamic Strains in the Intervertebral Disc of the Lumbar Spine With Mechanical Loading and Golden-Angle Radial Sparse Parallel-Magnetic Resonance Imaging. 2021 , 54, 486-496		1
181	Highly accelerated free-breathing real-time phase contrast cardiovascular MRI via complex-difference deep learning. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 804-819	4.4	4
180	High-dimensional fast convolutional framework (HICU) for calibrationless MRI. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 1212-1225	4.4	2
179	Improved parallel magnetic resonance imaging reconstruction with multiple variable density sampling. <i>Scientific Reports</i> , 2021 , 11, 9005	4.9	2
178	RECONSTRUCTION AND SEGMENTATION OF PARALLEL MR DATA USING IMAGE DOMAIN DEEP-SLR. 2021 , 2021,		1
177	CALIBRATIONLESS MRI RECONSTRUCTION WITH A PLUG-IN DENOISER.. 2021 , 2021, 1846-1849		
176	Neural network enhanced 3D turbo spin echo for MR intracranial vessel wall imaging. 2021 , 78, 7-17		0
175	Image quality assessments according to the angle of tilt of a flex tilt coil supporting device: An ACR phantom study. 2021 , 22, 110-116		
174	Differential Alterations in Resting State Functional Connectivity Associated with Depressive Symptoms and Early Life Adversity. <i>Brain Sciences</i> , 2021 , 11,	3.4	6
173	Physics-based reconstruction methods for magnetic resonance imaging. 2021 , 379, 20200196		4
172	Efficient T mapping with blip-up/down EPI and gSlider-SMS (T-BUDA-gSlider). <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2064-2075	4.4	0
171	Sparse precontrast T mapping for high-resolution whole-brain DCE-MRI. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2234-2249	4.4	1
170	"Real-world" radiomics from multi-vendor MRI: an original retrospective study on the prediction of nodal status and disease survival in breast cancer, as an exemplar to promote discussion of the wider issues. 2021 , 21, 37		4
169	Wave-controlled aliasing in parallel imaging magnetization-prepared gradient echo (wave-CAIPI MPRAGE) accelerates speed for pediatric brain MRI with comparable diagnostic performance. <i>Scientific Reports</i> , 2021 , 11, 13296	4.9	0
168	Fast and High-Resolution Neonatal Brain MRI Through Super-Resolution Reconstruction From Acquisitions With Variable Slice Selection Direction. 2021 , 15, 636268		5
167	Estimation and removal of spurious echo artifacts in single-voxel MRS using sensitivity encoding. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2339-2352	4.4	0

166	Local perturbation responses and checkerboard tests: Characterization tools for nonlinear MRI methods. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 1873-1887	4.4	2
165	Feasibility of accelerated 3D T1-weighted MRI using compressed sensing: application to quantitative volume measurements of human brain structures. 2021 , 34, 915-927		1
164	Coil Combination of Multichannel Single Voxel Magnetic Resonance Spectroscopy with Repeatedly Sampled In Vivo Data. 2021 , 26,		2
163	Anticipating control over aversive stimuli is mediated by the medial prefrontal cortex: An fMRI study with healthy adults. 2021 , 42, 4327-4335		2
162	ULTRAHIGH FIELD and ULTRAHIGH RESOLUTION fMRI. 2021 , 18,		1
161	Deep Learning-Based Post-Processing of Real-Time MRI to Assess and Quantify Dynamic Wrist Movement in Health and Disease. <i>Diagnostics</i> , 2021 , 11,	3.8	1
160	New Prospects for Ultra-High-Field Magnetic Resonance Imaging in Multiple Sclerosis. 2021 , 56, 773-784		5
159	Real-time dynamic vocal tract imaging using an accelerated spiral GRE sequence and low rank plus sparse reconstruction. 2021 , 80, 106-112		0
158	Regularized joint water-fat separation with B map estimation in image space for 2D-navigated interleaved EPI based diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 3034-3051	4.4	1
157	Reducing SAR in 7T brain fMRI by circumventing fat suppression while removing the lipid signal through a parallel acquisition approach. <i>Scientific Reports</i> , 2021 , 11, 15371	4.9	0
156	Efficiency analysis for quantitative MRI of T1 and T2 relaxometry methods. <i>Physics in Medicine and Biology</i> , 2021 , 66,	3.8	1
155	Seeking a Widely Adoptable Practical Standard to Estimate Signal-to-Noise Ratio in Magnetic Resonance Imaging for Multiple-Coil Reconstructions. 2021 , 54, 1952-1964		0
154	Conductivity Tensor Imaging of the Human Brain Using Water Mapping Techniques. 2021 , 15, 694645		1
153	Scout accelerated motion estimation and reduction (SAMER). <i>Magnetic Resonance in Medicine</i> , 2022 , 87, 163-178	4.4	1
152	Using the Compressed Sensing Technique for Lumbar Vertebrae Imaging: Comparison with Conventional Parallel Imaging. 2021 , 17, 1010-1017		0
151	Improving magnetic resonance imaging with smart and thin metasurfaces. <i>Scientific Reports</i> , 2021 , 11, 16179	4.9	2
150	Stretchable self-tuning MRI receive coils based on liquid metal technology (LiquiTune). <i>Scientific Reports</i> , 2021 , 11, 16228	4.9	1
149	In-plane simultaneous multisegment imaging using a 2D RF pulse. <i>Magnetic Resonance in Medicine</i> , 2022 , 87, 263-271	4.4	1

148	Three dimensional radial echo planar imaging for functional MRI. <i>Magnetic Resonance in Medicine</i> , 2022 , 87, 193-206	4.4	0
147	Detection and viability of murine NK cells in vivo in a lymphoma model using fluorine-19 MRI. 2021 , 34, e4600		0
146	Analysis and Evaluation of a Deep Learning Reconstruction Approach with Denoising for Orthopedic MRI. 2021 , 3, e200278		0
145	A line through the brain: implementation of human line-scanning at 7T for ultra-high spatiotemporal resolution fMRI. 2021 , 271678X211037266		3
144	Compressed-sensing accelerated magnetic resonance imaging of inner ear. 2021 , 22, 332-338		2
143	Improved susceptibility weighted imaging at ultra-high field using bipolar multi-echo acquisition and optimized image processing: CLEAR-SWI. <i>NeuroImage</i> , 2021 , 237, 118175	7.9	6
142	Minimal specifications for non-human primate MRI: Challenges in standardizing and harmonizing data collection. <i>NeuroImage</i> , 2021 , 236, 118082	7.9	6
141	Lowering the thermal noise barrier in functional brain mapping with magnetic resonance imaging. 2021 , 12, 5181		9
140	Feasibility and Implementation of a Deep Learning MR Reconstruction for TSE Sequences in Musculoskeletal Imaging. <i>Diagnostics</i> , 2021 , 11,	3.8	5
139	Results of the 2020 fastMRI Challenge for Machine Learning MR Image Reconstruction. 2021 , 40, 2306-2317		25
138	Applying Deep Learning to Accelerated Clinical Brain Magnetic Resonance Imaging for Multiple Sclerosis. 2021 , 12, 685276		1
137	Subspace-constrained approaches to low-rank fMRI acceleration. <i>NeuroImage</i> , 2021 , 238, 118235	7.9	1
136	Accelerating whole-heart 3D T2 mapping: Impact of undersampling strategies and reconstruction techniques. 2021 , 16, e0252777		1
135	A 48-channel receive array coil for mesoscopic diffusion-weighted MRI of ex vivo human brain on the 3 T connectome scanner. <i>NeuroImage</i> , 2021 , 238, 118256	7.9	5
134	Fast data-driven learning of parallel MRI sampling patterns for large scale problems. <i>Scientific Reports</i> , 2021 , 11, 19312	4.9	3
133	dStripe: Slice artefact correction in diffusion MRI via constrained neural network. 2021 , 74, 102255		0
132	Radiofrequency Bias Correction of Magnetization Prepared Rapid Gradient Echo MRI at 7.0 Tesla Using an External Reference in a Sequential Protocol. <i>Tomography</i> , 2021 , 7, 434-451	3.1	
131	Reducing the Complexity of Model-Based MRI Reconstructions via Sparsification. 2021 , 40, 2477-2486		

130	Quantitative effects of off-resonance related distortion on brain mechanical property estimation with magnetic resonance elastography. 2021 , e4616		0
129	Rapid simultaneous acquisition of macromolecular tissue volume, susceptibility, and relaxometry maps. <i>Magnetic Resonance in Medicine</i> , 2022 , 87, 781-790	4.4	0
128	Combined Compressed Sensing and SENSE to Enhance Radiation Therapy Magnetic Resonance Imaging Simulation. 2022 , 7, 100799		0
127	Structural and resting state functional connectivity beyond the cortex. <i>NeuroImage</i> , 2021 , 240, 118379	7.9	4
126	Accelerated free-breathing 3D whole-heart magnetic resonance angiography with a radial phyllotaxis trajectory, compressed sensing, and curvelet transform. 2021 , 83, 57-67		0
125	Phase-locking of resting-state brain networks with the gastric basal electrical rhythm. 2021 , 16, e0244756		2
124	Effect of MRI acquisition acceleration via compressed sensing and parallel imaging on brain volumetry. 2021 , 34, 487-497		2
123	Reconstruction of Compressed-sensing MR Imaging Using Deep Residual Learning in the Image Domain. 2021 , 20, 190-203		4
122	Artificial Intelligence for MR Image Reconstruction: An Overview for Clinicians. 2021 , 53, 1015-1028		55
121	Motion-corrected MRI with DISORDER: Distributed and incoherent sample orders for reconstruction deblurring using encoding redundancy. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 713	4.4	9
120	Reconstruction of undersampled 3D non-Cartesian image-based navigators for coronary MRA using an unrolled deep learning model. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 800-812	4.4	14
119	Tactile and non-tactile sensory paradigms for fMRI and neurophysiologic studies in rodents. 2009 , 489, 213-42		18
118	High-field MRI of brain iron. 2011 , 711, 239-49		17
117	MR spectroscopy and spectroscopic imaging of the brain. 2011 , 711, 203-26		98
116	Isotropic MRI Super-Resolution Reconstruction with Multi-scale Gradient Field Prior. 2019 , 11766, 3-11		8
115	Learning a Gradient Guidance for Spatially Isotropic MRI Super-Resolution Reconstruction. 2020 , 12262, 136-146		6
114	Acceleration of three-dimensional diffusion magnetic resonance imaging using a kernel low-rank compressed sensing method. <i>NeuroImage</i> , 2020 , 210, 116584	7.9	6
113	Intracranial vascular flow oscillations in Alzheimer's disease from 4D flow MRI. 2020 , 28, 102379		5

112	fastMRI: A Publicly Available Raw k-Space and DICOM Dataset of Knee Images for Accelerated MR Image Reconstruction Using Machine Learning. 2020 , 2, e190007	64
111	Assessment of a novel 32-channel phased array for cardiovascular hybrid PET/MRI imaging: MRI performance. 2019 , 3, 13	4
110	Ventilation and perfusion magnetic resonance imaging of the lung. 2012 , 77, 37-46	19
109	Posterior Parietal Cortex Drives Inferotemporal Activations During Three-Dimensional Object Vision. 2016 , 14, e1002445	56
108	Self-regulation of amygdala activation using real-time fMRI neurofeedback. 2011 , 6, e24522	226
107	MRI of arterial flow reserve in patients with intermittent claudication: feasibility and initial experience. 2012 , 7, e31514	9
106	Sexual dimorphism in healthy aging and mild cognitive impairment: a DTI study. 2012 , 7, e37021	19
105	On the origins of signal variance in fMRI of the human midbrain at high field. 2013 , 8, e62708	12
104	Self-gated free-breathing 3D coronary CINE imaging with simultaneous water and fat visualization. 2014 , 9, e89315	11
103	Comparison of total variation with a motion estimation based compressed sensing approach for self-gated cardiac cine MRI in small animal studies. 2014 , 9, e110594	14
102	Spherical Deconvolution of Multichannel Diffusion MRI Data with Non-Gaussian Noise Models and Spatial Regularization. 2015 , 10, e0138910	21
101	Optimization of Regularization Parameters in Compressed Sensing of Magnetic Resonance Angiography: Can Statistical Image Metrics Mimic Radiologists' Perception?. 2016 , 11, e0146548	10
100	Time Efficient 3D Radial UTE Sampling with Fully Automatic Delay Compensation on a Clinical 3T MR Scanner. 2016 , 11, e0150371	22
99	Comparison of Cartesian and Non-Cartesian Real-Time MRI Sequences at 1.5T to Assess Velar Motion and Velopharyngeal Closure during Speech. 2016 , 11, e0153322	10
98	MR Image Reconstruction Using Block Matching and Adaptive Kernel Methods. 2016 , 11, e0153736	4
97	A Cylindrical, Inner Volume Selecting 2D-T2-Prep Improves GRAPPA-Accelerated Image Quality in MRA of the Right Coronary Artery. 2016 , 11, e0163618	2
96	A Specialized Multi-Transmit Head Coil for High Resolution fMRI of the Human Visual Cortex at 7T. 2016 , 11, e0165418	17
95	Whole-brain high in-plane resolution fMRI using accelerated EPIK for enhanced characterisation of functional areas at 3T. 2017 , 12, e0184759	7

94	Magnetic resonance angiography with compressed sensing: An evaluation of moyamoya disease. 2018 , 13, e0189493		23
93	The Empirical Effect of Gaussian Noise in Undersampled MRI Reconstruction. <i>Tomography</i> , 2017 , 3, 211-221		4
92	Single-Breathhold Four-Dimensional Assessment of Left Ventricular Morphological and Functional Parameters by Magnetic Resonance Imaging Using the VAST Technique. 2011 , 5, 90-8		5
91	High-field fMRI for human applications: an overview of spatial resolution and signal specificity. 2011 , 5, 74-89		31
90	Rapid Imaging: Recent Advances in Abdominal MRI for Reducing Acquisition Time and Its Clinical Applications. 2019 , 20, 1597-1615		14
89	Magnetic resonance imaging for lung cancer screen. 2014 , 6, 1340-8		14
88	Accelerated MRI with CIRCular Cartesian UnderSampling (CIRCUS): a variable density Cartesian sampling strategy for compressed sensing and parallel imaging. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014 , 4, 57-67	3.6	27
87	Parallel imaging performance investigation of an 8-channel common-mode differential-mode (CMDM) planar array for 7T MRI. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014 , 4, 33-42	3.6	4
86	Real-time magnetic resonance imaging of cardiac function and flow-recent progress. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014 , 4, 313-29	3.6	36
85	Diffusion weighted magnetic resonance imaging and its recent trend-a survey. <i>Quantitative Imaging in Medicine and Surgery</i> , 2015 , 5, 407-22	3.6	82
84	T1-weighted magnetic resonance: basic physics principles and applications in knee and intervertebral disc imaging. <i>Quantitative Imaging in Medicine and Surgery</i> , 2015 , 5, 858-85	3.6	43
83	Ultrafast bold fMRI using single-shot spin-echo echo planar imaging. <i>Journal of Medical Physics</i> , 2009 , 34, 37-42	0.7	11
82	A 4-channel 3 Tesla phased array receive coil for awake rhesus monkey fMRI and diffusion MRI experiments. 2010 , 3, 1085-1092		14
81	Noninvasive diagnosis of vulnerable coronary plaque. 2016 , 8, 520-533		8
80	Contrast-enhanced CT- and MRI-based perfusion assessment for pulmonary diseases: basics and clinical applications. 2016 , 22, 407-21		21
79	Resting state functional connectivity in the human spinal cord. 2014 , 3, e02812		66
78	MAGNitude-Image-to-Complex -space (MAGIC-K) Net: A Data Augmentation Network for Image Reconstruction. <i>Diagnostics</i> , 2021 , 11,	3.8	0
77	Scan-specific artifact reduction in k-space (SPARK) neural networks synergize with physics-based reconstruction to accelerate MRI. <i>Magnetic Resonance in Medicine</i> , 2022 , 87, 764-780	4.4	2

76	Spiral 2D T2-Weighted TSE Brain MR Imaging: Initial Clinical Experience. <i>American Journal of Neuroradiology</i> , 2021 , 42, 1962-1967	4.4	0
75	Simultaneous Multislice Brain MRI T1 Mapping with Improved Low-Rank Modeling. <i>Tomography</i> , 2021 , 7, 545-554	3.1	
74	Improved Image Quality for Static BLADE Magnetic Resonance Imaging Using the Total-Variation Regularized Least Absolute Deviation Solver. <i>Tomography</i> , 2021 , 7, 555-572	3.1	0
73	Sensitivity limitations of high-resolution perfusion-based human fMRI at 7 Tesla. 2021 , 84, 135-144		1
72	Simultaneous pure T and varying T ₂ -weighted BOLD fMRI using Echo Planar Time-resolved Imaging for mapping cortical-depth dependent responses. <i>NeuroImage</i> , 2021 , 245, 118641	7.9	2
71	MultiSlice CAIPIRINHA Using View Angle Tilting Technique (CAPIVAT). <i>Tomography</i> , 2016 , 2, 43-48	3.1	1
70	Imaging Lung Cancer by Using Chemical Exchange Saturation Transfer MRI With Retrospective Respiration Gating. <i>Tomography</i> , 2017 , 3, 201-210	3.1	4
69	Diffusion-Weighted Echo Planar Imaging using Multiplexed Sensitivity Encoding and Reverse Polarity Gradient in Head and Neck Cancer: An Initial Study. <i>Tomography</i> , 2020 , 6, 231-240	3.1	3
68	Contribution of the multi-echo approach in accelerated functional magnetic resonance imaging multiband acquisition. 2021 ,		1
67	Recommendations of Choice of Head Coil and Prescan Normalize Filter Depend on Region of Interest and Task. 2021 , 15, 735290		1
66	3 T: the good, the bad and the ugly. 2021 , 20210708		
65	Fetal Neuroimaging Updates. 2021 , 29, 557-581		
64	Efficient directionality-driven dictionary learning for compressive sensing magnetic resonance imaging reconstruction. <i>Journal of Medical Imaging</i> , 2020 , 7, 014002	2.6	2
63	Non-iterative image reconstruction from sparse magnetic resonance imaging radial data without priors. 2020 , 3, 9		0
62	Temporal SNR optimization through RF coil combination in fMRI: The more, the better?. 2021 , 16, e0259592		
61	Optimization of spin-lock times in T ₂ mapping of knee cartilage: Cramér-Rao bounds versus matched sampling-fitting. <i>Magnetic Resonance in Medicine</i> , 2021 , 87, 1418	4.4	0
60	Thorax and Vasculature. 2008 , 663-861		
59	MRI of Pulmonary Ventilation. <i>Medical Radiology</i> , 2009 , 35-90	0.2	

58	The benefit of high-performance gradients on echo planar imaging for BOLD-based resting-state functional MRI. <i>Physics in Medicine and Biology</i> , 2020 , 65, 235024	3.8	1
57	Characterization of the interatrial septum by high-field cardiac MRI: a comparison with multi-slice computed tomography. <i>Egyptian Heart Journal</i> , 2020 , 72, 81	1.3	
56	Review of new techniques in echocardiography and magnetic resonance imaging as applied to patients with congenital heart disease. <i>Heart</i> , 2001 , 86 Suppl 2, II41-53	5.1	2
55	MRI in the detection of stenosis in coronary artery bypass grafts: are invasive techniques still needed?. <i>Netherlands Heart Journal</i> , 2003 , 11, 1-4	2.2	1
54	Investigation of multichannel phased array performance for fetal MR imaging on 1.5T clinical MR system. <i>Quantitative Imaging in Medicine and Surgery</i> , 2011 , 1, 24-30	3.6	12
53	Hepatic fat assessment using advanced Magnetic Resonance Imaging. <i>Quantitative Imaging in Medicine and Surgery</i> , 2012 , 2, 213-8	3.6	5
52	Correction of geometric distortion in Propeller echo planar imaging using a modified reversed gradient approach. <i>Quantitative Imaging in Medicine and Surgery</i> , 2013 , 3, 73-81	3.6	7
51	Design and numerical evaluation of a volume coil array for parallel MR imaging at ultrahigh fields. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014 , 4, 50-6	3.6	6
50	Magnetic wall decoupling method for monopole coil array in ultrahigh field MRI: a feasibility test. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014 , 4, 79-86	3.6	17
49	Error decomposition for parallel imaging reconstruction using modulation-domain representation of undersampled data. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014 , 4, 93-105	3.6	1
48	Curvature range measurements of the arcuate fasciculus using diffusion tensor tractography. <i>Neural Regeneration Research</i> , 2013 , 8, 244-50	4.5	1
47	Magnetic resonance imaging of the coronary arteries. <i>Cardiovascular Journal of Africa</i> , 2007 , 18, 248-59	0.7	3
46	Quantification of regional myocardial wall motion by cardiovascular magnetic resonance. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014 , 4, 345-57	3.6	17
45	Fast Chemical Exchange Saturation Transfer (CEST) Imaging with Variably-accelerated Sensitivity Encoding (vSENSE). 2016 , 24, 1522	0	1
44	Highly-accelerated CEST Measurements in Three Dimensions with Linear Algebraic Modeling. 2016 , 24, 1524	0	
43	Ultrafast compartmental relaxation time mapping with linear algebraic modeling. 2017 , 25, 0071	0	
42	Fast, Reliable 3D Amide Proton Transfer Imaging of Brain Tumors at 3T with Variably-accelerated Sensitivity Encoding (vSENSE). 2017 , 25,	0	2
41	Time-resolved contrast-enhanced carotid MR angiography using sensitivity encoding (SENSE). <i>American Journal of Neuroradiology</i> , 2001 , 22, 1615-9	4.4	39

40	High-resolution diffusion tensor imaging of the brain stem at 3 T. <i>American Journal of Neuroradiology</i> , 2004 , 25, 1325-30	4.4	78
39	Fiber density index correlates with reduced fractional anisotropy in white matter of patients with glioblastoma. <i>American Journal of Neuroradiology</i> , 2005 , 26, 2183-6	4.4	86
38	Postoperative assessment of extracranial-intracranial bypass by time-resolved 3D contrast-enhanced MR angiography using parallel imaging. <i>American Journal of Neuroradiology</i> , 2005 , 26, 2243-7	4.4	19
37	High-spatial-resolution MR cisternography of the cerebellopontine angle in 90 seconds with a zero-fill interpolated fast recovery 3D fast asymmetric spin-echo sequence. <i>American Journal of Neuroradiology</i> , 2002 , 23, 1407-12	4.4	13
36	Contrast-enhanced MR angiography at 3T in the evaluation of intracranial aneurysms: a comparison with time-of-flight MR angiography. <i>American Journal of Neuroradiology</i> , 2006 , 27, 2118-21	4.4	38
35	Comparison of generalized autocalibrating partially parallel acquisitions and modified sensitivity encoding for diffusion tensor imaging. <i>American Journal of Neuroradiology</i> , 2007 , 28, 293-8	4.4	16
34	In vivo assessment and visualization of intracranial arterial hemodynamics with flow-sensitized 4D MR imaging at 3T. <i>American Journal of Neuroradiology</i> , 2007 , 28, 433-8	4.4	94
33	Detection of intracranial atherosclerotic steno-occlusive disease with 3D time-of-flight magnetic resonance angiography with sensitivity encoding at 3T. <i>American Journal of Neuroradiology</i> , 2007 , 28, 439-46	4.4	52
32	Diffusion MR imaging in multiple sclerosis: technical aspects and challenges. <i>American Journal of Neuroradiology</i> , 2007 , 28, 411-20	4.4	41
31	MR angiography of dural arteriovenous fistulas: diagnosis and follow-up after treatment using a time-resolved 3D contrast-enhanced technique. <i>American Journal of Neuroradiology</i> , 2007 , 28, 877-84	4.4	90
30	Sensitivity-encoded diffusion tensor MR imaging of the cervical cord. <i>American Journal of Neuroradiology</i> , 2003 , 24, 1254-6	4.4	64
29	Three-dimensional dynamic MR digital subtraction angiography using sensitivity encoding for the evaluation of intracranial arteriovenous malformations: a preliminary study. <i>American Journal of Neuroradiology</i> , 2005 , 26, 1525-31	4.4	38
28	MR angiography at 3T versus digital subtraction angiography in the follow-up of intracranial aneurysms treated with detachable coils. <i>American Journal of Neuroradiology</i> , 2005 , 26, 1349-56	4.4	100
27	Simultaneous T-weighted and T-weighted 3D MRI using RF phase-modulated gradient echo imaging. <i>Magnetic Resonance in Medicine</i> , 2021 , 87, 1758	4.4	
26	Deep Learning Applications in Magnetic Resonance Imaging: Has the Future Become Present?. <i>Diagnostics</i> , 2021 , 11,	3.8	2
25	DeepSENSE: Learning coil sensitivity functions for SENSE reconstruction using deep learning. <i>Magnetic Resonance in Medicine</i> , 2021 ,	4.4	0
24	Cerebrovascular stiffness and flow dynamics in the presence of amyloid and tau biomarkers.. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12253	5.2	
23	Gradient-Guided Isotropic MRI Reconstruction from Anisotropic Acquisitions.. <i>IEEE Transactions on Computational Imaging</i> , 2021 , 7, 1240-1253	4.5	0

22	3D Echo Planar Time-resolved Imaging (3D-EPTI) for ultrafast multi-parametric quantitative MRI.. <i>NeuroImage</i> , 2022 , 250, 118963	7.9	3
21	Ironsmith: An Automated Pipeline for QSM-based Data Analyses.. <i>NeuroImage</i> , 2021 , 249, 118835	7.9	0
20	Influence of Spatial Resolution and Compressed SENSE Acceleration Factor on Flow Quantification with 4D Flow MRI at 3 Tesla.. <i>Tomography</i> , 2022 , 8, 457-478	3.1	0
19	The Impact of Resampling and Denoising Deep Learning Algorithms on Radiomics in Brain Metastases MRI.. <i>Cancers</i> , 2021 , 14,	6.6	1
18	Isotropic multichannel total variation framework for joint reconstruction of multicontrast parallel MRI.. <i>Journal of Medical Imaging</i> , 2022 , 9, 013502	2.6	
17	Temporospatial characterization of ventricular wall motion with real-time cardiac magnetic resonance imaging in health and disease.. <i>Scientific Reports</i> , 2022 , 12, 4070	4.9	0
16	Cardiac MR: From Theory to Practice.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 826283	5.4	2
15	Implicit data crimes: Machine learning bias arising from misuse of public data.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2117203119	11.5	9
14	Neurofeedback-Augmented Mindfulness Training Elicits Distinct Responses in the Subregions of the Insular Cortex in Healthy Adolescents.. <i>Brain Sciences</i> , 2022 , 12,	3.4	0
13	Multi-level pooling encoder-decoder convolution neural network for MRI reconstruction.. <i>PeerJ Computer Science</i> , 2022 , 8, e934	2.7	
12	Impact of defacing on automated brain atrophy estimation.. <i>Insights Into Imaging</i> , 2022 , 13, 54	5.6	
11	A Review on Fast Tomographic Imaging Techniques and Their Potential Application in Industrial Process Control.. <i>Sensors</i> , 2022 , 22,	3.8	1
10	SOUP-GAN: Super-Resolution MRI Using Generative Adversarial Networks.. <i>Tomography</i> , 2022 , 8, 905-919	3.1	2
9	Compressed Sensing MRI with Wavelet Reconstruction Revisited Using Modern Data Science Tools. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2021 , 2021, 3596-3600	0.9	0
8	A review on deep learning MRI reconstruction without fully sampled k-space.. <i>BMC Medical Imaging</i> , 2021 , 21, 195	2.9	1
7	Twenty-four-channel high-impedance glove array for hand and wrist MRI at 3T.. <i>Magnetic Resonance in Medicine</i> , 2021 ,	4.4	1
6	Joint reconstruction framework of compressed sensing and nonlinear parallel imaging for dynamic cardiac magnetic resonance imaging. <i>BMC Medical Imaging</i> , 2021 , 21, 182	2.9	
5	A System for Real-Time, Online Mixed-Reality Visualization of Cardiac Magnetic Resonance Images.. <i>Journal of Imaging</i> , 2021 , 7,	3.1	1

4	High-resolution non-contrast free-breathing coronary cardiovascular magnetic resonance angiography for detection of coronary artery disease: validation against invasive coronary angiography.. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2022 , 24, 26	6.9	0
3	End-to-End Deep Learning of Non-rigid Groupwise Registration and Reconstruction of Dynamic MRI.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 880186	5.4	
2	Parallel MR image reconstruction based on triple cycle optimization.. <i>Scientific Reports</i> , 2022 , 12, 7783	4.9	
1	Fast B1 Mapping Based on Double-Angle Method with T1 Correction Using Standard Pulse Sequence.. <i>Journal of Medical Physics</i> , 2022 , 47, 93-98	0.7	