

CITATION REPORT

List of articles citing

Continuity of care and trust in one's physician:
evidence from primary care in the United States and
the United Kingdom

DOI: PM/11199905
Family Medicine, 2001, 33, 22-7.

Source: <https://exaly.com/paper-pdf/130804524/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 236 | De helende werking van het arts-patiëntcontact. 2001 , 44, 194-198 | | 10 |
| 235 | Continuïteit in de huisartsgeneeskunde. 2001 , 44, 342-348 | | |
| 234 | Continuïteit in de huisartsenzorg. 2001 , 44, 551-551 | | |
| 233 | Race and evaluation of health care providers: theoretical and methodological issues. 183-199 | | 1 |
| 232 | Hoe denken huisartsen over continuïteit in de zorg? arts-patiëntrelatie continuïteit huisartsgeneeskunde integrale zorg zorg. 2002 , 45, 293-298 | | 7 |
| 231 | [What style of consultation with my patients should I adopt? Practical reflections on the doctor-patient relationship]. 2003 , 32, 594-602 | | 14 |
| 230 | Defining and measuring interpersonal continuity of care. 2003 , 1, 134-43 | | 333 |
| 229 | "Schools and hospitals" for "education and health". 2003 , 326, 234-5 | | 9 |
| 228 | Towards a Theory of Continuity of Care. 2003 , 96, 160-166 | | 45 |
| 227 | The Doctor-Patient Relationship in US Primary Care. 2003 , 96, 180-184 | | 14 |
| 226 | Interpersonal continuity of care and patient satisfaction: a critical review. 2004 , 2, 445-51 | | 291 |
| 225 | Agreeing access policy in a general medical practice: a case study using QPID. 2004 , 20, 49-73 | | 15 |
| 224 | The association of patient trust and self-care among patients with diabetes mellitus. <i>BMC Family Practice</i> , 2004 , 5, 26 | 2.6 | 82 |
| 223 | Physician-patient relationship and medication compliance: a primary care investigation. 2004 , 2, 455-61 | | 219 |
| 222 | Prevalence of human immunodeficiency virus testing in patients with hepatitis B and C infection. 2004 , 79, 51-6 | | 14 |
| 221 | The role of trust in use of preventive services among low-income African-American women. 2004 , 38, 777-85 | | 234 |
| 220 | Delayed care and unmet needs among health care system users: when does fiduciary trust in a physician matter?. 2005 , 40, 1898-917 | | 66 |

| | | | |
|-----|--|-----|-----|
| 219 | Having a regular physician and attempted weight loss after screening for hypertension or hypercholesterolemia. 2005 , 29, 223-7 | | 13 |
| 218 | Persoonlijke continuïteit: wat levert het op?. 2005 , 48, 608-612 | | |
| 217 | Persoonlijke continuïteit in de huisartsenpraktijk in de context van de 21ste eeuw. 2005 , 48, 856-861 | | |
| 216 | Length of patient-physician relationship and patients' satisfaction and preventive service use in the rural south: a cross-sectional telephone study. <i>BMC Family Practice</i> , 2005 , 6, 40 | 2.6 | 36 |
| 215 | Evaluation of a task-based community oriented teaching model in family medicine for undergraduate medical students in Iraq. 2005 , 5, 31 | | 10 |
| 214 | The meaning of healing: transcending suffering. 2005 , 3, 255-62 | | 186 |
| 213 | Trust in one's physician: the role of ethnic match, autonomy, acculturation, and religiosity among Japanese and Japanese Americans. 2005 , 3, 339-47 | | 43 |
| 212 | Interpersonal continuity of care and care outcomes: a critical review. 2005 , 3, 159-66 | | 376 |
| 211 | Competition in general practice. 2005 , 331, 1196-9 | | 7 |
| 210 | What do patients and the public want from primary care?. 2005 , 331, 1199-201 | | 122 |
| 209 | Patients' perspectives on ideal physician behaviors. 2006 , 81, 338-44 | | 156 |
| 208 | Parents' trust in their child's physician: using an adapted Trust in Physician Scale. 2006 , 6, 58-61 | | 33 |
| 207 | The Contribution of General Practice and the General Practitioner to NHS Patients. 2006 , 99, 24-28 | | 5 |
| 206 | Religious influences on trust in physicians and the health care system. 2006 , 36, 69-83 | | 44 |
| 205 | Maternal and child factors affecting high-volume pediatric emergency department use. 2006 , 22, 301-8 | | 11 |
| 204 | Trust, choice and power in mental health: a literature review. 2006 , 41, 843-52 | | 98 |
| 203 | Individual characteristics, area social participation, and primary non-concordance with medication: a multilevel analysis. 2006 , 6, 52 | | 24 |
| 202 | Consumer satisfaction with primary care provider choice and associated trust. 2006 , 6, 139 | | 23 |

| | | | |
|-----|--|-----|----|
| 201 | Trust in physicians and elements of the medical interaction in patients with rheumatoid arthritis and systemic lupus erythematosus. 2006 , 55, 385-93 | | 94 |
| 200 | The contribution of general practice and the general practitioner to NHS patients. 2006 , 99, 24-8 | | 7 |
| 199 | Patients' Race, ethnicity, language, and trust in a physician. 2006 , 47, 390-405 | | 73 |
| 198 | Transnational Migration, State Policy and Local Clinician Treatment of Asylum Seekers and Resettled Migrants: Comparative Perspectives on Reception Center and Community Health Care Practice in Finland. 2006 , 6, 21-56 | | 5 |
| 197 | The role of general practitioners in continuity of care at the end of life: a qualitative study of terminally ill patients and their next of kin. 2007 , 21, 409-15 | | 79 |
| 196 | The Social Underpinnings of Trust in Physicians. 97-123 | | 1 |
| 195 | An interpersonal continuity of care measure for Medicare Part B claims analyses. 2007 , 62, S160-8 | | 22 |
| 194 | Provider and patient perspectives regarding health care for war-related health concerns. 2007 , 68, 52-60 | | 7 |
| 193 | Trust and Health Care. 2007 , 1, 283-308 | | 29 |
| 192 | The effects of primary care physician visit continuity on patients' experiences with care. 2007 , 22, 787-93 | | 64 |
| 191 | Familiarity between patient and general practitioner does not influence the content of the consultation. <i>BMC Family Practice</i> , 2008 , 9, 51 | 2.6 | 4 |
| 190 | Trust of nurse practitioners and physicians among African Americans with hypertension. 2008 , 20, 273-80 | | 31 |
| 189 | Healthy babies for mothers with serious mental illness: a case management framework for mental health clinicians. 2008 , 17, 383-91 | | 27 |
| 188 | Patients' Perceptions of safety if interpersonal continuity of care were to be disrupted. <i>Health Expectations</i> , 2008 , 11, 400-8 | 3.7 | 16 |
| 187 | Measuring Responsiveness in the Therapeutic Relationship: A Patient Perspective. 2008 , 30, 339-348 | | 22 |
| 186 | The quality of care received by HIV patients without a primary provider. 2008 , 20, 35-42 | | 10 |
| 185 | Assessing health care professionals about antipsychotic medication related concerns. 2008 , 29, 739-54 | | 4 |
| 184 | Comprehending care in a medical home: a usual source of care and patient perceptions about healthcare communication. 2008 , 21, 441-50 | | 35 |

| | | | |
|-----|---|-----|----|
| 183 | Patients' Commitment to their primary physician and why it matters. 2008 , 6, 6-13 | | 93 |
| 182 | The effect of care team composition on the quality of HIV care. 2008 , 65, 88-113 | | 16 |
| 181 | The BRIGHT tool. 2008 , 37, 553-88 | | 16 |
| 180 | [Factors associated with interpersonal continuity of care: a population-based study]. 2008 , 24, 915-25 | | 6 |
| 179 | Glaucoma patients' trust in the physician. 2009 , 2009, 476726 | | 7 |
| 178 | Continuity of outpatient and inpatient care by primary care physicians for hospitalized older adults. 2009 , 301, 1671-80 | | 80 |
| 177 | Continuity of care and intensive care unit use at the end of life. 2009 , 169, 81-6 | | 42 |
| 176 | The medical home in Canada: patient perceptions of quality and safety. 2009 , 22, 47-51 | | 9 |
| 175 | How should continuity of care in primary health care be assessed?. <i>British Journal of General Practice</i> , 2009 , 59, e134-41 | 1.6 | 58 |
| 174 | Hypertensive patients' perceptions of their physicians' knowledge about them: a cross-sectional study in Japan. <i>BMC Family Practice</i> , 2010 , 11, 56 | 2.6 | 2 |
| 173 | Confidentiality: a core feature of general practice. <i>British Journal of General Practice</i> , 2010 , 60, 780-2; discussion 781, 782 | 1.6 | 3 |
| 172 | Continuity and trust in primary care: a qualitative study informed by game theory. 2010 , 8, 440-6 | | 47 |
| 171 | Predictors of health plan satisfaction among employees in an academic setting. 2010 , 25, 274-84 | | 1 |
| 170 | Trust: A Continuing Imperative. 2010 , 22, 417-423 | | 3 |
| 169 | Editorial. Biographies in theory and in practice. 2010 , 18, 63 | | |
| 168 | Addressing racial and ethnic disparities in live donor kidney transplantation: priorities for research and intervention. 2010 , 30, 90-8 | | 72 |
| 167 | Patient affiliation with GPs in Australia--who is and who is not and does it matter?. 2011 , 103, 16-23 | | 12 |
| 166 | Organizational determinants of patient-centered fertility care: a multilevel analysis. 2011 , 95, 513-9 | | 28 |

| | | | |
|-----|--|-----|----|
| 165 | Sharing "moral space": Ethical caveats for the PNP hospitalist. 2011 , 25, 198-202 | | 1 |
| 164 | Concluding the consultation and providing ongoing care: Coherence and continuity. 2011 , 351-386 | | 1 |
| 163 | Patient-doctor depth-of-relationship scale: development and validation. 2011 , 9, 538-45 | | 37 |
| 162 | Physician switching after drug request refusal. 2011 , 28, 304-16 | | 8 |
| 161 | Integrated Primary and Behavioral Health Care in Patient-Centered Medical Homes for Jail Releasees With Mental Illness. 2012 , 39, 533-551 | | 14 |
| 160 | Linking Perceived Service Quality to Relational Outcomes in a Chinese Context. 2012 , 24, 7-23 | | 19 |
| 159 | Trust, choice and power in mental health care: experiences of patients with psychosis. 2012 , 58, 496-504 | | 59 |
| 158 | Characteristics of general practices associated with numbers of elective admissions. 2012 , 34, 584-90 | | 12 |
| 157 | Patient trust in psychiatrists. 2012 , 4, 161-167 | | 1 |
| 156 | Does prognosis and socioeconomic status impact on trust in physicians? Interviews with patients with coronary disease in South Australia. <i>BMJ Open</i> , 2012 , 2, | 3 | 20 |
| 155 | Socioeconomic determinants associated with willingness to participate in medical research among a diverse population. 2012 , 33, 1197-205 | | 34 |
| 154 | Heart failure patients' experiences with continuity of care and its relation to medication adherence: a cross-sectional study. <i>BMC Family Practice</i> , 2012 , 13, 86 | 2.6 | 19 |
| 153 | African-American parents' trust in their child's primary care provider. 2012 , 12, 399-404 | | 25 |
| 152 | The association between continuity of care in the community and health outcomes: a population-based study. 2012 , 1, 21 | | 60 |
| 151 | Patient satisfaction with hospital care provided by hospitalists and primary care physicians. 2012 , 7, 131-6 | | 23 |
| 150 | Trust and distrust among Appalachian women regarding cervical cancer screening: a qualitative study. 2012 , 86, 120-6 | | 33 |
| 149 | Factors associated to experienced continuity of care between primary and outpatient secondary care in the Catalan public healthcare system. 2013 , 27, 207-13 | | 15 |
| 148 | Pregnancy experiences of Western Australian women attending a specialist childbirth and mental illness antenatal clinic. 2013 , 34, 380-94 | | 17 |

| | | | |
|-----|---|-----|----|
| 147 | Factors affecting patients' trust and confidence in GPs: evidence from the English national GP patient survey. <i>BMJ Open</i> , 2013 , 3, | 3 | 77 |
| 146 | Advance care planning and interpersonal relationships: a two-way street. 2013 , 30, 219-26 | | 30 |
| 145 | Generating hypotheses about care needs of high utilizers: lessons from patient interviews. 2013 , 16 Suppl 1, S26-33 | | 50 |
| 144 | Social differences in postponing a General Practitioner visit in Flanders, Belgium: which low-income patients are most at risk?. 2013 , 21, 364-72 | | 3 |
| 143 | Emergency hospital admissions for the elderly: insights from the Devon Predictive Model. 2013 , 35, 616-23 | | 23 |
| 142 | Characteristics of family conferences at the bedside versus the conference room in pediatric critical care. 2013 , 14, e135-42 | | 26 |
| 141 | Social capital and under-utilization of medication for financial reasons among elderly women: evidence from two Brazilian health surveys. 2013 , 18, 3721-30 | | 3 |
| 140 | Continuity of GP care is related to reduced specialist healthcare use: a cross-sectional survey. <i>British Journal of General Practice</i> , 2013 , 63, 482-9 | 1.6 | 26 |
| 139 | Trust in health care providers: factors predicting trust among homeless veterans over time. 2014 , 25, 1278-90 | | 12 |
| 138 | Trust in physicians among U.S. chinese older adults. 2014 , 69 Suppl 2, S46-53 | | 18 |
| 137 | Are family physician visits and continuity of care associated with acute care use at end-of-life? A population-based cohort study of homecare cancer patients. 2014 , 28, 176-83 | | 42 |
| 136 | Healthcare encounters and return to work: a qualitative study on sick-listed patients' experiences. 2014 , 15, 464-75 | | 24 |
| 135 | Continuity of GP care is associated with lower use of complementary and alternative medical providers: a population-based cross-sectional survey. 2014 , 14, 629 | | 12 |
| 134 | Impact of continuity of care on mortality and health care costs: a nationwide cohort study in Korea. 2014 , 12, 534-41 | | 59 |
| 133 | Views of women and clinicians on postpartum preparation and recovery. 2014 , 18, 707-13 | | 69 |
| 132 | An exploration of individuals' preferences for nutrition care from Australian primary care health professionals. 2014 , 20, 113-20 | | 41 |
| 131 | The importance of continuity of care. <i>British Journal of General Practice</i> , 2014 , 64, 446 | 1.6 | |
| 130 | The relation between health insurance and health care disparities among adults with disabilities. 2014 , 104, e85-93 | | 28 |

| | | |
|-----|--|--------|
| 129 | Continuity of medication management and continuity of care: Conceptual and operational considerations. 2014 , 2, 2050312114559261 | 5 |
| 128 | Prevention, Use of Health Services, and Genes: Implications of Genetics for Policy Formation. 2015 , 34, 519-36 | 5 |
| 127 | Health seeking behaviour and challenges in utilising health facilities in Wakiso district, Uganda. 2014 , 14, 1046-55 | 67 |
| 126 | The Association Between Continuity of Care and the Overuse of Medical Procedures. 2015 , 175, 1148-54 | 75 |
| 125 | Investigations of trust in public and private healthcare in Australia: A qualitative study of patients with heart disease. 2015 , 51, 221-235 | 14 |
| 124 | Patient-Physician End-of-Life Discussions in the Routine Care of Medicare Beneficiaries. 2015 , 27, 983-1002 | 19 |
| 123 | Recording the sexual orientation of male patients attending general practice. 2015 , 32, 35-40 | 10 |
| 122 | Measuring experiences and outcomes of patient safety in primary care: a systematic review of available instruments. 2015 , 32, 106-19 | 27 |
| 121 | Effect of continuity of care on hospital utilization for seniors with multiple medical conditions in an integrated health care system. 2015 , 13, 123-9 | 78 |
| 120 | What do measures of patient satisfaction with the doctor tell us?. 2015 , 98, 1465-1465 | 31 |
| 119 | Impact of UK Primary Care Policy Reforms on Short-Stay Unplanned Hospital Admissions for Children With Primary Care-Sensitive Conditions. 2015 , 13, 214-20 | 20 |
| 118 | Continuity of Care as an Educational Goal but Failed Reality in Resident Training: Time to Innovate. 2016 , 8, 150-3 | 6 |
| 117 | The effect of the Family Health Strategy on usual source of care in Brazil: data from the 2013 National Health Survey (PNS 2013). 2016 , 15, 151 | 20 |
| 116 | Improving continuity: THE clinical challenge. 2016 , 9, 635-645 | 11 |
| 115 | The Importance of Fostering Ownership During Medical Training. 2016 , 16, 3-12 | 23 |
| 114 | Continuity of Care and Health Care Utilization in Older Adults With Dementia in Fee-for-Service Medicare. 2016 , 176, 1371-8 | 94 |
| 113 | The patient, the doctor, and the patient's loyalty: a qualitative study in French general practice. <i>British Journal of General Practice</i> , 2016 , 66, e810-e818 | 1.6 11 |
| 112 | The association between continuity of care and readmission to hospital in patients with severe psychosis. 2016 , 51, 1633-1643 | 16 |

| | | | |
|-----|--|-----|-----|
| 111 | Trust in healthcare settings: Scale development, methods, and preliminary determinants. 2016 , 4, 2050312116664224 | | |
| 110 | Impact of continuity of care on preventable hospitalization of patients with type 2 diabetes: a nationwide Korean cohort study, 2002-10. 2016 , 28, 478-85 | | 7 |
| 109 | Does Age Matter? Association Between Usual Source of Care and Hypertension Control in the US Population: Data From NHANES 2007-2012. 2016 , 29, 934-40 | | 14 |
| 108 | Fifty years of longitudinal continuity in general practice: a retrospective observational study. 2016 , 33, 148-53 | | 5 |
| 107 | Determinants of rural Australian primary health care worker retention: A synthesis of key evidence and implications for policymaking. 2017 , 25, 5-14 | | 17 |
| 106 | Understanding Institutional Trust. What Does It Mean to Trust the Health System?. 2017 , 11-22 | | 2 |
| 105 | Association of Physician Specialty with Hospice Referral for Hospitalized Nursing Home Patients with Advanced Dementia. 2017 , 65, 1784-1788 | | 7 |
| 104 | How Preferences for Continuity and Access Differ Between Multimorbidity and Healthy Patients in a Team Care Setting. 2017 , 8, 319-323 | | 6 |
| 103 | Perceived barriers to healthcare and receipt of recommended medical care among elderly Medicare beneficiaries. 2017 , 72, 45-51 | | 12 |
| 102 | Barriers to improve physician-patient communication in a primary care setting: perspectives of Chinese physicians. 2017 , 5, 166-176 | | 19 |
| 101 | Exploring patient experiences of a pain management centre: A qualitative study. 2017 , 17, 378-381 | | 3 |
| 100 | Assessing the performance of centralized waiting lists for patients without a regular family physician using clinical-administrative data. <i>BMC Family Practice</i> , 2017 , 18, 1 | 2.6 | 36 |
| 99 | Challenges and facilitators for health professionals providing primary healthcare for refugees and asylum seekers in high-income countries: a systematic review and thematic synthesis of qualitative research. <i>BMJ Open</i> , 2017 , 7, e015981 | 3 | 103 |
| 98 | Online physicians, offline patients. 2018 , 38, 474-483 | | 3 |
| 97 | When Personal Feels Invasive: Foreseeing Challenges in Precision Medicine Communication. 2018 , 23, 144-152 | | 6 |
| 96 | Unmet Needs for Care and Medications, Cost as a Reason for Unmet Needs, and Unmet Needs as a Big Problem, due to Health-Care Provider (Dis)Continuity. 2018 , 5, 258-266 | | 4 |
| 95 | Family Physicians Attaching New Patients From Centralized Waiting Lists: A Cross-Sectional Study. 2018 , 9, 2150132718795943 | | 5 |
| 94 | Patients' Satisfaction as a dimension of quality: a survey on outpatients' care in Dubai. 2018 , 31, 1030-1043 | | 0 |

| | | | |
|----|---|-----|----|
| 93 | Prescription drug claims following a traumatic spinal cord injury for older adults: a retrospective population-based study in Ontario, Canada. 2018 , 56, 1059-1068 | | 18 |
| 92 | Attitudes, perceptions, and behaviours associated with hospital admission avoidance: a qualitative study of high-risk patients in primary care. <i>British Journal of General Practice</i> , 2018 , 68, e460-e468 | 1.6 | 1 |
| 91 | Qwill never ever go backQpatientsQwritten narratives of health care communication. 2018 , 52, 757-771 | | 9 |
| 90 | Continuity of care and referral rate: challenges for the future of health care. 2019 , 36, 162-165 | | 7 |
| 89 | Medical Expert Systems [A Study of Trust and Acceptance by Healthcare Stakeholders. 2019 , 108-119 | | 2 |
| 88 | The relationship between trust in primary care physicians and medication knowledge among diabetic patients. 2019 , 15, 656-661 | | 8 |
| 87 | Teach-Back Experience and Hospitalization Risk Among Patients with Ambulatory Care Sensitive Conditions: a Matched Cohort Study. 2019 , 34, 2176-2184 | | 7 |
| 86 | Primary care doctorsQunderstandings of and strategies to tackle health inequalities: a qualitative study. 2019 , 20, e20 | | 4 |
| 85 | Determinants of Primary Nonadherence to Medications Prescribed by General Practitioners Among Adults in Hungary: Cross-Sectional Evaluation of Health Insurance Data. 2019 , 10, 1280 | | 2 |
| 84 | A Model of Chronic Disease Management: Israeli PhysiciansQApproach to Cardiovascular Risk Factor Management. 2019 , 11, 134-147 | | |
| 83 | Impact of informational and relational continuity for people with palliative care needs: a mixed methods rapid review. <i>BMJ Open</i> , 2019 , 9, e027323 | 3 | 9 |
| 82 | Seeking culturally safe care: a qualitative systematic review of the healthcare experiences of women and girls who have undergone female genital mutilation/cutting. <i>BMJ Open</i> , 2019 , 9, e027452 | 3 | 18 |
| 81 | Crossing cultural divides: A qualitative systematic review of factors influencing the provision of healthcare related to female genital mutilation from the perspective of health professionals. 2019 , 14, e0211829 | | 19 |
| 80 | A method for measuring continuity of care in day-to-day general practice: a quantitative analysis of appointment data. <i>British Journal of General Practice</i> , 2019 , 69, e356-e362 | 1.6 | 12 |
| 79 | ProfessionalsQperspectives on factors affecting GP traineesQpatient mix: results from an interview and focus group study among professionals working in Dutch general practice. <i>BMJ Open</i> , 2019 , 9, e032182 | 3 | 2 |
| 78 | Relational continuity of oral health care in Indigenous communities: a qualitative study. 2019 , 19, 287 | | 3 |
| 77 | Impact of family practice continuity of care on unplanned hospital use for people with serious mental illness. 2019 , 54, 1316-1325 | | 15 |
| 76 | Advance care planning for patients with cancer in the palliative phase in Dutch general practices. 2019 , 36, 587-593 | | 12 |

| | | | |
|----|---|-----|----|
| 75 | Too much medicine: not enough trust?. 2019 , 45, 31-35 | | 17 |
| 74 | Personal continuity versus specialisation of care approaches in mental healthcare: experiences of patients and clinicians-results of the qualitative study in five European countries. 2020 , 55, 205-216 | | 4 |
| 73 | Colorectal Cancer Screening and Access to Healthcare in New York City Taxi Drivers. 2020 , 22, 526-533 | | 3 |
| 72 | Preoperative continuity of care and its relationship with cost of hepatopancreatic surgery. 2020 , 168, 809-815 | | 2 |
| 71 | Having a Usual Source of Care Is Associated with Longer Telomere Length in a National Sample of Older Adults. 2020 , 33, 832-841 | | 0 |
| 70 | What role does the GP play for emergency department utilizers? A qualitative exploration of respiratory patients' perspectives in Berlin, Germany. <i>BMC Family Practice</i> , 2020 , 21, 154 | 2.6 | 3 |
| 69 | Reducing the Impacts of Mental Health Stigma Through Integrated Primary Care: An Examination of the Evidence. 2021 , 28, 679-693 | | 1 |
| 68 | Psychological interventions for posttraumatic stress disorder involving primary care physicians: systematic review and Meta-analysis of randomized controlled trials. <i>BMC Family Practice</i> , 2020 , 21, 176 ^{2.6} | | |
| 67 | Impact of continuity of care on cardiovascular disease risk among newly-diagnosed hypertension patients. 2020 , 10, 19991 | | 3 |
| 66 | Continuity of Mental Health Care at Community Health Centers and Reduced Emergency Department Visits for Suicidal Ideation/Self-Harm. 2021 , 57, 1142-1150 | | 1 |
| 65 | Associations between social capital and trust in general practitioners among the elderly people: Empirical evidence from China. 2020 , 28, 1590-1602 | | 0 |
| 64 | COVID-19: a danger and an opportunity for the future of general practice. <i>British Journal of General Practice</i> , 2020 , 70, 270-271 | 1.6 | 28 |
| 63 | Metastatic breast cancer patient perceptions of somatic tumor genomic testing. 2020 , 20, 389 | | 2 |
| 62 | The patient-physician relationship: an account of the physician's perspective. 2020 , 9, 33 | | 11 |
| 61 | The Relationship Between Health-Related Quality of Life and Trust in Primary Care Physicians Among Patients with Diabetes. 2020 , 12, 143-151 | | 7 |
| 60 | A patient-centredness improvement study for efficacy of behaviour change for healthy lifestyle and weight loss in a student-run free clinic. 2021 , 38, 38-42 | | 2 |
| 59 | Patient Perceptions of Trust in Trainees During Delivery of Surgical Care: A Thematic Analysis. 2021 , 78, 462-468 | | 0 |
| 58 | Partners in Sickness and in Health? Relationship-Centered Veterinary Care and Self-Educated Pet Owners in Germany: A Structural Equation Model. 2020 , 7, 605631 | | 2 |

| | | | |
|----|---|-----|-----|
| 57 | Addressing Social Determinants of Health Identified by Systematic Screening in a Medicaid Accountable Care Organization: A Qualitative Study. 2021 , 12, 2150132721993651 | | 5 |
| 56 | Perception and Willingness to Maintain Continuity of Care by Parents of Children with Asthma in Taiwan. 2021 , 18, | | |
| 55 | Influence of organization and demographic characteristics of primary care practices on continuity of care: analysis of a retrospective cohort from 287 primary care practices covering about 6 million people in Catalonia. <i>BMC Family Practice</i> , 2021 , 22, 56 | 2.6 | 4 |
| 54 | The Role of Self-efficacy in the Recovery Trajectory of Mental Health Consumers. 2021 , 51, 907-926 | | 2 |
| 53 | Headache service quality evaluation: implementation of quality indicators in primary care in Europe. 2021 , 22, 33 | | 5 |
| 52 | What mechanisms could link GP relational continuity to patient outcomes?. <i>British Journal of General Practice</i> , 2021 , 71, 278-281 | 1.6 | 3 |
| 51 | Provider and coach perspectives on implementing shadow coaching to improve provider-patient interactions. 2021 , 27, 1381-1389 | | 0 |
| 50 | Association of knowledge and attitudes with the misuse of tranquilizers in parents: a study in Beirut (Lebanon). 2021 , 1-14 | | 1 |
| 49 | The aim of general practice: can it be explained in one sentence?. <i>British Journal of General Practice</i> , 2021 , 71, 346-347 | 1.6 | |
| 48 | Comparison of Patient Satisfaction in Inpatient Care Provided by Hospitalists and Nonhospitalists in South Korea. 2021 , 18, | | 3 |
| 47 | The impact of medical teleconsultations on general practitioner-patient communication during COVID- 19: A case study from Poland. 2021 , 16, e0254960 | | 8 |
| 46 | Continuity of care and receipt of aggressive end of life care among women dying of ovarian cancer. 2021 , 162, 148-153 | | 1 |
| 45 | Willingness to Travel for Cellular Therapy: The Influence of Follow-Up Care Location, Oncologist Continuity, and Race. 2021 , OP2100312 | | |
| 44 | Towards a theory of continuity of care. 2003 , 96, 160-6 | | 78 |
| 43 | The doctor-patient relationship in US primary care. 2003 , 96, 180-4 | | 26 |
| 42 | Atributos essenciais da Atenção Primária Básica: resultados nacionais do PMAQ-AB. 2018 , 42, 52-66 | | 18 |
| 41 | Are physicians ready for patients with Internet-based health information?. 2006 , 8, e22 | | 169 |
| 40 | Improving care for women and girls who have undergone female genital mutilation/cutting: qualitative systematic reviews. 2019 , 7, 1-216 | | 9 |

| | | | |
|----|---|-----|---|
| 39 | Towards research-based learning outcomes for general practice in medical schools: Inaugural Barbara Starfield Memorial Lecture. <i>BJGP Open</i> , 2017 , 1, bjgpopen17X100569 | 3.1 | 2 |
| 38 | Informational, Physical, and Psychological Privacy as Determinants of Patient Behaviour in Health Care. 2014 , 1-20 | | 1 |
| 37 | Hospital Charges and Continuity of Care for Outpatients with Hypertension in South Korea: A Nationwide Population-Based Cohort Study from 2002 to 2013. 2017 , 38, 242-248 | | 1 |
| 36 | Patients' Satisfaction regarding family physician's consultation in primary healthcare centers of Ministry of Health, Jeddah. <i>Journal of Family Medicine and Primary Care</i> , 2017 , 6, 819-823 | 1.5 | 6 |
| 35 | Patient-Centered Home Cancer Screening Attitudes During COVID-19 Pandemic. <i>Journal of Patient-centered Research and Reviews</i> , 2021 , 8, 340-346 | 1.5 | 1 |
| 34 | Das Vertrauen von stationären PatientInnen in Krankenhäusern. 2009 , 863-882 | | |
| 33 | Organization of Headache Services. 2011 , 59-67 | | |
| 32 | At the boundaries of the clinic: discourses of trust in amputee care. 2013 , 86-99 | | |
| 31 | Informational, Physical, and Psychological Privacy as Determinants of Patient Behaviour in Health Care. 2015 , 686-705 | | |
| 30 | Maximizing Continuity in Continuity Clinic. 2018 , 121-128 | | |
| 29 | Dismantling the Barriers. <i>Headache</i> , 2019 , 185-201 | 0.2 | 1 |
| 28 | Introduction. <i>SpringerBriefs in Ethics</i> , 2019 , 1-16 | 0.1 | |
| 27 | Parents' Perception and willingness to maintain provider care continuity for their children under universal health coverage. <i>AIMS Public Health</i> , 2019 , 6, 121-134 | 1.9 | |
| 26 | Making Hearing Aid Referral a Two-Way Street, Not a Corner. <i>ASHA Leader</i> , 2019 , 24, 20-21 | 0.5 | |
| 25 | Metastatic breast cancer patient perception of somatic tumor genomic testing. | | |
| 24 | Das Vertrauen von stationären Patientinnen in Krankenhäusern. 2007 , 863-882 | | |
| 23 | Continuity of care as a predictor of ongoing frequent attendance in primary care: a retrospective cohort study. <i>BJGP Open</i> , 2020 , 4, | 3.1 | 0 |
| 22 | Outreach clinics in the new NHS: not yet the end of outpatients. <i>British Journal of General Practice</i> , 2001 , 51, 261-2 | 1.6 | 4 |

| | | | |
|----|---|-----|----|
| 21 | Quality, general practice, and the NHS plan. <i>British Journal of General Practice</i> , 2001 , 51, 262-3 | 1.6 | |
| 20 | Continuity of care--going out of style?. <i>British Journal of General Practice</i> , 2001 , 51, 699-700 | 1.6 | 23 |
| 19 | Continuity of care in general practice: a survey of patients' views. <i>British Journal of General Practice</i> , 2002 , 52, 459-62 | 1.6 | 61 |
| 18 | Factors associated with patients' trust in their general practitioner: a cross-sectional survey. <i>British Journal of General Practice</i> , 2003 , 53, 798-800 | 1.6 | 63 |
| 17 | Equitable health systems: cultural and structural issues for Latino elders. <i>American Journal of Law and Medicine</i> , 2003 , 29, 247-67 | 0.5 | 19 |
| 16 | How are different types of continuity achieved? A mixed methods longitudinal study. <i>British Journal of General Practice</i> , 2006 , 56, 749-55 | 1.6 | 26 |
| 15 | Measuring African-American patients' cultural mistrust while in a healthcare setting: a pilot study. <i>Journal of the National Medical Association</i> , 2007 , 99, 15-21 | 2.3 | 19 |
| 14 | Patients' views of interpersonal continuity of care in four primary health care centres of urban Oman. <i>Sultan Qaboos University Medical Journal</i> , 2009 , 9, 287-95 | 0.9 | 3 |
| 13 | Relational continuity from the patient perspective: comparison of primary healthcare evaluation instruments. <i>Healthcare Policy</i> , 2011 , 7, 124-38 | 1.1 | 22 |
| 12 | Patients' experience of chronic illness care in a network of teaching settings. <i>Canadian Family Physician</i> , 2012 , 58, 1366-73 | 0.9 | 17 |
| 11 | Continuity of care and colorectal cancer screening by Vietnamese American patients. <i>Asian Pacific Journal of Cancer Prevention</i> , 2010 , 11, 1125-31 | 1.7 | 3 |
| 10 | Effects of continuity of care and patient dispositional factors on the physician-patient relationship. <i>Annals of Clinical Psychiatry</i> , 2011 , 23, 180-5 | 1.4 | 7 |
| 9 | A pilot study of participatory and rapid implementation approaches to increase depression screening in primary care. <i>BMC Family Practice</i> , 2021 , 22, 228 | 2.6 | 0 |
| 8 | Primary care physician involvement during hospitalisation: a qualitative analysis of perspectives from frequently hospitalised patients. <i>BMJ Open</i> , 2021 , 11, e053784 | 3 | 0 |
| 7 | Disruptions to the patient-provider relationship and patient utilization and outcomes: Evidence from Medicaid managed care.. <i>Journal of Health Economics</i> , 2021 , 81, 102574 | 3.5 | 0 |
| 6 | Continuity of GP care for patients with dementia: impact on prescribing and the health of patients.. <i>British Journal of General Practice</i> , 2022 , 72, e91-e98 | 1.6 | 2 |
| 5 | The impact of the COVID-19 pandemic on the continuity of care for at-risk patients in Swiss primary care settings: A mixed-methods study.. <i>Social Science and Medicine</i> , 2022 , 298, 114858 | 5.1 | 4 |
| 4 | DataSheet_1.docx. 2019 , | | |

| | | | |
|---|--|-----|---|
| 3 | Continuity of GP care: using personal lists in general practice.. <i>British Journal of General Practice</i> , 2022 , 72, 208-209 | 1.6 | o |
| 2 | Patient Perspectives on the Appropriate Use of Prescribed Opioids in Chronic Non-Malignant Pain: Analysis of Online Forums Using Theoretical Domains Framework. <i>Journal of Pain Research</i> , Volume 15, 1567-1583 | 2.9 | |
| 1 | (Dis)trust in doctors and public and private healthcare institutions in the Western Balkans. <i>Health Expectations</i> , | 3.7 | o |