

CITATION REPORT

List of articles citing

The national glycohemoglobin standardization program: a five-year progress report

DOI: PM/11673367

Clinical Chemistry, 2001, 47, 1985-92.

Source: <https://exaly.com/paper-pdf/130946781/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
235	Silent haemoglobin variants and determination of HbA(1c) with the HPLC Bio-Rad Variant II. 2002 , 55, 699-703		20
234	Reference measurement systems in clinical chemistry. 2002 , 323, 73-87		54
233	Comparison of two hemolysis procedures prior to an automated HbA(1c) immunoassay. 2002 , 325, 47-50		3
232	Reliable Measurement of Glycated Hemoglobin in Frozen Blood Samples: Implications for Epidemiologic Studies. <i>Clinical Chemistry</i> , 2002 , 48, 1627-1629	5.5	15
231	Guidelines and Recommendations for Laboratory Analysis in the Diagnosis and Management of Diabetes Mellitus. <i>Clinical Chemistry</i> , 2002 , 48, 436-472	5.5	659
230	Monitoring Analytical Quality in Routine Glycohemoglobin Measurements. <i>Clinical Chemistry</i> , 2002 , 48, 1594-1597	5.5	
229	Direct monitoring of glycohemoglobin A1c in the blood samples of diabetic patients by capillary electrophoresis. Comparison with an immunoassay method. 2002 , 979, 201-7		10
228	Evaluation of the new ADA and WHO criteria for classification of diabetes mellitus in young adult people (15-34 yrs) in the Diabetes Incidence Study in Sweden (DISS). 2003 , 46, 173-81		39
227	Testing for microalbuminuria in 2002: barriers to implementing current guidelines. 2003 , 42, 245-8		13
226	Hemoglobin variants and hemoglobin A1c analysis: problem solved?. <i>Clinical Chemistry</i> , 2003 , 49, 1245-7	5.5	54
225	New enzymatic assay for glycohemoglobin. <i>Clinical Chemistry</i> , 2003 , 49, 269-74	5.5	33
224	Glycated hemoglobin standardization--National Glycohemoglobin Standardization Program (NGSP) perspective. 2003 , 41, 1191-8		121
223	Haemoglobin A1c--a marker for complications of type 2 diabetes: the experience from the UK Prospective Diabetes Study (UKPDS). 2003 , 41, 1182-90		71
222	Clinical Laboratory Reference Networks. 2003 , 160-165		
221	[Glycohemoglobin (GHb): clinical and analytical aspects]. 2004 , 48, 451-63		10
220	Conditions associated with very low values of glycohaemoglobin measured by an HPLC method. 2004 , 57, 346-9		28
219	Clinical Chemistry journal has contributed to progress in lipid and lipoprotein testing for fifty years. <i>Clinical Chemistry</i> , 2004 , 50, 1861-70	5.5	9

218	Diabetes mellitus non-glucose monitoring: point-of-care testing. 2004 , 38, 1039-47		10
217	Clinical Laboratory Reference Networks. 2004 , 9, 18-23		
216	Towards worldwide standardisation of HbA1c determination. 2004 , 47, 1143-1148		53
215	Determination of glycated hemoglobin in clinically silent hemoglobin variants. 2004 , 20, 460-5		19
214	Glycohemoglobin (A1C) distribution in school children: results from a school-based screening program. <i>Diabetes Research and Clinical Practice</i> , 2004 , 65, 45-9	7.4	11
213	IFCC reference system for measurement of hemoglobin A1c in human blood and the national standardization schemes in the United States, Japan, and Sweden: a method-comparison study. <i>Clinical Chemistry</i> , 2004 , 50, 166-74	5.5	504
212	Silent hemoglobin variants and determination of HbA(1c) with the high-resolution program of the HPLC HA-8160 hemoglobin analyzer. 2005 , 38, 88-91		56
211	Assessing quality of diabetes care by measuring longitudinal changes in hemoglobin A1c in the Veterans Health Administration. 2005 , 40, 1818-35		26
210	Stability of haemoglobin A1c (HbA1c) measurements from frozen whole blood samples stored for over a decade. 2005 , 22, 1726-30		48
209	HbA1c screening for undiagnosed diabetes in New Zealand. 2005 , 21, 65-70		12
208	A dietary pattern protective against type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition (EPIC)--Potsdam Study cohort. 2005 , 48, 1126-34		161
207	Seasonal patterns in monthly hemoglobin A1c values. 2005 , 161, 565-74		110
206	Hemoglobin A1c measurements over nearly two decades: sustaining comparable values throughout the Diabetes Control and Complications Trial and the Epidemiology of Diabetes Interventions and Complications study. <i>Clinical Chemistry</i> , 2005 , 51, 753-8	5.5	91
205	Best use of the recommended IFCC reference method, material and values in HbA1C analyses. 2005 , 65, 453-62		10
204	Cardiovascular endurance and heart rate variability in adolescents with type 1 or type 2 diabetes. 2005 , 7, 16-29		31
203	HbA1c: a comparison of NGSP with IFCC transformed values. 2005 , 358, 81-6		10
202	How should HbA1c measurements be reported?. 2006 , 49, 7-10		33
201	Management of hyperglycaemia in type 2 diabetes: a consensus algorithm for the initiation and adjustment of therapy. A consensus statement from the American Diabetes Association and the European Association for the Study of Diabetes. 2006 , 49, 1711-21		303

200	Haemoglobin A1c reference method. 2006 , 66, 1-4	7
199	Advances in hemoglobin A1c point of care technology. 2007 , 1, 405-11	60
198	Skin tissue cholesterol is not related to vascular occlusive disease. 2007 , 12, 129-34	3
197	Implementation of haemoglobin A1c results traceable to the IFCC reference system: the way forward. 2007 , 45, 942-4	27
196	Desirable performance standards for HbA(1c) analysis - precision, accuracy and standardisation: consensus statement of the Australasian Association of Clinical Biochemists (AACB), the Australian Diabetes Society (ADS), the Royal College of Pathologists of Australasia (RCPA), Endocrine Society of Australia (ESA), and the Australian Diabetes Educators Association (ADEA). 2007 , 45, 1083-97	48
195	Analysis of office-based glycohemoglobin measurement. 2007 , 1, 885-7	
194	Family influence on self-care, quality of life, and metabolic control in school-age children and adolescents with type 1 diabetes. 2007 , 22, 59-68	52
193	Diabetes: the latest trends in glycemetic control. 2007 , 24, 159-89	2
192	Hemoglobin A1c (HbA1c) predicts future drug treatment for diabetes mellitus: a follow-up study using routine clinical data in a Japanese university hospital. 2007 , 149, 196-204	26
191	Risk factors associated with adverse outcomes in a population-based prospective cohort study of people with their first diabetic foot ulcer. 2007 , 21, 341-9	99
190	Effects of sample storage conditions on glycated hemoglobin measurement: evaluation of five different high performance liquid chromatography methods. 2007 , 9, 36-42	41
189	The influence of dietary intake and meal pattern on blood glucose control in children and adolescents using intensive insulin treatment. 2007 , 50, 2044-51	56
188	Consensus statement on the worldwide standardisation of the HbA1c measurement. 2007 , 50, 2042-3	101
187	Relationship between glycated haemoglobin levels and mean glucose levels over time. 2007 , 50, 2239-44	277
186	QA aspects for HbA1c measurements. 2008 , 41, 88-90	7
185	Performance evaluation of ion exchange and affinity chromatography for HbA1c estimation in diabetic patients with HbD: a study of 129 samples. 2008 , 41, 1204-10	8
184	Different DCCT-aligned HbA1c methods and the GMS contract. 2008 , 62, 202-5	3
183	Implications of different DCCT-aligned HbA1c methods on GMS clinical indicators. 2008 , 25, 97-100	5

182	Estimated average glucose derived from HbA1c eAG: report from European Association for the Study of Diabetes (EASD), Amsterdam 2007. 2008 , 25, 126-8		4
181	Korean red ginseng (<i>Panax ginseng</i>) improves glucose and insulin regulation in well-controlled, type 2 diabetes: results of a randomized, double-blind, placebo-controlled study of efficacy and safety. 2008 , 18, 46-56		192
180	Introduction to standardization of laboratory results. 2008 , 73, 1293-6		10
179	Effect of silent hemoglobin variants on A1C measurement with the IFCC reference method and 6 routine methods. 2008 , 398, 161-2		4
178	Glycohemoglobin screening in adolescents attending to the Department of Paediatrics at a tertiary hospital in Turkey. <i>Diabetes Research and Clinical Practice</i> , 2008 , 79, 305-9	7-4	3
177	Laboratory clinical effectiveness: pathologists improving clinical outcomes. 2008 , 28, 223-44, vi		9
176	Hemoglobin A1c determination in the A1C-Derived Average Glucose (ADAG) study. 2008 , 46, 1617-23		15
175	Haemoglobin A1c analysis in the management of patients with diabetes: from chaos to harmony. 2008 , 61, 983-7		25
174	The IFCC Reference Measurement System for HbA1c: a 6-year progress report. <i>Clinical Chemistry</i> , 2008 , 54, 240-8	5-5	146
173	Translating the A1C assay into estimated average glucose values. 2008 , 31, 1473-8		1065
172	Statistical methods for monitoring the relationship between the IFCC reference measurement procedure for hemoglobin A1c and the designated comparison methods in the United States, Japan, and Sweden. <i>Clinical Chemistry</i> , 2008 , 54, 1379-85	5-5	66
171	Haemoglobin A1c in the diagnosis and monitoring of diabetes mellitus. 2008 , 61, 977-82		46
170	Prevalence of elevated hemoglobin A1c among patients admitted to the hospital without a diagnosis of diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 4238-44	5-6	62
169	Oral glucose tolerance testing in asymptomatic obese children: more questions than answers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 4228-30	5-6	10
168	A new look at screening and diagnosing diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2447-53	5-6	305
167	Metabolic control of TYPE 1 Diabetes in children treated with insulin pump therapy. 2009 , 9, 120-4		
166	Elevated A1C in adults without a history of diabetes in the U.S. 2009 , 32, 828-33		74
165	Perspectives for practice: translating estimated average glucose (eAG) to promote diabetes self-management capacity. 2009 , 35, 581, 585-6, 588-90 passim		5

164	A review of variant hemoglobins interfering with hemoglobin A1c measurement. 2009 , 3, 446-51	165
163	Medical Management of Hyperglycemia in Type 2 Diabetes: A Consensus Algorithm for the Initiation and Adjustment of Therapy: A consensus statement of the American Diabetes Association and the European Association for the Study of Diabetes. 2009 , 27, 4-16	18
162	Changes in dried blood spot Hb A1c with varied postcollection conditions. <i>Clinical Chemistry</i> , 2009 , 55, 1034-6	5.5 12
161	Medical management of hyperglycaemia in type 2 diabetes mellitus: a consensus algorithm for the initiation and adjustment of therapy: a consensus statement from the American Diabetes Association and the European Association for the Study of Diabetes. 2009 , 52, 17-30	541
160	HbA(1c): The old order changeth 2009 , 26, 573-6	2
159	Interference of hemoglobinA1c (HbA1c) detection using ion-exchange high performance liquid chromatography (HPLC) method by clinically silent hemoglobin variant in University Malaya Medical Centre (UMMC)--a case report. 2009 , 42, 430-4	26
158	Glycated albumin and direct low density lipoprotein cholesterol levels in type 2 diabetes mellitus. 2009 , 406, 71-4	21
157	Medical management of hyperglycemia in type 2 diabetes: a consensus algorithm for the initiation and adjustment of therapy: a consensus statement of the American Diabetes Association and the European Association for the Study of Diabetes. 2009 , 32, 193-203	2432
156	The Diabetes Control and Complications Trial: the gift that keeps giving. 2009 , 5, 537-45	40
155	International Expert Committee report on the role of the A1C assay in the diagnosis of diabetes. 2009 , 32, 1327-34	2152
154	A review of the challenge in measuring hemoglobin A1c. 2009 , 3, 439-45	68
153	Evaluation of the Afinion AS100 Point-of-Care Analyzer for Hemoglobin A1c. 2009 , 8, 11-15	3
152	Glycated haemoglobin in diabetic women with and without HIV infection: data from the Women's Interagency HIV Study. 2010 , 15, 571-7	33
151	The traceability chain in medical laboratories: a long and winding road, the example of HbA1c. 2010 , 15, 3-7	1
150	The results of HbA1c measurement and its comparison with reference method values in an EQA programme. 2010 , 15, 239-243	1
149	Advanced proteomics procedure as a detection tool for predictive screening in type 2 pre-Diabetes. 2010 , 1, 19-31	6
148	Determination of glycated hemoglobin on the basis of spectral shifting from protein-dye interaction. 2010 , 4, 16-21	3
147	Unanticipated error in HbA(1c) measurement on the HLC-723 G7 analyzer. 2010 , 43, 623-5	2

146	Cardiovascular fitness and quality of life in adolescents with type 1 or type 2 diabetes. 2010 , 15, 307-16		12
145	Improvements in glycaemic control and cholesterol concentrations associated with the Quality and Outcomes Framework: a regional 2-year audit of diabetes care in the UK. 2010 , 27, 354-9		37
144	Hemoglobin glycation index: a robust measure of hemoglobin A1c bias in pediatric type 1 diabetes patients. 2010 , 11, 455-61		45
143	Getting the most out of hemoglobin A1C testing. 2010 , 11, 443-5		1
142	[Comparison of HbA1c analyzers: D-10, Variant II Turbo, Cobas Integra 800, and Afinion AS100]. 2010 , 30, 345-50		5
141	Racial disparity in A1C independent of mean blood glucose in children with type 1 diabetes. 2010 , 33, 1025-7		79
140	Common variants at 10 genomic loci influence hemoglobin A1C levels via glycemic and nonglycemic pathways. 2010 , 59, 3229-39		314
139	Few point-of-care hemoglobin A1c assay methods meet clinical needs. <i>Clinical Chemistry</i> , 2010 , 56, 4-6	5.5	21
138	Estimated average glucose and self-monitored mean blood glucose are discordant estimates of glycemic control. 2010 , 33, 1449-51		30
137	Standardization of HbA1c: good or bad?. 2010 , 6, 408-11		2
136	Glycated haemoglobin A1c for diagnosing diabetes in Chinese population: cross sectional epidemiological survey. 2010 , 340, c2249		97
135	[HbA1c, standardization and expression of results]. 2010 , 57, 177-81		4
134	Biological variability of glycated hemoglobin. 2010 , 411, 1606-10		42
133	Six of eight hemoglobin A1c point-of-care instruments do not meet the general accepted analytical performance criteria. <i>Clinical Chemistry</i> , 2010 , 56, 44-52	5.5	176
132	Should haemoglobin A1c be used for the diagnosis of diabetes mellitus in South Africa?. 2011 , 16, 122-127		2
131	Reference ranges for testosterone in men generated using liquid chromatography tandem mass spectrometry in a community-based sample of healthy nonobese young men in the Framingham Heart Study and applied to three geographically distinct cohorts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 2430-9	5.6	271
130	Status of hemoglobin A1c measurement and goals for improvement: from chaos to order for improving diabetes care. <i>Clinical Chemistry</i> , 2011 , 57, 205-14	5.5	212
129	Comparative study on secondary structural changes in diabetic and non-diabetic human finger nail specimen by using FTIR spectra. 2011 , 412, 386-9		15

128	Glycated albumin is independently associated with estimated glomerular filtration rate in nondiabetic patients with chronic kidney disease. 2011 , 412, 583-6		10
127	What would be the outcome if the American Diabetes Association recommendations of 2010 had been followed in our practice in 1998-2006?. 2011 , 28, 567-74		14
126	Haemoglobin A1c is associated with carotid intima-media thickness in a Chinese population. 2011 , 75, 780-5		18
125	Non-diabetic hyperglycaemia and cardiovascular risk: moving beyond categorisation to individual interpretation of absolute risk. 2011 , 54, 291-9		11
124	Guidelines and recommendations for laboratory analysis in the diagnosis and management of diabetes mellitus. <i>Clinical Chemistry</i> , 2011 , 57, e1-e47	5.5	293
123	A1C versus glucose testing: a comparison. 2011 , 34, 518-23		284
122	Guidelines and recommendations for laboratory analysis in the diagnosis and management of diabetes mellitus. 2011 , 34, e61-99		316
121	Measurement of hemoglobin A(1c): a new twist on the path to harmony. 2012 , 35, 2674-80		83
120	Hemoglobin A1c for the diagnosis of diabetes: To replace or to guide oral glucose tolerance tests?. <i>Journal of Diabetes Investigation</i> , 2012 , 3, 259-65	3.9	8
119	Point: Put simply, standardization of cardiac troponin I is complicated. <i>Clinical Chemistry</i> , 2012 , 58, 165-85.5		23
118	Role of proficiency testing in monitoring of standardization of hemoglobin A1c methods. 2012 , 17, 419-424		2
117	Glycated albumin in diabetic patients with chronic kidney disease. 2012 , 413, 1555-61		55
116	The impact of acute illness on HbA(1c) determination of undiagnosed diabetes. 2012 , 28, 603-7		18
115	Use of clinical scores to detect dysglycaemia in overweight or obese women. 2012 , 38, 217-24		7
114	HbA1c in pregnancy. 2012 , 6, 59-64		16
113	Evaluation of the AutoLab HbA1cReagent by Using Hitachi Clinical Analyzer 7180. 2012 , 2, 74		
112	Effect of hospital admission on glycemic control 1 year after discharge. <i>Endocrine Practice</i> , 2012 , 18, 456-63	3.2	12
111	Role of HbA1c in the Screening of Diabetes Mellitus in a Korean Rural Community. <i>Diabetes and Metabolism Journal</i> , 2012 , 36, 37-42	5	11

110	Does familial clustering of risk factors for long-term diabetic complications leave any place for genes that act independently?. 2012 , 5, 388-98		6
109	Current controversies in the use of haemoglobin A1c. 2012 , 271, 227-36		71
108	Hemoglobin A1c above threshold level is associated with decreased β cell function in overweight Latino youth. 2012 , 160, 751-6		14
107	Consensus treatment plans for induction therapy of newly diagnosed proliferative lupus nephritis in juvenile systemic lupus erythematosus. 2012 , 64, 375-83		131
106	Evaluation of a new device for measurement of hemoglobin A1c for Japanese subjects. 2013 , 4, 112-116		1
105	Additive postprandial glucose-lowering effects of mitiglinide and sitagliptin in patients with type 2 diabetes mellitus. 2013 , 30, 1018-29		12
104	Intensification of diabetes medication and risk for 30-day readmission. 2013 , 30, e56-62		37
103	Glycated haemoglobin and the risk of cardiovascular disease, diabetes and all-cause mortality in the Copenhagen City Heart Study. 2013 , 273, 94-101		13
102	A model-based approach to predict longitudinal HbA1c, using early phase glucose data from type 2 diabetes mellitus patients after anti-diabetic treatment. 2013 , 53, 589-600		15
101	Identification of Biomarkers for Beta Cell Failure as Detection Tools for Predictive Screening in Type 2 Pre-diabetes. 2013 , 89-116		
100	Adherence of Healthcare Professionals to American Diabetes Association 2004 guidelines for the care of patients with type 2 diabetes at Peripheral Diabetes Clinics in Karachi, Pakistan. 2013 , 29, 474-8		4
99	HbA1c: a review of analytical and clinical aspects. 2013 , 33, 393-400		154
98	Performance of homeostasis model assessment and serum high-sensitivity C-reactive protein for prediction of isolated post-load hyperglycaemia. 2013 , 30, 318-25		4
97	Measurement of Waist Circumference: midabdominal or iliac crest?. 2013 , 36, 1660-6		93
96	Glycemic control in the 12 months following a change to SI hemoglobin A1c reporting units. <i>Clinical Chemistry</i> , 2013 , 59, 1457-60	5.5	4
95	Telemedicine application in the care of diabetes patients: systematic review and meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e79246	3.7	117
94	Measurement of visceral fat: should we include retroperitoneal fat?. <i>PLoS ONE</i> , 2014 , 9, e112355	3.7	42
93	Teneligliptin as an initial therapy for newly diagnosed, drug naive subjects with type 2 diabetes. 2014 , 6, 287-94		19

92	Significance of HbA1c and its measurement in the diagnosis of diabetes mellitus: US experience. 2014 , 7, 487-94		17
91	Plasma apelin: A novel biomarker for predicting diabetes. 2014 , 435, 18-23		53
90	Implementation of the HbA1c IFCC unit --from the laboratory to the consumer: The New Zealand experience. 2014 , 432, 157-61		0
89	Hemoglobin a1c in the ESRD population: status report. 2014 , 27, 559-62		1
88	Increased glycemic variability and decrease of the postprandial glucose contribution to HbA1c in obese subjects across the glycemic continuum from normal glycemia to first time diagnosed diabetes. 2014 , 63, 1553-61		15
87	Three of 7 hemoglobin A1c point-of-care instruments do not meet generally accepted analytical performance criteria. <i>Clinical Chemistry</i> , 2014 , 60, 1062-72	5.5	103
86	[Diagnostic agreement between two glycosylated a1b hemoglobin methods in Primary Care]. 2014 , 40, 431-5		3
85	The use of statins in people at risk of developing diabetes mellitus: evidence and guidance for clinical practice. 2014 , 15, 1-15		62
84	Glucose control and fatigue in type 2 diabetes: the mediating roles of diabetes symptoms and distress. 2015 , 71, 1650-60		24
83	Optimal candidates for the switch from glimepiride to sitagliptin to reduce hypoglycemia in patients with type 2 diabetes mellitus. 2015 , 30, 84-91		11
82	Impact of Admission Glycosylated Hemoglobin A1c on Angiographic Characteristics and Short Term Clinical Outcomes of Nondiabetic Patients with Acute ST-Segment Elevation Myocardial Infarction. 2015 , 2015, 274892		8
81	Nonalcoholic Fatty Liver Disease Is Associated With QT Prolongation in the General Population. 2015 , 4,		47
80	Comparable Dietary Patterns Describe Dietary Behavior across Ethnic Groups in the Netherlands, but Different Elements in the Diet Are Associated with Glycated Hemoglobin and Fasting Glucose Concentrations. 2015 , 145, 1884-91		19
79	Four-year evolution of insulin regimens, glycaemic control, hypoglycaemia and body weight after starting insulin therapy in type 2 diabetes across three continents. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 350-9	7.4	18
78	Validity of the Finnish Diabetes Risk Score for Detecting Undiagnosed Type 2 Diabetes among General Medical Outpatients in Botswana. 2016 , 2016, 4968350		19
77	Serum Glycated Albumin to Guide the Diagnosis of Diabetes Mellitus. <i>PLoS ONE</i> , 2016 , 11, e0146780	3.7	39
76	Prognosis of Ischemic Stroke With Newly Diagnosed Diabetes Mellitus According to Hemoglobin A1c Criteria in Chinese Population. 2016 , 47, 2038-44		21
75	Role of Glycated Proteins in the Diagnosis and Management of Diabetes: Research Gaps and Future Directions. 2016 , 39, 1299-306		94

74	Interactions between kidney disease and diabetes: dangerous liaisons. 2016 , 8, 50		76
73	Distinct Glucose-Lowering Mechanisms of Ipragliflozin Depending on Body Weight Changes. 2016 , 16, 369-376		5
72	Teneligliptin, a Chemotype Prolyl-Thiazolidine-Based Novel Dipeptidyl Peptidase-4 Inhibitor with Insulin Sensitizing Properties. 2016 , 36, 809-18		3
71	Standardising HbA1c-based diabetes diagnosis: opportunities and challenges. 2016 , 16, 343-55		17
70	Treatment of Type 1 Diabetes Mellitus in Adults. 2016 , 770-787.e4		
69	Can the Afinion HbA1c Point-of-Care instrument be an alternative method for the Tosoh G8 in the case of Hb-Tacoma?. 2017 , 77, 2-7		3
68	Both the frequency of HbA testing and the frequency of self-monitoring of blood glucose predict metabolic control: A multicentre analysis of 15 199 adult type 1 diabetes patients from Germany and Austria. 2017 , 33, e2908		16
67	Canagliflozin as an Initial Therapy in Drug-Naïve Subjects with Type 2 Diabetes Mellitus: A Potential Involvement of Atherogenic Lipids in its Glycemic Efficacy. 2017 , 17, 313-320		7
66	National continuous surveys on internal quality control for HbA1c in 306 clinical laboratories of China from 2012 to 2016: Continual improvement. 2017 , 31,		1
65	Diabetic by HbA1c, Normal by OGTT: A Frequent Finding in the Mexico City Diabetes Study. 2017 , 1, 1247-1258	4	
64	Average glucose from hemoglobin A for altered red blood cell lifetimes: Predictions based on a model for hemoglobin A1c formation. 2017 , 474, 124-129		3
63	Insulin regimens and glycemic control in different parts of Europe over 4years after starting insulin in people with type 2 diabetes: Data from the CREDIT non-interventional study. <i>Diabetes Research and Clinical Practice</i> , 2017 , 133, 150-158	7.4	4
62	Serum calcium changes and risk of type 2 diabetes mellitus in Asian population. <i>Diabetes Research and Clinical Practice</i> , 2017 , 133, 109-114	7.4	10
61	The Relationship Between Sleep Duration and Glycemic Control Among Hispanic Adults With Uncontrolled Type 2 Diabetes. 2017 , 43, 519-529		4
60	Haemoglobin variants may cause significant differences in haemoglobin A1c as measured by high-performance liquid chromatography and enzymatic methods in diabetic patients: a cross-sectional study. 2017 , 54, 432-437		3
59	Harmonized Reference Ranges for Circulating Testosterone Levels in Men of Four Cohort Studies in the United States and Europe. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 1161-1173	5.6	126
58	Prognosis of Intracerebral Hemorrhage with Newly Diagnosed Diabetes Mellitus According to Hemoglobin A1c Criteria. 2018 , 27, 1127-1133		6
57	Glycated heamoglobin A1c as a tool for epidemiological studies to assess diabetes prevalence: How has it been used since its official recommendation for diabetes diagnosis?. 2018 , 44, 197-199		1

56	Prevalence of Abnormal Glucose Regulation according to Different Diagnostic Criteria in Ischaemic Stroke without a History of Diabetes. 2018 , 2018, 8358724		4
55	HbA1c method performance: The great success story of global standardization. 2018 , 55, 408-419		18
54	Serum vascular adhesion protein-1 is up-regulated in hyperglycemia and is associated with incident diabetes negatively. 2019 , 43, 512-522		11
53	A novel dual imprinted conducting nanocubes based flexible sensor for simultaneous detection of hemoglobin and glycated haemoglobin in gestational diabetes mellitus patients. 2019 , 285, 470-478		13
52	The Community Health Assessment Program in the Philippines (CHAP-P) diabetes health promotion program for low- to middle-income countries: study protocol for a cluster randomized controlled trial. 2019 , 19, 682		3
51	Racial differences in performance of HbA for the classification of diabetes and prediabetes among US adults of non-Hispanic black and white race. 2019 , 36, 1234-1242		5
50	Comparison of the International Federation of Clinical Chemistry and Japan Diabetes Society reference methods for conversion to the National Glycohemoglobin Standardization Program values. 2019 , 56, 508-514		
49	The Need for Accuracy in Hemoglobin A1c Proficiency Testing: Why the Proposed CLIA Rule of 2019 Is a Step Backward. 2019 , 13, 424-427		6
48	Accuracy of a Point-of-Care Hemoglobin A1c Assay. 2019 , 13, 1149-1153		7
47	The National Glycohemoglobin Standardization Program: Over 20 Years of Improving Hemoglobin A Measurement. <i>Clinical Chemistry</i> , 2019 , 65, 839-848	5.5	41
46	"Mind the gap please": estimated vs. measured Ac from continuous measurement of interstitial glucose over a 3-month period in patients with type 1 diabetes. 2020 , 75, 109-115		7
45	Evaluation of effectiveness of treatment paradigm for newly diagnosed type 2 diabetes patients in Chin: A nationwide prospective cohort study. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 151-161	3.9	8
44	Gene Polymorphisms Prevalence and Cardiovascular Risk Factors Involved in Cardioembolic Stroke Type and Severity. <i>Brain Sciences</i> , 2020 , 10,	3.4	8
43	A Patient-Level Model to Estimate Lifetime Health Outcomes of Patients With Type 1 Diabetes. 2020 , 43, 1741-1749		5
42	Decreased glomerular filtration rate and increased albuminuria for identification of cardiovascular autonomic neuropathy in subjects with and without diabetes. 2021 , 230, 102757		
41	Effect of Correction of Hyperthyroidism with Anti-thyroid Drugs on the Glycated Hemoglobin in Non-diabetic Patients with Primary Hyperthyroidism. 2021 , 19, e105751		0
40	A lower maximum bite force is a risk factor for developing cardiovascular disease: the Suita study. 2021 , 11, 7671		4
39	Plasminogen Activator Inhibitor-1 () Gene Polymorphisms Associated with Cardiovascular Risk Factors Involved in Cerebral Venous Sinus Thrombosis. 2021 , 11,		5

38	Comparative clinical outcomes of insulin degludec and insulin glargine 300 U/mL after switching from other basal insulins in real-world patients with type 1 and type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 1983-1991	3.9	3
37	Development of a life expectancy table for individuals with type 1 diabetes. 2021 , 64, 2228-2236		3
36	Role of adjunctive therapy with subantimicrobial doses of doxycycline in glycemic control (HbA1c) in patients with diabetes and endo-periodontal lesions to prevent sinus complications. 2021 , 21, 277		1
35	Diabetes in China and the Western Pacific Region. 2017 , 63-83		1
34	Carbohydrates. 2011 , 210-225		7
33	Chapter 5 Glycated haemoglobin (HbA1c) monitoring for diabetes diagnosis, management and therapy. 2016 , 97-124		1
32	Importance of Hemoglobin A1c Levels for the Detection of Post-Surgical Infection Following Single-Level Lumbar Posterior Fusion in Patients with Diabetes. <i>Korean Journal of Neurotrauma</i> , 2019 , 15, 150-158	0.7	6
31	Whole Blood Donation Affects the Interpretation of Hemoglobin A1c. <i>PLoS ONE</i> , 2017 , 12, e0170802	3.7	7
30	Effect of ethnicity on HbA1c levels in individuals without diabetes: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0171315	3.7	59
29	MTHFR Gene Polymorphisms and Cardiovascular Risk Factors, Clinical-Imagistic Features and Outcome in Cerebral Venous Sinus Thrombosis. <i>Brain Sciences</i> , 2020 , 11,	3.4	7
28	Determination of glycated hemoglobin in patients with advanced liver disease. <i>World Journal of Gastroenterology</i> , 2004 , 10, 2284-6	5.6	35
27	Prevalence of Diabetes and Prediabetes according to Fasting Plasma Glucose and HbA1c. <i>Diabetes and Metabolism Journal</i> , 2013 , 37, 349-57	5	93
26	Effective factors in controlling diabetes progression among patients in the northwest of Iran. <i>Journal of Natural Science, Biology and Medicine</i> , 2016 , 7, 68-71	0.8	4
25	Characterization of Metabolic Parameters in Responders and Nonresponders Treated with Canagliflozin Monotherapy in Drug-naive Subjects with Type 2 Diabetes. <i>Indian Journal of Endocrinology and Metabolism</i> , 2018 , 22, 185-190	1.7	4
24	Effect of Hospital Admission on Glycemic Control One Year after Discharge. <i>Endocrine Practice</i> , 2012 , 1, 1-22	3.2	1
23	Hemoglobin A1c: past, present and future. <i>Annals of Saudi Medicine</i> , 2008 , 28, 411-9	1.6	5
22	Update on diabetes diagnosis: a historical review of the dilemma of the diagnostic utility of glycohemoglobin A1c and a proposal for a combined glucose-A1c diagnostic method. <i>Annals of Saudi Medicine</i> , 2012 , 32, 229-35	1.6	4
21	Methods, units and quality requirements for the analysis of haemoglobin A1c in diabetes mellitus. <i>World Journal of Methodology</i> , 2016 , 6, 133-42	1.2	10

20	Glycated Hemoglobin and Serum Proteins as Tools for Monitoring.		
19	Diabetes in Pregnancy. 2004 , 359-390		
18	Quality of care for the woman with diabetes in pregnancy. <i>Series in Maternal-fetal Medicine</i> , 2008 , 399-408		
17	Treatment of Type 1 Diabetes Mellitus in Adults. 2010 , 840-857		
16	Diabetes Mellitus. 2012 , 1415-1456		6
15	Classification and Laboratory Diagnosis of Diabetes Mellitus. 2014 , 347-359		
14	Association between estimated blood glucose levels and glycated hemoglobin levels. <i>Korean Journal of Internal Medicine</i> , 2016 , 31, 457-60		2.5
13	Definition, Diagnostic Criteria, Screening, Diagnosis, and Classification of Diabetes and Categories of Glucose Intolerance. 2019 , 71-85		0
12	Methoden der Stoffwechselkontrolle. 2005 , 243-279		
11	HbA1c standardisation destination--global IFCC Standardisation. How, why, where and when--a tortuous pathway from kit manufacturers, via inter-laboratory lyophilized and whole blood comparisons to designated national comparison schemes. <i>Clinical Biochemist Reviews</i> , 2005 , 26, 5-19	7.3	49
10	HbA1c standardisation: history, science and politics. <i>Clinical Biochemist Reviews</i> , 2007 , 28, 163-8	7.3	28
9	The International Consortium for Harmonization of Clinical Laboratory Results (ICHCLR) - A Pathway for Harmonization. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2016 , 27, 30-6	2.4	9
8	Microalbuminuria, Other Markers of Nephropathy and Biochemical Derangements in Type 2 Diabetes Mellitus: Relationships and Determinants. <i>Ghana Medical Journal</i> , 2017 , 51, 56-63	0.6	3
7	Influence of cognitive impairment on cardiac mortality after percutaneous coronary intervention in very elderly patients: a retrospective observational study. <i>Journal of Geriatric Cardiology</i> , 2019 , 16, 733-740	1.7	2
6	Association of incidence of acid-related upper gastrointestinal disorders with glycated hemoglobin level.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6	
5	Long-Term Effectiveness of the TIME Intervention to Improve Diabetes Outcomes in Low-Income Settings: a 2-Year Follow-Up.. <i>Journal of General Internal Medicine</i> , 2022 , 1	4	0
4	Classification and Laboratory Diagnosis of Diabetes Mellitus. 2022 , 303-313		1
3	Does Diabetes Mellitus Increase the Short- and Long-Term Mortality in Patients With Critical Acute Myocardial Infarction? Results From American MIMIC-III and Chinese CIN Cohorts.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 797049	5.7	1

2 Association between changes in body weight and cardiovascular disease risk factors among obese Japanese patients with type 2 diabetes.. *Journal of Diabetes Investigation*, **2022**, 3.9

1 Potential Misclassification of Diabetes and Prediabetes in the U.S.:Mismatched HbA1c and glucose in NHANES 2005-2016. *Diabetes Research and Clinical Practice*, **2022**, 109935 7.4 1