

CITATION REPORT

List of articles citing

The fourth report on the diagnosis, evaluation, and treatment of high blood pressure in children and adolescents

DOI: PM/15286277
Pediatrics, 2004, 114, 555-76.

Source: <https://exaly.com/paper-pdf/132567077/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|---|----|-----------|
| 2323 | Primary reasons for ED visits and procedures performed for patients who saw nurse practitioners. 2005 , 31, 145-9 | | 8 |
| 2322 | Atherosclerosis in childhood and adolescent type 1 diabetes: early disease, early treatment?. 2005 , 48, 1445-53 | | 86 |
| 2321 | A diagnostic approach for the child with hypertension. 2005 , 20, 499-506 | | 39 |
| 2320 | How are hypertensive children evaluated and managed? A survey of North American pediatric nephrologists. 2005 , 20, 791-7 | | 100 |
| 2319 | Twenty-four-hour ambulatory blood pressure monitoring in infants and toddlers. 2005 , 20, 798-802 | | 40 |
| 2318 | MRI detection of atrophic kidney in a hypertensive child with a single kidney. 2005 , 20, 1192-4 | | 6 |
| 2317 | White-coat and masked hypertension in children: association with target-organ damage. 2005 , 20, 1151-5 | | 191 |
| 2316 | Ambulatory blood pressure monitoring: mean blood pressure and blood pressure load. 2005 , 20, 1484-6 | | 30 |
| 2315 | Hypertension in young children and neonates. 2005 , 7, 454-60 | | 3 |
| 2314 | Intrauterine exposure to diabetes is a determinant of hemoglobin A(1)c and systolic blood pressure in pima Indian children. 2005 , 90, 3225-9 | | 112 |
| 2313 | What's new with kids and high blood pressure?. 2005 , 7, 243-4 | | |
| 2312 | Recommendations for blood pressure measurement in humans: an AHA scientific statement from the Council on High Blood Pressure Research Professional and Public Education Subcommittee. 2005 , 7, 102-9 | | 269 |
| 2311 | Blood pressure patterns in rural, semi-urban and urban children in the Ashanti region of Ghana, West Africa. 2005 , 5, 114 | | 61 |
| 2310 | Type 2 diabetes mellitus in youth: the complete picture to date. 2005 , 52, 1579-609 | | 78 |
| 2309 | Task Force 5: systemic hypertension. 2005 , 45, 1346-8 | | 39 |
| 2308 | Hypertension artfielle chez l'enfant et l'adolescent. 2005 , 2, 478-490 | | 1 |
| 2307 | Hypertension artfielle chez l'enfant et l'adolescent. 2006 , 1, 1-10 | | 1 |

| | | |
|------|--|-----|
| 2306 | The choice of threshold limits for pediatric ambulatory blood pressure monitoring influences clinical decisions. 2006 , 11, 119-23 | 16 |
| 2305 | Unilateral renal angiodyplasia in a girl with hypertension. 2006 , 21, 292-4 | 2 |
| 2304 | Childhood microscopic polyangiitis associated with MPO-ANCA. 2006 , 21, 46-53 | 58 |
| 2303 | Childhood hypertension is not a silent disease. 2006 , 21, 527-32 | 60 |
| 2302 | Clinical course of 110 children and adolescents with primary focal segmental glomerulosclerosis. 2006 , 21, 482-9 | 21 |
| 2301 | Left ventricular hypertrophy and arterial wall thickening in children with essential hypertension. 2006 , 21, 811-9 | 147 |
| 2300 | Alterations of blood pressure in type 1 diabetic children and adolescents. 2006 , 21, 672-6 | 44 |
| 2299 | Treatment of primary and secondary hypertension in children. 2006 , 21, 820-7 | 33 |
| 2298 | Serum cystatin C and left ventricular diastolic dysfunction in children with chronic kidney disease. 2006 , 21, 1293-8 | 16 |
| 2297 | Candesartan cilexetil in children with hypertension or proteinuria: preliminary data. 2006 , 21, 1480-2 | 24 |
| 2296 | Clinical course of 735 children and adolescents with primary vesicoureteral reflux. 2006 , 21, 981-8 | 75 |
| 2295 | Predictive factors of chronic kidney disease in severe vesicoureteral reflux. 2006 , 21, 1285-92 | 41 |
| 2294 | Utility of ambulatory blood pressure monitoring in children and adolescents. 2006 , 21, 1640-52 | 54 |
| 2293 | Severe cardiac hypertrophy and long-term dialysis: the Midwest Pediatric Nephrology Consortium study. 2006 , 21, 1167-70 | 51 |
| 2292 | Add-on therapy with angiotensin II receptor 1 blocker in children with chronic kidney disease already treated with angiotensin-converting enzyme inhibitors. 2006 , 21, 1716-22 | 40 |
| 2291 | Left ventricular mass and heart sympathetic activity after renal transplantation in children and young adults. 2006 , 21, 1413-8 | 12 |
| 2290 | Characteristics of brachial-ankle pulse wave velocity in Japanese children. 2006 , 165, 625-9 | 67 |
| 2289 | MR angiography in the evaluation of a renovascular cause of neonatal hypertension. 2006 , 36, 158-61 | 10 |

| | | | |
|------|--|-----|-----|
| 2288 | Cardiovascular risk factors in adolescents. 2006 , 8, 269-75 | | 11 |
| 2287 | Diversity of metabolic syndrome risk factors in obese children and adolescents. 2006 , 62, 125-33 | | 22 |
| 2286 | A school-based physical activity program to improve health and fitness in children aged 6-13 years ("Kinder-Sportstudie KISS"): study design of a randomized controlled trial [ISRCTN15360785]. 2006 , 6, 147 | | 94 |
| 2285 | The effect of chelation on blood pressure in lead-exposed children: a randomized study. 2006 , 114, 579-83 | | 10 |
| 2284 | Exercise does not cause an arm-leg blood pressure gradient in healthy children. 2006 , 92, 1692-3 | | 2 |
| 2283 | Prevalence of abnormal lipid and blood pressure values among an ethnically diverse population of eighth-grade adolescents and screening implications. <i>Pediatrics</i> , 2006 , 117, 2065-73 | 7.4 | 102 |
| 2282 | Design and methods of the Chronic Kidney Disease in Children (CKiD) prospective cohort study. 2006 , 1, 1006-15 | | 259 |
| 2281 | Blood pressure centiles for Great Britain. 2007 , 92, 298-303 | | 147 |
| 2280 | Instability in the diagnosis of metabolic syndrome in adolescents. 2007 , 115, 2316-22 | | 179 |
| 2279 | Overweight, family history of diabetes and attending schools of lower academic grading are independent predictors for metabolic syndrome in Hong Kong Chinese adolescents. 2007 , 92, 224-8 | | 45 |
| 2278 | Children under pressure: an underestimated burden?. 2007 , 92, 288-90 | | 5 |
| 2277 | Comparison of metabolic syndrome prevalence using eight different definitions: a critical approach. 2007 , 92, 1067-72 | | 119 |
| 2276 | Association between metabolic syndrome and sleep-disordered breathing in adolescents. 2007 , 176, 401-8 | | 212 |
| 2275 | Left ventricular hypertrophy in hypertensive adolescents: analysis of risk by 2004 National High Blood Pressure Education Program Working Group staging criteria. 2007 , 50, 392-5 | | 172 |
| 2274 | How have the past 5 years of research changed clinical practice in paediatric nephrology?. 2007 , 92, 357-61 | | 14 |
| 2273 | Metabolic syndrome in adolescents with spinal cord dysfunction. 2007 , 30 Suppl 1, S127-39 | | 76 |
| 2272 | Socioeconomic position and the metabolic syndrome in early, middle, and late life: evidence from NHANES 1999-2002. 2007 , 17, 782-90 | | 96 |
| 2271 | Dietary and lifestyle factors associated with blood pressure among U.S. adolescents. 2007 , 40, 166-72 | | 59 |

| | | | |
|------|--|-----|-----|
| 2270 | Overweight and Hyperinsulinemia Provide Individual Contributions to Compromises in Brachial Artery Distensibility in Healthy Adolescents and Young Adults: Brachial Distensibility in Children. 2007 , 1, 200-207 | | 18 |
| 2269 | An Initial Experience of Continuous Peritoneal Dialysis in Children in the Armed Forces. 2007 , 63, 220-2 | | 2 |
| 2268 | Systemic hypertension and proteinuria in childhood chronic renal parenchymal disease: role of antihypertensive drug management. 2007 , 9, 413-8 | | 5 |
| 2267 | Diagnostic criteria patterns of U.S. children with Metabolic Syndrome: NHANES 1999-2002. 2007 , 6, 38 | | 26 |
| 2266 | Off-label utilization of antihypertensive medications in children. 2007 , 7, 299-303 | | 11 |
| 2265 | Idiopathic membranous nephropathy in pediatric patients: presentation, response to therapy, and long-term outcome. 2007 , 8, 11 | | 37 |
| 2264 | Obesity increases metabolic syndrome risk factors in school-aged children from an urban school in Mexico city. 2007 , 107, 81-91 | | 52 |
| 2263 | Childhood overweight and cardiovascular disease risk factors: the National Heart, Lung, and Blood Institute Growth and Health Study. <i>Journal of Pediatrics</i> , 2007 , 150, 18-25 | 3.6 | 201 |
| 2262 | Pre-hypertension and hypertension among adolescents of Switzerland. <i>Journal of Pediatrics</i> , 2007 , 151, e24-5 | 3.6 | 15 |
| 2261 | Metabolic risk-factor clustering estimation in obese children. 2007 , 63, 347-55 | | 8 |
| 2260 | C-reactive protein and incident left ventricular hypertrophy in essential hypertension. 2007 , 28, 280-5 | | 12 |
| 2259 | Effect of microalbuminuria lowering on regression of left ventricular hypertrophy in children and adolescents with essential hypertension. 2007 , 28, 27-33 | | 78 |
| 2258 | Cardiovascular disease risk in youth with diabetes mellitus. 2006 , 7, 197-204 | | 25 |
| 2257 | Body indices and basic vital signs in Helicobacter pylori positive and negative persons. 2007 , 22, 67-75 | | 21 |
| 2256 | Normality of upper and lower peripheral pulse transit time of normotensive and hypertensive children. 2007 , 21, 243-8 | | 5 |
| 2255 | Lack of evidence of hypervolemia in children with insulin-dependent diabetes mellitus. 2007 , 22, 258-64 | | 2 |
| 2254 | Regression of left ventricular hypertrophy in children with antihypertensive therapy. 2007 , 22, 141-3 | | 14 |
| 2253 | Prescription of drugs blocking the renin-angiotensin system in Italian children. 2007 , 22, 144-8 | | 10 |

| | | |
|------|--|-----|
| 2252 | HLA-DRB1* alleles in Egyptian children with post-streptococcal acute glomerulonephritis. 2007 , 22, 376-9 | 15 |
| 2251 | Blood pressure control in pediatric hemodialysis: the Midwest Pediatric Nephrology Consortium Study. 2007 , 22, 547-53 | 32 |
| 2250 | Risk of hypertension in primary vesicoureteral reflux. 2007 , 22, 459-62 | 46 |
| 2249 | Comparison of ambulatory blood pressure and Task Force criteria to identify pediatric hypertension. 2007 , 22, 554-8 | 17 |
| 2248 | Clinical predictors of neurocognitive deficits in children with chronic kidney disease. 2007 , 22, 565-72 | 67 |
| 2247 | Renal hemodynamic changes and renal functional reserve in children with type I diabetes mellitus. 2007 , 22, 1903-9 | 17 |
| 2246 | Risk factors for hypertension 3 years after renal transplantation in children. 2007 , 22, 1363-8 | 10 |
| 2245 | IgA nephropathy: what's new?. 2007 , 22, 1809-14 | 8 |
| 2244 | Long-term follow-up of Argentinean patients with hemolytic uremic syndrome who had not undergone dialysis. 2007 , 22, 1343-7 | 26 |
| 2243 | Outcome of isolated antenatal hydronephrosis: a prospective cohort study. 2007 , 22, 1727-34 | 105 |
| 2242 | Selective late steroid withdrawal after renal transplantation. 2007 , 22, 1947-52 | 6 |
| 2241 | Posterior reversible encephalopathy syndrome in the pediatric renal population. 2007 , 22, 1921-9 | 91 |
| 2240 | Early atherosclerosis in childhood type 1 diabetes: role of raised systolic blood pressure in the absence of dyslipidaemia. 2007 , 166, 541-8 | 43 |
| 2239 | Essential hypertension in early and mid-adolescence. 2007 , 74, 1007-11 | 12 |
| 2238 | Factors influencing blood pressure control in children and adolescents. 2008 , 40, 741-8 | 11 |
| 2237 | Clinical impact of vasopressin infusion on hemodynamics, liver and renal function in pediatric patients. 2008 , 34, 1274-80 | 29 |
| 2236 | Relation of left ventricular hypertrophy to microalbuminuria and C-reactive protein in children and adolescents with essential hypertension. 2008 , 29, 580-4 | 46 |
| 2235 | Differences in arterial compliance among normotensive adolescent groups: Collins arterial compliance in adolescents. 2008 , 29, 929-34 | 30 |

| | | |
|------|---|-----|
| 2234 | Childhood hypertension: what does the radiologist contribute?. 2008 , 38 Suppl 3, S501-7 | 9 |
| 2233 | Evaluation of intima media thickness of the common and internal carotid arteries with inflammatory markers in familial Mediterranean fever as possible predictors for atherosclerosis. 2008 , 28, 1211-6 | 56 |
| 2232 | High prevalence of cardiovascular risk factors in children and adolescents with type 1 diabetes: a population-based study. 2008 , 51, 554-61 | 117 |
| 2231 | Elevated blood pressure in overweight and obese Irish children. 2008 , 177, 379-81 | 6 |
| 2230 | Ambulatory blood pressure and cardiovascular risk in chronic kidney disease. 2008 , 10, 119-26 | 14 |
| 2229 | High sensitivity C-reactive protein and endothelial function in Chilean patients with history of Kawasaki disease. 2008 , 27, 845-50 | 18 |
| 2228 | Cardiovascular complications of pediatric chronic kidney disease. 2008 , 23, 27-39 | 96 |
| 2227 | Discrepancies in office and ambulatory blood pressure in adolescents: help or hindrance?. 2008 , 23, 341-5 | 8 |
| 2226 | Simple multicystic dysplastic kidney disease: end points for subspecialty follow-up. 2008 , 23, 111-6 | 34 |
| 2225 | Hypertension in children with chronic kidney disease: pathophysiology and management. 2008 , 23, 363-71 | 68 |
| 2224 | Stage 2 hypertension in a child with a rapidly enlarging kidney: answer. Burkitt's lymphoma. 2008 , 23, 729-31 | 0 |
| 2223 | Complications of pediatric live-donor kidney transplantation: a single center's experience in Egypt. 2008 , 23, 2067-73 | 8 |
| 2222 | Pulse contour analysis: a valid assessment of central arterial stiffness in children?. 2008 , 23, 439-44 | 13 |
| 2221 | High blood pressure and hypertension in children with newly diagnosed acute leukemia and lymphoma. 2008 , 23, 603-9 | 8 |
| 2220 | Different BMI cardiovascular risk thresholds as markers of organ damage and metabolic syndrome in primary hypertension. 2008 , 23, 787-96 | 16 |
| 2219 | Cinacalcet is efficacious in pediatric dialysis patients. 2008 , 23, 1817-22 | 42 |
| 2218 | Circulating calcification inhibitors and vascular properties in children after renal transplantation. 2008 , 23, 985-93 | 18 |
| 2217 | Mesangial hypercellularity in children: presenting features and outcomes. 2008 , 23, 921-8 | 10 |

| | | | |
|------|---|-----|----|
| 2216 | Prognostic factors in children with membranoproliferative glomerulonephritis type I. 2008 , 23, 929-35 | 5 | |
| 2215 | Ambulatory blood pressure monitoring: a versatile tool for evaluating and managing hypertension in children. 2008 , 23, 1399-408 | 21 | |
| 2214 | Urine erythrocyte morphology in patients with microscopic haematuria caused by a glomerulopathy. 2008 , 23, 1093-100 | 29 | |
| 2213 | Therapeutic strategies to slow chronic kidney disease progression. 2008 , 23, 705-16 | 61 | |
| 2212 | Outcome after renal transplantation. Part I: intellectual and motor performance. 2008 , 23, 1339-45 | 30 | |
| 2211 | Improved left ventricular mass index in children after renal transplantation. 2008 , 23, 1545-50 | 34 | |
| 2210 | Clinical outcome of children with chronic kidney disease in a pre-dialysis interdisciplinary program. 2008 , 23, 2039-46 | 30 | |
| 2209 | Mycophenolate mofetil versus cyclosporine for remission maintenance in nephrotic syndrome. 2008 , 23, 2013-20 | 87 | |
| 2208 | Left renal vein entrapment: a frequent feature in children with postural proteinuria. 2008 , 23, 1837-9 | 16 | |
| 2207 | Differential effect of marrow adiposity and visceral and subcutaneous fat on cardiovascular risk in young, healthy adults. 2008 , 32, 1854-60 | 36 | |
| 2206 | Secular trends in height and weight among children and adolescents of the Seychelles, 1956-2006. 2008 , 8, 166 | 34 | |
| 2205 | Blood pressure patterns in relation to geographic area of residence: a cross-sectional study of adolescents in Kogi state, Nigeria. 2008 , 8, 411 | 29 | |
| 2204 | Position of the American Dietetic Association: nutrition guidance for healthy children ages 2 to 11 years. 2008 , 108, 1038-44, 1046-7 | 115 | |
| 2203 | Dietary intake and the metabolic syndrome in overweight Latino children. 2008 , 108, 1355-9 | 53 | |
| 2202 | Refeeding syndrome: recognition is the key to prevention and management. 2008 , 108, 2105-8 | 33 | |
| 2201 | The frequency of elevated blood pressure in obese minority youth. 2008 , 10, 119-24 | 5 | |
| 2200 | Ambulatory blood pressure and increased left ventricular mass in children at risk for hypertension. <i>Journal of Pediatrics</i> , 2008 , 152, 343-8 | 3.6 | 80 |
| 2199 | Sensitivity, specificity, and predictive values of pediatric metabolic syndrome components in relation to adult metabolic syndrome: the Princeton LRC follow-up study. <i>Journal of Pediatrics</i> , 2008 , 152, 185-90 | 3.6 | 45 |

| | | | |
|------|---|-----|-----|
| 2198 | Examining metabolic syndrome definitions in overweight Hispanic youth: a focus on insulin resistance. <i>Journal of Pediatrics</i> , 2008 , 152, 171-6 | 3.6 | 53 |
| 2197 | The efficacy of a clinic-based behavioral nutrition intervention emphasizing a DASH-type diet for adolescents with elevated blood pressure. <i>Journal of Pediatrics</i> , 2008 , 152, 494-501 | 3.6 | 165 |
| 2196 | Removing the mask: the danger of hidden hypertension. <i>Journal of Pediatrics</i> , 2008 , 152, 455-6 | 3.6 | 2 |
| 2195 | Left ventricular mass index in children with white coat hypertension. <i>Journal of Pediatrics</i> , 2008 , 153, 50-4 | 3.6 | 81 |
| 2194 | Large waist but low body mass index: the metabolic syndrome in Australian Aboriginal children. <i>Journal of Pediatrics</i> , 2008 , 153, 222-7 | 3.6 | 32 |
| 2193 | The value of routine blood pressure measurement in children presenting to the emergency department with nonurgent problems. <i>Journal of Pediatrics</i> , 2008 , 153, 478-83 | 3.6 | 12 |
| 2192 | Blood pressure screening in children: do we have this right?. <i>Journal of Pediatrics</i> , 2008 , 153, 452-3 | 3.6 | 8 |
| 2191 | Abdominal aortic coarctation: surgical treatment of 53 patients with a thoracoabdominal bypass, patch aortoplasty, or interposition aorto-aortic graft. 2008 , 48, 1073-82 | | 91 |
| 2190 | Long-term consequences of drugs on the paediatric cardiovascular system. 2008 , 31, 1083-96 | | 13 |
| 2189 | Cardiac markers of pre-clinical disease in adolescents with the metabolic syndrome: the strong heart study. 2008 , 52, 932-8 | | 66 |
| 2188 | Hypertension is an indication for surgery in children with ureteropelvic junction obstruction. 2008 , 179, 1976-8; discussion 1978-9 | | 22 |
| 2187 | Insulin resistance and parental obesity as predictors to response to therapeutic life style change in obese children and adolescents 10-18 years old. 2008 , 43, 437-43 | | 21 |
| 2186 | The economic returns of pediatric clinical trials of antihypertensive drugs. 2008 , 156, 682-8 | | 19 |
| 2185 | Systemic inflammation in non-obese children with obstructive sleep apnea. 2008 , 9, 254-9 | | 152 |
| 2184 | At the tipping point: accomplishing population-wide sodium reduction in the United States. 2008 , 10, 7-11 | | 14 |
| 2183 | Renovascular hypertension in children. 2008 , 371, 1453-63 | | 192 |
| 2182 | Diabetic nephropathy in children and adolescents. 2008 , 23, 507-25 | | 33 |
| 2181 | Prevalence of cardiometabolic risk factors by weight status in a population-based sample of Quebec children and adolescents. 2008 , 24, 575-83 | | 65 |

| | | | |
|------|---|-----|-----|
| 2180 | Elevated blood pressure, race/ethnicity, and C-reactive protein levels in children and adolescents. <i>Pediatrics</i> , 2008 , 122, 1252-7 | 7.4 | 41 |
| 2179 | High-normal fasting glucose levels are associated with increased prevalence of impaired glucose tolerance in obese children. <i>Journal of Endocrinological Investigation</i> , 2008 , 31, 1098-102 | 5.2 | 22 |
| 2178 | Maternal calcium intake during pregnancy and blood pressure in the offspring at age 3 years: a follow-up analysis of the Project Viva cohort. 2008 , 168, 1374-80 | | 24 |
| 2177 | Twenty-four hour ambulatory blood pressure monitoring in adolescents with type 1 diabetes: getting started. 2008 , 2, 1087-93 | | 2 |
| 2176 | Serum uric acid and ambulatory blood pressure in children with primary hypertension. 2008 , 64, 556-61 | | 37 |
| 2175 | Performance of oscillometric blood pressure devices in children in resource-poor settings. 2008 , 15, 362-4 | | 10 |
| 2174 | Blood pressure in children with chronic kidney disease: a report from the Chronic Kidney Disease in Children study. 2008 , 52, 631-7 | | 240 |
| 2173 | Prevention and treatment of pediatric obesity: an endocrine society clinical practice guideline based on expert opinion. 2008 , 93, 4576-99 | | 343 |
| 2172 | Effect of allopurinol on blood pressure of adolescents with newly diagnosed essential hypertension: a randomized trial. 2008 , 300, 924-32 | | 641 |
| 2171 | Being overweight modifies the association between cardiovascular risk factors and microalbuminuria in adolescents. <i>Pediatrics</i> , 2008 , 121, 37-45 | 7.4 | 76 |
| 2170 | Sleep quality and elevated blood pressure in adolescents. 2008 , 118, 1034-40 | | 218 |
| 2169 | Call to action on use and reimbursement for home blood pressure monitoring: a joint scientific statement from the American Heart Association, American Society Of Hypertension, and Preventive Cardiovascular Nurses Association. 2008 , 52, 10-29 | | 339 |
| 2168 | Retinol-binding protein 4 and its relation to insulin resistance in obese children before and after weight loss. 2008 , 93, 2287-93 | | 68 |
| 2167 | Pediatric Hemodialysis Prescription, Efficacy, and Outcome. 2008 , 867-893 | | 1 |
| 2166 | Detection of metabolic syndrome features among childhood cancer survivors: a target to prevent disease. 2008 , 4, 825-36 | | 42 |
| 2165 | Acute cardiovascular changes with obstructive events in children with sleep disordered breathing. 2009 , 32, 1265-71 | | 68 |
| 2164 | The prevalence of metabolic syndrome and cardiovascular risk factors in a group of obese Saudi children and adolescents: a hospital-based study. 2009 , 29, 357-60 | | 13 |
| 2163 | Vascular health in children and adolescents: effects of obesity and diabetes. 2009 , 5, 973-90 | | 45 |

| | | | |
|------|--|-----|-----|
| 2162 | Genetic and environmental risks for high blood pressure among African American mothers and daughters. 2009 , 11, 53-65 | | 29 |
| 2161 | Prevalence of the metabolic syndrome among obese adolescents enrolled in a multidisciplinary weight management program: clinical correlates and response to treatment. 2009 , 7, 179-86 | | 36 |
| 2160 | High blood pressure: a lifetime issue. 2009 , 54, 457-8 | | 8 |
| 2159 | Youth with obesity and obesity-related type 2 diabetes mellitus demonstrate abnormalities in carotid structure and function. 2009 , 119, 2913-9 | | 163 |
| 2158 | Blood pressure differences by ethnic group among United States children and adolescents. 2009 , 54, 502-8 | | 73 |
| 2157 | Prevalence and associations of 25-hydroxyvitamin D deficiency in US children: NHANES 2001-2004. <i>Pediatrics</i> , 2009 , 124, e362-70 | 7.4 | 401 |
| 2156 | Influence of duration of diabetes, glycemic control, and traditional cardiovascular risk factors on early atherosclerotic vascular changes in adolescents and young adults with type 2 diabetes mellitus. 2009 , 94, 3740-5 | | 70 |
| 2155 | Diabetes in African American youth: prevalence, incidence, and clinical characteristics: the SEARCH for Diabetes in Youth Study. 2009 , 32 Suppl 2, S112-22 | | 138 |
| 2154 | Association between the dietary approaches to hypertension diet and hypertension in youth with diabetes mellitus. 2009 , 53, 6-12 | | 125 |
| 2153 | Weight gain and metabolic abnormalities during extended risperidone treatment in children and adolescents. 2009 , 19, 101-9 | | 85 |
| 2152 | Macroalbuminuria and renal pathology in First Nation youth with type 2 diabetes. 2009 , 32, 786-90 | | 40 |
| 2151 | Diabetes in non-Hispanic white youth: prevalence, incidence, and clinical characteristics: the SEARCH for Diabetes in Youth Study. 2009 , 32 Suppl 2, S102-11 | | 159 |
| 2150 | Size at birth, weight gain in infancy and childhood, and adult blood pressure in 5 low- and middle-income-country cohorts: when does weight gain matter?. 2009 , 89, 1383-92 | | 138 |
| 2149 | Hypertension in pediatric long-term hemodialysis patients in the United States. 2009 , 4, 1363-9 | | 60 |
| 2148 | Association among serum perfluoroalkyl chemicals, glucose homeostasis, and metabolic syndrome in adolescents and adults. 2009 , 32, 702-7 | | 172 |
| 2147 | Diabetes in Navajo youth: prevalence, incidence, and clinical characteristics: the SEARCH for Diabetes in Youth Study. 2009 , 32 Suppl 2, S141-7 | | 79 |
| 2146 | Diabetes in Hispanic American youth: prevalence, incidence, demographics, and clinical characteristics: the SEARCH for Diabetes in Youth Study. 2009 , 32 Suppl 2, S123-32 | | 109 |
| 2145 | Intrauterine exposure to gestational diabetes, child adiposity, and blood pressure. 2009 , 22, 215-20 | | 158 |

| | | | |
|------|---|-----|-----|
| 2144 | Parental assessments of internalizing and externalizing behavior and executive function in children with primary hypertension. <i>Journal of Pediatrics</i> , 2009 , 154, 207-12 | 3.6 | 73 |
| 2143 | The importance of blood pressure screening in children. <i>Journal of Pediatrics</i> , 2009 , 155, 299; author reply 299-300 | 3.6 | 7 |
| 2142 | Should the current approach to the evaluation and treatment of high blood pressure in children be changed?. <i>Journal of Pediatrics</i> , 2009 , 155, 157-8 | 3.6 | 12 |
| 2141 | Persistence of the metabolic syndrome over 3 annual visits in overweight Hispanic children: association with progressive risk for type 2 diabetes. <i>Journal of Pediatrics</i> , 2009 , 155, 535-41 | 3.6 | 19 |
| 2140 | Childhood predictors of the metabolic syndrome in middle-aged adults: the Muscatine study. <i>Journal of Pediatrics</i> , 2009 , 155, S5.e17-26 | 3.6 | 42 |
| 2139 | Patterns of change in cardiometabolic risk factors associated with the metabolic syndrome among children and adolescents: the Fels Longitudinal Study. <i>Journal of Pediatrics</i> , 2009 , 155, S5.e9-16 | 3.6 | 16 |
| 2138 | Predictive ability of childhood metabolic components for adult metabolic syndrome and type 2 diabetes. <i>Journal of Pediatrics</i> , 2009 , 155, S6.e1-7 | 3.6 | 41 |
| 2137 | Growth curves for cardio-metabolic risk factors in children and adolescents. <i>Journal of Pediatrics</i> , 2009 , 155, S6.e15-26 | 3.6 | 129 |
| 2136 | Blood pressure and body mass index in an ethnically diverse sample of adolescents in Paramaribo, Suriname. 2009 , 9, 19 | | 16 |
| 2135 | Prevalence of metabolic syndrome in scholars from Bucaramanga, Colombia: a population-based study. <i>BMC Pediatrics</i> , 2009 , 9, 28 | 2.6 | 8 |
| 2134 | Weight status and hypertension among adolescent girls in Argentina and Norway: data from the ENNyS and HUNT studies. 2009 , 9, 398 | | 9 |
| 2133 | Hypertension in athletes. 2009 , 11, 226-33 | | 30 |
| 2132 | Differential influence of diet and physical activity on components of metabolic syndrome in a multiethnic sample of children. 2009 , 109, 236-44 | | 52 |
| 2131 | Factors associated with pediatric hypertension in Mexico. 2009 , 109, 992-5 | | 2 |
| 2130 | Cardiovascular disease in CKD in children: update on risk factors, risk assessment, and management. 2009 , 54, 345-60 | | 59 |
| 2129 | Influence of intense exercise on saliva glutathione in prepubescent and pubescent boys. 2009 , 106, 181-6 | | 24 |
| 2128 | Blood pressure levels in childhood: probing the relative importance of birth weight and current size. 2009 , 168, 619-24 | | 23 |
| 2127 | A previously healthy 11-year-old girl with behavioural disturbances, desquamation of the skin and loss of teeth. 2009 , 168, 509-11 | | 5 |

| | | |
|------|--|-----|
| 2126 | Clinicopathological features and prognosis of Chinese children with idiopathic nephrotic syndrome between different age groups. 2009 , 168, 1189-94 | 12 |
| 2125 | Blood pressure references for Polish children and adolescents. 2009 , 168, 1335-42 | 22 |
| 2124 | Evidence-based practice guideline for the treatment of CKD. 2009 , 13, 537-66 | 95 |
| 2123 | Hypertension after renal transplantation. 2009 , 24, 959-72 | 57 |
| 2122 | Management and etiology of the unilateral multicystic dysplastic kidney: a review. 2009 , 24, 233-41 | 104 |
| 2121 | Intima-media thickness measurements in children with cardiovascular risk factors. 2009 , 24, 707-19 | 83 |
| 2120 | Medical management of children with primary hypertension by pediatric subspecialists. 2009 , 24, 147-53 | 12 |
| 2119 | Ambulatory blood pressure monitoring in healthy children with parental hypertension. 2009 , 24, 155-61 | 16 |
| 2118 | Outcome of dialysis in children with human immunodeficiency virus infection. 2009 , 24, 171-5 | 8 |
| 2117 | Stunting growth: association of the blood pressure levels and ACE activity in early childhood. 2009 , 24, 379-86 | 13 |
| 2116 | Blood volume monitoring to adjust dry weight in hypertensive pediatric hemodialysis patients. 2009 , 24, 581-7 | 31 |
| 2115 | Treatment of severe Henoch-Schñlein and immunoglobulin A nephritis. A single center experience. 2009 , 24, 91-7 | 22 |
| 2114 | Chronic kidney disease in children in Turkey. 2009 , 24, 797-806 | 54 |
| 2113 | Membranous glomerulonephritis: treatment response and outcome in children. 2009 , 24, 301-8 | 26 |
| 2112 | Evolutionary study of children with diffuse mesangial sclerosis. 2009 , 24, 1013-9 | 21 |
| 2111 | Effect of obesity on response to cardiovascular drugs in pediatric patients with renal disease. 2009 , 24, 815-21 | 13 |
| 2110 | Blood pressure load, proteinuria and renal function in pre-hypertensive children. 2009 , 24, 823-31 | 60 |
| 2109 | Genotype-phenotype correlation in children with autosomal dominant polycystic kidney disease. 2009 , 24, 983-9 | 27 |

| | | |
|------|--|----|
| 2108 | Obesity and preterm birth: additive risks in the progression of kidney disease in children. 2009 , 24, 1363-70 | 62 |
| 2107 | Minimal change disease with IgM+ immunofluorescence: a subtype of nephrotic syndrome. 2009 , 24, 1187-92 | 27 |
| 2106 | Albuminuria and insulin resistance in children with biopsy proven non-alcoholic fatty liver disease. 2009 , 24, 1211-7 | 24 |
| 2105 | Screening for kidney disease in children on World Kidney Day in Jalisco, Mexico. 2009 , 24, 1219-25 | 15 |
| 2104 | Intellectual and motor performance, quality of life and psychosocial adjustment in children with cystinosis. 2009 , 24, 1371-8 | 16 |
| 2103 | Left ventricular mass in normotensive, prehypertensive and hypertensive children and adolescents. 2009 , 24, 1545-51 | 99 |
| 2102 | Six-minute walking test in children with ESRD: discrimination validity and construct validity. 2009 , 24, 2217-23 | 28 |
| 2101 | Profiling proteinuria in children after renal transplantation. 2009 , 24, 2439-44 | 13 |
| 2100 | Primary hypertension at a single center: treatment, time to control, and extended follow-up. 2009 , 24, 2421-8 | 10 |
| 2099 | Prednisone 10 days on/10 days off in patients with Duchenne muscular dystrophy. 2009 , 256, 768-73 | 22 |
| 2098 | Identification and treatment of metabolic complications in pediatric obesity. 2009 , 10, 167-88 | 44 |
| 2097 | Prevalence of metabolic syndrome in US-born Latin and Caribbean youth. 2009 , 11, 366-71 | 10 |
| 2096 | Posterior reversible encephalopathy syndrome: do predisposing risk factors make a difference in MRI appearance?. 2009 , 51, 373-83 | 98 |
| 2095 | Impaired elastic properties of the ascending aorta persist within the first 3 years after neonatal coarctation repair. 2009 , 30, 46-51 | 33 |
| 2094 | Undernutrition and obesity associated with high blood pressure in children and adolescents from Jo o Pessoa, Para ba, Brazil. 2009 , 30, 248-55 | 10 |
| 2093 | Exercise testing is useful to screen for residual coarctation in children. 2009 , 30, 763-7 | 8 |
| 2092 | Arterial stiffness is increased in American adolescents compared to Japanese counterparts. 2009 , 30, 794-9 | 9 |
| 2091 | Management of arterial hypertension occurring early after living donor liver transplantation in children: report of three cases and review of the literature. 2009 , 30, 1161-5 | 1 |

| | | | |
|------|---|-----|-----|
| 2090 | Synergistic effects of elevated systolic blood pressure and hypercholesterolemia on carotid intima-media thickness in children and adolescents. 2009 , 30, 1131-6 | | 20 |
| 2089 | ACE I/D genotype, adiposity, and blood pressure in children. 2009 , 8, 14 | | 28 |
| 2088 | Behind and beyond the pediatric metabolic syndrome. 2009 , 35, 41 | | 7 |
| 2087 | Gender differences in the relationships among obesity, adiponectin and brachial artery distensibility in adolescents and young adults. 2009 , 33, 1118-25 | | 9 |
| 2086 | Fatty liver in adolescents on the U.S.-Mexico border. 2009 , 21, 225-30 | | 9 |
| 2085 | Effects of a lifestyle modification trial among phenotypically obese metabolically normal and phenotypically obese metabolically abnormal adolescents in comparison with phenotypically normal metabolically obese adolescents. 2010 , 6, 275-86 | | 17 |
| 2084 | Comparison of parameters of chronic kidney disease following paediatric preemptive versus non-preemptive renal transplantation. 2010 , 14, 583-8 | | 15 |
| 2083 | Risks for hypertension among undiagnosed African American mothers and daughters. 2009 , 23, 378-87 | | 1 |
| 2082 | Risk factors and comorbidities associated with obesity in children and adolescents after the arterial switch operation and Ross procedure. 2009 , 158, 473-9 | | 34 |
| 2081 | The Family Atherosclerosis Monitoring In earlyLY life (FAMILY) study: rationale, design, and baseline data of a study examining the early determinants of atherosclerosis. 2009 , 158, 533-9 | | 36 |
| 2080 | Home blood pressure monitoring in clinical practice: a review. 2009 , 122, 803-10 | | 31 |
| 2079 | The association of pediatric low- and high-density lipoprotein cholesterol dyslipidemia classifications and change in dyslipidemia status with carotid intima-media thickness in adulthood evidence from the cardiovascular risk in Young Finns study, the Bogalusa Heart study, and the CARDIA (Childhood Determinants of Adult Health) study. 2009 , 53, 260-8 | | 133 |
| 2078 | Macronutrient intakes and cardio metabolic risk factors in high BMI African American children. 2009 , 6, 41 | | 8 |
| 2077 | Playing active video games increases energy expenditure in children. <i>Pediatrics</i> , 2009 , 124, 534-40 | 7.4 | 257 |
| 2076 | The relationship of body mass index and blood pressure in Iranian children . 2009 , 55, 313-7 | | 21 |
| 2075 | Cardiovascular disease risk factors in youth with type 1 and type 2 diabetes: implications of a factor analysis of clustering. 2009 , 7, 89-95 | | 35 |
| 2074 | Vitamin D status and cardiometabolic risk factors in the United States adolescent population. <i>Pediatrics</i> , 2009 , 124, e371-9 | 7.4 | 247 |
| 2073 | Using BMI to determine cardiovascular risk in childhood: how do the BMI cutoffs fare?. <i>Pediatrics</i> , 2009 , 124, e905-12 | 7.4 | 40 |

| | | | |
|------|---|-----|-----|
| 2072 | Metabolic syndrome in the pediatric population: a short overview. 2009 , 1, e1 | | 10 |
| 2071 | Determinants of inappropriate circadian blood pressure variability in children with essential hypertension. 2009 , 25, e13-6 | | 6 |
| 2070 | The 2009 Canadian Hypertension Education Program recommendations for the management of hypertension: Part 1--blood pressure measurement, diagnosis and assessment of risk. 2009 , 25, 279-86 | | 57 |
| 2069 | Progression of glomerular and tubular disease in pediatrics. 2009 , 29, 412-24 | | 5 |
| 2068 | Relation of blood pressure and body mass index during childhood to cardiovascular risk factor levels in young adults. <i>Journal of Hypertension</i> , 2009 , 27, 1766-74 | 1.9 | 70 |
| 2067 | Comparison of ambulatory blood pressure reference standards in children evaluated for hypertension. 2009 , 14, 103-7 | | 15 |
| 2066 | Frequency of diarrhoea as a predictor of elevated blood pressure in children. <i>Journal of Hypertension</i> , 2009 , 27, 259-65 | 1.9 | 4 |
| 2065 | Cardiorespiratory fitness in pediatric renal transplant recipients. 2009 , 88, 395-401 | | 10 |
| 2064 | Pediatric kidney transplantation using a novel protocol of rapid (6-day) discontinuation of prednisone: 2-year results. 2009 , 88, 237-41 | | 50 |
| 2063 | Prospective, randomized trial on late steroid withdrawal in pediatric renal transplant recipients under cyclosporine microemulsion and mycophenolate mofetil. 2009 , 87, 934-41 | | 59 |
| 2062 | Leukocyte telomere length and plasma catestatin and myeloid-related protein 8/14 concentrations in children with obstructive sleep apnea. 2010 , 138, 91-9 | | 34 |
| 2061 | Increased oxidative stress in healthy children following an exercise program: a pilot study. 2010 , 31, 386-92 | | 13 |
| 2060 | Increased arterial stiffness is found in adolescents with obesity or obesity-related type 2 diabetes mellitus. <i>Journal of Hypertension</i> , 2010 , 28, 1692-8 | 1.9 | 177 |
| 2059 | Left ventricular hypertrophy and diastolic dysfunction in children with sickle cell disease are related to asleep and waking oxygen desaturation. 2010 , 116, 16-21 | | 75 |
| 2058 | Use of body mass index and percentage overweight cutoffs to screen Japanese children and adolescents for obesity-related risk factors. 2010 , 20, 46-53 | | 14 |
| 2057 | Defining accelerometer thresholds for physical activity in girls using ROC analysis. 2010 , 7, 45-53 | | 10 |
| 2056 | Aortic dimensions in girls and young women with turner syndrome: a magnetic resonance imaging study. 2010 , 31, 497-504 | | 41 |
| 2055 | Echocardiographic measurement of epicardial adipose tissue in obese children. 2010 , 31, 853-60 | | 28 |

| | | |
|------|---|-----|
| 2054 | Decreased high-density lipoprotein cholesterol and insulin resistance were the most common criteria in 12- to 19-year-old adolescents. 2010 , 49, 219-25 | 11 |
| 2053 | Cardiovascular risk factors and noninvasive assessment of arterial structure and function in obese Turkish children. 2010 , 169, 1241-8 | 25 |
| 2052 | Idiopathic immunoglobulin A nephropathy in children and adolescents. 2010 , 25, 823-9 | 20 |
| 2051 | Hypertension in children and adolescents: epidemiology and natural history. 2010 , 25, 1219-24 | 199 |
| 2050 | Acute glomerulonephritis associated with pneumonia: a review of three cases. 2010 , 25, 161-4 | 10 |
| 2049 | Pre- and postcaptopril renal scintigraphy as a screening test for renovascular hypertension in children. 2010 , 25, 317-22 | 25 |
| 2048 | Subclinical atherosclerosis and related risk factors in renal transplant recipients. 2010 , 25, 343-8 | 17 |
| 2047 | Blood pressure in children and target-organ damage later in life. 2010 , 25, 323-8 | 38 |
| 2046 | Metabolic syndrome risk factors and estimated glomerular filtration rate among children and adolescents. 2010 , 25, 491-8 | 26 |
| 2045 | Clinical characteristics and outcomes of children with stage 3-5 chronic kidney disease. 2010 , 25, 935-40 | 59 |
| 2044 | Levels of urinary transforming growth factor beta-1 in children with D+ hemolytic uremic syndrome. 2010 , 25, 1177-80 | 10 |
| 2043 | Predictors of outcome in Henoch-Schälein nephritis. 2010 , 25, 1101-8 | 42 |
| 2042 | A study on strategies for improving growth and body composition after renal transplantation. 2010 , 25, 753-62 | 5 |
| 2041 | Predictors of left ventricular hypertrophy in children on chronic peritoneal dialysis. 2010 , 25, 1311-8 | 20 |
| 2040 | Improvement of left ventricular mass with antihypertensive therapy in children with hypertension. 2010 , 25, 1513-8 | 44 |
| 2039 | Prevalence and clinical correlates of microalbuminuria in children with sickle cell disease. 2010 , 25, 1505-11 | 63 |
| 2038 | Etiology and outcome of acute kidney injury in children. 2010 , 25, 1453-61 | 95 |
| 2037 | Inflammatory activation in children with primary hypertension. 2010 , 25, 1711-8 | 43 |

| | | | |
|------|--|-----|-----|
| 2036 | Masked hypertension and hidden uncontrolled hypertension after renal transplantation. 2010 , 25, 1719-24 | | 39 |
| 2035 | Lactate dehydrogenase as a predictor of kidney involvement in patients with sickle cell anemia. 2010 , 25, 2123-7 | | 51 |
| 2034 | Longitudinal relations between obesity and hypertension following pediatric renal transplantation. 2010 , 25, 2129-39 | | 16 |
| 2033 | Cardiorespiratory fitness is a marker of cardiovascular health in renal transplanted children. 2010 , 25, 2343-50 | | 17 |
| 2032 | Similar renal outcomes in children with ADPKD diagnosed by screening or presenting with symptoms. 2010 , 25, 2275-82 | | 26 |
| 2031 | Anthropometric risk factors for elevated blood pressure in adolescents in Turkey aged 11-17. 2010 , 25, 2327-34 | | 18 |
| 2030 | Regression of target organ damage in children and adolescents with primary hypertension. 2010 , 25, 2489-99 | | 122 |
| 2029 | Diagnosis and treatment of hypertension in children. 2010 , 12, 480-6 | | 19 |
| 2028 | Nitric oxide and clustering of metabolic syndrome components in pediatrics. 2010 , 25, 45-53 | | 29 |
| 2027 | Hemoglobin differences by race in children with CKD. 2010 , 55, 1009-17 | | 24 |
| 2026 | Preterm birth--an emerging risk factor for adult hypertension?. 2010 , 34, 183-7 | | 52 |
| 2025 | Elevated ambulatory blood pressure in a multi-ethnic population of obese children and adolescents. <i>Journal of Pediatrics</i> , 2010 , 156, 930-935 | 3.6 | 27 |
| 2024 | Parental assessment of executive function and internalizing and externalizing behavior in primary hypertension after anti-hypertensive therapy. <i>Journal of Pediatrics</i> , 2010 , 157, 114-9 | 3.6 | 47 |
| 2023 | The efficacy and safety of the novel aldosterone antagonist eplerenone in children with hypertension: a randomized, double-blind, dose-response study. <i>Journal of Pediatrics</i> , 2010 , 157, 282-7 | 3.6 | 46 |
| 2022 | The relationship between body composition and selected metabolic syndrome markers in black adolescents in South Africa: the PLAY study. 2010 , 26, 1059-64 | | 13 |
| 2021 | Variations in the prevalence of point (pre)hypertension in a Nigerian school-going adolescent population living in a semi-urban and an urban area. <i>BMC Pediatrics</i> , 2010 , 10, 13 | 2.6 | 33 |
| 2020 | Endothelial dysfunction in obese non-hypertensive children without evidence of sleep disordered breathing. <i>BMC Pediatrics</i> , 2010 , 10, 8 | 2.6 | 42 |
| 2019 | The height-, weight-, and BMI-for-age of Polish school-aged children and adolescents relative to international and local growth references. 2010 , 10, 109 | | 61 |

| | | |
|------|--|----|
| 2018 | Insulin resistance and its association with the components of the metabolic syndrome among obese children and adolescents. 2010 , 10, 318 | 52 |
| 2017 | Association of cardiometabolic risk factors and dental caries in a population-based sample of youths. 2010 , 2, 22 | 12 |
| 2016 | Metabolic syndrome in overweight children from the city of Botucatu - So Paulo State - Brazil: agreement among six diagnostic criteria. 2010 , 2, 39 | 6 |
| 2015 | Obesity and metabolic syndrome in 7-9 years-old Portuguese schoolchildren. 2010 , 2, 40 | 17 |
| 2014 | Metabolic syndrome, dyslipidemia, hypertension and type 2 diabetes in youth: from diagnosis to treatment. 2010 , 2, 55 | 79 |
| 2013 | Adolescent Precocious Development and Young Adult Health Outcomes. 2010 , 15, 121-131 | 35 |
| 2012 | Surgical approach for aortic coarctation influences arterial compliance and blood pressure control. 2010 , 90, 600-4 | 22 |
| 2011 | Relationships between cardiovascular risk profile, ultrasonographic measurement of intra-abdominal adipose tissue, and waist circumference in obese children. 2010 , 29, 24-30 | 34 |
| 2010 | Early predictors of hypertension in prematurely born adolescents. 2010 , 99, 1812-8 | 57 |
| 2009 | Secondary hypertension in overweight and stage 1 hypertensive children: a Midwest Pediatric Nephrology Consortium report. 2010 , 12, 34-9 | 57 |
| 2008 | High blood pressure in children: clinical and health policy implications. 2010 , 12, 261-76 | 61 |
| 2007 | Isradipine for treatment of acute hypertension in hospitalized children and adolescents. 2010 , 12, 850-5 | 46 |
| 2006 | Taurine in morning spot urine for the useful assessment of dietary seafood intake in Japanese children and adolescents. 2010 , 17 Suppl 1, S43 | 8 |
| 2005 | Thyroid function derangement and childhood obesity: an Italian experience. 2010 , 10, 8 | 49 |
| 2004 | "Mi voglio bene": a pediatrician-based randomized controlled trial for the prevention of obesity in Italian preschool children. 2010 , 36, 55 | 13 |
| 2003 | Superior palatability of crushed lercanidipine compared with amlodipine among children. 2010 , 69, 204-6 | 12 |
| 2002 | Clinical diagnosis of metabolic and cardiovascular risks in overweight children: early development of chronic diseases in the obese child. 2010 , 34 Suppl 2, S32-6 | 96 |
| 2001 | Improvements in indicators of diabetes-related health status among first nations individuals enrolled in a community-driven diabetes complications mobile screening program in Alberta, Canada. 2010 , 101, 410-4 | 15 |

| | | |
|------|--|-----|
| 2000 | Physical activity evaluation in Yugoslav Study of the Precursors of Atherosclerosis in School Children - YUSAD study. 2010 , 6, 874-8 | 8 |
| 1999 | Different diagnostic criteria significantly affect the rates of hypertension in 18-year-old high school students. 2010 , 6, 689-94 | 14 |
| 1998 | Racial and ethnic differences in an estimated measure of insulin resistance among individuals with type 1 diabetes. 2010 , 33, 614-9 | 27 |
| 1997 | Randomized, double-blind, controlled study of losartan in children with proteinuria. 2010 , 5, 417-24 | 34 |
| 1996 | Masked hypertension associates with left ventricular hypertrophy in children with CKD. 2010 , 21, 137-44 | 232 |
| 1995 | The long-term effects of prematurity and intrauterine growth restriction on cardiovascular, renal, and metabolic function. 2010 , 2010, 280402 | 55 |
| 1994 | Association of adiposity with pulse pressure amongst gujarati Indian adolescents. 2010 , 35, 406-8 | 4 |
| 1993 | Association of sleep duration with arterial blood pressure profile of gujarati Indian adolescents. 2010 , 35, 125-9 | 18 |
| 1992 | Pediatric endocrinologists' management of children with type 2 diabetes. 2010 , 33, 512-4 | 12 |
| 1991 | Pediatric metabolic syndrome predicts adulthood metabolic syndrome, subclinical atherosclerosis, and type 2 diabetes mellitus but is no better than body mass index alone: the Bogalusa Heart Study and the Cardiovascular Risk in Young Finns Study. 2010 , 122, 1604-11 | 200 |
| 1990 | Influences of Family Environment and Meditation Efficacy on Hemodynamic Function among African American Adolescents. 2010 , 7, | 12 |
| 1989 | Left ventricular geometry in children and adolescents with primary hypertension. 2010 , 23, 24-9 | 50 |
| 1988 | Correlation of kidney function, volume and imaging findings, and PKHD1 mutations in 73 patients with autosomal recessive polycystic kidney disease. 2010 , 5, 972-84 | 81 |
| 1987 | Association between metabolic syndrome and liver histology among children with nonalcoholic Fatty liver disease. 2010 , 105, 2093-102 | 126 |
| 1986 | Association between vascular endothelial growth factor and hypertension in children and adolescents type I diabetes mellitus. 2010 , 24, 755-62 | 16 |
| 1985 | Uncontrolled hypertension in children on hemodialysis. 2010 , 6, 7-8 | |
| 1984 | Endothelial progenitor cells and vascular dysfunction in children with obstructive sleep apnea. 2010 , 182, 92-7 | 92 |
| 1983 | Echocardiography: an important tool for cardiovascular risk assessment. 2010 , 23, 414-5 | |

| | | | |
|------|---|-----|-----|
| 1982 | Urological and nephrological findings of renal ectopia. 2010 , 183, 1574-8 | | 36 |
| 1981 | Effect of modest changes in BMI on cardiovascular disease risk markers in severely obese, minority adolescents. 2010 , 4, e163-246 | | 7 |
| 1980 | Olmesartan medoxomil: in children and adolescents with hypertension. 2010 , 70, 2439-47 | | 6 |
| 1979 | Utility of waist circumference percentile for risk evaluation in obese children. 2010 , 5, 97-101 | | 54 |
| 1978 | Impairment of cardiovascular autonomic pattern in obese adolescents with Type 2 diabetes mellitus. <i>Journal of Endocrinological Investigation</i> , 2010 , 33, 539-43 | 5.2 | 9 |
| 1977 | Adiposity and cardiovascular risk factors in a large contemporary population of pre-pubertal children. 2010 , 31, 3063-72 | | 113 |
| 1976 | Effect of school based physical activity programme (KISS) on fitness and adiposity in primary schoolchildren: cluster randomised controlled trial. 2010 , 340, c785 | | 328 |
| 1975 | Cardiovascular complications in type 1 diabetes mellitus. 2010 , 36, 341-4 | | 14 |
| 1974 | Hypertension in long-term survivors of pediatric hematopoietic cell transplantation. 2010 , 16, 515-24 | | 72 |
| 1973 | Increased cardiometabolic traits in pediatric survivors of acute lymphoblastic leukemia treated with total body irradiation. 2010 , 16, 1674-81 | | 79 |
| 1972 | Overweight and central adiposity in school-age children and links with hypertension. 2010 , 25, 119-25 | | 27 |
| 1971 | Hypertension Artfielle. 2010 , 579-610 | | |
| 1970 | The 2010 Canadian Hypertension Education Program recommendations for the management of hypertension: part I - blood pressure measurement, diagnosis and assessment of risk. 2010 , 26, 241-8 | | 77 |
| 1969 | Adjusting adiposity and body weight measurements for height alters the relationship with blood pressure in children. 2010 , 23, 904-10 | | 17 |
| 1968 | Childhood obesity, other cardiovascular risk factors, and premature death. 2010 , 362, 485-93 | | 903 |
| 1967 | Assessment and management of hypertension in children and adolescents. 2010 , 7, 155-63 | | 111 |
| 1966 | Plasma prekallikrein levels are positively associated with circulating lipid levels and the metabolic syndrome in children. 2010 , 35, 518-25 | | 3 |
| 1965 | Drug treatment of hypertensive crisis in children. 2011 , 13, 281-90 | | 7 |

| | | |
|------|--|----|
| 1964 | Hypertension in the Pediatric Intensive Care Unit. 2011 , 1043-1057 | |
| 1963 | Endothelial function as measured by peripheral arterial tonometry increases during pubertal advancement. 2011 , 76, 226-33 | 33 |
| 1962 | Hypertension and CKD. 2011 , 18, 355-61 | 21 |
| 1961 | Prevalence of hypertension in school going children of Surat city, Western India. 2011 , 2, 228-32 | 29 |
| 1960 | Uric acid and hypertension. 2011 , 31, 441-6 | 33 |
| 1959 | Severe circadian hypertension in a young man. 2011 , 124, e1-2 | |
| 1958 | Effect of statin therapy on disease progression in pediatric ADPKD: design and baseline characteristics of participants. 2011 , 32, 437-45 | 20 |
| 1957 | Comparison of arm and calf automatic noninvasive blood pressures in pediatric intensive care patients. 2011 , 26, 3-12 | 9 |
| 1956 | Anger, stress and blood pressure in overweight children. 2011 , 26, 446-55 | 5 |
| 1955 | Influence of blood pressure on retinal vascular caliber in young children. 2011 , 118, 1459-65 | 37 |
| 1954 | Increased sympathetic activity in children with obstructive sleep apnea: cardiovascular implications. 2011 , 12, 483-8 | 58 |
| 1953 | Normal ranges of blood pressure in paediatric resuscitation guidelines [Authors' reply. 2011 , 378, 568 | |
| 1952 | Clinical utility of valsartan in treatment of children and adolescents with high blood pressure. 2011 , 2, 97-103 | |
| 1951 | Clinical management and follow-up of hypercholesterolemia among perinatally HIV-infected children enrolled in the PACTG 219C study. 2011 , 57, 413-20 | 17 |
| 1950 | [Body mass index to the cardiovascular disease risk screening in infancy]. 2011 , 55, 114-20 | 5 |
| 1949 | Short- and long-term physiologic and pharmacologic control of blood pressure in pediatric patients. 2011 , 4, 35-44 | 3 |
| 1948 | Prevalence of elevated blood pressure and association with obesity in egyptian school adolescents. 2011 , 2011, 952537 | 32 |
| 1947 | High Rate of Obesity-Associated Hypertension among Primary Schoolchildren in Sudan. 2010 , 2011, 629492 | 30 |

| | | | |
|------|--|-----|-----|
| 1946 | Steroid pulse therapy for Kawasaki disease unresponsive to additional immunoglobulin therapy. 2011 , 16, 479-84 | | 27 |
| 1945 | Primary hypertension and special aspects of hypertension in older children and adolescents. 2011 , 2, 45-62 | | 5 |
| 1944 | Clinical utility of valsartan in the treatment of hypertension in children and adolescents. 2011 , 5, 149-55 | | 2 |
| 1943 | Impact of obesity on metabolic syndrome among adolescents as compared with adults in Korea. 2011 , 52, 746-52 | | 6 |
| 1942 | Olmesartan medoxomil for the treatment of hypertension in children and adolescents. 2011 , 7, 177-81 | | 3 |
| 1941 | The centre for healthy weights--shapedown BC: a family-centered, multidisciplinary program that reduces weight gain in obese children over the short-term. 2011 , 8, 4662-78 | | 12 |
| 1940 | Inflammatory adipokines, high molecular weight adiponectin, and insulin resistance: a population-based survey in prepubertal schoolchildren. <i>PLoS ONE</i> , 2011 , 6, e17264 | 3-7 | 41 |
| 1939 | Association of blood pressure in late adolescence with subsequent mortality: cohort study of Swedish male conscripts. 2011 , 342, d643 | | 166 |
| 1938 | Estimating the potential health impact and costs of implementing a local policy for food procurement to reduce the consumption of sodium in the county of Los Angeles. 2011 , 101, 1501-7 | | 15 |
| 1937 | Trends in risk factors for cardiovascular disease among Iranian adolescents: the Tehran Lipid and Glucose Study, 1999-2008. 2011 , 21, 319-28 | | 38 |
| 1936 | Does sleep duration predict metabolic risk in obese adolescents attending tertiary services? A cross-sectional study. 2011 , 34, 891-8 | | 48 |
| 1935 | Hypertension despite dehydration during severe pediatric diabetic ketoacidosis. 2011 , 12, 295-301 | | 20 |
| 1934 | Effectiveness and safety of valsartan in children aged 6 to 16 years with hypertension. 2011 , 13, 357-65 | | 42 |
| 1933 | Obesity hypertension in adolescents: epidemiology, evaluation, and management. 2011 , 13, 323-31 | | 46 |
| 1932 | Cardiac and vascular consequences of pre-hypertension in youth. 2011 , 13, 332-42 | | 215 |
| 1931 | Prevalence of hypertension in 9- to 10-year-old Icelandic school children. 2011 , 13, 774-9 | | 34 |
| 1930 | The efficacy and safety of valsartan in obese and non-obese pediatric hypertensive patients. 2011 , 13, 758-66 | | 14 |
| 1929 | Socioeconomic factors influencing the failure to measure the blood pressure of children during clinical examinations. 2011 , 13, 767-73 | | |

| | | | |
|------|---|-----|----|
| 1928 | Placental programming of blood pressure in Indian children. 2011 , 100, 653-60 | | 22 |
| 1927 | Insulin resistance and metabolic syndrome in prepubertal boys with Klinefelter syndrome. 2011 , 100, 866-70 | | 45 |
| 1926 | Changes in adipose-derived inflammatory cytokines and chemokines after successful lifestyle intervention in obese children. 2011 , 60, 445-52 | | 81 |
| 1925 | Effectiveness and cost-effectiveness of blood pressure screening in adolescents in the United States. <i>Journal of Pediatrics</i> , 2011 , 158, 257-64.e1-7 | 3.6 | 32 |
| 1924 | Population-based health requires population-based change. <i>Journal of Pediatrics</i> , 2011 , 158, 181-4 | 3.6 | 1 |
| 1923 | Association between oxidative stress and masked hypertension in a multi-ethnic population of obese children and adolescents. <i>Journal of Pediatrics</i> , 2011 , 158, 628-633.e1 | 3.6 | 39 |
| 1922 | Prevalence of tobacco use and association between cardiometabolic risk factors and cigarette smoking in youth with type 1 or type 2 diabetes mellitus. <i>Journal of Pediatrics</i> , 2011 , 158, 594-601.e1 | 3.6 | 57 |
| 1921 | Adolescent obesity, bone mass, and cardiometabolic risk factors. <i>Journal of Pediatrics</i> , 2011 , 158, 727-34.3.6 | | 62 |
| 1920 | Relationship between elevated arterial stiffness and increased left ventricular mass in adolescents and young adults. <i>Journal of Pediatrics</i> , 2011 , 158, 715-21 | 3.6 | 62 |
| 1919 | Cytochrome P450 (CYP2D6) genotype is associated with elevated systolic blood pressure in preterm infants after discharge from the neonatal intensive care unit. <i>Journal of Pediatrics</i> , 2011 , 159, 104-9 | 3.6 | 21 |
| 1918 | Prevalence and characterization of cardiac involvement in Hunter syndrome. <i>Journal of Pediatrics</i> , 2011 , 159, 327-31.e2 | 3.6 | 33 |
| 1917 | Racial/ethnic and sex differences in the ability of metabolic syndrome criteria to predict elevations in fasting insulin levels in adolescents. <i>Journal of Pediatrics</i> , 2011 , 159, 975-81.e3 | 3.6 | 37 |
| 1916 | Prevalence of non-communicable diseases in Brazilian children: follow-up at school age of two Brazilian birth cohorts of the 1990's. 2011 , 11, 486 | | 22 |
| 1915 | Cardiopulmonary response to exercise and cardiac assessment in patients with turner syndrome. 2011 , 107, 1076-82 | | 16 |
| 1914 | Waist circumference values according to height percentiles: a proposal to evaluate abdominal obesity in Mexican children and adolescents between 6 and 16 years of age. 2011 , 42, 515-22 | | 14 |
| 1913 | Association between sleep duration and hypertension among Chinese children and adolescents. 2011 , 34, 774-81 | | 48 |
| 1912 | Assessment and management of obesity in childhood and adolescence. 2011 , 8, 635-45 | | 29 |
| 1911 | Obesity. 2011 , 154-165.e3 | | |

| | | |
|------|--|----|
| 1910 | The management of hypertensive emergencies in children after stem cell transplantation. 2011 , 33, 165-76 | 7 |
| 1909 | Ambulatory blood pressure monitoring and renal functions in term small-for-gestational age children. 2011 , 26, 119-26 | 16 |
| 1908 | Urinary transforming growth factor beta-1 as a marker of renal dysfunction in sickle cell disease. 2011 , 26, 275-80 | 10 |
| 1907 | Cystatin C, cardiometabolic risk, and body composition in severely obese children. 2011 , 26, 301-7 | 10 |
| 1906 | Primary versus secondary hypertension in children followed up at an outpatient tertiary unit. 2011 , 26, 441-7 | 38 |
| 1905 | Suggested revision of the National High Blood Pressure Education Program blood pressure standardization for use in severely growth retarded children. 2011 , 26, 819-20 | 7 |
| 1904 | Glomerular filtration rate and prevalence of chronic kidney disease in Wilms' tumour survivors. 2011 , 26, 759-66 | 26 |
| 1903 | The definition of daytime and nighttime influences the interpretation of ABPM in children. 2011 , 26, 775-81 | 18 |
| 1902 | Urinary levels of TGF β 1 and of cytokines in patients with prenatally detected nephropathies. 2011 , 26, 739-47 | 16 |
| 1901 | Elevated systolic blood pressure in preterm very-low-birth-weight infants 3 years of life. 2011 , 26, 1115-21 | 33 |
| 1900 | Clinical outcomes in children with Henoch-Schönlein purpura nephritis grade IIIa or IIIb. 2011 , 26, 1083-8 | 10 |
| 1899 | Assessment of long-term renal complications in extremely low birth weight children. 2011 , 26, 1095-103 | 52 |
| 1898 | Serum uric acid is associated with high blood pressure in pediatric hemodialysis patients. 2011 , 26, 1123-8 | 20 |
| 1897 | Renal FMD may not confer a familial hypertensive risk nor is it caused by ACTA2 mutations. 2011 , 26, 1857-61 | 15 |
| 1896 | Change in left ventricular geometry during antihypertensive treatment in children with primary hypertension. 2011 , 26, 2201-9 | 37 |
| 1895 | Evaluation of microalbuminuria in obese children and its relation to metabolic syndrome. 2011 , 26, 2193-9 | 24 |
| 1894 | Early steroid withdrawal in pediatric renal transplant: five years of follow-up. 2011 , 26, 2235-44 | 28 |
| 1893 | Ambulatory blood pressure status in children: comparing alternate limit sources. 2011 , 26, 2211-7 | 8 |

| | | |
|------|--|-----|
| 1892 | Ambulatory blood pressure monitoring in children: imperfect yet essential. 2011 , 26, 2089-94 | 53 |
| 1891 | Metabolic syndrome, adipokines and ghrelin in overweight and obese schoolchildren: results of a 1-year lifestyle intervention programme. 2011 , 170, 483-92 | 30 |
| 1890 | Efficacy and safety of propranolol as first-line treatment for infantile hemangiomas. 2011 , 170, 493-501 | 90 |
| 1889 | Multicystic dysplastic kidney: our experience in non-surgical management. 2011 , 27, 775-9 | 11 |
| 1888 | Assessment of left ventricular diastolic function in children after successful repair of aortic coarctation. 2011 , 100, 493-9 | 19 |
| 1887 | Markers of metabolic syndrome in obese children before and after 1-year lifestyle intervention program. 2011 , 50, 391-400 | 20 |
| 1886 | European guidelines on managing adverse effects of medication for ADHD. 2011 , 20, 17-37 | 244 |
| 1885 | Matrix metalloproteinases and soluble Fas/FasL system as novel regulators of apoptosis in children and young adults on chronic dialysis. 2011 , 16, 653-9 | 30 |
| 1884 | Underrecognition of elevated blood pressure readings in children after early repair of coarctation of the aorta. 2011 , 32, 202-5 | 17 |
| 1883 | Cross-sectional analysis of cardiovascular risk factors in children with parental history of premature ischemic heart disease. 2011 , 32, 628-33 | 1 |
| 1882 | Hypertensive emergencies in children. 2011 , 78, 569-75 | 13 |
| 1881 | Matrix metalloproteinases (MMP-2,9) and their tissue inhibitors (TIMP-1,2) as novel markers of stress response and atherogenesis in children with chronic kidney disease (CKD) on conservative treatment. 2011 , 16, 97-103 | 41 |
| 1880 | Neutrophil gelatinase-associated lipocalin (NGAL) and matrix metalloproteinases as novel stress markers in children and young adults on chronic dialysis. 2011 , 16, 163-71 | 10 |
| 1879 | Percentile curves for fat patterning in German adolescents. 2011 , 7, 16-23 | 43 |
| 1878 | A cluster randomised school-based lifestyle intervention programme for the prevention of childhood obesity and related early cardiovascular disease (JuvenTUM 3). 2011 , 11, 258 | 18 |
| 1877 | Waist circumference and risk of elevated blood pressure in children: a cross-sectional study. 2011 , 11, 613 | 21 |
| 1876 | Physical activity, cardiorespiratory fitness, and metabolic syndrome in adolescents: a cross-sectional study. 2011 , 11, 674 | 37 |
| 1875 | The effect of cardiovascular risk factors on the longitudinal evolution of the carotid intima medial thickness in children with type 1 diabetes mellitus. 2011 , 10, 53 | 40 |

| | | | |
|------|---|-----|------|
| 1874 | Nutrition transition among adolescents of a south-Mediterranean country: dietary patterns, association with socio-economic factors, overweight and blood pressure. A cross-sectional study in Tunisia. 2011 , 10, 38 | | 67 |
| 1873 | Blood pressure to height ratios as simple, sensitive and specific diagnostic tools for adolescent (pre)hypertension in Nigeria. 2011 , 37, 30 | | 24 |
| 1872 | Body mass index and blood pressure changes over the course of treatment of pediatric acute lymphoblastic leukemia. 2011 , 56, 372-8 | | 82 |
| 1871 | The co-occurrence of obesity, elevated blood pressure, and acanthosis nigricans among American Indian school children: identifying individual heritage and environment-level correlates. 2011 , 23, 346-52 | | 13 |
| 1870 | Cardiac geometry and function in diabetic or prediabetic adolescents and young adults: the Strong Heart Study. 2011 , 34, 2300-5 | | 35 |
| 1869 | Independent effects of age-related changes in waist circumference and BMI z scores in predicting cardiovascular disease risk factors in a prospective cohort of adolescent females. 2011 , 93, 392-401 | | 29 |
| 1868 | Clustering of risk factors: a simple method of detecting cardiovascular disease in youth. <i>Pediatrics</i> , 2011 , 127, e312-8 | 7.4 | 23 |
| 1867 | Treatment of type 2 diabetes in youth. 2011 , 34 Suppl 2, S177-83 | | 32 |
| 1866 | Intensified effect of adiposity on blood pressure in overweight and obese children. 2011 , 58, 818-24 | | 108 |
| 1865 | Expert panel on integrated guidelines for cardiovascular health and risk reduction in children and adolescents: summary report. <i>Pediatrics</i> , 2011 , 128 Suppl 5, S213-56 | 7.4 | 1467 |
| 1864 | Metabolic abnormalities, cardiovascular disease risk factors, and GFR decline in children with chronic kidney disease. 2011 , 6, 2132-40 | | 115 |
| 1863 | Daily corticosteroids reduce infection-associated relapses in frequently relapsing nephrotic syndrome: a randomized controlled trial. 2011 , 6, 63-9 | | 60 |
| 1862 | Role of twenty-four-hour ambulatory blood pressure monitoring in children on dialysis. 2011 , 6, 870-6 | | 54 |
| 1861 | Cardiac geometry in children receiving chronic peritoneal dialysis: findings from the International Pediatric Peritoneal Dialysis Network (IPPN) registry. 2011 , 6, 1926-33 | | 72 |
| 1860 | Primary, nonsyndromic vesicoureteric reflux and nephropathy in sibling pairs: a United Kingdom cohort for a DNA bank. 2011 , 6, 760-6 | | 12 |
| 1859 | Improvement in the renal prognosis in nephropathic cystinosis. 2011 , 6, 2485-91 | | 55 |
| 1858 | Diagnosis of the metabolic syndrome is associated with disproportionately high levels of high-sensitivity C-reactive protein in non-Hispanic black adolescents: an analysis of NHANES 1999-2008. 2011 , 34, 734-40 | | 44 |
| 1857 | Pediatric GFR estimating equations applied to adolescents in the general population. 2011 , 6, 1427-35 | | 79 |

| | | | |
|------|---|-----|-----|
| 1856 | Childhood cardiovascular risk factors in South Asians: A cause of concern for adult cardiovascular disease epidemic. 2011 , 4, 166-71 | | 17 |
| 1855 | Plasma Proteomic Signature in Overweight Girls Closely Correlates with Homeostasis Model Assessment (HOMA), an Objective Measure of Insulin Resistance. 2011 , 2011, 323629 | | 1 |
| 1854 | Reduction of risk for cardiovascular disease in children and adolescents. 2011 , 124, 1673-86 | | 112 |
| 1853 | Blood pressure control and left ventricular mass in children with chronic kidney disease. 2011 , 6, 543-51 | | 52 |
| 1852 | Fasting plasma glucose and clustering of cardiometabolic risk factors in normoglycemic outpatient children and adolescents. 2011 , 34, 1412-4 | | 14 |
| 1851 | Common variants near MC4R: exploring gender effects in overweight and obese children and adolescents participating in a lifestyle intervention. <i>Obesity Facts</i> , 2011 , 4, 67-75 | 5.1 | 27 |
| 1850 | Early treatment with methylprednisolone pulse therapy combined with tonsillectomy for heavy proteinuric henoch-schleien purpura nephritis in children. 2011 , 1, 101-11 | | 19 |
| 1849 | Indicators of overweight and cardiovascular disease risk factors among 11- to 17-year-old boys and girls in Germany. <i>Obesity Facts</i> , 2011 , 4, 379-85 | 5.1 | 10 |
| 1848 | Infant-feeding patterns and cardiovascular risk factors in young adulthood: data from five cohorts in low- and middle-income countries. 2011 , 40, 47-62 | | 88 |
| 1847 | Prevalence and correlates of multiple cardiovascular risk factors in children with chronic kidney disease. 2011 , 6, 2759-65 | | 58 |
| 1846 | Intrauterine growth restriction is associated with persistent aortic wall thickening and glomerular proteinuria during infancy. 2011 , 80, 119-23 | | 63 |
| 1845 | Defining left ventricular hypertrophy in children on peritoneal dialysis. 2011 , 6, 1934-43 | | 34 |
| 1844 | Childhood obesity and blood pressure: back to the future?. 2011 , 58, 754-5 | | 9 |
| 1843 | High rate of regression from micro-macroalbuminuria to normoalbuminuria in children and adolescents with type 1 diabetes treated or not with enalapril: the influence of HDL cholesterol. 2011 , 34, 424-9 | | 31 |
| 1842 | Magnetic resonance imaging of kidney and cyst volume in children with ADPKD. 2011 , 6, 369-76 | | 49 |
| 1841 | Casual blood pressure and neurocognitive function in children with chronic kidney disease: a report of the children with chronic kidney disease cohort study. 2011 , 6, 1831-7 | | 69 |
| 1840 | Pediatric Obesity. 2011 , 3-12 | | |
| 1839 | Physical activity, sedentary behavior, and the metabolic syndrome in minority youth. 2011 , 43, 2307-13 | | 34 |

| | | |
|------|---|-----|
| 1838 | Prevalence of metabolic syndrome in obese children and adolescents using three different criteria and evaluation of risk factors. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2011 , 3, 70-6 ^{1.9} | 44 |
| 1837 | Pediatric endocrine hypertension. 2011 , 15 Suppl 4, S361-6 | 3 |
| 1836 | Maternal characteristics influencing birth weight and infant weight gain in the first 6 weeks post-partum: A cross-sectional study of a post-natal clinic population. 2012 , 53, 200-5 | 7 |
| 1835 | The expression of cytoskeletal proteins in kidney specimens of children with primary focal segmental glomerulosclerosis. 2012 , 22, 444-50 | 4 |
| 1834 | The association of metabolic syndrome, insulin resistance and non-alcoholic fatty liver disease in overweight/obese children. 2012 , 18, 44-9 | 45 |
| 1833 | Mechanisms of premature vascular aging in children with Hutchinson-Gilford progeria syndrome. 2012 , 59, 92-7 | 96 |
| 1832 | Recent trends in healthcare utilization among children and adolescents with hypertension in the United States. 2012 , 60, 296-302 | 31 |
| 1831 | Genome-wide profiling of blood pressure in adults and children. 2012 , 59, 241-7 | 28 |
| 1830 | High burden of kidney disease in youth-onset type 2 diabetes. 2012 , 35, 1265-71 | 117 |
| 1829 | Mechanisms of fetal programming in hypertension. 2012 , 2012, 584831 | 11 |
| 1828 | Atherogenic risk factors among preschool children in Crete, Greece. 2012 , 16, 809-14 | |
| 1827 | The use of Z-scores in paediatric cardiology. 2012 , 5, 179-84 | 99 |
| 1826 | A phase I trial and pharmacokinetic study of aflibercept (VEGF Trap) in children with refractory solid tumors: a children's oncology group phase I consortium report. 2012 , 18, 5081-9 | 20 |
| 1825 | Uric acid level and elevated blood pressure in US adolescents: National Health and Nutrition Examination Survey, 1999-2006. 2012 , 59, 811-7 | 132 |
| 1824 | Comparison of mercury and aneroid blood pressure measurements in youth. <i>Pediatrics</i> , 2012 , 129, e1205-10 | 6 |
| 1823 | Carotid intima-media thickness in children with CKD: results from the CKiD study. 2012 , 7, 1930-7 | 83 |
| 1822 | Hypertension and a missing kidney. 2012 , 5, 327-30 | 1 |
| 1821 | Association between different growth curve definitions of overweight and obesity and cardiometabolic risk in children. 2012 , 184, E539-50 | 22 |

| | | | |
|------|--|-----|-----|
| 1820 | Renal dysfunction and elevated blood pressure in long-term childhood cancer survivors. 2012 , 7, 1416-27 | | 52 |
| 1819 | Sodium intake and blood pressure among US children and adolescents. <i>Pediatrics</i> , 2012 , 130, 611-9 | 7.4 | 202 |
| 1818 | Screening for dysglycemia in overweight youth presenting for weight management. 2012 , 35, 711-6 | | 20 |
| 1817 | Clinical course of 822 children with prenatally detected nephrouropathies. 2012 , 7, 444-51 | | 52 |
| 1816 | DNA methylation in inflammatory genes among children with obstructive sleep apnea. 2012 , 185, 330-8 | | 92 |
| 1815 | Cardiovascular disease risk in healthy children and its association with body mass index: systematic review and meta-analysis. 2012 , 345, e4759 | | 333 |
| 1814 | Blood pressure and heart rate over 10 years in the multimodal treatment study of children with ADHD. 2012 , 169, 167-77 | | 60 |
| 1813 | Comparison of blood pressure levels among four age groups of Chinese children matched by height. 2012 , 26, 437-42 | | 7 |
| 1812 | Chapter 2: General principles in the management of glomerular disease. 2012 , 2, 156-162 | | 23 |
| 1811 | Chapter 6: Blood pressure management in children with CKD ND. 2012 , 2, 372-376 | | 10 |
| 1810 | The trend of hypertension and its relationship to the weight status among Taiwanese young adolescents. 2012 , 26, 48-55 | | 9 |
| 1809 | Acanthosis nigricans predicts the clustering of metabolic syndrome components in Hispanic elementary school-aged children. 2012 , 25, 1095-102 | | 13 |
| 1808 | Usefulness of the high triglyceride-to-HDL cholesterol ratio to identify cardiometabolic risk factors and preclinical signs of organ damage in outpatient children. 2012 , 35, 158-62 | | 87 |
| 1807 | Obesity and metabolic syndrome and functional and structural brain impairments in adolescence. <i>Pediatrics</i> , 2012 , 130, e856-64 | 7.4 | 182 |
| 1806 | Sleep disturbance and cardiovascular risk in adolescents. 2012 , 184, E913-20 | | 77 |
| 1805 | Developing the 2011 Integrated Pediatric Guidelines for Cardiovascular Risk Reduction. <i>Pediatrics</i> , 2012 , 129, e1311-9 | 7.4 | 33 |
| 1804 | Antihypertensive prescribing patterns for adolescents with primary hypertension. <i>Pediatrics</i> , 2012 , 129, e1-8 | 7.4 | 40 |
| 1803 | Secular trends in BMI and blood pressure among children and adolescents: the Bogalusa Heart Study. <i>Pediatrics</i> , 2012 , 130, e159-66 | 7.4 | 84 |

| | | |
|------|--|--------|
| 1802 | Kidney disease and youth onset type 2 diabetes: considerations for the general practitioner. 2012 , 2012, 237360 | 9 |
| 1801 | Blood Pressure over Height Ratios: Simple and Accurate Method of Detecting Elevated Blood Pressure in Children. 2012 , 2012, 253497 | 27 |
| 1800 | Serum galactose-deficient IgA1 level is not associated with proteinuria in children with IgA nephropathy. 2012 , 2012, 315467 | 15 |
| 1799 | Highlights for the management of a child with hypertension. 2012 , 2012, 364716 | |
| 1798 | Assessing latent effects of prenatal cocaine exposure on growth and risk of cardiometabolic disease in late adolescence: design and methods. 2012 , 2012, 467918 | 5 |
| 1797 | Chronic kidney disease: highlights for the general pediatrician. 2012 , 2012, 943904 | 1 |
| 1796 | Prematurity-related hypertension in children and adolescents. 2012 , 2012, 537936 | 17 |
| 1795 | Presentation of the child with renal disease and guidelines for referral to the pediatric nephrologist. 2012 , 2012, 978673 | 5 |
| 1794 | The effects of hypertension on cognitive function in children and adolescents. 2012 , 2012, 891094 | 14 |
| 1793 | Assessment of metformin as an additional treatment to therapeutic lifestyle changes in pediatric patients with metabolic syndrome. 2012 , 2012, 961410 | 27 |
| 1792 | Highlights for the management of a child with proteinuria and hematuria. 2012 , 2012, 768142 | 9 |
| 1791 | A phase I trial and pharmacokinetic study of sorafenib in children with refractory solid tumors or leukemias: a Children's Oncology Group Phase I Consortium report. 2012 , 18, 6011-22 | 89 |
| 1790 | Prevalence and predictors of the sub-target Hb level in children on dialysis. 2012 , 27, 3950-7 | 16 |
| 1789 | Ambulatory blood pressure patterns in children with chronic kidney disease. 2012 , 60, 43-50 | 117 |
| 1788 | Endothelial dysfunction in children without hypertension: potential contributions of obesity and obstructive sleep apnea. 2012 , 141, 682-691 | 91 |
| 1787 | Ethnic and socioeconomic influences on childhood blood pressure: the Child Heart and Health Study in England. <i>Journal of Hypertension</i> , 2012 , 30, 2090-7 | 1.9 13 |
| 1786 | Obesity, metabolic syndrome, and insulin resistance in urban high school students of minority race/ethnicity. 2012 , 166, 1030-6 | 29 |
| 1785 | Characteristics and outcomes of children with primary oxalosis requiring renal replacement therapy. 2012 , 7, 458-65 | 90 |

| | | | |
|------|--|-----|-----|
| 1784 | Monogenic forms of hypertension. 2012 , 171, 1433-9 | | 63 |
| 1783 | Correlation of blood pressure, obesity, and adherence to the Mediterranean diet with indices of arterial stiffness in children. 2012 , 171, 1373-82 | | 47 |
| 1782 | Precocious adrenarche in children born appropriate for gestational age: is there a difference between genders?. 2012 , 171, 1661-6 | | 5 |
| 1781 | Educational paper: Progression in chronic kidney disease and prevention strategies. 2012 , 171, 1579-88 | | 22 |
| 1780 | Left ventricular function in children and adults after renal transplantation in childhood. 2012 , 27, 1565-74 | | 11 |
| 1779 | Ambulatory blood pressure monitoring and cardiac hypertrophy in children with metabolic syndrome. 2012 , 27, 1929-35 | | 14 |
| 1778 | Oxidative stress in hypertensive children before and after 1 year of antihypertensive therapy. 2012 , 27, 1943-51 | | 27 |
| 1777 | ANCA-associated glomerulonephritis/systemic vasculitis in childhood: clinical features-outcome. 2012 , 27, 1911-20 | | 37 |
| 1776 | The effect of a multidisciplinary care clinic on the outcomes in pediatric chronic kidney disease. 2012 , 27, 1921-7 | | 40 |
| 1775 | Fibroblast growth factor 23 and left ventricular hypertrophy in children on dialysis. 2012 , 27, 2129-2136 | | 49 |
| 1774 | Renal function and systolic blood pressure in very-low-birth-weight infants 1-3 years of age. 2012 , 27, 2285-91 | | 24 |
| 1773 | Characteristics of children with sporadic hemolytic uremic syndrome in a single Northern California center. 2012 , 44, 1467-72 | | 6 |
| 1772 | Low sensitivity for the metabolic syndrome to detect uric acid elevations in females and non-Hispanic-black male adolescents: an analysis of NHANES 1999-2006. 2012 , 220, 575-80 | | 23 |
| 1771 | Relationship between obesity and pulse pressure in children: results of the National Health and Nutrition Survey (NHANES) 1988-1994. 2012 , 6, 277-83 | | 13 |
| 1770 | Rate of weight gain and cardiometabolic abnormalities in children and adolescents. <i>Journal of Pediatrics</i> , 2012 , 161, 1010-5 | 3.6 | 21 |
| 1769 | Prevalence of hypertension in Portuguese adolescents in Lisbon, Portugal. 2012 , 31, 789-794 | | 2 |
| 1768 | CKiD (CKD in children) prospective cohort study: a review of current findings. 2012 , 60, 1002-11 | | 147 |
| 1767 | Candesartan cilexetil in children and adolescents aged 1 to . 2012 , 14, 61-2 | | 2 |

| | | | |
|------|--|-----|-----|
| 1766 | Olmesartan medoxomil in children and adolescents with hypertension—profile report. 2012 , 14, 209-10 | | |
| 1765 | [Prevalence of hypertension in Portuguese adolescents in Lisbon, Portugal]. 2012 , 31, 789-94 | | 9 |
| 1764 | Childhood antecedents to adult cardiovascular disease. 2012 , 33, 51-60; quiz 61 | | 52 |
| 1763 | Dysautonomia after pediatric brain injury. 2012 , 54, 759-64 | | 38 |
| 1762 | Cardiovascular programming in children born small for gestational age and relationship with prenatal signs of severity. 2012 , 207, 121.e1-9 | | 107 |
| 1761 | Cardiovascular risk factors significantly correlate with autonomic nervous system activity in children. 2012 , 28, 477-82 | | 46 |
| 1760 | EXERCISE in pediatric autologous stem cell transplant patients: a randomized controlled trial protocol. 2012 , 12, 401 | | 13 |
| 1759 | Association between obesity indices and cardiovascular risk factors in late adolescence in the Seychelles. <i>BMC Pediatrics</i> , 2012 , 12, 176 | 2.6 | 9 |
| 1758 | First-attack pediatric hypertensive crisis presenting to the pediatric emergency department. <i>BMC Pediatrics</i> , 2012 , 12, 200 | 2.6 | 21 |
| 1757 | Relationship of metabolic syndrome and its components with -844 G/A and HindIII C/G PAI-1 gene polymorphisms in Mexican children. <i>BMC Pediatrics</i> , 2012 , 12, 41 | 2.6 | 9 |
| 1756 | Increasing blood pressure and its associated factors in Canadian children and adolescents from the Canadian Health Measures Survey. 2012 , 12, 388 | | 42 |
| 1755 | Obesity and elevated blood pressure among adolescents in Lagos, Nigeria: a cross-sectional study. 2012 , 12, 616 | | 31 |
| 1754 | Association between body size and blood pressure in children from different ethnic origins. 2012 , 11, 136 | | 18 |
| 1753 | Evolution of blood pressure from adolescents to youth in salt sensitivities: a 18-year follow-up study in Hanzhong children cohort. 2012 , 11, 70 | | 24 |
| 1752 | Differences in lifestyle behaviors, dietary habits, and familial factors among normal-weight, overweight, and obese Chinese children and adolescents. 2012 , 9, 120 | | 22 |
| 1751 | Is the prevalence of overweight reducing at age 5-6 years? Ten years data collection in ASL Milano 2. 2012 , 38, 24 | | 4 |
| 1750 | Use of diagnostic tests in adolescents with essential hypertension. 2012 , 166, 857-62 | | 12 |
| 1749 | The kidney in pediatric liver transplantation: an updated perspective. 2012 , 16, 818-28 | | 14 |

| | | |
|------|---|-----|
| 1748 | The growing epidemic of hypertension among children and adolescents: a challenging road ahead. 2012 , 33, 1013-20 | 43 |
| 1747 | LV mass assessed by echocardiography and CMR, cardiovascular outcomes, and medical practice. 2012 , 5, 837-48 | 189 |
| 1746 | Study of blood pressure profile of school children 6-15 years in a rural setting of Maharashtra. 2012 , 68, 222-5 | 2 |
| 1745 | Blood pressure measurement: clinic, home, ambulatory, and beyond. 2012 , 60, 449-62 | 64 |
| 1744 | Use of oscillometric devices for the measurement of blood pressure-comparison with the gold standard. 2012 , 79, 1230-2 | 4 |
| 1743 | Prevalence and correlates of sustained hypertension in adolescents of rural Wardha, central India. 2012 , 79, 1206-12 | 10 |
| 1742 | Hsp27 as a marker of cell damage in children on chronic dialysis. 2012 , 17, 675-82 | 11 |
| 1741 | What is the optimal first-line agent in children requiring antihypertensive medication?. 2012 , 14, 603-7 | 14 |
| 1740 | Ambulatory blood pressure monitoring in pediatric renal transplantation. 2012 , 14, 608-18 | 28 |
| 1739 | Progression of prehypertension to hypertension in adolescents. 2012 , 14, 619-25 | 28 |
| 1738 | Joint association of physical activity/screen time and diet on CVD risk factors in 10-year-old children. 2012 , 6, 428-35 | 6 |
| 1737 | Laparoscopic sleeve gastrectomy in adult and pediatric obese patients: a comparative study. 2012 , 26, 3094-100 | 52 |
| 1736 | [Diabetes in the youth]. 2012 , 124 Suppl 2, 70-3 | |
| 1735 | Cardiometabolic risk and the MTHFR C677T variant in children treated with second-generation antipsychotics. 2012 , 2, e71 | 24 |
| 1734 | Blood pressure monitoring in children undergoing food challenge: association with anaphylaxis. 2012 , 108, 285-6 | 32 |
| 1733 | Birth weight and childhood blood pressure. 2012 , 14, 596-602 | 41 |
| 1732 | Main characteristics and participation rate of European adolescents included in the HELENA study. 2012 , 70, 14 | 35 |
| 1731 | The impact of change in volume and left-ventricular hypertrophy on left-ventricular mechanical dyssynchrony in children with end-stage renal disease. 2012 , 33, 1124-30 | 15 |

| | | | |
|------|--|-----|----|
| 1730 | Doppler US measurement of the superior mesenteric artery blood flow in children and adolescents. 2012 , 42, 1465-70 | | 6 |
| 1729 | Long-term effects of an inpatient weight-loss program in obese children and the role of genetic predisposition-rationale and design of the LOGIC-trial. <i>BMC Pediatrics</i> , 2012 , 12, 30 | 2.6 | 14 |
| 1728 | Increased serum concentration of sphingosine-1-phosphate in juvenile-onset systemic lupus erythematosus. 2012 , 32, 1019-25 | | 33 |
| 1727 | A teenager with uncontrolled hypertension: a case report. 2012 , 5, 659 | | 1 |
| 1726 | Associations between screen-based sedentary behavior and cardiovascular disease risk factors in Korean youth. 2012 , 27, 388-94 | | 57 |
| 1725 | Metabolic syndrome in a sample of the 6- to 16-year-old overweight or obese pediatric population: a comparison of two definitions. 2012 , 8, 55-63 | | 11 |
| 1724 | Les recommandations de prise en charge des complications métaboliques associées aux antipsychotiques de deuxième génération chez les enfants et les adolescents. 2012 , 17, 5B-11B | | |
| 1723 | Metabolic syndrome components in obese Egyptian children. 2012 , 32, 603-10 | | 10 |
| 1722 | Obesity and blood pressure levels of adolescents in Abeokuta, Nigeria. 2012 , 23, 260-4 | | 11 |
| 1721 | Vitamin D deficiency is associated with atherosclerosis-promoting risk factor clustering but not vascular damage in children. 2012 , 18, CR687-92 | | 10 |
| 1720 | Blood pressure variability, prehypertension, and hypertension in adolescents. 2012 , 3, 43-50 | | 4 |
| 1719 | Auscultatory measured normative blood pressure of Korean adolescents: using the Korean national health and nutrition examination survey 2001-2007. 2012 , 42, 809-15 | | 3 |
| 1718 | About the need to use specific population references in estimating paediatric hypertension: Sardinian blood pressure standards (age 11-14 years). 2012 , 38, 1 | | 15 |
| 1717 | Hypertension and obesity: epidemiology, mechanisms and clinical approach. 2012 , 79, 1056-61 | | 31 |
| 1716 | Microvascular autoregulation in children and adolescents with type 1 diabetes mellitus. 2012 , 55, 1633-40 | | 15 |
| 1715 | The Banishing Obesity and Diabetes in Youth (BODY) Project: description and feasibility of a program to halt obesity-associated disease among urban high school students. 2012 , 37, 365-71 | | 15 |
| 1714 | Effect of laparoscopic adjustable gastric banding on modifiable cardiovascular risk factors in extremely obese adolescents. 2012 , 22, 991-4 | | 17 |
| 1713 | Evaluation of carotid intima-media thickness, a marker of subclinical atherosclerosis, in children with cerebral palsy. 2012 , 42, 679-84 | | 3 |

| | | | |
|------|--|-----|----|
| 1712 | Prevalence of cardiovascular risk factors in children and adolescents with type 1 diabetes in Austria. 2012 , 171, 1193-202 | | 15 |
| 1711 | Hypertensive crisis in children. 2012 , 27, 741-51 | | 42 |
| 1710 | Henoch-Schönlein purpura with hypocomplementemia. 2012 , 27, 801-6 | | 24 |
| 1709 | The spectrum of HIV-related nephropathy in children. 2012 , 27, 821-7 | | 48 |
| 1708 | Diagnosing renal failure due to diethylene glycol in children in a resource-constrained setting. 2012 , 27, 1021-8 | | 10 |
| 1707 | The increasing incidence of initial steroid resistance in childhood nephrotic syndrome. 2012 , 27, 927-32 | | 33 |
| 1706 | Early cardiac dysfunction in pediatric patients on maintenance dialysis and post kidney transplant. 2012 , 27, 1157-64 | | 21 |
| 1705 | Unilateral multicystic dysplastic kidney: does initial size matter?. 2012 , 27, 1335-40 | | 37 |
| 1704 | Vitamin D status in children with chronic kidney disease. 2012 , 27, 1341-50 | | 11 |
| 1703 | Ambulatory blood pressure in prehypertensive children and adolescents. 2012 , 27, 1361-7 | | 8 |
| 1702 | Blood pressure elevation in long-term survivors of pediatric liver transplantation. 2012 , 12, 183-90 | | 39 |
| 1701 | Prediction of primary vs secondary hypertension in children. 2012 , 14, 316-21 | | 50 |
| 1700 | Pediatric ambulatory blood pressure monitoring: indications and interpretations. 2012 , 14, 372-82 | | 58 |
| 1699 | Antihypertensive drug use by children: are the drugs labeled and indicated?. 2012 , 14, 388-95 | | 39 |
| 1698 | Prehypertension in adolescents: risk and progression. 2012 , 14, 360-4 | | 39 |
| 1697 | Prehypertension in adolescents: how high is the risk for hypertension?. <i>Journal of Pediatrics</i> , 2012 , 160, 7-9 | 3.6 | 9 |
| 1696 | Reliability of resting blood pressure measurement and classification using an oscillometric device in children with chronic kidney disease. <i>Journal of Pediatrics</i> , 2012 , 160, 434-440.e1 | 3.6 | 58 |
| 1695 | Predictors of blood pressure and its control in pediatric patients receiving dialysis. <i>Journal of Pediatrics</i> , 2012 , 160, 621-625.e1 | 3.6 | 41 |

| | | | |
|------|---|-----|-----|
| 1694 | Blood pressure in pediatric chronic kidney disease--it's in the ears of the beholder. <i>Journal of Pediatrics</i> , 2012 , 160, 363-5 | 3.6 | 2 |
| 1693 | Role of carbohydrate modification in weight management among obese children: a randomized clinical trial. <i>Journal of Pediatrics</i> , 2012 , 161, 320-7.e1 | 3.6 | 57 |
| 1692 | Childhood risk factors predict cardiovascular disease, impaired fasting glucose plus type 2 diabetes mellitus, and high blood pressure 26 years later at a mean age of 38 years: the Princeton-lipid research clinics follow-up study. 2012 , 61, 531-41 | | 71 |
| 1691 | Racial/ethnic and sex differences in the relationship between uric acid and metabolic syndrome in adolescents: an analysis of National Health and Nutrition Survey 1999-2006. 2012 , 61, 554-61 | | 43 |
| 1690 | The expanding burden of cardiometabolic risk in China: the China Health and Nutrition Survey. 2012 , 13, 810-21 | | 165 |
| 1689 | Racial differences in arterial stiffness among adolescents and young adults with type 2 diabetes. 2012 , 13, 170-5 | | 23 |
| 1688 | Cardiovascular risk factors in multi-ethnic middle school students: the HEALTHY primary prevention trial. 2012 , 7, 230-9 | | 32 |
| 1687 | Blood pressure and associated factors in a North African adolescent population. a national cross-sectional study in Tunisia. 2012 , 12, 98 | | 45 |
| 1686 | Investigation of thyroid function and blood pressure in school-aged subjects without overt thyroid disease. 2012 , 41, 122-9 | | 20 |
| 1685 | Differences in healthy lifestyles between prehypertensive and normotensive children and adolescents in Northern China. 2012 , 33, 222-8 | | 8 |
| 1684 | Association between left atrial size and measures of adiposity among normal adolescent boys. 2012 , 33, 245-51 | | 7 |
| 1683 | Liddle syndrome in a Serbian family and literature review of underlying mutations. 2012 , 171, 471-8 | | 20 |
| 1682 | Hypertension in infancy: diagnosis, management and outcome. 2012 , 27, 17-32 | | 140 |
| 1681 | Hypertension and hemodialysis: pathophysiology and outcomes in adult and pediatric populations. 2012 , 27, 339-50 | | 21 |
| 1680 | Age and gender may affect posterior reversible encephalopathy syndrome in renal disease. 2012 , 27, 277-83 | | 23 |
| 1679 | The possible role of esRAGE and sRAGE in the natural history of diabetic nephropathy in childhood. 2012 , 27, 269-75 | | 13 |
| 1678 | Short-term efficacy of rituximab versus tacrolimus in steroid-dependent nephrotic syndrome. 2012 , 27, 235-41 | | 39 |
| 1677 | Microalbuminuria in children with primary and white-coat hypertension. 2012 , 27, 461-7 | | 51 |

| | | | |
|------|---|-----|----|
| 1676 | B-type natriuretic peptides are reliable markers of cardiac strain in CKD pediatric patients. 2012 , 27, 617-25 | | 12 |
| 1675 | Glucose intolerance: is it a risk factor for cardiovascular disease in children with chronic kidney disease?. 2012 , 27, 627-35 | | 10 |
| 1674 | Does early initiation of therapeutic plasma exchange improve outcome in pediatric stem cell transplant-associated thrombotic microangiopathy?. 2013 , 53, 661-7 | | 42 |
| 1673 | Focus on prevention, diagnosis and treatment of hypertension in children and adolescents. 2013 , 39, 20 | | 33 |
| 1672 | Morphological and metabolic determinants of nonalcoholic fatty liver disease in obese youth: a pilot study. 2013 , 6, 89 | | 7 |
| 1671 | Alterations in ventricular structure and function in obese adolescents with nonalcoholic fatty liver disease. <i>Journal of Pediatrics</i> , 2013 , 162, 1160-8, 1168.e1 | 3.6 | 55 |
| 1670 | The common SNP (rs9939609) in the FTO gene modifies the association between obesity and high blood pressure in Chinese children. 2013 , 40, 773-8 | | 10 |
| 1669 | A high school-based voluntary cardiovascular risk screening program: issues of feasibility and correlates of electrocardiographic outcomes. 2013 , 34, 1612-9 | | 2 |
| 1668 | Prevalence and long-term predictors of left ventricular hypertrophy, late hypertension, and hypertensive response to exercise after successful aortic coarctation repair. 2013 , 34, 620-9 | | 33 |
| 1667 | The relationship between pediatric nonalcoholic fatty liver disease and cardiovascular risk factors and increased risk of atherosclerosis in obese children. 2013 , 34, 308-15 | | 34 |
| 1666 | Noninvasive imaging in children with hypertension. 2013 , 43, 502-5 | | 2 |
| 1665 | Phenylephrine as a simulated intravascular epidural test dose in pediatrics: a pilot study. 2013 , 23, 502-9 | | 1 |
| 1664 | Ion and Fluid Dynamics in Hypertension. 2013 , 57-65 | | |
| 1663 | Is waist-to-height ratio a useful indicator of cardio-metabolic risk in 6-10-year-old children?. <i>BMC Pediatrics</i> , 2013 , 13, 91 | 2.6 | 44 |
| 1662 | Adiponectin in eutrophic and obese children as a biomarker to predict metabolic syndrome and each of its components. 2013 , 13, 88 | | 34 |
| 1661 | Vitamin D deficiency among healthy adolescents in Al Ain, United Arab Emirates. 2013 , 13, 33 | | 64 |
| 1660 | Prevalence of hypertension in overweight and obese children from a large school-based population in Shanghai, China. 2013 , 13, 24 | | 62 |
| 1659 | High-end normal adrenocorticotrophic hormone and cortisol levels are associated with specific cardiovascular risk factors in pediatric obesity: a cross-sectional study. 2013 , 11, 44 | | 29 |

| | | |
|------|---|-----|
| 1658 | Antioxidant enzymes activities in obese Tunisian children. 2013 , 12, 18 | 30 |
| 1657 | Hypertension in children and adolescents: epidemiology and pathogenesis. 2013 , 80 Suppl 1, S71-6 | 21 |
| 1656 | Hypertension during therapy with triptorelin in a girl with precocious puberty. 2013 , 80, 884-5 | 16 |
| 1655 | Physical activity intensity and surrogate markers for cardiovascular health in adolescents. 2013 , 113, 1213-22 | 23 |
| 1654 | Incidence and etiology of acute kidney injury in southern India. 2013 , 80, 183-9 | 35 |
| 1653 | Cardiovascular disease risk factors: a childhood perspective. 2013 , 80 Suppl 1, S3-12 | 9 |
| 1652 | Central adiposity and the risk of hypertension in Asian Indian girls. 2013 , 9, 256-60 | 9 |
| 1651 | Hypertension in children and adolescents attending a lipid clinic. 2013 , 172, 1573-9 | 10 |
| 1650 | Genetic epidemiology of cardiometabolic risk factors and their clustering patterns in Mexican American children and adolescents: the SAFARI Study. 2013 , 132, 1059-71 | 21 |
| 1649 | Influence of seasonal variation on blood pressure measurements in children, adolescents and young adults. 2013 , 28, 2343-9 | 21 |
| 1648 | Midaortic syndrome: 30 years of experience with medical, endovascular and surgical management. 2013 , 28, 2023-33 | 53 |
| 1647 | Left ventricular diastolic dysfunction by tissue Doppler echocardiography in pediatric chronic kidney disease. 2013 , 28, 2003-13 | 27 |
| 1646 | Effects of obesity and race on left ventricular geometry in hypertensive children. 2013 , 28, 2015-22 | 34 |
| 1645 | Secondhand smoke exposure is associated with proteinuria in children with chronic kidney disease. 2013 , 28, 1243-51 | 33 |
| 1644 | Disparities in antihypertensive medication adherence in adolescents. 2013 , 28, 1267-73 | 9 |
| 1643 | The changing face of pediatric hypertension in the era of the childhood obesity epidemic. 2013 , 28, 1059-66 | 136 |
| 1642 | Impact of platelet transfusions in children with post-diarrheal hemolytic uremic syndrome. 2013 , 28, 919-25 | 18 |
| 1641 | The quality of cardiovascular disease care for adolescents with kidney disease: a Midwest Pediatric Nephrology Consortium study. 2013 , 28, 939-49 | 17 |

| | | |
|------|---|---------|
| 1640 | Losartan and enalapril are comparable in reducing proteinuria in children with Alport syndrome. 2013 , 28, 737-43 | 32 |
| 1639 | Evaluation of hypertension in children. 2013 , 15, 433-43 | 15 |
| 1638 | Primary hypertension in childhood. 2013 , 15, 444-52 | 44 |
| 1637 | Left ventricular hypertrophy in hypertensive children and adolescents: predictors and prevalence. 2013 , 15, 453-7 | 28 |
| 1636 | Primary hypertension in children and adolescents is an immuno-metabolic disease with hemodynamic consequences. 2013 , 15, 331-9 | 23 |
| 1635 | Ambulatory blood pressure monitoring in children and adolescents: coming of age?. 2013 , 15, 143-9 | 15 |
| 1634 | Treatment of obesity-related hypertension in children and adolescents. 2013 , 15, 224-31 | 14 |
| 1633 | Walking cadence and cardiovascular risk in children and adolescents: NHANES, 2005-2006. 2013 , 45, e27-34 | 15 |
| 1632 | Cardiovascular risk-factor profiles of normal and overweight children and adolescents: insights from the Canadian Health Measures Survey. 2013 , 29, 976-82 | 14 |
| 1631 | Response [Letter to the Editor regarding prevalence of hypertension in Portuguese adolescents. 2013 , 32, 743 | |
| 1630 | Diabetes tipo 2 en poblaci3n pedi3trica espa3ola: cifras, pron3stico y posibilidades terap3uticas. 2013 , 29, 27-35 | 2 |
| 1629 | Tuberous sclerosis complex surveillance and management: recommendations of the 2012 International Tuberous Sclerosis Complex Consensus Conference. 2013 , 49, 255-65 | 553 |
| 1628 | Poor outcomes after surgery for coarctation repair with hypoplastic arch warrants more extensive initial surgery and close long-term follow-up. 2013 , 16, 31-6 | 34 |
| 1627 | Urinary phthalates are associated with higher blood pressure in childhood. <i>Journal of Pediatrics</i> , 2013 , 163, 747-53.e1 | 3.6 105 |
| 1626 | Blood pressure tracking in children and adolescents. 2013 , 28, 2351-9 | 22 |
| 1625 | Polymorphisms in nitric oxide synthase and endothelin genes among children with obstructive sleep apnea. 2013 , 6, 29 | 20 |
| 1624 | Prevalence of arterial hypertension among Brazilian adolescents: systematic review and meta-analysis. 2013 , 13, 833 | 19 |
| 1623 | Genetic variance in nitric oxide synthase and endothelin genes among children with and without endothelial dysfunction. 2013 , 11, 227 | 14 |

| | | | |
|------|---|-----|----|
| 1622 | Intra-abdominal fat is related to metabolic syndrome and non-alcoholic fat liver disease in obese youth. <i>BMC Pediatrics</i> , 2013 , 13, 115 | 2.6 | 37 |
| 1621 | Risk factors for high blood pressure in low income children aged 3-4 years. 2013 , 172, 1097-103 | | 14 |
| 1620 | Adverse childhood experiences and the cardiovascular health of children: a cross-sectional study. <i>BMC Pediatrics</i> , 2013 , 13, 208 | 2.6 | 78 |
| 1619 | Blood pressure percentiles by age and height for non-overweight Chinese children and adolescents: analysis of the China Health and Nutrition Surveys 1991-2009. <i>BMC Pediatrics</i> , 2013 , 13, 195 | 2.6 | 31 |
| 1618 | Type 1 diabetes and cardiovascular disease. 2013 , 12, 156 | | 69 |
| 1617 | Managing cardiovascular risk in overweight children and adolescents. 2013 , 15, 181-90 | | 17 |
| 1616 | Prevalence and risk factors of elevated blood pressure, overweight, and dyslipidemia in adolescent and young adults in rural Nepal. 2013 , 11, 319-28 | | 12 |
| 1615 | Hydration measurement by bioimpedance spectroscopy and blood pressure management in children on hemodialysis. 2013 , 28, 2169-77 | | 42 |
| 1614 | High blood pressure in overweight and obese youth: implications for screening. 2013 , 15, 793-805 | | 36 |
| 1613 | Comparison of aneroid and oscillometric blood pressure measurements in children. 2013 , 15, 776-83 | | 16 |
| 1612 | Blood pressure reclassification in adolescents based on repeat clinic blood pressure measurements. 2013 , 15, 717-22 | | 13 |
| 1611 | Extending prednisolone treatment does not reduce relapses in childhood nephrotic syndrome. 2013 , 24, 149-59 | | 87 |
| 1610 | High risk blood pressure and obesity increase the risk for left ventricular hypertrophy in African-American adolescents. <i>Journal of Pediatrics</i> , 2013 , 162, 94-100 | 3.6 | 65 |
| 1609 | Hypercalciuria and kidney function in children with haemophilia. 2013 , 19, 200-5 | | 5 |
| 1608 | U.S. and Canadian Hypertension Guidelines. 2013 , 425-432 | | |
| 1607 | Blood pressure-to-height ratio as a screening measure for identifying children with hypertension. 2013 , 172, 99-105 | | 19 |
| 1606 | Association of adipokines with cardiovascular risk factors in low birth weight children: a case-control study. 2013 , 172, 71-6 | | 3 |
| 1605 | Insulin-sensitive obese children display a favorable metabolic profile. 2013 , 172, 201-6 | | 35 |

| | | | |
|------|--|-----|----|
| 1604 | Gender-specific prevalence and associated risk factors of prehypertension among rural children and adolescents in Northeast China: a cross-sectional study. 2013 , 172, 223-30 | | 15 |
| 1603 | Renal complications following lung and heart-lung transplantation. 2013 , 28, 375-86 | | 15 |
| 1602 | Masked hypertension is prevalent in children with sickle cell disease: a Midwest Pediatric Nephrology Consortium study. 2013 , 28, 115-20 | | 38 |
| 1601 | Cytokines in chronic kidney disease: potential link of MCP-1 and dyslipidemia in glomerular diseases. 2013 , 28, 463-9 | | 30 |
| 1600 | New markers of apoptosis in children on chronic dialysis. 2013 , 18, 77-84 | | 13 |
| 1599 | Cardiometabolic health of children conceived by assisted reproductive technologies. 2013 , 99, 318-26 | | 28 |
| 1598 | Lipids and lipoprotein ratios: contribution to carotid intima media thickness in adolescents and young adults with type 2 diabetes mellitus. 2013 , 7, 441-5 | | 22 |
| 1597 | Complications of extra-anatomic aortic bypass for complex coarctation and aortic arch hypoplasia. 2013 , 95, 676-81 | | 4 |
| 1596 | Metabolic syndrome in obese adolescents: what is enough?. 2013 , 59, 64-71 | | |
| 1595 | Thyroid function from birth to adolescence in Prader-Willi syndrome. <i>Journal of Pediatrics</i> , 2013 , 163, 800-5 | 3.6 | 23 |
| 1594 | Noninvasive screening for preclinical atherosclerosis in children on phenytoin or carbamazepine monotherapy: a cross sectional study. 2013 , 107, 121-6 | | 11 |
| 1593 | The RIVUR trial: profile and baseline clinical associations of children with vesicoureteral reflux. <i>Pediatrics</i> , 2013 , 132, e34-45 | 7.4 | 55 |
| 1592 | Prospective population-based study on the burden of disease from post-streptococcal glomerulonephritis of hospitalised children in New Zealand: epidemiology, clinical features and complications. 2013 , 49, 850-5 | | 24 |
| 1591 | Associations of World Trade Center exposures with pulmonary and cardiometabolic outcomes among children seeking care for health concerns. 2013 , 444, 320-6 | | 21 |
| 1590 | C-type natriuretic peptide plasma levels are reduced in obese adolescents. 2013 , 50, 50-4 | | 9 |
| 1589 | Metabolic syndrome in obese adolescents: what is enough?. 2013 , 59, 64-71 | | 5 |
| 1588 | A multicenter study of neurocognition in children with hypertension: methods, challenges, and solutions. 2013 , 7, 353-62 | | 23 |
| 1587 | Hypertension in children, not a "small" problem. 2013 , 65, 501-3 | | 2 |

| | | |
|------|---|--------|
| 1586 | Response--letter to the editor regarding prevalence of hypertension in Portuguese adolescents. 2013, 32, 743 | |
| 1585 | Systemic blood pressure after stent management for arch coarctation implications for clinical care. 2013, 6, 192-201 | 38 |
| 1584 | Diagnostic procedures and treatment of childhood obesity by pediatricians: 'The Dutch approach'. 2013, 111, 110-5 | 1 |
| 1583 | Health status, emotional/behavioral problems, health care use, and expenditures in overweight/obese US children/adolescents. 2013, 13, 251-8 | 24 |
| 1582 | The risk of early cardiovascular disease in Lithuanian diabetic children and adolescents: a type 1 diabetes register database based study. 2013, 100, 119-25 | 7 |
| 1581 | Association of income level with kidney disease severity and progression among children and adolescents with CKD: a report from the Chronic Kidney Disease in Children (CKiD) Study. 2013, 62, 1087-94 | 34 |
| 1580 | Cardiovascular disease in childhood: the role of obesity. 2013, 172, 721-32 | 106 |
| 1579 | Cardiovascular pathology in males and females with 45,X/46,XY mosaicism. <i>PLoS ONE</i> , 2013, 8, e54977 | 3.7 25 |
| 1578 | Management of Hypertension in Children and Adolescents. 2013, 529-537 | |
| 1577 | KDOQI US commentary on the 2012 KDIGO clinical practice guideline for management of blood pressure in CKD. 2013, 62, 201-13 | 133 |
| 1576 | Pediatric ambulatory blood pressure monitoring: diagnosis of hypertension. 2013, 28, 995-9 | 9 |
| 1575 | Preterm birth and later retinal detachment: a population-based cohort study of more than 3 million children and young adults. 2013, 120, 2278-85 | 6 |
| 1574 | Leptin, adiponectin, and short-term and long-term weight loss after a lifestyle intervention in obese children. 2013, 29, 851-7 | 23 |
| 1573 | Acetylcholinesterase activity, cohabitation with floricultural workers, and blood pressure in Ecuadorian children. 2013, 121, 619-24 | 19 |
| 1572 | Nighttime blood pressure, systolic blood pressure variability, and left ventricular mass index in children with hypertension. 2013, 28, 1275-82 | 51 |
| 1571 | Obesity in Developing Countries. 2013, 135-158 | |
| 1570 | Television, adiposity, and cardiometabolic risk in children and adolescents. 2013, 44, 40-7 | 53 |
| 1569 | Adolescent blood pressure hyperreactors have a higher reactive hyperemic index at the fingertip. 2013, 113, 2991-3000 | 6 |

| | | | |
|------|--|-----|-----|
| 1568 | Initiation and use of propranolol for infantile hemangioma: report of a consensus conference. <i>Pediatrics</i> , 2013 , 131, 128-40 | 7.4 | 378 |
| 1567 | Skin autofluorescence as a marker of cardiovascular risk in children with chronic kidney disease. 2013 , 28, 121-8 | | 18 |
| 1566 | Depression and blood pressure in high-risk children and adolescents: an investigation using two longitudinal cohorts. 2013 , 3, e003206 | | 10 |
| 1565 | Reduced atherogenic indices in prepubertal girls with precocious adrenarche born appropriate for gestational age in relation to the conundrum of DHEAS. 2013 , 2, 1-10 | | 7 |
| 1564 | Kidney function and tobacco smoke exposure in US adolescents. <i>Pediatrics</i> , 2013 , 131, e1415-23 | 7.4 | 33 |
| 1563 | Casein improves brachial and central aortic diastolic blood pressure in overweight adolescents: a randomised, controlled trial. 2013 , 2, e43 | | 11 |
| 1562 | Obesity and insulin resistance in pediatric acute lymphoblastic leukemia worsens during maintenance therapy. 2013 , 60, 1287-91 | | 35 |
| 1561 | Metabolic syndrome and its components among obese (BMI \geq 95th) Mexican adolescents. 2013 , 2, 208-15 | | 17 |
| 1560 | Bisphenol A exposure is associated with low-grade urinary albumin excretion in children of the United States. 2013 , 83, 741-8 | | 82 |
| 1559 | NHLBI integrated pediatric guidelines: battle for a future free of cardiovascular disease. 2013 , 9, 13-22 | | 5 |
| 1558 | Prevalence and risk factors of being overweight or obese among children and adolescents in northeast China. 2013 , 74, 443-9 | | 18 |
| 1557 | Clinical profile of acute kidney injury in a pediatric intensive care unit from Southern India: A prospective observational study. 2013 , 17, 207-13 | | 27 |
| 1556 | Assessment of serum levels of soluble CD40L in Egyptian children and adolescents with type 1 diabetes mellitus: Relationship to microalbuminuria and glycemic control. 2013 , 17, 1024-9 | | 3 |
| 1555 | Diabetes care, glycemic control, complications, and concomitant autoimmune diseases in children with type 1 diabetes in Turkey: a multicenter study. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2013 , 5, 20-6 | 1.9 | 25 |
| 1554 | Relationship of epicardial adipose tissue thickness with early indicators of atherosclerosis and cardiac functional changes in obese adolescents with metabolic syndrome. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2013 , 5, 156-63 | 1.9 | 22 |
| 1553 | Serum adiponectin and hsCRP levels and non-invasive radiological methods in the early diagnosis of cardiovascular system complications in children and adolescents with type 1 diabetes mellitus. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2013 , 5, 174-81 | 1.9 | 16 |
| 1552 | Functioning adrenocortical tumors in children-secretory behavior. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2013 , 5, 27-32 | 1.9 | 9 |
| 1551 | Association between obesity and ECG variables in children and adolescents: A cross-sectional study. 2013 , 6, 1455-1462 | | 8 |

| | | | | |
|------|---|-----|-----|-----|
| 1550 | Blood pressure and its associated factors among primary school children in suburban Selangor, Malaysia: A cross-sectional survey. 2013 , 20, 90-7 | | | 7 |
| 1549 | Insulin resistance and cardio metabolic abnormalities among overweight South Indian children: chennai slim and fit programme. 2013 , 38, 121-2 | | | 2 |
| 1548 | Cross-Sectional and Longitudinal Associations between Body Mass Index and Cardiometabolic Risk Factors in Adolescents in a Country of the African Region. 2013 , 2013, 801832 | | | 6 |
| 1547 | Ambulatory Blood Pressure Monitoring in a Cohort of Children Referred with Suspected Hypertension: Characteristics of Children with and without Attention Deficit Hyperactivity Disorder. 2013 , 2013, 419208 | | | 8 |
| 1546 | Relationship between serum transforming growth factor β concentrations and the duration of type 1 diabetes mellitus in children and adolescents. 2013 , 2013, 849457 | | | 13 |
| 1545 | Blood lead level and measured glomerular filtration rate in children with chronic kidney disease. 2013 , 121, 965-70 | | | 19 |
| 1544 | A study of insulin resistance by HOMA-IR and its cut-off value to identify metabolic syndrome in urban Indian adolescents. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2013 , 5, 245-51 | 1.9 | | 94 |
| 1543 | Genetic and BMI risks for predicting blood pressure in three generations of West African Dogon women. 2013 , 15, 105-11 | | | 19 |
| 1542 | Cardiometabolic risk factors among US adolescents and young adults and risk of early mortality. <i>Pediatrics</i> , 2013 , 131, e679-86 | | 7.4 | 69 |
| 1541 | Hypertension as a complication of circular external fixators. 2013 , 22, 270-4 | | | |
| 1540 | Clinicopathological and immunohistological features in childhood IgA nephropathy: a single-centre experience. 2013 , 6, 169-175 | | | 7 |
| 1539 | Childhood blood pressure trends and risk factors for high blood pressure: the NHANES experience 1988-2008. 2013 , 62, 247-54 | | | 278 |
| 1538 | Patterns of care and persistence after incident elevated blood pressure. <i>Pediatrics</i> , 2013 , 132, e349-55 | 7.4 | | 32 |
| 1537 | Combined effects of child and adult elevated blood pressure on subclinical atherosclerosis: the International Childhood Cardiovascular Cohort Consortium. 2013 , 128, 217-24 | | | 172 |
| 1536 | Zinc, iron and vitamins A, C and e are associated with obesity, inflammation, lipid profile and insulin resistance in Mexican school-aged children. <i>Nutrients</i> , 2013 , 5, 5012-30 | | 6.7 | 79 |
| 1535 | Prehypertension and hypertension in community-based pediatric practice. <i>Pediatrics</i> , 2013 , 131, e415-24 | 7.4 | | 104 |
| 1534 | Ethnic differences in the link between insulin resistance and elevated ALT. <i>Pediatrics</i> , 2013 , 132, e718-26 | 7.4 | | 33 |
| 1533 | Phase I pharmacokinetic and pharmacodynamic study of pazopanib in children with soft tissue sarcoma and other refractory solid tumors: a children's oncology group phase I consortium report. 2013 , 31, 3034-43 | | | 114 |

| | | |
|------|---|--------|
| 1532 | Spectrum and prevalence of vasculopathy in pediatric neurofibromatosis type 1. 2013 , 28, 561-9 | 46 |
| 1531 | Endocrinological and cardiological late effects among survivors of childhood acute lymphoblastic leukemia. 2013 , 30, 290-9 | 5 |
| 1530 | Asymptomatic bacteriuria in Nigerian children with sickle cell anemia. 2013 , 23, 103-7 | 2 |
| 1529 | Association of blood cadmium level with cardiometabolic risk factors and liver enzymes in a nationally representative sample of adolescents: the CASPIAN-III study. 2013 , 2013, 142856 | 26 |
| 1528 | Age- and Gender-Specific Components of the Metabolic Syndrome in 2228 First Graders: The PEP Family Heart Study. 2013 , 2013, 394807 | 2 |
| 1527 | The effect of weight loss on pediatric nonalcoholic Fatty liver disease. 2013 , 2013, 398297 | 1 |
| 1526 | Serum concentrations of transforming growth factor-Beta 1 in predicting the occurrence of diabetic retinopathy in juvenile patients with type 1 diabetes mellitus. 2013 , 2013, 614908 | 26 |
| 1525 | Hypertension associated with coarctation of the aorta revisited: case-based update from experience of three children. 2013 , 2013, 716438 | 4 |
| 1524 | Assessment of blood pressure in children: it's all in the details. 2013 , 15, 772-3 | 9 |
| 1523 | Discordant risk: overweight and cardiometabolic risk in Chinese adults. 2013 , 21, E166-74 | 29 |
| 1522 | Screening children for high blood pressure: where the US Preventive Services Task Force went wrong. 2013 , 15, 526-7 | 18 |
| 1521 | Antihypertensive pharmacotherapy and long-term outcomes in pediatric kidney transplantation. 2013 , 27, 472-80 | 19 |
| 1520 | Ethnic group differences in cardiometabolic disease risk factors independent of body mass index among American youth. 2013 , 21, 424-8 | 34 |
| 1519 | Effects of a low glycemic load or a low-fat dietary intervention on body weight in obese Hispanic American children and adolescents: a randomized controlled trial. 2013 , 97, 276-85 | 52 |
| 1518 | A risk score for identifying overweight adolescents with dysglycemia in primary care settings. 2013 , 26, 477-88 | 6 |
| 1517 | Blood pressure to height ratio: A novel method for detecting hypertension in paediatric age groups. 2013 , 18, 65-9 | 18 |
| 1516 | Preschool children with obstructive sleep apnea: the beginnings of elevated blood pressure?. 2013 , 36, 1219-26 | 51 |
| 1515 | Association of anthropometric measures with cardiovascular risk factors and metabolic syndrome in normal-weight children and adolescents: the CASPIAN III study. <i>Obesity Facts</i> , 2013 , 6, 483-92 | 5.1 14 |

| | | | |
|------|---|-----|----|
| 1514 | Childhood obesity for pediatric gastroenterologists. 2013 , 56, 99-109 | | 41 |
| 1513 | Oxidative stress and cardiovascular risk in overweight children in an exercise intervention program. 2013 , 9, 15-21 | | 24 |
| 1512 | Blood pressure and cognitive function: a prospective analysis among adolescents in Seychelles. <i>Journal of Hypertension</i> , 2013 , 31, 1175-82 | 1.9 | 11 |
| 1511 | Tenofovir treatment duration predicts proteinuria in a multiethnic United States Cohort of children and adolescents with perinatal HIV-1 infection. 2013 , 32, 495-500 | | 36 |
| 1510 | Targeted hepatic sonography during clinic visits for detection of fatty liver in overweight children: a pilot study. 2013 , 32, 637-43 | | 3 |
| 1509 | Incidence and risk factors for early-onset hypertension after allogeneic hematopoietic stem cell transplantation in children. 2013 , 43, 804-10 | | 12 |
| 1508 | Cardiovascular risk factor investigation: a pediatric issue. 2013 , 6, 57-66 | | 39 |
| 1507 | Physical activity during recess outdoors and indoors among urban public school students, St. Louis, Missouri, 2010-2011. 2013 , 10, E196 | | 11 |
| 1506 | Intussusception presenting with malignant hypertension and lethargy. 2013 , 3, 105-9 | | |
| 1505 | The predictive value of childhood blood pressure values for adult elevated blood pressure. 2013 , 3, 116-126 | | 19 |
| 1504 | User-friendly tools to identify elevated blood pressure in children. 2013 , 18, 63-4 | | 8 |
| 1503 | Detection of hypertension and prehypertension in paediatric patients with type 1 diabetes using a simple blood pressure table. 2013 , 18, 461-4 | | 7 |
| 1502 | Multi-Institutional Sharing of Electronic Health Record Data to Assess Childhood Obesity. <i>PLoS ONE</i> , 2013 , 8, e66192 | 3.7 | 48 |
| 1501 | Independent and combined effects of physical activity and sedentary behavior on blood pressure in adolescents: gender differences in two cross-sectional studies. <i>PLoS ONE</i> , 2013 , 8, e62006 | 3.7 | 23 |
| 1500 | Application of body mass index according to height-age in short and tall children. <i>PLoS ONE</i> , 2013 , 8, e72068 | 3.7 | 15 |
| 1499 | Effects of adiposity and Prader-Willi Syndrome on postexercise heart rate recovery. 2013 , 2013, 384167 | | 9 |
| 1498 | Relationship between Birth Weight and Metabolic Status in Obese Adolescents. 2013 , 2013, 490923 | | 4 |
| 1497 | School-based health center intervention improves body mass index in overweight and obese adolescents. 2013 , 2013, 575016 | | 28 |

| | | | |
|------|--|-----|----|
| 1496 | Preliminary blood pressure screening in a representative sample of extremely obese Kuwaiti adolescents. 2013 , 2013, 968754 | | 3 |
| 1495 | Risk factors for subclinical atherosclerosis in diabetic and obese children. 2013 , 10, 338-43 | | 29 |
| 1494 | The effect of low glycemic index diet on body weight status and blood pressure in overweight adolescent girls: a randomized clinical trial. 2013 , 7, 385-92 | | 10 |
| 1493 | Prevalence of cardiometabolic risk factors and metabolic syndrome in obese Kuwaiti adolescents. 2014 , 7, 505-11 | | 8 |
| 1492 | Vitamin B12 in obese adolescents with clinical features of insulin resistance. <i>Nutrients</i> , 2014 , 6, 5611-8 | 6.7 | 27 |
| 1491 | Effects of growth hormone (GH) therapy withdrawal on glucose metabolism in not confirmed GH deficient adolescents at final height. <i>PLoS ONE</i> , 2014 , 9, e87157 | 3.7 | 15 |
| 1490 | Long-term effect of a school-based physical activity program (KISS) on fitness and adiposity in children: a cluster-randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e87929 | 3.7 | 65 |
| 1489 | Progression of cardio-metabolic risk factors in subjects born small and large for gestational age. <i>PLoS ONE</i> , 2014 , 9, e104278 | 3.7 | 40 |
| 1488 | Cardiometabolic risk assessments by body mass index z-score or waist-to-height ratio in a multiethnic sample of sixth-graders. 2014 , 2014, 421658 | | 15 |
| 1487 | First report on the association of drinking water hardness and endothelial function in children and adolescents. 2014 , 10, 746-51 | | 5 |
| 1486 | The effect of green exercise on blood pressure, heart rate and mood state in primary school children. 2014 , 11, 3678-88 | | 45 |
| 1485 | Blood Pressure, Heart Rate, and CNS Stimulant Medication Use in Children with and without ADHD: Analysis of NHANES Data. <i>Frontiers in Pediatrics</i> , 2014 , 2, 100 | 3.4 | 14 |
| 1484 | High plasma homocysteine increases risk of metabolic syndrome in 6 to 8 year old children in rural Nepal. <i>Nutrients</i> , 2014 , 6, 1649-61 | 6.7 | 19 |
| 1483 | Association between body fat composition and blood pressure level among secondary school adolescents in Dar es Salaam, Tanzania. 2014 , 19, 327 | | 17 |
| 1482 | A 24-year follow-up study of blood pressure tracking from childhood to adulthood in Korea: the Kangwha Study. 2014 , 55, 360-6 | | 15 |
| 1481 | [Arterial hypertension among adolescents in Rio de Janeiro: prevalence and association with physical activity and obesity]. 2014 , 19, 1699-708 | | 8 |
| 1480 | Metabolic profil in a group of obese Moroccan children enrolled in schools in the city of Rabat. 2014 , 19, 377 | | |
| 1479 | Cardiovascular risk factors and health behaviours in elementary school-age Inuvialuit and Gwich'in children. 2014 , 19, 256-60 | | 1 |

| | | | |
|------|---|-----|-----|
| 1478 | Pediatric hypertension: An update on a burning problem. 2014 , 6, 253-9 | | 31 |
| 1477 | Rapidly progressive aortic aneurysmal dilation in a child with systemic lupus erythematosus: too early too severe. 2014 , 2014, | | 5 |
| 1476 | Anti-hypertensive drugs in children and adolescents. 2014 , 6, 234-44 | | 29 |
| 1475 | Angioplasty for pediatric renovascular hypertension: a 13-year experience. 2014 , 20, 285-92 | | 35 |
| 1474 | [Physical, clinical, and psychosocial parameters of adolescents with different degrees of excess weight]. 2014 , 32, 342-50 | | 2 |
| 1473 | Conglomeraci3 de precursores de tensi3 arterial elevada en adolescentes. 2014 , 21, 340-347 | | 0 |
| 1472 | The emerging epidemic of hypertension in Asian children and adolescents. 2014 , 16, 495 | | 8 |
| 1471 | Kardiovaskul3es Risiko besser absch3tzen. 2014 , 26, 306-316 | | |
| 1470 | Features of the built environment related to physical activity friendliness and children's obesity and other risk factors. 2014 , 31, 545-55 | | 9 |
| 1469 | Improved insulin sensitivity and body composition, irrespective of macronutrient intake, after a 12 month intervention in adolescents with pre-diabetes; RESIST a randomised control trial. <i>BMC Pediatrics</i> , 2014 , 14, 289 | 2.6 | 23 |
| 1468 | Blood pressure in primary school children in Uganda: a cross-sectional survey. 2014 , 14, 1223 | | 18 |
| 1467 | Childhood obesity, arterial stiffness, and prevalence and treatment of hypertension. 2014 , 16, 339 | | 10 |
| 1466 | Metabolic syndrome in young children: definitions and results of the IDEFICS study. 2014 , 38 Suppl 2, S4-14 | | 160 |
| 1465 | Vigorous physical activity and longitudinal associations with cardiometabolic risk factors in youth. 2014 , 38, 16-21 | | 107 |
| 1464 | No breakfast at home: association with cardiovascular disease risk factors in childhood. 2014 , 68, 829-34 | | 17 |
| 1463 | Blood pressure reference values for European non-overweight school children: the IDEFICS study. 2014 , 38 Suppl 2, S48-56 | | 50 |
| 1462 | Hypovitaminosis D and nocturnal hypertension in obese children: an interesting link. 2014 , 28, 360-6 | | 4 |
| 1461 | Association of leptin and insulin with childhood obesity and retinal vessel diameters. 2014 , 38, 1241-7 | | 24 |

| | | | |
|------|--|-----|-----|
| 1460 | Nephrotic-range proteinuria is strongly associated with poor blood pressure control in pediatric chronic kidney disease. 2014 , 85, 938-44 | | 21 |
| 1459 | Association of serum lead and mercury level with cardiometabolic risk factors and liver enzymes in a nationally representative sample of adolescents: the CASPIAN-III study. 2014 , 21, 13496-502 | | 39 |
| 1458 | Prevalence of Metabolic Syndrome in Thai Children: A Cross-sectional Study. 2014 , 8, PC04-7 | | 4 |
| 1457 | Metabolic syndrome in school children in mardin, South-eastern of Turkey. 2014 , 46, 156-63 | | 9 |
| 1456 | Unmet needs in the measurement of blood pressure in primary care. 2014 , 99, 463-4 | | 5 |
| 1455 | Forty-four-hour interdialytic ambulatory blood pressure monitoring and cardiovascular risk in pediatric hemodialysis patients. 2014 , 7, 33-9 | | 3 |
| 1454 | High Steroid Sensitivity among Children with Nephrotic Syndrome in Southwestern Nigeria. 2014 , 2014, 350640 | | 17 |
| 1453 | Associations of prenatal growth with metabolic syndrome, insulin resistance, and nutritional status in Chilean children. 2014 , 2014, 472017 | | 12 |
| 1452 | Endothelial wall thickness, cardiorespiratory fitness and inflammatory markers in obese and non-obese adolescents. 2014 , 18, 47-55 | | 11 |
| 1451 | CKD and hypertension during long-term follow-up in children and adolescents previously treated with extracorporeal membrane oxygenation. 2014 , 9, 2070-8 | | 24 |
| 1450 | Effect of pravastatin on total kidney volume, left ventricular mass index, and microalbuminuria in pediatric autosomal dominant polycystic kidney disease. 2014 , 9, 889-96 | | 107 |
| 1449 | Predictors of cardiovascular autonomic neuropathy in patients with type 1 diabetes. 2014 , 5, 191 | | 23 |
| 1448 | Thyroid hormone levels in obese children and adolescents with non-alcoholic fatty liver disease. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2014 , 6, 34-9 | 1.9 | 18 |
| 1447 | Children's Hospital Association consensus statements for comorbidities of childhood obesity. 2014 , 10, 304-17 | | 52 |
| 1446 | Prevalence of high blood pressure in 122,053 adolescents: a systematic review and meta-regression. 2014 , 93, e232 | | 64 |
| 1445 | Obesity in a young child. 2014 , 186, 443-4 | | 3 |
| 1444 | Pediatric lipid management: an earlier approach. 2014 , 43, 981-92 | | 10 |
| 1443 | ISPAD Clinical Practice Consensus Guidelines 2014. Type 2 diabetes in the child and adolescent. 2014 , 15 Suppl 20, 26-46 | | 128 |

| | | | |
|------|--|-----|-----|
| 1442 | Automated oscillometric blood pressure measurement in children. 2014 , 16, 468 | | 11 |
| 1441 | Stability of relative weight category and cardiometabolic risk factors among moderately and severely obese middle school youth. 2014 , 22, 1118-25 | | 9 |
| 1440 | Cardiovascular risk factors in children and adolescents with congenital adrenal hyperplasia due to 21-hydroxylase deficiency. 2014 , 80, 471-7 | | 43 |
| 1439 | Effects of Hatha yoga on blood pressure, salivary α -amylase, and cortisol function among normotensive and prehypertensive youth. 2014 , 20, 241-50 | | 30 |
| 1438 | Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): Rationale, objectives, design and sample description. 2014 , 7, 166-178 | | |
| 1437 | Update: ambulatory blood pressure monitoring in children and adolescents: a scientific statement from the American Heart Association. 2014 , 63, 1116-35 | | 387 |
| 1436 | A randomized trial of edivoxetine in pediatric patients with attention-deficit/hyperactivity disorder. 2014 , 24, 190-200 | | 14 |
| 1435 | Association of common variants in/near six genes (ATP2B1, CSK, MTHFR, CYP17A1, STK39 and FGF5) with blood pressure/hypertension risk in Chinese children. 2014 , 28, 32-6 | | 38 |
| 1434 | A predictive model of progression of CKD to ESRD in a predialysis pediatric interdisciplinary program. 2014 , 9, 728-35 | | 33 |
| 1433 | Medical and non-medical complications among children and adolescents with excessive body weight. <i>BMC Pediatrics</i> , 2014 , 14, 232 | 2.6 | 26 |
| 1432 | Abdominal obesity and low physical activity are associated with insulin resistance in overweight adolescents: a cross-sectional study. <i>BMC Pediatrics</i> , 2014 , 14, 258 | 2.6 | 18 |
| 1431 | Associations of short sleep duration with prehypertension and hypertension among Lithuanian children and adolescents: a cross-sectional study. 2014 , 14, 255 | | 32 |
| 1430 | Association between obesity and high blood pressure among Lithuanian adolescents: a cross-sectional study. 2014 , 40, 102 | | 21 |
| 1429 | Blood pressure and school performance. 2014 , 76, 163-6 | | 0 |
| 1428 | Echocardiography and carotid intima-media thickness among asymptomatic HIV-infected adolescents in Thailand. 2014 , 28, 2071-9 | | 13 |
| 1427 | Hypertension and health outcomes in the PICU. 2014 , 15, 417-27 | | 6 |
| 1426 | Dietary phthalates and low-grade albuminuria in US children and adolescents. 2014 , 9, 100-9 | | 49 |
| 1425 | Obese children and adolescents have elevated nighttime blood pressure independent of insulin resistance and arterial stiffness. 2014 , 27, 1408-15 | | 18 |

| | | | |
|------|---|-----|-----|
| 1424 | A randomized, open-label, dose-response study of losartan in hypertensive children. 2014 , 9, 1441-8 | | 13 |
| 1423 | Sleep duration and its association with ambulatory blood pressure in a school-based, diverse sample of adolescents. 2014 , 27, 948-55 | | 26 |
| 1422 | Posterior reversible encephalopathy syndrome in children with kidney disease. 2014 , 24, 28-34 | | 23 |
| 1421 | Lipid profile and correlation to cardiac risk factors and cardiovascular function in type 1 adolescent diabetics from a developing country. 2014 , 2014, 513460 | | 6 |
| 1420 | Anesthetic management of hypertensive crisis in a three-year-old patient with undiagnosed severe renal artery stenosis: a case report. 2014 , 67, 275-8 | | |
| 1419 | Prehypertension and Hypertension among Schoolchildren in Brazzaville, Congo. 2014 , 2014, 803690 | | 21 |
| 1418 | Overweight and obesity in children and adolescents. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2014 , 6, 129-43 | 1.9 | 232 |
| 1417 | A randomized controlled trial on a multicomponent intervention for overweight school-aged children - Copenhagen, Denmark. <i>BMC Pediatrics</i> , 2014 , 14, 273 | 2.6 | 22 |
| 1416 | Ambulatory blood pressure parameters in office normotensive obese and non-obese children: relationship with insulin resistance and atherosclerotic markers. 2014 , 23, 154-9 | | 5 |
| 1415 | Aggregate risk of cardiovascular disease among adolescents perinatally infected with the human immunodeficiency virus. 2014 , 129, 1204-12 | | 31 |
| 1414 | Racial differences in sensitivity of blood pressure to aldosterone. 2014 , 63, 1212-8 | | 72 |
| 1413 | Temporal trends in pulse pressure and mean arterial pressure during the rise of pediatric obesity in US children. <i>Journal of the American Heart Association</i> , 2014 , 3, e000725 | 6 | 20 |
| 1412 | Differences between the fourth and fifth Korotkoff phases among children and adolescents. 2014 , 27, 1495-502 | | 8 |
| 1411 | Kidney Disease in Patients Undergoing Hematopoietic Cell Transplantation. 2014 , 73-104 | | 0 |
| 1410 | A fetal cardiovascular score to predict infant hypertension and arterial remodeling in intrauterine growth restriction. 2014 , 210, 552.e1-552.e22 | | 55 |
| 1409 | Twenty years of cardiovascular risk prevention in Czech children. 2014 , 56, e164-e168 | | |
| 1408 | Framingham score and LV mass predict events in young adults: CARDIA study. 2014 , 172, 350-5 | | 55 |
| 1407 | Birth weight, infant growth, and adolescent blood pressure using twin status as an instrumental variable in a Chinese birth cohort: "Children of 1997". 2014 , 24, 509-15 | | 10 |

| | | | |
|------|--|-----|-----|
| 1406 | Association of serum triglyceride-to-HDL cholesterol ratio with carotid artery intima-media thickness, insulin resistance and nonalcoholic fatty liver disease in children and adolescents. 2014 , 24, 737-43 | | 98 |
| 1405 | Aortic dilatation in children with systemic hypertension. 2014 , 8, 239-45 | | 13 |
| 1404 | A study of cardiovascular risk factors and its knowledge among school children of Delhi. 2014 , 66, 263-71 | | 19 |
| 1403 | Perception of neighborhood crime and drugs increases cardiometabolic risk in Chilean adolescents. 2014 , 54, 718-23 | | 9 |
| 1402 | Eculizumab therapy in children with severe hematopoietic stem cell transplantation-associated thrombotic microangiopathy. 2014 , 20, 518-25 | | 169 |
| 1401 | The effect of abnormal birth history on ambulatory blood pressure and disease progression in children with chronic kidney disease. <i>Journal of Pediatrics</i> , 2014 , 165, 154-162.e1 | 3.6 | 25 |
| 1400 | Long-term remission of atypical HUS with anti-factor H antibodies after cyclophosphamide pulses. 2014 , 29, 75-83 | | 30 |
| 1399 | Parental perception of child bodyweight and health among Mexican-American children with acanthosis nigricans. 2014 , 16, 874-81 | | 5 |
| 1398 | High prevalence of cardiometabolic risk factors in Hispanic adolescents: correlations with adipocytokines and markers of inflammation. 2014 , 16, 865-73 | | 9 |
| 1397 | Overweight, elevated blood pressure, acanthosis nigricans and adherence to recommended dietary and physical activity guidelines among Hmong and white middle school students. 2014 , 16, 273-9 | | 0 |
| 1396 | Ambulatory blood pressure and subclinical cardiovascular disease in children with turner syndrome. 2014 , 35, 57-62 | | 21 |
| 1395 | Rational use of antihypertensive medications in children. 2014 , 29, 979-88 | | 27 |
| 1394 | Prevalence of cardiovascular risk factors among Latin American adolescents: a multilevel analysis. 2014 , 28, 206-9 | | 2 |
| 1393 | Comparison of blood pressure levels among children and adolescents with different body mass index and waist circumference: study in a large sample in Shandong, China. 2014 , 53, 627-34 | | 26 |
| 1392 | Associations of cardiac structure with obesity, blood pressure, inflammation, and insulin resistance in African-American adolescents. 2014 , 35, 307-14 | | 18 |
| 1391 | Childhood obesity increases left-ventricular mass irrespective of blood pressure status. 2014 , 35, 353-60 | | 27 |
| 1390 | Urinary MCP-1/creatinine in Henoch-Schlelein purpura and its relationship with nephritis. 2014 , 29, 1047-52 | | 9 |
| 1389 | Post-transplant hypertension in pediatric kidney transplant recipients. 2014 , 29, 1075-80 | | 21 |

| | | |
|------|--|----|
| 1388 | Growth and function in childhood of a normal solitary kidney from birth or from early infancy. 2014 , 29, 249-56 | 10 |
| 1387 | Renal parenchymal thickness in children with solitary functioning kidney. 2014 , 29, 241-8 | 4 |
| 1386 | Is microalbuminuria a risk factor for hypertension in children with solitary kidney?. 2014 , 29, 283-8 | 18 |
| 1385 | Clinical outcome, valve dysfunction, and progressive aortic dilation in a pediatric population with isolated bicuspid aortic valve. 2014 , 35, 803-9 | 13 |
| 1384 | Aliskiren, the first direct renin inhibitor: assessing a role in pediatric hypertension and kidney diseases. 2014 , 29, 2105-11 | 7 |
| 1383 | Screening blood pressure measurement in children: are we saving lives?. 2014 , 29, 947-50 | 17 |
| 1382 | Concordance of measures of left-ventricular hypertrophy in pediatric hypertension. 2014 , 35, 622-6 | 15 |
| 1381 | Hypertension in the teenager. 2014 , 61, 131-51 | 51 |
| 1380 | Predictors of remission and relapse in idiopathic nephrotic syndrome: a prospective cohort study. 2014 , 29, 1039-46 | 30 |
| 1379 | Whole-body single-frequency bioimpedance analysis in pediatric hemodialysis patients. 2014 , 29, 1417-23 | 16 |
| 1378 | Non-dipping and arterial hypertension depend on clinical factors rather than on genetic variability of ACE and RGS2 genes in patients with type 1 diabetes. 2014 , 51, 633-40 | 8 |
| 1377 | The efficacy and safety of intravenous hydralazine for the treatment of hypertension in the hospitalized child. 2014 , 29, 1403-9 | 15 |
| 1376 | Therapy of acute hypertension in hospitalized children and adolescents. 2014 , 16, 425 | 22 |
| 1375 | Blood pressure level profiles among children and adolescents with various types of obesity: study in a large population in Shandong, China. 2014 , 103, 553-9 | 7 |
| 1374 | Allopurinol enhances the blood pressure lowering effect of enalapril in children with hyperuricemic essential hypertension. 2014 , 27, 51-6 | 27 |
| 1373 | Tobacco exposure, weight status, and elevated blood pressure in adolescents. 2014 , 39, 653-9 | 13 |
| 1372 | Transplant renal artery stenosis in children: risk factors and outcome after endovascular treatment. 2014 , 29, 461-7 | 26 |
| 1371 | Anterior ischemic optic neuropathy in pediatric peritoneal dialysis: risk factors and therapy. 2014 , 29, 1249-57 | 15 |

| | | | |
|------|---|-----|-----|
| 1370 | Nephropathy in youth and young adults with type 2 diabetes. 2014 , 14, 456 | | 14 |
| 1369 | Blood pressure tables for Chinese adolescents: justification for incorporation of important influencing factors of height, age and sex in the tables. <i>BMC Pediatrics</i> , 2014 , 14, 10 | 2.6 | 6 |
| 1368 | Cardiovascular changes during chronic hypertensive states. 2014 , 29, 1507-16 | | 37 |
| 1367 | Clinical and laboratory characteristics of 1179 Czech adolescents evaluated for antibodies to human adenovirus 36. 2014 , 38, 285-91 | | 35 |
| 1366 | Detection of early diastolic alterations by tissue Doppler imaging in untreated childhood-onset essential hypertension. 2014 , 8, 303-11 | | 32 |
| 1365 | Bladder dysfunction and hypertension in children with Guillain-Barre syndrome. 2014 , 29, 1637-41 | | 9 |
| 1364 | Prediabetes: the effects on arterial thickness and stiffness in obese youth. 2014 , 99, 1037-43 | | 29 |
| 1363 | Gonadal dysfunction in morbidly obese adolescent girls. 2014 , 101, 1142-8 | | 10 |
| 1362 | Factors associated with low adherence to a Mediterranean diet in healthy children in northern Spain. 2014 , 80, 28-34 | | 41 |
| 1361 | Assessment and management of hypertension in patients on dialysis. 2014 , 25, 1630-46 | | 106 |
| 1360 | The Kidney in Infants and Children. 2014 , 422-426 | | 1 |
| 1359 | Left ventricular mass and hypertrophy by echocardiography and cardiac magnetic resonance: the multi-ethnic study of atherosclerosis. 2014 , 31, 12-20 | | 23 |
| 1358 | Different mutations in PDE4D associated with developmental disorders with mirror phenotypes. 2014 , 51, 45-54 | | 51 |
| 1357 | Guidelines for the primary prevention of stroke: a statement for healthcare professionals from the American Heart Association/American Stroke Association. 2014 , 45, 3754-832 | | 921 |
| 1356 | Is breastfeeding protective for blood pressure in schoolchildren? A cohort study in northeast Brazil. 2014 , 9, 149-56 | | 10 |
| 1355 | The relationship of oxidative stress, adiposity and metabolic risk factors in healthy Black and White American youth. 2014 , 9, 43-52 | | 52 |
| 1354 | Metabolic syndrome in children and adolescents from Mfida city, Venezuela: Comparison of results using local and international reference values (CREDEFAR study). 2014 , 61, 474-485 | | 3 |
| 1353 | Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): rationale, objectives, design and sample description. 2014 , 7, 166-78 | | 7 |

| | | | |
|------|---|-----|-----|
| 1352 | Carotid intima media thickness and other cardiovascular risk factors in children with congenital adrenal hyperplasia. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 1001-8 | 5.2 | 25 |
| 1351 | In reply to gaps in the evidence for screening children for hypertension to prevent adult cardiovascular disease. 2014 , 16, 82 | | 3 |
| 1350 | Out-of-office blood pressure improves risk stratification in normotension and prehypertension people. 2014 , 16, 478 | | 3 |
| 1349 | Arterial appplanation tonometry: feasibility and reproducibility in children and adolescents. 2014 , 27, 1218-24 | | 21 |
| 1348 | Initiation of oral contraceptives and changes in blood pressure and body mass index in healthy adolescents. <i>Journal of Pediatrics</i> , 2014 , 165, 1029-33 | 3.6 | 10 |
| 1347 | Second-generation antipsychotic use in children and adolescents: a six-month prospective cohort study in drug-naïve patients. 2014 , 53, 1179-90,1190.e1-4 | | 60 |
| 1346 | Systematic review of hypertension clinical practice guidelines based on the burden of disease: a global perspective. 2014 , 7, 52-9 | | 4 |
| 1345 | End-to-side repair for aortic arch lesions offers excellent chances to reach adulthood without reoperation. 2014 , 98, 1405-11 | | 29 |
| 1344 | Preliminary evidence of cognitive and brain abnormalities in uncomplicated adolescent obesity. 2014 , 22, 1865-71 | | 94 |
| 1343 | Neonatal hypertension. 2014 , 41, 529-42 | | 12 |
| 1342 | Type 1 diabetes mellitus and cardiovascular disease: a scientific statement from the American Heart Association and American Diabetes Association. 2014 , 37, 2843-63 | | 216 |
| 1341 | Breakfast consumption is not associated with hypertension until via physical fitness: East of England Healthy Hearts Study, 2006-2011. 2014 , 176, 282-4 | | |
| 1340 | Cardiovascular risk assessment of dyslipidemic children: analysis of biomarkers to identify monogenic dyslipidemia. 2014 , 55, 947-55 | | 16 |
| 1339 | Comparison of clinical and biochemical markers of dehydration with the clinical dehydration scale in children: a case comparison trial. <i>BMC Pediatrics</i> , 2014 , 14, 149 | 2.6 | 13 |
| 1338 | Severe and isolated headache associated with hypertension as unique clinical presentation of posterior reversible encephalopathy syndrome. <i>BMC Pediatrics</i> , 2014 , 14, 190 | 2.6 | 4 |
| 1337 | The association between obesity and blood pressure in Thai public school children. 2014 , 14, 729 | | 14 |
| 1336 | Essential pediatric hypertension: defining the educational needs of primary care pediatricians. 2014 , 14, 154 | | 11 |
| 1335 | A pilot study of cerebrovascular reactivity autoregulation after pediatric cardiac arrest. 2014 , 85, 1387-93 | | 41 |

| | | |
|------|--|--------|
| 1334 | Association of neck circumference and obesity status with elevated blood pressure in children. 2014 , 28, 263-8 | 27 |
| 1333 | A prospective randomly controlled clinical trial on azithromycin therapy for induction treatment of children with nephrotic syndrome. 2014 , 173, 509-15 | 9 |
| 1332 | Distribution curve of waist-to-height ratio and its association with blood pressure among children and adolescents: study in a large population in an eastern coastal province, China. 2014 , 173, 879-85 | 8 |
| 1331 | A study on clinical and radiological features and outcome in patients with posterior reversible encephalopathy syndrome (PRES). 2014 , 173, 1225-31 | 21 |
| 1330 | Association between nocturnal blood pressure dipping and insulin resistance in children affected by NAFLD. 2014 , 173, 1511-8 | 10 |
| 1329 | The role of albuminuria in the follow-up of HIV-infected pediatric patients. 2014 , 29, 1561-6 | 5 |
| 1328 | Neurocognition in children with autosomal recessive polycystic kidney disease in the CKiD cohort study. 2014 , 29, 1957-65 | 21 |
| 1327 | Ambulatory blood pressure monitoring is recommended in the clinical management of children with a solitary functioning kidney. 2014 , 29, 2205-11 | 24 |
| 1326 | Urinary angiotensinogen and urinary sodium are associated with blood pressure in normoalbuminuric children with diabetes. 2014 , 29, 2373-8 | 14 |
| 1325 | Calculation of corrected body height in idiopathic scoliosis: comparison of four methods. 2014 , 23, 1244-50 | 14 |
| 1324 | Gender differences in the association of insulin resistance and high-sensitivity c-reactive protein in obese adolescents. 2014 , 13, 35 | 11 |
| 1323 | Beyond BMI: The Next Chapter in Childhood Obesity Management. 2014 , 3, 321-9 | 5 |
| 1322 | Association between obesity and metabolic co-morbidities among children and adolescents in South Korea based on national data. 2014 , 14, 279 | 20 |
| 1321 | Low sensitivity of the metabolic syndrome to identify adolescents with impaired glucose tolerance: an analysis of NHANES 1999-2010. 2014 , 13, 83 | 11 |
| 1320 | Severe obesity in children: prevalence, persistence and relation to hypertension. 2014 , 2014, 3 | 58 |
| 1319 | Blood pressure disturbances and endothelial dysfunction markers in children and adolescents with type 1 diabetes. 2014 , 237, 129-34 | 17 |
| 1318 | Components of the metabolic syndrome are negative predictors of weight loss in obese children with lifestyle intervention. 2014 , 33, 620-5 | 18 |
| 1317 | Cardiometabolic risk factors and fat distribution in children and adolescents. <i>Journal of Pediatrics</i> , 2014 , 164, 560-5 | 3.6 28 |

| | | | |
|------|--|-----|----|
| 1316 | Intensively managed young children with type 1 diabetes consume high-fat, low-fiber diets similar to age-matched controls. 2014 , 34, 428-35 | | 26 |
| 1315 | Morning blood pressure is associated with sleep quality in obese adolescents. <i>Journal of Pediatrics</i> , 2014 , 164, 313-7 | 3.6 | 20 |
| 1314 | Obesity and elevated blood pressure following repair of coarctation of the aorta. <i>Journal of Pediatrics</i> , 2014 , 164, 1074-1078.e1 | 3.6 | 11 |
| 1313 | National report on the association of serum vitamin D with cardiometabolic risk factors in the pediatric population of the Middle East and North Africa (MENA): the CASPIAN-III Study. 2014 , 30, 33-8 | | 40 |
| 1312 | Advances in pediatric pharmacology, therapeutics, and toxicology. 2014 , 61, 7-31 | | 1 |
| 1311 | Canadian Society of Nephrology commentary on the 2012 KDIGO clinical practice guideline for the management of blood pressure in CKD. 2014 , 63, 869-87 | | 22 |
| 1310 | Use of antihypertensive medications and diagnostic tests among privately insured adolescents and young adults with primary versus secondary hypertension. 2014 , 55, 73-8 | | 11 |
| 1309 | Contemporary results of surgical repair of recurrent aortic arch obstruction. 2014 , 98, 133-40; discussion 140-1 | | 16 |
| 1308 | Pediatric hypertensive emergencies. 2014 , 16, 456 | | 16 |
| 1307 | Subclinical atherosclerosis and ambulatory blood pressure in children with metabolic syndrome. 2014 , 29, 2197-204 | | 18 |
| 1306 | Intraoperative blood pressure and cerebral perfusion: strategies to clarify hemodynamic goals. 2014 , 24, 657-67 | | 21 |
| 1305 | Predicting hepatic steatosis in a racially and ethnically diverse cohort of adolescent girls. <i>Journal of Pediatrics</i> , 2014 , 165, 319-325.e1 | 3.6 | 21 |
| 1304 | Metabolic syndrome in children and adolescents from Mfida city, Venezuela: Comparison of results using local and international reference values (CREDEFAR study). 2014 , 61, 474-85 | | 5 |
| 1303 | Hypertension screening using blood pressure to height ratio. <i>Pediatrics</i> , 2014 , 134, e106-11 | 7.4 | 32 |
| 1302 | Clinical predictors and impact of ambulatory blood pressure monitoring in pediatric hypertension referrals. 2014 , 8, 660-7 | | 31 |
| 1301 | Aortic arch advancement for aortic coarctation and hypoplastic aortic arch in neonates and infants. 2014 , 98, 625-33; discussion 633 | | 39 |
| 1300 | Effects of exercise and lifestyle modification on fitness, insulin resistance, skeletal muscle oxidative phosphorylation and intramyocellular lipid content in obese children and adolescents. 2014 , 9, 281-91 | | 28 |
| 1299 | Longitudinal assessment of high blood pressure in children with nonalcoholic fatty liver disease. <i>PLoS ONE</i> , 2014 , 9, e112569 | 3.7 | 59 |

| | | | |
|------|--|-----|-----|
| 1298 | Clinical and radiological spectrum of posterior reversible encephalopathy syndrome: does age make a difference?--A retrospective comparison between adult and pediatric patients. <i>PLoS ONE</i> , 2014 , 9, e115073 | 3.7 | 31 |
| 1297 | Cardiac autonomic dysfunction in obese normotensive children and adolescents. 2014 , 32, 244-9 | | 9 |
| 1296 | Antihypertensive agents for children with chronic kidney disease. 2014 , | | |
| 1295 | Double jeopardy: metabolic syndrome leads to increased sedentary behavior in peri-pubertal minority females. 2014 , 26, 266-73 | | |
| 1294 | Diagnostic and risk criteria for HSCT-associated thrombotic microangiopathy: a study in children and young adults. 2014 , 124, 645-53 | | 229 |
| 1293 | Obesity is significantly associated with cardiovascular disease risk factors in 2- to 9-year-olds. 2014 , 16, 889-94 | | 11 |
| 1292 | The evolving clinical management of hypertension. 2014 , 16, 917-24 | | 5 |
| 1291 | Association between leg length-to-height ratio and metabolic syndrome in Chinese children aged 3 to 6 years. 2014 , 1, 62-7 | | 6 |
| 1290 | [Prevalence of kidney disease in asymptomatic children with family history of renal replacement therapy]. 2015 , 72, 257-261 | | 0 |
| 1289 | Poor elevated-blood-pressure recognition in the outpatient setting. <i>Journal of Pediatrics</i> , 2015 , 167, 780 | 3.6 | 3 |
| 1288 | Characteristics of systemic hypertension in preterm children. 2015 , 17, 364-70 | | 20 |
| 1287 | Is Daytime Systolic Load an Important Risk Factor for Target Organ Damage in Pediatric Hypertension?. 2015 , 17, 760-6 | | 31 |
| 1286 | Reducing Sodium Intake in Children: A Public Health Investment. 2015 , 17, 657-62 | | 35 |
| 1285 | Paradoxical increase in blood pressure following bilateral native nephrectomy. 2015 , 3, 553-7 | | 1 |
| 1284 | Increased Risk of Obesity and Metabolic Dysregulation Following 12 Months of Second-Generation Antipsychotic Treatment in Children: A Prospective Cohort Study. 2015 , 60, 441-50 | | 35 |
| 1283 | Hypertension and Health Behaviors in Females Across the Lifespan. 2015 , 350, 36-41 | | 4 |
| 1282 | Pulsatile and Steady-State Pressure Trends in Children: Is the Future Now?: Comment on the Paper by Zachariah and Kovacikova [Pulse 2014;2:57-62]. 2014 , 2, 63-8 | | |
| 1281 | Postdischarge mortality in children with acute infectious diseases: derivation of postdischarge mortality prediction models. 2015 , 5, e009449 | | 30 |

| | | | |
|------|--|-----|----|
| 1280 | Arterial Stiffness in Children: Pediatric Measurement and Considerations. 2014 , 2, 69-80 | | 29 |
| 1279 | Understanding trends in blood pressure and their associations with body mass index in Chinese children, from 1985 to 2010: a cross-sectional observational study. 2015 , 5, e009050 | | 28 |
| 1278 | Interrelationships between BMI, skinfold thicknesses, percent body fat, and cardiovascular disease risk factors among U.S. children and adolescents. <i>BMC Pediatrics</i> , 2015 , 15, 188 | 2.6 | 32 |
| 1277 | Consumption of sugar sweetened beverage is associated with incidence of metabolic syndrome in Tehranian children and adolescents. 2015 , 12, 25 | | 48 |
| 1276 | Longitudinal associations of childhood parenting and adolescent health: the mediating influence of social competence. 2015 , 86, 828-43 | | 14 |
| 1275 | Association of neck circumference and high blood pressure in children and adolescents: a case-control study. <i>BMC Pediatrics</i> , 2015 , 15, 127 | 2.6 | 27 |
| 1274 | High prevalence of cardiovascular risk factors in children and adolescents with Williams-Beuren syndrome. <i>BMC Pediatrics</i> , 2015 , 15, 126 | 2.6 | 10 |
| 1273 | Adding anthropometric measures of regional adiposity to BMI improves prediction of cardiometabolic, inflammatory and adipokines profiles in youths: a cross-sectional study. <i>BMC Pediatrics</i> , 2015 , 15, 168 | 2.6 | 15 |
| 1272 | The EPIC Kids Study: a randomized family-focused YMCA-based intervention to prevent type 2 diabetes in at-risk youth. 2015 , 15, 1253 | | 8 |
| 1271 | Elevated blood pressure in adolescent girls: correlation to body size and composition. 2016 , 16, 78 | | 2 |
| 1270 | Association between perfluoroalkyl acids and kidney function in a cross-sectional study of adolescents. 2015 , 14, 89 | | 58 |
| 1269 | The effect of a multi-disciplinary obesity intervention compared to usual practice in those ready to make lifestyle changes: design and rationale of Whanau Pakari. 2015 , 2, 41 | | 26 |
| 1268 | Screening for cardiovascular disease risk factors beginning in childhood. 2015 , 36, 9 | | 14 |
| 1267 | The Effect of Adenotonsillectomy for Childhood Sleep Apnea on Cardiometabolic Measures. 2015 , 38, 1395-403 | | 59 |
| 1266 | Low vitamin D is associated with hypertension in paediatric obesity. 2015 , 51, 1207-13 | | 22 |
| 1265 | Survivors of standard risk acute lymphoblastic leukemia do not have increased risk for overweight and obesity compared to non-cancer peers: a report from the Children's Oncology Group. 2015 , 62, 1035-41 | | 28 |
| 1264 | Assessing endothelial dysfunction in adolescents and young adults with type 1 diabetes mellitus using a non-invasive heat stimulus. 2015 , 16, 434-40 | | 14 |
| 1263 | Comparison of mercury sphygmomanometry blood pressure readings with oscillometric and central blood pressure in predicting target organ damage in youth. 2015 , 20, 150-6 | | 7 |

| | | | |
|------|---|-----|----|
| 1262 | Accuracy of the Spacelabs 90217 ambulatory blood pressure monitor in a pediatric population. 2015 , 20, 295-8 | | 11 |
| 1261 | Phase 2 trial of sorafenib in children and young adults with refractory solid tumors: A report from the Children's Oncology Group. 2015 , 62, 1562-6 | | 52 |
| 1260 | Development and validation of a prediction model for diagnosing blood stream infections in febrile, non-neutropenic children with cancer. 2015 , 62, 262-268 | | 15 |
| 1259 | Body mass index, waist circumference, and arterial hypertension in students. 2015 , 68, 190-4, 214-8 | | |
| 1258 | Change in Metabolic Profile after 1-Year Nutritional-Behavioral Intervention in Obese Children. <i>Nutrients</i> , 2015 , 7, 10089-99 | 6.7 | 23 |
| 1257 | Validation of the BPLab(®) 24-hour blood pressure monitoring system in a pediatric population according to the 1993 British Hypertension Society protocol. 2015 , 8, 115-8 | | 7 |
| 1256 | Prevalência de hipertensão arterial e seus fatores de risco em adolescentes. 2015 , 28, 81-86 | | 8 |
| 1255 | Correlation between hypertension and hyperglycemia among young adults in India. 2015 , 3, 171-9 | | 5 |
| 1254 | Crossed Renal Ectopia without Fusion: An Uncommon Cause of Abdominal Mass. 2015 , 2015, 679342 | | 4 |
| 1253 | A Model-Based Approach to Support Validation of Medical Cyber-Physical Systems. 2015 , 15, 27625-70 | | 20 |
| 1252 | Blood pressure profile in school children (6-16 years) of southern India: a prospective observational study. <i>Frontiers in Pediatrics</i> , 2015 , 3, 24 | 3.4 | 11 |
| 1251 | Using simplified blood pressure tables to avoid underdiagnosing childhood hypertension. 2015 , 20, 297-301 | | 6 |
| 1250 | Could it be a secondary hypertension?. 2015 , 41, | | 78 |
| 1249 | Development of hypertension in overweight adolescents: a review. 2015 , 6, 171-87 | | 26 |
| 1248 | Factors Associated With Adherence to Blood Pressure Measurement Recommendations at Pediatric Primary Care Visits, Minnesota and Colorado, 2007-2010. 2015 , 12, E118 | | 10 |
| 1247 | Hepatocyte nuclear factor 4 alpha polymorphisms and the metabolic syndrome in French-Canadian youth. <i>PLoS ONE</i> , 2015 , 10, e0117238 | 3.7 | 16 |
| 1246 | A cohort study of morbidity, mortality and health seeking behavior following rural health center visits by children under 12 in southwestern Uganda. <i>PLoS ONE</i> , 2015 , 10, e0118055 | 3.7 | 6 |
| 1245 | Associations of blood pressure with body composition among Afro-Caribbean children in Barbados. <i>PLoS ONE</i> , 2015 , 10, e0121107 | 3.7 | 7 |

| | | | |
|------|---|-----|----|
| 1244 | Significantly increased visceral adiposity index in prehypertension. <i>PLoS ONE</i> , 2015 , 10, e0123414 | 3.7 | 27 |
| 1243 | Subclinical myocardial dysfunction and cardiac autonomic dysregulation are closely associated in obese children and adolescents: the potential role of insulin resistance. <i>PLoS ONE</i> , 2015 , 10, e0123916 | 3.7 | 12 |
| 1242 | Obesity and Aerobic Fitness among Urban Public School Students in Elementary, Middle, and High School. <i>PLoS ONE</i> , 2015 , 10, e0138175 | 3.7 | 16 |
| 1241 | Cardiac Autonomic Nervous System Activation and Metabolic Profile in Young Children: The ABCD Study. <i>PLoS ONE</i> , 2015 , 10, e0138302 | 3.7 | 20 |
| 1240 | Effect on Physical Activity of a Randomized Afterschool Intervention for Inner City Children in 3rd to 5th Grade. <i>PLoS ONE</i> , 2015 , 10, e0141584 | 3.7 | 10 |
| 1239 | Modified STOP-Bang Tool for Stratifying Obstructive Sleep Apnea Risk in Adolescent Children. <i>PLoS ONE</i> , 2015 , 10, e0142242 | 3.7 | 27 |
| 1238 | Surgical Treatment of Renal Fibromuscular Dysplasia in a Young Child. 2015 , 2015, 180393 | | 1 |
| 1237 | The Duration of Breastfeeding and Its Association with Metabolic Syndrome among Obese Children. 2015 , 2015, 731319 | | 4 |
| 1236 | Expression of Adiponectin Receptors on Peripheral Blood Leukocytes of Hypertensive Children Is Associated with the Severity of Hypertension. 2015 , 2015, 742646 | | 12 |
| 1235 | Anthropometric and biochemical profile of children and adolescents with chronic kidney disease in a predialysis pediatric interdisciplinary program. 2015 , 2015, 810758 | | |
| 1234 | Use of growth charts in Canada: A National Canadian Paediatric Surveillance Program survey. 2015 , 20, 185-8 | | 3 |
| 1233 | Outcomes of Hemodialysis in Children: A 35-Year Experience at Severance Hospital. 2015 , 56, 1007-14 | | 3 |
| 1232 | The association of nonalcoholic fatty liver disease with central and peripheral blood pressure in adolescence: findings from a cross-sectional study. <i>Journal of Hypertension</i> , 2015 , 33, 546-52; discussion 553 | 1.9 | 9 |
| 1231 | The effects of celecoxib or naproxen on blood pressure in pediatric patients with juvenile idiopathic arthritis. 2015 , 9, 55-62 | | 0 |
| 1230 | Relationship of FGF23 to indexed left ventricular mass in children with non-dialysis stages of chronic kidney disease. 2015 , 30, 1843-52 | | 16 |
| 1229 | Association between breakfast intake with anthropometric measurements, blood pressure and food consumption behaviors among Iranian children and adolescents: the CASPIAN-IV study. 2015 , 129, 740-7 | | 35 |
| 1228 | Under-recognition of Low Blood Pressure Readings in Patients with Duchenne Muscular Dystrophy. 2015 , 36, 1489-94 | | 8 |
| 1227 | Familial aggregation and childhood blood pressure. 2015 , 17, 509 | | 14 |

| | | | |
|------|--|-----|----|
| 1226 | Adiponectin/resistin levels and insulin resistance in children: a four country comparison study. 2015 , 2015, 2 | | 13 |
| 1225 | Childhood overweight and obesity in a region of Italian immigration in Southern Brazil: a cross-sectional study. 2015 , 41, 28 | | 5 |
| 1224 | Ambulatory blood pressure and subclinical cardiovascular disease in patients with congenital adrenal hyperplasia: a preliminary report. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2015 , 7, 13-8 | 1.9 | 13 |
| 1223 | Low Serum Vitamin D Levels Are Associated With Increased Arterial Stiffness in Youth With Type 2 Diabetes. 2015 , 38, 1551-7 | | 16 |
| 1222 | Socioeconomic status is positively associated with measures of adiposity and insulin resistance, but inversely associated with dyslipidaemia in Colombian children. 2015 , 69, 580-7 | | 12 |
| 1221 | Factors associated with knowledge of hypertension among adolescents: implications for preventive education programs in primary care. 2015 , 15, 463 | | 1 |
| 1220 | Right Analysis-wrong conclusion: Obese youth with higher BP are at risk for target organ damage. 2015 , 28, 570-1 | | 5 |
| 1219 | Myocardial Performance Index in Childhood Onset Essential Hypertension and White Coat Hypertension. 2016 , 29, 379-87 | | 11 |
| 1218 | Development and evaluation of an online tool for management of overweight children in primary care: a pilot study. 2015 , 5, e007326 | | 4 |
| 1217 | A cross-sectional study on upright heart rate and BP changing characteristics: basic data for establishing diagnosis of postural orthostatic tachycardia syndrome and orthostatic hypertension. 2015 , 5, e007356 | | 21 |
| 1216 | Effects of parental smoking on exercise systolic blood pressure in adolescents. <i>Journal of the American Heart Association</i> , 2015 , 4, | 6 | 6 |
| 1215 | Persistent Aortic Arch Hypoplasia After Coarctation Treatment Is Associated With Late Systemic Hypertension. <i>Journal of the American Heart Association</i> , 2015 , 4, | 6 | 16 |
| 1214 | Peritoneal dialysis in infants: never lose sight of-and from-arterial hypotension!. 2015 , 35, 123-4 | | 6 |
| 1213 | High Prevalence of Hypertension and End-Organ Damage Late After Coarctation Repair in Normal Arches. 2015 , 100, 647-53 | | 25 |
| 1212 | Reliability of home respiratory polygraphy for the diagnosis of sleep apnea in children. 2015 , 147, 1020-1028 | | 95 |
| 1211 | Cardio-metabolic risk screening among adolescents: understanding the utility of body mass index, waist circumference and waist to height ratio. 2015 , 10, 329-37 | | 41 |
| 1210 | Assessment of potential cardiovascular risks of methylphenidate in comparison with sibutramine: do we need a SCOUT (trial)?. 2015 , 265, 233-47 | | 8 |
| 1209 | Left ventricular diastolic function and cardiometabolic factors in obese normotensive children. 2015 , 25, 108-15 | | 17 |

| | | |
|------|---|-----|
| 1208 | Saguenay Youth Study: a multi-generational approach to studying virtual trajectories of the brain and cardio-metabolic health. 2015 , 11, 129-44 | 8 |
| 1207 | Progression of pediatric CKD of nonglomerular origin in the CKiD cohort. 2015 , 10, 571-7 | 73 |
| 1206 | Impact of revascularization on hypertension in children with Takayasu's arteritis-induced renal artery stenosis: a 21-year review. 2015 , 30, 1289-95 | 21 |
| 1205 | Blood pressure-to-height ratio for screening prehypertension and hypertension in Chinese children. 2015 , 29, 618-22 | 5 |
| 1204 | Glucose control in Rwandan youth with type 1 diabetes following establishment of systematic, HbA1c based, care and education. 2015 , 107, 113-22 | 25 |
| 1203 | Sleep characteristics, body mass index, and risk for hypertension in young adolescents. 2015 , 44, 271-84 | 29 |
| 1202 | Blood pressure profiles 5 to 10 years after transplant in pediatric solid organ recipients. 2015 , 17, 154-61 | 31 |
| 1201 | Weight reduction and aortic stiffness in obese children and adolescents: a 1-year follow-up study. 2015 , 29, 535-40 | 8 |
| 1200 | Cognitive function in hypertensive children. 2015 , 17, 508 | 11 |
| 1199 | Left ventricular mass and diastolic function in obese children and adolescents. 2015 , 30, 645-52 | 30 |
| 1198 | Pediatric Hypertension Specialists' Perspectives About Adolescent Hypertension Management: Implications for Primary Care Providers. 2015 , 54, 551-6 | 10 |
| 1197 | The Study of Cardiovascular Risk in Adolescents--ERICA: rationale, design and sample characteristics of a national survey examining cardiovascular risk factor profile in Brazilian adolescents. 2015 , 15, 94 | 96 |
| 1196 | Evidence-based guidelines for the management of hypertension in children with chronic kidney disease. 2015 , 30, 1919-27 | 12 |
| 1195 | Repeat blood cultures in children with persistent fever and neutropenia: Diagnostic and clinical implications. 2015 , 62, 1421-6 | 15 |
| 1194 | Autosomal-dominant polycystic kidney disease (ADPKD): executive summary from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. 2015 , 88, 17-27 | 292 |
| 1193 | 44-h ambulatory blood pressure monitoring: revealing the true burden of hypertension in pediatric hemodialysis patients. 2015 , 30, 653-60 | 18 |
| 1192 | The relationship of periaortic fat thickness and cardiovascular risk factors in children with Turner syndrome. 2015 , 36, 925-9 | 8 |
| 1191 | Sleep disordered breathing as measured by SRBD-PSQ and neurocognition in children with hypertension. 2015 , 28, 552-8 | 13 |

| | | |
|------|--|----|
| 1190 | Hypertension in children with end-stage renal disease. 2015 , 60, 342-8 | 1 |
| 1189 | The utility of bioimpedance analysis for monitoring the children with nutcracker syndrome. 2015 , 174, 1393-7 | 1 |
| 1188 | Interaction between the Val158Met catechol-O-methyltransferase gene variant and second-generation antipsychotic treatment on blood pressure in children. 2015 , 15, 95-100 | 6 |
| 1187 | Real-time electronic medical record alerts increase high blood pressure recognition in children. 2015 , 54, 667-75 | 37 |
| 1186 | Blood pressure, left ventricular geometry, and systolic function in children exposed to inorganic arsenic. 2015 , 123, 629-35 | 25 |
| 1185 | Anterior ischemic optical neuropathy in children on chronic peritoneal dialysis: report of 7 cases. 2015 , 35, 135-9 | 14 |
| 1184 | Adiponectin in children and young adults with focal segmental glomerulosclerosis. 2015 , 30, 1977-85 | 9 |
| 1183 | Influence of body height on aortic systolic pressure augmentation and wave reflection in childhood. 2015 , 29, 495-501 | 21 |
| 1182 | Preserved insulin sensitivity predicts metabolically healthy obese phenotype in children and adolescents. 2015 , 174, 1649-55 | 31 |
| 1181 | Blood pressure reference values for normal-weight children: are they necessary?. 2015 , 39, 1174 | 3 |
| 1180 | Hypertension in Young People: Epidemiology, Diagnostic Assessment and Therapeutic Approach. 2015 , 22, 381-8 | 28 |
| 1179 | Who is at higher risk of hypertension? Socioeconomic status differences in blood pressure among Polish adolescents: a population-based ADOPOLNOR study. 2015 , 174, 1461-73 | 28 |
| 1178 | Asociaci3n entre antropometr3a y presi3n arterial alta en una muestra representativa de preescolares de Madrid. 2015 , 68, 477-484 | 10 |
| 1177 | A predictive model of progressive chronic kidney disease in idiopathic nephrotic syndrome. 2015 , 30, 2011-20 | 13 |
| 1176 | Long-term renal outcomes of childhood-onset global and segmental diffuse proliferative lupus nephritis. 2015 , 30, 1969-76 | 20 |
| 1175 | Components of the metabolic syndrome in early childhood in very-low-birth-weight infants and term small and appropriate for gestational age infants. 2015 , 78, 457-61 | 29 |
| 1174 | [How to identify a renal emergency?]. 2015 , 22, 30-1 | |
| 1173 | Posttransplant metabolic syndrome in the withdrawal of immunosuppression in Pediatric Liver Transplant Recipients (WISP-R) pilot trial. 2015 , 15, 779-85 | 5 |

| | | | |
|------|--|-----|-----|
| 1172 | Long-Term Treatment with n-3 Polyunsaturated Fatty Acids as a Monotherapy in Children with Nonalcoholic Fatty Liver Disease. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2015 , 7, 121-7 | 1.9 | 46 |
| 1171 | Recent clinical and translational advances in pediatric hypertension. 2015 , 65, 926-31 | | 44 |
| 1170 | Association of arsenic with kidney function in adolescents and young adults: Results from the National Health and Nutrition Examination Survey 2009-2012. 2015 , 140, 317-24 | | 24 |
| 1169 | Predictors of Rapid Progression of Glomerular and Nonglomerular Kidney Disease in Children and Adolescents: The Chronic Kidney Disease in Children (CKiD) Cohort. 2015 , 65, 878-88 | | 151 |
| 1168 | Serum uric acid and cardiovascular risk among Portuguese adolescents. 2015 , 56, 376-81 | | 3 |
| 1167 | Markers of cardiovascular risk, insulin resistance, and ventricular dysfunction and remodeling in obese adolescents. <i>Journal of Pediatrics</i> , 2015 , 166, 660-5 | 3.6 | 15 |
| 1166 | Cardiovascular risk reduction intervention among school-students in Kolkata, West Bengal - the CRRIS study protocol. 2015 , 67, 33-9 | | 1 |
| 1165 | Estimation of glomerular filtration rate with and without height: effect of age and renal function level. 2015 , 30, 1327-36 | | 11 |
| 1164 | Arterial blood pressure but not serum albumin concentration correlates with ADC ratio values in pediatric posterior reversible encephalopathy syndrome. 2015 , 57, 721-8 | | 5 |
| 1163 | The impact of small kidneys. 2015 , 30, 1501-9 | | 11 |
| 1162 | Clinical Characteristics and Outcome of Post-Infectious Glomerulonephritis in Children in Southern India: A Prospective Study. 2015 , 82, 896-903 | | 20 |
| 1161 | Evaluation of function and structure of arterial wall in girls and young women with Turner syndrome. <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 963-70 | 5.2 | 7 |
| 1160 | The "Happy Heart" educational program for changes in health habits in children and their families: protocol for a randomized clinical trial. <i>BMC Pediatrics</i> , 2015 , 15, 19 | 2.6 | 4 |
| 1159 | Elevated neck circumference and associated factors in adolescents. 2015 , 15, 208 | | 29 |
| 1158 | Pathological periodontal pockets are associated with raised diastolic blood pressure in obese adolescents. 2015 , 15, 41 | | 19 |
| 1157 | Associations of total and abdominal adiposity with risk marker patterns in children at high-risk for cardiovascular disease. 2015 , 2, 15 | | 8 |
| 1156 | Mass screening for chronic kidney disease in rural and remote Canadian first nations people: methodology and demographic characteristics. 2015 , 2, 9 | | 15 |
| 1155 | Arterial stiffness is increased in young normotensive subjects with high central blood pressure. 2015 , 9, 285-92 | | 21 |

| | | | |
|------|--|-----|-----|
| 1154 | Severe Obesity in Adolescents and Young Adults Is Associated With Subclinical Cardiac and Vascular Changes. 2015 , 100, 2751-7 | | 32 |
| 1153 | Physical Activity, Obesity Status, and Blood Pressure in Preschool Children. <i>Journal of Pediatrics</i> , 2015 , 167, 98-102 | 3.6 | 32 |
| 1152 | Prevalence of and trends in dyslipidemia and blood pressure among US children and adolescents, 1999-2012. 2015 , 169, 272-9 | | 218 |
| 1151 | Evaluation and Treatment of Severe Obesity in Childhood. 2015 , 54, 929-40 | | 10 |
| 1150 | A new paradigm: Diagnosis and management of HSCT-associated thrombotic microangiopathy as multi-system endothelial injury. 2015 , 29, 191-204 | | 183 |
| 1149 | Autosomal dominant polycystic kidney disease in children. 2015 , 27, 193-200 | | 21 |
| 1148 | Heart rate variability, adiposity, and physical activity in prepubescent children. 2015 , 25, 169-78 | | 10 |
| 1147 | Oscillometric casual blood pressure normative standards for Swedish children using ABPM to exclude casual hypertension. 2015 , 28, 459-68 | | 23 |
| 1146 | Physicians' Lack of Adherence to National Heart, Lung, and Blood Institute Guidelines for Pediatric Lipid Screening. 2015 , 54, 1200-5 | | 25 |
| 1145 | Effect of a low-fat diet enriched either with rapeseed oil or sunflower oil on plasma lipoproteins in children and adolescents with familial hypercholesterolaemia. Results of a pilot study. 2015 , 69, 337-43 | | 21 |
| 1144 | The effect of a multidisciplinary intervention program on hepatic adiposity in overweight-obese children: protocol of the EFIGRO study. 2015 , 45, 346-355 | | 22 |
| 1143 | Strengths and limitations of current pediatric blood pressure nomograms: a global overview with a special emphasis on regional differences in neonates and infants. 2015 , 38, 577-87 | | 12 |
| 1142 | Design, randomization and methodology of the TriAtiva Program to reduce obesity in school children in Southern Brazil. 2015 , 15, 363 | | 6 |
| 1141 | Metabolic changes in normal- and underweight children with obstructive sleep-disordered breathing. 2015 , 16, 1366-1371 | | 5 |
| 1140 | Blood pressure tracking in urban black South African children: birth to twenty cohort. <i>BMC Pediatrics</i> , 2015 , 15, 78 | 2.6 | 39 |
| 1139 | Assessment of cardiometabolic risk in children in population studies: underpinning developmental origins of health and disease mother-offspring cohort studies. 2015 , 4, e12 | | 24 |
| 1138 | Management of Hypertension in Children and Adolescents. 2015 , 17, 107 | | 11 |
| 1137 | Relationship of BMI to the incidence of hypertension: a 4 years' cohort study among children in Guangzhou, 2007-2011. 2015 , 15, 782 | | 21 |

| | | | |
|------|--|-----|-----|
| 1136 | Staying Young at Heart: Cardiovascular Disease Prevention in Adolescents and Young Adults. 2015 , 17, 61 | | 10 |
| 1135 | Support for Physical Education as a Core Subject in Urban Elementary Schools. 2015 , 49, 753-756 | | 10 |
| 1134 | Anxiety, depression, resilience and quality of life in children and adolescents with pre-dialysis chronic kidney disease. 2015 , 30, 2153-62 | | 71 |
| 1133 | Ascending Aorta Elastography After Kawasaki Disease Compared to Systemic Hypertension. 2015 , 36, 1417-22 | | 1 |
| 1132 | Proton density fat-fraction is an accurate biomarker of hepatic steatosis in adolescent girls and young women. 2015 , 25, 2921-30 | | 46 |
| 1131 | Screen-Based Behaviors of Children and Cardiovascular Risk Factors. <i>Journal of Pediatrics</i> , 2015 , 167, 1239-45 | 3.6 | 17 |
| 1130 | Severity of the metabolic syndrome as a predictor of type 2 diabetes between childhood and adulthood: the Princeton Lipid Research Cohort Study. 2015 , 58, 2745-52 | | 67 |
| 1129 | Childhood to Early-Midlife Systolic Blood Pressure Trajectories: Early-Life Predictors, Effect Modifiers, and Adult Cardiovascular Outcomes. 2015 , 66, 1108-15 | | 172 |
| 1128 | Proteinuria caused by glomerular hypertension during adolescence associated with extremely premature birth: a report of two cases. 2015 , 30, 1889-92 | | 12 |
| 1127 | Elevated uric acid and obesity-related cardiovascular disease risk factors among hypertensive youth. 2015 , 30, 2169-76 | | 14 |
| 1126 | Dialysis-dependent acute kidney injury in children with end-stage liver disease: prevalence, dialysis modalities and outcome. 2015 , 30, 2199-206 | | 11 |
| 1125 | Risk factors for loss of residual renal function in children treated with chronic peritoneal dialysis. 2015 , 88, 605-13 | | 34 |
| 1124 | Differences in Cardiometabolic Risk between Insulin-Sensitive and Insulin-Resistant Overweight and Obese Children. 2015 , 11, 289-96 | | 7 |
| 1123 | Copy number variation analysis identifies novel CAKUT candidate genes in children with a solitary functioning kidney. 2015 , 88, 1402-1410 | | 50 |
| 1122 | Pravastatin Therapy and Biomarker Changes in Children and Young Adults with Autosomal Dominant Polycystic Kidney Disease. 2015 , 10, 1534-41 | | 18 |
| 1121 | Comparative Effectiveness Research Through a Collaborative Electronic Reporting Consortium. <i>Pediatrics</i> , 2015 , 136, e215-24 | 7.4 | 24 |
| 1120 | Blood pressure evaluation in children treated with laser surgery for twin-twin transfusion syndrome at 2-year follow-up. 2015 , 213, 417.e1-7 | | 7 |
| 1119 | Association between anthropometry and high blood pressure in a representative sample of preschoolers in madrid. 2015 , 68, 477-84 | | 2 |

| | | |
|------|---|----|
| 1118 | Household income and adolescent blood pressure in a Chinese birth cohort: "Children of 1997". 2015 , 144, 88-95 | 4 |
| 1117 | Maps of Ventricular Activation Time (VAT) Differences in Children on Peritoneal Dialysis - a Pilot Study. 2015 , 35, 140-6 | |
| 1116 | Skin autofluorescence as a novel marker of vascular damage in children and adolescents with chronic kidney disease. 2015 , 30, 811-9 | 10 |
| 1115 | Abnormal echocardiography 7 days after stem cell transplantation may be an early indicator of thrombotic microangiopathy. 2015 , 21, 113-8 | 40 |
| 1114 | Serum and urinary selenium levels in obese children: a cross-sectional study. 2015 , 29, 116-22 | 29 |
| 1113 | Metabolic risk and television time in adolescent females. 2015 , 60, 157-65 | 19 |
| 1112 | Polycyclic aromatic hydrocarbons, brachial artery distensibility and blood pressure among children residing near an oil refinery. 2015 , 136, 133-40 | 36 |
| 1111 | Treatment of hypertension in children with chronic kidney disease. 2015 , 17, 503 | 12 |
| 1110 | Blood pressure percentiles in 22,051 German children and adolescents: The PEP Family Heart Study. 2015 , 28, 672-9 | 29 |
| 1109 | Diagnostic and medical strategy for renovascular hypertension: report from a monocentric pediatric cohort. 2015 , 174, 23-32 | 14 |
| 1108 | Association between insulin resistance and risk of complications in children and adolescents with type 1 diabetes. 2015 , 9, 14-8 | 11 |
| 1107 | Associations between adiposity indicators and elevated blood pressure among Chinese children and adolescents. 2015 , 29, 236-40 | 22 |
| 1106 | Efficacy and Safety Extrapolation Analyses for Atomoxetine in Young Children with Attention-Deficit/Hyperactivity Disorder. 2015 , 25, 799-809 | 7 |
| 1105 | Presentation and outcome of paediatric membranous non-proliferative lupus nephritis. 2015 , 30, 113-21 | 16 |
| 1104 | Ethnicity and cardiovascular risk factors: evaluation of 40,921 normal-weight, overweight or obese children and adolescents living in Central Europe. 2015 , 39, 45-51 | 30 |
| 1103 | The association between resting heart rate and blood pressure among children and adolescents with different waist circumferences. 2015 , 174, 191-7 | 9 |
| 1102 | A decade of temporal trends in overweight/obesity in youth with type 1 diabetes after the Diabetes Control and Complications Trial. 2015 , 16, 263-70 | 34 |
| 1101 | Early erythropoietin in post-diarrheal hemolytic uremic syndrome: a case-control study. 2015 , 30, 339-44 | 8 |

| | | | |
|------|---|-----|-----|
| 1100 | Essential hypertension vs. secondary hypertension among children. 2015 , 28, 73-80 | | 106 |
| 1099 | Waist-to-height ratio distinguish obstructive sleep apnea from primary snoring in obese children. 2015 , 19, 231-7 | | 7 |
| 1098 | Determination of early urinary renal injury markers in obese children. 2015 , 30, 139-44 | | 31 |
| 1097 | Brachial artery flow-mediated dilatation and carotid intima medial thickness in pediatric nephrotic syndrome: a cross-sectional case-control study. 2015 , 19, 125-32 | | 12 |
| 1096 | Weight Status and Physical Activity: Combined Influence on Cardiometabolic Risk Factors Among Adolescents, Santiago, Chile. 2016 , 3, 2333794X16674561 | | 2 |
| 1095 | Ocular Surface Disorders in a Group of Egyptian Children with End Stage Renal Failure on Dialysis: A Cross-Sectional Study. 2016 , 2016, 4767819 | | 2 |
| 1094 | Components of Height and Blood Pressure among Ellisras Rural Children: Ellisras Longitudinal Study. 2016 , 13, | | 5 |
| 1093 | An open-label clinical trial of agalsidase alfa enzyme replacement therapy in children with Fabry disease who are naïve to enzyme replacement therapy. 2016 , 10, 1771-81 | | 12 |
| 1092 | ERICA: prevalences of hypertension and obesity in Brazilian adolescents. 2016 , 50 Suppl 1, 9s | | 79 |
| 1091 | Particulate matter, the newborn methylome, and cardio-respiratory health outcomes in childhood. 2016 , 2, dvw005 | | 19 |
| 1090 | Higher diversity in fungal species discriminates children with type 1 diabetes mellitus from healthy control. 2016 , 10, 591-9 | | 25 |
| 1089 | Prediabetes and Cardiovascular Parameters in Obese Children and Adolescents. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2016 , 8, 80-5 | 1.9 | 7 |
| 1088 | Correlation of Insulin Resistance with Anthropometric Measures and Blood Pressure in Adolescents. <i>Arquivos Brasileiros De Cardiologia</i> , 2016 , 106, 319-26 | 1.2 | 7 |
| 1087 | Physiology and Disorders of Puberty. 2016 , 1074-1218 | | 20 |
| 1086 | Does Physical Fitness Buffer the Relationship between Psychosocial Stress, Retinal Vessel Diameters, and Blood Pressure among Primary Schoolchildren?. 2016 , 2016, 6340431 | | 9 |
| 1085 | Obstructive Sleep Apnea and Hypertension in Adolescents: Effect on Neurobehavioral and Cognitive Functioning. 2016 , 2016, 3950914 | | 6 |
| 1084 | The Prevalence of Metabolic Syndrome and Cardiovascular Risk Factors in Obese Children and Adolescents in Dalmatia: A Hospital Based Study. 2016 , 2016, 1823561 | | 6 |
| 1083 | Children and Adolescent Obesity Associates with Pressure-Dependent and Age-Related Increase in Carotid and Femoral Arteries' Stiffness and Not in Brachial Artery, Indicative of Nonintrinsic Arterial Wall Alteration. 2016 , 2016, 4916246 | | 9 |

| | | | |
|------|---|-----|----|
| 1082 | Serum Endocan Levels Associated with Hypertension and Loss of Renal Function in Pediatric Patients after Two Years from Renal Transplant. 2016 , 2016, 2180765 | | 6 |
| 1081 | Childhood Obesity Associates Haemodynamic and Vascular Changes That Result in Increased Central Aortic Pressure with Augmented Incident and Reflected Wave Components, without Changes in Peripheral Amplification. 2016 , 2016, 3129304 | | 17 |
| 1080 | Relationship between Interdialytic Weight Gain and Blood Pressure in Pediatric Patients on Chronic Hemodialysis. 2016 , 2016, 5972930 | | 4 |
| 1079 | Prevalence of hypertension among adolescents: systematic review and meta-analysis. 2016 , 50, 27 | | 10 |
| 1078 | Endothelial and Metabolic Function Interactions in Overweight/Obese Children. 2016 , 23, 950-9 | | 13 |
| 1077 | Pharmacogenetics of Risperidone and Cardiovascular Risk in Children and Adolescents. 2016 , 2016, 5872423 | | 13 |
| 1076 | Fetal programming and metabolic abnormalities: design of a case-control study. 2016 , 19, 52-62 | | 1 |
| 1075 | Renal and Cardiovascular Morbidities Associated with Status among African-American and Non-African-American Children with Focal Segmental Glomerulosclerosis. <i>Frontiers in Pediatrics</i> , 2016 , 4, 122 | 3.4 | 24 |
| 1074 | The Impact of Nonalcoholic Fatty Liver Disease on Renal Function in Children with Overweight/Obesity. 2016 , 17, | | 35 |
| 1073 | Profile of Free Fatty Acids and Fractions of Phospholipids, Cholesterol Esters and Triglycerides in Serum of Obese Youth with and without Metabolic Syndrome. <i>Nutrients</i> , 2016 , 8, 54 | 6.7 | 23 |
| 1072 | Lipid profile status and other related factors in patients with Hyperphenylalaninaemia. 2016 , 11, 123 | | 19 |
| 1071 | Evaluation and treatment of hypertensive crises in children. 2016 , 9, 49-58 | | 16 |
| 1070 | Family history of cardiovascular disease and non-HDL cholesterol in prepubescent non-obese children. 2016 , 62, 347-52 | | 3 |
| 1069 | Metabolic syndrome in children and adolescents: Old concepts in a young population. 2016 , 52, 928-934 | | 13 |
| 1068 | Association of elevated preoperative blood pressure with preincision hypotension in pediatric surgical patients. 2016 , 26, 844-51 | | 5 |
| 1067 | The association between blood pressure and grip strength in adolescents: does body mass index matter?. 2016 , 39, 919-925 | | 18 |
| 1066 | Yield of Urinalysis Screening in Pediatric Cancer Survivors. 2016 , 63, 893-900 | | 5 |
| 1065 | Influence of physical fitness and activity behavior on retinal vessel diameters in primary schoolchildren. 2016 , 26, 731-8 | | 22 |

| | | | |
|------|---|-----|----|
| 1064 | [Gordon syndrome: The importance of measuring blood pressure in children]. 2016 , 23, 827-31 | | 1 |
| 1063 | Risk Factors in Adolescent Hypertension. 2016 , 3, 2333794X15625159 | | 32 |
| 1062 | In-Clinic Blood Pressure Prediction of Normal Ambulatory Blood Pressure Monitoring in Pediatric Hypertension Referrals. 2016 , 11, 309-14 | | 6 |
| 1061 | Central blood pressure and pulse wave amplification across the spectrum of peripheral blood pressure in overweight and obese youth. <i>Journal of Hypertension</i> , 2016 , 34, 1389-95 | 1.9 | 38 |
| 1060 | Fibroblast growth factor-23 and chronic allograft injury in pediatric renal transplant recipients: a Midwest Pediatric Nephrology Consortium study. 2016 , 20, 378-87 | | 2 |
| 1059 | Ethnic differences in sleep duration at 5 years, and its relationship with overweight and blood pressure. 2016 , 26, 1001-1006 | | 14 |
| 1058 | Changes in Central Aortic Pressure Levels, Wave Components and Determinants Associated with High Peripheral Blood Pressure States in Childhood: Analysis of Hypertensive Phenotype. 2016 , 37, 1340-50 | | 21 |
| 1057 | Hypertension screening and follow-up in children and adolescents in a Canadian primary care population sample: a retrospective cohort study. 2016 , 4, E230-5 | | 11 |
| 1056 | Metabolic Syndrome Components After Pediatric Liver Transplantation: Prevalence and the Impact of Obesity and Immunosuppression. 2016 , 16, 1909-16 | | 20 |
| 1055 | Cardiovascular risk factor screening and management of obese patients at an outpatient pediatric cardiology center. 2016 , 5, 1868 | | 1 |
| 1054 | Association of socioeconomic status change between infancy and adolescence, and blood pressure, in South African young adults: Birth to Twenty Cohort. 2016 , 6, e008805 | | 30 |
| 1053 | H-MRS measured ectopic fat in liver and muscle is associated with the metabolic syndrome in Danish girls but not in boys with overweight and obesity. 2016 , 2, 376-384 | | 2 |
| 1052 | Dietary factors associated with metabolic syndrome and its components in overweight and obese Brazilian schoolchildren: a cross-sectional study. 2016 , 8, 58 | | 18 |
| 1051 | Increased carotid intima-media thickness in Brazilian adolescents with type 1 diabetes mellitus. 2016 , 8, 74 | | 9 |
| 1050 | Whole-exome sequencing reveals an inherited R566X mutation of the epithelial sodium channel β subunit in a case of early-onset phenotype of Liddle syndrome. 2016 , 2, a001255 | | 5 |
| 1049 | De prevalentie van hypertensie bij kinderen met overgewicht. 2016 , 48, 66-71 | | |
| 1048 | Biomarkers of Alzheimer Disease in Children with Obstructive Sleep Apnea: Effect of Adenotonsillectomy. 2016 , 39, 1225-32 | | 16 |
| 1047 | Developmental trajectories of cerebrovascular reactivity in healthy children and young adults assessed with magnetic resonance imaging. 2016 , 594, 2681-9 | | 25 |

| | | |
|------|---|----|
| 1046 | Performance of obesity indices for screening elevated blood pressure in pediatric population: Systematic review and meta-analysis. 2016 , 95, e4811 | 11 |
| 1045 | Aortic stiffening and its impact on left atrial volumes and function in patients after successful coarctation repair: a multiparametric cardiovascular magnetic resonance study. 2016 , 18, 56 | 23 |
| 1044 | Utility of ambulatory blood pressure monitoring in the evaluation of elevated clinic blood pressures in children. 2016 , 10, 406-12 | 16 |
| 1043 | The Intergenerational Impact of Genetic and Psychological Factors on Blood Pressure (InterGEN) Study: Design and Methods for Complex DNA Analysis. 2016 , 18, 521-30 | 31 |
| 1042 | New approaches in the diagnosis, pathophysiology, and treatment of pediatric hematopoietic stem cell transplantation-associated thrombotic microangiopathy. 2016 , 54, 181-90 | 70 |
| 1041 | Performance of blood pressure-to-height ratio as a screening tool for elevated blood pressure in pediatric population: a systematic meta-analysis. 2016 , 30, 697-702 | 10 |
| 1040 | A systems-based approach to managing blood pressure in children following kidney transplantation. 2016 , 31, 1593-604 | 11 |
| 1039 | Assessing longitudinal trends in cardiac function among pediatric patients with chronic kidney disease. 2016 , 31, 1485-97 | 5 |
| 1038 | Pharmacologic Treatment of Pediatric Hypertension. 2016 , 18, 32 | 8 |
| 1037 | Congenital Solitary Kidney in Children: Size Matters. 2016 , 196, 1250-6 | 21 |
| 1036 | Hypertensive crisis in children: an experience in a single tertiary care center in Korea. 2015 , 22, 10 | 9 |
| 1035 | Inter-relationships between the severity of metabolic syndrome, insulin and adiponectin and their relationship to future type 2 diabetes and cardiovascular disease. 2016 , 40, 1353-9 | 39 |
| 1034 | Metabolic Risk Factors and Type 2 Diabetes Incidence in American Indian Children. 2016 , 101, 1437-44 | 16 |
| 1033 | Hypertension in the Pediatric Intensive Care Unit. 2016 , 5, 50-58 | |
| 1032 | Prevalence of chronic kidney disease risk factors among low birth weight adolescents. 2016 , 31, 1509-16 | 36 |
| 1031 | Efficacy and outcomes of continuous peritoneal dialysis versus daily intermittent hemodialysis in pediatric acute kidney injury. 2016 , 31, 1681-9 | 8 |
| 1030 | Hemodialysis outcomes in a global sample of children and young adult hemodialysis patients: the PICCOLO MONDO cohort. 2016 , 9, 295-302 | 4 |
| 1029 | Novelty in hypertension in children and adolescents: focus on hypertension during the first year of life, use and interpretation of ambulatory blood pressure monitoring, role of physical activity in prevention and treatment, simple carbohydrates and uric acid as risk factors. 2016 , 42, 69 | 13 |

| | | | |
|------|---|-----|-----|
| 1028 | Infant body mass index peak and early childhood cardio-metabolic risk markers in a multi-ethnic Asian birth cohort. 2017 , 46, 513-525 | | 29 |
| 1027 | Nocturnal blood pressure non-dipping is not associated with increased left ventricular mass index in hypertensive children without end-stage renal failure. 2016 , 175, 1091-7 | | 11 |
| 1026 | A new modified blood pressure-to-height ratio simplifies the screening of hypertension in Han Chinese children. 2016 , 39, 893-898 | | 9 |
| 1025 | Is high waist circumference and body weight associated with high blood pressure in Iranian primary school children?. 2016 , 21, 687-693 | | |
| 1024 | Microalbuminuria in Children With Primary Hypertension. 2016 , 18, 962-965 | | 11 |
| 1023 | Childhood-Onset Essential Hypertension and the Family Structure. 2016 , 18, 431-8 | | 6 |
| 1022 | Left Ventricular Hypertrophy Phenotype in Childhood-Onset Essential Hypertension. 2016 , 18, 449-55 | | 11 |
| 1021 | Association Between Adiposity and Left Ventricular Mass in Children With Hypertension. 2016 , 18, 625-33 | | 25 |
| 1020 | Predictors and Reference Values of Pulse Wave Velocity in Prepubertal Angolan Children. 2016 , 18, 725-32 | | 16 |
| 1019 | Prevalence of Elevated Blood Pressure Among US Children, 2013-2014. 2016 , 18, 1071-1072 | | 3 |
| 1018 | Improving Hypertension Screening in Childhood Using Modified Blood Pressure to Height Ratio. 2016 , 18, 557-64 | | 7 |
| 1017 | Association of body composition and blood pressure categories with retinal vessel diameters in primary school children. 2016 , 39, 423-9 | | 18 |
| 1016 | Long-Term Outcomes in Patients with Very-Early Onset Autosomal Dominant Polycystic Kidney Disease. 2016 , 44, 171-8 | | 17 |
| 1015 | Sex Differences in Cardiometabolic Risk Factors among Hispanic/Latino Youth. <i>Journal of Pediatrics</i> , 2016 , 176, 121-127.e1 | 3.6 | 37 |
| 1014 | High Prevalence of Obesity and High Blood Pressure in Urban Student-Athletes. <i>Journal of Pediatrics</i> , 2016 , 178, 194-199 | 3.6 | 9 |
| 1013 | Fibroblast Growth Factor 23 and Risk of CKD Progression in Children. 2016 , 11, 1989-1998 | | 52 |
| 1012 | Cardiovascular Health Promotion in Children: Challenges and Opportunities for 2020 and Beyond: A Scientific Statement From the American Heart Association. 2016 , 134, e236-55 | | 149 |
| 1011 | The Uncharted Frontier: Preventive Cardiology Between the Ages of 15 and 35 Years. 2016 , 10, 1 | | 8 |

| | | | |
|------|---|-----|----|
| 1010 | Performance of Eleven Simplified Methods for the Identification of Elevated Blood Pressure in Children and Adolescents. 2016 , 68, 614-20 | | 29 |
| 1009 | Incidence, Severity, and Association With Adverse Outcome of Hyponatremia in Children Hospitalized With Heart Failure. 2016 , 118, 1006-10 | | 13 |
| 1008 | Diagnosis and Medication Treatment of Pediatric Hypertension: A Retrospective Cohort Study. <i>Pediatrics</i> , 2016 , 138, | 7-4 | 36 |
| 1007 | Sedentary lifestyle and its associated factors among adolescents from public and private schools of a Brazilian state capital. 2016 , 16, 1177 | | 18 |
| 1006 | Childhood Hypertension: An Underappreciated Epidemic?. <i>Pediatrics</i> , 2016 , 138, | 7-4 | 7 |
| 1005 | Kidney Outcomes 5 Years After Pediatric Cardiac Surgery: The TRIBE-AKI Study. 2016 , 170, 1071-1078 | | 82 |
| 1004 | Characterization of chronic arthritis in a multicenter study of 852 childhood-onset systemic lupus erythematosus patients. 2016 , 36, 1641-1648 | | 6 |
| 1003 | Cardiovascular Disease Risk Factors and Left Ventricular Hypertrophy in Girls and Boys With CKD. 2016 , 11, 1962-1968 | | 10 |
| 1002 | Risk Factors for Decline of Residual Renal Function in Children Treated With Peritoneal Dialysis. 2016 , 36, 669-675 | | 2 |
| 1001 | Ethnic differences in cardiometabolic risk among adolescents across the waist-height ratio spectrum: National Health and Nutrition Examination Surveys (NHANES). 2016 , 222, 622-628 | | 13 |
| 1000 | Impact of Transcatheter Intervention on Myocardial Deformation in Patients with Coarctation of the Aorta. 2016 , 37, 1590-1597 | | 2 |
| 999 | Aortic root dilatation in the children and young adults: prevalence, determinants, and association with target organ damage. 2016 , 10, 782-789 | | 4 |
| 998 | Child Physical Activity Associations With Cardiovascular Risk Factors Differ by Race. 2016 , 28, 397-406 | | 3 |
| 997 | Left Ventricular Hypertrophy in Children with Hypertension: in Search of a Definition. 2016 , 18, 65 | | 13 |
| 996 | The Burden of Obesity, Elevated Blood Pressure, and Diabetes in Uninsured and Underinsured Adolescents. 2016 , 14, 437-441 | | 9 |
| 995 | Blood pressure percentile charts to identify high or low blood pressure in children. <i>BMC Pediatrics</i> , 2016 , 16, 98 | 2.6 | 31 |
| 994 | Pediatric Hypertension: Are Pediatricians Following Guidelines?. 2016 , 18, 1230-1234 | | 7 |
| 993 | Fatal cerebral haemorrhage in a hypertensive seven-year-old boy. 2016 , 7, 2054270416649284 | | |

| | | | |
|-----|---|-----|----|
| 992 | Associations of Maternal and Paternal Blood Pressure Patterns and Hypertensive Disorders during Pregnancy with Childhood Blood Pressure. <i>Journal of the American Heart Association</i> , 2016 , 5, | 6 | 21 |
| 991 | Blood Pressure Measurement in Pediatrics. 2016 , 18, 1235-1236 | | 1 |
| 990 | Association Between Early Life Growth and Blood Pressure Trajectories in Black South African Children. 2016 , 68, 1123-1131 | | 25 |
| 989 | Pediatric Blood Pressure and Adult Preclinical Markers of Cardiovascular Disease. 2016 , 9, 1-8 | | 19 |
| 988 | Evaluating the transferability of 15 European-derived fasting plasma glucose SNPs in Mexican children and adolescents. <i>Scientific Reports</i> , 2016 , 6, 36202 | 4-9 | 8 |
| 987 | Reference Values for Noninvasive Blood Pressure in Children during Anesthesia: A Multicentered Retrospective Observational Cohort Study. 2016 , 125, 904-913 | | 61 |
| 986 | The Intergenerational Impact of Genetic and Psychological Factors on Blood Pressure Study (InterGEN): Design and Methods for Recruitment and Psychological Measures. 2016 , 65, 331-8 | | 24 |
| 985 | No effect of yeast-like fungi on lipid metabolism and vascular endothelial growth factor level in children and adolescents with type 1 diabetes mellitus. 2016 , 42, 107 | | 1 |
| 984 | Impaired longitudinal deformation measured by speckle-tracking echocardiography in children with end-stage renal disease. 2016 , 31, 1499-508 | | 15 |
| 983 | Lipoprotein cholesterol fractions are related to markers of inflammation in children and adolescents with juvenile idiopathic arthritis: a cross sectional study. 2016 , 14, 61 | | 7 |
| 982 | . 2016 , 41, | | 17 |
| 981 | Prospective observational study protocol to investigate long-term adverse effects of methylphenidate in children and adolescents with ADHD: the Attention Deficit Hyperactivity Disorder Drugs Use Chronic Effects (ADDUCE) study. 2016 , 6, e010433 | | 20 |
| 980 | Comparative effectiveness of antihypertensive treatment for older children with primary hypertension: study protocol for a series of n-of-1 randomized trials. 2016 , 17, 16 | | 9 |
| 979 | Association of blood pressure variability and neurocognition in children with chronic kidney disease. 2016 , 31, 2137-44 | | 40 |
| 978 | Federal Food Assistance Programs and Cardiovascular Risk Factors in Low-Income Preschool Children. 2016 , 41, 626-34 | | 6 |
| 977 | White coat hypertension in pediatrics. 2016 , 42, 4 | | 15 |
| 976 | K(ATP) channel gain-of-function leads to increased myocardial L-type Ca(2+) current and contractility in Cantu syndrome. 2016 , 113, 6773-8 | | 22 |
| 975 | Associations among cardiorespiratory endurance, body mass index and blood pressure in Han Chinese children: results from the 2010 Chinese National Survey On Students' Constitution and Health. 2016 , 39, 799-804 | | 8 |

| | | | |
|-----|---|-----|----|
| 974 | Circadian and ultradian cardiovascular rhythmicity in obese children. 2016 , 175, 1031-8 | | 11 |
| 973 | Physical activity counteracts the influence of mental work on blood pressure in healthy children. 2016 , 164, 102-6 | | 2 |
| 972 | The Linked CENTURY Study: linking three decades of clinical and public health data to examine disparities in childhood obesity. <i>BMC Pediatrics</i> , 2016 , 16, 32 | 2.6 | 13 |
| 971 | Early changes in cardiovascular structure and function in adolescents with type 1 diabetes. 2016 , 15, 31 | | 46 |
| 970 | Does local ambient temperature impact children's blood pressure? A Chinese National Survey. 2016 , 15, 21 | | 10 |
| 969 | Clinical assessment of hypertension in children. 2016 , 22, 15 | | 15 |
| 968 | Flebogamma(β) 5% DIF Intravenous Immunoglobulin for Replacement Therapy in Children with Primary Immunodeficiency Diseases. 2016 , 36, 583-9 | | 4 |
| 967 | Finding covert fluid: methods for detecting volume overload in children on dialysis. 2016 , 31, 2327-2335 | | 28 |
| 966 | Universal screening for cardiovascular disease risk factors in adolescents to identify high-risk families: a population-based cross-sectional study. <i>BMC Pediatrics</i> , 2016 , 16, 11 | 2.6 | 17 |
| 965 | The Prevalence of Left Ventricular Hypertrophy in Obese Children Varies Depending on the Method Utilized to Determine Left Ventricular Mass. 2016 , 37, 993-1002 | | 10 |
| 964 | [Diabetes in the youth]. 2016 , 128 Suppl 2, S119-23 | | 4 |
| 963 | Recognition and Management of Elevated Blood Pressure in Pediatric Patients: Challenges and Disparities in Community Health Centers. 2016 , 41, 258-64 | | 3 |
| 962 | Fecal diagnostics in combination with serology: best test to establish STEC-HUS. 2016 , 31, 2163-70 | | 14 |
| 961 | Metabolic risk factors in nondiabetic adolescents with glomerular hyperfiltration. 2017 , 32, 1517-1524 | | 11 |
| 960 | Clinicians' Adherence to Guidelines on Evaluation of Hypertension in Children and Adolescents. 2016 , 7, 440-5 | | 1 |
| 959 | Child Abuse, Resting Blood Pressure, and Blood Pressure Reactivity to Psychosocial Stress. 2016 , 41, 5-14 | | 34 |
| 958 | Urinary fibrogenic cytokines ET-1 and TGF-β are associated with urinary angiotensinogen levels in obese children. 2016 , 31, 455-64 | | 3 |
| 957 | Elevated glycosylated hemoglobin levels impair blood pressure in children and adolescents with type 1 diabetes mellitus. 2016 , 8, 4 | | 5 |

| | | | |
|-----|--|-----|----|
| 956 | Body weight-based prednisolone versus body surface area-based prednisolone regimen for induction of remission in children with nephrotic syndrome: a randomized, open-label, equivalence clinical trial. 2016 , 31, 595-604 | | 16 |
| 955 | Crescentic glomerulonephritis in children: a single centre experience. 2016 , 12, 225-30 | | 6 |
| 954 | Long-term hemodialysis therapy in neonates and infants with end-stage renal disease: a 16-year experience and outcome. 2016 , 31, 305-13 | | 22 |
| 953 | Left ventricular dysfunction and subclinical atherosclerosis in children with classic congenital adrenal hyperplasia: a single-center study from upper Egypt. 2016 , 175, 405-12 | | 11 |
| 952 | Potential Misclassification of Blood Pressure Status in Children and Adolescents With Short or Tall Stature. 2016 , 183, 79-83 | | 6 |
| 951 | Remedial operations for failed endovascular therapy of 32 renal artery stenoses in 24 children. 2016 , 31, 809-17 | | 26 |
| 950 | Trends in High Blood Pressure among United States Adolescents across Body Weight Category between 1988 and 2012. <i>Journal of Pediatrics</i> , 2016 , 169, 166-73.e3 | 3.6 | 19 |
| 949 | Diuretics in the treatment of hypertension. 2016 , 31, 2223-2233 | | 32 |
| 948 | Strategies to improve the understanding of long-term renal consequences after neonatal acute kidney injury. 2016 , 79, 502-8 | | 21 |
| 947 | Soluble receptor and gene polymorphism for AGE: relationship with obesity and cardiovascular risks. 2016 , 80, 67-71 | | 11 |
| 946 | Circulating microRNAs as Potential Biomarkers of Endothelial Dysfunction in Obese Children. 2016 , 149, 786-800 | | 49 |
| 945 | Change in Weight Status and Development of Hypertension. <i>Pediatrics</i> , 2016 , 137, e20151662 | 7.4 | 78 |
| 944 | Improved cardiovascular risk factors in pediatric renal transplant recipients on steroid avoidance immunosuppression: A study of the Midwest Pediatric Nephrology Consortium. 2016 , 20, 59-67 | | 12 |
| 943 | Correlates of Blood Pressure According to Early, On Time, and Late Maturation in Adolescents. 2016 , 18, 424-30 | | 9 |
| 942 | Influence of physical fitness on cardio-metabolic risk factors in European children. The IDEFICS study. 2016 , 40, 1119-25 | | 52 |
| 941 | Upregulation of inflammasome activity and increased gut permeability are associated with obesity in children and adolescents. 2016 , 40, 1026-33 | | 49 |
| 940 | Effect of elevated blood pressure on quality of life in children with chronic kidney disease. 2016 , 31, 1129-36 | | 9 |
| 939 | Hypertension in chronic kidney disease: role of ambulatory blood pressure monitoring. 2016 , 41, 67-73 | | 4 |

| | | | |
|-----|--|-----|-----|
| 938 | Intravenous magnesium sulfate for the management of severe hand, foot, and mouth disease with autonomic nervous system dysregulation in Vietnamese children: study protocol for a randomized controlled trial. 2016 , 17, 98 | | 5 |
| 937 | Late Effects Surveillance Recommendations among Survivors of Childhood Hematopoietic Cell Transplantation: A Children's Oncology Group Report. 2016 , 22, 782-95 | | 119 |
| 936 | Kidney Disease Progression in Autosomal Recessive Polycystic Kidney Disease. <i>Journal of Pediatrics</i> , 2016 , 171, 196-201.e1 | 3.6 | 24 |
| 935 | Clinical characteristics and prevalence of complications of chronic kidney disease in children: the Taiwan Pediatric Renal Collaborative study. 2016 , 31, 1113-20 | | 13 |
| 934 | White-Coat and Reverse White-Coat Effects Correlate with 24-h Pulse Pressure and Systolic Blood Pressure Variability in Children and Young Adults. 2016 , 37, 345-52 | | 13 |
| 933 | Evaluation of the glucocorticoid, mineralocorticoid, and adrenal androgen secretion dynamics in a large cohort of patients aged 6-18 years with transfusion-dependent β -thalassemia major, with an emphasis on the impact of cardiac iron load. 2016 , 53, 240-8 | | 6 |
| 932 | Outcome after prenatal diagnosis of congenital anomalies of the kidney and urinary tract. 2016 , 175, 667-76 | | 39 |
| 931 | Haemodialysis for paediatric acute kidney injury in a low resource setting: experience from a tertiary hospital in South West Nigeria. 2016 , 9, 63-8 | | 9 |
| 930 | Relationship between obstructive sleep apnea cardiac complications and sleepiness in children with Down syndrome. 2016 , 17, 18-24 | | 23 |
| 929 | Superiority of lipoprotein particle number to detect associations with arterial thickness and stiffness in obese youth with and without prediabetes. 2016 , 10, 610-8 | | 10 |
| 928 | Treatment with Glucocorticoids or Calcineurin Inhibitors in Primary FSGS. 2016 , 11, 386-94 | | 36 |
| 927 | Intake of phthalate-tainted foods and microalbuminuria in children: The 2011 Taiwan food scandal. 2016 , 89-90, 129-37 | | 47 |
| 926 | Dyslipidemia, carotid intima-media thickness and endothelial dysfunction in children with chronic kidney disease. 2016 , 31, 1313-20 | | 28 |
| 925 | Risk profiles of lipids, blood pressure, and anthropometric measures in childhood and adolescence: project heartBeat!. 2016 , 3, 9 | | 5 |
| 924 | Hypertension Canada's 2016 Canadian Hypertension Education Program Guidelines for Blood Pressure Measurement, Diagnosis, and Assessment of Risk of Pediatric Hypertension. 2016 , 32, 589-97 | | 45 |
| 923 | Weight Gain and Metabolic Consequences of Risperidone in Young Children With Autism Spectrum Disorder. 2016 , 55, 415-23 | | 46 |
| 922 | Prediction of metabolic syndrome by a high intake of energy-dense nutrient-poor snacks in Iranian children and adolescents. 2016 , 79, 697-704 | | 9 |
| 921 | Longitudinal Assessment of Blood Pressure in School-Aged Children: A 3-Year Follow-Up Study. 2016 , 37, 255-61 | | 9 |

| | | | |
|-----|---|-----|----|
| 920 | Establishing International Blood Pressure References Among Nonoverweight Children and Adolescents Aged 6 to 17 Years. 2016 , 133, 398-408 | | 75 |
| 919 | Single-dose pharmacokinetics and safety of azilsartan medoxomil in children and adolescents with hypertension as compared to healthy adults. 2016 , 72, 447-57 | | 8 |
| 918 | The Role of Obesity in the Development of Left Ventricular Hypertrophy Among Children and Adolescents. 2016 , 18, 3 | | 51 |
| 917 | Accuracy of Blood Pressure-to-Height Ratio to Define Elevated Blood Pressure in Children and Adolescents: The CASPIAN-IV Study. 2016 , 37, 378-85 | | 5 |
| 916 | Pharmacologic Management of Pediatric Hypertension. 2016 , 18, 31-43 | | 10 |
| 915 | Follow-Up Renal Assessment of Injury Long-Term After Acute Kidney Injury (FRAIL-AKI). 2016 , 11, 21-9 | | 84 |
| 914 | Impaired cardiac autonomic nervous system function is associated with pediatric hypertension independent of adiposity. 2016 , 79, 49-54 | | 14 |
| 913 | Relationship of adiposity and cardiorespiratory fitness with resting blood pressure of South African adolescents: the PAHL Study. 2016 , 30, 245-51 | | 11 |
| 912 | High prevalence of elevated blood pressure among children with neurofibromatosis type 1. 2016 , 31, 131-6 | | 16 |
| 911 | CFH gene mutation in a case of Shiga toxin-associated hemolytic uremic syndrome (STEC-HUS). 2016 , 31, 157-61 | | 14 |
| 910 | Long-term follow-up of blood pressure and glomerular filtration rate in patients with a solitary functioning kidney: a comparison between Wilms tumor survivors and nephrectomy for other reasons. 2016 , 31, 435-41 | | 14 |
| 909 | Gender and obesity modify the impact of salt intake on blood pressure in children. 2016 , 31, 279-88 | | 23 |
| 908 | Low Serum Magnesium Levels and Its Association with High Blood Pressure in Children. <i>Journal of Pediatrics</i> , 2016 , 168, 93-98.e1 | 3.6 | 30 |
| 907 | Effect of plasma NOx values on cardiac function in obese hypertensive and normotensive pediatric patients. 2016 , 31, 473-83 | | 7 |
| 906 | Sex-specific lean body mass predictive equations are accurate in the obese paediatric population. 2016 , 43, 417-22 | | 2 |
| 905 | Epidemiology of elevated blood pressure and associated risk factors in Chinese children: the SNEC study. 2016 , 30, 231-6 | | 9 |
| 904 | Anemia in children following renal transplantation-results from the ESPN/ERA-EDTA Registry. 2016 , 31, 325-33 | | 17 |
| 903 | Intravenous Hydralazine in Hospitalized Children and Adolescents with Hypertension. <i>Journal of Pediatrics</i> , 2016 , 168, 88-92 | 3.6 | 11 |

| | | |
|-----|--|----|
| 902 | Physical Activity and Fitness of First Nations Youth in a Remote and Isolated Northern Ontario Community: A Needs Assessment. 2016 , 41, 46-56 | 2 |
| 901 | The Association of Pediatric Obesity With Nocturnal Non-Dipping on 24-Hour Ambulatory Blood Pressure Monitoring. 2016 , 29, 647-52 | 41 |
| 900 | Use of the triglyceride to HDL cholesterol ratio for assessing insulin sensitivity in overweight and obese children in rural Appalachia. 2016 , 29, 153-6 | 6 |
| 899 | Effect of cholecalciferol on local arterial stiffness and endothelial dysfunction in children with chronic kidney disease. 2016 , 31, 267-77 | 15 |
| 898 | Can office blood pressure readings predict masked hypertension?. 2016 , 31, 163-6 | 19 |
| 897 | Blood pressure (BP) assessment-from BP level to BP variability. 2016 , 31, 1071-9 | 10 |
| 896 | Passive and Active Tobacco Exposure and Children's Lipid Profiles. 2016 , 18, 982-7 | 10 |
| 895 | Atenolol vs enalapril in young hypertensive patients after successful repair of aortic coarctation. 2016 , 30, 363-7 | 6 |
| 894 | Mid-regional-pro-adrenomedullin plasma levels are increased in obese adolescents. 2016 , 55, 1255-60 | 8 |
| 893 | Trends in Elevated Blood Pressure Among US Children and Adolescents: 1999-2012. 2016 , 29, 217-25 | 50 |
| 892 | Screening, diagnosis and treatment of hypertension in obese children: an international policy comparison. 2017 , 30, 119-125 | 2 |
| 891 | LA sprouts randomized controlled nutrition, cooking and gardening programme reduces obesity and metabolic risk in Hispanic/Latino youth. 2017 , 12, 28-37 | 34 |
| 890 | A randomized controlled trial of dance exergaming for exercise training in overweight and obese adolescent girls. 2017 , 12, 120-128 | 41 |
| 889 | Krüppel-Like Factor 15 Mediates Glucocorticoid-Induced Restoration of Podocyte Differentiation Markers. 2017 , 28, 166-184 | 48 |
| 888 | Dietary Profiles of First-Generation South Asian Indian Adolescents in the United States. 2017 , 19, 309-317 | 6 |
| 887 | The spectrum of autosomal dominant polycystic kidney disease in children and adolescents. 2017 , 32, 31-42 | 24 |
| 886 | Assessment of vascular function in low socioeconomic status preschool children: a pilot study. 2017 , 11, 101-109 | 5 |
| 885 | Clinical predictors of permanent injury to the atrioventricular conduction system after congenital heart disease surgery. A new perspective on an old problem. 2017 , 46, 35-38 | 1 |

| | | |
|-----|--|-----|
| 884 | [The relationship between metabolic disorders and small for gestational age with idiopathic premature adrenarche]. 2017 , 87, 253-259 | 1 |
| 883 | Blood urea nitrogen to serum creatinine ratio is an accurate predictor of outcome in diarrhea-associated hemolytic uremic syndrome, a preliminary study. 2017 , 176, 355-360 | 10 |
| 882 | High Central Aortic Rather than Brachial Blood Pressure is Associated with Carotid Wall Remodeling and Increased Arterial Stiffness in Childhood. 2017 , 24, 49-60 | 16 |
| 881 | Exposure to bisphenols and phthalates and association with oxidant stress, insulin resistance, and endothelial dysfunction in children. 2017 , 81, 857-864 | 70 |
| 880 | Elevated systolic blood pressure of children in the United States is associated with low serum 25-hydroxyvitamin D concentrations related to body mass index: National Health and Examination Survey 2007-2010. 2017 , 38, 64-70 | 7 |
| 879 | Definition of pediatric hypertension: are blood pressure measurements on three separate occasions necessary?. 2017 , 40, 496-503 | 22 |
| 878 | Insulin Sensitivity and Inflammation Mediate the Impact of Fitness on Cerebrovascular Health in Adolescents. 2017 , 13, 205-212 | 5 |
| 877 | Obesity and type 2 diabetes are associated with elevated PCSK9 levels in young women. 2017 , 18, 755-760 | 30 |
| 876 | Can Pediatric Hypertension Criteria Be Simplified? A Prediction Analysis of Subclinical Cardiovascular Outcomes From the Bogalusa Heart Study. 2017 , 69, 691-696 | 35 |
| 875 | Cardio-metabolic risk factors in youth with classical 21-hydroxylase deficiency. 2017 , 176, 537-545 | 13 |
| 874 | Predicting Hypertension Among Children With Incident Elevated Blood Pressure. 2017 , 17, 275-282 | 3 |
| 873 | Mesangial C4d deposition may predict progression of kidney disease in pediatric patients with IgA nephropathy. 2017 , 32, 1211-1220 | 17 |
| 872 | Calorically restricted diets decrease PCSK9 in overweight adolescents. 2017 , 27, 342-349 | 5 |
| 871 | Outcome of extremely low birth weight infants with a history of neonatal acute kidney injury. 2017 , 32, 1035-1043 | 28 |
| 870 | Team-based approach to identify cardiac toxicity in critically ill hematopoietic stem cell transplant recipients. 2017 , 64, e26513 | 11 |
| 869 | Design and Methods of the Pan-Canadian Applying Biomarkers to Minimize Long-Term Effects of Childhood/Adolescent Cancer Treatment (ABLE) Nephrotoxicity Study: A Prospective Observational Cohort Study. 2017 , 4, 2054358117690338 | 11 |
| 868 | In Utero Exposure to Maternal Hyperglycemia Increases Childhood Cardiometabolic Risk in Offspring. 2017 , 40, 679-686 | 168 |
| 867 | A new modified blood pressure-to-height ratio also simplifies the identification of high blood pressure in American children. 2017 , 40, 792-793 | 2 |

| | | | |
|-----|---|-----|----|
| 866 | White Paper AGA: POWER - Practice Guide on Obesity and Weight Management, Education, and Resources. 2017 , 15, 631-649.e10 | | 76 |
| 865 | Early Infant Growth Velocity Patterns and Cardiovascular and Metabolic Outcomes in Childhood. <i>Journal of Pediatrics</i> , 2017 , 186, 57-63.e4 | 3.6 | 19 |
| 864 | Validation of the custo screen pediatric blood pressure monitor according to the European Society of Hypertension International Protocol revision 2010. 2017 , 176, 573-580 | | 1 |
| 863 | Follow-up of Acute kidney injury in Neonates during Childhood Years (FANCY): a prospective cohort study. 2017 , 32, 1067-1076 | | 51 |
| 862 | Associations of hyperglycemia and insulin resistance with biomarkers of endothelial dysfunction in Hispanic/Latino youths: Results from the Hispanic Community Children's Health Study/Study of Latino Youth (SOL Youth). 2017 , 31, 836-842 | | 5 |
| 861 | Anthropometric profile of Hong Kong children and adolescents: the Wellness Population of Youth Study. 2017 , 11, 196-203.e4 | | 7 |
| 860 | Postnatal height and adiposity gain, childhood blood pressure and prehypertension risk in an Asian birth cohort. 2017 , 41, 1011-1017 | | 15 |
| 859 | Blood pressure and heart rate during stress in children born small for gestational age. 2017 , 32, 1053-1058 | | 5 |
| 858 | Efficacy and safety of rituximab in comparison with common induction therapies in pediatric active lupus nephritis. 2017 , 32, 1013-1021 | | 20 |
| 857 | Vascular Stiffness in Children With Chronic Kidney Disease. 2017 , 69, 863-869 | | 19 |
| 856 | Association among prematurity (. 2017 , 32, 1243-1250 | | 10 |
| 855 | Clinical Impact of Stent Implantation for Coarctation of the Aorta with Associated Hypoplasia of the Transverse Aortic Arch. 2017 , 38, 1016-1023 | | 4 |
| 854 | Differences between Metabolically Healthy vs Unhealthy Obese Children and Adolescents. 2017 , 109, 203-210 | | 13 |
| 853 | Race and Obesity in Adolescent Hypertension. <i>Pediatrics</i> , 2017 , 139, | 7.4 | 63 |
| 852 | Classification of Acute Pancreatitis in the Pediatric Population: Clinical Report From the NASPGHAN Pancreas Committee. 2017 , 64, 984-990 | | 57 |
| 851 | Pharmacotherapy for hyperuricemia in hypertensive patients. 2017 , 4, CD008652 | | 15 |
| 850 | Association of cardiovascular risk factors between Hispanic/Latino parents and youth: the Hispanic Community Health Study/Study of Latino Youth. 2017 , 27, 260-268.e2 | | 5 |
| 849 | Race, obesity, and the renin-angiotensin-aldosterone system: treatment response in children with primary hypertension. 2017 , 32, 1585-1594 | | 6 |

| | | |
|-----|---|--------|
| 848 | Renovascular hypertension: results in adulthood of renal autotransplantation performed in children. 2017 , 32, 1935-1940 | 4 |
| 847 | Renal findings in patients with Mulibrey nanism. 2017 , 32, 1531-1536 | 8 |
| 846 | Pediatric Fontan patients are at risk for myocardial fibrotic remodeling and dysfunction. 2017 , 240, 172-177 | 29 |
| 845 | Fibroblast growth factor-23 is independently associated with cardiac mass in African-American adolescent males. 2017 , 11, 480-487 | 3 |
| 844 | Heterogeneity in Blood Pressure Transitions Over the Life Course: Age-Specific Emergence of Racial/Ethnic and Sex Disparities in the United States. 2017 , 2, 653-661 | 23 |
| 843 | Reductions in blood pressure during a community-based overweight and obesity treatment in children and adolescents with prehypertension and hypertension. 2017 , 31, 640-646 | 9 |
| 842 | The effect of an electronic health record-based tool on abnormal pediatric blood pressure recognition. 2017 , 12, 484-490 | 17 |
| 841 | Evaluation of the coronary circulation and calcification in children on regular hemodialysis. 2017 , 32, 1941-1951 | 8 |
| 840 | Methods to evaluate arterial structure and function in children - State-of-the art knowledge. 2017 , 62, 280-294 | 15 |
| 839 | Dietary sodium, dietary potassium, and systolic blood pressure in US adolescents. 2017 , 19, 904-909 | 15 |
| 838 | Measuring hemoglobin prior to early discharge without routine surveillance ultrasound after percutaneous native renal biopsy in children. 2017 , 32, 1927-1934 | 4 |
| 837 | Effects of growth hormone treatment on anthropometrics, metabolic risk, and body composition variables in small for gestational age patients. 2017 , 86, 240-248 | 1 |
| 836 | Percentiles of serum uric acid and cardiometabolic abnormalities in obese Italian children and adolescents. 2017 , 43, 3 | 13 |
| 835 | Serum Alanine Aminotransferase Trends and Their Relationship with Obesity and Metabolic Syndrome in United States Adolescents, 1999-2014. 2017 , 15, 276-282 | 15 |
| 834 | Prehypertension among 2.19 million adolescents and future risk for end-stage renal disease. <i>Journal of Hypertension</i> , 2017 , 35, 1290-1296 | 1.9 28 |
| 833 | Physical activity in the classroom to prevent childhood obesity: a pilot study in Santiago, Chile. 2017 , 6, e21 | 2 |
| 832 | Ambulatory Blood Pressure Control in Children and Young Adults After Kidney Transplantation. 2017 , 30, 1039-1046 | 19 |
| 831 | Joint effect of maternal plasma homocysteine and prepregnancy obesity on child blood pressure: a prospective birth cohort study. 2017 , 41, 1447-1453 | 3 |

| | | | |
|-----|--|-----|----|
| 830 | Indications for kidney biopsy in idiopathic childhood nephrotic syndrome. 2017 , 32, 1897-1905 | | 8 |
| 829 | C-reactive protein in Brazilian adolescents: distribution and association with metabolic syndrome in ERICA survey. 2017 , 71, 1206-1211 | | 8 |
| 828 | Treatment Strategies for Paradoxical Hypertension Following Surgical Correction of Coarctation of the Aorta in Children. 2017 , 8, 321-331 | | 11 |
| 827 | Relationships of Measured Iohexol GFR and Estimated GFR With CKD-Related Biomarkers in Children and Adolescents. 2017 , 70, 397-405 | | 13 |
| 826 | Association Study of Three Gene Polymorphisms Recently Identified by a Genome-Wide Association Study with Obesity-Related Phenotypes in Chinese Children. <i>Obesity Facts</i> , 2017 , 10, 179-190 | 5.1 | 6 |
| 825 | Association of Maternal Plasma Folate and Cardiometabolic Risk Factors in Pregnancy with Elevated Blood Pressure of Offspring in Childhood. 2017 , 30, 532-540 | | 14 |
| 824 | Culturally-grounded diabetes prevention program for obese Latino youth: Rationale, design, and methods. 2017 , 54, 68-76 | | 19 |
| 823 | Analysis of different anthropometric indicators in the detection of high blood pressure in school adolescents: a cross-sectional study with 8295 adolescents. 2018 , 22, 49-54 | | 8 |
| 822 | Salivary uric acid and C-reactive protein associations with hypertension in Midwestern Latino preadolescents and their parents. 2018 , 60, 104-110 | | 2 |
| 821 | Why should we screen for arterial hypertension in children and adolescents?. 2018 , 33, 83-92 | | 8 |
| 820 | Evaluation of an Electronic Clinical Decision Support Tool for Incident Elevated BP in Adolescents. 2018 , 18, 43-50 | | 15 |
| 819 | Effect of renal function on antihypertensive drug safety and efficacy in children. 2018 , 33, 139-146 | | 4 |
| 818 | The relationship between hypovitaminosis D and metabolic syndrome: a cross sectional study among employees of a private university in Lebanon. 2018 , 4, 36 | | 7 |
| 817 | Assessment of the etiologies and renal outcomes of rapidly progressive glomerulonephritis in pediatric patients at King Abdulaziz University Hospital, Jeddah, Saudi Arabia. 2018 , 39, 354-360 | | 1 |
| 816 | Impact of Sleep Duration and Weekend Oversleep on Body Weight and Blood Pressure in Adolescents. 2018 , 16, 31-41 | | 12 |
| 815 | A Rare Cause of Congenital Adrenal Hyperplasia: Clinical and Genetic Findings and Follow-up Characteristics of Six Patients with 17-Hydroxylase Deficiency Including Two Novel Mutations. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2018 , 10, 206-215 | 1.9 | 13 |
| 814 | Retrospective study to identify risk factors for chronic kidney disease in children with congenital solitary functioning kidney detected by neonatal renal ultrasound screening. 2018 , 97, e11819 | | 6 |
| 813 | The Relationship Between Blood Pressure and Sleep Duration in Turkish Children: A Cross-Sectional Study. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2018 , 10, 51-58 | 1.9 | 11 |

| | | |
|-----|---|--------|
| 812 | Feasibility of Ideal Cardiovascular Health Evaluation in a Pediatric Clinic Setting. 2018 , 2018, 5474838 | 6 |
| 811 | Body composition and blood pressure in 6-year-old singletons born after pre-implantation genetic testing for monogenic and structural chromosomal aberrations: a matched cohort study. 2018 , 2018, hoy013 | 3 |
| 810 | High prevalence of echocardiographic abnormalities in older HIV-infected children taking antiretroviral therapy. 2018 , 32, 2739-2748 | 9 |
| 809 | Iris Color and Lens Thickness in Chinese Teenagers. 2018 , 7, 25 | 3 |
| 808 | Prevalence of Target Organ Damage in Chinese Hypertensive Children and Adolescents. <i>Frontiers in Pediatrics</i> , 2018 , 6, 333 | 3-4 12 |
| 807 | Association of Age With Blood Pressure Across the Lifespan in Isolated Yanomami and Yekwana Villages. 2018 , 3, 1247-1249 | 18 |
| 806 | OXYGEN CONSUMPTION AND ENERGY EXPENDITURE DURING AND AFTER STREET GAMES, ACTIVE VIDEO GAMES AND TV. 2018 , 24, 338-342 | 1 |
| 805 | Discriminative ability of adiposity measures for elevated blood pressure among adolescents in a resource-constrained setting in northeast Nigeria: a cross-sectional analysis. 2018 , 5, 35 | 5 |
| 804 | Growth achieved and correlation with blood pressure levels in schoolchildren. 2018 , 64, 896-901 | |
| 803 | Hypertension and prehypertension among adolescents attending secondary schools in urban area of South-East, Nigeria. 2018 , 31, 145 | 8 |
| 802 | Pediatric Renal Transplantation in Oman: A Single-center Experience. 2018 , 33, 7-14 | 4 |
| 801 | Renal Outcomes in Children with Operated Spina Bifida in Uganda. 2018 , 2018, 6278616 | 2 |
| 800 | Endothelin-1, nitric oxide, serotonin and high blood pressure in male adolescents. 2018 , 14, 213-223 | 12 |
| 799 | Predicting individual physiologically acceptable states at discharge from a pediatric intensive care unit. 2018 , 25, 1600-1607 | 9 |
| 798 | ASSOCIATION BETWEEN ACANTHOSIS NIGRICANS AND OTHER CARDIOMETABOLIC RISK FACTORS IN CHILDREN AND ADOLESCENTS WITH OVERWEIGHT AND OBESITY. 2018 , 36, 301-308 | 7 |
| 797 | Prediction of Ambulatory Hypertension Based on Clinic Blood Pressure Percentile in Adolescents. 2018 , 72, 955-961 | 12 |
| 796 | Risk factors for post-induction hypotension in children presenting for surgery. 2018 , 34, 1333-1338 | 2 |
| 795 | Long-term follow-up of gonadal dysfunction in morbidly obese adolescent boys after bariatric surgery. 2018 , 31, 1191-1197 | 3 |

| | | | |
|-----|--|-----|----|
| 794 | Pilot study comparing the childhood arthritis and rheumatology research alliance consensus treatment plans for induction therapy of juvenile proliferative lupus nephritis. 2018 , 16, 65 | | 13 |
| 793 | Preclinical cardiovascular changes in children with obesity: A real-time 3-dimensional speckle tracking imaging study. <i>PLoS ONE</i> , 2018 , 13, e0205177 | 3.7 | 6 |
| 792 | Hypertension Diagnosis and Management in Children and Adolescents: Important Updates. 2018 , 6, 269-277 | | 1 |
| 791 | Effects of long-term methylphenidate use on growth and blood pressure: results of the German Health Interview and Examination Survey for Children and Adolescents (KiGGS). 2018 , 18, 327 | | 8 |
| 790 | Sports Practices and Cardiovascular Risk in Teenagers. <i>Arquivos Brasileiros De Cardiologia</i> , 2018 , 110, 248-255 | 1.2 | 1 |
| 789 | Long-term renal follow-up of children treated with cisplatin, carboplatin, or ifosfamide: a pilot study. 2018 , 33, 2311-2320 | | 20 |
| 788 | Epidemiology of Childhood Onset Essential Hypertension. 2018 , 32, 808-813 | | 6 |
| 787 | Association between and polymorphisms and high blood pressure in a population of Lithuanian children and adolescents: a cross-sectional study. 2018 , 8, e019902 | | 2 |
| 786 | Is infant arterial stiffness associated with maternal blood pressure in pregnancy? Findings from a UK birth cohort (Baby VIP study). <i>PLoS ONE</i> , 2018 , 13, e0200159 | 3.7 | 1 |
| 785 | Impact of Premutation on Neurobehavior and Bioenergetics in Young Monozygotic Twins. 2018 , 9, 338 | | 11 |
| 784 | The impact of maternal gestational weight gain on cardiometabolic risk factors in children. 2018 , 61, 2539-2548 | | 30 |
| 783 | A cross-sectional study on the relationship between the risk of hypertension and obesity status among pre-adolescent girls from rural areas of Southeastern region of the United States. 2018 , 12, 135-139 | | 6 |
| 782 | Long-term metformin treatment in adolescents with obesity and insulin resistance, results of an open label extension study. 2018 , 8, 47 | | 10 |
| 781 | Arm Circumference-to-Height Ratio as a Situational Alternative to BMI Percentile in Assessing Obesity and Cardiometabolic Risk in Adolescents. 2018 , 2018, 7456461 | | 3 |
| 780 | Association between preterm birth and the renin-angiotensin system in adolescence: influence of sex and obesity. <i>Journal of Hypertension</i> , 2018 , 36, 2092-2101 | 1.9 | 31 |
| 779 | Extreme Preterm Infant Rates of Overweight and Obesity at School Age in the SUPPORT Neuroimaging and Neurodevelopmental Outcomes Cohort. <i>Journal of Pediatrics</i> , 2018 , 200, 132-139.e3 | 3.6 | 10 |
| 778 | Blood pressure in children with attention deficit/hyperactivity disorder. 2018 , 23, e102-e108 | | 5 |
| 777 | WHO height charts can be safely substituted when calculating BP Z-scores in a North American clinic setting. 2018 , 23, 176-178 | | |

| | | | |
|-----|--|-----|----|
| 776 | An adult-based insulin resistance genetic risk score associates with insulin resistance, metabolic traits and altered fat distribution in Danish children and adolescents who are overweight or obese. 2018 , 61, 1769-1779 | | 8 |
| 775 | Maternal Exposure to Ambient Particulate Matter $PM_{2.5}$ During Pregnancy and the Risk for High Blood Pressure in Childhood. 2018 , 72, 194-201 | | 38 |
| 774 | Comparison between different criteria for metabolic syndrome in schoolchildren from southern Brazil. 2018 , 177, 1471-1477 | | 16 |
| 773 | Clinical Implications of the Revised AAP Pediatric Hypertension Guidelines. <i>Pediatrics</i> , 2018 , 142, | 7.4 | 39 |
| 772 | The Joint Association of Small for Gestational Age and Nighttime Sleep with Blood Pressure in Childhood. <i>Scientific Reports</i> , 2018 , 8, 9632 | 4.9 | 3 |
| 771 | Metabolic health and academic achievement in youth at risk for high school dropout in rural Mississippi: The role of classroom management. 2018 , 11, 115-119 | | |
| 770 | Prevalence of hypertension and prehypertension and its association with anthropometrics among children: a cross-sectional survey in Tianjin, China. 2018 , 32, 789-798 | | 14 |
| 769 | Prevalence of Primary Hypertension and Risk Factors in Grade XII Learners in KwaZulu-Natal, South Africa. 2018 , 2018, 3848591 | | 13 |
| 768 | Argininosuccinate Lyase Deficiency Causes an Endothelial-Dependent Form of Hypertension. 2018 , 103, 276-287 | | 18 |
| 767 | Diagnosis, treatment and prevention of pediatric obesity: consensus position statement of the Italian Society for Pediatric Endocrinology and Diabetology and the Italian Society of Pediatrics. 2018 , 44, 88 | | 71 |
| 766 | We Run This City: Impact of a Community-School Fitness Program on Obesity, Health, and Fitness. 2018 , 15, E52 | | 4 |
| 765 | Cardiac and Vascular Target Organ Damage in Pediatric Hypertension. <i>Frontiers in Pediatrics</i> , 2018 , 6, 148 | 3.4 | 18 |
| 764 | Hypertension in Children: Role of Obesity, Simple Carbohydrates, and Uric Acid. 2018 , 6, 129 | | 22 |
| 763 | Newborn weight change and childhood cardio-metabolic traits - a prospective cohort study. <i>BMC Pediatrics</i> , 2018 , 18, 211 | 2.6 | 1 |
| 762 | High Blood Pressure at Early School Age Among Extreme Preterms. <i>Pediatrics</i> , 2018 , 142, | 7.4 | 14 |
| 761 | Incidence of obesity and its predictors in children and adolescents in 10 years of follow up: Tehran lipid and glucose study (TLGS). <i>BMC Pediatrics</i> , 2018 , 18, 245 | 2.6 | 5 |
| 760 | Growth of Cardiovascular Structures from the Fetus to the Young Adult. 2018 , 1065, 347-360 | | 9 |
| 759 | Metabolically healthy and metabolically unhealthy obese children both have increased carotid intima-media thickness: a case control study. 2018 , 18, 140 | | 12 |

| | | | | |
|-----|---|-----|--|----|
| 758 | The Natural History of Metabolic Comorbidities in Turner Syndrome from Childhood to Early Adulthood: Comparison between 45,X Monosomy and Other Karyotypes. 2018 , 9, 27 | | | 19 |
| 757 | Risk factors for cardiovascular disease in children and young adults with haemophilia. 2018 , 24, 747-754 | | | 3 |
| 756 | Renal progression factors in young patients with tuberous sclerosis complex: a retrospective cohort study. 2018 , 33, 2085-2093 | | | 15 |
| 755 | Trends in Albuminuria and GFR Among Adolescents in the United States, 1988-2014. 2018 , 72, 644-652 | | | 11 |
| 754 | Smoke exposure and cardio-metabolic profile in youth with type 1 diabetes. 2018 , 10, 53 | | | 3 |
| 753 | Causes of Pediatric Kidney Failure, Treatment of Chronic Kidney Disease, and Timing of Transplantation. 2018 , 323-341 | | | |
| 752 | Evaluation and Management of Stage 2 Hypertension in Pediatric Patients. 2018 , 20, 73 | | | 2 |
| 751 | Comprehensive Endocrine-Metabolic Evaluation of Patients With Alström Syndrome Compared With BMI-Matched Controls. 2018 , 103, 2707-2719 | | | 22 |
| 750 | Diets Rich in Fruits and Vegetables Are Associated with Lower Cardiovascular Disease Risk in Adolescents. <i>Nutrients</i> , 2018 , 10, | 6.7 | | 37 |
| 749 | Association between Vegetable Consumption and Blood Pressure, Stratified by BMI, among Chinese Adolescents Aged 13-17 Years: A National Cross-Sectional Study. <i>Nutrients</i> , 2018 , 10, | 6.7 | | 13 |
| 748 | Dietary Fiber Intake and Metabolic Syndrome Risk Factors among Young South African Adults. <i>Nutrients</i> , 2018 , 10, | 6.7 | | 20 |
| 747 | A 6-month, multicenter, open-label study of fixed dose naproxen/esomeprazole in adolescent patients with juvenile idiopathic arthritis. 2018 , 16, 41 | | | 3 |
| 746 | Association of mood disorders with cardiovascular disease risk factors in overweight and obese youth with elevated blood pressure. 2018 , 20, 1268-1275 | | | 6 |
| 745 | PHYSICAL EDUCATION CLASSES AND HEALTH OUTCOMES IN BRAZILIAN STUDENTS. 2018 , 36, 192-198 | | | 3 |
| 744 | Association of culture medium with growth, weight and cardiovascular development of IVF children at the age of 9 years. 2018 , 33, 1645-1656 | | | 32 |
| 743 | Home-based exergaming among children with overweight and obesity: a randomized clinical trial. 2018 , 13, 724-733 | | | 43 |
| 742 | Oxidative and Antioxidative Stress Status in Children with Inflammatory Bowel Disease as a Result of a Chronic Inflammatory Process. 2018 , 2018, 4120973 | | | 5 |
| 741 | Differences in self-reported weekend catch up sleep between children and adolescents with and without primary hypertension. 2018 , 24, 7 | | | 10 |

| | | | |
|-----|--|-----|----|
| 740 | Oscillometric blood pressure by age and height for non overweight children and adolescents in Lubumbashi, Democratic Republic of Congo. 2018 , 18, 9 | | 4 |
| 739 | Proteinuric kidney disease in children at Queen Elizabeth Central Hospital, Malawi. 2018 , 19, 21 | | 3 |
| 738 | Health promotion initiatives at school related to overweight, insulin resistance, hypertension and dyslipidemia in adolescents: a cross-sectional study in Recife, Brazil. 2018 , 18, 223 | | 8 |
| 737 | In-school adolescents' weight status and blood pressure profile in South-western Nigeria: urban-rural comparison. 2018 , 5, 2 | | 11 |
| 736 | Serum Renalase Levels in Adolescents with Primary Hypertension. 2018 , 39, 1258-1264 | | 6 |
| 735 | Positively increased visceral adiposity index in hyperuricemia free of metabolic syndrome. 2018 , 17, 101 | | 12 |
| 734 | Cardiovascular risk factors in adolescents with prediabetes. 2018 , 35, 1202 | | 8 |
| 733 | Using Anthropometric Indicator to Identify Hypertension in Adolescents: A Study in Sarawak, Malaysia. 2018 , 2018, 6736251 | | 13 |
| 732 | Performance of the Simplified American Academy of Pediatrics Table to Screen Elevated Blood Pressure in Children. 2018 , 172, 1196-1198 | | 3 |
| 731 | Early Life Adversity with Height Stunting Is Associated with Cardiometabolic Risk in Adolescents Independent of Body Mass Index. <i>Journal of Pediatrics</i> , 2018 , 202, 143-149 | 3.6 | 16 |
| 730 | Renal Function and exposure to Bisphenol A and phthalates in children with Chronic Kidney Disease. 2018 , 167, 575-582 | | 30 |
| 729 | Home proximity to flower plantations and higher systolic blood pressure among children. 2018 , 221, 1077-1084 | | 6 |
| 728 | Is single-child family associated with cardio-metabolic risk factors: the CASPIAN-V study. 2018 , 18, 109 | | 3 |
| 727 | Effect of atorvastatin on dyslipidemia and carotid intima-media thickness in children with refractory nephrotic syndrome: a randomized controlled trial. 2018 , 33, 2299-2309 | | 9 |
| 726 | Two-minute walk test: Reference equations for healthy adults in China. <i>PLoS ONE</i> , 2018 , 13, e0201988 | 3.7 | 0 |
| 725 | Association of Breakfast Quality and Energy Density with Cardiometabolic Risk Factors in Overweight/Obese Children: Role of Physical Activity. <i>Nutrients</i> , 2018 , 10, | 6.7 | 5 |
| 724 | Waist-to-height ratio, body mass index, and cardiovascular risk profile in children with chronic kidney disease. 2018 , 33, 1577-1583 | | 18 |
| 723 | Imaging studies in pediatric fibromuscular dysplasia (FMD): a single-center experience. 2018 , 33, 1593-1599 | | 22 |

| | | | |
|-----|--|-----|----|
| 722 | Secular Trends in Blood Pressure and Overweight and Obesity in Chinese Boys and Girls Aged 7 to 17 Years From 1995 to 2014. 2018 , 72, 298-305 | | 46 |
| 721 | Effect of cardiometabolic risk factors on the relationship between adiposity and bone mass in girls. 2018 , 42, 1185-1194 | | 4 |
| 720 | Perspectives on the relation of blood pressure and cognition in the elderly. 2019 , 29, 12-18 | | 2 |
| 719 | Oxidative stress in obese children and adolescents with and without type 2 diabetes mellitus is not associated with obstructive sleep apnea. 2019 , 23, 117-123 | | 5 |
| 718 | Cardiac Physiology and Pharmacology. 2019 , 424-457.e17 | | 1 |
| 717 | Survey of 23 Nordic university hospitals showed that 77% lacked written procedures for measuring and interpreting blood pressure in infants. 2019 , 108, 266-270 | | 4 |
| 716 | A Cross-Sectional Study of the Prevalence of Exercise-Induced Hypertension in Childhood Following Repair of Coarctation of the Aorta. 2019 , 28, 792-799 | | 4 |
| 715 | Performance of blood pressure measurements at an initial screening visit for the diagnosis of hypertension in children. 2019 , 21, 1352-1357 | | 11 |
| 714 | Management of diabetes complications in youth. 2019 , 10, 2042018819863226 | | 14 |
| 713 | Assessing and Managing the Metabolic Syndrome in Children and Adolescents. <i>Nutrients</i> , 2019 , 11, 6.7 | 46 | |
| 712 | Static cut-points of hypertension and increased arterial stiffness in children and adolescents: The International Childhood Vascular Function Evaluation Consortium. 2019 , 21, 1335-1342 | | 2 |
| 711 | Does MEST-C score predict outcomes in pediatric Henoch-Schlelein purpura nephritis?. 2019 , 34, 2583-2589 | | 7 |
| 710 | A Comparison of the Impact of Two Methods of Nutrition-Behavioral Intervention on Selected Auxological and Biochemical Parameters in Obese Prepubertal Children-Crossover Preliminary Study. 2019 , 16, | | 0 |
| 709 | Validation of recommended definition in identifying elevated blood pressure in adolescents. 2019 , 21, 1343-1349 | | 5 |
| 708 | Third Trimester Fetal Cardiac Blood Flow and Cardiac Outcomes in School-Age Children Assessed By Magnetic Resonance Imaging. <i>Journal of the American Heart Association</i> , 2019 , 8, e012821 | 6 | 4 |
| 707 | Ambulatory Blood Pressure Monitoring in Pediatrics. 2019 , 21, 71 | | 10 |
| 706 | Hypertension Prevalence Based on Three Separate Visits and Its Association With Obesity Among Chinese Children and Adolescents. <i>Frontiers in Pediatrics</i> , 2019 , 7, 307 | 3-4 | 4 |
| 705 | The Prognostic Value of the Diastolic Stress Test in Patients Undergoing Treadmill Stress Echocardiography. 2019 , 32, 1298-1306 | | 7 |

| | | | |
|-----|---|-----|----|
| 704 | Hypertension is a modifiable risk factor for osteonecrosis in acute lymphoblastic leukemia. 2019 , 134, 983-986 | | 9 |
| 703 | Low Birthweight Is Associated with Higher Risk of High Blood Pressure in Chinese Girls: Results from a National Cross-Sectional Study in China. 2019 , 16, | | 2 |
| 702 | Associations between neonatal serum bilirubin and childhood hypertension. <i>PLoS ONE</i> , 2019 , 14, e0219942 | | 3 |
| 701 | Arterial tissue transcriptional profiles associate with tissue remodeling and cardiovascular phenotype in children with end-stage kidney disease. <i>Scientific Reports</i> , 2019 , 9, 10316 | 4.9 | 8 |
| 700 | Estimated kidney function in children and young adults with spina bifida: A retrospective cohort study. 2019 , 38, 1907-1914 | | 10 |
| 699 | Obesity and insulin sensitivity effects on cardiovascular risk factors: Comparisons of obese dysglycemic youth and adults. 2019 , 20, 849-860 | | 0 |
| 698 | Associations between body mass index, waist circumference, waist-to-height ratio, and high blood pressure among adolescents: a cross-sectional study. <i>Scientific Reports</i> , 2019 , 9, 9493 | 4.9 | 24 |
| 697 | Prevalence of Cardiovascular Disease Risk Factors in Childhood Glomerular Diseases. <i>Journal of the American Heart Association</i> , 2019 , 8, e012143 | 6 | 13 |
| 696 | Direct and BMI-mediated effect of birthweight on childhood cardio-metabolic health-a birth cohort study. 2019 , 43, 1923-1931 | | 2 |
| 695 | Association of School Residential PM with Childhood High Blood Pressure: Results from an Observational Study in 6 Cities in China. 2019 , 16, | | 7 |
| 694 | Kidney volume, kidney function, and ambulatory blood pressure in children born extremely preterm with and without nephrocalcinosis. 2019 , 34, 1765-1776 | | 11 |
| 693 | Blood Pressure, Heart Rate Variability, and Adiposity in Caribbean Pre-pubertal Children. <i>Frontiers in Pediatrics</i> , 2019 , 7, 269 | 3.4 | 5 |
| 692 | Central blood pressure and measures of early vascular disease in children with ADPKD. 2019 , 34, 1791-1797 | | 4 |
| 691 | Effects of the 2017 clinical practice guidelines on hypertension in children and adolescents: A commentary. 2019 , 2, 100014 | | 0 |
| 690 | Diagnosis and Treatment of Renovascular Disease in Children. 2019 , 54, 367-383 | | 7 |
| 689 | Vitamin D Trajectories From Birth to Early Childhood and Elevated Systolic Blood Pressure During Childhood and Adolescence. 2019 , HYPERTENSIONAHA11913120 | | 8 |
| 688 | Fibroblast growth factor 23 and tubular sodium handling in young patients with incipient chronic kidney disease. 2020 , 13, 389-396 | | 2 |
| 687 | Cediranib phase-II study in children with metastatic alveolar soft-part sarcoma (ASPS). 2019 , 66, e27987 | | 7 |

| | | | |
|-----|--|-----|----|
| 686 | The long-term prognosis of nephropathy in operated reflux. 2019 , 15, 605.e1-605.e8 | | 4 |
| 685 | Association of high birth weight with overweight and obesity in Chinese students aged 6-18 years: a national, cross-sectional study in China. 2019 , 9, e024532 | | 6 |
| 684 | Blood Pressure and Heart Rate Variability in Preschool Children Exposed to Smokeless Tobacco in Fetal Life. <i>Journal of the American Heart Association</i> , 2019 , 8, e012629 | 6 | 11 |
| 683 | Preconception Lifestyle and Cardiovascular Health in the Offspring of Overweight and Obese Women. <i>Nutrients</i> , 2019 , 11, | 6.7 | 3 |
| 682 | Vascular Health of Children Conceived via In Vitro Fertilization. <i>Journal of Pediatrics</i> , 2019 , 214, 47-53 | 3.6 | 4 |
| 681 | The association of dietary patterns and adherence to WHO healthy diet with metabolic syndrome in children and adolescents: Tehran lipid and glucose study. 2019 , 19, 1457 | | 13 |
| 680 | Association between Coronary Artery Measurements and Retinal Microvasculature in Children with New Onset of Kawasaki Disease. <i>Scientific Reports</i> , 2019 , 9, 16714 | 4.9 | 0 |
| 679 | The relationship between body composition and blood pressure among primary school children in Eastern Cape province, South Africa. 2019 , 11, e1-e6 | | 5 |
| 678 | Screening for pediatric hypertension: How many readings are enough?. 2019 , 21, 1358-1359 | | 0 |
| 677 | Later achievement of infant motor milestones is related to lower levels of physical activity during childhood: the GECKO Drenthe cohort. <i>BMC Pediatrics</i> , 2019 , 19, 388 | 2.6 | 0 |
| 676 | Customized versus population birth weight charts for identification of newborns at risk of long-term adverse cardio-metabolic and respiratory outcomes: a population-based prospective cohort study. 2019 , 17, 186 | | 5 |
| 675 | The association of sleep disturbances with glycemia and obesity in youth at risk for or with recently diagnosed type 2 diabetes. 2019 , 20, 1056-1063 | | 1 |
| 674 | The Association between Nitric Oxide Pathway, Blood Pressure Abnormalities, and Cardiovascular Risk Profile in Pediatric Chronic Kidney Disease. 2019 , 20, | | 13 |
| 673 | Epidurals for Coarctation Repair in Children Are Associated with Decreased Postoperative Anti-Hypertensive Infusion Requirement as Measured by a Novel Parameter, the Anti-Hypertensive Dosing Index (ADI). 2019 , 6, | | |
| 672 | Evaluation of Allostatic Load as a Marker of Chronic Stress in Children and the Importance of Excess Weight. <i>Frontiers in Pediatrics</i> , 2019 , 7, 335 | 3.4 | 9 |
| 671 | Breastfeeding, HIV exposure, childhood obesity, and prehypertension: A South African cohort study. 2019 , 16, e1002889 | | 2 |
| 670 | Autosomal dominant polycystic kidney disease: updated perspectives. 2019 , 15, 1041-1052 | | 9 |
| 669 | Assessing the efficacy and safety of magnesium sulfate for management of autonomic nervous system dysregulation in Vietnamese children with severe hand foot and mouth disease. 2019 , 19, 737 | | 3 |

| | | | |
|-----|---|-----|----|
| 668 | Early-Life Environmental Exposures and Blood Pressure in Children. 2019 , 74, 1317-1328 | | 49 |
| 667 | INTIMA-MEDIA THICKNESS OF THE CAROTID ARTERIES IS AFFECTED BY PUBERTAL MATURATION IN HEALTHY ADOLESCENTS. 2019 , 37, 428-434 | | 5 |
| 666 | Determination of insulin resistance and its relationship with hyperandrogenemia, anti-Müllerian hormone, inhibin A, inhibin B, and insulin-like peptide-3 levels in adolescent girls with polycystic ovary syndrome. 2019 , 49, 1117-1125 | | 2 |
| 665 | Repeated high blood pressure at 6 and 11 years at the Pelotas 2004 birth cohort study. 2019 , 19, 1260 | | 2 |
| 664 | Different levels of cardiometabolic indicators in multiple vs. singleton children. <i>BMC Pediatrics</i> , 2019 , 19, 331 | 2.6 | |
| 663 | Effects of metreleptin on proteinuria in patients with lipodystrophy. 2019 , | | 7 |
| 662 | The effect of a multidisciplinary weight loss program on renal circadian rhythm in obese adolescents. 2019 , 178, 1849-1858 | | 5 |
| 661 | Risk factors associated with IgA vasculitis with nephritis (Henoch-Schönlein purpura nephritis) progressing to unfavorable outcomes: A meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0223218 | 3.7 | 20 |
| 660 | Influence of Work on Elevated Blood Pressure in Hispanic Adolescents in South Texas. 2019 , 16, | | 3 |
| 659 | Regional Adipose Compartments Confer Different Cardiometabolic Risk in Children and Adolescents:: The China Child and Adolescent Cardiovascular Health Study. 2019 , 94, 1974-1982 | | 7 |
| 658 | Exercise and sport science australia position stand update on exercise and hypertension. 2019 , 33, 837-843 | | 24 |
| 657 | Blood pressure of 12-year-old children born after foetal growth restriction due to hypertensive disorders of pregnancy; relation to neonatal, life style, and family characteristics. 2019 , 130, 33-37 | | 3 |
| 656 | Lifestyle, anthropometric, socio-demographic and perinatal correlates of early adolescence hypertension: The Healthy Growth Study. 2019 , 29, 159-169 | | 8 |
| 655 | Adrenal function links to early postnatal growth and blood pressure at age 6 in children born extremely preterm. 2019 , 86, 339-347 | | 5 |
| 654 | Challenges in the classification and management of Asian youth-onset diabetes mellitus- lessons learned from a single centre study. <i>PLoS ONE</i> , 2019 , 14, e0211210 | 3.7 | 1 |
| 653 | Content of n-3 LC-PUFA in Breast Milk Four Months Postpartum is Associated with Infancy Blood Pressure in Boys and Infancy Blood Lipid Profile in Girls. <i>Nutrients</i> , 2019 , 11, | 6.7 | 6 |
| 652 | Bariatric surgery in adolescents: a prospective randomized controlled trial comparing laparoscopic gastric banding to combined lifestyle interventions in adolescents with severe obesity (BASIC trial). <i>BMC Pediatrics</i> , 2019 , 19, 34 | 2.6 | 8 |
| 651 | Estimated Change in Prevalence and Trends of Childhood Blood Pressure Levels in the United States After Application of the 2017 AAP Guideline. 2019 , 16, E12 | | 22 |

| | | | |
|-----|---|-----|----|
| 650 | Diagnostic Effect of the Single BP Cut-Offs for Identifying Elevated BP and Hypertension in Adolescents Aged 13-17 Years. 2019 , 40, 738-743 | | 0 |
| 649 | Cross-Sectional Study of Arterial Stiffness in Adolescents with Down Syndrome. <i>Journal of Pediatrics</i> , 2019 , 212, 79-86.e1 | 3.6 | 0 |
| 648 | Mental health and psychosocial adjustment in pediatric chronic kidney disease derived from the KNOW-Ped CKD study. 2019 , 34, 1753-1764 | | 11 |
| 647 | The association of obstructive sleep apnea and left ventricular hypertrophy in obese and overweight children with history of elevated blood pressure. 2019 , 21, 984-990 | | 12 |
| 646 | Management of Hypertension in CAKUT: Protective Factor for CKD. <i>Frontiers in Pediatrics</i> , 2019 , 7, 222 | 3.4 | 3 |
| 645 | Is Self-Reported Physical Fitness Useful for Estimating Fitness Levels in Children and Adolescents? A Reliability and Validity Study. 2019 , 55, | | 8 |
| 644 | COMPARISON OF DIFFERENT CRITERIA IN THE PREVALENCE OF METABOLIC SYNDROME IN STUDENTS FROM PARANAVAÍ. 2019 , 37, 332-337 | | 5 |
| 643 | Two Family Interventions to Reduce BMI in Low-Income Urban Youth: A Randomized Trial. <i>Pediatrics</i> , 2019 , 143, | 7.4 | 13 |
| 642 | Updates to pediatric hypertension guidelines: influence on classification of high blood pressure in children and adolescents. <i>Journal of Hypertension</i> , 2019 , 37, 297-306 | 1.9 | 25 |
| 641 | Factors Affecting Cardiovascular Risk in Children, Adolescents, and Young Adults with Type 1 Diabetes. 2019 , 2019, 9134280 | | 7 |
| 640 | Prediction of Shock by Peripheral Perfusion Index. 2019 , 86, 903-908 | | 6 |
| 639 | Selective Blood Pressure Screening in the Young: Quantification of Population Wide Underestimation of Elevated Blood Pressure. 2019 , 2019, 2314029 | | 1 |
| 638 | Combined effects of the rs9810888 polymorphism in calcium voltage-gated channel subunit alpha1 D (CACNA1D) and lifestyle behaviors on blood pressure level among Chinese children. <i>PLoS ONE</i> , 2019 , 14, e0216950 | 3.7 | 2 |
| 637 | Blood pressure after a heightened pesticide spray period among children living in agricultural communities in Ecuador. 2019 , 175, 335-342 | | 3 |
| 636 | Impact of acute kidney injury at the onset of idiopathic nephrotic syndrome in Japanese children. 2019 , 23, 1171-1172 | | 2 |
| 635 | Improved blood pressure and left ventricular remodelling in children on chronic intermittent haemodialysis: a longitudinal study. 2019 , 34, 1811-1820 | | 4 |
| 634 | The triglycerides and glucose index is associated with elevated blood pressure in apparently healthy children and adolescents. 2019 , 178, 1069-1074 | | 12 |
| 633 | Anthropometric indicators associated with high blood pressure in children living in urban and rural areas. 2019 , 27, e3150 | | 1 |

| | | | |
|-----|---|-----|----|
| 632 | Plasma Fibroblast Growth Factor 23 Is Elevated in Pediatric Primary Hypertension. <i>Frontiers in Pediatrics</i> , 2019 , 7, 135 | 3-4 | 3 |
| 631 | Relation between Dietary Habits, Physical Activity, and Anthropometric and Vascular Parameters in Children Attending the Primary School in the Verona South District. <i>Nutrients</i> , 2019 , 11, | 6-7 | 8 |
| 630 | Human genotyping and an experimental model reveal NPR-C as a possible contributor to morbidity in coarctation of the aorta. 2019 , 51, 177-185 | | 5 |
| 629 | 2017 Pediatric Hypertension Guidelines Improve Prediction of Adult Cardiovascular Outcomes. 2019 , 73, 1217-1223 | | 38 |
| 628 | Relation of Blood Pressure in Childhood to Self-Reported Hypertension in Adulthood. 2019 , 73, 1224-1230 | | 44 |
| 627 | Associations of the adrenomedullin gene polymorphism with prehypertension and hypertension in Lithuanian children and adolescents: a cross-sectional study. <i>Scientific Reports</i> , 2019 , 9, 6807 | 4-9 | |
| 626 | Updates on Hypertension and New Guidelines. 2019 , 66, 177-187 | | 2 |
| 625 | Prevention of Cardiovascular Diseases in Children and Adolescents. 2019 , 26, 191-197 | | 8 |
| 624 | Left ventricular cardiac geometry and ambulatory blood pressure in children. 2019 , 21, 566-571 | | 6 |
| 623 | National trends of pre-hypertension and hypertension among Iranian adolescents across urban and rural areas (2007-2011). 2019 , 10, 15 | | 6 |
| 622 | Research Gaps in Primary Pediatric Hypertension. <i>Pediatrics</i> , 2019 , 143, | 7-4 | 13 |
| 621 | Cord Blood Vitamin D Levels and Early Childhood Blood Pressure: The Healthy Start Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e011485 | 6 | 9 |
| 620 | Relationship between food insecurity and high blood pressure in a national sample of children and adolescents. 2019 , 34, 1583-1590 | | 12 |
| 619 | A retrospective analysis of children with Henoch-Schonlein purpura and re-evaluation of renal pathologies using Oxford classification. 2019 , 23, 939-947 | | 19 |
| 618 | Features of and preventive measures against hypertension in the young. 2019 , 42, 935-948 | | 12 |
| 617 | Cardiovascular disease risk among children with focal segmental glomerulosclerosis: a report from the chronic kidney disease in children study. 2019 , 34, 1403-1412 | | 4 |
| 616 | Trends in prevalence of cardiovascular risk factors from 2002 to 2012 among youth early in the course of type 1 and type 2 diabetes. The SEARCH for Diabetes in Youth Study. 2019 , 20, 693-701 | | 19 |
| 615 | Treating Hypertension in Children With -of-1 Trials. <i>Pediatrics</i> , 2019 , 143, | 7-4 | 14 |

| | | | |
|-----|--|-----|----|
| 614 | Clinical characteristics and beta-cell function of Chinese children and adolescents with type 2 diabetes from 2009 to 2018. 2019 , 15, 405-411 | | 7 |
| 613 | Are birthweight and postnatal weight gain in childhood associated with blood pressure in early adolescence? Results from a Ugandan birth cohort. 2019 , 48, 148-156 | | 14 |
| 612 | Adaptation and Validation of the Hydration Status Questionnaire in a Spanish Adolescent-Young Population: A Cross Sectional Study. <i>Nutrients</i> , 2019 , 11, | 6.7 | 3 |
| 611 | Maternal-Infant Supplementation with Small-Quantity Lipid-Based Nutrient Supplements Does Not Affect Child Blood Pressure at 4-6 Y in Ghana: Follow-up of a Randomized Trial. 2019 , 149, 522-531 | | 5 |
| 610 | Does History of Prematurity Prompt Blood Pressure Evaluations at Primary Care Visits?. 2019 , 6, 2333794X19828314 | | |
| 609 | Adiposity measures and their validity in estimating risk of hypertension in South Asian children: a cross-sectional study. 2019 , 9, e024087 | | 6 |
| 608 | Multifactorial correlates of blood pressure in South Asian children in Canada: a cross-sectional study. 2019 , 9, e027844 | | 3 |
| 607 | [Diabetes mellitus in childhood and adolescence (Update 2019)]. 2019 , 131, 85-90 | | 8 |
| 606 | Screening of Egyptian obese children and adolescents for insertion/deletion (I/D) polymorphism in angiotensin-converting enzyme gene. 2019 , 6, 21-24 | | 4 |
| 605 | Impact of updated pediatric hypertension guidelines on progression from elevated blood pressure to hypertension in a community-based primary care population. 2019 , 21, 560-565 | | 8 |
| 604 | Infant milk-feeding practices and cardiovascular disease outcomes in offspring: a systematic review. 2019 , 109, 800S-816S | | 10 |
| 603 | Endothelin-1/nitric oxide balance and HOMA index in children with excess weight and hypertension: a pathophysiological model of hypertension. 2019 , 42, 1192-1199 | | 5 |
| 602 | Low levels of urinary epidermal growth factor predict chronic kidney disease progression in children. 2019 , 96, 214-221 | | 23 |
| 601 | Impact of Treatment Modality on Vascular Function in Coarctation of the Aorta: The LOVE - COARCT Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e011536 | 6 | 10 |
| 600 | Implications of the 2017 AAP Clinical Practice Guidelines for Management of Hypertension in Children and Adolescents: a Review. 2019 , 21, 35 | | 19 |
| 599 | Obesity class versus the Edmonton Obesity Staging System for Pediatrics to define health risk in childhood obesity: results from the CANPWR cross-sectional study. 2019 , 3, 398-407 | | 13 |
| 598 | Association of accelerated body mass index gain with repeated measures of blood pressure in early childhood. 2019 , 43, 1354-1362 | | 4 |
| 597 | Genetic and metabolic predictors of hepatic fat content in a cohort of Italian children with obesity. 2019 , 85, 671-677 | | 16 |

| | | | |
|-----|--|-----|----|
| 596 | Postnatal Expression Profile of microRNAs Associated with Cardiovascular and Cerebrovascular Diseases in Children at the Age of 3 to 11 Years in Relation to Previous Occurrence of Pregnancy-Related Complications. 2019 , 20, | | 12 |
| 595 | Cardiovascular health in urban Chinese children and adolescents. 2019 , 51, 88-96 | | 13 |
| 594 | Blood pressure risk factors in early adolescents: results from a Ugandan birth cohort. 2019 , 33, 679-692 | | 6 |
| 593 | Postnatal nutritional intakes and hyperglycemia as determinants of blood pressure at 6.5 years of age in children born extremely preterm. 2019 , 86, 115-121 | | 6 |
| 592 | Blood Pressure Trajectories from Childhood to Adolescence in Pediatric Hypertension. 2019 , 49, 223-237 | | 4 |
| 591 | Thoracic Aortic Intima-Media Thickness in Preschool Children Born Small for Gestational Age. <i>Journal of Pediatrics</i> , 2019 , 208, 81-88.e2 | 3.6 | 7 |
| 590 | The population-based prevalence of hypertension and correlates of blood pressure among Australian children. 2019 , 34, 1107-1115 | | 9 |
| 589 | Hemodynamic and pharmacokinetic analysis of oxymetazoline use during nasal surgery in children. 2019 , 129, 2775-2781 | | 3 |
| 588 | Exercise and Arterial Modulation in Children: The EXAMIN YOUTH Study. 2019 , 10, 43 | | 10 |
| 587 | Maternal pre-pregnancy obesity, offspring cord blood DNA methylation, and offspring cardiometabolic health in early childhood: an epigenome-wide association study. 2019 , 14, 325-340 | | 27 |
| 586 | A multifactorial approach of nutritional, intellectual, brain development, cardiovascular risk, socio-economic, demographic and educational variables affecting the scholastic achievement in Chilean students: An eight- year follow-up study. <i>PLoS ONE</i> , 2019 , 14, e0212279 | 3.7 | 5 |
| 585 | Real-World Strategies to Treat Hypertension Associated with Pediatric Obesity. 2019 , 21, 18 | | 6 |
| 584 | Albuminuria: population epidemiology and concordance in Australian children aged 11-12 years and their parents. 2019 , 9, 75-84 | | 6 |
| 583 | Vascular function and stiffness: population epidemiology and concordance in Australian children aged 11-12 years and their parents. 2019 , 9, 34-43 | | 9 |
| 582 | Mission-based cardiac surgery and catheter treatment of coarctation of aorta in the young and older children: a facility based review of cases in Addis Ababa. 2019 , 34, 160 | | 1 |
| 581 | Nutritional status and Cardiometabolic health among adolescents; findings from southwestern Nigeria. 2019 , 5, 45 | | 3 |
| 580 | Fetal alcohol spectrum disorders from childhood to adulthood: a Swedish population-based naturalistic cohort study of adoptees from Eastern Europe. 2019 , 9, e032407 | | 14 |
| 579 | Prevalence and factors associated with hypertension in primary school children, in the centre region of Cameroon. 2019 , 8, 391-397 | | 7 |

| | | | |
|-----|--|-----|----|
| 578 | Abdominal visceral and subcutaneous adipose tissues in association with cardiometabolic risk in children and adolescents: the China Child and Adolescent Cardiovascular Health (CCACH) study. 2019 , 7, e000824 | | 12 |
| 577 | Prevalence of hyperfiltration among US youth/young adults with overweight and obesity: A population-based association study. 2019 , 5, 570-580 | | 7 |
| 576 | A comparison of clinical paediatric guidelines for hypotension with population-based lower centiles: a systematic review. 2019 , 23, 380 | | 2 |
| 575 | Aortic elasticity after aortic coarctation relief: comparison of surgical and interventional therapy by cardiovascular magnetic resonance imaging. 2019 , 19, 286 | | 2 |
| 574 | [Austrian Consensus on High Blood Pressure 2019]. 2019 , 131, 489-590 | | 3 |
| 573 | Maternal Adverse Childhood Experiences, Family Strengths, and Chronic Stress in Children. 2019 , 68, 189-199 | | 11 |
| 572 | Anthropometric and Biochemical Predictors for Hypertension in a Cross-Sectional Study in Zanzibar, Tanzania. 2019 , 7, 338 | | 2 |
| 571 | Impact of the 2017 Blood Pressure Guidelines by the American Academy of Pediatrics in overweight/obese youth. <i>Journal of Hypertension</i> , 2019 , 37, 732-738 | 1.9 | 14 |
| 570 | Child diet and health outcomes of the simple suppers program: a 10-week, 2-group quasi-experimental family meals trial. 2019 , 19, 1657 | | 4 |
| 569 | Healthy Body Weights With Corticosteroid-free Immunosuppression Is the Best Predictor of Cardiovascular Health in Children After Liver Transplantation. 2019 , 68, 713-719 | | 1 |
| 568 | Evaluation and management of elevated blood pressures in hospitalized children. 2019 , 34, 1671-1681 | | 5 |
| 567 | Efficacy of low-dose daily versus alternate-day prednisolone in frequently relapsing nephrotic syndrome: an open-label randomized controlled trial. 2019 , 34, 829-835 | | 11 |
| 566 | A clinical predictive model of chronic kidney disease in children with posterior urethral valves. 2019 , 34, 283-294 | | 9 |
| 565 | Prevalence of Hypertension in Children. 2019 , 73, 148-152 | | 84 |
| 564 | Quantile Score: A New Reference System for Quantitative Fetal Echocardiography Based on a Large Multicenter Study. 2019 , 32, 296-302.e5 | | 3 |
| 563 | A randomized control trial of the impact of LCPUFA- β supplementation on body weight and insulin resistance in pubertal children with obesity. 2019 , 14, e12499 | | 11 |
| 562 | Predictive factors for residual hypertension following aortic coarctation stenting. 2019 , 21, 291-298 | | 7 |
| 561 | A simple table based on height to assess elevated and high blood pressure in children. 2019 , 33, 248-254 | | |

| | | |
|-----|--|----|
| 560 | Long-term safety and tolerability of valsartan in children aged 6 to 17 years with hypertension. 2019 , 34, 495-506 | 8 |
| 559 | Leptin trajectories from birth to mid-childhood and cardio-metabolic health in early adolescence. 2019 , 91, 30-38 | 12 |
| 558 | Poor adherence to early childhood blood pressure measurement guidelines in a large pediatric healthcare system. 2019 , 34, 697-701 | 4 |
| 557 | Ambulatory blood pressure monitoring tolerability and blood pressure status in adolescents: the SHIP AHOY study. 2019 , 24, 12-17 | 17 |
| 556 | Utility of Different Blood Pressure Measurement Components in Childhood to Predict Adult Carotid Intima-Media Thickness. 2019 , 73, 335-341 | 26 |
| 555 | Patterns of body mass index milestones in early life and cardiometabolic risk in early adolescence. 2019 , 48, 157-167 | 23 |
| 554 | Short stature in advanced pediatric CKD is associated with faster time to reduced kidney function after transplant. 2019 , 34, 897-905 | 10 |
| 553 | A waist-to-height ratio of 0.54 is a good predictor of metabolic syndrome in 16-year-old male and female adolescents. 2019 , 85, 269-274 | 17 |
| 552 | Maternal Gestational Diabetes Is Associated With Offspring's Hypertension. 2019 , 32, 335-342 | 18 |
| 551 | Clinico-Biochemical Profile of Children with Congenital Anomalies of the Kidney and Urinary Tract: A Cross-Sectional Study. 2019 , 5, 51-57 | 2 |
| 550 | Cardioprotective Effects of Paricalcitol Alone and in Combination With FGF23 Receptor Inhibition in Chronic Renal Failure: Experimental and Clinical Studies. 2019 , 32, 34-44 | 20 |
| 549 | Albuminuria and glomerular filtration rate in obese children and adolescents. 2019 , 41, 193-199 | 1 |
| 548 | Neonatal Hypertension. 2019 , 255-270 | |
| 547 | Do adolescents with extreme obesity differ according to previous treatment seeking behavior? The Youth with Extreme obesity Study (YES) cohort. 2019 , 43, 103-115 | 4 |
| 546 | Relationships of Body Composition to Cardiac Structure and Function in Adolescents With Down Syndrome are Different than in Adolescents Without Down Syndrome. 2019 , 40, 421-430 | 2 |
| 545 | Diet and Exercise in Pediatric Liver Transplant Recipients: Behaviors and Association With Metabolic Syndrome. 2019 , 68, 81-88 | 3 |
| 544 | A clinical predictive model of renal injury in children with congenital solitary functioning kidney. 2019 , 34, 465-474 | 14 |
| 543 | Independent and combined effects of handgrip strength and adherence to a Mediterranean diet on blood pressure in Chilean children. 2019 , 60, 170-174 | 10 |

| | | | |
|-----|--|-----|----|
| 542 | Geographical variation in the prevalence of obesity and metabolic syndrome among US adolescents. 2019 , 14, e12483 | | 16 |
| 541 | Nocturnal enuresis in children is associated with differences in autonomic control. 2019 , 42, | | 4 |
| 540 | Submaximal exercise blood pressure and cardiovascular structure in adolescence. 2019 , 275, 152-157 | | 3 |
| 539 | Composite Health Outcomes in Pediatric and Young Adult Kidney Transplant Recipients. <i>Journal of Pediatrics</i> , 2019 , 204, 196-202 | 3.6 | 2 |
| 538 | Normal weight metabolically unhealthy phenotype in youth: Do definitions matter?. 2019 , 20, 143-151 | | 7 |
| 537 | Activity of lysosomal exoglycosidases in the urine of healthy normotensive and pre-hypertensive children. 2019 , 64, 24-31 | | |
| 536 | Safety, tolerability, and effectiveness of oral zonisamide therapy in comparison with intramuscular adrenocorticotrophic hormone therapy in infants with West syndrome. 2019 , 23, 136-142 | | 19 |
| 535 | Hypertensive crisis in children and adolescents. 2019 , 34, 2523-2537 | | 25 |
| 534 | Associations of Insulin Resistance and Glycemia With Liver Enzymes in Hispanic/Latino Youths: Results From the Hispanic Community Children's Health Study/Study of Latino Youth (SOL Youth). 2019 , 53, e46-e53 | | 5 |
| 533 | Individual fatty acids in erythrocyte membranes are associated with several features of the metabolic syndrome in obese children. 2019 , 58, 731-742 | | 15 |
| 532 | Management of high blood pressure in children: similarities and differences between US and European guidelines. 2019 , 34, 405-412 | | 22 |
| 531 | Estimation of the Blood Pressure Response With Exercise Stress Testing. 2019 , 28, 742-751 | | 3 |
| 530 | Characteristics and Outcomes of Critically Ill Pediatric Patients with Posterior Reversible Encephalopathy Syndrome. 2020 , 32, 145-151 | | 5 |
| 529 | Clinician Diagnoses of Failure to Thrive Before and After Switch to World Health Organization Growth Curves. 2020 , 20, 405-412 | | 0 |
| 528 | Recommendations for exercise and screening for safe athletic participation in hypertensive youth. 2020 , 35, 743-752 | | 6 |
| 527 | Blood pressure in children with chronic kidney disease: lessons learned from the Chronic Kidney Disease in Children Cohort Study. 2020 , 35, 1203-1209 | | 9 |
| 526 | Computational analysis of renal artery flow characteristics by modeling aortoplasty and aortic bypass interventions for abdominal aortic coarctation. 2020 , 71, 505-516.e4 | | 8 |
| 525 | Does hypertension at initial presentation adversely affect outcomes in pediatric traumatic brain injury?. 2020 , 55, 702-706 | | 1 |

| | | | |
|-----|---|-----|----|
| 524 | Cardiometabolic health in offspring of women with PCOS compared to healthy controls: a systematic review and individual participant data meta-analysis. 2020 , 26, 103-117 | | 25 |
| 523 | On the role of balloon angioplasty in infantile and childhood coarctation of aorta. 2020 , 27, 9-15 | | 1 |
| 522 | Racial Differences in the Influence of Risk Factors in Childhood on Left Ventricular Mass in Young Adulthood. <i>Journal of Pediatrics</i> , 2020 , 217, 152-157 | 3.6 | 2 |
| 521 | Using blood pressure height index to define hypertension among secondary school adolescents in southwestern Uganda. 2020 , 34, 76-81 | | 4 |
| 520 | Determinants of new onset cardiometabolic risk among normal weight children. 2020 , 44, 781-789 | | 4 |
| 519 | Pediatrician Communication About High Blood Pressure in Children With Overweight/Obesity During Well-Child Visits. 2020 , 20, 776-783 | | 1 |
| 518 | Growth Patterns After Kidney Transplantation in European Children Over the Past 25 Years: An ESPN/ERA-EDTA Registry Study. 2020 , 104, 137-144 | | 17 |
| 517 | Prevalence of hypertension among adolescents (10-19 years) in India: A systematic review and meta-analysis of cross-sectional studies. <i>PLoS ONE</i> , 2020 , 15, e0239929 | 3.7 | 5 |
| 516 | Serially assessed bisphenol A and phthalate exposure and association with kidney function in children with chronic kidney disease in the US and Canada: A longitudinal cohort study. 2020 , 17, e1003384 | | 14 |
| 515 | Hypertensive Crisis in Pediatric Patients: An Overview. <i>Frontiers in Pediatrics</i> , 2020 , 8, 588911 | 3.4 | 2 |
| 514 | Dietary approaches to stop hypertension (DASH) score and obesity phenotypes in children and adolescents. 2020 , 19, 112 | | 5 |
| 513 | Atypical hemolytic uremic syndrome with peripheral gangrene and homocysteinemia in a child. 2020 , 2020, omaa048 | | 1 |
| 512 | Left Ventricular Myocardial Deformations in Hemodialysis Children by Speckle Tracking Echocardiography. 2020 , 14, 1179546820930015 | | 0 |
| 511 | Clinical assessment of primary and secondary hypertension in children and adolescents. 2020 , 27, 286-291 | | 2 |
| 510 | Early Determinants of Childhood Blood Pressure at the Age of 6 Years: The GECKO Drenthe and ABCD Study Birth Cohorts. <i>Journal of the American Heart Association</i> , 2020 , 9, e018089 | 6 | 1 |
| 509 | Seasonal variation of blood pressure in children. 2021 , 36, 2257-2263 | | 1 |
| 508 | Height-based equations as screening tools for elevated blood pressure in the SAYCARE study. 2020 , 22, 2221-2229 | | 0 |
| 507 | Body Mass Index and Blood Pressure-to-Height Ratio in Predicting Incidence of Hypertension in Serbian Children. 2020 , 7, | | 0 |

| | | | |
|-----|--|-----|----|
| 506 | Asthma prevalence, lung and cardiovascular function in adolescents born preterm. <i>Scientific Reports</i> , 2020 , 10, 19616 | 4.9 | 3 |
| 505 | Obesity and Diabetes: A Sword of Damocles for Future Generations. 2020 , 8, | | 6 |
| 504 | Association Analysis in Children Born from Normal and Complicated Pregnancies-Cardiovascular Disease Associated microRNAs and the Incidence of Prehypertension/Hypertension, Overweight/Obesity, Valve Problems and Heart Defects. 2020 , 21, | | 3 |
| 503 | Children with type 1 diabetes have elevated high-sensitivity C-reactive protein compared with a control group. 2020 , 8, | | 5 |
| 502 | Association of Alanine Aminotransferase With Different Metabolic Phenotypes of Obesity in Children and Adolescents: The CASPIAN-V Study. 2020 , 11, 358 | | 0 |
| 501 | Abnormal Vital Sign Recognition and Provider Notification in the Pediatric Emergency Department. 2020 , 34, 522-534 | | |
| 500 | Online hemodiafiltration use in children: a single center experience with a twist. 2020 , 21, 306 | | 0 |
| 499 | School-based soccer practice is an effective strategy to improve cardiovascular and metabolic risk factors in overweight children. 2020 , 63, 807-812 | | 3 |
| 498 | Gender-Specific Longitudinal Association of Sleep Duration with Blood Pressure among Children: Evidence from CHNS 2004-2015. 2020 , 2020, 5475297 | | |
| 497 | Haptoglobin Phenotypes Are Associated with the Postload Glucose and Insulin Levels in Pediatric Obesity. 2020 , 2020, 6035138 | | 3 |
| 496 | Low-grade inflammation independently associates with cardiometabolic risk in children with overweight/obesity. 2020 , 30, 1544-1553 | | 18 |
| 495 | MicroRNAs and Risk Factors for Diabetic Nephropathy in Egyptian Children and Adolescents with Type 1 Diabetes. 2020 , 13, 2485-2494 | | 4 |
| 494 | Are Body Composition Parameters Better than Conventional Anthropometric Measures in Predicting Pediatric Hypertension?. 2020 , 17, | | 5 |
| 493 | Comprehensive Trends and Patterns of Antihypertensive Prescriptions Using a Nationwide Claims Database in Korea. 2020 , 12, 963-975 | | 1 |
| 492 | Pediatric hypertension: Review of the definition, diagnosis, and initial management.. 2022 , 9, 1-6 | | 1 |
| 491 | Children's Body Mass Index Depending on Dietary Patterns, the Use of Technological Devices, the Internet and Sleep on BMI in Children. 2020 , 17, | | 3 |
| 490 | New Diagnostic Criteria for Hypertension in Children and Adolescents: Lights and Shadows. 2020 , 7, | | |
| 489 | Inequalities in cardiovascular risks among Swedish adolescents (ABIS): a prospective cohort study. 2020 , 10, e030613 | | 0 |

| | | | |
|-----|---|-----|----|
| 488 | Pharmacotherapy for hyperuricaemia in hypertensive patients. 2020 , 9, CD008652 | | 0 |
| 487 | Trunk-to-peripheral fat ratio predicts a subsequent blood pressure in normal-weight pubertal boys: a 3-year follow-up of the Kitakata Kids Health Study. 2020 , 25, 41 | | 2 |
| 486 | Simultaneous evaluation of metabolomic and inflammatory biomarkers in children with different body mass index (BMI) and waist-to-height ratio (WHR). <i>PLoS ONE</i> , 2020 , 15, e0237917 | 3.7 | 2 |
| 485 | Prevalence and Predictors of High Blood Pressure Among Women of Reproductive Age and Children Aged 10 to 14 Years in Guatemala. 2020 , 17, E66 | | 0 |
| 484 | Persistent Hypertension in Children and Adolescents: A 6-Year Cohort Study. <i>Pediatrics</i> , 2020 , 146, | 7.4 | 8 |
| 483 | Effect of Sleep Disorders on Blood Pressure and Hypertension in Children. 2020 , 22, 88 | | 8 |
| 482 | Diet quality, excess body weight and cardiometabolic risk factors in adolescents living in Sã Paulo, Brazil and in the USA: differences and similarities. 2021 , 24, 4091-4101 | | 2 |
| 481 | Sugar-sweetened beverages increases the risk of hypertension among children and adolescence: a systematic review and dose-response meta-analysis. 2020 , 18, 344 | | 11 |
| 480 | Dietary habits and metabolic response improve in obese children whose mothers received an intervention to promote healthy eating: randomized clinical trial. 2020 , 20, 1240 | | 3 |
| 479 | Transcranial Doppler Can Predict Development and Outcome of Sepsis-Associated Encephalopathy in Pediatrics With Severe Sepsis or Septic Shock. <i>Frontiers in Pediatrics</i> , 2020 , 8, 450 | 3.4 | 3 |
| 478 | Retinal and Renal Microvasculature in Relation to Central Hemodynamics in 11-Year-Old Children Born Preterm or At Term. <i>Journal of the American Heart Association</i> , 2020 , 9, e014305 | 6 | 2 |
| 477 | Association between homicide rates and prevalence of cardiovascular risk factors in the municipalities included in the Study of Cardiovascular Risk Factors in Adolescents. 2020 , 187, 103-108 | | |
| 476 | Early Diabetic Nephropathy and Retinopathy in Patients with Type 1 Diabetes Mellitus Attending Sudan Childhood Diabetes Centre. 2020 , 2020, 7181383 | | 5 |
| 475 | Pediatric Hypertension: Parent Perspectives. 2020 , 7, 2333794X20981340 | | 1 |
| 474 | Subjective Proximity to Green Spaces and Blood Pressure in Children and Adolescents: The CASPIAN-V Study. 2020 , 2020, 8886241 | | 5 |
| 473 | The Relationship between Under-Nutrition and Hypertension among Ellisras Children and Adolescents Aged 9 to 17 Years. 2020 , 17, | | 0 |
| 472 | Endothelin Type A Receptor Antibodies Are Associated With Angiotensin II Type 1 Receptor Antibodies, Vascular Inflammation, and Decline in Renal Function in Pediatric Kidney Transplantation. <i>Kidney International Reports</i> , 2020 , 5, 1925-1936 | 4.1 | 9 |
| 471 | Pediatric hypertension: an updated review. 2020 , 26, 22 | | 1 |

| | | | |
|-----|---|-----|----|
| 470 | Subclinical Systolic and Diastolic Dysfunction Is Evident in Youth With Elevated Blood Pressure. 2020 , 75, 1551-1556 | | 20 |
| 469 | Speckle tracking echocardiography could detect the difference of pressure overload-induced myocardial remodelling between young and adult rats. 2020 , 17, 20190808 | | 4 |
| 468 | Is frequency of potato and white rice consumption associated with cardiometabolic risk factors in children and adolescents: the CASPIAN-V study. 2020 , 20, 239 | | 3 |
| 467 | Urinary markers of nucleic acid oxidation increase with age, obesity and insulin resistance in Danish children and adolescents. 2020 , 155, 81-86 | | 5 |
| 466 | Prematurity With Extrauterine Growth Restriction Increases the Risk of Higher Levels of Glucose, Low-Grade of Inflammation and Hypertension in Prepubertal Children. <i>Frontiers in Pediatrics</i> , 2020 , 8, 180 | 3-4 | 2 |
| 465 | Aerobic Capacity of Preterm Children with Very Low Birth Weight at School Age and its Associated Factors. 2020 , 56, 157-162 | | |
| 464 | Prevalence of hypertension in relation to anthropometric indices among secondary adolescents in Mbarara, Southwestern Uganda. 2020 , 46, 76 | | 5 |
| 463 | Fatty Acid Profile and Desaturase Activities in 7-10-Year-Old Children Attending Primary School in Verona South District: Association between Palmitoleic Acid, SCD-16, Indices of Adiposity, and Blood Pressure. 2020 , 21, | | 2 |
| 462 | Evidence Gaps in the Identification and Treatment of Hypertension in Children. 2020 , 36, 1384-1393 | | 1 |
| 461 | Elevated blood pressure and its relationship with bodyweight and anthropometric measurements among 8-11-year-old Indonesian school children. 2020 , 9, 1723 | | 0 |
| 460 | The relationship of plasma renin, angiotensin, and aldosterone levels to blood pressure variability and target organ damage in children with essential hypertension. 2020 , 20, 296 | | 6 |
| 459 | The Improving Renal Outcomes Collaborative: Blood Pressure Measurement in Transplant Recipients. <i>Pediatrics</i> , 2020 , 146, | 7-4 | 6 |
| 458 | Hemodynamic Characterization of Primary Hypertension in Children and Adolescents. <i>Journal of the American Heart Association</i> , 2020 , 9, e015097 | 6 | 5 |
| 457 | Prevalence of Key Modifiable Cardiovascular Risk Factors among Urban Adolescents: The CRO-PALS Study. 2020 , 17, | | 3 |
| 456 | Low prevalence of organic pathology in a predominantly black population with premature adrenarche: need to stratify definitions and screening protocols. 2020 , 2020, 5 | | 2 |
| 455 | Prevalence of Diabetes and Prediabetes among Children Aged 11-14 Years Old in Vietnam. 2020 , 2020, 7573491 | | 1 |
| 454 | Cardiovascular Health Trajectories From Childhood Through Middle Age and Their Association With Subclinical Atherosclerosis. 2020 , 5, 557-566 | | 27 |
| 453 | Health related quality of life associated with extreme obesity in adolescents - results from the baseline evaluation of the YES-study. 2020 , 18, 58 | | 6 |

| | | | |
|-----|--|-----|----|
| 452 | A Case-Control Study of Salivary Redox Homeostasis in Hypertensive Children. Can Salivary Uric Acid be a Marker of Hypertension?. 2020 , 9, | | 30 |
| 451 | Prevalence and Associated Lifestyle Factors of Suboptimal Health Status among Chinese Children Using a Multi-Level Model. 2020 , 17, | | 3 |
| 450 | Differences in Anthropometric and Clinical Features among Preschoolers, School-Age Children, and Adolescents with Obstructive Sleep Apnea-A Hospital-Based Study in Taiwan. 2020 , 17, | | 2 |
| 449 | Substantially Altered Expression Profile of Diabetes/Cardiovascular/Cerebrovascular Disease Associated microRNAs in Children Descending from Pregnancy Complicated by Gestational Diabetes Mellitus-One of Several Possible Reasons for an Increased Cardiovascular Risk. 2020 , 9, | | 6 |
| 448 | Kidney transplantation from small pediatric donors may be feasible to those who developed chronic refractory dialysis hypotension: a single-center experience. 2020 , 8, 683 | | 0 |
| 447 | Coarctation of Aorta in Turner Mosaicism. 2021 , 8, 268-270 | | 1 |
| 446 | Left ventricular stiffness in paediatric patients with end-stage kidney disease. 2020 , 35, 1051-1060 | | 0 |
| 445 | Predictive Ability of Waist Circumference and Waist-to-Height Ratio for Cardiometabolic Risk Screening among Spanish Children. <i>Nutrients</i> , 2020 , 12, | 6.7 | 7 |
| 444 | Association between DASH diet (Dietary Approaches to Stop Hypertension) and hypertension in adolescents: A cross-sectional school-based study. 2020 , 36, 69-75 | | 5 |
| 443 | Association of Time-Varying Blood Pressure With Chronic Kidney Disease Progression in Children. 2020 , 3, e1921213 | | 15 |
| 442 | Time to referral to a nephrology clinic for pediatric hypertension. 2020 , 35, 907-910 | | 2 |
| 441 | Circulating Donor Specific Antibodies and Carotid Intima-media Thickness in Pediatric Kidney Transplant Recipients, A Pilot Study. <i>Frontiers in Pediatrics</i> , 2020 , 8, 17 | 3.4 | 3 |
| 440 | Increased blood pressure and impaired endothelial function after accelerated growth in IVF/ICSI children. 2020 , 2020, hoz037 | | 5 |
| 439 | Environmental and intrinsic factors shaping gut microbiota composition and diversity and its relation to metabolic health in children and early adolescents: A population-based study. 2020 , 11, 900-917 | | 12 |
| 438 | Aortic dilatation in children with mild to moderate chronic kidney disease. 2020 , 35, 1023-1031 | | 5 |
| 437 | Safety and effectiveness of ataluren: comparison of results from the STRIDE Registry and CINRG DMD Natural History Study. 2020 , 9, 341-360 | | 46 |
| 436 | Cardiovascular Risk Factors Associated With the Metabolically Healthy Obese (MHO) Phenotype Compared to the Metabolically Unhealthy Obese (MUO) Phenotype in Children. 2020 , 11, 27 | | 12 |
| 435 | Time to Initiation of Antihypertensive Therapy After Onset of Elevated Blood Pressure in Patients With Primary Proteinuric Kidney Disease. 2020 , 2, 131-138 | | 1 |

| | | | |
|-----|--|-----|----|
| 434 | Epidemiology and Management of Children with Hypertensive Crisis: A Single-Center Experience. 2020 , 9, 45-50 | | 3 |
| 433 | Relationship between pediatric adiposity and cardiovascular risk factors in Saudi children and adolescents. 2020 , 27, 135-139 | | 2 |
| 432 | Clinical Decision Support for Recognizing and Managing Hypertensive Blood Pressure in Youth: No Significant Impact on Medical Costs. 2020 , 20, 848-856 | | 1 |
| 431 | Monitoring and Measurement of Intracranial Pressure in Pediatric Head Trauma. 2019 , 10, 1376 | | 3 |
| 430 | Blood pressure trajectory modeling in childhood: birth-cohort study. 2020 , 26, 2 | | 4 |
| 429 | Sugar-containing beverage consumption and cardiometabolic risk in preschool children. 2020 , 17, 101054 | | 5 |
| 428 | Associations of body mass index, physical activity and sedentary time with blood pressure in primary school children from south-west England: A prospective study. <i>PLoS ONE</i> , 2020 , 15, e0232333 | 3-7 | 3 |
| 427 | Nonalcoholic Fatty Liver Disease Is Associated With Low Skeletal Muscle Mass in Overweight/Obese Youths. <i>Frontiers in Pediatrics</i> , 2020 , 8, 158 | 3-4 | 11 |
| 426 | Timing of Endotracheal Intubation in Patients with Fulminant Enterovirus 71 Infection. 2020 , 56, | | |
| 425 | Latent class analysis of obesity-related characteristics and associations with body mass index among young children. 2020 , 6, 390-400 | | 1 |
| 424 | Discontinuation of RAAS Inhibition in Children with Advanced CKD. 2020 , 15, 625-632 | | 10 |
| 423 | Elevated Blood Pressure and Associations with Sodium Intake Among Multiethnic Youth in Edmonton, Canada: Findings from WHY ACT NOW. 2020 , 27, 239-249 | | 1 |
| 422 | Comparative Analysis of American Heart Association and European Society of Hypertension Ambulatory Blood Pressure Thresholds for Diagnosing Hypertension in Children. <i>Kidney International Reports</i> , 2020 , 5, 611-617 | 4-1 | 4 |
| 421 | Plasma Adipokines Profile in Prepubertal Children with a History of Prematurity or Extrauterine Growth Restriction. <i>Nutrients</i> , 2020 , 12, | 6-7 | 3 |
| 420 | Clinical and metabolic effect of a multidisciplinary intervention through a comprehensive care program for children and adolescents with obesity. 2020 , 40, 166-184 | | 1 |
| 419 | The challenge of simplifying blood pressure screening in children and adolescents. 2020 , 22, 876-878 | | 2 |
| 418 | Determinants of childhood blood pressure using structure equation model: the CASPIAN-V study. 2020 , 20, 193 | | 1 |
| 417 | Cardiopulmonary failure in children infected with Enterovirus A71. 2020 , 27, 53 | | 2 |

| | | |
|-----|---|-----|
| 416 | Prevalence of high blood pressure among Canadian Children: 2017 American Academy of Pediatrics guidelines with the Canadian Health Measures Survey. 2021 , 26, e158-e165 | 2 |
| 415 | Paediatric hypertension for the primary care provider: What you need to know. 2021 , 26, 93-98 | 1 |
| 414 | Left Ventricular Geometrical Changes in Severely Obese Adolescents: Prevalence, Determinants, and Clinical Implications. 2021 , 42, 331-339 | 1 |
| 413 | High estimated prevalence of bariatric surgery in young adults treated for pediatric obesity. 2021 , 17, 398-405 | 0 |
| 412 | Dietary Approaches to Stop Hypertension Dietary Intervention Improves Blood Pressure and Vascular Health in Youth With Elevated Blood Pressure. 2021 , 77, 241-251 | 22 |
| 411 | Mediation role of cardiorespiratory fitness on the association between fatness and cardiometabolic risk in European adolescents: The HELENA study. 2021 , 10, 360-367 | 8 |
| 410 | Impact of Obesity on Measures of Cardiovascular and Kidney Health in Youth With Type 1 Diabetes as Compared With Youth With Type 2 Diabetes. 2021 , 44, 795-803 | 2 |
| 409 | Establishing percentiles for blood pressure based on absolute height for children and adolescents. <i>BMC Pediatrics</i> , 2021 , 21, 26 | 2.6 |
| 408 | Serum endocan and endothelial dysfunction in childhood acute lymphoblastic leukemia survivors: a tertiary center experience. 2021 , 12, 20406223211015963 | 1 |
| 407 | Anthropometric measures and blood pressure of Greenlandic preschool children. 2021 , 80, 1954382 | 3 |
| 406 | Body Mass Index Trajectories and Duration of Obesity in Thai Children Diagnosed with Hypertension. 2021 , 8, 2333794X211012998 | |
| 405 | Blood Pressure Behavior After Correction Adult Coarctation of Aorta Short Term Follows Up. 2021 , 75, 269-273 | |
| 404 | Adult Aorta With Coarctation - One Year Follow Up. 2021 , 75, 184-187 | 0 |
| 403 | Dyslipidemia and cardiovascular disease risk factors in patients with type 1 diabetes: A single-center experience. 2021 , 12, 56-68 | 1 |
| 402 | Association of a body shape index and hip index with cardiometabolic risk factors in children and adolescents: the CASPIAN-V study. 2021 , 20, 285-292 | 0 |
| 401 | Obesity, Blood Pressure, and Intraocular Pressure: A Cross-Sectional Study in Italian Children. <i>Obesity Facts</i> , 2021 , 14, 169-177 | 5.1 |
| 400 | Pediatric Methamphetamine Toxicity: Clinical Manifestations and Therapeutic Use of Antipsychotics-One Institution's Experience. 2021 , 17, 168-175 | 2 |
| 399 | Associations of TP53 codon 72 polymorphism with complications and comorbidities in patients with type 1 diabetes. 2021 , 99, 675-683 | 2 |

| | | |
|-----|---|-------|
| 398 | The Association of the Parent-Child Language Acculturation Gap with Obesity and Cardiometabolic Risk in Hispanic/Latino Youth: Results from the Hispanic Community Children's Health Study/Study of Latino Youth (SOL Youth). 2021 , 55, 734-745 | 2 |
| 397 | A Nonlinear Relation Between Maternal Red Blood Cell Manganese Concentrations and Child Blood Pressure at Age 6-12 y: A Prospective Birth Cohort Study. 2021 , 151, 570-578 | 2 |
| 396 | Predictors of Childhood High Blood Pressure among Overweight and Obese Children and Adolescents according to the Lifestyle-Scoring Algorithm Using Data from Iranian Health Care Reform Plan. 2021 , 10, 243-256 | 0 |
| 395 | Laboratory evaluation of endocrine hypertension. 2021 , 391-447 | |
| 394 | RELATIONSHIP BETWEEN FIBER INTAKE AND CARDIOVASCULAR RISK FACTORS IN ADOLESCENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS. 2021 , 39, e2019316 | 1 |
| 393 | Adolescent metabolic syndrome and its components associations with incidence of type 2 diabetes in early adulthood: Tehran lipid and glucose study. 2021 , 13, 1 | 8 |
| 392 | Prevalence trends of hypertension among 9-17 aged children and adolescents in Yunnan, 2017-2019: a serial cross-sectional surveillance survey. 2021 , 21, 338 | 0 |
| 391 | [Infantile arterial hypertension: A diagnostic challenge in paediatrics]. 2021 , 94, 117.e1-117.e8 | |
| 390 | Associations Between Maternal Nutrition in Pregnancy and Child Blood Pressure at 4-6 Years: A Prospective Study in a Community-Based Pregnancy Cohort. 2021 , 151, 949-961 | 1 |
| 389 | Recurrent Posterior Reversible Encephalopathy Syndrome in an Adolescent Boy with End-Stage Renal Disease. 2021 , 2021, 6675454 | 1 |
| 388 | Fasting Plasma GLP-1 Is Associated With Overweight/Obesity and Cardiometabolic Risk Factors in Children and Adolescents. 2021 , 106, 1718-1727 | 3 |
| 387 | Gestational and childhood exposure to per- and polyfluoroalkyl substances and cardiometabolic risk at age 12 years. 2021 , 147, 106344 | 10 |
| 386 | The Effects of Anti-obesity Pharmacotherapy Interventions on Psychosocial Factors Among Adolescents with Obesity: a Scoping Review. 2021 , 10, 58-70 | 0 |
| 385 | Associations of Clinical Characteristics and Etiology With Death in Hospitalized Chinese Children After Spontaneous Intracerebral Hemorrhage: A Single-Center, Retrospective Cohort Study. <i>Frontiers in Pediatrics</i> , 2020 , 8, 576077 | 3.4 0 |
| 384 | A reappraisal of the prevalence of pediatric hypertension through a nationwide database in Taiwan. <i>Scientific Reports</i> , 2021 , 11, 4475 | 4.9 0 |
| 383 | The Influence of Maturity Status on Resting Energy Expenditure, Body Composition and Blood Pressure in Physically Active Children. 2021 , 9, | |
| 382 | The Diagnostic-Measurement Method-Resting Energy Expenditure Assessment of Polish Children Practicing Football. 2021 , 11, | 1 |
| 381 | Epidemiology of Obesity and Hypertension in School Adolescents Aged 15-17 from the Region of Central Poland-A Cross-Sectional Study. 2021 , 18, | 0 |

| | | | |
|-----|--|-----|----|
| 380 | School-based surveillance on visit-to-visit blood pressure variability and high blood pressure in children and adolescents. 2021 , 21, 141 | | |
| 379 | Risk Factors for Postoperative Bleeding after Adenoidectomy. 2021 , 8, | | 0 |
| 378 | Long-term follow-up of children with in utero exposure to sulfonylurea medications. 2021 , 7, 487-493 | | 0 |
| 377 | Care Does Not Stop Following ROSC: A Quality Improvement Approach to Postcardiac Arrest Care. <i>Pediatric Quality & Safety</i> , 2021 , 6, e392 | 1 | |
| 376 | Evaluation and Comparison of Solid Lipid Nanoparticles (SLNs) and Nanostructured Lipid Carriers (NLCs) as Vectors to Develop Hydrochlorothiazide Effective and Safe Pediatric Oral Liquid Formulations. 2021 , 13, | | 13 |
| 375 | Long-Term Treatment With Extended-Release Methylphenidate Treatment in Children Aged 4 to . 2021 , | | 1 |
| 374 | Clinical Characteristics and Factors Associated With Hypertension in 205 Hospitalized Children: A Single-Center Study in Southwest China. <i>Frontiers in Pediatrics</i> , 2021 , 9, 620158 | 3-4 | 3 |
| 373 | Cross-sectional investigation of insulin resistance in youths with autism spectrum disorder. Any role for reduced brain glucose metabolism?. 2021 , 11, 229 | | 1 |
| 372 | Palmitoleic and Dihomo- γ -Linolenic Acids Are Positively Associated With Abdominal Obesity and Increased Metabolic Risk in Children. <i>Frontiers in Pediatrics</i> , 2021 , 9, 628496 | 3-4 | 1 |
| 371 | DNA Methylation, Preterm Birth and Blood Pressure in African American Children: The DPREG Study. 2021 , 1 | | |
| 370 | Oxidative status in plasma, urine and saliva of girls with anorexia nervosa and healthy controls: a cross-sectional study. 2021 , 9, 54 | | 1 |
| 369 | Using MEST-C Scores and the International Study of Kidney Disease in Children Classification to Predict Outcomes of Henoch-Sch \ddot{u} lein Purpura Nephritis in Children. <i>Frontiers in Pediatrics</i> , 2021 , 9, 658845 | 3-4 | 0 |
| 368 | Comparison of blood pressure values and expression of genes associated with hypertension in children before and after hematopoietic cell transplantation. <i>Scientific Reports</i> , 2021 , 11, 9303 | 4-9 | |
| 367 | Prevalence of Hypertension and Albuminuria in Pediatric Type 2 Diabetes: A Systematic Review and Meta-analysis. 2021 , 4, e216069 | | 5 |
| 366 | Efficacy and Safety of Intravenous Labetalol in Acute Hypertensive Crisis in Children. 2021 , 1 | | 3 |
| 365 | Trends in Prevalence of Hypertension and Hypertension Phenotypes Among Chinese Children and Adolescents Over Two Decades (1991-2015). <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 627741 | 5-4 | 4 |
| 364 | Different Associations between Tonsil Microbiome, Chronic Tonsillitis, and Intermittent Hypoxemia among Obstructive Sleep Apnea Children of Different Weight Status: A Pilot Case-Control Study. 2021 , 11, | | 1 |
| 363 | Cardiovascular Risk Factors are Inversely Associated With Omega-3 Polyunsaturated Fatty Acid Plasma Levels in Pediatric Kidney Transplant Recipients. 2021 , 31, 278-285 | | 1 |

| | | | |
|-----|--|-----|---|
| 362 | Efficacy and safety of mirabegron in children and adolescents with neurogenic detrusor overactivity: An open-label, phase 3, dose-titration study. 2021 , 40, 1490-1499 | | 3 |
| 361 | The triglyceride / glucose index as an insulin resistance marker in the pediatric population and its relation to eating habits and physical activity. 2021 , 68, 296-303 | | 1 |
| 360 | Validation of a Histologic Scoring Index for C3 Glomerulopathy. 2021 , 77, 684-695.e1 | | 7 |
| 359 | Addressing Preterm Birth History With Clinical Practice Recommendations Across the Life Course. 2021 , 35, e5-e20 | | 3 |
| 358 | National School-Based Health Lifestyles Intervention in Chinese Children and Adolescents on Obesity and Hypertension. <i>Frontiers in Pediatrics</i> , 2021 , 9, 615283 | 3-4 | 3 |
| 357 | Impact of the 2017 American Academy of Pediatrics' Clinical Practice Guideline on the Identification and Risk Stratification of Youth at Increased Cardiovascular Disease Risk. 2021 , 77, 1815-1824 | | 5 |
| 356 | Low-level exposure to lead, mercury, arsenic, and cadmium, and blood pressure among 8-17-year-old participants of the 2009-2016 National Health and Nutrition Examination Survey. 2021 , 197, 111086 | | 6 |
| 355 | Improving Blood Pressure Accuracy in the Outpatient Adolescent Setting. <i>Pediatric Quality & Safety</i> , 2021 , 6, e416 | 1 | 0 |
| 354 | Postnatal Expression Profile of MicroRNAs Associated with Cardiovascular Diseases in 3- to 11-Year-Old Preterm-Born Children. 2021 , 9, | | 0 |
| 353 | Spøkkomplikationen. 2021 , 56, 38-42 | | 0 |
| 352 | Prevalence and factors associated with hypertension among school children and adolescents in urban and semi-urban areas in Cameroon. 2021 , 23, 1490-1497 | | 1 |
| 351 | Discordances between pediatric and adult thresholds in the diagnosis of hypertension in adolescents with CKD. 2021 , 1 | | 1 |
| 350 | Hyperuricemia Is an Early and Relatively Common Feature in Children with Nephropathy but Its Utility as a Predictor of the Disease Is Limited. 2021 , 10, | | 1 |
| 349 | Obesity-Related Hypertension in Pediatrics, the Impact of American Academy of Pediatrics Guidelines. <i>Nutrients</i> , 2021 , 13, | 6.7 | 0 |
| 348 | Effects of a novel mobile health intervention compared to a multi-component behaviour changing program on body mass index, physical capacities and stress parameters in adolescents with obesity: a randomized controlled trial. <i>BMC Pediatrics</i> , 2021 , 21, 308 | 2.6 | 4 |
| 347 | Association Between Hypoalbuminemia, Degree of Proteinuria, and Lupus Nephritis Class: A Single-Center Cross-Sectional Biopsy Study. 2021 , In Press, | | |
| 346 | Hypertension in Children and Adolescents: A Position Statement From a Panel of Multidisciplinary Experts Coordinated by the French Society of Hypertension. <i>Frontiers in Pediatrics</i> , 2021 , 9, 680803 | 3-4 | 4 |
| 345 | High Prevalence of Celiac Disease among Danish Adolescents - A Population-Based Study. 2021 , | | 3 |

| | | | |
|-----|---|-----|---|
| 344 | Association of Parental Socioeconomic Status and Physical Activity with Development of Arterial Stiffness in Prepubertal Children. 2021 , 18, | | 0 |
| 343 | Midkine: Utility as a Predictor of Early Diabetic Nephropathy in Children with Type 1 Diabetes Mellitus. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2021 , 13, 293-299 | 1.9 | 1 |
| 342 | Acanthosis Nigricans in Children and Adolescents with Type 1 Diabetes or Obesity: The Potential Interplay Role between Insulin Resistance and Excess Weight. 2021 , 8, | | 2 |
| 341 | Angiopietin-Like Proteins 2 and 3 in Children and Adolescents with Obesity and Their Relationship with Hypertension and Metabolic Syndrome. 2021 , 2021, 6748515 | | 0 |
| 340 | The Aggressive Diabetic Kidney Disease in Youth-Onset Type 2 Diabetes: Pathogenetic Mechanisms and Potential Therapies. 2021 , 57, | | 3 |
| 339 | Normalization of Muscle Strength Measurements in the Assessment of Cardiometabolic Risk Factors in Adolescents. 2021 , 18, | | 2 |
| 338 | Pericardial Constriction and Myocardial Restriction in Pediatric Mulibrey Nanism: A Complex Disease With Diastolic Dysfunction.. 2022 , 4, 28-36 | | 0 |
| 337 | Breastfeeding in the First Days of Life Is Associated With Lower Blood Pressure at 3 Years of Age. <i>Journal of the American Heart Association</i> , 2021 , 10, e019067 | 6 | 0 |
| 336 | Correlation between kidney sodium and potassium handling and the renin-angiotensin-aldosterone system in children with hypertensive disorders. 2021 , 1 | | 1 |
| 335 | Impact of short-term change of adiposity on risk of high blood pressure in children: Results from a follow-up study in China. <i>PLoS ONE</i> , 2021 , 16, e0257144 | 3.7 | 0 |
| 334 | Pharmacological modulation of fish-induced depth selection in <i>D. magna</i> : the role of cholinergic and GABAergic signalling. <i>Scientific Reports</i> , 2021 , 11, 19407 | 4.9 | 2 |
| 333 | Evaluation of ventricular systolic function by speckle tracking technique in patients with biliary atresia before and after liver transplantation. <i>Scientific Reports</i> , 2021 , 11, 17807 | 4.9 | 0 |
| 332 | Hypertension in Children with Obstructive Sleep Apnea Syndrome-Age, Weight Status, and Disease Severity. 2021 , 18, | | 2 |
| 331 | Incidence and correlates of high blood pressure from childhood to adulthood: the Birth to Twenty study. <i>Journal of Hypertension</i> , 2021 , 40, | 1.9 | |
| 330 | A higher bacterial inward BCAA transport driven by <i>Faecalibacterium prausnitzii</i> is associated with lower serum levels of BCAA in early adolescents. 2021 , 27, 108 | | 0 |
| 329 | Is Office Blood Pressure Measurement Reliable in Obese Adolescents?. 2021 , 14, 3809-3817 | | 0 |
| 328 | Differences in Blood Pressure Levels Among Children by Sociodemographic Status. 2021 , 18, E88 | | 3 |
| 327 | Levels of angiotensin-converting enzyme 1 and 2 in serum and urine of children with Sickle Cell Disease. 2021 , 43, 303-310 | | |

| | | |
|-----|---|-------|
| 326 | Sex-Related Differences in Cardiovascular Disease Risk Profile in Children and Adolescents with Type 1 Diabetes. 2021 , 22, | 1 |
| 325 | CARDEA study protocol: investigating early markers of cardiovascular disease and their association with lifestyle habits, inflammation and oxidative stress in adolescence using a cross-sectional comparison of adolescents with type 1 diabetes and healthy controls. 2021 , 11, e046585 | 1 |
| 324 | Vitamin D in pediatric patients with obesity and arterial hypertension. <i>Scientific Reports</i> , 2021 , 11, 195914.9 | 1 |
| 323 | Association of childhood obesity phenotypes with early adulthood Carotid Intima-Media Thickness (CIMT): Tehran lipid and glucose study. 2021 , | 1 |
| 322 | Organophosphate pesticides and progression of chronic kidney disease among children: A prospective cohort study. 2021 , 155, 106597 | 4 |
| 321 | Short-Duration Prednisolone in Children with Nephrotic Syndrome Relapse: A Noninferiority Randomized Controlled Trial. 2021 , 16, 225-232 | 5 |
| 320 | Renovascular hypertension in children. 2021 , 4, 10 | 8 |
| 319 | Thirty-Year Risk of Cardiovascular Disease Events in Adolescents with Severe Obesity. 2020 , 28, 616-623 | 14 |
| 318 | Primary Hypertension in Children. 2013 , 295-308 | 1 |
| 317 | The CKiD study: overview and summary of findings related to kidney disease progression. 2021 , 36, 527-538 | 11 |
| 316 | Thinking Beyond HLH: Clinical Features of Patients with Concurrent Presentation of Hemophagocytic Lymphohistiocytosis and Thrombotic Microangiopathy. 2020 , 40, 699-707 | 19 |
| 315 | Discordant Risk: Overweight and Cardiometabolic Risk in Chinese Adults. 2013 , 21, E166-74 | 25 |
| 314 | Patterns of Growth, Body Composition, and Lipid Profiles in a South African Cohort of Human Immunodeficiency Virus-Infected and Uninfected Children: A Cross-Sectional Study. 2018 , 7, 143-150 | 13 |
| 313 | Elevated blood pressure in childhood and hypertension risk in adulthood: a systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2020 , 38, 2346-2355 | 1.9 8 |
| 312 | Mean mid-arm circumference and blood pressure cuff sizes for US children, adolescents and adults: National Health and Nutrition Examination Survey, 2011-2016. 2018 , 23, 305-311 | 4 |
| 311 | Under-recognition of pediatric hypertension diagnosis: Examination of 1 year of visits to community health centers. 2021 , 23, 257-264 | 2 |
| 310 | Hypertension in Low-Income Adolescents. 2017 , 4, 2333794X17741819 | 2 |
| 309 | Age-period-cohort projection of trends in blood pressure and body mass index in children and adolescents in Hong Kong. <i>BMC Pediatrics</i> , 2020 , 20, 43 | 2.6 2 |

| | | | |
|-----|--|-----|-----|
| 308 | 2018 Chinese Guidelines for Prevention and Treatment of Hypertension-A report of the Revision Committee of Chinese Guidelines for Prevention and Treatment of Hypertension. 2019 , 16, 182-241 | | 205 |
| 307 | Generalized seizures as the first manifestation of multihormonal pituitary hormone deficiency causing normovolemic hyponatremia. 2013 , 14, 507-10 | | 4 |
| 306 | Nocturnal Hypertension and Attenuated Nocturnal Blood Pressure Dipping is Common in Pediatric Lupus. 2015 , 4, 164 | | 11 |
| 305 | Clinical overview of hypertensive crisis in children. 2015 , 3, 510-3 | | 4 |
| 304 | TeenBP: Development and Piloting of an EHR-Linked Clinical Decision Support System to Improve Recognition of Hypertension in Adolescents. 2015 , 3, 1142 | | 14 |
| 303 | Normative blood pressure and heart rate in pediatric spinal cord injury. 2013 , 19, 87-95 | | 3 |
| 302 | Leptin replacement improves cognitive development. <i>PLoS ONE</i> , 2008 , 3, e3098 | 3.7 | 99 |
| 301 | Gender differences in healthy ranges for serum alanine aminotransferase levels in adolescence. <i>PLoS ONE</i> , 2011 , 6, e21178 | 3.7 | 56 |
| 300 | Henoch schonlein purpura--a 5-year review and proposed pathway. <i>PLoS ONE</i> , 2012 , 7, e29512 | 3.7 | 34 |
| 299 | Paediatric acute kidney injury in a tertiary hospital in Nigeria: prevalence, causes and mortality rate. <i>PLoS ONE</i> , 2012 , 7, e51229 | 3.7 | 52 |
| 298 | Increased systemic Th17 cytokines are associated with diastolic dysfunction in children and adolescents with diabetic ketoacidosis. <i>PLoS ONE</i> , 2013 , 8, e71905 | 3.7 | 15 |
| 297 | Severe obesity and cardiometabolic risk in children: comparison from two international classification systems. <i>PLoS ONE</i> , 2013 , 8, e83793 | 3.7 | 17 |
| 296 | High blood pressure and its association with body weight among children and adolescents in the United Arab Emirates. <i>PLoS ONE</i> , 2014 , 9, e85129 | 3.7 | 20 |
| 295 | Old habits die hard: a nationwide utilization study of short-acting nifedipine in Taiwan. <i>PLoS ONE</i> , 2014 , 9, e91858 | 3.7 | 2 |
| 294 | Low physical activity level and short sleep duration are associated with an increased cardio-metabolic risk profile: a longitudinal study in 8-11 year old Danish children. <i>PLoS ONE</i> , 2014 , 9, e104677 | 3.7 | 87 |
| 293 | Micro-RNAs Let7e and 126 in Plasma as Markers of Metabolic Dysfunction in 10 to 12 Years Old Children. <i>PLoS ONE</i> , 2015 , 10, e0128140 | 3.7 | 23 |
| 292 | Sex-Specific Mediating Role of Insulin Resistance and Inflammation in the Effect of Adiposity on Blood Pressure of Prepubertal Children. <i>PLoS ONE</i> , 2015 , 10, e0132097 | 3.7 | 7 |
| 291 | Racial Differences of Pediatric Hypertension in Relation to Birth Weight and Body Size in the United States. <i>PLoS ONE</i> , 2015 , 10, e0132606 | 3.7 | 18 |

| | | | |
|-----|--|-----|----|
| 290 | 1H-MRS Measured Ectopic Fat in Liver and Muscle in Danish Lean and Obese Children and Adolescents. <i>PLoS ONE</i> , 2015 , 10, e0135018 | 3.7 | 15 |
| 289 | Fast Food Intake Increases the Incidence of Metabolic Syndrome in Children and Adolescents: Tehran Lipid and Glucose Study. <i>PLoS ONE</i> , 2015 , 10, e0139641 | 3.7 | 26 |
| 288 | High Blood Pressure among Students in Public and Private Schools in Macei Brazil. <i>PLoS ONE</i> , 2015 , 10, e0142982 | 3.7 | 11 |
| 287 | Pediatric in-Hospital Death from Infectious Disease in Uganda: Derivation of Clinical Prediction Models. <i>PLoS ONE</i> , 2016 , 11, e0150683 | 3.7 | 7 |
| 286 | Proteinuria during Follow-Up Period and Long-Term Renal Survival of Childhood IgA Nephropathy. <i>PLoS ONE</i> , 2016 , 11, e0150885 | 3.7 | 19 |
| 285 | Associations of Birth Order with Early Adolescent Growth, Pubertal Onset, Blood Pressure and Size: Evidence from Hong Kong's "Children of 1997" Birth Cohort. <i>PLoS ONE</i> , 2016 , 11, e0153787 | 3.7 | 13 |
| 284 | Effects of Malnutrition on Left Ventricular Mass in a North-Malagasy Children Population. <i>PLoS ONE</i> , 2016 , 11, e0154523 | 3.7 | 11 |
| 283 | Acute Activation of Metabolic Syndrome Components in Pediatric Acute Lymphoblastic Leukemia Patients Treated with Dexamethasone. <i>PLoS ONE</i> , 2016 , 11, e0158225 | 3.7 | 15 |
| 282 | Maternal Age of Menarche and Blood Pressure in Adolescence: Evidence from Hong Kong's "Children of 1997" Birth Cohort. <i>PLoS ONE</i> , 2016 , 11, e0159855 | 3.7 | 4 |
| 281 | Glucose-6-Phosphate Dehydrogenase Deficiency and Physical and Mental Health until Adolescence. <i>PLoS ONE</i> , 2016 , 11, e0166192 | 3.7 | 1 |
| 280 | Quantification of Abdominal Fat in Obese and Healthy Adolescents Using 3 Tesla Magnetic Resonance Imaging and Free Software for Image Analysis. <i>PLoS ONE</i> , 2017 , 12, e0167625 | 3.7 | 24 |
| 279 | Former Very Preterm Infants Show an Unfavorable Cardiovascular Risk Profile at a Preschool Age. <i>PLoS ONE</i> , 2016 , 11, e0168162 | 3.7 | 27 |
| 278 | Clinical and Metabolic Characteristics among Mexican Children with Different Types of Diabetes Mellitus. <i>PLoS ONE</i> , 2016 , 11, e0168377 | 3.7 | 2 |
| 277 | Differential adipokine receptor expression on circulating leukocyte subsets in lean and obese children. <i>PLoS ONE</i> , 2017 , 12, e0187068 | 3.7 | 12 |
| 276 | A longitudinal study of the associations of children's body mass index and physical activity with blood pressure. <i>PLoS ONE</i> , 2017 , 12, e0188618 | 3.7 | 11 |
| 275 | Dyslipidemia, chronic inflammation, and subclinical atherosclerosis in children and adolescents infected with HIV: The PosiHIVE Health Study. <i>PLoS ONE</i> , 2018 , 13, e0190785 | 3.7 | 19 |
| 274 | Cardiovascular Disease Risk Factors in Hispanic Adolescents in South Texas. 2016 , 109, 130-6 | | 3 |
| 273 | Effectiveness of physical exercise to reduce cardiovascular risk factors in youths: a randomized clinical trial. 2015 , 7, 348-55 | | 5 |

| | | |
|-----|--|----|
| 272 | Associations of Apolipoprotein A, High-Sensitivity C-Reactive Protein and Fasting Plasma Insulin in Obese Children With and Without Family History of Cardiovascular Disease. 2016 , 8, 431-6 | 5 |
| 271 | Hypertension in children in emergency department. 2016 , 5, 171-3 | 2 |
| 270 | Obesity and Hypertension among School-going Adolescents in Peru. 2015 , 5, 60-7 | 10 |
| 269 | Blood pressure in 3-year-old girls associates inversely with umbilical cord serum 25-hydroxyvitamin D: an Odense Child Cohort study. 2018 , 7, 1236-1244 | 5 |
| 268 | Impact of acute kidney injury on long-term mortality and progression to chronic kidney disease among critically ill children. 2017 , 38, 138-142 | 7 |
| 267 | The effects of obesity on kidney function: a challenge for nephrologists. 2019 , 41, 162-165 | 3 |
| 266 | [Prevalence of pre-hypertension and arterial hypertension and evaluation of associated factors in children and adolescents in public schools in Salvador, Bahia State, Brazil]. 2011 , 27, 1065-75 | 21 |
| 265 | Plasma concentrations of retinol in obese children and adolescents: relationship to metabolic syndrome components. 2014 , 32, 50-4 | 6 |
| 264 | Evaluation of cardiovascular risk in school children. 2009 , 9, 182-6 | 7 |
| 263 | The Prevalence of High Blood Pressure Among Children aged 11-18 Years in Birjand District, Eastern Iran in 2012: A Cross-Sectional Study. 2014 , 1, | 1 |
| 262 | Prevalence of Noncommunicable Diseases[Risk Factors Among Secondary School Students in Eastern Iran in 2013. 2016 , 3, | 1 |
| 261 | Assessment of Health and Nutritional Status in Children Based on School Screening Programs. 2014 , 3, | 2 |
| 260 | Correlation of the Homeostasis Model Assessment Index and Adiponectin, Leptin and Insulin Levels to Body Mass Index-Associated Gene Polymorphisms in Adolescents. 2018 , 18, e291-e298 | 2 |
| 259 | Vascular risks and management of obesity in children and adolescents. 2006 , 2, 171-87 | 32 |
| 258 | Pharmacokinetics of olmesartan medoxomil in pediatric patients with hypertension. 2012 , 14, 401-9 | 9 |
| 257 | Long-Term Follow-Up of a Randomized Controlled Trial to Reduce Excessive Weight Gain in Infancy: Protocol for the Prevention of Overweight in Infancy (POI) Follow-Up Study at 11 Years. 2020 , 9, e24968 | 1 |
| 256 | Cross-Sectional Study of 24-Hour Urinary Electrolyte Excretion and Associated Health Outcomes in a Convenience Sample of Australian Primary Schoolchildren: The Salt and Other Nutrients in Children (SONIC) Study Protocol. 2015 , 4, e7 | 17 |
| 255 | Prediction of Preadolescent Overweight and Poor Cardiometabolic Outcome in Children up to 6 Years of Age: Research Protocol. 2016 , 5, e85 | 3 |

| | | |
|-----|--|----|
| 254 | Metabolic syndrome severity and lifestyle factors among adolescents. 2018 , 70, 467-475 | 11 |
| 253 | Childhood nephrotic syndrome at the University of Abuja Teaching Hospital, Abuja, Nigeria: a preliminary report supports high steroid responsiveness. 2019 , 19, 126-139 | 3 |
| 252 | Renal scarring following urinary tract infections in children. 2019 , 19, 25-30 | 3 |
| 251 | Validation study of the Dinamap ProCare 200 upper arm blood pressure monitor in children and adolescents. 2011 , 54, 463-9 | 17 |
| 250 | The correlation of blood pressure with height and weight in Korean adolescents aged 10-19 years; The Korean National Health and Nutrition Examination Surveys (2009-2011). 2014 , 57, 35-40 | 2 |
| 249 | Blood Pressure Curve for Children Less than 10 Years of Age: Findings from the Ewha Birth and Growth Cohort Study. 2020 , 35, e91 | 3 |
| 248 | Blood Pressure Increase and Microvascular Dysfunction Accelerate Arterial Stiffening in Children: Modulation by Physical Activity. 2020 , 11, 613003 | 3 |
| 247 | Sex Differences in Association of Elevated Blood Pressure with Variables Characterizing Cardiometabolic Risk in Young Subjects with or Without Metabolic Abnormalities. 2020 , 17, | 2 |
| 246 | The impact of Action Schools! BC on the health of Aboriginal children and youth living in rural and remote communities in British Columbia. 2012 , 71, 17999 | 28 |
| 245 | Cardiovascular disease risk factor profiles in children with celiac disease on gluten-free diets. 2013 , 19, 5658-64 | 54 |
| 244 | Type 2 diabetes markers in indigenous Argentinean children living at different altitudes. 2018 , 5, 440-453 | 5 |
| 243 | Does growing up at high altitude pose a risk factor for type 2 diabetes?. 2019 , 6, 96-98 | 2 |
| 242 | Blood Pressure Reference Values for Normal Weight Korean Children and Adolescents: Data from The Korea National Health and Nutrition Examination Survey 1998-2016: The Korean Working Group of Pediatric Hypertension. 2019 , 49, 1167-1180 | 5 |
| 241 | Role of 24-h ambulatory blood pressure monitoring in children with chronic kidney disease. 2015 , 25, 355-61 | 12 |
| 240 | Targeting renin-angiotensin system in malignant hypertension in atypical hemolytic uremic syndrome. 2017 , 27, 136-140 | 4 |
| 239 | Distribution of blood pressure & correlates of hypertension in school children aged 5-14 years from North East India. 2015 , 142, 293-300 | 8 |
| 238 | Relationship of body mass index and other life style factors with hypertension in adolescents. 2016 , 9, 29-34 | 14 |
| 237 | Distribution of blood pressure in school going children in rural area of Wardha district, Maharashtra, India. 2008 , 1, 101-6 | 27 |

| | | |
|-----|--|----|
| 236 | Fast foods and physical inactivity are risk factors for obesity and hypertension among adolescent school children in east district of Sikkim, India. 2015 , 6, 356-9 | 28 |
| 235 | Obesity in Kolkata children: Magnitude in relationship to hypertension. 2011 , 2, 101-6 | 11 |
| 234 | Low Birth Weight as a Predictor of Cardiovascular Risk Factors in Childhood and Adolescence? The PEP Family Heart Study. 2015 , 6, 121 | 7 |
| 233 | Budding adult hypertensives with modifiable risk factors: "Catch them young". 2016 , 23, 38-42 | 4 |
| 232 | Is small town India falling into the nutritional trap of metro cities? A study in school-going adolescents. 2016 , 5, 581-586 | 3 |
| 231 | Early signs of microvascular complications in pediatric patients with short duration of type 1 diabetes mellitus seen in southeast Nigeria. 2019 , 18, 200-205 | 2 |
| 230 | Prevalence of hypertension and prehypertension in schoolchildren from Central India. 2019 , 12, 90-96 | 12 |
| 229 | High blood pressure in children: The invisible dragon. 2019 , 12, 73-76 | 2 |
| 228 | Rationale and design of Long-term Outcomes and Vascular Evaluation after Successful Coarctation of the Aorta Treatment study. 2018 , 11, 282-296 | 3 |
| 227 | Evaluation of left ventricular function in obese children without hypertension by a tissue Doppler imaging study. 2018 , 11, 28-33 | 5 |
| 226 | Dexmedetomidine-propofol vs ketamine-propofol anaesthesia in paediatric and young adult patients undergoing device closure procedures in cardiac catheterisation laboratory: An open label randomised trial. 2018 , 62, 531-537 | 5 |
| 225 | Prevalence of Pediatric Metabolic Syndrome and Associated Risk Factors among School-Age Children of 10-16 Years Living in District Shimla, Himachal Pradesh, India. 2018 , 22, 373-378 | 12 |
| 224 | Glomerular Hyperfiltration as Predictor of Cardiometabolic Risk Factors among Children and Adolescents: The Childhood and Adolescence Surveillance and Prevention of Adult-V Study. 2018 , 9, 33 | 5 |
| 223 | What do we Learn from the Prevention Education Program Family Heart Study about Lifestyle change, Blood Pressure, and Lipids in Children and Parents?. 2018 , 9, 107 | 2 |
| 222 | Association of Neck Circumference and Obesity with Blood Pressure among Adolescents in Urban and Rural Population in North Tamil Nadu. 2017 , 8, 144-149 | 3 |
| 221 | Lipid regulatory genes polymorphism in children with and without obesity and cardiometabolic risk factors: The CASPIAN-III study. 2018 , 23, 11 | 5 |
| 220 | THE ASSOCIATION OF PLASMA LEVELS OF miR-34a AND miR-149 WITH OBESITY AND INSULIN RESISTANCE IN OBESE CHILDREN AND ADOLESCENTS. 2018 , 14, 149-154 | 10 |
| 219 | Risk factors for impaired glucose tolerance in obese children and adolescents. 2010 , 1, 129-34 | 4 |

| | | | |
|-----|--|-----|----|
| 218 | Obesity and cardiometabolic disease risk factors among US adolescents with disabilities. 2015 , 6, 200-7 | | 7 |
| 217 | Elevated Urinary T Helper 1 Chemokine Levels in Newly Diagnosed Hypertensive Obese Children. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2015 , 7, 175-82 | 1.9 | 5 |
| 216 | Assessment of Cardiovascular Parameters in Obese Children and Adolescents with Non-Alcoholic Fatty Liver Disease. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2015 , 7, 222-7 | 1.9 | 1 |
| 215 | Cellular Trace Element Changes in Type 1 Diabetes Patients. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2016 , 8, 180-6 | 1.9 | 5 |
| 214 | Urinary Netrin-1: A New Biomarker for the Early Diagnosis of Renal Damage in Obese Children. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2016 , 8, 282-7 | 1.9 | 7 |
| 213 | Serum Irisin and Oxytocin Levels as Predictors of Metabolic Parameters in Obese Children. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2017 , 9, 124-131 | 1.9 | 26 |
| 212 | The Relationship Between Glycemic Variability and Inflammatory Markers in Obese Children with Insulin Resistance and Metabolic Syndrome. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2017 , 9, 202-207 | 1.9 | 10 |
| 211 | Optimal Cut-off Points of Fasting and Post-Glucose Stimulus Surrogates of Insulin Resistance as Predictors of Metabolic Syndrome in Adolescents According to Several Definitions. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2018 , 10, 139-146 | 1.9 | 6 |
| 210 | Associations Between Serum Uric Acid Concentrations and Cardiometabolic Risk and Renal Injury in Obese and Overweight Children. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2019 , 11, 262-269 | 1.9 | 12 |
| 209 | The Significance of Thiol/Disulfide Homeostasis and Ischemia-modified Albumin Levels in Assessing Oxidative Stress in Obese Children and Adolescents. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2020 , 12, 45-54 | 1.9 | 5 |
| 208 | Hypertension and obstructive sleep apnea in Caucasian children. 2010 , 2, 251-6 | | 23 |
| 207 | Long-term results of children diagnosed with idiopathic nephrotic syndrome; single center experience. 2015 , 50, 37-44 | | 4 |
| 206 | Lifestyle intervention as a treatment for obesity among school-age-children in Celaya, Guanajuato: An experimental study. 2013 , 2, 21 | | 3 |
| 205 | Benefit of BP Measurement in Pediatric ED Patients. 2012 , 2012, 627354 | | 5 |
| 204 | Reducing childhood obesity through coordinated care: Development of a park prescription program. 2016 , 5, 234-43 | | 9 |
| 203 | Pre-treatment considerations in childhood hypertension due to chronic kidney disease. 2015 , 4, 500-10 | | 5 |
| 202 | Chronic kidney disease in children and adolescents in Brunei Darussalam. 2016 , 5, 213-9 | | 5 |
| 201 | Evaluation of left ventricular function in overweight children and teenagers with arterial hypertension and white coat hypertension. 2019 , 26, 343-349 | | 0 |

| | | | |
|-----|--|-----|----|
| 200 | The Association of Dairy Intake With Metabolic Syndrome and Its Components in Adolescents: Tehran Lipid and Glucose Study. 2015 , 13, e25201 | | 16 |
| 199 | Assessment of Microvascular Function in Children and Adolescents with Diabetes and Obesity. 2020 , 18, e90094 | | 1 |
| 198 | Blood Pressure Profile in the 7th and 11th Year of Life in Children Born Prematurely. 2016 , 26, e5080 | | 1 |
| 197 | Serum Heat Shock Protein Levels in IgA Nephropathy. 2018 , 28, | | 1 |
| 196 | Steroid Response Pattern Among Children with Nephrotic Syndrome in Northern Ethiopia. 2020 , 12, | | 2 |
| 195 | Burden of Hypertension and Abnormal Glomerular Permeability in Hypertensive School Children. 2016 , 8, e37568 | | 1 |
| 194 | Intra-uterine growth restriction as a risk factor for hypertension in children six to 10 years old. 2014 , 25, 73-7 | | 11 |
| 193 | High blood pressure in children and its correlation with three definitions of obesity in childhood. <i>Arquivos Brasileiros De Cardiologia</i> , 2014 , 102, 175-80 | 1.2 | 7 |
| 192 | High Blood Pressure in Adolescents of Curitiba: Prevalence and Associated Factors. <i>Arquivos Brasileiros De Cardiologia</i> , 2016 , 106, 411-8 | 1.2 | 6 |
| 191 | 7th Brazilian Guideline of Arterial Hypertension: Chapter 2 - Diagnosis and Classification. <i>Arquivos Brasileiros De Cardiologia</i> , 2016 , 107, 7-13 | 1.2 | 58 |
| 190 | 7th Brazilian Guideline of Arterial Hypertension: Chapter 10 - Hypertension in Children and Adolescents. <i>Arquivos Brasileiros De Cardiologia</i> , 2016 , 107, 53-63 | 1.2 | 13 |
| 189 | Behavior of Blood Pressure Variables in Children and Adolescents with Duchenne Muscular Dystrophy. <i>Arquivos Brasileiros De Cardiologia</i> , 2018 , 110, 551-557 | 1.2 | 4 |
| 188 | Updated Cardiovascular Prevention Guideline of the Brazilian Society of Cardiology - 2019. <i>Arquivos Brasileiros De Cardiologia</i> , 2019 , 113, 787-891 | 1.2 | 29 |
| 187 | Serum FGF21 Levels in Obese Korean Children and Adolescents. 2017 , 26, 204-209 | | 15 |
| 186 | ECG is an inefficient screening-tool for left ventricular hypertrophy in normotensive African children population. 2016 , 4, e2439 | | 1 |
| 185 | Factors associated with elevated blood pressure or hypertension in Afro-Caribbean youth: a cross-sectional study. 2018 , 6, e4385 | | 12 |
| 184 | The influence of maternal body mass index and physical activity on select cardiovascular risk factors of preadolescent Hispanic children. 2018 , 6, e6100 | | 3 |
| 183 | Prevalence of Hypertension and its Risk Factors Among School Going Adolescents of Patna, India. 2017 , 11, SC01-SC04 | | 4 |

| | | | |
|-----|--|-----|----|
| 182 | Hypertension Induced by Aripiprazole Use in an Autistic Child Patient. 2019 , 17, 556-558 | | 1 |
| 181 | Retrospective Evaluation on the Use of a New Polysaccharide Complex in Managing Paediatric Type 1 Diabetes with Metabolic Syndrome (MetS). <i>Nutrients</i> , 2021 , 13, | 6.7 | 0 |
| 180 | Risk Factors for Progression of Chronic Kidney Disease With Glomerular Etiology in Hospitalized Children. <i>Frontiers in Pediatrics</i> , 2021 , 9, 752717 | 3.4 | 1 |
| 179 | Prevalence Implications of the 2017 American Academy of Pediatrics Hypertension Guideline and Associations with Adult Hypertension. <i>Journal of Pediatrics</i> , 2021 , | 3.6 | 2 |
| 178 | High Fructose Intake Contributes to Elevated Diastolic Blood Pressure in Adolescent Girls: Results from The HELENA Study. <i>Nutrients</i> , 2021 , 13, | 6.7 | 3 |
| 177 | Management of Obesity and Its Complications in Children and Adolescents. 2021 , 88, 1222-1234 | | 0 |
| 176 | Cardiac Autonomic Modulation is a Key Factor for High Blood Pressure in Adolescents. <i>Arquivos Brasileiros De Cardiologia</i> , 2021 , 117, 648-654 | 1.2 | 0 |
| 175 | Diagnosis of hypertension: Ambulatory pediatric American Heart Association/European Society of Hypertension versus blood pressure load thresholds. 2021 , 23, 1947-1956 | | 4 |
| 174 | Management of End-Stage Renal Disease in Childhood and Adolescence. 2008 , 522-535 | | |
| 173 | Management of Pediatric Kidney Disease. 2008 , 497-521 | | |
| 172 | Monitoring The blood pressure in children at the age of 14-15 in Martin. 2009 , 2, 39-50 | | |
| 171 | The Kidney in Infants and Children. 2009 , 398-403 | | 0 |
| 170 | Management of Diabetes Mellitus in Children. 2010 , 916-942 | | |
| 169 | The structure of metabolic syndrome components across follow-up survey from childhood to adolescence. 2013 , 11, 16-22 | | 5 |
| 168 | Risk factors associated with high blood pressure in two-to five-year-old children. <i>Arquivos Brasileiros De Cardiologia</i> , 2014 , 102, 39-46 | 1.2 | 17 |
| 167 | Blood pressure in adolescence, adipokines and inflammation in young adults. The rio de janeiro study. <i>Arquivos Brasileiros De Cardiologia</i> , 2014 , 102, 60-9 | 1.2 | 3 |
| 166 | Elevated blood pressure and obesity in childhood: a cross-sectional evaluation of 4,609 schoolchildren. <i>Arquivos Brasileiros De Cardiologia</i> , 2014 , 103, 238-44 | 1.2 | 16 |
| 165 | A nationwide report on blood pressure of children and adolescents according to socioeconomic status: The CASPIAN-IV study. 2015 , 20, 646-55 | | 1 |

- 164 The Prevalence of Elevated Blood Pressure in Adolescents in Nassau, The Bahamas. **2015**, 64, 17-22 0
- 163 Nocturnal Hypertension and Attenuated Nocturnal Blood Pressure Dipping is Common in Pediatric Lupus. **2015**, 4, 164 5
- 162 Antihypertensive agents for children with chronic kidney disease.
- 161 Causes of Pediatric Kidney Failure, Treatment of Chronic Kidney Disease, and Timing of Transplantation. **2016**, 1-19
- 160 Childhood cardiovascular risk factors, a predictor of late adolescent overweight. **2016**, 5, 56 1
- 159 Treatment of Childhood Hypertension. **2016**, 1361-1381
- 158 Evaluation of Periaortic Adiposity and Metabolic Disorders in Obese Children. *JCRPE Journal of Clinical Research in Pediatric Endocrinology*, **2016**, 8, 74-9 1.9 1
- 157 A Systematic Review of Studies on Blood Pressure in Iranian Pediatric Population: First Report From the Middle East and North Africa. **2016**, 26, e4496 4
- 156 High-Normal Arterial Blood Pressure in Children With Excess Body Weight. **2016**, 26, e4677 3
- 155 Pharmacologic Treatment of Pediatric Hypertension. **2017**, 1-25
- 154 Home Blood Pressure Monitoring as an Alternative to Confirm Diagnoses of Hypertension in Adolescents with Elevated Office Blood Pressure from a Brazilian State Capital. *Arquivos Brasileiros De Cardiologia*, **2017**, 109, 241-247 1.2 3
- 153 Ocular Manifestations of Cardiac Disease. **2017**, 79-89
- 152 Methodology of Casual Blood Pressure Measurement. **2017**, 1-17
- 151 Hypertension: Under Recorded and Under Recognised in General Paediatric Outpatient Clinics. **2017**, In Press,
- 150 Methodology of Casual Blood Pressure Measurement. **2018**, 235-250
- 149 Spezielle Prävention. **2018**, 137-148
- 148 Blood Pressure Trends in Children and Adolescents: Predictors of Blood Pressure Elevation in Children and Adolescents. **2018**, 797-819
- 147 Pharmacologic Treatment of Pediatric Hypertension. **2018**, 767-790

| | | | |
|-----|--|-----|---|
| 146 | Anemia and Its Effect on Cardiovascular Findings in Obese Adolescents. 2018 , 35, 192-196 | | 2 |
| 145 | Serum Heat Shock Protein Levels in IgA Nephropathy. 2018 , In Press, | | |
| 144 | Higher steroid sulfation is linked to successful weight loss in obese children. 2018 , 7, 1020-1030 | | 1 |
| 143 | Comment: Prevalence of hypertension and prehypertension in schoolchildren from Central India. 2019 , 12, 348 | | |
| 142 | Reply: Prevalence of hypertension and prehypertension in schoolchildren from Central India. 2019 , 12, 349 | | 1 |
| 141 | Do We Know the Normal Blood Pressure Level in Korean Children and Adolescents?. 2019 , 49, 1181-1182 | | |
| 140 | A 10-Year Old Girl with Resistant Hypertension without Significant Indication of an Underlying Renal Cell Carcinoma, Misdiagnosed as Malaria. 2019 , 20, 1434-1439 | | 2 |
| 139 | Timing and predictive factors of developing chronic kidney disease in childhood-onset idiopathic nephrotic syndrome: an Asian experience. 2020 , 61, 483-486 | | |
| 138 | The natural history of solitary post-nephrectomy kidney in a pediatric population. 2019 , 45, 1227-1237 | | 0 |
| 137 | Comparison of Trends in Blood Pressure and the Prevalence of Obesity Among Korean and American Adolescents: A 12-Years Cross-sectional Study. 2020 , 53, 45-55 | | 1 |
| 136 | Early Adiposity Rebound Predicts Obesity and Adiposity in Youth with Congenital Adrenal Hyperplasia. 2020 , 93, 609-615 | | 3 |
| 135 | Contributing Factors for Pediatric Ambulatory Diagnostic Process Errors: Project RedDE. <i>Pediatric Quality & Safety</i> , 2020 , 5, e299 | 1 | 0 |
| 134 | Age-, sex-, and height-based blood pressure reference charts, Yazd children 6-18 years, Iran. 2020 , 63, 321-328 | | 1 |
| 133 | Conservative Treatment for Childhood and Adolescent Obesity: Real World Follow-Up Profiling and Clinical Evolution in 1300 Patients. <i>Nutrients</i> , 2021 , 13, | 6.7 | |
| 132 | Pediatric Simplified Acute Physiology Score II: Establishment of a New, Repeatable Pediatric Mortality Risk Assessment Score. <i>Frontiers in Pediatrics</i> , 2021 , 9, 757822 | 3.4 | 1 |
| 131 | Compensatory Hypertrophy in Paediatric Patients with a Unilateral Ureteropelvic Junction Obstruction.. 2021 , 34, 10-16 | | |
| 130 | New guidelines for the diagnosis, evaluation, and treatment of pediatric hypertension. 2020 , 55, 11-22 | | 0 |
| 129 | Demographic Influences and Health Disparities. 2020 , 169-197 | | |

| | | | |
|-----|--|-----|----|
| 128 | Clinical Relevance of Fluid Volume Status Assessment by Bioimpedance Spectroscopy in Children Receiving Maintenance Hemodialysis or Peritoneal Dialysis. 2020 , 10, | | 0 |
| 127 | Undiagnosed elevated blood pressure and its life style related risk factors among adults: Cross sectional survey. 2020 , 9, 4962-4968 | | 1 |
| 126 | Diabetic Microvascular Complications Among Children and Adolescents in Northwestern Tanzania: A Cross-Sectional Study. 2020 , 86, 43 | | 3 |
| 125 | Aerobic Capacity of Preterm Children with Very Low Birth Weight at School Age and its Associated Factors. 2020 , 56, 157-162 | | |
| 124 | Performance of different adiposity measures for predicting left ventricular remodeling in Chinese hypertensive youth. <i>Scientific Reports</i> , 2021 , 11, 21943 | 4.9 | 0 |
| 123 | Prevalence of hypertension and selected cardiovascular risk factors among adolescents in selected rural and urban secondary schools in Botswana. 2020 , 31, 142-146 | | 1 |
| 122 | Total body water by BIA in children and young adults with normal and excessive weight. <i>PLoS ONE</i> , 2020 , 15, e0239212 | 3.7 | 0 |
| 121 | Blood pressure charts in UK children. 2007 , 92, 1045-6 | | 1 |
| 120 | Blood pressure centiles for Great Britain: can they be safely applied to clinical practice?. 2007 , 92, 1046 | | |
| 119 | Correlation of obesity with elevated blood pressure among racial/ethnic minority children in two Los Angeles middle schools. 2008 , 5, A46 | | 10 |
| 118 | Prevalence of type 2 diabetes, obesity and the metabolic syndrome among Canadian First Nations children in a remote Pacific coast community. 2009 , 14, 79-83 | | 5 |
| 117 | Blood pressure standards for Saudi children and adolescents. 2009 , 29, 173-8 | | 15 |
| 116 | Prenatal cocaine exposure and BMI and blood pressure at 9 years of age. <i>Journal of Hypertension</i> , 2010 , 28, 1166-75 | 1.9 | 9 |
| 115 | Adiposity, biological markers of disease, and insulin resistance in Mexican American adolescents, 2004-2005. 2011 , 8, A40 | | 15 |
| 114 | Clinical preventive services for patients at risk for cardiovascular disease, National Ambulatory Medical Care Survey, 2005-2006. 2011 , 8, A43 | | 9 |
| 113 | Nutrition and Cardiovascular Risk Factors in Four Age Groups of Female Individuals: The PEP Family Heart Study. 2010 , 1, 103-9 | | 3 |
| 112 | Prevalence of Cardiovascular Disease Risk Factors in Migrants Participating in the PEP Family Heart Study, Nuremberg. 2010 , 1, 19-28 | | 8 |
| 111 | Identifying metabolic syndrome in African American children using fasting HOMA-IR in place of glucose. 2011 , 8, A64 | | 19 |

| | | |
|-----|--|-----|
| 110 | Blood pressure measurement guidelines for physical therapists. 2011 , 22, 5-12 | 42 |
| 109 | Management recommendations for metabolic complications associated with second generation antipsychotic use in children and youth. 2011 , 20, 234-41 | 17 |
| 108 | Acute and long term effects of grape and pomegranate juice consumption on endothelial dysfunction in pediatric metabolic syndrome. 2011 , 16, 245-53 | 28 |
| 107 | A 12-week Interdisciplinary Intervention Program for Children who are Obese. 2011 , 22, 12-20 | 6 |
| 106 | Management recommendations for metabolic complications associated with second-generation antipsychotic use in children and youth. 2011 , 16, 575-80 | 18 |
| 105 | Effects of adenoidectomy on markers of endothelial function and inflammation in normal-weight and overweight prepubescent children with sleep apnea. 2011 , 16 Suppl 1, S387-94 | 7 |
| 104 | Methodology and Early Findings of the Third Survey of CASPIAN Study: A National School-based Surveillance of Students' High Risk Behaviors. 2012 , 3, 394-401 | 101 |
| 103 | Overweight, air and noise pollution: Universal risk factors for pediatric pre-hypertension. 2011 , 16, 1234-50 | 29 |
| 102 | Blood pressure standards for shiraz (southern iran) school children in relation to height. 2012 , 22, 223-30 | 2 |
| 101 | Development and validation of a tool for assessing glucose impairment in adolescents. 2012 , 9, E104 | 3 |
| 100 | [Not Available]. 2012 , 17, 5B-11B | |
| 99 | Power-up: a collaborative after-school program to prevent obesity in African American children. 2011 , 5, 363-73 | 17 |
| 98 | Tooth brushing and cardiometabolic risk factors in adolescents: Is there an association? The CASPIAN-III study. 2013 , 4, 271-8 | 9 |
| 97 | Estimating Blood Pressure in Children and Adolescents: Should Body Weight be Included?. 2013 , 4, 381-2 | 1 |
| 96 | Salt intake and the association with blood pressure in young Iranian children: first report from the middle East and north Africa. 2013 , 4, 475-83 | 17 |
| 95 | Elevated Blood Pressure among Rural South African Children in Thohoyandou, South Africa. 2013 , 42, 489-96 | 11 |
| 94 | Liver disease among children in Hawai'i diagnosed with metabolic syndrome. 2013 , 72, 167-71 | 1 |
| 93 | Hypertension in romanian children and adolescents: a cross-sectional survey. 2013 , 8, 5-10 | 4 |

| | | |
|----|--|-----|
| 92 | Determining cardiovascular disease risk in elementary school children: developing a healthy heart score. 2007 , 6, 142-8 | 9 |
| 91 | Objectively measured physical activity and cardiovascular disease risk factors in African American girls. 2008 , 18, 421-6 | 13 |
| 90 | Methodology and Early Findings of the Fourth Survey of Childhood and Adolescence Surveillance and Prevention of Adult Non-Communicable Disease in Iran: The CASPIAN-IV Study. 2013 , 4, 1451-60 | 101 |
| 89 | Hypertensive encephalopathy. 2012 , 6, 1-7 | 9 |
| 88 | Is small for gestational age status associated with an increased risk of atherogenesis?. 2013 , 8, 315-20 | 2 |
| 87 | Prehypertension and cardiovascular risk factors in children and adolescents participating in the community-based prevention education program family heart study. 2014 , 5, S50-6 | 8 |
| 86 | Hypertension and its correlates among school adolescents in delhi. 2014 , 5, S65-70 | 6 |
| 85 | Prevalence of Prehypertension and Hypertension in a Nationally Representative Sample of Iranian Children and Adolescents: The CASPIAN-IV Study. 2014 , 5, S57-64 | 20 |
| 84 | Prehypertension: a warning sign of future cardiovascular risk. 2014 , 5, S4-9 | 10 |
| 83 | Strategies to reduce pitfalls in measuring blood pressure. 2014 , 5, S17-20 | 8 |
| 82 | The Prevalence of Pre-hypertension in Children with Type 1 Diabetes Mellitus. 2014 , 5, S44-9 | 6 |
| 81 | Dependence of P-wave dispersion on mean arterial pressure as an independent hemodynamic variable in school children. 2013 , 44, 178-83 | 2 |
| 80 | First report on the lipid profile late after kawasaki disease in Iranian children. 2014 , 5, 820-4 | 4 |
| 79 | Underlying Rationale and Approach to Treat Hypertension in Adolescents by Physicians of Different Specialty. 2013 , 1, | 1 |
| 78 | The concept of marketing in the public-private partnership in the medical system in Romania. 2014 , 7 Spec No. 3, 20-2 | 5 |
| 77 | Comparison of the status of overweight/obesity among the youth of local Shanghai, young rural-to-urban migrants and immigrant origin areas. 2015 , 8, 2804-14 | 7 |
| 76 | Impact of hypertension on healthcare costs among children. 2014 , 20, 622-8 | 8 |
| 75 | Maternal obesity - a risk factor for metabolic syndrome in children. 2013 , 86, 259-65 | 3 |

| | | | |
|----|--|-----|----|
| 74 | Brain Stem Hemorrhage in a 2-Year-10-Month-Old Child with Renovascular Hypertension Related to Fibromuscular Dysplasia. 2015 , 31, 564-7 | | 1 |
| 73 | Atrial Functions and Aortic Elasticity in Children with Aortic Coarctation. 2015 , 31, 183-92 | | 1 |
| 72 | Blood Pressure Nomograms for Children and Adolescents by Age and Body Mass Index in Tehran, Iran. 2017 , 46, 368-379 | | 2 |
| 71 | Serum levels of soluble urokinase plasminogen activator receptor as a new inflammatory marker in adolescent obesity. 2017 , 145, 327-333 | | 5 |
| 70 | Clinical and Imaging Findings in Childhood Posterior Reversible Encephalopathy Syndrome. 2018 , 12, 16-25 | | 6 |
| 69 | Rourke Baby Record 2017: Clinical update for preventive care of children up to 5 years of age. 2019 , 65, 183-191 | | 12 |
| 68 | . 2019 , 65, e99-e109 | | |
| 67 | Blood pressure profile for children aged 5 to 6 years and its associated factors - a cross-sectional study in Kuching district, Sarawak. 2019 , 14, 2-9 | | |
| 66 | Prevalence and risk factors for hypertension among school children in Ilorin, Northcentral Nigeria. 2019 , 26, 181-186 | | 2 |
| 65 | Nationwide Study on Practices Related to Screening Among Greek Paediatricians. 2020 , 52, 237-342 | | |
| 64 | Cardiac autonomic modulation of adolescents with different levels of sleep quality. 2020 , 13, 224-229 | | |
| 63 | Effect of obesity on sleep quality, anthropometric and autonomic parameters in adolescent. 2020 , 13, 298-303 | | |
| 62 | Pentraxin 3 as a Marker for Cardiovascular Disease Risk in Overweight and Obese Children. 2021 , 37, 177-183 | | 0 |
| 61 | Impact of oral -arginine supplementation on blood pressure dynamics in children with severe sickle cell vaso-occlusive crisis. 2021 , 11, 136-147 | | |
| 60 | Children hypertension in Northern Africa. 2021 , 11, 222-230 | | 1 |
| 59 | Brazilian Nutritional Consensus in Hematopoietic Stem Cell Transplantation: children and adolescents.. 2021 , 19, eAE5254 | | |
| 58 | Serum Neudesin Levels in Obese Adolescents. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2021 , | 1.9 | 0 |
| 57 | Pediatrician Adherence to Guidelines for Diagnosis and Management of High Blood Pressure. <i>Journal of Pediatrics</i> , 2021 , | 3.6 | 4 |

| | | | |
|----|--|-----|---|
| 56 | The association between growth patterns and blood pressure in children and adolescents: A cross-sectional study of seven provinces in China. 2021 , 23, 2053 | | 1 |
| 55 | Comparison of China Reference with Different National and International References: The Prevalence of High Blood Pressure in 695,302 Children and Adolescents in a Metropolis of Yangtze River Delta, China. 2021 , 2021, 3976609 | | 0 |
| 54 | Adrenal Steroid Metabolism and Blood Pressure in 5- to 7-Year-Old Children Born Preterm as Compared to Peers Born at Term.. <i>Frontiers in Pediatrics</i> , 2021 , 9, 754989 | 3.4 | |
| 53 | Utility of Three Adiposity Indices for Identifying Left Ventricular Hypertrophy and Geometric Remodeling in Chinese Children. 2021 , 12, 762250 | | 1 |
| 52 | Long-Term Follow-Up of Patients with a Diagnosis of Posterior Reversible Encephalopathy Syndrome.. 2021 , 56, 569-575 | | 1 |
| 51 | Prevalence and Risk Factors of Posterior Reversible Encephalopathy Syndrome in Isfahan, Iran.. 2021 , 10, 53 | | 0 |
| 50 | Extreme Birth Weight and Metabolic Syndrome in Children.. <i>Nutrients</i> , 2022 , 14, | 6.7 | 0 |
| 49 | Cardiovascular Burden Is High in Pediatric Lung Transplant Recipients.. 2022 , | | 0 |
| 48 | Nationwide Study on Practices Related to Screening Among Greek Paediatricians. 2020 , 52, 237-242 | | |
| 47 | Paediatric Hypertension in Africa: A Systematic Review and Meta-Analysis.. 2022 , 43, 101229 | | 0 |
| 46 | Hypertension in Pediatric Acute Lymphoblastic Leukemia Patients: Prevalence, Impact, and Management Strategies.. 2022 , 15, 1-10 | | 0 |
| 45 | Urinary Extracellular Vesicles as a Source of NGAL for Diabetic Kidney Disease Evaluation in Children and Adolescents With Type 1 Diabetes Mellitus.. 2021 , 12, 654269 | | 1 |
| 44 | Cardiovascular risk factor progression in adolescents and young adults with youth-onset type 2 diabetes.. 2022 , 36, 108123 | | 2 |
| 43 | Prevalence of Secondary Hypertension in Otherwise Healthy Youth with a New Diagnosis of Hypertension: A Meta-Analysis.. <i>Journal of Pediatrics</i> , 2022 , | 3.6 | 2 |
| 42 | The Mediation Role of Fatness in Associations between Cardiorespiratory Fitness and Blood Pressure after High-Intensity Interval Training in Adolescents.. 2022 , 19, | | 0 |
| 41 | Serum Cystatin C Levels Are Associated With Obesity in Adolescents Aged 14-17 Years.. 2022 , 13, 816201 | | 0 |
| 40 | The high-intensity interval training introduced in physical education lessons decrease systole in high blood pressure adolescents.. <i>Scientific Reports</i> , 2022 , 12, 1974 | 4.9 | 1 |
| 39 | Home-Based Long-Term Physical Endurance and Inspiratory Muscle Training for Children and Adults With Fontan Circulation-Initial Results From a Prospective Study.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 784648 | 5.4 | 1 |

| | | | |
|----|--|-----|---|
| 38 | The Role of Urotensin-II in Obesity and Metabolic Syndrome in Pediatric Population.. 2022 , 9, | | |
| 37 | Long-term follow up of a boy with unilateral autosomal dominant polycystic kidney disease and contralateral renal agenesis. 2017 , 21, 380-383 | | 1 |
| 36 | Effectiveness and safety assessment of beta-blockers, calcium channel blockers, and angiotensin receptor blockers in hypertensive patients: a prospective study. 2021 , 11, 601-610 | | |
| 35 | Predictive capacity of anthropometric indicators of body fat in identifying hypertension in adolescents.. 2021 , 14, 465-470 | | |
| 34 | Prevalence and Risks Factors of Prehypertension in Africa: A Systematic Review.. 2022 , 88, 13 | | |
| 33 | Diagnostic accuracy of anthropometric indices for discriminating elevated blood pressure in pediatric population: a systematic review and a meta-analysis.. <i>BMC Pediatrics</i> , 2022 , 22, 19 | 2.6 | o |
| 32 | Early Renal Ultrasound in Patients with Congenital Solitary Kidney Can Guide Follow-Up Strategy Reducing Costs While Keeping Long-Term Prognostic Information.. 2022 , 11, | | 1 |
| 31 | Screening and Identification of Putative Long Non-Coding RNA in Childhood Obesity: Evaluation of Their Transcriptional Levels.. 2022 , 10, | | o |
| 30 | Hyperglucagonemia in pediatric adiposity associates with cardiometabolic risk factors but not hyperglycemia.. 2022 , | | o |
| 29 | Characterization of rapid weight gain phenotype in children with narcolepsy.. 2022 , | | o |
| 28 | Gender Specificity and Local Socioeconomic Influence on Association of fl/d3 Polymorphism With Growth and Metabolism in Children and Adolescents.. <i>Frontiers in Pediatrics</i> , 2022 , 10, 546080 | 3-4 | |
| 27 | High Blood Pressure in Children and Adolescents: Current Perspectives and Strategies to Improve Future Kidney and Cardiovascular Health.. <i>Kidney International Reports</i> , 2022 , 7, 954-970 | 4.1 | o |
| 26 | Multiple non-invasive peripheral vascular function parameters with obesity and cardiometabolic risk indicators in school-aged children.. <i>BMC Pediatrics</i> , 2022 , 22, 146 | 2.6 | o |
| 25 | High blood pressure among adolescents in Africa: A systematic review and meta-analysis protocol.. <i>PLoS ONE</i> , 2022 , 17, e0264728 | 3.7 | o |
| 24 | Arterial Stiffness in a Cohort of Young People Living With Perinatal HIV and HIV Negative Young People in England.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 821568 | 5.4 | o |
| 23 | White coat hypertension persistence in children and adolescents: The Pediatric Nephrology Research Consortium study.. <i>Journal of Pediatrics</i> , 2022 , | 3.6 | 2 |
| 22 | Associations of maternal gestational hypertension with high blood pressure and overweight/obesity in their adolescent offspring: a retrospective cohort study.. <i>Scientific Reports</i> , 2022 , 12, 3800 | 4.9 | o |
| 21 | Severe Quantitative Scale of Acanthosis Nigricans in Neck is Associated with Abdominal Obesity, HOMA-IR, and Hyperlipidemia in Obese Children from Mexico City: A Cross-Sectional Study.. <i>Dermatology Research and Practice</i> , 2022 , 2022, 2906189 | 2 | o |

| | | | |
|----|---|-----|---|
| 20 | A stakeholder-driven method for selecting implementation strategies: a case example of pediatric hypertension clinical practice guideline implementation.. <i>Implementation Science Communications</i> , 2022 , 3, 25 | 2.2 | 1 |
| 19 | Neonatal Acute Kidney Injury.. <i>Frontiers in Pediatrics</i> , 2022 , 10, 842544 | 3.4 | 4 |
| 18 | Reversibility of pancreatic β cells dysfunction after vitamin D and calcium supplementation: a pilot study in a population of obese and prepubescent North-African children.. <i>Libyan Journal of Medicine</i> , 2022 , 17, 2059896 | 1.4 | 1 |
| 17 | Plasma Fibroblast Growth Factor 23 as a Predictor for Fosinopril Therapeutic Efficacy in Pediatric Primary Hypertension.. <i>Journal of the American Heart Association</i> , 2022 , e023182 | 6 | |
| 16 | Endothelial Dysfunction in Childhood Cancer Survivors: A Narrative Review.. <i>Life</i> , 2021 , 12, | 3 | 2 |
| 15 | Association between marginally low birth weight and obesity-related outcomes indirect effects via ADHD and abnormal eating.. <i>Obesity Facts</i> , 2021 , | 5.1 | |
| 14 | Impaired Antioxidant Defence Status Is Associated With Metabolic-Inflammatory Risk Factors in Preterm Children With Extrauterine Growth Restriction: The BIORICA Cohort Study.. <i>Frontiers in Nutrition</i> , 2021 , 8, 793862 | 6.2 | |
| 13 | Hypertension and Associated Lipid, Glucose, and Adiposity Parameters in School-Aged Adolescents in the Federal District, Brazil.. <i>Arquivos Brasileiros De Cardiologia</i> , 2022 , | 1.2 | 0 |
| 12 | The Association between Treatment Modality, Lipid Profile, Metabolic Control in Children with Type 1 Diabetes and Celiac Disease-Data from the International Sweet Registry.. <i>Nutrients</i> , 2021 , 13, | 6.7 | 1 |
| 11 | Urinary NGAL is a Potential Biomarker for Early Renal Injury in Insulin Resistant Obese Non-diabetic Children. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2021 , 13, 400-407 | 1.9 | 1 |
| 10 | Retinopathy screening in patients with type 1 diabetes diagnosed in young age using a non-mydratic digital stereoscopic retinal imaging. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 389-94 | 5.2 | 9 |
| 9 | Comparison of two classifications of metabolic syndrome in the pediatric population and the impact of cholesterol. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 466-73 | 5.2 | 3 |
| 8 | Associations between two single nucleotide polymorphisms of the adiponectin gene, its circulating concentrations and cardiometabolic risk factors in prepubertal children with and without abdominal obesity. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 869-75 | 5.2 | |
| 7 | Development of Blood Pressure Norms and Definition of Hypertension in Children. 2022 , 1-13 | | |
| 6 | Acute kidney injury in COVID-19 pediatric patients in North America: Analysis of the virtual pediatric systems data.. <i>PLoS ONE</i> , 2022 , 17, e0266737 | 3.7 | 0 |
| 5 | Cardiovascular Considerations for Stimulant Class Medications. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2022 , | 3.3 | |
| 4 | Longitudinal analysis of resting energy expenditure and body mass composition in physically active children and adolescents.. <i>BMC Pediatrics</i> , 2022 , 22, 260 | 2.6 | 0 |
| 3 | Ions and Fluid Dynamics in Hypertension. 2022 , 1-13 | | |

2 Improving Blood Pressure Screening in Neonatal Follow-up Clinic: A Quality Improvement Initiative. *Pediatric Quality & Safety*, **2022**, 7, e559 1

1 Disparities between determinants of impaired vascular structure and function in young people with primary hypertension: a systematic review. *Journal of Hypertension*, **2022**, 40, 1369-1379 1.9 0