

CITATION REPORT

List of articles citing

Rural-urban differences in depression prevalence: implications for family medicine

DOI: PM/17009190

Family Medicine, 2006, 38, 653-60.

Source: <https://exaly.com/paper-pdf/132862894/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
123	Depression in a rural, free clinic providing primary care: prevalence and predictive factors. 2007 , 21, 291-3		7
122	Patterns of antidepressants prescriptions in a large Italian old population. 2008 , 23, 872-3		2
121	Mental health status among rural women of reproductive age: findings from the Central Pennsylvania Women's Health Study. 2008 , 98, 1271-9		23
120	Rural African American clergy: are they literate on late-life depression?. 2009 , 13, 9-16		16
119	A socio-relational framework of sex differences in the expression of emotion. 2009 , 32, 375-90; discussion 391-428		269
118	Subtypes of depression in a nationally representative sample. 2009 , 113, 88-99		100
117	Social relationships and depression among people 65 years and over living in rural and urban areas of Quebec. 2009 , 24, 1226-36		54
116	Incidence, sources, and self-management of depression in persons attending a rural health clinic in southeastern North Carolina. 2009 , 26, 1-13		5
115	Disparities in mental health between rural and nonrural cancer survivors: a preliminary study. 2010 , 19, 637-45		78
114	The association between rural residence and the use, type, and quality of depression care. 2010 , 26, 205-13		50
113	Incorporating the social environment in genotype environment interaction studies of mental disorders. 2010 , 64, 1489-1492		5
112	Employee psychological distress and treated prevalence by indices of rurality. 2010 , 34, 458-65		7
111	Rural African American clergy: an exploration of their attitudes and knowledge of Alzheimer's disease. 2010 , 53, 352-65		15
110	Assessment of a brief CES-D measure for depression in homebound medically ill older adults. 2010 , 53, 289-303		43
109	African American Clergy's Perceptions of Mental Health and Pastoral Care to Elder Congregants. 2011 , 30, 34-47		6
108	Men of the Cloth: African-American Clergy's Knowledge and Experience in Providing Pastoral Care to African-American Elders with Late-Life Depression. 2011 , 20, 297-311		7
107	Controversy clarified: an updated review of clinical psychology and tele-health. 2011 , 31, 1247-58		57

106	Building conditions, 5-HTTLPR genotype, and depressive symptoms in adolescent males and females. 2011 , 49, 379-85		11
105	Partnering with communities to address the mental health needs of rural veterans. 2011 , 27, 416-24		16
104	Determining satisfaction with access and financial aspects of care for persons exposed to Libby amphibole asbestos: rural and national environmental policy implications. 2011 , 2011, 789514		4
103	The urban environment and mental disorders: Epigenetic links. 2011 , 6, 400-4		69
102	Self-rated health as a moderator of the relation between functional impairment and depressive symptoms in older adults. 2012 , 16, 281-7		10
101	Depression in the elderly: study in a rural city in southern Catalonia. 2012 , 19, 426-9		9
100	The association of sleep duration and depressive symptoms in rural communities of Missouri, Tennessee, and Arkansas. 2012 , 28, 268-76		19
99	The relationship between rural status, individual characteristics, and self-rated health in the Behavioral Risk Factor Surveillance System. 2012 , 28, 327-38		28
98	Primary care physicians' perspective on the management of anxiety and depressive disorders: a cross-sectional survey in Emilia Romagna Region. 2013 , 14, 75		5
97	Mental illness in metropolitan, urban and rural Georgia populations. 2013 , 13, 414		14
96	A population-based cross-sectional study of health service deficits among U.S. adults with depressive symptoms. 2013 , 13, 160		8
95	The influence of rural versus urban residence on utilization and receipt of care for chronic low back pain. 2013 , 29, 205-14		19
94	Assessing depression in rural communities. 2013 , 69, 252-63		15
93	Association between physical activity and insomnia symptoms in rural communities of southeastern Missouri, Tennessee, and Arkansas. 2013 , 29, 239-47		6
92	Assess quality of life among Iranian married women residing in rural places. 2013 , 5, 182-8		2
91	The Kimberley assessment of depression of older Indigenous Australians: prevalence of depressive disorders, risk factors and validation of the KICA-dep scale. <i>PLoS ONE</i> , 2014 , 9, e94983	3-7	28
90	The prevalence and correlates of lifetime psychiatric disorders and trauma exposures in urban and rural settings: results from the national comorbidity survey replication (NCS-R). <i>PLoS ONE</i> , 2014 , 9, e112416	2-7	35
89	Contribution of psychopathology, psychosocial problems and substance use to urban and rural differences in birth outcomes. 2014 , 24, 917-23		2

88	Ecological correlates of depression and self-esteem in rural youth. 2014 , 45, 500-18	18
87	Symptom-based subtypes of depression and their psychosocial correlates: a person-centered approach focusing on the influence of sex. 2014 , 156, 92-103	42
86	Depressive Symptomology Among Rural Low-Income Latina and Non-Latina White Mothers. 2014 , 247-269	
85	Perception of Exercise Lifestyle as a Valid Tool for Prevention and Treatment of Depression in Rural Communities. 2015 , 5, 39-48	1
84	Symptoms of depression and their management among low-income African-American and White mothers in the rural South. 2015 , 20, 293-308	14
83	Beyond cultural factors to understand immigrant mental health: Neighborhood ethnic density and the moderating role of pre-migration and post-migration factors. 2015 , 138, 91-100	31
82	Urban vs Rural Residence and the Prevalence of Depression and Mood Disorder Among African American Women and Non-Hispanic White Women. 2015 , 72, 576-83	40
81	Socio-demographic patterns of posttraumatic stress disorder in Medellin, Colombia and the context of lifetime trauma exposure. 2016 , 3, 139-150	7
80	Pleasant Events, Hopelessness, and Quality of Life in Rural Older Adults. 2016 , 32, 102-9	12
79	Depression and Rural Environment are Associated With Poor Oral Health Among Pregnant Women in Northern Appalachia. 2016 , 40, 325-40	14
78	Comparisons of prevalence and related factors of depression in middle-aged adults between urban and rural populations in Japan. 2016 , 190, 772-776	11
77	Changes in Body Mass Index and the Trajectory of Depressive Symptoms Among Rural Men and Women. 2017 , 33, 190-197	2
76	Does Depressive Affect Mediate the Relationship between Self-Care Capacity and Nutritional Status Among Rural Older Adults? : A Structural Equation Modeling Approach. 2017 , 36, 63-74	1
75	Early Sexual Initiation and Mental Health: A Fleeting Association or Enduring Change?. 2017 , 27, 611-627	8
74	Behavioral Health Problems Presented to Integrated Pediatric Behavioral Health Clinics: Differences in Urban and Rural Patients. 2017 , 53, 27-33	6
73	Not later, but longer: sleep, chronotype and light exposure in adolescents with remitted depression compared to healthy controls. 2017 , 26, 1233-1244	19
72	Nutritional Status of Rural Older Adults Is Linked to Physical and Emotional Health. 2017 , 117, 851-858	8
71	Mediating Effects of Social Support and Internalized Homonegativity on the Association Between Population Density and Mental Health Among Gay and Bisexual Men. 2017 , 4, 352-359	12

70	Rural versus urban perspectives on behavioral health issues and priorities. 2017 , 48, 515-526		1
69	A cross-sectional analysis of green space prevalence and mental wellbeing in England. 2017 , 17, 460		25
68	Built Environment and Depression in Low-Income African Americans and Whites. 2017 , 52, 74-84		32
67	The Prevalence of Major Depressive Episodes Is Higher in Urban Regions of Canada. 2017 , 62, 57-61		8
66	Cities and Mental Health. 2017 , 114, 121-127		123
65	Sleep quality moderates the association between physical activity frequency and feelings of energy and fatigue in adolescents. 2018 , 27, 1425-1432		12
64	Do beliefs about depression etiologies influence the type and severity of depression stigma? The case of Arab adolescents. <i>Perspectives in Psychiatric Care</i> , 2018 , 54, 547-556	2.2	2
63	Prevalence of Sexual Violence and its Association with Depression among Male and Female Patients with Risky Drug Use in Urban Federally Qualified Health Centers. 2018 , 95, 111-115		3
62	What Aspects of Rural Life Contribute to Rural-Urban Health Disparities in Older Adults? Evidence From a National Survey. 2018 , 34, 293-303		31
61	The prevalence of depression and depressive symptoms among adults in China: Estimation based on a National Household Survey. 2018 , 51, 271-282		83
60	Living environment and its relationship to depressive mood: A systematic review. 2018 , 64, 92-103		89
59	Body Mass Index Category Moderates the Relationship Between Depressive Symptoms and Diet Quality in Overweight and Obese Rural-Dwelling Adults. 2018 , 34, 377-387		3
58	Trauma-Informed: Dependency Court Personnel's Understanding of Trauma and Perceptions of Court Policies, Practices, and Environment. 2018 , 11, 495-505		3
57	Variability of the Prevalence of Depression in Function of Sociodemographic and Environmental Factors: Ecological Model. 2018 , 9, 2182		12
56	Diabetes and depression in Lebanon and association with glycemic control: a cross-sectional study. 2018 , 11, 717-728		9
55	Impact of Peer Support on Acute Care Visits and Hospitalizations for Individuals With Diabetes and Depressive Symptoms: A Cluster-Randomized Controlled Trial. 2018 , 41, 2463-2470		11
54	Lost in the Black Belt South: health outcomes and transportation infrastructure. 2019 , 191, 297		4
53	Impact of rural address and distance from clinic on depression outcomes within a primary care medical home practice. 2019 , 20, 123		7

52	Text-Based Detection of the Risk of Depression. 2019 , 10, 513	14
51	Self-efficacy and cooking confidence are associated with fruit and vegetable intake in a cross-sectional study with rural women. 2019 , 33, 34-39	1
50	Rural Residents' Depressive Symptoms and Help-Seeking Preferences: Opportunities for Church-Based Intervention Development. 2019 , 58, 1661-1671	5
49	The predictors of depression in a longitudinal cohort of community dwelling rural adults in Australia. 2019 , 54, 171-180	11
48	Association of age with risk of major depression among patients with chronic kidney disease over midlife: a nationwide cohort study in Taiwan. 2019 , 31, 1171-1179	4
47	Prevalence and associated factors of depression among general population in Al-Ahsa, Kingdom of Saudi Arabia: A community-based survey. 2019 , 31, 32-36	1
46	The prevalence, comorbidity and socio-demographic factors of depressive disorder among Iranian children and adolescents: To identify the main predictors of depression. 2019 , 247, 1-10	14
45	Workforce well-being: Personal and workplace contributions to early educators' depression across settings. 2019 , 61, 4-12	33
44	Intersectionality and Black Women's Health: Making Room for Rurality. 2019 , 30, 11-24	2
43	Urbanicity of residence and depression among adults 50 years and older in Ghana and South Africa: an analysis of the WHO Study on Global AGEing and Adult Health (SAGE). 2019 , 23, 660-669	12
42	Prevalence of mental illness in primary care and its association with deprivation and social fragmentation at the small-area level in England. 2020 , 50, 293-302	8
41	Rurality and Risk of Perinatal Depression Among Women in the United States. 2020 , 36, 9-16	8
40	Reaching Those at Highest Risk for Suicide: Development of a Model Using Machine Learning Methods for use With Native American Communities. 2020 , 50, 422-436	8
39	Prevalence and Associated Factors of Antenatal Depressive Symptoms in Pregnant Women Living in an Urban Area of Thailand. 2020 , 12, 849-858	1
38	Depressive symptoms, material hardship, barriers to care, and receptivity to church-based treatment among food bank service recipients in rural Michigan. 2020 , 18, 515-535	1
37	Environmental noise is differently associated with negative and positive urban experience: an exploratory first-person pedestrian mobile study in Santiago de Chile (El ruido medioambiental se asocia de una manera diferente a la experiencia urbana negativa y positiva: un estudio exploratorio en movimiento de peatones en primera persona realizado en Santiago de Chile). 2020 , 41, 580-611	3
36	Urban and Rural Differences in Trajectories of Depressive Symptoms in Later Life in the United States. 2022 , 41, 148-157	3
35	Rural cancer survivors' health information needs post-treatment. 2020 , 103, 1606-1614	8

34	Depression and Its Determinant Factors Among University of Gondar Medical and Health Science Students, Northwest Ethiopia: Institution-Based Cross-Sectional Study. 2020 , 16, 839-845		4
33	Phenotyping mental health: Age, community size, and depression differently modulate COVID-19-related fear and generalized anxiety. 2021 , 104, 152218		20
32	Functional status in rural and urban adults: The Canadian Longitudinal Study on Aging. 2021 ,		2
31	Associations Between Rural or Urban Status, Health Outcomes and Behaviors, and COVID-19 Perceptions Among Meditation App Users: Longitudinal Survey Study. 2021 , 9, e26037		1
30	Rural-urban differences in stroke risk. 2021 , 152, 106661		1
29	Mental Health and Treatment Considerations for Urban Populations. 2021 ,		
28	Services in Rural Areas. 2010 , 313-333		3
27	Urban-Rural Differences in Major Mental Health Conditions. 2016 , 1-106		2
26	Urban-Rural Differences in Major Mental Health Conditions. 2017 , 27-132		8
25	Suicides in urban and rural counties in the United States, 2006-2008. 2014 , 35, 18-26		48
24	Connection between Depression and Inability to Fill Prescriptions in Rural FQHC Patients with Chronic Disease. 2016 , 40, 113-123		2
23	The prevalence and risk factors for depression symptoms in a rural Chinese sample population. <i>PLoS ONE</i> , 2014 , 9, e99692	3.7	66
22	Depression in the elderly of a rural region in Southern Brazil. <i>Ciencia E Saude Coletiva</i> , 2020 , 25, 2083-2092		7
21	A New Institutional Economics Perspective on the Relationship Among Societal Values, Governance Structure and Access to Rural Health Care Services. <i>SSRN Electronic Journal</i> ,	1	1
20	Prevalence differences in major non-communicable diseases in a low- middle income country: a comparative study between an urban and a rural district in Vietnam. <i>Journal of Global Health Science</i> , 2019 , 1,	2.2	2
19	Depression and Suicidal Behavior in Young Adult Men and Women With ADHD: Evidence From Claims Data. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	5
18	Prevalence of Depression Among Health Sciences Students: Findings From a Public University in Malaysia. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2019 , 11, 170-175	1.1	8
17	Psychosocial, physical, and autonomic correlates of depression in korean adults: results from a county-based depression screening study. <i>Psychiatry Investigation</i> , 2014 , 11, 402-11	3.1	7

16	Psychosocial health status of persons seeking treatment for exposure to libby amphibole asbestos. <i>ISRN Nursing</i> , 2011 , 2011, 735936		8
15	Urban-Rural Differences in Health Care Utilization for Inflammatory Bowel Disease in the USA, 2017. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	1
14	Depresijos paplitimas tarp Lietuvos kaimo gyventojų. <i>Health Sciences</i> , 2012 , 22, 15-20	0	
13	operacija MIDAZOLAMO TABLETOŲ SKYSTOS FORMOS SEDACIJOS POVEIKIO VAIKIŲ ELGSENAI PĖLYGINIMAS. <i>Health Sciences</i> , 2014 , 24, 98-104	0	
12	Rural Health and Aging: Global Perspectives. 2016 , 1-7		
11	A study on the prevalence of depression and its risk factors among adult population of Siliguri subdivision of Darjeeling district, West Bengal. <i>Journal of Family Medicine and Primary Care</i> , 2017 , 6, 351-355	1.5	1
10	Rural America and Evidence-Based Assessment: The Potential for a Happy Marriage. 2017 , 95-111		
9	Encyclopedia of Geropsychology. 2017 , 2098-2105		
8	Social Networking Service and Depression: Evidence from China. <i>Open Psychology Journal</i> , 2020 , 13, 232-241	2.4	
7	Substance Abuse in Rural and Remote Areas. 2020 , 1-23		
6	THE RELATIONSHIP BETWEEN WEIGHT PERCEPTION, GENDER, AND DEPRESSIVE SYMPTOMS AMONG RURAL ADOLESCENTS. <i>Online Journal of Rural Nursing and Health Care: the Official Journal of the Rural Nurse Organization</i> , 2009 , 9, 23-33		
5	Geriatric depression assessment by rural primary care physicians. <i>Rural and Remote Health</i> , 2009 , 9, 1180-1183	1.3	5
4	"Someone's got to do it" - Primary care providers (PCPs) describe caring for rural women with mental health problems. <i>Mental Health in Family Medicine</i> , 2013 , 10, 191-202		7
3	Prevalence and correlates of depression among rural and urban Rwandan mothers and their daughters 26 years after the 1994 genocide against the Tutsi.. <i>Högskoleutbildning</i> , 2021 , 12, 2005345	5	1
2	Rural-Urban Differences in Behavioral Outcomes among Adults with Lifetime History of Traumatic Brain Injury with Loss of Consciousness: 2016-2019 Ohio BRFSS.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	
1	What are the socioeconomic determinants of mental disorders?. <i>Perspectives in Psychiatric Care</i> ,	2.2	