

CITATION REPORT

List of articles citing

**Prevalence of non-alcoholic fatty liver disease:
population based study**

DOI: PM/17786142

Annals of Hepatology, 2007, 6, 161-3.

Source: <https://exaly.com/paper-pdf/132963641/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
131	Nonalcoholic fatty liver disease in India - a lot done, yet more required!. 2010 , 29, 217-25		69
130	A maternal "junk food" diet in pregnancy and lactation promotes nonalcoholic Fatty liver disease in rat offspring. 2010 , 151, 1451-61		107
129	Treatment options for nonalcoholic fatty liver disease. 2010 , 3, 121-37		103
128	Falls and fall-related injury are common in older people with chronic liver disease. 2012 , 57, 2697-702		8
127	Non-alcoholic Fatty Liver Disease: East Versus West. <i>Journal of Clinical and Experimental Hepatology</i> , 2012 , 2, 122-34	4.1	29
126	Surgery in a patient with liver disease. <i>Journal of Clinical and Experimental Hepatology</i> , 2012 , 2, 238-46	4.1	38
125	Prevalence and risk factors of non-alcoholic fatty liver disease in a multiracial suburban Asian population in Malaysia. 2013 , 7, 548-54		45
124	Epidemiology of a fast emerging disease in the Asia-Pacific region: non-alcoholic fatty liver disease. 2013 , 7, 65-71		32
123	Fatty liver disease in children--what should one do?. 2013 , 80 Suppl 1, S109-14		4
122	Fatty liver disease index: a simple screening tool to facilitate diagnosis of nonalcoholic fatty liver disease in the Chinese population. 2013 , 58, 3326-34		17
121	Nonalcoholic fatty liver disease: an emerging threat to obese and diabetic individuals. 2013 , 1281, 106-22		183
120	Elevated serum uric acid levels are associated with non-alcoholic fatty liver disease independently of metabolic syndrome features in the United States: Liver ultrasound data from the National Health and Nutrition Examination Survey. 2013 , 62, 392-9		106
119	The global NAFLD epidemic. 2013 , 10, 686-90		1078
118	Aging promotes the development of diet-induced murine steatohepatitis but not steatosis. 2013 , 57, 995-1004		78
117	Epidemiology and risk factors of nonalcoholic fatty liver disease (NAFLD). 2013 , 7 Suppl 2, 755-64		36
116	Clinicopathological characteristics and metabolic profiles of non-alcoholic fatty liver disease in Indian patients with normal body mass index: Do they differ from obese or overweight non-alcoholic fatty liver disease?. 2013 , 17, 665-71		66
115	Current concepts and management approaches in nonalcoholic fatty liver disease. 2013 , 2013, 481893		50

114	Non-alcoholic fatty liver disease: what the clinician needs to know. <i>World Journal of Gastroenterology</i> , 2014 , 20, 12956-80	5.6	117
113	Non-alcoholic fatty liver disease and thyroid dysfunction: a systematic review. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8102-9	5.6	78
112	Pooled genetic analysis in ultrasound measured non-alcoholic fatty liver disease in Indian subjects: A pilot study. 2014 , 6, 435-42		19
111	Steatosis and steatohepatitis: complex disorders. 2014 , 15, 9924-44		28
110	Non-Alcoholic Fatty Liver Disease (NAFLD) in Obesity. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014 , 8, 62-6	0	19
109	A weekly alternating diet between caloric restriction and medium fat protects the liver from fatty liver development in middle-aged C57BL/6J mice. 2015 , 59, 533-43		12
108	Reduced cortical thickness in patients with acute-on-chronic liver failure due to non-alcoholic etiology. 2015 , 13, 322		2
107	Aging and liver disease. 2015 , 31, 184-91		184
106	Association of adiponectin gene polymorphism with nonalcoholic fatty liver disease in Taiwanese patients with type 2 diabetes. <i>PLoS ONE</i> , 2015 , 10, e0127521	3.7	17
105	Developmental Programming of Nonalcoholic Fatty Liver Disease: The Effect of Early Life Nutrition on Susceptibility and Disease Severity in Later Life. 2015 , 2015, 437107		32
104	Prevalence of Nonalcoholic Fatty Liver Disease and Economy. 2015 , 60, 3194-202		72
103	PATHOGENESIS OF HEPATOCELLULAR CARCINOMA DEVELOPMENT IN NON ALCOHOLIC FATTY LIVER DISEASE. 2015 , 14, 119-127		14
102	Non-alcoholic Fatty Liver Disease and Metabolic Syndrome-Position Paper of the Indian National Association for the Study of the Liver, Endocrine Society of India, Indian College of Cardiology and Indian Society of Gastroenterology. <i>Journal of Clinical and Experimental Hepatology</i> , 2015 , 5, 51-68	4.1	78
101	Risk Factors Associated With Non-Alcoholic Fatty Liver Disease in Indians: A Case-Control Study. <i>Journal of Clinical and Experimental Hepatology</i> , 2015 , 5, 295-302	4.1	51
100	The Riddle of Nonalcoholic Fatty Liver Disease: Progression From Nonalcoholic Fatty Liver to Nonalcoholic Steatohepatitis. <i>Journal of Clinical and Experimental Hepatology</i> , 2015 , 5, 147-58	4.1	81
99	The Burden of Non-alcoholic Fatty Liver Disease (NAFLD) in the Asia Pacific Region. 2015 , 14, 77-86		4
98	Clinical Model for NASH and Advanced Fibrosis in Adult Patients With Diabetes and NAFLD: Guidelines for Referral in NAFLD. 2015 , 38, 1347-55		121
97	Prevalence and Predictors of Non-Alcoholic Fatty Liver Disease in Morbidly Obese South Indian Patients Undergoing Bariatric Surgery. 2015 , 25, 2078-87		28

96	Comparative analyses of genetic risk prediction methods reveal extreme diversity of genetic predisposition to nonalcoholic fatty liver disease (NAFLD) among ethnic populations of India. <i>Journal of Genetics</i> , 2015 , 94, 105-13	1.2	9
95	A study of gender-wise risk association between fatty liver and metabolic syndrome components (Asia-Pacific criteria) in a South Indian urban cohort. 2015 , 34, 38-42		2
94	Simple biochemical parameters and a novel score correlate with absence of fibrosis in patients with nonalcoholic fatty liver disease. 2015 , 34, 281-5		7
93	FT3/FT4 ratio predicts non-alcoholic fatty liver disease independent of metabolic parameters in patients with euthyroidism and hypothyroidism. 2016 , 71, 221-5		22
92	A Guide to Non-Alcoholic Fatty Liver Disease in Childhood and Adolescence. 2016 , 17,		100
91	Genetics of non-alcoholic fatty liver disease: From susceptibility and nutrient interactions to management. 2016 , 8, 827-37		17
90	Association between white blood cell count and non-alcoholic fatty liver disease in urban Han Chinese: a prospective cohort study. 2016 , 6, e010342		21
89	Global Epidemiology of Nonalcoholic Fatty Liver Disease and Perspectives on US Minority Populations. 2016 , 61, 1214-25		98
88	Aging increases the susceptibility of hepatic inflammation, liver fibrosis and aging in response to high-fat diet in mice. 2016 , 38, 291-302		49
87	Histological Evaluation of Non-alcoholic Fatty Liver Disease and Its Correlation with Different Noninvasive Scoring Systems with Special Reference to Fibrosis: A Single Center Experience. <i>Journal of Clinical and Experimental Hepatology</i> , 2016 , 6, 291-296	4.1	10
86	Pathogenesis of nonalcoholic steatohepatitis. 2016 , 73, 1969-87		111
85	Nutritional Approaches to Achieve Weight Loss in Nonalcoholic Fatty Liver Disease. 2017 , 8, 253-265		23
84	Association of single nucleotide polymorphism at PNPLA3 with fatty liver, steatohepatitis, and cirrhosis of liver. 2017 , 36, 366-372		3
83	Metabolomic characteristics of cholesterol-induced non-obese nonalcoholic fatty liver disease in mice. 2017 , 7, 6120		45
82	Biochemical Profile of Nonalcoholic Fatty Liver Disease Patients in Eastern India with Histopathological Correlation. 2017 , 32, 306-314		5
81	Nonalcoholic fatty liver disease in Asia: emerging perspectives. 2017 , 52, 164-174		59
80	A Combination of Flaxseed Oil and Astaxanthin Improves Hepatic Lipid Accumulation and Reduces Oxidative Stress in High Fat-Diet Fed Rats. 2017 , 9,		31
79	The Impact of Sex and 25(OH)D Deficiency on Metabolic Function in Mice. 2017 , 9,		7

78	plus Synergistically Ameliorates Nonalcoholic Steatohepatitis in HepG2 Cells. 2017 , 2017, 4390636		8
77	Sexual dimorphism in the hepatic protein response to a moderate trans fat diet in senescence-accelerated mice. <i>Lipids in Health and Disease</i> , 2017 , 16, 243	4.4	3
76	MiR-149 Compromises the Reactions of Liver Cells to Fatty Acid via its Polymorphism and Increases Non-Alcoholic Fatty Liver Disease (NAFLD) Risk by Targeting Methylene Tetrahydrofolate Reductase (MTHFR). 2017 , 23, 2299-2307		8
75	Clinical epidemiology and disease burden of nonalcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2017 , 23, 8263-8276	5.6	316
74	Biopsy Proven Fibrosis in Non-Alcoholic Fatty Liver Disease: An Analysis of Risk Factors. <i>Journal of Clinical and Experimental Hepatology</i> , 2018 , 8, 367-374	4.1	1
73	Prevalence and risk factors of non-alcoholic fatty liver disease in Bangladesh. 2018 , 2, 39-46		21
72	Chronic consumption of fructose in combination with trans fatty acids but not with saturated fatty acids induces nonalcoholic steatohepatitis with fibrosis in rats. 2018 , 57, 2171-2187		14
71	Global burden of NAFLD and NASH: trends, predictions, risk factors and prevention. 2018 , 15, 11-20		1902
70	New insights into genetic predisposition and novel therapeutic targets for nonalcoholic fatty liver disease. 2018 , 7, 372-381		12
69	A family with hypothyroidism caused by fatty acid synthase and apolipoprotein B receptor mutations. 2018 , 18, 4904-4912		1
68	Staging systems of hepatocellular carcinoma: A review. 2018 , 37, 481-491		52
67	Atherogenic index of plasma is a novel predictor of non-alcoholic fatty liver disease in obese participants: a cross-sectional study. <i>Lipids in Health and Disease</i> , 2018 , 17, 284	4.4	22
66	Frequency of incidental fatty liver on ultrasound and its association with diabetes mellitus and hypertension. 2018 , 34, 1137-1141		2
65	The Role of the Gut Microbiome in Nonalcoholic Fatty Liver Disease. 2018 , 6,		10
64	Substitution of linoleic acid with linolenic acid or long chain n-3 polyunsaturated fatty acid prevents Western diet induced nonalcoholic steatohepatitis. 2018 , 8, 10953		31
63	Clinical, anthropometric, biochemical and histological character of nonalcoholic fatty liver disease without Insulin Resistance. <i>Journal of Clinical and Experimental Hepatology</i> , 2019 , 9, 176-181	4.1	5
62	Redefining the Normal Values of Serum Aminotransferases in Healthy Indian Males. <i>Journal of Clinical and Experimental Hepatology</i> , 2019 , 9, 191-199	4.1	5
61	Augmented intelligence with natural language processing applied to electronic health records for identifying patients with non-alcoholic fatty liver disease at risk for disease progression. 2019 , 129, 334-341		15

60	A Lipidomic Analysis of Docosahexaenoic Acid (22:6, β) Mediated Attenuation of Western Diet Induced Nonalcoholic Steatohepatitis in Male Mice. 2019 , 9,		9
59	Aspartate transaminase to platelet ratio index (APRI) but not FIB-5 or FIB-4 is accurate in ruling out significant fibrosis in patients with non-alcoholic fatty liver disease (NAFLD) in an urban slum-dwelling population. <i>BMJ Open Gastroenterology</i> , 2019 , 6, e000288	3.9	9
58	The HAALT Non-invasive Scoring System for NAFLD in Obesity. 2019 , 29, 2562-2570		6
57	Prevalence and long-term outcomes of non-alcoholic fatty liver disease among elderly individuals from the United States. 2019 , 19, 56		31
56	High prevalence of non-alcoholic fatty liver disease among healthy male blood donors of urban India. 2019 , 3, 133-139		14
55	Screening of Cardiovascular Disease in Nonalcoholic Fatty Liver Disease: Whom and How?. <i>Journal of Clinical and Experimental Hepatology</i> , 2019 , 9, 506-514	4.1	23
54	Genetics of nonalcoholic fatty liver disease in Asian populations. <i>Journal of Genetics</i> , 2019 , 98, 1	1.2	9
53	Eicosapentaenoic Acid Improves Hepatic Metabolism and Reduces Inflammation Independent of Obesity in High-Fat-Fed Mice and in HepG2 Cells. 2019 , 11,		19
52	Obesity and metabolic outcomes in a safety-net health system. 2020 , 65, 257-267		
51	Prevalence and risk factors of sonographically detected non alcoholic fatty liver disease in a screening centre in Klang Valley, Malaysia: an observational cross-sectional study. 2019 , 4, e31		4
50	Analysis Of Risk Factors For Nonalcoholic Fatty-Liver Disease In Hepatitis B Virus Infection: A Case-Control Study. 2019 , 11, 153-158		8
49	High prevalence of non-alcoholic fatty liver disease and metabolic risk factors in Guatemala: A population-based study. 2019 , 29, 191-200		13
48	Non-alcoholic fatty liver disease in the first trimester and subsequent development of gestational diabetes mellitus. 2019 , 62, 238-248		35
47	Reactive oxygen species-induced changes in glucose and lipid metabolism contribute to the accumulation of cholesterol in the liver during aging. 2019 , 18, e12895		33
46	Liver diseases in the Asia-Pacific region: a Lancet Gastroenterology & Hepatology Commission. 2020 , 5, 167-228		120
45	The Asian Pacific Association for the Study of the Liver clinical practice guidelines for the diagnosis and management of metabolic associated fatty liver disease. 2020 , 14, 889-919		142
44	Endothelial Dysfunction, a Marker of Atherosclerosis, Is Independent of Metabolic Syndrome in NAFLD Patients. 2020 , 2020, 1825142		3
43	Trends in the Prevalence of Non-Alcoholic Fatty Liver Disease and Its Future Predictions in Korean Men, 1998-2035. 2020 , 9,		5

42	Obstructive Sleep Apnea and Non-alcoholic Fatty Liver Disease in Obese Patients Undergoing Bariatric Surgery. 2020 , 30, 2572-2578		4
41	Predictors of advanced fibrosis in elderly patients with biopsy-confirmed nonalcoholic fatty liver disease: the GOASIA study. 2020 , 20, 88		12
40	Risk of metabolic syndrome in participants within the normal range of alanine aminotransferase: A population-based nationwide study. <i>PLoS ONE</i> , 2020 , 15, e0231485	3.7	1
39	Prevalence of non-alcoholic fatty liver disease and factors associated with it in Indian women with a history of gestational diabetes mellitus. 2021 , 12, 877-885		3
38	Patients with celiac disease are at high risk of developing metabolic syndrome and fatty liver. 2021 , 19, 106-114		8
37	Oxytocin promotes hepatic regeneration in elderly mice. 2021 , 24, 102125		1
36	Finger Citron Extract Ameliorates Glycolipid Metabolism and Inflammation by Regulating GLP-1 Secretion via TGR5 Receptors in Obese Rats. 2021 , 2021, 6623379		0
35	Methanolic Extract of Lindl. Prevents High-Fat High-Fructose-Induced Fatty Liver in Rats: Understanding the Molecular Mechanism Through Untargeted Metabolomics Study. 2021 , 12, 653872		1
34	Prevalence of clinically relevant liver fibrosis due to nonalcoholic fatty liver disease in Indian individuals with type 2 diabetes. 2021 , 5, 915-922		1
33	Prevalence and Predictors of Nonalcoholic Fatty Liver Disease in Family Members of Patients With Nonalcoholic Fatty Liver Disease.. <i>Journal of Clinical and Experimental Hepatology</i> , 2022 , 12, 362-371	4.1	
32	Advanced glycation end product: A potential biomarker for risk stratification of non-alcoholic fatty liver disease in ELSA-Brasil study. <i>World Journal of Gastroenterology</i> , 2021 , 27, 4913-4928	5.6	1
31	Epidemiology and Clinical Outcomes of Metabolic (Dysfunction)-associated Fatty Liver Disease.. <i>Journal of Clinical and Translational Hepatology</i> , 2021 , 9, 972-982	5.2	1
30	Nonalcoholic Fatty Liver in Lean Individuals: Clinicobiochemical Correlates of Histopathology in 157 Liver Biopsies from Healthy Liver Donors. <i>Journal of Clinical and Experimental Hepatology</i> , 2021 , 11, 544-549	4.1	5
29	Nonalcoholic Fatty Liver Disease: Indian Perspective. <i>Clinical Liver Disease</i> , 2021 , 18, 158-163	2.2	4
28	Quantification of Liver Fat by MRI-PDFF Imaging in Patients with Suspected Non-alcoholic Fatty Liver Disease and Its Correlation with Metabolic Syndrome, Liver Function Test and Ultrasonography. <i>Journal of Clinical and Experimental Hepatology</i> , 2021 , 11, 586-591	4.1	2
27	Elastographic liver evaluation of Katukyadi churna in the management of Non-Alcoholic Steatohepatitis (NASH) - A single arm clinical trial. <i>Journal of Ayurveda and Integrative Medicine</i> , 2021 , 12, 136-142	3.3	0
26	Non-alcoholic Fatty Liver Disease in South Asians: A Review of the Literature. <i>Journal of Clinical and Translational Hepatology</i> , 2017 , 5, 76-81	5.2	20
25	Prevalence and features of fatty liver detected by physical examination in Guangzhou. <i>World Journal of Gastroenterology</i> , 2013 , 19, 5334-9	5.6	19

24	Non-alcoholic fatty liver disease and type 2 diabetes mellitus: the liver disease of our age?. <i>World Journal of Gastroenterology</i> , 2014 , 20, 9072-89	5.6	85
23	Effect of telmisartan on histological activity and fibrosis of non-alcoholic steatohepatitis: A 1-year randomized control trial. <i>Saudi Journal of Gastroenterology</i> , 2016 , 22, 69-76	3	35
22	Nonalcoholic Fatty Liver Disease in South Asia. <i>Euroasian Journal of Hepato-gastroenterology</i> , 2016 , 6, 154-162	1.6	11
21	Correlation of Body Mass Index and Serum Parameters With Ultrasonographic Grade of Fatty Change in Non-alcoholic Fatty Liver Disease. <i>Iranian Red Crescent Medical Journal</i> , 2014 , 16, e12669	1.3	12
20	Comprehensive transcriptional profiling of aging porcine liver. <i>PeerJ</i> , 2019 , 7, e6949	3.1	5
19	Nicotinamide riboside exerts protective effect against aging-induced NAFLD-like hepatic dysfunction in mice. <i>PeerJ</i> , 2019 , 7, e7568	3.1	12
18	Assessment of Portal Venous and Hepatic Artery Haemodynamic Variation in Non-Alcoholic Fatty Liver Disease (NAFLD) Patients. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2016 , 10, TC07-10	0	4
17	Serum lipids are associated with nonalcoholic fatty liver disease: a pilot case-control study in Mexico. <i>Lipids in Health and Disease</i> , 2021 , 20, 136	4.4	2
16	Nonalcoholic Fatty Liver Disease: Study of Demographic and Predictive Factors. <i>Euroasian Journal of Hepato-gastroenterology</i> , 2015 , 5, 4-6	1.6	1
15	Hepatobiliary dysfunction in Type-2 diabetes mellitus. <i>Journal of Family Medicine and Primary Care</i> , 2017 , 6, 563-567	1.5	2
14	Effects of aerobic exercise training on the risk factors for liver diseases in elderly women with obesity and impaired fasting glucose: A pilot study. <i>Journal of Exercise Nutrition & Biochemistry</i> , 2019 , 23, 21-27	1.2	2
13	Prevalence, risk factors and metabolic profile of the non-obese and obese non-alcoholic fatty liver disease in a rural community of South Asia. <i>BMJ Open Gastroenterology</i> , 2020 , 7,	3.9	3
12	Association between nonalcoholic fatty liver disease and inflammatory periodontal disease: A case-control study. <i>Journal of Indian Society of Periodontology</i> , 2021 , 25, 47-54	1.1	1
11	MR spectroscopy of the liver - a reliable non-invasive alternative for evaluating non-alcoholic fatty liver disease. <i>Romanian Journal of Morphology and Embryology</i> , 2020 , 61, 73-80	0.6	1
10	Comparison of knowledge and awareness between consultant physicians and resident doctors about non-alcoholic fatty liver disease. <i>Clinical and Experimental Hepatology</i> , 2020 , 6, 374-383	2.2	
9	A Case-control Study to Evaluate the Prevalence of Nonalcoholic Fatty Liver Disease Among Patients with Moderate-to-severe Psoriasis. <i>Journal of Clinical and Aesthetic Dermatology</i> , 2018 , 11, 33-37	1.2	18
8	Diagnostic and Treatment Implications of Nonalcoholic Fatty Liver Disease and Nonalcoholic Steatohepatitis. <i>Gastroenterology and Hepatology</i> , 2019 , 15, 83-89	0.7	8
7	Screening for undiagnosed non-alcoholic fatty liver disease (NAFLD) and non-alcoholic steatohepatitis (NASH): A population-based risk factor assessment using vibration controlled transient elastography (VCTE). <i>PLoS ONE</i> , 2021 , 16, e0260320	3.7	1

6	Evaluation of Predisposing Metabolic Risk Factors for Portopulmonary Hypertension in Patients with NASH Cirrhosis.. <i>International Journal of General Medicine</i> , 2022 , 15, 859-865	2.3	0
5	Rural-Urban differentials in prevalence, spectrum and determinants of Non-alcoholic Fatty Liver Disease in North Indian population.. <i>PLoS ONE</i> , 2022 , 17, e0263768	3.7	0
4	The Translational Bridge between Inflammation and Hepatocarcinogenesis.. <i>Cells</i> , 2022 , 11,	7.9	3
3	A small supernumerary marker chromosome resulting in mosaic partial tetrasomy 4q26-q31.21 in a foetus with multiple congenital malformations. <i>Journal of Genetics</i> , 2019 , 98,	1.2	1
2	Abelmoschus esculentus subfractions ameliorate hepatic lipogenesis and lipid uptake via regulating dipeptidyl peptidase-4-With improving insulin resistance.. <i>PLoS ONE</i> , 2022 , 17, e0265444	3.7	1
1	Study of Endothelial Dysfunction in Patients With Non-alcoholic Fatty Liver Disease.. <i>Cureus</i> , 2021 , 13, e20515	1.2	1