

CITATION REPORT

List of articles citing

A MULTIENZYME TECHNIQUE FOR ESTIMATING PROTEIN DIGESTIBILITY

DOI: 10.1111/j.1365-2621.1977.tb14476.x
Journal of Food Science, 1977, 42, 1269-1273.

Source: <https://exaly.com/paper-pdf/13339514/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
661	THE EFFECT OF PROTEIN BLENDING ON CHEMICAL AND FUNCTIONAL PROPERTIES OF SOY GELS1. 1978 , 2, 9-19		
660	Zur Alkalibehandlung von Proteinen. 2. Mitt. Enzymatische Hydrolyse von alkalibehandeltem ECasein und SÜrecasein. 1978 , 22, 557-568		2
659	Control through breeding methods of factors affecting nutritional quality of cereals and grain legumes. 1978 , 105, 249-74		12
658	Effect of gamma irradiation on nutritional value of dry field beans (<i>Phaseolus vulgaris</i>) for chicks. 1979 , 109, 1307-12		34
657	Protein Quality Determination of Bone Residue from Mechanically Deboned Chicken Meat. 1979 , 58, 333-336		7
656	A Comparison of Six Protein Quality Assays Using Commercially Available Protein Meals , ,. 1979 , 58, 919-927		26
655	CORN PROTEIN CONCENTRATE: FUNCTIONAL AND NUTRITIONAL PROPERTIES. <i>Journal of Food Science</i> , 1979 , 44, 1152-1155	3.4	29
654	Measuring protein quality. 1979 , 56, 103-9		179
653	Mikrobiologische Bestimmungsverfahren. 1979 , 29, 269-279		
652	Protein digestibility of the same protein preparations by human and rat assays and by in vitro enzymic digestion methods. 1980 , 33, 677-86		82
651	EFFECT OF BAKING AND TOASTING ON THE PROTEIN QUALITY AND LYSINE AVAILABILITY OF BREAD1. 1980 , 4, 199-210		6
650	SOLUBILITY AND IN VITRO DIGESTIBILITY OF SOY FLOURS, CONCENTRATES, AND ISOLATES. <i>Journal of Food Science</i> , 1980 , 45, 931-935	3.4	10
649	EVALUATION OF HEATED SOY FLOURS BY MEASUREMENT OF TRYPTIC HYDROLYSIS USING A pH STAT. <i>Journal of Food Science</i> , 1980 , 45, 936-945	3.4	9
648	EFFECT OF COOKING ON THE CHEMICAL COMPOSITION OF WINGED BEANS (<i>Psophocarpus tetragonolobus</i>). <i>Journal of Food Science</i> , 1980 , 45, 1559-1560	3.4	35
647	Effect of Gamma Irradiation on the Physicochemical Properties of Rye. 1980 , 59, 253-257		4
646	Enzymes and Food Processing. 1981 ,		17
645	The nutritional quality of potato protein from intraspecific hybrids. 1981 , 31, 11-20		12

644	A comparison of in vivo and in vitro estimates of protein digestibility of native and thermally processed vegetable proteins. 1981 , 31, 31-43		24
643	Continuous Enzymatic Modification of Proteins in an Ultrafiltration Reactor. <i>Journal of Food Science</i> , 1981 , 46, 1035-1042	3-4	67
642	A Chemical and Biological Study of Acylated Egg White. <i>Journal of Food Science</i> , 1981 , 46, 1107-1110	3-4	10
641	Investigations on Winged Bean [<i>Psophocarpus tetragonolobus</i> (L.) DC] Proteins and Antinutritional Factors. <i>Journal of Food Science</i> , 1981 , 46, 1389-1393	3-4	50
640	Nutritional Evaluation of the Protein in Oilseed Products Heated with Sugars. <i>Journal of Food Science</i> , 1981 , 46, 164-168	3-4	13
639	Effectiveness of methods for evaluating the nutritional quality of soybean protein. 1981 , 58, 475-483		5
638	Protein Digestibility in Rats Determined with TiO ₂ and Cr ₂ O ₃ , and Comparisons with a Rapid Enzyme Test. 1982 , 32, 115-121		4
637	Chemical, biochemical, functional, and nutritional characteristics of collagen in food systems. 1982 , 28, 231-372		107
636	Assessment of protein digestibility by in vitro enzymatic hydrolysis with simultaneous dialysis. 1982 , 112, 1718-25		57
635	In Vitro Measurement of Effects of Processing on Protein Nutritional Quality. 1982 , 45, 1248-1256		8
634	[Problems in the use of protozoan <i>Tetrahymena pyriformis</i> for studies of protein nutritive value]. 1982 , 21, 312-22		
633	Functional Properties of Lupin Seed (<i>Lupinus mutabilis</i>) Proteins and Protein Concentrates. <i>Journal of Food Science</i> , 1982 , 47, 491-497	3-4	244
632	Functional Properties of Winged Bean [<i>Psophocarpus tetragonolobus</i> (L.) DC] Proteins. <i>Journal of Food Science</i> , 1982 , 47, 503-509	3-4	174
631	Effect of Dietary Fiber Constituents on the In Vitro Digestibility of Casein. <i>Journal of Food Science</i> , 1982 , 47, 556-560	3-4	26
630	Nutritional Properties and Metabolic Studies of Acylated Beef Heart Myofibrillar Proteins. <i>Journal of Food Science</i> , 1982 , 47, 43-48	3-4	9
629	Pancreatic Enzymes, Bile Acids and Cholesterol Levels in Mice Fed Raw or Heated Egg Albumen. <i>Journal of Food Science</i> , 1982 , 47, 714-715	3-4	2
628	Effects of Dehulling on Phytic Acid, Polyphenols, and Enzyme Inhibitors of Dry Beans (<i>Phaseolus vulgaris</i> L.). <i>Journal of Food Science</i> , 1982 , 47, 1846-1850	3-4	201
627	Date Bars Fortified with Soy Protein Isolate and Dry Skim Milk. <i>Journal of Food Science</i> , 1983 , 48, 1503-1506		4

626	Presence of Nonprotein Trypsin Inhibitor in Soy and Winged Beans. <i>Journal of Food Science</i> , 1983 , 48, 75-76	3-4	19
625	Sunflower Butter: Nutritional Evaluation and Consumer Acceptance. <i>Journal of Food Science</i> , 1983 , 48, 237-239	3-4	8
624	Improvement of the Functionality of Soy Protein by Introduction of New Thiol Groups through a Papain-catalyzed Acylation. <i>Journal of Food Science</i> , 1983 , 48, 708-711	3-4	12
623	Functional Properties of Acylated Pea Protein Isolates. <i>Journal of Food Science</i> , 1983 , 48, 722-725	3-4	92
622	Nutritive value of prickly pear seeds, <i>Opuntia ficus-indica</i> . 1983 , 33, 91-97		39
621	Effects of hydrogen peroxide and of sulphite and humidity on the amino acid composition and digestibility of fish protein. 1983 , 34, 619-626		9
620	Hydrolyse Enzymatique des Protéines de Colza. 1983 , 16, 242-245		4
619	Influence of several plant and animal proteins on rat pancreas. 1983 , 113, 1503-12		4
618	Functional Properties of Acylated Oat Protein. <i>Journal of Food Science</i> , 1984 , 49, 1128-1131	3-4	47
617	Effect of Buffering Capacity on a Commonly Used Assay of Protein Digestibility. <i>Journal of Food Science</i> , 1984 , 49, 498-499	3-4	10
616	Chemical Composition and Nutritional Quality of Date Seeds. <i>Journal of Food Science</i> , 1984 , 49, 617-619	3-4	38
615	Chemical Composition and Nutritional Quality of Camel Milk. <i>Journal of Food Science</i> , 1984 , 49, 744-747	3-4	87
614	Enzyme Diafiltration Technique for In Vitro Determination of Protein Digestibility and Availability of Amino Acids of Legumes. <i>Journal of Food Science</i> , 1984 , 49, 794-798	3-4	7
613	THE C-PER, A RAPID ASSAY FOR PROTEIN NUTRITIONAL QUALITY ¹² . 1984 , 6, 153-160		2
612	Nutritional quality of pearl millet flour and bread. 1984 , 34, 117-125		17
611	Effect of processing on the in vitro digestibility of proteins and carbohydrates in some Indian legumes. <i>Plant Foods for Human Nutrition</i> , 1984 , 34, 127-133	3-9	35
610	In vitro digestibility and calculated PER as rapid methods for the nutritional evaluation of potato protein. 1984 , 34, 27-39		2
609	Chemical Composition and Nutritive Value of Goat Milk. 1984 , 67, 1655-1659		20

608	The chemical composition and nutritive value of madeer. 1984 , 15, 29-37		12
607	Characterization of an immobilized digestive enzyme system for determination of protein digestibility. 1984 , 32, 334-339		45
606	Fortification of Date Bars with Yeast Proteins and Dry Skim Milk. 1984 , 17, 131-136		1
605	Digestibility of proteins of the histological components of cooked and raw rice. 1984 , 52, 507-13		13
604	Digestibilities of casein and soya-bean protein in relation to their effects on serum cholesterol in rabbits. 1985 , 54, 355-66		30
603	Effect of a Bangladeshi home-cooking procedure on the amino acid content, trypsin inhibitor activity and in vitro digestibility of some legume seeds. 1985 , 35, 379-388		12
602	Composition of Undigested Peptide Fragments from Gluten with Regard to Bioavailability of Essential Amino Acids. <i>Journal of Food Science</i> , 1985 , 50, 1076-1095	3-4	1
601	Chemical composition and nutritional quality of tehneh (sesame butter). <i>Food Chemistry</i> , 1985 , 18, 35-45.5		39
600	Effects of dietary proteins on iron bioavailability: A review. <i>Food Chemistry</i> , 1985 , 18, 47-69	8.5	45
599	[Advances in possibilities for protein evaluation]. 1985 , 29, 731-47		
598	POTATO PROTEINS. 1985 , 329-351		7
597	Protein quality of homemade weaning food mixtures: 1. Biological evaluation and quality. 1986 , 19, 31-40		1
596	Zur Erfassung der Hitzeschädigung von Trockengrünfutter und Grünfuttersilagen mittels Labormethoden. 1986 , 36, 467-476		0
595	Trypsin and chymotrypsin inhibitor activities in plant foods from Vietnam and Hungary. 1986 , 30, 53-8		4
594	Production of safflower protein isolates: Composition, yield and protein quality. 1986 , 37, 1097-1103		27
593	Effects of soaking in aqueous acidic and alkali solutions on removal of polyphenols and in vitro digestibility of cowpea. 1986 , 36, 107-118		18
592	The effect of slow-cooking on the trypsin inhibitor and hemagglutinating activities and in vitro digestibility of brown beans (<i>Phaseolus vulgaris</i> , var.Stella) and kidney beans (<i>Phaseolus vulgaris</i> , var.Montcalm). 1986 , 36, 147-154		6
591	Enzymatic Conditions of an In Vitro Method to Study Protein Digestion. <i>Journal of Food Science</i> , 1986 , 51, 960-964	3-4	70

590	Comparison of Methods to Remove Endogenous Iron from Soy Protein Isolates. <i>Journal of Food Science</i> , 1986 , 51, 994-996	3-4	4
589	Differentiating the Lectin Activity in Twenty-Four Cultivars of Dry Beans (<i>Phaseolus vulgaris</i> L.). <i>Journal of Food Science</i> , 1986 , 51, 1471-1475	3-4	10
588	Influence of phytate on in vitro digestibility of casein under physiological conditions. 1987 , 37, 229-35		12
587	Protein, amino acids and some major and trace elements in Thai and Norwegian mushrooms. 1987 , 37, 117-125		11
586	Effects of heat on the removal of polyphenols and in vitro protein digestibility of cowpea (<i>Vigna unguiculata</i> (L.) Walp.). 1987 , 37, 183-192		16
585	The protein and the amino acid composition of some rice and maize varieties grown in North Vietnam. 1987 , 39, 137-143		9
584	Nutritional aspects of thermal and irradiation processing of peanut kernels and their oil. <i>Food Chemistry</i> , 1987 , 26, 31-45	8.5	7
583	Effect of Heat Treatments on In Vitro Digestibility of Delactosed Whey Protein as Determined by the Digestion Cell Technique. <i>Journal of Food Science</i> , 1987 , 52, 1525-1528	3-4	11
582	Relationships of Available Lysine to Lignin, Color and Protein Digestibility of Selected Wheat-Based Breakfast Cereals. <i>Journal of Food Science</i> , 1987 , 52, 1580-1583	3-4	18
581	Composition and properties of seeds and pods of the tree legume <i>Prosopis juliflora</i> (DC). 1988 , 44, 99-110		31
580	Nutritional and anti-nutritional characteristics of mucuna (<i>Mucuna utilis</i>) bean seeds. 1988 , 46, 71-79		64
579	Nutritional and technological characteristics of new broad bean flaked products. 1988 , 32, 503-10		
578	Enzymatic Release of Peptides, Methionine and Cystine from Dry Beans Following Various Heat Treatments. <i>Journal of Food Science</i> , 1988 , 53, 468-472	3-4	7
577	Effect of Defatted Soybean and Soybean Isolate Fortification on the Nutritional, Physical, Chemical and Sensory Properties of Wheat Flour Tortillas. <i>Journal of Food Science</i> , 1988 , 53, 793-797	3-4	32
576	Composition and Properties of Seeds of the Tree Legume <i>Tamarindus indica</i> . <i>Journal of Food Science</i> , 1988 , 53, 1452-1455	3-4	17
575	Effect of Germination on Trypsin Inhibitor and Hemagglutinating Activities in <i>Phaseolus vulgaris</i> . <i>Journal of Food Science</i> , 1988 , 53, 298-299	3-4	18
574	PROTEIN QUALITY IN COMMERCIAL MILK-BASED INFANT FORMULAS. 1988 , 10, 375-391		28
573	Effect of extrusion process variables on in-vitro protein digestibility of fish-wheat flour blends. <i>Food Chemistry</i> , 1988 , 28, 225-231	8.5	30

572	Nutritional value of sorghum and maize tortillas. 1988 , 7, 83-94		27
571	Bioavailability of amino acids in plant feedstuffs determined by in vitro digestion, chick growth assay, and true amino acid availability methods. 1988 , 67, 78-87		15
570	In-vitro determination of nitrogen digestibility and lysine availability in meat and bone meals and comparison with in-vivo ileal digestibility estimates. 1989 , 47, 281-292		17
569	Comparative study of phytic acid content, in-vitro protein digestibility and amino acid composition of different types of flat breads. 1989 , 47, 353-364		6
568	A new rapid enzyme digestion method for predicting in Vitro protein quality (PDD index). <i>Food Chemistry</i> , 1989 , 32, 277-295	8.5	6
567	The use of metallic ultrafiltration membranes to assess calcium availability in Vitro. <i>Food Chemistry</i> , 1989 , 32, 307-317	8.5	4
566	Relationship between amino acid scores and protein quality indices based on rat growth. <i>Plant Foods for Human Nutrition</i> , 1989 , 39, 33-44	3.9	21
565	Germination of Amaranth Seeds: Effects on Nutrient Composition and Color. <i>Journal of Food Science</i> , 1989 , 54, 761-762	3.4	34
564	A simple in vitro method for measuring protein digestibility. 1989 , 79, 111-119		31
563	Protein Quality of Selected Muscle Foods as Affected by the Exchange of Dietary Wheat Bran for Cellulose. <i>Journal of Food Science</i> , 1990 , 55, 885-887	3.4	
562	Enzymatic Production of High-Protein Amaranth Flour and Carbohydrate Rich Fraction. <i>Journal of Food Science</i> , 1990 , 55, 1157-1161	3.4	10
561	Lipophilization of β -lactoglobulin: Effect on allergenicity and digestibility. <i>Journal of Food Science</i> , 1990 , 55, 718-723	3.4	19
560	Continuous Hydrolysis of Milk Protein in a Membrane Reactor. <i>Journal of Food Science</i> , 1990 , 55, 381-385	3.4	72
559	NUTRIENT BIOAVAILABILITY IN HUMANS AND EXPERIMENTAL ANIMALS1. 1990 , 13, 21-36		11
558	NUTRIENT CHARACTERIZATION OF COLOR MODIFIED AND UNALTERED FLAKED TURKEY THIGH MEAT. 1990 , 1, 181-195		4
557	An in-vitro method for prediction of the digestible crude protein content in pig feeds. 1990 , 50, 173-178		40
556	A comparison of the deterioration in quality of freeze dried flesh of halibut (<i>Hippoglossus stenolepis</i>) during storage in air and nitrogen at low water activities. 1990 , 52, 561-572		6
555	Effect of roasting process variables on in-vitro protein digestibility of bengalgram, maize and soybean. <i>Food Chemistry</i> , 1990 , 35, 31-37	8.5	14

554	Development of a successful spray-dried egg white-based experimental diet for dogs: Effect of heat treatment on diet utilization. 1990 , 10, 109-115		2
553	Protein digestibility: in vitro methods of assessment. 1991 , 35, 185-236		34
552	Evaluation of techniques to determine the protein digestibility of heat processed beans for pigs. 1991 , 33, 331-341		5
551	Ergebnisse Einer in Vitro-Technik: Lysin-Freisetzung aus Futtermitteln nach Enzymatischer Hydrolyse mit Pepsin und Darmsaft von Schweinen. 1991 , 41, 691-701		
550	In-Vitro Protein Digestibility of Dehydrated Protein Extract from Poultry Bone Residue. <i>Journal of Food Science</i> , 1991 , 56, 1751-1752	3.4	6
549	Evaluation of SDS-PAGE Method for Estimating Protein Digestibility. <i>Journal of Food Science</i> , 1991 , 56, 1082-1086	3.4	9
548	Nutritional assessment of seed proteins in rice bean [Vigna umbellata (Thumb.) Ohwi and Ohashi]. <i>Plant Foods for Human Nutrition</i> , 1991 , 41, 1-9	3.9	17
547	Critical evaluation of in vitro methods for estimating digestibility in simple-stomach animals. 1991 , 4, 141-62		148
546	EFFECTS OF SUCROSE, STARCH AND OIL ON THE IN VITRO DETERMINATION OF PROTEIN DIGESTIBILITY USING THE IMMOBILIZED DIGESTIVE ENZYME ASSAY (IDEA) SYSTEM1. 1992 , 16, 133-140		2
545	Micronization Effects on Composition and Properties of Tofu. <i>Journal of Food Science</i> , 1992 , 57, 418-422	3.4	15
544	Degradation Kinetics of Protein Digestibility and Available Lysine During Thermal Processing of Tuna. <i>Journal of Food Science</i> , 1992 , 57, 913-915	3.4	8
543	Seed protein of millets: amino acid composition, proteinase inhibitors and in-vitro protein digestibility. <i>Food Chemistry</i> , 1992 , 44, 13-17	8.5	40
542	Effect of irradiation and other processing methods on in-vitro digestibility of rapeseed protein. 1993 , 61, 273-275		1
541	Prediction of apparent heal protein digestibility in pigs with a two-step in-vitro method. 1993 , 62, 393-400		14
540	In-vitro multienzyme digestibility of protein of some plant source flours blended with bovine plasma protein concentrate. 1993 , 63, 323-327		13
539	In vitro protein digestibility of Leucaena leucocephala seed kernels and protein isolate. <i>Food Chemistry</i> , 1993 , 46, 159-162	8.5	0
538	Protein digestibility of extruded cereal grains. <i>Food Chemistry</i> , 1993 , 48, 13-18	8.5	64
537	Nutrient composition, protein quality and antinutritional factors of some varieties of dry beans (Phaseolus vulgaris) grown in Burundi. <i>Food Chemistry</i> , 1993 , 47, 159-167	8.5	95

536	Characterization of microbial biomasses and amyolytic preparations obtained from mussel processing waste treatment. 1993 , 43, 117-125		44
535	Selected nutritional, physical and sensory characteristics of pan and flat breads prepared from composite flours containing fababean. <i>Plant Foods for Human Nutrition</i> , 1993 , 44, 227-39	3.9	10
534	Extrusion of Pinto Bean High Protein Fraction Pretreated with Papain and Cellulase Enzymes. <i>Journal of Food Science</i> , 1993 , 58, 395-398	3.4	12
533	Enzyme Pretreatment of Pinto Bean High Protein Fraction and Time of Blending Corn Meal Affects Extrudate Properties. <i>Journal of Food Science</i> , 1993 , 58, 1404-1406	3.4	3
532	HYDROTHERMAL PROCESSING OF PACIFIC CHUM SALMON: EFFECTS ON TEXTURE AND IN-VITRO DIGESTIBILITY. 1993 , 16, 243-251		17
531	Evaluation of protein quality in fish meals by chemical and biological assays. 1993 , 115, 305-325		63
530	In-vitro digestibility simulating the proteolysis of feed protein in the midgut gland of grass shrimp (<i>Penaeus monodon</i>). 1993 , 109, 59-70		51
529	Lactic-fermented cereal gruels with improved in vitro protein digestibility. 1993 , 44, 29-36		28
528	Impact of exocrine pancreatic adaptation on in vitro protein digestibility. 1993 , 69, 359-69		7
527	The effect of cooking on proteins from acha (<i>Digitaria exilis</i>) and durum wheat. 1994 , 65, 465-476		13
526	Mathematical models for maximum improvement of in vitro protein digestibility of high dietary fibre cookies. 1994 , 38, 32-7		3
525	Functional and nutritional properties of tamarind (<i>Tamarindus indica</i>) kernel protein. <i>Food Chemistry</i> , 1994 , 49, 1-9	8.5	35
524	Oligosaccharides, Antinutritional Factors, and Protein Digestibility of Dry Beans as Affected by Processing. <i>Journal of Food Science</i> , 1994 , 59, 833-838	3.4	57
523	Thermal Effects on in vitro Protein Quality of Red Kidney Bean (<i>Phaseolus vulgaris</i> L.). <i>Journal of Food Science</i> , 1994 , 59, 1187-1191	3.4	27
522	Production of High-Protein Flour and Maltodextrins from Amaranth Grain. 1994 , 29, 289-293		9
521	Estimation of protein digestibilityII. In vitro assay of protein in salmonid feeds. 1994 , 108, 363-370		38
520	Estimation of protein digestibilityII Development of an in vitro method for estimating protein digestibility in salmonids (<i>Salmo gairdneri</i>). 1994 , 108, 349-362		50
519	Estimation of protein digestibilityIII. Studies on the digestive enzymes from the pyloric ceca of rainbow trout and salmon. 1994 , 109, 349-360		43

518	In vitro multienzyme digestibility of protein of six varieties of African yam bean flours. 1995 , 69, 373-377		11
517	The influence of screw configuration on the in vitro digestibility and protein solubility of soybean and rapeseed meals. 1995 , 26, 13-28		29
516	Content of antinutrients and in vitro protein digestibility of the African yambean, pigeon and cowpea. <i>Plant Foods for Human Nutrition</i> , 1995 , 48, 225-33	3.9	24
515	Protein quality of some Nigerian traditional diets based on the African yambean (<i>Sphenostylis stenocarpa</i>) and pigeon pea (<i>Cajanus cajan</i>). <i>Plant Foods for Human Nutrition</i> , 1995 , 48, 297-309	3.9	7
514	Effects of various water or hydrothermal treatments on certain antinutritional compounds in the seeds of the tribal pulse, <i>Dolichos lablab</i> var. <i>vulgaris</i> L. <i>Plant Foods for Human Nutrition</i> , 1995 , 48, 17-29	3.9	35
513	Some Antinutritional Factors in <i>Moringa peregrina</i> (Al-Yassar or Al-Ban) and Soybean Products. <i>Journal of Food Science</i> , 1995 , 60, 395-398	3.4	11
512	Enzyme-assisted hexane extraction of soya bean oil. <i>Food Chemistry</i> , 1995 , 54, 223-231	8.5	64
511	Nutrient and chemical evaluation of raw seeds of <i>Xylocarpus xylocarpa</i> : an underutilized food source. <i>Food Chemistry</i> , 1995 , 53, 299-304	8.5	7
510	Aqueous processing of sunflower kernels with enzymatic technology. <i>Food Chemistry</i> , 1995 , 53, 427-434	8.5	48
509	Studies on the underexploited legumes, <i>Indigofera linifolia</i> and <i>Sesbania bispinosa</i> : nutrient composition and antinutritional factors. 1995 , 46, 195-203		19
508	Enzymatic treatment of sunflower kernels before oil extraction. 1995 , 28, 537-545		23
507	Fractionation by thermal coagulation of lupin proteins: physicochemical characteristics. 1995 , 28, 91-99		11
506	Degradation of Myosin by Enzymes of the Digestive System: Comparison between Native and Oxidatively Cross-Linked Protein. 1996 , 44, 1641-1646		30
505	Isolation and characterization of proteins from soymilk residue (okara)*. 1996 , 29, 799-805		70
504	Evaluation of the nutritive value of jackseed (<i>Artocarpus heterophyllus</i>) meal for poultry. 1996 , 127, 123-130		1
503	Preparation of protein from lupin seeds. 1996 , 40, 71-74		22
502	Composition and some physical properties of different pea cultivars. 1996 , 40, 74-78		9
501	Determination of protein quality of rainbow trout (<i>Salmo irideus</i>) by in vitro protein digestibility \square corrected amino acid score (PDCAAS). <i>Food Chemistry</i> , 1996 , 55, 221-223	8.5	22

500	Studies on karkade (Hibiscus sabdariffa): protease inhibitors, phytate, in vitro protein digestibility and gossypol content. <i>Food Chemistry</i> , 1996 , 56, 15-19	8.5	15
499	Effect of domestic processing on the cooking time, nutrients, antinutrients and in vitro protein digestibility of the African yambean (<i>Sphenostylis stenocarpa</i>). <i>Plant Foods for Human Nutrition</i> , 1996 , 49, 43-52	3.9	31
498	Nutritional, functional and sensory properties of wheat, rice and fababean blends texturized by drum drying. <i>International Journal of Food Science and Technology</i> , 1996 , 31, 257-266	3.8	5
497	Replacement of maize with sweet potato (<i>Ipomoea batatas</i> L.) tuber meal in broiler diets. 1996 , 37, 95-103		5
496	Nutritional profile of Kuwaiti composite dishes: Proximate composition, phytates content and protein quality evaluation. 1997 , 36, 23-41		2
495	Chemistry and Nutritional Value of Soybean Components. 1997 , 25-113		55
494	Protein and amino acid quality of meat and bone meal. 1997 , 76, 361-8		111
493	Alternative techniques for measuring nutrient digestion in ruminants. 1997 , 75, 2256-76		78
492	Chemical composition of extracted dried olive pomaces containing two and three phases. 1997 , 11, 273-291		33
491	Effect of Various Processing Methods on Antinutrients and in Vitro Digestibility of Protein and Starch of Two Chinese Indigenous Legume Seeds. 1997 , 45, 4773-4776		60
490	Protein Quality of Alfalfa Protein Concentrates Obtained by Freezing. 1997 , 45, 797-802		11
489	In Vivo and in Vitro Digestibility of Soybean, Lupine, and Rapeseed Meal Proteins after Various Technological Processes 1997 , 45, 1762-1769		44
488	In vitro protein digestibility, amino acid profile and available iron of infant-weaning food prepared from maize flour and bovine blood. 1997 , 30, 193-197		5
487	Nutritional Value of Veal Bone Hydrolysate. <i>Journal of Food Science</i> , 1997 , 62, 183-189	3.4	18
486	EVALUATION OF DRUM-DRIED MEALS PREPARED FROM SPLIT BEANS (<i>PHASEOLUS VULGARIS</i> L.): PROTEIN QUALITY AND SELECTED ANTINUTRITIONAL FACTORS. 1997 , 21, 335-344		4
485	Cultivar and processing effects on the pasting characteristics, tannin content and protein quality and digestibility of cowpea (<i>Vigna unguiculata</i>). <i>Plant Foods for Human Nutrition</i> , 1997 , 51, 343-56	3.9	34
484	Amino acid composition, available lysine content and in vitro protein digestibility of selected tropical crop seeds. <i>Plant Foods for Human Nutrition</i> , 1997 , 50, 151-62	3.9	20
483	Effect of domestic processing on the levels of certain antinutrients in <i>Prosopis chilensis</i> (Molina) Stunz. seeds. <i>Food Chemistry</i> , 1997 , 59, 367-371	8.5	21

482	The effect of heat treatment on the in-vitro multienzyme digestibility of protein of six varieties of African yam bean (<i>Sphenostylis stenocarpa</i>) flour. <i>Food Chemistry</i> , 1997 , 60, 509-512	8.5	16
481	An evaluation of open and closed systems for in vitro protein digestion of fish meal. 1997 , 3, 153-159		23
480	Evaluation of Three In Vitro Enzyme Assays for Estimating Protein Digestibility in the Pacific White Shrimp <i>Penaeus vannamei</i> 1. 1998 , 29, 441-450		27
479	Effect of cooking on protein quality of chickpea (<i>Cicer arietinum</i>) seeds. <i>Food Chemistry</i> , 1998 , 62, 1-6	8.5	56
478	Effect of soaking and heat processing on the levels of antinutrients and digestible proteins in seeds of <i>Vigna aconitifolia</i> and <i>Vigna sinensis</i> . <i>Food Chemistry</i> , 1998 , 63, 259-264	8.5	57
477	In vitro digestibility of dietary protein sources for white shrimp (<i>Penaeus vannamei</i>). 1998 , 163, 123-136		40
476	Irradiation Inactivation of Some Antinutritional Factors in Plant Seeds. 1998 , 46, 2698-2702		38
475	Production and Characterization of Enzymatic Hydrolysate from Soy Protein Isolate. 1998 , 31, 624-631		20
474	Low nutritional quality of unconventional tropical crop seeds in rats. 1998 , 128, 2014-22		37
473	Protein isolates from chickpea (<i>Cicer arietinum</i> L.): chemical composition, functional properties and protein characterization. <i>Food Chemistry</i> , 1999 , 64, 237-243	8.5	188
472	Protein quality of chickpea (<i>Cicer arietinum</i> L.) protein hydrolysates. <i>Food Chemistry</i> , 1999 , 67, 269-274	8.5	89
471	EFFECT of THERMAL PROCESSING ON THIAMINE RETENTION, IN-VITRO PROTEIN DIGESTIBILITY, ESSENTIAL AMINO ACID COMPOSITION, and SENSORY ATTRIBUTES of PERIWINKLE-BASED FORMULATED LOW ACID FOODS. 1999 , 23, 121-134		1
470	Modification of Proteins from Soymilk Residue (Okara) by Trypsin. <i>Journal of Food Science</i> , 1999 , 64, 781-786	3.786	17
469	Production of African breadfruit (<i>Treculia africana</i>) and soybean (<i>Glycine max</i>) seed based food formulations, 1: Effects of germination and fermentation on nutritional and organoleptic quality. <i>Plant Foods for Human Nutrition</i> , 1999 , 54, 193-206	3.9	21
468	Formulation of pig diets according to ileal digestible amino acid content. 1999 , 59, 13-24		6
467	Optimisation of enzyme treatment for the degradation of feed proteins for an <i>Escherichia coli</i> auxotroph lysine availability assay. 1999 , 79, 1929-1935		22
466	Sensory evaluation and in vitro protein digestibility of mung bean as affected by cooking time. 1999 , 79, 2025-2028		17
465	Acid modification of proteins from soymilk residue (okara). 1999 , 32, 119-127		71

464	Predicting integrated protein nutritional quality Part 2: Integrated protein nutritional quality predicted from Amino Acid Availability Corrected Amino Acid Score (AACAAAS). 1999 , 19, 1807-1816		1
463	Alternative methods for nutrition research on the southern bluefin tuna, <i>Thunnus maccoyii</i> : in vitro digestibility. 1999 , 179, 57-70		41
462	Revision: Indicadores del deterioro de la calidad proteica y del valor nutritivo de la leche / Review: Indicators of damage of protein quality and nutritional value of milk. 1999 , 5, 447-461		25
461	Interaction of chickpea (<i>Cicer arietinum</i> L.) legumin with oxidized linoleic acid. 1999 , 47, 813-8		11
460	Nutritional evaluation of home-prepared soy-corn milk β protein beverage. 2000 , 30, 128-132		5
459	Effect of frying various legumes under optimum conditions on amino acids, in vitro protein digestibility, phytate and oligosaccharides. 2000 , 80, 57-62		10
458	Factors affecting the in vitro protein digestibility of chickpea albumins. 2000 , 80, 79-84		53
457	Effects of extrusion and traditional processing methods on antinutrients and in vitro digestibility of protein and starch in faba and kidney beans. <i>Food Chemistry</i> , 2000 , 68, 159-165	8.5	400
456	Effect of domestic processing methods on the starch, non-starch polysaccharides and in vitro starch and protein digestibility of three varieties of rice with varying levels of amylose. <i>Food Chemistry</i> , 2000 , 70, 107-111	8.5	106
455	Hard-to-cook phenomenon in chickpeas (<i>Cicer arietinum</i> L): effect of accelerated storage on quality. <i>Plant Foods for Human Nutrition</i> , 2000 , 55, 229-41	3.9	34
454	Optimization of the solid state fermentation process to obtain tempeh from hardened chickpeas (<i>Cicer arietinum</i> L.). <i>Plant Foods for Human Nutrition</i> , 2000 , 55, 219-28	3.9	16
453	Influencia del almacenamiento a temperatura y humedad relativa altas sobre la calidad de garbanzo (<i>Cicer arietinum</i> L.) Influence of storage at high temperature and high relative humidity on seed quality of chickpea (<i>Cicer arietinum</i> L.). 2000 , 6, 473-482		2
452	Nutritional and anti-nutritional composition of velvet bean: an under-utilized food legume in south India. 2000 , 51, 279-87		47
451	Physicochemical and Nutritional Characteristics of Extruded Flours from Fresh and Hardened Chickpeas (<i>Cicer arietinum</i> L). 2000 , 33, 117-123		34
450	Nutritional assessment in vitro and in vivo of raw and extruded peas (<i>Pisum sativum</i> L.). 2000 , 48, 2286-90		91
449	Composici3n qu3mica y calidad nutritiva de garbanzo (<i>Cicer arietinum</i> L.) fresco y endurecido despu3s de la fermentaci3n en estado s3lido (FES)/Chemical composition and nutritional quality of fresh and hardened chickpea (<i>Cicer arietinum</i> L) after the solid state fermentation (SSF). 2000 , 6, 251-258		6
448	Analyses of Protein Quality. 2001 , 00, B2.1.1		
447	Protein quality evaluation of cowpea-based extrusion cooked cereal/legume weaning mixtures. 2001 , 21, 849-857		23

446	Effect of succinylation on the physicochemical properties of soy protein hydrolysate. 2001 , 34, 507-514		48
445	Emulsifying and foaming properties of native and chemically modified peptides from the 2S and 12S proteins of rapeseed (<i>Brassica napus</i> L.). 2001 , 78, 235-242		36
444	Enzyme-aided alternative processes for the extraction of oil from <i>Rosa rubiginosa</i> . 2001 , 78, 437-439		10
443	Nutritional evaluation of some subtropical red and green seaweeds Part II. In vitro protein digestibility and amino acid profiles of protein concentrates. <i>Food Chemistry</i> , 2001 , 72, 11-17	8.5	110
442	Nutritional and anti-nutritional attributes of the under-utilized legume, <i>Cassia floribunda</i> Cav.. <i>Food Chemistry</i> , 2001 , 73, 209-215	8.5	27
441	Extraction and functionality of membrane-concentrated protein from defatted <i>Rosa rubiginosa</i> seeds. <i>Food Chemistry</i> , 2001 , 74, 327-339	8.5	24
440	Compositional and nutritional studies on two wild edible mushrooms from northwest Spain. <i>Food Chemistry</i> , 2001 , 75, 417-422	8.5	115
439	Alternative methods for nutrition research on the southern bluefin tuna, <i>Thunnus maccoyii</i> (Castelnaud): evaluation of Atlantic salmon, <i>Salmo salar</i> L., to screen experimental feeds. 2001 , 32, 174-181		2
438	Prediction of protein digestibility in dog food by a multi-enzymatic method: a useful technique to develop. 2001 , 85, 189-94		3
437	Sensors and Food Quality. 2001 , 9, 255-282		6
436	Isolation, functional properties and potential use of protein preparations from lupin. 2001 , 45, 396-8		13
435	Influence of drying treatment on three <i>Sargassum</i> species 2. Protein extractability, in vitro protein digestibility and amino acid profile of protein concentrates. 2001 , 13, 51-58		52
434	GUAVA SEED PROTEIN ISOLATE: FUNCTIONAL AND NUTRITIONAL CHARACTERIZATION. 2001 , 25, 77-90		18
433	The effect of shell egg pasteurization on the protein quality of albumen. 2001 , 80, 821-4		10
432	Effects of sources of protein and enzyme supplementation on protein digestibility and chyme characteristics in broilers. 2002 , 43, 424-31		8
431	Nutritional quality of soyplantain extruded snacks. 2002 , 41, 463-474		5
430	Jajoba seed meal proteins associated with proteolytic and protease inhibitory activities. 2002 , 50, 5670-5		12
429	Estimation of neutral detergent fibre degradation in pigs by an in vitro method. 2002 , 95, 205-214		4

428	Popping of amaranth grain (<i>Amaranthus caudatus</i>) and its effect on the functional, nutritional and sensory properties. 2002 , 82, 797-805		26
427	Evaluation of different protein sources for aquafeeds by an optimised pH-stat system. 2002 , 82, 697-704		33
426	Optimisation of extrusion process to transform hardened chickpeas (<i>Cicer arietinum</i> L) into a useful product. 2002 , 82, 1718-1728		30
425	Muscle and liver protein metabolism in rats fed raw or heat-treated pea seeds. 2002 , 13, 611-618		10
424	Evaluation of an in vitro digestibility technique for the prediction of protein digestibility in the South African abalone, <i>Haliotis midae</i> L.. 2002 , 8, 15-21		10
423	Assessment of dry matter and protein digestibilities of selected raw ingredients by discus fish (<i>Symphysodonaequifasciata</i>) using in vivo and in vitro methods. 2002 , 8, 229-238		29
422	Lupinus angustifolius protein isolates: chemical composition, functional properties and protein characterization. <i>Food Chemistry</i> , 2002 , 76, 349-356	8.5	116
421	Changes in anti-nutrients, protein solubility, digestibility, and HCl-extractability of ash and phosphorus in vegetable peas as affected by cooking methods. <i>Food Chemistry</i> , 2002 , 77, 187-192	8.5	64
420	Characterisation of protein concentrates from pressed cakes of Guevina avellana (Chilean hazelnut). <i>Food Chemistry</i> , 2002 , 78, 179-186	8.5	23
419	Studies and Biological Assays in Corn Tortillas Made From Fresh Masa Prepared by Extrusion and Nixtamalization Processes. <i>Journal of Food Science</i> , 2002 , 67, 1196-1199	3.4	21
418	Functional, Nutritional, Mycological, and Akara-making Properties of Stored Cowpea Meal. <i>Journal of Food Science</i> , 2002 , 67, 2229-2234	3.4	17
417	Aqueous Extraction and Membrane Isolation of Protein from Defatted Gevuina avellana. <i>Journal of Food Science</i> , 2002 , 67, 688-696	3.4	13
416	Nutritional quality of spray dried protein hydrolysate from Black Tilapia (<i>Oreochromis mossambicus</i>). <i>Food Chemistry</i> , 2002 , 78, 69-74	8.5	83
415	Agrobotanical traits and chemical composition of <i>Cassia obtusifolia</i> L.: a lesser-known legume of the Western Ghats region of South India. <i>Plant Foods for Human Nutrition</i> , 2002 , 57, 151-64	3.9	15
414	Chemical composition, nutritional value, and in-vitro protein digestibility of three traditional breakfast foods in Jordan. <i>Plant Foods for Human Nutrition</i> , 2003 , 58, 1-6	3.9	109
413	In vitro study on digestion of peptides in Emmental cheese: analytical evaluation and influence on angiotensin I converting enzyme inhibitory peptides. 2003 , 47, 87-94		63
412	Improvement of the digestibility of the proteins of the red alga <i>Palmaria palmata</i> by physical processes and fermentation. 2003 , 47, 339-44		34
411	Effect of drought on polyamine metabolism, yield, protein content and in vitro protein digestibility in tepary (<i>Phaseolus acutifolius</i>) and common (<i>Phaseolus vulgaris</i>) bean seeds. 2003 , 83, 1022-1030		19

410	Chitosan: An Attractive Biocompatible Polymer for Microencapsulation. 2003 , 3, 511-520		199
409	Interaction of Lupinus angustifolius L. and Conglutins with 13-hydroperoxide-11,9-octadecadienoic acid. <i>Food Chemistry</i> , 2003 , 80, 517-523	8.5	8
408	Protein size distribution and inhibitory effect of wheat hydrolysates on Neutrase. 2003 , 90, 249-54		12
407	Heat-induced changes in the susceptibility of egg white proteins to enzymatic hydrolysis: a kinetic study. 2003 , 51, 3819-23		48
406	Development of a liquid nutritional supplement using a Sesamum indicum L. protein isolate. 2003 , 36, 67-74		16
405	Effect of soaking and extrusion conditions on antinutrients and protein digestibility of legume seeds. 2003 , 36, 285-293		139
404	Instant flour from quality protein maize (Zea mays L). Optimization of extrusion process. 2003 , 36, 685-695		23
403	Effect of fungi fermentation on organoleptic properties, energy content and in-vitro multienzyme digestibility of cassava products (flour & gari). 2003 , 17, 131-8		4
402	Evaluation of the Progress of Protein Hydrolysis. 2003 , 10, B2.2.1		9
401	The nutritional and antinutritional attributes of sword bean [Canavalia gladiata (Jacq.) DC.]: an under-utilized tribal pulse from south India. <i>International Journal of Food Science and Technology</i> , 2004 , 39, 917-926	3.8	6
400	Formation and stability of shark liver oil loaded chitosan/calcium alginate capsules. 2004 , 18, 865-871		58
399	Nixtamalized flour from quality protein maize (Zea mays L). optimization of alkaline processing. <i>Plant Foods for Human Nutrition</i> , 2004 , 59, 35-44	3.9	27
398	Solid state fermentation process for producing chickpea (Cicer arietinum L) tempeh flour. Physicochemical and nutritional characteristics of the product. 2004 , 84, 271-278		48
397	Wet-fractionation of Phaseolus lunatus seeds: partial characterization of starch and protein. 2004 , 84, 1193-1201		64
396	Changes in sorghum enzyme inhibitors, phytic acid, tannins and in vitro protein digestibility occurring during Khamir (local bread) fermentation. <i>Food Chemistry</i> , 2004 , 88, 129-134	8.5	78
395	Evaluation of the Progress of Protein Hydrolysis. 2004 ,		
394	Quality protein maize (Zea mays L.) tempeh flour through solid state fermentation process. 2004 , 37, 59-67		33
393	Effect of different denaturing methods on lipid-protein complex formation. 2004 , 37, 99-104		17

392	Chemical composition and microbiological assays of marine algae <i>Enteromorpha</i> spp. as a potential food source. <i>Journal of Food Composition and Analysis</i> , 2005 , 18, 79-88	4.1	111
391	Variability in the physicochemical, nutritional and antinutritional attributes of six <i>Mucuna</i> species. <i>Food Chemistry</i> , 2005 , 89, 37-48	8.5	73
390	Nutritional assessment of raw and germinated pea (<i>Pisum sativum</i> L.) protein and carbohydrate by in vitro and in vivo techniques. 2005 , 21, 230-9		52
389	Nutritional value of African yambean (<i>Sphenostylis stenocarpa</i> L): improvement by lactic acid fermentation. 2005 , 85, 963-970		24
388	Nutritional and antinutritional characteristics of seven South Indian wild legumes. <i>Plant Foods for Human Nutrition</i> , 2005 , 60, 69-75	3.9	45
387	Infant food from quality protein maize and chickpea: optimization for preparing and nutritional properties. 2005 , 56, 273-85		5
386	Fractionation and enzymatic hydrolysis of soluble protein present in waste liquors from soy processing. 2005 , 53, 7600-8		38
385	Nutritional potential of raw and free alpha-galactosides lupin (<i>Lupinus albus</i> Var. <i>multolupa</i>) seed flours. Effect of phytase treatment on nitrogen and mineral dialyzability. 2005 , 53, 3088-94		25
384	Antinutritional factors and in vitro protein digestibility of improved haricot bean (<i>Phaseolus vulgaris</i> L.) varieties grown in Ethiopia. 2005 , 56, 377-87		26
383	Substitution of <i>Chaetoceros muelleri</i> by <i>Spirulina platensis</i> meal in diets for <i>Litopenaeus schmitti</i> larvae. 2006 , 260, 215-220		38
382	Nutritional properties of tempeh flour from quality protein maize (<i>Zea mays</i> L.). 2006 , 39, 1072-1079		24
381	Chemical and nutritional evaluation of kernels of bocaiuva, <i>Acrocomia aculeata</i> (Jacq.) Lodd.. 2006 , 26, 683-689		30
380	Nutritional evaluation of protein, phosphorus, calcium and magnesium bioavailability from lupin (<i>Lupinus albus</i> var. <i>multolupa</i>)-based diets in growing rats: effect of alpha-galactoside oligosaccharide extraction and phytase supplementation. 2006 , 95, 1102-11		10
379	Processing, Nutritional Evaluation, and Utilization of Whole Mesquite Flour (<i>Prosopis laevigata</i>). <i>Journal of Food Science</i> , 2006 , 71, S315-S320	3.4	18
378	Influence of Tannin on <i>Phaseolus vulgaris</i> Protein Digestibility and Quality. <i>Journal of Food Science</i> , 2006 , 50, 67-71	3.4	58
377	Effects of Microwave Heating on Solubility, Digestibility and Metabolism of Soy Protein. <i>Journal of Food Science</i> , 2006 , 50, 415-417	3.4	19
376	Chemical Composition and Nutritive Value of Truffles of Saudi Arabia. <i>Journal of Food Science</i> , 2006 , 50, 450-453	3.4	38
375	The optimization of the extrusion process when using maize flour with a modified amino acid profile for making tortillas. <i>International Journal of Food Science and Technology</i> , 2006 , 41, 727-736	3.8	35

374	The in vitro protein digestibility, microbiological quality and gelatinization behaviour of macaroni as affected by cowpea flour addition. <i>Food Chemistry</i> , 2006 , 98, 664-669	8.5	9
373	Effect of wheat germ/bran addition on the chemical, nutritional and sensory quality of tarhana, a fermented wheat flour-yoghurt product. 2006 , 77, 680-686		61
372	Protein quality of germinated <i>Phaseolus vulgaris</i> . <i>European Food Research and Technology</i> , 2006 , 222, 144-148	3.4	14
371	Proximate composition, fatty acid analysis and protein digestibility-corrected amino acid score of three Mediterranean cephalopods. 2006 , 50, 967-70		49
370	Lactic acid fermentation of black beans (<i>Phaseolus vulgaris</i>): microbiological and chemical characterization. 2006 , 86, 1164-1171		37
369	Effect of extrusion on nutritional quality of maize and Lima bean flour blends. 2006 , 86, 2477-2484		54
368	Developing an Improved Home-Level Technology for the Production of a Protein-Enriched Nigerian Local Snack, Tofu Pie. <i>Journal of Culinary Science and Technology</i> , 2006 , 5, 81-92	0.8	
367	Protein Digestibility of Selected Legumes Treated with Ultrasound and High Hydrostatic Pressure During Soaking. <i>Cereal Chemistry</i> , 2007 , 84, 518-521	2.4	33
366	In vitro digestibility of water-soluble and water-insoluble protein fractions of some common fish larval feeds and feed ingredients. 2007 , 262, 426-435		48
365	Influence of germination on the nutritional quality of <i>Phaseolus vulgaris</i> and <i>Cajanus cajan</i> . 2007 , 40, 116-120		78
364	Multivariate strategy in screening of enzymes to be used for whey protein hydrolysis in an enzymatic membrane reactor. 2007 , 17, 393-402		27
363	Functional Characteristics of Extruded Blends of Whey Protein Concentrate and Corn Starch. <i>Cereal Chemistry</i> , 2007 , 84, 195-201	2.4	27
362	Evaluaci3n de la Disponibilidad de Minerales en Harinas de Frijol y en Mezclas de Ma7/Frijol Extrudidas. 2007 , 18,		1
361	Nutritional value of African yambean (<i>Sphenostylis stenocarpa</i> , L): improvement by solid substrate fermentation using the tempeh fungus <i>Rhizopus oligosporus</i> . 2007 , 87, 297-304		3
360	Effect of soaking and hydrothermal processing methods on the levels of antinutrients and in vitro protein digestibility of <i>Bauhinia purpurea</i> L. seeds. <i>Food Chemistry</i> , 2007 , 103, 968-975	8.5	52
359	Nutritional and compositional study of Desi chickpea (<i>Cicer arietinum</i> L.) cultivars grown in Punjab, Pakistan. <i>Food Chemistry</i> , 2007 , 105, 1357-1363	8.5	85
358	Effect of treatment with electrolyzed NaCl solutions and essential oil compounds on the proximate composition, amino acid and fatty acid composition of carp fillets. <i>Food Chemistry</i> , 2007 , 101, 1492-1498	8.5	27
357	Effect of processing on antinutrients and in vitro protein digestibility of kidney bean (<i>Phaseolus vulgaris</i> L.) varieties grown in East Africa. <i>Food Chemistry</i> , 2007 , 103, 161-172	8.5	160

356	Isolation, fractionation and characterisation of proteins from Mucuna bean. <i>Food Chemistry</i> , 2007 , 104, 287-299	8.5	37
355	Polysaccharides reduce in vitro IgG/IgE-binding of β -lactoglobulin after hydrolysis. <i>Food Chemistry</i> , 2007 , 104, 1242-1249	8.5	10
354	Effect of brewers spent grain addition and screw speed on the selected physical and nutritional properties of an extruded snack. 2007 , 81, 702-709		127
353	Influence of storage on the quality of maize meal for tortilla making. <i>International Journal of Food Science and Technology</i> , 2007 , 18, 53-60	3.8	7
352	Comparison of selected food characteristics of three cultivars of bean <i>Phaseolus vulgaris</i> . <i>International Journal of Food Science and Technology</i> , 2007 , 21, 487-494	3.8	12
351	Rapid in vitro enzymic predictive model for the in vivo digestibility of food proteins. <i>International Journal of Food Science and Technology</i> , 2007 , 21, 81-87	3.8	17
350	Effect of processing on in vitro digestibility of protein and starch in quinoa seeds. <i>International Journal of Food Science and Technology</i> , 2007 , 29, 449-456	3.8	29
349	Effects of traditional cooking methods on some antinutrients and in vitro protein digestibility of dry bean varieties (<i>Phaseolus vulgaris</i> L.) grown in Turkey. <i>International Journal of Food Science and Technology</i> , 2007 , 42, 868-873	3.8	36
348	Nutritional properties of quality protein maize and chickpea extruded based weaning food. <i>Plant Foods for Human Nutrition</i> , 2007 , 62, 31-7	3.9	27
347	Effect of dietary fibre addition on the selected nutritional properties of cookies. 2007 , 78, 86-89		63
346	Effect of transglutaminase and EDC on biodegradation of fish gelatin and gelatin-chitosan films. <i>European Food Research and Technology</i> , 2008 , 226, 1127-1133	3.4	12
345	Enzymatic modification as a tool to improve the functional properties of heat-processed soy flour. 2008 , 88, 336-343		18
344	Optimization of extrusion of flaxseeds for in vitro protein digestibility analysis using response surface methodology. 2008 , 85, 59-64		29
343	Cauliflower by-products as a new source of dietary fibre, antioxidants and proteins in cereal based ready-to-eat expanded snacks. 2008 , 87, 554-563		195
342	Tempeh flour from chickpea (<i>Cicer arietinum</i> L.) nutritional and physicochemical properties. <i>Food Chemistry</i> , 2008 , 106, 106-112	8.5	51
341	Utilisation of <i>Chlorella vulgaris</i> cell biomass for the production of enzymatic protein hydrolysates. 2008 , 99, 7723-9		83
340	EFFECT OF VARIOUS PROCESSING METHODS ON THE LEVELS OF ANTINUTRITIONAL CONSTITUENTS AND PROTEIN DIGESTIBILITY OF MUCUNA PRURIENS (L.) DC. VAR. UTILIS (WALL. EX WIGHT) BAKER EX BURCK (VELVET BEAN) SEEDS. 2008 , 32, 795-812		11
339	Influence of natural and controlled fermentations on β -galactosides, antinutrients and protein digestibility of beans (<i>Phaseolus vulgaris</i> L.). <i>International Journal of Food Science and Technology</i> , 2008 , 43, 658-665	3.8	23

338	Some physicochemical and antinutritional properties of raw flours and protein isolates from <i>Mucuna pruriens</i> (velvet bean) and <i>Canavalia ensiformis</i> (jack bean). <i>International Journal of Food Science and Technology</i> , 2008 , 43, 816-823	3.8	16
337	The recycling of brewer's processing by-product into ready-to-eat snacks using extrusion technology. 2008 , 47, 469-479		111
336	Isolation, solubility and in vitro hydrolysis of chickpea vicilin-like protein. 2008 , 41, 1244-1251		17
335	Extrusion of a hard-to-cook bean (<i>Phaseolus vulgaris</i> L.) and quality protein maize (<i>Zea mays</i> L.) flour blend. 2008 , 41, 1799-1807		39
334	Analysis of Quality Protein Changes in Nixtamalized QPM Flours as a Function of the Steeping Time. <i>Cereal Chemistry</i> , 2008 , 85, 409-416	2.4	22
333	Technological and Nutritional Properties of Flours and Tortillas from Nixtamalized and Extruded Quality Protein Maize (<i>Zea mays</i> L.). <i>Cereal Chemistry</i> , 2008 , 85, 808-816	2.4	31
332	Tamarind seed: properties, processing and utilization. 2008 , 48, 1-20		118
331	Variability in Phytochemicals, Galactosides, Sucrose Composition and in vitro Protein Digestibility of Common Bean (<i>Phaseolus vulgaris</i> L.) Varieties. 2008 , 2,		1
330	Effect of extrusion conditions and lipoxygenase inactivation treatment on the physical and nutritional properties of corn/cowpea (<i>Vigna unguiculata</i>) blends. 2009 , 60 Suppl 7, 341-54		4
329	Dietary fiber and other functional components in two varieties of crude and extruded kiwicha (<i>Amaranthus caudatus</i>). 2009 , 49, 219-224		104
328	Prediction of protein digestibility by in vitro procedures based on two multi-enzyme systems. 2009 , 45, 190-200		21
327	The nutritional effect of a pepsin stable trypsin inhibitor from barley grains. 1982 , 48, 65-75		8
326	Prediction of protein digestibility by an in vitro enzymatic pH-stat procedure. 1983 , 49, 265-77		60
325	Functional properties of hydrolysates from <i>Phaseolus lunatus</i> seeds. <i>International Journal of Food Science and Technology</i> , 2009 , 44, 128-137	3.8	36
324	Protein quality of larval feed with increased concentration of hydrolysed protein: effects of heat treatment and leaching. 2009 , 15, 525-536		8
323	A method to determine protein digestibility of microdiets for larval and early juvenile fish. 2009 , 15, 615-626		7
322	EFFECT OF SOAKING IN SODIUM BICARBONATE SOLUTION FOLLOWED BY AUTOCLAVING ON THE NUTRITIONAL AND ANTINUTRITIONAL PROPERTIES OF VELVET BEAN SEEDS. 2009 , 33, 60-73		9
321	Prediction of digestible protein content of dry extruded dog foods: comparison of methods. 2009 , 93, 366-72		18

320	Evaluation of In Vitro Apparent Protein Digestibility by Shrimp Using Gut Enzyme Extracts. 2009 , 40, 325-336	2
319	Iron, zinc, and protein bioavailability proxy measures of meals prepared with nutritionally enhanced beans and maize. <i>Journal of Food Science</i> , 2009 , 74, H147-54	3-4 23
318	Nixtamalised flour and tortillas from transgenic maize (<i>Zea mays</i> L.) expressing amarantin: Technological and nutritional properties. <i>Food Chemistry</i> , 2009 , 114, 50-56	8.5 19
317	Analytical nutritional characteristics of seed proteins in six wild <i>Lupinus</i> species from Southern Spain. <i>Food Chemistry</i> , 2009 , 117, 466-469	8.5 29
316	Nutritional quality of legume seeds as affected by some physical treatments, Part 1: Protein quality evaluation. 2009 , 42, 1107-1112	119
315	In-vitro digestibility and amino acid composition of soy protein isolate cross-linked with microbial transglutaminase followed by heating with ribose. 2009 , 60 Suppl 7, 99-108	6
314	Effect of Heat Treatments on Certain Antinutrients and in vitro Protein Digestibility of Peanut and Sesame Seeds. 2010 , 17, 31-38	45
313	Effect of soaking, dehulling, and cooking methods on certain antinutrients and in vitro protein digestibility of bitter and sweet lupin seeds. 2010 , 19, 1055-1062	37
312	Relationship between proportion and composition of albumins, and in vitro protein digestibility of raw and cooked pea seeds (<i>Pisum sativum</i> L.). 2010 , 90, 1719-25	39
311	Protein isolates from two Mediterranean legumes: <i>Lathyrus clymenum</i> and <i>Lathyrus annuus</i> . Chemical composition, functional properties and protein characterisation. <i>Food Chemistry</i> , 2010 , 122, 533-538	8.5 24
310	Effect of sourdough fermentation on stabilisation, and chemical and nutritional characteristics of wheat germ. <i>Food Chemistry</i> , 2010 , 119, 1079-1089	8.5 175
309	Physicochemical, nutritional and functional properties of marama bean flour. <i>Food Chemistry</i> , 2010 , 121, 400-405	8.5 32
308	A study of the in vitro protein digestibility of indica and japonica cultivars. <i>Food Chemistry</i> , 2010 , 122, 1199-1204	8.5 16
307	INFLUENCE OF ROOM-TEMPERATURE STORAGE REHEATING CYCLES ON NUTRITIONAL PROPERTIES OF MAIZE MEAL PORRIDGE (PAP) USED IN THE VAAL REGION, SOUTH AFRICA. 2010 , 34, 181-191	2
306	Bean seed proteins digestibility affected by pressure and microwave cooking. 2010 , 39, 234-238	2
305	Procesamiento en seco de harina de chġ (<i>Salvia hispanica</i> L.): caracterizaciġ quġmica de fibra y proteġna Dry processing of chġ (<i>Salvia hispanica</i> L.) flour: chemical characterization of fiber and protein. 2010 , 8, 117-127	31
304	Nutritional and anti-nutritional potential of three accessions of itching bean (<i>Mucuna pruriens</i> (L.) DC var. <i>pruriens</i>): an under-utilized tribal pulse. 2010 , 61, 497-511	11
303	Physicochemical, nutritional and antioxidant properties of tempeh flour from common bean (<i>Phaseolus vulgaris</i> L.). 2010 , 16, 427-34	36

302	Non-digestible fraction of cooked bean (<i>Phaseolus vulgaris</i> L.) cultivar Bayo Madero suppresses colonic aberrant crypt foci in azoxymethane-induced rats. 2010 , 1, 294-300		32
301	Seaweed Digestibility and Methods used for Digestibility Determination. 2011 , 285-301		
300	In vitro pH-Stat protein hydrolysis of feed ingredients for Atlantic cod, <i>Gadus morhua</i> . 1. Development of the method. 2011 , 319, 398-406		14
299	In vitro pH-Stat protein hydrolysis of feed ingredients for Atlantic cod, <i>Gadus morhua</i> . 2. In vitro protein digestibility of common and alternative feed ingredients. 2011 , 319, 407-416		16
298	Physicochemical and nutritional properties of reduced-caloric density high-fibre breads. 2011 , 44, 747-758		82
297	Nutritional characteristics of seed proteins in 15 <i>Lathyrus</i> species (fabaceae) from Southern Spain. 2011 , 44, 1059-1064		16
296	Degradation of aflatoxins by extrusion cooking: Effects on nutritional quality of extrudates. 2011 , 44, 1496-1501		26
295	Proteins. 2011 , 83-116		15
294	EVALUACIÓN DE LA COMPOSICIÓN NUTRICIONAL, ANTINUTRICIONAL Y BIODISPONIBILIDAD IN VITRO DE DIFERENTES EXTRACTOS FOLIARES. 2011 , 38, 168-176		1
293	Influence of lipid extraction from different protein sources on in vitro digestibility. 2011 , 35, 758-764		4
292	Effect of gamma irradiation on physicochemical properties, proximate composition, vitamins and antinutritional factors of the tribal pulse <i>Vigna unguiculata</i> subsp. <i>unguiculata</i> . <i>International Journal of Food Science and Technology</i> , 2011 , 46, 1739-1746	3.8	13
291	Nutritional characteristics of seed proteins in 28 <i>Vicia</i> species (Fabaceae) from Southern Spain. <i>Journal of Food Science</i> , 2011 , 76, C1118-24	3.4	21
290	Effect of different levels of malt extract on antinutrients, in vitro digestibilities and viscosity during fermentation of Jeungpyun. 2011 , 20, 679-685		3
289	Physicochemical Characterization of Extruded Blends of Corn Starch/Whey Protein Concentrate/Agave tequilana Fiber. 2011 , 4, 797-808		21
288	Effects of the addition of wild legumes (<i>Lathyrus annuus</i> and <i>Lathyrus clymenum</i>) on the physical and nutritional properties of extruded products based on whole corn and brown rice. <i>Food Chemistry</i> , 2011 , 128, 961-967	8.5	51
287	Effects of gluten and emulsifier on some properties of eribe prepared with legume flours. 2011 , 62, 63-70		6
286	Quality evaluation of rice bran protein isolate-based weaning food for preschoolers. 2011 , 62, 280-8		11
285	In vitro determination of dietary protein and amino acid digestibility for humans. 2012 , 108 Suppl 2, S282-7		40

284	Biochemical evaluation of protein fractions from physic nut (<i>Jatropha curcas</i> L.). 2012 , 63, 253-259		6
283	The Digestibility and Thermal Properties of Fermented Flaxseed Protein. 2012 , 8,		1
282	Particle size-starch-protein digestibility relationships in cowpea (<i>Vigna unguiculata</i>). 2012 , 113, 254-264		56
281	Production and characterization of sunflower (<i>Helianthus annuus</i> L.) protein-enriched products obtained at pilot plant scale. 2012 , 45, 65-72		40
280	Molecular rearrangements in extrusion processes for the production of amaranth-enriched, gluten-free rice pasta. 2012 , 47, 421-426		68
279	Biochemical Analyses and Nutritional Content of Four Castes of Subterranean Termites, <i>Macrotermes subhyalinus</i> (Rambur) (Isoptera: Termitidae): Differences in Digestibility and Anti-nutrient Contents among Castes. 2012 , 4,		8
278	Cooking, Roasting, and Fermentation of Chickpeas, Lentils, Peas, and Soybeans for Fortification of Leavened Bread. <i>Cereal Chemistry</i> , 2012 , 89, 269-275	2.4	38
277	Effects of pressure treatment of hydrated oat, finger millet and sorghum flours on the quality and nutritional properties of composite wheat breads. 2012 , 56, 713-719		40
276	Protein quality evaluation twenty years after the introduction of the protein digestibility corrected amino acid score method. 2012 , 108 Suppl 2, S183-211		165
275	Impact of Legume Flours on Quality and In Vitro Digestibility of Starch and Protein from Gluten-Free Cakes. 2012 , 5, 3142-3150		102
274	High antioxidant activity mixture of extruded whole quality protein maize and common bean flours for production of a nutraceutical beverage elaborated with a traditional Mexican formulation. <i>Plant Foods for Human Nutrition</i> , 2012 , 67, 450-6	3.9	5
273	Application Potential of Food Protein Modification. 2012 ,		4
272	Effect of Blanching Treatments against Protein Content and Amino Acid Drumstick Leaves (<i>Moringa oleifera</i>). 2012 , 2, 101		5
271	Biorefinery process for protein extraction from oriental mustard (<i>Brassica juncea</i> (L.) Czern.) using ethanol stillage. 2012 , 2, 5		11
270	Wet Fractionation of Hard-to-Cook Bean (<i>Phaseolus vulgaris</i> L.) Seeds and Characterization of Protein, Starch and Fibre Fractions. 2012 , 5, 1531-1540		16
269	In Vitro Protein Digestibility of Dietary Ingredients Throughout Ontogeny of California Halibut, <i>Paralichthys californicus</i> , Larvae. 2012 , 43, 51-62		3
268	Effect of processing on antinutrients and in vitro protein digestibility of the underutilized legume, <i>Vigna unguiculata</i> (L.) Walp subsp. <i>unguiculata</i> . 2013 , 51, 455-461		44
267	Effect of different processing methods on certain antinutritional factors and protein digestibility in green and white faba bean (<i>Vicia faba</i> L.). 2013 , 11, 43-49		46

266	Isolation and characterization of proteins from chia seeds (<i>Salvia hispanica</i> L.). 2013 , 61, 193-201		108
265	Production of nixtamalized flour and tortillas from amarantin transgenic maize lime-cooked in a thermoplastic extruder. 2013 , 58, 465-471		9
264	Effect of protein oxidation on the in vitro digestibility of soy protein isolate. <i>Food Chemistry</i> , 2013 , 141, 3224-9	8.5	50
263	In vitro digestibility of flaxseed (<i>Linum usitatissimum</i> L.) protein: effect of seed mucilage, oil and thermal processing. <i>International Journal of Food Science and Technology</i> , 2013 , 48, 628-635	3.8	19
262	Nutritional potential of rice bean (<i>Vigna umbellata</i>): an underutilized legume. <i>Journal of Food Science</i> , 2013 , 78, C8-16	3.4	50
261	Efecto del procesamiento térmico sobre la capacidad antioxidante de pinole a base de vainas de mezquite (<i>Prosopis laevigata</i>). 2013 , 11, 162-170		5
260	Physical and nutritional properties of extruded products based on whole grain with the addition of wild legumes (<i>Vicia lutea</i> subsp. <i>lutea</i> var. <i>hirta</i> and <i>Vicia sativa</i> subsp. <i>sativa</i>). <i>International Journal of Food Science and Technology</i> , 2013 , 48, 1949-1955	3.8	9
259	In vitro protein digestibility and physico-chemical properties of flours and protein concentrates from two varieties of lentil (<i>Lens culinaris</i>). 2013 , 4, 310-21		48
258	Effects of malondialdehyde modification on the in vitro digestibility of soy protein isolate. 2013 , 61, 12139-45		29
257	Effect of lactic acid fermentation of lupine wholemeal on acrylamide content and quality characteristics of wheat-lupine bread. 2013 , 64, 890-6		32
256	Response of Pacific White Shrimp, <i>Litopenaeus vannamei</i> , to Three Sources of Solvent Extracted Soybean Meal. 2013 , 44, 396-404		8
255	Millet. 2013 , 312-350		2
254	Functionality of Protein-Fortified Extrudates. 2013 , 12, 546-564		95
253	Nutritional and anti nutritional assessment of under utilized legume <i>D. lablab</i> var. <i>vulgaris</i> L.. 2013 , 48, 119-130		7
252	Use of Different Lactic Starter Cultures in the Production of Tarhana. 2014 , 38, 59-67		5
251	Extrusion Cooking of Maize/Spirulina Mixture: Factors Affecting Expanded Product Characteristics and Sensory Quality. 2014 , 38, 655-664		34
250	Protein and amino acid composition of select wild legume species of tribe Fabeae. <i>Food Chemistry</i> , 2014 , 163, 97-102	8.5	20
249	Preparation, composition, and functional properties of a protein isolate from a defatted mamey sapote (<i>Pouteria sapota</i>) seed meal. 2014 , 12, 176-182		4

248	Changes of isoflavones and protein quality in soymilk pasteurised by ultra-high-pressure homogenisation throughout storage. <i>Food Chemistry</i> , 2014 , 162, 47-53	8.5	23
247	A comparative study of physicochemical characteristics and functionalities of pinto bean protein isolate (PBPI) against the soybean protein isolate (SPI) after the extraction optimisation. <i>Food Chemistry</i> , 2014 , 152, 447-55	8.5	66
246	Effect of heat processing on selected grain amaranth physicochemical properties. 2014 , 2, 9-16		32
245	Compositional studies and biological activities of some mash bean (<i>Vigna mungo</i> (L.) Hepper) cultivars commonly consumed in Pakistan. 2014 , 47, 23		43
244	The Impact of Processing on Amino Acid Racemization and Protein Quality in Processed Animal Proteins of Poultry Origin. 2015 , 14, 3770		18
243	Effects of spray drying and size reduction of edible bird's nest on in-vitro digestibility. 2015 ,		0
242	Use of Carob Flour in the Production of Tarhana. 2015 , 65, 167-174		7
241	Molecular structure characteristics, functional parameters and in vitro protein digestion of pressure-cooked soya bean flours with different amounts of water. <i>International Journal of Food Science and Technology</i> , 2015 , 50, 2490-2497	3.8	8
240	Chemical Characteristics and Sensory Evaluation of Raw and Roasted Buckwheat Groats Fermented by <i>Rhizopus Oligosporus</i> . 2015 , 38, 130-138		8
239	Nutritional evaluation of cashew (<i>Anacardium occidentale</i> , L.) nut protein concentrate and isolate. 2015 , 9, 23-30		3
238	High Hydrostatic Pressure Pretreatment of Whey Protein Isolates Improves Their Digestibility and Antioxidant Capacity. <i>Foods</i> , 2015 , 4, 184-207	4.9	27
237	Nutritional value and volatile compounds of black cherry (<i>Prunus serotina</i>) seeds. <i>Molecules</i> , 2015 , 20, 3479-95	4.8	20
236	Major peptides from amaranth (<i>Amaranthus cruentus</i>) protein inhibit HMG-CoA reductase activity. 2015 , 16, 4150-60		69
235	Physico-chemical, nutritional and infrared spectroscopy evaluation of an optimized soybean/corn flour extrudate. 2015 , 52, 4066-77		23
234	Influence of micronization (infrared treatment) on the protein and functional quality of a ready-to-eat sorghum-cowpea African porridge for young child-feeding. 2015 , 63, 1191-1198		21
233	Effects of germination on the nutritive value and bioactive compounds of brown rice breads. <i>Food Chemistry</i> , 2015 , 173, 298-304	8.5	97
232	Properties of microalgal enzymatic protein hydrolysates: Biochemical composition, protein distribution and FTIR characteristics. 2015 , 6, 137-143		28
231	Chemical composition and nutritional properties of freshwater and marine microalgal biomass cultured in photobioreactors. 2015 , 27, 1109-1119		156

230	Nutritional Evaluation of Complementary Food Formulations from Maize, Soybean and Peanut Fortified with &i>Moringa oleifera&/i> Leaf Powder. 2015 , 06, 494-500	12
229	Dependence of in-vitro starch and protein digestions on particle size of field peas (<i>Pisum sativum</i> L.). 2015 , 63, 541-549	20
228	Conversion of a low protein hemp seed meal into a functional protein concentrate through enzymatic digestion of fibre coupled with membrane ultrafiltration. 2015 , 31, 151-159	49
227	Enhancement of nutritional properties, and antioxidant and antihypertensive potential of black common bean seeds by optimizing the solid state bioconversion process. 2015 , 66, 498-504	9
226	Gastrointestinal digestion of dairy and soy proteins in infant formulas: An in vitro study. 2015 , 76, 348-358	78
225	Effect of alginate and chitosan encapsulation on the fate of BSA protein delivered orally to gilthead sea bream (<i>Sparus aurata</i>). 2015 , 210, 114-124	6
224	Ultra-high-pressure homogenization (UHPH) system for producing high-quality vegetable-based beverages: physicochemical, microbiological, nutritional and toxicological characteristics. 2015 , 95, 953-61	31
223	Effect of air classification and fermentation by <i>Lactobacillus plantarum</i> VTT E-133328 on faba bean (<i>Vicia faba</i> L.) flour nutritional properties. 2015 , 193, 34-42	110
222	Application of in vitro digestibility methods in aquaculture: constraints and perspectives. 2015 , 7, 223-242	27
221	Isoflavone profile and protein quality during storage of sterilised soymilk treated by ultra high pressure homogenisation. <i>Food Chemistry</i> , 2015 , 167, 78-83	8,5 21
220	Nutritional quality of some wild and cultivated seaweeds: Nutrient composition, total phenolic content and in vitro digestibility. 2016 , 28, 3575-3585	61
219	Functional and Biochemical Alterations of Fish Meal, Soybean Meal, and Distillers Dried Grains with Solubles as Affected by a Single-Screw Extruder. 2016 , 9, 1542-1561	2
218	Functionality and characterization of kafirin-rich protein extracts from different whole and decorticated sorghum genotypes. 2016 , 70, 57-65	30
217	In vitro versus in vivo protein digestibility techniques for calculating PDCAAS (protein digestibility-corrected amino acid score) applied to chickpea fractions. 2016 , 89, 756-763	30
216	Effect of radio frequency heating on nutritional quality and protein solubility of corn. 2016 , 4, 686-9	9
215	In vitro digestion of infant formulations with hydrolysed and non-hydrolysed proteins from dairy and soybean. 2016 , 7, 4908-4919	11
214	In vivo and in vitro protein digestibility in juvenile bagrid catfish <i>Mystus nemurus</i> (Cuvier and Valenciennes 1840) fed soybean meal-based diets. 2016 , 47, 1392-1401	7
213	Germinated, toasted and cooked chickpea as ingredients for breadmaking. 2016 , 53, 2664-72	32

212	Effect of Thermal and High Electric Fields on Secondary Structure of Peanut Protein. 2016 , 19, 1259-1271	40
211	A comparison study of bioaccessibility of soy protein gel induced by magnesiumchloride, glucono- δ -lactone and microbial transglutaminase. 2016 , 71, 234-242	40
210	Improving the Digestibility of Lentil Flours and Protein Isolate and Characterization of Their Enzymatically Prepared Hydrolysates. 2016 , 19, 2649-2665	22
209	Nutrient composition and in vitro digestibility of fresh pasta enriched with <i>Vicia faba</i> . <i>Journal of Food Composition and Analysis</i> , 2016 , 47, 8-15	4.1 32
208	The Potential Use of Fermented Chickpea and Faba Bean Flour as Food Ingredients. <i>Plant Foods for Human Nutrition</i> , 2016 , 71, 90-5	3.9 57
207	Effect of germinated black bean cotyledons (<i>Phaseolus vulgaris</i> L.) as an extruded flour ingredient on physicochemical characteristics, in vitro digestibility starch, and protein of nixtamalized blue maize cookies. 2017 , 69, 1600085	4
206	Differences in the functionality and characterization of kafirins extracted from decorticated sorghum flour or gluten meal treated with protease. 2017 , 73, 174-182	6
205	In vitro digestibility, protein composition and techno-functional properties of Saskatchewan grown yellow field peas (<i>Pisum sativum</i> L.) as affected by processing. 2017 , 92, 64-78	28
204	Effect of gamma irradiation on the nutritional and antinutritional qualities of <i>Vigna aconitifolia</i> (Jacq.) Marechal: An underutilized food legume. 2017 , 10, 30-37	5
203	Impact of Processing on the Protein Quality of Pinto Bean (<i>Phaseolus vulgaris</i>) and Buckwheat (<i>Fagopyrum esculentum</i> Moench) Flours and Blends, As Determined by in Vitro and in Vivo Methodologies. 2017 , 65, 3919-3925	39
202	Deodorization of <i>Arthrospira platensis</i> biomass for further scale-up food applications. 2017 , 97, 5123-5130	13
201	In vitro gastrointestinal digestion of pea protein isolate as a function of pH, food matrices, autoclaving, high-pressure and re-heat treatments. 2017 , 84, 511-519	32
200	Microwave and Ultrasound to Enhance Protein Extraction from Peanut Flour under Alkaline Conditions: Effects in Yield and Functional Properties of Protein Isolates. 2017 , 10, 543-555	69
199	Physicochemical and Digestion Characteristics of Starch and Fiber-Rich Subfractions from Four Pulse Bagasses. <i>Cereal Chemistry</i> , 2017 , 94, 524-531	2.4 9
198	Germination-Assisted Enzymatic Hydrolysis Can Improve the Quality of Soybean Protein. <i>Journal of Food Science</i> , 2017 , 82, 1814-1819	3.4 6
197	Effect of extrusion conditions on the physico-chemical properties and in vitro protein digestibility of canola meal. 2017 , 100, 658-664	33
196	Studies on preparation of dietetic rasgulla (cheese ball) from edible quality flours and antioxidant rich vegetable oils. 2017 , 86, 473-482	7
195	Identification of chickpea seed proteins resistant to simulated in vitro human digestion. 2017 , 169, 143-152	16

194	Nutritional and Functional Bioactivity Value of Selected Azorean Macroalgae: <i>Ulva compressa</i> , <i>Ulva rigida</i> , <i>Gelidium microdon</i> , and <i>Pterocladia capillacea</i> . <i>Journal of Food Science</i> , 2017 , 82, 1757-1764	3.4	23
193	Investigation of in vitro digestibility of dietary microalga <i>Chlorella vulgaris</i> and cyanobacterium <i>Spirulina platensis</i> as a nutritional supplement. 2017 , 7, 170		30
192	Alternative prediction methods of protein and energy evaluation of pig feeds. 2017 , 8, 39		8
191	Effect of Dehulling and Germination on Physicochemical and Pasting Properties of Black Beans (<i>Phaseolus vulgaris</i> L.). <i>Cereal Chemistry</i> , 2017 , 94, 98-103	2.4	10
190	Factors Influencing the Quality of Dietary Proteins: Implications for Pulses. <i>Cereal Chemistry</i> , 2017 , 94, 49-57	2.4	36
189	Impact of trona-aided boiling on the phytochemical constituents and beneficial micronutrients of lima bean (<i>Phaseolus lunatus</i> L.). 2017 , 16, 2062-2071		3
188	Phosphoesterification of soybean and peanut proteins with sodium trimetaphosphate (STMP): Changes in structure to improve functionality for food applications. <i>Food Chemistry</i> , 2018 , 260, 299-305	8.5	29
187	Effect of extrusion on protein quality, antinutritional factors, and digestibility of complementary diet from quality protein maize and soybean protein concentrate. 2018 , 42, e12508		27
186	On printability, quality and nutritional properties of 3D printed cereal based snacks enriched with edible insects. 2018 , 106, 666-676		116
185	Nutritional quality and techno-functional changes in raw, germinated and fermented yellow field pea (<i>Pisum sativum</i> L.) upon pasteurization. 2018 , 92, 147-154		24
184	High intensity ultrasound treatment of faba bean (<i>Vicia faba</i> L.) protein: Effect on surface properties, foaming ability and structural changes. 2018 , 44, 97-105		89
183	Physicochemical, functional and ATR-FTIR molecular analysis of protein extracts derived from starchy pulses. <i>International Journal of Food Science and Technology</i> , 2018 , 53, 1414-1424	3.8	12
182	Amaranth, quinoa and chia protein isolates: Physicochemical and structural properties. 2018 , 109, 152-159		57
181	Bioaccessibility of four calcium sources in different whey-based dairy matrices assessed by in vitro digestion. <i>Food Chemistry</i> , 2018 , 245, 454-462	8.5	21
180	Physicochemical characteristics, ATR-FTIR molecular interactions and in vitro starch and protein digestion of thermally-treated whole pulse flours. 2018 , 105, 371-383		52
179	Tef protein: Solubility characterization, in-vitro digestibility and its suitability as a gluten free ingredient. 2018 , 89, 697-703		6
178	Structural and functional properties of <i>Buchholzia coriacea</i> seed flour and protein concentrate at different pH and protein concentrations. 2018 , 74, 275-288		23
177	Effect of soybean bagasse addition on texture, sensory properties, and protein quality of maize tortillas. <i>Cereal Chemistry</i> , 2018 , 96, 283	2.4	

176	Protein, Amino Acid, Fatty Acid Composition, and in Vitro Digestibility of Bread Fortified with Powder. <i>Nutrients</i> , 2018 , 10,	6.7	8
175	Effect of Fermentation on the Protein Digestibility and Levels of Non-Nutritive Compounds of Pea Protein Concentrate. 2018 , 56, 257-264		48
174	Development of value-added nutritious crackers with high antidiabetic properties from blends of () and blanched Pigeon pea (). 2018 , 6, 1791-1802		15
173	Rheology, acceptability and texture of wheat flour tortillas supplemented with soybean residue. 2018 , 55, 4964-4972		10
172	Nutritional and antioxidant potential of a desert underutilized legume Ēepary bean (<i>Phaseolus acutifolius</i>). Optimization of germination bioprocess. 2018 , 38, 254-262		4
171	Effect of thermal processing and reducing agents on trypsin inhibitor activity and functional properties of soybean and chickpea protein concentrates. 2018 , 98, 629-634		17
170	Optimization of Roba1 extrusion conditions and bean extrudate properties using response surface methodology and multi-response desirability function. 2018 , 96, 411-418		12
169	Revisiting the enzymatic kinetics of pepsin using isothermal titration calorimetry. <i>Food Chemistry</i> , 2018 , 268, 94-100	8.5	32
168	Production of Biscuits from Quality Protein Maize Enriched with Dried Fluted Pumpkin Leaves and Cocoa Powder. 2018 ,		1
167	Biochemical diversity evaluation in chickpea accessions employing mini-core collection. 2018 , 24, 1165-1183		7
166	Comparison of Conventional and Microwave Treatment on Soymilk for Inactivation of Trypsin Inhibitors and In Vitro Protein Digestibility. <i>Foods</i> , 2018 , 7,	4.9	31
165	Effect of Fortification with Fish () Powder on Nutritional Quality of Durum Wheat Pasta. <i>Foods</i> , 2018 , 7,	4.9	11
164	Effect of Processing on the In Vitro and In Vivo Protein Quality of Beans (and). <i>Nutrients</i> , 2018 , 10,	6.7	45
163	Effect of processing on the in vitro and in vivo protein quality of red and green lentils (<i>Lens culinaris</i>). <i>Food Chemistry</i> , 2018 , 240, 588-593	8.5	32
162	Effect of sourdough addition and storage time on in vitro starch digestibility and estimated glycemic index of tef bread. <i>Food Chemistry</i> , 2018 , 264, 34-40	8.5	12
161	Comparison of properties of raw pulse flours with those of jet-cooked, drum-dried flours. 2018 , 96, 648-656		16
160	Functional and nutritional replacement of gluten in gluten-free yeast-leavened breads by using Ēonglycinin concentrate extracted from soybean flour. 2018 , 84, 353-360		13
159	Enzymatic treatment improves ACE-I inhibiton and antiproliferative potential of chickpea. 2019 , 32, 363-369		5

158	Protein oxidation and in vitro digestibility of heat-treated fermented sausages: How do they change with the effect of lipid formulation during processing?. 2019 , 43, e13007			8
157	Wet-milled chickpea coproduct as an alternative to obtain protein isolates. 2019 , 115, 108468			14
156	Effect of dry fractionated hybrid protein ingredients on the structural, textural, thermal and sensory properties of gluten-free oat and faba pasta. <i>International Journal of Food Science and Technology</i> , 2019 , 54, 3205-3215	3.8		10
155	A comparative study of the functionality and protein quality of a variety of legume and cereal flours. <i>Cereal Chemistry</i> , 2019 , 96, 1159-1169	2.4		20
154	Digestibility in Vitro of Starch and Protein on Analog Rice by Formulation of Nagara Bean Flour Modified L. Plantarum and Sago Starch with Concentration of Glycerol Monostearate. 2019 , 255, 012012			
153	Fresh Pasta Manufactured with Fermented Whole Wheat Semolina: Physicochemical, Sensorial, and Nutritional Properties. <i>Foods</i> , 2019 , 8,	4.9		10
152	Construction of a synthetic protein using PCR with a high essential amino acid content for nutritional purposes. 2019 , 46, 1593-1601			1
151	Multivariate biochemical characterization of rice bean (<i>Vigna umbellata</i>) seeds for nutritional enhancement. 2019 , 20, 101193			6
150	Physico-chemical and nutritional properties of meat analogues based on Spirulina/lupin protein mixtures. <i>European Food Research and Technology</i> , 2019 , 245, 1889-1898	3.4		32
149	Manufacturing Process, In Vivo and In Vitro Digestibility Assessment of an Enteral Feeding Product Hydrolyzed from Locally Available Ingredients Using Commercial Enzymes. 2019 , 7, 347			1
148	Effect of barrel temperature and feed moisture on the physical properties of chickpeaBorghum and chickpeaMaize extrudates, and the functionality and nutritional value of their resultant floursPart II. <i>Cereal Chemistry</i> , 2019 , 96, 621-633	2.4		6
147	Chia Seed (<i>Salvia hispanica</i> L.) Pepsin Hydrolysates Inhibit Angiotensin-Converting Enzyme by Interacting with its Catalytic Site. <i>Journal of Food Science</i> , 2019 , 84, 1170-1179	3.4		12
146	Comparative analysis of techno-functional properties, starch digestion and protein quality of pigmented chickpea flours. <i>International Journal of Food Science and Technology</i> , 2019 , 54, 2288-2299	3.8		1
145	Fish Protein and Lipid Interactions on the Digestibility and Bioavailability of Starch and Protein from Durum Wheat Pasta. <i>Molecules</i> , 2019 , 24,	4.8		5
144	Bioproduction of the Recombinant Sweet Protein Thaumatin: Current State of the Art and Perspectives. 2019 , 10, 695			20
143	Nutritional quality evaluation of commercial protein supplements. <i>International Journal of Food Science and Technology</i> , 2019 , 54, 2586-2594	3.8		11
142	In Vitro Antioxidant Activity Optimization of Nut Shell () by Extrusion Using Response Surface Methods. 2019 , 9,			10
141	Effect of decortication, germination and extrusion on physicochemical and in vitro protein and starch digestion characteristics of black beans (<i>Phaseolus vulgaris</i> L.). 2019 , 102, 330-337			31

140	Effect of high-intensity ultrasound on the compositional, physicochemical, biochemical, functional and structural properties of canola (<i>Brassica napus</i> L.) protein isolate. 2019 , 121, 947-956		43
139	Nutritional value, protein quality and antioxidant activity of Sudanese sorghum-based kissra bread fortified with bambara groundnut (<i>Voandzeia subterranea</i>) seed flour. 2019 , 18, 32-40		15
138	Modulation of in vitro digestibility and physical characteristics of protein enriched gluten free breads by defining hydration. 2020 , 117, 108642		10
137	Effect of jet-cooking and hydrolyses with amylases on the physicochemical and in vitro digestion performance of whole chickpea flours. <i>International Journal of Food Science and Technology</i> , 2020 , 55, 690-701	3.8	9
136	Nuts, cereals, seeds and legumes proteins derived emulsifiers as a source of plant protein beverages: A review. 2020 , 60, 2742-2762		23
135	Assessment of the techno-functionality, starch digestion rates and protein quality of rice flour/whey protein instant powders produced in a twin extruder. <i>International Journal of Food Science and Technology</i> , 2020 , 55, 878-890	3.8	4
134	Effect of barrel temperature and feed moisture on protein quality in pre-cooked Kabuli chickpea, sorghum, and maize flours. 2020 , 26, 265-274		7
133	In vitro digestibility, structural and functional properties of <i>Moringa oleifera</i> seed proteins. 2020 , 101, 105574		30
132	Food processing for the improvement of plant proteins digestibility. 2020 , 60, 3367-3386		52
131	Comparison of methodologies used to define the protein quality of human foods and support regulatory claims. 2020 , 45, 917-926		6
130	Nutritional quality and bioactive properties of proteins and peptides from microalgae. 2020 , 493-531		7
129	Biocatalytic Degradation of Proteins and Starch of Extruded Whole Chickpea Flours. 2020 , 13, 1703-1716		5
128	Digestive proteases and in vitro protein digestibility in bagrid catfish <i>Mystus nemurus</i> (Cuvier and Valenciennes 1840). 2020 , 51, 4613-4622		2
127	Natural Sweeteners: The Relevance of Food Naturalness for Consumers, Food Security Aspects, Sustainability and Health Impacts. 2020 , 17,		26
126	Bean-based nutrient-enriched puffed snacks: Formulation design, functional evaluation, and optimization. 2020 , 8, 4763-4772		2
125	Sorghum Flour: A Valuable Ingredient for Bakery Industry?. 2020 , 10, 8597		1
124	Proteomic and physicochemical characteristics: The search for a quality profile of beans (<i>Phaseolus vulgaris</i> L.) during long-term storage. 2020 , 133, 110057		1
123	Effect of partial replacement of wheat flour with sprouted chickpea flours with or without selenium on physicochemical, sensory, antioxidant and protein quality of yeast-leavened breads. 2020 , 129, 109517		20

122	Compositional analysis of transgenic Bt-chickpea resistant to. 2020 , 11, 262-274		3
121	Impact of alcohol washing on the flavour profiles, functionality and protein quality of air classified pea protein enriched flour. 2020 , 132, 109085		17
120	Effect of Ultrasound Application on Protein Yield and Fate of Alkaloids during Lupin Alkaline Extraction Process. 2020 , 10,		10
119	Physicochemical properties, protein digestibility and thermal stability of processed African mesquite bean (<i>Prosopis africana</i>) flours and protein isolates. 2020 , 14, 1481-1496		6
118	Structural modification in album (<i>Chenopodium album</i>) protein isolates due to controlled thermal modification and its relationship with protein digestibility and functionality. 2020 , 103, 105708		20
117	Changes in the nutritional composition and antioxidant capacity of chia seeds (<i>L.</i>) during germination process. 2020 , 29, 751-757		3
116	Nutritional content of edible grasshopper (<i>Sphenarium purpurascens</i>) fed on alfalfa (<i>Medicago sativa</i>) and maize (<i>Zea mays</i>). 2020 , 18, 257-263		9
115	In Vitro Methods of Assessing Protein Quality for Poultry. 2020 , 10,		9
114	Thermoase-hydrolysed pigeon pea protein and its membrane fractions possess in vitro bioactive properties (antioxidative, antihypertensive, and antidiabetic). 2021 , 45, e13429		2
113	Gluten-free green banana flour muffins: chemical, physical, antioxidant, digestibility and sensory analysis. 2021 , 58, 1295-1301		3
112	Food-dependent set-up of the DiDIGI dynamic in vitro system: Correlation with the porcine model for protein digestion of soya-based food. <i>Food Chemistry</i> , 2021 , 341, 128276	8.5	4
111	Use of flour from cormels of <i>Xanthosoma sagittifolium</i> (L.) Schott and <i>Colocasia esculenta</i> (L.) Schott to develop pastes foods: Physico-chemical, functional and nutritional characterization. <i>Food Chemistry</i> , 2021 , 344, 128666	8.5	4
110	A new trend in the medication of hepatocyte cytotoxicity in mice: protective role of probiotic bacteria. 2021 , 28, 1555-1564		1
109	Impact of gastrointestinal digestion on peptide profile and bioactivity of cooked and non-cooked oat protein concentrates. 2021 , 4, 93-104		3
108	Effect of wheat flour substitution and popped amaranth flour content on the rheological, physicochemical and textural properties of hot-press wheat-oat-quinoa-amaranth composite flour tortillas. 2021 , 19, 571-578		1
107	Influence of starch and protein molecular interactions on the in vitro digestion characteristics of biscuits partially substituted with pulse flours. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 3388-3399	3.8	3
106	Influences of grain and protein characteristics on in vitro protein digestibility of modern and ancient wheat species. 2021 , 101, 4578-4584		1
105	<i>Moringa oleifera</i> seed pod-based adsorbent for the removal of paracetamol from aqueous solution: A novel approach toward diversification. 2021 , 40, e13615		1

104	Effects of the intensification of soybean defects: consequences on the physicochemical, technological, protein and oil properties. <i>European Food Research and Technology</i> , 2021 , 247, 1277-1289 ^{3,4}	2
103	How the inclusion of cod (<i>Pseudophycis bachus</i>) protein enriched powder to bread affects the in vitro protein and starch digestibility, amino acid profiling and antioxidant properties of breads. <i>European Food Research and Technology</i> , 2021 , 247, 1177-1187	3-4 0
102	Is instant porridge with a high calcium content based on <i>Moringa oleifera</i> as an alternative baby food to prevent stunting in Indonesia?. 2021 , 10,	2
101	Measures Matter-Determining the True Nutri-Physiological Value of Feed Ingredients for Swine. 2021 , 11,	3
100	Effect of variety and environment on the physicochemical, functional, and nutritional properties of navy bean flours. <i>European Food Research and Technology</i> , 2021 , 247, 1745-1756	3-4 3
99	Effect of spray drying conditions on the physical characteristics, amino acid profile, and bioactivity of blood fruit (<i>Haematocarpus validus</i> Bakh.F. Ex Forman) seed protein isolate. 2021 , 45, e15568	2
98	Influence of cooking methods on antinutritional factors, oligosaccharides and protein quality of underutilized legume <i>Macrotyloma uniflorum</i> . 2021 , 143, 110299	3
97	Lactic fermentation of grain sorghum: effect of variety and pretreatment on the production of lactic acid and biomass.. 2022 , 59, 1221-1229	
96	Effect of 2,2'-azobis(2-amidinopropane) dihydrochloride (AAPH) induced oxidation on the physicochemical properties, in vitro digestibility, and nutritional value of egg white protein. 2021 , 143, 111103	11
95	Trends in feed evaluation for poultry with emphasis on in vitro techniques. 2021 , 7, 268-281	4
94	Oilseed by-products as plant-based protein sources: Amino acid profile and digestibility. 2021 , 3, 100023	11
93	Nutritional and Functional Properties of Gluten-Free Flours. 2021 , 11, 6283	6
92	Extruded chickpea flour sequentially treated with alcalase and Amylase produces dry instant beverage powders with enhanced yield and nutritional properties. <i>International Journal of Food Science and Technology</i> ,	3,8 1
91	From Farm to Fork: Crickets as Alternative Source of Protein, Minerals, and Vitamins. <i>Frontiers in Nutrition</i> , 2021 , 8, 704002	6.2 2
90	Chemical composition, energy and nutritional values, digestibility and functional properties of defatted flour, protein concentrates and isolates from <i>Carbula marginella</i> (Hemiptera: Pentatomidae) and <i>Cirina butyrospermi</i> (Lepidoptera: Saturniidae). 2021 , 15, 46	1
89	Hydrolysis of peanut (<i>Arachis hypogea</i> L) protein concentrate by fungal crude protease extract: effect on structural, functional and in-vitro protein digestibility. 1	1
88	A prospective of underutilized legume moth bean (<i>Vigna aconitifolia</i> (Jacq.) Marech[]): Phytochemical profiling, bioactive compounds and in vitro pharmacological studies. 2021 , 42, 101088	3
87	Sprouting Time Affects Sorghum ([L.] Moench) Functionality and Bread-Baking Performance. <i>Foods</i> , 2021 , 10,	4-9 3

86	Comparative Study of the Structural and Functional Properties of Membrane-Isolated and Isoelectric pH Precipitated Green Lentil Seed Protein Isolates. 2021 , 11,	2
85	Improved estimation of in vitro protein digestibility of different foods using size exclusion chromatography. <i>Food Chemistry</i> , 2021 , 358, 129830	8.5 9
84	Modifying the structure, physicochemical properties, and foaming ability of amaranth protein by dual pH-shifting and ultrasound treatments. 2021 , 153, 112561	6
83	Whey Protein Concentrate (WPC) and Isolate (WPI). 2022 , 186-194	
82	Soil characteristics and nutritional traits of <i>Macrotermes natalensis</i> (Isoptera: Macrotermitinae) as indicators of nutritional quality in Zimbabwe. 2021 , 41, 2113-2124	2
81	Corn Germ Protein: Functional Properties in a Model System and in Food Products. 1994 , 513-535	1
80	Mathematical Modeling of Protein Nutritional Quality from Amino Acid Composition. 1985 , 205-286	6
79	Simple Enzymic Methods for Prediction of Plant Protein Digestibility. 1985 , 311-323	6
78	Enzymes in Analysis of Foods. 1981 , 275-288	2
77	Protein fractions, in vitro protein digestibility and amino acid composition of select cowpea varieties grown in Ethiopia. 2020 , 36, 100634	7
76	Physicochemical characterization, carotenoid content and protein digestibility of pumpkin access flours for food application. 2020 , 40, 691-698	4
75	Changes of Quality Characteristics of Low-Molecular Soymilk According to Hydrolysis Time. 2008 , 37, 1287-1293	5
74	Nutritional composition of new Peanut (<i>Arachis hypogaea</i> L.) cultivars. 2009 , 60, 161-167	20
73	Protein Fortification of Corn & Tortillas: Effects on Physicochemical Characteristics, Nutritional Value and Acceptance. 2012 , 03, 1658-1663	6
72	Physicochemical and Functional Properties of Dehydrated Japanese Quail (<i>Coturnix japonica</i>) Egg White. 2013 , 04, 289-298	7
71	Chemical and Functional Properties of Hard-to-Cook Bean (<i>Phaseolus vulgaris</i>) Protein Concentrate. 2014 , 05, 2081-2088	6
70	Comparative Influence of Dehulling on the Composition, Antioxidative and Functional Properties of Sorrel (<i>Hibiscus sabdariffa</i> L.) Seed. 2019 , 10, 148-173	1
69	Chemical, In-vitro Protein Digestibility, Minerals and Amino Acids Composition of Edible Peanut Seeds (<i>Arachis hypogaea</i> L.). 2013 , 1, 199-202	3

68	gastrointestinal digestion study of a novel bio-tofu with special emphasis on the impact of microbial transglutaminase. 2016 , 4, e2754		13
67	Physicochemical and Nutritional Evaluation of Bread Incorporated with Ayocote Bean (<i>Phaseolus coccineus</i>) and Black Bean (<i>Phaseolus vulgaris</i>). 2021 , 9, 1782		1
66	Biological And Chemical Tests For Protein Nutrient Value. 2002 ,		
65	Evaluation of infant formula protein quality. 2002 , 31, 297-305		
64	Enzymes and Food Analysis. 2002 ,		
63	Proximate Composition, Selected Mineral, Physical Characteristics and in vitro Multienzyme Digestibility of Cucumber (<i>Cucumis sativus</i>) Fruit from Nigeria. <i>American Journal of Food Technology</i> , 2007 , 2, 196-201	0.1	4
62	Enzyme Treatment of Biological Samples for Speciation. 2012 , 395-420		0
61	Effect of Full and Partial Substitution of Sesame Seeds with Bambara Groundnuts and Peanuts on the Quality of Sudanese Traditional Food (Khemiss-tweria). <i>American Journal of Food Technology</i> , 2012 , 7, 420-428	0.1	2
60	Quality Characteristics of Freeze-Dried Soymilk Powder. <i>The Korean Journal of Food and Nutrition</i> , 2014 , 27, 89-98		
59	P. 1982 , 1397-1626		
58	Maize Germ Proteins, their Composition, Nutritive Value and Functional Properties. 1985 , 467-480		
57	Colorimetric Measurements of Meat Products Cooked Using Different Systems. 1994 , 286-288		
56	Biochemical aspects. 1997 ,		
55	Solid State Bioconversion for Producing Functional Flours from Whole Quality Protein Maize and Common Beans with Enhanced Nutritional Value, Antioxidant and Antihypertensive Potential. <i>Journal of Nutritional Health & Food Engineering</i> , 2015 , 2,		
54	Determination of Energy and Nutrient Utilization of Enzyme-treated Rump Round Meat and Lotus Root Designed for Senior People with Young and Age d Hens as an Animal Model. <i>Korean Journal for Food Science of Animal Resources</i> , 2016 , 36, 109-13		
53	Utilization of Moringa oleifera leaves powder as a functional food ingredient in traditional food product. <i>International Journal of Agricultural Engineering</i> , 2018 , 11, 102-104	0	
52	Amaranth in Diet Therapy of Children with Gluten Intolerance. <i>Food Processing: Techniques and Technology</i> , 2019 , 49, 253-261	0.4	
51	Hemp Seed as a Source of Food Proteins. <i>Sustainable Agriculture Reviews</i> , 2020 , 265-294	1.3	1

50	The Physicochemical Properties of Tempe Protein Isolated from Germinated and Non-Germinated Soybeans. <i>Journal of Nutritional Science and Vitaminology</i> , 2020 , 66, S215-S221	1.1	
49	Effect of traditional processing methods on protein digestibility and chemical constituents in seeds of <i>Bauhinia petersiana</i> . <i>Najfnr</i> , 2021 , 5, 105-111	0.2	
48	Proximate and Genetic Analysis of Blackfin Tuna (<i>T. atlanticus</i>).		
47	Impact of milling on the functional and physicochemical properties of green lentil and yellow pea flours. <i>Cereal Chemistry</i> ,	2.4	1
46	Effects of roasting on bioavailability and bioactivities of <i>Vigna angularis</i> and potential of coffee-like beverage.. <i>Journal of Food Science</i> , 2022 ,	3-4	
45	Efecto del germinado sobre las características nutricionales, propiedades bioactivas y funcionales de basul (<i>Erythrina edulis</i>). <i>Archivos Latinoamericanos De Nutricion</i> , 2022 , 71, 241-251	0.1	
44	Evolution of in vitro digestibility techniques: a systematic review. <i>Teoriĭ Praktika Pererabotki Mĕsa</i> , 2022 , 6, 300-310	0.4	1
43	Impacts of infrared heating and tempering on the chemical composition, morphological, functional properties of navy bean and chickpea flours. <i>European Food Research and Technology</i> , 2022 , 248, 767	3-4	3
42	Impact of Raw, Roasted and Dehulled Chickpea Flours on Technological and Nutritional Characteristics of Gluten-Free Bread.. <i>Foods</i> , 2022 , 11,	4-9	1
41	Influence of drying methods on health indicators of brewers spent grain for potential upcycling into food products. <i>Applied Food Research</i> , 2022 , 2, 100052		2
40	THE IMPACT OF PARTIAL SWEETENER SUBSTITUTION ON PHYSICOCHEMICAL, TEXTURAL AND SENSORY PROPERTIES OF BISCUITS. <i>Gĕa</i> , 66-77	0.1	
39	Physicochemical and Functional Properties of 2S, 7S, and 11S Enriched Hemp Seed Protein Fractions.. <i>Molecules</i> , 2022 , 27,	4.8	1
38	Physicochemical and functional properties of albumin, globulin and glutelin fractions of green lentil seed. <i>International Journal of Food Science and Technology</i> ,	3.8	0
37	Protein Quality Changes of Vegan Day Menus with Different Plant Protein Source Compositions.. <i>Nutrients</i> , 2022 , 14,	6.7	0
36	Germinated chickpea-maize extrudates with high protein content and reduced starch digestibility.. <i>Journal of Food Science</i> , 2022 ,	3-4	
35	Transformation of hempseed (<i>Cannabis sativa</i> L.) oil cake proteome, structure and functionality after extrusion.. <i>Food Chemistry</i> , 2022 , 384, 132499	8.5	0
34	Physicochemical, nutritional and functional properties of chickpea (<i>Cicer arietinum</i>) and navy bean (<i>Phaseolus vulgaris</i>) flours from different mills. <i>European Food Research and Technology</i> , 1	3-4	0
33	Comparison of Regular and Selenium-Enriched Tortillas Produced from Sprouted Corn Kernels.. <i>Plant Foods for Human Nutrition</i> , 2022 , 1	3.9	1

32	Effect of malting and roasting of chickpea on functional and nutritional qualities of its protein fractions. <i>International Journal of Food Science and Technology</i> ,	3.8	1
31	Optimization of Protein Quality of Plant-Based Foods Through Digitalized Product Development. <i>Frontiers in Nutrition</i> , 2022 , 9,	6.2	2
30	Cold-pressed Sesame Seed Meal As A Protein Source: Effect of Processing on the Protein Digestibility, Amino Acid Profile, and Functional Properties. <i>Journal of Food Composition and Analysis</i> , 2022 , 104634	4.1	0
29	Changes in the Chemical Composition of Edible Grasshoppers (<i>Sphenarium purpurascens</i>) Fed Exclusively with Soy Sprouts or Maize Leaves. <i>Insects</i> , 2022 , 13, 510	2.8	
28	In Vitro Protein Digestion of Cooked Spent Commercial Laying Hen and Commercial Broilers Breast Meat. <i>Foods</i> , 2022 , 11, 1853	4.9	
27	Preparation and physicochemical properties of cucurbit protein isolate from <i>Lagenaria siceraria</i> defatted seed flour. <i>Yuzuncu Yil University Journal of Agricultural Sciences</i> , 414-423	0.3	
26	Grape Pomace Flour for Incorporation into Cookies: Evaluation of Nutritional, Sensory and Technological Characteristics. <i>Journal of Culinary Science and Technology</i> , 1-20	0.8	1
25	Consumer perception of breads made with germinated rice flour and its nutritional and technological properties. <i>Applied Food Research</i> , 2022 , 2, 100142		1
24	Investigation of Bioavailability and Food-Processing Properties of <i>Arthrospira platensis</i> by Enzymatic Treatment and Micro-Encapsulation by Spray Drying. <i>Foods</i> , 2022 , 11, 1922	4.9	
23	Nutritional and Functional Properties of Defatted Flour, Protein Concentrates, and Isolates of <i>Brachytrupes membranaceus</i> (Orthoptera: Gryllidae) (Drury: 1773) and <i>Macrotermes subhyalinus</i> (Isoptera: Blattodea) (Rambur: 1842) from Burkina Faso. 2022 , 13, 764		
22	Legume Seed Protein Digestibility as Influenced by Traditional and Emerging Physical Processing Technologies. 2022 , 11, 2299		2
21	Chemical and non-nutritional modification of faba bean (<i>Vicia faba</i>) due to the effect of roasting and boiling. 2022 , 100622		0
20	Effect of Monosodium Glutamate on the Digestibility of Different Nutrients Using Standardized Static In vitro Digestion Model. 2022 , 10, 1033-1043		0
19	Biological activity of extracts and hydrolysates from early- and adult-stage edible grasshopper <i>Sphenarium purpurascens</i> . 9,		0
18	Acid-binding capacity of feed in swine nutrition. 2022 , 115519		1
17	Exploring the functional attributes and in vitro starch and protein digestibility of pea flours having a wide range of amylose content. 2022 , 134938		0
16	Protein quality and glycemic indexes of mango drinks fortified with a soybean/maize protein isolate with three levels of urease activity fed to weanling rats.		0
15	Effect of cooking on the in vitro and in vivo protein quality of soy, oat and wheat varieties.		0

- 14 Assessing amino acid solubility of black soldier fly larvae meal in Atlantic salmon (*Salmo salar*) in vivo and in vitro. 13, ○
- 13 Nutritive Values of Protein Hydrolysate Products from Shrimp Waste Utilization by Fermentation with *Lactobacillus plantarum*. ○
- 12 Protein composition of pulses and their protein isolates from different sources and in different isolation pH using a reverse phase high performance liquid chromatography method. **2022**, 135278 ○
- 11 The genetic diversity and nutritional quality of proso millet (*Panicum miliaceum*) and its Philippine ecotype, the ancient grain *Abog millet*—A review. **2023**, 100499 ○
- 10 Physicochemical, thermal, and in vitro digestion characteristics of cricket (*Acheta domesticus*) substituted corn tortillas. ○
- 9 Isolation of clean label faba bean (*Vicia faba* L) proteins: A comparative study of mild fractionation methods against traditional technologies. **2023**, 103285 ○
- 8 Valorization of fruit peel waste for the formulation of low-gluten phytonutrient-rich savory snacks. **2023**, 48, ○
- 7 Corn Extrudates Enriched with Health-Promoting Ingredients: Physicochemical, Nutritional, and Functional Characteristics. **2023**, 11, 1108 ○
- 6 Effect of air frying and baking on physicochemical properties and digestive properties of scallop (*Patinopecten yessoensis*) adductor muscle. **2023**, 52, 102460 ○
- 5 Sorghum–mung bean combination snacks: Effect of extrusion temperature and moisture on chemical, functional, and nutritional characteristics. ○
- 4 Microalgae protein digestibility: How to crack open the black box?. 1-23 ○
- 3 Effect of potato pulp on the staling and nutritional properties of wheat steamed bread. ○
- 2 How different amino acid scoring patterns recommended by FAO / WHO can affect the nutritional quality and protein claims of lentils. ○
- 1 Impact of Cooking Time on the Physicochemical and Nutritional Properties of *Macrotermes subhyalinus* and *Imbrasia obscura*. **2023**, 14, 369-384 ○