CITATION REPORT List of articles citing

Description of interaction processes in agitated liquid-liquid dispersions

DOI: 10.1016/0009-2509(77)85023-9 Chemical Engineering Science, 1977, 32, 1289-1297.

Source: https://exaly.com/paper-pdf/13360694/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 936 | A simulation model for homogeneous dispersions in stirred tanks. 1980 , 20, 225-236 | | 29 |
| 935 | Breakage and coalescence of drops in a batch stirred vessel []Comparison of continuous and discrete models. <i>Chemical Engineering Science</i> , 1981 , 36, 163-171 | 4.4 | 25 |
| 934 | Breakage and coalescence of drops in a batch stirred vessel I I comparison of model and experiments. <i>Chemical Engineering Science</i> , 1981 , 36, 1567-1573 | 4.4 | 98 |
| 933 | Drop breakage in counter current flow liquid-liquid extraction columns. <i>Chemical Engineering Science</i> , 1981 , 36, 695-703 | 4.4 | 25 |
| 932 | MODELLING AND SCALEUP OF DISPERSED PHASE LIQUID-LIQUID REACTORS* Fourth article of a series on Mixing Effects on Reactor Modelling and Scaleup, edited by G. K. Patterson, Dept. of Chem. Eng., University of Missouri-Rolla, Rolla, MO 65401. The series is based on a tutorial session | | 10 |
| 931 | LIQUID DISPERSION MECHANISMS IN AGITATED TANKS PART III. LOW VISCOSITY DISCRETE PHASE INTO HIGH VISCOSITY CONTINUOUS PHASE. 1981 , 11, 371-376 | | 3 |
| 930 | The Analysis of Interphase Reactions and Mass Transfer in Liquid-Liquid Dispersions. 1981 , 11, 199-273 | | 59 |
| 929 | Floc breakage in agitated suspensions: Theory and data processing strategy. 1982 , 90, 517-531 | | 118 |
| 928 | Monte carlo simulation of mass transfer in liquid-liquid dispersions. <i>Chemical Engineering Science</i> , 1983 , 38, 2003-2013 | 4.4 | 46 |
| 927 | A Model of dispersion hydrodynamics in a vibrating plate extractor. <i>Chemical Engineering Science</i> , 1983 , 38, 1863-1872 | 4.4 | 14 |
| 926 | Simulation analysis of drop breakage, coalescence and micromixing in liquid-liquid stirred tanks. 1983 , 26, 189-199 | | 44 |
| 925 | The formation of protein precipitates and their centrifugal recovery. 1983, 1-72 | | 24 |
| 924 | DROPLET COALESCENCE AND BREAKAGE RATES IN LIQUID EXTRACTION COLUMNS. 1984 , 2, 521-551 | | 3 |
| 923 | The Status of Population Balances. 1985 , 3, | | 248 |
| 922 | Application of multi-breakage coagulation methods for droplet size distributions in spray injection-combustion. 1986 , | | |
| 921 | Breakage of viscous and non-Newtonian drops in stirred dispersions. <i>Chemical Engineering Science</i> , 1986 , 41, 65-72 | 4.4 | 112 |
| 920 | A theoretical model concerning bubble size distributions. 1986 , 33, 71-77 | | 10 |

| 919 | Reactor Analysis of Metal Ion Extraction in Liquid Dispersions. 1987 , 22, 395-415 | | 2 |
|-----|--|-----|-----|
| 918 | BUBBLE BREAKUP AND COALESCENCE IN TURBULENT GAS-LIQUID DISPERSIONS. 1987 , 59, 65-84 | | 113 |
| 917 | Dynamic simulation of liquid-liquid agitated dispersions Derivation of a simplified model. <i>Chemical Engineering Science</i> , 1987 , 42, 2429-2436 | 4.4 | 38 |
| 916 | Dynamic simulation of agitated liquidIlquid dispersionsII. Experimental determination of breakage and coalescence rates in a stirred tank. <i>Chemical Engineering Science</i> , 1987 , 42, 2437-2445 | 4.4 | 44 |
| 915 | Coalescence of drops in stirred dispersion. A white noise model for coalescence. <i>Chemical Engineering Science</i> , 1987 , 42, 213-220 | 4.4 | 48 |
| 914 | Break-up of droplets in Karr reciprocating plate extraction column. <i>Chemical Engineering Science</i> , 1987 , 42, 283-292 | 4.4 | 13 |
| 913 | Coalescence of rigid droplets in a stirred dispersion B. Band-limited force fluctuations. <i>Chemical Engineering Science</i> , 1988 , 43, 1559-1568 | 4.4 | 21 |
| 912 | Effect of surfactants on drop breakage in turbulent liquid dispersions. <i>Chemical Engineering Science</i> , 1988 , 43, 649-654 | 4.4 | 46 |
| 911 | Application of the master equation to coalescence and dispersion phenomena. <i>Chemical Engineering Science</i> , 1988 , 43, 655-670 | 4.4 | 5 |
| 910 | Breakage of viscoelastic drops in turbulent stirred dispersions. <i>Chemical Engineering Science</i> , 1988 , 43, 2625-2631 | 4.4 | 13 |
| 909 | Break-up of a drop in a stirred tank. 1988 , 23, 189-193 | | 17 |
| 908 | Mass transfer and dispersed phase mixing in liquid[]quid systems[] 1988 , 12, 1075-1082 | | 9 |
| 907 | MODELING OF LEAKAGE IN LIQUID SURFACTANT MEMBRANE SYSTEMS. 1988 , 68, 143-164 | | 12 |
| 906 | A SIMPLE CORRELATION FOR COALESCENCE RATE CONSTANT IN BATCH TURBULENT LIQUID LIQUID DISPERSIONS. 1989 , 84, 33-41 | | |
| 905 | Effect of drag-reducing agents on drop breakage in stirred dispersions. <i>Chemical Engineering Science</i> , 1989 , 44, 2113-2120 | 4.4 | 11 |
| 904 | Modelling drop-side mass transfer in agitated polydispersed liquid l iquid systems. <i>Chemical Engineering Science</i> , 1989 , 44, 2355-2361 | 4.4 | 13 |
| 903 | Application of a stochastic model to the breakage of flocs in stirred tanks. 1989 , 5, 119-130 | | 2 |
| 902 | Structuring of polymer blends in simple shear flow. 1990 , 38, 43-60 | | 13 |

| 901 | Breakage and coalescence of drops in turbulent stirred dispersions. 1990 , 15, 73-103 | | 8 |
|-----|---|-----|-----|
| 900 | Characterization of hydrodynamic parameters in a multistage column contactor. <i>Canadian Journal of Chemical Engineering</i> , 1990 , 68, 913-923 | 2.3 | 30 |
| 899 | An elongational flow model for drop breakage in stirred turbulent dispersions. <i>Chemical Engineering Science</i> , 1990 , 45, 2998-3003 | 4.4 | 6 |
| 898 | Mathematical models for design of bioreactors: Applications of. 1990 , 43, B19-B41 | | 141 |
| 897 | Transitional drop size distributions in gas agitated liquid-liquid dispersions. <i>Chemical Engineering Science</i> , 1990 , 45, 2349-2356 | 4.4 | 10 |
| 896 | Determination of coalescence frequencies in liquid dispersions: effect of drop size dependence. Chemical Engineering Science, 1990, 45, 3491-3504 | 4.4 | 56 |
| 895 | Single drop break-up in a Klīni column. 1990 , 44, 27-41 | | 25 |
| 894 | Simulation and experimental analysis of mass transfer in a liquid-liquid stirred tank extractor. 1990 , 29, 1927-1935 | | 5 |
| 893 | Mass transfer studies in liquid membrane hydrocarbon separations. 1990 , 54, 119-130 | | 10 |
| 892 | Single drop experiments with liquid test systems: A way of comparing two types of mechanically agitated extraction columns. 1991 , 46, 137-148 | | 19 |
| 891 | Types of dispersion in agitated liquid-liquid systems. <i>Canadian Journal of Chemical Engineering</i> , 1991 , 69, 222-227 | 2.3 | 27 |
| 890 | Adaptive control of hydrodynamic holdup in a karr extraction column. <i>Canadian Journal of Chemical Engineering</i> , 1991 , 69, 578-587 | 2.3 | 9 |
| 889 | Bubble breakage in pipeline flow. <i>Chemical Engineering Science</i> , 1991 , 46, 1-9 | 4.4 | 118 |
| 888 | Drop breakage in a pulsed sieve-plate column. <i>Chemical Engineering Science</i> , 1991 , 46, 1595-1608 | 4.4 | 13 |
| 887 | Studies of drop break-up in liquid-liquid systems in a rotating disc contactor. Part I: Conditions of no mass transfer. 1991 , 14, 79-89 | | 48 |
| 886 | The drainage and rupture of a non-foaming liquid film formed upon bubble impact with a free surface. 1991 , 17, 783-803 | | 52 |
| 885 | Drop size distribution and holdup in a rotating impeller extraction column. 1991 , 8, 80-87 | | 5 |
| 884 | Simulation of mass transfer in a batch agitated liquid-liquid dispersion. 1992 , 31, 908-920 | | 11 |

| | Formation of Immiscible Oil Droplets During Chemigation I. In-line Dispersion. 1992 , 35, 1121-1125 | | 1 |
|------------------------------------|--|-----|---------------|
| 882 | The Aggregation Probability in Random Coagulation and Breakup Processes. 1992 , 9, 28-30 | | |
| 881 | Solutions of inverse problems in population balances Aggregation kinetics. 1992 , 16, 1019-1038 | | 37 |
| 880 | Gas-liquid bioreactors: Maximum stable bubble size. 1992 , 49, B13-B16 | | 3 |
| 879 | Dynamic simulation of bimodal drop size distributions in low-coalescence batch dispersion systems. <i>Chemical Engineering Science</i> , 1992 , 47, 445-456 | 4.4 | 58 |
| 878 | Diagnostic techniques of mixing effectiveness: the effect of shear and elongation in drop production in mixing tanks. <i>Chemical Engineering Science</i> , 1992 , 47, 1401-1410 | 4.4 | 16 |
| 877 | A new model for the breakage frequency of drops in turbulent stirred dispersions. <i>Chemical Engineering Science</i> , 1992 , 47, 2989-3002 | 4.4 | 58 |
| 876 | Mass-transfer effects on droplet phenomena and extraction column hydrodynamics revisited. <i>Chemical Engineering Science</i> , 1993 , 48, 1503-1515 | 4.4 | 16 |
| 875 | Fragmentation and coalescence dynamics in multiphase flows. 1993 , 6, 211-251 | | 65 |
| 874 | A new model for coalescence efficiency of drops in stirred dispersions. <i>Chemical Engineering Science</i> , 1993 , 48, 2025-2038 | 4.4 | 42 |
| 873 | Emulsions in Metallurgical and Chemical Processes. 1993 , 12, 271-290 | | 1 |
| | | | |
| 872 | Rheology of polymer blends. 1993 , 75-102 | | 5 |
| 8 ₇₂ 8 ₇₁ | Rheology of polymer blends. 1993, 75-102 Contribution to the modelization of the surfactant concentration influence on droplet size distributions in oil/water emulsions. 1993, 307-311 | | 5 |
| | Contribution to the modelization of the surfactant concentration influence on droplet size | | |
| 871 | Contribution to the modelization of the surfactant concentration influence on droplet size distributions in oil/water emulsions. 1993 , 307-311 | 4.4 | 5 |
| 8 ₇ 1 | Contribution to the modelization of the surfactant concentration influence on droplet size distributions in oil/water emulsions. 1993, 307-311 COALESCENCE OF GAS BUBBLES IN LIQUIDS. 1994, 10, Drop size distributions in high holdup fraction dispersion systems: effect of the degree of | 4.4 | 5 49 |
| 8 ₇₁ 8 ₇₀ | Contribution to the modelization of the surfactant concentration influence on droplet size distributions in oil/water emulsions. 1993, 307-311 COALESCENCE OF GAS BUBBLES IN LIQUIDS. 1994, 10, Drop size distributions in high holdup fraction dispersion systems: effect of the degree of hydrolysis of PVA stabilizer. <i>Chemical Engineering Science</i> , 1994, 49, 5039-5052 A population balance approach for the description of particle size distribution in suspension | | 5 49 61 |

| 865 | Turbulent breakage of filamentous microorganisms in submerged culture in mechanically stirred bioreactors. <i>Chemical Engineering Science</i> , 1994 , 49, 2621-2631 | 4.4 | 76 |
|-----|--|-----|-----|
| 864 | On the structure of turbulent liquidIlquid dispersed flows in an agitated vessel. <i>Chemical Engineering Science</i> , 1994 , 49, 3485-3498 | 4.4 | 68 |
| 863 | Contribution to the modelization of the emulsification in a colloid mill. 1995, 169-172 | | 2 |
| 862 | Bubble to slug flow transition in vertical upward two-phase flow of cryogenic fluids. 1995 , 35, 421-426 | | 8 |
| 861 | Aggregation and gelation: III. Numerical classification of kernels and case studies of aggregation and growth. <i>Chemical Engineering Science</i> , 1995 , 50, 849-862 | 4.4 | 12 |
| 860 | Determination of actual drop velocities in agitated extraction columns. <i>Chemical Engineering Science</i> , 1995 , 50, 255-261 | 4.4 | 11 |
| 859 | Foundation of the interfacial area transport equation and its closure relations. <i>International Journal of Heat and Mass Transfer</i> , 1995 , 38, 481-493 | 4.9 | 320 |
| 858 | A cascade model for neutrally buoyant dispersed two-phase homogeneous turbulencell Model formulation. 1995 , 21, 467-483 | | 8 |
| 857 | Numerical simulation of liquid-liquid agitated dispersions on the VAX 6520/VP. 1995 , 6, 465-469 | | 5 |
| 856 | A problem for the description of turbulent dispersed liquid-liquid systems. 1995 , 21, 323-328 | | 21 |
| 855 | A simulation of emulsification by turbulent stirring. 1995 , 94, 189-195 | | 6 |
| 854 | The dynamic behaviour of liquid-liquid agitated dispersions The hydrodynamics. 1995 , 19, 333-343 | | 25 |
| 853 | Solution of inverse problems in population balances-II. Particle break-up. 1995 , 19, 437-451 | | 41 |
| 852 | Bubble Column Reactors and Fischer-Tropsch Synthesis. 1995 , 37, 227-309 | | 42 |
| 851 | Coagulation and Fragmentation: The Variation of Shear Rate and the Time Lag for Attainment of Steady State. 1996 , 35, 3074-3080 | | 37 |
| 850 | Modeling of approach processes for equal or unequal sized fluid particles. <i>Canadian Journal of Chemical Engineering</i> , 1996 , 74, 321-330 | 2.3 | 6 |
| 849 | Coalescence in an interface-modified polymer blend as studied by light scattering measurements. 1996 , 37, 509-517 | | 26 |
| 848 | Droplet breakage in stirred dispersions. Breakage functions from experimental drop-size distributions. <i>Chemical Engineering Science</i> , 1996 , 51, 1377-1391 | 4.4 | 80 |

| 847 | Prediction of vinyl chloride drop sizes in stabilised liquid-liquid agitated dispersion. <i>Chemical Engineering Science</i> , 1996 , 51, 3223-3233 | 4.4 | 50 |
|---|---|-----|----------------------------|
| 846 | Vinyl chloride dispersion with relation to suspension polymerisation. <i>Chemical Engineering Science</i> , 1996 , 51, 3591-3611 | 4.4 | 28 |
| 845 | Investigating the process of liquid-liquid extraction by means of computational fluid dynamics. 1996 , 20, 1467-1475 | | 37 |
| 844 | Simulation of the transient behaviour of a stirred liquid/liquid extraction column. 1996 , 20, S963-S968 | | 10 |
| 843 | Simulation of the overemulsification phenomenon in turbulent stirring. 1996 , 110, 1-10 | | 3 |
| 842 | MODELING AND SIMULATION OF BINARY APPROACH BY ENERGY CONSERVATION ANALYSIS. 1996, 145, 145-153 | | 20 |
| 841 | COMPARISON OF LIQUID-LIQUID DISPERSIONS FORMED BY A STIRRED TANK AND ELECTROSTATIC SPRAYING*. 1997 , 160, 175-197 | | 12 |
| 840 | Hydrodynamics of Dispersed Liquid Droplets in Agitated Synthetic Fibrous Slurries. 1997 , 36, 5028-5036 | 5 | 4 |
| 839 | THE COLLISION RATE OF PARTICLES IN TURBULENT FLOW. 1997 , 158, 201-230 | | 74 |
| | | | |
| 838 | An Updated Review on Suspension Polymerization. 1997 , 36, 939-965 | | 227 |
| 8 ₃ 8 8 ₃ 7 | An Updated Review on Suspension Polymerization. 1997 , 36, 939-965 On the steady-state size distribution of dispersions in breakage processes. <i>Chemical Engineering Science</i> , 1997 , 52, 1285-1299 | 4.4 | 227 46 |
| | On the steady-state size distribution of dispersions in breakage processes. <i>Chemical Engineering</i> | 4.4 | |
| 837 | On the steady-state size distribution of dispersions in breakage processes. <i>Chemical Engineering Science</i> , 1997 , 52, 1285-1299 | 4.4 | 46 |
| 837 | On the steady-state size distribution of dispersions in breakage processes. <i>Chemical Engineering Science</i> , 1997 , 52, 1285-1299 Bubble Sizes in Electrolyte and Alcohol Solutions in a Turbulent Stirred Vessel. 1997 , 75, 339-348 Viscosity measurements of water-in-crude-oil emulsions under flowing conditions: A theoretical | 4.4 | 46 |
| 8 ₃₇ 8 ₃₆ 8 ₃₅ | On the steady-state size distribution of dispersions in breakage processes. <i>Chemical Engineering Science</i> , 1997 , 52, 1285-1299 Bubble Sizes in Electrolyte and Alcohol Solutions in a Turbulent Stirred Vessel. 1997 , 75, 339-348 Viscosity measurements of water-in-crude-oil emulsions under flowing conditions: A theoretical and practical approach. 1997 , 123-124, 623-634 The dynamic behaviour of liquid-liquid agitated dispersions. Coupled hydrodynamics and mass | 4.4 | 46 85 24 |
| 837 836 835 | On the steady-state size distribution of dispersions in breakage processes. <i>Chemical Engineering Science</i> , 1997 , 52, 1285-1299 Bubble Sizes in Electrolyte and Alcohol Solutions in a Turbulent Stirred Vessel. 1997 , 75, 339-348 Viscosity measurements of water-in-crude-oil emulsions under flowing conditions: A theoretical and practical approach. 1997 , 123-124, 623-634 The dynamic behaviour of liquid-liquid agitated dispersionsII. Coupled hydrodynamics and mass transfer. 1997 , 21, 543-558 On the attainment of steady state in turbulent pipe flow of dilute dispersions. <i>Chemical Engineering</i> | | 46 85 24 |
| 8 ₃₇ 8 ₃₆ 8 ₃₅ 8 ₃₄ 8 ₃₃ | On the steady-state size distribution of dispersions in breakage processes. <i>Chemical Engineering Science</i> , 1997 , 52, 1285-1299 Bubble Sizes in Electrolyte and Alcohol Solutions in a Turbulent Stirred Vessel. 1997 , 75, 339-348 Viscosity measurements of water-in-crude-oil emulsions under flowing conditions: A theoretical and practical approach. 1997 , 123-124, 623-634 The dynamic behaviour of liquid-liquid agitated dispersions D. Coupled hydrodynamics and mass transfer. 1997 , 21, 543-558 On the attainment of steady state in turbulent pipe flow of dilute dispersions. <i>Chemical Engineering Science</i> , 1998 , 53, 505-513 | 4.4 | 46 85 24 17 23 |
| 8 ₃₇ 8 ₃₆ 8 ₃₅ 8 ₃₄ 8 ₃₃ 8 ₃₂ | On the steady-state size distribution of dispersions in breakage processes. <i>Chemical Engineering Science</i> , 1997 , 52, 1285-1299 Bubble Sizes in Electrolyte and Alcohol Solutions in a Turbulent Stirred Vessel. 1997 , 75, 339-348 Viscosity measurements of water-in-crude-oil emulsions under flowing conditions: A theoretical and practical approach. 1997 , 123-124, 623-634 The dynamic behaviour of liquid-liquid agitated dispersions Coupled hydrodynamics and mass transfer. 1997 , 21, 543-558 On the attainment of steady state in turbulent pipe flow of dilute dispersions. <i>Chemical Engineering Science</i> , 1998 , 53, 505-513 Efficacy of a spinning disc as a bubble break-up device. <i>Chemical Engineering Science</i> , 1998 , 53, 59-70 Parametric analysis of direct contact evaporation process in a bubble column. <i>International Journal</i> | 4.4 | 46 85 24 17 23 |

| 829 | Drop break-up in intermittent turbulence: Maximum stable and transient sizes of drops. <i>Canadian Journal of Chemical Engineering</i> , 1998 , 76, 456-470 | 107 |
|-----|---|-----|
| 828 | Phase inversion studies in liquid-liquid dispersions. <i>Canadian Journal of Chemical Engineering</i> , 1998 , 76, 486-494 | 39 |
| 827 | Use of CFD in prediction of particle size distribution in suspension polymer reactors. 1998 , 22, S315-S322 | 29 |
| 826 | Estimation of Coalescence and Breakage Rate Constants within a Klini Column. 1998, 37, 1099-1106 | 21 |
| 825 | Theoretical analysis of the steady state particle size distribution in limited breakage processes. 1998 , 31, 8905-8921 | 9 |
| 824 | Evolution of Particle Size Distribution During Suspension Polymerization: Theory and Experiments. 1998 , 31, 271-276 | |
| 823 | Reactor Design Issues for Synthesis-Gas Fermentations. 1999 , 15, 834-844 | 191 |
| 822 | Drop coalescence in turbulent dispersions. <i>Chemical Engineering Science</i> , 1999 , 54, 5667-5675 4.4 | 50 |
| 821 | Simulation of the population balances for liquid I quid systems in a nonideal stirred tank. Part 1 Description and qualitative validation of the model. <i>Chemical Engineering Science</i> , 1999 , 54, 5887-5899 4.4 | 131 |
| 820 | Modeling the effect of drop charge on coalescence in turbulent liquid dispersions. Canadian Journal of Chemical Engineering, 1999, 77, 1090-1104 | 21 |
| 819 | Simulation of hydrodynamic performance of stirred extraction column. 1999 , 45, 257-267 | 6 |
| 818 | Modeling of the Suspension Polymerization Process Using a Particle Population Balance. 1999 , 22, 609-616 | 14 |
| 817 | On the breakup of an air bubble injected into a fully developed turbulent flow. I - Breakup frequency. 1999 , | 1 |
| 816 | A New Mathematical Model for Oil/Water Separation in Pipes and Tanks. 1999 , 14, 30-36 | 5 |
| 815 | Computational Strategies for Sizing LiquidDiquid Extractors. 1999 , 38, 1040-1056 | 19 |
| 814 | A Simple Technique for Measuring Particle Size Distributions during Suspension Polymerization. 2000 , 32, 688-693 | 5 |
| 813 | Approximate Population Balance Equations for Aggregation-Breakage Processes. 2000 , 221, 143-160 | 191 |
| 812 | Identical Feed Drops in a Flow Vessel May not Always Be Desirable. 2000 , 23, 1001-1005 | |

(2001-2000)

| 811 | One-group interfacial area transport of bubbly flows in vertical round tubes. <i>International Journal of Heat and Mass Transfer</i> , 2000 , 43, 2711-2726 | 4.9 | 184 |
|-----|--|-----|-----|
| 810 | Phenomenological model for bubble column reactors: prediction of gas hold-ups and volumetric mass transfer coefficients. 2000 , 78, 21-28 | | 87 |
| 809 | Efficient algorithms for the dynamic simulation of agitated liquid []quid contactors. 2000, 31, 985-990 | | 3 |
| 808 | Monte Carlo simulation of drop dispersion behaviour. 2000 , 39, 201-206 | | 7 |
| 807 | Prediction of particle size distribution in suspension polymerization reactors: effect of turbulence nonhomogeneity. <i>Chemical Engineering Science</i> , 2000 , 55, 4611-4627 | 4.4 | 89 |
| 806 | Behaviour of turbulent dispersions in a stirred single-stage cell. <i>Chemical Engineering Science</i> , 2000 , 55, 1653-1660 | 4.4 | 15 |
| 805 | Two-group interfacial area transport equations at bubbly-to-slug flow transition. 2000, 202, 39-76 | | 134 |
| 804 | Birth and Death Functions. 2000 , 47-116 | | 1 |
| 803 | MODELING OF LIQUID-LIQUID EXTRACTION COLUMN: A REVIEW. 2000 , 16, | | 59 |
| 802 | Solvent Extraction Equipment Design and Operation: Future Directions from an Engineering Perspective. 2000 , 18, 1051-1078 | | 12 |
| 801 | A coalescence and breakup module for implementation in CFD-codes. 2000 , 8, 367-372 | | 14 |
| 800 | Current Phenomenological Know-How and Modeling of Emulsion Inversion. 2000 , 39, 2665-2676 | | 126 |
| 799 | Liquid Jet Instability and Atomization in a Coaxial Gas Stream. 2000, 32, 275-308 | | 350 |
| 798 | Phase Inversion of Liquid[liquid Dispersions Under Applied Electric Fields. 2001 , 22, 57-69 | | 11 |
| 797 | Prediction of Drop Breakage in an Ultra High Velocity Jet Homogenizer 2001, 34, 640-646 | | 27 |
| 796 | Bubble coalescence in turbulent flows: A mechanistic model for turbulence-induced coalescence applied to microgravity bubbly pipe flow. 2001 , 27, 1363-1396 | | 108 |
| 795 | Some issues related to the modeling of interfacial areas in gasDquid flows, II. Modeling the source terms for dispersed flows. 2001 , 329, 473-486 | | 1 |
| 794 | Drop Coalescence during Emulsion Formation in a High-Pressure Homogenizer for Tetradecane-in-Water Emulsion Stabilized by Sodium Dodecyl Sulfate. 2001 , 238, 420-432 | | 62 |

| 793 | Suspension polymerization of acrylamide in an oscillatory baffled reactor: From drops to particles. 2001 , 47, 1746-1757 | 32 |
|------------------|--|-----|
| 792 | A contribution towards predicting the evolution of droplet size distribution in flowing dilute liquid/liquid dispersions. <i>Chemical Engineering Science</i> , 2001 , 56, 4283-4292 | 32 |
| 791 | Effects of Applied Electric Fields on DropInterface and DropInterf | 7 |
| 790 | Deposition of small particles on spherical collectors under turbulent flow conditions. 2002 , 37, 2021-2035 | 1 |
| 789 | Phase Inversion in Abnormal O/W/O Emulsions: I. Effect of Surfactant Concentration. 2002, 41, 6033-6041 | 44 |
| 788 | Modeling of the Dispersed-Phase Size Distribution in Bubble Columns. 2002 , 41, 2560-2570 | 21 |
| 787 | Stability of drug-carrier emulsions containing phosphatidylcholine mixtures. 2002 , 53, 203-8 | 58 |
| 786 | Experimental Studies of Coalescence in Liquid/Liquid Systems. 2002, 25, 481-484 | 10 |
| 785 | Population balance modeling of aerated stirred vessels based on CFD. 2002 , 48, 673-685 | 122 |
| 7 ⁸ 4 | Tracer mixing dynamics during aggregation and fragmentation. 2002 , 48, 2167-2178 | 5 |
| 783 | Simulation studies of phase inversion in agitated vessels using a Monte Carlo technique. 2002 , 248, 443-54 | 17 |
| 782 | Two-phase bubbly flows in microgravity: Some open questions. 2002 , 13, 16-21 | 6 |
| 781 | The Dynamics of Two-Phase Liquid Dispersions: Necessity of a New Approach. 2002, 70, 245-264 | 6 |
| 780 | A review of statistical models for the break-up of an immiscible fluid immersed into a fully developed turbulent flow. 2002 , 28, 247-278 | 181 |
| 779 | On the evaluation of droplet breakage and coalescence rates in an oscillatory baffled reactor. Chemical Engineering Science, 2002 , 57, 2101-2114 4-4 | 11 |
| 778 | Development of one-group interfacial area transport equation in bubbly flow systems. <i>International A·9</i> | 97 |
| 777 | Dynamic behaviour of drops in oil/water/oil dispersions. <i>Chemical Engineering Science</i> , 2002 , 57, 663-675 ₄₋₄ | 83 |
| 776 | CFD analysis of turbulence non-homogeneity in mixing vessels. <i>Chemical Engineering Science</i> , 2002 , 57, 1735-1752 | 87 |

(2003-2002)

| 775 | Simulation of the population balances for liquid[Iquid systems in a nonideal stirred tank. Part 2parameter fitting and the use of the multiblock model for dense dispersions. <i>Chemical</i> 4.4 Engineering Science, 2002 , 57, 1815-1825 | 158 |
|-----|--|-----|
| 774 | A description of phase inversion behaviour in agitated liquid dispersions under the influence of the Marangoni effect. <i>Chemical Engineering Science</i> , 2002 , 57, 3505-3520 | 19 |
| 773 | The importance of population dynamics from the perspective of the chemical process industry. Chemical Engineering Science, 2002 , 57, 4257-4266 4-4 | 7 |
| 772 | Flocculation of biological cells: Experiment vs. theory. 2003 , 49, 1687-1701 | 33 |
| 771 | Modeling particle-size distribution dynamics in a flocculation system. 2003 , 49, 1870-1882 | 67 |
| 770 | Particle size distributions and viscosity of suspensions undergoing shear-induced coagulation and fragmentation. <i>Chemical Engineering Science</i> , 2003 , 58, 2893-2902 | 96 |
| 769 | Implementation of the quadrature method of moments in CFD codes for aggregationBreakage problems. <i>Chemical Engineering Science</i> , 2003 , 58, 3337-3351 | 184 |
| 768 | Film drainage between two surfactant-coated drops colliding at constant approach velocity. 2003 , 257, 93-107 | 63 |
| 767 | Quadrature method of moments for aggregation-breakage processes. 2003 , 258, 322-34 | 381 |
| 766 | Feasibility of surfactant-free supported emulsion liquid membrane extraction. 2003 , 266, 430-7 | 7 |
| 765 | A MILP approach to the optimization of the operation procedure of a fed-batch emulsification process in a stirred vessel. 2003 , 27, 1681-1691 | 7 |
| 764 | Modeling strategy of the source and sink terms in the two-group interfacial area transport equation. 2003 , 30, 1309-1331 | 17 |
| 763 | Estimation of the maximum stable drop sizes, coalescence frequencies and the size distributions in isotropic turbulent dispersions. 2003 , 212, 285-295 | 16 |
| 762 | About bubble breakup models to predict bubble size distributions in homogeneous flows. 2003 , 190, 299-321 | 5 |
| 761 | Constant-number Monte Carlo simulation of aggregating and fragmenting particles. 2003, 119, 2825-2839 | 14 |
| 760 | Immiscible Liquid⊡iquid Systems. 639-753 | 9 |
| 759 | Utilization of population balances in simulation of liquid-liquid systems in mixed tanks. 2003 , 190, 1468-1484 | 7 |
| 758 | A novel particle tracking and break-up detection algorithm: application to the turbulent break-up of bubbles. 2003 , 14, 1328-1340 | 31 |

| 757 | Characterization of Liquid-Liquid Dispersion in Batch and Continuous Toroiedal Minimixer 2003 , 36, 1-6 | 1 |
|-----------------|--|-----|
| 756 | Axisymmetric inviscid interaction of a bubble and a vortex ring. <i>Physics of Fluids</i> , 2004 , 16, 1156-1159 4.4 | 13 |
| 755 | CFD modelling of local bubble size distributions in agitated gas-liquid vessels - verification against experiments. 2004 , 18, 241-246 | 1 |
| 754 | Theoretical estimates of air bubble behavior in dense pipeline slurry flows. 2004 , 43, 727-737 | 6 |
| 753 | Analysis of breakage functions for liquid[Iquid dispersions. 2004 , 72, 245-258 | 16 |
| 75 ² | Dynamic Tracking of Fast Liquid[liquid Dispersion Processes with a Real-Time in-Situ Optical Technique. 2004 , 82, 1054-1060 | 26 |
| 751 | Bubble Size Distribution and Void Fraction in the Wake Region Below a Ventilated Gas Cavity in Downward Pipe Flow. 2004 , 82, 1095-1104 | 10 |
| 75° | Mixing of stabilised drops in suspension polymerisation. <i>Chemical Engineering Science</i> , 2004 , 59, 2321-234.4 | 15 |
| 749 | Numerical solution of the spatially distributed population balance equation describing the hydrodynamics of interacting liquid dispersions. <i>Chemical Engineering Science</i> , 2004 , 59, 2567-2592 ^{4.4} | 81 |
| 748 | Simulation of coalescence and breakage: an assessment of two stochastic methods suitable for simulating liquid axtraction. <i>Chemical Engineering Science</i> , 2004 , 59, 3865-3881 | 32 |
| 747 | Spot turbulence, breakup, and coalescence of bubbles released from a porous plug injector into a gas-stirred ladle. 2004 , 35, 949-956 | 19 |
| 746 | Modeling of bubble coalescence and disintegration in confined upward two-phase flow. 2004 , 230, 3-26 | 106 |
| 745 | On a turbulence model for slurry flow in pipelines. <i>Chemical Engineering Science</i> , 2004 , 59, 557-565 4.4 | 14 |
| 744 | Modeling of the break-up of deformable particles in developed turbulent flow. <i>Chemical Engineering Science</i> , 2004 , 59, 1233-1240 | 30 |
| 743 | Design optimisation study of solvent extraction: chemical reaction, mass transfer and mixerBettler hydrodynamics. 2004 , 74, 131-147 | 21 |
| 742 | Volumetric interfacial area prediction in upward bubbly two-phase flow. <i>International Journal of Heat and Mass Transfer</i> , 2004 , 47, 307-328 | 182 |
| 741 | Model for drop coalescence in a locally isotropic turbulent flow field. 2004 , 272, 197-209 | 33 |
| 740 | Modelling of droplet breakage probabilities in an oscillatory baffled reactor. <i>Chemical Engineering Science</i> , 2004 , 59, 2189-2200 | 6 |

| 739 | Development of a multi-scale simulation method for design of novel multiphase reactors. <i>Chemical Engineering Science</i> , 2004 , 59, 4911-4917 | 4.4 | 31 |
|-----|--|-----|-----|
| 738 | Break-up, coalescence and catastrophic phase inversion in turbulent contactors. 2004 , 108-109, 95-103 | | 34 |
| 737 | Reproducibility of the Hydrodynamic Performance and Measurements in a Liquidliquid Klini Extraction ColumnRelevance to Theoretical Model Evaluation. 2004 , 43, 1061-1070 | | 6 |
| 736 | Role of surfactant type and concentration for the mean drop size during emulsification in turbulent flow. 2004 , 20, 7444-58 | | 184 |
| 735 | COMPUTATIONAL MODELING OF GAS-LIQUID FLOW IN BUBBLE COLUMNS. 2004, 20, | | 50 |
| 734 | Computational fluid dynamic simulation of the dispersed phase size distribution in a multifunctional channel reactor. 2004 , 18, 145-150 | | |
| 733 | Determination of coalescence functions in liquid dispersions. 2005, 80, 32-42 | | 9 |
| 732 | Scale-up effects in coalescing dispersionsdomparison of liquid guid systems differing in interface mobility. <i>Chemical Engineering Science</i> , 2005 , 60, 2115-2125 | 4.4 | 22 |
| 731 | Prediction of phase inversion in agitated vessels using a two-region model. <i>Chemical Engineering Science</i> , 2005 , 60, 3487-3495 | 4.4 | 28 |
| 730 | Drop break-up in turbulent pipe flow downstream of a restriction. <i>Chemical Engineering Science</i> , 2005 , 60, 6511-6528 | 4.4 | 88 |
| 729 | Suspension polymerisation of methyl methacrylate using sodium polymethacrylate as a suspending agent. <i>Chemical Engineering Science</i> , 2005 , 60, 7137-7152 | 4.4 | 12 |
| 728 | Modeling aggregation of colloidal particles. 2005 , 10, 123-132 | | 52 |
| 727 | Transiente Tropfengr@n- verteilungen in gerfirten Flßsig/Flßsig-Dispersionen. 2005, 77, 80-84 | | 1 |
| 726 | Modellierung gerfirter Extraktionskolonnen mit dem Tropfenpopulationsbilanzmodell. 2005 , 77, 723-73 | 34 | 6 |
| 725 | Assessment of Drop Coalescence and Breakup for Stirred Extraction Columns. 2005, 28, 552-560 | | 11 |
| 724 | Turbulence induced particle fragmentation and coalescence. 2005 , 237-261 | | |
| 723 | Identification of particle-particle interactions in suspension polymerization reactors. | | 1 |
| 722 | Kinetics of Drop Breakage in Stirred Vessels under Turbulent Conditions. 2005 , 26, 565-573 | | 19 |

| 721 | Design of a phytosphingosine-containing, positively-charged nanoemulsion as a colloidal carrier system for dermal application of ceramides. 2005 , 60, 91-8 | | 97 |
|-----|---|-----|-----|
| 720 | Effect of Suspension Polymerization Conditions of Vinyl Pivalate on the Size and Its Distribution of Poly(Vinyl Pivalate) Microspheres. 2005 , 44, 475-487 | | 10 |
| 719 | Prediction of the Bubble Size Distribution during Aeration of Food Products. 2005 , 44, 1296-1308 | | 11 |
| 718 | Estimation of the Minimum Stable Drop Sizes, Break-up Frequencies, and Size Distributions in Turbulent Dispersions. 2005 , 26, 487-494 | | 10 |
| 717 | Evolution of Drop Size Distributions in Fully Developed Turbulent Pipe Flow of a Liquid [liquid Dispersion by Breakage. 2005 , 44, 1187-1193 | | 20 |
| 716 | Modeling of Bubble Column Reactors: Progress and Limitations. 2005, 44, 5107-5151 | | 216 |
| 715 | Comparative Study of Particle Size in Suspension Polymerization and Corresponding Monomer Water Dispersion. 2005 , 44, 4112-4119 | | 46 |
| 714 | The Liquid/Liquid Sedimentation Process: From Droplet Coalescence to Technologically Enhanced Water/Oil Emulsion Gravity Separators: A Review. 2006 , 27, 1035-1057 | | 132 |
| 713 | Formation and Charaterization of Submicrometer Oil-in-Water (O/W) Emulsions, Using High-Energy Emulsification. 2006 , 45, 372-390 | | 52 |
| 712 | Simulated and Experimental Dispersed-Phase Breakage and Coalescence Behavior in a Klini Liquid Diquid Extraction Column Steady State. 2006 , 45, 3955-3968 | | 3 |
| 711 | . 2006 , 11, 202-206 | | 4 |
| 710 | From single droplet to column design. 2006 , 11, 212-216 | | 5 |
| 709 | Multi-scale modeling of gasIlquidBolid three-phase fluidized beds using the EMMS method. 2006 , 117, 1-11 | | 22 |
| 708 | LLECMOD: A Windows-based program for hydrodynamics simulation of liquid []quid extraction columns. 2006 , 45, 113-123 | | 26 |
| 707 | Validation of bubble breakage, coalescence and mass transfer models for gasllquid dispersion in agitated vessel. <i>Chemical Engineering Science</i> , 2006 , 61, 218-228 | 4.4 | 120 |
| 706 | Numerical solution of the bivariate population balance equation for the interacting hydrodynamics and mass transfer in liquid extraction columns. <i>Chemical Engineering Science</i> , 2006 , 61, 113-123 | 4.4 | 74 |
| 705 | Improved orthokinetic coagulation model for fractal colloids: Aggregation and breakup. <i>Chemical Engineering Science</i> , 2006 , 61, 45-53 | 4.4 | 22 |
| | | | |

(2006-2006)

| 703 | The effect of pH on experimental and simulation results of transient drop size distributions in stirred liquid dispersions. <i>Chemical Engineering Science</i> , 2006 , 61, 3018-3024 | 1.4 | 52 |
|-----|---|-----|-----|
| 702 | A stochastic model for breakage frequency of viscous drops in turbulent dispersions. <i>Chemical Engineering Science</i> , 2006 , 61, 3705-3713 | 1-4 | 9 |
| 701 | Predicting the sizes of toluene-diluted heavy oil emulsions in turbulent flow Part 2: Hinzekolmogorov based model adapted for increased oil fractions and energy dissipation in a stirred tank. <i>Chemical Engineering Science</i> , 2006 , 61, 7325-7335 | 1.4 | 36 |
| 700 | Population balance modelling of phase inversion in liquid l iquid pipeline flows. <i>Chemical Engineering Science</i> , 2006 , 61, 4994-4997 | 1-4 | 22 |
| 699 | Solution of population balances with breakage and agglomeration by high-order moment-conserving method of classes. <i>Chemical Engineering Science</i> , 2006 , 61, 6732-6752 | 1.4 | 47 |
| 698 | Determination of breakage rates of oil droplets in a continuous oscillatory baffled tube. <i>Chemical Engineering Science</i> , 2006 , 61, 6902-6917 | 1-4 | 5 |
| 697 | Self-similar inverse population balance modeling for turbulently prepared batch emulsions: Sensitivity to measurement errors. <i>Chemical Engineering Science</i> , 2006 , 61, 7421-7435 | 1.4 | 20 |
| 696 | A dynamic interaction mass transfer model for simulating the mass transfer process in extraction columns. 2006 , 30, 978-988 | | 5 |
| 695 | Droplet population balance modellingBydrodynamics and mass transfer. <i>Chemical Engineering Science</i> , 2006 , 61, 246-256 | 1.4 | 85 |
| 694 | Mechanistic study for the interfacial area transport phenomena in an air/water flow condition by using fine-size bubble group model. <i>International Journal of Heat and Mass Transfer</i> , 2006 , 49, 4033-4042 | 1.9 | 21 |
| 693 | Numerical modelling of bubbly flows with and without heat and mass transfer. 2006 , 30, 1067-1095 | | 37 |
| 692 | Implementation of a fragmentationBoagulationBcattering model for the dynamics of stirred liquidDquid dispersions. 2006 , 222, 141-158 | | 8 |
| 691 | A statistical model for the calculation of the frequency of turbulent collisions of particles of arbitrary density. 2006 , 44, 711-719 | | |
| 690 | Numerical solution of moment-transformed population balance equation with fixed quadrature points. <i>Chemical Engineering Science</i> , 2006 , 61, 4919-4929 | 1.4 | 27 |
| 689 | Coalescence stability of emulsions containing globular milk proteins. 2006 , 123-126, 259-93 | | 224 |
| 688 | A Genetic Algorithm Based Approach to Coalescence Parameters: Estimation in Liquid-Liquid Extraction Columns. 2006 , 29, 1416-1423 | | 10 |
| 687 | Droplets population balance in a rotating disc contactor: An inverse problem approach. 2006 , 52, 1441-14 | 450 | 32 |
| 686 | Polymer flocculation of calcite: Population balance model. 2006 , 52, 1641-1653 | | 56 |

| 685 | Dynamic modeling of local reaction conditions in an agitated aerobic fermenter. 2006 , 52, 1673-1689 | 28 |
|-----|--|-----|
| 684 | Simulation of the population balance for droplet breakage in a liquid-liquid stirred tank reactor using H-matrix methods. 2006 , 261-266 | |
| 683 | Modeling of Drop Coalescence in Isotropic Turbulent Flow. 2006 , 27, 443-451 | 8 |
| 682 | Novel probe for the in situ measurement of particle size distributions. 2006 , 77, 123704 | 3 |
| 681 | SIMULATION OF BUBBLE BREAKUP DYNAMICS IN HOMOGENEOUS TURBULENCE. 2006 , 193, 1038-1063 | 45 |
| 680 | Modeling Local GasIliquid Mass Transfer in Agitated Viscous Shear-Thinning Dispersions with CFD. 2007 , 46, 7289-7299 | 16 |
| 679 | Fragmentation. 2007 , 39, 419-446 | 255 |
| 678 | Chapter 23 Crystal Growth and Dissolution with Breakage: Distribution Kinetics Modelling. 2007 , 971-988 | |
| 677 | Modellierung und Simulation der Emulsionstrennung in Hydrozyklonen durch die Kopplung von StrEhungs- und Populationsgleichungen. 2007 , 79, 1921-1929 | 1 |
| 676 | -matrix methods for linear and quasi-linear integral operators appearing in population balances. 2007 , 31, 745-759 | 10 |
| 675 | On the modelling of population balance in isothermal vertical bubbly flows Average bubble number density approach. 2007 , 46, 742-756 | 72 |
| 674 | Modelling local bubble size distributions in agitated vessels. <i>Chemical Engineering Science</i> , 2007 , 62, 721-7.40 | 121 |
| 673 | Measurement of bubble size distribution using a flying optical probe technique: Application in the highly turbulent region above a distillation plate. <i>Chemical Engineering Science</i> , 2007 , 62, 2652-2662 | 10 |
| 672 | Drop breakage in liquid[]quid stirred dispersions: Modelling of single drop breakage. <i>Chemical Engineering Science</i> , 2007 , 62, 6297-6307 | 53 |
| 671 | Probabilistic approach for break-up and coalescence in bubbly-flow and coupling with CFD codes. 2007 , 31, 2051-2061 | 4 |
| 670 | On the numerical study of isothermal vertical bubbly flow using two population balance approaches. <i>Chemical Engineering Science</i> , 2007 , 62, 4659-4674 | 86 |
| 669 | Adjustable discretized population balance equations: Numerical simulation and parameter estimation for fractal aggregation and break-up. 2007 , 292, 173-188 | 6 |
| 668 | Emulsification in turbulent flow: 3. Daughter drop-size distribution. 2007 , 310, 570-89 | 70 |

(2008-2007)

| 667 | Emulsification in turbulent flow 1. Mean and maximum drop diameters in inertial and viscous regimes. 2007 , 312, 363-80 | 196 |
|-----|---|-----|
| 666 | Emulsification in turbulent flow 2. Breakage rate constants. 2007 , 313, 612-29 | 74 |
| 665 | Influence of Dispersed Phase Viscosity on Drop Coalescence in Turbulent Flow. 2007, 85, 721-729 | 19 |
| 664 | Modelling Local Gas I liquid Mass Transfer in Agitated Vessels. 2007 , 85, 665-675 | 34 |
| 663 | Modelling the Mixing and Dissolution Kinetics of Partially Miscible Liquids. 2007, 85, 710-720 | 6 |
| 662 | Experimental Investigations and Modelling of Breakage Phenomena in Stirred Liquid/Liquid Systems. 2007 , 85, 703-709 | 55 |
| 661 | Numerical modelling of a gravity settler in dynamic conditions. 2007, 38, 810-817 | 12 |
| 660 | Bubble dispersion patterns in bubbly-flow released from a porous plug into a gas-stirred ladle. 2007 , 31, 1534-1547 | 7 |
| 659 | Population balance simulation of gas[Iquid contacting. <i>Chemical Engineering Science</i> , 2007 , 62, 7436-7445.4 | 25 |
| 658 | Modelling mass transfer in an aerated 0.2m3 vessel agitated by Rushton, Phasejet and Combijet impellers. 2008 , 142, 95-108 | 44 |
| 657 | Dynamic evolution of the particle size distribution in suspension polymerization reactors: A comparative study on Monte Carlo and sectional grid methods. <i>Canadian Journal of Chemical Engineering</i> , 2008 , 86, 924-936 | 18 |
| 656 | Bubble Breakup and Coalescence in a Plunging Liquid Jet Bubble Column. <i>Canadian Journal of Chemical Engineering</i> , 2008 , 81, 519-527 | 12 |
| 655 | Monte Carlo Simulation of Coalescence Processes in Oil Sands Slurries. <i>Canadian Journal of Chemical Engineering</i> , 2008 , 82, 763-775 | 3 |
| 654 | Holdup Profile in Multistage Stirred-Cell Liquid-Liquid Extraction Column Using Population Balance Model. <i>Canadian Journal of Chemical Engineering</i> , 2008 , 82, 1037-1043 | 3 |
| 653 | Preparation and characterization of nanopigment-poly(styrene-co-n-butyl acrylate-co-methacrylic acid) composite particles by high speed homogenization-assisted suspension polymerization. 2008 , 1288-1297 | 21 |
| 652 | Modeling, analysis, and numerical solution of stirred liquid[Iquid dispersions. 2008, 197, 4125-4131 | 8 |
| 651 | -matrix methods for quadratic integral operators appearing in population balances. 2008 , 32, 1789-1809 | 3 |
| 650 | Process intensification with reactive extraction columns. 2008 , 47, 745-754 | 37 |
| | | |

| 649 | Multicompartment hydrodynamic model for slurry bubble columns. <i>Chemical Engineering Science</i> , 2008 , 63, 3379-3399 | 11 |
|-------------------|--|------------------------|
| 648 | Prediction of the evolution of the dispersed phase in bubbly flow problems. 2008 , 32, 1813-1833 | 17 |
| 647 | On the effect of the orifice configuration on the coalescence of growing bubbles. 2008 , 47, 1799-1809 | 27 |
| 646 | Representative drop sizes and drop size distributions in A/O dispersions in continuous flow stirred tank. 2008 , 90, 121-136 | 47 |
| 645 | Using computational fluid dynamics to characterize and improve bioreactor performance. 2008 , 49, 225-38 | 53 |
| 644 | Dynamic Determination of Asphaltene Aggregate Size Distribution in Shear Induced Organic Solvents. 2008 , 22, 3435-3442 | 36 |
| 643 | Comparison of solid particles, globular proteins and surfactants as emulsifiers. 2008, 10, 1608-27 | 341 |
| 642 | Mass Transfer Rates from Oscillating Bubbles in Bubble Columns Operating with Viscous Fluids. 2008 , 47, 9527-9536 | 13 |
| 641 | Physics of liquid jets. 2008 , 71, 036601 | 1152 |
| 640 | A Model for Gas and Hydrates Plumes in Deep Ocean. 2008, | 3 |
| | | |
| 639 | Influence of Impeller Type on the Bubble Breakup Process in Stirred Tanks. 2008 , 47, 6251-6263 | 33 |
| 639 | Influence of Impeller Type on the Bubble Breakup Process in Stirred Tanks. 2008 , 47, 6251-6263 Guidelines for Processing Emulsion-Based Foods. 2008 , 349-394 | 5 |
| | | |
| 638 | Guidelines for Processing Emulsion-Based Foods. 2008 , 349-394 | 5 |
| 638 637 | Guidelines for Processing Emulsion-Based Foods. 2008, 349-394 Meshfree Methods for Partial Differential Equations IV. 2008, | 5 6 |
| 638 637 636 | Guidelines for Processing Emulsion-Based Foods. 2008, 349-394 Meshfree Methods for Partial Differential Equations IV. 2008, The Population Balance Equation. 2009, 807-865 | 5 6 1 |
| 638 637 636 | Guidelines for Processing Emulsion-Based Foods. 2008, 349-394 Meshfree Methods for Partial Differential Equations IV. 2008, The Population Balance Equation. 2009, 807-865 Food Emulsifiers and Their Applications. 2008, | 5 6 1 78 3 |

(2009-2009)

| 631 | Fraction. 2009 , 32, 1203-1210 | | 12 |
|-----|--|-----|-----|
| 630 | Nonaqueous polymerization of vinyl chloride: An environmentally friendly process. 2009 , 112, 2472-248 | 31 | 10 |
| 629 | Theoretical modelling of the effect of surface active species on the mass transfer rates in bubble column reactors. 2009 , 155, 272-284 | | 17 |
| 628 | Solution of the population balance equation using the sectional quadrature method of moments (SQMOM). <i>Chemical Engineering Science</i> , 2009 , 64, 742-752 | 4.4 | 111 |
| 627 | Coupling of CFD with DPBM for an RDC extractor. Chemical Engineering Science, 2009, 64, 721-732 | 4.4 | 73 |
| 626 | Modeling fluid behavior and droplet interactions during liquid separation in hydrocyclones. <i>Chemical Engineering Science</i> , 2009 , 64, 3935-3952 | 4.4 | 68 |
| 625 | The effects of a surfactant on mean drop size in a mixer-settler extractor. 2009 , 48, 1105-1111 | | 28 |
| 624 | Multi-criteria design optimization study of solvent extraction in mixerBettler units. 2009 , 98, 224-234 | | 5 |
| 623 | Mass transfer from oscillating bubbles in bubble column reactors. 2009 , 151, 79-88 | | 23 |
| 622 | Identification of droplet breakage kernel for population balance modelling. <i>Chemical Engineering Science</i> , 2009 , 64, 638-645 | 4.4 | 26 |
| 621 | Analysis of breakage kernels for population balance modelling. <i>Chemical Engineering Science</i> , 2009 , 64, 501-508 | 4.4 | 38 |
| 620 | On the modelling of dropletfilm interaction considering entrainment, deposition and breakage processes. <i>Chemical Engineering Science</i> , 2009 , 64, 1362-1371 | 4.4 | 17 |
| 619 | Experimental studies and population balance equation models for breakage prediction of emulsion drop size distributions. <i>Chemical Engineering Science</i> , 2009 , 64, 2433-2447 | 4.4 | 75 |
| 618 | Dynamic simulation of emulsion formation in a high pressure homogenizer. <i>Chemical Engineering Science</i> , 2009 , 64, 2915-2925 | 4.4 | 102 |
| 617 | A literature review of theoretical models for drop and bubble breakup in turbulent dispersions. <i>Chemical Engineering Science</i> , 2009 , 64, 3389-3406 | 4.4 | 426 |
| 616 | Population balance modelling of protein precipitates exhibiting turbulent flow through a circular pipe. <i>Chemical Engineering Science</i> , 2009 , 64, 4051-4059 | 4.4 | 3 |
| 615 | Bubble Bunch[phenomenon in operation of a bubble column. 2009, 7, 803-808 | | |
| 614 | Coalescence and fragmentation of drops in an isotropic turbulent flow. 2009 , 43, 314-320 | | 5 |

| 613 | A Review of Population Balance Modelling for Isothermal Bubbly Flows. 2009 , 1, 161-199 | | 10 |
|-----|--|-----|-----|
| 612 | Population Balance Modeling of Liquid[liquid Dispersions in Homogeneous Continuous-Flow Stirred Tank. 2009 , 48, 8121-8133 | | 16 |
| 611 | On the Coupled Solution of a Combined Population Balance Model Using the Least-Squares Spectral Element Method. 2009 , 48, 7994-8006 | | 18 |
| 610 | Transition of Bubbly Flow in Vertical Tubes: New Criteria Through CFD Simulation. 2009, 131, | | 11 |
| 609 | Modeling Oil Droplet Formation and Evolution under Breaking Waves. 2009, 31, 438-448 | | 2 |
| 608 | Applications of population balance equation modeling to pharmaceutical emulsions. 2009, | | |
| 607 | Considerations on bubble fragmentation models. 2010 , 661, 159-177 | | 45 |
| 606 | Prediction of drop sizes for liquid[Iquid systems in stirred slim reactorsPart I: Single stage impellers. 2010, 162, 792-801 | | 51 |
| 605 | Relation between hydrodynamics and drop size distributions in pumpthix mixer. <i>Chemical Engineering Science</i> , 2010 , 65, 3409-3426 | 4.4 | 23 |
| 604 | Mass transfer rates from bubbles in stirred tanks operating with viscous fluids. <i>Chemical Engineering Science</i> , 2010 , 65, 3814-3824 | 4.4 | 27 |
| 603 | Mathematical framework for higher order breakage scenarios. <i>Chemical Engineering Science</i> , 2010 , 65, 5881-5886 | 4.4 | 12 |
| 602 | The effect of sodium dodecyl sulfate on mean drop size in a horizontal mixerEettler extractor. <i>Canadian Journal of Chemical Engineering</i> , 2010 , 88, 101-108 | 2.3 | 5 |
| 601 | The effects of impeller speed and holdup on mean drop size in a mixer settler with spiral-type impeller. <i>Canadian Journal of Chemical Engineering</i> , 2010 , 88, 329-334 | 2.3 | 18 |
| 600 | Bubble size distribution modeling in stirred gas Ilquid reactors with QMOM augmented by a new correction algorithm. 2010 , 56, 36-53 | | 71 |
| 599 | Fragmentation and restructuring of soft-agglomerates under shear. 2010 , 342, 261-8 | | 92 |
| 598 | Population balance modelling of polydispersed particles in reactive flows. 2010 , 36, 412-443 | | 100 |
| 597 | Modelling bubbly flow and its transitions in vertical annuli using population balance technique. 2010 , 31, 101-114 | | 12 |
| 596 | Turbulent collision rates of arbitrary-density particles. <i>International Journal of Heat and Mass Transfer</i> , 2010 , 53, 1613-1620 | 4.9 | 22 |

(2011-2010)

| 595 | Effect of phase dispersion and mass transfer direction on steady state RDC performance using population balance modelling. 2010 , 165, 379-387 | | 21 |
|-----|---|-----|-----|
| 594 | A literature review on mechanisms and models for the coalescence process of fluid particles. <i>Chemical Engineering Science</i> , 2010 , 65, 2851-2864 | 4.4 | 410 |
| 593 | A study of drop breakage in lean dispersions using the inverse-problem method. <i>Chemical Engineering Science</i> , 2010 , 65, 3681-3694 | 4.4 | 10 |
| 592 | Analysis of breakage and coalescence models for bubble columns. <i>Chemical Engineering Science</i> , 2010 , 65, 6089-6100 | 4.4 | 21 |
| 591 | Algorithm for the accurate numerical solution of PBE for drop breakup and coalescence under high shear rates. <i>Chemical Engineering Science</i> , 2010 , 65, 6112-6127 | 4.4 | 21 |
| 590 | Scale-up of pump-mix mixers using CFD. 2010 , 88, 10-22 | | 9 |
| 589 | On the effect of phase fraction on drop size distribution of liquid []quid dispersions in agitated vessels. 2010 , 88, 803-808 | | 23 |
| 588 | A multi-probe non-intrusive electrical technique for monitoring emulsification of hexane-in-water with the emulsifier C10E5 soluble in both phases. 2010 , 354, 353-363 | | 13 |
| 587 | Prediction of emulsion drop size distributions with population balance equation models of multiple drop breakage. 2010 , 361, 96-108 | | 40 |
| 586 | Turbulent direct-contact heat transfer between two immiscible fluids. 2010 , 49, 1886-1898 | | 28 |
| 585 | Modeling of Oxidation-Driven Soot Aggregate Fragmentation in a Laminar Coflow Diffusion Flame. 2010 , 182, 491-504 | | 29 |
| 584 | An operational calculus framework to characterize droplet size populations from turbulent breakup by a small number of parameters. 2010 , 43, 185501 | | 2 |
| 583 | Mass Conservative Solution of the Population Balance Equation Using the Least-Squares Spectral Element Method. 2010 , 49, 6204-6214 | | 5 |
| 582 | Numerical Simulation of Droplet Size Distribution in Vertical Upward Annular Flow. 2010 , 132, | | 3 |
| 581 | Modeling Two-Phase Flow with Stochastic Agglomeration/Breakage Model. 2010, | | 1 |
| 580 | References. 2010 , 607-626 | | 1 |
| 579 | HYDRODYNAMICS OF LIQUID FLOW THROUGH SCREENS AND SCREEN-TYPE STATIC MIXERS. 2011 , 198, 726-742 | | 18 |
| 578 | Effects of Physical Properties and Dispersion Conditions on the Chemical Dispersion of Crude Oil. 2011 , 28, 263-273 | | 16 |

| 577 | Predicting the Effect of the Homogenization Pressure on Emulsion Drop-Size Distributions. 2011 , 50, 6089-6100 | | 30 |
|-----|--|-----|-----|
| 576 | Optimization of Breakage and Coalescence Model Parameters in a Steady-State Batch Agitated Dispersion. 2011 , 50, 2182-2191 | | 15 |
| 575 | A Combined Multifluid-Population Balance Model for Vertical GasIliquid Bubble-Driven Flows Considering Bubble Column Operating Conditions. 2011 , 50, 1786-1798 | | 37 |
| 574 | Investigation of Discrete Population Balance Models and Breakage Kernels for Dilute Emulsification Systems. 2011 , 50, 11358-11374 | | 36 |
| 573 | Turbulence-induced particle fragmentation and coalescence. 2011 , 263-285 | | |
| 572 | Efficient emulsification of viscous oils at high drop volume fraction. 2011 , 27, 14783-96 | | 52 |
| 571 | Analysis of particle strain in stirred bioreactors by drop breakage investigations. 2011 , 6, 979-92 | | 22 |
| 570 | Study of interphase film thinning in petroleum emulsion separation processes. 2011 , 47, 268-277 | | 1 |
| 569 | Effect of glycerol addition on phase inversion in horizontal dispersed oilwater pipe flows. 2011 , 35, 628-635 | | 11 |
| 568 | Turbulently flowing liquid[Iquid dispersions. Part I: Drop breakage and coalescence. 2011 , 166, 715-725 | | 55 |
| 567 | CFD simulation of stirred tanks: Comparison of turbulence models. Part I: Radial flow impellers. <i>Canadian Journal of Chemical Engineering</i> , 2011 , 89, 23-82 | 2.3 | 117 |
| 566 | Estimation of Coalescence Parameters in an Agitated Extraction Column Using a Hybrid Algorithm. 2011 , 34, 784-790 | | 5 |
| 565 | Tropfencluster [Analytik, Simulation und Visualisierung. 2011 , 83, 965-978 | | 16 |
| 564 | Tropfenpopulationsbilanzen zur Auslegung von Extraktionskolonnen. 2011 , 83, 952-964 | | 7 |
| 563 | Prediction of drop sizes for liquid[Iquid systems in stirred slim reactorsPart II: Multi stage impellers. 2011 , 168, 827-838 | | 20 |
| 562 | Model based on population balance for the simulation of bubble columns using methods of the least-square type. <i>Chemical Engineering Science</i> , 2011 , 66, 3133-3144 | 4.4 | 23 |
| 561 | Investigations on hydrodynamics and mass transfer in gasllquid stirred reactor using computational fluid dynamics. <i>Chemical Engineering Science</i> , 2011 , 66, 3108-3124 | 4.4 | 83 |
| 560 | Effect of Oil Composition on Chemical Dispersion of Crude Oil. 2011 , 28, 497-506 | | 14 |

| 559 | Shape oscillating bubbles: hydrodynamics and mass transfer - a review. 2011 , 3, 48-63 | 9 |
|-----------------|--|-----|
| 558 | Bubble Sizes, Breakup, and Coalescence in Deepwater Gas/Oil Plumes. 2011 , 137, 729-738 | 59 |
| 557 | CFD-Mass transfer Simulation of an RDC Column. 2012 , 31, 920-924 | 9 |
| 556 | Review on gas-liquid mixing analysis in multiscale stirred vessel using CFD. 2012 , 28, | 20 |
| 555 | REVIEW OF KERNELS FOR DROPLET-DROPLET INTERACTION, DROPLET-WALL COLLISION, ENTRAINMENT, RE-ENTRAINMENT, AND BREAKAGE. 2012 , 199, 551-575 | 5 |
| 554 | Least Squares Higher Order Method for the Solution of a Combined Multifluid-Population Balance Model: Modeling and Implementation Issues. 2012 , 42, 1121-1132 | 12 |
| 553 | Evaluation of Breakage and Coalescence Kernels for Vertical Bubbly Flows Using a Combined Multifluid-population Balance Model Solved by Least Squares Method. 2012 , 42, 623-633 | 13 |
| 55 ² | Break-Up of Aerosol Agglomerates in Highly Turbulent Gas Flow. 2012 , 89, 465-489 | 14 |
| 551 | Measurement of drop size characteristics in annular centrifugal extractors using phase Doppler particle analyzer (PDPA). 2012 , 90, 985-997 | 15 |
| 550 | Mechanistic modeling of interfacial area transport in large diameter pipes. 2012 , 47, 1-16 | 29 |
| 549 | On the Modeling and Simulation of Higher Order Breakage for Vertical Bubbly Flows Using the Least Squares Method: Applications for Bubble Column and Pipe Flows. 2012 , 42, 1270-1281 | 7 |
| 548 | PPBLAB: A New Multivariate Population Balance Environment for Particulate System Modelling and Simulation. 2012 , 42, 1445-1462 | 28 |
| 547 | Solution of Inverse Problem with the One Primary and One Secondary Particle Model (OPOSPM) Coupled with Computational Fluid Dynamics (CFD). 2012 , 42, 1692-1710 | 11 |
| 546 | On the population balance equation. 2012 , 28, | 42 |
| 545 | Population Balance Model for Batch Gravity Separation of Crude Oil and Water Emulsions. Part I: Model Formulation. 2012 , 33, 578-590 | 47 |
| 544 | CFD modeling of the mixing of water in oil emulsions. 2012 , 45, 124-136 | 54 |
| 543 | A modelling approach for derivation of the breakage functions. <i>Chemical Engineering Science</i> , 2012 , 80, 361-364 | 4 4 |
| 542 | Analytical and numerical results in the kinetics of particle coagulation and fragmentation processes. 2012 , 76, 688-705 | |

541 An Analysis of the Drops Coalescence in Oil Emulsion Separation. **2012**, 34, 2203-2213

| 540 | Systematic Multi-Scale Model Development Strategy for the Fragrance Spraying Process and Transport. 2012 , 35, 1381-1391 | | 5 |
|-----|--|------|-----|
| 539 | Inter-phase mass transfer in turbulent liquid-liquid dispersions: A comparative analysis of models. 2012 , 179, 231-241 | | 11 |
| 538 | Determination of breakage rates using single drop experiments. <i>Chemical Engineering Science</i> , 2012 , 70, 146-164 | 4.4 | 110 |
| 537 | Evolution of the droplet size distribution during a two-phase flow through a porous media: Population balance studies. <i>Chemical Engineering Science</i> , 2012 , 68, 227-235 | 4.4 | 5 |
| 536 | Relationship between size of oil droplet generated during chemical dispersion of crude oil and energy dissipation rate: Dimensionless, scaling, and experimental analysis. <i>Chemical Engineering Science</i> , 2012 , 68, 432-442 | 4.4 | 11 |
| 535 | Determination of local velocity, energy dissipation and phase fraction with LIF- and PIV-measurement in a Klini miniplant extraction column. <i>Chemical Engineering Science</i> , 2012 , 69, 138-14 | 54.4 | 16 |
| 534 | Investigation of drop breakage and coalescence in the liquid Iquid system with nonionic surfactants Tween 20 and Tween 80. <i>Chemical Engineering Science</i> , 2012 , 74, 181-191 | 4.4 | 34 |
| 533 | Influence of the dispersed phase fraction on experimental and predicted drop size distributions in breakage dominated stirred systems. <i>Chemical Engineering Science</i> , 2012 , 76, 140-153 | 4.4 | 52 |
| 532 | Axial dispersion in pulsed disk and doughnut columns: A unified law. <i>Chemical Engineering Science</i> , 2012 , 75, 468-477 | 4.4 | 25 |
| 531 | Incorporating emulsion drop coalescence into population balance equation models of high pressure homogenization. 2012 , 396, 63-73 | | 34 |
| 530 | RDC extraction column simulation using the multi-primary one secondary particle method: Coupled hydrodynamics and mass transfer. 2012 , 37, 22-32 | | 6 |
| 529 | Classification of bubbles in vertical gas[Iquid flow: Part 2 [A model evaluation. 2012, 39, 135-147 | | 12 |
| 528 | Peak structure in downward gasIlquid bubbly flow and its transition to slug flow IA numerical investigation. 2012 , 40, 136-143 | | 6 |
| 527 | A one-way coupled, EulerDagrangian simulation of bubble coalescence in a turbulent pipe flow. 2012 , 40, 68-82 | | 8 |
| 526 | A method for estimating effective coalescence rates during emulsification from oil transfer experiments. 2012 , 374, 25-33 | | 7 |
| 525 | The size distributions of nanoscale Fe-Ni-S droplets in Stardust melted grains from comet 81P/Wild 2. 2012 , 47, 594-612 | | 7 |
| 524 | Modeling of bubble coalescence and break-up considering turbulent suppression phenomena in bubbly two-phase flow. 2013 , 54, 31-42 | | 55 |

| 523 | Liquid II quid dispersion in co-current disc and doughnut pulsed column effect of the operating conditions, physical properties and materials parameters. 2013 , 233, 24-38 | | 9 |
|-----|---|-----|----|
| 522 | Comparative efficiency of shear, elongation and turbulent droplet breakup mechanisms: Review and application. 2013 , 91, 2587-2600 | | 20 |
| 521 | Simulation of coalescence, break-up and mass transfer in a gasDquid stirred tank with CQMOM. 2013 , 228, 1182-1194 | | 61 |
| 520 | Measurement and analysis of bimodal drop size distribution in a rotor\(\bar{a}\)tator homogenizer. Chemical Engineering Science, 2013, 102, 622-631 | 4.4 | 26 |
| 519 | Evaluation of Weighted Residual Methods for the Solution of a Population Balance Model Describing Bubbly Flows: The Least-Squares, Galerkin, Tau, and Orthogonal Collocation Methods. 2013 , 52, 15988-16013 | | 23 |
| 518 | Coalescence kinetics of oil-in-water emulsions studied with microfluidics. 2013 , 106, 327-334 | | 37 |
| 517 | Modeling particle collision processes in high Reynolds number flow. 2013 , 66, 123-138 | | 3 |
| 516 | Numerical simulation of two-phase flow with bubble break-up and coalescence coupled with population balance modeling. 2013 , 70, 66-76 | | 29 |
| 515 | Drop breakage and coalescence in the toluene/water dispersions with dissolved surface active polymers PVA 88% and 98%. 2013 , 91, 2142-2155 | | 16 |
| 514 | Droplets evolution during ex situ dissolution technique for geological CO2 sequestration: Experimental and mathematical modelling. 2013 , 13, 201-214 | | 18 |
| 513 | A study of adiabatic two-phase flows using the two-group interfacial area transport equations with a modified two-fluid model. 2013 , 57, 115-130 | | 13 |
| 512 | On the solution of the population balance equation for bubbly flows using the high-order least squares method: implementation issues. 2013 , 29, | | 14 |
| 511 | Droplet coalescence model optimization using a detailed population balance model for RDC extraction column. 2013 , 91, 1317-1326 | | 13 |
| 510 | Predicting the effects of surfactant coverage on drop size distributions of homogenized emulsions. <i>Chemical Engineering Science</i> , 2013 , 89, 102-114 | 4.4 | 38 |
| 509 | Evolution of dispersed drops during the mixing of mineral oil and water phases in a stirringtank. <i>Chemical Engineering Science</i> , 2013 , 91, 173-179 | 4.4 | 17 |
| 508 | Numerical simulation of creaming and foam formation in aerated liquid with population balance modeling. <i>Chemical Engineering Science</i> , 2013 , 94, 69-78 | 4.4 | 12 |
| 507 | Dispersion of water into oil in a rotorBtator mixer. Part 2: Effect of phase fraction. 2013 , 91, 2134-2141 | | 19 |
| 506 | Modeling and dynamic analysis of a rotating disc contactor (RDC) extraction column using one primary and one secondary particle method (OPOSPM). <i>Chemical Engineering Science</i> , 2013 , 91, 180-196 | 4.4 | 24 |

| 505 | One-group interfacial area transport equation and its sink and source terms in narrow rectangular channel. 2013 , 44, 312-326 | | 12 |
|-----|--|-------------|----|
| 504 | Simulation of polydisperse multiphase systems using population balances and example application to bubbly flows. 2013 , 91, 1859-1875 | | 44 |
| 503 | Transition from turbulent to transitional flow in the top half of a stirred tank. <i>Chemical Engineering Science</i> , 2013 , 98, 218-230 | 1 ·4 | 25 |
| 502 | Dispersion of water into oil in a rotorBtator mixer. Part 1: Drop breakup in dilute systems. 2013 , 91, 2122-2133 | | 29 |
| 501 | A high-pressure homogenization emulsification model Improved emulsifier transport and hydrodynamic coupling. <i>Chemical Engineering Science</i> , 2013 , 91, 44-53 | 1 ·4 | 31 |
| 500 | Analytical solutions for coagulation and condensation kinetics of composite particles. 2013 , 249, 38-45 | | 3 |
| 499 | Modification of an amplification reaction in recursively dynamic compartments driven by stirring. 2013 , 85, 12002-10 | | 2 |
| 498 | LIQUID-LIQUID MIXING IN STIRRED VESSELS: A REVIEW. 2013 , 200, 595-627 | | 38 |
| 497 | Effect of Dispersed Phase Viscosity on Emulsification in Turbulence Flow. 2013 , 446-447, 571-575 | | 2 |
| 496 | Breakage and Coalescence Phenomena in Ultrasound Field for Liquid-Liquid Dispersion Systems. 2013 , 34, 1609-1617 | | 2 |
| 495 | Review on Applicable breakup/coalescence models in turbulent liquid-liquid flows. 2013 , 29, | | 30 |
| 494 | Automatisierte Quantifizierung von Blasengr\(\mathbf{B}\)nverteilungen in einem ger\(\mathbf{B}\)rten Luft/Wasser-System. 2013 , 85, 1036-1045 | | 11 |
| 493 | Coalescence and Break-Up in Bubble Columns: Euler-Lagrange Simulations Using a Stochastic Approach. 2013 , 85, 1118-1130 | | 12 |
| 492 | On the constitutive equations for fluid particle breakage. 2013 , 29, | | 68 |
| 491 | On the spectral methods for population balance problems. 2013, | | |
| 490 | Achieving Target Emulsion Drop Size Distributions using Population Balance Equation Models of High Pressure Homogenization*. 2013 , 46, 738-743 | | 7 |
| 489 | References. 459-487 | | |
| 488 | Population balances combined with Computational Fluid Dynamics: A modeling approach for dispersive mixing in a high pressure homogenizer. <i>Chemical Engineering Science</i> , 2014 , 117, 376-388 | 1 ·4 | 11 |

| 487 | Key Parameter Prediction and Validation for a Pilot-Scale Rotating-Disk Contactor by CFD P BM Simulation. 2014 , 53, 20013-20023 | | 9 |
|-----|--|-----|-----|
| 486 | Reactions in Heterogeneous Media. 2014 , 59-77 | | 2 |
| 485 | Modeling and simulation of turbulent polydisperse gas-liquid systems via the generalized population balance equation. 2014 , 30, | | 38 |
| 484 | Study of Bimodal Drop Size Distributions of Emulsion. 2014 , 35, 397-402 | | 13 |
| 483 | Multiphase stirred reactors. 2014 , 75-151 | | 2 |
| 482 | CFD Modelling of Bubbly Flow in Adiabatic Upward Pipe Using a Solver Based on OpenFOAM With the Quadrature Method of Moments. 2014 , | | 1 |
| 481 | Monitoring silicone oil droplets during emulsification in stirred vessel: Effect of dispersed phase concentration and viscosity. <i>Canadian Journal of Chemical Engineering</i> , 2014 , 92, 296-306 | 2.3 | 14 |
| 480 | Evaluation of breakage kernels for liquid I quid systems: Solution of the population balance equation by the least-squares method. <i>Canadian Journal of Chemical Engineering</i> , 2014 , 92, 234-249 | 2.3 | 7 |
| 479 | Systematic Analysis of Single Droplet Coalescence. 2014 , 37, 1103-1111 | | 26 |
| 478 | On the solution of the dynamic population balance model describing emulsification: Evaluation of weighted residual methods. <i>Canadian Journal of Chemical Engineering</i> , 2014 , 92, 250-265 | 2.3 | 8 |
| 477 | Parameter optimisation and validation for droplet population balances. <i>Canadian Journal of Chemical Engineering</i> , 2014 , 92, 210-219 | 2.3 | 10 |
| 476 | Population balance model: Breakage kernel parameter estimation to emulsification data. <i>Canadian Journal of Chemical Engineering</i> , 2014 , 92, 1082-1099 | 2.3 | 10 |
| 475 | The Population Balance Equation. 2014 , 937-1003 | | 1 |
| 474 | Evolution of droplets in subsea oil and gas blowouts: development and validation of the numerical model VDROP-J. 2014 , 83, 58-69 | | 104 |
| 473 | Effect of dispersed holdup on drop size distribution in oil water dispersions: Experimental observations and population balance modeling. <i>Chemical Engineering Science</i> , 2014 , 105, 22-31 | 4.4 | 26 |
| 472 | Analysis of concentration polydispersity in mixed liquid quid systems. 2014 , 92, 612-618 | | 8 |
| 471 | References. 2014 , 339-352 | | |
| 47° | Development of a CFDBBE coupled model for the simulation of the drops behaviour in a pulsed column. <i>Canadian Journal of Chemical Engineering</i> , 2014 , 92, 220-233 | 2.3 | 24 |

| 469 | Numerical study of bubble break-up in bubbly flows using a deterministic Euler Dagrange framework. <i>Chemical Engineering Science</i> , 2014 , 108, 9-22 | 4 | 46 |
|-----|---|---|-----|
| 468 | Stirring and Stirred-Tank Reactors. 2014 , 86, 2063-2074 | | 26 |
| 467 | Discussion on the influence of stirring speed on drop size prediction in an oilwater stirring tank using population balance models. 2014 , 9, 309-315 | | 1 |
| 466 | A Modified Correlation for Drop Size Distribution in an Experimental Mixer-Settler using Particle Swarm Optimization Algorithm. 2014 , 49, 553-561 | | 1 |
| 465 | Influence of energy spectrum distribution on drop breakage in turbulent flows. <i>Chemical Engineering Science</i> , 2014 , 117, 55-70 | 4 | 40 |
| 464 | Population balance modeling: current status and future prospects. 2014 , 5, 123-46 | | 140 |
| 463 | Effect of Structural Parameters on Drop Size Distribution in Pulsed Packed Columns. 2014 , 37, 1155-1162 | | 20 |
| 462 | Prediction of emulsion drop size distributions in colloid mills. <i>Chemical Engineering Science</i> , 2014 , 118, 114-125 | 4 | 28 |
| 461 | Bubble Coalescence Modeling in the Population Balance Framework. 2014 , 35, 1626-1642 | | 12 |
| 460 | Solution of the dynamic population balance equation describing breakagefloalescence systems in agitated vessels: The least-squares method. <i>Canadian Journal of Chemical Engineering</i> , 2014 , 92, 266-287 ²⁻¹ | 3 | 5 |
| 459 | Development of an improved breakage kernel for high dispersed viscosity phase emulsification. Chemical Engineering Science, 2014 , 109, 326-338 | 4 | 22 |
| 458 | Numerical simulation of slag foaming on bath smelting slag (CaOBiO2Al2O3EeO) with population balance modeling. <i>Chemical Engineering Science</i> , 2014 , 107, 165-180 | 4 | 15 |
| 457 | Efficient simulation of gasIlquid pipe flows using a generalized population balance equation coupled with the algebraic slip model. 2014 , 38, 4277-4290 | | 9 |
| 456 | A novel technique to semi-quantitatively study the stability of emulsions and the kinetics of the coalescence under different dynamic conditions. 2014 , 460, 327-332 | | 4 |
| 455 | VDROP: A comprehensive model for droplet formation of oils and gases in liquids - Incorporation of the interfacial tension and droplet viscosity. 2014 , 253, 93-106 | | 94 |
| 454 | Influence of drop size and superimposed mass transfer on coalescence in liquid/liquid dispersions [] Test cell design for single drop investigations. 2014 , 92, 635-643 | | 34 |
| 453 | Coupled population balance@FD simulation of droplet breakup in a high pressure homogenizer. 2014 , 68, 140-150 | | 17 |
| 452 | Droplet breakage and coalescence models for the flow of water-in-oil emulsions through a valve-like element. 2014 , 92, 2493-2508 | | 24 |

| 451 | Droplet Breakup in High-pressure Homogenizers. 2015 , 125-148 | 2 |
|-----|---|----|
| 450 | Modeling Droplets Shearing and Coalescence Using a Population Balance Method in Produced Water Treatment Systems. 2015 , | 3 |
| 449 | Consideration of low viscous droplet breakage in the framework of the wide energy spectrum and the multiple fragments. 2015 , 61, 2147-2168 | 29 |
| 448 | Development of a coalescence model due to turbulence for the population balance equation. Chemical Engineering Science, 2015 , 137, 22-30 4.4 | 8 |
| 447 | Single Air Bubble Breakup Experiments in Stirred Water Tank. 2015 , 13, 477-491 | 28 |
| 446 | Modelling the Hydrodynamics of Bubble Columns using Coupled OPOSPM-Maximum Entropy Method. 2015 , 203-208 | 3 |
| 445 | Simulation of scenarios of oil droplet formation from the Deepwater Horizon blowout. 2015 , 101, 304-319 | 65 |
| 444 | Semiempirical Approach for Predicting the Mean Size of Solid-Stabilized Emulsions. 2015 , 54, 11661-11677 | 6 |
| 443 | Numerical simulation of CO2-ionic liquid flow in a stirred tank. 2015 , 58, 1918-1928 | 7 |
| 442 | An innovative numerical approach for simulation of emulsion formation in a Microfluidizer. 2015 , 487, 169-179 | 6 |
| 441 | Experimental study on the dispersed phase macro-mixing in an immiscible liquid I quid stirred reactor. <i>Chemical Engineering Science</i> , 2015 , 126, 196-203 | 11 |
| 440 | Coalescence efficiency model including electrostatic interactions in liquid/liquid dispersions. Chemical Engineering Science, 2015 , 126, 132-142 4-4 | 18 |
| 439 | Droplet size distribution and droplet size correlation of chloroaluminate ionic liquidfleptane dispersion in a stirred vessel. 2015 , 268, 116-124 | 37 |
| 438 | Effect of Processing Parameters on the Production of Pickering Emulsions. 2015 , 54, 2227-2236 | 21 |
| 437 | Mean drop size correlations and population balance models for liquid dispersion. 2015, 61, 1129-1145 | 20 |
| 436 | A unified theoretical model for breakup of bubbles and droplets in turbulent flows. 2015 , 61, 1391-1403 | 42 |
| 435 | Dynamics of rising CO 2 bubble plumes in the QICS field experiment. 2015 , 38, 52-63 | 27 |
| 434 | Modeling of a Slurry Bubble Column Reactor for the Production of Biofuels via the Fischer-Tropsch Synthesis. 2015 , 38, 690-700 | 10 |

| 433 | Rigorous modeling of CO2 absorption and chemisorption: The influence of bubble coalescence and breakage. <i>Chemical Engineering Science</i> , 2015 , 137, 188-204 | 26 |
|-----|---|----|
| 432 | Mathematical Modeling of Disperse Two-Phase Flows. 2015 , | 22 |
| 431 | Modeling and simulation of crude oil desalting in an industrial plant considering mixing valve and electrostatic drum. 2015 , 95, 383-389 | 22 |
| 430 | CFD-population balance modeling and simulation of coupled hydrodynamics and mass transfer in liquid extraction columns. 2015 , 39, 5105-5120 | 38 |
| 429 | Single drop breakup experiments in stirred liquid I quid tank. Chemical Engineering Science, 2015, 131, 219-234 | 72 |
| 428 | Comparative Analysis of Coalescence and Breakage Kernels in Vertical Gas-Liquid Flow. <i>Canadian Journal of Chemical Engineering</i> , 2015 , 93, 1295-1310 | 9 |
| 427 | Recent Developments in Phase Inversion Emulsification. 2015 , 54, 8375-8396 | 59 |
| 426 | Using maximum entropy approach for prediction of drop size distribution in a pilot plant multi-impeller extraction contactor. 2015 , 5, 95967-95980 | 20 |
| 425 | Closures for the Bubble Size Distribution and Interfacial Area Concentration. 2015 , 205-249 | |
| 424 | Characterization of horizontal airWater two-phase flow in a round pipe part I: Flow visualization. 2015 , 76, 212-222 | 35 |
| 423 | Viscous Drop Breakage in Liquid Liquid Stirred Dispersions: Population Balance Modeling. 2015, 36, 577-594 | 11 |
| 422 | Predicting the combined effects of oil and surfactant concentrations on the drop size distributions of homogenized emulsions. 2015 , 467, 18-30 | 44 |
| 421 | Evaluation of the Least-Squares Method for the Solution of the Population Balance Equation. 2015 , 36, 68-82 | 2 |
| 420 | Bubble Size Distribution and Gas[liquid Interfacial Area. 2016 , 255-305 | O |
| 419 | Population Balance Modelling of Liquid Extraction Columns using the Sectional Quadrature Method of Moments (SQMOM). 2016 , 38, 427-432 | 3 |
| 418 | Modeling of the Methyl Methacrylate Atom Transfer Radical Suspension Polymerization Process: Polymerization and Particle Kinetics. 2016 , 10, 479-489 | 9 |
| 417 | Investigation of gas dispersion characteristics in stirred tank and flotation cell using a corrected CFD-PBM quadrature-based moment method approach. 2016 , 95, 161-184 | 20 |
| 416 | Computational fluid dynamics and population balance modelling of nucleate boiling of cryogenic liquids: Theoretical developments. 2016 , 8, 178-200 | 6 |

(2016-2016)

| 415 | On droplets size distribution in a pulsed column. Part I: In-situ measurements and corresponding CFDPBE simulations. 2016 , 296, 366-376 | 50 |
|-----|--|------------|
| 414 | A new turbulence-induced theoretical breakage kernel in the context of the population balance equation. <i>Chemical Engineering Science</i> , 2016 , 152, 140-150 | 5 |
| 413 | Influence of poly(vinyl alcohol) molecular weight on drop coalescence and breakage rate. 2016 , 108, 88-100 | 9 |
| 412 | CFD modelling and validation of upward bubbly flow in an adiabatic vertical pipe using the quadrature method of moments. 2016 , 301, 320-332 | 16 |
| 411 | A theoretical study on drop breakup modeling in turbulent flows: The inertial subrange versus the entire spectrum of isotropic turbulence. <i>Chemical Engineering Science</i> , 2016 , 149, 249-265 | 31 |
| 410 | Investigating Factors Affecting on the Efficiency of Dynamic Mixers. 2016 , 37, 342-368 | 6 |
| 409 | From single drop coalescence to droplet swarms \(\mathbb{L} \) cale-up considering the influence of collision velocity and drop size on coalescence probability. \(\textit{Chemical Engineering Science}, \) 2016 , 156, 162-177 \(\text{4.4} \) | 19 |
| 408 | The Sectional Quadrature Method of Moments (SQMOM): An extension to nonhomogeneous bivariate population balances. 2016 , 115, 195-203 | 9 |
| 407 | Detailed analysis of single drop coalescenceInfluence of ions on film drainage and coalescence time. 2016 , 115, 282-291 | 24 |
| 406 | Simplified volume-averaged models for liquid dispersions: Correct derivation and comparison with other approaches. <i>Chemical Engineering Science</i> , 2016 , 153, 382-393 | 22 |
| 405 | Dynamic modelling of Klini liquid extraction columns using the sectional quadrature method of moments (SQMOM). 2016 , 94, 331-342 | 5 |
| 404 | Empirical drag closure for polydisperse gas[Iquid systems in bubbly flow regime: Bubble swarm and micro-scale turbulence. 2016 , 113, 284-303 | 21 |
| 403 | Liquid II quid extraction in a rotating disc column: Solution of 2D population balance with HMMC. 2016 , 115, 270-281 | 6 |
| 402 | Steady-state droplet size in montmorillonite stabilised emulsions. 2016 , 12, 6481-9 | 12 |
| 401 | Interactions between two in-line drops rising in pure glycerin. 2016 , 24, 1325-1334 | 3 |
| 400 | Optimization of crude oil dehydration in an industrial spiral-type gravitational coalescer. 2016 , 51, 2297-230 | 6 o |
| 399 | Characterization of Coalescence in Extraction Equipment Based on Lab-Scale Experiments. 2016 , 34, 622-642 | 8 |
| 398 | Fiber formation model for electrospinning. II. Stable jet voltage. 2016 , 17, 1634-1640 | 8 |

| 397 | Kinetics of the Change in Droplet Size during Nanoemulsion Formation. 2016 , 32, 11551-11559 | 20 |
|---------------------------------|--|----------------------------|
| 396 | Populationsbilanzmodellierung mit einem Mehrphasen-CFD-Code und vergleichende Visualisierung. 2016 , 88, 1480-1491 | 14 |
| 395 | Prdiktiver Ansatz zur Beschreibung von Koaleszenzereignissen. 2016 , 88, 1287-1287 | |
| 394 | Implementation of an improved bubble breakup model for TFM-PBM simulations of gasIlquid flows in bubble columns. <i>Chemical Engineering Science</i> , 2016 , 152, 255-266 | 30 |
| 393 | Application of N-phase algebraic slip model and direct quadrature method of moments to the simulation of air-water flow in vertical risers and bubble column reactor. 2016 , 90, 151-160 | 7 |
| 392 | The strength of multi-scale modeling to unveil the complexity of radical polymerization. 2016 , 58, 59-89 | 137 |
| 391 | Development of Fluid Particle Breakup and Coalescence Closure Models for the Complete Energy Spectrum of Isotropic Turbulence. 2016 , 55, 1449-1460 | 45 |
| 390 | Solution of bivariate population balance equations with high-order moment-conserving method of classes. 2016 , 87, 111-124 | 20 |
| 389 | Experimental methods for measuring coalescence during emulsification IA critical review. 2016 , 178, 47-59 | 12 |
| | Charles to the dark and a section of the Residence to the CED DDM Consection of | |
| 388 | Simulation of droplet breakage in turbulent liquid l quid dispersions with CFD-PBM: Comparison of breakage kernels. <i>Chemical Engineering Science</i> , 2016 , 142, 277-288 | 45 |
| 388 387 | | 45 51 |
| | breakage kernels. <i>Chemical Engineering Science</i> , 2016 , 142, 277-288 CFD simulation on influence of suspended solid particles on bubbles' coalescence rate in flotation | |
| 387 | breakage kernels. <i>Chemical Engineering Science</i> , 2016 , 142, 277-288 CFD simulation on influence of suspended solid particles on bubbles' coalescence rate in flotation cell. 2016 , 146, 54-64 CFD and Population Balance Modeling of Crude Oil Emulsions in Batch Gravity | 51 |
| 387 386 | breakage kernels. Chemical Engineering Science, 2016, 142, 277-288 4-4 CFD simulation on influence of suspended solid particles on bubbles' coalescence rate in flotation cell. 2016, 146, 54-64 CFD and Population Balance Modeling of Crude Oil Emulsions in Batch Gravity Separation Comparison to Ultrasound Experiments. 2016, 37, 665-675 | 51 |
| 387 386 385 | CFD simulation on influence of suspended solid particles on bubbles' coalescence rate in flotation cell. 2016, 146, 54-64 CFD and Population Balance Modeling of Crude Oil Emulsions in Batch Gravity Separation Comparison to Ultrasound Experiments. 2016, 37, 665-675 Calculation of oil droplet size distribution in an underwater oil well blowout. 2016, 54, 307-320 | 51 21 27 |
| 387 386 385 384 | CFD simulation on influence of suspended solid particles on bubbles' coalescence rate in flotation cell. 2016, 146, 54-64 CFD and Population Balance Modeling of Crude Oil Emulsions in Batch Gravity Separation Comparison to Ultrasound Experiments. 2016, 37, 665-675 Calculation of oil droplet size distribution in an underwater oil well blowout. 2016, 54, 307-320 Limitations of simple mass transfer models in polydisperse liquid Iquid dispersions. 2016, 296, 112-121 | 51 21 27 |
| 387 386 385 384 383 | CFD simulation on influence of suspended solid particles on bubbles' coalescence rate in flotation cell. 2016, 146, 54-64 CFD and Population Balance Modeling of Crude Oil Emulsions in Batch Gravity Separation Domparison to Ultrasound Experiments. 2016, 37, 665-675 Calculation of oil droplet size distribution in an underwater oil well blowout. 2016, 54, 307-320 Limitations of simple mass transfer models in polydisperse liquid Dquid dispersions. 2016, 296, 112-121 Droplet Breakup in a Square-Sectioned Pulsed Disc and Doughnut Column. 2016, 55, 2242-2251 Oil droplets transport due to irregular waves: Development of large-scale spreading coefficients. | 51 21 27 11 17 |

| 379 | Modeling of turbulent drop coalescence in the presence of electrostatic forces. 2016 , 108, 30-41 | 9 |
|---------------------------------|--|---------------------------|
| 378 | CFD aided investigation of single droplet coalescence. 2016 , 24, 249-252 | 12 |
| 377 | Numerical Solution of the Drop Population Balance Equation Using Weighted Residual and Finite Volume Methods. 2016 , 37, 80-88 | 5 |
| 376 | Modeling electrostatic separation for dehydration and desalination of crude oil in an industrial two-stage desalting plant. 2016 , 58, 141-147 | 19 |
| 375 | Analysis of droplet behavior in a de-oiling hydrocyclone. 2017 , 38, 317-327 | 9 |
| 374 | Population balance of droplets in a pulsed disc and doughnut column with wettable internals. Chemical Engineering Science, 2017 , 161, 274-287 4.4 | 13 |
| 373 | Effect of local spatial location on chord length distribution in stirred tank. 2017, 120, 194-207 | 1 |
| 372 | A constitutive equation for thixotropic suspensions with yield stress by coarse-graining a population balance model. 2017 , 63, 517-531 | 20 |
| 371 | Coupling of CFD with PBM for growth behavior of potassium sulphate in spray fluidized-bed crystallizer. 2017 , 314, 427-441 | 8 |
| | | |
| 370 | Towards a robust CFD model for aeration tanks for sewage treatment 🛭 lab-scale study. 2017 , 11, 371-395 | 15 |
| 370 369 | Towards a robust CFD model for aeration tanks for sewage treatment 🗈 lab-scale study. 2017, 11, 371-395 Multiscale Computational Fluid DynamicsPopulation Balance Model Coupled System of Atom Transfer Radical Suspension Polymerization in Stirred Tank Reactors. 2017, 56, 4690-4702 | 15 28 |
| | Multiscale Computational Fluid DynamicsPopulation Balance Model Coupled System of Atom | |
| 369 | Multiscale Computational Fluid DynamicsPopulation Balance Model Coupled System of Atom Transfer Radical Suspension Polymerization in Stirred Tank Reactors. 2017, 56, 4690-4702 Investigation of droplet breakup in liquid[]quid dispersions by CFDPBM simulations: The | 28 |
| 369 368 | Multiscale Computational Fluid DynamicsPopulation Balance Model Coupled System of Atom Transfer Radical Suspension Polymerization in Stirred Tank Reactors. 2017, 56, 4690-4702 Investigation of droplet breakup in liquidIlquid dispersions by CFDPBM simulations: The influence of the surfactant type. 2017, 25, 1369-1380 Cross Linking Between the Baffling Effect and Phase Inversion During LiquidIliquid Monomer | 28 |
| 369 368 367 | Multiscale Computational Fluid DynamicsPopulation Balance Model Coupled System of Atom Transfer Radical Suspension Polymerization in Stirred Tank Reactors. 2017, 56, 4690-4702 Investigation of droplet breakup in liquidIlquid dispersions by CFDPBM simulations: The influence of the surfactant type. 2017, 25, 1369-1380 Cross Linking Between the Baffling Effect and Phase Inversion During LiquidIliquid Monomer Mixing. 2017, 11, 1700015 Modeling and optimization of spherical agglomeration in suspension through a coupled population | 28 17 4 |
| 369 368 367 366 | Multiscale Computational Fluid DynamicsPopulation Balance Model Coupled System of Atom Transfer Radical Suspension Polymerization in Stirred Tank Reactors. 2017, 56, 4690-4702 Investigation of droplet breakup in liquidIlquid dispersions by CFDBBM simulations: The influence of the surfactant type. 2017, 25, 1369-1380 Cross Linking Between the Baffling Effect and Phase Inversion During LiquidIliquid Monomer Mixing. 2017, 11, 1700015 Modeling and optimization of spherical agglomeration in suspension through a coupled population balance model. Chemical Engineering Science, 2017, 167, 66-77 4-4 | 28 17 4 |
| 369 368 367 366 365 | Multiscale Computational Fluid DynamicsPopulation Balance Model Coupled System of Atom Transfer Radical Suspension Polymerization in Stirred Tank Reactors. 2017, 56, 4690-4702 Investigation of droplet breakup in liquidIlquid dispersions by CFDBBM simulations: The influence of the surfactant type. 2017, 25, 1369-1380 Cross Linking Between the Baffling Effect and Phase Inversion During LiquidIliquid Monomer Mixing. 2017, 11, 1700015 Modeling and optimization of spherical agglomeration in suspension through a coupled population balance model. Chemical Engineering Science, 2017, 167, 66-77 4-4 Direct measurement of droplet breakage in a pulsed disc and doughnut column. 2017, 63, 4188-4200 A high-order moment-conserving method of classes (HMMC) based population balance model for | 28 17 4 19 21 |

| 361 | CFD-PBM simulation of dense emulsion flows in a high-shear rotorBtator mixer. 2017 , 125, 494-510 | | 8 |
|-----|--|-----|----|
| 360 | Solvent extraction in columns in a droplet breakage domain. 2017 , 173, 71-79 | | 11 |
| 359 | Comparison of turbulent flow characteristics of liquid-liquid dispersed flow between CFD simulations and direct measurements with particle image velocimetry. 2017 , 125, 1209-1217 | | 7 |
| 358 | Modeling droplet dispersion in a vertical turbulent tubing flow. <i>Chemical Engineering Science</i> , 2017 , 173, 12-20 | 4.4 | 10 |
| 357 | Error estimation, validity and best practice guidelines for quantifying coalescence frequency during emulsification using the step-down technique. 2017 , 3, e00359 | | |
| 356 | Modeling of the physicochemical hydrodynamics of the synthesis of butadiene rubber on the TiCl4Al(i-C4H9)3 catalytic system modified in turbulizing flows. 2017 , 11, 504-512 | | 5 |
| 355 | Experimental study on the bubble breakage in a stirred tank. Part 1. Mechanism and effect of operating parameters. 2017 , 97, 94-108 | | 18 |
| 354 | Experimental and numerical study for drop size distribution in oil-water dispersions with nonionic surfactant Tween 80. 2017 , 89, 153-165 | | 4 |
| 353 | Modeling of Suspension Vinyl Chloride Polymerization: From Kinetics to Particle Size Distribution and PVC Grain Morphology. 2017 , 121-193 | | 1 |
| 352 | Numerical investigation on the performance of coalescence and break-up kernels in subcooled boiling flows in vertical channels. 2017 , 9, 71-85 | | 1 |
| 351 | Experimental investigations of turbulent fragmenting stresses in a rotor-stator mixer. Part 2. Probability distributions of instantaneous stresses. <i>Chemical Engineering Science</i> , 2017 , 171, 638-649 | 4.4 | 11 |
| 350 | A novel simplified multivariate PBE solution method for mass transfer problems. <i>Chemical Engineering Science</i> , 2017 , 172, 463-475 | 4.4 | 4 |
| 349 | Oil slicks on water surface: Breakup, coalescence, and droplet formation under breaking waves. 2017 , 114, 480-493 | | 11 |
| 348 | Eulerian Dagrangian simulation of bubble coalescence in bubbly flow using the spring-dashpot model. 2017 , 25, 249-256 | | 10 |
| 347 | Droplet breakage and coalescence in liquid dispersions: Comparison of different kernels with EQMOM and QMOM. 2017 , 63, 2293-2311 | | 36 |
| 346 | A bubble breakage model for finite Reynolds number flows. 2017 , 38, 973-978 | | 8 |
| 345 | Emulsification solvent extraction of phosphoric acid by tri-n-butyl phosphate using a high-speed shearing machine. 2017 , 172, 242-250 | | 9 |
| 344 | Drop coalescence in technical liquid/liquid applications: a review on experimental techniques and modeling approaches. 2017 , 33, 1-47 | | 72 |

| 343 | Steady state modeling of Klini liquid extraction column using the Spatially Mixed Sectional Quadrature Method of Moments (SM-SQMOM). 2017 , 117, 549-556 | 13 |
|-----|---|----|
| 342 | SQMOM-Modellierung der Hydrodynamik in Klīni-Kolonnen bei der Reaktivextraktion. 2017 , 89, 1625-1634 | 1 |
| 341 | Macrokinetics of Polybutadiene Production on a Titanium ZieglerNatta Catalyst System Prepared in Turbulent Flows. 2017 , 51, 1002-1011 | 1 |
| 340 | Mass Transfer and Drop Size Distributions in Reactive Nanoparticle-Stabilized Multiphase Systems. 2017 , 89, 1561-1573 | 6 |
| 339 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, xv-xvi | |
| 338 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, xvii-xviii | |
| 337 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, 3-37 | |
| 336 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 38-95 | |
| 335 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, 96-134 | |
| 334 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 135-161 | |
| 333 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 162-198 | 0 |
| 332 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 199-220 | |
| 331 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, 221-245 | |
| 330 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 246-284 | |
| 329 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, 285-305 | |
| 328 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 306-354 | |
| 327 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, 357-403 | |
| 326 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 404-471 | |

| 325 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 472-508 | |
|-----|--|---|
| 324 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 509-559 | |
| 323 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, 560-589 | |
| 322 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 590-642 | |
| 321 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, 643-677 | 1 |
| 320 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 678-678 | |
| 319 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 679-680 | |
| 318 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 681-689 | |
| 317 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 690-694 | |
| 316 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 695-695 | |
| 315 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, 696-696 | |
| 314 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 697-697 | |
| 313 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 698-698 | |
| 312 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 699-699 | |
| 311 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 700-700 | |
| 310 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 701-703 | |
| 309 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017 , 704-758 | |
| 308 | A Control- and Estimation-Oriented Gravity Separator Model for Oil and Gas Applications Based upon First-Principles. 2018 , 57, 7201-7217 | 5 |

| 307 | Experimental study on the bubble breakage in a stirred tank Part 2: Local dependence of breakage events. 2018 , 96, 48-62 | 13 |
|-----|--|----|
| 306 | A discrete population balance equation for binary breakage. 2018 , 87, 202-215 | 14 |
| 305 | An improved meso-scale flow model of gas-liquid-solid fluidized beds. <i>Chemical Engineering Science</i> , 4.4 | 12 |
| 304 | Experimental and CFD physical characterization of animal cell bioreactors: From micro- to production scale. 2018 , 131, 84-94 | 42 |
| 303 | Energy efficiency and performance of bubble generating systems. 2018 , 125, 44-55 | 11 |
| 302 | An experimental investigation of the probability distribution of turbulent fragmenting stresses in a high-pressure homogenizer. <i>Chemical Engineering Science</i> , 2018 , 177, 139-150 | 7 |
| 301 | Drop Breakup and Size Evolution in Oil and Gas Production: A Review of Models and Mechanisms. 2018 , 83-121 | 3 |
| 300 | Liquid Liquid horizontal pipe flow 🛭 review. 2018 , 168, 426-447 | 16 |
| 299 | Investigation of droplet size distribution for liquid-liquid emulsions in Taylor-Couette flows. 2018 , 39, 250-258 | 9 |
| 298 | Chemical hydrodynamics of a downward microbubble flow for intensification of gas-fed bioreactors. 2018 , 64, 1399-1411 | 11 |
| 297 | A new iterative scheme for solving the discrete Smoluchowski equation. 2018 , 352, 373-387 | 3 |
| 296 | A novel multiscale theoretical model for droplet coalescence induced by turbulence in the framework of entire energy spectrum. <i>Chemical Engineering Science</i> , 2018 , 176, 377-399 | 8 |
| 295 | Characterization of droplet sizes in large scale oilWater flow downstream from a globe valve. 2018 , 99, 132-150 | 12 |
| 294 | Bubbly flow with particle attachment and detachment [A multi-phase CFD study. 2018, 53, 181-197 | 23 |
| 293 | Effects of particle size and concentration on bubble coalescence and froth formation in a slurry bubble column. 2018 , 36, 82-95 | 40 |
| 292 | Inertial settling of a sphere through an interface. Part 1. From sphere flotation to wake fragmentation. 2018 , 835, 762-807 | 16 |
| 291 | Population balance modelling to describe the particle aggregation process: A review. 2018 , 326, 190-207 | 58 |
| 290 | The formation of complex droplets in liquid three phase systems and their effect on dispersion and phase separation. 2018 , 129, 89-101 | 6 |

| 289 | Experiments on breakup of bubbles in a turbulent flow. 2018 , 64, 740-757 | | 41 |
|-----|--|-----|----|
| 288 | Non-Newtonian Behavior Effect on Gas-liquid Mass Transfer using an Anchor Impeller for CSTR Bioreactors: A CFD Approach. 2018 , 11, 1-5 | | O |
| 287 | Towards Drop Size Modeling in Three Phase Microemulsion Systems. 2018 , 51, 383-388 | | 1 |
| 286 | Polymer Reaction Engineering of Dispersed Systems. 2018, | | |
| 285 | Modelling of Bubbly Flow in Bubble Column Reactors with an Improved Breakup Kernel Accounting for Bubble Shape Variations. 2018 , | | |
| 284 | CFD modelling of pulsed sieve plate liquid extraction columns using OPOSPM as a reduced population balance model: hydrodynamics and mass transfer. 2018 , 43, 451-456 | | 5 |
| 283 | Description of Disperse Multiphase Processes: Quo Vadis?. 2018 , 90, 1709-1726 | | 7 |
| 282 | Application and Fundamentals of Liquid Diquid Extraction Processes: Purification of Biologicals, Botanicals, and Strategic Metals. 2018 , 1-52 | | 20 |
| 281 | Sphingomyelin Stereoisomers Reveal That Homophilic Interactions Cause Nanodomain Formation. 2018 , 115, 1530-1540 | | 16 |
| 280 | A Wall Film Model for Membrane Fouling. 2018, | | |
| 279 | A study on liquid-liquid dispersions in a continuous mixer via computational fluid dynamics (CFD) simulation combined with population balance model (PBM). <i>Canadian Journal of Chemical Engineering</i> , 2018 , 97, 452 | 2.3 | 2 |
| 278 | Suppressing Coalescence and Improving Uniformity of Polymer Beads in Suspension Polymerization Using a Two-Stage Stirring Protocol. 2018 , 57, 11883-11892 | | 7 |
| 277 | 3D-CFD Simulation of LiquidDiquid Two-Phase Flow in A Pilot-Plant Scale Annular Pulsed Disc and Doughnut Column. 2018 , 36, 480-498 | | 6 |
| 276 | Design Considerations to Minimize Hydrocarbon Entrainment in the Aqueous Phase. 2018, | | 1 |
| 275 | Modelling of breakage rate and bubble size distribution in bubble columns accounting for bubble shape variations. <i>Chemical Engineering Science</i> , 2018 , 187, 391-405 | 4.4 | 30 |
| 274 | Description of droplet coalescence and breakup in emulsions through a homogeneous population | | 20 |
| 7 1 | balance model. 2018 , 354, 1197-1207 | | 20 |
| 273 | | | 19 |

| 271 | Salt effect on gas dispersion in flotation column Bubble size as a function of turbulent intensity. 2018 , 127, 6-14 | 11 |
|-----|---|----|
| 270 | An exploratory study on fluid particles breakup rate models for the entire spectrum of turbulent energy. <i>Chemical Engineering Science</i> , 2018 , 192, 850-863 | 16 |
| 269 | Simulation of Turbulent Coalescence and Breakage of Bubbles and Droplets in the Presence of Surfactants, Salts, and Contaminants. 2018 , 52, 125-188 | 11 |
| 268 | A model for drop and bubble breakup frequency based on turbulence spectra. 2019 , 65, 347-359 | 18 |
| 267 | Modelling dispersion of immiscible fluids in a turbulent Couette flow. <i>Canadian Journal of Chemical Engineering</i> , 2019 , 97, 17-26 | 7 |
| 266 | Optimal control of molecular weight and particle size distributions in a batch suspension polymerization reactor. 2019 , 28, 735-745 | 4 |
| 265 | Analysis and Review of Fluid-Particle-Size Predictive Models for Pipe Flow. 2019 , 34, 781-798 | 1 |
| 264 | Single-bubble fragmentation in a mechanically stirred liquid bath under trailing vortex conditions. Chemical Engineering Science, 2019 , 207, 1007-1016 4-4 | 3 |
| 263 | Population balance model determines size distribution of Caspian Sea tarball aggregates in the presence of poloxamine copolymer. 2019 , 254, 115271 | |
| 262 | Dispersion and Phase Separation of Water-Oil-Amphiphile Systems in Stirred Tanks. 2019 , 42, 1574 | 5 |
| 261 | Effects of membrane morphology on the rejection of oil droplets: Theoretical analysis based on network modeling. 2019 , 588, 117198 | 8 |
| 260 | Evaluation of typical interfacial area transport models for bubbly flow. 2019 , 1, 10-18 | 2 |
| 259 | Modelling of bubble column hydrodynamics using CFD and SQMOM as a population balance solver. 2019 , 46, 715-720 | 2 |
| 258 | Influence of Different Silica Nanoparticles on Drop Size Distributions in Agitated Liquid-Liquid Systems. 2019 , 91, 1640-1655 | 5 |
| 257 | Physical beneficiation of rare earth-bearing ores by Pickering emulsification. 2019 , 144, 106034 | 3 |
| 256 | A quadrature-based moment method for polydisperse bubbly flows. 2019 , 244, 187-204 | 12 |
| 255 | An analytical solution to the fixed pivot fragmentation population balance equation. <i>Chemical Engineering Science</i> , 2019 , 208, 115150 | 1 |
| 254 | A population balance model for large eddy simulation of polydisperse droplet evolution. 2019 , 878, 700-739 | 24 |

| 253 | Simulation of dispersion of stabilized Water droplets in a turbulent oil flow through a horizontal tubing. 2019 , 151, 261-269 | 8 |
|-----|--|----|
| 252 | Droplet size distribution and mixing hydrodynamics in a liquid[]quid stirred tank by CFD modeling. 2019 , 120, 103100 | 12 |
| 251 | Coalescence Modeling for Design of Technical Equipment. 2019 , 42, 1404-1413 | 2 |
| 250 | Experimental and numerical investigation on mixing of dilute oil in water dispersions in a stirred tank. 2019 , 147, 493-509 | 11 |
| 249 | Experimental investigation of local bubble properties: Comparison to the sectional quadrature method of moments. 2019 , 65, e16694 | 9 |
| 248 | The Influence of Internal Intermittency, Large Scale Inhomogeneity, and Impeller Type on Drop Size Distribution in Turbulent Liquid-Liquid Dispersions. 2019 , 21, | 1 |
| 247 | A review of bubble break-up. 2019 , 270, 108-122 | 21 |
| 246 | Using the full turbulence spectrum for describing droplet coalescence and breakage in industrial liquid-liquid systems: Experiments and modeling. 2019 , 374, 1420-1432 | 12 |
| 245 | Distinct and Quantitative Validation Method for Predictive Process Modeling with Examples of Liquid-Liquid Extraction Processes of Complex Feed Mixtures. 2019 , 7, 298 | 20 |
| 244 | Numerical and experimental evaluation of droplet breakage of O/W emulsions in rotor-stator mixers. <i>Chemical Engineering Science</i> , 2019 , 204, 270-286 | 11 |
| 243 | A numerical comparison of the method of moments for the population balance equation. 2019 , 165, 26-55 | 1 |
| 242 | Population balance modelling of bubble columns under the heterogeneous flow regime. 2019 , 372, 590-604 | 16 |
| 241 | Modeling Emulsification in Static Mixers: Equilibrium Correlations versus Population Balance Equations. 2019 , 42, 1691 | 1 |
| 240 | Verification of a CFD-Population Balance Model for Crude Oil Separation Efficiency in a Three-Phase Separator Effect of Emulsion Rheology and Droplet Size Distribution. 2019 , | 1 |
| 239 | Simulation of Turbulent Emulsification in a Sonolator Mixer: Interpretation of Drop Breakage Time. 2019 , 42, 1555-1565 | 6 |
| 238 | Simultaneous effect of nanoparticles and surfactant on emulsion liquid membrane: Swelling, breakage and mean drop size. 2019 , 219, 150-158 | 5 |
| 237 | CFDPBM simulation of two-phase flow in a pulsed disc and doughnut column with directly measured breakup kernel functions. <i>Chemical Engineering Science</i> , 2019 , 201, 349-361 | 13 |
| 236 | References. 2019 , 597-618 | |

| 235 | Determination of Breakage Parameters in Turbulent Fluid-Fluid Breakage. 2019 , 42, 903-909 | 9 |
|-----|---|----|
| 234 | Calcium sulphate crystallisation in the presence of mesoporous silica particles: Experiments and population balance modelling. <i>Chemical Engineering Science</i> , 2019 , 202, 238-249 | 6 |
| 233 | Emulsion Formation by Homogenization: Current Understanding and Future Perspectives. 2019 , 10, 239-258 | 40 |
| 232 | Impact of Particles on Breakage and Coalescence Processes during the Preparation of Solid-Stabilized Emulsions. 2019 , 58, 5631-5639 | O |
| 231 | Prediction of Bubble Size Distributions in Large-Scale Bubble Columns Using a Population Balance Model. 2019 , 7, 17 | 3 |
| 230 | Experimental studies on bubble breakup mechanism in a venturi bubble generator. 2019 , 130, 259-270 | 19 |
| 229 | Experimental investigation of bubble breakup in bubble chains rising in a liquid metal. 2019 , 116, 39-50 | 14 |
| 228 | Multiscale multiphase phenomena in bubble column reactors: A review. 2019 , 141, 613-631 | 45 |
| 227 | Three-Dimensional Observation of Single Air Bubble Breakup in a Stirred Tank. 2019 , 42, 1357-1370 | 6 |
| 226 | Dual mechanism model for fluid particle breakup in the entire turbulent spectrum. 2019 , 65, e16600 | 11 |
| 225 | An hp-adaptive quadrature method for irregular integrands: Application to the population balance equation birth term. <i>Chemical Engineering Science</i> , 2019 , 204, 161-176 | 2 |
| 224 | CFD-PBM Coupled Simulation of Liquid-Liquid Dispersions in Spray Fluidized Bed Extractor: Comparison of Three Numerical Methods. 2019 , 2019, 1-13 | 3 |
| 223 | Modeling of double emulsions using population balance equations. 2019 , 366, 587-597 | 10 |
| 222 | Single drop breakup in turbulent flow. <i>Canadian Journal of Chemical Engineering</i> , 2019 , 97, 2727-2739 2.3 | 8 |
| 221 | Experiments on Bubble Breakup Induced by Collision with a Vortex Ring. 2019 , 42, 843-850 | 4 |
| 220 | Polymer Reaction Engineering. 2019 , 1-45 | 1 |
| 219 | Multiphase Stirred Tank Bioreactors [New Geometrical Concepts and Scale-up Approaches. 2019 , 91, 1724-1746 | 16 |
| 218 | Models for the Numerical Simulation of Bubble Columns: A Review. 2019 , 91, 1747-1765 | 18 |

Formation of Aerated Products. 2019, 291-331

| 216 | Influence of Dispersed-Phase Viscosity on Droplet Breakup in a Continuous Pump-Mixer. 2019 , 58, 234 | 58-234 | 16 <u>7</u> |
|-----|--|--------|-------------|
| 215 | Study of droplet breakage in a pulsed disc and doughnut column-Part I: Experiments and correlations. <i>Chemical Engineering Science</i> , 2019 , 197, 172-183 | 4.4 | 13 |
| 214 | A continuous approach to the emulsion gelation method for the production of aerogel micro-particle. 2019 , 566, 58-69 | | 20 |
| 213 | A population balance model for the prediction of breakage of emulsion droplets in SMX+ static mixers. 2019 , 361, 625-634 | | 10 |
| 212 | Measurement of droplet breakage in a pump-mixer. <i>Chemical Engineering Science</i> , 2019 , 195, 23-38 | 4.4 | 12 |
| 211 | CFD-PBM simulations of a pulsed sieve plate column. 2019 , 111, 125-137 | | 7 |
| 210 | Techno-economic assessment of the use of solvents in the scale-up of microbial sesquiterpene production for fuels and fine chemicals. 2019 , 13, 140-152 | | 3 |
| 209 | Prediction of droplet sizes for oil-in-water emulsion systems assisted by ultrasound cavitation: Transient scaling law based on dynamic breakup potential. 2019 , 55, 348-358 | | 7 |
| 208 | An improved design method for compact vertical separator combined with the theoretical method and numerical simulation. 2019 , 173, 758-769 | | 3 |
| 207 | Multiple controlling factors for methane hydrate formation in water-continuous system. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 131, 757-771 | 4.9 | 23 |
| 206 | Simulation of drop breakage in liquid[Iquid system by coupling of CFD and PBM: Comparison of breakage kernels and effects of agitator configurations. 2019 , 27, 1001-1014 | | |
| 205 | Deformation and breakup of single drop in laminar and transitional jet flows. 2020 , 386, 121812 | | 5 |
| 204 | CFD modeling of the creaming zone of batch gravity separation with coalescence. 2020 , 41, 674-689 | | 1 |
| 203 | An improved bubble breakup model in turbulent flow. 2020 , 386, 121484 | | 14 |
| 202 | A deterministic breakup model for Euler🏿 agrange simulations of turbulent microbubble-laden flows. 2020 , 123, 103119 | | 6 |
| 201 | Application of Eulerian-Eulerian-Lagrangian hybrid model to simulate liquid-liquid drop size distribution in stirred tank reactors. 2020 , 42, 103-118 | | 1 |
| 200 | Investigation of CFD-PBM simulations based on fixed pivot method: Influence of the moment closure. 2020 , 382, 122882 | | 4 |

(2020-2020)

| 199 | Numerically simulating droplet breakup in droplet swarm using modified level set method with multi-levels. <i>Chemical Engineering Science</i> , 2020 , 211, 115263 | 4.4 | 2 |
|-----|--|------|----|
| 198 | Stochastic simulation of droplet breakup in turbulence. 2020 , 380, 122502 | | 8 |
| 197 | Computational Fluid DynamicsPopulation Balance Modeling of GasIliquid Two-Phase Flow in Bubble Column Reactors With an Improved Breakup Kernel Accounting for Bubble Shape Variations. 2020 , 41, 1414-1430 | | 3 |
| 196 | Study on dynamic characteristics for high speed water-lubricated spiral groove thrust bearing considering cavitating effect. 2020 , 143, 106022 | | 5 |
| 195 | Coalescence Characteristics of Side-by-Side Growing Bubbles in Carboxymethyl Cellulose Solutions. 2020 , 43, 230-239 | | 2 |
| 194 | Applicability of a modified breakage and coalescence model based on the complete turbulence spectrum concept for CFD simulation of gas-liquid mass transfer in a stirred tank reactor. <i>Chemical Engineering Science</i> , 2020 , 211, 115272 | 4.4 | 15 |
| 193 | Compartment Model for Liquid-Liquid Extraction Columns. 2020, 38, 66-87 | | 7 |
| 192 | A framework for polydisperse pulp phase modelling in flotation. 2020 , 236, 116252 | | 12 |
| 191 | Modeling of ex-situ dissolution for geologic sequestration of carbon dioxide in aquifers. 2020 , 187, 106 | 5835 | 3 |
| 190 | Prediction of Droplet Size Distribution for High Pressure Homogenizers with Heterogeneous Turbulent Dissipation Rate. 2020 , 59, 4020-4032 | | 4 |
| 189 | Food grade nanoemulsions preparation by rotor-stator homogenization. 2020 , 102, 105579 | | 8 |
| 188 | A theoretical model for bubble coalescence by coupling film drainage with approach processes. <i>Chemical Engineering Science</i> , 2020 , 213, 115387 | 4.4 | 3 |
| 187 | Droplet size distributions derived from evolution of oil fraction during phase separation of oil-in-water emulsions tracked by electrical impedance spectroscopy. 2020 , 586, 124292 | | 6 |
| 186 | Investigating swelling-breakdown in double emulsions. 2020 , 585, 124181 | | 9 |
| 185 | Population Balances for Extraction Column Simulations An Overview. 2020, 38, 14-65 | | 17 |
| 184 | Experimental Methods for Measuring the Breakup Frequency in Turbulent Emulsification: A Critical Review. 2020 , 4, 52 | | 4 |
| 183 | Towards a model of bubble breakup in turbulence through experimental constraints. 2020 , 132, 10339 | 7 | 8 |
| 182 | CFD modelling of turbulent liquid[Iquid dispersion in a static mixer. 2020 , 149, 107840 | | 10 |

| 181 | Influence of Shear Flow on the Crystallization of Organic Melt Emulsions IA Rheo-Nuclear Magnetic Resonance Investigation. 2020 , 43, 1699-1705 | 3 |
|-----|---|----|
| 180 | Eulerian E ulerian Modeling of Multiphase Flow in Horizontal Annuli: Current Limitations and Challenges. 2020 , 8, 1426 | 1 |
| 179 | An environmentally friendly route for beneficiation of rare earth-bearing minerals by Pickering emulsification: adjusting the interfacial and formulation parameters. 2020 , 22, 5771-5784 | 2 |
| 178 | A Review on Multiphase Underwater Jets and Plumes: Droplets, Hydrodynamics, and Chemistry. 2020 , 58, e2020RG000703 | 10 |
| 177 | On the validity of different methods to estimate breakup frequency from single drop experiments. <i>Chemical Engineering Science</i> , 2020 , 227, 115908 | 5 |
| 176 | Bubble motion and reaction in different viscous liquids. 2020 , 1 | 3 |
| 175 | Single drop breakage in turbulent flow: Statistical data analysis. 2020 , 8, 100082 | 4 |
| 174 | Low-Energy Emulsification of Oil-in-Water Emulsions with Self-Regulating Mobility via a Nanoparticle Surfactant. 2020 , 59, 18396-18411 | 5 |
| 173 | Investigation of Droplets Distribution and Reaction Kinetics on SO2 Removal in Flue Gas via Venturi Scrubber. 2020 , 2020, 1-12 | |
| 172 | Numerical Simulation of the Oil Droplet Size Distribution Considering Coalescence and Breakup in Aero-Engine Bearing Chamber. 2020 , 10, 5648 | 1 |
| 171 | Simulating hydrodynamics in a Rushton turbine at different stirring velocities applied to non-Newtonian fluids. 2020 , 1587, 012012 | 2 |
| 170 | A model of breakup of a rising bubble in a turbulent flow. <i>Chemical Engineering Science</i> , 2020 , 226, 1158 4 64 | 4 |
| 169 | Determination of dynamic interfacial tension in a pulsed column under mass transfer condition. 2020 , 66, e16257 | 4 |
| 168 | Droplets and Dispersions. 2020 , 43-80 | |
| 167 | Intensification of Liquid I liquid Coalescence. 2020 , 269-311 | |
| 166 | Intensification effects of stirred fluid on liquidBolid, gasDquid and gasBolid interactions in flotation: A review. 2020 , 152, 107943 | 6 |
| 165 | CFD-PB Modelling of Liquid[Iquid Two-phase Flow in Pulsed Disc and Doughnut Column. 2020 , 38, 536-554 | 5 |
| 164 | Regulation of bubble size in flotation: A review. 2020 , 8, 104070 | 20 |

(2021-2020)

| 163 | Experimental and Numerical Study on Flow Resistance and Bubble Transport in a Helical Static Mixer. 2020 , 13, 1228 | | 3 |
|-----|--|-----|-----|
| 162 | Analytical time-stepping solution of the discretized population balance equation. 2020 , 135, 106741 | | 2 |
| 161 | Combining level-set method and population balance model to simulate liquid I quid two-phase flows in pulsed columns. <i>Chemical Engineering Science</i> , 2020 , 226, 115851 | 4.4 | 3 |
| 160 | Recent advances of characterization techniques for the formation, physical properties and stability of Pickering emulsion. 2020 , 277, 102117 | | 118 |
| 159 | Update to the MUSIG model in ANSYS CFX for reliable modelling of bubble coalescence and breakup. 2020 , 81, 506-521 | | 10 |
| 158 | Selection function in breakage processes: PBM and Monte Carlo modeling. 2020 , 31, 1457-1469 | | 9 |
| 157 | Analysis of bubble formation during injection molding of polymeric foams by computational fluid dynamics simulations. 2020 , 15, e2474 | | 1 |
| 156 | Modeling of oil water separation efficiency in three-phase separators: Effect of emulsion rheology and droplet size distribution. 2020 , 159, 278-290 | | 9 |
| 155 | Augmented CFD B BM Simulation of Liquid l iquid Two-Phase Flows in Liquid Extraction Columns with Wettable Internal Plates. 2020 , 59, 8436-8446 | | 5 |
| 154 | One-equation model to assess population balance kernels in turbulent bubbly flows. <i>Chemical Engineering Science</i> , 2021 , 229, 116096 | 4.4 | |
| 153 | Mechanisms and conditions that affect phase inversion processes: A review. <i>Canadian Journal of Chemical Engineering</i> , 2021 , 99, 178-208 | 2.3 | 8 |
| 152 | Oxygen Mass Transfer in Biopharmaceutical Processes: Numerical and Experimental Approaches . 2021 , 93, 42-61 | | 13 |
| 151 | Experimental characterization of dynamic behavior of single bubble breakage in an agitated tank. 2021 , 85, 430-443 | | O |
| 150 | A model of droplet breakup in a turbulent flow for a high dispersed phase holdup. <i>Chemical Engineering Science</i> , 2021 , 232, 116350 | 4.4 | 4 |
| 149 | Study of an ESP's performance handling liquid-liquid flow and unstable O-W emulsions part II: Coupled CFD-PBM modelling. 2021 , 198, 108227 | | 4 |
| 148 | Measurement of Relative Electrostatic Potential Difference for Coalescence Modeling. 2021 , 93, 208-2 | 15 | |
| 147 | High Pressure Conduit: A Good Alternative to the Air Compressors Used in the Flotation Process. 2021 , 46, 4603-4613 | | О |
| 146 | Investigation on the variation regularity of the characteristic droplet diameters in the swirling flow field. <i>Chemical Engineering Science</i> , 2021 , 229, 116153 | 4.4 | 7 |

| 145 | Experimental measurement of bubble breakup in a jet bubbling reactor. 2021, 67, | | 4 |
|-----|---|-----|---|
| 144 | Experimental study on drop breakup time and breakup rate with drop swarms in a stirred tank. 2021 , 67, | | 3 |
| 143 | The Adaptive Radial Basis Method (ARBM): An application to the hydrodynamics of liquid-liquid dispersions. 2021 , 493-498 | | О |
| 142 | Experimental investigation on single drop breakage in two-stream impinging microchannels. 2021 , 62, 1 | | 4 |
| 141 | Rheology of Structured Oil Emulsion. | | 2 |
| 140 | Modeling the Effect of Surfactant on Droplet Breakup in a Turbulent Flow. 2021 , 81, 129-152 | | |
| 139 | The turbulent bubble break-up cascade. Part 1. Theoretical developments. 2021 , 912, | | 8 |
| 138 | Experimental study of droplet behavior in a swirl flow field induced by two kinds of guiding vanes and inlet structure optimization. 2021 , 33, 104-110 | | |
| 137 | Modeling drop breakage using the full energy spectrum and a specific realization of turbulence anisotropy. 2021 , 67, e17201 | | 3 |
| 136 | Effect of turbulent kinetic energy dissipation rate on the prediction of droplet size distribution in stirred tanks. 2021 , 136, 103547 | | 7 |
| 135 | Investigation on Sub-models of Population Balance Model for Subcooled Boiling in Vertical Gas-liquid Flow by Comprehensive Evaluation. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 167, 120816 | 4.9 | 5 |
| 134 | Estimating Breakup Frequencies in Industrial Emulsification Devices: The Challenge of Inferring Local Frequencies from Global Methods. 2021 , 9, 645 | | 3 |
| 133 | Modeling droplet dispersion in a turbulent tubing flow at a high droplet holdup. 2021 , 168, 71-83 | | 1 |
| 132 | Modeling of carbon dioxide dissolution in an injection well for geologic sequestration in aquifers. 2021 , 221, 119780 | | 3 |
| 131 | Experimental study of bubble-droplet interaction in water; the effect of water salinity on the drainage time. 1-14 | | 1 |
| 130 | A one-dimensional combined multifluid-population balance model for the simulation of batch bubble columns. 2021 , 170, 270-289 | | O |
| 129 | Computational study of bubble coalescence/break-up behaviors and bubble size distribution in a 3-D pressurized bubbling gas-solid fluidized bed of Geldart A particles. 2021 , | | 0 |
| 128 | Transformation of single drop breakup from binary to ternary and multiple in turbulent jet flows. 2021 , 34, 32-39 | | |

| 127 | Separation of Emulsions with Fibrous Filter-Coalescers. 2021, | | 1 |
|-----|--|-----|---|
| 126 | Consideration of bottleneck effect of entire energy spectrum in bubble coalescence simulation. <i>Chemical Engineering Science</i> , 2021 , 236, 116501 | 4.4 | |
| 125 | A mini-review on population balance model for gas-liquid subcooled boiling flow in nuclear industry. 2021 , 157, 108174 | | 6 |
| 124 | Influence of Interfacial Force Models and Population Balance Models on the kLa Value in Stirred Bioreactors. 2021 , 9, 1185 | | 5 |
| 123 | Single drop breakage in a reciprocating plate column. 2021 , 415, 129049 | | 3 |
| 122 | Hydrodynamics and droplet size distribution of liquidliquid flow in a packed bed reactor with orifice plates. 2021 , 67, e17370 | | 3 |
| 121 | Modeling study on drop breakup time in turbulent dispersions. <i>Chemical Engineering Science</i> , 2021 , 238, 116599 | 4.4 | 3 |
| 120 | Interfacial Area Transport Equation for Bubble Coalescence and Breakup: Developments and Comparisons. 2021 , 23, | | 1 |
| 119 | Stability analysis of discrete population balance model for bubble growth and shrinkage. | | |
| 118 | Numerical studies on bubble dynamics in an unsteady turbulence of the venturi bubble generator applied to TMSR. 2021 , 160, 108322 | | 1 |
| 117 | The Kinetics of Phase Separation in Liquid-Liquid Extraction: Modeling of Droplet Swarm Coalescence. 2021 , 93, 1502 | | О |
| 116 | Multi-scale fluid dynamics simulation based on MP-PIC-PBE method for PMMA suspension polymerization. 2021 , 152, 107391 | | 1 |
| 115 | Drop sizes and population balance model for a Karr column. e17413 | | 1 |
| 114 | Application of a drop breakage model using the full energy spectrum and a specific realisation of turbulence anisotropy. <i>Chemical Engineering Science</i> , 2021 , 242, 116702 | 4.4 | |
| 113 | Forecasting a bubbly-intermittent flow regime transition in helically coiled tubes. 2021 , 175, 238-249 | | |
| 112 | Single oil drop breakage in water: Impact of turbulence level in channel flow. 2021 , 12, 100111 | | |
| 111 | A workflow for the sustainable development of closure models for bubbly flows. <i>Chemical Engineering Science</i> , 2021 , 244, 116807 | 4.4 | 2 |
| 110 | Assessment of population balance approach and maximum entropy on drop size behavior of vanadium extraction from sulfate solution in continuous pilot plant column. 2021 , 169, 108608 | | 2 |

| 109 | Population balance modeling of flotation pulp: The route from process frequency functions to spatially distributed models. 2021 , 155, 107506 | 3 |
|-----|---|----|
| 108 | Breakup model of oscillating drops in turbulent flow field. <i>Chemical Engineering Science</i> , 2022 , 247, 1170த்டி | O |
| 107 | Bubble Capture, Breakup, and Coalescence in Vortex B ubble Interaction. 2021 , 33-41 | |
| 106 | CFD P BM Simulation of Liquid I liquid Dispersions in a Pump-Mixer. 2021 , 60, 1926-1938 | 4 |
| 105 | Drop size correlation and population balance model for an agitated-pulsed solvent extraction column. 2020 , 66, e16279 | 8 |
| 104 | Modelling of Oil Droplet Kinetics Under Breaking Waves. 2008 , 221-236 | 5 |
| 103 | Particle Aggregate Breakup by Fluid Shear. 1986 , 85-109 | 24 |
| 102 | Guidelines for Processing Emulsion-Based Foods. 2019 , 435-501 | 2 |
| 101 | Coupling of the CFD and the Droplet Population Balance Equation with the Finite Pointset Method. 2008 , 315-334 | 1 |
| 100 | The Formation of Protein Precipitates and Their Centrifugal Recovery. 1983 , 1-72 | 2 |
| 99 | Modelling and Control of Multistage Mixer Extractors. 1992 , 139-144 | 1 |
| 98 | The behaviour of large gas bubbles at a liquid-liquid interface. Part-1: the entrainment of liquid drops. 1990 , 14-24 | 2 |
| 97 | Coalescence Parameter Estimation in Liquid Extraction Column using OPOSPM. 2012 , 31, 960-964 | 3 |
| 96 | The OPOSPM as a Nonlinear Autocorrelation Population Balance Model for Dynamic Simulation of Liquid Extraction Columns. 2012 , 31, 1216-1220 | 15 |
| 95 | An Online Inverse Problem for the Simulation of Extraction Columns using Population Balances. 2012 , 30, 1043-1047 | 3 |
| 94 | A Study on the Drop Size Distribution and the Holdup in a Rotating Impeller Extraction Column. 1992 , 7, 1253-1257 | 2 |
| 93 | Two-Phase Flow, Boiling, and Condensation: In Conventional and Miniature Systems. 2017, | 12 |
| 92 | A Critical Review of the Application of Drop-Population Balances for the Design of Solvent Extraction Columns: I. Concept of Solving Drop-Population Balances and Modelling Breakage and Coalescence. 2012 , 30, 683-723 | 29 |

| 91 | Stochastic Simulation of Particulate Dynamic Breakup 1998, 31, 201-207 | 1 |
|----|---|---|
| 90 | Method of Evaluating the Liquid-Liquid Dispersion by the Indices Defined Based on Shape of the Drop Size Distribution in Various Impeller Stirred Tanks 2001 , 34, 790-801 | 2 |
| 89 | Flow Simulation in a 2D Bubble Column with the Euler-lagrange and Euler-euler Method. 2018 , 12, 1-13 | 8 |
| 88 | Drop breakage in a single-pass through vortex-based cavitation device: Experiments and modeling. e17512 | 2 |
| 87 | Experimental study on breakup of a single bubble in a stirred tank: Effect of gas density and liquid properties. e17511 | |
| 86 | Towards a CFD-PBE simulation of aerated stirred tanks at high gas hold ups and different flow regimes. 2021 , | 1 |
| 85 | A Theoretical Model of Phase Inversion of Liquid-Liquid Dispersion Systems 2001, 27, 352-358 | 1 |
| 84 | A Parallel Algorithm for the Simulation of the Dynamic Behaviour of Liquid-Liquid Agitated Columns. 2001 , 536-547 | |
| 83 | THE BREAK-UP OF FLUID PARTICLES WITH NON-NEGLIGIBLE PROPERTIES IN TURBULENT FLOWS. 2002 , 989-998 | |
| 82 | A Model of Phase Inversion Using Structural Instability in Liquid-Liquid Dispersion. 2003 , 29, 351-356 | |
| 81 | Measuring Coalescence. 2003 , 75-83 | |
| 80 | Stichwortverzeichnis. 2010 , 407-424 | |
| 79 | Optimization Approach to a Simulation Algorithm of a Mixer-Settler System in the Transient State. 2011 , 349-359 | |
| 78 | Drop Break-Up and Coalescence. Micromixing Effects in Liquid-Liquid Reactors. 1981 , 285-362 | O |
| 77 | Simulation and Control of a Multistage Stirred Cell Column Extractor. 1992 , 1247-1252 | |
| 76 | Measuring coalescence rates. 1998 , 62-71 | |
| 75 | Sorbent Transport and Dispersion. 1998 , 255-341 | |
| 74 | A Numerical Model for Oil Droplet Evolution Emanating from Blowouts. 2014 , 2014, 561-571 | 1 |

| 73 | A numerical model to simulate the droplet formation process resulting from the release of diluted bitumen products in marine environment. 2014 , 2014, 449-462 | | 2 |
|----|--|-----|---|
| 72 | Recent Advances in Modeling Gas-Liquid Flows. 2016 , 1-28 | | |
| 71 | Strfbungen mit mehreren Phasen. 2016 , 1-67 | | |
| 70 | Strfbungen mit mehreren Phasen. 2017 , 477-542 | | |
| 69 | Modeling The Effect Of Produced Water On Asphaltene Deposition In A Production Tubing Using Population Balance. 2018 , | | |
| 68 | 加加 现例-2019 , 23, 541-581 | | |
| 67 | StrEhungen mit mehreren Phasen. 2019 , 1-78 | | |
| 66 | The Role of Stochastic Time-Variations in Turbulent Stresses When Predicting Drop Breakup Review of Modelling Approaches. 2021 , 9, 1904 | | 2 |
| 65 | Application of Multiphase Flows in Combustion. 2020 , 1-32 | | |
| 64 | Evaluation on Coupling of Wall Boiling and Population Balance Models for Vertical Gas-Liquid Subcooled Boiling Flow of First Loop of Nuclear Power Plant. 2021 , 14, 7357 | | 2 |
| 63 | Turbulence Induced Particle Fragmentation and Coalescence. 2007, 249-271 | | |
| 62 | Modeling surfactant and drop size dynamics in polydisperse liquid-liquid systems with population balances. <i>Chemical Engineering Science</i> , 2022 , 248, 117269 | 4.4 | 3 |
| 61 | Current advances in liquid-liquid mixing in static mixers: A review. 2021 , 177, 694-694 | | 6 |
| 60 | Optimization of carbon dioxide dissolution in an injection tubing for geologic sequestration in aquifers. 2021 , 109805 | | 1 |
| 59 | Numerical investigation on ice slurry flow in horizontal elbow pipes. 2022 , 27, 101083 | | O |
| 58 | Comparison of breakup and coalescence kernels in population balance model for modeling isothermal gas-liquid flow. 2022 , 388, 111616 | | O |
| 57 | Numerical investigation on the coupled mechanisms of bubble breakup in a venturi-type bubble generator. 2022 , 16, 229-247 | | О |
| 56 | ColHySE: An advanced column hydrodynamic-based model for solvent extraction. 2022 , 179, 188-200 | | |

| 55 | Estimation of droplet size distribution by using maximum entropy programming and population balance equations in pulsed disc-doughnut column. 2022 , 179, 237-248 | | 1 |
|----|---|-----|---|
| 54 | Modeling the Adsorption of Polydispersed Cellulose Nanocrystals on Emulsion Oil Droplets during Their Simultaneous Breakage and Coalescence. 2022 , 61, 3983-4000 | | O |
| 53 | Modeling the axial distribution of mass transfer coefficient in an agitated-pulsed extraction column. | | |
| 52 | Experiments and fully transient coupled CFD-PBM 3D flow simulations of disperse liquid-liquid flow in a baffled stirred tank. <i>Chemical Engineering Science</i> , 2022 , 253, 117518 | 4.4 | 2 |
| 51 | Experimental study of single bubble breakage in turbulent flow field: Evaluation of breakage models. <i>Chemical Engineering Science</i> , 2022 , 253, 117584 | 4.4 | O |
| 50 | Numerical determination of bubble size distribution in Newtonian and non-Newtonian fluid flows based on the complete turbulence spectrum. <i>Chemical Engineering Science</i> , 2022 , 253, 117543 | 4.4 | 1 |
| 49 | Two-phase interfacial structure development in vertical narrow rectangular channels. <i>International Journal of Heat and Mass Transfer</i> , 2022 , 191, 122832 | 4.9 | O |
| 48 | Modeling Droplet Breakage in Continuous Emulsification Using Static Mixers in the Framework of the Entire Spectrum of Turbulent Energy. 2022 , 61, 541-553 | | 1 |
| 47 | Hydrodynamic Behavior Analysis of Agitated-Pulsed Column by CFD-PBM. 1-22 | | |
| 46 | Towards a Standard Method for Estimating Fragmentation Rates in Emulsification Experiments. 2021 , 9, 2242 | | 1 |
| 45 | 0D Homogeneous Simulation of Droplet Size Evolution in a Turbulent Stirred Tank. | | 1 |
| 44 | Assessment on population balance model and wall boiling model for subcooled boiling flow of steam generator of nuclear power plant. 2022 , 173, 109128 | | |
| 43 | Numerical Investigation of The Effect of Impeller Blade Angle for Stirred Tank. | | |
| 42 | Recent progress in hydrodynamic characteristics research and application of annular centrifugal extractors. | | |
| 41 | A compreshensive modeling study of particulate coalescence and breakup mechanisms in solid propellant motor nozzles. 2022 , 153, 104109 | | |
| 40 | The DuQMoGeM application to the numerical modeling of liquid-liquid columns. <i>Chemical Engineering Science</i> , 2022 , 257, 117721 | 4.4 | |
| 39 | Modeling and Simulation of Photobioreactors with Computational Fluid Dynamics A Comprehensive Review. 2022 , 15, 3966 | | О |
| 38 | Coalescence of bubbles in a high Reynolds number confined swarm. 2022 , 944, | | O |

| 37 | A mechanistic model for the prediction of flow pattern transitions during separation of liquid-liquid pipe flows. 2022 , 104172 | 1 |
|----|--|---|
| 36 | Image analysis for design and operation of gravity separators with coalescing aids. <i>Canadian Journal of Chemical Engineering</i> , | |
| 35 | Validation of a procedure for the numerical simulations of gas-liquid stirred tank by means of a computational fluid dynamics approach. <i>Canadian Journal of Chemical Engineering</i> , 2.3 | O |
| 34 | Progress and prospect of flow phenomena and simulation on two-phase separation in branching T-junctions: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2022 , 167, 112742 | O |
| 33 | Turbulent droplet breakage in a von Klimli flow cell. <i>Physics of Fluids</i> , 2022 , 34, 073319 4.4 | 0 |
| 32 | Prediction of sliding bubble coalescence rate during subcooled flow boiling in narrow rectangular channel. <i>International Journal of Heat and Mass Transfer</i> , 2022 , 196, 123244 | 1 |
| 31 | Predicting the drop size distribution of poly(vinyl chloride) microsuspension in a double-stage high-pressure homogenizer. | |
| 30 | Strfhungen mit mehreren Phasen. 2022 , 479-556 | O |
| 29 | A Semi-Empirical Model to Estimate Maximum Floc Size in a Turbulent Flow. 2022 , 27, 5550 | O |
| 28 | Simulation of the Axial-Flow Centrifugal Bubble Separator for Liquid-Fueled Molten Salt Reactors Using Eulerian Two-Fluid Model. 1-21 | O |
| 27 | Investigation of the Role of Impeller Structural Parameters on Liquid Liquid Mixing Characteristics in Stirred Tanks. 2022 , 7, 38700-38708 | O |
| 26 | Identification and Mapping of Three Distinct Breakup Morphologies in the Turbulent Inertial Regime of Emulsification Effect of Weber Number and Viscosity Ratio. 2022 , 10, 2204 | O |
| 25 | A new approach to analyze the equilibrium and transient behaviors of particulate systems and the subsequent application to multiphase fluid systems. 2022 , | O |
| 24 | Population balance modelling of a continuous static mixer-based emulsification process. 2022 , 188, 645-654 | O |
| 23 | Experimental and numerical study of a compact inline swirler for gas[]quid separation. 2023, 265, 118219 | O |
| 22 | Diesel upgrading: A modeling of its microemulsions. 2023 , 239, 107545 | O |
| 21 | Emulsion separation. 2023 , 79-152 | 0 |
| 20 | Turbulent Droplet Breakage Probability: Analysis of Fitting Parameters for Two Commonly Used Models. 2022 , 118311 | O |

| 19 | A population balance model for the flow-induced preparation of Pickering emulsions. 2023, 189, 694-706 | О |
|----|--|---|
| 18 | Parametric optimization of a crude oil treatment unit to maximize oil production. 2023, 190, 20-32 | Ο |
| 17 | Multiphase Phenomena and Design of Liquid-Liquid Stirred Tanks. 2022, 1-35 | 0 |
| 16 | Two-fluid modelling for poly-disperse bubbly flows in vertical pipes: Analysis of the impact of geometrical parameters and heat transfer. 2022 , | 1 |
| 15 | Memoryless drop breakup in turbulence. 2022 , 8, | 0 |
| 14 | Study on the dynamic interfacial tension with micro interface sensor. 2023 , 268, 118439 | 1 |
| 13 | CFD Analysis of Mixing Process of Detergents in Rotational and Displacement Vessels. 2023, 11, 29 | 0 |
| 12 | Intensification of Droplet Disintegration for Liquidliquid Systems in a Pulsating Flow Type Apparatus by Adding an Inert Gas. 2023 , 8, 38 | Ο |
| 11 | Effect of temperature on mixing and separation of stirred liquid/liquid dispersions over a wide range of dispersed phase fractions. 2023 , 274, 118676 | 0 |
| 10 | Assessment of scale-adaptive turbulence modeling in coupled CFD-PBM 3D flow simulations of disperse liquid-liquid flow in a baffled stirred tank with particular emphasis on the dissipation rate. 2023 , 270, 118509 | O |
| 9 | Modeling the Breakup of OilParticle Aggregates in Turbulent Environments for Projectile Penetration. 2023 , 39, 2808-2817 | 0 |
| 8 | Application of Population Balance Models in Particle-Stabilized Dispersions. 2023, 13, 698 | О |
| 7 | Computational Fluid Dynamics for Advanced Characterisation of Bioreactors Used in the Biopharmaceutical Industry: Part II: Case Studies. | О |
| 6 | CFD-PBM Investigation on Droplet Size Distribution in a Liquid Liquid Stirred Tank: Effect of Impeller Type. 2023 , 62, 4109-4121 | Ο |
| 5 | Computational Fluid Dynamics Modelling of Two-Phase Bubble Columns: A Comprehensive Review. 2023 , 8, 91 | 1 |
| 4 | Simulation and Analysis of Atomization Performance of a Venturi Jet Pyrolysis Reactor. 2023 , 54, 807-822 | Ο |
| 3 | Transferring Bubble Breakage Models Tailored for Euler-Euler Approaches to Euler-Lagrange Simulations. 2023 , 11, 1018 | 0 |
| 2 | Effects of SDS surface-active agents on hydrodynamics and oxygen mass transfer in a square bubble column reactor: Experimental and CFD modeling study. 2023 , 165, 104486 | Ο |

Mass Transfer and Droplet Behaviors in Liquid-Liquid Extraction Process Based on Multi-Scale Perspective: A Review. **2023**, 10, 264

О