

Clinical evaluation of satisfaction in patients rehabilitated with implant-supported prosthesis: a controlled prospective study

International Journal of Oral and Maxillofacial Implants
27, 911-9

Citation Report

#	ARTICLE	IF	CITATIONS
1	A selective laser sintering prototype guide used to fabricate immediate interim fixed complete arch prostheses in flapless dental implant surgery: Technique description and clinical results. <i>Journal of Prosthetic Dentistry</i> , 2016, 116, 874-879.	1.1	33
2	A systematic review and meta-analysis of removable and fixed implant-supported prostheses in edentulous jaws: post-loading implant loss. <i>Clinical Oral Implants Research</i> , 2016, 27, 174-195.	1.9	143
3	Implant retention systems for implant-retained overdentures. <i>British Dental Journal</i> , 2017, 222, 347-359.	0.3	12
4	Immediately loaded implant-supported full-arches: Peri-implant status after 1-9 years in a private practice. <i>Journal of Dentistry</i> , 2017, 67, 72-76.	1.7	14
5	Bimaxillary simultaneous immediate loading of full-arch restorations: A case series. <i>Journal of Clinical and Experimental Dentistry</i> , 2017, 9, 0-0.	0.5	6
6	Implant rehabilitation of the edentulous jaws: Does tilting of posterior implants at an angle greater than 45° affect bone resorption and implant success?: A retrospective study. <i>Clinical Implant Dentistry and Related Research</i> , 2018, 20, 867-874.	1.6	9
7	Survival rates and prosthetic complications of implant fixed complete dental prostheses: An up to 5-year retrospective study. <i>Journal of Prosthetic Dentistry</i> , 2020, 124, 539-546.	1.1	39
8	Rhamnolipid coating reduces microbial biofilm formation on titanium implants: an in vitro study. <i>BMC Oral Health</i> , 2021, 21, 49.	0.8	18
9	Unsplinted Attachments and Patient-Reported Outcome Measures (PROMs) in 2-Implant-Retained Mandibular Overdentures: A Systematic Review. <i>International Journal of Dentistry</i> , 2022, 2022, 1-9.	0.5	3