

The component acids of the lipids in four commercial f

Journal of the Science of Food and Agriculture

29, 28-32

DOI: [10.1002/jsfa.2740290105](https://doi.org/10.1002/jsfa.2740290105)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The component acids of lipids from marine and freshwater species with special reference to furan-containing acids. <i>Journal of the Science of Food and Agriculture</i> , 1978, 29, 539-550.	3.5	99
2	ESSENTIAL FATTY ACIDS IN POULTRY NUTRITION. , 1984, , 153-166.		4
3	A critical investigation of a number of different methods of lipid determination in fish meal, with particular emphasis on corrections required in these determinations. <i>Journal of the Science of Food and Agriculture</i> , 1985, 36, 177-185.	3.5	31
4	FuranfettsÄuren. <i>Nachrichten Aus Der Chemie</i> , 1987, 35, 1240-1243.	0.0	2
5	Inkubation von 2,5-ädisubstituierten Fä€Äuren mit Rinderleberhomogenisat. <i>Liebigs Annalen Der Chemie</i> , 1988, 1988, 397-403.	0.8	8
6	Investigations of the origin of the furan fatty acids (F-acids). <i>Lipids</i> , 1988, 23, 1032-1036.	1.7	47
7	Rapid Direct Extraction Derivatization Method for the Determination of Acylglycerol Lipids in Selected Sample Matrices. <i>Journal of Food Science</i> , 1988, 53, 940-942.	3.1	23
8	OMEGA-3 FATTY ACID LEVELS AND PERFORMANCE OF BROILER CHICKENS FED REDFISH MEAL OR REDFISH OIL. <i>Canadian Journal of Animal Science</i> , 1988, 68, 533-547.	1.5	106
9	Lipid determination in fish meal: An investigation of three standard methods applied to stabilised and non-stabilised anchovy meals at increasing stages of maturity. <i>Journal of the Science of Food and Agriculture</i> , 1989, 46, 259-266.	3.5	20
10	Three extraction methods for determination of lipids in fish meal: Evaluation of a hexane/isopropanol method as an alternative to chloroform-based methods. <i>Journal of the Science of Food and Agriculture</i> , 1993, 61, 235-240.	3.5	57
11	Oxidation of furan fatty acids by soybean lipoxygenase-1 in the presence of linoleic acid. <i>Chemistry and Physics of Lipids</i> , 1994, 70, 179-185.	3.2	26
12	Effects of soybean lipoxygenase-1 on phosphatidylcholines containing furan fatty acids. <i>Lipids</i> , 1994, 29, 397-403.	1.7	21
13	Evaluation Method for Lipid Oxidation by Nuclear Magnetic Resonance. <i>ACS Symposium Series</i> , 1997, , 218-239.	0.5	6
14	Title is missing!. <i>Plant and Soil</i> , 2003, 252, 397-411.	3.7	39
15	Stability of Fish Powder Made from Saithe (<i>Pollachius virens</i>) as Measured by Lipid Oxidation and Functional Properties. <i>Journal of Aquatic Food Product Technology</i> , 2007, 16, 115-136.	1.4	15
16	Analysis of Intact Cholesteryl Esters of Furan Fatty Acids in Cod Liver. <i>Lipids</i> , 2015, 50, 611-620.	1.7	25
17	Bioactive fatty acids in mantis shrimp, crab and caramote prawn: Their content and distribution among the main lipid classes. <i>Journal of Food Composition and Analysis</i> , 2017, 59, 88-94.	3.9	40
18	¹ H NMR-Based Metabolomics and Lipid Analyses Revealed the Effect of Dietary Replacement of Microbial Extracts or Mussel Meal with Fish Meal to Arctic Charr (<i>Salvelinus alpinus</i>). <i>Fishes</i> , 2019, 4, 46.	1.7	16

#	ARTICLE	IF	CITATIONS
20	FISH FATS. , 1984, , 53-82.		11