

CITATION REPORT

List of articles citing

Recommendations regarding quantitation in M-mode echocardiography: results of a survey of echocardiographic measurements

DOI: 10.1161/01.cir.58.6.1072
Circulation, 1978, 58, 1072-83.

Source: <https://exaly.com/paper-pdf/13702996/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2290	Ibuprofen in Infants Below 28 Gestational Weeks. 2005 , 84-91		
2289	Class, subclass, and allelic exclusion of membrane-bound Ig of human B lymphocytes. 1972 , 136, 409-14		88
2288	Ejection fraction derived by M-mode echocardiography: a table and comments. 1979 , 5, 295-99		9
2287	Left ventricular radius to wall thickness ratio. 1979 , 43, 1189-94		243
2286	Left ventricular mass and wall thickness in hypertension. Comparison of M mode and two dimensional echocardiography in two experimental models. 1979 , 44, 936-40		60
2285	Echocardiographic recognition of atrioventricular valve stenosis associated with endocardial cushion defect: pathologic and surgical correlates. 1979 , 44, 1326-31		10
2284	Measurement criteria for group echocardiographic studies. 1979 , 110, 504-14		53
2283	Cardiac and haemodynamic measurements in hypertensive pregnancy. 1980 , 59 Suppl 6, 357s-360s		9
2282	Echocardiographic evaluation of left ventricular function. 1980 , 64, 61-81		9
2281	Predictive value of the echocardiographic left atrial dimension in isolated ventricular septal defect. 1980 , 8, 347-51		3
2280	Reproducibility of echocardiography in chronic congestive heart failure. 1980 , 8, 479-82		26
2279	Haemodynamics of hypertension in pregnancy assessed by M-mode echocardiography. 1980 , 7, 463-8		17
2278	Preoperative M-mode echocardiography as a predictor of surgical results in chronic aortic insufficiency. 1980 , 79, 256-265		76
2277	Significance and reproducibility of exercise-related idiopathic ventricular arrhythmias. 1980 , 1, 183-93		2
2276	Echocardiographic determination of contraction and relaxation measurements of the left ventricular wall in normal subjects and patients with muscular dystrophy. <i>Circulation</i> , 1980 , 62, 1061-9	16.7	35
2275	Does Uremic Bone Disease Warrant Early Treatment With Calcitriol?. 1980 , 140, 1016		
2274	Cardiac function in primary hypothyroidism. 1980 , 134, 556-9		6

2273	Echocardiographic Practice in a Large Metropolitan Area. 1980 , 140, 923		0
2272	Echocardiographic measurement of right ventricular wall thickness in adults by anterior approach. 1980 , 44, 55-61		23
2271	Effect of atenolol on left ventricular function in hypertensive patients. <i>Circulation</i> , 1980 , 62, 1036-45	16.7	10
2270	Vasodilators in congestive heart failure. <i>Circulation</i> , 1980 , 62, 1143-4	16.7	
2269	Practice of Echocardiography. 1980 , 140, 1015		1
2268	Recommendations for standardization of measurements from M-mode echocardiograms. 1980 , 1, 375-8		64
2267	Echocardiographic observations regarding pericardial effusions associated with cardiac disease. 1980 , 78, 736-40		9
2266	Serial measurements of left ventricular dimensions by echocardiography. Assessment of week-to-week, inter- and intraobserver variability in normal subjects and patients with valvular heart disease. 1980 , 44, 284-9		48
2265	ASE recommendations. <i>Circulation</i> , 1980 , 62, 1142-3	16.7	12
2264	Serial M-mode echocardiography in severe chronic aortic regurgitation. <i>Circulation</i> , 1980 , 62, 1291-6	16.7	44
2263	Accuracy and reproducibility of new M-mode echocardiographic recommendations for measuring left ventricular dimensions. <i>Circulation</i> , 1980 , 61, 137-43	16.7	59
2262	Echocardiographic measurements in normal subjects from infancy to old age. <i>Circulation</i> , 1980 , 62, 1054-61	16.7	545
2261	Growth patterns of cardiac structures and changes in systolic time intervals in the newborn and infant. A longitudinal echocardiographic study. 1980 , 69, 239-47		16
2260	The M-mode echocardiogram in Fabry's disease. 1980 , 100, 807-12		44
2259	Asymmetric septal hypertrophy in conditions other than IHSS. 1980 , 100, 931-3		5
2258	The heart in chronic alcoholism: a noninvasive study. 1980 , 99, 9-16		91
2257	Apparent asymmetric septal hypertrophy due to angled interventricular septum. 1980 , 46, 386-92		69
2256	Sources of variability in echocardiographic measurements. 1980 , 45, 995-1004		61

2255	Aortic and left heart chamber size in atrial septal defect--I. 1980 , 45, 181-2	
2254	Echocardiographic characterization of the reversible cardiomyopathy of hypothyroidism. 1980 , 68, 675-82	62
2253	Reliability of echocardiographic and electrocardiographic parameters in assessing serial changes in left ventricular mass. 1981 , 70, 1042-50	45
2252	Effects of exercise training on left ventricular mass in patients with ischemic heart disease. 1981 , 101, 701-6	22
2251	Role of M mode echocardiography in congenital aortic stenosis. 1981 , 47, 1267-72	1
2250	Echocardiographic abnormalities in chronic alcoholics with and without overt congestive heart failure. 1981 , 47, 570-8	111
2249	Specificity and accuracy of echocardiographic and clinical criteria for diagnosis of patent ductus arteriosus in fluid-restricted infants. 1981 , 98, 298-305	40
2248	Noninvasive assessment of T-wave abnormalities on precordial electrocardiograms in middle-aged professional bicyclists. 1981 , 14, 357-64	12
2247	Significance of serial echocardiographic measurements. 1981 , 79, 1-3	12
2246	Noninvasive assessment of changes in left ventricular function induced by graded isometric exercise in healthy subjects. 1981 , 80, 51-5	21
2245	Reproducibility of echocardiography. A study evaluating the variability of serial echocardiographic measurements. 1981 , 79, 29-32	78
2244	Fetal echocardiography: present and future applications. 1981 , 9, 223-9	3
2243	Atrial fibrillation in congestive cardiomyopathy: echocardiographic and hemodynamic correlates. 1981 , 7, 387-95	8
2242	Echocardiographic changes of cardiac structures and LV function in newborns. A comparative study between normally delivered babies and babies born by caesarian section with regional anaesthesia. 1981 , 137, 295-302	1
2241	Prostacyclin effect on cardiovascular system in man evaluated by echocardiography. 1981 , 7, 501-10	2
2240	Echocardiographic features of patients with and without residual defects after Mustard's procedure for transposition of the great vessels. <i>Circulation</i> , 1981 , 64, 1032-41	16.7 5
2239	Hypertrophic cardiomyopathy with unusual locations of left ventricular hypertrophy undetectable by M-mode echocardiography. Identification by wide-angle two-dimensional echocardiography. <i>Circulation</i> , 1981 , 63, 409-18	16.7 77
2238	Surgical management of patent ductus arteriosus in newborn infants of low birthweights. A review of 33 cases. 1981 , 56, 436-9	3

2237	Cardiovascular status in asymptomatic alcoholics, with reference to the level of ethanol consumption. 1981 , 46, 545-51		46
2236	Cardiac involvement in adolescent hypertension. Echocardiographic determination of myocardial hypertrophy. 1981 , 3, 664-8		57
2235	Noninvasive evaluation of exercise training in college-age men. <i>Circulation</i> , 1981 , 64, 958-65	16.7	65
2234	Systolic anterior motion in the absence of asymmetric septal hypertrophy. A buckling phenomenon of the chordae tendineae. <i>Circulation</i> , 1981 , 63, 181-8	16.7	22
2233	Agreement in human interpretation of analog thallium myocardial perfusion images. <i>Circulation</i> , 1981 , 64, 601-9	16.7	77
2232	Echocardiographic dimensions and maximal oxygen uptake in oarsmen during training. 1981 , 46, 190-5		51
2231	Abnormal aortic valve echoes in mitral prolapse. Echocardiographic features of floppy aortic valve. 1982 , 47, 337-43		8
2230	Hypertrophic cardiomyopathy in infants: clinical features and natural history. <i>Circulation</i> , 1982 , 65, 7-17	16.7	163
2229	Cardiac dimensions and myocardial function of infants with congenital hypothyroidism. An echocardiographic study. 1982 , 47, 584-7		13
2228	Augmentation of cardiopulmonary baroreflex control of forearm vascular resistance in borderline hypertension. 1982 , 4, 39-46		102
2227	Familial hypertrophic cardiomyopathy: vectorcardiographic findings in echocardiographically unaffected relative. 1982 , 47, 588-95		5
2226	New aspects on training bradycardia. 1982 , 87, 1-10		3
2225	The relationship of left ventricular function and mass in arterial hypertension. An echo and apexcardiographic comparison with sportsmen and controls. 1982 , 3 Suppl A, 119-23		2
2224	Computer assisted M-mode echocardiogram analysis. 1982 , 3, 103-14		7
2223	Twenty-four hour continuous ECG recordings in long-distance runners. 1982 , 82, 19-24		124
2222	Echocardiographic estimation of left atrial size from the apical view. 1982 , 3, 159-63		5
2221	Echocardiographic estimation of hemodynamics in hypertensive pregnancy. 1982 , 144, 430-7		30
2220	Fetal echocardiography. 1982 , 144, 249-260		72

2219	Early detection of aortic dilatation in ankylosing spondylitis using echocardiography. 1982 , 12, 10-3	19
2218	Increased left ventricular mass in idiopathic mitral valve prolapse. 1982 , 82, 329-33	7
2217	Changes in ventricular septal thickness during diuretic therapy. 1982 , 32, 283-8	86
2216	The concept of three dimensional resolution in echocardiographic imaging. 1982 , 8, 237-47	10
2215	M-mode echocardiography in left bundle branch block: significance of frontal plane QRS axis. 1982 , 104, 775-9	11
2214	Long-term captopril therapy in congestive heart failure: serial hemodynamic and echocardiographic changes. 1982 , 104, 827-33	13
2213	Left ventricular systolic and diastolic function in hyperthyroidism. 1982 , 104, 1303-8	17
2212	Preclinical abnormal segmental cardiac manifestations of thalassemia major in children on transfusion-chelation therapy: echographic alterations of left ventricular posterior wall contraction and relaxation patterns. 1982 , 103, 505-11	39
2211	Sensitivity and specificity of M mode echocardiographic signs of mitral valve prolapse. 1982 , 50, 185-90	28
2210	Noninvasive in vivo and in vitro study of the St. Jude mitral valve prosthesis. Evaluation using two dimensional and M mode echocardiography, phonocardiography and cinefluoroscopy. 1982 , 49, 11101-9	24
2209	Mitral and aortic valve orifice area in normal subjects and in patients with congestive cardiomyopathy: determination by two dimensional echocardiography. 1982 , 49, 1191-6	19
2208	M mode echocardiographic assessment of left ventricular function. 1982 , 49, 1312-8	25
2207	Clinical assessment and follow-up of functional capacity in patients with chronic congestive cardiomyopathy. 1982 , 49, 1832-7	78
2206	Echocardiographic evidence for early left ventricular hypertrophy in dogs with renal hypertension. 1982 , 49, 1890-5	17
2205	Effect of ventricular hypertrophy on conduction velocity of activation front in the ventricular myocardium. 1982 , 49, 1938-45	53
2204	False diagnosis of subpulmonary obstruction by echocardiography in d-transposition of the great arteries. 1982 , 49, 1984-9	5
2203	Large V waves in the pulmonary wedge pressure tracing in the absence of mitral regurgitation. 1982 , 50, 1044-50	58
2202	Effect of beam directional alterations on left ventricular shortening fraction. 1982 , 50, 1120-3	8

2201	Left ventricular end-systolic stress-shortening and stress-length relations in human. Normal values and sensitivity to inotropic state. 1982 , 50, 1301-8		246
2200	Aortitis in ankylosing spondylitis: early detection of aortic root abnormalities with two dimensional echocardiography. 1982 , 49, 680-6		54
2199	Accuracy of M mode echocardiographic measurements of the left ventricle. 1982 , 49, 716-23		26
2198	Reversal of left ventricular hypertrophy in hypertensive patients treated with methyldopa. Lack of association with blood pressure control. 1982 , 49, 795-801		214
2197	Cardiac function in Duchenne's muscular dystrophy. Results of 10-year follow-up study and noninvasive tests. 1982 , 73, 235-8		62
2196	Is digoxin really important in treatment of compensated heart failure? A placebo-controlled crossover study in patients with sinus rhythm. 1982 , 73, 244-50		195
2195	The evaluation of left and right ventricular hypertrophy in combined ventricular overload by electrocardiography: relationship with the echocardiographic data. 1982 , 15, 327-34		7
2194	Diagnosis of ischemic right ventricular dysfunction by M-mode echocardiography. 1982 , 3, 230-7		15
2193	Acute effects of alcohol in patients with congestive heart failure. 1982 , 97, 171-5		32
2192	The influence of heart rate on echocardiographic assessment of aerobic training. 1982 , 5, 483-8		3
2191	How accurate is the ultrasonic estimation of ventricular septal defect size?. <i>Pediatric Cardiology</i> , 1982 , 3, 189-95	2.1	6
2190	ECHOCARDIOGRAPHIC INDICES IN THE NORMAL DOG. 1983 , 24, 214-221		104
2189	Effects of acetate and bicarbonate hemodialysis on cardiac function in chronic dialysis patients. 1983 , 24, 782-7		37
2188	Cardiac function in adolescents and young adults with anorexia nervosa. 1983 , 4, 9-14		27
2187	Vegetative bacterial endocarditis in dogs; echocardiography diagnosis and clinical signs. 1983 , 24, 325-339		32
2186	Stroke volume measured by pulsed ultrasound Doppler and M-mode echocardiography. 1983 , 27, 454-7		9
2185	Suppression of ventricular arrhythmia by acebutolol. 1983 , 6, 58-63		4
2184	Left ventricular dysfunction in Rocky Mountain spotted fever. 1983 , 6, 501-6		4

2183	Cardiac dimensions in athletes in relation to variations in their training program. 1983 , 52, 20-8	14
2182	Echocardiographic evaluation of patients with rheumatoid arthritis. 1983 , 2, 381-5	5
2181	Haemodynamic effects of a new vasodilator drug, felodipine, in healthy subjects. 1983 , 24, 49-53	53
2180	Early diastolic motion of the posterior aortic root as an index of left ventricular filling. 1983 , 11, 357-64	5
2179	Nonvolumetric assessment of ventricular function by two-dimensional echocardiography in patients with coronary artery disease. 1983 , 11, 415-20	5
2178	The relation of age to the thickness of the interventricular septum, the posterior left ventricular wall and their ratio. 1983 , 4, 405-19	22
2177	Differentiating characteristics of myocardial nuclei in cardiomyopathy. 1983 , 14, 974-83	18
2176	Use of computer analysis of echocardiograms for assessment of left ventricular function. 1983 , 4, 381-94	1
2175	Clinical hemodynamic profile of trimazosin in hypertension. 1983 , 106, 1237-42	7
2174	Blood pressure related echocardiographic changes in adolescents and young adults. 1983 , 105, 113-8	33
2173	Echocardiographic detection of right ventricular hypertrophy. 1983 , 105, 611-4	35
2172	Myocardial mechanics of athletic hearts in comparison with diseased hearts. 1983 , 105, 273-80	59
2171	Rapid, semiautomated technique for estimating left ventricular volume. 1983 , 106, 521-7	13
2170	Clinical data versus noninvasive testing as an estimate of coronary status. 1983 , 52, 470-6	
2169	The Marfan syndrome in early childhood: analysis of 15 patients diagnosed at less than 4 years of age. 1983 , 52, 353-8	111
2168	Prevalence and significance of an abnormal S-T segment response to exercise in a young athletic population. 1983 , 51, 1663-6	35
2167	Regression of myocardial cellular hypertrophy with vasodilator therapy in chronic congestive heart failure associated with idiopathic dilated cardiomyopathy. 1983 , 51, 1392-8	35
2166	Prognostic value of left ventricular size measured by echocardiography in infants with total anomalous pulmonary venous drainage. 1983 , 51, 1155-9	18

2165	Cardiac hemochromatosis: beneficial effects of iron removal therapy. An echocardiographic study. 1983 , 52, 824-9	52
2164	Left ventricular function at high altitude examined by systolic time intervals and M-mode echocardiography. 1983 , 52, 862-6	31
2163	Long-term echocardiographic assessment of dilated cardiomyopathy in children. 1983 , 52, 1066-71	15
2162	Mitral valve E point to ventricular septal separation in infants and children. 1983 , 52, 1084-7	14
2161	Early detection of left ventricular dysfunction in chronic aortic regurgitation as assessed by contrast angiography, echocardiography, and rest and exercise scintigraphy. 1983 , 51, 1542-50	35
2160	Function of the hypertrophied left ventricle at rest and during exercise. Hypertension and aortic stenosis. 1983 , 75, 34-9	47
2159	Cardiac anatomy and function in juvenile hypertension. Current understanding and future concerns. 1983 , 75, 57-61	20
2158	Congestive heart failure: echocardiographic insights. 1983 , 75, 750-5	152
2157	Echocardiographic assessment of cardiovascular abnormalities in the Marfan syndrome. Comparison with clinical findings and with roentgenographic estimation of aortic root size. 1983 , 74, 465-74	47
2156	Update on echocardiography. 1983 , 29, 1-53	
2155	Relation of hemodynamic load to left ventricular hypertrophy and performance in hypertension. 1983 , 51, 171-6	236
2154	Myocardial function in Rocky Mountain spotted fever: echocardiographic assessment. 1983 , 51, 341-3	14
2153	Cardiovascular effects of a newly synthesized cardiotonic agent (TA-064) on normal and diseased hearts. 1983 , 51, 802-10	38
2152	Sensitivity of technetium-99m-pyrophosphate scintigraphy in diagnosing cardiac amyloidosis. 1983 , 51, 826-30	106
2151	Significance of high voltage QRS anterior forces in young asymptomatic adults. Evaluation by wide-angle two-dimensional echocardiography. 1983 , 16, 287-95	6
2150	The effect of left atrial histology and dimension on P wave morphology. 1983 , 16, 363-6	24
2149	Left ventricular function in chronic aortic regurgitation. 1983 , 1, 1374-80	31
2148	Echocardiographic findings in 25 patients with left atrial myxoma. 1983 , 1, 1162-6	46

2147	Myocardial oxygen supply/demand ratio in aortic stenosis: hemodynamic and echocardiographic evaluation of patients with and without angina pectoris. 1983 , 2, 258-62		10
2146	Angled interventricular septum on echocardiography: anatomic anomaly or technical artifact?. 1983 , 2, 297-304		17
2145	Serial left ventricular wall measurements in Duchenne's muscular dystrophy. 1983 , 2, 136-42		12
2144	The heart in Friedreich's ataxia. 1983 , 46, 1138-42		27
2143	Assessment of left atrial dimensions by cross sectional echocardiography in patients with mitral valve disease. 1983 , 50, 570-8		38
2142	Determinants of recurrent atrial flutter after cardioversion. 1983 , 50, 92-6		7
2141	Influence of age on wall thickness, cavity dimensions and myocardial contractility of the left ventricle in simple transposition of the great arteries. <i>Circulation</i> , 1983 , 67, 1311-7	16.7	19
2140	M-mode echocardiography. Basic principles. 1983 , 13, 299-319		59
2139	BP as a Determinant of Cardiac Left Ventricular Muscle Mass. 1983 , 143, 90		151
2138	Hyperthyroidism and Familial Hypertrophic Cardiomyopathy. 1983 , 143, 378		2
2137	Subcostal M-mode computerised echocardiography. An alternative or complementary approach to parasternal echocardiography?. 1983 , 50, 21-6		2
2136	Effect of intravenous aminophylline on plasma levels of catecholamines and related cardiovascular and metabolic responses in man. <i>Circulation</i> , 1983 , 67, 162-71	16.7	156
2135	Cross sectional echocardiographic assessment of the aortic root and coronary ostial stenosis in familial hypercholesterolaemia. 1983 , 50, 432-7		22
2134	Automatic real-time endocardial edge detection in two-dimensional echocardiography. 1983 , 5, 300-7		15
2133	Echocardiographic changes after successful renal transplantation in young nondiabetic patients. 1983 , 83, 56-62		19
2132	Left Ventricular Performance in the Hypertensive Patient. 1983 , 83, 314-316		14
2131	M-mode echocardiography: reproducibility of serial left ventricular measurements in subjects with normal ventricles and patients with congestive cardiomyopathy. 1983 , 13, 457-62		13
2130	Left Ventricular Performance in the Hypertensive Patient. 1983 , 83, 314-316		13

2129	Left ventricular function in preeclamptic patients: an echocardiographic study. 1983 , 146, 400-5	25
2128	Interpretative reproducibility of two-dimensional echocardiographic images. Analysis of intraobserver, interobserver and beat to beat reproducibility of the mitral valve orifice. 1983 , 4, 733-7	6
2127	Usefulness of quantitative echocardiography in congestive heart failure. 1983 , 4 Suppl A, 95-9	1
2126	Contrast echocardiographic shunts may persist after atrial septal defect repair. 1983 , 4, 129-36	13
2125	The influence of pulmonary insufficiency on ventricular function following repair of tetralogy of Fallot. 1983 , 85, 691-696	138
2124	Cardiac status in juvenile borderline hypertension. 1983 , 98, 1-7	94
2123	Echocardiographic effects of high and low volumes of maintenance fluid administration in low-birth-weight infants. 1983 , 6, 45-54	1
2122	Changes in Left Ventricular Anatomy and Function on CAPD. 1983 , 3, 26-28	9
2121	Dimorphic cardiac adaptation to obesity and arterial hypertension. 1983 , 99, 757-61	259
2120	Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents.. 1984 , 6, 145-151	22
2119	Effect of central hypervolemia on cardiac performance during exercise. 1984 , 57, 1662-7	55
2118	Delayed recovery of left ventricular function after antithyroid treatment. Further evidence for reversible abnormalities of contractility in hyperthyroidism. 1984 , 52, 215-22	11
2117	Clinical and Hemodynamic Determinants of Left Ventricular Dimensions. 1984 , 144, 477	56
2116	Effects of spontaneous respiration on left ventricular function assessed by echocardiography. <i>Circulation</i> , 1984 , 69, 874-9	16.7 48
2115	Sustained improvement of cardiac function in patients with congestive heart failure after short-term infusion of dobutamine. <i>Circulation</i> , 1984 , 69, 113-9	16.7 157
2114	Non-invasive assessment of the presence and severity of cardiac amyloidosis. A study in familial amyloidosis with polyneuropathy by cross sectional echocardiography and technetium-99m pyrophosphate scintigraphy. 1984 , 52, 321-6	47
2113	Captopril in heart failure. A double blind controlled trial. 1984 , 52, 530-5	308
2112	Clinical and echocardiographic features of isolated severe pure mitral regurgitation. 1984 , 7, 565-71	3

2111	Hemodynamic effects of an inhaled beta-2 agonist. 1984 , 35, 762-7		35
2110	RIGHT HEART ENLARGEMENT IN HEARTWORM-INFECTED DOGS. 1984 , 25, 210-217		11
2109	Echocardiographic and clinical signs of canine dilated cardiomyopathy. 1984 , 25, 59-70		12
2108	Multiple aortic root echoes: clinical, radiographic, and angiographic correlations. 1984 , 12, 187-94		
2107	Left atrial size, pressure, and V wave height in patients with isolated, severe, pure mitral regurgitation. 1984 , 10, 445-54		23
2106	Myocardial disease in Rocky Mountain spotted fever: clinical, functional, and pathologic findings. <i>Pediatric Cardiology</i> , 1984 , 5, 149-54	2.1	13
2105	M-mode echocardiographic findings in children with idiopathic restrictive cardiomyopathy. <i>Pediatric Cardiology</i> , 1984 , 5, 273-9	2.1	11
2104	Two-dimensional echocardiographic evaluation of the size, function and shape of the left ventricle in chronic aortic regurgitation: comparison with radionuclide angiography. 1984 , 4, 1195-206		26
2103	Standardization of M-mode echocardiographic left ventricular anatomic measurements. 1984 , 4, 1222-30		664
2102	Correlation among right ventricular preload, afterload and ejection fraction in mitral valve disease: radionuclide, echocardiographic and hemodynamic evaluation. 1984 , 3, 1403-11		38
2101	Ventricular arrhythmias and biventricular dysfunction after repair of tetralogy of Fallot. 1984 , 4, 126-31		58
2100	Cardiac arrhythmias in systemic amyloidosis: correlation with echocardiographic abnormalities. 1984 , 3, 107-13		120
2099	Effects of labetalol on left ventricular mass and function in hypertension--an assessment by serial echocardiography. 1984 , 5, 461-73		31
2098	Serial echocardiographic observations in patients with primary systemic amyloidosis: an introduction to the concept of early (asymptomatic) amyloid infiltration of the heart. 1984 , 59, 589-97		76
2097	Atrial fibrillation in mitral stenosis: histologic, hemodynamic and metabolic factors. 1984 , 5, 143-54		37
2096	Cardiac size and function in pregnancy-induced hypertension. 1984 , 150, 443-9		27
2095	Congestive heart failure with normal systolic function. 1984 , 54, 778-82		521
2094	Comparison of M-mode echocardiographic measurement of right ventricular wall thickness obtained by the subcostal and parasternal approach in children. 1984 , 54, 835-8		5

2093	Cardiac performance in patients with asymptomatic alcoholic cirrhosis of the liver. 1984 , 54, 852-5	91
2092	Hemodynamic changes during acetate and bicarbonate hemodialysis. 1984 , 8, 411-7	16
2091	Myocardial perfusion abnormalities in asymptomatic patients with systemic lupus erythematosus. 1984 , 77, 286-92	86
2090	Improvement in depressed cardiac function in hypertensive patients during pindolol treatment. 1984 , 76, 25-30	36
2089	Predicting success of intensive dialysis in the treatment of uremic pericarditis. 1984 , 76, 38-46	32
2088	Echographic early systolic partial closure (notching) of the aortic valve in congestive cardiomyopathy. 1984 , 107, 135-42	3
2087	Effects of verapamil in patients with acute myocardial infarction: hemodynamics and function of normal and ischemic left ventricular myocardium. 1984 , 107, 241-7	14
2086	Rest and exercise hemodynamic effects of sequential alpha-1-adrenoceptor (trimazosin) and beta-adrenoceptor (propranolol) antagonism in essential hypertension. 1984 , 108, 124-31	6
2085	Left ventricular function at rest and during Raynaud's phenomenon in patients with scleroderma. 1984 , 108, 1469-76	25
2084	Relationship between auscultatory events and structural abnormalities in mitral valve prolapse: a two-dimensional echocardiographic evaluation. 1984 , 108, 1298-306	3
2083	Plasma norepinephrine and left ventricular hypertrophy in systemic hypertension. 1984 , 53, 1299-303	41
2082	Computer-assisted edge detection in two-dimensional echocardiography: comparison with anatomic data. 1984 , 53, 1380-7	63
2081	Left ventricular function in chronic anemia: evidence of noncatecholamine positive inotropic factor in the serum. 1984 , 54, 638-45	23
2080	Comparison of independent and derived M-mode echocardiographic measurements. 1984 , 54, 694-6	8
2079	Factors influencing the one-year mortality of dilated cardiomyopathy. 1984 , 54, 147-52	488
2078	Anuloaortic ectasia: a clinical and echocardiographic study. 1984 , 54, 177-81	17
2077	Effect of acebutolol on left ventricular hemodynamics and anatomy in systemic hypertension. 1984 , 53, 791-6	41
2076	Sensitivity and specificity of commonly used electrocardiographic criteria for left atrial enlargement determined by M-mode echocardiography. 1984 , 53, 829-32	71

2075	Regression of left ventricular hypertrophy from systemic hypertension by enalapril. 1984 , 53, 1044-9	200
2074	Patterns of inheritance in hypertrophic cardiomyopathy: assessment by M-mode and two-dimensional echocardiography. 1984 , 53, 1087-94	197
2073	Relation between marked changes in left ventricular outflow tract gradient and disease progression in hypertrophic cardiomyopathy. 1984 , 53, 1103-9	39
2072	Abnormal left ventricular filling: an early finding in mild to moderate systemic hypertension. 1984 , 53, 120-6	483
2071	QT interval prolongation associated with anthracycline cardiotoxicity. 1984 , 105, 442-4	34
2070	Relation between myocardial contractility, hypertrophy and pump performance in patients with chronic aortic regurgitation: an echocardiographic study. 1984 , 6, 473-88	11
2069	Assessment of right heart hemodynamics by contrast echocardiography. 1984 , 6, 307-17	
2068	Cardiac size and function in Paget's disease of bone. 1984 , 5, 491-505	24
2067	Role of cardiac factors in the initial hypotensive action by beta-adrenoreceptor blocking agents.. 1984 , 6, 145-151	19
2066	Non-invasive predictors of short and long-term survival in dilated cardiomyopathy. 1984 , 35, 494-9	5
2065	The contribution of echocardiography to the community practice of cardiology. A prospective study. 1984 , 85, 244-7	5
2064	Cardiopulmonary function following post-cardiac surgical mediastinitis. 1984 , 85, 729-32	4
2063	Hemodynamic Effects of Halothane in the Newborn Piglet. 1984 , 63, 731-737	28
2062	Reproducibility of M-mode echocardiographic assessment of left ventricular function. Significance of the temporal range of measurements. 1984 , 5, 412-8	36
2061	Precision of digitized M-mode echocardiograms for clinical practice. 1984 , 5, 941-7	6
2060	Correlation between calcific aortic stenosis diagnosed by two-dimensional echocardiography and cardiac catheterization. 1984 , 7, 280-2	6
2059	A simplified QRS scoring system for the estimation of the severity of acute inferior wall myocardial infarction. 1985 , 87, 778-84	7
2058	Echocardiography. 1985 , 1, 311-33	31

2057	Morphological findings in apparently idiopathic ventricular tachycardia. An echocardiographic haemodynamic and histologic study. 1985 , 6, 323-34			76
2056	Non-invasive assessment of aortic and mitral regurgitation. 1985 , 6, 851-7			4
2055	Systolic fluttering of the noncoronary cusp of the aortic valve and the posterior wall of the aortic root--a sign of mitral regurgitation due to dysfunction of the posterior leaflet of the mitral valve. 1985 , 29, 226-31			1
2054	Intravenous insulin has no effect on myocardial contractility or heart rate in healthy subjects. 1985 , 28, 649-52			33
2053	Comparative effects of acetate and bicarbonate hemodialysis on left ventricular function. 1985 , 27, 768-73			32
2052	Early detection of diastolic impairment in long-standing hypertension by a noninvasive volume challenge method. 1985 , 8, 154-60			3
2051	Cardiac amyloidosis: combined use of two-dimensional echocardiography and electrocardiography in noninvasive screening before biopsy. 1985 , 8, 511-8			18
2050	Normal values of aortic root measurements in neonates. <i>Pediatric Cardiology</i> , 1985 , 6, 61-3	2.1		14
2049	Mechanisms of altered myocardial contractility during hemodialysis: importance of changes in the ionized calcium to plasma potassium ratio. 1985 , 63, 272-8			20
2048	Noninvasive evaluation of cardiac dysrhythmias, and their relationship with multisystemic symptoms, in progressive systemic sclerosis patients. 1985 , 28, 1259-66			63
2047	Left ventricular wall stress and thickness in complete transposition of the great arteries. 1985 , 89, 610-615			18
2046	Noninvasive Clinical Investigation of the Cardiovascular System in the Criticafilly Ill. 1985 , 1, 507-532			1
2045	Enlargement of the right heart in the endurance athlete: a two-dimensional echocardiographic study. 1985 , 6, 271-5			11
2044	Detection of hypertensive left ventricular hypertrophy. 1985 , 7, 948-54			41
2043	Effects of enalapril in heart failure: a double blind study of effects on exercise performance, renal function, hormones, and metabolic state. 1985 , 54, 305-12			230
2042	Heritability of cardiac size: an echocardiographic and electrocardiographic study of monozygotic and dizygotic twins. <i>Circulation</i> , 1985 , 71, 39-44	16.7		91
2041	Non-invasive assessment of early cardiac involvement in systemic sclerosis. 1985 , 61, 679-84			18
2040	Participation of endogenous catecholamines in the regulation of left ventricular mass in progeny of hypertensive parents. <i>Circulation</i> , 1985 , 72, 38-46	16.7		53

2039	Clinical Effects and Side Effects of Amrinone. 1985 , 145, 825	5
2038	M-Mode and Two-dimensional Echocardiographic Abnormalities in Systemic Lupus Erythematosus. 1985 , 253, 327-3	46
2037	Transient enhancement of sympathetic nervous system activity by long-term restriction of sodium intake. <i>Circulation</i> , 1985 , 72, 47-52	16.7 33
2036	Blood pressure responses to dietary sodium manipulation during normotensive human pregnancy. 1985 , 12, 325-30	5
2035	The effect of subcutaneous deferoxamine on the cardiac profile of thalassemia major: a five-year study. 1985 , 445, 282-92	16
2034	Increased right ventricular wall thickness in left ventricular pressure overload: echocardiographic determination of hypertrophic response of the "nonstressed" ventricle. 1985 , 6, 550-5	54
2033	Echocardiographic study of cardiac abnormalities in families of patients with Marfan's syndrome. 1985 , 6, 1016-20	25
2032	Echocardiographic findings in systemic amyloidosis: spectrum of cardiac involvement and relation to survival. 1985 , 6, 737-43	231
2031	Preclinical left ventricular abnormalities in alcoholics are independent of nutritional status, cirrhosis, and cigarette smoking. 1985 , 1, 1122-5	53
2030	Hypokalaemia induced by inhalation of fenoterol. 1985 , 1, 1125-7	79
2029	The influence of transducer position on the M-mode echocardiographic measurement of the left atrial dimension. 1985 , 5, 393-9	1
2028	Long-term sequelae in children surviving adult respiratory distress syndrome. 1985 , 106, 218-22	53
2027	Echocardiographically documented mitral-valve prolapse. Long-term follow-up of 237 patients. 1985 , 313, 1305-9	443
2026	Clinical evaluation of left ventricular function using the cardiac helical fiber model: an echocardiographic study. 1985 , 110, 1226-33	2
2025	Effect of acute standing and prolonged upright activity on left ventricular hemodynamics, systolic and diastolic intervals, and QT-QS2 relationship. 1985 , 110, 623-30	7
2024	Relative wall thickness analysis by two-dimensional echocardiography. 1985 , 110, 1012-9	1
2023	Symmetric cardiac enlargement in highly trained endurance athletes: a two-dimensional echocardiographic study. 1985 , 109, 1038-44	81
2022	Cardiac hypertrophy and arterial distensibility in essential hypertension. 1985 , 109, 1345-52	177

2021	Changes in left ventricular hypertrophy and function in hypertensive patients started on continuous ambulatory peritoneal dialysis. 1985 , 110, 102-6	46
2020	Asymmetric septal hypertrophy and sympathetic overactivity in normotensive hemodialyzed patients. 1985 , 109, 539-45	53
2019	The value of echocardiographic regional wall motion abnormalities in detecting coronary artery disease in patients with or without a dilated left ventricle. 1985 , 109, 799-803	49
2018	Effect of weight loss on cardiac chamber size, wall thickness and left ventricular function in morbid obesity. 1985 , 55, 783-6	173
2017	Arrhythmias induced during termination of supraventricular tachycardia. 1985 , 55, 412-7	12
2016	Doppler evaluation of left ventricular diastolic filling in children with systemic hypertension. 1985 , 56, 921-6	233
2015	Early cardiac changes related to radiation therapy. 1985 , 56, 943-6	30
2014	Echocardiographic findings before and after liver transplantation. 1985 , 55, 1373-8	39
2013	Echocardiographic incidence of cardiac rhabdomyoma in tuberous sclerosis. 1985 , 55, 1379-82	79
2012	Relation between the transmural extent of acute myocardial infarction and associated myocardial contractility two weeks after infarction. 1985 , 55, 1412-6	14
2011	Usefulness of echocardiographic assessment of right ventricular and pulmonary trunk size for estimating magnitude of left-to-right shunt in children with atrial septal defect. 1985 , 55, 1571-5	13
2010	Echocardiographic and Doppler flow observations in obstructed and nonobstructed hypertrophic cardiomyopathy. 1985 , 56, 614-21	48
2009	Relation of hemoglobin A1 and blood glucose to cardiac function in diabetes mellitus. 1985 , 56, 642-6	30
2008	Two-dimensional echocardiographic detection of preclinical aortic root abnormalities in rheumatoid variant diseases. 1985 , 78, 908-12	40
2007	Echocardiographic assessment of left ventricular performance before and after marathon running. 1986 , 112, 1026-31	38
2006	Relative tachycardia in ambulant children with borderline hypertension. 1986 , 112, 1257-63	4
2005	Exercise in children before and after coarctectomy: hemodynamic, echocardiographic, and biochemical assessment. 1986 , 112, 1263-70	51
2004	Echocardiographic findings in patients with proved pulmonary embolism. 1986 , 112, 1284-90	175

2003	Value of respiratory variations of right ventricular dimension in the identification of small atrial septal defects (secundum type) not requiring surgery: an echocardiographic study. 1986 , 112, 548-53	5
2002	Effects of aerobic training on exercise tolerance and echocardiographic dimensions in untrained postmenopausal women. 1986 , 112, 561-7	13
2001	Left ventricular structure and function in normotensive adolescents with a genetic predisposition to hypertension. 1986 , 111, 115-20	80
2000	Relation between the presence of echocardiographic vegetations and the complication rate in infective endocarditis. 1986 , 112, 107-13	108
1999	Spectrum of cardiac involvement in Friedreich's ataxia: clinical, electrocardiographic and echocardiographic observations. 1986 , 58, 518-24	69
1998	Changes in ventricular septal thickness in systemic hypertension during treatment with methyldopa and prazosin. 1986 , 58, 565-6	7
1997	Death due to transprosthetic catheterization of a Björk-Shiley prosthesis in the aortic position. 1986 , 58, 566-7	28
1996	Noninvasive evaluation of systolic and diastolic function in severe congestive heart failure secondary to coronary artery disease or idiopathic dilated cardiomyopathy. 1986 , 57, 1315-22	12
1995	Left ventricular diastolic filling in valvular aortic stenosis. 1986 , 57, 1349-55	44
1994	Performance of primary and derived M-mode echocardiographic measurements for detection of left ventricular hypertrophy in necropsied subjects and in patients with systemic hypertension, mitral regurgitation and dilated cardiomyopathy. 1986 , 57, 1388-93	170
1993	Myocardial and skeletal muscle function in habitual alcoholics and its relation to serum myoglobin. 1986 , 58, 795-9	5
1992	Left ventricular structure and function by echocardiography in ultraendurance athletes. 1986 , 58, 805-9	125
1991	Echocardiographic left ventricular mass and physical activity: quantification of the relation in spinal cord injured and apparently healthy active men. 1986 , 58, 1248-53	39
1990	Left ventricular diastolic function in weight lifters. 1986 , 58, 1254-9	115
1989	Usefulness of noninvasive studies for diagnosis of right ventricular dysplasia. 1986 , 57, 1147-53	68
1988	Echocardiographic findings in pheochromocytoma. 1986 , 57, 971-5	53
1987	Aortic valve stenosis: comparison of patients with to those without chronic congestive heart failure. 1986 , 57, 419-22	39
1986	Echocardiographic assessment of left ventricular hypertrophy: comparison to necropsy findings. 1986 , 57, 450-8	5089

1985	Cardiac function in alcohol-associated systemic hypertension. 1986 , 57, 227-31	22
1984	Left ventricular mass and systolic performance in chronic systemic hypertension. 1986 , 57, 232-7	36
1983	Comparison of supine and left lateral decubitus positions on M-mode echocardiographic findings in mitral valve prolapse by auscultation. 1986 , 57, 350-2	2
1982	Echocardiographic evaluation of left ventricular function during coronary artery angioplasty. 1986 , 57, 20-5	83
1981	Echo-phonocardiographic evaluation of the Björk-Shiley mitral prosthesis. 1986 , 57, 165-70	7
1980	Accuracy of computerized electrocardiographic identification of left ventricular hypertrophy as determined by echocardiographic measurements of left ventricular mass: evaluation of a widely used computer program. 1986 , 8, 301-9	7
1979	Left ventricular diastolic filling in children with hypertrophic cardiomyopathy: assessment with pulsed Doppler echocardiography. 1986 , 8, 310-6	73
1978	Hypertrophic cardiomyopathy with extreme increase in left ventricular wall thickness: functional and morphologic features and clinical significance. 1986 , 8, 57-65	76
1977	Persistent ventricular adaptations in postoperative coarctation of the aorta. 1986 , 8, 172-8	32
1976	Intertest variability of echocardiographic and chest X-ray measurements: implications for decision making in patients with aortic regurgitation. 1986 , 7, 1310-7	20
1975	Cardiac involvement in Friedreich's ataxia: a clinical study of 75 patients. 1986 , 7, 1370-8	114
1974	Severe functional limitation in patients with hypertrophic cardiomyopathy and only mild localized left ventricular hypertrophy. 1986 , 8, 537-44	79
1973	Echocardiographic abnormalities and disease severity in Fabry's disease. 1986 , 7, 1157-61	89
1972	Pulsed Doppler echocardiographic evaluation of valvular regurgitation in patients with mitral valve prolapse: comparison with normal subjects. 1986 , 8, 1355-64	28
1971	Similarities and differences in the antihypertensive effect of two calcium antagonist drugs, verapamil and nifedipine. 1986 , 7, 916-24	32
1970	The prevalence and correlates of echocardiographic left ventricular hypertrophy among employed patients with uncomplicated hypertension. 1986 , 7, 639-50	390
1969	Aortic function during normal human pregnancy. 1986 , 154, 887-91	77
1968	Echocardiographic left ventricular mass to differentiate chronic hypertension from preeclampsia during pregnancy. 1986 , 155, 994-9	20

1967	Two-dimensional and M-mode echocardiographic findings in hypertensive pregnant women. 1986 , 154, 910-3		16
1966	Squamous and trophoblastic cells in the maternal pulmonary circulation identified by invasive hemodynamic monitoring during the peripartum period. 1986 , 155, 999-1001		95
1965	Evaluation échographique des effets cardiaques de la course à pied chez le marathonien et le sédentaire avant et après entraînement. 1986 , 1, 245-254		
1964	Estimation of stroke volume using Doppler echocardiography and left ventricular echocardiographic dimensions in infants and children. 1986 , 329, 114-9		2
1963	Effect of intralipid on the neonatal pulmonary bed: an echographic study. 1986 , 108, 130-3		37
1962	Hemodynamic effects of acute administration of slow-release nifedipine in elderly patients with systolic hypertension. 1986 , 6 Suppl 1, 91-4		2
1961	Usefulness of pre-discharge echocardiographic criteria in predicting complications following acute myocardial infarction. 1986 , 73, 139-46		2
1960	Value of echocardiographic measurement of left ventricular mass in predicting cardiovascular morbid events in hypertensive men. 1986 , 105, 173-8		805
1959	Left ventricular function following withdrawal of chronic metoprolol treatment in patients with ischaemic heart disease. A double blind study. 1986 , 7, 1045-52		5
1958	Cardiac Dimensions in Elite Young Track Athletes. 1986 , 57, 139-143		1
1957	Clinical significance of supraventricular tachyarrhythmias after acute myocardial infarction. 1986 , 7, 743-8		13
1956	Reproducibility of Quantitative Echocardiography: Factors Affecting Variability of Imaging and Doppler Measurements. <i>Echocardiography</i> , 1986 , 3, 219-235	1.5	33
1955	Hemodynamics of Gestational Hypertension: Pathophysiological and Clinical Considerations. 1986 , 5, 79-95		1
1954	Echocardiography in Hypertension: A Review I. Left Ventricular Wall Mass, Standardization, and Ventricular Function. <i>Echocardiography</i> , 1986 , 3, 181-218	1.5	30
1953	Atrial size, atrial fibrillation, and stroke. 1986 , 19, 158-61		120
1952	Echocardiographic measurement of left ventricular stroke volume in newborn infants: a correlative study with pulsed Doppler and M-mode echocardiography. 1986 , 14, 37-41		11
1951	Effect of the calcium channel blocker nitrendipine on left ventricular mass in patients with hypertension. 1986 , 40, 679-85		29
1950	Echocardiographic measurement of left ventricular hypertrophy in untreated essential hypertension. 1986 , 13, 295-9		3

1949	QUANTITATIVE CROSS-SECTIONAL ECHOCARDIOGRAPHY IN THE NORMAL DOG. 1986 , 27, 34-49	98
1948	Blood flow in the ascending and descending aorta in term newborn infants. 1986 , 13, 21-5	8
1947	Cardiac structure and function in renovascular hypertension produced by unilateral and bilateral renal artery stenosis. 1986 , 58, 575-82	64
1946	Postprandial alterations in hemodynamics and blood pressure in normal subjects. 1986 , 58, 636-41	101
1945	Comparative cardiac effects of hemodialysis and continuous ambulatory peritoneal dialysis. 1986 , 9, 52-60	34
1944	Progression of myocardial dysfunction in asymptomatic patients with severe aortic insufficiency. 1986 , 9, 151-6	45
1943	Evidence of no interobserver variability in M-mode echocardiography. 1986 , 9, 324-6	12
1942	Assessment of myocardial perfusion during cold stress using thallium-201 scintigraphy in diabetic patients with abnormal changes in left ventricular function during cold stress. 1986 , 23, 185-91	
1941	Sequential echocardiographic study prior and during antihypertensive therapy in children with severe hypertension. 1986 , 8, 805-10	5
1940	Cardiovascular involvement in osteogenesis imperfecta. <i>Circulation</i> , 1986 , 73, 54-61	16.7 85
1939	Cardiovascular effects of polycyclic antidepressants. 1986 , 37, 709-17	3
1938	Cardiac abnormalities in familial palmoplantar keratosis. 1986 , 56, 321-6	199
1937	Enlarged left atrial dimension in former endurance athletes: an echocardiographic study. 1986 , 7, 133-6	14
1936	Echocardiographic findings in children participating in swimming training. 1986 , 7, 94-9	20
1935	Development and progression of left ventricular hypertrophy in children with hypertrophic cardiomyopathy. 1986 , 315, 610-4	264
1934	Mitral Valve Prolapse in Patients With Anorexia Nervosa and Bulimia. 1986 , 146, 1525	25
1933	Comparability of M mode echocardiographic long axis and short axis left ventricular function derivatives. 1986 , 56, 445-9	2
1932	Computer assisted echocardiographic assessment of left ventricular function before and after anatomical correction of transposition of the great arteries. 1986 , 55, 162-7	5

1931	Comparison of electrocardiographic and echocardiographic measures of left ventricular hypertrophy in the assessment of aortic stenosis. 1986 , 55, 155-61		4
1930	Impaired cardiac adjustment to pregnancy in type I diabetes. 1986 , 9, 376-83		29
1929	Hypertrophic cardiomyopathy in three generations of a large Norwegian family. A clinical, echocardiographic, and genetic study. 1986 , 55, 168-75		8
1928	Severe aortic stenosis in elderly patients. 1986 , 55, 480-7		22
1927	Assessment of left ventricular and aortic valve function after aortic balloon valvuloplasty in adult patients with critical aortic stenosis. <i>Circulation</i> , 1987 , 75, 192-203	16.7	130
1926	Considerations in the use of echocardiography in epidemiology. The Framingham Study. 1987 , 9, 1140-4		45
1925	Measurement of left ventricular wall mass in pediatric populations. 1987 , 9, 1147-52		10
1924	Doppler echocardiographic assessment of left ventricular systolic and diastolic function in mild hypertension. 1987 , 9, 1190-6		29
1923	A long term follow up of 15 patients with arrhythmogenic right ventricular dysplasia. 1987 , 58, 477-88		140
1922	The value of echocardiography in collagen diseases. 1987 , 8, 89-93		2
1921	Echocardiography for the diagnosis of congenital heart defects in the dog. 1987 , 17, 735-53		7
1920	Disparate relationships between blood pressure and left ventricular mass in patients with and without left ventricular hypertrophy. 1987 , 9, 1161-4		11
1919	Detection of left ventricular hypertrophy by M-mode echocardiography. Anatomic validation, standardization, and comparison to other methods. 1987 , 9, 1119-26		234
1918	Recommendations concerning use of echocardiography in hypertension and general population research. 1987 , 9, 1197-104		50
1917	Pericardial Effusion and Left Ventricular Function in Patients With Acute Alcoholic Pancreatitis. 1987 , 147, 923		11
1916	Hypertension research. Echocardiography in the measurement of left ventricular wall mass. 1987 , 9, 112-5		5
1915	Echocardiographic left ventricular mass and function in the hypertensive baboon. 1987 , 10, 339-45		22
1914	Reproducibility of echocardiographic left ventricular measurements. 1987 , 9, 116-18		68

1913	Blood pressure and echocardiographic measures in children: the Bogalusa Heart Study. <i>Circulation</i> , 1987 , 75, 106-14	16.7	141
1912	Reversibility of catecholamine-induced dilated cardiomyopathy in a child with a pheochromocytoma. 1987 , 316, 793-7		178
1911	X-linked dilated cardiomyopathy. 1987 , 316, 1186-91		201
1910	Standardization indices of cardiac hypertrophy in weight lifters. 1987 , 5, 147-53		14
1909	Effects of acetate versus bicarbonate hemodialysis on left ventricular size and function. 1987 , 21, 307-10		
1908	Non-invasive assessment of end-systolic pressure-length and stress-shortening relationships in normal individuals: significance of different loading conditions induced by methoxamine and angiotensin II. 1987 , 8, 1099-108		10
1907	Conservative surgery for mitral valve prolapse with regurgitation: clinical follow-up and noninvasive assessment. 1987 , 8, 384-94		11
1906	Cardiac and pulmonary causes of dyspnoea--validation of a scoring test for clinical-epidemiological use: the Study of Men Born in 1913. 1987 , 8, 1007-14		155
1905	Hypothyroid cardiomyopathy: echocardiographic documentation of reversibility. 1987 , 294, 1-9		22
1904	Left atrial abnormalities indicating diastolic ventricular dysfunction in cardiopathy of obesity. 1987 , 92, 1042-6		77
1903	Echocardiography in ischaemic cerebrovascular disease. 1987 , 295, 305-6		14
1902	Changes in hemodynamics and myocardial contractility during chronic sodium depletion in conscious dogs. 1987 , 9, 1176-80		2
1901	Prediction of symptomatic patent ductus arteriosus in preterm infants using Doppler and M-mode echocardiography. 1987 , 76, 553-9		25
1900	Use of vectorcardiography in determination of the left ventricular muscle mass. 1987 , 7, 209-16		1
1899	Digitized echocardiographic measurements of left ventricular function: reproducibility and physiological factors influencing the method. 1987 , 7, 411-21		8
1898	Prevalence of mitral valve prolapse in healthy Saudi women. 1987 , 14, 65-9		7
1897	[Marfan's or Marfan-like syndrome: value of echocardiography]. 1987 , 8, 27-36		
1896	Vasodilators and regression of left ventricular hypertrophy. Hydralazine versus prazosin in hypertensive humans. 1987 , 82, 969-78		95

1895	Echocardiographic mitral valve prolapse in ballet dancers: a function of leanness. 1987 , 113, 341-4	14
1894	Mechanisms of the development and resolution of paradoxical interventricular septal motion after uncomplicated cardiac surgery. 1987 , 114, 106-14	36
1893	Pericardial changes and left ventricular function in ankylosing spondylitis. 1987 , 113, 1529-31	8
1892	Early identification of amyloid heart disease by technetium-99m-pyrophosphate scintigraphy: a study with familial amyloid polyneuropathy. 1987 , 113, 654-62	39
1891	Biventricular cardiac hypertrophy in essential hypertension. 1987 , 114, 813-8	48
1890	Ischemic ST segment depression in leads V2-V3 as the presenting electrocardiographic feature of posterolateral wall myocardial infarction. 1987 , 113, 1085-90	37
1889	Postoperative hypertension after repair of coarctation of aorta in children: protective effect of propranolol?. 1987 , 113, 1164-73	21
1888	Right ventricular hypertrophy is an important determinant of right ventricular infarction complicating acute inferior left ventricular infarction. 1987 , 10, 1180-7	24
1887	Results of screening a large group of intercollegiate competitive athletes for cardiovascular disease. 1987 , 10, 1214-21	157
1886	Diastolic blood pressure as a determinant of Doppler left ventricular filling indexes in normotensive adolescents. 1987 , 10, 1280-5	36
1885	Echocardiographic assessment of aortic valve area in elderly patients with aortic stenosis and of changes in valve area after percutaneous balloon valvuloplasty. 1987 , 10, 115-24	39
1884	Comparison of echocardiographic methods for assessment of left ventricular shortening and wall stress. 1987 , 9, 945-51	101
1883	Influence of sampling site and flow area on cardiac output measurements by Doppler echocardiography. 1987 , 10, 818-23	102
1882	Absence of progression of left ventricular hypertrophy in adult patients with hypertrophic cardiomyopathy. 1987 , 9, 1013-7	71
1881	Alpha-myosin heavy chain isoform and atrial size in patients with various types of mitral valve dysfunction: a quantitative study. 1987 , 9, 1024-30	69
1880	Cardiac performance in children with homozygous sickle cell disease. 1987 , 9, 1038-42	9
1879	Early reversal of right ventricular dysfunction in patients with acute pulmonary embolism after treatment with intravenous tissue plasminogen activator. 1987 , 10, 971-8	125
1878	Predictors of outcome for aortic valve replacement in patients with aortic regurgitation and left ventricular dysfunction: a change in the measuring stick. 1987 , 10, 991-7	104

1877	Assessment of stiffness of the hypertrophied left ventricle of bicyclists using left ventricular inflow Doppler velocimetry. 1987 , 9, 1250-4	72
1876	Hemodynamic interaction of nonselective vs. beta-1-selective beta-blockade with hydralazine in normal humans. 1987 , 41, 326-35	11
1875	Relationship between changes in R wave voltage and cardiac volumes. A vectorcardiographic study during hemodialysis. 1987 , 20, 138-46	34
1874	Serial noninvasive evaluation of cardiovascular hemodynamics during pregnancy. 1987 , 156, 1208-13	94
1873	Echocardiography and septal thickness. 1987 , 1, 1376	3
1872	Preparation of the left ventricle for anatomical correction in patients with simple transposition of the great arteries. 1987 , 94, 87-94	38
1871	Aortic root dilatation as a cause of isolated, severe aortic regurgitation. Prevalence, clinical and echocardiographic patterns, and relation to left ventricular hypertrophy and function. 1987 , 106, 800-7	125
1870	Noninvasive assessment of systolic and diastolic left ventricular function in female runners. 1987 , 8, 1305-11	25
1869	Apical hypertrophic cardiomyopathy: clinical and two-dimensional echocardiographic assessment. 1987 , 106, 663-70	75
1868	Left ventricular function from end-systolic stress-shortening relations in mitral valve prolapse. 1987 , 74, 205-11	
1867	Echocardiographie Study of the Variability of the Peak Rate of Left Ventricular Filling. 1987 , 1, 257-262	3
1866	Correlation of Heart Size by Chest Roentgenography with Left Ventricular Size and Left Ventricular Mass by M-Mode Echocardiography in Elderly Patients. 1987 , 1, 120-122	1
1865	Prediction of Symptom Status following Mitral Valve Replacement for Mitral Regurgitation by Preoperative Echocardiographic Measurement of the End-Systolic Stress to End-Systolic Volume Ratio. 1987 , 1, 321-328	8
1864	Left Ventricular End-Diastolic Diameter as a Risk Indicator in Coronary Artery Disease. 1987 , 1, 268-274	
1863	Echocardiographie Findings in Cirrhosis. 1987 , 1, 310-313	
1862	Radionuclide Angiographically Determined Left Ventricular Diastolic Filling in Hypertensive Patients: Apparent Improvement with Intravenous Verapamil. 1987 , 1, 237-243	5
1861	Value of Five Electrocardiographic Criteria Correlated with Echocardiographie Left Ventricular Hypertrophy in Elderly Patients. 1987 , 1, 152-154	7
1860	Quantitation in echocardiography. 1987 , 10, 316-31	2

1859	Normal serial variability for M-mode and digitized echocardiography in a pediatric population. <i>Pediatric Cardiology</i> , 1987 , 8, 23-6	2.1	4
1858	M-mode echocardiography in normal children and adolescents: some new perspectives. <i>Pediatric Cardiology</i> , 1987 , 8, 27-33	2.1	33
1857	A multicenter study of a new inotropic agent, piperanometozine (OPC-8212) in congestive heart failure: clinical improvement during short-term treatment. <i>Cardiovascular Drugs and Therapy</i> , 1987 , 1, 169-75	3.9	12
1856	Does "physiologic" mitral valve prolapse occur with acute blood loss?. 1987 , 10, 159-62		1
1855	Effects of unloading and positive inotropic interventions on left ventricular function in asymptomatic patients with chronic severe aortic insufficiency. 1987 , 10, 804-10		15
1854	Cardiac effects of short term arm crank training in paraplegics: echocardiographic evidence. 1987 , 56, 90-6		36
1853	Relation between left atrial dimension and duration of atrial fibrillation. 1987 , 60, 382-4		102
1852	Risk of ventricular arrhythmias in left ventricular hypertrophy: the Framingham Heart Study. 1987 , 60, 560-5		350
1851	Amiodarone for maintenance of sinus rhythm after conversion of atrial fibrillation in the setting of a dilated left atrium. 1987 , 60, 572-5		131
1850	Comparison of ethmozine to propranolol and the combination for ventricular arrhythmias. 1987 , 60, 603-7		10
1849	Relation between extent of left ventricular hypertrophy and occurrence of ventricular tachycardia in hypertrophic cardiomyopathy. 1987 , 60, 1137-42		47
1848	Doppler echocardiographic study of the frequency and severity of aortic regurgitation in hypertrophic cardiomyopathy. 1987 , 60, 1143-7		6
1847	Accuracy of nondirected and directed M-mode echocardiography as an estimate of left atrial size. 1987 , 60, 1208-11		38
1846	Long-term treatment with oral enoximone for chronic congestive heart failure: the European experience. 1987 , 60, 85C-90C		64
1845	Hemodynamic hypertrophied left ventricular patterns in systemic hypertension. 1987 , 60, 1317-21		40
1844	Maximum oxygen uptake and cardiac size and function in twins. 1987 , 60, 1362-7		40
1843	Prevalence of arrhythmias detected by ambulatory electrocardiographic monitoring and of abnormal left ventricular ejection fraction in persons older than 62 years in a long-term health care facility. 1987 , 59, 368-9		22
1842	Usefulness of echocardiographically determined mitral leaflet motion for diagnosis of mitral valve prolapse in 17- and 18-year-old men. 1987 , 59, 1149-51		9

1841	Efficacy and safety of flecainide acetate for atrial tachycardia or fibrillation. 1987 , 59, 1337-41	85
1840	Echocardiographic and electrocardiographic characteristics of patients with hypertrophic cardiomyopathy with and without mitral anular calcium. 1987 , 59, 1428-30	14
1839	Usefulness of echocardiographic evidence of pericardial effusion and mitral regurgitation during the acute stage in predicting development of coronary arterial aneurysms in the late stage of Kawasaki disease. 1987 , 60, 76-9	19
1838	Comparison of nitrendipine and hydrochlorothiazide for systemic hypertension. 1987 , 60, 103-6	30
1837	Occurrence and significance of progressive left ventricular wall thinning and relative cavity dilatation in hypertrophic cardiomyopathy. 1987 , 60, 123-9	250
1836	Subclinical left ventricular abnormalities in young subjects with long-term type 1 diabetes mellitus detected by digitized M-mode echocardiography. 1987 , 60, 143-6	59
1835	Guidelines for optimal physician training in echocardiography. Recommendations of the American Society of Echocardiography Committee for Physician Training in Echocardiography. 1987 , 60, 158-63	116
1834	Effect of oral milrinone on end-systolic relations in patients with severe congestive heart failure. 1987 , 60, 842-6	9
1833	Calcific valvular aortic stenosis with and without mitral anular calcium. 1987 , 60, 865-70	23
1832	Echocardiographic features of idiopathic hemochromatosis. 1987 , 60, 885-9	38
1831	Echocardiographically determined left ventricular structural and functional correlates of complex or frequent ventricular arrhythmias on one-hour ambulatory electrocardiographic monitoring. 1987 , 59, 836-40	33
1830	Safety and efficacy of inferior vena caval occlusion to rapidly alter ventricular loading conditions in idiopathic dilated cardiomyopathy. 1987 , 59, 937-42	23
1829	Echocardiographic criteria for left ventricular hypertrophy: the Framingham Heart Study. 1987 , 59, 956-60	699
1828	Prevalence of enlarged left atrial dimension by echocardiography and its correlation with atrial fibrillation and an abnormal P terminal force in lead V1 of the electrocardiogram in 588 elderly persons. 1987 , 59, 1003-4	21
1827	Secondary hyperparathyroidism and cardiac hypertrophy in hemodialysis patients. 1987 , 32, 900-7	94
1826	Uremic cardiomyopathy: an inadequate left ventricular hypertrophy. 1987 , 31, 973-80	177
1825	Selenium and vitamin E treatment of Duchenne muscular dystrophy: no effect on muscle function. 1988 , 78, 429-35	22
1824	Influence of L-thyroxine on cardiac function in athyreotic thyroid cancer patients--an echophonocardiographic study. 1988 , 66, 729-35	4

1823	Left ventricular relaxation and filling pattern in diabetic heart muscle disease: an echocardiographic study. 1988 , 66, 773-8	9
1822	Direct visualization of aorto-coronary bypass grafts by two-dimensional echocardiography: a new clinical application. 1988 , 11, 14-7	2
1821	End organ changes associated with the self-regulatory treatment of mild essential hypertension?. 1988 , 13, 39-46	2
1820	Impairment of diastolic function in middle-aged type 1 (insulin-dependent) and type 2 (non-insulin-dependent) diabetic patients free of cardiovascular disease. 1988 , 31, 783-91	58
1819	Epinephrine and left ventricular function in humans: effects of beta-1 vs nonselective beta-blockade. 1988 , 43, 519-28	57
1818	Clinicopharmacological studies of a newly synthesized cardiotonic agent (TA-064) in patients with congestive heart failure. 1988 , 11, 334-9	8
1817	Evaluation of left ventricular contractile performance from baseline stress-shortening data in humans: comparison with pharmacological afterload challenge. 1988 , 11, 764-70	1
1816	Determinants of anterior mitral leaflet fluttering in pure aortic regurgitation from pulsed Doppler study of the early diastolic interaction between the regurgitant jet and mitral inflow. 1988 , 61, 1085-91	15
1815	Electrocardiographic detection of left ventricular hypertrophy in the presence of left anterior fascicular block. 1988 , 61, 1098-101	17
1814	Relation of concentric left ventricular hypertrophy and extracardiac target organ damage to supranormal left ventricular performance in established essential hypertension. 1988 , 62, 246-52	59
1813	Echocardiographic findings in myocarditis. 1988 , 62, 285-91	204
1812	Transient atrial dysfunction after conversion of chronic atrial fibrillation to sinus rhythm. 1988 , 62, 1202-7	104
1811	Left ventricular structural characteristics in unilateral renovascular hypertension and primary aldosteronism. 1988 , 62, 1224-7	41
1810	Timing of cardiac transplantation in idiopathic dilated cardiomyopathy. 1988 , 61, 418-22	83
1809	Noninvasive study of cardiac structure and function after rilmenidine for essential hypertension. 1988 , 61, 72D-75D	14
1808	Hemodynamic, humoral and volume findings in systemic hypertension with isolated ventricular septal hypertrophy. 1988 , 62, 1053-7	11
1807	Myocardial contractility and left ventricular function in obese patients with essential hypertension. 1988 , 62, 594-7	86
1806	Effect of mitral regurgitation on diastolic filling with left ventricular hypertrophy. 1988 , 61, 590-4	37

1805	Noninvasive assessment of hemodynamic responses to exercise in pulmonary regurgitation after operations to correct pulmonary outflow obstruction. 1988 , 61, 595-601	38
1804	Pattern of left ventricular diastolic filling associated with right ventricular enlargement. 1988 , 62, 444-8	23
1803	Noninvasive assessment of mitral stenosis before and after percutaneous balloon mitral valvuloplasty. 1988 , 61, 817-25	49
1802	Effects of spontaneous respiration on diastolic left ventricular filling assessed by pulsed Doppler echocardiography. 1988 , 61, 1356-8	37
1801	Changes in left ventricular wall stress during isometric and isotonic exercise in healthy men. 1988 , 62, 794-8	20
1800	Sensitivity and specificity of electrocardiographic criteria for left and right ventricular hypertrophy in morbid obesity. 1988 , 62, 126-30	24
1799	Effect of kwashiorkor on the cardiovascular system. 1988 , 63, 1359-62	30
1798	Left atrial enlargement: an early sign of hypertensive heart disease. 1988 , 116, 1048-51	73
1797	Relationship between ambulatory and exercise blood pressure and cardiac structure. 1988 , 116, 1124-33	53
1796	Electrocardiographic diagnosis of exercise-induced left ventricular hypertrophy. 1988 , 116, 784-90	36
1795	Doppler evidence that true left ventricular-to-aortic pressure gradients exist in hypertrophic cardiomyopathy. 1988 , 116, 1253-61	5
1794	Chronic severe aortic regurgitation: a prospective follow-up of 60 asymptomatic patients. 1988 , 116, 1262-7	8
1793	Atrial natriuretic factor release is enhanced by incremental atrial pacing. 1988 , 116, 489-96	28
1792	Beneficial effects of one year's treatment with captopril on left ventricular anatomy and function in hypertensive patients with left ventricular hypertrophy. 1988 , 84, 129-32	159
1791	Cardiovascular effects of indapamide in hypertensive patients with or without renal failure. 1988 , 84, 76-85	5
1790	Cardiovascular effects of indapamide in hypertensive patients with or without renal failure. 1988 , 84, 76-85	6
1789	Constitutional and echocardiographic variability of the normal electrocardiogram in children. 1988 , 21, 231-7	5
1788	Diagnostic importance of fibrillatory wave amplitude: a clue to echocardiographic left atrial size and etiology of atrial fibrillation. 1988 , 21, 247-51	29

1787	Hypertrophic and functional response to experimental chronic aortic regurgitation. 1988 , 20, 239-46	25
1786	Cardiac tamponade and pericardial effusion: respiratory variation in transvalvular flow velocities studied by Doppler echocardiography. 1988 , 11, 1020-30	289
1785	Selective dopamine-1 agonist therapy in severe hypertension: effects of intravenous fenoldopam. 1988 , 11, 1118-23	53
1784	Features of mildly dilated congestive cardiomyopathy compared with idiopathic restrictive cardiomyopathy and typical dilated cardiomyopathy. 1988 , 1, 78-87	12
1783	The relationship between left ventricular systolic function and congestive heart failure diagnosed by clinical criteria. <i>Circulation</i> , 1988 , 77, 607-12	16.7 226
1782	Acromegalic cardiomyopathy. An echocardiographic study. 1988 , 11, 159-64	17
1781	Regression of left ventricular hypertrophy during combined atenolol and nifedipine treatment. 1988 , 35 Suppl 4, 39-43	1
1780	Comparison between the effects of urapidil and methyldopa on left ventricular hypertrophy and haemodynamics in humans. 1988 , 35 Suppl 6, 90-7	4
1779	Acute volume loading, atrial natriuretic peptide release and cardiac function in healthy men. Effects of beta-blockade. 1988 , 43, 821-30	12
1778	Does the renin-angiotensin-aldosterone system modify cardiac structure and function in essential hypertension?. 1988 , 84, 136-9	49
1777	Demonstration of restrictive ventricular physiology by Doppler echocardiography. 1988 , 11, 757-68	327
1776	Measurement of left atrial systolic time intervals in hypertensive patients using Doppler echocardiography: relation to fourth heart sound and left ventricular wall thickness. 1988 , 11, 800-5	17
1775	Left atrial spontaneous echo contrast in mitral valve disease: an indicator for an increased thromboembolic risk. 1988 , 11, 1204-11	447
1774	Contraction-excitation feedback in the atria: a cause of changes in refractoriness. 1988 , 11, 1327-36	79
1773	Relation of transmitral flow velocity patterns to left ventricular diastolic function: new insights from a combined hemodynamic and Doppler echocardiographic study. 1988 , 12, 426-40	1384
1772	Systolic and diastolic flow abnormalities in elderly patients with hypertensive hypertrophic cardiomyopathy. 1988 , 12, 989-95	77
1771	Relation of blood pressure and body build to left ventricular mass in normotensive and hypertensive employed adults. 1988 , 12, 996-1004	214
1770	Cardiovascular manifestations in Fabry's disease--age-related changes in hemizygotes and heterozygotes. 1988 , 30, 38-48	9

1769	Reappraisal of the approach to the child with heart murmurs: is echocardiography mandatory?. 1988 , 19, 107-13	71
1768	Comparison of the hemodynamic and echocardiographic effects of sufentanil, fentanyl, isoflurane, and halothane for pediatric cardiovascular surgery. 1988 , 2, 147-55	18
1767	Guidelines for Optimal Physician Training in Echocardiography. 1988 , 1, 278-284	5
1766	Changes in cardiac performance after dialysis in patients with chronic renal failure. 1988 , 19, 209-16	4
1765	Prolapse of the mitral valve in hyperthyroid patients in Saudi Arabia. 1988 , 19, 217-23	2
1764	Echocardiographically determined left ventricular mass index in normal children, adolescents and young adults. 1988 , 12, 703-8	195
1763	Effect of increasing intraabdominal pressure and volume on left ventricular function in continuous ambulatory peritoneal dialysis (CAPD). 1988 , 12, 291-8	16
1762	Echocardiographic findings in children treated for malignancy with chemotherapy including adriamycin. 1988 , 5, 209-16	7
1761	Echocardiographic findings in autosomal dominant polycystic kidney disease. 1988 , 319, 907-12	163
1760	Supernormal contractility in primary hypertension without left ventricular hypertrophy. 1988 , 11, 457-63	72
1759	Echocardiographically detected left ventricular hypertrophy: prevalence and risk factors. The Framingham Heart Study. 1988 , 108, 7-13	603
1758	Dietary salt intake. A determinant of cardiac involvement in essential hypertension. <i>Circulation</i> , 1988 , 78, 951-6	16.7 239
1757	Reversion of cardiac hypertrophy and reduced arterial compliance after converting enzyme inhibition in essential hypertension. <i>Circulation</i> , 1988 , 78, 941-50	16.7 201
1756	Carcinoid heart disease: relationship of circulating vasoactive substances to ultrasound-detectable cardiac abnormalities. <i>Circulation</i> , 1988 , 77, 264-9	16.7 220
1755	Angina due to coronary microvascular disease in hypertensive patients without left ventricular hypertrophy. 1988 , 319, 1302-7	373
1754	Echocardiographic decision-making for replacement surgery in mitral valve prolapse. 1988 , 22, 203-7	
1753	Correlates of cardiac structure and function in normotensive adolescents. 1988 , 1, 184-6	1
1752	Pericardial Effusion and Left Ventricular Dysfunction Associated With Ascites Secondary to Hepatic Cirrhosis. 1988 , 148, 585	12

1751	Congestive Heart Failure in Dialysis Patients. 1988 , 148, 1519		66
1750	Long term doxorubicin cardiotoxicity in childhood: non-invasive evaluation of the contractile state and diastolic filling. 1988 , 60, 309-15		50
1749	Should echocardiography be used to screen dizzy patients?. 1988 , 39, 902-6		2
1748	Coronary vasodilator reserve after human orthotopic cardiac transplantation. <i>Circulation</i> , 1988 , 78, 1200-18.7	16.7	66
1747	Criteria for two-staged arterial switch operation for simple transposition of great arteries. <i>Circulation</i> , 1988 , 78, 124-31	16.7	34
1746	Effects of increasing afterload on early diastolic dysfunction in hypertrophic non-obstructive cardiomyopathy. 1988 , 60, 240-6		7
1745	Left ventricular function in mild hypertension after adrenergic blockade. 1988 , 11, 198-102		6
1744	Efficacy and tolerability of transdermal nitroglycerin in heart failure. A noninvasive placebo controlled double-blind cross over study. 1988 , 9, 373-9		9
1743	Pulsed-Doppler Assessment of Ascending Aortic Flow Velocity in Newborns and Infants: Clinical Applications. <i>Echocardiography</i> , 1988 , 5, 1-22	1.5	5
1742	Ventricular dimensions and wall motion assessed by echocardiography in patients with arrhythmogenic right ventricular dysplasia. 1988 , 9, 1291-302		64
1741	Long-term efficacy of oral encainide in frequent and repetitive ventricular arrhythmias. 1988 , 9, 765-76		4
1740	Pathogenesis of sodium retention complicating cirrhosis: is there room for diminished "effective" arterial blood volume?. 1988 , 95, 1658-63		40
1739	Response to exercise after withdrawal from chronic alcoholism. 1988 , 93, 1190-5		4
1738	Effects of nicardipine on chronic stable effort angina: a non-invasive assessment. 1988 , 16, 349-58		
1737	Noninvasive assessment of left ventricular diastolic function by pulsed Doppler echocardiography in young alcoholics. 1988 , 75, 431-9		23
1736	Cardiac effects of common viral illnesses. 1988 , 94, 919-25		23
1735	Diastolic blood pressure and left ventricular filling. 1988 , 1, 100S-102S		4
1734	Correction of renal anaemia by recombinant human erythropoietin: effects on myocardial function. 1988 , 66, 176-84		12

1733	Echocardiographic Assessment of Arterial Impedance: Relation to Anatomic Left Ventricular Patterns in Systemic Hypertension. 1988 , 2, 232-237	1
1732	Noninvasive Estimation of Rate of Rise of Left Ventricular Pressure. 1988 , 2, 327-331	
1731	Normal Left Ventricle. 1988 , 2, 217-223	10
1730	Left ventricular diastolic function during the first month of life. 1988 , 53, 1-9	5
1729	Equivocal and borderline myocardial hypertrophy in relatives of patients with hypertrophic cardiomyopathy: possible implications in genetics of the disease. 1988 , 75, 348-56	3
1728	Left ventricular hypertrophy in end-stage renal disease. 1988 , 48, 107-15	103
1727	Cerebral Infarction and Left Ventricular Mass: A Clinical and Echocardiographic Study. 1988 ,	
1726	A comparative study of cardiac output measurement by dye dilution and pulsed Doppler ultrasound. 1988 , 16, 272-7	14
1725	Cardiovascular changes during deep halothane anaesthesia in infants and children. 1988 , 16, 285-91	8
1724	Different determinants of left ventricular filling in normotensive subjects and essential hypertensive patients. 1989 , 2, 117-9	11
1723	Cardiac and hemodynamic adjustments to rapid and sustained blood pressure reduction. 1989 , 2, 196S-199S	6
1722	Risk Factors in Alcoholic Cardiomyopathy. 1989 , 40, 270-275	8
1721	Determination of Cardiac Output by Doppler Echocardiography in Apparently Healthy, Non-Athletic Men Aged 20-70 Years. 1989 , 3, 36-41	6
1720	Drug-Induced Acute Autonomic Blockade Impairs Left Ventricular Systolic and Diastolic Function. 1989 , 3, 42-47	5
1719	Diastolic Filling Correlates of the Third Heart Sound. 1989 , 3, 51-57	5
1718	Effects of human recombinant erythropoietin on anaemia, systemic haemodynamics and renal function in predialysis renal failure patients. 1989 , 4, 966-70	27
1717	Myocardial hypertrophy and left ventricular diastolic function in hypertensive patients: an echo Doppler evaluation. 1989 , 10, 611-21	25
1716	Ultrasonic tissue characterization of human hypertrophied hearts in vivo with cardiac cycle-dependent variation in integrated backscatter. <i>Circulation</i> , 1989 , 80, 925-34	16.7 131

1715	Heart Size and Function of Soldiers, Athletes, and Sedentary Men. 1989 , 154, 153-158		1
1714	Aortic regurgitation associated with hypertrophic cardiomyopathy: a colour Doppler echocardiographic study. 1989 , 62, 171-6		6
1713	Hypertrophic cardiomyopathy in the elderly. Distinctions from the young based on cardiac shape. <i>Circulation</i> , 1989 , 79, 580-9	16.7	145
1712	Effect of age on left ventricular filling in children of hypertensive parents. 1989 , 2, 792-6		3
1711	Cardiac norepinephrine kinetics in hypertrophic cardiomyopathy. <i>Circulation</i> , 1989 , 79, 836-44	16.7	75
1710	Increasing pericardial effusion in cardiac transplant recipients. <i>Circulation</i> , 1989 , 79, 603-9	16.7	42
1709	Systolic and diastolic septal and posterior wall echocardiographic measurements in normal subjects. 1989 , 40, 521-6		6
1708	Cardiac and vascular effects of atrial natriuretic factor and sodium nitroprusside in healthy men. <i>Circulation</i> , 1989 , 79, 383-92	16.7	52
1707	Average Daily Blood Pressure, Not Office Blood Pressure, Determines Cardiac Function in Patients With Hypertension. 1989 , 261, 873		205
1706	Hypertension and Sudden Death. 1989 , 149, 1263		67
1705	Doppler assessment of the effects of isometric stress on left ventricular filling in hypertensive young adults. 1989 , 40, 1052-7		4
1704	Prevalence of cardiac structural and functional abnormalities in untreated primary hypertension. 1989 , 13, 151-62		81
1703	Late results after resection of fixed subaortic stenosis. 1989 , 23, 211-8		3
1702	Physiological hypertrophy of the heart and atrial natriuretic peptide during rest and exercise. 1989 , 62, 445-9		6
1701	Noninvasive evaluation of cardiac performance at rest and during hand-grip in bicyclists and weightlifters after Deconditioning period. 1989 , 1, 237-248		1
1700	Left ventricular output during postnatal circulatory adaptation in healthy infants born at full term. 1989 , 64, 1374-8		31
1699	Improved diagnostic performance on the severity of left ventricular hypertrophy with body surface mapping. <i>Circulation</i> , 1989 , 79, 312-23	16.7	27
1698	Impaired left ventricular diastolic filling in patients with familial amyloid polyneuropathy: a pulsed Doppler echocardiographic study. 1989 , 61, 198-203		16

1697	Comparison of antihypertensive therapies by noninvasive techniques. 1989 , 96, 74-9	22
1696	Unsuspected cardiac abnormalities in the acquired immune deficiency syndrome. An echocardiographic study. 1989 , 96, 805-8	39
1695	Effects of salt restriction on blood volume, hemodynamics and humoral factors in hypertensive patients with chronic glomerulonephritis. 1989 , 2, 669-74	11
1694	Echocardiographic findings of left ventricular hypertrophy and normalization of parameters of left ventricular function in patients with previous evidence of dilated and poorly contracting left ventricle and coexisting systemic hypertension. 1989 , 12, 91-6	5
1693	Echocardiographic abnormalities in chronic asymptomatic alcoholics. 1989 , 12, 122-8	9
1692	Predictors of left ventricular hypertrophy in patients with essential hypertension. 1989 , 12, 129-32	8
1691	Sustained inotropic effects of a new cardiotoxic agent. OPC-8212 in patients with chronic heart failure. 1989 , 12, 133-8	23
1690	Quantitative correlation between cardiovascular and plasma epinephrine response to mental stress. 1989 , 59, 221-6	17
1689	Effect of exercise on left ventricular systolic function and reserve in morbid obesity. 1989 , 63, 1478-82	50
1688	Severity of coronary artery disease among blacks with acute myocardial infarction. 1989 , 63, 788-91	8
1687	Factors determining maintenance of sinus rhythm after chronic atrial fibrillation with left atrial dilatation. 1989 , 63, 1065-8	167
1686	Usefulness of Doppler echocardiography in the diagnosis of congestive heart failure. 1989 , 63, 1098-102	95
1685	Effect of aging on peak systolic left ventricular wall stress in normal subjects. 1989 , 63, 998-9	2
1684	Effect of diltiazem on left ventricular mass and diastolic filling in mild to moderate hypertension. 1989 , 63, 198-201	62
1683	Pulsed Doppler assessment of left ventricular diastolic filling in children with left ventricular outflow obstruction before and after balloon angioplasty. 1989 , 63, 231-6	10
1682	Left ventricular hypertrophy in persons age 90 years and older. 1989 , 63, 237-40	11
1681	Comparison of cardiovascular and skeletal features of primary mitral valve prolapse and Marfan syndrome. 1989 , 63, 317-21	74
1680	Size of the normal aortic root in normal subjects and in those with left ventricular outflow obstruction. 1989 , 63, 322-6	39

1679	Noninvasive evaluation of world class athletes engaged in different modes of training. 1989 , 63, 337-41	37
1678	Two-dimensional echocardiographic aortic root dimensions in normal children and adults. 1989 , 64, 507-12	860
1677	Left ventricular intrinsic contractility in pure rheumatic mitral stenosis. 1989 , 64, 240-2	46
1676	Influence of transmitral filling dynamics on continuous-wave Doppler assessment of aortic regurgitation by half-time methods. 1989 , 64, 614-9	7
1675	Efficacy and safety of flecainide acetate in the maintenance of sinus rhythm after electrical cardioversion of chronic atrial fibrillation or atrial flutter. 1989 , 64, 1317-21	162
1674	Ability of left ventricular stress-shortening relations, end-systolic stress/volume ratio and indirect indexes to detect severe contractile failure in ischemic or idiopathic dilated cardiomyopathy. 1989 , 64, 1338-43	33
1673	Quantitation and significance of systolic mitral leaflet displacement in mitral valve prolapse. 1989 , 64, 1349-55	20
1672	Effect of exercise and cavity size on right ventricular function in morbid obesity. 1989 , 64, 1361-5	13
1671	Usefulness of thallium-201 scintigraphy in predicting the development of angina pectoris in hypertensive patients with left ventricular hypertrophy. 1989 , 64, 45-9	24
1670	Importance of the left ventricular filling pressure on diastolic filling in idiopathic dilated cardiomyopathy. 1989 , 64, 61-5	57
1669	Doppler echocardiographic assessment of shunting via the ductus arteriosus in newborn infants. 1989 , 64, 102-5	10
1668	Changes by two-dimensional echocardiography in the myocardial appearance of patients with end-stage renal disease. 1989 , 64, 40C-43C	2
1667	Importance of overweight in studies of left ventricular hypertrophy and diastolic function in mild systemic hypertension. 1989 , 64, 752-5	13
1666	Preparticipation echocardiographic screening for cardiovascular disease in a large, predominantly black population of collegiate athletes. 1989 , 64, 1029-33	97
1665	Effects of atenolol on left ventricular hypertrophy and early left ventricular function in essential hypertension. 1989 , 64, 1157-61	6
1664	Effects of age and 24-hour ambulatory blood pressure on rapid left ventricular filling. 1989 , 63, 1343-7	49
1663	Doppler left ventricular diastolic filling abnormalities in aortic stenosis and their relation to hemodynamic parameters. 1989 , 63, 1360-8	34
1662	Osteogenesis imperfecta in childhood: cardiac and renal manifestations. 1989 , 149, 184-7	45

1661	Doppler echocardiographic analysis of diastolic left ventricular function in dialysis patients and its relation to intradialytic hypotension. 1989 , 67, 826-32		10
1660	The veteran athlete: an echocardiographic comparison of veteran cyclists, former cyclists and non-athletic subjects. 1989 , 135, 393-8		10
1659	M-mode echocardiographic findings in apparently healthy, non-athletic Norwegians aged 20-70 years. Influence of age, sex and body surface area. 1989 , 225, 111-5		71
1658	Comparability of echocardiography and chest X-ray following myocardial infarction. 1989 , 226, 171-5		15
1657	Effects of acute myocardial infarction on the displacement of the atrioventricular plane: an echocardiographic study. 1989 , 226, 251-6		55
1656	Echocardiographic findings in patients with acquired immunodeficiency syndrome (AIDS) and AIDS-related complex (ARC). 1989 , 16, 182-5		12
1655	Regression of left ventricular hypertrophy by acebutolol and nifedipine. <i>Cardiovascular Drugs and Therapy</i> , 1989 , 3 Suppl 1, 313-7	3.9	2
1654	Short-term effects of calcium antagonists on hemodynamics and cyclosporine pharmacokinetics in heart-transplant and kidney-transplant patients. 1989 , 46, 657-67		12
1653	Vascular changes in hemodialysis patients in response to recombinant human erythropoietin. 1989 , 36, 878-82		113
1652	Association between aluminum accumulation and cardiac hypertrophy in hemodialyzed patients. 1989 , 13, 75-83		23
1651	The effect of chronic antihypertensive therapy on the index of left ventricular mass in patients with essential hypertension. 1989 , 22, 75-81		7
1650	Cardiovascular changes in early phase of pregnancy. 1989 , 161, 1449-53		211
1649	Relationship of atrial natriuretic factor to left ventricular volume and mass. 1989 , 118, 1236-42		12
1648	Superiority of visual versus computerized echocardiographic estimation of radionuclide left ventricular ejection fraction. 1989 , 118, 1259-65		231
1647	Neurohumoral and hemodynamic effects of lower body negative pressure in patients with congestive heart failure. 1989 , 118, 78-85		60
1646	Residual left ventricular function and prognosis of patients with asymmetric septal hypertrophy recovering from acute myocardial infarction. 1989 , 118, 121-7		1
1645	The significance of increased left ventricular outflow tract velocities in the elderly measured by continuous wave Doppler. 1989 , 117, 1320-6		5
1644	Myocarditis in Kawasaki disease. 1989 , 117, 1400-1		1

1643	Assessment of the daily blood pressure load as a determinant of cardiac function in patients with mild-to-moderate hypertension. 1989 , 118, 782-95	246
1642	Regression of left ventricular mass is accompanied by improvement in rapid left ventricular filling following antihypertensive therapy with metoprolol. 1989 , 117, 145-50	59
1641	Regression of left ventricular hypertrophy in hypertension. Effects of prazosin therapy. 1989 , 86, 66-9	15
1640	Normal left ventricular performance documented by Doppler echocardiography in patients with long-standing hypocalcemia. 1989 , 86, 413-6	18
1639	Electrocardiographic diagnosis of left atrial enlargement. Role of the P terminal force in lead V1. 1989 , 22, 359-63	22
1638	Cardiac performance after reduction of myocardial hypertrophy. 1989 , 87, 22-7	58
1637	Left ventricular dynamics during exercise in elite marathon runners. 1989 , 14, 112-8	44
1636	Plasma atrial natriuretic factor in essential hypertension: relation to cardiac size, function and systemic hemodynamics. 1989 , 14, 715-24; discussion 725-7	51
1635	Comparative effects of verapamil and nitroprusside on left ventricular function in patients with hypertension. 1989 , 14, 515-22	13
1634	Feasibility of identifying amyloid and hypertrophic cardiomyopathy with the use of computerized quantitative texture analysis of clinical echocardiographic data. 1989 , 13, 832-40	80
1633	Pathophysiologic assessment of left ventricular hypertrophy and strain in asymptomatic patients with essential hypertension. 1989 , 13, 1377-81	59
1632	Results of operation for coexistent obstructive hypertrophic cardiomyopathy and coronary artery disease. 1989 , 13, 1527-33	22
1631	Determinants of abnormal left ventricular filling in early hypertension. 1989 , 14, 979-85	89
1630	Pulsatile diameter and elastic modulus of the aortic arch in essential hypertension: a noninvasive study. 1989 , 13, 399-405	208
1629	Elderly patients with hypertrophic cardiomyopathy: a subset with distinctive left ventricular morphology and progressive clinical course late in life. 1989 , 13, 36-45	99
1628	Radionuclide angiographic assessment of left ventricular diastolic filling in amyloid heart disease: a study of patients with familial amyloid polyneuropathy. 1989 , 13, 48-53	19
1627	Hypertensive hypertrophic cardiomyopathy or hypertrophic cardiomyopathy with hypertension? A study of 78 patients. 1989 , 13, 580-4	48
1626	Pulsed Doppler evaluation of atrial mechanical function after electrical cardioversion of atrial fibrillation. 1989 , 13, 617-23	323

1625	Clinical course and prognosis of hypertrophic cardiomyopathy in an outpatient population. 1989 , 320, 749-55	264
1624	Cardiac hypertrophy in old age. 1989 , 1, 785	1
1623	Automated extraction of serial myocardial borders from M-mode echocardiograms. 1989 , 8, 96-103	20
1622	Exercise blood pressure response and left ventricular hypertrophy. 1989 , 2, 114-6	32
1621	Echography of the Inferior Vena Cava is a Simple and Reliable Tool for Estimation of Dry Weight in Haemodialysis Patients. 1989 ,	
1620	Systemic and forearm vascular resistance changes after upright bicycle exercise in man. 1989 , 413, 289-98	74
1619	Regression of left ventricular hypertrophy in treated hypertensive patients with diltiazem and metoprolol--a double blind randomized study. 1989 , 29, 791-7	3
1618	Echocardiographic assessment of cardiac allograft rejection. 1989 , 10, 400-8	23
1617	Acute Toxicity of Ropivacaine Compared with That of Bupivacaine. 1989 , 69, 563-569	288
1616	Left ventricular mass and incidence of coronary heart disease in an elderly cohort. The Framingham Heart Study. 1989 , 110, 101-7	535
1615	Sex differences in cardiac adaptation to essential hypertension. 1989 , 10, 1110-4	61
1614	Differences in left ventricular adaptation to chronic mitral and aortic regurgitation. 1989 , 95, 106-10	5
1613	Left ventricular performance during the course of a day and meals in dilated cardiomyopathy and heart failure. 1989 , 298, 289-94	2
1612	Prohormone atrial natriuretic peptides 1-98 and 31-67 increase with exercise in congestive heart failure patients. 1989 , 298, 377-82	22
1611	Studies on the circulation in normotensive febrile patients. 1989 , 74, 301-10	11
1610	Noninvasive evaluation of cardiovascular hemodynamics during multiple follicular stimulation, late luteal phase and early pregnancy. 1989 , 51, 796-802	11
1609	Sustained-release verapamil as a first-step drug in the treatment of mild to moderate hypertension. 1989 , 17, 268-76	1
1608	Colour Doppler echocardiographic assessment of regurgitant flow in mitral valve prolapse. 1989 , 10, 872-9	4

1607	Cardiac findings in the very elderly: analysis of echocardiography in fifty-eight nonagenarians. 1990 , 36, 206-11	14
1606	Doppler-echo evaluation of left ventricular diastolic filling in patient with mixed connective tissue disease. 1990 , 77, 93-100	8
1605	Predisposing factors of recurrent embolization in cardiogenic cerebral embolism. 1990 , 21, 1000-7	32
1604	Echocardiographic and electrocardiographic study of the normal kangaroo heart. 1990 , 20, 160-5	10
1603	Morphological quantification and differentiation of left ventricular hypertrophy in hypertrophic cardiomyopathy and hypertensive heart disease. A two dimensional echocardiographic study. 1990 , 11, 65-74	9
1602	Sustained Calcium Channel Blockade in the Treatment of Severe Hypertension. 1990 , 3, 313S-317S	2
1601	The effect of habitual sustained endurance exercise on cardiac structure and function. 1990 , 11, 17-22	12
1600	Nonvalvular atrial fibrillation associated with cardioembolic stroke: the role of hypertensive heart disease. 1990 , 20, 127-34	11
1599	Ambulatory blood pressure monitoring and echocardiographic left ventricular wall thickness and mass. 1990 , 3, 81-9	105
1598	Atrial volume in cirrhosis: relationship to blood volume and plasma concentration of atrial natriuretic factor. 1990 , 99, 766-70	62
1597	Genetic and environmental influences on echocardiographically determined left ventricular mass in black twins. 1990 , 3, 538-43	81
1596	Left ventricular hypertrophy in men with normal blood pressure: relation to exaggerated blood pressure response to exercise. 1990 , 112, 161-6	162
1595	The new calcium antagonist isradipine. Effect on blood pressure and the left ventricle in black hypertensive patients. 1990 , 3, 8-15	25
1594	Left ventricular filling in hypertensive blacks and whites following adrenergic blockade. 1990 , 3, 48-51	2
1593	Artefacts in measurement of blood pressure and lack of target organ involvement in the assessment of patients with treatment-resistant hypertension. 1990 , 112, 270-7	59
1592	Prevalence and determinants of left ventricular diastolic filling abnormalities in an unselected hypertensive population. 1990 , 11, 679-91	83
1591	Aortic and large artery compliance in end-stage renal failure. 1990 , 37, 137-42	278
1590	Non-invasive assessment of left ventricular diastolic function in patients with systemic sclerosis. 1990 , 228, 183-92	42

1589	Atrioventricular plane displacement in severe congestive heart failure following dilated cardiomyopathy or myocardial infarction. 1990 , 228, 569-75	114
1588	Frequency, characteristics and significance of supraventricular tachyarrhythmias detected by 24-hour electrocardiographic recording in the late hospital phase of acute myocardial infarction. 1990 , 65, 1064-70	10
1587	Risk for systemic embolization of atrial fibrillation without mitral stenosis. 1990 , 65, 1112-6	167
1586	Right ventricular diastolic function in systemic hypertension. 1990 , 65, 1117-20	41
1585	Cardiac involvement in systemic lupus erythematosus detected by echocardiography. 1990 , 65, 1145-8	91
1584	Prevalence and clinical implications of atrial spontaneous contrast in patients undergoing transesophageal echocardiography. 1990 , 65, 1149-53	195
1583	Risk stratification of left ventricular hypertrophy in systemic hypertension using noninvasive ambulatory blood pressure monitoring. 1990 , 66, 583-90	56
1582	Cardiac and skeletal muscle adaptations to training in systemic hypertension and effect of beta blockade (metoprolol or propranolol). 1990 , 66, 591-6	23
1581	Usefulness of physiologic dual-chamber pacing in drug-resistant idiopathic dilated cardiomyopathy. 1990 , 66, 198-202	268
1580	Left ventricular pseudohypertrophy in pericardial effusion as a sign of cardiac tamponade. 1990 , 66, 508-11	11
1579	Left ventricular hypertrophy is associated with worse survival independent of ventricular function and number of coronary arteries severely narrowed. 1990 , 65, 441-5	174
1578	Effects of preload reduction on mitral flow velocity pattern in normal subjects. 1990 , 66, 995-1001	68
1577	Transient myocardial ischemia in hypertensive heart disease. 1990 , 65, 51G-55G	18
1576	Comparison of effects of nitrendipine versus hydrochlorothiazide on left ventricular structure and function and neurohumoral status in systemic hypertension. 1990 , 65, 1265-8	5
1575	Clinical, echocardiographic and Doppler correlates of clinical instability with onset of atrial fibrillation. 1990 , 66, 721-4	11
1574	Preoperative left and right ventricular performance in combined aortic and mitral regurgitation and comparison with isolated aortic or mitral regurgitation. 1990 , 65, 1372-8	32
1573	Risk of ventricular arrhythmias in hypertensive men with left ventricular hypertrophy. 1990 , 65, 742-7	64
1572	Diversity of patterns of hypertrophy in patients with systemic hypertension and marked left ventricular wall thickening. 1990 , 65, 874-81	43

1571	Prognostic guides in patients with idiopathic or ischemic dilated cardiomyopathy assessed for cardiac transplantation. 1990 , 65, 903-8		224
1570	Normal left ventricular performance in children with X-linked hypophosphatemic rickets: a Doppler echocardiography study. 1990 , 5, 469-74		26
1569	Left ventricular diastolic function in normotensive adolescents with different genetic risk of hypertension. 1990 , 13, 115-8		13
1568	Improved diastolic LV filling after acute application of ajmaline in patients with coronary artery disease and normal systolic LV function. 1990 , 13, 485-9		2
1567	Left ventricular contractile state after surgical correction of tetralogy of Fallot: risk factors for late left ventricular dysfunction. <i>Pediatric Cardiology</i> , 1990 , 11, 61-8	2.1	47
1566	The Marfan syndrome--analysis of growth and cardiovascular manifestation. 1990 , 149, 452-6		18
1565	Assessment of left ventricular function after sublingual administration of nifedipine in patients with moderate to severe hypertension. <i>Cardiovascular Drugs and Therapy</i> , 1990 , 4 Suppl 5, 969-75	3.9	4
1564	[Significance of microproteinuria for early detection of hypertension-induced end organ damage]. 1990 , 68, 256-62		7
1563	The spectrum of mitral regurgitation in idiopathic mitral valve prolapse: a color Doppler study. 1990 , 6, 47-56		5
1562	Effect of celiprolol on large and small arteries of the forearm circulation in hypertensive patients. <i>Cardiovascular Drugs and Therapy</i> , 1990 , 4, 745-9	3.9	7
1561	Left ventricular hypertrophy regression and function changes with ketanserin in elderly hypertensives. <i>Cardiovascular Drugs and Therapy</i> , 1990 , 4 Suppl 1, 81-4	3.9	6
1560	Sustained Calcium Channel Blockade in the Treatment of Severe Hypertension. 1990 , 3, 313S-317S		0
1559	Inheritance of heart structure and physical exercise capacity: a study of left ventricular structure and exercise capacity in 7-year-old twins. 1990 , 11, 7-16		39
1558	Different patterns of left ventricular filling in arterial hypertension. 1990 , 11, 302-10		6
1557	P-wave configuration as an indicator of echocardiographic indices of cardiac structure and function in normotensive adolescents. 1990 , 97, 896-900		5
1556	Effects of Intravascular Volume Loading and Unloading on Atrial Sizes and Left Ventricular Function in Dialyzed Uremic Man. 1990 , 4, 53-59		3
1555	Differences in Left Ventricular End-Diastolic Dimensions when Measured at the Q Wave or P Wave in Normal versus Moderately Hypertensive Men. 1990 , 4, 358-363		2
1554	Limitations of the End-Systolic Pressure-Diameter Relationship in Patients with Severe Congestive Heart Failure. 1990 , 4, 129-138		1

1553 Mitral Anular Calcification: An Age-Stratified Case-Control Study. **1990**, 4, 352-357

1552 Echocardiographie Left Ventricular Mass Measurement in Small Animals: Anatomic Validation in Normal and Aortic Regurgitant Rabbits. **1990**, 4, 145-153 12

1551 Influence of Left Ventricular Preload Reduction by Hemodialysis on the Doppler-Derived Left Ventricular Filling Profile. **1990**, 4, 345-351 0

1550 Long-term echocardiographic examinations in chronic hemodialysis patients substituted with recombinant human erythropoietin. **1990**, 8, 272-8 9

1549 Regression of left ventricular hypertrophy in patients with essential hypertension: outcome of 12 years antihypertensive treatment. **1990**, 77, 280-6 4

1548 Measurement of cardiac output by M-mode and two-dimensional echocardiography: application to patients with hypertension. **1990**, 11 Suppl I, 67-78 59

1547 Left ventricular hypertrophy and impaired diastolic filling in essential hypertension. Diastolic mechanisms for systolic dysfunction during exercise. *Circulation*, **1990**, 81, 978-86 16.7 184

1546 Dissociation of end systole from end ejection in patients with long-term mitral regurgitation. *Circulation*, **1990**, 81, 1277-86 16.7 28

1545 Relation of left ventricular hemodynamic load and contractile performance to left ventricular mass in hypertension. *Circulation*, **1990**, 81, 25-36 16.7 208

1544 Restrictive diastolic abnormalities identified by Doppler echocardiography in patients with thalassemia major. *Circulation*, **1990**, 82, 88-94 16.7 151

1543 Cardiovascular studies in the mucopolysaccharidoses. **1990**, 27, 94-100 24

1542 Left ventricular diastolic function. Doppler echocardiographic changes soon after cardiac transplantation. *Circulation*, **1990**, 82, 872-8 16.7 66

1541 Exercise Training Combined With Antihypertensive Drug Therapy. **1990**, 263, 2766 52

1540 Atrial enlargement as a consequence of atrial fibrillation. A prospective echocardiographic study. *Circulation*, **1990**, 82, 792-7 16.7 566

1539 Doppler-derived rate of left ventricular pressure rise. Its correlation with the postoperative left ventricular function in mitral regurgitation. *Circulation*, **1990**, 82, 514-20 16.7 82

1538 Glomerular Hyperfiltration Indicates Early Target Organ Damage in Essential Hypertension. **1990**, 264, 2775 68

1537 Is standardization of left ventricular chamber elastance necessary?. *Circulation*, **1990**, 81, 1826-36 16.7 14

1536 Salt and water retention and calcium blockade in uremia. *Circulation*, **1990**, 82, 105-13 16.7 143

1535	Raised plasma concentrations of atrial natriuretic peptide are independent of left atrial dimensions in patients with chronic atrial fibrillation. 1990 , 64, 9-13		29
1534	Serial measurement of integrated ultrasonic backscatter in human cardiac allografts for the recognition of acute rejection. <i>Circulation</i> , 1990 , 81, 829-39	16.7	92
1533	Mildly dilated congestive cardiomyopathy. Use of prospective diagnostic criteria and description of the clinical course without heart transplantation. <i>Circulation</i> , 1990 , 81, 506-17	16.7	63
1532	Cardiac abnormalities in children with sickle cell anemia. 1990 , 98, 1169-74		88
1531	Is echocardiography an adequate method to evaluate left ventricular hypertrophy regression?. 1990 , 11 Suppl G, 107-12		15
1530	Echocardiography (2). 1990 , 323, 165-72		31
1529	Short term haemodynamic effects of converting enzyme inhibition before and after eating in patients with moderate heart failure caused by dilated cardiomyopathy: a double blind study. 1990 , 63, 26-31		7
1528	Inotropic effects of angiotensin II on human cardiac muscle in vitro. <i>Circulation</i> , 1990 , 82, 1973-84	16.7	120
1527	Determinants of cardiac involvement in children and adolescents with essential hypertension. <i>Circulation</i> , 1990 , 82, 1243-8	16.7	158
1526	Left-to-right atrial shunting after percutaneous mitral valvuloplasty. Incidence and long-term hemodynamic follow-up. <i>Circulation</i> , 1990 , 81, 1190-7	16.7	86
1525	Doppler echocardiographic findings in dialysis patients. 1990 , 5, 426-31		65
1524	Circadian blood pressure changes and left ventricular hypertrophy in essential hypertension. <i>Circulation</i> , 1990 , 81, 528-36	16.7	1029
1523	Determinants of sensitivity and specificity of electrocardiographic criteria for left ventricular hypertrophy. <i>Circulation</i> , 1990 , 81, 815-20	16.7	403
1522	Prevalence of aortic regurgitation by color flow Doppler in relation to aortic root size. 1990 , 3, 316-9		26
1521	Plasmapheresis in patients with familial hypercholesterolemia lowers ionized calcium but does not deteriorate left ventricular function. 1990 , 81, 75-7		2
1520	Relation between extent of left ventricular hypertrophy and occurrence of sudden cardiac death in hypertrophic cardiomyopathy. 1990 , 15, 1521-6		129
1519	Doppler echocardiography in aortic stenosis: feasibility and clinical impact. 1990 , 28, 57-66		7
1518	Electrocardiographic diagnosis of left ventricular hypertrophy in the presence of left bundle branch block: a wasted effort. 1990 , 28, 215-21		10

1517	Mitral regurgitation and diastolic flow profile in systemic sclerosis. 1990 , 29, 357-63	19
1516	Placebo-controlled trial of oral enoximone in end-stage congestive heart failure refractory to optimal treatment. 1990 , 28 Suppl 1, S33-42; discussion S43	15
1515	An echocardiographic assessment of asymptomatic elderly women with radiological cardiac enlargement. 1990 , 27, 245-52	1
1514	Cardiac structure and function in continuous ambulatory peritoneal dialysis: influence of blood purification and hypercirculation. 1990 , 119, 344-52	23
1513	Baseline and post-atrial pacing release of atrial natriuretic factor in mitral stenosis. 1990 , 119, 97-101	4
1512	Atrial and ventricular arrhythmias in asymptomatic active elderly subjects: correlation with left atrial size and left ventricular mass. 1990 , 119, 1069-76	50
1511	Prediction of outcome in late-stage cardiomyopathy. 1990 , 119, 1111-21	75
1510	Effect of 24-hour blood pressure and heart rate variations on left ventricular hypertrophy and dilatation in essential hypertension. 1990 , 119, 1147-52	33
1509	Survival determinants in black patients with angiographically defined coronary artery disease. 1990 , 119, 513-9	19
1508	Electrogenesis of the S1S2S3 electrocardiographic pattern. A study in humans based on body surface potential and right ventricular endocardial mapping. 1990 , 23, 23-31	3
1507	Relation of obesity, high sodium intake, and eccentric left ventricular hypertrophy to left ventricular exercise dysfunction in essential hypertension. 1990 , 88, 477-85	57
1506	Clinical evaluation of a prospective protocol for the timing of surgery in chronic aortic regurgitation. 1990 , 120, 649-57	14
1505	Correlates of diastolic filling abnormalities in hypertension: a Doppler echocardiographic study. 1990 , 120, 386-91	34
1504	Assessment of left ventricular systolic and diastolic function with Doppler echocardiography in hypertensive patients receiving intravenous medroxalol. 1990 , 120, 87-95	8
1503	Hypertensive heart disease: relationship of silent ischemia to coronary artery disease and left ventricular hypertrophy. 1990 , 120, 928-33	39
1502	Use of Doppler echocardiography and amyl nitrite inhalation to characterize left ventricular outflow obstruction in hypertrophic cardiomyopathy. 1990 , 97, 389-95	13
1501	Left ventricular filling in dilated cardiomyopathy: relation to functional class and hemodynamics. 1990 , 15, 1288-95	261
1500	Changes in left ventricular diastolic performance after aortic balloon valvuloplasty: acute and late effects. 1990 , 16, 795-803	14

1499	Left atrial dimension and risk of systemic embolism in patients with a prosthetic heart valve. Department of Veterans Affairs Cooperative Study on Valvular Heart Disease. 1990 , 15, 32-41	20
1498	Relations among impaired coronary flow reserve, left ventricular hypertrophy and thallium perfusion defects in hypertensive patients without obstructive coronary artery disease. 1990 , 15, 43-51	291
1497	Syncope in hypertrophic cardiomyopathy: multivariate analysis of prognostic determinants. 1990 , 15, 948-55	82
1496	Effect of systemic hypertension on renal function and left ventricular hypertrophy in heart transplant recipients. 1990 , 15, 1095-101	35
1495	Relation between extent of left ventricular hypertrophy and diastolic filling abnormalities in hypertrophic cardiomyopathy. 1990 , 15, 808-13	105
1494	Origin and significance of diastolic Doppler flow signals in the left ventricular outflow tract. 1990 , 16, 1625-31	16
1493	Reversibility of tachycardia-induced cardiomyopathy after cure of incessant supraventricular tachycardia. 1990 , 16, 739-44	162
1492	Effects of captopril and minoxidil on left ventricular hypertrophy in resistant hypertensive patients: a 6 month double-blind comparison. 1990 , 16, 137-42	44
1491	Effects of nitroprusside on transmitral flow velocity patterns in extreme heart failure: a combined hemodynamic and Doppler echocardiographic study of varying loading conditions. 1990 , 16, 1175-85	53
1490	Aortic regurgitation shortens Doppler pressure half-time in mitral stenosis: clinical evidence, in vitro simulation and theoretic analysis. 1990 , 16, 396-404	85
1489	Effect of autonomic blockade, postural changes and isometric exercise on Doppler indexes of diastolic left ventricular function. 1991 , 67, 1284-90	18
1488	Percutaneous mitral valvuloplasty in surgical high risk patients. 1991 , 17, 348-54	33
1487	Echocardiographic evaluation of cardiac structure and function in elderly subjects with isolated systolic hypertension. 1991 , 17, 422-30	111
1486	Impact of left ventricular hypertrophy on ventricular arrhythmias in the absence of coronary artery disease. 1991 , 17, 1277-82	139
1485	Epicardial coronary artery tone and reactivity in patients with normal coronary arteriograms and reduced coronary flow reserve (syndrome X). 1991 , 18, 50-4	41
1484	Aortoseptal angulation and left ventricular hypertrophy pattern: an echocardiographic study in patients with aortic valvular stenosis. 1991 , 4, 583-8	9
1483	Elevated serum activity of N-acetyl-beta-glucosaminidase in essential hypertension: diagnostic value and reversal to normal values after antihypertensive therapy. 1991 , 18, 638-48	5
1482	Weight is not an accurate criterion for adult cardiac transplant size matching. 1991 , 52, 1230-5; discussion 1235-6	23

1481	Doppler echocardiography for rejection surveillance in the cardiac allograft recipient. 1991 , 4, 97-104	5
1480	When do cardiovascular parameters return to their preconception values?. 1991 , 165, 883-6	91
1479	Left ventricular diastolic dysfunction in end-stage dilated cardiomyopathy: simultaneous Doppler echocardiography and hemodynamic evaluation. 1991 , 4, 349-60	41
1478	Cross-sectional echocardiography: a window on congestive heart failure in the elderly. 1991 , 3, 257-62	3
1477	Acromegalic cardiopathy improves after treatment with increasing doses of octreotide. 1991 , 14, 17-23	53
1476	The upper limit of physiologic cardiac hypertrophy in highly trained elite athletes. 1991 , 324, 295-301	737
1475	Effects of Nebivolol on Blood Pressure, Hormones and Cardiac Function in Chinese Subjects with Essential Hypertension. 1991 , 3, 98-104	2
1474	The inheritance of left ventricular structure and function assessed by imaging and Doppler echocardiography. 1991 , 121, 1743-9	62
1473	Effects of aging on left ventricular structure and function. 1991 , 121, 871-5	66
1472	Blood pressure and left ventricular anatomy and function after heart transplantation. 1991 , 122, 1087-94	8
1471	Factors influencing transmitral flow velocity in normal and hypertensive subjects. 1991 , 122, 1101-6	11
1470	Relationship of left ventricular mass to impairment of coronary vasodilator reserve in hypertensive heart disease. 1991 , 121, 1107-12	22
1469	Electrocardiographic signs of atrial overload in hypertensive patients: indexes of abnormality of atrial morphology or function?. 1991 , 121, 1113-8	12
1468	Echocardiographic assessment of doxazosin on left ventricular mass in patients with essential hypertension. 1991 , 121, 356-61	12
1467	Left ventricular hypertrophy: diagnosis, prognosis, and management. 1991 , 121, 148-57	23
1466	Prediction of left ventricular mass from the electrocardiogram. 1991 , 24, 121-7	26
1465	Experimental model of chronic global left ventricular dysfunction secondary to left coronary microembolization. 1991 , 18, 1794-803	38
1464	Asynchronous (segmental early) relaxation impairs left ventricular filling in patients with coronary artery disease and normal systolic function. 1991 , 18, 1251-8	19

1463	Influence of contemporary versus 30-year blood pressure levels on left ventricular mass and geometry: the Framingham Heart Study. 1991 , 18, 1287-94	114
1462	Left atrial spontaneous echo contrast: a clinical and echocardiographic analysis. 1991 , 18, 398-404	351
1461	Hypertrophic cardiomyopathy characterized by marked hypertrophy of the posterior left ventricular free wall: significance and clinical implications. 1991 , 18, 421-8	20
1460	Left ventricular diastolic filling abnormalities identified by Doppler echocardiography in asymptomatic patients with sickle cell anemia. 1991 , 17, 1473-8	36
1459	Normalization of left ventricular mass and associated changes in neurohormones and atrial natriuretic peptide after 1 year of sustained nifedipine therapy for severe hypertension. 1991 , 17, 1595-602	59
1458	Echocardiographic estimation of critical left ventricular size in infants with isolated aortic valve stenosis. 1991 , 18, 1049-55	52
1457	Quantitative assessment of ultrasonic myocardial reflectivity in hypertrophic cardiomyopathy. 1991 , 17, 1085-90	72
1456	Immediate and short-term cardiovascular effects of fosinopril, a new angiotensin-converting enzyme inhibitor, in patients with essential hypertension. 1991 , 17, 1183-7	29
1455	A comparison of left ventricular mass and volume using different echocardiographic conventions. 1991 , 30, 103-8	4
1454	Familial dilated cardiomyopathy: a transverse and longitudinal clinical and echocardiographic study. 1991 , 33, 225-31	5
1453	Constrictive pericarditis versus restrictive cardiomyopathy: the role of Doppler echocardiography in differential diagnosis. 1991 , 31, 319-27	19
1452	Doppler echocardiographic assessment of changes in pulmonary artery pressure associated with vasodilating therapy in patients with congestive heart failure. 1991 , 4, 35-42	4
1451	Intraventricular blood flow during isovolumetric relaxation and diastole in hypertrophic cardiomyopathy. 1991 , 4, 247-57	12
1450	Pulmonary venous flow velocity: relation to hemodynamics, mitral flow velocity and left atrial volume, and ejection fraction. 1991 , 4, 547-58	156
1449	Diagnosis of recent myocardial infarction with quantitative backscatter imaging: preliminary studies. 1991 , 4, 10-8	33
1448	Left ventricular diastolic function in athletes and borderline hypertensives with mild cardiac hypertrophy. 1991 , 78, 278-81	6
1447	Ventricular late potentials in myotonic dystrophy. 1991 , 115, 607-13	21
1446	Diastolic Abnormalities of Nonhypertrophied Left Ventricular Posterior Wall in Hypertrophic Cardiomyopathy. 1991 , 5, 160-163	

1445 Influence of Graded Levels of Acute Aortic Insufficiency on Transmitral Flow Velocity. **1991**, 5, 193-201

1444 Prevalence of Echocardiographic Abnormalities in Human Immunodeficiency Virus 1 Infection. **1991**, 5, 280-284 2

1443 Factors Influencing Doppler Echocardiographic Assessment of Left Ventricular Diastolic Function in Aortic Valve Stenosis. **1991**, 5, 20-25

1442 Non-invasive assessment of systolic left ventricular function in systemic sclerosis. **1991**, 12, 151-6 20

1441 Relative prognostic value of clinical heart failure and early echocardiographic parameters in acute myocardial infarction. **1991**, 79, 64-72 9

1440 Left ventricular function immediately after exercise in elite cyclists. **1991**, 79, 284-9 3

1439 Twenty-four hours of bed rest with head-down tilt: venous and arteriolar changes of limbs. **1991**, 260, H1043-50 1

1438 Cardiac alterations in 36 consecutive patients with idiopathic haemochromatosis: polygraphic and echocardiographic evaluation. **1991**, 12, 224-30 68

1437 Systolic intra-cavitary gradients following aortic valve replacement: an echo-Doppler study. **1991**, 12, 1098-106 22

1436 Echocardiographic assessment of myocardial performance after prolonged strenuous exercise. **1991**, 12, 1183-8 22

1435 Effect of postural changes and isometric exercise on Doppler-derived measurements of diastolic function in normal subjects. **1991**, 100, 357-63 11

1434 Twenty-four hour arterial pressure and heart rate as predictors of left-ventricular hypertrophy. **1991**, 302, 133-7 4

1433 Left ventricular hypertrophy, compliance and ventricular filling. **1991**, 19, 103-11 3

1432 Echocardiographic evaluation of the cardiovascular effects of short-duration spaceflight. **1991**, 31, 1024-6 46

1431 Subclinical cardiotoxicity by doxorubicin: a pulsed Doppler echocardiographic study. **1991**,

1430 Significance of left ventricular wall stress in infants with atrioventricular septal defect, common atrioventricular orifice and regurgitation across the left atrioventricular valve. **1991**, 1, 390-395 1

1429 [Long-term study of anthracycline-induced cardiomyopathy in children and adolescents]. **1991**, 203, 262-7 1

1428 Prevalence of coronary risk factors in elderly blacks and whites. **1991**, 39, 567-70 19

1427	Ventricular function and Na ⁺ ,K ⁽⁺⁾ -ATPase activity and distribution with chronic supraventricular tachycardia. 1991 , 25, 138-44		9
1426	Dipyridamole-induced myocardial ischaemia increases ANF release in man. 1991 ,		
1425	Exercise training improves left ventricular systolic function in older men. <i>Circulation</i> , 1991 , 83, 96-103	16.7	150
1424	Leftward shift of the interventricular septum and pulsus paradoxus in obstructive sleep apnea syndrome. 1991 , 100, 894-902		175
1423	Adaptive myocardial border tracking in M-mode echocardiograms. 1991 , 22, 95-105		1
1422	Cardiac function in congenital hypothyroidism: impairment and response to L-T4 therapy. <i>Pediatric Cardiology</i> , 1991 , 12, 28-32	2.1	10
1421	Simultaneous occurrence of mitral valve prolapse and systolic anterior motion in hypertrophic cardiomyopathy. 1991 , 67, 404-10		10
1420	Prevalence of unsuspected mitral regurgitation and left ventricular diastolic dysfunction in patients with coronary artery disease and acute pulmonary edema associated with normal or depressed left ventricular systolic function. 1991 , 67, 37-41		31
1419	Noninvasive assessment by pulsed Doppler ultrasound of left ventricular filling behavior in long distance runners during marathon race. 1991 , 68, 1237-41		10
1418	Influence of age, body size and heart rate on left ventricular diastolic indexes in young subjects. 1991 , 68, 1245-7		21
1417	Hemodynamic comparison of two nifedipine formulations in patients with essential hypertension. 1991 , 68, 1346-50		43
1416	Echocardiographic assessment of left ventricular function and wall motion at high altitude in normal subjects. 1991 , 68, 1692-7		14
1415	Gender differences in left ventricular anatomy, blood viscosity and volume regulatory hormones in normal adults. 1991 , 68, 1704-8		88
1414	Prediction of major cardiac events after peripheral vascular surgery using dipyridamole echocardiography. 1991 , 68, 593-7		96
1413	Electrocardiographic correlates with left ventricular morphology in idiopathic dilated cardiomyopathy. 1991 , 68, 642-7		13
1412	Influence of the arterial blood pressure and nonhemodynamic factors on left ventricular hypertrophy in moderate essential hypertension. 1991 , 68, 925-9		69
1411	Rarity of preclinical alcoholic cardiomyopathy in chronic alcoholics less than 40 years of age. 1991 , 67, 183-7		33
1410	Usefulness of systolic excursion of the mitral anulus as an index of left ventricular systolic function. 1991 , 67, 222-4		187

1409	Pulmonary venous flow velocity pattern as assessed with transthoracic pulsed Doppler echocardiography in subjects without cardiac disease. 1991 , 67, 1396-404	91
1408	Improvement in exercise capacity after correction of anemia in patients with end-stage renal failure. 1991 , 68, 1060-6	63
1407	Usefulness of the subaortic diameter for normalizing left ventricular and left atrial dimensions. 1991 , 67, 785-6	2
1406	Frequency and severity of mitral regurgitation one year after balloon mitral valvuloplasty. 1991 , 67, 264-8	23
1405	Congestive heart failure, coronary events and atherothrombotic brain infarction in elderly blacks and whites with systemic hypertension and with and without echocardiographic and electrocardiographic evidence of left ventricular hypertrophy. 1991 , 67, 295-9	123
1404	Reversal of changes in left ventricular diastolic filling associated with normal aging using diltiazem. 1991 , 67, 894-6	30
1403	Left ventricular diastolic filling alterations in normotensive young adults with a family history of systemic hypertension. 1991 , 68, 51-6	55
1402	Determinants of one-year outcome from balloon aortic valvuloplasty. 1991 , 68, 75-80	10
1401	Echocardiographic evidence for the existence of a distinct diabetic cardiomyopathy (the Framingham Heart Study). 1991 , 68, 85-9	429
1400	Abnormal left ventricular diastolic filling in eccentric left ventricular hypertrophy of obesity. 1991 , 68, 95-8	91
1399	Hemodynamic effects of celiprolol in essential hypertension. 1991 , 68, 509-14	6
1398	Stress-induced changes in blood pressure and left ventricular function in mild hypertension. 1991 , 14, 125-32	35
1397	Left ventricular muscle mass and diastolic function in patients with essential hypertension under long-term clonidine monotherapy. 1991 , 14, 134-40	4
1396	Echocardiographic left ventricular wall thickness: a poor predictor of the severity of aortic valve stenosis. 1991 , 14, 227-31	9
1395	Noninvasive detection of the morphologic and hemodynamic changes during normal pregnancy. 1991 , 14, 327-34	39
1394	Static versus dynamic exercise: effects on Doppler echocardiographic indices of left ventricular performance. 1991 , 14, 481-8	4
1393	The atrioventricular plane displacement as a means of evaluating left ventricular systolic function in acute myocardial infarction. 1991 , 14, 588-94	69
1392	Changes in left atrial size in patients with lone atrial fibrillation. 1991 , 14, 652-6	48

1391	Renal, cardiovascular and hormonal characteristics of young adults with autosomal dominant polycystic kidney disease. 1991 , 40, 501-8		71
1390	Atrial fibrillation and left atrial enlargement: cause or effect?. 1991 , 229, 253-6		27
1389	Left ventricular function and wall thickness in long-term insulin-dependent diabetes mellitus: an echocardiographic study. 1991 , 229, 527-31		9
1388	Non-invasive evaluation of long-term cardiac effects of captopril in systemic sclerosis. 1991 , 230, 203-12		15
1387	Plasma taurine concentrations and M-mode echocardiographic measures in healthy cats and in cats with dilated cardiomyopathy. 1991 , 5, 232-8		64
1386	Doppler waveforms in the renal arteries of normal children. 1991 , 19, 387-92		8
1385	The spectrum of left ventricular filling in severe aortic stenosis. 1991 , 7, 101-12		3
1384	Cardiac output by pulsed Doppler in neonates using the apical window. <i>Pediatric Cardiology</i> , 1991 , 12, 13-6	2.1	28
1383	Left ventricular myocardial mass determined by cross-sectional echocardiography in normal newborns, infants, and children. <i>Pediatric Cardiology</i> , 1991 , 12, 143-9	2.1	53
1382	Non-infective verrucous endocarditis in a patient with 'primary' antiphospholipid syndrome. 1991 , 30, 305-7		16
1381	Induction of a reduction in haemoglobin concentration by enalapril in stable, moderate heart failure: a double blind study. 1991 , 66, 199-205		18
1380	Sodium-lithium countertransport and cardiorenal abnormalities in essential hypertension. 1991 , 18, 191-8		66
1379	Body surface distribution of abnormally low QRST areas in patients with left ventricular hypertrophy. An index of repolarization abnormalities. <i>Circulation</i> , 1991 , 84, 1505-15	16.7	15
1378	Doppler and echocardiographic characteristics of patients having an Austin Flint murmur. <i>Circulation</i> , 1991 , 83, 1940-50	16.7	15
1377	Neuroendocrine activity in untreated heart failure. 1991 , 65, 249-55		57
1376	Intracardiac mobile thrombus and D-dimer fragment of fibrin in patients with mitral stenosis. 1991 , 66, 22-5		36
1375	Unsuspected echocardiographic abnormality in the long QT syndrome. Diagnostic, prognostic, and pathogenetic implications. <i>Circulation</i> , 1991 , 84, 1530-42	16.7	77
1374	Relation between ventricular and myocyte remodeling with the development and regression of supraventricular tachycardia-induced cardiomyopathy. 1991 , 69, 1058-67		105

1373	Changes in left ventricular volume, mass, and function during the development and regression of supraventricular tachycardia-induced cardiomyopathy. Disparity between recovery of systolic versus diastolic function. <i>Circulation</i> , 1991 , 83, 635-44	16.7	142
1372	A comparative study of left ventricular structure and function in elite athletes. 1991 , 25, 45-8		26
1371	Alterations in myocyte shape and basement membrane attachment with tachycardia-induced heart failure. 1991 , 69, 590-600		94
1370	Regression of left ventricular hypertrophy in hypertensive heart transplant recipients treated with enalapril, furosemide, and verapamil. <i>Circulation</i> , 1991 , 84, 583-93	16.7	24
1369	Marfanoid children. Etiologic heterogeneity and cardiac findings. 1991 , 145, 90-3		17
1368	Myocardial beta-adrenergic adenylate cyclase complex in a canine model of chagasic cardiomyopathy. 1991 , 69, 185-95		16
1367	Noninvasive cardiovascular studies in patients with inflammatory myopathy. 1991 , 42, 843-8		13
1366	Red blood cell lithium-sodium countertransport in the tecumseh blood pressure study. 1991 , 17, 652-60		15
1365	Determinants of normal coronary artery dimensions in humans. <i>Circulation</i> , 1991 , 84, 2294-306	16.7	79
1364	Elevated pulmonary artery pressure. An independent predictor of mortality. 1991 , 99, 112-20		53
1363	Enhanced left ventricular diastolic function in hyperthyroidism: noninvasive assessment and response to treatment. 1991 , 73, 146-50		121
1362	Effects of long-term treatment with prazosin on left ventricular diastolic function in mild to moderate hypertension. 1992 , 101, 181-6		2
1361	Transesophageal echocardiographic findings in patients with orthotopic heart transplantation. 1992 , 101, 599-602		12
1360	Depressed systolic and diastolic cardiac function after prolonged aerobic exercise in healthy subjects. 1992 , 13, 293-7		15
1359	Left ventricular filling behaviour in ultra endurance and amateur athletes: a stress Doppler-echo study. 1992 , 13, 600-4		4
1358	Changes in cardiovascular function during inversion. 1992 , 13, 69-73		2
1357	Gender differences in left ventricular structure and function in young adults with normal or marginally elevated blood pressure. 1992 , 5, 32-6		24
1356	Low plasma growth hormone binding protein in IDDM. 1992 , 41, 605-9		69

1355	Variability between current definitions of 'normal' ambulatory blood pressure. Implications in the assessment of white coat hypertension. 1992 , 20, 555-62		163
1354	Sodium-Lithium Countertransport Activity and Insulin Resistance in Normotensive IDDM Patients. 1992 , 41, 610-615		24
1353	Effect of enalapril on infants and children with congestive heart failure. 1992 , 2, 14-19		20
1352	Subclinical cardiomyopathy in Becker muscular dystrophy. 1992 , 68, 304-8		53
1351	Left atrial contribution to ventricular filling during the course of evolving heart failure. <i>Circulation</i> , 1992 , 86, 1317-22	16.7	116
1350	Development and determinants of dynamic obstruction to left ventricular outflow in young patients with hypertrophic cardiomyopathy. <i>Circulation</i> , 1992 , 85, 1398-405	16.7	36
1349	Normal ultrasonic myocardial reflectivity in athletes with increased left ventricular mass. A tissue characterization study. <i>Circulation</i> , 1992 , 85, 1828-34	16.7	67
1348	Parallel cardiac and vascular adaptation in hypertension. <i>Circulation</i> , 1992 , 86, 1909-18	16.7	304
1347	Abnormal left ventricular intracavitary flow acceleration in patients undergoing aortic valve replacement for aortic stenosis. A marker for high postoperative morbidity and mortality. <i>Circulation</i> , 1992 , 86, 926-36	16.7	142
1346	Calculation of aortic regurgitation orifice area by Doppler echocardiography: an application of the continuity equation. 1992 , 68, 236-40		12
1345	Isolated presynaptic inotropic beta-adrenergic supersensitivity of the transplanted denervated human heart in vivo. <i>Circulation</i> , 1992 , 85, 1056-63	16.7	44
1344	Enhanced left ventricular diastolic filling associated with long-term endurance training. 1992 , 47, M56-8		65
1343	Usefulness of Doppler echocardiographic assessment of diastolic filling in distinguishing "athlete's heart" from hypertrophic cardiomyopathy. 1992 , 68, 296-300		93
1342	Relation between ventricular and myocyte function with tachycardia-induced cardiomyopathy. 1992 , 71, 174-87		97
1341	Increased systolic pressure in chronic uremia. Role of arterial wave reflections. 1992 , 20, 10-9		219
1340	"Subclinical" pacemaker syndrome: a randomised study of symptom free patients with ventricular demand (VVI) pacemakers upgraded to dual chamber devices. 1992 , 67, 57-64		59
1339	Use of transoesophageal echocardiography to detect left atrial thrombi before percutaneous balloon dilatation of the mitral valve: a prospective study. 1992 , 67, 170-3		27
1338	Cardiovascular effects of fenoterol under conditions of hypoxaemia. 1992 , 47, 814-7		30

1337	Evaluation, by noninvasive methods, of the effects of acute loss of thyroid hormones on the heart. 1992 , 43, 287-93	18
1336	Differences in left ventricular structural and functional changes between pheochromocytoma and essential hypertension. Role of elevated circulating catecholamines. 1992 , 5, 134-40	32
1335	Echocardiographic parameters and indices in the normal beagle dog. 1992 , 26, 190-5	52
1334	Coronary haemodynamics in hypertensive heart disease. 1992 , 13 Suppl D, 44-9	66
1333	Cardiac structure and function in women basketball athletes: seasonal variation and comparisons with nonathletic controls. 1992 , 63, 393-401	18
1332	Changes in myocardial blood flow during development of and recovery from tachycardia-induced cardiomyopathy. <i>Circulation</i> , 1992 , 85, 717-29	16.7 95
1331	Echocardiographic evaluation of pulmonary embolism and its response to therapeutic interventions. 1992 , 101, 151S-162S	76
1330	Arterial vasodilation is not the cause of increased cardiac output in cirrhosis. 1992 , 102, 1024-9	53
1329	Left atrial size in paroxysmal atrial fibrillation: echocardiographic evaluation and follow-up. 1992 , 80, 89-93	12
1328	The prognostic role of left ventricular hypertrophy in patients with or without coronary artery disease. 1992 , 117, 831-6	345
1327	Predictors of thromboembolism in atrial fibrillation: II. Echocardiographic features of patients at risk. The Stroke Prevention in Atrial Fibrillation Investigators. 1992 , 116, 6-12	463
1326	Acromegalic cardiomyopathy. Left ventricular filling and hypertrophy in active and surgically treated disease. 1992 , 102, 1204-8	16
1325	Impact of hemodialysis on left and right ventricular Doppler diastolic filling indices. 1992 , 304, 83-90	35
1324	Ventricular function in snorers and patients with obstructive sleep apnea. 1992 , 102, 100-5	49
1323	Abnormal endogenous carbon monoxide production in children with ineffective erythropoiesis. 1992 , 29 (Pt 4), 397-9	3
1322	Renal artery Doppler blood velocity waveforms in children with aortic coarctation. 1992 , 2, 184-190	3
1321	Echocardiographic diagnosis of rheumatic fever and rheumatic valvar disease. 1992 , 2, 236-239	
1320	Haemodynamic significance of the atrioventricular plane displacement in patients with coronary artery disease. 1992 , 13, 194-200	111

1319	Effect of a new multifactorial antihypertensive on heart morphology and function in mild to moderate essential arterial hypertension. 1992 , 13 Suppl A, 45-8	94
1318	Ventricular ectopic activity in physically trained hypertensive subjects. 1992 , 13, 316-20	20
1317	The heart in Duchenne muscular dystrophy: a non-invasive longitudinal study. 1992 , 13, 1239-44	37
1316	A cross-sectional study of echocardiographic indices, treadmill exercise capacity and microvascular complications in Nigerian patients with hypertension associated with diabetes mellitus. 1992 , 9, 899-903	19
1315	Ascites as a marker for the hyperdynamic heart of Laennec's cirrhosis. 1992 , 16, 968-70	18
1314	Echocardiographic left ventricular hypertrophy: clinical characteristics. The Framingham Heart Study. 1992 , 14, 85-97	15
1313	Echocardiographic measurements in adolescents based upon gender and sexual maturity rating. 1992 , 2, 168-174	
1312	M-mode, 2-D and Doppler echocardiographic study in 65 patients with Behçet's syndrome. 1992 , 13, 638-41	61
1311	Effects of a long-term treatment with alacepril on left ventricular hypertrophy and function in patients with essential hypertension. 1992 , 32, 667-70	2
1310	Higher left ventricle mass in normotensives with exaggerated blood pressure responses to exercise associated with higher ambulatory blood pressure load and sympathetic activity. 1992 , 13 Suppl A, 30-6	27
1309	Hemodynamic Profile of Mild Pregnancy Induced Hypertension. 1992 , 11, 131-146	
1308	Rapid reduction of left ventricular hypertrophy in acromegaly after suppression of growth hormone hypersecretion. 1992 , 117, 719-26	78
1307	Is there a relationship between exercise systolic blood pressure response and left ventricular mass? The Framingham Heart Study. 1992 , 116, 203-10	132
1306	Diagnostic accuracy of exercise thallium-201 scintigraphy in men with asymptomatic essential hypertension. 1992 , 5, 465-72	11
1305	A negative thallium (+/- dipyridamole) stress test excludes significant obstructive epicardial coronary artery disease in hypertensive patients. 1992 , 5, 71-5	28
1304	Effects of enalapril on heart failure in hypertensive patients with diastolic dysfunction. 1992 , 5, 480-3	13
1303	Cardiovascular changes in pregnancy evaluated by two-dimensional and Doppler echocardiography. 1992 , 5, 253-8	30
1302	Echocardiographic design of a multicenter investigation of free-living elderly subjects: the Cardiovascular Health Study. 1992 , 5, 63-72	195

1301	Doppler evaluation of normalized peak filling rate in normal children and children with left ventricular outflow obstruction. 1992 , 5, 598-602	6
1300	Cardiovascular effects of rectal methohexital in children. 1992 , 4, 116-9	10
1299	Echocardiographic indexes of allograft rejection in pediatric cardiac transplant recipients. 1992 , 5, 41-7	15
1298	Hemodynamic and plasma atrial natriuretic factor responses to cardiac volume loading in young versus older normotensive humans. 1992 , 70, 1549-54	10
1297	Role of vagal activity in the cardiovascular responses to phenylephrine in man. 1992 , 33, 333-6	5
1296	Standardised imaging technique for guided M-mode and Doppler echocardiography in the horse. 1992 , 24, 226-35	112
1295	Effects of dual-chamber pacing in hypertrophic obstructive cardiomyopathy. 1992 , 339, 1318-23	259
1294	Blood pressure load determines left ventricular mass in essential hypertension. 1992 , 34, 335-8	28
1293	Limitations of the electrocardiographic diagnosis of left ventricular hypertrophy: the influence of left anterior hemiblock and right bundle branch block. 1992 , 34, 41-8	15
1292	The application of nebivolol in essential hypertension: a double-blind, randomized, placebo-controlled study. 1992 , 35, 387-95	27
1291	Early diastolic left ventricular function as a marker of acute cardiac rejection: a prospective serial echocardiographic study. 1992 , 37, 351-9	15
1290	Utility of continuous wave Doppler echocardiography in the noninvasive assessment of left ventricular outflow tract pressure gradient in patients with hypertrophic cardiomyopathy. 1992 , 19, 91-9	143
1289	Separate and joint influences of obesity and mild hypertension on left ventricular mass and geometry: the Framingham Heart Study. 1992 , 19, 130-4	142
1288	Coexistence of mitral valve prolapse in a consecutive group of 528 patients with hypertrophic cardiomyopathy assessed with echocardiography. 1992 , 20, 55-61	44
1287	Hemodynamic and volume correlates of left ventricular diastolic relaxation and filling in patients with aortic stenosis. 1992 , 20, 813-21	29
1286	Preserved ventricular pump function after a marked reduction of left ventricular mass. 1992 , 20, 864-8	10
1285	Two-dimensional and Doppler echocardiographic determinants of the natural history of mitral valve narrowing in patients with rheumatic mitral stenosis: implications for follow-up. 1992 , 19, 968-73	59
1284	Abnormal myocardial acoustic properties in diabetic patients and their correlation with the severity of disease. 1992 , 19, 1154-62	122

1283	Effect of hyperthyroidism of short duration on cardiac sensitivity to beta-adrenergic stimulation. 1992 , 19, 1185-91	26
1282	Cardiac manifestations of cocaine abuse: a cross-sectional study of asymptomatic men with a history of long-term abuse of "crack" cocaine. 1992 , 20, 1168-74	49
1281	Left ventricular mass and body size in normotensive children and adults: assessment of allometric relations and impact of overweight. 1992 , 20, 1251-60	1421
1280	Effect of chronic supraventricular tachycardia on left ventricular function and structure in newborn pigs. 1992 , 20, 1650-60	28
1279	Left ventricular function is not impaired in weight-lifters who use anabolic steroids. 1992 , 19, 278-82	71
1278	Dobutamine stress echocardiography: a sensitive indicator of diminished myocardial function in asymptomatic doxorubicin-treated long-term survivors of childhood cancer. 1992 , 19, 394-401	115
1277	Patterns of left ventricular hypertrophy and geometric remodeling in essential hypertension. 1992 , 19, 1550-8	1218
1276	Administration of levothyroxine to euthyroid dogs does not affect echocardiographic and electrocardiographic measurements. 1992 , 53, 130-2	6
1275	Longitudinal systolic shortening of the left ventricle: an echocardiographic study in subjects with and without preserved global function. 1992 , 12, 443-52	99
1274	Non-invasive assessment of vessel-wall changes in hypertensives and normotensive controls. 1992 , 12, 497-502	5
1273	Reversibility of left ventricular dysfunction after successful catheter ablation of supraventricular reentrant tachycardia. 1992 , 124, 1512-6	16
1272	Noninvasive assessment of systolic and diastolic left ventricular function in patients with chronic severe anemia: a combined M-mode, two-dimensional, and Doppler echocardiographic study. 1992 , 124, 1516-23	53
1271	Prognostic significance of Doppler-derived left ventricular diastolic filling variables in dilated cardiomyopathy. 1992 , 124, 1524-33	91
1270	Mild dehydration induces echocardiographic signs of mitral valve prolapse in healthy females with prior normal cardiac findings. 1992 , 124, 1533-40	26
1269	Comparison of cardiac dimensions by transesophageal and transthoracic echocardiography. 1992 , 124, 675-8	44
1268	The influence of obesity on left ventricular filling and systolic function. 1992 , 124, 694-9	69
1267	Doppler assessment of right ventricular filling dynamics in systemic hypertension: comparison with left ventricular filling. 1992 , 124, 1313-20	23
1266	Left ventricular involvement in right ventricular dysplasia. 1992 , 123, 711-24	160

1265	The Marfan syndrome: cardiovascular physical findings and diagnostic correlates. 1992 , 123, 743-52	40
1264	Changes in left ventricular size, wall thickness, and function in anemic patients treated with recombinant human erythropoietin. 1992 , 124, 424-7	78
1263	Survival of heart failure patients with preserved versus impaired systolic function: the prognostic implication of blood pressure. 1992 , 123, 993-7	77
1262	Determinants of ventricular ectopy in hypertensive cardiac hypertrophy. 1992 , 123, 89-95	22
1261	Analysis of pulmonary venous flow velocity patterns in hypertensive hearts: its complementary value in the interpretation of mitral flow velocity patterns. 1992 , 124, 983-94	52
1260	The role of gender in echocardiographically determined left ventricular mass in equally trained populations of runners. 1992 , 124, 1104-6	7
1259	Effects of venous return reduction in hypertensive patients: is there a Doppler diastolic dysfunction index independent of preload reduction?. 1992 , 123, 1299-306	10
1258	Brain natriuretic peptide as a cardiac hormone in essential hypertension. 1992 , 92, 29-34	220
1257	Ascending aorta distensibility abnormalities in hypertensive patients and response to nifedipine administration. 1992 , 93, 505-12	66
1256	High-frequency analysis of the signal-averaged ECG. Correlation with left ventricular mass in rabbits. 1992 , 25, 111-8	13
1255	Hemodynamic and hormonal effects of prolonged anti-G suit inflation in humans. 1992 , 72, 977-84	17
1254	Echocardiographic findings and the increased risk of stroke in nonvalvular atrial fibrillation. 1992 , 81, 189-95	13
1253	Reversal of cardiovascular structural changes when treating essential hypertension. The importance of the renin-angiotensin-aldosterone system. 1992 , 5, 900-11	54
1252	Hemodynamic and Cardiac Effects of Erythropoietin in Patients on Regular Dialysis. 1992 , 15, 349-353	6
1251	Automated versus observer blood pressure as determinants of left ventricular structure. 1992 , 13, 1373-9	14
1250	Progression of systolic dysfunction correlated with the ultrasonographically assessed myocardial tissue damage in patients with dilated cardiomyopathy. 1992 , 80, 399-405	3
1249	Reduced left ventricular diastolic asynchrony after captopril in single vessel coronary artery disease. 1992 , 81, 115-20	2
1248	Fasting insulin and left ventricular mass in hypertensives and normotensive controls. 1992 , 81, 207-12	24

1247	Aging and physical activity determine cardiac structure and function in the older athlete. 1992 , 72, 1969-73		56
1246	Effects of chronic tachycardia-induced cardiomyopathy on the β -adrenergic receptor system. 1992 , 104, 1006-1012		18
1245	Performance of a stentless xenograft aortic bioprosthesis up to four years after implantation. 1992 , 103, 1068-1073		11
1244	Outer Limits of Physiologic Hypertrophy and Relevance to the Diagnosis of Primary Cardiac Disease. 1992 , 10, 267-279		10
1243	Critical Reappraisal of Bedside Echocardiographic Parameters for Estimation of Left Ventricular Ejection Fraction in Acute Myocardial Infarction. 1992 , 6, 269-278		11
1242	Anatomical and functional cardiac abnormalities in type I diabetes. 1992 , 70, 403-10		9
1241	Comparison of ketanserin and celiprolol on regression of left ventricular hypertrophy in older hypertensive patients. <i>Cardiovascular Drugs and Therapy</i> , 1992 , 6, 419-24	3.9	6
1240	Regression of left ventricular hypertrophy in "previously untreated" hypertensive blacks after 6 months of blood pressure reduction with alpha- and beta-adrenergic blockade and thiazide therapy. <i>Cardiovascular Drugs and Therapy</i> , 1992 , 6, 147-51	3.9	2
1239	Alterations in the myocardial capillary vasculature accompany tachycardia-induced cardiomyopathy. <i>Basic Research in Cardiology</i> , 1992 , 87, 65-79	11.8	45
1238	Subpressor calcium infusion increases isovolumic left ventricular relaxation time and atrial natriuretic peptide in humans. 1992 , 19, 307-10		1
1237	Development and validation of echocardiographic methods for estimating left ventricular mass in rats. 1992 , 19, 361-4		10
1236	THE USE OF M-MODE ECHOCARDIOGRAPHY IN DETERMINING CARDIAC OUTPUT IN DOGS WITH NORMAL, LOW, AND HIGH OUTPUT STATES: COMPARISON TO THERMODILUTION METHOD. 1992 , 33, 297-304		13
1235	Clustering of risk factors in hypertensive insulin-dependent diabetics with high sodium-lithium countertransport. 1992 , 41, 855-61		43
1234	Prognostic implications of subclinical left ventricular dilatation and systolic dysfunction in men free of overt cardiovascular disease (the Framingham Heart Study). 1992 , 70, 1180-4		118
1233	Left ventricular filling abnormalities in non-insulin-dependent diabetes mellitus and improvement by a short-term glycemic control. 1992 , 70, 1185-9		44
1232	Antihypertensive effect of felodipine associated with persistent sympathetic activation and minimal regression of left ventricular hypertrophy. 1992 , 69, 639-45		63
1231	A new classification of left ventricular geometry in patients with cardiac disease based on M-mode echocardiography. 1992 , 70, 681-8		24
1230	Comparison of results of percutaneous mitral valvuloplasty in patients with large (greater than 6 cm) versus those with smaller left atria. 1992 , 69, 355-60		6

1229	Rate-corrected mean velocity of fiber shortening-stress at peak systole as a load-independent measure of contractility. 1992 , 69, 403-7	24
1228	Usefulness of transesophageal echocardiography for diagnosis of mitral valve prolapse. 1992 , 69, 419-22	14
1227	Course of left ventricular hypertrophy and function in end-stage renal disease after renal transplantation. 1992 , 70, 1481-4	49
1226	Echocardiographic determinants of clinical outcome in subjects with coronary artery disease (the Framingham Heart Study). 1992 , 70, 971-6	47
1225	Noninvasive detection of left ventricular diastolic dysfunction using M-mode echocardiography to assess left ventricular posterior wall kinetics in hypertrophic cardiomyopathy. 1992 , 70, 1583-8	5
1224	Usefulness of left atrial and left ventricular chamber sizes as predictors of the severity of mitral regurgitation. 1992 , 70, 774-9	22
1223	Clinical implications of left atrial spontaneous echo contrast in nonrheumatic atrial fibrillation. 1992 , 70, 327-31	86
1222	Left ventricular function and dimensions in newly diagnosed non-insulin-dependent diabetes mellitus. 1992 , 70, 371-8	72
1221	Cardiovascular factors influencing survival in end-stage renal disease treated by continuous ambulatory peritoneal dialysis. 1992 , 69, 123-7	20
1220	Effects of sustained-release nicardipine on regression of left ventricular hypertrophy in systemic hypertension. 1992 , 69, 1559-64	11
1219	Impairment of left ventricular diastolic function in systemic lupus erythematosus. 1992 , 69, 1629-34	45
1218	Long-term efficacy of physiologic dual-chamber pacing in the treatment of end-stage idiopathic dilated cardiomyopathy. 1992 , 70, 1320-5	161
1217	Clinical course of middle-aged asymptomatic patients with hypertrophic cardiomyopathy. 1992 , 69, 935-40	15
1216	Frequency of magnetic resonance signal abnormalities of the brain in patients aged less than 50 years with idiopathic dilated cardiomyopathy. 1992 , 69, 1446-50	10
1215	Ventricular arrhythmias in dilated cardiomyopathy as an independent prognostic hallmark. Italian Multicenter Cardiomyopathy Study (SPIC) Group. 1992 , 69, 1451-7	92
1214	Abnormal blood rheology in idiopathic dilated cardiomyopathy. 1992 , 69, 1497-9	3
1213	Usefulness of the electrocardiogram and echocardiogram in predicting the amount of interstitial myocardial collagen in endomyocardial biopsy specimens of patients with chronic heart failure. 1992 , 69, 1502-3	8
1212	Racial differences in left ventricular structure in healthy young adults. 1992 , 69, 1196-9	58

1211	Comparison of the effects of isradipine and lisinopril on left ventricular structure and function in essential hypertension. 1992 , 69, 1200-6	33
1210	Degree of left ventricular hypertrophy in patients with hypertrophic cardiomyopathy and chronic atrial fibrillation. 1992 , 69, 1217-22	36
1209	Improvement in left ventricular systolic function after successful radiofrequency His bundle ablation for drug refractory, chronic atrial fibrillation and recurrent atrial flutter. 1992 , 69, 489-92	133
1208	Reproducibility of quantitative backscatter echocardiographic imaging in normal subjects. 1992 , 69, 542-6	20
1207	Effects of long-acting nifedipine on casual office blood pressure measurements, 24-hour ambulatory blood pressure profiles, exercise parameters and left ventricular mass and function in black patients with mild to moderate systemic hypertension. 1992 , 70, 474-8	15
1206	Determinants of Doppler indexes of left ventricular diastolic function in normal subjects (the Framingham Heart Study). 1992 , 70, 508-15	277
1205	Morphologic, hemodynamic and coronary perfusion characteristics in severe left ventricular hypertrophy secondary to systemic hypertension and evidence for nonatherosclerotic myocardial ischemia. 1992 , 69, 219-24	31
1204	Impact of left ventricular hypertrophy on blood pressure responses to exercise. 1992 , 69, 225-8	36
1203	Hemodynamic and metabolic effects of intravenous clentiazem in hypertensive patients. 1992 , 69, 229-32	1
1202	Cholinergic baroreflex vasodilatation: defect in heart transplant recipients due to denervation of the ventricular baroreceptor. 1992 , 69, 247-52	13
1201	Serial echocardiographic studies following thrombolytic treatment in myocardial infarction with special reference to the atrioventricular valve plane displacement. 1992 , 15, 30-6	22
1200	Atrial natriuretic factor in essential hypertension: echocardiographic and humoral correlates. 1992 , 15, 353-6	2
1199	Progression of valvular sclerosis in end-stage renal disease treated by long-term peritoneal dialysis. 1992 , 15, 745-50	16
1198	Influence of serum potassium on the electrocardiographic pattern of left ventricular hypertrophy in primary hyperaldosteronism. 1992 , 15, 725-7	5
1197	Diastolic left ventricular function after renal transplantation in patients with normal and hypertrophied myocardium. 1992 , 15, 845-50	6
1196	Reduced vascular excitatory responses to cardiopulmonary unloading in hypertensive patients with left ventricular diastolic dysfunction. 1992 , 2, 243-55	
1195	Effect of flosequinan on exercise capacity and cardiac function in patients with chronic mild heart failure: a double-blind placebo-controlled study. 1992 , 7, 133-40	18
1194	Erythrocyte Li ⁺ /Na ⁺ and Na ⁺ /H ⁺ exchange, cardiac anatomy and function in insulin-dependent diabetics. 1992 , 22, 254-9	11

1193	Regression of left ventricular hypertrophy during long-term antihypertensive treatment--a comparison between felodipine and the combination of felodipine and metoprolol. 1992 , 231, 303-8	16
1192	Changes in left ventricular dimensions and systolic function in 100 mildly hypertensive men during one year's treatment with atenolol vs. hydrochlorothiazide and amiloride (Moduretic): a double-blind, randomized study. 1992 , 231, 493-501	8
1191	Responses of atrial natriuretic factor to long-term sodium restriction in mild to moderate hypertension. 1992 , 231, 521-9	14
1190	Feline hypertrophic cardio-myopathy: Variations on a theme. 1992 , 33, 266-274	21
1189	Effect of breed and body weight on echocardiographic values in four breeds of dogs of differing somatotype. 1992 , 6, 220-4	104
1188	Reduced left ventricular diameters at onset of bradycardia during epidural anaesthesia. 1992 , 36, 831-6	61
1187	Measurement of left ventricular mass in hypertrophic cardiomyopathy using MRI: comparison with echocardiography. 1993 , 11, 329-34	59
1186	Periodic respiration in patients with heart failure. 1993 , 71, 281-5	16
1185	Predictors of mortality in very old subjects aged 80 years or over. 1993 , 9, 577-86	40
1184	Beta-adrenoceptor blockade potentiates acute exercise-induced release of atrial natriuretic peptide by increasing atrial diameter in normotensive healthy subjects. 1993 , 44, 127-33	11
1183	Abnormalities in left ventricular diastolic function in male patients with rheumatoid arthritis without clinically evident cardiovascular disease. 1993 , 23, 246-53	42
1182	Systemic toxicity associated with doxorubicin administration in cats. 1993 , 7, 309-17	42
1181	Intrapericardial cysts in the dog. 1993 , 7, 364-9	31
1180	Plasma growth factor activity and cardiac wall thickness. 1993 , 234, 9-15	1
1179	Echocardiographic values in the greyhound. 1993 , 70, 361-4	52
1178	Cardiac anatomy and diastolic filling in professional road cyclists. 1993 , 66, 405-8	22
1177	Cardiac anatomy and diastolic filling in professional road cyclists. 1993 , 67, 569-570	
1176	Regional systolic function, myocardial blood flow and glucose uptake at rest in hypertrophic cardiomyopathy. 1993 , 72, 199-204	34

1175	Long-term echocardiographic follow-up of acromegalic heart disease. 1993 , 72, 205-10	35
1174	Menopause-induced changes in left ventricular wall thickness. 1993 , 72, 240-1	43
1173	Influence of arterial blood pressure and aldosterone on left ventricular hypertrophy in moderate essential hypertension. 1993 , 71, 17A-20A	97
1172	Prevalence of mitral valve prolapse in morbid obesity. 1993 , 71, 459-60	
1171	Anterograde balloon valvuloplasty of aortic stenosis in children. 1993 , 71, 460-2	27
1170	Effects of radiofrequency ablation of supraventricular reentrant tachycardia on left ventricular systolic dysfunction. 1993 , 71, 471-3	2
1169	Aortic dimensions in tall men and women. 1993 , 71, 608-10	63
1168	Early and late results of percutaneous mitral valvuloplasty for mitral stenosis associated with mild mitral regurgitation. 1993 , 71, 1304-10	12
1167	Balloon mitral commissurotomy for mitral restenosis after surgical commissurotomy. 1993 , 71, 1311-5	22
1166	Doppler echocardiographic evidence of left ventricular diastolic dysfunction in ankylosing spondylitis. 1993 , 71, 1337-40	50
1165	Left ventricular diastolic function in end-stage renal disease and the impact of hemodialysis. 1993 , 71, 1427-30	34
1164	Relation between body fat distribution and left ventricular mass in men without structural heart disease or systemic hypertension. 1993 , 71, 1477-9	9
1163	Risk factors for extracranial internal or common carotid arterial disease in elderly patients. 1993 , 71, 1479-81	12
1162	Percutaneous mitral valvuloplasty with severe pulmonary artery hypertension. 1993 , 72, 325-30	14
1161	Balloon mitral commissurotomy in patients aged > or = 70 years. 1993 , 71, 233-6	7
1160	Congestive heart failure from left ventricular diastolic dysfunction in systemic hypertension. 1993 , 71, 308-12	69
1159	Influence of percutaneous mitral commissurotomy on left atrial spontaneous contrast of mitral stenosis. 1993 , 71, 842-7	32
1158	Absence of left ventricular wall thickening in athletes engaged in intense power training. 1993 , 72, 1048-54	85

1157	Echocardiographic assessment of left ventricular structure and diastolic filling in elderly subjects with borderline isolated systolic hypertension (the Framingham Heart Study). 1993 , 72, 662-5	41
1156	Rapid systolic intraventricular velocities after valve replacement for aortic stenosis. 1993 , 71, 944-8	13
1155	Left ventricular myocardial function in myotonic dystrophy. 1993 , 71, 987-91	37
1154	Impact of heart rate and PR interval on Doppler indexes of left ventricular diastolic filling in an elderly cohort (the Framingham Heart Study). 1993 , 72, 1183-7	57
1153	Factors influencing left ventricular systolic function in nonhypertensive morbidly obese patients, and effect of weight loss induced by gastroplasty. 1993 , 71, 733-7	77
1152	Effectiveness of amiodarone and electrical cardioversion for chronic rheumatic atrial fibrillation after mitral valve surgery. 1993 , 72, 423-7	45
1151	Evolution of cardiac changes in young insulin-dependent (type 1) diabetic patients--one more piece of the puzzle of diabetic cardiopathy. 1993 , 16, 784-90	12
1150	The effect of extracorporeal high blood flow rate on left ventricular function during hemodialysis--an echocardiographic study. 1993 , 16, 791-5	9
1149	Echocardiographic findings in patients with primary Sjögren's syndrome. 1993 , 12, 214-8	21
1148	Protocols for selection of cardiac radionuclide studies for use as a data base of normal studies and typical patterns of diseases. COST B2 Working Group II, in association with relevant working/task groups of the European Association of Nuclear Medicine and the European Society of Cardiology. 1993 , 20, 59-65	9
1147	Variability of digitized left ventricular M-mode echocardiography: a study in healthy subjects and patients with repaired tetralogy of Fallot. 1993 , 13, 373-83	7
1146	Analysis of heart morphology and function following erythropoietin treatment of anemic dialysis patients. 1993 , 17, 977-84	40
1145	Microcomputer-based system for automatic analysis of M-mode echocardiograms. 1993 , 15, 274-8	
1144	Primary hyperparathyroidism: incidence of cardiac abnormalities and partial reversibility after successful parathyroidectomy. 1993 , 95, 197-202	140
1143	The spectrum of left ventricular size in dilated cardiomyopathy: clinical correlates and prognostic implications. SPIC (Italian Multicenter Cardiomyopathy Study) Group. 1993 , 125, 410-22	71
1142	Hemodynamic and hemorheologic determinants of left atrial spontaneous echo contrast and thrombus formation in patients with idiopathic dilated cardiomyopathy. 1993 , 125, 430-4	48
1141	Exercise hemodynamics in small (1993, 125, 138-46	38
1140	Alterations in heart rate variability and its circadian rhythm in hypertensive patients with left ventricular hypertrophy free of coronary artery disease. 1993 , 126, 1364-72	93

1139	Doppler echocardiographic assessment of left ventricular filling in idiopathic dilated cardiomyopathy during a one-year follow-up: relation to the clinical course of disease. 1993 , 126, 1408-16	31
1138	Abnormal Valsalva blood pressure response in dilated cardiomyopathy: association with "pseudonormalization" of echocardiographic Doppler transmitral filling velocity pattern. 1993 , 126, 1182-6	3
1137	Increased prevalence of abnormal signal-averaged electrocardiograms in older patients who have hypertension with low diastolic blood pressure. 1993 , 125, 1698-703	6
1136	Evaluation of transesophageal echocardiography before cardioversion of atrial fibrillation and flutter in nonanticoagulated patients. 1993 , 126, 375-81	90
1135	Effects of hydration on mitral valve prolapse. 1993 , 126, 415-8	5
1134	Age-related changes in left and right ventricular filling velocity profiles and their relationship in normal subjects. 1993 , 126, 419-26	50
1133	The relationship of arterial compliance with endothelial-derived proteins of the hemostatic system. 1993 , 52, 1005-11	6
1132	Glomerular hyperfiltration indicates organ damage in essential hypertension. 1993 , 54, 400-405	
1131	Echocardiographic findings in mild and severe forms of sickle cell anemia. 1993 , 35, 243-6	7
1130	Differences in the Haemodynamic Effects of Acebutolol and Propranolol during Long Term Treatment of Patients with Hypertension. 1993 , 6, 198-206	
1129	Left ventricular filling pattern in beta-thalassaemia major--a Doppler echocardiographic study. 1993 , 14, 351-7	38
1128	Left atrial spontaneous echo contrast assessed by TEE in patients with either native mitral valve disease or mitral valve replacement. 1993 , 6, 299-307	5
1127	Significant mitral regurgitation is protective against left atrial spontaneous echo contrast and thrombus as assessed by transesophageal echocardiography. 1993 , 6, 107-14	84
1126	Reference values for Doppler indexes of left ventricular diastolic filling in the elderly. 1993 , 6, 570-6	53
1125	Management of the patient with left ventricular hypertrophy. 1993 , 14 Suppl D, 22-32	9
1124	Early pregnancy changes in hemodynamics and volume homeostasis are consecutive adjustments triggered by a primary fall in systemic vascular tone. 1993 , 169, 1382-92	325
1123	Coexistence of sudden cardiac death and end-stage heart failure in familial hypertrophic cardiomyopathy. 1993 , 22, 489-97	66
1122	Coronary vasodilator reserve in untreated and treated hypertensive patients with and without left ventricular hypertrophy. 1993 , 22, 514-20	128

1121	Plasma atrial natriuretic peptide response to direct current cardioversion of atrial fibrillation in patients with mitral stenosis. 1993 , 22, 575-80	14
1120	Discordance in degree of right and left ventricular dilation in patients with dilated cardiomyopathy: recognition and clinical implications. 1993 , 21, 649-54	69
1119	Reversed closure sequence of the mitral and tricuspid valves in congestive heart failure. 1993 , 21, 1114-23	1
1118	Left ventricular pseudohypertrophy in cardiac tamponade: an echocardiographic study in a canine model. 1993 , 21, 1286-94	16
1117	Improved detection of echocardiographic left ventricular hypertrophy using a new electrocardiographic algorithm. 1993 , 21, 1680-6	64
1116	Scintigraphic and electrocardiographic evidence of silent coronary artery disease in asymptomatic hypertension: a case-control study. 1993 , 22, 1598-606	30
1115	Left ventricular hypercontractility and ST segment depression in patients with syndrome X. 1993 , 22, 1607-13	32
1114	Changes in left and right atrial size after cardioversion of atrial fibrillation: role of mitral valve disease. 1993 , 22, 1666-72	95
1113	Left ventricular hypertrophy and mortality after aortic valve replacement for aortic stenosis. A high risk subgroup identified by preoperative relative wall thickness. 1993 , 22, 1679-83	184
1112	Percutaneous balloon mitral valvotomy with the Inoue single-balloon catheter: commissural morphology as a determinant of outcome. 1993 , 21, 390-7	98
1111	Hematologic correlates of left atrial spontaneous echo contrast and thromboembolism in nonvalvular atrial fibrillation. 1993 , 21, 451-7	185
1110	Five-year follow-up after balloon pulmonary valvuloplasty. 1993 , 21, 132-6	71
1109	Determinants of successful nonthoracotomy cardioverter-defibrillator implantation: experience in 101 patients using two different lead systems. 1993 , 22, 1835-42	69
1108	Relation of arterial pressure waveform to left ventricular and carotid anatomy in normotensive subjects. 1993 , 22, 1873-80	225
1107	Estimation of left ventricular filling pressures using two-dimensional and Doppler echocardiography in adult patients with cardiac disease. Additional value of analyzing left atrial size, left atrial ejection fraction and the difference in duration of pulmonary venous and mitral flow velocity at atrial contraction. 1993 , 22, 1972-82	639
1106	Physiologic multivalvular regurgitation during pregnancy: a longitudinal Doppler echocardiographic study. 1993 , 40, 265-72	84
1105	Precursors of established hypertension in borderline hypertensives. A two-year follow-up. 1993 , 39, 113-9	11
1104	Automatic analysis of high resolution atrial activation in mitral valve stenosis. 1993 , 42, 63-70	4

1103	Cross-sectional echocardiographic left ventricular geometry in rheumatic mitral stenosis. 1993 , 38, 81-7		4
1102	Prevention of heart disease by subcutaneous desferrioxamine in patients with thalassaemia major. 1993 , 23, 656-61		21
1101	Cardioversion from atrial fibrillation without prolonged anticoagulation with use of transesophageal echocardiography to exclude the presence of atrial thrombi. 1993 , 328, 750-5		285
1100	Hemodynamic status in repaired tetralogy of Fallot assessed by Doppler echocardiography and cardiac catheterization. Comparisons with healthy subjects and elucidation of factors associated with cardiorespiratory function. 1993 , 27, 41-8		4
1099	Quantitative ultrasonic analysis of myocardium in patients with thalassemia major and iron overload. <i>Circulation</i> , 1993 , 87, 748-54	16.7	40
1098	Echocardiographic correlates of left ventricular structure among 844 mildly hypertensive men and women in the Treatment of Mild Hypertension Study (TOMHS). <i>Circulation</i> , 1993 , 87, 476-86	16.7	175
1097	Prevalence of ventricular premature complexes in healthy and untreated hypertensive elderly people. 1993 , 44, 447-53		4
1096	Microalbuminuria is a marker of left ventricular hypertrophy but not hyperinsulinemia in nondiabetic atherosclerotic patients. 1993 , 13, 900-6		36
1095	Is white coat hypertension innocent? Structure and function of the heart in the elderly. 1993 , 22, 826-31		91
1094	Structural and functional alterations of the intramyocardial coronary arterioles in patients with arterial hypertension. <i>Circulation</i> , 1993 , 88, 993-1003	16.7	327
1093	Interrelation of cardiac and vascular structure in young men with borderline hypertension. 1993 , 14, 1304-14		9
1092	Assessment of left ventricular hypertrophy in patients with essential hypertension. A rational basis for the electrocardiogram. 1993 , 6, 164-9		24
1091	Effects of flecainide and propafenone on systolic performance in subjects with normal cardiac function. 1993 , 103, 1068-73		17
1090	Flow velocity paradoxus and pulsus paradoxus in obstructive sleep apnea syndrome. 1993 , 103, 1629-31		11
1089	Pulmonary edema after anteroseptal acute myocardial infarction. 1993 , 103, 1688-91		1
1088	Cardiac structural and functional abnormalities in adult patients with growth hormone deficiency. 1993 , 77, 1658-61		163
1087	Cardiac abnormalities in end stage renal failure and anaemia. 1993 , 68, 637-43		34
1086	Normal ultrasonic myocardial reflectivity in hypertensive patients. A tissue characterization study. 1993 , 21, 329-34		19

1085	Regional myocardial blood flow and glucose utilization in symptomatic patients with hypertrophic cardiomyopathy. <i>Circulation</i> , 1993 , 87, 1580-90	16.7	79
1084	Pulmonary artery pressure and the acute chest syndrome in homozygous sickle cell disease. 1993 , 69, 536-8		6
1083	Treatment of Mild Hypertension Study. 1993 , 270, 713		544
1082	Psychophysiological reactivity and cardiac end-organ changes in white coat hypertension. 1993 , 21, 836-44		107
1081	Left ventricular diastolic Doppler characteristics in beta-thalassemia major. <i>Circulation</i> , 1993 , 88, 1127-35	6.7	134
1080	Rapid increase in plasma endothelin concentrations during percutaneous balloon dilatation of the mitral valve in patients with mitral stenosis. 1993 , 69, 322-6		9
1079	Heterogeneity and time course of improvement in cardiac function after cardioversion of chronic atrial fibrillation: assessment of serial echocardiographic indices. 1993 , 70, 154-9		19
1078	Reduction in left ventricular wall thickness after deconditioning in highly trained Olympic athletes. 1993 , 69, 125-8		116
1077	Does obesity influence early target organ damage in hypertensive patients?. <i>Circulation</i> , 1993 , 87, 1482-8	6.7	56
1076	Change in blood pressure after treatment of patent ductus arteriosus with indomethacin. 1993 , 68, 584-7		32
1075	Relation of phasic coronary flow velocity profile to clinical and hemodynamic characteristics of patients with aortic valve disease. <i>Circulation</i> , 1993 , 88, 953-60	16.7	49
1074	Wave reflections and cardiac hypertrophy in chronic uremia. Influence of body size. 1993 , 22, 876-83		203
1073	Echocardiographic assessment of mitral valve size in obstructive hypertrophic cardiomyopathy. Anatomic validation from mitral valve specimen. <i>Circulation</i> , 1993 , 88, 548-55	16.7	58
1072	Echocardiographic assessment of cardiac function in shocked very low birthweight infants. 1993 , 68, 17-21		119
1071	Suppression of protein degradation in progressive cardiac hypertrophy of chronic aortic regurgitation. <i>Circulation</i> , 1993 , 87, 1249-57	16.7	39
1070	Changes in diastolic function during development and correction of chronic LV volume overload produced by mitral regurgitation. <i>Circulation</i> , 1993 , 87, 1378-88	16.7	50
1069	Insulin resistance is an important determinant of left ventricular mass in the obese. <i>Circulation</i> , 1993 , 88, 1431-6	16.7	156
1068	Erythrocyte ion fluxes in essential hypertensive patients with left ventricular hypertrophy. <i>Circulation</i> , 1993 , 88, 1628-33	16.7	25

1067	Left Ventricular Diastolic Filling in Elderly Hypertensive Patients. 1993 , 41, 217-222	6
1066	Effects of acetate on left ventricular function in hemodialysis patients. 1993 , 64, 101-5	3
1065	Predictive value of mitral and aortic valve sclerosis for survival in end-stage renal disease on continuous ambulatory peritoneal dialysis. 1993 , 64, 63-8	16
1064	Dilated cardiomyopathy in haemophiliacs infected with the human immunodeficiency virus. 1993 , 38, 112-3	4
1063	Follow-up of cardiac changes induced by anemia compensation in normotensive hemodialysis patients with left-ventricular hypertrophy. 1993 , 64, 202-6	43
1062	Obstructed breathing in children during sleep monitored by echocardiography. 1993 , 82, 863-871	48
1061	Evidence for biventricular involvement in acromegaly: a Doppler echocardiographic study. 1993 , 14, 26-33	98
1060	Myocardial indium-111 antimyosin uptake in patients with idiopathic dilated cardiomyopathy: its relation to haemodynamics, histomorphometry, myocardial enteroviral infection, and clinical course. 1993 , 14, 175-84	9
1059	Left ventricle filling abnormalities prior to and following treatment of thyrotoxicosis--is diastolic dysfunction implicated in thyrotoxic cardiomyopathy?. 1993 , 14, 662-8	8
1058	Discrepancy between systolic and diastolic dysfunction of the left ventricle in patients with Duchenne muscular dystrophy. 1993 , 14, 669-76	29
1057	Identification of cardiovascular abnormalities in children with empyema thoracis by two-dimensional and Doppler echocardiography. 1993 , 104, 405-10	2
1056	Rapid resolution of hyperkinesis after exercise. Two-dimensional echocardiographic studies in normal subjects. 1993 , 104, 712-7	0
1055	Cardiac profiles of national-class race walkers. 1993 , 104, 935-8	7
1054	Reversible cardiopathy after accidental overdose of mitoxantrone. 1993 , 10, 35-40	9
1053	Doppler Echocardiographic Assessment of the Bjork-Shiley Monostrut Valve Prosthesis in the Aortic Position. <i>Echocardiography</i> , 1993 , 10, 235-246	1.5 2
1052	Effect of atrial fibrillation on pulmonary venous flow patterns: transoesophageal pulsed Doppler echocardiographic study. 1993 , 14, 1320-7	26
1051	Left ventricular performance and ultrasonic myocardial quantitative reflectivity in endurance senior athletes: an echocardiographic study. 1993 , 14, 358-63	31
1050	Effects of sustained training on left ventricular structure and function in top level rowers. 1993 , 14, 898-903	17

1049	Ambulatory blood pressure monitoring in offspring of hypertensive patients. Relation to left ventricular structure and function. 1993 , 6, 114-20	18
1048	Regression of left ventricular hypertrophy with isradipine in previously untreated hypertensive patients. 1993 , 6, 86S-88S	8
1047	Left ventricular end-diastolic dimensions measured at the P wave and Q wave during a randomized, double-blind one-year follow-up study comparing the effect of atenolol vs. hydrochlorothiazide + amiloride on blood pressure in men with mild to moderate hypertension. 1993 , 53, 155-62	
1046	Hemodynamic and mechanical determinants of myocardial O ₂ consumption in normal human heart: effects of dobutamine. 1993 , 265, H1884-92	21
1045	Contribution of left ventricular diastolic function to exercise capacity in normal subjects. 1993 , 74, 2225-33	109
1044	Tertatolol potentiates exercise-induced atrial natriuretic peptide release by increasing atrial diameter in healthy subjects. 1993 , 83 Suppl 1, 16-24	2
1043	Determinants of left ventricular mass in normotensive children. 1993 , 6, 505-13	63
1042	Increased left ventricular mass in normotensive diabetic patients with autonomic neuropathy. 1993 , 6, 97-102	50
1041	Echocardiographic assessment of LV mass in rabbits: models of pressure and volume overload hypertrophy. 1993 , 265, H2066-72	3
1040	Long-term effects of recombinant human erythropoietin on macro- and microcirculation in chronic hemodialysis patients. 1993 , 11, 237-47	2
1039	Left ventricular function during exercise after aortic valve replacement. 1993 , 82, 301-8	
1038	Impact of left ventricular structure on the incidence of hypertension. The Framingham Heart Study. <i>Circulation</i> , 1994 , 90, 179-85	16.7 101
1037	The novel effects of 3,5,3'-triiodo-L-thyronine on myocyte contractile function and β -adrenergic responsiveness in dilated cardiomyopathy. 1994 , 108, 672-679	35
1036	Predictors of left ventricular mass in old age: an echocardiographic, clinical and biochemical investigation of a random population sample. 1994 , 15, 769-80	13
1035	Left atrial appendage function determined by transesophageal echocardiography in patients with rheumatic mitral valve disease. 1994 , 85, 121-8	19
1034	Factors affecting the postoperative exercise capacity of patients with mitral stenosis and aortic regurgitation. 1994 , 85, 201-6	4
1033	Left Ventricular Geometrie Adaptation to Chronic Pressure Overload: Differences between Systemic Hypertension and Valvular Aortic Stenosis. 1994 , 8, 346-351	2
1032	Doppler Left Ventricular Filling Characteristics in Hypertensive Left Ventricular Hypertrophy. 1994 , 8, 68-72	

1031	Humoral Determinants of the Left Ventricular Function in Pheochromocytoma Patients. 1994 , 8, 167-170		1
1030	Patient characteristics in cases of chronic severe heart failure with different degrees of left ventricular systolic dysfunction. 1994 , 85, 137-44		18
1029	Cardiac abnormalities in young women with anorexia nervosa. 1994 , 71, 287-92		113
1028	Effect of captopril on functional mitral regurgitation in dilated heart failure: a randomised double blind placebo controlled trial. 1994 , 72, 63-8		48
1027	Comparisons between female and male patients with mitral stenosis. 1994 , 72, 567-70		1
1026	Enhanced left ventricular performance in endurance trained older men. <i>Circulation</i> , 1994 , 89, 198-205	16.7	108
1025	Effects on left ventricular hypertrophy of long-term nonpharmacological treatment with sodium restriction in mild-to-moderate essential hypertension. <i>Circulation</i> , 1994 , 89, 1023-31	16.7	113
1024	Three-dimensional echocardiography. In vivo validation for right ventricular volume and function. <i>Circulation</i> , 1994 , 89, 2342-50	16.7	129
1023	Relation of obesity and gender to left ventricular hypertrophy in normotensive and hypertensive adults. 1994 , 23, 600-6		320
1022	Cardiovascular effects of dexamethasone in the preterm infant. 1994 , 70, F25-30		42
1021	Serial echocardiographic assessment of left ventricular geometry and function after large myocardial infarction in the rat. <i>Circulation</i> , 1994 , 89, 345-54	16.7	335
1020	Myocardial scintigraphic characteristics in patients with primary aldosteronism. 1994 , 23, 1164-7		18
1019	Hypertension and left ventricular hypertrophy: a consideration of current antihypertensive therapies. 1994 , 9, 49-58		
1018	Acute volume expansion in normal pregnancy and preeclampsia. Effects on plasma atrial natriuretic peptide (ANP) and cyclic guanosine monophosphate (cGMP) concentrations and fetomaternal circulation. 1994 , 73, 294-9		17
1017	Noninvasive predictors of systemic embolism in mitral stenosis. An echocardiographic and clinical study of 500 patients. 1994 , 106, 396-9		25
1016	Echocardiographic predictors of nonrheumatic atrial fibrillation. The Framingham Heart Study. <i>Circulation</i> , 1994 , 89, 724-30	16.7	770
1015	Age and body surface area related normal upper and lower limits of M mode echocardiographic measurements and left ventricular volume and mass from infancy to early adulthood. 1994 , 72, 276-80		41
1014	Hemodynamic predictors of incident hypertension. The Framingham Heart Study. 1994 , 24, 585-90		32

1013	Coronary artery constriction caused by the cold pressor test in human hypertension. 1994 , 24, 212-9		59
1012	Effect of fosinopril on cardiac and metabolic parameters in patients with NIDDM. 1994 , 17, 1476-9		2
1011	Left ventricular remodeling and function in adult aortic stenosis. 1994 , 45, 1033-8		14
1010	Early changes of the arterial carotid wall in uncomplicated primary hypertensive patients. Study by ultrasound high-resolution B-mode imaging. 1994 , 14, 1290-6		37
1009	Survival and predictors of survival in patients with congestive heart failure due to Chagas' cardiomyopathy. <i>Circulation</i> , 1994 , 90, 3098-102	16.7	132
1008	Cardiac hypertrophy, aortic compliance, peripheral resistance, and wave reflection in end-stage renal disease. Comparative effects of ACE inhibition and calcium channel blockade. <i>Circulation</i> , 1994 , 90, 2786-96	16.7	291
1007	Left ventricular mass and cardiovascular reactivity in young men. 1994 , 23, 1168-71		25
1006	Diagnosis of mild hypertension by ambulatory blood pressure monitoring. <i>Circulation</i> , 1994 , 90, 2291-8	16.7	94
1005	Biphasic effects of repeated alcohol intake on 24-hour blood pressure in hypertensive patients. <i>Circulation</i> , 1994 , 89, 2626-33	16.7	88
1004	Relation between physical training and ambulatory blood pressure in stage I hypertensive subjects. Results of the HARVEST Trial. Hypertension and Ambulatory Recording Venetia Study. <i>Circulation</i> , 1994 , 90, 2870-6	16.7	114
1003	Racial differences in the age-related increase in left ventricular mass in youths. 1994 , 24, 747-51		24
1002	Re-evaluation of the left atrial to aortic root ratio as a marker of patent ductus arteriosus. 1994 , 70, F112-7		81
1001	Systolic ventricular function in acute hypothyroidism: a study using Doppler echocardiography. 1994 , 102, 104-10		9
1000	Treatment with lisinopril normalizes serum concentrations of procollagen type III amino-terminal peptide in patients with essential hypertension. 1994 , 7, 52-8		35
999	Long-term clinical effect of nilvadipine in patients with chronic heart failure: a double-blind placebo-controlled study. 1994 , 9, 249-53		1
998	Left ventricular function and specific diabetic complications in other target organs in young insulin-dependent diabetics: an echocardiographic study. 1994 , 9, 121-8		17
997	Evidence for cardiovascular remodeling in a patient with Bartter's syndrome. 1994 , 72, 874-7		5
996	Right atrial spontaneous contrast: echocardiographic and clinical features. 1994 , 10, 227-32		14

995	Doppler echocardiographic evaluation of left ventricular diastolic function after surgical correction of atrial septal defect during childhood. <i>Pediatric Cardiology</i> , 1994 , 15, 225-8	2.1	4
994	Evaluation of the effectiveness of isradipine SRO in the treatment of hypertensive patients with left ventricular hypertrophy. <i>Cardiovascular Drugs and Therapy</i> , 1994 , 8, 153-60	3.9	3
993	Noninvasive identification of anthracycline cardiotoxicity: comparison of 123I-MIBG and 123I-BMIPP imaging. 1994 , 8, 177-82		28
992	Spontaneous echo contrast on transthoracic echocardiography and left atrial thrombus in rheumatic mitral valve disease patients: a clinicopathologic study. 1994 , 17, 547-51		6
991	Neuroendocrine activation in relation to left ventricular function in chronic severe congestive heart failure: a subgroup analysis from the Cooperative North Scandinavian Enalapril Survival Study (CONSENSUS). 1994 , 17, 603-6		37
990	Left ventricular performance during prolonged exercise and early recovery in healthy subjects. 1994 , 69, 396-401		20
989	Echocardiography in multicenter clinical trials: experience from the Treatment of Mild Hypertension Study. 1994 , 15, 395-410		19
988	Quantitative assessment of valvular function after cardiac transplantation by pulsed Doppler echocardiography. 1994 , 73, 1197-201		20
987	Diagnostic value of electrocardiography and echocardiography for white coat hypertension in the elderly. 1994 , 73, 1232-4		18
986	Effects of diltiazem, metoprolol, enalapril and hydrochlorothiazide on frequency of ventricular premature complexes. 1994 , 73, 242-6		6
985	Asymmetric left ventricular remodeling due to isolated septal thickening in patients with systemic hypertension and normal left ventricular masses. 1994 , 73, 247-52		48
984	Effectiveness of enalapril in combination with low-dose hydrochlorothiazide versus enalapril alone for mild to moderate systemic hypertension in black patients. 1994 , 73, 1092-7		29
983	Surviving competitive athletics with hypertrophic cardiomyopathy. 1994 , 73, 1098-104		41
982	Clinical and morphologic expression of hypertrophic cardiomyopathy in patients > or = 65 years of age. 1994 , 73, 1105-11		40
981	Improved electrocardiographic diagnosis of left ventricular hypertrophy. 1994 , 74, 714-9		184
980	Prevalence of hypertrophic cardiomyopathy in an outpatient population referred for echocardiographic study. 1994 , 73, 577-80		76
979	Left ventricular filling in young normotensive obese adults. 1994 , 73, 613-5		68
978	Effect of verapamil on absolute myocardial blood flow in hypertrophic cardiomyopathy. 1994 , 74, 363-8		70

977	Natural history of the asymptomatic/minimally symptomatic patient with severe mitral regurgitation secondary to mitral valve prolapse and normal right and left ventricular performance. 1994, 74, 374-80	132
976	Echocardiographic evidence of left ventricular hypertrophy in a general aged population. 1994, 74, 385-90	39
975	Impact of chamber geometry and gender on left ventricular systolic function in patients > 60 years of age with aortic stenosis. 1994, 74, 794-8	160
974	Morphology of the "athlete's heart" assessed by echocardiography in 947 elite athletes representing 27 sports. 1994, 74, 802-6	292
973	Comparison of athletes with life-threatening ventricular arrhythmias with two groups of healthy athletes and a group of normal control subjects. 1994, 74, 1124-8	43
972	Absence of defects in SPECT thallium-201 myocardial images in patients with systemic hypertension and left ventricular hypertrophy. 1994, 74, 43-6	20
971	Use of mean arterial pressure for noninvasive determination of left ventricular end-systolic wall stress in infants and children. 1994, 74, 98-9	50
970	Effects oftrandolapril on the sympathetic tone and reactivity in systemic hypertension. 1994, 73, 18C-25C	11
969	Disparate structural effects on left and right ventricles by angiotensin-converting enzyme inhibitors and calcium antagonists in essential hypertension. 1994, 73, 483-7	24
968	Cardiac size and function during adrenocorticotrophic hormone-induced systolic systemic hypertension in infants. 1994, 73, 57-64	6
967	Comparison of diastolic left ventricular filling and cardiac dysrhythmias in hypertensive patients with and without isolated septal hypertrophy. 1994, 74, 585-9	22
966	Effect of beta-adrenergic blockade on aortic root rate of dilation in the Marfan syndrome. 1994, 74, 629-33	116
965	Discordant changes in left ventricular performance after valve replacement for isolated rheumatic mitral regurgitation versus combined mitral and aortic regurgitation in teenagers. 1994, 73, 910-4	3
964	Effect of weight loss on left ventricular mass in nonhypertensive morbidly obese patients. 1994, 73, 918-21	69
963	Vasomotor response to ergonovine of epicardial and resistance coronary arteries in the nonspastic vascular bed in patients with vasospastic angina. 1994, 74, 1006-10	3
962	Clinical correlates of the rate of transmission of transmitral "A" wave to the left ventricular outflow tract in left ventricular hypertrophy secondary to systemic hypertension, hypertrophic cardiomyopathy or aortic valve stenosis. 1994, 73, 831-4	13
961	A new method for indexing left ventricular mass for differences in body size. 1994, 74, 487-91	121
960	Hematologic correlates of spontaneous echo contrast in patients with atrial fibrillation and implications for thromboembolic risk. 1994, 73, 672-6	95

959	The effect of hypercapnia and hypoxemia on the cardiovascular responses to isoproterenol. 1994 , 56, 302-8	9
958	Short and long-term cardiovascular effects of growth hormone therapy in growth hormone deficient adults. 1994 , 41, 615-20	100
957	Doppler echocardiographic evaluation of left ventricular diastolic function in acute hypothyroidism. 1994 , 40, 227-33	14
956	Reduced lymphocyte beta 2-adrenoceptor density and impaired diastolic left ventricular function in patients with glucocorticoid deficiency. 1994 , 40, 769-75	24
955	Time course of haemodynamic changes after maximal exercise. 1994 , 24, 824-9	25
954	M-mode echocardiography study in growing Spanish mastiffs. 1994 , 35, 473-479	29
953	Equine echocardiography--sound advice at the heart of the matter. 1994 , 150, 527-45	18
952	Hypertension in pregnancy: hemodynamics and diurnal arterial pressure profile. 1994 , 47, 233-9	2
951	Prognostic implications of left atrial spontaneous echo contrast in nonvalvular atrial fibrillation. 1994 , 24, 755-62	292
950	Increased left ventricular diastolic chamber stiffness immediately after coronary artery bypass surgery. 1994 , 24, 1189-94	61
949	Importance of obesity, race and age to the cardiac structural and functional effects of hypertension. The Department of Veterans Affairs Cooperative Study Group on Antihypertensive Agents. 1994 , 24, 1492-8	138
948	Echocardiographic measures of left ventricular structure and their relation with rest and ambulatory blood pressure in blacks and whites in the United Kingdom. 1994 , 24, 1499-505	68
947	Three-dimensional echocardiography: in vitro and in vivo validation of left ventricular mass and comparison with conventional echocardiographic methods. 1994 , 24, 504-13	104
946	Analysis of transmural trend of myocardial integrated ultrasound backscatter for differentiation of hypertrophic cardiomyopathy and ventricular hypertrophy due to hypertension. 1994 , 24, 517-24	64
945	Assessment of left ventricular function by the midwall fractional shortening/end-systolic stress relation in human hypertension. 1994 , 23, 1444-51	528
944	Transesophageal echocardiography before and during direct current cardioversion of atrial fibrillation: evidence for "atrial stunning" as a mechanism of thromboembolic complications. 1994 , 23, 307-16	349
943	Electrocardiographic diagnosis of left ventricular hypertrophy by the time-voltage integral of the QRS complex. 1994 , 23, 133-40	39
942	Racial differences in myocardial ischemia and coronary flow reserve in hypertension. 1994 , 23, 1123-9	24

941	Acute rejection after heart transplantation: noninvasive echocardiographic evaluation. 1994 , 23, 1156-61	49
940	Filling patterns in left ventricular hypertrophy: a combined acoustic quantification and Doppler study. 1994 , 23, 1179-85	51
939	Relations between left atrial appendage blood flow velocity, spontaneous echocardiographic contrast and thromboembolic risk in vivo. 1994 , 23, 961-9	568
938	Impaired left atrial mechanical function after cardioversion: relation to the duration of atrial fibrillation. 1994 , 23, 1535-40	419
937	Three-dimensional echocardiography: in vivo validation for right ventricular free wall mass as an index of hypertrophy. 1994 , 23, 1715-22	35
936	Effects of angiotensin-converting enzyme inhibition on exercise-induced angina and ST segment depression in patients with microvascular angina. 1994 , 23, 652-7	105
935	Antiadrenergic effect of carbachol but not of adenosine on contractility in the intact human ventricle in vivo. 1994 , 23, 678-83	16
934	Early impairment of the cardiopulmonary exercise capacity of hypertensive patients. 1994 , 44, 163-9	8
933	Left atrial dilatation in constrictive pericarditis: a pre and post-operative echocardiographic study. 1994 , 45, 69-75	6
932	Diastolic function in the different patterns of left ventricular adaptation to essential hypertension. 1994 , 44, 73-8	7
931	Acute cardiovascular effects of the concurrent administration of enalapril, prazosin or amlodipine in healthy Nigerians. 1994 , 44, 79-84	4
930	Clinical implications of left atrial appendage function: its influence on thrombus formation. 1994 , 43, 61-6	31
929	Echo Doppler diastolic function and exercise tolerance. 1994 , 43, 67-73	28
928	Effect of obesity on echocardiographic parameters in children. 1994 , 46, 7-13	26
927	Effect of 24-h blood pressure levels and circadian blood pressure rhythm on left ventricular structure and function in isolated systolic hypertension. 1994 , 47, 51-8	1
926	Value of exercise Doppler-echocardiography in patients with mitral stenosis. 1994 , 45, 219-26	59
925	Doppler evaluation of left ventricular diastolic filling in Behçet's disease. 1994 , 47, 145-50	23
924	Use of the signal-averaged QRS duration for diagnosing left ventricular hypertrophy in hypertensive patients. 1994 , 44, 261-70	11

923	Preserved left ventricular systolic and diastolic function in normoalbuminuric insulin-dependent diabetic patients with glomerular hyperfiltration. <i>Diabetes Research and Clinical Practice</i> , 1994 , 25, 103-107	4	3
922	Decreased thickening of normal myocardium with transient increased wall thickness during stress echocardiography with atrial pacing. 1994 , 7, 381-7		16
921	Transthoracic Doppler assessment of pattern of left ventricular dysfunction in hypertensive heart disease: combined analysis of mitral and pulmonary venous flow velocity patterns. 1994 , 7, 493-505		33
920	Histomorphometric features predict 1-year outcome of patients with idiopathic dilated cardiomyopathy considered to be at low priority for cardiac transplantation. 1994 , 128, 316-25		24
919	Normalization of cardiac structure and function after regression of cardiac hypertrophy. 1994 , 128, 333-43		23
918	Assessment of left ventricular enlargement from planar thallium-201 images. 1994 , 127, 148-51		3
917	Divergent effects of intravenous dobutamine and nitroprusside on left atrial contribution to ventricular filling in dogs with chronic heart failure. 1994 , 127, 874-80		5
916	Echocardiographic findings in 104 professional cyclists with follow-up study. 1994 , 127, 898-905		28
915	Arrhythmias in mitral valve prolapse: relation to anterior mitral leaflet thickening, clinical variables, and color Doppler echocardiographic parameters. 1994 , 128, 919-27		52
914	Alterations in transmitral flow dynamics in patients with early mitral valve closure and aortic regurgitation. 1994 , 128, 941-7		11
913	Abnormal coronary flow velocity pattern in patients with left ventricular hypertrophy, angina pectoris, and normal coronary arteries: a transesophageal Doppler echocardiographic study. 1994 , 128, 500-10		25
912	Assessment of cardiac volumes and left ventricular mass by cine computed tomography before and after mitral balloon commissurotomy. 1994 , 128, 533-9		3
911	Is a decrease in arterial pressure during long-term aerobic exercise caused by a fall in cardiac pump function?. 1994 , 127, 567-71		27
910	Acute cocaine administration induces ventricular regional wall motion and ultrastructural abnormalities in an anesthetized rabbit model. 1994 , 128, 1117-29		9
909	Left ventricular structure and function by echocardiography in congenital muscular dystrophy. 1994 , 16, 301-3		9
908	Protective effect of coenzyme Q10 on anthracyclines cardiotoxicity: control study in children with acute lymphoblastic leukemia and non-Hodgkin lymphoma. 1994 , 15 Suppl, s207-12		76
907	A blinded comparison of clinical and echocardiographic evaluation of the preterm infant for patent ductus arteriosus. 1994 , 30, 406-11		95
906	DD genotype of the angiotensin-converting enzyme gene is a risk factor for left ventricular hypertrophy. <i>Circulation</i> , 1994 , 90, 2622-8	16.7	189

905	Progression of aortic dilatation and the benefit of long-term beta-adrenergic blockade in Marfan's syndrome. 1994 , 330, 1335-41	819
904	Assessment of ductus arteriosus shunt in preterm infants supported by mechanical ventilation: Effect of interatrial shunting. 1994 , 125, 778-785	115
903	Cardiac function in fetuses and newborns exposed to low-dose aspirin during pregnancy. 1994 , 171, 892-900	43
902	Obesity, pregnancy, and left ventricular functioning during the third trimester. 1994 , 171, 980-3	29
901	Determinants of left ventricular hypertrophy and systolic dysfunction in chronic renal failure. 1994 , 24, 768-76	91
900	A longitudinal study of cardiac output in normal human pregnancy. 1994 , 170, 849-56	246
899	Left ventricular systolic and diastolic function in pregnant patients with sickle cell disease. 1994 , 170, 107-10	13
898	Hyaluronate degradation affects ventricular function of the early postlooped embryonic rat heart in situ. 1994 , 74, 244-52	48
897	Cardiac function in malnourished children. 1994 , 33, 147-54	36
896	Echocardiographic assessment of left ventricular function at rest and during exercise in postoperative patients with tetralogy of Fallot. 1994 , 4, 267-276	1
895	Left ventricular systolic and diastolic function in pregnant patients with sickle cell disease. 1994 , 170, 107-110	8
894	Cardiac effects of sodium stibogluconate: myocardial, electrophysiological and biochemical studies. 1994 ,	
893	Effects of long-term treatment with sustained-release nifedipine on left ventricular hypertrophy and function in patients with essential hypertension. 1994 , 34, 266-9	4
892	Short-term cardiac adaptation to severe haemodilution: an echocardiographic study in normal and hypertensive subjects. 1994 , 15, 637-40	6
891	Anti-ischaemic and haemodynamic effects of elgodipine, a potent new generation calcium antagonist, in chronic stable angina. 1994 , 15, 665-71	5
890	Baroreflex sensitivity in men with recent myocardial infarction; impact of age. 1994 , 15, 1512-9	20
889	Red blood cell sodium heteroexchange in familial primary hypertrophic cardiomyopathy. 1994 , 15, 328-34	1
888	Cardiac involvement in Ribbing's disease. 1994 , 15, 1124-8	3

887	Predictors of blood pressure and left ventricular mass in the young: the Hypertension in Pregnancy Offspring Study. 1994 , 7, 381-9		10
886	Assessment of echocardiographic left ventricular mass before and after acute volume depletion. 1994 , 7, 425-8		12
885	Effects of angiotensin II and aldosterone on diastolic function in vivo in normal man. 1994 , 87, 397-401		12
884	Time course of circulatory and humoral effects of rapid total paracentesis in cirrhotic patients with tense, refractory ascites. 1994 , 106, 709-19		85
883	Glucose intolerance exaggerates left ventricular hypertrophy and dysfunction in essential hypertension. 1994 , 7, 1110-4		25
882	Left ventricular contractile state of early human neonates with patent ductus arteriosus. 1994 , 172, 155-61		9
881	Llama cardiology. 1994 , 10, 353-70		15
880	Left ventricular mass and subsequent blood pressure changes among middle-aged men in rural and urban Japanese populations. <i>Circulation</i> , 1994 , 89, 1717-24	16.7	35
879	Left ventricular volume and mass: Comparative study of two-dimensional echocardiography and ultrafast computed tomography. <i>Echocardiography</i> , 1994 , 11, 1-9	1.5	30
878	Validation of cardiac output measurements with noninvasive Doppler echocardiography by thermodilution and Fick methods in newborn piglets. 1994 , 66, 137-45		12
877	Effect of age on left atrial function in patients with coronary artery disease. 1994 , 85, 8-13		5
876	Left ventricular hypertrophy in hypertension--general and local trends in diagnosis and therapy. 1994 , 39, 35-7		1
875	Mitral valve calcification as an index of left ventricular dysfunction in patients with end-stage renal disease on peritoneal dialysis. 1994 , 105, 383-8		39
874	End-stage cardiac failure in humans is coupled with the induction of proliferating cell nuclear antigen and nuclear mitotic division in ventricular myocytes. 1994 , 75, 1050-63		92
873	Pharmacokinetics and pharmacodynamics of intravenous OPC-18790 in humans: a novel nonglycosidic inotropic agent. 1994 , 34, 176-83		6
872	Ventilation and dyspnoea during exercise in patients with heart failure. 1995 , 16, 1886-91		5
871	Above-normal left ventricular systolic performance during exercise in young subjects with mild hypertension. 1995 , 16, 232-42		10
870	Cardiac involvement in collagen diseases. 1995 , 16, 257-62		20

869	Left ventricular mechanics after early successful repair of aortic coarctation. 1995 , 5, 310-318	2
868	Acute effects of atrial natriuretic peptide on left ventricular diastolic function. a pulsed wave Doppler study in man. 1995 , 16, 1710-15	14
867	Left ventricular diastolic parameters in 288 normal subjects from 20 to 80 years old. 1995 , 16, 94-105	85
866	Plasma neuropeptide Y during dynamic exercise in patients with essential hypertension. 1995 , 17, 769-85	4
865	Effects of amlodipine on 24-hour ambulatory blood pressure profiles, electrocardiographic monitoring, and left ventricular mass and function in black patients with very severe hypertension. 1995 , 35, 1052-9	7
864	Two-Year Follow-Up on the Impact of Physical Fitness and Body Fatness on Children's Heart Growth and Rising Blood Pressure: The Muscatine Study. 1995 , 7, 364-378	4
863	Left atrial appendage contractile function in atrial fibrillation. Influence of heart rate and cardioversion to sinus rhythm. 1995 , 107, 690-6	25
862	Left atrial spontaneous echo contrast in patients with rheumatic mitral valve disease in sinus rhythm. Implication of an altered left atrial appendage function in its formation. 1995 , 108, 99-103	27
861	Heart failure after myocardial infarction: the importance of diastolic dysfunction. A prospective clinical and echocardiographic study. 1995 , 16, 496-505	33
860	Predictors of mortality in long-term haemodialysis patients with a low prevalence of comorbid conditions. 1995 ,	
859	Effects of lisinopril vs hydralazine on left ventricular hypertrophy and ambulatory blood pressure monitoring in essential hypertension. 1995 , 16, 1120-5	14
858	Mitral valve rupture following percutaneous mitral commissurotomy: existence of predictive factors. 1995 , 16, 43-8	20
857	An echocardiographic evaluation of patients with idiopathic heart failure. 1995 , 107, 680-9	24
856	The heart in sickle cell anemia. The Cooperative Study of Sickle Cell Disease (CSSCD). 1995 , 108, 1214-9	112
855	Idiopathic dilated cardiomyopathy among Swedish patients with congestive heart failure. 1995 , 16, 53-60	12
854	Left ventricular diastolic function in asymptomatic and symptomatic human immunodeficiency virus carriers: an echocardiographic study. 1995 , 16, 61-7	44
853	Noninvasive assessment of left ventricular mass, chamber volume, and contractile function. 1995 , 20, 364-440	27
852	Prevalence of intraatrial thrombus in patients with atrial flutter. 1995 , 76, 186-9	43

851	Influence of mitral regurgitation on left atrial thrombus and spontaneous echocardiographic contrast in patients with rheumatic mitral valve disease. 1995 , 76, 279-81	38
850	Effect of atrial fibrillation on exercise capacity in mitral stenosis. 1995 , 76, 282-6	9
849	Effects of warfarin therapy on plasma fibrinogen, von Willebrand factor, and fibrin D-dimer in left ventricular dysfunction secondary to coronary artery disease with and without aneurysms. 1995 , 76, 453-8	53
848	Indexing left ventricular mass to account for differences in body size in children and adolescents without cardiovascular disease. 1995 , 76, 699-701	243
847	Clinical course of lone atrial fibrillation since first symptomatic arrhythmic episode. 1995 , 76, 837-9	40
846	Relation of right ventricular morphology and function in pectus excavatum to the severity of the chest wall deformity. 1995 , 76, 941-6	63
845	Impact of echocardiographic left ventricular mass on mechanistic implications of exercise testing parameters. 1995 , 76, 952-6	15
844	Effect of menopause on left ventricular filling in 50-year-old women. 1995 , 76, 1093-6	24
843	Early abnormalities of cardiac function in non-insulin-dependent diabetes mellitus and impaired glucose tolerance. 1995 , 76, 1173-6	107
842	Relation of duration of morbid obesity to left ventricular mass, systolic function, and diastolic filling, and effect of weight loss. 1995 , 76, 1194-7	229
841	Effect of weight loss on left ventricular diastolic filling in morbid obesity. 1995 , 76, 1198-201	64
840	Noninvasive assessment of myocardial contractility, preload, and afterload in healthy newborn infants. 1995 , 75, 818-21	105
839	Congestive heart failure in elderly patients: controlled study of delapril versus captopril. 1995 , 75, 37F-43F	5
838	Relation of left ventricular mass and filling to exercise blood pressure and rest blood pressure. 1995 , 75, 53-7	76
837	Microvascular angina pectoris in hypertensive patients with left ventricular hypertrophy and diagnostic value of exercise thallium-201 scintigraphy. 1995 , 75, 335-9	49
836	Noninvasive estimation of pulmonary arterial wedge pressure with Doppler transmitral flow velocity pattern in patients with known heart disease. 1995 , 75, 383-9	92
835	Natural history of mitral valve prolapse. 1995 , 75, 1028-32	123
834	Cardiopulmonary performance during exercise in acromegaly, and the effects of acute suppression of growth hormone hypersecretion with octreotide. 1995 , 75, 1042-7	64

833	The growth and cardiovascular effects of high dose growth hormone therapy in idiopathic short stature. 1995 , 42, 619-26		27
832	Acute and short-term hemodynamic, echocardiographic, and clinical effects of enalapril maleate in dogs with naturally acquired heart failure: results of the Invasive Multicenter PROspective Veterinary Evaluation of Enalapril study. The IMPROVE Study Group. 1995 , 9, 234-42		77
831	An echocardiographic study of atrial fibrillation in horses: before and after conversion to sinus rhythm. 1995 , 9, 336-40		24
830	Vasodilatory state of decompensated cirrhosis: relation to hepatic dysfunction, ascites, and vasoactive substances. 1995 , 19, 123-9		7
829	Pharmacokinetics and pharmacodynamics of enantiomers of pimobendan in patients with dilated cardiomyopathy and congestive heart failure after single and repeated oral dosing. 1995 , 57, 610-21		23
828	Effect of blood pressure cuffs on neonatal circulation: their potential application to newborns with persistent pulmonary hypertension. <i>Pediatric Cardiology</i> , 1995 , 16, 20-3	2.1	4
827	Cardiovascular effects of high-dose growth hormone treatment in growth hormone-deficient children. <i>Pediatric Cardiology</i> , 1995 , 16, 223-7	2.1	18
826	Significance of echocardiographic atrioventricular plane displacement for the evaluation of left ventricular filling and end-diastolic pressure in patients with coronary artery disease. 1995 , 11, 185-92		8
825	Transesophageal echocardiographic determinants of embolism in nonrheumatic atrial fibrillation. 1995 , 11, 27-34		23
824	Effects of ACE inhibition on endurance exercise haemodynamics in trained subjects with mild hypertension. 1995 , 48, 435-9		7
823	The question of heterogeneity in Marfan syndrome. 1995 , 9, 228-31		41
822	Reply to "The question of heterogeneity in Marfan syndrome". 1995 , 9, 230-231		5
821	A COMPARISON OF ECHOCARDIOGRAPHIC INDICES OF THE NONRACING, HEALTHY GREYHOUND TO REFERENCE VALUES FROM OTHER BREEDS. 1995 , 36, 387-392		47
820	Haemodynamic changes in children with portal hypertension during the postoperative period. 1995 , 5, 311-7		5
819	Effects of intravenous digoxin on pulmonary venous and transmitral flows in patients with chronic heart failure of different degrees. 1995 , 18, 27-33		2
818	Prevalence and upper limit of cardiac hypertrophy in professional cyclists. 1995 , 70, 375-8		22
817	Reversibility of mitral regurgitation following rheumatic fever: clinical profile and echocardiographic evaluation. 1995 , 62, 717-23		14
816	Effect of epinephrine infusion on chest pain in syndrome X in the absence of signs of myocardial ischemia. 1995 , 75, 241-5		28

815	Good exercise capacity at hospital discharge predicts recovery of baroreflex sensitivity after myocardial infarction. 1995 , 16, 1520-5	3
814	Effects of chronic supraventricular pacing tachycardia on relaxation rate in isolated cardiac muscle cells. 1995 , 268, H2104-13	2
813	Analysis of randomness of atrial and ventricular rhythm in atrial fibrillation. 1995 , 16, 971-6	7
812	Haemodynamic changes and exercise tolerance in dialysis patients treated with erythropoietin. 1995 ,	
811	Congestive heart failure in patients with valvular aortic stenosis. A clinical and echocardiographic Doppler study. 1995 , 86, 120-9	7
810	Effects of type 1 diabetes mellitus on cardiac function: a study of monozygotic twins. 1995 , 73, 450-5	21
809	Transient reduction of human left ventricular mass in carnitine depletion induced by antibiotics containing pivalic acid. 1995 , 74, 656-9	20
808	Incidence of hypertrophic cardiomyopathy in hypothyroidism. 1995 , 5, 277-81	5
807	The Relative Effects of Left Ventricular Hypertrophy, Coronary Artery Disease, and Ventricular Dysfunction on Survival Among Black Adults. 1995 , 273, 1592	193
806	Prevalence of Residual Left Atrial Thrombi Among Patients With Acute Thromboembolism and Newly Recognized Atrial Fibrillation. 1995 , 155, 2193	78
805	Left ventricular chamber dilatation in hypertrophic cardiomyopathy: related variables and prognosis in patients with medical and surgical therapy. 1995 , 74, 508-16	33
804	Left Ventricular Diastolic Filling Performance in Older Male Athletes. 1995 , 273, 1371	69
803	Long-term prognostic significance of M mode echocardiography in young men after myocardial infarction. 1995 , 74, 124-30	12
802	Reduction of left ventricular hypertrophy with St. Jude Medical 19 mm valve prosthesis. 1995 , 46, 981-7	6
801	Impaired left ventricular diastolic function and vascular postischemic vasodilation associated with microalbuminuria in IDDM patients. 1995 , 18, 353-60	17
800	High incidence of left atrial thrombus detected by transoesophageal echocardiography in heart transplant recipients. 1995 , 16, 120-5	24
799	Relationship of left ventricular structure to maximal heart rate during exercise. 1995 , 107, 341-5	14
798	Pulmonary hypertension decreases the predictive accuracy of echocardiographic clues for cardiac tamponade. 1995 , 107, 919-24	16

797	Effect of Leboyer childbirth on cardiac output, cerebral and gastrointestinal blood flow velocities in full-term neonates. <i>American Journal of Perinatology</i> , 1995 , 12, 212-6	3-3	47
796	Evaluation of maximal left ventricular performance in elite bicyclists. 1995 , 16, 498-506		8
795	Cardiovascular effects of long-term L-thyroxine therapy for Hashimoto's thyroiditis in children and adolescents. 1995 , 132, 688-92		2
794	The echocardiographic findings in kwashiorkor. 1995 , 41, 74-6		11
793	To my friend in echocardiography. 1995 , 73, 33-6		2
792	Birth weight, weight at one year, and left ventricular mass in adult life. 1995 , 73, 363-7		73
791	Left Ventricular Structure and Function in Previously Untreated Hypertensive Patients: The Importance of Blood Pressure, the Nocturnal Blood Pressure Dip and Heart Rate. 1995 , 2, 255-261		
790	Increased hs-CRP and decreased 1,25-dihydroxyvitamin D are associated with increased left ventricle lead threshold. 2016 , 47, 177-183		1
789	Surgical Ligation for Patent Ductus Arteriosus in Extremely Premature Infants: Strategy to Reduce their Risk of Neurodevelopmental Impairment. 2016 , 240, 7-13		2
788	Effects of various types of anesthesia on hemodynamics, cardiac function, and glucose and lipid metabolism in rats. 2016 , 311, H1360-H1366		43
787	Echocardiographic reference ranges for sedentary donkeys in the UK. 2016 , 179, 332		3
786	Amlodipine and enalapril promote distinct effects on cardiovascular autonomic control in spontaneously hypertensive rats: the role of aerobic physical training. 2016 , 34, 2383-2392		6
785	Left atrial dimension is related to blood pressure variability in newly diagnosed untreated hypertensive patients. <i>Hypertension Research</i> , 2016 , 39, 583-7	4-7	14
784	Two-dimensional left atrium-to-aorta ratios and left ventricular M-mode transthoracic echocardiographic measurements in clinically normal adult Dachshunds. 2016 , 77, 374-82		5
783	A Body Shape Index and Body Roundness Index: Two New Body Indices to Identify left Ventricular Hypertrophy among Rural Populations in Northeast China. 2016 , 25, 358-64		21
782	Echocardiographic evaluation of cardiac structure and function in children with hypertension. 2016 , 58, e615-e622		1
781	Hyponatremia and Worsening Sodium Levels Are Associated With Long-Term Outcome in Patients Hospitalized for Acute Heart Failure. 2016 , 5, e002668		28
780	Effects of the Antihypertensive Fixed-Dose Combinations on an Early Marker of Hypertensive Cardiac Damage in Subjects at Low Cardiovascular Risk. 2016 , 29, 969-75		2

779	Carbonic anhydrase inhibitors reduce cardiac dysfunction after sustained coronary artery ligation in rats. 2016 , 25, 468-477	11
778	Mitochondrial DNA mutation m.5512A>'G in the acceptor-stem of mitochondrial tRNA causing maternally inherited essential hypertension. 2016 , 479, 800-807	8
777	Epidemiological, clinical, and echocardiographic features and survival times of dogs and cats with tetralogy of Fallot: 31 cases (2003-2014). 2016 , 249, 909-917	9
776	Epigenetic control of exercise training-induced cardiac hypertrophy by. 2016 , 130, 2005-2015	32
775	Nocturnal blood pressure non-dipping is not associated with increased left ventricular mass index in hypertensive children without end-stage renal failure. 2016 , 175, 1091-7	11
774	Match and mismatch between opening area and resistance in mild and moderate rheumatic mitral stenosis. <i>Echocardiography</i> , 2016 , 33, 1801-1804	1.5
773	Albuminuria and masked uncontrolled hypertension in chronic kidney disease. 2017 , 32, 2058-2065	11
772	Insulin resistance-associated decreases in left ventricular diastolic function are strongly modified by the extent of concentric remodeling in a community sample. 2016 , 220, 349-55	7
771	Abnormal Pulsatile Hemodynamics in Hypertensive Patients With Normalized 24-Hour Ambulatory Blood Pressure by Combination Therapy of Three or More Antihypertensive Agents. 2016 , 18, 281-9	5
770	Prognostic Value of Right Ventricular Tei Index in Dogs with Myxomatous Mitral Valvular Heart Disease. 2016 , 30, 69-75	23
769	Recombinant Human Thyrotropin Improves Endothelial Coronary Flow Reserve in Thyroidectomized Patients with Differentiated Thyroid Cancer. 2016 , 26, 1528-1534	5
768	Effect of Body Weight on Echocardiographic Measurements in 19,866 Pure-Bred Cats with or without Heart Disease. 2016 , 30, 1601-1611	59
767	Novel Approach to the Detection of Left Ventricular Hypertrophy Using Body Mass Index-Corrected Electrocardiographic Voltage Criteria in a Group of African Ancestry. 2016 , 39, 524-30	8
766	Deregulation of Soluble Adhesion Molecules in Resistant Hypertension and Its Role in Cardiovascular Remodeling. 2016 , 80, 1196-201	12
765	Prognostic value of transthoracic echocardiography and biomarkers of cardiac dysfunction in community-acquired pneumonia. 2016 , 22, 1006.e1-1006.e6	12
764	Prevalence, Neurohormonal Correlates, and Prognosis of Heart Failure Stages in the Community. 2016 , 4, 808-815	46
763	Excess Pressure Integral Predicts Long-Term All-Cause Mortality in Stable Heart Failure Patients. 2017 , 30, 271-278	10
762	Cardiac-deleterious role of galectin-3 in chronic angiotensin II-induced hypertension. 2016 , 311, H1287-H1296	36

761	Gallic acid prevents isoproterenol-induced cardiac hypertrophy and fibrosis through regulation of JNK2 signaling and Smad3 binding activity. 2016 , 6, 34790		63
760	Cinnamaldehyde ameliorates LPS-induced cardiac dysfunction via TLR4-NOX4 pathway: The regulation of autophagy and ROS production. 2016 , 101, 11-24		72
759	PLGA-PNIPAM Microspheres Loaded with the Gastrointestinal Nutrient NaB Ameliorate Cardiac Dysfunction by Activating Sirt3 in Acute Myocardial Infarction. 2016 , 3, 1600254		16
758	Association of Central Adiposity With Adverse Cardiac Mechanics: Findings From the Hypertension Genetic Epidemiology Network Study. 2016 , 9,		42
757	High Left Ventricular Lead Sensing Delay Predicts QRS Narrowing and Good Response to Cardiac Resynchronization Therapy. 2016 , 39, 1317-1326		3
756	Echocardiographic Assessment of Cardiac Changes During Normal Pregnancy Among Nigerians. 2016 , 10, 157-62		8
755	Role of galectin-3 and plasma B type-natriuretic peptide in predicting prognosis in discharged chronic heart failure patients. 2016 , 95, e4014		14
754	Archeological Echocardiography: Digitization and Speckle Tracking Analysis of Archival Echocardiograms in the HyperGEN Study. <i>Echocardiography</i> , 2016 , 33, 386-97	1.5	17
753	Effect of resveratrol on metabolic and cardiovascular function in male and female adult offspring exposed to prenatal hypoxia and a high-fat diet. 2016 , 594, 1465-82		39
752	Diabetes mellitus and coronary microvascular function in asymptomatic patients with severe aortic stenosis and nonobstructed coronary arteries. 2016 , 13, 220-7		8
751	The relationship between snoring and left ventricular hypertrophy of China: a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 15	2.3	9
750	Prevalence of left atrial enlargement and its risk factors in general Chinese population. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 53	2.3	9
749	Cardiac Diastolic Dysfunction is Associated With Aortic Wave Reflection, but Not Stiffness in a Predominantly Young-to-Middle-Aged Community Sample. 2016 , 29, 1148-57		16
748	Echocardiographic assessment of left ventricular function in asymptomatic HIV patients: A single arm blinded study from north India. 2016 , 15, 36-41		
747	Altered left ventricular performance in aging physically active mice with an ankle sprain injury. 2016 , 38, 15		2
746	Conditioned medium of H9c2 triggers VEGF dependent angiogenesis by activation of p38/pSTAT3 pathways in placenta derived stem cells for cardiac repair. 2016 , 153, 213-21		8
745	Intrafamilial aggregation and heritability of tissue Doppler indexes of left ventricular diastolic function in a group of African descent. 2016 , 10, 517-526.e11		0
744	Prognosis of Adults With Borderline Left Ventricular Ejection Fraction. 2016 , 4, 502-10		32

743	Late outcome after paediatric heart transplantation in Finland. 2016 , 23, 18-25		6
742	Long-Term Outcomes and Durability of the Mitroflow Aortic Bioprosthesis. 2016 , 31, 264-73		15
741	Impact of Septal Reduction on Left Atrial Size and Diastole in Hypertrophic Cardiomyopathy. <i>Echocardiography</i> , 2016 , 33, 686-94	1.5	17
740	Regression of asymptomatic cardiomyopathy and clinical outcome of renal transplant recipients: a long-term prospective cohort study. 2016 , 31, 1168-74		29
739	Metformin alleviates vascular calcification induced by vitamin D3 plus nicotine in rats via the AMPK pathway. 2016 , 81, 83-90		20
738	Bidirectional cross-regulation between ErbB2 and β -adrenergic signalling pathways. 2016 , 109, 358-73		31
737	Left ventricular dysfunction and subclinical atherosclerosis in children with classic congenital adrenal hyperplasia: a single-center study from upper Egypt. 2016 , 175, 405-12		11
736	Propranolol versus captopril in the treatment of infantile hemangioma (IH): A randomized controlled trial. 2016 , 74, 499-505		29
735	Assessing ventricular function in preterm infants using tissue Doppler imaging. 2016 , 13, 325-38		8
734	Left atrial deformation and phasic function determined by 2-dimensional speckle tracking echocardiography in healthy dogs. <i>Journal of Veterinary Cardiology</i> , 2016 , 18, 146-55	1.9	18
733	Diabetes mellitus is an independent risk factor for atrial fibrillation in a general Chinese population. 2016 , 7, 791-6		11
732	Higher protein intake increases cardiac function parameters in healthy children: metabolic programming by infant nutrition-secondary analysis from a clinical trial. 2016 , 79, 880-8		4
731	Longitudinal Study of Left Ventricular Mass Growth: Comparative Study of Clinic and Ambulatory Systolic Blood Pressure in Chronic Kidney Disease. 2016 , 67, 710-6		10
730	Prognostic Usefulness of Proenkephalin in Stable Ambulatory Patients With Heart Failure. 2016 , 117, 1310-4		24
729	Impact of chronic use of cibenzoline on left ventricular pressure gradient and left ventricular remodeling in patients with hypertrophic obstructive cardiomyopathy. 2016 , 67, 279-86		10
728	Relationship between obstructive sleep apnea cardiac complications and sleepiness in children with Down syndrome. 2016 , 17, 18-24		23
727	Comparison of energy supplements during prolonged exercise for maintenance of cardiac function: carbohydrate only versus carbohydrate plus whey or casein hydrolysate. 2016 , 41, 674-83		4
726	Enlarged left atrium and sudden death risk in hypertrophic cardiomyopathy patients with or without atrial fibrillation. 2016 , 68, 478-484		17

725	How Exactly Do You Measure That Aorta?: Lessons From Multimodality Imaging. 2016 , 9, 227-9		7
724	Mesenchymal stem cell therapy associated with endurance exercise training: Effects on the structural and functional remodeling of infarcted rat hearts. 2016 , 90, 111-9		10
723	Ethanol-Associated Cardiomyocyte Apoptosis and Left Ventricular Dilation Are Unrelated to Changes in Myocardial Telomere Length in Rats. 2016 , 22, 294-302		6
722	The usefulness of left atrial volume index and left ventricular mass index in determining subclinical cardiac involvement in patients with early-stage sarcoidosis. 2016 , 185, 617-621		
721	[Study of echocardiographic parameters of rheumatoid arthritis black African without clinically evident cardiovascular manifestations: A cross-sectional study of 73 cases in Senegal]. 2016 , 65, 71-6		1
720	Cardiovascular health in former elite male athletes. 2016 , 26, 535-43		4
719	Nutrition Modulation of Cardiotoxicity and Anticancer Efficacy Related to Doxorubicin Chemotherapy by Glutamine and E Polyunsaturated Fatty Acids. 2016 , 40, 52-66		14
718	Absence of left atrial stunning after cardioversion of recent-onset atrial fibrillation in patients at low-stroke risk. 2017 , 24, 217-223		2
717	Ambulatory electrocardiogram recordings in cats with primary asymptomatic hypertrophic cardiomyopathy. <i>Journal of Feline Medicine and Surgery</i> , 2017 , 19, 158-164	2-3	6
716	The CHADS score predicts ischemic stroke in chronic heart failure patients without atrial fibrillation: comparison to other stroke risk scores. 2017 , 32, 193-200		9
715	Effects of lowered dialysate sodium on left ventricle function and brain natriuretic peptide in maintenance of hemodialysis patients. 2017 , 36, 128-134		3
714	Right and left heart dysfunction predict mortality in pulmonary hypertension. 2017 , 37, 45-51		12
713	Effects of leptin and leptin receptor SNPs on clinical- and metabolic-related traits in apparent treatment-resistant hypertension. 2017 , 26, 74-80		7
712	A new use for maximum deflection index: Detection of intraventricular dyssynchrony. 2017 , 50, 301-306		
711	Pre-eclampsia: an important risk factor for asymptomatic heart failure. 2017 , 49, 143-149		56
710	Can Pediatric Hypertension Criteria Be Simplified? A Prediction Analysis of Subclinical Cardiovascular Outcomes From the Bogalusa Heart Study. 2017 , 69, 691-696		35
709	Implications of Blood Pressure Measurement Technique for Implementation of Systolic Blood Pressure Intervention Trial (SPRINT). 2017 , 6,		75
708	Real-Time 3-Dimensional Echocardiographic Assessment of Effective Regurgitant Orifice Area in Dogs With Myxomatous Mitral Valve Disease. 2017 , 31, 303-310		9

707	Phenomapping for the Identification of Hypertensive Patients with the Myocardial Substrate for Heart Failure with Preserved Ejection Fraction. 2017 , 10, 275-284	37
706	Left atrial size and risk of recurrent ischemic stroke in a Chinese population. 2017 , 7, e00702	6
705	Effect of the timing of dialysis initiation on left ventricular hypertrophy and inflammation in pediatric patients. 2017 , 32, 1595-1602	9
704	Transthoracic Echocardiography versus Computed Tomography for Ascending Aortic Measurements in Patients with Bicuspid Aortic Valve. 2017 , 30, 625-635	24
703	Aortic backward waves rather than stiffness account for independent associations between pulse pressure amplification and left ventricular mass in a young to middle-aged sample. 2017 , 11, 350-358.e2	7
702	Implications of CHA2DS2-VASc Score in Stroke Patients with Atrial Fibrillation: An Analysis of 938 Korean Patients. 2017 , 77, 307-315	3
701	Time to the peak of the aortic forward wave determines the impact of aortic backward wave and pulse pressure on left ventricular mass. 2017 , 35, 300-309	6
700	The association of ideal cardiovascular health and left ventricle hypertrophy in rural population of northeast China: A cross-sectional observational study. 2017 , 96, e6050	2
699	Ultrasonic evaluation of renal cortex arterial area enables differentiation between hypertensive and glomerulonephritis-related chronic kidney disease. 2017 , 49, 1627-1635	8
698	Prevention of β -adrenergic-induced Adverse Cardiac Remodeling by Gonadectomy in Male but Not Female Spontaneously Hypertensive Rats. 2017 , 70, 202-209	2
697	The evolution of basal septal hypertrophy: From benign and age-related normal variant to potentially obstructive and symptomatic cardiomyopathy. <i>Echocardiography</i> , 2017 , 34, 1062-1072	1.5 7
696	Independent influences of excessive body weight and elevated blood pressure from childhood on left ventricular geometric remodeling in adulthood. 2017 , 243, 492-496	19
695	Postnatal resveratrol supplementation improves cardiovascular function in male and female intrauterine growth restricted offspring. 2017 , 5, e13109	14
694	Image-Guided Hydrogen Gas Delivery for Protection from Myocardial Ischemia-Reperfusion Injury via Microbubbles. 2017 , 9, 21190-21199	66
693	The relationship of alcohol consumption with left ventricular mass in people 35 years old or older in rural areas of Western China. 2017 , 11, 220-226	3
692	Loss of dystrophin is associated with increased myocardial stiffness in a model of left ventricular hypertrophy. 2017 , 432, 169-178	
691	Electrocardiographic Criteria for the Diagnosis of Left Ventricular Hypertrophy. 2017 , 69, 1694-1703	75
690	Clinical and echocardiographic predictors of long-term outcome of a large cohort of patients with bicuspid aortic valve. 2017 , 18, 74-82	4

689	Prevalence of arrhythmias in patients with type 2 diabetes and the role of structural changes in myocardium in their development. 2017 , 11 Suppl 2, S567-S576		5
688	Prevalence of mitral valve regurgitation in 79 asymptomatic Norfolk terriers. <i>Journal of Veterinary Cardiology</i> , 2017 , 19, 107-112	1.9	0
687	Prognostic Significance of Left Ventricular Mass Index and Renal Function Decline Rate in Chronic Kidney Disease G3 and G4. 2017 , 7, 42578		1
686	Effects of neuropeptide Y on coronary artery vasomotion in patients with microvascular angina. 2017 , 238, 123-127		15
685	Contributions of aortic pulse wave velocity and backward wave pressure to variations in left ventricular mass are independent of each other. 2017 , 11, 265-274.e2		8
684	Correlation of P-wave dispersion with insulin sensitivity in obese adolescents. 2017 , 27, 229-235		2
683	Validation of Left Atrial Volume Estimation by Left Atrial Diameter from the Parasternal Long-Axis View. 2017 , 30, 262-269		26
682	Early repolarization pattern in the general population: Prevalence and associated factors. 2017 , 230, 614-618		23
681	PRELIMINARY CHARACTERIZATION OF DILATED CARDIOMYOPATHY IN A CAPTIVE POPULATION OF BANDED MONGOOSES (MUNGOS MUNGO). 2017 , 48, 829-841		0
680	Treatment with Fenofibrate plus a low dose of Benznidazole attenuates cardiac dysfunction in experimental Chagas disease. 2017 , 7, 378-387		11
679	Evaluation of potential long-term changes in endothelial functions and basic echocardiographic parameters in unilateral nephrectomy patients. <i>Echocardiography</i> , 2017 , 34, 1456-1461	1.5	
678	Hypervolemia screening in predialysis healthcare for hemodialysis patients using fuzzy color reason analysis. 2017 , 13, 155014771668509		3
677	Association between plasma homocysteine concentration and the risk of all-cause death in adults with diastolic dysfunction in a community: A 13-year cohort study. 2017 , 96, e6716		5
676	Association of Blood Pressure Variability Ratio With Glomerular Filtration Rate Independent of Blood Pressure and Pulse Wave Velocity. 2017 , 30, 1177-1188		
675	Prognostic Value of Different Allelic Polymorphism of Aldosterone Synthase Receptor in a Congestive Heart Failure European Continental Ancestry Population. 2017 , 48, 156-161		2
674	Assessment of left ventricular function in healthy Great Danes and in Great Danes with dilated cardiomyopathy using speckle tracking echocardiography. <i>Journal of Veterinary Cardiology</i> , 2017 , 19, 363-375	1.9	8
673	ECHOCARDIOGRAPHIC FINDINGS OF BIDIMENSIONAL MODE, M-MODE, AND DOPPLER OF CLINICALLY NORMAL BLACK-RUMPED AGOUTI (DASYPROCTA PRYMNOLOPHA, WAGLER 1831). 2017 , 48, 287-293		4
672	Association of Estimated Sodium Intake With Adverse Cardiac Structure and Function: From the HyperGEN Study. 2017 , 70, 715-724		12

671	Every-other-day feeding extends lifespan but fails to delay many symptoms of aging in mice. 2017 , 8, 155		60
670	Thoracic aortic aneurysms: state of the art and current controversies. 2017 , 15, 667-680		5
669	Pulmonary hypertension and cardiac hypertrophy in children recipients of orthotopic living related liver transplantation. 2017 , 8, 663-668		4
668	Impact of aortic rather than brachial pulsatile haemodynamics on variations in end-organ measures across the full adult blood pressure range. 2017 , 35, 2443-2453		3
667	Chronic treatment with angiotensin-converting enzyme inhibitor increases cardiac fibrosis in young rats submitted to early ovarian failure. 2017 , 206, 28-34		4
666	VEGF-C-mediated cardiac lymphangiogenesis in high salt intake accelerated progression of left ventricular remodeling in spontaneously hypertensive rats. 2017 , 39, 740-747		14
665	Prognostic Nutritional Index and the Risk of Mortality in Patients With Acute Heart Failure. 2017 , 6,		99
664	Gender-specific association of decreased estimated glomerular filtration rate and left ventricular geometry in the general population from rural Northeast China. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 24	2.3	3
663	Residential distance to major roadways and cardiac structure in African Americans: cross-sectional results from the Jackson Heart Study. 2017 , 16, 21		16
662	Comparison of left ventricular structure and function in primary aldosteronism and essential hypertension by echocardiography. <i>Hypertension Research</i> , 2017 , 40, 243-250	4.7	21
661	Higher copeptin levels are associated with worse outcome in patients with hypertrophic cardiomyopathy. 2017 , 40, 32-37		7
660	Dexamethasone-induced cardiac deterioration is associated with both calcium handling abnormalities and calcineurin signaling pathway activation. 2017 , 424, 87-98		18
659	Prevalence of asymptomatic heart failure in formerly pre-eclamptic women: a cohort study. 2017 , 49, 134-142		20
658	Sex-Specific Effects of Adrenergic-Induced Left Ventricular Remodeling in Spontaneously Hypertensive Rats. 2017 , 23, 161-168		14
657	Metabolic Abnormalities, But Not Metabolically Healthy Obesity, Are Associated with Left Ventricular Hypertrophy. 2017 , 26, 251-257		12
656	Titin-truncating variants affect heart function in disease cohorts and the general population. 2017 , 49, 46-53		179
655	Coarctation repair normalizes left ventricular function and aorto-septal angle in neonates. 2017 , 12, 218-225		2
654	Evaluation of QT dispersion and T-peak to T-end interval in patients with early-stage sarcoidosis. 2017 , 36, 919-924		4

653	Evaluation of QT dispersion and T-peak to T-end interval in patients with early-stage sarcoidosis. 2017 , 36, 919-924		3
652	Structural and Functional Changes in Maternal Heart during Pregnancy: An Echocardiographic Study. 2017 , 02, 072-076		0
651	Are ECG abnormalities common in black Africans with heart failure? Results from the Heart of Soweto study. 2017 , 5,		
650	Muscle Weakness Is Associated With an Increase of Left Ventricular Mass Through Excessive Blood Pressure Elevation During Exercise in Patients With Hypertension. 2017 , 58, 551-556		3
649	The Impact of Different Classification Criteria Sets on the Estimated Prevalence and Associated Risk Factors of Diastolic Dysfunction in Rheumatoid Arthritis. 2017 , 2017, 2323410		5
648	Antihypertensive and Antihypertrophic Effects of Acupuncture at PC6 Acupoints in Spontaneously Hypertensive Rats and the Underlying Mechanisms. 2017 , 2017, 9708094		11
647	The Structure-function remodeling in rabbit hearts of myocardial infarction. 2017 , 5, e13311		11
646	Retrospective study of degenerative mitral valve disease in small-breed dogs: survival and prognostic variables. 2017 , 18, 369-376		17
645	Right ventricular systolic function in hypertensive heart failure. <i>Vascular Health and Risk Management</i> , 2017 , 13, 353-360	4-4	6
644	Analysis of Serum Cholesterol Efflux Capacity in a Minipig Model of Nonischemic Heart Failure. 2017 , 24, 853-862		2
643	Hypertrophic Cardiomyopathy in South Western Nigeria. 2017 , 6,		0
642	Long-term effect of sildenafil on echocardiographic parameters in dogs with asymptomatic myxomatous mitral valve degeneration. 2017 , 79, 788-794		4
641	Monitoring Cardiorespiratory and Other Physiological Parameters During Seizures in Small Animals. 2017 , 161-179		
640	Dronedarone produces early regression of myocardial remodelling in structural heart disease. <i>PLoS ONE</i> , 2017 , 12, e0188442	3-7	9
639	Cardiac Function Affection in Infants with Neonatal Sepsis. 2017 , 7,		4
638	Left atrial dimensions vs left atrial volume calculation always necessary?. 2017 , 13,		
637	Impaired central arterial elasticity in young adults born with intrauterine growth restriction. 2017 , 36, 362-367		2
636	A comparison of Cornell and Sokolow-Lyon electrocardiographic criteria for left ventricular hypertrophy in a military male population in Taiwan: the Cardiorespiratory fitness and Hospitalization Events in armed Forces study. 2017 , 7, 244-251		16

635	Risk marker profiles in patients treated with percutaneous septal ablation for symptomatic hypertrophic obstructive cardiomyopathy. 2018 , 107, 479-486		4
634	Sequencing of Linkage Region on Chromosome 12p11 Identifies as a Candidate Gene for Left Ventricular Mass in Dominican Families. 2018 , 8, 659-668		2
633	Performance of 4 definitions of childhood elevated blood pressure in predicting subclinical cardiovascular outcomes in adulthood. 2018 , 20, 508-514		16
632	Percutaneous Contrast Echocardiography-guided Intramyocardial Injection and Cell Delivery in a Large Preclinical Model. 2018 ,		1
631	Imaging Insights on the Aorta in Aging. 2018 , 11, e005617		30
630	Clinical implications of combined glucose intolerance in treatment-naïve hypertensive patients. 2018 , 40, 762-771		1
629	Comparison of Non-human Primate versus Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes for Treatment of Myocardial Infarction. 2018 , 10, 422-435		33
628	Disease severity impacts the relationship of apelin with arterial function in patients with rheumatoid arthritis. 2018 , 37, 1481-1491		2
627	Left ventricular myocardial performance index in prediabetic patients without coronary artery disease. <i>Echocardiography</i> , 2018 , 35, 445-449	1.5	3
626	Plasma adrenomedullin level in children with obesity: relationship to left ventricular function. 2018 , 14, 84-91		4
625	Discerning the relationship between left ventricular geometry, high-sensitivity troponin T, and nondipper hypertension. 2018 , 23, 12-18		7
624	Investigation of mindin levels in hypertensive patients with left ventricular hypertrophy and QRS fragmentation on electrocardiography. 2018 , 73, 544-549		2
623	Association of serum ADAMTS-7 levels with left ventricular reverse remodeling after ST-elevation myocardial infarction. 2018 , 23, 15		2
622	Left ventricular mass of persistent masked hypertension in Hong Kong Chinese adolescents: a 4-year follow-up study. 2018 , 28, 837-843		8
621	Effects of ramelteon on cardiac injury and adipose tissue pathology in rats with metabolic syndrome. 2018 , 1421, 73-87		5
620	Phenotypic description of cardiac findings in a population of Dogue de Bordeaux with an emphasis on atrial fibrillation. 2018 , 234, 111-118		1
619	Cardiac-Specific Overexpression of Silent Information Regulator 1 Protects Against Heart and Kidney Deterioration in Cardiorenal Syndrome via Inhibition of Endoplasmic Reticulum Stress. 2018 , 46, 9-22		8
618	Left ventricular mass estimation by different partition values in a large population of black hypertensive subjects. 2018 , 1, e25		0

617	Physical training promotes similar effects to the blockade of angiotensin-converting enzyme on the cardiac morphology and function in old female rats subjected to premature ovarian failure. 2018 , 109, 90-98	4
616	Airway and sleep disorders in patients with acromegaly. 2018 , 12, 1003-1010	14
615	Decreased endothelial function and increased subclinical heart failure in women several years after pre-eclampsia. 2018 , 52, 196-204	22
614	Coronary sinus lead delay index for optimization of coronary sinus lead placement. 2018 , 23,	3
613	Echocardiographic evaluation of cardiac functions in newborns of mildly preeclamptic pregnant women within postnatal 24-48 hours. 2018 , 38, 16-21	8
612	The role of human urotensin-II in patients with hypertrophic cardiomyopathy. 2018 , 39, 150-162	7
611	Failure of Isoflurane Cardiac Preconditioning in Obese Type 2 Diabetic Mice Involves Aberrant Regulation of MicroRNA-21, Endothelial Nitric-oxide Synthase, and Mitochondrial Complex I. 2018 , 128, 117-129	9
610	Systemic Angiotensinogen Concentrations Are Independently Associated With Left Ventricular Diastolic Function in a Community Sample. 2018 , 31, 212-219	2
609	Epidemiology of Left Ventricular Systolic Dysfunction and Heart Failure in the Framingham Study: An Echocardiographic Study Over 3 Decades. 2018 , 11, 1-11	95
608	High-Sensitivity Cardiac Troponin T levels in prehypertensive patients. 2018 , 40, 332-336	4
607	Comparison of a computed tomographic pulmonary trunk to aorta diameter ratio with echocardiographic indices of pulmonary hypertension in dogs. 2018 , 59, 18-26	11
606	Intravascular hemolysis in patients with mitral regurgitation: Evaluation by erythrocyte creatine. 2018 , 71, 414-418	1
605	Association between growth differentiation factor 15 and left ventricular hypertrophy in hypertensive patients and healthy adults. 2018 , 40, 8-15	8
604	Left ventricular functions in children with newly diagnosed Graves' disease. A single-center study from Upper Egypt. 2018 , 177, 101-106	1
603	Non-alcoholic steatohepatitis aggravates nitric oxide synthase inhibition-induced arteriosclerosis in SHRSP5/Dmcr rat model. 2018 , 99, 282-294	5
602	Quantitative Cardiac Output Assessment Using 4D Ultrafast Doppler Imaging: An in Vitro Study. 2018 ,	1
601	Early Detection of Diastolic Dysfunction in Diabetic Patients (Single Center Cross Sectional Study). 2018 , 02,	1
600	Valeurs normales et intervalles de rffence chez le chien. 2018 , 713-753	

599	Examen échocardiographique transthoracique normal. 2018 , 7-94		
598	Valeurs normales et intervalles de référence chez le chat. 2018 , 755-775		
597	Association between Cardiac Remodeling and Metabolic Alteration in an Experimental Model of Obesity Induced by Western Diet. 2018 , 10,		9
596	Differences in the determinants of right ventricular and regional left ventricular long-axis dysfunction in Friedreich ataxia. <i>PLoS ONE</i> , 2018 , 13, e0209410	3-7	4
595	Modifiable Predictors of Ventricular Ectopy in the Community. 2018 , 7, e010078		9
594	Left Ventricular Strain and Relaxation Are Independently Associated with Renal Cortical Perfusion in Hypertensive Patients. 2019 , 1133, 1-8		2
593	Sex-specific effects of advanced maternal age on cardiovascular function in aged adult rat offspring. 2018 , 315, H1724-H1734		8
592	Effects of Ivabradine on Left Ventricular Systolic Function and Cardiac Fibrosis in Rat Myocardial Ischemia-Reperfusion Model. 2018 , 54, 167-172		5
591	Short-term effect of percutaneous coronary intervention on ischemic mitral regurgitation. 2018 , 6, 25-31		0
590	Ezetimibe prevents myocardial remodeling in an obese rat model by inhibiting inflammation. 2018 , 65, 465-470		5
589	Usefulness of a Telemedicine Program in Refractory Older Congestive Heart Failure Patients. 2018 , 6,		6
588	Evaluation of tissue Doppler ultrasonographic and strain imaging for assessment of myocardial dysfunction in dogs with type 1 diabetes mellitus. 2018 , 79, 1035-1043		2
587	Obstetric and cardiac outcomes in women with Marfan syndrome and an aortic root diameter \geq 45mm. 2018 , 230, 68-72		7
586	Serum ADMA, endothelial dysfunction, and atherosclerosis in hypervolemic hemodialysis patients. 2018 , 48, 1041-1047		1
585	The Predictive Value of Plasma Brain Natriuretic Peptide and Galectin-3 in Elderly Patients Admitted for Heart Failure. 2018 , 6,		4
584	Homocysteine Level in Children with Classic Congenital Adrenal Hyperplasia: Relationship to Carotid Intimal Wall Thickness and Left Ventricular Function. 2018 , 90, 228-235		10
583	Vascular calcification and left ventricular hypertrophy in hemodialysis patients: interrelationship and clinical impacts. 2018 , 15, 557-563		9
582	Specific features and survival of French bulldogs with congenital pulmonic stenosis: a prospective cohort study of 66 cases. <i>Journal of Veterinary Cardiology</i> , 2018 , 20, 405-414	1-9	17

581	Metabolic Syndrome-Related Features in Controlled and Resistant Hypertensive Subjects. 2018 , 110, 514-521	8
580	Limited Impact of β -Adrenergic Receptor Activation on Left Ventricular Diastolic Function in Rat Models of Hypertensive Heart Disease. 2018 , 72, 242-251	
579	Cardiac function in children with premature ventricular contractions: the effect of omega-3 polyunsaturated fatty acid supplementation. 2018 , 28, 949-954	4
578	Trajectories of Childhood Blood Pressure and Adult Left Ventricular Hypertrophy: The Bogalusa Heart Study. 2018 , 72, 93-101	38
577	Adenine-Induced Chronic Renal Failure in Rats: A Model of Chronic Renocardiac Syndrome with Left Ventricular Diastolic Dysfunction but Preserved Ejection Fraction. 2018 , 43, 1053-1064	5
576	Prevalence and Clinical Correlates of Left Ventricular Hypertrophy in Black Africans. 2018 , 25, 283-289	5
575	Laboratory mouse housing conditions can be improved using common environmental enrichment without compromising data. 2018 , 16, e2005019	28
574	A High-Fat and High-Cholesterol Diet Induces Cardiac Fibrosis, Vascular Endothelial, and Left Ventricular Diastolic Dysfunction in SHRSP5/Dmcr Rats. 2018 , 25, 439-453	22
573	Association of Circulating Adipokines With Echocardiographic Measures of Cardiac Structure and Function in a Community-Based Cohort. 2018 , 7,	12
572	Marinobufagenin and left ventricular mass in young adults: The African-PREDICT study. 2018 , 25, 1587-1595	12
571	The impact of visit-to-visit systolic blood pressure variability on residual renal function and left ventricular hypertrophy in peritoneal dialysis patients. 2018 , 48, 279-285	1
570	Echocardiographic Evaluation of Ventricular Function-For the Neonatologist and Pediatric Intensivist. 2018 , 6, 79	49
569	Short-Term Evaluation of Left Ventricular Mass and Function in Children With Growth Hormone Deficiency After Replacement Treatment. 2018 , 6, 174	2
568	Wideband External Pulse Recorded During Cuff Blood Pressure Measurement: A New Technique for Cardiovascular Assessment. 2018 , 25, 317-326	
567	Improving the quality of preclinical research echocardiography: observations, training, and guidelines for measurement. 2018 , 315, H58-H70	16
566	Ethnicity and Left Ventricular Hypertrophy: Tools and Uncertainties. 2018 , 25, 291-294	
565	Impact of Blunted Nocturnal Blood Pressure Dipping on Cardiac Systolic Function in Community Participants Not Receiving Antihypertensive Therapy. 2018 , 31, 1002-1012	3
564	Role of Response-to-Diuretic in Predicting Prognosis in Discharged Heart Failure Patients After an Acute Decompensation. 2018 , 49, 198-204	6

563	Echocardiographic assessment of right ventricular systolic function in Boxers with arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Veterinary Cardiology</i> , 2018 , 20, 343-353	1.9	2
562	Survival after Aortic Valve Replacement for Aortic Regurgitation: Prediction from Preoperative Contractility Measurement. 2018 , 140, 204-212		4
561	Observation of changes in the number of myocardial capillaries in rabbits after treatment of acute myocardial infarction by Tongxinluo superfine powder. 2018 , 38, 406-411		
560	Time-averaged hemoglobin values, not hemoglobin cycling, have an impact on outcomes in pediatric dialysis patients. 2018 , 33, 2143-2150		2
559	Anti-inflammatory effects of heat-killed <i>Lactobacillus plantarum</i> L-137 on cardiac and adipose tissue in rats with metabolic syndrome. 2018 , 8, 8156		22
558	Short- and long-term administration of the non-steroidal mineralocorticoid receptor antagonist finerenone opposes metabolic syndrome-related cardio-renal dysfunction. 2018 , 20, 2399-2407		18
557	Effect of well-controlled gestational diabetes on left ventricular diastolic dysfunction in neonates. 2019 , 32, 2101-2106		6
556	Changes in Doppler echocardiography depending on type of elite athletes immediately after maximal exercise. 2019 , 59, 524-529		0
555	M-Mode Imaging. 2019 , 16-26		
554	Top 100 most-cited articles on echocardiography: A bibliometric analysis. <i>Echocardiography</i> , 2019 , 36, 1540-1548	1.5	5
553	Noninvasive imaging methods for evaluating cardiovascular involvement in patients with rheumatoid arthritis before and after anti-TNF drug treatment. 2019 , 5, FSO396		4
552	MiR-195-5p Promotes Cardiomyocyte Hypertrophy by Targeting MFN2 and FBXW7. 2019 , 2019, 1580982		24
551	Cardiovascular risk in children and adolescents with end stage renal disease. 2019 , 74, e859		0
550	Silencing of epidermal growth factor receptor reduces Na/H exchanger 1 activity and hypertensive cardiac hypertrophy. 2019 , 170, 113667		3
549	Increased systolic blood pressure associated with hypertriglyceridemia in female Sprague-Dawley rats. 2019 , 97, 971-979		1
548	Effects of Fimasartan/Amlodipine Fixed-Dose Combination on Left Ventricular Systolic Function and Infarct Size in Rat Myocardial Infarction Model. 2019 , 55, 144-149		
547	Long-term effect of the perindopril/indapamide/amlodipine single-pill combination on left ventricular hypertrophy in outpatient hypertensive subjects. 2019 , 120, 109539		4
546	Voluntary running counteracts right ventricular adverse remodeling and myocyte contraction impairment in pulmonary arterial hypertension model. 2019 , 238, 116974		3

545	Aortic Coarctation a Systemic Vessel Disease-Insights from Magnetic Resonance Imaging. 2019 , 67, e1-e10	2
544	Isolated very low QRS voltage predicts response to tilt-table testing in patients with neurally mediated syncope. 2019 , 42, 1558-1565	2
543	Electrocardiographic and echocardiographic evaluation in dogs with hypothyroidism before and after levothyroxine supplementation: A prospective controlled study. 2019 , 33, 1935-1942	2
542	Intrinsic and extrinsic epigenetic age acceleration are associated with hypertensive target organ damage in older African Americans. 2019 , 12, 141	11
541	Fibrinogen-erythrocyte binding and hemorheology measurements in the assessment of essential arterial hypertension patients. 2019 , 11, 2757-2766	15
540	Associations of vitamin K status with mortality and cardiovascular events in peritoneal dialysis patients. 2019 , 51, 527-534	4
539	Left and right ventricular function by echocardiography, tissue Doppler imaging, carotid intima-media thickness, and asymmetric dimethyl arginine levels in obese adolescents with metabolic syndrome. 2019 , 29, 310-318	3
538	Thrombospondin-2 as a Potential Risk Factor in a General Population. 2019 , 60, 310-317	4
537	Mild Hypobaric Hypoxia Enhances Post-exercise Vascular Responses in Young Male Runners. 2019 , 10, 546	2
536	The relation between echocardiographic epicardial fat thickness and mitral annular calcification. 2019 , 19, 1657-1664	2
535	TSLP promote M2 macrophages polarization and cardiac healing after myocardial infarction. 2019 , 516, 437-444	7
534	Transthoracic Echocardiographic Examination in the Rabbit Model. 2019 ,	1
533	Liver stiffness obtained by ElastPQ ultrasound shear wave elastography independently determines mean right atrial pressure. 2019 , 44, 3030-3039	6
532	SCN5A variant R222Q generated abnormal changes in cardiac sodium current and action potentials in murine myocytes and Purkinje cells. 2019 , 16, 1676-1685	6
531	An miRNA Delivery System for Restoring Infarcted Myocardium. 2019 , 13, 9880-9894	62
530	Echocardiographic Abnormalities and Determinants of 1-Month Outcome of Stroke Among West Africans in the SIREN Study. 2019 , 8, e010814	1
529	Hypertension with primary aldosteronism is associated with increased carotid intima-media thickness and endothelial dysfunction. 2019 , 21, 932-941	8
528	Impact of Pregnancy on Aortic Root in Women with Repaired Conotruncal Anomalies. <i>Pediatric Cardiology</i> , 2019 , 40, 1134-1143	2.1 2

527	Need for active cardiovascular screening in HIV-infected children under antiretroviral therapy in Africa. 2019 , 9, 68-72	2
526	Yin-Yang 1 transcription factor modulates ST2 expression during adverse cardiac remodeling post-myocardial infarction. 2019 , 130, 216-233	7
525	2017 Pediatric Hypertension Guidelines Improve Prediction of Adult Cardiovascular Outcomes. 2019 , 73, 1217-1223	38
524	Effect of hemoperfusion with hexadecyl-immobilized cellulose beads on myocardial fatty acid imaging in hemodialysis patients: a case series study. 2019 , 5,	
523	Mutation in causes atrial fibrillation by activating inflammation and cardiac fibrosis in a knock-in rat model. 2019 , 33, 8878-8891	13
522	4D simultaneous tissue and blood flow Doppler imaging: revisiting cardiac Doppler index with single heart beat 4D ultrafast echocardiography. 2019 , 64, 085013	9
521	Association of Circulating Tissue Inhibitor of Metalloproteinases-1 and Procollagen Type III Aminoterminal Peptide Levels With Incident Heart Failure and Chronic Kidney Disease. 2019 , 8, e011426	16
520	Left shift of the ventricular mean electrical axis in healthy Doberman Pinschers. 2019 , 81, 620-625	1
519	Heart failure in a semi-urban setting in Cameroon: clinical characteristics, etiologies, treatment and outcome. 2019 , 4, 11-11	3
518	Is echocardiography mandatory for patients with chronic kidney disease?. 2019 , 14, 923-929	3
517	Strength training attenuates post-infarct cardiac dysfunction and remodeling. 2019 , 69, 523-530	10
516	Epicardial fat thickness is significantly increased and related to LDL cholesterol level in patients with familial hypercholesterolemia. 2019 , 22, 309-314	4
515	Hemodynamics of infants with strong fluctuations of internal cerebral vein. 2019 , 61, 475-481	2
514	Association of electrocardiographic left and right ventricular hypertrophy with physical fitness of military males: The CHIEF study. 2019 , 19, 1214-1220	19
513	Clinical, epidemiological and echocardiographic features and prognostic factors in cats with restrictive cardiomyopathy: A retrospective study of 92 cases (2001-2015). 2019 , 33, 1222-1231	14
512	Prognostic Comparison of the Estimations of Renal Function in Patients With Acute Heart Failure. 2019 , 83, 767-774	1
511	Methods and considerations concerning cardiac output measurement in pregnant women: recommendations of the International Working Group on Maternal Hemodynamics. 2019 , 54, 35-50	19
510	Early ovarian hormone deprivation increases cardiac contractility in old female rats-Role of physical training. 2019 , 218, 1-9	3

509	The Effects of Hydroxyurea Therapy on the Six-Minute Walk Distance in Patients with Adult Sickle Cell Anemia: An Echocardiographic Study. 2019 , 10, 443-452	1
508	Isolated very low QRS voltage in the frontal leads predicts recurrence of neurally mediated syncope. 2019 , 16, 1862-1869	2
507	The spectrum of heart disease among adults at the Bamenda Regional Hospital, North west Cameroon: a semi urban setting. 2019 , 12, 761	2
506	Erythropoietin Improves Cardiovascular Function in Adult Rats After Acute Hemorrhage. 2019 , 73, 290-300	2
505	Limited contribution of left ventricular mass and remodelling to the impact of blood pressure on diastolic function in a community sample. 2019 , 37, 1191-1199	10
504	Hypertension in a resource-limited setting: Poor Outcomes on Short-term Follow-up in an Urban Hospital in Maputo, Mozambique. 2019 , 21, 1831-1840	2
503	Right ventricular systolic function in Nigerians with heart failure secondary to hypertensive heart disease. 2019 , 19, 2130-2139	2
502	Simplified three-dimensional spatial approach for improving confidence in reliably measuring left ventricular linear internal dimensions. 2019 , 20, 367-371	1
501	Insulin resistance influences the impact of hypertension on left ventricular diastolic dysfunction in a community sample. 2019 , 42, 305-311	7
500	Organ-Specific, Age-Dependent Associations of Steady-State Pressures and Pulsatile Pressure Wave Components With End-Organ Measures. 2019 , 32, 272-281	3
499	The Prevalence of Mitral Valve Prolapse in Panic Disorder: A Meta-Analysis. 2019 , 60, 393-401	2
498	Comparison between real-time 3-dimensional and 2-dimensional biplane echocardiographic assessment of left atrial volumes in dogs with myxomatous mitral valve disease. 2019 , 33, 455-461	7
497	Maternal serum lipid levels, oxidative stress and antioxidant activity in pre-eclampsia patients from Southwest India. 2019 , 15, 130-133	3
496	Dual Roles of the Mineral Metabolism Disorders Biomarkers in Prevalent Hemodialysis Patients: In Renal Bone Disease and in Vascular Calcification. 2019 , 38, 134-144	10
495	Independent of left ventricular mass, circulating inflammatory markers rather than pressure load are associated with concentric left ventricular remodelling. 2019 , 274, 342-347	9
494	Wharton's jelly-derived mesenchymal stem cells attenuate sepsis-induced organ injury partially via cholinergic anti-inflammatory pathway activation. 2020 , 318, R135-R147	13
493	The association between NIRS and Doppler ultrasonography in preterm infants with patent ductus arteriosus. 2020 , 33, 1245-1252	12
492	Acute impact of an endurance race on cardiac function and biomarkers of myocardial injury in triathletes with and without myocardial fibrosis. 2020 , 27, 94-104	13

491	Frequent Ventricular Premature Beats in Children and Adolescents: Natural History and Relationship with Sport Activity in a Long-Term Follow-Up. <i>Pediatric Cardiology</i> , 2020 , 41, 123-128	2.1	4
490	Distribution of pressure gradients along the left anterior descending artery in patients with angiographically normal arteries. 2020 , 96, E67-E74		2
489	Prognostic Significance of Echocardiographic Measures of Cardiac Remodeling. 2020 , 33, 72-81.e6		8
488	Cardiac wall mechanics analysis in hypertension-induced heart failure rats with preserved ejection fraction. 2020 , 98, 109428		8
487	Silent coronary artery disease in asymptomatic patients with severe aortic stenosis and normal exercise testing. 2020 , 31, 166-173		4
486	Ventricular arrhythmia and sudden cardiac death in young Leonbergers. <i>Journal of Veterinary Cardiology</i> , 2020 , 27, 10-22	1.9	4
485	Preliminary investigation of serum cardiac troponin I in dogs with acute ischaemic stroke. 2020 , 61, 93-100		1
484	Genetic Polymorphisms of , , , and in Polish Patients with Thoracic Aortopathy. 2020 , 2020, 9567239		0
483	Comparisons of traditional electrocardiographic criteria for left and right ventricular hypertrophy in young Asian women: The CHIEF heart study. 2020 , 99, e22836		1
482	The role of sacubitril/valsartan in the treatment of chronic heart failure with reduced ejection fraction in hypertensive patients with comorbidities: From clinical trials to real-world settings. 2020 , 130, 110596		6
481	Cardiac morphological and functional changes induced by C-type natriuretic peptide are different in normotensive and spontaneously hypertensive rats. 2020 , 38, 2305-2317		2
480	Effect of high-intensity interval training on cardiac structure and function in rats with acute myocardial infarct. 2020 , 131, 110690		2
479	Cardiac repair in a murine model of myocardial infarction with human induced pluripotent stem cell-derived cardiomyocytes. 2020 , 11, 297		10
478	Short-and long-term administration of imeglimin counters cardiorenal dysfunction in a rat model of metabolic syndrome. 2020 , 3, e00128		13
477	Natriuretic peptides and echocardiographic parameters in Mexican children environmentally exposed to arsenic. 2020 , 403, 115164		1
476	Left Ventricular Mass Index Is Associated With Cognitive Function in Middle-Age: Bogalusa Heart Study. 2020 , 13, e010335		3
475	Endogenous Retrovirus-Derived lncRNA BANCR Promotes Cardiomyocyte Migration in Humans and Non-human Primates. 2020 , 54, 694-709.e9		16
474	Impact of Long-Term Burden of Body Mass Index and Blood Pressure From Childhood on Adult Left Ventricular Structure and Function. 2020 , 9, e016405		7

473	Left atrial size and risk of recurrent ischemic stroke in cardiogenic cerebral embolism. 2020 , 10, e01798		2
472	Symmetric dimethylarginine in dogs with myxomatous mitral valve disease at various stages of disease severity. <i>PLoS ONE</i> , 2020 , 15, e0238440	3.7	1
471	Six-Month Predictive Value of Diuretic Resistance Formulas in Discharged Heart Failure Patients after an Acute Decompensation. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
470	Sex-specific microRNAs in women with diabetes and left ventricular diastolic dysfunction or HFpEF associate with microvascular injury. 2020 , 10, 13945		4
469	Tolerance of torasemide in cats with congestive heart failure: a retrospective study on 21 cases (2016-2019). <i>BMC Veterinary Research</i> , 2020 , 16, 339	2.7	1
468	Left Ventricular Mass Assessment by 1- and 2-Dimensional Echocardiographic Methods in Hemodialysis Patients: Changes in Left Ventricular Volume Using Echocardiography Before and After a Hemodialysis Session. 2020 , 2, 578-588.e1		1
467	Low Plasma Volume and Increased Pressure Load Relate to Concentric Left Ventricular Remodeling After Preeclampsia: A Longitudinal Study. 2020 , 9, e015043		1
466	Speckle tracking echocardiography could detect the difference of pressure overload-induced myocardial remodelling between young and adult rats. 2020 , 17, 20190808		4
465	CTRP15 derived from cardiac myocytes attenuates TGF β 1-induced fibrotic response in cardiac fibroblasts. <i>Cardiovascular Drugs and Therapy</i> , 2020 , 34, 591-604	3.9	3
464	Morphometric, Hemodynamic, and Multi-Omics Analyses in Heart Failure Rats with Preserved Ejection Fraction. 2020 , 21,		6
463	Mini Review: Deep Learning for Atrial Segmentation From Late Gadolinium-Enhanced MRIs. 2020 , 7, 86		7
462	Prevalence of Chronic Cor Pulmonale in Chronic Obstructive Pulmonary Disease Patients in a Teaching Hospital in Nepal. 2020 , 41, 15-19		
461	Combined exposure of fine particulate matter and high-fat diet aggravate the cardiac fibrosis in C57BL/6J mice. 2020 , 391, 122203		15
460	Left Atrial Enlargement is Associated with Stroke Severity with Cardioembolic and Cryptogenic Subtypes in a Chinese Population. 2020 , 29, 104767		2
459	Effect of feline characteristics on plasma N-terminal-prohormone B-type natriuretic peptide concentration and comparison of a point-of-care test and an ELISA test. 2020 , 34, 1187-1197		5
458	Associations of inflammatory markers with impaired left ventricular diastolic and systolic function in collagen-induced arthritis. <i>PLoS ONE</i> , 2020 , 15, e0230657	3.7	12
457	Echocardiographic and electrocardiographic evaluation of North American Irish Wolfhounds. 2020 , 34, 581-590		4
456	Secreted frizzled-related protein 2, a novel mechanism to induce myocardial ischemic protection through angiogenesis. <i>Basic Research in Cardiology</i> , 2020 , 115, 48	11.8	13

455	Patients with moderate chronic kidney disease without heart disease have reduced coronary flow velocity reserve. 2020 , 7, 2797-2806	2
454	Inhalation of Ultrafine Zinc Particles Impaired Cardiovascular Functions in Hypertension-Induced Heart Failure Rats With Preserved Ejection Fraction. 2020 , 8, 13	4
453	Pseudouridine and N-formylmethionine associate with left ventricular mass index: Metabolome-wide association analysis of cardiac remodeling. 2020 , 140, 22-29	5
452	Effects of Eplerenone on Blood Pressure and Echocardiographic and Serum Biochemical Variables in Five Healthy Dogs: A Pilot Study. 2020 , 2020, 5193856	
451	Linear periodization of strength training in blocks attenuates hypertension and diastolic dysfunction with normalization of myocardial collagen content in spontaneously hypertensive rats. 2020 , 38, 73-81	2
450	Life-Course Cumulative Burden of Body Mass Index and Blood Pressure on Progression of Left Ventricular Mass and Geometry in Midlife: The Bogalusa Heart Study. 2020 , 126, 633-643	15
449	Trends in nutritional intake and coronary risk factors over 60 years among Japanese men in Tanushimaru. 2020 , 35, 901-908	3
448	Hemodynamic Determinants of Age Versus Left Ventricular Diastolic Function Relations Across the Full Adult Age Range. 2020 , 75, 1574-1583	8
447	Towards standardization of echocardiography for the evaluation of left ventricular function in adult rodents: a position paper of the ESC Working Group on Myocardial Function. 2021 , 117, 43-59	25
446	Risk indicators in cats with preclinical hypertrophic cardiomyopathy: a prospective cohort study. <i>Journal of Feline Medicine and Surgery</i> , 2021 , 23, 149-159	2,3 6
445	Aortopathic effect of androgenic anabolic steroids. 2021 , 19, 113-117	
444	The prebiotic fiber inulin ameliorates cardiac, adipose tissue, and hepatic pathology, but exacerbates hypertriglyceridemia in rats with metabolic syndrome. 2021 , 320, H281-H295	1
443	Effect of Adenotonsillectomy on Cardiac Function in Children Age 5-13 Years With Obstructive Sleep Apnea. 2021 , 141, 120-126	3
442	Left ventricular hypertrophy in chronic kidney disease: A diagnostic criteria comparison. 2021 , 31, 137-144	2
441	Surgical ablation of whitened interscapular brown fat ameliorates cardiac pathology in salt-loaded metabolic syndrome rats. 2021 , 1492, 11-26	
440	Continuous Aerobic Exercise Prevents Detrimental Remodeling and Right Heart Myocyte Contraction and Calcium Cycling Dysfunction in Pulmonary Artery Hypertension. 2021 , 77, 69-78	0
439	Isolated nocturnal hypertension is associated with increased left ventricular mass index in children. 2021 , 36, 1543-1550	5
438	Ischemic tolerance and cardiac repair in the African spiny mouse.	

437	Two-dimensional echocardiographic measures of left ventricular dimensions agree with M-mode measurements in dogs. <i>Journal of Veterinary Cardiology</i> , 2021 , 33, 69-75	1.9	1
436	Associations of the Mediterranean-Dietary Approaches to Stop Hypertension Intervention for Neurodegenerative Delay diet with cardiac remodelling in the community: the Framingham Heart Study. 2021 , 126, 1888-1896		3
435	Prevalence and characteristics of mitral valve prolapse in military young adults in Taiwan of the CHIEF Heart Study. 2021 , 11, 2719		4
434	Reference values of electrographic and cardiac ultrasound parameters in Russian healthy children and adolescents. 2021 , 11, 2916		1
433	On-admission plasma levels of BNP, MR-proADM, and cTnI in pediatric heart failure: contributions to diagnosis, prognosis, and outcome. 2021 , 1		0
432	Thioredoxin 1 (TRX1) Overexpression Cancels the Slow Force Response (SFR) Development. 2021 , 8, 622583		0
431	Fatty liver index and left ventricular mass: prospective associations from two independent cohorts. 2021 , 39, 961-969		0
430	Low plasma taurine levels in English cocker spaniels diagnosed with dilated cardiomyopathy. 2021 , 62, 570-579		2
429	Influence of clinical setting and cat characteristics on indirectly measured blood pressure and pulse rate in healthy Birman, Norwegian Forest, and Domestic Shorthair cats. 2021 , 35, 801-811		3
428	Changes in extracellular water and left ventricular mass in peritoneal dialysis patients. <i>Kidney Research and Clinical Practice</i> , 2021 , 40, 135-142	3.6	1
427	Predictors of reoccurrence of congestive signs within 180 days after successful treatment of the first episode of congestive heart failure in dogs with myxomatous mitral valve disease. <i>Journal of Veterinary Cardiology</i> , 2021 , 34, 112-119	1.9	0
426	[Echocardiographic measurements in clinically healthy ferrets without sedation]. 2021 , 49, 104-109		
425	Short-Term Inhalation of Ultrafine Zinc Particles Could Alleviate Cardiac Dysfunctions in Rats of Myocardial Infarction. 2021 , 9, 646533		1
424	Interactions of hypertension, obesity, left ventricular hypertrophy, and heart failure. 2021 , 36, 453-460		6
423	Impact of nutritional status on prevalence of left ventricular hypertrophy in children undergoing liver transplant. 2021 , 25, e14011		
422	Moderate whole body heating attenuates the exercise pressor reflex responses in older humans. 2021 , 320, R757-R769		0
421	Low Dose of Folic Acid Can Ameliorate Hyperhomocysteinemia-Induced Cardiac Fibrosis and Diastolic Dysfunction in Spontaneously Hypertensive Rats. 2021 , 62, 627-635		4
420	Evaluation of Cardiac Functions and Electrocardiogram Parameters in Children with Celiac Disease.		

419	Clinical significance of central systolic blood pressure in LV diastolic dysfunction and CV mortality. <i>PLoS ONE</i> , 2021 , 16, e0250653	3.7	1
418	Association Between Myocardial Strain and Frailty in CHS. 2021 , 14, e012116		1
417	Comparison of Clinical Features between Primary Aldosteronism and Essential Hypertension in Chinese Patients: A Case-Control Study. 2021 , 2021, 6685469		1
416	Comparison of three two-dimensional echocardiographic methods of assessing left ventricular size in Doberman Pinschers. <i>Journal of Veterinary Cardiology</i> , 2021 ,	1.9	0
415	Pseudolaric Acid B Attenuates High Salt Intake-Induced Hypertensive Left Ventricular Remodeling by Modulating Monocyte/Macrophage Phenotypes. 2021 , 27, e932404		
414	Incidence of cardiac arrhythmias and left ventricular hypertrophy in recreational scuba divers. 2021 , 51, 190-198		1
413	Echocardiographic changes in the shape and size of the aortic cusps in dogs with confirmed systemic hypertension. 2021 ,		1
412	Implication of RAS in Postnatal Cardiac Remodeling, Fibrosis and Dysfunction Induced by Fetal Undernutrition.. 2021 , 28, 273-290		1
411	Contemporary narrative review on left atrial strain mechanics in echocardiography: cardiomyopathy, valvular heart disease and beyond. 2021 , 11, 924-938		3
410	An echocardiographic study of breed-specific reference ranges in healthy French Bulldogs. 2021 , 62, 573-582		0
409	CARDIAC EXAMINATIONS OF ANESTHETIZED STELLER SEA LIONS (), NORTHERN FUR SEALS (), AND A WALRUS (). 2021 , 52, 507-519		1
408	Association of Post Transplantation Anaemia and Persistent Secondary Hyperparathyroidism with Diastolic Function in Stable Kidney Transplant Recipients. <i>International Journal of Nephrology and Renovascular Disease</i> , 2021 , 14, 211-223	2.5	1
407	Mechanisms of gradual pressure drop in angiographically normal left anterior descending and right coronary artery: Insights from wave intensity analysis. 2021 , 78, 72-78		1
406	Inflammation Markers in Infants of Mothers with Gestational Diabetes. 2021 , 1-11		0
405	Is the Wistar Rat a more Suitable Normotensive Control for SHR to Test Blood Pressure and Cardiac Structure and Function?. 2021 ,		0
404	Impact of stroke work on the ability of left ventricular mass to account for pressure effects on function in a community with prevalent systemic flow-dependent hypertension. 2021 , 39, 2092-2102		1
403	Association between PCSK9 Levels and Markers of Inflammation, Oxidative Stress, and Endothelial Dysfunction in a Population of Nondialysis Chronic Kidney Disease Patients. 2021 , 2021, 6677012		5
402	Gender specific differences in functional capacity in asymptomatic patients with severe aortic stenosis. 2021 , 63, 333-338		

401	Fragmented QRS formation may be associated with increased carotid intima-media thickness in patients with end-stage renal disease.		
400	Blood Pressure and Left Ventricular Geometric Changes: A Directionality Analysis. 2021 , 78, 1259-1266		0
399	Serum LRG1 as a novel biomarker for cardioembolic stroke. 2021 , 519, 83-91		2
398	Hemodynamic and Functional Correlates of Concentric vs. Eccentric LVH in a Community-Based Sample With Prevalent Volume-Dependent Hypertension. 2021 , 34, 1300-1310		1
397	Challenges in choosing the appropriate guidelines for use in children and adolescents with hypertension. 2021 , 28, 451-458		0
396	The Longitudinal Outcome Of Canine (K9) myxomatous mitral valve disease (LOOK-Mitral registry): Baseline characteristics. <i>Journal of Veterinary Cardiology</i> , 2021 , 36, 32-47	1.9	4
395	A Systematic Review of Scaling Left Atrial Size: Are Alternative Indexation Methods Required for an Increasingly Obese Population?. 2021 , 34, 1067-1076.e3		8
394	Association of Sleep Quality With Greater Left Ventricular Mass in Children Aged 9 to 11 Years. 2021 , 83, 265-273		
393	Long-term administration of prednisolone: Effects on the myocardial tissue of healthy beagle dogs. 2021 , 83, 84-93		2
392	Pentraxin 3 levels and correlation with disease severity in patients with acute rheumatic fever. 2021 , 36, 233-243		0
391	Echocardiographic parameters and indices in 23 healthy Maltese dogs. 2021 , 22, e60		0
390	When Should Surgery Be Performed in Marfan Syndrome and Other Connective Tissue Disorders to Protect Against Type A Dissection?. 2014 , 17-47		5
389	Electrocardiographic Responses to Exercise in Sickle Cell Anemia. 1986 , 1111-1116		2
388	Acute Growth Hormone Effects In Human Subjects With Heart Failure. 2001 , 87-96		2
387	Impact of Increasing Intraperitoneal Volume on Left Ventricular Function in Continuous Ambulatory Peritoneal Dialysis Patients. 1990 , 256-259		1
386	Cardiovascular Effects of a Decade or Longer of Maintenance Hemodialysis. 1982 , 177-189		2
385	Echocardiographic Assessment of Ventricular Systolic Function. 2007 , 89-117		1
384	Echocardiographic Findings in Sleep Apnea. 1987 , 326-329		3

383	Mitralklappenprolapse-syndrom und Herzneurose [eine Pseudokorrelation?]. 1988 , 37-52	2
382	Investigation of Hypertension in Childhood. 2016 , 1339-1360	1
381	Cardiovascular effects of the valsalva maneuver during static arm exercise in elite power lifting athletes. 2013 , 755, 335-42	11
380	Epidemiologic Features of Left Ventricular Hypertrophy in Normotensive and Hypertensive Subjects. 1983 , 2-15	9
379	Sensitivity of Echocardiography for Detection of Left Ventricular Hypertrophy. 1983 , 16-37	10
378	Echocardiographic Detection of Mitral Regurgitation (MR) in Mitral Valve Prolapse (MVP). 1979 , 255-260	6
377	Left Ventricular Hypertrophy, Congestive Heart Failure, and Coronary Flow Reserve Abnormalities in Hypertension. 2005 , 250-280	1
376	Echocardiography. 2002 , 354-CP10	9
375	[Prevalence and spectrum of diseases that predispose to sudden cardiac death in Mexican children: a sample obtained from The Federico Gomez Children's Hospital of Mexico]. 2018 , 88, 268-276	1
374	Risk for Cardiac Involvement in Essential Hypertension. 1986 , 4, 81-93	2
373	Relationship between left ventricular mass and blood pressure in treated hypertension.	1
372	Serum cholesterol affects blood pressure regulation.	1
371	Prediction of left ventricular mass in youth with family histories of essential hypertension. 1998 , 315, 118-23	44
370	The association of left ventricular mass with cardiovascular risk factors in African American women. 2000 , 320, 13-7	6
369	Physical performance is preserved after regression of left ventricular hypertrophy. 1997 , 30, 383-91	6
368	Adrenaline responsiveness in mild hypertension: no evidence for altered beta-adrenoceptor sensitivity. 1998 , 32, 753-9	3
367	Benazepril causes in hypertension a greater reduction in left ventricular mass than does nitrendipine: a randomized study using magnetic resonance imaging. 1998 , 32, 760-8	7
366	Time course of the effects of temocapril on cardiovascular structure and function in patients with essential hypertension. 1999 , 34, 561-6	8

365	Transthoracic echocardiography is not cost-effective in critically ill surgical patients. 2002 , 52, 280-4	33
364	Athletic heart: a metabolic, anatomical, and functional study. 1996 , 28, 33-40	24
363	Left ventricular function during exercise in athletes and in sedentary men. 1996 , 28, 190-6	45
362	The heart of the senior oarsman: an echocardiographic evaluation. 1996 , 28, 1045-8	8
361	One year of exercise training does not alter resting left ventricular systolic or diastolic function. 1996 , 28, 1345-50	25
360	Intensive training and cardiac autonomic control in high level athletes. 1998 , 30, 691-6	51
359	Effects of anabolic-androgenic steroids on weight-lifters' myocardium: an ultrasonic videodensitometric study. 1999 , 31, 514-21	31
358	Cardiovascular responses to facial cooling are age and fitness dependent. 1999 , 31, 1163-8	4
357	Progression of cardiomyopathy after liver transplantation in patients with familial amyloidotic polyneuropathy, Portuguese type. 2002 , 73, 745-51	120
356	Relationships between sports-specific characteristics of athlete's heart and maximal oxygen uptake. 2006 , 13, 115-21	5
355	Pharmacogenetic interactions between Angiotensin-converting enzyme insertion/deletion polymorphism and response to cibenzoline in patients with hypertrophic obstructive cardiomyopathy. 2010 , 55, 506-10	4
354	Prognostic significance of left ventricular diastolic function in burn patients. 2012 , 37, 457-62	15
353	Hemodynamic and Echocardiographic Evaluation of the Stumptailed Macaque: A Potential Nonhuman Primate Model for Pulmonary Vascular Disease. 1987 , 16, 185-202	3
352	Obstructed breathing in children during sleep monitored by echocardiography. 1993 , 82, 863-71	48
351	Prognostic value of 24-hour ambulatory ECG (Holter) monitoring in Boxer dogs. 2013 , 27, 904-12	20
350	Racial differences in cardiac structure and function in essential hypertension. 1994 , 308, 1011-4	59
349	In vivo adenoviral transfer of sorcin reverses cardiac contractile abnormalities of diabetic cardiomyopathy. 2004 , 286, H68-75	45
348	Serial echocardiographic-Doppler assessment of left ventricular geometry and function in rats with pressure-overload hypertrophy. Chronic angiotensin-converting enzyme inhibition attenuates the transition to heart failure. <i>Circulation</i> , 1995 , 91, 2642-54	16.7 200

347	Gender differences and the electrocardiogram in left ventricular hypertrophy. 1995 , 25, 242-9		58
346	Influence of blood pressure on left atrial size. The Framingham Heart Study. 1995 , 25, 1155-60		196
345	Novel Findings From a Metabolomics Study of Left Ventricular Diastolic Function: The Bogalusa Heart Study. 2020 , 9, e015118		14
344	TGF- β 1 mediates the hypertrophic cardiomyocyte growth induced by angiotensin II. 2002 , 109, 787-796		299
343	Autonomic pathophysiology in heart failure patients. Sympathetic-cholinergic interrelations. 1990 , 85, 1362-71		169
342	Mechanisms of impaired exercise capacity in short duration experimental hyperthyroidism. 1991 , 88, 2047-53		38
341	Different alterations in the insulin-stimulated glucose uptake in the athlete's heart and skeletal muscle. 1994 , 93, 2267-74		34
340	TGF-beta1 mediates the hypertrophic cardiomyocyte growth induced by angiotensin II. 2002 , 109, 787-96		179
339	Overexpression of myocardial G α prevents full expression of catecholamine desensitization despite increased beta-adrenergic receptor kinase. 1998 , 101, 1916-22		37
338	Rapamycin extends murine lifespan but has limited effects on aging. 2013 , 123, 3272-91		267
337	Fibroblast growth factor-2 mediates pressure-induced hypertrophic response. 1999 , 104, 709-19		125
336	Hyperhomocysteinemia accompany with metabolic syndrome increase the risk of left ventricular hypertrophy in rural Chinese. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 44	2.3	2
335	Dobutamine stress echocardiography in the evaluation of late anthracycline cardiotoxicity in childhood cancer survivors. 1996 , 39, 504-12		61
334	Influence of age and low afterload on the stress-velocity relation of the left ventricle. 1998 , 44, 600-6		5
333	Structure and function of the left ventricle and carotid artery in hemodialysis patients. <i>Hypertension Research</i> , 2001 , 24, 221-7	4.7	21
332	Brain natriuretic peptide as a risk marker for incident hypertensive cardiovascular events. <i>Hypertension Research</i> , 2002 , 25, 669-76	4.7	42
331	Relation of circulating blood volume to left ventricular geometry in essential hypertension. <i>Hypertension Research</i> , 2002 , 25, 703-10	4.7	5
330	Alterations in the dimensions of aortopulmonary septum in hypertensive subjects. <i>Hypertension Research</i> , 2003 , 26, 783-7	4.7	1

329	Predictors of controlled ambulatory blood pressure in treated hypertensive patients with uncontrolled office blood pressure. <i>Hypertension Research</i> , 2004 , 27, 805-11	4.7	4
328	The association of left ventricular hypertrophy with metabolic syndrome is dependent on body mass index in hypertensive overweight or obese patients. <i>PLoS ONE</i> , 2011 , 6, e16630	3.7	34
327	Imaging long-term fate of intramyocardially implanted mesenchymal stem cells in a porcine myocardial infarction model. <i>PLoS ONE</i> , 2011 , 6, e22949	3.7	48
326	Extracorporeal shock wave therapy reverses ischemia-related left ventricular dysfunction and remodeling: molecular-cellular and functional assessment. <i>PLoS ONE</i> , 2011 , 6, e24342	3.7	59
325	Large-scale phenotyping of an accurate genetic mouse model of JNCL identifies novel early pathology outside the central nervous system. <i>PLoS ONE</i> , 2012 , 7, e38310	3.7	49
324	Cardiac-specific over-expression of epidermal growth factor receptor 2 (ErbB2) induces pro-survival pathways and hypertrophic cardiomyopathy in mice. <i>PLoS ONE</i> , 2012 , 7, e42805	3.7	39
323	The association of growth differentiation factor-15 with left ventricular hypertrophy in hypertensive patients. <i>PLoS ONE</i> , 2012 , 7, e46534	3.7	20
322	Association of E/E' and NT-proBNP with renal function in patients with essential hypertension. <i>PLoS ONE</i> , 2013 , 8, e54513	3.7	7
321	Enhanced sensitivity to low dose irradiation of ApoE ^{-/-} mice mediated by early pro-inflammatory profile and delayed activation of the TGF β 1 cascade involved in fibrogenesis. <i>PLoS ONE</i> , 2013 , 8, e57052	3.7	37
320	Dissecting the mechanisms of left ventricular diastolic dysfunction and inflammation in peritoneal dialysis patients. <i>PLoS ONE</i> , 2013 , 8, e62722	3.7	10
319	Association of plasma angiotensin-(1-7) level and left ventricular function in patients with type 2 diabetes mellitus. <i>PLoS ONE</i> , 2013 , 8, e62788	3.7	26
318	AT1 receptor blockade attenuates insulin resistance and myocardial remodeling in rats with diet-induced obesity. <i>PLoS ONE</i> , 2014 , 9, e86447	3.7	36
317	The correlation between peripartum cardiomyopathy and autoantibodies against cardiovascular receptors. <i>PLoS ONE</i> , 2014 , 9, e86770	3.7	29
316	Increased Na ⁺ /Ca ²⁺ exchanger expression/activity constitutes a point of inflection in the progression to heart failure of hypertensive rats. <i>PLoS ONE</i> , 2014 , 9, e96400	3.7	10
315	Cardiovascular effects of dietary salt intake in aged healthy cats: a 2-year prospective randomized, blinded, and controlled study. <i>PLoS ONE</i> , 2014 , 9, e97862	3.7	16
314	A new scoring system for spontaneous closure prediction of perimembranous ventricular septal defects in children. <i>PLoS ONE</i> , 2014 , 9, e113822	3.7	8
313	Red cell distribution width and inappropriateness of left ventricular mass in patients with untreated essential hypertension. <i>PLoS ONE</i> , 2015 , 10, e0120300	3.7	7
312	Possible Mechanisms Underlying Aging-Related Changes in Early Diastolic Filling and Long Axis Motion-Left Ventricular Length and Blood Pressure. <i>PLoS ONE</i> , 2016 , 11, e0158302	3.7	9

311	Effects of alfaxalone on echocardiographic examination in healthy dogs. 2015 , 55, 221-225	3
310	Increased Epicardial Fat Thickness Correlates with Aortic Stiffness and N-Terminal Pro-Brain Natriuretic Peptide Levels in Acute Ischemic Stroke Patients. 2016 , 43, 220-6	12
309	NT-proBNP and Echocardiographic Parameters in Patients with Acute Heart Failure. 2007 , 50, 51-56	6
308	Relation between high serum hepcidin-25 level and subclinical atherosclerosis and cardiovascular mortality in hemodialysis patients. 2018 , 19, 117-122	2
307	Surface electrogram-guided left ventricular lead placement improves response to cardiac resynchronization therapy. 2018 , 19, 184-191	4
306	Preoperative aortic annulus size assessment by transthoracic echocardiography compared to the size of surgically implanted aortic prostheses. 2019 , 6, 37-41	1
305	Gender-Adjustment and Cutoff Values of Cornell Product in Hypertensive Japanese Patients. 2017 , 58, 933-938	6
304	Value of left atrial function in predicting exercise capacity in heart failure with moderate to severe left ventricular systolic dysfunction. 2005 , 46, 123-31	35
303	Comparison of positive cases for B-type natriuretic peptide and ECG testing for identification of precursor forms of heart failure in an elderly population. 2005 , 46, 477-87	7
302	Assessment of the relationship between functional capacity and right ventricular ultrasound tissue characterization by integrated backscatter in patients with isolated mitral stenosis. 2007 , 48, 87-96	4
301	Six-month angiographic study of immediate autologous bone marrow mononuclear cell implantation on acute anterior wall myocardial infarction using a mini-pig model. 2009 , 50, 221-34	3
300	Right atrial appendage function in patients with chronic nonvalvular atrial fibrillation. 2000 , 41, 451-62	15
299	Evaluation of signal-averaged electrocardiography for clinical diagnosis in arrhythmogenic right ventricular dysplasia. 2001 , 42, 287-94	5
298	Factor V Leiden mutation and its relation to left atrial thrombus in chronic nonrheumatic atrial fibrillation. 2003 , 44, 481-91	5
297	Sequential evaluation of left ventricular systolic and diastolic function after radiofrequency catheter ablation. 2004 , 45, 429-40	6
296	The effects of octreotide in dilated cardiomyopathy: an open-label trial in 12 patients. 2004 , 45, 613-21	6
295	Relationship between brain natriuretic peptide, myocardial wall stress, and ventricular arrhythmia severity. 2004 , 45, 771-7	14
294	Regional left atrial coagulation and fibrinolytic activities in patients with mitral stenosis. 2004 , 45, 779-88	12

293	Echocardiographic changes in the development of the athlete's heart in 9 to 20-year-old male subjects. 2001 , 88, 259-70		16
292	The Characteristics of Electrocardiography Findings in Left Ventricular Remodeling Patterns of Hypertensive Patients. 2015 , 21, 208-217		4
291	[Efficacy, safety and compliance of long-term growth hormone (GH) replacement therapy in adults with GH deficiency]. 2008 , 52, 879-88		5
290	Ambulatory blood pressure and Doppler echocardiographic indexes of borderline hypertensive men presenting an exaggerated blood pressure response during dynamic exercise. <i>Brazilian Journal of Medical and Biological Research</i> , 2001 , 34, 1285-93	2.8	4
289	Food restriction induces in vivo ventricular dysfunction in spontaneously hypertensive rats without impairment of in vitro myocardial contractility. <i>Brazilian Journal of Medical and Biological Research</i> , 2004 , 37, 607-13	2.8	28
288	Echocardiographic evaluation of the left atrium of healthy dogs using the conventional M-mode and the bidimensional mode. 2012 , 64, 585-592		3
287	A associaçã de esteroide anabolizante ao treinamento ffsico aerbico leva a alteraões morfolgicas cardicas e perda de funç ventricular em ratos. 2011 , 17, 137-141		3
286	Blood pressure measurements taken by patients are similar to home and ambulatory blood pressure measurements. 2008 , 63, 43-50		2
285	GREAT APE HEART PROJECT GUIDELINES FOR THE ECHOCARDIOGRAPHIC ASSESSMENT OF GREAT APES. 2020 , 50, 822-836		5
284	Ambulatory blood pressure and left ventricular mass in normotensive patients with autosomal dominant polycystic kidney disease. 1999 , 10, 1020-6		52
283	Quantitative trait loci for blood pressure exist near the IGF-1, the Liddle syndrome, the angiotensin II-receptor gene and the renin loci in man. 1999 , 10, 1709-16		37
282	Prognostic value of ultrasonographic measurement of carotid intima media thickness in dialysis patients. 2001 , 12, 2458-2464		140
281	Adiponectin, metabolic risk factors, and cardiovascular events among patients with end-stage renal disease. 2002 , 13, 134-141		460
280	Apelin protects against ischemia-reperfusion injury in diabetic myocardium via inhibiting apoptosis and oxidative stress through PI3K and p38-MAPK signaling pathways. 2020 , 12, 25120-25137		6
279	Impact of gestational risk factors on maternal cardiovascular system. 2016 , 4, 253		3
278	The Optimal Haemoglobin Target in Dialysis Patients May Be Determined by Its Contrasting Effects on Arterial Stiffness and Pressure Pulsatility. <i>International Journal of Nephrology and Renovascular Disease</i> , 2020 , 13, 385-395	2.5	1
277	The Relation Between Echocardiographic Epicardial Fat Thickness and CHA2DS2-VASc Score in Patients with Sinus Rhythm. 2019 , 34, 41-47		7
276	The Relationship Between Mitral Annular Calcification, Metabolic Syndrome and Thromboembolic Risk. 2019 , 34, 535-541		4

275	High Sensitivity C - Reactive Protein is Associated with Diastolic Dysfunction in Young African Americans without Clinically Evident Cardiac Disease. 2011 , 5, 188-95	5
274	Atrial Remodeling in Pregnant Hypertensive Women: Comparison between Chronic and Gestational Hypertension. 2012 , 6, 9-14	3
273	Pulmonary Arterial Pressure Response During Exercise in COPD: A Correlation with C-Reactive Protein (hsCRP). 2016 , 10, 1-11	3
272	Role of the complement components C5 and C3a in a mouse model of myocardial ischemia and reperfusion injury. 2010 , 8,	24
271	Log-transformed plasma level of brain natriuretic peptide during the acute phase of Kawasaki disease is quantitatively associated with myocardial dysfunction. 2011 , 54, 340-4	10
270	Can severe essential hypertension raise BNP levels resulting in a misdiagnosis of heart failure?. 2006 , 48, 48-54	2
269	P wave dispersion is prolonged in patients with Wilson's disease. 2008 , 14, 1252-6	20
268	Effect of Prior Passage Through Laying Hens on Invasion of Reproductive Organs by Salmonella enteritidis. 2009 , 8, 116-121	19
267	Asymptomatic Cardiac Involvement in Children with Systemic Lupus Erythematosus. 2006 , 6, 944-949	3
266	Maternal Myocardial Performance in Various Stages of Pregnancy and Post-Partum. 2009 , 3, 9-16	5
265	Clinical utility of the ventricular septal defect diameter to aorta root diameter ratio to predict early childhood developmental defects or lung infections in patients with perimembranous ventricular septal defect. 2013 , 5, 600-4	5
264	Assessment and feasibility of the four landmarks of the aortic root in a cohort of very preterm infants. 2015 , 8, 184-8	1
263	Antihypertensive Medications Adherence Among Nigerian Hypertensive Subjects in a Specialist Clinic Compared to a General Outpatient Clinic. 2015 , 5, 173-8	20
262	Visual versus fully automated assessment of left ventricular ejection fraction. 2018 , 8, 41-45	6
261	Use of strain, strain rate, tissue velocity imaging, and endothelial function for early detection of cardiovascular involvement in patients with beta-thalassemia. 2017 , 10, 158-166	5
260	Regional Heterogeneity in 3D Myocardial Shortening in Hypertensive Left Ventricular Hypertrophy: A Cardiovascular CMR Tagging Substudy to the Life Study. 2015 , 8, 213-225	3
259	Evaluation of Angiotensin-2 Serum Level as a Marker of Cardiovascular Risk in Children with Chronic Kidney Disease. 2015 , 05, 105-116	0
258	Predictors for Dilated Aorta in Repaired and Unrepaired Tetralogy of Fallot. 2015 , 05, 233-253	1

257	Correlation between Stroke and Spontaneous Echo Contrast by Tissue Harmonic Imaging in Patients with Dilated Cardiomyopathy. 2009 , 17, 10		2
256	Fibroblast Growth Factor 2 Mediates Isoproterenol-induced Cardiac Hypertrophy through Activation of the Extracellular Regulated Kinase. 2010 , 2, 143-154		42
255	Cardiac Function in Newborns with Congenital Hypothyroidism: Association with Thyroid-Stimulating Hormone Levels. 2015 , 7, 307-11		3
254	Effect of pimobendan on left atrial function in dogs with preclinical myxomatous mitral valve disease. 2020 , 9, 375-383		2
253	Speckle tracking echocardiography: A new approach to myocardial function. 2010 , 2, 1-5		40
252	Global left ventricular performance in non-diabetic non-hypertensive metabolic syndrome adults. 2011 , 3, 48-53		3
251	The spectrum of echocardiographic abnormalities in hypothyroidism and the effect of hormonal treatment. 1991 , 11, 611-5		5
250	Assessment of Left Ventricular Dimensions by Transoesophageal Echocardiography in Patients During Coronary Artery Bypass Surgery. 2017 , 45, 367-373		0
249	Evaluation of Epicardial Fat and Carotid Intima-Media Thickness in Obese Children. 2016 , 26, e2968		9
248	Assessment of right ventricular systolic function using tricuspid annular-plane systolic excursion in Nigerians with systemic hypertension. <i>Cardiovascular Journal of Africa</i> , 2010 , 21, 186-90	0.7	18
247	P-wave dispersion: relationship to left ventricular function in sickle cell anaemia. <i>Cardiovascular Journal of Africa</i> , 2011 , 22, 76-8	0.7	1
246	Prevalence of asymptomatic left ventricular systolic dysfunction in hypertensive Nigerians: echocardiographic study of 832 subjects. <i>Cardiovascular Journal of Africa</i> , 2011 , 22, 297-302	0.7	4
245	Left ventricular hypertrophy and geometry in type 2 diabetes patients with chronic kidney disease. An echocardiographic study. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 73-7	0.7	11
244	Prevalence of residual left ventricular structural changes after one year of antihypertensive treatment in patients of African descent: role of 24-hour pulse pressure. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 147-52	0.7	6
243	The 12-lead ECG in peripartum cardiomyopathy. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 322-9	0.7	36
242	Impact of prehypertension on left ventricular mass and QT dispersion in adult black Nigerians. <i>Cardiovascular Journal of Africa</i> , 2014 , 25, 78-82	0.7	7
241	Abdominal aortic stiffness as a marker of atherosclerosis in childhood-onset asthma: a case-control study. <i>Cardiovascular Journal of Africa</i> , 2015 , 26, 8-12	0.7	10
240	The proposed role of plasma NT pro-brain natriuretic peptide in assessing cardiac remodelling in hypertensive African subjects. <i>Cardiovascular Journal of Africa</i> , 2014 , 25, 233-8	0.7	5

239	Changes in cardiac structure and function in a modified rat model of myocardial hypertrophy. <i>Cardiovascular Journal of Africa</i> , 2016 , 27, 134-142	0.7	2
238	Short-term rehospitalisation or death and determinants after admission for acute heart failure in a cohort of African patients in Port Harcourt, southern Nigeria. <i>Cardiovascular Journal of Africa</i> , 2018 , 29, 46-50	0.7	3
237	Position Statement on Indications of Echocardiography in Adults - 2019. 2019 , 113, 135-181		9
236	Left Ventricular Dyssynchrony Predicts Left Main Coronary Artery Disease in Patients with Non-ST-Segment Elevation Myocardial Infarction. <i>Acta Cardiologica Sinica</i> , 2015 , 31, 226-31	1.1	2
235	The Association between Serum Ferritin Level, Tissue Doppler Echocardiography, Cardiac T2* MRI, and Heart Rate Recovery in Patients with Beta Thalassemia Major. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 231-8	1.1	10
234	Correlation of Left Ventricular Diastolic Function and Left Ventricular Geometry in Patients with Obstructive Sleep Apnoea Syndrome. 2015 , 64, 92-8		4
233	Predictors of Mortality in Paediatric Myocarditis. 2016 , 10, SC12-6		9
232	Echocardiographic Evaluation of the Thoracic Aorta: Tips and Pitfalls. 2021 , 9, 1-8		1
231	Thoracic Aortic Aneurysm: A Clinical Review. 2021 , 39, 505-515		3
230	Effects of antihypertensive therapy on blood pressure and left ventricular hypertrophy in patients with severe hypertension. 2000 , 41, 339-48		
229	Reversibility of tachycardia-induced cardiomyopathy after cure of incessant supraventricular tachycardia. 2000 , 443-451		
228	Long axis excursion in aortic stenosis. 2001 , 86, 52-56		0
227	Cross sectional study estimating prevalence of heart failure and left ventricular systolic dysfunction in community patients at risk. 2001 , 86, 172-178		2
226	Increase in plasma adrenomedullin in patients with heart failure characterised by diastolic dysfunction. 2001 , 86, 155-160		2
225	The parameters of ventricular repolarization heterogeneity as diagnostic criteria for left ventricular hypertrophy in patients with arterial hypertension: analysis of temporary indices. 2003 , 9, 134-138		
224	The indices of ventricular repolarization heterogeneity may be used as diagnostic criteria for left ventricular hypertrophy in patients with arterial hypertension. Analyzing the variability of T-wave amplitudes and repolarization integrals. 2003 , 9, 210-214		
223	Echocardiographic evaluation of left ventricle function in the Marfan syndrome: Relation to progression of aortic root dilatation. 2004 , 35, 1-8		
222	Pathophysiological characteristics and responsiveness to neurohormonal antagonism in idiopathic dilated cardiomyopathy patients with antihepatitis C virus antibody. 2005 , 46, 407-17		1

- 203 Echocardiographic Changes during a One-Year Exercise Program in Previously Sedentary Normal Middle-Aged Men. **1981**, 167-170
- 202 Echokardiographische Befunde bei der chronischen Herzinsuffizienz. **1984**, 181-214
- 201 Thorax (Herz L Lunge Lgroß Gefß). **1986**, 127-140
- 200 Literatur. **1986**, 189-210
- 199 Echocardiography in PPHN: Usefulness in Predicting Response to Tolazoline. **1986**, 159-161
- 198 Morphologische und funktionelle Parameter und ihre Beziehung zur maximalen Leistungsffigkeit bei Ausdauersportlern. **1987**, 360-364
- 197 Echokardiographische und elektrokardiographische Vernderungen bei Kindern im Schwimmsport. **1987**, 365-369
- 196 Thorax (Heart, Lung, Great Vessels). **1987**, 117-130
- 195 Prevalence of Mitral Valve Prolapse in Presumably Healthy Young Saudi Men. **1988**, 8, 40-42 2
- 194 Diastolic filling properties in different forms of left ventricular hypertrophy, assessed by 2-D echocardiography. **1988**, 131-137
- 193 Effects of Nifedipine on Blood Pressure, Arterial Compliance and Left Ventricular Mass in Elderly Patients with Isolated Systolic Hypertension. **1989**, 189-195 1
- 192 Echocardiography in the assessment of cardiovascular drug interventions. **1989**, 523-539
- 191 Stationary Exercise Rehabilitation: Introduction and Overview. **1991**, 65-80
- 190 Long-Term Studies on Regression of Left Ventricular Hypertrophy. **1991**, 83-95
- 189 Diagnostik der linksventrikulären Hypertrophie. **1991**, 35-48
- 188 Chronic Exercise Effects: The Therapeutic Outcome. **1991**, 111-125
- 187 Pathophysiologie, Klinik und Prognose des Hochdruckherzens. **1991**, 40-129
- 186 Acute volume expansion in normal pregnancy and preeclampsia. **1992**, 12, 294-299

185 Measurement and Control of Cardiac Output. **1992**, 3-19

184 Neonatal cardiac output. **1993**, 349-364

183 Left Ventricular Mass and Diastolic Function in Young Individuals With a First Elevated Casual Blood Pressure. **1995**, 107-115

182 Assessment of Right Ventricular Wall Thickness by Tissue Doppler Echocardiography. **1995**, 53-67

181 Cardiac amyloidosis: Diagnostic features and clinical implications. **1996**, 16, 405-9

180 Comparative and Validation Studies of Echocardiographic On-line Quantification of Left Ventricular Dimensions and Systolic Function. **1997**, 29-63

179 Occurrence and Diagnostic Importance of Postural ST-Segment Depression in Ambulatory Holter Monitoring in Male Patients After Myocardial Infarction. **1998**, 353-369

178 Evaluation of the Reproductive and Developmental Safety of Cysteamine B60. **1998**, 43, 64-64

177 Apolipoprotein E ϵ 4 Allele as a Genetic Risk Factor for Left Ventricular Failure in Homozygous α -Thalassemia. **1998**, 92, 3455-3459 2

176 Assessment of Left Ventricular Hypertrophy: A Comparison of Electrocardiography, Echocardiography and Magnetic Resonance Imaging. **1999**, 43-53

175 Structural and functional condition of the left departments of heart in the patients with bronchial asthma. **2014**, 8, 1-6

174 Pattern of left ventricular geometry in Nigerians with prehypertension. **2016**, 13, 18

173 Use of strain and strain rate echocardiographic imaging to predict the progression of mitral stenosis: a 5-year follow-up study the progression of mitral stenosis: a 5-year follow-up study. **2016**, 16, 772-777 5

172 The association between brain natriuretic peptide and tissue Doppler parameters in children with hypertrophic cardiomyopathy. **2016**, 16, 58-63 2

171 Subclinical heart failure in juvenile idiopathic arthritis: a consequence of chronic inflammation and subclinical atherosclerosis. **2016**, 43, 78-83 1

170 Índices e dimensões ecocardiográficas de equinos da raça Mangalarga Marchador. **2016**, 36, 533-538 1

169 Echocardiographic Assessment of Right Ventricular Systolic Function: A 2D, Anatomical, and Conventional M-Mode Comparison Study. **2016**, In press,

168 Evaluation of Some Cardiac Functions among Children with Vitamin D Deficiency Rickets. **2016**, 1, 007-012

- 167 Myocardial Performance Index as a Predictor of IN-Hospital and Short Term Outcome after First Acute Myocardial Infarction. **2016**, 7,
- 166 Evaluation of echocardiographic markers in dogs with patent ductus arteriosus after ductal closure. **2016**, 56, 209-213
- 165 Clinical Study of Cardiovascular Involvement in Patients with Connective Tissue Diseases. **2017**, 07, 178-185
- 164 A Comparative Study of Electrocardiographic and Echocardiographic Evidence of Left ventricular Hypertrophy. **2017**, 1, 59-63
- 163 Öcukluk ile obezitesinin kardiyak yapı ve fonksiyonlara etkisi. **2017**, 8, 6-6
- 162 EVALUATION OF CARDIAC ABNORMALITIES IN AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE UTILISING ECHOCARDIOGRAPHY IN THANJAVUR MEDICAL COLLEGE. **2017**, 4, 3759-3765
- 161 Prevalence and Characteristics of Peripartum Cardiomyopathy among Women with Cardiac Failure Referred for Echocardiography in a Tertiary Hospital in Northern Nigeria. **2018**, 06, 95-104
- 160 Target organ damage among subjects with high-normal blood pressure in a Nigerian tertiary health institution. **2018**, 21, 199
- 159 Evaluation of left ventricular functions by conventional echocardiography and tissue Doppler imaging in children with rheumatic valve disease. 1-6
- 158 Assessment of Peguero Lo-Presti criteria for electrocardiographic diagnosis of LVH in Indian subjects. **2018**, 8, 187-190
- 157 Screening and evaluation of newly diagnosed cardiovascular diseases in first-trimester asymptomatic pregnant women in a tertiary antenatal care center in Turkey. **2020**, 23, 99-104 5
- 156 Echocardiographic findings in Nigerian patients with stroke. **2019**, 16, 5
- 155 Normogram of right ventricular echocardiographic dimensions in a cohort of normal term neonates in Ibadan. **2019**, 16, 49 1
- 154 Left ventricular echocardiographic nomograms in a cohort of normal term neonates in Ibadan. **2019**, 16, 54 1
- 153 The Relationship between the Retinal Nerve Fiber Layer Thickness and the Presence of Fragmented QRS Complexes in Patients with Hypertension. **2019**, 10, em00719
- 152 Therapy of patients with the high risk of arterial hypertension with the use of telmisartan. **2019**, 59, 42-50
- 151 Investigation of the effect of epicardial adipose tissue thickness on cardiac conduction system in children with type 1 diabetes mellitus. **2020**, 33, 713-720 1
- 150 Prevalence and Determinants of Cognitive Impairment in Elderly Patients With Heart Failure - Pilot Study in a Geriatric Hospital. **2020**, 2, 265-270 0

- 149 AT1Receptor Blockade Improves Myocardial Functional Performance in Obesity. **2020**, 115, 17-28 3
- 148 Oral N-acetylcysteine as an adjunct to standard medical therapy improved heart function in cases with stable class II and III systolic heart failure. **2021**, 1
- 147 Literaturverzeichnis. **1983**, 102-116
- 146 Measurement and Control of Cardiac Output. **1983**, 3-18
- 145 Usefulness of Echocardiography for the Assessment of Interventions in Patients with Acute and Chronic Coronary Artery Disease (Thrombolysis, Vasodilatory Therapy Etc.). **1983**, 283-292
- 144 Joint influences of obesity, diabetes, and hypertension on indices of ventricular remodeling: Findings from the community-based Framingham Heart Study. *PLoS ONE*, **2020**, 15, e0243199 3-7 4
- 143 Dipper ve nondipper hipertansiyonda ventrikler aritmi riskinin elektrokardiyografik parametreler üzerinden deęerlendirilmesi. 0
- 142 [Therapy of patients with the high risk of arterial hypertension with the use of telmisartan]. **2019**, 59, 42-50
- 141 Torsional Dynamics and 2D Speckle Tracking in Heart Failure with Reduced Ejection Fraction on Patients Taking Sacubitril/Valsartan and Naive. **2020**, 10, 294-304
- 140 Clinical and epidemiological aspects of chronic Chagas disease from Southern Brazil. **2020**, 53, e20200225 1
- 139 Occurrences of heart disease in apparently healthy cats in Klang Valley, Malaysia. **2020**, 7, 501-508
- 138 Echocardiography and Dual-Energy X-Ray Absorptiometry in the elderly patients with metabolic syndrome: A comparison of two different techniques to evaluate visceral fat distribution.
- 137 Suprasternal M-mode echocardiography of the right pulmonary artery as a model for investigation of pulmonary hemodynamics in essential hypertension. **1989**, 4, 148-54
- 136 Evaluation of the effectiveness of valproic acid for treating cyanotic breath holding spells: A Pilot prospective study. **2020**, 13, 1263-1270
- 135 Evaluation of the relationship between diastolic dysfunction and interatrial block. *Journal of Health Sciences and Medicine*, **2020**, 3, 403-408 0
- 134 IL-10-Dependent and -Independent Mechanisms Are Involved in the Cardiac Pathology Modulation Mediated by Fenofibrate in an Experimental Model of Chagas Heart Disease. **2020**, 11, 572178 5
- 133 Supernormal left ventricular diastolic function in triathletes. **2001**, 28, 102-10 27
- 132 Left ventricular diastolic function and circadian variation of blood pressure in essential hypertension. **2005**, 32, 28-34 10

131	A pilot study of a new chicken model of alcohol-induced cardiomyopathy. 1999 , 23, 1668-72	3
130	Early risk stratification for arrhythmic death in patients with ST-elevation myocardial infarction. 2007 , 7, 19-25	4
129	Assessing the diagnostic test accuracy of natriuretic peptides and ECG in the diagnosis of left ventricular systolic dysfunction: a systematic review and meta-analysis. 2006 , 56, 48-56	28
128	Impact of hemodialysis on P-wave amplitude, duration, and dispersion. 2007 , 7, 85-96	3
127	An echocardiographic study of interactions between pindolol and epinephrine contained in a local anesthetic solution. 1995 , 42, 29-35	13
126	Diagnostic dilemma of cardiac syncope in pediatric patients. 2008 , 8, 22-31	4
125	Influence of age on the relationship between left atrial performance and left ventricular systolic and diastolic function in systemic arterial hypertension. 2006 , 11, 305-10	7
124	Mitral annulus motion versus long-axis fractional shortening. 2006 , 11, 302-4	9
123	The role of impaired sympathetic nerve function in enhancing coronary vasoconstriction in patients with hypertrophic cardiomyopathy. 2007 , 12, 37-41	2
122	Left atrial size may predict exercise capacity and cardiovascular events in patients with heart failure. 2008 , 35, 136-43	9
121	Contrast in cardiac anatomy and function between black and white patients with hypertension. 1984 , 76, 247-55	45
120	Left ventricular diastolic function parameters in hypertensives. 2005 , 97, 41-5	8
119	Left ventricular mass index and coronary artery disease in hypertensive black males. 1993 , 85, 452-6	2
118	A comparison of right ventricular volume change during systole obtained using the monoplane Simpson's method in two-dimensional echocardiographic apical four-chamber view with right ventricular volume change obtained using a prisma model reflecting the systolic long-axis shortening of the right ventricle of the heart: A pilot study. 2008 , 13, 75-8	1
117	Coronary angiographic findings in African-American and white patients from a single institution. 2001 , 93, 465-74	4
116	Can the amplitude of mitral annulus motion be used in the assessment of left ventricular systolic function in patients with left ventricular wall thickness in the upper limit of normal to mild hypertrophy?. 2003 , 8, 29-30	
115	Prognostic value of iodine-123 metaiodobenzylguanidine imaging in patients with heart failure. 2003 , 8, 95-8	4
114	Tricuspid annulus motion and mitral annulus motion: Anatomical intimacy causing a good correlation?. 2005 , 10, 111-5	1

113	M-mode echocardiographic changes in growing beagles. 2010 , 49, 31-5		4
112	Autonomic neuropathy tests correlate with left ventricular mass and cardiac diastolic function in normotensive patients with type 2 diabetes mellitus and without left ventricular hypertrophy. 2010 , 15, e5-9		3
111	Left atrial size and force in patients with systolic chronic heart failure: Comparison with healthy controls and different cardiac diseases. 2010 , 15, e45-51		13
110	Prevalence of left ventricular diastolic dysfunction in newly diagnosed Nigerians with systemic hypertension: a pulsed wave Doppler echocardiographic study. 2010 , 10, 177-82		5
109	Adducin 1 (alpha) Gly460Trp variant is associated with left ventricular geometry in Caucasians and African Americans: The HyperGEN Study. 2010 , 1, 367-76		1
108	Clinical implications of left atrial enlargement: a review. 2009 , 9, 191-6		70
107	Cardiac function in dogs with chronic Chagas cardiomyopathy undergoing autologous stem cell transplantation into the coronary arteries. 2011 , 52, 869-74		7
106	Natural occurrence of aflatoxin residues in fresh and sun-dried meat in Nigeria. 2010 , 7, 14		2
105	Prognostic factors of mid-term clinical outcome in congestive heart failure patients discharged after acute decompensation. 2012 , 8, 462-70		10
104	Preliminary studies of left ventricular wall thickness and mass of normotensive and hypertensive subjects using m-mode echocardiography. 2002 , 9, 28-33		2
103	Subclinical, hemodynamic, and echocardiographic abnormalities of high pulse pressure in hypertensive and non-hypertensive adults. <i>American Journal of Cardiovascular Disease</i> , 2012 , 2, 309-17	0.9	5
102	N-Terminal PRO-BNP in Acute Coronary Syndrome Patients with ST Elevation Versus Non ST Elevation in Qassim Region of Saudi Arabia. 2011 , 5, 136-45		1
101	Therapeutic effect of low-dose imatinib on pulmonary arterial hypertension in dogs. 2013 , 54, 255-61		11
100	Cardiorespiratory response to aerobic exercise programs with different intensity: 20 weeks longitudinal study. 2012 , 17, 649-55		2
99	Hypertrophic cardiomyopathy in owl monkeys (<i>Aotus</i> spp.). 2013 , 63, 279-87		10
98	Early hemodynamic and biochemical changes in overloaded swine ventricle. 2013 , 40, 235-45		
97	Pattern of heart failure in Abuja, Nigeria: an echocardiographic study. <i>Cardiovascular Journal of Africa</i> , 2009 , 20, 349-52	0.7	28
96	Relationship between left ventricular geometric pattern and systolic and diastolic function in treated Nigerian hypertensives. <i>Cardiovascular Journal of Africa</i> , 2010 , 21, 21-5	0.7	7

95	Blood pressure response to an exercise treadmill test, and echocardiographic left ventricular geometry in Nigerian normotensive diabetics. <i>Cardiovascular Journal of Africa</i> , 2010 , 21, 93-6	0.7	1
94	Relationship between left ventricular diastolic function and geometric patterns in Nigerians with newly diagnosed systemic hypertension. <i>Cardiovascular Journal of Africa</i> , 2009 , 20, 173-7	0.7	8
93	Adaptation of heart to training: a comparative study using echocardiography & impedance cardiography in male & female athletes. 2013 , 137, 1111-20		11
92	Bioimpedance and echocardiography used interchangeably in volume comparison of dialysis patients. <i>Hippokratia</i> , 2012 , 16, 329-34	0.4	4
91	Evaluation of tissue doppler echocardiography and T2* magnetic resonance imaging in iron load of patients with thalassemia major. <i>Caspian Journal of Internal Medicine</i> , 2013 , 4, 692-7	1	2
90	Echocardiographic parameters in athletes of different sports. <i>Journal of Sports Science and Medicine</i> , 2008 , 7, 151-6	2.7	16
89	Myocardial performance and aortic elastic properties in elite basketball and soccer players: relationship with aerobic and anaerobic capacity. <i>Journal of Sports Science and Medicine</i> , 2005 , 4, 185-94	2.7	7
88	Characterisation of left ventricular function by tissue Doppler imaging technique in newly diagnosed, untreated hypertensive subjects. <i>Cardiovascular Journal of Africa</i> , 2008 , 19, 259-63	0.7	2
87	Beta1- and alpha2c-adrenoreceptor variants as predictors of clinical aspects of dilated cardiomyopathy in people of African ancestry. <i>Cardiovascular Journal of Africa</i> , 2008 , 19, 188-93	0.7	11
86	Electrocardiographic abnormalities in patients with heart failure. <i>Cardiovascular Journal of Africa</i> , 2008 , 19, 22-5	0.7	9
85	Prevalence and pattern of rheumatic heart disease in the Nigerian savannah: an echocardiographic study. <i>Cardiovascular Journal of Africa</i> , 2007 , 18, 295-9	0.7	48
84	The G-308A polymorphism of the TNF-alpha gene does not predict changes in cardiac function in response to medical therapy for idiopathic dilated cardiomyopathy. <i>Cardiovascular Journal of Africa</i> , 2008 , 19, 254-8	0.7	3
83	Effect of non-dipper and dipper blood pressure patterns on Tp-Te interval and Tp-Te/QT ratio in patients with metabolic syndrome. <i>International Journal of Clinical and Experimental Medicine</i> , 2014 , 7, 1397-403		11
82	Evaluation of Tp-Te interval and Tp-Te/QTc ratio in patients with coronary artery ectasia. <i>International Journal of Clinical and Experimental Medicine</i> , 2014 , 7, 2865-70		5
81	Microalbuminuria in untreated prehypertension and hypertension without diabetes. <i>International Journal of Clinical and Experimental Medicine</i> , 2014 , 7, 3420-9		4
80	High prevalence of incomplete right bundle branch block in facioscapulohumeral muscular dystrophy without cardiac symptoms. <i>Functional Neurology</i> , 2014 , 29, 159-65	2.2	16
79	Roles of oxidative stress and the mineralocorticoid receptor in cardiac pathology in a rat model of metabolic syndrome. <i>Nagoya Journal of Medical Science</i> , 2015 , 77, 275-89	0.7	5
78	Radiofrequency atrial fibrillation ablation technique in patients with mitral valve surgery and left atrial reduction procedures. <i>The Journal of Tehran Heart Center</i> , 2014 , 9, 153-9	0.3	

77	Comparing right ventricular function and pulmonary artery pressure before and shortly after hemodialysis in patients with end-stage renal disease. <i>Advanced Biomedical Research</i> , 2015 , 4, 197	1.2	3
76	A Pharmacokinetic and Pharmacodynamic Study of Intravenous Levosimendan in Healthy Chinese Volunteers and Ethnic Comparisons. <i>Acta Cardiologica Sinica</i> , 2014 , 30, 298-307	1.1	6
75	Age-dependent electrocardiographic and echocardiographic changes in German Shepherd dogs. <i>Iranian Journal of Veterinary Research</i> , 2017 , 18, 43-48	0.7	3
74	Preclinical cardiac disease in nonalcoholic fatty liver disease with and without metabolic syndrome. <i>American Journal of Cardiovascular Disease</i> , 2019 , 9, 65-77	0.9	3
73	Effects of Sacubitril/Valsartan Treatment on Left Ventricular Myocardial Torsion Mechanics in Patients with Heart Failure Reduced Ejection Fraction 2D Speckle Tracking Echocardiography. <i>Journal of Cardiovascular Echography</i> , 2021 , 31, 59-67	0.6	1
72	Determinants of descending thoracic aortic size measured by echocardiography. <i>International Journal of Medicine and Health Development</i> , 2022 , 27, 99	0.1	
71	Aortic arch calcification is strongly associated with obstructive sleep apnea. <i>Journal of Health Sciences and Medicine</i> , 2021 , 4, 779-783	0	
70	Evaluation of Arterial Functions and Carotid Intima Media Thickness in Children During Mid-Term Follow-Up After Kawasaki Disease.. <i>Turkish Archives of Pediatrics</i> , 2021 , 56, 576-584	4	0
69	The paradoxical effect of aldosterone on cardiovascular outcome in maintenance hemodialysis patients.. <i>Kidney Research and Clinical Practice</i> , 2021 ,	3.6	
68	Ischemic tolerance and cardiac repair in the spiny mouse (<i>Acomys</i>). <i>Npj Regenerative Medicine</i> , 2021 , 6, 78	15.8	3
67	The Fourth Report on the Diagnosis, Evaluation, and Treatment of High Blood Pressure in Children and Adolescents. <i>Pediatrics</i> , 2004 , 114, 555-576	7.4	208
66	Correlation study of PtfV1 with Heart-Qi deficiency syndrome in patients with hypertensive left ventricular hypertrophy. 2002 , 8, 137-138		
65	Prognostic value of selected one-, two- and three-dimensional and Doppler echocardiographic methods to assess severity in dogs with myxomatous mitral valve disease.. <i>Journal of Veterinary Cardiology</i> , 2021 , 39, 89-101	1.9	0
64	Association between Serum Vitamin D Level and Echocardiographic Abnormalities in Patients with Thalassemia Major. <i>Cardiovascular & Hematological Disorders Drug Targets</i> , 2020 , 20, 214-220	1.1	
63	Relationship of a new anthropometric index with left ventricular hypertrophy in hypertensive patients among the Han Chinese.. <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 16	2.3	0
62	Surgically Metabolic Resection of Pericardial Fat to Ameliorate Myocardial Mitochondrial Dysfunction in Acute Myocardial Infarction Obese Rats.. <i>Journal of Korean Medical Science</i> , 2022 , 37, e55	4.7	0
61	Extensive identification of genes involved in congenital and structural heart disorders and cardiomyopathy. 2022 , 1, 157-173		2
60	Effect of regular endurance exercises on management of cardiovascular health in middle-aged men.. <i>Journal of Exercise Rehabilitation</i> , 2022 , 18, 50-56	1.8	

59	Comparative Assessment of Echocardiographic Patterns Among Chronic Myeloid Leukemia Patients on Tyrosine Kinase Inhibitor and Healthy Controls.. <i>Vascular Health and Risk Management</i> , 2022 , 18, 27-42	4.4	
58	Aortic Stiffness and Pulsatile Pressures as Potential Mediators of Chronic Kidney Disease Induced Impaired Diastolic Function.. <i>International Journal of Nephrology and Renovascular Disease</i> , 2022 , 15, 27-40	2.5	
57	Relationship between vitamin D deficiency and success of cardioversion in patients with atrial fibrillation.. <i>Herzschrittmachertherapie Und Elektrophysiologie</i> , 2022 , 1	0.8	
56	Aβi supplementation (Euterpe oleracea Mart.) attenuates cardiac remodeling after myocardial infarction in rats through different mechanistic pathways.. <i>PLoS ONE</i> , 2022 , 17, e0264854	3.7	1
55	Tissue motion annular displacement to assess the left ventricular systolic function in healthy cats.. <i>Veterinary Research Communications</i> , 2022 , 1	2.9	
54	A Multimarker Model for Aberrant Cardiac Geometry after Preeclampsia.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	
53	Echocardiographic and electrocardiographic effects of atenolol versus sotalol in dogs with severe subaortic stenosis.. <i>Journal of Veterinary Cardiology</i> , 2022 , 41, 199-208	1.9	
52	Non-invasive assessment of left ventricular relaxation property using color M-mode-derived intraventricular pressure gradients in cats. <i>Journal of Veterinary Cardiology</i> , 2022 ,	1.9	1
51	Detection of left ventricular dysfunction on axial non-contrast chest CT.. <i>European Journal of Radiology</i> , 2022 , 150, 110274	4.7	0
50	Evaluation of Index of Cardiac Electrophysiological Balance in Type 1 Diabetes Mellitus. <i>Harran Üniversitesi Tıp Fakültesi Dergisi</i> , 441-445		
49	A presystolic wave could easily detect subclinical left ventricular dysfunction in prediabetic patients with no history of hypertension.. <i>Echocardiography</i> , 2021 ,	1.5	1
48	Evaluation of Liver Stiffness After Atrial Septal Defect Closure.. <i>Ultrasound Quarterly</i> , 2022 ,	1.4	
47	Plasma multi-omic and cardiac imaging network signatures predict poor long-term outcomes after acute myocardial infarction.		
46	Successful percutaneous transluminal renal angioplasty with multimodality imaging guidance for a juvenile patient with renovascular hypertension due to fibromuscular dysplasia. <i>Journal of Cardiology Cases</i> , 2022 ,	0.6	
45	Image_1.jpg. 2020 ,		
44	Left ventricular function and myocardial mass after aortic valvotomy in infancy. <i>Pediatric Cardiology</i> , 1992 , 13, 5-9	2.1	3
43	Effects of respiration on right ventricular size and function: an echocardiographic study. <i>Pediatric Cardiology</i> , 1992 , 13, 136-40	2.1	14
42	Volume-dependent echocardiographic parameters are not useful for estimating baseline blood volume but are useful for detecting acute changes in vascular filling state. <i>Basic Research in Cardiology</i> , 1994 , 89, 270-7	11.8	7

41	Reversal of <i>Borrelia burgdorferi</i> associated dilated cardiomyopathy by antibiotic treatment?. <i>Cardiovascular Drugs and Therapy</i> , 1996 , 10, 351-60	3.9	5
40	Timolol 0.5% ophthalmic solution influences cardiac function in healthy cats.. <i>Journal of Feline Medicine and Surgery</i> , 2022 , 1098612X221083372	2.3	
39	Changes in body size phenotypes from childhood to adulthood and the associated cardiometabolic outcomes.. <i>Diabetes Research and Clinical Practice</i> , 2022 , 187, 109884	7.4	
38	Silica nanoparticles induce cardiac injury and dysfunction via ROS/Ca/CaMKII signaling.. <i>Science of the Total Environment</i> , 2022 , 837, 155733	10.2	0
37	Role of aerobic physical training on cardiac autonomic and morphophysiological dysfunction in hypertensive rats subjected to ovarian hormone deprivation.. <i>Brazilian Journal of Medical and Biological Research</i> , 2022 , 55, e11916	2.8	
36	The Value of Four Anthropometric Indicators for Identifying Left Ventricular Hypertrophy in Chinese Hypertensive Patients. <i>International Journal of Hypertension</i> , 2022 , 2022, 1-7	2.4	0
35	Cardiac repolarization abnormalities in children with familial Mediterranean fever. <i>Pediatric Rheumatology</i> , 2022 , 20,	3.5	0
34	Impact of haemodialysis on cardio-metabolic burden in chronic kidney disease patients - A prospective cohort study. <i>The Journal of Clinical and Scientific Research</i> , 2022 ,	0.2	
33	Minor ST-T changes on electrocardiograms are associated with reduced constructive myocardial work in hypertensive patients with a preserved ejection fraction. <i>Hypertension Research</i> ,	4.7	0
32	Early Hemodynamic Effects of Mydriatic Eye-Drops in Preterm Infants. <i>American Journal of Perinatology</i> ,	3.3	
31	Reference ranges for standard-echocardiography in pugs and impact of clinical severity of Brachycephalic Obstructive Airway Syndrome (BOAS) on echocardiographic parameters. <i>BMC Veterinary Research</i> , 2022 , 18,	2.7	0
30	Effects of moderate-continuous and high-intensity interval aerobic training on cardiac function of spontaneously hypertensive rats. <i>Experimental Biology and Medicine</i> , 153537022211108	3.7	0
29	Epicardial adipose tissue thickness in adult patients with Familial Mediterranean Fever as a predictor of coronary artery disease.		
28	Cardiac Assessment in Children with MIS-C: Late Magnetic Resonance Imaging Features.		0
27	Integrative physiological study of adaptations induced by aerobic physical training in hypertensive hearts. 13,		
26	Bergamot leaf extract treats cardiorenal metabolic syndrome and associated pathophysiological factors in rats fed with a high sugar fat diet. 2022 , 556, 111721		1
25	Changes of left ventricular remodeling due to increased afterload in patients with essential hypertension. 2022 , 367, 74-80		0
24	The effect of obesity and subsequent weight reduction on cardiac structure and function in dogs. 2022 , 18,		1

- 23 Effect of Integrative Chinese and Western Medicine Therapy on Long-Term Clinical Outcomes in Patients with Heart Failure: A Real-World Study Including 394 Patients. **2022**, 2022, 1-9 ○
- 22 Cardiac troponin I in healthy Norwegian Forest Cat, Birman and domestic shorthair cats, and in cats with hypertrophic cardiomyopathy. **2022**, 24, e370-e379 1
- 21 Association of total lymphocyte count and echocardiographic parameters in human immunodeficiency virus-positive patients. **2021**, 18, 14 ○
- 20 The relationship between the weight-adjusted-waist index and left ventricular hypertrophy in Chinese hypertension adults. ○
- 19 Different Associations of Systolic Blood Pressure and Body Mass Index With Cardiac Structure and Function in Young Children. **2022**, 79, 2583-2592 ○
- 18 Slowing heart rate protects against pathological cardiac hypertrophy. 1
- 17 Diagnostic usefulness of NT-proBNP in asymptomatic left ventricular dysfunction in black hypertensive patients. **2021**, 18, 44 ○
- 16 Polyunsaturated β fatty acids prevent the cardiac hypertrophy in hypertensive rats. **2023**, 1867, 130278 ○
- 15 POTENTIAL CARDIOPROTECTIVE EFFECT OF GENIPIN VIA CYCLOOXIDASE 2 SUPPRESSION AND P53 SIGNAL PATHWAY ATTENUATION IN INDUCED MYOCARDIAL INFARCTION IN RATS. **2022**, 58, 457-463 ○
- 14 Effects of Breed, Exercise, and a Two-Month Training Period on NT-proBNP-Levels in Athletic Dogs. **2023**, 13, 16 ○
- 13 Diabetes mellitus is associated with more adverse non-hemodynamic left ventricular remodeling and less recovery in patients with primary aldosteronism. 108155892211418 ○
- 12 Association of lipoprotein(a) with left ventricular hypertrophy in patients with new-onset acute myocardial infarction: A large cross-sectional study. **2023**, 540, 117226 ○
- 11 The inflammatory score and cardiovascular risk in young adults with overweight or obesity: The African-PREDICT study. **2023**, 163, 156121 ○
- 10 Macrophages Mediate Healing Properties of Fenofibrate in Experimental Chagasic Cardiomyopathy. **2023**, 9, 213-220 ○
- 9 An integrated signature of extracellular matrix proteins and a diastolic function imaging parameter predicts post-MI long-term outcomes. 10, ○
- 8 Early Left Ventricular Diastolic Dysfunction in Females with Chronic Hyperprolactinemia: A Doppler Echocardiographic Study. **2023**, 12, 1658 ○
- 7 Left ventricular systolic function in subjects conceived through assisted reproductive technologies. 10, ○
- 6 Prevalence of mitral valve regurgitation in 102 asymptomatic Chinese Crested dogs. **2023**, 46, 55-61 ○

- 5 Identifying a urinary peptidomics profile for hypertension in young adults: The African-PREDICT study. ○
- 4 Childhood household dysfunction is associated with reduced left ventricular mass in young adulthood. ○
- 3 The association of serum uric acid/albumin ratio with the development of coronary collateral circulation in patients with chronic total occluded coronary arteries. **2023**, 15, 14-21 ○
- 2 Neurochemical alterations of intrinsic cardiac ganglionated nerve plexus caused by arterial hypertension developed during ageing in spontaneously hypertensive and Wistar Kyoto rats. ○
- 1 Longitudinal analysis of thoracic aortic expansion in non-syndromic real-world patients. **2023**, 9, e15823 ○