

CITATION REPORT

List of articles citing

Physical activity as an index of heart attack risk in college alumni

DOI: 10.1093/oxfordjournals.aje.a112608

American Journal of Epidemiology, 1978, 108, 161-75.

Source: <https://exaly.com/paper-pdf/13849184/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|--|-----|-----------|
| 1702 | Diet and Exercise in the Management of Diabetes. 1973 , 11, 254-259 | | 1 |
| 1701 | Methods for determining long-term survival in a population based study. <i>American Journal of Epidemiology</i> , 1979 , 110, 747-52 | 3.8 | 34 |
| 1700 | Fitness, Aerobic Points, and Coronary Risk. 1979 , 7, 79-84 | | 2 |
| 1699 | Paternal history of coronary-heart disease reported by marathon runners. 1979 , 301, 90-1 | | 15 |
| 1698 | Death During Jogging or Running. 1979 , 242, 1265 | | 128 |
| 1697 | The effect of exercise on plasma high density lipoproteins. 1979 , 14, 417-27 | | 241 |
| 1696 | An Industry Health Management Program. 1979 , 7, 56-67 | | 17 |
| 1695 | Cardiomythology and marathons. 1979 , 301, 103-4 | | 20 |
| 1694 | Heart rate as a prognostic factor for coronary heart disease and mortality: findings in three Chicago epidemiologic studies. <i>American Journal of Epidemiology</i> , 1980 , 112, 736-49 | 3.8 | 474 |
| 1693 | Issues in Setting Motor Performance Standards. 1980 , 32, 152-162 | | 11 |
| 1692 | Long-term effects of physical training programme on risk factors for coronary heart disease in otherwise sedentary men. 1980 , 281, 7-10 | | 37 |
| 1691 | Aging, natural death, and the compression of morbidity. 1980 , 303, 130-5 | | 2243 |
| 1690 | The Acute Cardiac Risk of Strenuous Exercise. 1980 , 244, 1799 | | 53 |
| 1689 | Alcohol consumption and high density lipoprotein cholesterol in marathon runners. 1980 , 303, 1159-61 | | 41 |
| 1688 | High density lipoprotein cholesterol, total cholesterol and triglycerides in serum after a single exposure to prolonged heavy exercise. 1980 , 40, 341-5 | | 44 |
| 1687 | Paternal history of heart attack in marathoners. 1980 , 302, 56 | | 1 |
| 1686 | Exercise as protection against heart attack. 1980 , 302, 1026-7 | | 44 |

| | | |
|------|--|-----|
| 1685 | Readiness for exercise adoption. 1980 , 14, 139-146 | 2 |
| 1684 | Vigorous exercise in leisure-time: protection against coronary heart disease. 1980 , 2, 1207-10 | 453 |
| 1683 | The life fitness program: A behavioral approach to making exercise a habit. 1980 , 11, 31-34 | 26 |
| 1682 | Exercise and health. 1981 , 70, 987-8 | 6 |
| 1681 | Pediatric aspects of atherosclerosis. 1981 , 101, 815-36 | 18 |
| 1680 | A survey of 246 suggested coronary risk factors. 1981 , 40, 1-52 | 268 |
| 1679 | Effects of marathon running, jogging, and diet on coronary risk factors in middle-aged men. 1981 , 10, 316-23 | 9 |
| 1678 | Exercise and sudden death-part I. 1981 , 6, 1-89 | 14 |
| 1677 | The Relation of Physical Activity Changes to Changes in Serum Cholesterol and Body Weight in a Three-Year Follow-up of Population Sample. 1981 , 9, 109-117 | 6 |
| 1676 | Physical fitness in children: implications for the prevention of coronary artery disease. 1981 , 11, 1-54 | 5 |
| 1675 | Reduction of coronary atherosclerosis by moderate conditioning exercise in monkeys on an atherogenic diet. 1981 , 305, 1483-9 | 227 |
| 1674 | Assessment of different forms of physical activity with respect to preventive and rehabilitative cardiology. 1981 , 2, 67-80 | 22 |
| 1673 | Longitudinal study (32 years) of exercise tolerance, breathing response, blood pressure, and blood lipids in young men. 1981 , 1, 455-62 | 22 |
| 1672 | Commitment and coping in stress resistance among lawyers.. 1982 , 42, 707-717 | 175 |
| 1671 | Changes in plasma lipid and lipoprotein levels in men and women after a program of moderate exercise. 1982 , 65, 477-84 | 137 |
| 1670 | High-Density Lipoprotein-Cholesterol in Marathon Runners During a 20-Day Road Race. 1982 , 247, 1715 | 22 |
| 1669 | An Epidemiologic Study of the Benefits and Risks of Running. 1982 , 248, 3118 | 127 |
| 1668 | Objective measurement of physical activity in <i>Macaca fascicularis</i> . 1982 , 16, 240-3 | |

1667 Jogging. **1982**, 142, 450

- 1666 The epidemiology of high density lipoprotein cholesterol levels in post-menopausal women. **1982**, 37, 10-5 27
- 1665 Physical activity and risk of myocardial infarction, cerebral stroke and death: a longitudinal study in Eastern Finland. *American Journal of Epidemiology*, **1982**, 115, 526-37 3.8 221
- 1664 Psychological changes accompany aerobic exercise in healthy middle-aged adults. **1982**, 44, 529-36 106
- 1663 Exercise applications and promotion in behavioral medicine: Current status and future directions.. **1982**, 50, 1004-1017 192
- 1662 Exercise, serum lipids, and cardiovascular disease--risk factors in children. **1982**, 29, 1341-54 27
- 1661 Cardiac fitness and rehabilitation in the elderly. **1982**, 30, 607-11 2
- 1660 Compliance and exercise in primary and secondary prevention of coronary heart disease: a review. **1982**, 11, 56-70 188
- 1659 Determinants of bone mass in menopause. **1982**, 11, 269-80 25
- 1658 Increased physical activity: a protective factor against heart attacks in Puerto Rico. **1982**, 50, 749-55 124
- 1657 The epidemiology of physical activity in children, college students, middle-aged men, menopausal females and monkeys. **1982**, 35, 787-95 76
- 1656 Exercise and Coronary Heart Disease. **1982**, 4, 12-15 2
- 1655 Exercise and Health: The Adherence Problem. **1982**, 4, 16-24 10
- 1654 Task difficulty, heart rate reactivity, and cardiovascular responses to an appetitive reaction time task. **1983**, 20, 301-12 141
- 1653 Type A and hardiness. **1983**, 6, 41-51 105
- 1652 The Hepatitis B Carrier in Hospital. **1983**, 322, 1285-1286
- 1651 Sudden Death and Sport. **1983**, 322, 1286-1287
- 1650 Increased exercise level and plasma lipoprotein concentrations: a one-year, randomized, controlled study in sedentary, middle-aged men. **1983**, 32, 31-9 324

| | | | |
|------|--|-----|-----|
| 1649 | The relationship of exercise and diet on high-density lipoprotein cholesterol levels in women. 1983 , 32, 189-96 | | 66 |
| 1648 | Menopausal estrogen use, high density lipoprotein cholesterol subfractions and liver function. 1983 , 49, 31-9 | | 50 |
| 1647 | Physical fitness programming for health promotion at the worksite. 1983 , 12, 632-43 | | 17 |
| 1646 | Cardiovascular disease and multifactorial risk: challenge of the 1980s. 1983 , 106, 1191-200 | | 103 |
| 1645 | Exercise and heart disease. Epidemiology of the "exercise hypothesis". 1983 , 75, 1008-23 | | 77 |
| 1644 | Relation of exercise to the recurrence rate of myocardial infarction in men. Ontario Exercise-Heart Collaborative Study. 1983 , 51, 65-9 | | 92 |
| 1643 | Association between coronary heart disease risk factors and physical fitness in healthy adult women. 1983 , 67, 977-83 | | 122 |
| 1642 | Habitual physical activity and high-density lipoprotein cholesterol in men with primary hypercholesterolemia. The Lipid Research Clinics Coronary Primary Prevention Trial. 1983 , 67, 512-20 | | 37 |
| 1641 | The assessment of physical activity in older women: analysis of the interrelationship and reliability of activity monitoring, activity surveys, and caloric intake. 1983 , 38, 394-7 | | 87 |
| 1640 | Physical Fitness and Subsequent Myocardial Infarction in Healthy Workers. 1983 , 249, 3052 | | 72 |
| 1639 | From the Editor - continued. 1983 , 42, 66-66 | | |
| 1638 | Exercise, health, and medicine. 1983 , 286, 1597-8 | | 11 |
| 1637 | Physical activity and incidence of hypertension in college alumni. <i>American Journal of Epidemiology</i> , 1983 , 117, 245-57 | 3.8 | 447 |
| 1636 | Changes in coronary heart disease risk factors associated with increased treadmill time in 753 men. <i>American Journal of Epidemiology</i> , 1983 , 118, 352-9 | 3.8 | 74 |
| 1635 | Diabetes Mellitus and Exercise. 1984 , 6, 22-25 | | 1 |
| 1634 | Lipoproteins, lipoprotein lipase, and glycogen after prolonged physical activity. 1984 , 57, 698-702 | | 45 |
| 1633 | Low-Cost Strategies for Increasing Exercise Behavior: Relapse Preparation Training and Social Support. 1984 , 8, 3-21 | | 64 |
| 1632 | A Natural History of Athleticism and Cardiovascular Health. 1984 , 252, 491 | | 205 |

| | | |
|------|---|-----|
| 1631 | Physical Fitness and Incidence of Hypertension in Healthy Normotensive Men and Women. 1984 , 252, 487 | 347 |
| 1630 | Acute effects on chromium, copper, zinc, and selected clinical variables in urine and serum of male runners. 1984 , 6, 327-36 | 77 |
| 1629 | [Bernese runner study '84--methodology, response rate and comparison between respondents and nonrespondents]. 1984 , 29, 213-4 | 4 |
| 1628 | Diabetes as an atherogenic factor. 1984 , 26, 373-412 | 260 |
| 1627 | The Role of School Health Education in Preventing Heart, Lung, and Blood Diseases. 1984 , 54, 15-26 | 6 |
| 1626 | The child: When to begin preventive cardiology. 1984 , 14, 7-63 | 2 |
| 1625 | An epidemiological perspective of sudden death. 26-year follow-up in the Framingham Study. 1984 , 28 Suppl 1, 1-16 | 49 |
| 1624 | Exercise, coronary heart disease and risk factors. A brief report. 1984 , 1, 341-9 | 5 |
| 1623 | Exercise and risk factors for arteriosclerosis in 42 married couples followed over four years. 1984 , 37, 545-53 | 2 |
| 1622 | Habitual vigorous exercise and primary cardiac arrest: effect of other risk factors on the relationship. 1984 , 37, 625-31 | 41 |
| 1621 | Sudden death in a 47-year-old marathon runner. 1984 , 76, 517-26 | 11 |
| 1620 | Comparison of dietary and smoking habit changes in physical fitness improvers and nonimprovers. 1984 , 13, 411-20 | 32 |
| 1619 | Exercise in the prevention of coronary heart disease. 1984 , 13, 3-22 | 139 |
| 1618 | Exercise for optimal health: strategies and motivational considerations. 1984 , 13, 79-99 | 17 |
| 1617 | Work tolerance and the elderly in a post-industrial society. 1984 , 3, 189-200 | 2 |
| 1616 | Health promotion for educators: impact on health behaviors, satisfaction, and general well-being. 1984 , 74, 147-9 | 58 |
| 1615 | The Role of School Health Education in Preventing Heart, Lung, and Blood Diseases. 1984 , 15, 15-26 | 6 |
| 1614 | The Fixx Tragedy: A Cardiologist's Perspective. 1984 , 12, 153-157 | 3 |

| | | | |
|------|---|-----|-----|
| 1613 | The decline in ischemic heart disease mortality rates. An analysis of the comparative effects of medical interventions and changes in lifestyle. 1984 , 101, 825-36 | | 364 |
| 1612 | The spectrum of physical activity, cardiovascular disease and health: an epidemiologic perspective. <i>American Journal of Epidemiology</i> , 1984 , 120, 507-17 | 3.8 | 129 |
| 1611 | Effects of Ten Weeks of Cardiac Rehabilitation on Blood Clotting and Risk Factors. 1984 , 12, 85-96 | | 2 |
| 1610 | Behavioral control of exercise in sedentary adults: Studies 1 through 6.. 1984 , 52, 795-811 | | 157 |
| 1609 | Behavior change, weight loss, and physiological improvements in Type II diabetic patients.. 1985 , 53, 111-122 | | 94 |
| 1608 | Coronary risk factors and incidence of coronary death in relation to physical fitness. Seven-year follow-up study of middle-aged and elderly men. 1985 , 6, 147-57 | | 69 |
| 1607 | Self-reported physical activity compared with maximal oxygen uptake. <i>American Journal of Epidemiology</i> , 1985 , 122, 101-5 | 3.8 | 203 |
| 1606 | A simple, valid step test for estimating maximal oxygen uptake in epidemiologic studies. <i>American Journal of Epidemiology</i> , 1985 , 121, 382-90 | 3.8 | 104 |
| 1605 | Are We Running From the Truth About the Risks and Benefits of Exercise?. 1985 , 13, 136-48 | | 2 |
| 1604 | Assessment of habitual physical activity by a seven-day recall in a community survey and controlled experiments. <i>American Journal of Epidemiology</i> , 1985 , 122, 794-804 | 3.8 | 923 |
| 1603 | Questions and Answers: ACSM 1985. 1985 , 13, 145-51 | | 17 |
| 1602 | Physical activity levels and coronary heart disease. Analysis of epidemiologic and supporting studies. 1985 , 69, 3-20 | | 43 |
| 1601 | Exercise and hypertension. 1985 , 69, 57-70 | | 12 |
| 1600 | Diabetes and exercise. 1985 , 69, 145-57 | | 23 |
| 1599 | Measles infection and Parkinson's disease. <i>American Journal of Epidemiology</i> , 1985 , 122, 1017-31 | 3.8 | 38 |
| 1598 | A validation of two motion sensors in the prediction of child and adult physical activity levels. <i>American Journal of Epidemiology</i> , 1985 , 122, 400-10 | 3.8 | 69 |
| 1597 | Lipids and lipoproteins in a young adult population. The Beaver County Lipid Study. <i>American Journal of Epidemiology</i> , 1985 , 122, 458-67 | 3.8 | 44 |
| 1596 | Exercise and the promotion of health. 1985 , 44, 297-302 | | 3 |

| | | | |
|------|---|-----|------|
| 1595 | Medical psychology in exercise and sport. 1985 , 69, 123-43 | | 98 |
| 1594 | Leisure time physical activity and its relationship to coronary risk factors in a population-based sample. The Minnesota Heart Survey. <i>American Journal of Epidemiology</i> , 1985 , 121, 570-9 | 3.8 | 229 |
| 1593 | The Stanford Five-City Project: design and methods. <i>American Journal of Epidemiology</i> , 1985 , 122, 323-34 | 3.8 | 319 |
| 1592 | Physical activity assessment methodology in the Five-City Project. <i>American Journal of Epidemiology</i> , 1985 , 121, 91-106 | 3.8 | 1365 |
| 1591 | Favourable levels of cardio-vascular health and risk indicators during childhood and adolescence. 1985 , 144, 360-7 | | 10 |
| 1590 | Identification and Assessment of Cardiac Risk: An Overview. 1985 , 3, 171-178 | | 26 |
| 1589 | Exercise and sudden cardiac death. 1985 , 312, 183-5 | | 1 |
| 1588 | Some notions about assumptions underlying health education. 1985 , 12, 231-43 | | 39 |
| 1587 | Leads from the MMWR. 1985 , 254, 1694 | | |
| 1586 | Is low energy intake a risk factor for ischaemic heart disease?. 1985 , 53, 624-30 | | 4 |
| 1585 | The impact of exercise upon medical costs. 1985 , 2, 133-43 | | 14 |
| 1584 | Anorexia nervosa and exercise. Implications from recent findings. 1985 , 2, 237-47 | | 17 |
| 1583 | Hyperinsulinemia. A link between hypertension obesity and glucose intolerance. 1985 , 75, 809-17 | | 1053 |
| 1582 | Influence of maximum aerobic capacity and relative body weight on the lipoprotein profile in athletes. 1985 , 55, 225-31 | | 13 |
| 1581 | High- and low-density lipoprotein cholesterol: correlates in an older population. 1985 , 14, 155-64 | | 9 |
| 1580 | Clinical Applications of Rational-Emotive Therapy. 1985 , | | 33 |
| 1579 | Epidemiological assessment of the role of physical activity and fitness in development of cardiovascular disease. 1985 , 109, 876-85 | | 162 |
| 1578 | Physical activity and health: need to define the required stimulus. 1985 , 55, 4D-9D | | 54 |

| | | |
|------|---|------|
| 1577 | Alcohol versus exercise for coronary protection. 1985 , 79, 231-40 | 18 |
| 1576 | Relationship of exercise, oral contraceptive use, and body fat to concentrations of plasma lipids and lipoprotein cholesterol in young women. 1985 , 78, 913-9 | 16 |
| 1575 | Coronary heart disease and risk factor modification. Is there a threshold?. 1985 , 78, 826-38 | 15 |
| 1574 | Levels of serum sex hormones and risk factors for coronary heart disease in exercise-trained men. 1985 , 79, 79-84 | 19 |
| 1573 | Assessment methods for physical activity and physical fitness in population studies: report of a NHLBI workshop. 1986 , 111, 1177-92 | 209 |
| 1572 | Echocardiographic left ventricular mass and physical activity: quantification of the relation in spinal cord injured and apparently healthy active men. 1986 , 58, 1248-53 | 39 |
| 1571 | Effects of low- and high-intensity home-based exercise training on functional capacity in healthy middle-aged men. 1986 , 57, 446-9 | 96 |
| 1570 | Psychological effects of exercise: a randomized cross-over trial. 1986 , 30, 355-60 | 65 |
| 1569 | Vigorous physical activity and cardiovascular risk factors in young adults. 1986 , 39, 115-20 | 44 |
| 1568 | The relationship of physical activity to high density lipoprotein cholesterol in postmenopausal women. 1986 , 39, 687-97 | 31 |
| 1567 | Test-retest reliability of the Minnesota Leisure Time Physical Activity Questionnaire. 1986 , 39, 505-11 | 142 |
| 1566 | Exercise: a risk for sudden death in patients with coronary heart disease. 1986 , 7, 215-9 | 111 |
| 1565 | Exercise in coronary heart disease. 1986 , 3, 26-49 | 26 |
| 1564 | Exercise and obesity. 1986 , 3, 89-113 | 44 |
| 1563 | Physical activity, all-cause mortality, and longevity of college alumni. 1986 , 314, 605-13 | 2042 |
| 1562 | Blood pressure determinants in a middle-class black population: the University of Pittsburgh experience. 1986 , 15, 232-43 | 11 |
| 1561 | Moderate-intensity physical activity and cardiovascular risk factors: the Stanford Five-City Project. 1986 , 15, 561-8 | 40 |
| 1560 | Sex differences in high-density lipoprotein cholesterol and subfractions among young black adults. 1986 , 15, 118-26 | 14 |

| | | | |
|------|--|-----|------|
| 1559 | Adolescents and Exercise. 1986 , 7, S121-S129 | | 11 |
| 1558 | References / Subject Index. 1986 , 21, 267-316 | | |
| 1557 | Total energy intake: implications for epidemiologic analyses. <i>American Journal of Epidemiology</i> , 1986 , 124, 17-27 | 3.8 | 2455 |
| 1556 | The assessment of physical activity by questionnaire. <i>American Journal of Epidemiology</i> , 1986 , 123, 563-768 | | 202 |
| 1555 | From Activity to Eternity. 1986 , 14, 156-64 | | 1 |
| 1554 | Atherosclerosis and physical activity. 1986 , 1, 513-53 | | 35 |
| 1553 | Reduction of stroke through risk factor modification. 1986 , 6, 243-53 | | 15 |
| 1552 | The effects of changes in physical activity on major cardiovascular risk factors, hemodynamics, sympathetic function, and glucose utilization in man: a controlled study of four levels of activity. 1986 , 73, 30-40 | | 263 |
| 1551 | Inhibition of platelet aggregability by moderate-intensity physical exercise: a randomized clinical trial in overweight men. 1986 , 74, 939-44 | | 134 |
| 1550 | Leisure-Time Physical Activity Levels and Risk of Coronary Heart Disease and Death. 1987 , 258, 2388 | | 438 |
| 1549 | Heart health campaigns: The basis for action. 1987 , 46, 3-10 | | 3 |
| 1548 | Effect of physical training on insulin action in obesity. 1987 , 36, 1379-85 | | 132 |
| 1547 | Evaluating health promotion: a longitudinal quasi-experimental design. 1987 , 14, 123-39 | | 20 |
| 1546 | Physical Activity in the Population: The Epidemiologic Spectrum. 1987 , 58, 111-113 | | 9 |
| 1545 | Reaction to Secular Trends in Adult Physical Activity: Exercise Boom or Bust? 1987 , 58, 106-110 | | 17 |
| 1544 | A Commentary On Children and Fitness: A Public Health Perspective. 1987 , 58, 326-330 | | 18 |
| 1543 | Children and Fitness: A Public Health Perspective. 1987 , 58, 295-303 | | 81 |
| 1542 | Exercise in cardiovascular disease. 1987 , 11, 329-47 | | 10 |

| | | | |
|------|--|-----|-----|
| 1541 | Life-style correlates of risk factor change in young adults: an eight-year study of coronary heart disease risk factors in the Framingham offspring. <i>American Journal of Epidemiology</i> , 1987 , 125, 812-31 | 3.8 | 133 |
| 1540 | Relative contributions of protection motivation theory components in predicting exercise intentions and behavior.. 1987 , 6, 453-466 | | 165 |
| 1539 | Exercise and coronary heart disease. 1987 , 295, 726 | | |
| 1538 | Is screening for bacteriuria in pregnancy worth while?. 1987 , 295, 725-6 | | |
| 1537 | Leisure time physical activity assessment of American adults through an analysis of time diaries collected in 1981. 1987 , 77, 455-60 | | 11 |
| 1536 | A two year randomized exercise trial in older women: effects on HDL-cholesterol. 1987 , 66, 247-58 | | 63 |
| 1535 | Problems in estimating the prevalence of physical activity from national surveys. 1987 , 16, 107-18 | | 25 |
| 1534 | Physical activity assessment for epidemiologic research: the utility of two simplified approaches. 1987 , 16, 636-46 | | 93 |
| 1533 | Cardiac pathology and sports medicine. 1987 , 18, 493-501 | | 29 |
| 1532 | Physical activity and the incidence of coronary heart disease. 1987 , 8, 253-87 | | 979 |
| 1531 | The decline of grip strength in the menopause: relationship to physical activity, estrogen use and anthropometric factors. 1987 , 40, 115-20 | | 95 |
| 1530 | Aging, long-distance running, and the development of musculoskeletal disability. A controlled study. 1987 , 82, 772-80 | | 88 |
| 1529 | Medical therapy in the elderly. 1987 , 10, 29A-34A | | 9 |
| 1528 | Atherosclerosis risk factors. 1987 , 32, 207-35 | | 27 |
| 1527 | Alcohol and exercise in myocardial infarction and sudden coronary death in men and women. <i>American Journal of Epidemiology</i> , 1987 , 126, 77-85 | 3.8 | 57 |
| 1526 | Leisure-time physical activity is inversely related to risk factors for coronary heart disease in middle-aged Finnish men. 1987 , 8, 1047-55 | | 29 |
| 1525 | The effects of walking on the cross-sectional dimensions of the radius in postmenopausal women. 1987 , 41, 65-9 | | 83 |
| 1524 | The validity of an index of leisure-time physical activity. 1987 , 19, 357-365 | | 1 |

| | | |
|------|--|-----|
| 1523 | Heart rate, metabolic and hormonal responses to maximal psycho-emotional and physical stress in motor car racing drivers. 1987 , 59, 579-604 | 58 |
| 1522 | An anatomical model to determine step height in step testing for estimating aerobic capacity. 1987 , 129, 1-8 | 17 |
| 1521 | Heart disease in the elderly. 1987 , 12, 7-65 | 10 |
| 1520 | Marathon running: comparison of physical and psychosocial risks for men and women. 1987 , 10, 79-85 | 12 |
| 1519 | Plasma beta-endorphin levels in silent myocardial ischemia induced by exercise. 1987 , 59, 735-9 | 44 |
| 1518 | [Body weight, food habits and physical activity in the Swiss population: the project MONICA]. 1987 , 32, 78-86 | 3 |
| 1517 | Exercise in a behavioural weight control programme for obese patients with Type 2 (non-insulin-dependent) diabetes. 1988 , 31, 902-9 | 131 |
| 1516 | Changing health practices: the experience from a worksite health promotion project. 1988 , 26, 515-23 | 13 |
| 1515 | Injury prevalence and associated costs among participants of an employee fitness program. 1988 , 17, 475-82 | 17 |
| 1514 | Does regular exercise prolong life expectancy?. 1988 , 6, 63-71 | 10 |
| 1513 | Adult physical activity behavior: a trend analysis. 1988 , 41, 385-92 | 20 |
| 1512 | Mesure et Évaluation de l'activité physique par questionnaire. Questionnaires utilisés dans la littérature anglo-saxonne. 1988 , 3, 245-262 | 7 |
| 1511 | Physical fitness as a predictor of cardiovascular mortality in asymptomatic North American men. The Lipid Research Clinics Mortality Follow-up Study. 1988 , 319, 1379-84 | 550 |
| 1510 | Psychological health and squash play. 1988 , 31, 1567-72 | 4 |
| 1509 | Walk With Your Doc. 1988 , 259, 2743 | 2 |
| 1508 | Beyond blood pressure screening: a rationale for promoting the primary prevention of hypertension. 1988 , 3, 5-11 | 2 |
| 1507 | Activity or Fitness: Is the Process or the Product More Important for Public Health?. 1988 , 40, 180-186 | 10 |
| 1506 | Characteristics associated with apoprotein and lipoprotein lipid levels in middle-aged women. 1988 , 8, 515-20 | 32 |

| | | | |
|------|---|-----|------|
| 1505 | Validity and Reliability of Self Report Measures of Physical Activity: An Information-Processing Perspective. 1988 , 59, 314-327 | | 199 |
| 1504 | Activity patterns of men attending for fitness assessment. 1988 , 22, 101-6 | | 3 |
| 1503 | Prescribing physical activity to prevent disease. 1988 , 83, 165-6, 169-72, 175-6 | | 3 |
| 1502 | Leisure time and occupational physical activity: risk of death from ischemic heart disease. <i>American Journal of Epidemiology</i> , 1988 , 127, 87-94 | 3.8 | 153 |
| 1501 | Physical activity, insulin sensitivity, and the lipoprotein profile in young adults: the Beaver County Study. <i>American Journal of Epidemiology</i> , 1988 , 127, 95-103 | 3.8 | 36 |
| 1500 | Physical activity and depressive symptoms: the NHANES I Epidemiologic Follow-up Study. <i>American Journal of Epidemiology</i> , 1988 , 128, 1340-51 | 3.8 | 416 |
| 1499 | The assessment of historical physical activity and its relation to adult bone parameters. <i>American Journal of Epidemiology</i> , 1988 , 127, 1053-63 | 3.8 | 232 |
| 1498 | Physical fitness and cardiovascular disease mortality. The US Railroad Study. <i>American Journal of Epidemiology</i> , 1988 , 127, 571-80 | 3.8 | 134 |
| 1497 | Relation of cardiovascular fitness and physical activity to cardiovascular disease risk factors in children and adults. <i>American Journal of Epidemiology</i> , 1988 , 127, 933-41 | 3.8 | 219 |
| 1496 | Physical activity and coronary heart disease among asymptomatic hypercholesterolemic men (the Lipid Research Clinics Coronary Primary Prevention Trial). 1988 , 78, 1428-31 | | 21 |
| 1495 | Exercise, Aging and Longevity. 1988 , 19, 4-7 | | 3 |
| 1494 | Cardiovascular and behavioral effects of aerobic exercise training in healthy older men and women. 1989 , 44, M147-57 | | 269 |
| 1493 | Risk Factors for Recurrent Nonsyncopal Falls. 1989 , 261, 2663 | | 1018 |
| 1492 | Leisure time physical activity and coronary heart disease death. The US Railroad Study. 1989 , 79, 304-11 | | 201 |
| 1491 | Physical exercise conditioning in the absence of weight loss reduces fasting and postprandial triglyceride-rich lipoprotein levels. 1989 , 79, 1007-14 | | 112 |
| 1490 | Physical Activity Counseling for Healthy Adults as a Primary Preventive Intervention in the Clinical Setting. 1989 , 261, 3588 | | 81 |
| 1489 | Menopause and risk factors for coronary heart disease. 1989 , 321, 641-6 | | 852 |
| 1488 | Aerobic metabolic requirements of simulated cross-country skiing. 1989 , 32, 1573-9 | | 1 |

| | | |
|------|---|---------|
| 1487 | Marathon finishers and pre-race drop-outs. 1989 , 23, 97-101 | 5 |
| 1486 | A brief self-administered questionnaire to determine functional capacity (the Duke Activity Status Index). 1989 , 64, 651-4 | 1161 |
| 1485 | The effect of grip strength on radial bone in postmenopausal women. 1989 , 7, 440-4 | 10 |
| 1484 | Determinants of physical ability in 7th grade schoolchildren. 1989 , 5, 90-6 | |
| 1483 | The input data for prevent. 1989 , 12, 69-148 | |
| 1482 | A prospective study of the reliability and convergent validity of three physical activity measures in a field research trial. 1989 , 42, 1161-70 | 48 |
| 1481 | Identifying correlates of walking for exercise: an epidemiologic prerequisite for physical activity promotion. 1989 , 18, 856-66 | 128 |
| 1480 | Effects of exercise training on biochemical and biomechanical properties of rat aorta. 1989 , 40, 51-8 | 33 |
| 1479 | Sports participation and health. 1989 , 8, 77-92 | 19 |
| 1478 | La valeur préventive de l'exercice sur la maladie coronarienne: quelques données épidémiologiques. 1989 , 4, 91-100 | 2 |
| 1477 | Factors affecting compliance in the NASA/Johnson Space Center fitness programme. 1989 , 8, 9-14 | 3 |
| 1476 | The effects of exercise on coronary heart disease risk factors in children. 1989 , 8, 139-53 | 23 |
| 1475 | Muscle strength assessments and the prevention of osteoporosis. A hypothesis. 1989 , 37, 1192-7 | 8 |
| 1474 | The epidemiology of serum sex hormones in postmenopausal women. <i>American Journal of Epidemiology</i> , 1989 , 129, 1120-31 | 3.8 415 |
| 1473 | Sports injuries in elderly athletes: a three-year prospective, controlled study. 1989 , 18, 263-70 | 51 |
| 1472 | Accuracy of perceptions of heart attack risk: what influences perceptions and can they be changed?. 1989 , 79, 1608-12 | 134 |
| 1471 | Validity and Reliability of Short Physical Activity History: Cardia and the Minnesota Heart Health Program. 1989 , 9, 448-459 | 343 |
| 1470 | Implications for Fitness Programming in the Geriatric Population. 1989 , 60, 18-23 | 3 |

| | | | |
|------|---|-----|-----|
| 1469 | Leisure time physical activity in the Framingham Offspring Study. Description, seasonal variation, and risk factor correlates. <i>American Journal of Epidemiology</i> , 1989 , 129, 76-88 | 3.8 | 164 |
| 1468 | Exercise adviser. 1989 , 17, 150 | | |
| 1467 | Endurance Training in Middle-Aged Male Physicians. 1989 , 17, 85-101 | | 7 |
| 1466 | Relationships between physical exercise and cognitive abilities in older adults.. 1989 , 4, 183-189 | | 124 |
| 1465 | Life events, fitness, hardiness, and health: A simultaneous analysis of proposed stress-resistance effects.. 1989 , 57, 136-142 | | 84 |
| 1464 | Occupational strain and the incidence of coronary heart disease. <i>American Journal of Epidemiology</i> , 1989 , 129, 495-502 | 3.8 | 149 |
| 1463 | Smoking status: effects on the dietary intake, physical activity, and body fat of adult men. 1990 , 51, 784-9 | | 83 |
| 1462 | Leisure time exercise and lipid and lipoprotein levels in an older population. 1990 , 38, 847-54 | | 50 |
| 1461 | Effects of exercise training in the elderly on the occurrence and time to onset of cardiovascular diagnoses. 1990 , 38, 205-10 | | 35 |
| 1460 | Race for better health. The tortoise or the hare?. 1990 , 13, 176-7 | | |
| 1459 | The validity of self-reported exercise-induced sweating as a measure of physical activity. <i>American Journal of Epidemiology</i> , 1990 , 132, 107-13 | 3.8 | 69 |
| 1458 | Aerobic Fitness: Measurement and Issues. 1990 , 12, 235-247 | | 11 |
| 1457 | Relationship of Self-Efficacy and Locus of Control Constructs in Predicting College Students' Physical Fitness Behaviors. 1990 , 71, 499-508 | | 7 |
| 1456 | After reaching retirement age physical activity sustains cerebral perfusion and cognition. 1990 , 38, 123-8 | | 237 |
| 1455 | A meta-analysis of physical activity in the prevention of coronary heart disease. <i>American Journal of Epidemiology</i> , 1990 , 132, 612-28 | 3.8 | 959 |
| 1454 | So You Hate to Run□ 1990 , 18, 175 | | 1 |
| 1453 | exercise adviser. 1990 , 18, 119 | | |
| 1452 | Existing and training induced differences in aerobic fitness: their relationship to physiological response patterns during different types of stress. 1990 , 27, 457-78 | | 87 |

| | | |
|------|---|-----|
| 1451 | Sudden cardiac death associated with exercise: the risk-benefit issue. 1990 , 66, 183-8 | 69 |
| 1450 | [Reasons for athletic activity versus inactivity of urban population of Basel-Stadt 1988]. 1990 , 35, 164-9 | 2 |
| 1449 | Association of plasma triglyceride and C-peptide with coronary heart disease in Japanese-American men with a high prevalence of glucose intolerance. 1990 , 33, 489-96 | 44 |
| 1448 | Cardiovascular Disease Risk Factor Reduction and the Occupational Health Nurse. 1990 , 38, 419-432 | 1 |
| 1447 | Is Cardiovascular Risk Factor Knowledge Sufficient to Influence Behavior?. 1990 , 6, 137-144 | 49 |
| 1446 | A review of five major community-based cardiovascular disease prevention programs. Part I: Rationale, design, and theoretical framework. 1990 , 4, 203-13 | 69 |
| 1445 | Identifying strategies for increasing employee physical activity levels: findings from the Stanford/Lockheed Exercise Survey. 1990 , 17, 269-85 | 68 |
| 1444 | Physical activity and condition, dietary habits, and serum lipids in second-year medical students. 1990 , 9, 303-7 | 20 |
| 1443 | Physical activity and children. 1990 , 81, 1697-701 | 22 |
| 1442 | Exercise and heart disease: is there still a controversy?. 1990 , 64, 293-4 | 3 |
| 1441 | Relationship between high density lipoprotein subfractions and coronary risk factors in a rural white population. 1990 , 10, 1026-31 | 13 |
| 1440 | Premature coronary artery disease and the Prader-Willi syndrome. 1990 , 66, 232-4 | 14 |
| 1439 | Phenotypic effects of apolipoprotein structural variation on lipid profiles. III. Contribution of apolipoprotein E phenotype to prediction of total cholesterol, apolipoprotein B, and low density lipoprotein cholesterol in the healthy women study. 1990 , 10, 379-85 | 53 |
| 1438 | Prevalence of complications in IDDM by sex and duration. Pittsburgh Epidemiology of Diabetes Complications Study II. 1990 , 39, 1116-24 | 400 |
| 1437 | Exercise in leisure time: coronary attack and death rates. 1990 , 63, 325-34 | 280 |
| 1436 | Emphasis on Cardiovascular Fitness as a Barrier toward Mobilizing the Sedentary Individual. 1990 , 21, 41-46 | 2 |
| 1435 | Insulin-dependent diabetes mellitus mortality. The risk of cigarette smoking. 1990 , 82, 37-43 | 100 |
| 1434 | Dietary fiber and coronary heart disease. 1990 , 29, 95-147 | 185 |

| | | |
|------|---|------|
| 1433 | High density lipoprotein cholesterol. A 16-year longitudinal study in aging male twins. 1990 , 10, 1020-5 | 21 |
| 1432 | Exercise standards. A statement for health professionals from the American Heart Association. 1990 , 82, 2286-322 | 249 |
| 1431 | Leisure time physical activity in a hospital-based population. 1990 , 43, 569-77 | 6 |
| 1430 | Heterogeneity of clinical presentation among obese individuals seeking treatment. 1990 , 15, 291-5 | 34 |
| 1429 | Physical activity and cardiovascular risk: a cross-sectional study of middle-aged premenopausal women. 1990 , 19, 147-57 | 66 |
| 1428 | A prospective study of obesity and risk of coronary heart disease in women. 1990 , 322, 882-9 | 1087 |
| 1427 | The assessment of physical activity by leisure-time physical activity questionnaires. 1990 , 10, 159-80 | 38 |
| 1426 | Prognostic significance of daily physical activity after first acute myocardial infarction. 1990 , 119, 1193-4 | 9 |
| 1425 | Type A behavior and exercise: a follow-up study of coronary patients. 1990 , 34, 153-62 | 3 |
| 1424 | Physical activity and incidence of non-insulin-dependent diabetes mellitus in women. 1991 , 338, 774-8 | 957 |
| 1423 | Distressed binge eaters as a distinct subgroup among obese individuals. 1991 , 16, 441-51 | 31 |
| 1422 | The Cardiovascular Health Study: design and rationale. 1991 , 1, 263-76 | 1946 |
| 1421 | Reliability and physiologic correlates of the Harvard Alumni Activity Survey in a general population. 1991 , 44, 1319-26 | 86 |
| 1420 | Activit  physique et hypertension. 1991 , 6, 91-96 | |
| 1419 | Differential phenotypic expression by three mutant alleles in familial lecithin:cholesterol acyltransferase deficiency. 1991 , 338, 778-81 | 60 |
| 1418 | Exercise as a coronary protective factor. 1991 , 122, 1723-39 | 65 |
| 1417 | Hypertension: the acute and chronic response to exercise. 1991 , 122, 264-6 | 5 |
| 1416 | Potential for increasing high-density lipoprotein cholesterol, subfractions HDL2-C and HDL3-C, and apoprotein AI among middle-age women. 1991 , 20, 462-73 | 14 |

| | | | |
|------|--|-----|-----|
| 1415 | Social support for exercise: relationship to physical activity in young adults. 1991 , 20, 737-50 | | 121 |
| 1414 | Premenopausal determinants of menopausal estrogen use. 1991 , 20, 343-9 | | 48 |
| 1413 | Exercise and lipoprotein metabolism in women. 1991 , 4, 57-62 | | |
| 1412 | Leisure-time physical activity as an estimate of physical fitness: a validation study. 1991 , 44, 41-52 | | 55 |
| 1411 | The association of physical activity and diabetic complications in individuals with insulin-dependent diabetes mellitus: the Epidemiology of Diabetes Complications Study--VII. 1991 , 44, 1207-14 | | 90 |
| 1410 | Cardiovascular Changes Associated with Diabetes Mellitus and Their Effect on Exercise and Training Responses. 1991 , 2, 7-9 | | |
| 1409 | Health benefits of aerobic exercise. 1991 , 90, 103-7, 110-2 | | 23 |
| 1408 | Report of the Expert Panel on Population Strategies for Blood Cholesterol Reduction. A statement from the National Cholesterol Education Program, National Heart, Lung, and Blood Institute, National Institutes of Health. 1991 , 83, 2154-232 | | 127 |
| 1407 | Exercise and NIDDM. 1991 , 14, 52-56 | | 4 |
| 1406 | Exercise. 1991 , 303, 910-2 | | 8 |
| 1405 | Validation of the physical activity instrument for the Life in New Zealand national survey. <i>American Journal of Epidemiology</i> , 1991 , 133, 73-82 | 3.8 | 30 |
| 1404 | The Physical Activity Patterns of Northern Irish Schoolchildren Ages 11-16 Years. 1991 , 3, 300-309 | | 31 |
| 1403 | Feasibility of an Exercise Program for Adults with Cerebral Palsy: A Pilot Study. 1991 , 8, 333-341 | | 7 |
| 1402 | The relationships between physical activity and health-promoting behaviours in mid-life women. 1991 , 16, 299-310 | | 26 |
| 1401 | Identification of correlates of physical activity among Latino adults. 1991 , 16, 23-36 | | 54 |
| 1400 | Relation between leisure-time physical activity and blood pressure in older women. 1991 , 83, 559-65 | | 124 |
| 1399 | Cognitive strategies and personality variables in adherence to exercise. 1991 , 68, 1327-35 | | 15 |
| 1398 | Hyperinsulinemia or increased sympathetic drive as links for obesity and hypertension. 1991 , 14, 470-87 | | 65 |

| | | |
|------|--|-----|
| 1397 | Waist to hip ratio in middle-aged women. Associations with behavioral and psychosocial factors and with changes in cardiovascular risk factors. 1991 , 11, 1250-7 | 166 |
| 1396 | Exercise and aging: implications for persons with diabetes. 1991 , 17, 189-95 | 5 |
| 1395 | Long term health implications of fitness and physical activity patterns. 1991 , 66, 1426-33 | 76 |
| 1394 | Hostility: relationship to lifestyle behaviors and physical risk factors. 1992 , 18, 21-6 | 51 |
| 1393 | Change in Body Weight and Longevity. 1992 , 268, 2045 | 131 |
| 1392 | Reliability and validity of self-reported physical activity in Latinos. 1992 , 21, 966-71 | 115 |
| 1391 | Decreased HDL2 and HDL3 cholesterol, Apo A-I and Apo A-II, and increased risk of myocardial infarction. 1992 , 85, 22-9 | 190 |
| 1390 | Correlates of change in walking for exercise: an exploratory analysis. 1992 , 63, 425-34 | 44 |
| 1389 | Physical activity and proliferative retinopathy in people diagnosed with diabetes before age 30 yr. 1992 , 15, 1267-72 | 46 |
| 1388 | A Prospective Study of Exercise and Incidence of Diabetes Among US Male Physicians. 1992 , 268, 63 | 351 |
| 1387 | The role of physical exercise in the occurrence of Parkinson's disease. 1992 , 49, 360-5 | 101 |
| 1386 | Can physical activity mitigate the effects of aging in middle-aged women?. 1992 , 85, 1265-70 | 105 |
| 1385 | Physical activity at 36 years: patterns and childhood predictors in a longitudinal study. 1992 , 46, 114-9 | 175 |
| 1384 | Effects of traditional coronary risk factors on rates of incident coronary events in a low-risk population. The Adventist Health Study. 1992 , 86, 406-13 | 65 |
| 1383 | The effects of a university fitness programme on health-related variables in previously sedentary males. 1992 , 26, 39-44 | 5 |
| 1382 | Parental and peer influences on leisure-time physical activity in young adolescents. 1992 , 63, 341-8 | 213 |
| 1381 | Bone Density and Bone Mineral Content of Adolescent Soccer Athletes and Competitive Swimmers. 1992 , 4, 319-330 | 26 |
| 1380 | Hypertension in Children and Adolescents. 1992 , 20, 120-34 | |

| | | |
|------|--|-----|
| 1379 | Long-term bone loss in men: effects of genetic and environmental factors. 1992 , 117, 286-91 | 149 |
| 1378 | Improvement in intergenerational health. 1992 , 82, 109-12 | 3 |
| 1377 | Exercise and NIDDM. 1992 , 15, 50-54 | 4 |
| 1376 | Physical exercise in essential hypertension. 1992 , 101, 312S-314S | 26 |
| 1375 | Comparison of two physical activity questionnaires, with a diary, for assessing physical activity in an elderly population. 1992 , 45, 877-83 | 25 |
| 1374 | Détermination de l'activité physique par questionnaire: validation du questionnaire autoadministrable de Baecke. 1992 , 7, 215-221 | 33 |
| 1373 | Leisure-time physical activity and aerobic fitness in African-American young adults. 1992 , 13, 606-11 | 29 |
| 1372 | Age and the cardiovascular system. 1992 , 327, 1735-9 | 377 |
| 1371 | Changes in posture and balance with age. 1992 , 4, 219-25 | 18 |
| 1370 | Obsessive and compulsive traits in athletes. 1992 , 14, 215-27 | 15 |
| 1369 | Exercise training for patients with coronary artery disease. Cardiac rehabilitation revisited. 1992 , 14, 304-19 | 16 |
| 1368 | Hemostatic factors according to menopausal status and use of hormone replacement therapy. 1992 , 2, 445-55 | 72 |
| 1367 | The association of waist-hip ratio and risk factors for development of IDDM complications in an IDDM adult population. 1992 , 17, 99-109 | 11 |
| 1366 | Banting Lecture: glucose turnover. A key to understanding the pathogenesis of diabetes (indirect effects of insulin). 1992 , 41, 1188-206 | 26 |
| 1365 | Anxiety, depression, physical fitness, and all-cause mortality in men. 1992 , 36, 267-73 | 12 |
| 1364 | The benefits of low intensity exercise. 1992 , 143-159 | |
| 1363 | Does Exercise Intensity Matter?. 1992 , 20, 123-126 | 1 |
| 1362 | Diet and Exercise in the Management of Diabetes. 1992 , 5, 254-259 | |

| | | |
|------|--|------|
| 1361 | Management of Risk Factors. 1992 , 10, 177-191 | 35 |
| 1360 | Preventive cardiology for the pediatrician. 1992 , 22, 258-81; discussion 282 | 2 |
| 1359 | Use of limb movement sensors as indicators of the level of everyday physical activity in chronic congestive heart failure. 1992 , 69, 1581-6 | 41 |
| 1358 | An epidemiological perspective of the relationship between physical activity and NIDDM: from activity assessment to intervention. 1992 , 8, 355-72 | 98 |
| 1357 | The Raymond Pearl memorial lecture, 1991: Health, exercise, and athletics: A millennium of observations-A century of research. 1992 , 4, 69-82 | 4 |
| 1356 | Exercise and physical activity in the adult population: a general internist's perspective. 1993 , 8, 149-59 | 4 |
| 1355 | Sodium-lithium countertransport activity is decreased after weight loss in healthy obese men. 1993 , 42, 1052-8 | 7 |
| 1354 | Insulin, health behaviors, and lipid metabolism. 1993 , 42, 25-35 | 30 |
| 1353 | Serum concentrations of total sialic acid and sialoglycoproteins in relation to coronary heart disease risk markers. 1993 , 103, 123-9 | 49 |
| 1352 | The Physical Activity Scale for the Elderly (PASE): development and evaluation. 1993 , 46, 153-62 | 2089 |
| 1351 | Strengthening behavioral interventions for weight loss: A randomized trial of food provision and monetary incentives.. 1993 , 61, 1038-1045 | 252 |
| 1350 | Cardiovascular benefits of improved exercise capacity. 1993 , 16, 225-36 | 21 |
| 1349 | Triggering of acute myocardial infarction by heavy physical exertion. Protection against triggering by regular exertion. Determinants of Myocardial Infarction Onset Study Investigators. 1993 , 329, 1677-83 | 1112 |
| 1348 | High, usual and impaired functioning in community-dwelling older men and women: findings from the MacArthur Foundation Research Network on Successful Aging. 1993 , 46, 1129-40 | 417 |
| 1347 | Accuracy of the College Alumnus Physical Activity Questionnaire. 1993 , 46, 1403-11 | 247 |
| 1346 | Physical activity and the risk of acute myocardial infarction. 1993 , 3, 645-651 | 8 |
| 1345 | Physical activity and its association with plasma lipids and lipoproteins in elderly women. 1993 , 3, 351-7 | 8 |
| 1344 | Physical exertion as a trigger of acute myocardial infarction. Triggers and Mechanisms of Myocardial Infarction Study Group. 1993 , 329, 1684-90 | 528 |

| | | | |
|------|---|-----|------|
| 1343 | The association of changes in physical-activity level and other lifestyle characteristics with mortality among men. 1993 , 328, 538-45 | | 1428 |
| 1342 | The effect of dietary changes and intentional weight loss on high density cholesterol levels in older adults. 1992 , 12, 1-14 | | 7 |
| 1341 | The preschool mover: A comparison between naturally-occurring and program-directed physical activity patterns. 1993 , 96, 65-80 | | 8 |
| 1340 | A comparative study of the aerobic fitness of 421 healthy adult males in Singapore. 1993 , 11, 71-6 | | 1 |
| 1339 | Body Weight and Mortality. 1993 , 270, 2823 | | 211 |
| 1338 | Blood Pressure, Systolic and Diastolic, and Cardiovascular Risks. 1993 , 153, 598 | | 735 |
| 1337 | Selected physical activities and the risk of endometrial cancer. 1993 , 67, 846-51 | | 58 |
| 1336 | Measuring Physical Activity in Children with Cystic Fibrosis: Comparison of Four Methods. 1993 , 5, 125-133 | | 2 |
| 1335 | Diet, alcohol, and physical activity as a function of smoking status in middle-aged women.. 1993 , 12, 410-415 | | 51 |
| 1334 | Prevalence and correlates of lower extremity arterial disease in elderly women. <i>American Journal of Epidemiology</i> , 1993 , 137, 559-68 | 3.8 | 98 |
| 1333 | Exercise and NIDDM. 1993 , 16, 54-58 | | 18 |
| 1332 | Longitudinal study of blood pressure: changes and determinants from adolescence to middle age. The Dormont High School follow-up study, 1957-1963 to 1989-1990. <i>American Journal of Epidemiology</i> , 1993 , 138, 973-83 | 3.8 | 74 |
| 1331 | Factors associated with appendicular bone mass in older women. The Study of Osteoporotic Fractures Research Group. 1993 , 118, 657-65 | | 408 |
| 1330 | Exercise: Protection or Provocation?. 1993 , 95-99 | | |
| 1329 | 14. Normales, krankhaftes und optimales Altern: Variations- und Modifikationsspielräume. 1994 , 356-385 | | 5 |
| 1328 | Comparison of a low-fat, ad libitum complex-carbohydrate diet with a low-energy diet in moderately obese women. 1994 , 59, 980-4 | | 91 |
| 1327 | Lifestyle Changes: Smoking, Alcohol, Diet and Exercise. 1994 , 4, 59-65 | | 6 |
| 1326 | Effects of high-intensity strength training on multiple risk factors for osteoporotic fractures. A randomized controlled trial. 1994 , 272, 1909-14 | | 601 |

| | | |
|------|---|-----|
| 1325 | Coffee consumption: relationship to blood lipids in middle-aged women. 1994 , 23, 523-7 | 8 |
| 1324 | Physical activity and 23-year incidence of coronary heart disease morbidity and mortality among middle-aged men. The Honolulu Heart Program. 1994 , 89, 2540-4 | 120 |
| 1323 | Predictors of Walking by Sedentary Older Women. 1994 , 3, 283-290 | 7 |
| 1322 | Smoking, alcohol, and neuromuscular and physical function of older women. Study of Osteoporotic Fractures Research Group. 1994 , 272, 1825-31 | 127 |
| 1321 | Exercise in individuals with IDDM. 1994 , 17, 924-37 | 153 |
| 1320 | Serum estrone concentrations and coronary artery disease in postmenopausal women. 1994 , 14, 14-8 | 37 |
| 1319 | The health status of an ambulance service. 1994 , 44, 137-40 | 14 |
| 1318 | Patient-Directed, Nonprescription Approaches to Cardiovascular Disease. 1994 , 154, 2283 | 6 |
| 1317 | Activity Levels, Fitness Status, Exercise Knowledge, and Exercise Beliefs among Healthy, Older African American and White Women. 1994 , 6, 296-313 | 38 |
| 1316 | Coronary heart disease rates within a small urban area in Belgium. 1994 , 48, 344-7 | 3 |
| 1315 | Influence of physical work on high density lipoprotein cholesterol: implications for the risk of coronary heart disease. 1994 , 15, 261-6 | 11 |
| 1314 | Wellness as virtue: mortality and the pursuit of health. 1994 , 18, 385-401 | 96 |
| 1313 | Cardiovascular health promotion in children: program and policy implications. 1994 , 11, 236-41 | 6 |
| 1312 | Low-intensity endurance exercise training, plasma lipoproteins and the risk of coronary heart disease. 1994 , 236, 7-22 | 112 |
| 1311 | Sex differences among participants in a weight-control program. 1994 , 19, 147-58 | 62 |
| 1310 | Food intake and physical activity: a comparison of three measures of dieting. 1994 , 19, 401-9 | 69 |
| 1309 | Food preferences, eating patterns, and physical activity among adolescents: correlates of eating disorders symptoms. 1994 , 15, 286-94 | 26 |
| 1308 | Health and healthcare costs and benefits of exercise. 1994 , 5, 109-22 | 41 |

| | | | |
|------|--|-----|-----|
| 1307 | Factors associated with weight control in older adults. 1994 , 2, 220-9 | | 1 |
| 1306 | Dietary and physical activity correlates of long-term weight loss. 1994 , 2, 307-13 | | 56 |
| 1305 | A new questionnaire for gastroesophageal reflux disease. 1994 , 69, 539-47 | | 356 |
| 1304 | A weight reduction intervention that optimizes use of practitioner's time, lowers glucose level, and raises HDL cholesterol level in older adults. 1994 , 94, 37-42; quiz 43-4 | | 21 |
| 1303 | A simple method for estimating aerobic fitness. 1994 , 37, 159-65 | | 10 |
| 1302 | Trans-fatty acids intake and risk of myocardial infarction. 1994 , 89, 94-101 | | 317 |
| 1301 | Relation of leisure-time physical activity and cardiorespiratory fitness to the risk of acute myocardial infarction. 1994 , 330, 1549-54 | | 619 |
| 1300 | Lifestyle and sociodemographic factors as determinants of blood lead levels in elderly women. <i>American Journal of Epidemiology</i> , 1994 , 139, 599-608 | 3.8 | 55 |
| 1299 | Black-white differences in serum sex hormones and bone mineral density. <i>American Journal of Epidemiology</i> , 1994 , 139, 1035-46 | 3.8 | 72 |
| 1298 | Physical Activity, Age, and Cognitive-Neuropsychological Function. 1994 , 2, 143-181 | | 117 |
| 1297 | Facility access and self-reward as methods to promote physical activity among healthy sedentary adults. 1994 , 8, 257-62 | | 13 |
| 1296 | Ten-year outcomes of behavioral family-based treatment for childhood obesity.. 1994 , 13, 373-383 | | 672 |
| 1295 | Validation of the Minnesota Leisure Time Physical Activity Questionnaire in Spanish men. The MARATHOM Investigators. <i>American Journal of Epidemiology</i> , 1994 , 139, 1197-209 | 3.8 | 348 |
| 1294 | PREVALENCE AND DISTRIBUTION OF CERTAIN CORONARY RISK FACTORS IN AIR FORCE PERSONNEL. 1994 , 50, 247-252 | | 1 |
| 1293 | Physical activity in older middle-aged men and reduced risk of stroke: the Honolulu Heart Program. <i>American Journal of Epidemiology</i> , 1994 , 139, 881-93 | 3.8 | 193 |
| 1292 | Functional status and mobility among elderly women with lower extremity arterial disease: the Study of Osteoporotic Fractures. 1994 , 42, 923-9 | | 75 |
| 1291 | Evaluating Health Promotion Technology: Consistency of Results among Health Risk Appraisals. 1994 , 8, 260-262 | | |
| 1290 | Self-reported physical activity in a rural county: a New York county health census. 1994 , 84, 29-32 | | 30 |

| | | | |
|------|---|-----|-----|
| 1289 | Correlates of impaired function in older women. 1994 , 42, 481-9 | | 179 |
| 1288 | Water chlorination and lipo- and apolipoproteins: the relationship in elderly white women of western Pennsylvania. 1995 , 85, 570-3 | | 1 |
| 1287 | Aerobic fitness, blood lipids, and body fat in children. 1995 , 85, 1702-6 | | 30 |
| 1286 | Reproducibility and validity of an epidemiologic questionnaire to assess past year physical activity in adolescents. <i>American Journal of Epidemiology</i> , 1995 , 142, 191-201 | 3.8 | 310 |
| 1285 | Clustering of risk habits in young adults. The Cardiovascular Risk in Young Finns Study. <i>American Journal of Epidemiology</i> , 1995 , 142, 36-44 | 3.8 | 109 |
| 1284 | Are job characteristics related to fibrinogen levels in middle-aged women?. 1995 , 14, 310-318 | | 30 |
| 1283 | Seniors[Ratings of the Helpfulness of Various Program Support Mechanisms Utilized in a Physical Activity Promotion Program. 1995 , 3, 193-207 | | 3 |
| 1282 | Invited Commentary on Physical Activity as an Index of Heart Attack Risk in College Alumni□ <i>American Journal of Epidemiology</i> , 1995 , 142, 887-888 | 3.8 | 3 |
| 1281 | Lifetime leisure exercise and osteoporosis. The Rancho Bernardo study. <i>American Journal of Epidemiology</i> , 1995 , 141, 951-9 | 3.8 | 168 |
| 1280 | CARDIOVASCULAR RISK FACTOR CLUSTERING AND CORONARY ARTERY DISEASE : A 4-YEAR FOLLOW UP STUDY OF 257 SERVICE PERSONNEL. 1995 , 51, 173-179 | | |
| 1279 | Estrogen replacement therapy and fractures in older women. Study of Osteoporotic Fractures Research Group. 1995 , 122, 9-16 | | 572 |
| 1278 | Users of low-dose glucocorticoids have increased bone loss rates: a longitudinal study. 1995 , 57, 115-9 | | 104 |
| 1277 | Variables related to obesity and body fat: avenues to change. 1995 , 7, 65-72 | | 1 |
| 1276 | Physical exercise and reduced risk of nonfatal myocardial infarction. <i>American Journal of Epidemiology</i> , 1995 , 142, 1147-56 | 3.8 | 41 |
| 1275 | Physical Inactivity. 1995 , 6, 55-67 | | |
| 1274 | Effects of Exercise and training on Cardiovascular Function. 1995 , 6, 225-241 | | 2 |
| 1273 | Lifestyle Factors and Bone Mineral Density: The Postmenopausal Estrogen/Progestins Intervention Study. 1995 , 4, 231-245 | | 9 |
| 1272 | Exercise Prescription for Health. 1995 , 47, 338-353 | | 21 |

| | | |
|------|---|-----|
| 1271 | Evidence of the Role of Physical Activity and Cardiorespiratory Fitness in the Prevention of Coronary Heart Disease. 1995 , 47, 311-319 | 18 |
| 1270 | The health of the next generation: health through fitness and sport. 1995 , 115, 48-55 | 5 |
| 1269 | Is Postmenopausal Estrogen Therapy Associated With Neuromuscular Function or Falling in Elderly Women?. 1995 , 155, 293 | 38 |
| 1268 | The important role of modifiable dietary and behavioral characteristics in the causation and prevention of coronary heart disease hospitalization and mortality: the prospective NHANES I follow-up study. 1995 , 14, 71-9 | 76 |
| 1267 | Behavioral and psychosocial predictors of physical performance: MacArthur studies of successful aging. 1995 , 50, M177-83 | 156 |
| 1266 | Exercise Intensity and Longevity in Men. 1995 , 273, 1179 | 300 |
| 1265 | Assessment of ability to recall physical activity of several years ago. 1995 , 5, 292-6 | 99 |
| 1264 | Profactor-H (elevated circulating insulin): the link to health risk factors and diseases of civilization. 1995 , 45, 325-30 | 2 |
| 1263 | Physical activity as a predictor of weight maintenance in previously obese subjects. 1995 , 3, 257-63 | 57 |
| 1262 | Comparison of obese NIDDM and nondiabetic women: short- and long-term weight loss. 1995 , 3, 329-35 | 84 |
| 1261 | Measurement of physical activity among black and white obese women. 1995 , 3 Suppl 2, 261s-265s | 40 |
| 1260 | The influence of running patterns on running injuries. 1995 , 20, 365-8 | 18 |
| 1259 | Validez de un cuestionario de actividad física reciente. 1995 , 9, 174-182 | 4 |
| 1258 | Physical activity and the risk of progression of retinopathy or the development of proliferative retinopathy. 1995 , 102, 1177-82 | 34 |
| 1257 | Physical exertion as a trigger of myocardial infarction and sudden cardiac death. 1996 , 14, 263-70 | 80 |
| 1256 | Metabolic response of forearm muscle to graded exercise in type II diabetes mellitus: effect of endurance training. 1996 , 21, 120-33 | 5 |
| 1255 | Exercise in the prevention of atherosclerotic, metabolic and hypertensive diseases: a review. 1996 , 14, 201-18 | 28 |
| 1254 | Urinary markers of estrogen metabolism 2- and 16 alpha-hydroxylation in premenopausal women. 1996 , 61, 461-7 | 35 |

| | | | |
|------|--|-----|-----|
| 1253 | Women who work in manufacturing settings: factors influencing their participation in worksite health promotion programs. 1996 , 6, 74-81 | | 15 |
| 1252 | Effects of a personal trainer and financial incentives on exercise adherence in overweight women in a behavioral weight loss program. 1996 , 4, 457-62 | | 33 |
| 1251 | Axial bone mass in older women. Study of Osteoporotic Fractures Research Group. 1996 , 124, 187-96 | | 151 |
| 1250 | Change and secular trends in physical activity patterns in young adults: a seven-year longitudinal follow-up in the Coronary Artery Risk Development in Young Adults Study (CARDIA). <i>American Journal of Epidemiology</i> , 1996 , 143, 351-62 | 3.8 | 127 |
| 1249 | Effects of hostility on platelet reactivity to psychological stress in coronary heart disease patients and in healthy controls. 1996 , 58, 143-9 | | 71 |
| 1248 | Physical Activity and Measures of Cognitive Function in Healthy Older Adults: The MacArthur Study of Successful Aging. 1996 , 4, 362-376 | | 11 |
| 1247 | Self-Rated Health and the Spectrum of Physical Activity and Physical Function in Older Women. 1996 , 4, 349-361 | | 9 |
| 1246 | Körperliche Aktivität in der Freizeit Deutsche Herz-Kreislauf-Präventionsstudie (DHP): Ergebnisse der Regionalen Gesundheitssurveys 1984/5 - 1988 -1991/2 für die Region Stuttgart. 1996 , 4, 41-53 | | 1 |
| 1245 | Non-syncopal falls in the elderly in relation to home environments. 1996 , 6, 249-55 | | 40 |
| 1244 | Effects of physical exercise on cognitive functioning in the elderly. 1996 , 2, 67-100 | | 7 |
| 1243 | Exercise and insulin-dependent diabetes mellitus (IDDM): benefits and pitfalls. 1996 , 26, 827-33 | | 2 |
| 1242 | Baseline dietary intake and physical activity of Japanese American men in relation to glucose tolerance at 5-year follow-up. 1996 , 8, 55-67 | | 15 |
| 1241 | Exercise in the treatment of binge eating disorder. 1996 , 19, 171-7 | | 46 |
| 1240 | How much physical activity should we do? The case for moderate amounts and intensities of physical activity. 1996 , 67, 193-205 | | 189 |
| 1239 | Reported Exercise Patterns and their Relationship to Lipid Levels among Healthy Older Adults. 1996 , 18, 477-493 | | 1 |
| 1238 | Physical self-perceptions, aerobic capacity and physical activity in male and female members of a corporate health and fitness club. 1996 , 83, 1075-82 | | 5 |
| 1237 | Physical activity assessment: a review of methods. 1996 , 36, 385-96 | | 123 |
| 1236 | Positive Effects of Exercise and Physical Activity on Serum Lipids in Children. 1996 , 27, S27-S31 | | 1 |

| | | | |
|------|--|-----|-----|
| 1235 | Physical activity and fitness for health and longevity. 1996 , 67, S11-28 | | 38 |
| 1234 | Exercise versus heart attack: questioning the consensus?. 1996 , 67, 216-20 | | 7 |
| 1233 | Low insulin secretion and high fasting insulin and C-peptide levels predict increased visceral adiposity. 5-year follow-up among initially nondiabetic Japanese-American men. 1996 , 45, 1010-5 | | 61 |
| 1232 | Homocysteine metabolism and risk of myocardial infarction: relation with vitamins B6, B12, and folate. <i>American Journal of Epidemiology</i> , 1996 , 143, 845-59 | 3.8 | 291 |
| 1231 | Angina in patients with an active lifestyle. 1996 , 17 Suppl G, 30-5 | | 16 |
| 1230 | Prior to use of estrogen replacement therapy, are users healthier than nonusers?. <i>American Journal of Epidemiology</i> , 1996 , 143, 971-8 | 3.8 | 442 |
| 1229 | Amount and intensity of physical activity, physical fitness, and serum lipids in men. The MARATHOM Investigators. <i>American Journal of Epidemiology</i> , 1996 , 143, 562-9 | 3.8 | 75 |
| 1228 | □Lifestyle□Interventions for Promoting Physical Activity: A Kilocalorie Expenditure-Based Home Feasibility Study. 1996 , 312, 68-75 | | |
| 1227 | Dietary and exercise assessment in general practice. 1996 , 13, 477-82 | | 12 |
| 1226 | Nutrient and food intake in obese women on a low-fat or low-calorie diet. 1996 , 10, 179-82 | | 17 |
| 1225 | Exercise by prescription. 1997 , 117, 52-5 | | 6 |
| 1224 | Increase in urinary cortisol excretion and memory declines: MacArthur studies of successful aging. 1997 , 82, 2458-65 | | 251 |
| 1223 | Do sociodemographics and economic status predict risks for type II diabetes in African Americans?. 1997 , 23, 294-300 | | 14 |
| 1222 | Insulin response in a triethnic population: effects of sex, ethnic origin, and body fat. Miami Community Health Study. 1997 , 20, 1670-76 | | 43 |
| 1221 | Physical activity is related to ankle/brachial index in subjects without peripheral arterial occlusive disease. 1997 , 48, 883-91 | | 20 |
| 1220 | Validation in London of a physical activity questionnaire for use in a study of postmenopausal osteopaenia. 1997 , 51, 365-72 | | 8 |
| 1219 | Association of leisure time physical activity with the risk of coronary heart disease, hypertension and diabetes in middle-aged men and women. 1997 , 26, 739-47 | | 218 |
| 1218 | Relationship of Distance Run per Week to Coronary Heart Disease Risk Factors in 8283 Male Runners. 1997 , 157, 191 | | 95 |

| | | | |
|------|--|-----|-----|
| 1217 | Aerobic exercise capacity remains normal despite impaired endothelial function in the micro- and macrocirculation of physically active IDDM patients. 1997 , 46, 1846-52 | | 79 |
| 1216 | Prospective study of the determinants of age at menopause. <i>American Journal of Epidemiology</i> , 1997 , 145, 124-33 | 3.8 | 304 |
| 1215 | The relationship between presence of exercise equipment in the home and physical activity level. 1997 , 11, 363-5 | | 46 |
| 1214 | Uses and Limitations of Physical Activity Questionnaires in Health Education. 1997 , 28, 182-186 | | 1 |
| 1213 | A descriptive study of individuals successful at long-term maintenance of substantial weight loss. 1997 , 66, 239-46 | | 769 |
| 1212 | The effects of a telephone-based intervention on weight loss. 1997 , 11, 177-82 | | 38 |
| 1211 | Exercise and depression in midlife: a prospective study. 1997 , 87, 670-3 | | 58 |
| 1210 | Exercise intensity and subclinical cardiovascular disease in the elderly. The Cardiovascular Health Study. <i>American Journal of Epidemiology</i> , 1997 , 145, 977-86 | 3.8 | 130 |
| 1209 | Is happiness a cause of health?. 1997 , 12, 769-781 | | 63 |
| 1208 | The impact of a required college health and physical education course on the health status of alumni. 1997 , 46, 77-85 | | 38 |
| 1207 | Physical activity as a natural antioxidant booster and its effect on a healthy life span. 1997 , 68, 292-302 | | 22 |
| 1206 | The effect of sodium restriction and weight reduction on blood pressure of patients with hypertension and chronic renal disease. 1997 , 7, 25-32 | | 1 |
| 1205 | Cardiovascular evaluation of the athlete. Issues regarding performance, screening and sudden cardiac death. 1997 , 24, 97-119 | | 25 |
| 1204 | Walking to health. 1997 , 23, 306-32 | | 391 |
| 1203 | Physical activity, physical fitness and longevity. 1997 , 9, 2-11 | | 45 |
| 1202 | Exercise and its role in sudden cardiac death. 1997 , 15, 467-72 | | 17 |
| 1201 | Divergent trends in obesity and fat intake patterns: the American paradox. 1997 , 102, 259-64 | | 184 |
| 1200 | Physical activity protects against coronary death and deaths from all causes in middle-aged men. Evidence from a 20-year follow-up of the primary prevention study in Gøteborg. 1997 , 7, 69-75 | | 178 |

| | | |
|------|--|-----|
| 1199 | The effects of exercise on primary and secondary coronary heart disease. 1997 , 1, 60-78 | 1 |
| 1198 | Regulation of blood pressure with calcium-dependent dopamine synthesizing system in the brain and its related phenomena. 1997 , 25, 1-26 | 31 |
| 1197 | Physical Activity and Health Promotion for Older Adults in Public Housing. 1997 , 13, 57-62 | 8 |
| 1196 | Stroke prevention: windows of opportunity and failed expectations? A discussion of modifiable cardiovascular risk factors and a prevention proposal. 1997 , 16, 163-73 | 43 |
| 1195 | Physical activity and health. 1997 , 22, 100-110 | 0 |
| 1194 | Using cluster analysis to examine dietary patterns: nutrient intakes, gender, and weight status differ across food pattern clusters. 1997 , 97, 272-9 | 145 |
| 1193 | Immune system differences in men with hypo- or hypercholesterolemia. 1997 , 84, 145-9 | 60 |
| 1192 | [Effect of physical activity on incidence of sudden cardiac death. Study of the Berlin-Reinickendorf and Berlin-Spandau population]. 1997 , 92, 319-25 | 14 |
| 1191 | Case-crossover and case-time-control designs as alternatives in pharmacoepidemiologic research. 1997 , 6 Suppl 3, S51-9 | 32 |
| 1190 | Intermittent use of nitrates increases bone mineral density: the study of osteoporotic fractures. 1998 , 13, 1755-9 | 97 |
| 1189 | Differences in resting energy expenditure in African-American vs Caucasian overweight females. 1998 , 22, 236-42 | 74 |
| 1188 | Long-term maintenance of weight loss: do people who lose weight through various weight loss methods use different behaviors to maintain their weight?. 1998 , 22, 572-7 | 91 |
| 1187 | Reducing postpartum weight retention through a correspondence intervention. 1998 , 22, 1103-9 | 121 |
| 1186 | Changing health behavior via telecommunications technology: Using interactive television to treat obesity. 1998 , 29, 505-519 | 34 |
| 1185 | Postexercise vasodilatation reduces diastolic blood pressure responses to stress. 1998 , 20, 77-83 | 25 |
| 1184 | Falls reported among elderly Norwegians living at home. 1998 , 3, 164-74 | 48 |
| 1183 | Are menopausal symptoms associated with bone mineral density and changes in bone mineral density in premenopausal women?. 1998 , 29, 179-87 | 32 |
| 1182 | Sleep disturbance in healthy middle-aged women. 1998 , 30, 41-50 | 231 |

| | | |
|------|---|---------|
| 1181 | Physical activity and cardiac rehabilitation: a critical review of the literature. 1998 , 2, 179-186 | 3 |
| 1180 | Lifestyle physical activity interventions. History, short- and long-term effects, and recommendations. 1998 , 15, 398-412 | 332 |
| 1179 | La actividad física de ocio y su asociación con variables sociodemográficas y otros comportamientos relacionados con la salud. 1998 , 12, 100-109 | 12 |
| 1178 | Social physique anxiety in postmenopausal women. 1998 , 10, 19-39 | 27 |
| 1177 | The efficacy of dietary fat vs. total energy restriction for weight loss. 1998 , 6, 202-7 | 27 |
| 1176 | Clinic-based vs. home-based interventions for preventing weight gain in men. 1998 , 6, 346-52 | 25 |
| 1175 | Thyroid functions and serum lipids in older women: a population-based study. 1998 , 104, 546-51 | 75 |
| 1174 | Assessment of free-living daily physical activity in older claudicants: validation against the doubly labeled water technique. 1998 , 53, M275-80 | 57 |
| 1173 | Inverse relationship between fenfluramine-induced prolactin release and blood pressure in humans. 1998 , 32, 972-5 | 19 |
| 1172 | Seven-year incidence of hypertension in a cohort of middle-aged African Americans and whites. 1998 , 31, 1130-5 | 29 |
| 1171 | Die physische Beanspruchung durch zügiges Spazierengehen am Strand. 1998 , 08, 167-173 | |
| 1170 | Randomized trial of pamidronate in patients with thyroid cancer: bone density is not reduced by suppressive doses of thyroxine, but is increased by cyclic intravenous pamidronate. 1998 , 83, 2324-30 | 44 |
| 1169 | Walking and mortality in older men. 1998 , 338, 1622; author reply 1623 | 5 |
| 1168 | Physical activity and women in the United States: an overview of health benefits, prevalence, and intervention opportunities. 1997 , 26, 27-49 | 48 |
| 1167 | Aging, health risks, and cumulative disability. 1998 , 338, 1035-41 | 471 |
| 1166 | The relationships between stress, health, and physically active leisure as a function of life-cycle. 1998 , 20, 253-275 | 70 |
| 1165 | Exposure measurement in cohort studies: the challenges of prospective data collection. 1998 , 20, 43-56 | 67 |
| 1164 | Data-based approach for developing a physical activity frequency questionnaire. <i>American Journal of Epidemiology</i> , 1998 , 147, 147-54 | 3.8 113 |

| | | | |
|------|--|-----|-----|
| 1163 | Physical activity and stroke incidence: the Harvard Alumni Health Study. 1998 , 29, 2049-54 | | 234 |
| 1162 | Association between self-reported leisure-time physical activity and measures of cardiorespiratory fitness in an elderly population. <i>American Journal of Epidemiology</i> , 1998 , 147, 921-31 | 3.8 | 64 |
| 1161 | Physical activity and osteoporotic fracture risk in older women. Study of Osteoporotic Fractures Research Group. 1998 , 129, 81-8 | | 254 |
| 1160 | Rural epidemiology: insights from a rural population laboratory. <i>American Journal of Epidemiology</i> , 1998 , 148, 949-57 | 3.8 | 70 |
| 1159 | Approaches for conducting large cohort studies. 1998 , 20, 91-9 | | 39 |
| 1158 | Relation of colonic transit to functional bowel disease in older people: a population-based study. 1998 , 46, 83-7 | | 49 |
| 1157 | Use of personal trainers and financial incentives to increase exercise in a behavioral weight-loss program.. 1998 , 66, 777-783 | | 165 |
| 1156 | Association between depressive symptoms and mortality in older women. Study of Osteoporotic Fractures Research Group. 1998 , 158, 2129-35 | | 194 |
| 1155 | Reliability and validity of a questionnaire for assessment of energy expenditure and physical activity in epidemiological studies. 1998 , 8, 152-9 | | 88 |
| 1154 | A randomized walking trial in postmenopausal women: effects on physical activity and health 10 years later. 1998 , 158, 1695-701 | | 89 |
| 1153 | Relationship of neurological function and age in older women. The study of osteoporotic fractures. 1998 , 17, 318-29 | | 17 |
| 1152 | Creatine supplementation and age influence muscle metabolism during exercise. 1998 , 85, 1349-56 | | 106 |
| 1151 | Effect of a lifestyle intervention on bone mineral density in premenopausal women: a randomized trial. 1999 , 70, 97-103 | | 112 |
| 1150 | Associations of education with cardiovascular risk factors in young adults: the Cardiovascular Risk in Young Finns Study. 1999 , 28, 667-75 | | 45 |
| 1149 | Depression, falls, and risk of fracture in older women. Study of Osteoporotic Fractures Research Group. 1999 , 159, 484-90 | | 233 |
| 1148 | Variation in physical fitness between ethnic groups in nine year olds. 1999 , 28, 281-6 | | 11 |
| 1147 | Walking to work and the risk for hypertension in men: the Osaka Health Survey. 1999 , 131, 21-6 | | 149 |
| 1146 | Coronary heart disease: reducing the risk: the scientific background to primary and secondary prevention of coronary heart disease. A worldwide view. International Task force for the Prevention of Coronary Heart disease. 1999 , 19, 1819-24 | | 108 |

| | | |
|------|---|-----|
| 1145 | Lifestyle and health behaviors among female family dementia caregivers: A comparison of wives and daughters. 1999 , 3, 165-172 | 12 |
| 1144 | Physical activity and risk of lung cancer. 1999 , 28, 620-5 | 95 |
| 1143 | Results of a multicenter randomized clinical trial of exercise and long-term survival in myocardial infarction patients: the National Exercise and Heart Disease Project (NEHDP). 1999 , 100, 1764-9 | 129 |
| 1142 | Long-term exercise and atherogenic activity of blood mononuclear cells in persons at risk of developing ischemic heart disease. 1999 , 281, 1722-7 | 296 |
| 1141 | Physical activity assessment in population surveys: can it really be simplified?. 1999 , 28, 53-7 | 11 |
| 1140 | Physical inactivity: an easily modified risk factor?. 1999 , 100, 2-4 | 18 |
| 1139 | Population based study of social and productive activities as predictors of survival among elderly Americans. 1999 , 319, 478-83 | 565 |
| 1138 | The retrospective evaluation of a general practitioner exercise prescription programme. 1999 , 12, 32-42 | 12 |
| 1137 | Binge status as a predictor of weight loss treatment outcome. 1999 , 23, 485-93 | 121 |
| 1136 | How physically active are American children and what can we do about it?. 1999 , 23 Suppl 2, S12-7 | 46 |
| 1135 | Physical inactivity, sedentary lifestyle and obesity in the European Union. 1999 , 23, 1192-201 | 271 |
| 1134 | The prevalence of weight loss maintenance among American adults. 1999 , 23, 1314-9 | 116 |
| 1133 | Exercise and lipid abnormalities. 1999 , 20, 71-7; discussion 78 | 9 |
| 1132 | The Value of Questionnaires in Assessing Physical Activity, Fitness, and Quality of Life. 1999 , 3, 305-311 | 2 |
| 1131 | Familial resemblance of bone mineral density (BMD) and calcaneal ultrasound attenuation: the BMD in mothers and daughters study. 1999 , 14, 102-10 | 70 |
| 1130 | Correlates of quantitative ultrasound in the Women's Healthy Lifestyle Project. 1999 , 10, 416-24 | 41 |
| 1129 | Exercise test in Parkinson's disease. 1999 , 9, 129-34 | 21 |
| 1128 | Calorie restriction is more effective for obesity treatment than dietary fat restriction. 1999 , 21, 35-9 | 28 |

| | | | |
|------|---|-----|------|
| 1127 | Risk factors for functional status decline in community-living elderly people: a systematic literature review. 1999 , 48, 445-69 | | 1340 |
| 1126 | Physical activity social support and middle- and older-aged minority women: results from a US survey. 1999 , 49, 781-9 | | 309 |
| 1125 | Benefits of leisure-time physical activity on the cardiovascular risk profile at older age. 1999 , 28, 659-66 | | 53 |
| 1124 | Work and leisure time physical activity and mortality in men and women from a general population sample. 1999 , 9, 366-73 | | 48 |
| 1123 | Anger, hostility, and visceral adipose tissue in healthy postmenopausal women. 1999 , 48, 1146-51 | | 46 |
| 1122 | Alexithymia and health behaviors in healthy male volunteers. 1999 , 47, 635-45 | | 56 |
| 1121 | Increased blood glucose and insulin, body size, and incident colorectal cancer. 1999 , 91, 1147-54 | | 388 |
| 1120 | What predicts weight regain in a group of successful weight losers?. 1999 , 67, 177-185 | | 305 |
| 1119 | Lipid reactivity to stress: II. Biological and behavioral influences.. 1999 , 18, 251-261 | | 33 |
| 1118 | Interaction of body weight and ethnicity on risk of gestational diabetes mellitus. 1999 , 70, 1083-9 | | 35 |
| 1117 | Use of simple measures of physical activity to predict stress fractures in young men undergoing a rigorous physical training program. <i>American Journal of Epidemiology</i> , 1999 , 149, 236-42 | 3.8 | 87 |
| 1116 | Relationship of lipoprotein(a) levels to physical activity and family history of coronary heart disease. 1999 , 89, 383-5 | | 8 |
| 1115 | Silent myocardial ischemia and low aerobic capacity: an unlucky combination. 1999 , 47, 1026-8 | | |
| 1114 | Physical activity and cardiovascular disease risk in middle-aged and older women. <i>American Journal of Epidemiology</i> , 1999 , 150, 408-16 | 3.8 | 84 |
| 1113 | Physical activity, metabolic factors, and the incidence of coronary heart disease and type 2 diabetes. 2000 , 160, 2108-16 | | 138 |
| 1112 | Factors associated with calcium absorption efficiency in pre- and perimenopausal women. 2000 , 72, 466-71 | | 83 |
| 1111 | Effects of Resistance Exercise and Body Mass Index on Lipoprotein-Lipid Patterns of Postmenopausal Women. 2000 , 14, 80-85 | | 1 |
| 1110 | Type 2 diabetes is prevalent and poorly controlled among Hispanic elders of Caribbean origin. 2000 , 90, 1288-93 | | 84 |

| | | | |
|------|---|-----|-----|
| 1109 | Deconditioning in patients with chronic low back pain: fact or fiction?. 2000 , 25, 2221-8 | | 47 |
| 1108 | Field evaluation of the Computer Science and Applications, Inc. physical activity monitor. 2000 , 32, 695-700 | | 99 |
| 1107 | Do the daily experiences of healthy men and women vary according to occupational prestige and work strain?. 2000 , 62, 346-53 | | 51 |
| 1106 | Effects of exercise on insulin resistance syndrome. 2000 , 11, 103-9 | | 14 |
| 1105 | Associations of light, moderate, and vigorous intensity physical activity with longevity. The Harvard Alumni Health Study. <i>American Journal of Epidemiology</i> , 2000 , 151, 293-9 | 3.8 | 437 |
| 1104 | Validation of the Minnesota Leisure Time Physical Activity Questionnaire In Spanish Women. Investigators of the MARATDON Group. 2000 , 32, 1431-7 | | 239 |
| 1103 | Physical exercise to reduce cardiovascular disease risk. 2000 , 59, 421-2 | | 4 |
| 1102 | Effect of physical activity on bone mineral density assessed by limb dominance across the lifespan. 2000 , 12, 633-637 | | 11 |
| 1101 | Physical Activity and Perceived Self-Efficacy in Older Adults. 2000 , 2, 29-43 | | 4 |
| 1100 | Postmenopausal estrogen therapy and depressive symptoms in older women. 2000 , 15, 535-41 | | 52 |
| 1099 | A case-control study of successful maintenance of a substantial weight loss: individuals who lost weight through surgery versus those who lost weight through non-surgical means. 2000 , 24, 573-9 | | 48 |
| 1098 | Does weight loss maintenance become easier over time?. 2000 , 8, 438-44 | | 63 |
| 1097 | Femoral neck and intertrochanteric fractures have different risk factors: a prospective study. 2000 , 11, 1018-23 | | 73 |
| 1096 | Relative influence of physical activity, muscle mass and strength on bone density. 2000 , 11, 944-52 | | 88 |
| 1095 | Determinants of bone mineral density in older men. 2000 , 11, 815-21 | | 86 |
| 1094 | [Effect of exercise tolerance test on hemostasis in patients with and without coronary heart disease]. 2000 , 95, 14-9 | | 1 |
| 1093 | Energy expenditure during leisure time and body mass index in Spain. 2000 , 56, 131-2 | | 0 |
| 1092 | Longitudinal evaluation of supervised versus unsupervised exercise programs for the treatment of osteoporosis. 2000 , 83, 349-55 | | 11 |

| | | |
|------|---|-----|
| 1091 | Isoflavone-rich soy protein isolate attenuates bone loss in the lumbar spine of perimenopausal women. 2000 , 72, 844-52 | 421 |
| 1090 | Cardiac troponin T alterations in myocardium and serum of rats after stressful, prolonged intense exercise. 2000 , 88, 1749-55 | 112 |
| 1089 | Diabetes and Sport. 265-279 | |
| 1088 | Major risk factors for cardiovascular disease in elderly migrants in Sweden. 2000 , 5, 137-50 | 27 |
| 1087 | Consequences of driving cessation: decreased out-of-home activity levels. 2000 , 55, S334-40 | 497 |
| 1086 | Measurement of daily walking distance-questionnaire versus pedometer. 2000 , 32, 1018-23 | 153 |
| 1085 | Modifiable risk factors predict functional decline among older women: a prospectively validated clinical prediction tool. The Study of Osteoporotic Fractures Research Group. 2000 , 48, 170-8 | 91 |
| 1084 | Long-term effects of different physical activity levels on coronary heart disease risk factors in middle-aged men. 2000 , 21, 235-41 | 42 |
| 1083 | Physical activity and coronary heart disease risk in men: does the duration of exercise episodes predict risk?. 2000 , 102, 981-6 | 177 |
| 1082 | Assessment of physical activity in older adults. 2000 , 71 Suppl 2, 79-87 | 102 |
| 1081 | Erratum. 2000 , 71, 409-409 | 7 |
| 1080 | Change in level of physical activity and risk of all-cause mortality or reinfarction: The Corpus Christi Heart Project. 2000 , 102, 2204-9 | 87 |
| 1079 | Status of Field-Based Fitness Testing in Children and Youth. 2000 , 31, S77-S85 | 43 |
| 1078 | The role of exercise in type II diabetes mellitus. 2000 , 3, 77-82 | 10 |
| 1077 | Long-term estrogen replacement therapy is associated with improved exercise capacity in postmenopausal women without known coronary artery disease. 2000 , 139, 739-44 | 29 |
| 1076 | Physical activity and coronary heart disease in men: The Harvard Alumni Health Study. 2000 , 102, 975-80 | 471 |
| 1075 | The behavioral determinants of exercise: implications for physical activity interventions. 2000 , 20, 21-44 | 374 |
| 1074 | Cross-sectional and prospective relationships of interleukin-6 and C-reactive protein with physical performance in elderly persons: MacArthur studies of successful aging. 2000 , 55, M709-15 | 305 |

| | | |
|------|---|------|
| 1073 | Exercise management of obesity. 2000 , 84, 419-40 | 27 |
| 1072 | Are predictors of coronary heart disease and lower-extremity arterial disease in type 1 diabetes the same? A prospective study. 2000 , 148, 159-69 | 119 |
| 1071 | Lack of association of lipoprotein(a) levels with coronary calcium deposits in asymptomatic postmenopausal women. 2000 , 35, 314-20 | 32 |
| 1070 | The effect of a garlic preparation on plasma lipid levels in moderately hypercholesterolemic adults. 2001 , 154, 213-20 | 82 |
| 1069 | Physical activity in the prevention of cardiovascular disease: an epidemiological perspective. 2001 , 31, 101-14 | 206 |
| 1068 | Successful weight loss maintenance. 2001 , 21, 323-41 | 1011 |
| 1067 | Review of evaluation tools used to assess the impact of nutrition education on dietary intake and quality, weight management practices, and physical activity of low-income audiences. 2001 , 33 Suppl 1, S35-48 | 21 |
| 1066 | Hormone replacement therapy use and menopausal symptoms among women participating in a behavioral lifestyle intervention. 2001 , 33, 108-114 | 18 |
| 1065 | Physical activity and exercise training prescriptions for patients. 2001 , 19, 447-57 | 7 |
| 1064 | Exercise in the reduction of cardiovascular events. Lessons from epidemiologic trials. 2001 , 19, 347-55 | 11 |
| 1063 | Diet and exercise in type 2 diabetes mellitus. 2001 , 30, 883-907 | 66 |
| 1062 | Methodology for Physical Activity Assessment. 51-61 | |
| 1061 | The effect of soy protein with or without isoflavones relative to milk protein on plasma lipids in hypercholesterolemic postmenopausal women. 2001 , 73, 728-35 | 148 |
| 1060 | Soy protein intake by perimenopausal women does not affect circulating lipids and lipoproteins or coagulation and fibrinolytic factors. 2001 , 131, 2280-7 | 61 |
| 1059 | Trajectory of Psychological Risk and Incident Hypertension in Middle-Aged Women. 2001 , 38, 798-802 | 94 |
| 1058 | Correlates of compliance in a randomized exercise trial in myocardial infarction patients. 2001 , 33, 1081-9 | 52 |
| 1057 | Simultaneous heart rate-motion sensor technique to estimate energy expenditure. 2001 , 33, 2118-23 | 68 |
| 1056 | The risks of exercise training. 2001 , 21, 347-52 | 19 |

| | | |
|------|---|------|
| 1055 | Aerobic exercise: effects on parameters related to fatigue, dyspnea, weight and body composition in HIV-infected adults. 2001 , 15, 693-701 | 101 |
| 1054 | Physical fitness and activity as separate heart disease risk factors: a meta-analysis. 2001 , 33, 754-61 | 444 |
| 1053 | Absolute versus relative intensity of physical activity in a dose-response context. 2001 , 33, S400-18; discussion S419-20 | 85 |
| 1052 | Back problems among postmenopausal women taking estrogen replacement therapy: the study of osteoporotic fractures. 2001 , 26, 1606-12 | 42 |
| 1051 | Physical activity and cardiovascular disease: evidence for a dose response. 2001 , 33, S472-83; discussion S493-4 | 206 |
| 1050 | Prevalence of physical activity during leisure time in the European Union. 2001 , 33, 1142-6 | 202 |
| 1049 | American College of Sports Medicine position stand. Appropriate intervention strategies for weight loss and prevention of weight regain for adults. 2001 , 33, 2145-56 | 468 |
| 1048 | Abnormal heart rate recovery after exercise: a comparison with known indicators of increased mortality. 2001 , 96, 38-44 | 13 |
| 1047 | Educational attainment and coronary and aortic calcification in postmenopausal women. 2001 , 63, 925-35 | 30 |
| 1046 | Long-term causes of death after traumatic brain injury. 2001 , 80, 510-6; quiz 517-9 | 76 |
| 1045 | Low bone density is not associated with aortic calcification. 2001 , 69, 20-4 | 65 |
| 1044 | Cardiac rehabilitation: a comprehensive review. 2001 , 2, 221-232 | 19 |
| 1043 | Simultaneous validation of ten physical activity questionnaires in older men: a doubly labeled water study. 2001 , 49, 28-35 | 171 |
| 1042 | Risk factors for hospitalized gastrointestinal bleeding among older persons. Cardiovascular Health Study Investigators. 2001 , 49, 126-33 | 76 |
| 1041 | Correlates of attributing new disability to old age. Study of Osteoporotic Fractures Research Group. 2001 , 49, 134-41 | 53 |
| 1040 | Old adults exhibit greater motor output variability than young adults only during rapid discrete isometric contractions. 2001 , 56, B524-32 | 90 |
| 1039 | Exercise standards for testing and training: a statement for healthcare professionals from the American Heart Association. 2001 , 104, 1694-740 | 1223 |
| 1038 | Total and central obesity among elderly Hispanics and the association with Type 2 diabetes. 2001 , 9, 443-51 | 51 |

| | | |
|------|---|-----|
| 1037 | Relationship of leisure-time physical activity and occupational activity to the prevalence of obesity. 2001 , 25, 606-12 | 149 |
| 1036 | Predictors of physical activity in community-dwelling elderly white women. 2001 , 16, 721-7 | 76 |
| 1035 | Computerized weight loss intervention optimizes staff time: the clinical and cost results of a controlled clinical trial conducted in a managed care setting. 2001 , 101, 1155-62; quiz 1163-4 | 79 |
| 1034 | Abnormal heart rate recovery after exercise as a reflection of an abnormal chronotropic response. 2001 , 87, 1164-9 | 54 |
| 1033 | Regular moderate intensity physical activity and blood concentrations of endogenous anabolic hormones and thyroid hormones in aging men. 2001 , 122, 191-203 | 32 |
| 1032 | WAVE: a pocket guide for a brief nutrition dialogue in primary care. 2001 , 27, 352-8, 361-2 | 17 |
| 1031 | The relation of markers of inflammation to the development of glucose disorders in the elderly: the Cardiovascular Health Study. 2001 , 50, 2384-9 | 473 |
| 1030 | Health effects resulting from exercise versus those from body fat loss. 2001 , 33, S611-21; discussion S640-1 | 22 |
| 1029 | Physical activity and health: current issues and research needs. 2001 , 30, 1193-7 | 21 |
| 1028 | Effect of sympathetic reinnervation on cardiac performance after heart transplantation. 2001 , 345, 731-8 | 231 |
| 1027 | Creating healthy workplaces in Northern Ireland: evaluation of a lifestyle and physical activity assessment programme. 2001 , 51, 439-49 | 31 |
| 1026 | Using Internet technology to deliver a behavioral weight loss program. 2001 , 285, 1172-7 | 647 |
| 1025 | Smoking in adolescence and young adulthood and mortality in later life: prospective observational study. 2001 , 55, 334-5 | 29 |
| 1024 | A prospective study of physical activity and cognitive decline in elderly women: women who walk. 2001 , 161, 1703-8 | 590 |
| 1023 | Decreased nocturnal levels of prolactin and growth hormone in women with fibromyalgia. 2001 , 86, 1672-8 | 39 |
| 1022 | The feasibility of using Internet support for the maintenance of weight loss. 2002 , 26, 103-16 | 101 |
| 1021 | Screening for traditional risk factors for cardiovascular disease: a review for oral health care providers. 2002 , 133, 291-300 | 14 |
| 1020 | Components of the metabolic syndrome and risk of cardiovascular disease and diabetes in Beaver Dam. 2002 , 25, 1790-4 | 343 |

| | | |
|------|--|------|
| 1019 | Effects of an energy-restrictive diet with or without exercise on abdominal fat, intermuscular fat, and metabolic risk factors in obese women. 2002 , 25, 431-8 | 237 |
| 1018 | Commentary: Is olive oil a key ingredient in the Mediterranean recipe for health?. 2002 , 31, 481-482 | 2 |
| 1017 | The risk of obesity and the Trp64Arg polymorphism of the beta(3)-adrenergic receptor: effect modification by age. 2002 , 46, 152-8 | 28 |
| 1016 | Dietary folate and the risk of nonfatal myocardial infarction. 2002 , 13, 700-6 | 22 |
| 1015 | Risk factors for motor vehicle crashes in older women. 2002 , 57, M186-91 | 58 |
| 1014 | Physical activity and cardiovascular disease. 2002 , 2, 257-66 | 37 |
| 1013 | Traditional cardiovascular disease risk factors in dialysis patients compared with the general population: the CHOICE Study. 2002 , 13, 1918-27 | 457 |
| 1012 | Physical activity and health in the elderly. 2002 , 1, 354-61 | 2 |
| 1011 | Motivation to Modify Lifestyle Risk Behaviors in Women Treated for Breast Cancer. 2002 , 77, 122-129 | 45 |
| 1010 | Depressive symptomatology and coronary heart disease in Type I diabetes mellitus: A study of possible mechanisms.. 2002 , 21, 542-552 | 55 |
| 1009 | Physical Activity and Cardiovascular Health in Aging Women: A Health-Promotion Perspective. 2002 , 10, 396-412 | 7 |
| 1008 | Osteoporosis and fractures in postmenopausal women using estrogen. 2002 , 162, 2278-84 | 27 |
| 1007 | Age and contraction type influence motor output variability in rapid discrete tasks. 2002 , 93, 489-98 | 50 |
| 1006 | Waist circumference and weight change are associated with disability among elderly Hispanics. 2002 , 57, M19-25 | 60 |
| 1005 | Genetics and blood pressure response to exercise, and its interactions with adiposity. 2002 , 5, 138-44 | 11 |
| 1004 | Non-exercise activity thermogenesis (NEAT). 2002 , 16, 679-702 | 87 |
| 1003 | Social cognitive determinants of physical activity in young adults: a prospective structural equation analysis. 2002 , 24, 149-56 | 333 |
| 1002 | Effects of the amount and intensity of exercise on plasma lipoproteins. 2002 , 347, 1483-92 | 1004 |

| | | |
|------|---|-----|
| 1001 | Risk of first non-fatal myocardial infarction negatively associated with olive oil consumption: a case-control study in Spain. 2002 , 31, 474-480 | 25 |
| 1000 | Assessment of Physical Activity, Exercise Self-Efficacy, and Stages of Change in College Students Using a Street-Based Survey Method. 2002 , 33, 199-205 | 6 |
| 999 | Allostatic load as a predictor of functional decline. MacArthur studies of successful aging. 2002 , 55, 696-710 | 348 |
| 998 | Relation of self-rated measures of physical activity to multiple risk factors of insulin resistance syndrome in young adults: the Bogalusa Heart Study. 2002 , 55, 997-1006 | 91 |
| 997 | Motivation to modify lifestyle risk behaviors in women treated for breast cancer. 2002 , 77, 122-9 | 64 |
| 996 | Low physical activity reduces total energy expenditure in women with rheumatoid arthritis: implications for dietary intake recommendations. 2002 , 76, 774-9 | 63 |
| 995 | Dietary and plasma lipid, lipoprotein, and apolipoprotein profiles among elderly Hispanics and non-Hispanics and their association with diabetes. 2002 , 76, 1214-21 | 55 |
| 994 | Risk of first non-fatal myocardial infarction negatively associated with olive oil consumption: a case-control study in Spain. 2002 , 31, 474-80 | 90 |
| 993 | Lifestyle-related weight gain in obese men with newly diagnosed obstructive sleep apnea. 2002 , 102, 703-6 | 15 |
| 992 | Comparison of cardiorespiratory fitness versus leisure time physical activity as predictors of coronary events in men aged 65 years. 2002 , 89, 1187-92 | 86 |
| 991 | Impact of physical activity on the emerging crisis of obesity in Asia. 2002 , 11, S710-S713 | 3 |
| 990 | Dehydroepiandrosterone-sulfate serum levels and common age-related diseases: results from a cross-sectional Italian study of a general elderly population. 2002 , 37, 701-12 | 44 |
| 989 | Lessons in cultural competence: Adapting research methodology for Latino participants. 2002 , 30, 305-323 | 51 |
| 988 | Using the right questionnaire is a crucial step in understanding the connections between physical activity and health. 2002 , 47, 144-5 | |
| 987 | The 27Glu polymorphism of the beta2-adrenergic receptor gene interacts with physical activity influencing obesity risk among female subjects. 2002 , 61, 305-7 | 45 |
| 986 | Physical activity and its impact on health outcomes. Paper 1: The impact of physical activity on cardiovascular disease and all-cause mortality: an historical perspective. 2002 , 3, 257-71 | 69 |
| 985 | Does using the Internet facilitate the maintenance of weight loss?. 2002 , 26, 1254-60 | 131 |
| 984 | Association of physical activity with insulin sensitivity in children. 2002 , 26, 1310-6 | 132 |

| | | |
|-----|--|-----|
| 983 | Long-term weight loss and breakfast in subjects in the National Weight Control Registry. 2002 , 10, 78-82 | 184 |
| 982 | Osteoporosis knowledge, calcium intake, and weight-bearing physical activity in three age groups of women. 2002 , 27, 307-20 | 52 |
| 981 | Lifestyle intervention can prevent weight gain during menopause: results from a 5-year randomized clinical trial. 2003 , 26, 212-20 | 122 |
| 980 | Type of alcoholic beverage and first acute myocardial infarction: a case-control study in a Mediterranean country. 2003 , 26, 313-8 | 23 |
| 979 | Physical Activity in the Prevention of Atherosclerotic Coronary Heart Disease. 2003 , 5, 279-285 | 15 |
| 978 | Lifestyle factors are associated with osteoporosis in lean women but not in normal and overweight women: a population-based cohort study of 1222 women. 2003 , 14, 34-43 | 83 |
| 977 | A prospective study of the effects of regular sports practice on mortality among the elderly in a rural community in Japan: An 8-year follow-up study. 2003 , 3, S15-S20 | 2 |
| 976 | Look AHEAD (Action for Health in Diabetes): design and methods for a clinical trial of weight loss for the prevention of cardiovascular disease in type 2 diabetes. 2003 , 24, 610-28 | 591 |
| 975 | Family predictors of disease management over one year in Latino and European American patients with type 2 diabetes. 2003 , 42, 375-90 | 54 |
| 974 | A longitudinal study of the impact of childhood and adolescent physical activity experiences on adult physical activity perceptions and behaviors. 2003 , 13, 358-77 | 69 |
| 973 | It is never too late: change in physical activity fosters change in cardiovascular risk factors in middle-aged women. 2003 , 6, 22-8 | 12 |
| 972 | Exercise counselling by family physicians in Canada. 2003 , 37, 226-32 | 54 |
| 971 | Aerobic exercise training for depressive symptom management in adults living with HIV infection. 2003 , 14, 30-40 | 74 |
| 970 | Interrelationship of smoking, paraoxonase activity, and leisure time physical activity: a population-based study. 2003 , 14, 178-184 | 48 |
| 969 | The early identification of poor treatment outcome in a women's weight loss program. 2003 , 4, 265-82 | 58 |
| 968 | Rate and mechanism of maximal oxygen consumption decline with aging: implications for exercise training. 2003 , 33, 877-88 | 222 |
| 967 | Established and recently identified coronary heart disease risk factors in young people: the influence of physical activity and physical fitness. 2003 , 33, 633-50 | 31 |
| 966 | College physical activity courses: why do students enroll, and what are their health behaviors?. 2003 , 74, 313-8 | 17 |

| | | | |
|-----|---|-----|-----|
| 965 | Whole grain intake is associated with lower body mass and greater insulin sensitivity among adolescents. <i>American Journal of Epidemiology</i> , 2003 , 158, 243-50 | 3.8 | 143 |
| 964 | Lack of association between tea and cardiovascular disease in college alumni. 2003 , 32, 527-33 | | 40 |
| 963 | Energy expenditure in wheelchair racing and handbiking - a basis for prevention of cardiovascular diseases in those with disabilities. 2003 , 10, 371-6 | | 33 |
| 962 | Commentary: This study failed?. 2003 , 32, 534-5 | | 13 |
| 961 | Effects of Internet behavioral counseling on weight loss in adults at risk for type 2 diabetes: a randomized trial. 2003 , 289, 1833-6 | | 512 |
| 960 | Relationship of changes in physical activity and mortality among older women. 2003 , 289, 2379-86 | | 238 |
| 959 | A Contextual Model of Control Beliefs, Behavior, and Health: Latino and European Americans with Type 2 Diabetes. 2003 , 18, 295-312 | | 44 |
| 958 | Accuracy and reliability of 10 pedometers for measuring steps over a 400-m walk. 2003 , 35, 1779-84 | | 409 |
| 957 | Erratum. 2003 , 52, 147 | | |
| 956 | Lower extremity physical performance and hip bone mineral density in elderly black and white men and women: cross-sectional associations in the Health ABC Study. 2003 , 58, M934-42 | | 58 |
| 955 | Sex- and race-related differences in cross-sectional geometry and bone density of the femoral mid-shaft in older adults. 2003 , 30, 329-46 | | 21 |
| 954 | Socioemotional correlates of self-reported menstrual cycle irregularity in premenopausal women. 2003 , 65, 1065-9 | | 5 |
| 953 | Marital status, marital quality, and atherosclerotic burden in postmenopausal women. 2003 , 65, 952-62 | | 80 |
| 952 | Leisure time physical activity of patients in maintenance cardiac rehabilitation. 2003 , 23, 260-5 | | 22 |
| 951 | Self-reported sleep quality and fatigue correlates with actigraphy in midlife women with fibromyalgia. 2003 , 52, 140-7 | | 69 |
| 950 | Isoflavone-rich soy protein prevents loss of hip lean mass but does not prevent the shift in regional fat distribution in perimenopausal women. 2003 , 10, 322-31 | | 44 |
| 949 | The relationship between convenience of destinations and walking levels in older women. 2003 , 18, 74-82 | | 176 |
| 948 | Bone mass of asian adolescents in China: influence of physical activity and smoking. 2003 , 35, 720-9 | | 32 |

| | | |
|-----|---|---------|
| 947 | How to carry out a health-orientated marathon training programme for running and inline skating. 2003 , 10, 304-12 | 4 |
| 946 | Physical activity and functional status in community-dwelling older women: a 14-year prospective study. 2003 , 163, 2565-71 | 132 |
| 945 | Occupation and subclinical carotid artery disease in women: Are clerical workers at greater risk?. 2003 , 22, 19-29 | 12 |
| 944 | Marital status and quality in middle-aged women: Associations with levels and trajectories of cardiovascular risk factors. 2003 , 22, 453-63 | 96 |
| 943 | Variables Related to Physical Activity of Aged Persons with Physical Dyskinesia. 2003 , 18, 197-205 | |
| 942 | Recovery from relapse among successful weight maintainers. 2003 , 78, 1079-84 | 76 |
| 941 | Physical activity and weight loss: does prescribing higher physical activity goals improve outcome?. 2003 , 78, 684-9 | 305 |
| 940 | [The association between socio-demographic factors and leisure-time physical activity in the PrESaÑe Study]. 2003 , 19, 1095-105 | 22 |
| 939 | [Gender and leisure-time physical activity]. 2003 , 19 Suppl 2, S325-33 | 29 |
| 938 | Central adiposity, aerobic fitness, and blood pressure in premenopausal Hispanic women. 2004 , 25, 599-606 | 8 |
| 937 | Reducing cardiovascular risk factors in postmenopausal women through a lifestyle change intervention. 2004 , 13, 412-26 | 54 |
| 936 | Quick WAVE Screener: a tool to address weight, activity, variety, and excess. 2004 , 30, 616, 618-22, 626-8 passim | 18 |
| 935 | Physical Activity and the Common Cold in Undergraduate University Students: Implications for Health Professionals. 2004 , 63, 145-157 | |
| 934 | Maintaining quality in exercise referral schemes: a case study of professional practice. 2004 , 5, 96-103 | 17 |
| 933 | The "weekend warrior" and risk of mortality. <i>American Journal of Epidemiology</i> , 2004 , 160, 636-41 | 3.8 118 |
| 932 | A nurse-coaching intervention for women with type 2 diabetes. 2004 , 30, 795-804 | 89 |
| 931 | Physical activity and coronary heart disease. 2004 , 328, 1089-90 | 30 |
| 930 | Bone mineral density of olympic-level female winter sport athletes. 2004 , 36, 1594-601 | 19 |

| | | |
|-----|---|-----|
| 929 | No pain, no gain? Thoughts on the Caerphilly study. 2004 , 38, 4-5 | 12 |
| 928 | Segment-specific effects of cardiovascular risk factors on carotid artery intima-medial thickness in women at midlife. 2004 , 24, 1951-6 | 38 |
| 927 | Prospective study of new participants in a community-based mind-body training program. 2004 , 19, 760-5 | 28 |
| 926 | Ciliary neurotrophic factor (CNTF) genotype and body composition. 2004 , 12, 372-6 | 8 |
| 925 | Dietary intake, physical activity, and obesity in women with polycystic ovary syndrome. 2004 , 28, 1026-32 | 72 |
| 924 | Physical, behavioral, and body image characteristics in a tri-racial group of adolescent girls. 2004 , 12, 1670-9 | 18 |
| 923 | Effect of internet support on the long-term maintenance of weight loss. 2004 , 12, 320-9 | 202 |
| 922 | Non-exercise activity thermogenesis (NEAT). 2004 , 62, S82-97 | 87 |
| 921 | Binge eating, quality of life and physical activity improve after Roux-en-Y gastric bypass for morbid obesity. 2004 , 14, 341-8 | 89 |
| 920 | Association of the G-174C variant in the interleukin-6 promoter region with bone loss and fracture risk in older women. 2004 , 19, 1612-8 | 52 |
| 919 | Prevalence of physical activity in the European Union. 2004 , 49, 281-9 | 52 |
| 918 | Low bone density and abnormal bone turnover in patients with atherosclerosis of peripheral vessels. 2004 , 15, 389-95 | 134 |
| 917 | A dietary and exercise intervention slows menopause-associated progression of subclinical atherosclerosis as measured by intima-media thickness of the carotid arteries. 2004 , 44, 579-85 | 109 |
| 916 | Vitamin D receptor genotype is associated with fat-free mass and sarcopenia in elderly men. 2004 , 59, 10-5 | 106 |
| 915 | Rural versus nonrural differences in BMC, volumetric BMD, and bone size: a population-based cross-sectional study. 2004 , 35, 1389-98 | 46 |
| 914 | Pain, psychological variables, sleep quality, and natural killer cell activity in midlife women with and without fibromyalgia. 2004 , 18, 304-13 | 42 |
| 913 | Medical triggers are associated with better short- and long-term weight loss outcomes. 2004 , 39, 612-6 | 78 |
| 912 | The relationship among physical activity, obesity, and physical function in community-dwelling older women. 2004 , 39, 74-80 | 54 |

| | | |
|-----|---|-----|
| 911 | Comparison of the college alumnus questionnaire physical activity index with objective monitoring. 2004 , 14, 409-15 | 38 |
| 910 | The evolution of physical activity recommendations: how much is enough?. 2004 , 79, 913S-920S | 278 |
| 909 | Decreased sleep spindles and spindle activity in midlife women with fibromyalgia and pain. 2004 , 27, 741-50 | 84 |
| 908 | Validity of a questionnaire to assess historical physical activity in older women. 2004 , 36, 2082-7 | 35 |
| 907 | Trait anger and the metabolic syndrome predict progression of carotid atherosclerosis in healthy middle-aged women. 2004 , 66, 903-8 | 45 |
| 906 | Pedometer measures of free-living physical activity: comparison of 13 models. 2004 , 36, 331-5 | 460 |
| 905 | Does Participation in Recommended Levels of Vigorous-Intensity Physical Activity Decrease Participation in Moderate-Intensity Physical Activity?. 2004 , 1, 45-55 | 9 |
| 904 | DO WOMEN REALLY NEED MARITAL PARTNERS FOR SUPPORT OF THEIR REPRODUCTIVE SUCCESS? THE CASE OF THE MATRILINEAL KHASI OF N. E. INDIA. 151-174 | 24 |
| 903 | A Comparison of Wandering Behavior in Nursing Homes and Assisted Living Facilities. 2005 , 19, 181-196 | |
| 902 | Synthesis of intervention research to modify physical activity and dietary behaviors. 2005 , 19, 25-61 | 36 |
| 901 | Past physical activity, current physical activity, and risk of coronary heart disease. 2005 , 37, 1251-6 | 30 |
| 900 | Social integration is associated with fibrinogen concentration in elderly men. 2005 , 67, 353-8 | 37 |
| 899 | Radiographic progression of lumbar spine disc degeneration is influenced by variation at inflammatory genes: a candidate SNP association study in the Chingford cohort. 2005 , 30, 2445-51 | 70 |
| 898 | Promoting Lifelong Fitness and Health Within an Athletic Population. 2005 , 27, 50-55 | |
| 897 | A greater reduction in high-frequency heart rate variability to a psychological stressor is associated with subclinical coronary and aortic calcification in postmenopausal women. 2005 , 67, 553-60 | 52 |
| 896 | Heart rate variability after isocaloric exercise bouts of different intensities. 2005 , 37, 599-605 | 69 |
| 895 | Androgen receptor CAG repeat polymorphism is associated with fat-free mass in men. 2005 , 98, 132-7 | 84 |
| 894 | Effects of exercise training amount and intensity on peak oxygen consumption in middle-age men and women at risk for cardiovascular disease. 2005 , 128, 2788-93 | 108 |

| | | |
|-----|---|-----|
| 893 | Do poor health behaviors affect health-related quality of life and healthcare utilization among veterans? The Veterans Health Study. 2005 , 28, 141-56 | 12 |
| 892 | Psychological underpinnings of metabolic syndrome. 2005 , 64, 363-9 | 22 |
| 891 | Suitability of physical activity questionnaires for older adults in fall-prevention trials: a systematic review. 2005 , 13, 461-81 | 44 |
| 890 | Involving support partners in obesity treatment. 2005 , 73, 341-3 | 83 |
| 889 | The relationship between self-monitoring, outcome expectancies, difficulties with eating and exercise, and physical activity and weight loss treatment outcomes. 2005 , 30, 182-90 | 85 |
| 888 | Self-weighing in weight gain prevention and weight loss trials. 2005 , 30, 210-6 | 193 |
| 887 | Metabolic control, self-management and psychosocial adjustment in women with type 2 diabetes. 2005 , 14, 195-203 | 95 |
| 886 | Reliability and validity of the combined heart rate and movement sensor Actiheart. 2005 , 59, 561-70 | 485 |
| 885 | Stress and weight gain in parents of cancer patients. 2005 , 29, 244-50 | 38 |
| 884 | Cardiovascular health promotion in aging women: validating a population health approach. 2005 , 22, 379-88 | 2 |
| 883 | High parity is associated with increased bone size and strength. 2005 , 16, 1969-74 | 50 |
| 882 | The association of physical activity and body mass index with the risk of large bowel polyps. 2005 , 14, 2082-6 | 50 |
| 881 | Hip fracture in women without osteoporosis. 2005 , 90, 2787-93 | 451 |
| 880 | The Evolution of Physical Activity Recommendations: What Should I Tell My Patients?. 2005 , 1, 231-233 | |
| 879 | Osteoporosis screening in people with airways disease. 2005 , 2, 5-12 | 1 |
| 878 | Marital quality and occurrence of the metabolic syndrome in women. 2005 , 165, 1022-7 | 85 |
| 877 | Cardiovascular health and fitness after stroke. 2005 , 12, 1-16 | 136 |
| 876 | The association of gastrointestinal symptoms with weight, diet, and exercise in weight-loss program participants. 2005 , 3, 992-6 | 56 |

| | | |
|-----|---|----|
| 875 | Tracking of physical activity in adolescence. 2005 , 76, 119-29 | 53 |
| 874 | Moderate or vigorous intensity exercise: which is better for improving aerobic fitness?. 2005 , 8, 55-8 | 54 |
| 873 | Cardiovascular reactivity during dyadic social interaction: the roles of gender and dominance. 2005 , 57, 219-28 | 14 |
| 872 | Applying a stepped-care approach to the treatment of obesity. 2005 , 59, 375-83 | 47 |
| 871 | Predictors of weight control advice in primary care practices: patient health and psychosocial characteristics. 2005 , 40, 71-82 | 99 |
| 870 | Physical activity and decreased risk of clinical gallstone disease among post-menopausal women. 2005 , 41, 772-7 | 25 |
| 869 | Depressive symptoms have an independent, gradient risk for coronary heart disease incidence in a random, population-based sample. 2005 , 15, 316-20 | 56 |
| 868 | Gender differences in perceived environmental correlates of physical activity. 2005 , 2, 12 | 73 |
| 867 | Diet and exercise for weight loss: a review of current issues. 2005 , 35, 1-9 | 25 |
| 866 | The Work-Leisure Paradigm: The Stresses and Strains of Maintaining a Balanced Lifestyle. 2006 , 48, 22-32 | 11 |
| 865 | Differentials and Determinants of Syndrome 'X' and its Role as Coronary Risk among Healthy Middle Aged Indian Army Personnel. 2006 , 62, 146-52 | 3 |
| 864 | Validity and Reliability of the International Physical Activity Questionnaire in College Students. 2006 , 37, 337-343 | 87 |
| 863 | PREFER study: a randomized clinical trial testing treatment preference and two dietary options in behavioral weight management--rationale, design and baseline characteristics. 2006 , 27, 34-48 | 38 |
| 862 | Depressive symptoms, physical activity, and weight gain in premenopausal Latina and White women. 2006 , 55, 116-25 | 11 |
| 861 | Long-term evaluation of multi-disciplinary treatment of morbid obesity in low-income minority adolescents: La Rabida Children's Hospital's FitMatters program. 2006 , 39, 553-61 | 25 |
| 860 | Estimation de l'aptitude physique par questionnaire. 2006 , 21, 121-130 | 11 |
| 859 | The association of cigarette smoking with self-reported disease before middle age: the Coronary Artery Risk Development in Young Adults (CARDIA) study. 2006 , 42, 193-9 | 30 |
| 858 | 7. Sport for special groups. 2006 , 184, 297-302 | 9 |

| | | |
|-----|---|-----|
| 857 | Effect of Exercise on the Heart and the Prevention of Coronary Heart Disease. 2006 , 419-459 | 3 |
| 856 | Comparison of energy expenditure estimates from 4 physical activity questionnaires with doubly labeled water estimates in postmenopausal women. 2006 , 84, 230-6 | 80 |
| 855 | The association between mood states and physical activity in postmenopausal, obese, sedentary women. 2006 , 14, 12-28 | 29 |
| 854 | The impact of self-efficacy on behavior change and weight change among overweight participants in a weight loss trial. 2006 , 25, 282-91 | 185 |
| 853 | Cardiovascular reactivity to and recovery from psychological challenge as predictors of 3-year change in blood pressure. 2006 , 25, 111-8 | 53 |
| 852 | Physical activity, fitness and cardiovascular disease risk in adults: interactions with insulin resistance and obesity. 2006 , 110, 409-25 | 112 |
| 851 | Validity of four short physical activity questionnaires in middle-aged persons. 2006 , 38, 1255-66 | 143 |
| 850 | Effectiveness of an incentive-based online physical activity intervention on employee health status. 2006 , 48, 889-95 | 40 |
| 849 | Associations of physical activity and inactivity before and during pregnancy with glucose tolerance. 2006 , 108, 1200-7 | 172 |
| 848 | Cancer-related beliefs and health behavior change among breast cancer survivors and their first-degree relatives. 2006 , 15, 701-12 | 104 |
| 847 | Television viewing and long-term weight maintenance: results from the National Weight Control Registry. 2006 , 14, 1816-24 | 89 |
| 846 | The comparative and cumulative effects of a dietary restriction and exercise on weight loss. 2006 , 30, 112-21 | 31 |
| 845 | Does reduced skeletal loading account for age-related bone loss?. 2006 , 21, 1847-55 | 43 |
| 844 | A systematic review of randomized trials on the effectiveness of computer-tailored education on physical activity and dietary behaviors. 2006 , 31, 205-23 | 426 |
| 843 | Religious service attendance and decline in pulmonary function in a high-functioning elderly cohort. 2006 , 32, 245-53 | 12 |
| 842 | A self-regulation program for maintenance of weight loss. 2006 , 355, 1563-71 | 613 |
| 841 | Treatment for rheumatoid arthritis and the risk of hospitalization for pneumonia: associations with prednisone, disease-modifying antirheumatic drugs, and anti-tumor necrosis factor therapy. 2006 , 54, 628-34 | 367 |
| 840 | Use of an Orientation Session May Help Decrease Attrition in a Pediatric Weight Management Program for Low-Income Minority Adolescents. 2006 , 13, 169-179 | 20 |

| | | |
|-----|---|--------|
| 839 | A referent bone mineral density database for Chinese American women. 2006 , 17, 878-87 | 49 |
| 838 | The use of a personal digital assistant for dietary self-monitoring does not improve the validity of self-reports of energy intake. 2006 , 106, 1256-9 | 64 |
| 837 | Relation of social integration to inflammatory marker concentrations in men and women 70 to 79 years. 2006 , 97, 1010-6 | 121 |
| 836 | The Nutrition, Aging, and Memory in Elders (NAME) study: design and methods for a study of micronutrients and cognitive function in a homebound elderly population. 2006 , 21, 519-28 | 57 |
| 835 | Physical activity and the risk of colon cancer among women: a prospective cohort study (United States). 2006 , 119, 385-91 | 37 |
| 834 | Correlates of decline in lower extremity performance in older women: A 10-year follow-up study. 2006 , 61, 1194-200 | 57 |
| 833 | Combined work and leisure physical activity and risk of stroke in men and women in the European prospective investigation into Cancer-Norfolk Prospective Population Study. 2006 , 27, 122-9 | 30 |
| 832 | Schonungslose Medizin: Der neue Umgang mit dem Kranksein. 2006 , 82, 338-342 | |
| 831 | Altered osteoprotegerin/RANKL ratio and low bone mineral density in celiac patients on long-term treatment with gluten-free diet. 2006 , 38, 417-22 | 53 |
| 830 | Amount and intensity of physical activity, fitness, and serum lipids in pre-menopausal women. 2006 , 27, 911-8 | 4 |
| 829 | Cystatin C and measures of physical function in elderly adults: the Health, Aging, and Body Composition (HABC) Study. <i>American Journal of Epidemiology</i> , 2006 , 164, 1180-9 | 3.8 91 |
| 828 | A randomized trial comparing human e-mail counseling, computer-automated tailored counseling, and no counseling in an Internet weight loss program. 2006 , 166, 1620-5 | 327 |
| 827 | Interpreting current physical activity guidelines and incorporating them into practice for health promotion and disease prevention. 2006 , 63, 1647-53 | 3 |
| 826 | Exercise capacity is a predictor of cardiovascular events in patients with type 2 diabetes mellitus. 2006 , 3, 197-201 | 20 |
| 825 | Youth WAVE Screener: addressing weight-related behaviors with school-age children. 2006 , 32, 415-22 | 13 |
| 824 | Self-reported physical activity and myocardial flow reserve in postmenopausal women at risk for cardiovascular disease. 2006 , 15, 45-50 | 5 |
| 823 | Can social desirability interfere with success in a behavioral weight loss program?. 2006 , 21, 65-78 | 11 |
| 822 | Metabolic syndrome is associated with greater histologic severity, higher carbohydrate, and lower fat diet in patients with NAFLD. 2006 , 101, 2247-53 | 155 |

| | | |
|-----|---|-----|
| 821 | Quantifying physical activity in daily life with questionnaires and motion sensors in COPD. 2006 , 27, 1040-55 | 316 |
| 820 | Socioemotional correlates of self-reported menstrual cycle irregularity: replication and extension. 2006 , 24, 304-313 | |
| 819 | Effects of demographic, dietary and other lifestyle factors on the prevalence of hyperlipidemia in Guangxi Hei Yi Zhuang and Han populations. 2006 , 13, 977-84 | 54 |
| 818 | Association of physical activity with reproductive hormones: the Penn Ovarian Aging Study. 2007 , 16, 2042-7 | 24 |
| 817 | A Portrait of State-of-the-Art Research at the Technical University of Lisbon. 2007 , | 2 |
| 816 | [Aging and physical activity data on which to base recommendations for exercise in older adults]. 2007 , 32 Suppl 2F, S75-S171 | 26 |
| 815 | Commit to Quit in the YMCAs: translating an evidence-based quit smoking program for women into a community setting. 2007 , 9, 1227-35 | 17 |
| 814 | [Evidence-based guidelines for physical activity of adult Canadians]. 2007 , 32 Suppl 2F, S17-74 | 17 |
| 813 | The prediction of major outcomes of type 1 diabetes: a 12-year prospective evaluation of three separate definitions of the metabolic syndrome and their components and estimated glucose disposal rate: the Pittsburgh Epidemiology of Diabetes Complications Study experience. 2007 , 30, 1248-54 | 116 |
| 812 | Patterns and correlates of muscle strength loss in older women. 2007 , 53, 140-7 | 60 |
| 811 | Frailty and risk of falls, fracture, and mortality in older women: the study of osteoporotic fractures. 2007 , 62, 744-51 | 461 |
| 810 | Effects of weight control during the menopausal transition on bone mineral density. 2007 , 92, 3809-15 | 27 |
| 809 | Negative emotions and 3-year progression of subclinical atherosclerosis. 2007 , 64, 225-33 | 107 |
| 808 | Pedometer ownership, motivation, and walking: do people walk the talk?. 2007 , 78, 369-74 | 3 |
| 807 | Child and parental self-monitoring as determinants of success in the treatment of morbid obesity in low-income minority children. 2007 , 32, 111-21 | 59 |
| 806 | Comparison of demography, diet, lifestyle, and serum lipid levels between the Guangxi Bai Ku Yao and Han populations. 2007 , 48, 2673-81 | 63 |
| 805 | Experiences of demand and control during daily life are predictors of carotid atherosclerotic progression among healthy men. 2007 , 26, 324-32 | 34 |
| 804 | Subjective social status, objective socioeconomic status, and cardiovascular risk in women. 2007 , 26, 668-74 | 96 |

| | | |
|-----|--|-----|
| 803 | Long-term weight losses associated with prescription of higher physical activity goals. Are higher levels of physical activity protective against weight regain?. 2007 , 85, 954-9 | 133 |
| 802 | Effects of a vegetarian diet and treatment preference on biochemical and dietary variables in overweight and obese adults: a randomized clinical trial. 2007 , 86, 588-96 | 39 |
| 801 | Cardiovascular risk factors and metabolic syndrome in alcohol- and nicotine-dependent men and women. 2007 , 22, 429-35 | 34 |
| 800 | Quantifying leisure physical activity and its relation to bone density and strength. 2007 , 39, 2189-98 | 36 |
| 799 | Feelings of Usefulness to Others, Disability, and Mortality in Older Adults: the MacArthur Study of Successful Aging. 2007 , 62, P28-37 | 124 |
| 798 | Effectiveness of brief structured interventions on risk factor modification for patients with coronary heart disease. 2007 , 5, 370-405 | |
| 797 | Changes in leisure time physical activity and risk of all-cause mortality in men and women: the Baltimore Longitudinal Study of Aging. 2007 , 45, 169-76 | 89 |
| 796 | Television, walking, and diet: associations with postpartum weight retention. 2007 , 32, 305-11 | 105 |
| 795 | Predictors of change in physical activity during and after pregnancy: Project Viva. 2007 , 32, 312-9 | 252 |
| 794 | Updating the evidence on physical activity and health in women. 2007 , 33, 404-411 | 114 |
| 793 | Randomized controlled trials of positive affect and self-affirmation to facilitate healthy behaviors in patients with cardiopulmonary diseases: rationale, trial design, and methods. 2007 , 28, 748-62 | 64 |
| 792 | Association of high alpha2-Heremans-Schmid glycoprotein/fetuin concentration in serum and intima-media thickness in patients with atherosclerotic vascular disease and low bone mass. 2007 , 195, 110-5 | 67 |
| 791 | Ageing and physical activity: evidence to develop exercise recommendations for older adults This article is part of a supplement entitled Advancing physical activity measurement and guidelines in Canada: a scientific review and evidence-based foundation for the future of Canadian physical activity guidelines co-published by Applied Physiology, Nutrition, and Metabolism and the Canadian | 96 |
| 790 | An accurate risk score based on anthropometric, dietary, and lifestyle factors to predict the development of type 2 diabetes. 2007 , 30, 510-5 | 283 |
| 789 | Weight loss maintenance in women 3 years after following a 12-week structured weight loss program. 2007 , 1, I-II | 4 |
| 788 | Underreporting of dietary intake by body mass index in premenopausal women participating in the Healthy Women Study. 2007 , 1, 231-6 | 12 |
| 787 | Comparison of energy expenditure from lifestyle physical activities between patients with rheumatoid arthritis and healthy controls. 2007 , 57, 672-8 | 41 |
| 786 | Physical activity and its correlates in treatment-seeking obese patients with binge eating disorder. 2007 , 40, 72-6 | 35 |

| | | |
|-----|---|-----|
| 785 | Risk factors for dementia: data from the Conselice study of brain aging. 2007 , 44 Suppl 1, 311-20 | 13 |
| 784 | Effects of alcohol consumption and other lifestyle behaviors on blood pressure for the middle-aged and elderly in the Guangxi Hei Yi Zhuang and Han populations. 2007 , 41, 541-50 | 18 |
| 783 | Weight gain prevention among women. 2007 , 15, 1267-77 | 52 |
| 782 | Consistent self-monitoring of weight: a key component of successful weight loss maintenance. 2007 , 15, 3091-6 | 349 |
| 781 | Weight loss on the web: A pilot study comparing a structured behavioral intervention to a commercial program. 2007 , 15, 155-64 | 164 |
| 780 | The efficacy of a technology-based system in a short-term behavioral weight loss intervention. 2007 , 15, 825-30 | 120 |
| 779 | Association between aortic calcification and total and cardiovascular mortality in older women. 2007 , 261, 238-44 | 60 |
| 778 | Increased formation of 8-iso-prostaglandin F(2alpha) is associated with altered bone metabolism and lower bone mass in hypercholesterolaemic subjects. 2007 , 261, 587-96 | 18 |
| 777 | Women who maintain optimal cognitive function into old age. 2007 , 55, 259-64 | 82 |
| 776 | Knee extension strength cutpoints for maintaining mobility. 2007 , 55, 451-7 | 165 |
| 775 | RSA fluctuation in major depressive disorder. 2007 , 44, 450-8 | 128 |
| 774 | Degenerative meniscus tears and mobility impairment in women with knee osteoarthritis. 2007 , 15, 701-8 | 52 |
| 773 | Evidence-informed physical activity guidelines for Canadian adults This article is part of a supplement entitled Advancing physical activity measurement and guidelines in Canada: a scientific review and evidence-based foundation for the future of Canadian physical activity guidelines co-published by Applied Physiology, Nutrition, and Metabolism and the Canadian Journal of Public Health. It may be cited as Appl. Physiol. Nutr. Metab. 32(Suppl. 2E) or as Can. J. Public Health 98(Suppl. 2).. 2007 , 32, S16-S68 | 104 |
| 772 | Minimal in-person support as an adjunct to internet obesity treatment. 2007 , 33, 49-56 | 80 |
| 771 | Volumetric bone mineral density and bone size in sleep-deprived individuals. 2007 , 18, 93-9 | 36 |
| 770 | Determinants of bone mineral density in Chinese-American women. 2007 , 18, 471-8 | 21 |
| 769 | Personal digital assistants are comparable to traditional diaries for dietary self-monitoring during a weight loss program. 2007 , 30, 165-75 | 143 |
| 768 | The role of physical activity in maintaining a reduced weight. 2007 , 9, 463-71 | 10 |

| | | |
|-----|---|-----|
| 767 | The Behavioral Ecology of Family Planning : Two Ethnic Groups in Northeast India. 2007 , 18, 225-41 | 7 |
| 766 | Traditional physical activity indexes derived from the Harvard alumni activity survey have low construct validity in a lower income, urban population. 2007 , 84, 722-32 | 10 |
| 765 | Increased augmentation index and central aortic blood pressure in osteoporotic postmenopausal women. 2008 , 19, 49-56 | 24 |
| 764 | [Instrument for the assessment of middle-aged and older adults' physical activity: design, reliability and application of the German-PAQ-50+]. 2008 , 41, 208-16 | 41 |
| 763 | Diet, alcohol consumption, and serum lipid levels of the middle-aged and elderly in the Guangxi Bai Ku Yao and Han populations. 2008 , 42, 219-29 | 19 |
| 762 | Pedometer readings and self-reported walking distances in a rural Hutterite population. 2008 , 24, 99-100 | 2 |
| 761 | Weight loss treatment influences untreated spouses and the home environment: evidence of a ripple effect. 2008 , 32, 1678-84 | 143 |
| 760 | Physical activity patterns in the National Weight Control Registry. 2008 , 16, 153-61 | 133 |
| 759 | Successful weight-loss maintenance in relation to method of weight loss. 2008 , 16, 2456-61 | 44 |
| 758 | Accuracy of the Actiheart for the assessment of energy expenditure in adults. 2008 , 62, 704-11 | 157 |
| 757 | Preliminary evidence for subdimensions of geriatric frailty: the MacArthur study of successful aging. 2008 , 56, 2292-7 | 68 |
| 756 | Misperceived pre-pregnancy body weight status predicts excessive gestational weight gain: findings from a US cohort study. 2008 , 8, 54 | 68 |
| 755 | A prospective study of physical activity and the risk of pancreatic cancer among women (United States). 2008 , 8, 63 | 21 |
| 754 | Associations of diet and lifestyle with hyperlipidemia for middle-aged and elderly persons among the Guangxi Bai Ku Yao and Han populations. 2008 , 108, 970-6 | 25 |
| 753 | Prospective study of physical activity and risk of postmenopausal breast cancer. 2008 , 10, R92 | 63 |
| 752 | Eating beyond satiety and body mass index. 2008 , 13, 119-28 | 3 |
| 751 | Sex differences in environmental and genetic factors for hypertension. 2008 , 121, 811-9 | 30 |
| 750 | Exercise and Fitness. 2008 , 393-418 | |

| | | |
|-----|---|-----|
| 749 | A randomized comparison of two motivationally enhanced Internet behavioral weight loss programs. 2008 , 46, 1090-5 | 61 |
| 748 | Taking control of your personal eating and exercise environment: a weight maintenance program. 2008 , 9, 228-37 | 20 |
| 747 | Comparison of hypertension and its risk factors between the Guangxi Bai Ku Yao and Han populations. 2008 , 17, 306-16 | 23 |
| 746 | Lactose intolerance in prostate cancer patients: incidence and associated factors. 2008 , 43, 270-6 | 7 |
| 745 | Physical activity and dementia risk in the elderly: findings from a prospective Italian study. 2008 , 70, 1786-94 | 132 |
| 744 | Physical activity, white blood cell count, and lung cancer risk in a prospective cohort study. 2008 , 17, 2714-22 | 46 |
| 743 | Comparison of 2 frailty indexes for prediction of falls, disability, fractures, and death in older women. 2008 , 168, 382-9 | 602 |
| 742 | Adulthood lifetime physical activity and breast cancer. 2008 , 19, 226-36 | 48 |
| 741 | The Risk in Exercise Training. 2008 , 2, 279-284 | 10 |
| 740 | Diet, lifestyle, and blood pressure of the middle-aged and elderly in the Guangxi Bai Ku Yao and Han populations. 2008 , 21, 382-7 | 40 |
| 739 | Biomarkers of cardiovascular disease risk in 40-65-year-old men performing recommended levels of physical activity, compared with sedentary men. 2009 , 43, 136-41 | 7 |
| 738 | How do I measure physical activity in my patients? Questionnaires and objective methods. 2009 , 43, 6-9 | 80 |
| 737 | Einfluss von Bewegungstraining im hohen Lebensalter auf die Entwicklung einer kognitiven Beeinträchtigung, Demenz bzw. Alzheimer-Demenz. 2008 , 4, 168-177 | 0 |
| 736 | A physiologic index of comorbidity: relationship to mortality and disability. 2008 , 63, 603-9 | 90 |
| 735 | Maintaining large weight losses: the role of behavioral and psychological factors. 2008 , 76, 1015-21 | 121 |
| 734 | Holiday weight management by successful weight losers and normal weight individuals. 2008 , 76, 442-8 | 42 |
| 733 | Estimating activity energy expenditure: how valid are physical activity questionnaires?. 2008 , 87, 279-91 | 149 |
| 732 | Self-reported sleep duration is associated with the metabolic syndrome in midlife adults. 2008 , 31, 635-43 | 299 |

| | | |
|-----|---|--------|
| 731 | The importance of walking to public health. 2008 , 40, S512-8 | 278 |
| 730 | Walking and measurement. 2008 , 40, S529-36 | 40 |
| 729 | Effect of physical activity on menopausal symptoms among urban women. 2008 , 40, 50-8 | 48 |
| 728 | Centrally located body fat is related to inflammatory markers in healthy postmenopausal women. 2008 , 15, 619-27 | 25 |
| 727 | Depressive symptoms moderate the influence of hostility on serum interleukin-6 and C-reactive protein. 2008 , 70, 197-204 | 35 |
| 726 | Soft drink consumption linked with fatty liver in the absence of traditional risk factors. 2008 , 22, 811-6 | 219 |
| 725 | The Effectiveness of Lifestyle Physical Activity Interventions to Reduce Cardiovascular Disease. 2009 , 3, 11S-18S | 24 |
| 724 | Hyperlipidaemia and its risk factors in the Guangxi Bai Ku Yao and Han populations. 2009 , 12, 816-24 | 24 |
| 723 | Association of diet and lifestyle with blood pressure in the Guangxi Hei Yi Zhuang and Han populations. 2009 , 12, 553-61 | 10 |
| 722 | A traditional rice and beans pattern is associated with metabolic syndrome in Puerto Rican older adults. 2009 , 139, 1360-7 | 61 |
| 721 | Bewegungstherapie bei Adipositas und metabolischem Syndrom. 2009 , 1, 46-51 | |
| 720 | Handcycling: Boomender (Leistungs-)Sport und gelebte Prävention. 2009 , 25, 202-205 | |
| 719 | Cost-effectiveness of interventions to promote physical activity: a modelling study. 2009 , 6, e1000110 | 146 |
| 718 | Activity energy expenditure and mobility limitation in older adults: differential associations by sex. <i>American Journal of Epidemiology</i> , 2009 , 169, 1507-16 | 3.8 27 |
| 717 | Vitamin D is associated with cognitive function in elders receiving home health services. 2009 , 64, 888-95 | 125 |
| 716 | A prospective study of bone lead concentration and death from all causes, cardiovascular diseases, and cancer in the Department of Veterans Affairs Normative Aging Study. 2009 , 120, 1056-64 | 86 |
| 715 | Physical activity, other life-style patterns, cardiovascular disease and longevity. 1986 , 711, 85-91 | 36 |
| 714 | Lower extremity overuse injuries. 1986 , 711, 171-7 | 14 |

| | | |
|-----|---|-----|
| 713 | Physical Fitness and Coronary Heart Disease Morbidity and Mortality. 2009 , 220, 189-192 | 1 |
| 712 | The cardiovascular risks of physical activity. 1986 , 711, 205-14 | 21 |
| 711 | The Tromsø Heart Study: coronary risk factor levels in treated and untreated hypertensives. 1988 , 224, 515-21 | 4 |
| 710 | Alcohol consumption and high-density lipoprotein cholesterol in marathon runners. 1981 , 39, 303-4 | |
| 709 | [Population-based study of leisure time physical activity]. 2009 , 23, 127-32 | 11 |
| 708 | A mixed methods evaluation of televised health promotion advertisements targeted at older adults. 2009 , 32, 278-88 | 23 |
| 707 | Predictors of ankle and foot fractures in older women. The Study of Osteoporotic Fractures Research Group. 1996 , 11, 1347-55 | 152 |
| 706 | Determinants of premenopausal bone mineral density: the interplay of genetic and lifestyle factors. 1996 , 11, 1557-65 | 76 |
| 705 | Quantifying the dose-response of walking in reducing coronary heart disease risk: meta-analysis. 2009 , 24, 181-92 | 73 |
| 704 | Resistive Exercise for Arthritic Cartilage Health (REACH): a randomized double-blind, sham-exercise controlled trial. 2009 , 9, 1 | 38 |
| 703 | Are standard behavioral weight loss programs effective for young adults?. 2009 , 33, 1374-80 | 90 |
| 702 | Abdominal obesity, insulin resistance, and the metabolic syndrome: contribution of physical activity/exercise. 2009 , 17 Suppl 3, S1-2 | 25 |
| 701 | The utility of physical activity in the management of global cardiometabolic risk. 2009 , 17 Suppl 3, S3-S14 | 43 |
| 700 | Loop diuretic use and rates of hip bone loss and risk of falls and fractures in older women. 2009 , 57, 855-62 | 54 |
| 699 | Improving the performance of physiologic hot flash measures with support vector machines. 2009 , 46, 285-92 | 57 |
| 698 | AKAP10 (I646V) functional polymorphism predicts heart rate and heart rate variability in apparently healthy, middle-aged European-Americans. 2009 , 46, 466-72 | 22 |
| 697 | Correlates of cortical bone mass among premenopausal and postmenopausal Japanese women. 1991 , 6, 651-9 | 54 |
| 696 | Reproductive correlates of bone mass in elderly women. Study of Osteoporotic Fractures Research Group. 1993 , 8, 901-8 | 148 |

| | | |
|-----|---|-----|
| 695 | Effects of fluoridated drinking water on bone mass and fractures: the study of osteoporotic fractures. 1995 , 10, 1076-86 | 40 |
| 694 | Determinants of bone mineral density in older men. 1995 , 10, 1769-77 | 105 |
| 693 | Hip and calcaneal bone loss increase with advancing age: longitudinal results from the study of osteoporotic fractures. 1995 , 10, 1778-87 | 242 |
| 692 | Risk factors for severity and type of the hip fracture. 2009 , 24, 943-55 | 34 |
| 691 | Methodology and baseline characteristics for the Sarcopenia and Hip Fracture study: a 5-year prospective study. 2009 , 64, 568-74 | 64 |
| 690 | A prospective evaluation of the directionality of the depression-inflammation relationship. 2009 , 23, 936-44 | 280 |
| 689 | Cardiovascular risk factors in young, overweight, and obese European adults and associations with physical activity and omega-3 index. 2009 , 29, 305-12 | 13 |
| 688 | A comparison of maintenance-tailored therapy (MTT) and standard behavior therapy (SBT) for the treatment of obesity. 2009 , 49, 384-9 | 34 |
| 687 | Soft drink consumption is associated with fatty liver disease independent of metabolic syndrome. 2009 , 51, 918-24 | 181 |
| 686 | Healthy hearts--and the universal benefits of being physically active: physical activity and health. 2009 , 19, 253-6 | 280 |
| 685 | A randomized trial examining differential meal replacement adherence in a weight loss maintenance program after one-year follow-up. 2009 , 10, 176-83 | 26 |
| 684 | Energy density and weight change in a long-term weight-loss trial. 2009 , 6, 57 | 18 |
| 683 | Does depression reduce the effectiveness of behavioral weight loss treatment?. 2010 , 35, 126-34 | 18 |
| 682 | Virtual Self-Modeling: The Effects of Vicarious Reinforcement and Identification on Exercise Behaviors. 2009 , 12, 1-25 | 310 |
| 681 | The environmental and genetic evidence for the association of hyperlipidemia and hypertension. 2009 , 27, 251-8 | 33 |
| 680 | References. 2009 , 391-405 | |
| 679 | Managing Weight in Persons Living with Severe Mental Illness in Community Settings: A Review of Strategies Used in Community Interventions. 2009 , 30, 660-668 | 17 |
| 678 | Serum 25-hydroxyvitamin D is related to indicators of overall physical fitness in healthy postmenopausal women. 2009 , 16, 1093-101 | 44 |

| | | |
|-----|---|-----|
| 677 | Session 1: Public health nutrition: Physical activity prescription for public health. 2010 , 69, 178-84 | 15 |
| 676 | A urinary marker of oxidative stress covaries positively with hostility among midlife community volunteers. 2010 , 72, 273-80 | 8 |
| 675 | Improving urinary incontinence in overweight and obese women through modest weight loss. 2010 , 116, 284-292 | 121 |
| 674 | Subjective socioeconomic status and presence of the metabolic syndrome in midlife community volunteers. 2010 , 72, 35-45 | 81 |
| 673 | Contribution of behavior intervention components to 24-month weight loss. 2010 , 42, 745-53 | 38 |
| 672 | Improving weight loss outcomes of community interventions by incorporating behavioral strategies. 2010 , 100, 2513-9 | 44 |
| 671 | Familial resemblance and shared latent familial variance in recurrent fall risk in older women. 2010 , 108, 1142-7 | 2 |
| 670 | Chronic fatigue syndrome: illness severity, sedentary lifestyle, blood volume and evidence of diminished cardiac function. 2009 , 118, 125-35 | 67 |
| 669 | Influence of physical activity on age-related weight loss in the elderly. 2010 , 7, 78-86 | 7 |
| 668 | Apolipoprotein E gene polymorphism and bone loss: estrogen status modifies the influence of apolipoprotein E on bone loss. 2000 , 15, 308-14 | 36 |
| 667 | Non-Facial and Non-Verbal Affective Expression for Appearance-Constrained Robots Used in Victim Management*. 2010 , 1, | 7 |
| 666 | Longitudinal relationship between physical activity and cardiometabolic factors in overweight and obese adults. 2010 , 108, 329-36 | 13 |
| 665 | Hostility now, depression later? Longitudinal associations among emotional risk factors for coronary artery disease. 2010 , 39, 258-66 | 31 |
| 664 | Allostatic load is associated with chronic conditions in the Boston Puerto Rican Health Study. 2010 , 70, 1988-1996 | 111 |
| 663 | The Boston Puerto Rican Health Study, a longitudinal cohort study on health disparities in Puerto Rican adults: challenges and opportunities. 2010 , 10, 107 | 155 |
| 662 | The active city? Disparities in provision of urban public recreation resources. 2010 , 16, 431-45 | 132 |
| 661 | A randomized clinical trial to assess the effect of statins on skeletal muscle function and performance: rationale and study design. 2010 , 13, 104-11 | 27 |
| 660 | Patient use of weight-management activities: a comparison of patient and physician assessments. 2010 , 79, 344-50 | 9 |

| | | |
|-----|--|-----|
| 659 | The conselice study of brain ageing. 2010 , 7 Suppl 1, S2 | 3 |
| 658 | Metabolic syndrome and risk of dementia in older adults. 2010 , 58, 487-92 | 64 |
| 657 | Physical activity over the life course and its association with cognitive performance and impairment in old age. 2010 , 58, 1322-6 | 201 |
| 656 | Effect of physical activity on nonmelanoma skin cancer risk in kidney, liver, and pancreatic transplant patients. 2010 , 36, 1510-3 | |
| 655 | Pre- to postoperative physical activity changes in bariatric surgery patients: self report vs. objective measures. 2010 , 18, 2395-7 | 140 |
| 654 | Appetitive hormones, but not isoflavone tablets, influence overall and central adiposity in healthy postmenopausal women. 2010 , 17, 594-601 | 15 |
| 653 | 25-Hydroxyvitamin D, dementia, and cerebrovascular pathology in elders receiving home services. 2010 , 74, 18-26 | 217 |
| 652 | Promoting physical activity for persons with diabetes. 2010 , 36, 132-40 | 24 |
| 651 | Assessment of Physical Activity in Research and Clinical Practice. 2010 , 31-48 | 0 |
| 650 | What is the predictive value of established risk factors for total and cardiovascular disease mortality when measured before middle age? Pooled analyses of two prospective cohort studies from Scotland. 2010 , 17, 106-12 | 14 |
| 649 | Gender difference in the prediction of weight loss by leptin among overweight adults. 2010 , 56, 190-7 | 9 |
| 648 | Daily physical activity, fasting glucose, uric acid, and body mass index are independent factors associated with serum fibroblast growth factor 21 levels. 2010 , 163, 469-77 | 39 |
| 647 | Evaluation of the incidental and planned activity questionnaire (IPEQ) for older people. 2010 , 44, 1029-34 | 119 |
| 646 | Association of physical activity level and stroke outcomes in men and women: a meta-analysis. 2010 , 19, 1815-22 | 71 |
| 645 | Physical activity in middle-aged and young-old adults: the roles of self-efficacy, barriers, outcome expectancies, self-regulatory behaviors and social support. 2010 , 15, 173-85 | 96 |
| 644 | Exercise and physical activity: clinical outcomes and applications. 2010 , 122, 1637-48 | 261 |
| 643 | Adherence to an (n-3) fatty acid/fish intake pattern is inversely associated with metabolic syndrome among Puerto Rican adults in the Greater Boston area. 2010 , 140, 1846-54 | 29 |
| 642 | Odyssey between Scylla and Charybdis through storms of carbohydrate metabolism and diabetes: a career retrospective. 2010 , 299, E849-67 | 2 |

| | | |
|-----|---|-----|
| 641 | An intensive behavioral weight loss intervention and hot flushes in women. 2010 , 170, 1161-7 | 57 |
| 640 | The role of the faculty of sports and exercise medicine for public health and elite athlete care. 2010 , 44, 998-1001 | |
| 639 | The drop it at last study: six-month results of a phone-based weight loss trial. 2010 , 24, 378-83 | 17 |
| 638 | Naturheilverfahren bei Claudicatio intermittens. 2010 , 59, 5-12 | |
| 637 | Circulating 25-hydroxyvitamin D levels and frailty status in older women. 2010 , 95, 5266-73 | 144 |
| 636 | Effect of weight loss on urinary incontinence in overweight and obese women: results at 12 and 18 months. 2010 , 184, 1005-10 | 75 |
| 635 | The influence of exercise and BMI on injuries and illnesses in overweight and obese individuals: a randomized control trial. 2010 , 7, 1 | 253 |
| 634 | Higher BMC and areal BMD in children and grandchildren of individuals with hip or knee replacement. 2010 , 46, 1000-5 | 2 |
| 633 | Cynical hostility and stimulated Th1 and Th2 cytokine production. 2010 , 24, 58-63 | 33 |
| 632 | Internet delivered behavioral obesity treatment. 2010 , 51, 123-8 | 152 |
| 631 | Physical activity and mortality risk in the Japanese elderly: a cohort study. 2010 , 38, 410-8 | 68 |
| 630 | Walking pace, leisure time physical activity, and resting heart rate in relation to disease-specific mortality in London: 40 years follow-up of the original Whitehall study. An update of our work with professor Jerry N. Morris (1910-2009). 2010 , 20, 661-9 | 38 |
| 629 | A tribute to Professor Jeremiah Morris: the man who invented the field of physical activity epidemiology. 2010 , 20, 651-60 | 20 |
| 628 | Acute effect of walking on energy intake in overweight/obese women. 2010 , 55, 413-9 | 67 |
| 627 | Actividad física y estrés oxidativo. 2010 , 45, 31-40 | 1 |
| 626 | Presentación de una estrategia interdisciplinaria y de carácter grupal para el tratamiento integral de la obesidad (Programa EGO). 2010 , 14, 90-95 | 0 |
| 625 | Association of LIPC -250G>A polymorphism and several environmental factors with serum lipid levels in the Guangxi Bai Ku Yao and Han populations. 2010 , 9, 28 | 20 |
| 624 | Perceptions and measurements of physical activity in patients with systemic lupus erythematosus. 2011 , 20, 231-42 | 55 |

| | | |
|-----|---|-----|
| 623 | Physical activity for health: What kind? How much? How intense? On top of what?. 2011 , 32, 349-65 | 367 |
| 622 | Four-year weight losses in the Look AHEAD study: factors associated with long-term success. 2011 , 19, 1987-98 | 277 |
| 621 | Design, recruitment and start up of a primary care weight loss trial targeting African American and Hispanic adults. 2011 , 32, 215-24 | 19 |
| 620 | Keep it off: a phone-based intervention for long-term weight-loss maintenance. 2011 , 32, 551-60 | 22 |
| 619 | Healing the heart: a randomized pilot study of a spiritual retreat for depression in acute coronary syndrome patients. 2011 , 7, 222-33 | 34 |
| 618 | Le point sur les recommandations de sant publique en mati re d'activit physique. 2011 , 26, 183-183 | 5 |
| 617 | Atorvastatin increases exercise leg blood flow in healthy adults. 2011 , 219, 768-73 | 7 |
| 616 | Correlates of Successful Maintenance of Weight Loss. 2011 , | |
| 615 | Home food and exercise environments of normal-weight and overweight adults. 2011 , 35, 618-26 | 30 |
| 614 | Reliability and validity of the International Physical Activity Questionnaire (IPAQ) in elderly adults: the Fujiwara-kyo Study. 2011 , 21, 459-65 | 185 |
| 613 | Physical activity and risk of fatal or non-fatal cardiovascular disease among CVD survivors: the JMS cohort study. 2011 , 75, 1368-72 | 10 |
| 612 | Sex-specific HDL cholesterol changes with weight loss and their association with anthropometric variables: the LIFE study. 2011 , 19, 429-35 | 11 |
| 611 | Do as I do? Prospects for parental participation 1.5 years after immersion treatment for adolescent obesity. 2011 , 1, 92-8 | 6 |
| 610 | The association of 5-HTTLPR genotype and depressive symptoms is moderated by physical activity. 2011 , 45, 185-9 | 7 |
| 609 | Physical activity and the prevention of cardiovascular disease: from evolution to epidemiology. 2011 , 53, 387-96 | 117 |
| 608 | Location, location, location: eye-tracking evidence that consumers preferentially view prominently positioned nutrition information. 2011 , 111, 1704-11 | 97 |
| 607 | Eating frequency is higher in weight loss maintainers and normal-weight individuals than in overweight individuals. 2011 , 111, 1730-4 | 32 |
| 606 | Relation of vitamin D level to maximal oxygen uptake in adults. 2011 , 107, 1246-9 | 64 |

| | | |
|-----|---|-----|
| 605 | Validation of a new physical activity questionnaire for a sedentary population. 2011 , 56, 2678-87 | 13 |
| 604 | Long-term trajectory of leisure time physical activity and survival after first myocardial infarction: a population-based cohort study. 2011 , 26, 109-16 | 45 |
| 603 | Comparison and correlates of three preference-based health-related quality-of-life measures among overweight and obese women with urinary incontinence. 2011 , 20, 1655-62 | 15 |
| 602 | A comparison of energy expenditure estimates from the Actiheart and Actical physical activity monitors during low intensity activities, walking, and jogging. 2011 , 111, 659-67 | 54 |
| 601 | Sex-specific effect of aging on submaximal leg exercise hemodynamics in middle-aged and older adults. 2011 , 111, 1369-79 | 5 |
| 600 | The influence of physical activity on the bone mass through the bone metabolism in premenopausal adult Japanese women. 2011 , 19, 241-247 | 2 |
| 599 | Lifestyle factors, medications, and disease influence bone mineral density in older men: findings from the CHAMP study. 2011 , 22, 2421-37 | 25 |
| 598 | Determinants of forearm strength in postmenopausal women. 2011 , 22, 3047-54 | 6 |
| 597 | A randomized controlled trial of behavioral weight loss treatment versus combined weight loss/depression treatment among women with comorbid obesity and depression. 2011 , 41, 119-30 | 72 |
| 596 | Healthy lifestyle factors associated with reduced cardiometabolic risk. 2011 , 105, 747-54 | 30 |
| 595 | Adherence index based on the AHA 2006 diet and lifestyle recommendations is associated with select cardiovascular disease risk factors in older Puerto Ricans. 2011 , 141, 460-9 | 25 |
| 594 | Cross-sectional versus longitudinal associations of lean and fat mass with pQCT bone outcomes in children. 2011 , 96, 106-14 | 74 |
| 593 | Effectiveness of lifestyle interventions for individuals with severe obesity and type 2 diabetes: results from the Look AHEAD trial. 2011 , 34, 2152-7 | 135 |
| 592 | Greater variety in fruit and vegetable intake is associated with lower inflammation in Puerto Rican adults. 2011 , 93, 37-46 | 59 |
| 591 | Parents May Hold the Keys to Success in Immersion Treatment of Adolescent Obesity. 2011 , 33, 273-288 | 8 |
| 590 | Changes in C-reactive protein during weight loss and the association with changes in anthropometric variables in men and women: LIFE Study. 2011 , 35, 684-91 | 16 |
| 589 | Centrally located body fat is associated with lower bone mineral density in older Puerto Rican adults. 2011 , 94, 1063-70 | 44 |
| 588 | Physical activity self-monitoring and weight loss: 6-month results of the SMART trial. 2011 , 43, 1568-74 | 82 |

- 587 Androidal fat dominates in predicting cardiometabolic risk in postmenopausal women. **2010**, 2011, 904878 0
- 586 New and emerging weight management strategies for busy ambulatory settings: a scientific statement from the American Heart Association endorsed by the Society of Behavioral Medicine. **2011**, 124, 1182-203 81
- 585 Physical inactivity and mortality risk. **2011**, 2011, 924945 46
- 584 Exercise-induced cardiac preconditioning: how exercise protects your achy-breaky heart. **2011**, 111, 905-15 79
- 583 Effectiveness of physical activity promotion based in primary care: systematic review and meta-analysis of randomised controlled trials. **2012**, 344, e1389 412
- 582 Psychosocial correlates of weight maintenance among black & white adults. **2012**, 36, 395-407 14
- 581 An evaluation of a worksite exercise intervention using the social cognitive theory: A pilot study. **2012**, 71, 133-143 7
- 580 Total hip arthroplasty versus resurfacing arthroplasty in the treatment of patients with arthritis of the hip joint: single centre, parallel group, assessor blinded, randomised controlled trial. **2012**, 344, e2147 52
- 579 Measurement of functional outcomes in the Major Extremity Trauma Research Consortium (METRC). **2012**, 20 Suppl 1, S59-63 8
- 578 Twenty-year depressive trajectories among older women. **2012**, 69, 1073-9 100
- 577 Physical activity, health benefits, and mortality risk. **2012**, 2012, 718789 131
- 576 A randomized controlled trial of positive-affect induction to promote physical activity after percutaneous coronary intervention. **2012**, 172, 329-36 127
- 575 Variants of the ankyrin repeat domain 6 gene (ANKRD6) and muscle and physical activity phenotypes among European-derived American adults. **2012**, 26, 1740-8 12
- 574 Physical Activity Epidemiology. **2012**, 1 1
- 573 Efficacy trial of a selective prevention program targeting both eating disorder symptoms and unhealthy weight gain among female college students. **2012**, 80, 164-170 65
- 572 Framework for physical activity as a complex and multidimensional behavior. **2012**, 9 Suppl 1, S11-8 141
- 571 A systematic approach to selecting an appropriate measure of self-reported physical activity or sedentary behavior. **2012**, 9 Suppl 1, S19-28 41
- 570 Unrealistic optimism is associated with subclinical atherosclerosis. **2012**, 31, 815-20 14

| | | |
|-----|---|-----|
| 569 | One-year results of the Think Health! study of weight management in primary care practices. 2012 , 20, 1249-57 | 60 |
| 568 | Effects of manipulating eating frequency during a behavioral weight loss intervention: a pilot randomized controlled trial. 2012 , 20, 985-92 | 44 |
| 567 | The effect of weight loss on changes in health-related quality of life among overweight and obese women with urinary incontinence. 2012 , 21, 1685-94 | 18 |
| 566 | Sucesso na manutençã do peso perdido em Portugal e nos Estados Unidos: comparaçã de 2 Registos Nacionais de Controlo do Peso. 2012 , 30, 115-124 | 3 |
| 565 | Lifestyle change and mobility in obese adults with type 2 diabetes. 2012 , 366, 1209-17 | 203 |
| 564 | Lifestyle risk factors predict disability and death in healthy aging adults. 2012 , 125, 190-7 | 68 |
| 563 | Predictors of weight loss success. Exercise vs. dietary self-efficacy and treatment attendance. 2012 , 58, 695-8 | 53 |
| 562 | Will the real vegetarian please stand up? An investigation of dietary restraint and eating disorder symptoms in vegetarians versus non-vegetarians. 2012 , 58, 982-90 | 73 |
| 561 | Lifestyle patterns associated with diet, physical activity, body mass index and amount of recent weight loss in a sample of successful weight losers. 2012 , 9, 79 | 25 |
| 560 | [Evaluation of the prescription of long-term systemic steroid-therapy associated measures]. 2012 , 70, 292-7 | 1 |
| 559 | Integration of balance and strength training into daily life activity to reduce rate of falls in older people (the LIFE study): randomised parallel trial. 2012 , 345, e4547 | 253 |
| 558 | Cluster analysis of the national weight control registry to identify distinct subgroups maintaining successful weight loss. 2012 , 20, 2039-47 | 65 |
| 557 | YMCA commit to quit: randomized trial outcomes. 2012 , 43, 256-62 | 21 |
| 556 | Leptin and leptin receptor genetic variants associate with habitual physical activity and the arm body composition response to resistance training. 2012 , 510, 66-70 | 22 |
| 555 | Effects of high-intensity progressive resistance training and targeted multidisciplinary treatment of frailty on mortality and nursing home admissions after hip fracture: a randomized controlled trial. 2012 , 13, 24-30 | 162 |
| 554 | The Relationship between Physical Activity Variety and Objectively Measured Moderate-to-Vigorous Physical Activity Levels in Weight Loss Maintainers and Normal-Weight Individuals. 2012 , 2012, 812414 | 18 |
| 553 | Physical Activity and Cardiovascular Health. 2012 , | |
| 552 | Queixas musculoesquelícas e a prãtica de ginãstica laboral de colaboradores de instituiã financeira. 2012 , 22, 831-838 | 4 |

| | | |
|-----|--|-----|
| 551 | [Activity in daily living and health outcome. Fact or fiction?]. 2012 , 53, 671-7 | 1 |
| 550 | Measurement of human energy expenditure, with particular reference to field studies: an historical perspective. 2012 , 112, 2785-815 | 69 |
| 549 | PC-FACS. 2012 , 43, 980-986 | |
| 548 | Exercise is associated with better erectile function in men under 40 as evaluated by the International Index of Erectile Function. 2012 , 9, 524-30 | 32 |
| 547 | The challenges of translating an efficacious smoking cessation program, Commit to Quit, to the community setting of YMCAs. 2013 , 3, 47-58 | 4 |
| 546 | Weight gain prevention in young adults: design of the study of novel approaches to weight gain prevention (SNAP) randomized controlled trial. 2013 , 13, 300 | 43 |
| 545 | Changes in trabecular bone microarchitecture in postmenopausal women with and without type 2 diabetes: a two year longitudinal study. 2013 , 14, 114 | 19 |
| 544 | Distributed, Ambient, and Pervasive Interactions. 2013 , | 2 |
| 543 | Exercise holds immediate benefits for affect and cognition in younger and older adults. 2013 , 28, 587-94 | 142 |
| 542 | Association of acute coronary syndrome-induced posttraumatic stress disorder symptoms with self-reported sleep. 2013 , 46, 349-57 | 19 |
| 541 | Studies on Women's Health. 2013 , | 5 |
| 540 | Long-chain, n-3 fatty acids and physical activity--independent and interactive associations with cardiac autonomic control. 2013 , 167, 2102-7 | 7 |
| 539 | Sociotropic cognition and eating disordered attitudes and behavior in young adults. 2013 , 14, 95-101 | 5 |
| 538 | Comentário a «Níveis de atividade física, domínio dos bens promotores de um comportamento sedentário e risco de enfarte do miocárdio: resultados do estudo INTERHEART». 2013 , 32, 359-360 | 0 |
| 537 | Weight change, psychological well-being, and vitality in adults participating in a cognitive-behavioral weight loss program. 2013 , 32, 439-46 | 27 |
| 536 | Exercise Testing for Risk Stratification of Ventricular Arrhythmias in the Athlete. 2013 , 5, 53-64 | 3 |
| 535 | Use of functional aerobic capacity based on stress testing to predict outcomes in normal, overweight, and obese patients. 2013 , 88, 1427-34 | 8 |
| 534 | Neighbourhood walkability and physical activity among family members of people with heart disease who participated in a randomized controlled trial of a behavioural risk reduction intervention. 2013 , 21, 148-55 | 21 |

| | | |
|-----|--|-----|
| 533 | Enhancing long-term weight loss maintenance: 2 year results from the Keep It Off randomized controlled trial. 2013 , 56, 171-7 | 40 |
| 532 | Dietary protein intake is associated with lean body mass in community-dwelling older adults. 2013 , 33, 608-12 | 39 |
| 531 | Feasibility of enlisting social network members to promote weight loss among Latinas. 2013 , 113, 680-7 | 10 |
| 530 | Comment on «Physical activity levels, ownership of goods promoting sedentary behaviour and risk of myocardial infarction: results of the INTERHEART study». 2013 , 32, 359-360 | |
| 529 | Relationship between BMI and body fatness in three European countries. 2013 , 67, 254-8 | 6 |
| 528 | Relation between leukocyte telomere length and incident coronary heart disease events (from the 1995 Canadian Nova Scotia Health Survey). 2013 , 111, 962-7 | 25 |
| 527 | Highlights from the functional single nucleotide polymorphisms associated with human muscle size and strength or FAMuSS study. 2013 , 2013, 643575 | 18 |
| 526 | Type A behavior and risk of all-cause mortality, CAD, and CAD-related mortality in a type 1 diabetic population: 22 years of follow-up in the Pittsburgh Epidemiology of Diabetes Complications Study. 2013 , 36, 2974-80 | 12 |
| 525 | Differential effect of glycemia on the incidence of hypertension by sex: the epidemiology of diabetes complications study. 2013 , 36, 77-83 | 5 |
| 524 | Redox-dependent increases in glutathione reductase and exercise preconditioning: role of NADPH oxidase and mitochondria. 2013 , 98, 47-55 | 56 |
| 523 | The brain-derived neurotrophic factor Val66Met polymorphism moderates an effect of physical activity on working memory performance. 2013 , 24, 1770-9 | 80 |
| 522 | Differences in motivations and weight loss behaviors in young adults and older adults in the National Weight Control Registry. 2013 , 21, 449-53 | 69 |
| 521 | The efficacy of a daily self-weighing weight loss intervention using smart scales and e-mail. 2013 , 21, 1789-97 | 148 |
| 520 | Development and validation of the weight control strategies scale. 2013 , 21, 2429-36 | 44 |
| 519 | A randomized controlled pilot study testing three types of health coaches for obesity treatment: Professional, peer, and mentor. 2013 , 21, 928-34 | 66 |
| 518 | Kyphosis and decline in physical function over 15 years in older community-dwelling women: the Study of Osteoporotic Fractures. 2013 , 68, 976-83 | 37 |
| 517 | Cystatin C and risk of hip fractures in older women. 2013 , 28, 1275-82 | 24 |
| 516 | Combining behavioral weight loss treatment and a commercial program: a randomized clinical trial. 2013 , 21, 673-80 | 31 |

| | | |
|-----|--|-----|
| 515 | The Military Extremity Trauma Amputation/Limb Salvage (METALS) study: outcomes of amputation versus limb salvage following major lower-extremity trauma. 2013 , 95, 138-45 | 182 |
| 514 | Changes in eating, physical activity and related behaviors in a primary care-based weight loss intervention. 2013 , 37 Suppl 1, S12-8 | 15 |
| 513 | Physical and Social Activities of Older Adults With Functional Limitations. 2013 , 37, 99-120 | 3 |
| 512 | Immune system function, stress, exercise and nutrition profile can affect pregnancy outcome: Lessons from a Mediterranean cohort. 2013 , 5, 411-418 | 15 |
| 511 | Randomized controlled trial of a comprehensive home environment-focused weight-loss program for adults. 2013 , 32, 128-37 | 75 |
| 510 | Translating basic behavioral and social science research to clinical application: the EVOLVE mixed methods approach. 2013 , 81, 217-30 | 37 |
| 509 | Examining a ripple effect: do spouses' behavior changes predict each other's weight loss?. 2013 , 2013, 297268 | 25 |
| 508 | AMPK, insulin resistance, and the metabolic syndrome. 2013 , 123, 2764-72 | 548 |
| 507 | The effects of isolated ankle strengthening and functional balance training on strength, running mechanics, postural control and injury prevention in novice runners: design of a randomized controlled trial. 2014 , 15, 407 | 16 |
| 506 | A hybrid effectiveness-implementation trial of an evidence-based exercise intervention for breast cancer survivors. 2014 , 2014, 338-45 | 39 |
| 505 | Self-reported activity and accelerometry in 2 behavior-maintenance trials. 2014 , 38, 254-64 | 7 |
| 504 | [Sports cardiology - a general practice oriented update]. 2014 , 103, 945-53 | |
| 503 | The transcultural diabetes nutrition algorithm: a canadian perspective. 2014 , 2014, 151068 | 8 |
| 502 | Sexual dimorphism in the effects of exercise on metabolism of lipids to support resting metabolism. 2014 , 5, 162 | 28 |
| 501 | Atorvastatin Treatment Does Not Alter Pulse Wave Velocity in Healthy Adults. 2014 , 2014, 239575 | 4 |
| 500 | Perceived racial discrimination and adoption of health behaviors in hypertensive Black Americans: the CAATCH trial. 2014 , 25, 276-91 | 11 |
| 499 | Inflammatory markers and risk of hip fracture in older white women: the study of osteoporotic fractures. 2014 , 29, 2057-64 | 65 |
| 498 | Eight-year weight losses with an intensive lifestyle intervention: the look AHEAD study. 2014 , 22, 5-13 | 475 |

| | | |
|-----|---|----|
| 497 | Serum 25-hydroxyvitamin D concentration does not independently predict incident diabetes in older women. 2014 , 31, 564-9 | 18 |
| 496 | Bodyweight in patients with idiopathic gastroparesis: roles of symptoms, caloric intake, physical activity, and body metabolism. 2014 , 26, 283-9 | 10 |
| 495 | Respiratory sinus arrhythmia reactivity in current and remitted major depressive disorder. 2014 , 76, 66-73 | 58 |
| 494 | Depressive symptom clusters as predictors of 6-year increases in insulin resistance: data from the Pittsburgh Healthy Heart Project. 2014 , 76, 363-9 | 25 |
| 493 | The Look AHEAD Trial: bone loss at 4-year follow-up in type 2 diabetes. 2014 , 37, 2822-9 | 24 |
| 492 | Detection of lying down, sitting, standing, and stepping using two activPAL monitors. 2014 , 46, 2025-9 | 50 |
| 491 | Women and exercise in aging. 2014 , 3, 170-178 | 10 |
| 490 | PPAR β gene polymorphisms modulate the association between physical activity and cardiometabolic risk. 2014 , 24, 799-805 | 2 |
| 489 | Alcohol consumption patterns and cognitive impairment in older women. 2014 , 22, 1663-7 | 6 |
| 488 | The BDNF Val66Met polymorphism does not moderate the effect of self-reported physical activity on depressive symptoms in midlife. 2014 , 218, 93-7 | 16 |
| 487 | Developing self-management education in coronary artery disease. 2014 , 43, 133-9 | 15 |
| 486 | Time to quit that marathon running? Not quite yet!. 2014 , 109, 395 | 5 |
| 485 | Mediators and moderators of behavior change in patients with chronic cardiopulmonary disease: the impact of positive affect and self-affirmation. 2014 , 4, 7-17 | 34 |
| 484 | Physical inactivity as a risk factor for diabetic retinopathy? A review. 2014 , 42, 574-81 | 8 |
| 483 | Omega-3 fatty acids moderate effects of physical activity on cognitive function. 2014 , 59, 103-11 | 18 |
| 482 | Sudden cardiac death in athletes. 2014 , 275, 93-103 | 59 |
| 481 | Diminished bone strength is observed in adult women and men who sustained a mild trauma distal forearm fracture during childhood. 2014 , 29, 2193-202 | 19 |
| 480 | Changes in muscle strength in patients with statin myalgia. 2014 , 114, 1215-6 | 11 |

| | | |
|-----|---|----|
| 479 | The improvement in pelvic floor symptoms with weight loss in obese women does not correlate with the changes in pelvic anatomy. 2014 , 25, 1219-25 | 18 |
| 478 | The role of companionship, esteem, and informational support in explaining physical activity among young women in an online social network intervention. 2014 , 37, 955-66 | 38 |
| 477 | University students' ability-expectancy beliefs and subjective task values for exergames. 2014 , 75, 149-161 | 16 |
| 476 | The EARLY trials: a consortium of studies targeting weight control in young adults. 2014 , 4, 304-13 | 72 |
| 475 | Design and implementation of a randomized controlled social and mobile weight loss trial for young adults (project SMART). 2014 , 37, 10-8 | 72 |
| 474 | A preliminary investigation of the role of self-control in behavioral weight loss treatment. 2014 , 8, e149-53 | 8 |
| 473 | The difficulties of measuring and improving physical activity in COPD. 2014 , 24, 14014 | 7 |
| 472 | A Brief Exploration of Measurement and Evaluation in Kinesiology. 2014 , 3, 80-91 | |
| 471 | Dietary habits and weight maintenance success in high versus low exercisers in the National Weight Control Registry. 2014 , 11, 1540-8 | 44 |
| 470 | Adding evidence-based behavioral weight loss strategies to a statewide wellness campaign: a randomized clinical trial. 2014 , 104, 1300-6 | 35 |
| 469 | Frequent self-weighing as part of a constellation of healthy weight control practices in young adults. 2015 , 23, 943-9 | 20 |
| 468 | Validity and reliability question 8 of the Paffenbarger Physical Activity Questionnaire among healthy adults. 2015 , 12, 116-23 | 27 |
| 467 | Blood pressure interacts with APOE ϵ to predict memory performance in a midlife sample. 2015 , 29, 693-702 | 11 |
| 466 | The Fusion of Public Health into Kinesiology. 2015 , 4, 322-328 | 4 |
| 465 | Shorter sleep duration is associated with decreased insulin sensitivity in healthy white men. 2015 , 38, 223-31 | 30 |
| 464 | Physical Activity and Self-Rated Health Status Among Older Adult Cancer Survivors: Does Intensity of Activity Play a Role?. 2015 , 42, 614-24 | 15 |
| 463 | Myostatin as a mediator of sarcopenia versus homeostatic regulator of muscle mass: insights using a new mass spectrometry-based assay. 2015 , 5, 21 | 54 |
| 462 | Feasibility of screening for preinjury frailty in hospitalized injured older adults. 2015 , 78, 844-51 | 39 |

| | | |
|-----|---|-----|
| 461 | Impact of Vitamin D Replacement on Markers of Glucose Metabolism and Cardio-Metabolic Risk in Women with Former Gestational Diabetes--A Double-Blind, Randomized Controlled Trial. 2015 , 10, e0129017 | 12 |
| 460 | Association between Sleep Duration, Insomnia Symptoms and Bone Mineral Density in Older Boston Puerto Rican Adults. 2015 , 10, e0132342 | 21 |
| 459 | The Relationship between Intramuscular Adipose Tissue, Functional Mobility, and Strength in Postmenopausal Women with and without Type 2 Diabetes. 2015 , 2015, 872726 | 7 |
| 458 | Awareness and Knowledge of Cardiovascular Risk Through Blood Pressure and Cholesterol Testing in College Freshmen. 2015 , 46, 138-143 | 3 |
| 457 | The Omega-3 Index Is Inversely Associated with Depressive Symptoms among Individuals with Elevated Oxidative Stress Biomarkers. 2016 , 146, 758-66 | 23 |
| 456 | The Tracking Study: description of a randomized controlled trial of variations on weight tracking frequency in a behavioral weight loss program. 2015 , 40, 199-211 | 14 |
| 455 | Small Changes and Lasting Effects (SCALE) Trial: the formation of a weight loss behavioral intervention using EVOLVE. 2015 , 41, 118-28 | 10 |
| 454 | Determinanten von Gesundheit und Wohlbefinden in vergleichender Betrachtung. 2015 , 10, 88-94 | 1 |
| 453 | Change in Intra-Abdominal Fat Predicts the Risk of Hypertension in Japanese Americans. 2015 , 66, 134-40 | 32 |
| 452 | Rural vs. non-rural differences and longitudinal bone changes by DXA and pQCT in men aged 20-66 years: A population-based study. 2015 , 79, 79-87 | 6 |
| 451 | Validation of photoplethysmography as a method to detect heart rate during rest and exercise. 2015 , 39, 264-71 | 90 |
| 450 | Exercise and Health: Dose and Response, Considering Both Ends of the Curve. 2015 , 128, 1171-7 | 17 |
| 449 | A Healthy Lifestyle Score Is Associated with Cardiometabolic and Neuroendocrine Risk Factors among Puerto Rican Adults. 2015 , 145, 1531-40 | 30 |
| 448 | Effects of Exercise on Hypertension. 2015 , | 2 |
| 447 | Weight and weight-related behaviors among 2-year college students. 2015 , 63, 221-9 | 29 |
| 446 | A review of technology-based interventions to maintain weight loss. 2015 , 21, 217-32 | 11 |
| 445 | VA Vascular Injury Study (VAVIS): VA-DoD extremity injury outcomes collaboration. 2015 , 15, 13 | 5 |
| 444 | Visceral abdominal fat accumulation predicts the conversion of metabolically healthy obese subjects to an unhealthy phenotype. 2015 , 39, 1365-70 | 122 |

| | | |
|-----|---|-----|
| 443 | Weighing every day matters: daily weighing improves weight loss and adoption of weight control behaviors. 2015 , 115, 511-8 | 60 |
| 442 | Socioeconomic position during childhood and physical activity during adulthood: a systematic review. 2015 , 60, 799-813 | 25 |
| 441 | Differential Association Between HDL Subclasses and the Development of Type 2 Diabetes in a Prospective Study of Japanese Americans. 2015 , 38, 2100-5 | 19 |
| 440 | The Early Childhood Obesity Prevention Program (ECHO): an ecologically-based intervention delivered by home visitors for newborns and their mothers. 2015 , 15, 584 | 12 |
| 439 | Obesity-Related Genetic Variants and their Associations with Physical Activity. 2015 , 1, 34 | 13 |
| 438 | Relationships between physical activity and muscular strength among healthy adults across the lifespan. 2015 , 4, 557 | 23 |
| 437 | Effect of dietary fat and food consistency on gastroparesis symptoms in patients with gastroparesis. 2015 , 27, 501-8 | 49 |
| 436 | Prevalence of hypertension and associated risk factors in Chinese Jing compared with Mulao populations. 2015 , 43, 819-33 | 4 |
| 435 | The role of cardiorespiratory fitness on plasma lipid levels. 2015 , 13, 1177-83 | 17 |
| 434 | Change in Body Weight Does Not Mediate the Relationship Between Exercise and Smoking Cessation Among Weight-Concerned Women Smokers. 2015 , 17, 1142-8 | 4 |
| 433 | Adaptation to Acute and Regular Exercise: From Reductionist Approaches to Integrative Biology. 2015 , 135, 1-15 | 6 |
| 432 | On the Design and Implementation of a Highly Accurate Pulse Predictor for Exercise Equipment. 2015 , 62, 1918-26 | |
| 431 | Social Jetlag, Chronotype, and Cardiometabolic Risk. 2015 , 100, 4612-20 | 219 |
| 430 | Pro-cyclical mortality across socioeconomic groups and health status. 2015 , 39, 248-58 | 30 |
| 429 | Muscular strength and physical function in elderly adults 6-18 months after a 12-week resistance exercise program. 2015 , 43, 76-82 | 25 |
| 428 | The future of physical activity research: funding, opportunities and challenges. 2015 , 57, 299-305 | 12 |
| 427 | Aging and physical function in type 2 diabetes: 8 years of an intensive lifestyle intervention. 2015 , 70, 345-53 | 31 |
| 426 | Physical activity and cardiorespiratory fitness as major markers of cardiovascular risk: their independent and interwoven importance to health status. 2015 , 57, 306-14 | 377 |

| | | |
|-----|--|-----|
| 425 | Exercise is medicine for depression: even when the "pill" is small. 2016 , 12, 2715-2721 | 9 |
| 424 | Energy-Related Nutrition Literacy. 2016 , 31, 59-72 | |
| 423 | Estimation of energy expenditure using prediction equations in overweight and obese adults: a systematic review. 2016 , 29, 458-76 | 41 |
| 422 | Personality Correlates of Midlife Cardiometabolic Risk: The Explanatory Role of Higher-Order Factors of the Five-Factor Model. 2016 , 84, 765-776 | 17 |
| 421 | The Benefits of Goal Adjustment Capacities for Well-Being Among Women With Breast Cancer: Potential Mechanisms of Action. 2016 , 84, 777-788 | 13 |
| 420 | Progression of CAC Score and Risk of Incident CVD. 2016 , 9, 1420-1429 | 31 |
| 419 | Bewegungsmangel als soziales Problem. 2016 , 13, 41-71 | 6 |
| 418 | References. 482-601 | |
| 417 | Obesity and Cardiovascular Disease. 2016 , 118, 1752-70 | 496 |
| 416 | A History of Physical Activity Measurement in Epidemiology. 2016 , 39-83 | 2 |
| 415 | The Objective Monitoring of Physical Activity: Contributions of Accelerometry to Epidemiology, Exercise Science and Rehabilitation. 2016 , | 23 |
| 414 | Pathophysiology, Medical Management, and Acute Rehabilitation of Stroke Survivors. 2016 , 2-45 | 3 |
| 413 | Response to a standard behavioral weight loss intervention by age of onset of obesity. 2016 , 2, 248-255 | 7 |
| 412 | A randomized trial to reduce sugar-sweetened beverage and juice intake in preschool-aged children: description of the Smart Moms intervention trial. 2016 , 16, 837 | 14 |
| 411 | Dyadic Associations Between Physical Activity and Depressive Symptoms in Older Adults with Musculoskeletal Conditions and Their Spouses. 2016 , 32, 244-52 | 10 |
| 410 | Exercise at the Extremes: The Amount of Exercise to Reduce Cardiovascular Events. 2016 , 67, 316-29 | 154 |
| 409 | Are There Deleterious Cardiac Effects of Acute and Chronic Endurance Exercise?. 2016 , 96, 99-125 | 122 |
| 408 | Clinical Assessment of Lifestyle and Behavioral Factors During Weight Loss Treatment. 2016 , 55-64 | |

| | | |
|-----|---|-----|
| 407 | The BestFIT trial: A SMART approach to developing individualized weight loss treatments. 2016 , 47, 209-16 | 30 |
| 406 | Associations of erythrocyte fatty acid patterns with insulin resistance. 2016 , 103, 902-9 | 13 |
| 405 | Increased Visceral Adipose Tissue Is an Independent Predictor for Future Development of Atherogenic Dyslipidemia. 2016 , 101, 678-85 | 39 |
| 404 | Reliability and concurrent and construct validity of the Strategies for Weight Management measure for adults. 2016 , 10, 291-303 | 3 |
| 403 | Association of "Weekend Warrior" and Other Leisure Time Physical Activity Patterns With Risks for All-Cause, Cardiovascular Disease, and Cancer Mortality. 2017 , 177, 335-342 | 211 |
| 402 | Improving physical and mental health in frontline mental health care providers: Yoga-based stress management versus cognitive behavioral stress management. 2017 , 32, 26-48 | 29 |
| 401 | Randomized controlled trial of a coordinated care intervention to improve risk factor control after stroke or transient ischemic attack in the safety net: Secondary stroke prevention by Uniting Community and Chronic care model teams Early to End Disparities (SUCCEED). 2017 , 17, 24 | 36 |
| 400 | Greater visceral abdominal fat is associated with a lower probability of conversion of prehypertension to normotension. 2017 , 35, 1213-1218 | 8 |
| 399 | Bullying and Being Bullied in Childhood Are Associated With Different Psychosocial Risk Factors for Poor Physical Health in Men. 2017 , 28, 808-821 | 20 |
| 398 | Yoga and Cognitive-behavioral Interventions to Reduce Stress in Incoming College Students: A Pilot Study. 2017 , 22, e12068 | 7 |
| 397 | Healthy Physical Activity Levels Below Recommended Thresholds Two Years After Lumbar Spine Surgery. 2017 , 42, E241-E247 | 15 |
| 396 | Functional capacities of Polish adults of 60-87 years and risk of losing functional independence. 2017 , 44, 502-509 | 7 |
| 395 | Invited Commentary: Is Strenuous Activity Good for You? The Legacy of Ralph Paffenbarger. <i>American Journal of Epidemiology</i> , 2017 , 185, 1066-1069 | 3.8 |
| 394 | Childhood adversity predicts reduced physiological flexibility during the processing of negative affect among adolescents with major depression histories. 2017 , 121, 22-28 | 8 |
| 393 | Full Stride. 2017 , | 5 |
| 392 | Limb Amputation Versus Limb Salvage. 2017 , 153-166 | 1 |
| 391 | Physical Inactivity and the Economic and Health Burdens Due to Cardiovascular Disease: Exercise as Medicine. 2017 , 999, 3-18 | 10 |
| 390 | Effects of combination of change in visceral fat and thigh muscle mass on the development of type 2 diabetes. 2017 , 134, 131-138 | 6 |

| | | |
|-----|---|----|
| 389 | Dose-response effects of aerobic exercise on body composition among colon cancer survivors: a randomised controlled trial. 2017 , 117, 1614-1620 | 23 |
| 388 | Development of a prognostic nomogram for cirrhotic patients with upper gastrointestinal bleeding. 2017 , 29, 1166-1173 | 6 |
| 387 | The angiotensin-converting enzyme insertion/deletion polymorphism rs4340 associates with habitual physical activity among European American adults. 2017 , 5, 524-530 | 5 |
| 386 | Bone microarchitecture and estimated bone strength in men with active acromegaly. 2017 , 177, 409-420 | 23 |
| 385 | Comparison of subjective and objective measures of office workers' sedentary time. 2017 , 8, 163-168 | 18 |
| 384 | Test-retest reliability of the Brunel Lifestyle Physical Activity Questionnaire. 2017 , 33, 24-30 | 4 |
| 383 | Exercise in the Therapy of Diabetes Mellitus. 2017 , 857-880 | |
| 382 | Challenges and opportunities in establishing a collaborative multisite observational study of chronic diseases and lifestyle factors among adults in Puerto Rico. 2017 , 17, 136 | 11 |
| 381 | Comparison of psychometric properties between usual-week and past-week self-reported physical activity questionnaires: a systematic review. 2017 , 14, 10 | 22 |
| 380 | Predicting persistence of eating disorder compensatory weight control behaviors. 2017 , 50, 561-568 | 6 |
| 379 | Learning about Activity and Understanding Nutrition for Child Health (LAUNCH): Rationale, design, and implementation of a randomized clinical trial of a family-based pediatric weight management program for preschoolers. 2017 , 52, 10-19 | 7 |
| 378 | Self-Expansion is Associated with Better Adherence and Obesity Treatment Outcomes in Adults. 2017 , 51, 13-17 | 10 |
| 377 | Weight control behaviors of highly successful weight loss maintainers: the Portuguese Weight Control Registry. 2017 , 40, 366-371 | 23 |
| 376 | Project HELP: a Remotely Delivered Behavioral Intervention for Weight Regain after Bariatric Surgery. 2017 , 27, 586-598 | 52 |
| 375 | Age- and gender-specific associations between insomnia and falls in Boston Puerto Rican adults. 2017 , 26, 25-34 | 13 |
| 374 | Objective assessment of physical activity and sedentary time of older adults using ambient and wearable sensor technologies. 2017 , 1 | 3 |
| 373 | Comprehensive cardiac rehabilitation and quality of life in coronary artery bypass graft patients. 2017 , 14, | 0 |
| 372 | Gender, Success, and Drop-Out during a Resistance Exercise Program in Community Dwelling Old Adults. 2017 , 2017, 584-1083 | 2 |

- 371 Surveying predictors of late-life longitudinal change in daily activity energy expenditure. **2017**, 12, e0186289 5
- 370 Acute changes in blood lipid profiles and metabolic risk factors in collegiate elite taekwondo athletes after short-term de-training: a prospective insight for athletic health management. **2017**, 16, 143 6
- 369 Randomized trial comparing group size of periodic in-person sessions in a remotely delivered weight loss intervention. **2017**, 14, 144 6
- 368 Factors Associated with Physical Inactivity among Adult Urban Population of Puducherry, India: A Population Based Cross-sectional Study. **2017**, 11, LC15-LC17 8
- 367 Effects of Psychological Inoculation Versus Health Education on Physical Activity: Two Randomized Controlled Studies. **2018**, 15, 295-302 2
- 366 Mediators of Behavior Change Maintenance in Physical Activity Interventions for Young and Middle-Aged Adults: A Systematic Review. **2018**, 52, 513-529 18
- 365 Physical Activity Throughout the Adult Life Span and Domain-Specific Cognitive Function in Old Age: A Systematic Review of Cross-Sectional and Longitudinal Data. **2018**, 48, 1405-1436 40
- 364 A genetic variant in IL-15R α correlates with physical activity among European-American adults. **2018**, 6, 401-408 6
- 363 Comparing physical activity in individuals with overweight/obesity with and without binge eating disorder. **2018**, 4, 134-140 3
- 362 A randomized dose-response trial of aerobic exercise and health-related quality of life in colon cancer survivors. **2018**, 27, 1221-1228 30
- 361 Effects of a 12-week mHealth program on peak VO₂ and physical activity patterns after completing cardiac rehabilitation: A randomized controlled trial. **2018**, 199, 105-114 28
- 360 Sports Participation in High School and College Leads to High Bone Density and Greater Rates of Bone Loss in Young Men: Results from a Population-Based Study. **2018**, 103, 5-15
- 359 Longitudinal associations of long-term exposure to ultrafine particles with blood pressure and systemic inflammation in Puerto Rican adults. **2018**, 17, 33 18
- 358 Mediators of two selective prevention interventions targeting both obesity and eating disorders. **2018**, 106, 8-17 3
- 357 Mapping the historical development of physical activity and health research: A structured literature review and citation network analysis. **2018**, 111, 466-472 29
- 356 Physical Education and Leisure-Time Physical Activity in Youth Are Both Important for Adulthood Activity, Physical Performance, and Health. **2018**, 15, 661-670 22
- 355 Associations of Smoking, Moderate Alcohol Use, and Function: A 20-Year Cohort Study of Older Women. **2018**, 4, 2333721418766127 4
- 354 Pathways Linking Childhood SES and Adult Health Behaviors and Psychological Resources in Black and White Men. **2018**, 52, 1023-1035 6

| | | |
|-----|---|----|
| 353 | Criterion-related validity of self-reported stair climbing in older adults. 2018 , 30, 199-203 | 2 |
| 352 | Dose-response Effects of Aerobic Exercise Among Colon Cancer Survivors: A Randomized Phase II Trial. 2018 , 17, 32-40 | 24 |
| 351 | Exercise as a poisoned elixir: inactivity, inequality and intervention. 2018 , 10, 412-428 | 19 |
| 350 | Prevalence of Osteoporosis and Low Bone Mass Among Puerto Rican Older Adults. 2018 , 33, 396-403 | 23 |
| 349 | Dose-response effects of exercise on insulin among colon cancer survivors. 2018 , 25, 11-19 | 19 |
| 348 | Physical Function Following a Long-Term Lifestyle Intervention Among Middle Aged and Older Adults With Type 2 Diabetes: The Look AHEAD Study. 2018 , 73, 1552-1559 | 20 |
| 347 | Sociodemographic and Lifestyle Factors, and Health Conditions of Dominican Adults Living in Puerto Rico. 2018 , 20, 1085-1093 | 2 |
| 346 | Barriers to physical activity and healthy diet among breast cancer survivors: A multilevel perspective. 2018 , 27, e12772 | 24 |
| 345 | Change in visceral adiposity is an independent predictor of future arterial pulse pressure. 2018 , 36, 299-305 | 5 |
| 344 | A Behavioral Weight Loss Program and Nonurinary Incontinence Lower Urinary Tract Symptoms in Overweight and Obese Women with Urinary Incontinence: A Secondary Data Analysis of PRIDE. 2018 , 199, 215-222 | 12 |
| 343 | The association between physical activity and depression among individuals residing in Brazil. 2018 , 53, 373-383 | 14 |
| 342 | Mediators of Weight Loss Maintenance in the Keep It Off Trial. 2018 , 52, 9-18 | 10 |
| 341 | Two Physical Activity Measures: Paffenbarger Physical Activity Questionnaire Versus Aerobics Center Longitudinal Study as Predictors of Adult-Onset Type 2 Diabetes in a Follow-Up Study. 2018 , 32, 1070-1077 | 6 |
| 340 | The FRAIL Questionnaire: A Useful Tool for Bedside Screening of Geriatric Trauma Patients. 2018 , 25, 242-247 | 16 |
| 339 | Hemoglobin Concentrations Predict Physical Function After A 12-Week Resistance Exercise Training and Subsequent Changes After 11 Months of Follow-Up Among Community Dwelling Older Adults. 2018 , | |
| 338 | An Update on the Role of Cardiorespiratory Fitness, Structured Exercise and Lifestyle Physical Activity in Preventing Cardiovascular Disease and Health Risk. 2018 , 61, 484-490 | 92 |
| 337 | Association of Thigh Muscle Mass with Insulin Resistance and Incident Type 2 Diabetes Mellitus in Japanese Americans. 2018 , 42, 488-495 | 25 |
| 336 | Differences in Physical Activity and Diet Patterns between Non-Rural and Rural Adults. 2018 , 10, | 5 |

| | | | |
|-----|---|-----|----|
| 335 | Cross-Sectional and Longitudinal Association between Glycemic Status and Body Composition in Men: A Population-Based Study. 2018 , 10, | | 0 |
| 334 | Association of domain-specific physical activity and cardiorespiratory fitness with all-cause and cause-specific mortality in two population-based cohort studies. 2018 , 8, 16066 | | 20 |
| 333 | Foot pain and foot health in an educated population of adults: results from the Glasgow Caledonian University Alumni Foot Health Survey. 2018 , 11, 48 | | 5 |
| 332 | Effects of exercise on circulating tumor cells among patients with resected stage I-III colon cancer. 2018 , 13, e0204875 | | 19 |
| 331 | Associations of device-measured physical activity across adolescence with metabolic traits: Prospective cohort study. 2018 , 15, e1002649 | | 24 |
| 330 | Predictors of Incident Type 2 Diabetes Mellitus in Japanese Americans with Normal Fasting Glucose Level. 2018 , 42, 198-206 | | 1 |
| 329 | The Origins and Early Evolution of Epidemiologic Research in Cardiovascular Diseases: A Tabular Record of Cohort and Case-Control Studies and Preventive Trials Initiated From 1946 to 1976. <i>American Journal of Epidemiology</i> , 2019 , 188, 1-8 | 3.8 | 4 |
| 328 | Prospective Associations of Erythrocyte Composition and Dietary Intake of -3 and -6 PUFA with Measures of Cognitive Function. 2018 , 10, | | 10 |
| 327 | Two-Year Results of Think Health! ¡Vive Saludable!: A Primary Care Weight-Management Trial. 2018 , 26, 1412-1421 | | 8 |
| 326 | Creatine supplementation does not alter the creatine kinase response to eccentric exercise in healthy adults on atorvastatin. 2018 , 12, 1305-1312 | | 5 |
| 325 | A weight loss intervention delivered by peer coaches in primary care: Rationale and study design of the PROMISE trial. 2018 , 72, 53-61 | | 4 |
| 324 | Role of Physical Activity and Fitness in the Characterization and Prognosis of the Metabolically Healthy Obesity Phenotype: A Systematic Review and Meta-analysis. 2018 , 61, 190-205 | | 46 |
| 323 | Incident fracture is associated with a period of accelerated loss of hip BMD: the Study of Osteoporotic Fractures. 2018 , 29, 2201-2209 | | 14 |
| 322 | The influence of resting blood pressure on muscle strength in healthy adults. 2018 , 23, 185-190 | | 3 |
| 321 | Different dimensions of religiousness/spirituality are associated with health behaviors in breast cancer survivors. 2018 , 27, 2466-2472 | | 7 |
| 320 | Racial Differences in Weight Loss Mediated by Engagement and Behavior Change. 2018 , 28, 43-48 | | 10 |
| 319 | Beneficial impacts of regular exercise on platelet function in sedentary older adults: evidence from a randomized 6-mo walking trial. 2018 , 125, 401-408 | | 5 |
| 318 | The bidirectional association between physical activity and sleep in middle-aged and older adults: a prospective study based on polysomnography. 2018 , 41, | | 14 |

| | | |
|-----|---|----|
| 317 | Physical Activity and Incident Cardiovascular Disease in Women: Is the Relation Modified by Level of Global Cardiovascular Risk?. 2018 , 7, | 6 |
| 316 | Chronic Disease Risk Typologies among Young Adults in Community College. 2018 , 42, 71-84 | 3 |
| 315 | Exercise and Cardioprotection: A Natural Defense Against Lethal Myocardial Ischemia-Reperfusion Injury and Potential Guide to Cardiovascular Prophylaxis. 2019 , 24, 18-30 | 8 |
| 314 | Acute effects of aerobic exercise duration on blood pressure, pulse wave velocity and cerebral blood flow velocity in middle-aged adults. 2019 , 15, 647-658 | 2 |
| 313 | Dietary Intake and Its Determinants Among Adults Living in the Metropolitan Area of Puerto Rico. 2019 , 11, | 10 |
| 312 | Relationship of Consistency in Timing of Exercise Performance and Exercise Levels Among Successful Weight Loss Maintainers. 2019 , 27, 1285-1291 | 10 |
| 311 | Signage Interventions for Stair Climbing at Work: More than 700,000 Reasons for Caution. 2019 , 16, | 3 |
| 310 | The feasibility of a behavioral group intervention after weight-loss surgery: A randomized pilot trial. 2019 , 14, e0223885 | 3 |
| 309 | Brain activation during executive control after acute exercise in older adults. 2019 , 146, 240-248 | 6 |
| 308 | A field study to estimate inhalation rates for use in a particle inhalation rate exposure metric. 2019 , 696, 133919 | 1 |
| 307 | Circulating Interleukin-6 concentration covaries inversely with self-reported sleep duration as a function of polymorphic variation in the glucocorticoid receptor. 2019 , 78, 21-30 | 3 |
| 306 | Leisure-Time Physical Activity and Metabolic Syndrome in Older Adults. 2019 , 16, | 6 |
| 305 | Representations of cancer recurrence risk, recurrence worry, and health-protective behaviours: an elaborated, systematic review. 2019 , 13, 447-476 | 61 |
| 304 | An Epidemiologic Study of the Association between Free Recall Dichotic Digits Test Performance and Vascular Health. 2019 , 30, 282-292 | 6 |
| 303 | Predictors of ccf-mtDNA reactivity to acute psychological stress identified using machine learning classifiers: A proof-of-concept. 2019 , 107, 82-92 | 6 |
| 302 | Ten-Year Legacy Effects of Three Eight-Month Exercise Training Programs on Cardiometabolic Health Parameters. 2019 , 10, 452 | 11 |
| 301 | End-of-Trial Health Outcomes in Look AHEAD Participants who Elected to have Bariatric Surgery. 2019 , 27, 581-590 | 4 |
| 300 | Physical Activity, Cardiorespiratory Fitness, and Health: A Historical Perspective. 2019 , 1-9 | |

| | | |
|-----|---|-----|
| 299 | Obesity, Physical Function, and Training Success in Community-Dwelling Nonsarcopenic Old Adults. 2019 , 2019, 5340328 | 3 |
| 298 | Sedentary Behavior, Exercise, and Cardiovascular Health. 2019 , 124, 799-815 | 354 |
| 297 | The Games for Older Adults Active Life (GOAL) Project for People With Mild Cognitive Impairment and Vascular Cognitive Impairment: A Study Protocol for a Randomized Controlled Trial. 2018 , 9, 1040 | 10 |
| 296 | Life Events, Physical Activity, and Weight Loss Maintenance: Decomposing Mediating and Moderating Effects of Health Behavior. 2019 , 16, 267-273 | 2 |
| 295 | Higher High Density Lipoprotein 2 (HDL2) to Total HDL Cholesterol Ratio Is Associated with a Lower Risk for Incident Hypertension. 2019 , 43, 114-122 | 5 |
| 294 | Global physical activity levels - Need for intervention. 2019 , 62, 102-107 | 70 |
| 293 | Prospective Associations of Adolescent Conscientiousness With Psychological Resources and Metabolic Syndrome in Black and White Men. 2019 , 81, 341-351 | 7 |
| 292 | Health Promotion and Chronic Disease Prevention after the Game Ends: The Emerging Role of Certified Health Education Specialists in Wellness Coaching for Retired College Student-Athletes. 2019 , 50, 339-343 | 1 |
| 291 | Associations Between Cannabis Use and Cardiometabolic Risk Factors: A Longitudinal Study of Men. 2019 , 81, 281-288 | 14 |
| 290 | Depressive Symptoms During Childhood and Cardiovascular Risk Factors in Black and White Men. 2019 , 81, 176-183 | 4 |
| 289 | Using the immediate blood pressure benefits of exercise to improve exercise adherence among adults with hypertension: a randomized clinical trial. 2019 , 37, 1877-1888 | 10 |
| 288 | Physical Activity, All-Cause and Cardiovascular Mortality, and Cardiovascular Disease. 2019 , 51, 1270-1281 | 123 |
| 287 | The Military Extremity Trauma Amputation/Limb Salvage (METALS) Study: Outcomes of Amputation Compared with Limb Salvage Following Major Upper-Extremity Trauma. 2019 , 101, 1470-1478 | 18 |
| 286 | Association of physical activity on changes in cognitive function: Boston Puerto Rican Health Study. 2019 , 47, 227-231 | 4 |
| 285 | Risk Factor Modeling for Cardiovascular Disease in Type 1 Diabetes in the Pittsburgh Epidemiology of Diabetes Complications (EDC) Study: A Comparison With the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study (DCCT/EDIC). 2019 , 68, 409-419 | 37 |
| 284 | Alcohol Intake and Weight Loss During Intensive Lifestyle Intervention for Adults with Overweight or Obesity and Diabetes. 2019 , 27, 30-40 | 6 |
| 283 | Adapting evidence-based behavioral weight loss programs for emerging adults: A pilot randomized controlled trial. 2019 , 24, 870-887 | 20 |
| 282 | Physical activity intensity and subjective well-being in healthy adults. 2019 , 24, 1257-1267 | 28 |

| | | |
|-----|--|----|
| 281 | Physical Activity in the Modern Working World. 2020 , 157-165 | 1 |
| 280 | Changes in Glycemic Load Are Positively Associated with Small Changes in Primary Stress Markers of Allostatic Load in Puerto Rican Women. 2020 , 150, 554-559 | 1 |
| 279 | History of Cardiovascular Disease, Intensive Lifestyle Intervention, and Cardiovascular Outcomes in the Look AHEAD Trial. 2020 , 28, 247-258 | 4 |
| 278 | Comparative effectiveness of a standard behavioral and physical activity enhanced behavioral weight loss intervention in Black women. 2020 , 60, 676-691 | 1 |
| 277 | Observed Physical Function Is Associated With Better Cognition Among Elderly Adults: The Adventist Health Study-2. 2020 , 35, 1533317520960868 | 5 |
| 276 | Serum Vitamin D and Depressive Symptomatology among Boston-Area Puerto Ricans. 2020 , 150, 3231-3240 | 3 |
| 275 | Correlates of Physical Activity Engagement among Pregnant Women with Overweight and Obesity. 2020 , 30, 393-400 | 2 |
| 274 | Associations of physical activity with vitamin D status depends on obesity status in old adults. 2020 , 39, 222-226 | 0 |
| 273 | Long-term Change in Physiological Markers and Cognitive Performance in Type 2 Diabetes: The Look AHEAD Study. 2020 , 105, | 3 |
| 272 | The association between purchasing locally produced food and diet quality among adults in Puerto Rico. 2021 , 24, 4177-4186 | 3 |
| 271 | How Are Wearable Activity Trackers Adopted in Older Adults? Comparison between Subjective Adoption Attitudes and Physical Activity Performance. 2020 , 17, | 5 |
| 270 | Exercise and arrhythmic risk in TMEM43 p.S358L arrhythmogenic right ventricular cardiomyopathy. 2020 , 17, 1159-1166 | 9 |
| 269 | Severe-intensity constant-work-rate cycling indicates that ramp incremental cycling underestimates $\dot{V}O_2\max$ in a heterogeneous cohort of sedentary individuals. 2020 , 15, e0235567 | 5 |
| 268 | Physical activity and mortality: what is the dose response and how big is the effect?. 2020 , 54, 1125-1126 | 20 |
| 267 | Risk factors differ by first manifestation of cardiovascular disease in type 1 diabetes. 2020 , 163, 108141 | 3 |
| 266 | Weight Change 2 Years After Termination of the Intensive Lifestyle Intervention in the Look AHEAD Study. 2020 , 28, 893-901 | 10 |
| 265 | Characterizing Self-Monitoring Behavior and Its Association With Physical Activity and Weight Loss Maintenance. 2021 , 15, 173-183 | 4 |
| 264 | Catechol-O-Methyltransferase Genotype, Frailty, and Gait Speed in a Biracial Cohort of Older Adults. 2021 , 69, 357-364 | |

| | | |
|-----|--|---|
| 263 | Lifestyle Behavioral Factors and Integrative Successful Aging Among Puerto Ricans Living in the Mainland United States. 2021 , 76, 1108-1116 | 2 |
| 262 | Leptin and Adiponectin Concentrations Independently Predict Future Accumulation of Visceral Fat in Nondiabetic Japanese Americans. 2021 , 29, 233-239 | 3 |
| 261 | The impact of moving more, physical activity, and cardiorespiratory fitness: Why we should strive to measure and improve fitness. 2021 , 64, 77-82 | 4 |
| 260 | Recruitment strategies and design considerations in a trial of resistance training to prevent dose-limiting toxicities in colon cancer patients undergoing chemotherapy. 2021 , 101, 106242 | 5 |
| 259 | Associations Between Perceived Stress and Dietary Intake in Adults in Puerto Rico. 2021 , 121, 762-769 | 2 |
| 258 | Nature Exposure Achieves Comparable Health and Well-Being Improvements as Best Practice, Positive Psychology Interventions. 2021 , 13, 27-36 | 1 |
| 257 | Physical activity assessment among men undergoing genetic counseling for inherited prostate cancer: a teachable moment for improved survivorship. 2021 , 29, 2145-2151 | 1 |
| 256 | Home-Based Stair Climbing as an Intervention for Disease Risk in Adult Females; A Controlled Study. 2021 , 18, | 4 |
| 255 | Patterns of change in cardiovascular risk assessments and ankle brachial index among Puerto Rican adults. 2021 , 16, e0245236 | |
| 254 | Alterations in Insulin Levels in Adults with Prenatal Alcohol Exposure. 2021 , 45, 500-506 | 5 |
| 253 | Cohort profile: The Youth and Mental Health Study (YAMHS) - a longitudinal study of the period from adolescence to adulthood. 2021 , 16, e0247036 | 2 |
| 252 | Day-to-day associations between sleep characteristics and affect in community dwelling adults. 2021 , 30, e13297 | 0 |
| 251 | Risk Factors Associated with Vitamin D Status among Older Puerto Rican Adults. 2021 , 151, 999-1007 | 0 |
| 250 | Association between Exercise and Cardiovascular System. 2021 , 80, 55-59 | |
| 249 | Conscientiousness and Cardiometabolic Risk: A Test of the Health Behavior Model of Personality Using Structural Equation Modeling. 2021 , | 1 |
| 248 | Insulin resistance-associated genetic variants in type 1 diabetes. 2021 , 35, 107842 | 4 |
| 247 | Association of a Single-Item Self-Rated Diet Construct With Diet Quality Measured With the Alternate Healthy Eating Index. 2021 , 8, 646694 | 2 |
| 246 | Association of physical activity on memory interference: Boston Puerto Rican Health Study. 2021 , 11, 256-260 | |

| | | |
|-----|---|---|
| 245 | The feasibility and acceptability of a web-based physical activity for the heart (PATH) intervention designed to reduce the risk of heart disease among inactive African Americans: Protocol for a pilot randomized controlled trial. 2021 , 104, 106380 | 1 |
| 244 | Associations between diet quality scores and central obesity among adults in Puerto Rico. 2021 , 34, 1014-1021 | 0 |
| 243 | Sitting Time, Type, and Context Among Long-Term Weight-Loss Maintainers. 2021 , 29, 1067-1073 | 1 |
| 242 | The Moderating Effects of Genetic Variations on Changes in Physical Activity Level and Cardiorespiratory Fitness in Response to a Life-Style Intervention: A Randomized Controlled Trial. 2021 , 83, 440-448 | 1 |
| 241 | Specific Dietary Protein Sources Are Associated with Cardiometabolic Risk Factors in the Boston Puerto Rican Health Study. 2021 , | 0 |
| 240 | Effect of Reducing Sedentary Behavior on Blood Pressure (RESET BP): Rationale, design, and methods. 2021 , 106, 106428 | 2 |
| 239 | Reliability of the Thai version of the International Physical Activity Questionnaire Short Form in chronic obstructive pulmonary disease. 2021 , 27, 55-59 | 0 |
| 238 | Physical Activity and Public Health: Four Decades of Progress. 2021 , 10, 319-330 | 6 |
| 237 | Exercise and health: historical perspectives and new insights. 2021 , 131, 575-588 | 0 |
| 236 | Does exercise prevent major non-communicable diseases and premature mortality? A critical review based on results from randomized controlled trials. 2021 , 290, 1112-1129 | 3 |
| 235 | Associations of network-derived metabolite clusters with prevalent type 2 diabetes among adults of Puerto Rican descent. 2021 , 9, | 2 |
| 234 | Lower High-Density Lipoprotein Cholesterol Concentration Is Independently Associated with Greater Future Accumulation of Intra-Abdominal Fat. 2021 , 36, 835-844 | 0 |
| 233 | Association of Primary Hypertension and Risk of Cerebrovascular Diseases with Overweight and Physical Activity in Korean Women: A Longitudinal Study. 2021 , 9, | 2 |
| 232 | Determinants of physical function in community dwelling old people. 1-8 | 0 |
| 231 | Examination of the allostatic load construct and its longitudinal association with health outcomes in the Boston Puerto Rican Health Study. 2021 , | 0 |
| 230 | Prospective Study of Plant-Based Dietary Patterns and Diabetes in Puerto Rican Adults. 2021 , 151, 3795-3800 | 1 |
| 229 | Lifestyle and the aging brain: interactive effects of modifiable lifestyle behaviors and cognitive ability in men from midlife to old age. 2021 , 108, 80-89 | 2 |
| 228 | Sustaining Regular Exercise During Weight Loss Maintenance: The Role of Consistent Exercise Timing. 2021 , 18, 1253-1260 | 0 |

| | | |
|-----|--|---|
| 227 | Case-crossover and case-time-control designs as alternatives in pharmacoepidemiologic research. 1997 , 6, S51-S59 | 4 |
| 226 | Cardiovascular Benefits of Endurance Exercise. 2000 , 688-707 | 1 |
| 225 | Risk Factor Interaction in Cardiovascular and Cerebrovascular Disease. 1987 , 331-355 | 9 |
| 224 | Healthy Living. 1985 , 181-207 | 1 |
| 223 | Preventative Cardiology and Physical Activity. 1996 , 15-28 | 1 |
| 222 | Behavioral Approaches to Primary and Secondary Prevention of Coronary Heart Disease. 1986 , 287-306 | 1 |
| 221 | Exercise in Patients with Cardiovascular Disease. 2007 , 169-183 | 1 |
| 220 | Is Gamification Effective in Motivating Exercise?. 2015 , 608-617 | 6 |
| 219 | Future Health of Survivors of Adolescent and Young Adult Cancer. 2007 , 451-467 | 4 |
| 218 | Körperliche Aktivität von Jugendlichen Validität der Messung, Prävalenz und Determinanten. Die Berlin-Bremen-Studie. 1987 , 245-256 | 2 |
| 217 | Atherosclerotic Disease in Non-Human Primates: Its Prevention and Regression by Moderate Conditioning Exercise. 1983 , 268-270 | 1 |
| 216 | Körperliche Aktivität in der modernen Arbeitswelt. 2018 , 163-170 | 1 |
| 215 | Körperliche Fitness als gesundheitsrelevanter Prädiktor. 2017 , 67-75 | 3 |
| 214 | Age-Specific Physical Activities and Life Style Patterns as Related to All-Cause Mortality and to Longevity. 1999 , 121-130 | 3 |
| 213 | Sudden death and sports. 1986 , 223-227 | 1 |
| 212 | Readiness for exercise adoption. 1980 , 14A, 139-46 | 9 |
| 211 | Cardiovascular Disorders and Exercise. 1983 , 229-257 | 2 |
| 210 | Prescribing Exercise Programs. 1983 , 361-381 | 1 |

| | | |
|-----|---|-----|
| 209 | Exercise and Lipids. 2009 , 232-239 | 0 |
| 208 | Marathon Running and Immunity to Coronary Heart Disease. 1984 , 3, 527-543 | 12 |
| 207 | Physical Activity and Primary Prevention of Cardiovascular Disease. 1985 , 3, 203-222 | 3 |
| 206 | The Behavioral Risk Factor Surveys: IV. The Descriptive Epidemiology of Exercise. 1987 , 3, 304-310 | 41 |
| 205 | Diagnose körperlich-sportlicher Aktivität im Erwachsenenalter. 2004 , 11, 54-70 | 19 |
| 204 | Enhancing physical function in HIV-infected older adults: A randomized controlled clinical trial. 2016 , 35, 563-73 | 77 |
| 203 | Sleep duration partially accounts for race differences in diurnal cortisol dynamics. 2017 , 36, 502-511 | 19 |
| 202 | Socioeconomic status and parenting during adolescence in relation to ideal cardiovascular health in Black and White men. 2017 , 36, 673-681 | 7 |
| 201 | Episodic future thinking, delay discounting, and exercise during weight loss maintenance: The PACE trial. 2020 , 39, 796-805 | 4 |
| 200 | Impulsivity and midlife cardiometabolic risk: The role of maladaptive health behaviors. 2020 , 39, 642-654 | 3 |
| 199 | A Randomized Controlled Pilot Study Testing Three Types of Health Coaches for Obesity Treatment: Professional, Peer, and Mentor. 2013 , 21, 928-34 | 41 |
| 198 | A metabolomic approach to identify the link between sports activity and atheroprotection. 2020 , | 2 |
| 197 | "Lifestyle" interventions for promoting physical activity: a kilocalorie expenditure-based home feasibility study. 1996 , 312, 68-75 | 11 |
| 196 | High intensity strength training improves strength and functional performance after stroke. 2000 , 79, 369-76; quiz 391-4 | 214 |
| 195 | Validity of selected physical activity questions in white Seventh-day Adventists and non-Adventists. 1996 , 28, 1026-37 | 35 |
| 194 | The recall of physical activity: using a cognitive model of the question-answering process. 1996 , 28, 1282-91 | 155 |
| 193 | Leg power in young women: relationship to body composition, strength, and function. 1996 , 28, 1321-6 | 61 |
| 192 | Paffenbarger Physical Activity Questionnaire. 1997 , 29, 83-88 | 3 |

| | | |
|-----|--|-----|
| 191 | Changes in VO2max, physical activity, and body fat with chronic exercise: effects on plasma lipids. 1997 , 29, 1152-9 | 23 |
| 190 | Effects of cross-training on markers of insulin resistance/hyperinsulinemia. 1997 , 29, 1170-5 | 55 |
| 189 | Intensity, duration, and frequency of physical activity and coronary risk factors. 1997 , 29, 1192-8 | 39 |
| 188 | Is physical activity or aerobic power more influential on reducing cardiovascular disease risk factors?. 1998 , 30, 1521-9 | 76 |
| 187 | Physical activity in urban white, African-American, and Mexican-American women. 1998 , 30, 1608-15 | 89 |
| 186 | Effects of physical inactivity and obesity on morbidity and mortality: current evidence and research issues. 1999 , 31, S646-62 | 399 |
| 185 | Risk factors for cardiovascular disease in children with Type I diabetes. 2000 , 49, 160-6 | 13 |
| 184 | Effects of 2,000 kcal per week of walking and stair climbing on physical fitness and risk factors for coronary heart disease. 1996 , 16, 183-92 | 40 |
| 183 | Caloric expenditure during cardiac rehabilitation. 1998 , 18, 290-4 | 35 |
| 182 | Association of physical activity at work with mortality in Israeli industrial employees: the CORDIS study. 2000 , 42, 127-35 | 39 |
| 181 | Hot flashes and cardiac vagal control: a link to cardiovascular risk?. 2010 , 17, 456-61 | 59 |
| 180 | Compression Socks Worn During Flight and Hemostatic Balance in Boston Marathon Runners on Oral Contraceptives. 2018 , 28, 278-283 | 4 |
| 179 | Self-Efficacy, Social-Support, and Physical Activity Measures Among Hospital Employees: A Multisite Cross-Sectional Study. 2020 , 17, 548-556 | 3 |
| 178 | Early Physical Activity Adoption Predicts Longer-Term Physical Activity Among Individuals Inactive at Baseline. 2020 , 17, 1205-1212 | 2 |
| 177 | Milk consumption and bone mineral density in middle aged and elderly women. 1994 , 308, 939-41 | 108 |
| 176 | Exercise standards. A statement for healthcare professionals from the American Heart Association. Writing Group. 1995 , 91, 580-615 | 442 |
| 175 | Clinical misconceptions dispelled by epidemiological research. 1995 , 92, 3350-60 | 49 |
| 174 | Psychosocial risk factors and nonfatal myocardial infarction. 1995 , 92, 1458-64 | 11 |

| | | |
|-----|---|-----|
| 173 | Impaired heart rate response to graded exercise. Prognostic implications of chronotropic incompetence in the Framingham Heart Study. 1996 , 93, 1520-6 | 346 |
| 172 | Sex differences in coronary heart disease. Why are women so superior? The 1995 Ancel Keys Lecture. 1997 , 95, 252-64 | 429 |
| 171 | History of Physical Activity Contributions to Public Health. 2012 , 1-20 | 1 |
| 170 | Constitution or Environment? The Basis of Regional and Ethnic Differences in the Interactions among Gender, Age, and Functional Capacity. 2001 , 55-92 | 4 |
| 169 | Mortality associated with diabetes and cardiovascular disease in older women. 2012 , 7, e48818 | 5 |
| 168 | Validity of Ratings of Perceived Exertion in Patients with Type 2 Diabetes. 004-012 | 1 |
| 167 | The influence of VDR genotype and exercise on ultrasound parameters in young adult Japanese women. 2004 , 23, 49-55 | 14 |
| 166 | Physical activity and brain plasticity in late adulthood. 2013 , 15, 99-108 | 133 |
| 165 | An update on accumulating exercise and postprandial lipaemia: translating theory into practice. 2013 , 46 Suppl 1, S3-11 | 8 |
| 164 | How to reduce cardiovascular mortality and morbidity among Hajj Pilgrims: A multiphasic screening, intervention and assessment. 1999 , 19, 55-7 | 10 |
| 163 | Time in Bed is Associated with Decreased Physical Activity and Higher BMI in Women Seeking Weight Loss Treatment. 2012 , 2012, | 2 |
| 162 | Effects of Exercise and Physical Activity on Prevention of Arteriosclerosis-Special Reference to Arterial Distensibility-. 2006 , 4, 316-324 | 7 |
| 161 | The Association of Prior Intensive Lifestyle Intervention and Diabetes Support and Education with Frailty Prevalence at Long-Term Follow-up in the Action for Health in Diabetes Extension Study. 2021 , | 1 |
| 160 | Habitual sleep, sleep duration differential, and weight change among adults: Findings from the Wisconsin Sleep Cohort Study. 2021 , 7, 723-730 | 1 |
| 159 | Exercise. 2000 , 495-508 | 1 |
| 158 | Practical Implementation of Exercise Prescriptions. 2000 , 523-544 | |
| 157 | Practical Implementation of Exercise Prescriptions. 2000 , 523-544 | |
| 156 | Exercise in the Therapy of Diabetes Mellitus. 2004 , 543-567 | |

- 155 Effectiveness of structured brief interventions on risk factor modification for patients with coronary heart disease - A systematic review - Protocol. **2005**, 3, 1-13
- 154 Effectiveness of structured brief interventions on risk factor modification for patients with coronary heart disease - A systematic review - Protocol. **2005**, 3, 1-13
- 153 Bibliographie. **2005**, 409-440
- 152 Physical Activity Measurement. **2005**, 13-23
- 151 Exercise and the Heart. **2006**, 375-389
- 150 Maintenance. **2006**, 177-196 1
- 149 Assessment of Physical Activity in Health and Wellness Promotion. **2007**, 110, 34-37
- 148 Portable Devices Measuring Daily Activities. **2007**, 73, 1186-1189
- 147 Nutrition and Heart Disease. **2007**, 141-165
- 146 The Measurement of Energy Expenditure and Physical Activity. **2007**, 159-189
- 145 ??????????????????????????????. **2008**, 74, 45-54
- 144 Weight Loss in Type 2 Diabetic Patients. **2008**, 201-231
- 143 The value of physical fitness in preventive medicine. **1985**, 110, 164-82
- 142 Einfluss von multimodaler sportlicher Aktivität auf Kognition und Alltagskompetenzen bei früher Alzheimer-Demenz (SPORT&KOG). **2008**, 21, 163-169 1
- 141 Mood, Weight, and Physical Activity Among Obese Individuals Enrolled In a Long-term Weight-loss Program: Trajectories and Associations with Gender. **2009**, 6, 1
- 140 Exercise in the Therapy of Diabetes Mellitus. **2010**, 687-708
- 139 Wissenschaftliche Grundlagen betrieblicher Gesundheitspolitik. **2010**, 59-145
- 138 Effekte körperlichen Trainings auf den Organismus. **2010**, 13-22

- 137 Predictors of breast discomfort among women initiating menopausal hormone therapy. **2010**, 17, 462-70 2
- 136 Field Assessment of Physical Activity and Energy Expenditure among Athletes. **2010**, 183-212 1
- 135 Exercise intensity effective for primary prevention of hypertension, type 2 diabetes mellitus, and hyperlipidemia. **2011**, 1, 3-11
- 134 Using Pedometers to Promote Physical Activity Among Clinical Populations. **2012**, 1, 15-20
- 133 Physical Exercise and Health. 95-117
- 132 Impact of Life Style Factors on Oxidative Stress. **2013**, 335-358
- 131 The Association of In-world Avatar Investment with Expectations of Behavioral Change. **2013**, 466-473
- 130 A Comparative Study of Item Difficulty Hierarchy of Self-Reported Activity Measure Versus Metabolic Equivalent of Tasks. **2013**, 20, 89-99
- 129 Smoking and Health. **1980**, 1-530
- 128 Die Rolle der Körperlichen Aktivität in der Primären und Sekundären Prävention der Coronaren Herzkrankheit. **1982**, 1-11
- 127 Is There a Difference in Risk Factors in the Development of Angina Pectoris and Myocardial Infarction?. **1982**, 21-27
- 126 The Role of Protective Factors. **1982**, 14-17 1
- 125 Auswirkungen eines mehrjährigen Lauftrainings auf Risikofaktoren der koronaren Herzerkrankung. **1984**, 269-276
- 124 The Epidemiology of Sudden Cardiac Death: Incidence, Clinical Features, Biomedical and Psychosocial Risk Factors. **1985**, 17-43
- 123 Der Beitrag der Sportmedizin für die Prävention und Rehabilitation von Koronarerkrankungen. **1985**, 12-25
- 122 Prevention of Coronary Atherosclerosis. **1985**, 283-303
- 121 Barriers to Work Stress: II. The Hardy Personality. **1985**, 181-204 3
- 120 Pathogenesis of Coronary Atherosclerosis: Prevention of Atherogenesis. **1986**, 1-38

- 119 Anger, Aerobics and Autonomic Reactivity. **1986**, 258-286
- 118 Endurance Training and Its Importance in the Prevention of Degenerative Cardiovascular Diseases. **1986**, 614-623
- 117 Physical Activity, Other Personal Behaviors, Cardiovascular Disease, and Longevity. **1987**, 185-197
- 116 Gesunderhaltung und Leistungsoptimierung im Tennissport. **1987**, 583-589
- 115 Benefits of Exercise: Effect on Mortality and Physiological Function. **1988**, 189-205
- 114 Die Bedeutung von körperlicher Aktivität und Sport in den verschiedenen Lebensphasen. **1990**, 139-146
- 113 Behavioral Strategies for Improving Weight Loss in Obese Type II Diabetic Patients. **1990**, 198-221
- 112 Physical Activity for Healthy Adults: Counseling as a Primary Preventive Intervention in Clinical Settings. **1990**, 55-70
- 111 RELATIONSHIP OF SELF-EFFICACY AND LOCUS OF CONTROL CONSTRUCTS IN PREDICTING COLLEGE STUDENTS' PHYSICAL FITNESS BEHAVIORS. **1990**, 71, 499
- 110 Angina Pectoris. **1991**, 187-206
- 109 Präventive Kardiologie und Sport. **1991**, 147-158
- 108 Athletic Participation After Myocardial Revascularization. **1991**, 10, 371-389
- 107 Training und Sport als Mittel der Präventivmedizin. **1993**, 287-294 1
- 106 Präventivkardiologie am Beispiel der koronaren Herzkrankheit. **1993**, 215-227
- 105 An Introduction to Cardiovascular Disease. **1994**, 3-19
- 104 Lebensführung. **1995**, 509-584
- 103 Exercise and Physical Activity. **1995**, 255-274 3
- 102 Stroke epidemiology and risk factors. **1996**, 73-86

101 Cardiovascular Changes of the Perimenopause and Menopause. **1997**, 210-232

100 Training und Sport als Mittel der Präventivmedizin. **1997**, 292-299

99 Lebensführung. **1997**, 1023-1125

98 Präventivkardiologie am Beispiel der koronaren Herzkrankheit. **1997**, 217-230

97 Relevance of Health Behavior Research to Public Health Professionals. **1997**, 163-179

o

96 Physical Activity. **1998**, 523-556

95 Sport and Health. **1998**, 43-58

94 Literaturverzeichnis. **1998**, 209-218

93 The Optimal Level and Promoting Plan of Physical Activity for Prevention and Management of Chronic Diseases. **2014**, 31, 73-92

92 The Modern Era: Blossoming of the Olympic Movement and the Conquest of Acute Disease. **2015**, 715-901

91 Genetics and the Blood Pressure Response to Exercise Training. **2015**, 227-237

90 Research trend of Measurement and Evaluation in Physical Education and Sports Science. **2015**, 26, 205-218

1

89 Measurement Properties of Physical Activity Questionnaires Used in Studies Involving Populations with Diabetes: A Systematic Review. **2015**, 17, 25-47

88 Exercise in the Therapy of Diabetes Mellitus. **2016**, 1-24

87 Exercise in the Therapy of Diabetes Mellitus. **2016**, 1-24

86 Medizinische Trainingstherapie (MTT). **2018**, 299-316

85 Koronare Herzerkrankung (KHK). **2018**, 109-115

84 Multi-sensor Platform for Automatic Assessment of Physical Activity of Older Adults. **2019**, 417-427

| | | | |
|----|--|-----|---|
| 83 | Sport und Gesundheit. 2019 , 1-23 | | 1 |
| 82 | Apolipoprotein B Levels Predict Future Development of Hypertension Independent of Visceral Adiposity and Insulin Sensitivity. 2020 , 35, 351-358 | | 0 |
| 81 | Physical Activity and Physical Fitness in Primary and Secondary Prevention of Coronary Heart Disease. 1983 , 155-163 | | |
| 80 | Physical Activity in the Prevention of Coronary Heart Disease. 1983 , 75-88 | | 1 |
| 79 | Cardiovascular Effects of Exercise in Primate Atherosclerosis. 1983 , 195-212 | | |
| 78 | Physical Exercise as Protection Against Heart Attack. 1983 , 276-280 | | |
| 77 | Physical Activity in the Modern Working World. 2021 , 157-165 | | |
| 76 | The Optimal Dose of Exercise. 2020 , 861-878 | | |
| 75 | Finances of the citizens of the Czech Republic spent on sports activities to prevent and treat cardiovascular diseases. 2019 , 21, 403-409 | | |
| 74 | Epidemiology: Physical Activity, Exercise and Mortality. 2020 , 703-717 | | 1 |
| 73 | The Importance of Self-concept and Self-expansion in Understanding Health and Behavior Change. 2020 , 163-176 | | 1 |
| 72 | Epidemiologic Research: A Primer for the Clinical Exercise Physiologist. 2020 , 9, 29-39 | | |
| 71 | Cardiovascular risk factors. 1988 , 148, 663-4 | | |
| 70 | Making medical schools' activities relevant to the local community. 1989 , 151, S13-S22 | | |
| 69 | Physical Activity and Cardiorespiratory Fitness. 2007 , 491-510 | | |
| 68 | The Role of Sports in Preventive Cardiology. 2007 , 163-169 | | |
| 67 | Relationship between Physical Functions and Preoperative Physical Activity in Patients with Peripheral Arterial Disease Undergoing Endovascular Treatment. 2020 , 57, 852-860 | | |
| 66 | Design and Implementation of the Puerto Rico Observational Study of Psychosocial, Environmental, and Chronic Disease Trends (PROSPECT). <i>American Journal of Epidemiology</i> , 2021 , 190, 707-717 | 3.8 | 1 |

| | | |
|----|---|------|
| 65 | Physical Activity and Aging. 1982 , 9, 231-238 | 2 |
| 64 | Healthy exercise. 1984 , 141, 864-71 | 6 |
| 63 | Cardiovascular disease: risk factors in older Canadians. 1999 , 161, S1-2 | 1 |
| 62 | Knowledge and awareness of risk factors for cardiovascular disease among Canadians 55 to 74 years of age: results from the Canadian Heart Health Surveys, 1986-1992. 1999 , 161, S10-6 | 17 |
| 61 | Prevalence of risk factors for cardiovascular disease in Canadians 55 to 74 years of age: results from the Canadian Heart Health Surveys, 1986-1992. 1999 , 161, S3-9 | 7 |
| 60 | Sea-level physical activity and acute mountain sickness at moderate altitude. 1995 , 163, 117-21 | 9 |
| 59 | Exercise and health promotion. 1993 , 43, 443-4 | 3 |
| 58 | When motor vehicles hit joggers: an analysis of 60 cases. 1981 , 96, 448-51 | 5 |
| 57 | A new curriculum for fitness education. 1983 , 98, 507-16 | 0 |
| 56 | Assessment of physical activity in epidemiologic research: problems and prospects. 1985 , 100, 131-46 | 215 |
| 55 | The risks of exercise: a public health view of injuries and hazards. 1985 , 100, 189-95 | 47 |
| 54 | Physical activity and exercise to achieve health-related physical fitness components. 1985 , 100, 202-12 | 54 |
| 53 | Physical activity, exercise, and physical fitness: definitions and distinctions for health-related research. 1985 , 100, 126-31 | 2457 |
| 52 | Workshop on Epidemiologic and Public Health Aspects of Physical Activity and Exercise: a summary. 1985 , 100, 118-26 | 30 |
| 51 | The disease-specific benefits and risks of physical activity and exercise. 1985 , 100, 180-8 | 93 |
| 50 | Effects of physical activity, dietary calcium intake and selected lifestyle factors on bone density in young women. 1990 , 142, 221-7 | 22 |
| 49 | The status of the 1990 objectives for physical fitness and exercise. 1986 , 101, 15-21 | 23 |
| 48 | Massachusetts' approach to the prevention of heart disease, cancer, and stroke. 1986 , 101, 29-39 | 4 |

| | | |
|----|--|----|
| 47 | Exercise and hypertension. 1986 , 62, 887-95 | |
| 46 | Characteristics that predicted recurrence of infarction within 3 years in the Ontario Exercise-Heart Collaborative Study. 1983 , 128, 1287-90 | 2 |
| 45 | Physical activity and the healthy mind. 1983 , 128, 525-30 | 7 |
| 44 | Exercise testing and cardiac rehabilitation in patients with coronary artery disease. 1983 , 59, 635-59 | |
| 43 | Jogging in middle age. 1985 , 35, 341-5 | 1 |
| 42 | Family Physicians and Exercise Counseling: Can they be influenced to provide more?. 1992 , 38, 2003-10 | 8 |
| 41 | Promoting Physical Activity in Primary Care: Overcoming the barriers. 1991 , 37, 2167-73 | |
| 40 | Physical activity and high-density lipoprotein cholesterol and subfractions among young black adults. 1987 , 79, 843-8 | 2 |
| 39 | The Legacy of Dr. Ralph Seal Paffenbarger, Jr. - Past, Present, and Future Contributions to Physical Activity Research. 2009 , 10, 1-8 | 2 |
| 38 | Self-reported knowledge and pattern of physical activity among male school students and their teachers in Al khobar, saudi arabia. 2005 , 12, 19-25 | 2 |
| 37 | Relationship of distance run per week to coronary heart disease risk factors in 8283 male runners. The National Runners' Health Study. 1997 , 157, 191-8 | 40 |
| 36 | Validity of Ratings of Perceived Exertion in Patients with Type 2 Diabetes. 2014 , 1, | 1 |
| 35 | A Difference-in-Difference Study Evaluating the Effect of Minimum Wage Policy on Body Mass Index and Related Health Behaviors. 2021 , 7, | 1 |
| 34 | Effect of level of farm mechanization early in life on bone later in life. 2012 , 12, 7-15 | 2 |
| 33 | Hybrid Approach for Predicting Heart Failure using Machine Learning. 2021 , | |
| 32 | Neural correlates of slower gait in middle-aged persons with childhood-onset type 1 diabetes mellitus: The impact of accelerated brain aging. 2021 , 108084 | 0 |
| 31 | Exploring former NCAA Division I college athletes' experiences with post-sport physical activity: A qualitative approach. 1-21 | |
| 30 | Correlation of heart rate recovery and heart rate variability with atrial fibrillation progression. 2021 , 49, 3000605211057822 | |

29 Vierte Dimension: Der Chef coacht sich selbst. **2021**, 219-286

28 Steps expressed relative to body fat mass predicts body composition and cardiometabolic risk in adults eating ad libitum. **2021**,

27 Correlates of cardiorespiratory fitness among overweight or obese individuals with type 2 diabetes.. **2022**, 10,

26 Chronic Diseases and Associated Risk Factors Among Adults in Puerto Rico After Hurricane Maria.. **2022**, 5, e2139986

25 The stress, salt excretion, and nighttime blood pressure (SABRE) study: Rationale and study design. **2022**, 13, 100099

24 Interactive effects of polycyclic aromatic hydrocarbons and iron oxides particles. Epidemiological and fundamental aspects. **1996**, 4 Suppl, 41-5

23 The Feasibility of a Newly Developed Local Network System for Cardiac Rehabilitation (the CR-GNet) in Disease Management and Physical Fitness after Acute Coronary Syndrome.. **2022**, 25, 18-25

22 Joint 30-year HbA1c and lipid trajectories and mortality in type 1 diabetes.. **2022**, 185, 109787

21 Adherence to Mediterranean Diet and Depressive Symptomatology among Boston area Puerto Ricans.. **2022**,

20 Positive attitudes toward legumes are associated with legume intake among adults in Puerto Rico.. **2022**, 103, 21-29

19 Data_Sheet_1.docx. **2019**,

18 Image_1.JPEG. **2019**,

17 A narrative review of the relationship between early-life physical activity and later-life cognitive function. **2022**, 11, 137-147

16 Physical activity in older adults with metastatic gastrointestinal cancer: a pilot and feasibility study. **2022**, 8, e001353

15 Cardiorespiratory Fitness Attenuates the Deleterious Effects of Sleep Apnea on Cerebral Structure and Perfusion in the Wisconsin Sleep Cohort Study.

14 Physical Activity in Relation to All-Site and Lung Cancer Incidence and Mortality in Current and Former Smokers. **2004**, 13, 2233-2241

13 Temporal Dynamics of the Intestinal Microbiome Following Short-Term Dietary Restriction. **2022**, 14, 2785

12 Sport und Gesundheit. **2022**, 189-211

- 11 Association between adverse experiences during Hurricane María and mental and emotional distress among adults in Puerto Rico. ○
- 10 Feeling Good After Exercise During a Weight Loss Program: Subjective Well-Being in Support of a Hedonic Paradigm. 003151252211304 ○
- 9 Physical Activity/Exercise and Cardiovascular Disease. **2022**, 379-409 ○
- 8 A Research Approach to Self-Report and Objective Measurements of Physical Activity in Eating Disorders. **2022**, 1-25 ○
- 7 Stair climbing, genetic predisposition, and the risk of incident type 2 diabetes: A large population-based prospective cohort study. **2022**, ○
- 6 Recovery from weight regain among long-term weight loss maintainers in WW. ○
- 5 Longitudinal association between physical activity and the risk of incident metabolic syndrome in middle-aged adults in Germany. **2022**, 12, ○
- 4 Path analysis of the impact of prenatal alcohol on adult vascular function. ○
- 3 Effect of Diets Varying in Iron and Saturated Fat on the Gut Microbiota and Intestinal Inflammation: A Crossover Feeding Study among Older Females with Obesity. 1-14 ○
- 2 A Research Approach to Self-Report and Objective Measurements of Physical Activity in Eating Disorders. **2023**, 413-437 ○
- 1 Longitudinal associations between physical activity and five risk factors of metabolic syndrome in middle-aged adults in Germany. **2023**, 15, ○