

Seedling Emergence as Related to Temperature and Mo

Agronomy Journal

70, 709-712

DOI: [10.2134/agronj1978.00021962007000050001x](https://doi.org/10.2134/agronj1978.00021962007000050001x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Influence of Soil Moisture, Temperature, and Compaction on the Germination and Emergence of Downy Brome (<i>Bromus tectorum</i>). <i>Weed Science</i> , 1979, 27, 625-630.	1.5	38
3	Factors Affecting the Establishment of Natural Vegetation on a Coal Strip Mine Spoil Bank in Southeastern Ohio. <i>American Midland Naturalist</i> , 1981, 105, 19.	0.4	30
4	Delayed inoculation and starter nitrogen for enhancing early growth and nitrogen status of <i>Lespedeza cuneata</i> . <i>Plant and Soil</i> , 1985, 84, 311-321.	3.7	5
5	Environmental factors affecting seed germination of gray birch (<i>Betula populifolia</i>) collected from abandoned anthracite coal mine spoils in northeast Pennsylvania. <i>Annals of Applied Biology</i> , 1986, 108, 649-658.	2.5	5
6	Field evaluation of starter N and delayed inoculation of <i>Lespedeza cuneata</i> grown in minesoil. <i>Plant and Soil</i> , 1988, 109, 109-113.	3.7	3
7	Influence of Soil Temperature, Soil Moisture, and Seed Burial Depth on the Emergence of Round-Leaved Mallow (<i>Malva pusilla</i>). <i>Weed Science</i> , 1990, 38, 518-521.	1.5	34
8	Germination response to temperature in tropical and subtropical pasture legumes. 1. Constant temperature. <i>Australian Journal of Experimental Agriculture</i> , 2002, 42, 407.	1.0	29
9	Use of the hydrothermal time model to analyse interacting effects of water and temperature on germination of three grass species. <i>Seed Science Research</i> , 2004, 14, 35-50.	1.7	50
10	Towards the sustainable development of modern road ecosystems. <i>Environmental Pollution</i> , 2006, , 275-331.	0.4	14
11	Sod-Livestock Integration into the Peanut-Cotton Rotation: A Systems Farming Approach. <i>Agronomy Journal</i> , 2006, 98, 1156-1171.	1.8	68
12	Effects of day-night temperature combinations under constant day length on emergence and early growth of sericea lespedeza genotypes. <i>Canadian Journal of Plant Science</i> , 2007, 87, 77-81.	0.9	1
13	Transition from conventional farming to organic farming using bahiagrass. <i>Journal of the Science of Food and Agriculture</i> , 2007, 87, 2751-2756.	3.5	15
14	Factors Affecting Successful Establishment of Aerially Seeded Winter Rye. <i>Agronomy Journal</i> , 2013, 105, 1868-1877.	1.8	51
15	Ecological Aspects of Turf Communities. <i>Agronomy</i> , 0, , 129-174.	0.2	23
16	Study and Management of Turfgrass Traffic Stress. , 2015, , 1029-1074.		10
17	Water Relations of Cool-Season Grasses. <i>Agronomy</i> , 0, , 127-164.	0.2	12
18	Identifying Sustainable Grassland Management Approaches in Response to the Invasive Legume <i>Lespedeza cuneata</i> : A Functional Group Approach. <i>Sustainability</i> , 2020, 12, 5951.	3.2	2
19	Transitioning from Conventional to Organic Farming Using Conservation Tillage. <i>Edis</i> , 2021, 2021, .	0.1	0

#	ARTICLE	IF	CITATIONS
20	Soil Temperature Mediated Seedling Emergence and Field Establishment in Bentgrass Species and Cultivars during Spring in the Northeastern United States. HortTechnology, 2021, 31, 42-52.	0.9	0
21	Whole Plant Response to Water Deficits: An Overview. Assa, Cssa and Sssa, 0, , 289-317.	0.6	6
22	Making the Transition from Conventional to Organic Farming Using Conservation Tillage in Florida. Edis, 2006, 2006, .	0.1	0
23	Water-in-Plants Bibliography. , 1979, , 1-97.		0
24	Optimizing frequency and amount of irrigation needed to establish cool-season turfgrasses. Agronomy Journal, 0, , .	1.8	0
25	Effects of NaHSO ₃ on Cellular Metabolic Energy, Photosynthesis and Growth of <i>Iris pseudacorus</i> L.. Horticulturae, 2022, 8, 185.	2.8	0