

CITATION REPORT

List of articles citing

Optical properties of the radical cation
tetrathiafulvalenium (TTF⁺) in its mixed-valence and
monovalence halide salts

DOI: 10.1103/physrevb.19.730
Physical Review B, 1979, 19, 730-741.

Source: <https://exaly.com/paper-pdf/14033771/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
420	Charge transfer transitions in extended correlated electronic systems. 1979 , 44, 403-414		22
419	Raman spectra of mixed valent TTF salts; relation between Raman frequency and formal charge. 1980 , 34, 857-859		68
418	Raman spectra of conducting TCNQ salts; Estimation of the degree of charge transfer from vibrational frequencies. 1980 , 33, 403-405		105
417	Temperature dependence of the reflectance spectrum of tetrathiafulvalenium iodide (TTF)I _{0.71} single crystal. 1980 , 35, 601-605		5
416	Experimental study of the role of intramolecular vibrations in the Peierls transition of organic conductors. 1980 , 13, 6205-6218		31
415	Comparison of two isostructural organic compounds, one metallic and the other insulating. <i>Physical Review B</i> , 1980 , 22, 4960-4965	3.3	80
414	Polymer-modified electrodes: a new class of electrochromic materials. 1980 , 36, 422-425		61
413	Commensurate Peierls transition in a quasi-one-dimensional compound: The bromide salt of tetrathiafulvalene (TTF). <i>Physical Review B</i> , 1980 , 22, 5599-5605	3.3	8
412	New high-resolution charge transfer x-ray and electron beam negative resist. 1980 , 37, 314-316		17
411	Discovery of a Neutral-to-Ionic Phase Transition in Organic Materials. 1981 , 46, 253-257		572
410	Polarized Absorption and Reflection Spectra of the Single Crystals of 11,11,12,12-Tetracyano-2,6-naphthoquinodimethan (TNAP) Complexes. 1981 , 54, 1946-1949		3
409	The Design of Organic Metals. Dibenzotetrathiafulvalene-2,3-Dichloro-5,6-dicyano-p-benzoquinone (DBTTFDDQ). 1981 , 54, 3170-3172		43
408	Natural or orthogonalized magnetic orbitals: Two alternative ways to describe the exchange interaction. 1981 , 82, 534-538		112
407	Polarization energies of tetrathiafulvalene derivatives. 1981 , 60, 327-333		25
406	Anomalous properties of new organic conductors: Comparison of bromanil, chloranil, and tetracyanoquinodimethane (TCNQ) salts of tetramethyltetrathiafulvalene (TMTTF). 1981 , 38, 1165-1169		22
405	Valence-bond analysis of extended Hubbard models: Charge-transfer excitations of molecular conductors. <i>Physical Review B</i> , 1981 , 23, 2810-2823	3.3	89
404	Organic conductors as electron beam resist materials. 1982 , 40, 90-92		7

403	Temperature dependence of the reflectance spectrum of the single crystal of tetrathiafulvalene-chloranil. 1982 , 44, 151-154		19
402	Electrochemistry of tetrathiafulvalene polymers, anion effects on charge transport through donor substituted thin polymer films. 1982 , 142, 277-287		19
401	A model for two-electron four-center mixed valence systems. Application to $[W_4O_8Cl_8(H_2O)_4]^{2-}$ 1983 , 74, 217-226		28
400	Charge orderings and lattice distortions in complex TCNQ salts. 1983 , 121, 134-152		2
399	Optical and infrared properties of tetramethyltetraselenafulvalene [(TMTSF) $_2$ X] and tetramethyltetrathiafulvalene [(TMTTF) $_2$ X] compounds. <i>Physical Review B</i> , 1983 , 28, 7019-7032	3-3	158
398	Electronic Structure of Ion-Radical Organic Solids and Polyenes. 1983 , 23, 37-48		15
397	Vibrational Spectra of Organic Conductors. Charge Transfer Salts of TTF with Substituted p-Benzoquinones. 1983 , 56, 369-374		15
396	IR Spectra of Solid State Reaction Products of TTF and Iodine. 1983 , 56, 2090-2092		6
395	Electronic Spectra and Crystal Structure of Organic Radical Salt: Dimethyldibenzotetrathiafulvalenium Tetrafluoroborate. 1983 , 56, 405-411		12
394	Infrared study of (TMTTF) $_2$ X (X=ClO $_4^-$, NO $_3^-$, SCN $^-$, SeCN $^-$) salts: role of the anion ordering. 1984 , 17, 5437-5448		
393	Vibrational behavior of molecular constituents of organic superconductors: TMTSF, its radical cation and the sulphur analogs TMTTF and TMTTF $^+$. 1984 , 80, 6210-6224		104
392	Nickel phthalocyanine iodide: A highly-one-dimensional low-temperature molecular metal. <i>Physical Review B</i> , 1984 , 30, 6269-6276	3-3	79
391	Syntheses and electrical resistivities of TTF and TSF salts with tris(oxalato)silicate, -germanate, and -stannate. 1984 , 87, 143-146		31
390	Accurate electron-molecular vibration coupling constants from powders optical spectra: TCNQ and TTF. 1984 , 52, 801-806		57
389	CRYSTAL STRUCTURE AND PROPERTIES OF THE DBTTF SALT WITH A NOVEL CHLORIDE-BRIDGED TRIMERIZED DIMETHYLTIN(IV) DIANION. [DBTTF] $_3$ [Sn $_3$ (CH $_3$) $_6$ Cl $_8$] $_2$ C $_6$ H $_5$ CN. 1985 , 14, 973-976		2
388	Preparation and electrical resistivities of tetrathiafulvalen (TTF) and tetraselenafulvalen salts with the [SnR $_2$ Cl $_n$] $^{2-n}$ anions (n = 3 or 4: R = Et or Ph) and X-ray crystal structure of [TTF] $_3$ [SnEt $_2$ Cl $_4$]. 1985 , 4, 1783-1789		15
387	Electrical properties and configurations of TTF and TSF salts with cis-dialkylbis(oxalato)stannate(IV) anions. 1985 , 105, 9-12		3
386	Preparation and properties of TTF and TSF salts with planar platinum(II) and copper(II) oxalate anions. 1985 , 97, 201-204		10

385	Highly conductive metallophthalocyanine assemblies. Structure, charge transport, and anisotropy in the metal-free molecular metal H ₂ (Pc)I. 1985 , 54, 501-504		73
384	Conducting Langmuir-Blodgett films. 1985 , 134, 195-199		39
383	Electrically conductive metallomacrocyclic assemblies. 1985 , 227, 881-9		232
382	A key to understanding ionic mixed stacked organic solids: Tetrathiafulvalene-bromanil (TTF-BA). 1985 , 54, 753-759		73
381	Crystal Structures and Electrical Properties of TTF Salts with TIN(IV) Chloride Anions. 1985 , 125, 215-222		3
380	Optical and conductive properties of pyrazine-bridged iron, ruthenium and osmium octaethylporphyrin coordination polymers. 1986 , 15, 129-140		20
379	Theory of Neutral-Ionic Transition in Organic Crystals. II. Effect of the Intersite Coulomb Interaction. 1986 , 55, 2745-2753		84
378	Three-Dimensionally-Modified Tetracyanoquinodimethanes and Their Charge-Transfer Complexes with Tetrathiafulvalene Derivatives Having a Wide Range of Ionicity. 1986 , 59, 207-214		20
377	Structure and Optical Spectrum of (TMTTF) ₂ IO ₄ . The Role of Coulomb Interaction. 1986 , 59, 363-366		17
376	Electrical and Spectroscopic Properties of TTF and TSF Salts with Tetrahalogenozinc(II) and -cadmium(II) Anions. 1986 , 27, 333-336		
375	Electrical resistivities of dibenzotetrathiafulvalene (DBTTF), dibenzotetraselenafulvalene and tetrathiatetracene salts with tin(IV) hexachloride and alkyltin(IV) (alkyl = Me and Et) chloride anions, and X-ray crystal structure of [DBTTF] ₃ [Sn ₃ Me ₆ Cl ₈] ⁺ PhCN. 1986 , 122, 37-44		9
374	X-ray crystal structure and properties of tris(tetrathiafulvalenium) hexachloroplatinate. 1986 , 112, 135-137		7
373	Preparation, crystal structure and spectroscopic characterization of the first organic donor-hexanuclear halide cluster hybrid : (TMTTF) ₂ Mo ₆ Cl ₁₄ . 1986 , 21, 1223-1230		33
372	Domain wall picture of the neutral-ionic transition in TTF-chloranil. 1986 , 57, 179-183		53
371	ESR studies of organic conductors with bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF), (BEDT-TTF) ₂ ClO ₄ (C ₂ H ₃ Cl ₃) _{0.5} , and (BEDT-TTF) ₃ (ClO ₄) ₂ , and their two-dimensionality. <i>Physical Review B</i> , 1986 , 33, 1553-1558	3-3	38
370	Magnetic susceptibility and ESR of the organic conductor bis(ethylenedithio) tetrathiafulvalene perchlorate. <i>Physical Review B</i> , 1986 , 34, 1485-1488	3-3	14
369	Unified theory of segregated-stack organic charge-transfer solids: Magnetic properties. <i>Physical Review B</i> , 1986 , 34, 3683-3699	3-3	49
368	Growth and Characterization of Organic Thin Films (LangmuirBlodgett Films). 1987 , 357-383		5

367	Electrical resistivity of DBTTF, DBTSF and TTT salts with dialkyltin(IV) chloride anions. 1987 , 19, 715-720	2
366	Clay modified electrodes. 1987 , 229, 191-214	34
365	Conduction-Electron Spin Resonance and Thermoelectric Power of the Mixed-Valence Tetrathiafulvalenium Chloride. 1988 , 147, 401-408	3
364	Optical and electrical properties of quasi-bidimensional molecular semi-conductors: (TTF) ₁₄ (MCl ₄) ₄ , M = Co, Mn or Zn. 1988 , 67, 481-485	14
363	Physical and structural properties of organomineral conductors: TTF radical cation salts with metal halides. 1988 , 27, 57-64	6
362	Crystal structure and polarized reflectance spectra of π -(bis(ethylenedithio)-tetrathiafulvalenium) ₂ -bromiodoaurate, π -(BEDT-TTF) ₂ AuBr. 1988 , 22, 305-315	10
361	Charge transfer bands in molecular metals and semiconductors composed of peri-condensed Weitz-type donors. 1988 , 27, 289-294	4
360	Optical study on bis(propylenedithio)tetrathiafulvalenium (BPDT-TTF) salts. 1988 , 24, 301-309	8
359	Transition metal complexes derived from multisulfur ligands. 1988 , 27, 523-527	12
358	Chapter 5 Optical Properties. 1988 , 27, 293-384	7
357	Reflectance Spectra of the 1:1 Salts of Bis(methylenedithio)tetrathiafulvalene (BMDT-TTF): Estimation of the On-Site Coulomb Energy. 1988 , 61, 1115-1119	16
356	Intercalation of Tetrathiafulvalene(TTF) into Montmorillonite by Reaction with the Interlayer Cations. 1988 , 17, 405-408	6
355	New Amphiphilic Tetrathiafulvalene (TTF) Derivatives: Synthesis and Langmuir-Blodgett Film Formation. 1988 , 156, 339-345	1
354	Resonance Raman scattering of a Peierls-Hubbard dimer. 1989 , 91, 13-19	18
353	ESR, UV-Visible and Infrared Spectroscopies of Hexakis(Alkylthio)Benzene Cations with C ₃ Symmetry. 1989 , 176, 241-247	3
352	Conducting Langmuir-Blodgett films of 1-tetrathiafulvalenyl-octadecan-1-ol-TCNQ complex. 1989 , 22, 1586-1590	9
351	Electron molecular vibration coupling in vibrational spectra of BEDT-TTF based radical cation salts. 1989 , 45, 437-444	134
350	Electrical and spectroscopic properties of bis(dmit)oxomolybdenum(2 π)(dmit = 4,5-dimercapto-1,3-dithiole-2-thionate) anion complexes and the oxidized analogs. 1989 , 159, 49-53	16

- 349 Metal-to-semiconductor transition of an organic metal, (EDT-TTF)₂AuBr₂. **1989**, 70, 823-827 16
- 348 Electrochemistry of cofacial phthalocyanine polymers: What can we learn about how molecular metal collective properties respond to wide variations in band filling?. **1989**, 29, 15-24 4
- 347 Charge Transfer Complex of Hexakis (Alkylthio) Benzene with Tetrafluorotetracyanoquinodimethane (tEDTB)₂ TCNQF₄. **1989**, 173, 27 2
- 346 Synthesis, Crystal Structure and Spectroscopic Studies of New Charge Transfer Compounds Obtained by Reaction of TTF and the Polyoxoanion [Mo₆O₁₉]²⁻. **1989**, 173, 143 16
- 345 The Reflectance Spectra of (BEDT-TTF)₅Hg₃Br₁₁ and (BEDT-TTF)HgBr₃. The Estimation of Effective On-Site Coulomb Interaction. **1990**, 63, 538-543 14
- 344 Zwischen molekularen und polymeren Metallen elektrisch leitfähige, strukturell fixierte Aggregate von Metallomakrocyclen. *Angewandte Chemie*, **1990**, 102, 886-908 3.6 40
- 343 Structural properties of Langmuir-Blodgett films of a long-chain tetrathiafulvalene derivative. **1990**, 35, 307-318 20
- 342 Mixed valence in conjugated anion radicals, solution and solid state studies. **1991**, 42, 2365-2375 3
- 341 Infrared and raman spectroscopies of ethylenedithiodialkylthiotetrathiafulvalene langmuir-blodgett films doped with iodine vapor. **1991**, 42, 2429-2433 3
- 340 Structure-reactivity relationship in langmuir-blodgett films of bisethylenedithio-tetrathiafulvalene (BEDT-TTF) derivatives. **1991**, 279-282
- 339 New Langmuir-Blodgett Films Based on Substituted 1,2-Dithiolium-TCNQ Radical Anion Salts. **1991**, 20, 871-874 4
- 338 Structure-reactivity relationship in Langmuir-Blodgett films of bisethylenedithio-tetrathiafulvalene (BEDT-TTF) derivatives. **1991**, 141, 459-466 12
- 337 Synthesis and characterization of tetrathiafulvalene charge transfer compounds with copper halides. **1991**, 189, 237-241 4
- 336 Electrical, magnetic and spectroscopic properties of tetrathiafulvalene charge transfer compounds with iron, ruthenium, rhodium and iridium halides. **1991**, 188, 15-24 41
- 335 Die Stapelung eines Irid-Radikalanions mit ausgedehntem Elektronensystem in Lösung. *Angewandte Chemie*, **1991**, 103, 1002-1003 3.6 5
- 334 Structural properties of mixed Langmuir-Blodgett films of EDTTTF(SC₁₈)₂ and behenic acid. **1991**, 24, 1141-1147 13
- 333 A New Molecular System: Cooperation of Transition Metal Chain and Ct Stack via Inter-Molecular H-Bonds. **1992**, 216, 73-77
- 332 Synthesis and Physical Properties of two Organic Donor Derivatives of 12-Molybdophosphate Anion [PMO₁₂O₄₀]ⁿ⁻: New Examples of Mixed-Valence Organic Donor-Inorganic Acceptor Compounds. **1992**, 247, 545 2

- 331 Infrared and resonance Raman spectra of $[(\text{BEDT-TTF})_2\text{Cu}(\text{NCS})_2]$ organic metals. H⁸⁻, H^{4D4-} and D⁸⁻(BEDT-TTF) Derivatives. **1992**, 2, 857-864 30
- 330 New trends and prospects in conducting Langmuir-Blodgett films. **1992**, 210-211, 240-245 18
- 329 Mixed-valence TTF intercalated in lamellar MnPS₃ crystals. **1993**, 85, 949-951 7
- 328 Interpretation of the Optical Properties of the Salts $[(\text{TTF})_6(\text{H})(\text{XM}_{12}\text{O}_{40})](\text{Et}_4\text{N})$ (M = W, Mo; X = P, Si). **1993**, 178, K109-K112 1
- 327 Electronic, Structural and Magnetic Properties of $(\text{TTF})_6(\text{NEt}_4)[\text{PMo}_{12}\text{O}_{40}]$: A Mixed-Valence TTF Salt With a Magnetic Polyoxometallate. **1993**, 234, 205-212 8
- 326 $(\text{BEDT-TTF})_8[\text{SiW}_{12}\text{O}_{40}]$ and $(\text{BEDT-TTF})_8[\text{PMo}_{12}\text{O}_{40}]$: Two New Examples of 1D Organic Antiferromagnetic Systems. **1993**, 232, 155-162 14
- 325 Coupling of Electrons To Low-Frequency Phonons in Cation Radical Salts of TTF Studied by Resonance Raman Scattering. **1993**, 234, 219-226 3
- 324 Investigation of Luminescence and Absorption Spectra of Bedt-Ttf and its Ion Radical Salt. **1993**, 328, 343
- 323 Electron and energy transfer processes of photoexcited oligothiophenes onto tetracyanoethylene and C₆₀. **1994**, 101, 9519-9527 69
- 322 Electronic interactions in the organic conductors $(\text{TMTSF})_2\text{X}$ (X=ClO₄ and PF₆) and $(\text{TMTTF})_2\text{X}$ (X=Br and PF₆) from their infrared spectra. *Physical Review B*, **1994**, 49, 10893-10907 3-3 39
- 321 Synthesis and structural characterization of metallacarborane sandwich salts with tetrathiafulvalene (ttf) $[\text{M}(\text{C}_2\text{B}_9\text{H}_{11})_2][\text{ttf}]$ (M = Cr, Fe, Ni). **1994**, 467, 207-216 30
- 320 Luminescence and absorption spectra of BEDT-TTF and its ion radical salt. **1994**, 223, 318-322 9
- 319 Dendritische Makromoleküle mit Tetrathiafulvalen-Einheiten. *Angewandte Chemie*, **1994**, 106, 1862-1864 3,6 11
- 318 A new charge transfer system for neutral-ionic transition: Tetrathiafulvalene-dimethyldicyanoquinonediimine. **1994**, 91, 865-868 12
- 317 Observation of luminescence in neutral bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF) and its radical ion salt. **1994**, 63, 205-207 2
- 316 Anisotropic, conducting films from imide anion radicals and poly(vinyl alcohol) formed by casting. **1994**, 62, 71-73 5
- 315 Highly Conductive 1 : 1 Radical Cation Salts of Anthra[1,9-cd: 4,10-c'd']bis[1,2]dichalcogenoles. **1994**, 67, 766-772 32
- 314 An oligothiophene cation radical that forms π stacks: A model for polaron aggregation in conducting polymers. **1995**, 7, 547-548 38

313	Resonance Raman and infrared studies of the organic superconductor k -(MDT-TTF) $_2$ AuI $_2$ in the normal state. 1995 , 26, 9-14	3
312	Coupling of electrons to intermolecular phonons in molecular charge transfer dimers: A resonance Raman study. 1995 , 103, 2795-2809	29
311	Charge-transfer salts based on BET-TTF and the linear ions AuX $_2$ (X = Br, I). 1995 , 70, 883-886	10
310	Photoluminescence study of BEDT-TTF and its ion radical salt. 1995 , 70, 987-988	15
309	Synthesis and physical properties of new charge transfer salts derived from E-bis(ethylenethio)tetrathiafulvalene (BET-TTF). 1995 , 70, 1167-1168	6
308	An oxidized oligothiophene that forms π stacks. 1995 , 74, 133-135	28
307	Synthesis, structure and physical properties of tetrathiafulvalenium salts of the ferracarborane complex com-mo-[3,3'-Fe{1-(C $_4$ H $_3$ S)-1,2-C $_2$ B $_9$ H $_10$ } $_2$]. 1995 , 2851-2860	14
306	Conducting Langmuir-Blodgett films of an amphiphilic unsymmetrical ethylenedithiotetrathiafulvalene derivative: EDT-TTF-H $_2$ O/C $_17$ H $_35$. 1995 , 5, 1593-1599	13
305	Synthesis, structure and physical properties of charge-transfer complexes based on BET-TTF and M(mnt) $_2$ (M = Au, Pt). 1995 , 5, 1653-1658	15
304	Multi electron and proton-transfer system based on 2,2'-biimidazole derivatives. 1995 , 69, 591-592	10
303	Langmuir-Blodgett Mixed Films of a Tetrathiafulvalene Derivative and Behenic Acid: A Spectral Study. 1996 , 12, 1541-1544	22
302	Nature and Origin of Stable Metallic State in Organic Charge-Transfer Complexes of Bis(ethylenedioxy)tetrathiafulvalene. 1996 , 118, 8604-8622	167
301	New oligomeric hyper-branched esters incorporating tetrathiafulvalene: synthesis, electrochemistry and charge-transfer complexes. 1996 , 76, 305-307	11
300	Conducting thin films of molecular organic conductors, tetrathiafulvalene-7,7,8,8-tetracyano-p-quinodimethane (TTF-TCNQ). 1996 , 76, 309-312	8
299	Low-dimensional magnetic behaviour of new radical-ion salts: (BEDT-TTF) $_2$ [Au III (i-mnt) $_2$] and (BEDT-TTF) $_2$ [BiBr $_4$]. 1996 , 79, 33-36	4
298	Synthesis and Crystal and Molecular Structure of (BEDT-TTF) $_2$ [Pt(S(2)C(4)O(2))(2)]: A Radical-Cation Salt of the Platinum(II) Dithiosquarate Complex. <i>Inorganic Chemistry</i> , 1996 , 35, 4070-4072 ^{5.1}	15
297	Hydrogen-Bond Character of 2,2'-Bi-1H-Imidazole Systems. 1996 , 276, 257-266	4
296	π Dimers and π Stacks in Solution and in Conducting Polymers. 1996 , 29, 417-423	315

295	Electroabsorption of Amphiphilic Tetrathiafulvalene Derivatives / 7,7,8,8-Tetracyano-2,3,5,6-tetrafluoroquinodimethane Systems in Langmuir-Blodgett Films. 1996 , 25, 189-190		2
294	Development of a two-site Hubbard model for analysis of the electron-molecular vibration coupling in organic charge-transfer salts. 1996 , 214, 167-174		6
293	Synthesis of long alkyl chain substituted TTF and TCNQ derivatives and conductivities of their Langmuir-Blodgett films. 1996 , 284-285, 526-529		8
292	Synthesis and aggregation of a phthalocyanine symmetrically-functionalized with eight tetrathiafulvalene units. 1996 , 8, 63-65		44
291	Formation of non-stoichiometric salts of tetrathiafulvalene in an acidic medium. 1996 , 8, 742-745		1
290	EDimere von Oligopyrrol-Radikalkationen mit Phenyl-Endgruppen. <i>Angewandte Chemie</i> , 1996 , 108, 696-698		21
289	Preparation and characterization of conducting thin films of molecular organic conductors (TTF-TCNQ). 1996 , 166, 798-803		24
288	Studies on employing tetrathiafulvalene as an electron shuttle incorporated in a montmorillonite-modified immobilization matrix for an enzyme electrode. 1996 , 419, 93-98		15
287	Spin-density-wave instabilities for imperfectly nested Fermi surfaces: Application to BEDT-TTF salts. <i>Physical Review B</i> , 1996 , 54, 16663-16669	3-3	6
286	A key to the understanding of electron - molecular vibration coupling in organic charge-transfer salts: application of the two-site Hubbard model. 1996 , 8, 1011-1020		9
285	Assembly of Partially Oxidized Tetrathiafulvalene in Layered Phosphates. Formation of Conducting Organic/Inorganic Hybrids by Intercalation □ 1997 , 9, 1812-1818		18
284	A supramolecular cation in an electrically conducting nickeldithiolate salt. 1997 , 7, 183		14
283	Langmuir and Langmuir-Blodgett Films of Amphiphilic and Nonamphiphilic TTF Derivatives and Their Mixtures. 1997 , 13, 4892-4897		20
282	Electrically Conducting Dendrimers. 1997 , 119, 1005-1010		93
281	Monomer, Dimer, and Tetramer States in Molybdenum Complexes of Tetracyanoquinodimethane. 1997 , 101, 1561-1568		13
280	A Redox-Active Tetrathiafulvalene [2]Pseudorotaxane: □ Spectroelectrochemical and Cyclic Voltammetric Studies of the Highly-Reversible Complexation/Decomplexation Process. 1997 , 62, 885-887		92
279	Spectroscopic Studies on the Radical-Cation Dimer of a Model Compound of Poly(p-phenylenevinylene). Similarities between the Dimer and the State of Positive Polarons in the Sulfuric-Acid-Treated Polymer. 1997 , 101, 1726-1732		39
278	Dendrimers Peripherally Modified with Anion Radicals That Form EDimers and EStacks. 1997 , 9, 736-745		47

- 277 Effective electronic dynamics in organic charge-transfer salts. **1997**, 233, 261-264 1
- 276 Eine organische Verbindung mit Leiteranordnung der Spins. *Angewandte Chemie*, **1997**, 109, 2418-2421 3,6 5
- 275 Synthesis of Pyrazinoporphyrazine Derivatives Functionalised with Tetrathiafulvalene (TTF) Units: X-Ray Crystal Structures of Two Related ttf Cyclophanes and Two Bis(1,3-Dithiole-2-Thione) Intermediates. **1997**, 3, 1679-1690 51
- 274 Charge-transfer interactions and non-linear optical properties of tetrathiafulvalene-based Langmuir-Blodgett films. **1998**, 327-329, 348-352 3
- 273 Evaporated thin films of tetrathiafulvalene derivatives and their charge-transfer complexes. **1998**, 335, 209-213 9
- 272 Metal complexes of the Schiff base ligand L=1,2-bis(2-pyridylmethyleneimino)benzene with Ni²⁺, Fe²⁺ and Cu²⁺ and their reactions with bridged bidentate ligands. The crystal structure of the complex [NiL(H₂O)₂]Cl₂. **1998**, 18, 39-47 19
- 271 Synthesis, spectroscopic studies and solid state electrical conductivity of Ni(II) polymeric complexes. The crystal structure of the complex [Ni(L1)Cl₂] · EtOH were L1=1,2-bis(2-pyridylbenzyleneimino)benzene. **1998**, 18, 585-591 8
- 270 Persistent and Transient Open-Shell Species Derived from C₆₀-TTF Cyclohexene-Fused Dyads. **1998**, 63, 5201-5210 78
- 269 Linear Pentaiodide in the Radical Cation Salt of a Tetrathiafulvalene Bisannulated Macrocyclic. *Inorganic Chemistry*, **1998**, 37, 2330-2331 5.1 26
- 268 Hybrid Molecular Materials Based upon Magnetic Polyoxometalates and Organic π -Electron Donors: Syntheses, Structures, and Properties of Bis(ethylenedithio)tetrathiafulvalene Radical Salts with Monosubstituted Keggin Polyoxoanions. **1998**, 120, 4671-4681 129
- 267 Spectroelectrochemistry of Electrogenerated Tetrathiafulvalene-Derivatized Poly(thiophenes): Toward a Rational Design of Organic Conductors with Mixed Conduction. **1998**, 102, 7776-7781 89
- 266 Dynamic modulation of electron correlation by intramolecular modes in charge-transfer compounds. *Physical Review B*, **1999**, 60, 15472-15475 3.3
- 265 Low-energy optical transitions in organic metal DMTSABF₄. **1999**, 110, 63-68 5
- 264 Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes. **1999**, 248, 263-271 27
- 263 New asymmetric π -electron donors yielding metallic charge transfer salts. **1999**, 103, 2224-2227 3
- 262 Alkylene- or alkylenedithio-linked dimeric tetraselenafulvalenes. **1999**, 102, 1605-1606 3
- 261 Syntheses and properties of π -conjugated polymers containing tetrathiafulvalene in the polymer backbone. **1999**, 107, 19-25 11
- 260 Structural Control of the Reversible Dimerization of π -Conjugated Oligomeric Cation Radicals. **1999**, 121, 8760-8765 58

259	Reflection Spectroscopic Study of Organic Conductors. 2000 , 73, 2643-2662		14
258	. 2000 , 6, 1199-1213		16
257	. 2000 , 6, 1698-1707		8
256	Novel Dissymmetric Tetrathiafulvalenes as Precursors of Organic Metals: Synthesis, X-ray Crystal Structures, Electrochemical Properties and Study of Their Radical Cations. 2000 , 2000, 2867-2875		19
255	Stable dimeric aromatic cation-radicals. Structural and spectral characterization of through-space charge delocalization. 2000 , 65, 6826-36		131
254	Reactivity of C ₆₀ Cl ₆ and C ₆₀ Br _n (n = 6, 8) in Solution in the Absence and in the Presence of Electron Donor Molecules. 2000 , 122, 7244-7251		16
253	Multiple-Bridged Bis-Tetrathiafulvalenes: New Synthetic Protocols and Spectroelectrochemical Investigations. 2000 , 122, 9486-9494		125
252	Redox States of Well-Defined π -Conjugated Oligothiophenes Functionalized with Poly(benzyl ether) Dendrons. 2000 , 122, 7042-7051		89
251	Helical tetrathiafulvalene oligomers. Synthesis and properties of Bi-, ter-, and quater-tetrathiafulvalenes. 2000 , 2, 2217-20		30
250	Do π -dimers of tetrathiafulvalene cation radicals really exist at room temperature?. 2001 , 2736-2737		97
249	Electrochromism and electrochromic materials for displays. 2001 , 105-159		2
248	Metallic behavior and periodical valence ordering in a MMX chain compound, Pt(2)(EtCS(2))(4)I. 2001 , 123, 11179-92		109
247	Formation of Metallic Langmuir Film on the Water Surface with Fatty Acid and BEDO-TTF Molecules. 2001 , 105, 4921-4927		16
246	Hybrid molecular materials based upon organic π -electron donors and metal complexes. Radical salts of bis(ethylenethia)tetrathiafulvalene (BET-TTF) with the octahedral anions hexacyanoferrate(III) and nitroprusside. The first kappa phase in the BET-TTF family. <i>Inorganic Chemistry</i> , 2001 , 40, 3526-33	5.1	38
245	Effects of Molecular Association in the Radical-Cations of 1,8-Bis(ethylenedithiotetrathiafulvalenyl)naphthalene. 2001 , 30, 1146-1147		35
244	Electronic absorption spectra of closed and open-shell tetrathiafulvalenes: the first time-dependent density-functional study. 2001 , 57, 7883-7892		61
243	Tetrakis(octadecylthio)Tetrathiafulvalene: Influence of Long Alkyl Chains on the Architecture and Electrochemical Properties of LB Films. 2001 , 237, 112-119		6
242	Immobilization of Redox-Active Ligands on an Electrode: The Dendrimer Route. <i>Angewandte Chemie</i> , 2001 , 113, 230-233	3.6	13

241	Reversible π -Dimerisierung bei der Redoxumschaltung von 1,3,5-Tripyrrolidinobenzol – Ein neuer molekularer Schalter. <i>Angewandte Chemie</i> , 2001 , 113, 2936-2940	3.6	8
240	Immobilization of Redox-Active Ligands on an Electrode: The Dendrimer Route. <i>Angewandte Chemie - International Edition</i> , 2001 , 40, 224-227	16.4	98
239	Evidence for π -Dimerization During Anodic Redox Switching of 1,3,5-Tripyrrolidinobenzene: A New Molecular Switch. <i>Angewandte Chemie - International Edition</i> , 2001 , 40, 2861-2864	16.4	37
238	Intramolecular Charge Interaction in the Radical Cations and Dications of Conjugated Tetrathiafulvalene Dimers. 2002 , 31, 590-591		24
237	Isolation and characterization of four isomers of a C(60) bisadduct with a TTF derivative. Study of their radical ions. 2002 , 67, 566-75		20
236	Fabrication of TTF π CNQ Charge-Transfer Complex Self-Assembled Monolayers: Comparison between the Coadsorption Method and the Layer-by-Layer Adsorption Method. 2002 , 106, 6894-6901		48
235	Hydrogen-bonded charge-transfer complexes of TTF containing a uracil moiety: crystal structures and electronic properties of the hydrogen cyananilate and TCNQ complexes. 2002 , 4, 2185-8		53
234	Organic conductors and superconductors. 2002 , 51, 293-479		86
233	Electronic Transitions in Tetrathiafulvalene and Its Radical Cation: A Theoretical Contribution. 2002 , 106, 631-640		40
232	Synthesis of novel phthalocyanine-tetrathiafulvalene hybrids; intramolecular fluorescence quenching related to molecular geometry. 2002 , 67, 9130-9		107
231	Two New Families of Charge Transfer Solids Based on [M(mnt) ₂] ⁿ and the Donors BMDT-TTF and EDT-TTF: Conducting and Magnetic Properties. 2002 , 168, 563-572		21
230	Metallic Langmuir and Langmuir-Blodgett films based on TTF derivatives and fatty acid. 2002 , 22, 227-232		8
229	Electronic spectra of tetrathiafulvalene and its radical cation: analysis of the performance of the time-dependent DFT approach. 2002 , 352, 491-498		43
228	New Molecular Charge-Transfer Salts of TM-TTF and BMDT-TTF with Thiocyanate and Selenocyanate Complex Anions [TMTTF = Tetramethyltetrathiafulvalene; BMDT-TTF = Bis(methylenedithio)tetrathiafulvalene]. 2003 , 2003, 720-725		15
227	Tetrathiafulvalene-Assisted Formation of Silver Dendritic Nanostructures in Acetonitrile. 2003 , 19, 6242-6246		58
226	First radical cation salt of paramagnetic transition metal complex containing TTF as ligand, [Cu(II)(hfac) ₂ (TTF-py) ₂](PF ₆) ₂ · 2CH ₂ Cl ₂ (hfac = hexafluoroacetylacetonate and TTF-py = 4-(2-tetrathiafulvalenyl-ethenyl)pyridine). <i>Inorganic Chemistry</i> , 2003 , 42, 1791-3	5.1	142
225	Langmuir-Blodgett Films of Charge-Transfer Complexes between an Amphiphilic Monopyrrolo-TTF and TCNQ Derivatives. 2003 , 107, 13929-13938		12
224	Single component betainic conductor: pyrimido-fused TTF derivatives having ethylenedioxy group. 2003 , 133-134, 353-355		23

223	Light stability of 3,4-ethylenedioxythiophene-based derivatives. 2003 , 132, 289-295	34
222	Characterization and spectral properties of the new organic metal (BEDT-TTF) ₆ (Mo ₈ O ₂₆)(DMF) ₃ . 2003 , 138, 483-489	14
221	Structure and Physical Properties of Low-Dimensional Molecular Conductors, [PXX][Fe ^{III} (Pc)(CN) ₂] and [PXX][Co ^{III} (Pc)(CN) ₂] (PXX =peri-xanthenoxanthene, Pc = phthalocyaninato). 2003 , 76, 1935-1940	32
220	Aggregation of star-shaped tris(tetrathiafulvalenylethynyl) benzene in solution and in the solid state. 2004 , 45, 4109-4112	37
219	Langmuir-Blodgett films of amphiphilic bis(tetrathiafulvalene) macrocycles with four alkyl chains. 2004 , 20, 4187-95	35
218	Does charge carrier dimensionality increase in mixed-valence salts of tetrathiafulvalene-terminated dendrimers?. 2004 , 6, 2109-12	22
217	Proton transfer and a dielectric phase transition in the molecular conductor (HDABCO ⁺) ₂ (TCNQ) ₃ . 2004 , 126, 291-4	128
216	Electronic and Structural Evidences for Charge Transfer and Localization in Iodine-Doped Pentacene. 2004 , 108, 8170-8179	41
215	Alpha,omega-bis(quinquethienyl)alkanes as a pi-dimer model of polythiophene. 2004 , 6, 997-1000	29
214	The electroactivity of tetrathiafulvalene vs. polythiophene: synthesis and characterisation of a fused thieno-TTF polymer. 2004 , 14, 1964-1969	45
213	Bi-TTF, bis-TTF, and related TTF oligomers. 2004 , 104, 5085-114	173
212	Stable pi-dimer of a tetrathiafulvalene cation radical encapsulated in the cavity of cucurbit[8]uril. 2004 , 806-7	162
211	Novel Phthalocyanine Conductor Containing Two-dimensional Pc Stacks, [PXX] ₂ [Co(Pc)(CN) ₂] (PXX =peri-Xanthenoxanthene, Co(Pc)(CN) ₂ = Dicyano(phthalocyaninato)cobalt(III)). 2004 , 33, 128-129	17
210	Recent Synthetic Advances of Tetrathiafulvalene-Based Organic Conductors. 2004 , 77, 43-58	69
209	Amphiphilic Tetrathiafulvalene Derivative: Charge-Transfer Complexation Behavior in Solutions. 2005 , 78, 519-522	
208	Langmuir Layers and LangmuirBlodgett Films of Bis-tetrathiafulvalene Annelated Macrocycle. 2005 , 78, 247-254	4
207	Pluri-dimensional hydrogen-bonded networks of novel thiophene-introduced oligo(imidazole)s and physical properties of their charge-transfer complexes with TCNQ. 2005 , 61, 6056-6063	17
206	Organic Spin Ladders from Tetrathiafulvalene (TTF) Derivatives. 2005 , 15, 1023-1035	31

205	Room-temperature and solution-state observation of the mixed-valence cation radical dimer of tetrathiafulvalene, [(TTF) ₂] ⁺ , within a self-assembled cage. 2005 , 127, 13456-7		184
204	Persistent pi radical cations: self-association and its steric control in the condensed phase. 2005 , 3, 561-9		108
203	Excited state two photon absorption of a charge transfer radical dimer in the near infrared. 2005 , 109, 4643-5		17
202	Electroactive supramolecular self-assembled fibers comprised of doped tetrathiafulvalene-based gelators. 2005 , 127, 14769-75		225
201	Syntheses, structures, spectroscopic properties, and pi-dimeric interactions of [n.n]quinquethiophenophanes. 2005 , 127, 8082-9		80
200	Tetrathiafulvalene in a perylene-3,4:9,10-bis(dicarboximide)-based dyad: a new reversible fluorescence-redox dependent molecular system. 2005 , 70, 6313-20		112
199	Creation of a mixed-valence state from one-dimensionally aligned TTF utilizing the self-assembling nature of a low molecular-weight gel. 2005 , 127, 14980-1		158
198	Spectral investigations of organic metals $\left[\text{BEDT-TTF} \right]_4 \text{A} \left[\text{M}(\text{C}_2\text{O}_4)_3 \right] \cdot \text{DMF}$, where A = NH ₄ ⁺ , K ⁺ and M = Cr ^{III} , Fe ^{III} . 2005 , 151, 191-196		1
197	Salts of extended tetrathiafulvalene analogues: relationships between molecular structure, electrochemical properties and solid state organisation. 2005 , 34, 69-98		159
196	Synthesis, crystal structure, and properties of multicomponent bis(ethylenedithio)tetrathiafulvalene charge-transfer salts of the [Mo ₃ S ₇ Br ₆] ²⁻ cluster. <i>Inorganic Chemistry</i> , 2005 , 44, 1563-70	5.1	22
195	Monitoring the formation of TTF dimers by Na ⁺ complexation. 2006 , 2233-5		88
194	Control of molecular interactions by the hollow of coordination cages. 2006 , 2750-6		98
193	Incorporation of fused tetrathiafulvalenes (TTFs) into polythiophene architectures: varying the electroactive dominance of the TTF species in hybrid systems. 2006 , 110, 3140-52		54
192	Two-dimensional networks of ethylenedithiotetrathiafulvalene derivatives with the hydrogen-bonded functionality of uracil, and channel structure of its tetracyanoquinodimethane complex. 2006 , 71, 5631-7		31
191	Phenalenyl-Based Highly Conductive Molecular Systems with Hydrogen-Bonded Networks: Synthesis, Physical Properties, and Crystal Structures of 1,3- and 1,6-Diazaphenalenes, and Their Protonated Salts and Charge-Transfer Complexes with TCNQ. 2006 , 79, 894-913		19
190	New molecular combinations for spontaneous mixed valence state formation between EDO-TTF derivatives and carboxylic acids. 2006 , 284-285, 15-19		
189	Direct versus indirect electron transfers in host-guest-inclusion complexes: Example of the oxidation of TTF-β-CD complexes. 2006 , 593, 87-98		11
188	Synthesis and characteristics of a nonaggregating tris(tetrathiafulvaleno)dodecadehydro[18]annulene. 2006 , 12, 8451-9		42

187	Do coupling exciton and oscillation of electron-hole pair exist in neutral and charged pi-dimeric quinquethiophenes?. 2007 , 127, 084706	29
186	Ultrafast dynamics of a charge-transfer dimer as a model for the photoinduced phase transition of charge-transfer compounds. 2007 , 99, 027401	10
185	Conductive, Magnetic, and Optical Properties of Sterically Hindered Dodecithiophenes. Evidence for the Coexistence of Bipolaron and π -Dimer. 2007 , 80, 1799-1807	11
184	Development of Conductive Organic Molecular Assemblies: Organic Metals, Superconductors, and Exotic Functional Materials. 2007 , 80, 1-137	327
183	Self-assembly and Nanostructure Formation of Multi-functional Organic π -Donors. 2007 , 36, 1402-1407	57
182	Synthesis and Doping of a Multifunctional Tetrathiafulvalene- Substituted Poly(isocyanide). 2007 , 40, 7521-7531	53
181	New TTF derivatives: several molecular logic gates based on their switchable fluorescent emissions. 2007 , 31, 580	49
180	Langmuir-Blodgett Films Constructed from a Charge-Transfer Complex and Gold Nanoparticles. 2007 , 111, 18871-18877	15
179	Quadratic Nonlinear Optical Response in Partially Charged Donor-Substituted Tetrathiafulvalene: From a Computational Investigation to a Rational Synthetic Feasibility. 2007 , 19, 805-815	36
178	Hydrogen-bond interaction in organic conductors: redox activation, molecular recognition, structural regulation, and proton transfer in donor-acceptor charge-transfer complexes of TTF-imidazole. 2007 , 129, 10837-46	120
177	Theoretical analysis of intermolecular covalent pi-pi bonding and magnetic properties of phenalenyl and spiro-biphenalenyl radical pi-dimers. 2007 , 111, 6304-15	39
176	Molecular and electronic structures of the long-bonded pi-dimers of tetrathiafulvalene cation-radical in intermolecular electron transfer and in (solid-state) conductivity. 2007 , 129, 828-38	157
175	Miscellaneous organic electrochromes. 374-394	
174	Supramolecular conducting nanowires from organogels. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 238-41	16.4 220
173	Supramolecular Conducting Nanowires from Organogels. <i>Angewandte Chemie</i> , 2007 , 119, 242-245	3.6 52
172	A tetrathiafulvalene-tetracyanoanthraquinodimethane (TTF-tCNAQ) diad with a chemically tunable HOMO-LUMO gap. 2007 , 63, 11282-11286	31
171	New electrically conductive polymers. Dopant and architectural effects on the collective properties of cofacially joined metallophthalocyanines. 2007 , 70, 1-29	7
170	Synthesis of organic-metal hybrid nanowires by cooperative self-organization of tetrathiafulvalene and metallic gold via charge-transfer. 2007 , 23, 3450-4	45

- 169 Tetrathiafulvalene radical cation dimerization in a bistable tripodal [4]rotaxane. **2008**, 14, 3889-95 62
- 168 Direct observation of mixed-valence and radical cation dimer states of tetrathiafulvalene in solution at room temperature: association and dissociation of molecular clip dimers under oxidative control. **2008**, 14, 6546-52 70
- 167 Exploration of charge-transfer complexes of a nucleobase: Crystal structure and properties of cytosine \cdot TTCNQ salt. **2008**, 10, 1364-1368 13
- 166 Photoconductivity of Porphyrin Nanochannels Composed of Diprotonated Porphyrin Dications with Saddle Distortion and Electron Donors. **2008**, 20, 7492-7500 43
- 165 Hydrogen-Bond Architectures of Protonated 4,4'-Biimidazolium Derivatives and Oligo(imidazolium)s in Charge-Transfer Salts with Tetracyanoquinodimethane. *Crystal Growth and Design*, **2008**, 8, 3058-3065 3.5 20
- 164 TD-DFT investigation of the electronic spectra of (DOEO)₄HgBr₄ \cdot TCE salt. **2008**, 106, 33-42 4
- 163 A series of stable salts of the oxidized donors TTF, o-Me₂TTF, TMTTF, and TTF(SCH₂CH₂CN)₄. **2008**, 158, 447-452 19
- 162 Single-component organic conductors based on neutral betainic radicals of N-methyl substituted dioxo- and amino-oxo-pyrimido-fused TTFs. **2008**, 158, 497-505 10
- 161 High-extinction ruthenium compounds for sunlight harvesting and hole transport. *Inorganic Chemistry*, **2008**, 47, 7062-4 5.1 23
- 160 Charge-Transfer Complexes between Indoline \cdot Tetracyanoquinodimethane Compounds and 7,7,8,8-Tetracyanoquinodimethane. **2008**, 81, 1492-1499
- 159 Complex Formation between a Nucleobase and Tetracyanoquinodimethane Derivatives: Crystal Structures and Transport Properties of Charge-Transfer Solids of Cytosine. **2008**, 81, 331-344 30
- 158 Transparent conductive films based on polymer composites containing the mixed-valence tetrathiafulvalene nanofibers. **2009**, 47, 6441-6450 10
- 157 Nucleation and growth of thin films of the organic conductor TTF-iodide over glassy carbon. Electrochemical and spectroelectrochemical study. **2009**, 25, 4799-803 5
- 156 Conductive nanoscopic fibrous assemblies containing helical tetrathiafulvalene stacks. **2009**, 4, 1474-9 49
- 155 Rigid Bis(tetrathiafulvalenes) Doubly Bridged by Phosphino Groups and Derivatives: Synthesis and Intramolecular Mixed Valence State. **2009**, 28, 3691-3699 17
- 154 Effect of substituent groups for formation of organic-metal hybrid nanowires by charge-transfer of tetrathiafulvalene derivatives with metal ion. **2009**, 159, 931-934 8
- 153 Theoretical study of the electronic structure of [tetrathiafulvalene]₂(²⁺)₂ dimers and their long, intradimer multicenter bonding in solution and the solid state. **2009**, 113, 484-92 53
- 152 Supramolecular Structures and Nanoassemblies of Oligothiophenes and Tetrathiafulvalenes. **2009**, 119-154 6

151	Cholesterol-substituted Tetrathiafulvalene (TTF) Compound: Formation of Organogel and Supramolecular Chirality. 2010 , 28, 622-626		16
150	Persistent mixed-valence [(TTF) ₂] ⁺ * dyad of a chiral bis(binaphthol)-tetrathiafulvalene (TTF) derivative. 2010 , 16, 8020-8		33
149	Synthesis, crystal structure, and charge-transfer complexes of TTF derivatives having two imidazole hydrogen-bonding units. 2010 , 405, S41-S44		5
148	Highly stable tetrathiafulvalene radical dimers in [3]catenanes. 2010 , 2, 870-9		159
147	Electronic structure and optical properties of dianionic and dicationic pi-dimers. 2010 , 114, 6972-7		28
146	Photoinduced radical generation and self-assembly of tetrathiafulvalene into the mixed-valence state in the poly(vinyl chloride) film under UV irradiation. 2010 , 26, 1152-6		9
145	Hybrid organic/inorganic complexes based on electroactive tetrathiafulvalene-functionalized diphosphanes tethered to C(3)-symmetrized Mo(3)Q(4) (Q = S, Se) clusters. <i>Inorganic Chemistry</i> , 2010 , 49, 1894-904	5.1	25
144	Optical Nonlinearity in (EDT-DSDTFVO) ₂ FeBr ₄ , an Intriguing Molecular Material with Metallic Conductivity, Magnetoresistance Effects, and Quadratic Nonlinear Optical Properties. 2010 , 114, 21762-21769 ⁸		8
143	A paddlewheel dinuclear Cu(II) compound coordinated with TTF-py redox ligand. 2010 , 160, 713-717		17
142	Facile preparation of concentration-gradient materials with radical spin of the mixed-valence tetrathiafulvalene in conventional polymer films. 2010 , 26, 10254-8		12
141	Highly sensitive identification of cancer cells by combining the new tetrathiafulvalene derivative with a β -cyclodextrin/multi-walled carbon nanotubes modified GCE. 2010 , 135, 2965-9		16
140	Conductivity regulation of the mixed-valence tetrathiafulvalene nanowire/poly(methyl methacrylate) composites using heterogeneous tetrathiafulvalene derivatives. 2011 , 21, 9603		14
139	Dimeric and trimeric tetrathiafulvalenes with strong intramolecular interactions in the oxidized states. 2011 , 13, 3122-5		30
138	On the intrinsic optical absorptions by tetrathiafulvalene radical cations and isomers. 2011 , 47, 6900-2		25
137	TTF salts of optically pure cobalt pyridine amidates; detection of soluble assemblies with stoichiometry corresponding to the solid state. 2011 , 40, 1722-31		12
136	Theoretical Investigations on the Photoinduced Phase Transition Mechanism of Tetrathiafulvalene-p-chloranil. 2011 , 7, 2233-9		5
135	Electronically and ionically conductive gels of ionic liquids and charge-transfer tetrathiafulvalene-tetracyanoquinodimethane. 2011 , 27, 10953-61		29
134	Four-electron oxygen reduction by tetrathiafulvalene. 2011 , 133, 12115-23		52

133	Varied nanostructures from a single multifunctional molecular material. 2011 , 21, 1428-1437		23
132	Boosting electrical conductivity in a gel-derived material by nanostructuring with trace carbon nanotubes. 2011 , 3, 2898-902		19
131	Mechanically stabilized tetrathiafulvalene radical dimers. 2011 , 133, 4538-47		110
130	Synthesis and Properties of New Trimeric and Tetrameric Tetrathiafulvalenes with Alternate Links. 2011 , 40, 883-885		12
129	Tetrathiafulvalene-based Cruciform Molecules. 2011 , 40, 662-667		8
128	A multistate switchable [3]rotacatenane. 2011 , 17, 213-22		54
127	Dynamic self-assembly of charge-transfer nanofibers of tetrathiafulvalene derivatives with F4TCNQ. 2011 , 17, 12355-61		31
126	Physical and electrical characteristics of supramolecular polymer films based on guanosine derivatives modified with tetrathiafulvalene moiety. 2012 , 44, 946-951		1
125	Face-to-Face Dimeric Tetrathiafulvalenes and Their Cation Radical and Dication Species as Models of Mixed Valence and π -Dimer States. 2012 , 85, 51-60		46
124	Development of Organic Conductors with Self-Assembled Architectures of Biomolecules: Synthesis and Crystal Structures of Nucleobase-Functionalized Tetrathiafulvalene Derivatives. 2012 , 85, 995-1006		12
123	Tetrathiafulvalene hetero radical cation dimerization in a redox-active [2]catenane. 2012 , 134, 19136-45		29
122	Supramolecular rotators of (anilinium)([18]crown-6) in electrically conducting [Ni(dmit) ₂] crystals. <i>Inorganic Chemistry</i> , 2012 , 51, 12968-75	5-1	14
121	Incorporation of cationic electron donor of Ni-pyridyltetrathiafulvalene with anionic electron acceptor of polyoxometalate. 2012 , 41, 10060-4		4
120	Modulation of charge-transfer complexes assisted by complementary hydrogen bonds of nucleobases: TCNQ complexes of a uracil-substituted EDO-TTF. 2012 , 14, 6881		9
119	Protonic defect induced carrier doping in TTFCOONiH ₄ ⁺ : Tunable doping level by solvent. 2012 , 162, 531-535		9
118	Nucleobase-Functionalized 1,6-Dithiapyrene-Type Electron-Donors: Supramolecular Assemblies by Complementary Hydrogen-Bonds and π -Stacks. <i>Crystal Growth and Design</i> , 2012 , 12, 5815-5822	3-5	4
117	Intermolecular Hydrogen-Bond Networks and Physical Properties of BF ₄ ⁻ and TCNQ ⁻ Salts of Three-Fold Symmetric Tris(alkylamino)phenalenyliums. <i>Crystal Growth and Design</i> , 2012 , 12, 804-810	3-5	6
116	Tetrathiafulvalene-Type Electron Donors Bearing Biimidazole Moieties: Multifunctional Units with Hydrogen Bonding Abilities. 2012 , 2012, 4123-4129		15

115	The nature of the [TTF] ₂ interactions in the [TTF] ₂ (2+) dimers embedded in charged [3]catenanes: room-temperature multicenter long bonds. 2012 , 18, 5335-44	21
114	Keys for the existence of stable dimers of bis-tetrathiafulvalene (bis-TTF)-functionalized molecular clips presenting [TTF] ₂ long, multicenter bonds at room temperature. 2013 , 135, 13814-26	28
113	π-Bonded molecular wires: self-assembly of mixed-valence cation-radical stacks within the nanochannels formed by inert tetrakis[3,5-bis(trifluoromethyl)phenyl]borate anions. 2013 , 15, 10638	18
112	Preparation of flexible conductive films based on polymer composites with tetrathiafulvalene nanowires. 2013 , 180, 49-53	4
111	Ionic semiconductor: DC and AC conductivity of anilinium tetrathiafulvalene-2-carboxylate. 2013 , 42, 3821-6	6
110	Synthesis and nanostructures of several tetrathiafulvalene derivatives having the side chains composed of chiral and hydrogen-bonding groups and their charge-transfer complexes. 2013 , 42, 16121-7	9
109	Synthesis of highly transparent conductive films with strong absorption in near-infrared region based on tetrathiafulvalene-tethered pendant-type polymers. 2013 , 163, 13-18	10
108	Intra- and intermolecular charge transfer in aggregates of tetrathiafulvalene-triphenylmethyl radical derivatives in solution. 2013 , 135, 6958-67	56
107	Thermomagnetic Molecular System Based on TTF-PTM Radical: Switching the Spin and Charge Delocalization. 2013 , 4, 2721-2726	29
106	Effect of tertiary aliphatic amines on self-assembly of TCNQ in mixed-valence state. 2013 , 20, 1-14	5
105	Syntheses, Redox Properties, Self-Assembled Structures, and Charge-Transfer Complexes of Imidazole- and Benzimidazole-Annulated Tetrathiafulvalene Derivatives. 2013 , 86, 927-939	13
104	Mixed valence radical cations and intermolecular complexes derived from indenofluorene-extended tetrathiafulvalenes. 2014 , 2, 10428-10438	36
103	High extinction coefficient Ru-sensitizers that promote hole transfer on nanocrystalline TiO ₂ . 2014 , 15, 1154-63	5
102	Preparation and physical properties of nanoaggregates composed of charge-transfer complexes containing butadiyne derivatives with tetrathiafulvalene moieties. 2014 , 53, 05FA02	4
101	Self-assembly of three-dimensional supramolecular polymers through cooperative tetrathiafulvalene radical cation dimerization. 2014 , 20, 575-84	40
100	Tetrathiafulvalene-based macrocycles formed by radical cation dimerization: the role of intramolecular hydrogen bonding and solvent. 2014 , 9, 1039-44	24
99	Solid-solid phase interconversion in an organic conductor crystal: hydrogen-bond-mediated dynamic changes in π-stacked molecular arrangement and physical properties. 2014 , 50, 15557-60	19
98	Diffusion of tetrathiafulvalene and its radical cation in ionic liquids in comparison to conventional solvents. 2014 , 141, 72-81	8

97	Shape-controlled synthesis of hybrid nanomaterials via three-dimensional hydrodynamic focusing. 2014 , 8, 10026-34	40
96	A tetrathiafulvalene (TTF)-conjugated microporous polymer network. 2014 , 20, 9543-8	44
95	Robust inclusion complexes of crown ether fused tetrathiafulvalenes with Li+@C11 to afford efficient photodriven charge separation. 2014 , 20, 13976-83	12
94	The origin of the room-temperature stability of [TTF]2 long, multicenter bonds found in functionalized [R-TTF]2 dimers included in the cucurbit[8]uril cavity. 2014 , 20, 7784-95	12
93	Two-dimensional tetrathiafulvalene covalent organic frameworks: towards latticed conductive organic salts. 2014 , 20, 14608-13	109
92	Three-dimensional supramolecular polymers driven by rigid tetrahedral building blocks through tetrathiafulvalene radical cation dimerization. 2014 , 70, 4778-4783	12
91	Dendritic Tetrathiafulvalene Pentamers Linked by Methylenedithio Spacers. 2014 , 43, 843-845	3
90	Cyclic TTF Tetramer Linked by Methylenedithio Spacers. 2014 , 43, 708-710	4
89	Tetrathiafulvalene. 2015 , 89-129	3
88	Supramolecular chemistry: from aromatic foldamers to solution-phase supramolecular organic frameworks. 2015 , 11, 2057-71	11
87	Glycoluril-tetrathiafulvalene molecular clips: on the influence of electronic and spatial properties for binding neutral accepting guests. 2015 , 11, 1023-36	15
86	Orientalional preference of long, multicenter bonds in radical anion dimers: a case study of [TCNB]2 (2-) and [TCNP]2 (2-). 2015 , 21, 6420-32	9
85	Stacking of hydrazone-bridged linear tetrathiafulvalene radical cations. 2015 , 71, 605-609	4
84	Morphological transition of a conductive molecular organization with non-covalent from nanonetwork to nanofiber. 2015 , 448, 180-8	4
83	Spin frustration in antiperovskite systems: (TTF or TSF)3[(Mo6X14)2] 2015 , 3, 11046-11054	7
82	Redox- and pH-Responsive Orthogonal Supramolecular Self-Assembly: An Ensemble Displaying Molecular Switching Characteristics. 2015 , 137, 16038-42	65
81	Charge transfer tuning by chemical substitution and uniaxial pressure in the organic complex tetramethoxypyrene-tetracyanoquinodimethane. 2015 , 17, 4118-26	15
80	Dimerization of conjugated radical cations: an emerging non-covalent interaction for self-assembly. 2015 , 10, 56-68	98

79	Infinite Polyiodide Chains in the Pyrroloperylene-Iodine Complex: Insights into the Starch-Iodine and Perylene-Iodine Complexes. <i>Angewandte Chemie</i> , 2016 , 128, 8164-8167	3.6	4
78	Infinite Polyiodide Chains in the Pyrroloperylene-Iodine Complex: Insights into the Starch-Iodine and Perylene-Iodine Complexes. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 8032-5	16.4	46
77	Synthesis, Structure, Optical, and Electrochemical Properties of Triple- and Quadruple-Decker Co-facial Tetrathiafulvalene Arrays. 2016 , 22, 10090-101		19
76	Functional supramolecular tetrathiafulvalene-based films with mixed valences states. 2016 , 103, 251-260		1
75	(TTF)Pb2I5: A Radical Cation-Stabilized Hybrid Lead Iodide with Synergistic Optoelectronic Signatures. 2016 , 28, 3607-3611		36
74	Real-time measurements of ultrafast electronic dynamics in the disproportionation of [TCNQ]2 ^{•-} using a visible sub-10 fs pulse laser. 2016 , 650, 47-51		7
73	Spectroscopic Investigation for Oxygen Reduction and Evolution Reactions with Tetrathiafulvalene as a Redox Mediator in LiO ₂ Battery. 2016 , 120, 15830-15845		67
72	Understanding room-temperature dimerisation of radical ions: intramolecular [TTF] in functionalised calix[4]arenes. 2017 , 19, 3807-3819		6
71	Doping of metal-organic frameworks towards resistive sensing. 2017 , 7, 2439		34
70	Mono- and Mixed-Valence Tetrathiafulvalene Semiconductors (TTF)BiI and (TTF)BiI with 1D and 0D Bismuth-Iodide Networks. <i>Inorganic Chemistry</i> , 2017 , 56, 395-401	5.1	26
69	Pd@TTF Tailored Nanostructured Platform: Voltammetric Estimation of Ceftazidime. 2017 , 2, 7432-7438		2
68	Oxidation State-Dependent Intramolecular Electronic Interaction of Carbazole-Based Azacyclophanes with 9,10-Anthrylene Units. 2017 , 82, 10699-10703		4
67	Near-infrared absorption of π -stacking columns composed of trioxotriangulene neutral radicals. 2017 , 2,		41
66	Introducing Stable Radicals into Molecular Machines. 2017 , 3, 927-935		78
65	Main-Group Halide Semiconductors Derived from Perovskite: Distinguishing Chemical, Structural, and Electronic Aspects. <i>Inorganic Chemistry</i> , 2017 , 56, 11-25	5.1	36
64	Transient process spectroscopy for the direct observation of inter-molecular photo-dissociation. 2017 , 4, 054901		1
63	Crystallography and dynamics in superspace. 2017 , 155, 00004		1
62	Control of Electronic Structure and Conductivity in Two-Dimensional Metal-Semiquinoid Frameworks of Titanium, Vanadium, and Chromium. 2018 , 140, 3040-3051		67

61	An aryl-fused redox-active tetrathiafulvalene with enhanced mixed-valence and radical-cation dimer stabilities. 2018 , 16, 2741-2747		8
60	Voltammetric, Spectroscopic, and Microscopic Investigation of the Oxidation of Solid and Solution Phases of Tetrathiafulvalene (TTF) to (TTF) ₂ MO ₄ (M=Mo, W). 2018 , 5, 885-896		1
59	Mixed valence salts based on carbon-centered neutral radical crystals. 2018 , 1,		31
58	Nanoparticles of tetrathiafulvalene chloride derivatives grown in the presence of amphiphilic molecules. 2018 , 245, 190-194		0
57	Tetrathiafulvalene - a redox-switchable building block to control motion in mechanically interlocked molecules. 2018 , 14, 2163-2185		40
56	Electron delocalization and charge mobility as a function of reduction in a metal-organic framework. 2018 , 17, 625-632		182
55	Tubular Au-TTF solid contact layer synthesized in a microfluidic device improving electrochemical behaviors of paper-based potassium potentiometric sensors. 2019 , 322, 134683		9
54	Trioxotriangulene with carbazole: a donor-acceptor molecule showing strong near-infrared absorption exceeding 1000 nm. 2019 , 6, 3107-3115		8
53	Precision and Purity of Conjugated Polymers To be Ensured Before Processing. 2019 , 1-55		
52	Synthesis of Organic Super-Electron-Donors by Reaction of Nitrous Oxide with N-Heterocyclic Olefins. 2019 , 141, 17112-17116		19
51	Redox-Driven Folding, Unfolding, and Refolding of Bis(tetrathiafulvalene) Molecular Switch. 2019 , 84, 6258-6269		7
50	Extended tetrathiafulvalenes with polycyclic aromatic cores. 2019 , 7, 2809-2822		18
49	Accordion-Like Motion in Electrochemically Switchable Crown Ether/Ammonium Oligorotaxanes. <i>Angewandte Chemie</i> , 2019 , 131, 3534-3538	3.6	9
48	Accordion-Like Motion in Electrochemically Switchable Crown Ether/Ammonium Oligorotaxanes. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 3496-3500	16.4	23
47	An Organic-Inorganic Hybrid Exhibiting Electrical Conduction and Single-Ion Magnetism. <i>Angewandte Chemie</i> , 2020 , 132, 2420-2427	3.6	3
46	An Organic-Inorganic Hybrid Exhibiting Electrical Conduction and Single-Ion Magnetism. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 2399-2406	16.4	12
45	Effects of structural variations on dimer formation: long-distance multicenter bonding of cation-radicals of tetrathiafulvalene analogues. 2020 , 22, 25054-25065		4
44	Synthesis, Structure and Physical Properties of (trans-TTF-py ₂) _{1.5} (PF ₆) ₂ ·EtOH: A Molecular Conductor with Weak C-H...N Hydrogen Bondings. 2020 , 10, 1081		1

43	Synthetic investigation of competing magnetic interactions in 2D metal-chloranilate radical frameworks. 2020 , 11, 5922-5928	6
42	Distance Dependence of Electronic Coupling in Rigid, Cofacially Compressed, π -Stacked Organic Mixed-Valence Systems. 2020 , 124, 1033-1048	6
41	How to Control the Rate of Heterogeneous Electron Transfer across the Rim of ML and ML Nanospheres. 2020 , 142, 8837-8847	20
40	Large-Amplitude Thermal Vibration-Coupled Valence Tautomeric Transition Observed in a Conductive One-Dimensional Rhodium-Dioxolene Complex. 2021 , 27, 3074-3084	6
39	Discrete Open-Shell Tris(bipyridinium radical cationic) Inclusion Complexes in the Solid State. 2021 , 143, 163-175	6
38	A family of lanthanide metal-organic frameworks based on a redox-active tetrathiafulvalene-dicarboxylate ligand showing slow relaxation of magnetisation and electronic conductivity. 2021 , 50, 14714-14723	1
37	Radical-pairing-induced molecular assembly and motion. 2021 , 5, 447-465	17
36	Cytosine-fused TTF: Conducting property of single-component betainic radical and self-assembling ability of hemi-deprotonated cytosine pair. 1-12	
35	"Anti-electrostatic" Halogen Bonding between Ions of Like Charge. 2021 , 27, 16530-16542	4
34	Radically Enhanced Dual Recognition. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 25454-25462	16.4 4
33	Radically Enhanced Dual Recognition. <i>Angewandte Chemie</i> ,	3.6 2
32	Optical Properties of One-Dimensional Systems. 1982 , 205-258	4
31	Magnetic Resonance in Ion-Radical Organic Solids. 1983 , 193-261	8
30	Electronic Structure of Linear Charge Transfer Solids. 1987 , 47-61	2
29	Infrared Properties of Organic Conductors. 1987 , 253-274	13
28	An Overview of Organic Solids: The Relation Between their Electronic, Optical, Magnetic and Structural Properties. 1987 , 113-133	18
27	Prospects of New Developments. 1990 , 258-264	1
26	Bi- and Bis-TTFs. 2004 , 177-204	1

25	Mixed-Valence in the Organic Solid State. 1980 , 451-473		3
24	Morphology-Retained Conversion of Neutral to Mixed Valence Tetrathiafulvalene Crystals through a Spontaneous Redox Reaction. 2020 , 2, 3831-3836		2
23	Synthesis and Electrochromic Properties of Bis(2-tetrathiafulvalenylethynylphenyl)ethynes. 2009 , 77, 837		12
22	Synthesis and Amphoteric Properties of Tris(tetrathiafulvaleno)hexadehydro[12]annulene. 2010 , 80, 909		5
21	Kinetic Study on the Adsorption of 2,3,5,6-Tetrafluoro-7,7,8,8-tetracyanoquinodimethane on Ag Nanoparticles in Chloroform: Implications for the Charge Transfer Complex of Ag ₄ TCNQ.		
20	Highly Stable TTF Radical Dimers in a Five-State [3]Catenane. 2011 , 101-116		
19	Crystal Structures and Properties of MMX-Chain Compounds Based on Dithiocarboxylato-Bridged Dinuclear Complexes. 2013 , 151-205		
18	Chemistry and Properties of New Examples of Mixed-Valence Compounds, Based on Organic Donor Molecules and Polyoxo-Metalate Ions. 1991 , 413-418		
17	From Molecular Structures to Solid State Properties in Charge Transfer Salts. 1995 , 333-348		
16	Electronic and Magnetic Properties of Thin Organized Molecular System. 1996 , 355-378		
15	Development of Conducting Charge-Transfer Complexes Based on Cooperation of Hydrogen-Bond and Charge-Transfer Interactions. <i>Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry</i> , 2019 , 77, 318-329	0.2	1
14	Organic electrochromic molecules: synthesis, properties, applications and impact. <i>Pure and Applied Chemistry</i> , 2020 , 92, 717-731	2.1	3
13	Unraveling the Electrical and Magnetic Properties of Layered Conductive Metal-Organic Framework With Atomic Precision. <i>Angewandte Chemie</i> , 2022 , 134, e202113569	3.6	
12	Structures, Multicenter Bonding, and Spin Equilibria in the Mixed-Valence Trimers of Tetramethyltetrathiafulvalene Cation-Radicals. <i>Crystal Growth and Design</i> , 2021 , 21, 7257-7268	3.5	0
11	Unraveling the Electrical and Magnetic Properties of Layered Conductive Metal-Organic Framework With Atomic Precision. <i>Angewandte Chemie - International Edition</i> , 2021 ,	16.4	5
10	Thermal and redox properties of Donor-Acceptor foldamers consisting of tetrathiafulvalene and viologen. <i>Materials Today Chemistry</i> , 2022 , 24, 100863	6.2	0
9	A Platform to Evaluate the Effect of Back Charge Transfer on the Electrical Conductivity of TTF Charge Transfer Complexes: TTFMCl (M = In, Sb).. <i>Inorganic Chemistry</i> , 2021 ,	5.1	
8	Two-Electron Tetrathiafulvalene Catholytes for Nonaqueous Redox Flow Batteries.		0

- 7 The Story of the Little Blue Box: A Tribute to Siegfried Hög. 1
- 6 Rational Construction of Molecular Electron-Conducting Nanowires Encapsulated in a Proton-Conducting Matrix in a Charge Transfer Salt. **2022**, 144, 17149-17155 0
- 5 The Story of the Little Blue Box: A Tribute to Siegfried Hög. 0
- 4 Organogel Actuators Based on Redox-Responsive Foldamers: Amplification of Molecular Machine Motion to Macroscopic Scale. 0
- 3 Stable Organic Radicals Participation in Charge Transfer: A New Strategy toward Molecular Functional Materials. 0
- 2 Quinoid-Based Three-Dimensional Metal-Organic Framework Fe₂(dmbq)₃: Porosity, Electrical Conductivity, and Solid-State Redox Properties. 0
- 1 Self-assembly Templated by Radical-Radical Interactions. **2023**, 231-243 0