

CITATION REPORT

List of articles citing

Isolation of biologically active ribonucleic acid from sources enriched in ribonuclease

DOI: 10.1021/bi00591a005
Biochemistry, 1979, 18, 5294-9.

Source: <https://exaly.com/paper-pdf/14193311/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2114	Oxygen sensing and erythropoietin gene regulation. 1989 , 76, 39-54; discussion 54-6		11
2113	Quantitation of mRNA by competitive PCR using capillary electrophoresis. <i>Methods in Molecular Biology</i> , 2001 , 163, 243-52	1.4	4
2112	REVIEWS. 1929 , os-XXXI, 93-96		1
2111	Use of the Offender's Strengths in Psychotherapy. 1968 , 14, 233-239		
2110	Construction and identification of bacterial plasmids containing nucleotide sequence for human leukocyte interferon. 1980 , 77, 7010-3		108
2109	Mouse immunoglobulin D: construction and characterization of a cloned delta chain cDNA. 1980 , 77, 7405-9		56
2108	Integration of hepatitis B virus sequences and their expression in a human hepatoma cell. 1980 , 286, 535-8		251
2107	Cloning and sequence analysis of cDNAs encoding two distinct somatostatin precursors found in the endocrine pancreas of anglerfish. 1980 , 288, 137-41		313
2106	Synthesis in vitro of keratin polypeptides directed by mRNA isolated from newborn and adult mouse epidermis. 1980 , 112, 243-9		90
2105	Cell-free synthesis of acetylcholine receptor polypeptides. 1980 , 209, 695-7		41
2104	Mechanism of compartmentation of secretory proteins: transport of exocrine pancreatic proteins across the microsomal membrane. 1980 , 87, 611-28		107
2103	Helper and killer T cells do not express B cell immunoglobulin joining and constant region gene segments. 1980 , 152, 1745-61		67
2102	Cell-free synthesis of epoxide hydrase by liver poly (A+)-RNA isolated from phenobarbital treated rats. 1980 , 94, 542-8		11
2101	Multiple actin-related sequences in the <i>Drosophila melanogaster</i> genome. 1980 , 19, 121-31		155
2100	Number and evolutionary conservation of alpha- and beta-tubulin and cytoplasmic beta- and gamma-actin genes using specific cloned cDNA probes. 1980 , 20, 95-105		1834
2099	A dispersed multigene family encoding tubulin in <i>Drosophila melanogaster</i> . 1980 , 22, 845-54		127
2098	Size heterogeneity in the 3' end of dihydrofolate reductase messenger RNAs in mouse cells. 1980 , 22, 361-70		286

2097	Cell-free synthesis of the one-chain precursor of a major intrinsic protein complex of the small-intestinal brush border membrane (pro-sucrase-isomaltase). 1981 , 136, 329-32	39
2096	Rat alpha 1-antitrypsin, preliminary characterisation of the in vitro mRNA translation product. 1981 , 130, 297-300	12
2095	The physical association between rat liver mitochondria and rough endoplasmic reticulum. II. Possible role RER-MT complexes play in the biosynthesis of cytochrome P-450. 1981 , 132, 225-34	16
2094	Immediate-early proteins of human cytomegalovirus strains AD 169, Davis, and Towne differ in electrophoretic mobility. 1981 , 112, 350-4	54
2093	A direct comparison of the rat and bovine arginine vasopressin/neurophysin II common precursor. 1981 , 2, 151-156	14
2092	Regulation of the levels of phosphoenolpyruvate carboxykinase (GTP) mRNA in rat liver by insulin and glucagon. 1980 , 19, 205-14	19
2091	Increase in translatable mRNA for mitochondrial pyruvate carboxylase during differentiation of 3T3 preadipocytes. 1981 , 103, 1216-22	21
2090	Cloning and sequencing of cDNA for mouse liver metallothionein-I. 1981 , 103, 825-32	25
2089	Induction of translationally active rat liver glutathione S-transferase B messenger RNA by phenobarbital. 1981 , 99, 1002-10	27
2088	The use of a heptadeoxyribonucleotide as a specific primer for prolactin mRNA: a prediction of ambiguous RNA splicing. 1981 , 102, 1071-7	12
2087	Expression of the albumin gene in rat hepatoma cells and their dedifferentiated variants. 1981 , 27, 351-8	69
2086	Administration of 3-methylcholanthrene to rats increases the specific hybridizable mRNA coding for cytochrome P-450c. 1981 , 78, 4083-7	47
2085	In Vitro Synthesis of Wheat (<i>Triticum aestivum</i> L.) Storage Proteins. 1981 , 68, 778-83	38
2084	Effect of phenobarbital on the level of translatable rat liver epoxide hydrolase mRNA. 1981 , 78, 893-7	21
2083	Induction of hepatic synthesis of serum amyloid A protein and actin. 1981 , 78, 4718-22	157
2082	Actin gene expression in developing sea urchin embryos. 1981 , 1, 711-20	53
2081	Sequence analysis of a cDNA coding for a pancreatic precursor to somatostatin. 1981 , 78, 6694-8	46
2080	Cloning and sequence of several alpha 2u-globulin cDNAs. 1981 , 78, 3478-82	104

2079	Isolation and characterization of the dopa decarboxylase gene of <i>Drosophila melanogaster</i> . 1981 , 1, 475-85		110
2078	Isolation and cell-free translation of human interferon mRNA from fibroblasts and leukocytes. 1981 , 79, 51-9		20
2077	Bacteriorhodopsin: partial sequence of mRNA provides amino acid sequence in the precursor region. 1981 , 78, 3398-402		38
2076	Expression of IgD may use both DNA rearrangement and RNA splicing mechanisms. 1981 , 78, 1800-4		119
2075	Isolation of a cDNA clone for mouse urinary proteins: age- and sex-related expression of mouse urinary protein genes is transcriptionally controlled. 1981 , 78, 5425-9		60
2074	In vitro translation of the intermediate filament proteins desmin and vimentin. 1981 , 1, 303-9		16
2073	Cell-free synthesis of putative type V procollagen chains programmed by Chinese hamster lung cell mRNA. 1981 , 1, 309-25		2
2072	Pancreas-specific genes: structure and expression. 1981 , 47, 1497-504		10
2071	Lack of induction of murine mammary tumor virus expression in cultured mammary glands treated with chemical carcinogens. 1981 , 27, 811-7		4
2070	Protein synthesis with membrane-bound polysomes and albumin messenger RNA from livers of mutant mice. <i>Molecular and Cellular Biochemistry</i> , 1981 , 36, 29-35	4.2	2
2069	Nuclear and polysomal transcripts of T-DNA in octopine crown gall suspension and callus cultures. 1981 , 182, 255-62		69
2068	Cloning and analysis of recombinant plasmids containing genes for <i>Aspergillus nidulans</i> 5 S rRNA. 1981 , 4, 173-6		12
2067	Biosynthesis of preprorenin and intracellular conversion of prorenin to renin. 1981 , 8, 441-5		14
2066	Induction of cell-cell channel formation by mRNA. 1981 , 289, 683-5		44
2065	Preparation and in vitro translation of mRNA from <i>Fasciola hepatica</i> . 1981 , 4, 337-48		11
2064	Cloning of bovine prolactin cDNA and evolutionary implications of its sequence. 1981 , 1, 37-50		39
2063	Interferon-mediated inhibition of mouse mammary tumour virus (type B) and mouse leukaemia virus (type C) in the same culture. 1981 , 53, 383-7		3
2062	Pancreatic islet-acinar cell interaction: amylase messenger RNA levels are determined by insulin. 1981 , 213, 351-3		267

2061	Isolation, translation in vitro, and partial purification of messenger RNA for fatty acid synthase from uropygial gland. 1981 , 71 Pt C, 139-50	6
2060	The appearance of new polyadenylated nuclear RNA sequences during rat-liver regeneration. 1981 , 9, 2021-35	4
2059	Recombinant DNA technology. 1981 , 27, 1-84	14
2058	Regulation of the synthesis of lactate dehydrogenase-X during spermatogenesis in the mouse. 1981 , 88, 492-8	35
2057	Wheat Storage Proteins : ISOLATION AND CHARACTERIZATION OF THE GLIADIN MESSENGER RNAs. 1982 , 69, 834-9	25
2056	Structure and function of rat liver polysome populations. II. Characterization of polyadenylate-containing mRNA associated with subpopulations of membrane-bound particles. 1982 , 94, 297-307	9
2055	Synthesis and localization of two sulphated glycoproteins associated with basement membranes and the extracellular matrix. 1982 , 95, 197-204	106
2054	The human pro-opiomelanocortin gene: organization, sequence, and interspersions with repetitive DNA. 1982 , 1, 133-43	150
2053	Mouse kallikrein arginyl-esterpeptidase genes: analysis of cloned cDNAs suggests rapid functional divergence from a common ancestral sequence. 1982 , 1, 309-11	7
2052	Porcine relaxin: molecular cloning and cDNA structure. 1982 , 1, 155-62	61
2051	Isolation and characterization of IFN-gamma mRNA derived from mitogen-induced human splenocytes. 1982 , 2, 409-20	15
2050	The localisation of the 5'-termini of in vivo transcripts of a cloned rainbow trout protamine gene. 1982 , 10, 7581-92	21
2049	Epsilon globin gene transcripts originating upstream of the mRNA cap site in K562 cells and normal human embryos. 1982 , 10, 5133-47	48
2048	Human metallothionein genes: molecular cloning and sequence analysis of the mRNA. 1982 , 10, 3165-73	97
2047	Genetic analysis of alpha-fetoprotein synthesis in mice. 1982 , 2, 1427-35	127
2046	Chicken histone H5 mRNA: the polyadenylated RNA lacks the conserved histone 3' terminator sequence. 1982 , 10, 6777-85	41
2045	Cell-free translation and partial characterization of mRNA coding for enkephalin-precursor protein. 1982 , 79, 1017-21	25
2044	Construction and characterization of genomic libraries from specific human chromosomes. 1982 , 79, 2971-5	132

2043	Cellular Moloney murine sarcoma (c-mos) sequences are hypermethylated and transcriptionally silent in normal and transformed rodent cells. 1982 , 2, 42-51	68
2042	<i>Saccharomyces cerevisiae</i> contains a complex multigene family related to the major heat shock-inducible gene of <i>Drosophila</i> . 1982 , 2, 1388-98	185
2041	Tissue-specific expression of mRNAs for dipeptidyl carboxypeptidase isoenzymes. 1982 , 79, 4295-7	58
2040	Heavy chain genes of rabbit IgG: isolation of a cDNA encoding gamma heavy chain and identification of two genomic C gamma genes. 1982 , 79, 6018-22	13
2039	Partial characterization of the mRNA that codes for enkephalins in bovine adrenal medulla and human pheochromocytoma. 1982 , 79, 360-4	30
2038	Induction of tyrosine aminotransferase mRNA by glucocorticoids and cAMP in fetal rat liver. 1982 , 79, 365-8	41
2037	Rat gastric prepepsinogen: in vitro synthesis and partial amino-terminal signal sequence. 1982 , 92, 603-6	9
2036	gamma Heavy chain disease in man: cDNA sequence supports partial gene deletion model. 1982 , 79, 3260-4	59
2035	Human somatostatin I: sequence of the cDNA. 1982 , 79, 4575-9	234
2034	Carcinogen- and radiation-transformed C3H 10T1/2 cells contain RNAs homologous to the long terminal repeat sequence of a murine leukemia virus. 1982 , 79, 2773-7	35
2033	Rat pancreatic kallikrein mRNA: nucleotide sequence and amino acid sequence of the encoded preproenzyme. 1982 , 79, 7263-7	102
2032	cAMP stimulates transcription of the gene for cytosolic phosphoenolpyruvate carboxykinase in rat liver nuclei. 1982 , 79, 5137-41	374
2031	<i>Drosophila</i> gene related to the major heat shock-induced gene is transcribed at normal temperatures and not induced by heat shock. 1982 , 79, 525-9	178
2030	Isolation of distinct cDNA clones encoding HLA-DR beta chains by use of an expression assay. 1982 , 79, 7465-9	97
2029	Nucleotide sequence and the encoded amino acids of human serum albumin mRNA. 1982 , 79, 71-5	285
2028	Assignment of the structural gene for the third component of human complement to chromosome 19. 1982 , 79, 5021-5	194
2027	Transcriptional control of the murine albumin/alpha-fetoprotein locus during development. 1982 , 79, 5254-7	329
2026	Phenotypic switching in cells transformed with the herpes simplex virus thymidine kinase gene. 1982 , 2, 708-14	63

2025	12 Pancreatic Ribonuclease. 1982 , 15, 317-433	140
2024	Preparation and translation of interstitial (calvaria) procollagen mRNA. 1982 , 82 Pt A, 218-25	6
2023	Cell-free synthesis of noninterstitial (CHL cell) procollagen chains. 1982 , 82 Pt A, 225-45	
2022	The erythrocyte anion transport protein is contrtranslationally inserted into microsomes. 1982 , 28, 23-31	97
2021	A comparison of the rates of accumulation of nonpolyadenylated and polyadenylated RNA in normal and delayed implanting mouse embryos. 1982 , 93, 266-71	13
2020	The role of growth hormone in alpha 2u globulin synthesis: a reexamination. 1982 , 28, 185-9	53
2019	Organization of the ribosomal RNA gene cluster in <i>Aspergillus nidulans</i> . 1982 , 17, 147-52	54
2018	Human nucleotide sequences related to the transforming gene of a murine sarcoma virus: studies with cloned viral and cellular DNAs. 1982 , 17, 19-26	12
2017	Regulated expression of human growth hormone genes in mouse cells. 1982 , 29, 623-31	237
2016	Intraneuronal alpha-fetoprotein and albumin are not synthesized locally in developing brain. 1982 , 281, 93-8	44
2015	The effect of temperature change on gene expression in <i>Paramecium primaurelia</i> . 1982 , 698, 158-66	4
2014	Hypersensitivity of DNA in transcriptionally active chromatin to ionizing radiation. 1982 , 699, 15-21	75
2013	Mouse mammary tumor virus DNA sequences in tumorigenic and nontumorigenic cells from a mammary adenocarcinoma. 1982 , 118, 117-27	6
2012	Alterations in the genomes of avian sarcoma viruses. 1982 , 117, 456-74	6
2011	Papilloma virus-induced tumors contain a virus-specific transcript. 1982 , 117, 257-61	27
2010	Developmental patterns of cytoplasmic transcript prevalence in sea urchin embryos. 1982 , 91, 27-35	46
2009	Changes in translatable mRNAs during the larval-pupal transformation of the epidermis of the tobacco hornworm. 1982 , 92, 330-42	94
2008	Sequence complexity in the maternal RNA of the starfish <i>Pisaster ochraceus</i> (Brandt). 1982 , 89, 56-63	7

2007	Developmentally regulated transcription from <i>Drosophila melanogaster</i> chromosomal site 67B. 1982 , 89, 196-210	189
2006	Cloned embryo mRNAs not detectably expressed in adult sea urchin coelomocytes. 1982 , 89, 527-31	16
2005	Regulatory mutants of simian virus 40. Effect of mutations at a T antigen binding site on DNA replication and expression of viral genes. 1982 , 156, 531-48	154
2004	Intestinal Biosynthesis of apolipoproteins in the rat: apoE and apoA-I mRNA translation and regulation. 1982 , 31, 861-5	23
2003	Effect of aging on induction of rat liver messenger RNA activity for malic enzyme. 1982 , 109, 250-5	14
2002	Rat liver glutathione S-transferase B: the functional mRNAs specific for the Ya Yc subunits are induced differentially by phenobarbital. 1982 , 215, 539-43	40
2001	Cell-free translation analysis of the vitamin D-dependent calcium binding protein mRNA activity present in total RNA and polysomal extracts from chick intestine. 1982 , 219, 286-96	28
2000	Differential effect of phenobarbital and beta-naphthoflavone on the mRNAs coding for cytochrome P450 and NADPH cytochrome P450 reductase. 1982 , 150, 375-80	18
1999	Synthesis of rat muscle carbonic anhydrase III in a cell-free translation system. 1982 , 148, 122-5	4
1998	Genetic aspects of IgD expression: II. Multiple forms of delta chain mRNA in normal mouse spleen, mouse B-cell lymphomas and mouse and human myelomas. 1982 , 399, 15-25	2
1997	Cell-free translation and partial characterization of proenkephalin messenger RNA from bovine striation. 1982 , 105, 67-74	18
1996	alpha-Fetoprotein biosynthesis and hepatocellular differentiation. 1982 , 108, 1524-30	19
1995	Rat and rabbit liver mRNAs code for fructose 1,6-bisphosphatases that differ in molecular weight. 1982 , 107, 1384-9	7
1994	Fractionation of biologically active messenger RNAs by HPLC gel filtration. 1982 , 107, 1559-65	15
1993	Differential induction of rat hepatic cytochrome P-448 and glutathione S-transferase B messenger RNAs by 3-methylcholanthrene. 1982 , 104, 611-9	55
1992	Disproportionate expression of the two nonallelic rat insulin genes in a pancreatic tumor is due to translational control. 1982 , 31, 531-42	73
1991	High-efficiency cloning of full-length cDNA. 1982 , 2, 161-70	1324
1990	Novel proteinaceous infectious particles cause scrapie. 1982 , 216, 136-44	4007

1989	Biosynthesis of preprorenin. Studies using whole tissue, a cell-free system, and E. coli containing cDNA inserted at the PstI site of plasmid pBR322. 1982 , 4, 1939-63		
1988	Regulation of tyrosine aminotransferase messenger ribonucleic acid in rat liver. effect of cycloheximide on messenger ribonucleic acid turnover. <i>Biochemistry</i> , 1982 , 21, 6761-7	3-2	37
1987	Primary structure of two distinct rat pancreatic preproelastases determined by sequence analysis of the complete cloned messenger ribonucleic acid sequences. <i>Biochemistry</i> , 1982 , 21, 1453-63	3-2	114
1986	Induction of kidney metallothionein and metallothionein messenger RNA by zinc and cadmium. 1982 , 112, 801-9		26
1985	Age-related changes in 28S and 18S RNA in antigen-stimulated and non-stimulated rat spleens. 1982 , 5, 113-117		1
1984	Cloning of metallothionein cDNA from neonatal rat liver. 1982 , 2, 761-8		7
1983	The effects of dexamethasone on alpha-fetoprotein and albumin synthesis in cultured hepatoma 7777 cells. 1982 , 2, 777-84		11
1982	Präparative Trennung von biologisch aktiven Ribonucleinsäuren durch HPLC. 1982 , 311, 417-418		
1981	Characteristics of antibodies to guinea pig (Na ⁺ + K ⁺)-adenosine triphosphatase and their use in cell-free synthesis studies. 1982 , 69, 13-22		31
1980	Characterization and cloning of the mRNAs specific for the lactating mouse mammary gland. 1982 , 125, 131-41		111
1979	Messenger RNA from allotype-defined rabbits directing the cell-free synthesis of immunoglobulin heavy and light chains. 1982 , 12, 485-90		6
1978	Parallel changes in protein synthesis and messenger RNA content in growing and resting epithelial cells of <i>Xenopus laevis</i> . 1982 , 111, 284-90		1
1977	Cellular dynamics of the hormonal and developmental induction of hepatic alpha 2u globulin as demonstrated by immunocytochemistry and specific mRNA monitoring. 1982 , 165, 211-24		29
1976	Sequence complexity of polyadenylated RNA in human breast carcinoma cells. 1982 , 14, 19-24		6
1975	Isolation and preliminary characterization of a human transforming gene from T24 bladder carcinoma cells. 1982 , 296, 404-9		447
1974	Mouse spleen and IgD-secreting plasmacytomas contain multiple IgD delta chain RNAs. 1982 , 296, 459-62		25
1973	Kinetics of induction and molecular size of mRNAs encoding human interleukin-2 and gamma-interferon. 1982 , 297, 236-9		101
1972	A chicken histone H3 gene contains intervening sequences. 1982 , 297, 434-6		94

1971	Translation of mRNA for human granulocyte-macrophage colony stimulating factor. 1982 , 298, 75-7	18
1970	Cloning and sequence analysis of cDNA for porcine beta-neo-endorphin/dynorphin precursor. 1982 , 298, 245-9	726
1969	Molecular cloning of the gene for human anti-haemophilic factor IX. 1982 , 299, 178-80	277
1968	Differential expression of cellular oncogenes during pre- and postnatal development of the mouse. 1982 , 299, 640-4	529
1967	Primary structure of alpha-subunit precursor of <i>Torpedo californica</i> acetylcholine receptor deduced from cDNA sequence. 1982 , 299, 793-7	699
1966	Glucocorticoid regulation of protein processing and compartmentalization. 1982 , 300, 221-5	134
1965	Cloning and sequence analysis of cDNA for ovine corticotropin-releasing factor precursor. 1983 , 301, 537-40	162
1964	Cloning and expression in <i>E. coli</i> of the malarial sporozoite surface antigen gene from <i>Plasmodium knowlesi</i> . 1983 , 302, 536-8	142
1963	Isolation and nucleotide sequence of a cDNA encoding the precursor of mouse nerve growth factor. 1983 , 302, 538-40	450
1962	Hamster preproglucagon contains the sequence of glucagon and two related peptides. 1983 , 302, 716-8	499
1961	Early pre-B cells from normal and X-linked agammaglobulinaemia produce C mu without an attached VH region. 1983 , 304, 355-8	61
1960	A single gene for bovine high molecular weight and low molecular weight kininogens. 1983 , 305, 545-9	170
1959	Cloning and sequence analysis of calf cDNA and human genomic DNA encoding alpha-subunit precursor of muscle acetylcholine receptor. 1983 , 305, 818-23	422
1958	Nucleotide sequences of cloned cDNAs for two types of bovine brain substance P precursor. 1983 , 306, 32-6	730
1957	Isolation and structural organization of the human preproenkephalin B gene. 1983 , 306, 611-4	199
1956	Rearranged c-mos locus in a MOPC 21 murine myeloma cell line and its persistence in hybridomas. 1983 , 306, 795-6	83
1955	Assembly of procollagen mRNA translation products into pepsin-resistant structures. 1983 , 3, 1-12	7
1954	Analysis of histone H5 and globin mRNAs in chick-embryo development. 1983 , 131, 551-4	3

1953	Control of the activity of phosphoenolpyruvate carboxykinase and the level of its mRNA in livers of newborn rats. Effect of diabetes, glucose load and glucocorticoids. 1983 , 132, 663-8	13
1952	Sequence requirement for transcription in vitro of the human corticotropin/beta-lipotropin precursor gene. 1983 , 133, 599-605	16
1951	Cloning and expression in Escherichia coli of full-length complementary DNA coding for human alpha 1-antitrypsin. 1983 , 2, 255-64	51
1950	Characterization of RNA transcripts and virally coded proteins synthesized in mouse fibroblasts transfected with hepatitis B DNA: HBeAg synthesis in HBeAg-negative cells with active core-antigen genes. 1983 , 3, 1017-26	6
1949	Biological effects of incorporation of O6-methyldeoxyguanosine into Chinese hamster V79 cells. 1983 , 110, 423-33	6
1948	Messenger RNA extracted from Schistosoma mansoni larval forms codes for parasite antigens when translated in vitro. 1983 , 7, 293-301	16
1947	Plasmodium chabaudi antigens synthesized in an mRNA-dependent cell-free translation system. 1983 , 7, 159-72	8
1946	The complete amino acid sequence of the glycoprotein, glucoamylase G1, from Aspergillus niger. 1983 , 48, 529-544	176
1945	Interleukin 2: biology and biochemistry. 1983 , 3, 1-13	107
1944	Translation in a cell-free system of mRNA from term placenta extracted by guanidine hydrochloride. 1983 , 9, 203-8	2
1943	Efficient extraction of RNA from mammalian tissue. <i>Molecular and Cellular Biochemistry</i> , 1983 , 56, 113-22.2	37
1942	Transcription of a mitochondrial plasmid during senescence in Podospora anserina. 1983 , 7, 457-64	15
1941	Genetic control of a membrane component and zein deposition in maize endosperm. 1983 , 192, 316-321	23
1940	Isolation of the rudimentary locus of Drosophila melanogaster. 1983 , 189, 34-40	18
1939	The absence of beta 2-microglobulin in Daudi cells: active gene but inactive messenger RNA. <i>Immunogenetics</i> , 1983 , 17, 133-40	3.2 38
1938	Transcription of the rRNA gene cluster in Aspergillus nidulans. 1983 , 7, 113-5	4
1937	Detection of subnanogram quantities of DNA and RNA on native and denaturing polyacrylamide and agarose gels by silver staining. 1983 , 4, 92-94	49
1936	Comparison of the expression-linked extra copy (ELC) and basic copy (BC) genes of a trypanosome surface antigen. 1983 , 23, 1-12	11

1935	Rat serum albumin synthesis in variant rat hepatoma cells. 1983 , 114, 29-38		5
1934	Coordinate secretion of rat and mouse albumin by mouse hepatoma x rat hepatoma hybrid cells directly reflects the intracellular concentration of the corresponding mRNAs. 1983 , 115, 175-8		5
1933	Detection of rare mRNA species in a complex RNA population by blot hybridization techniques: a comparative survey. 1983 , 132, 190-4		43
1932	Induction of the acute-phase reactant, alpha 1-acid glycoprotein, by glucocorticoids in rat hepatoma cells. 1983 , 2, 205-12		48
1931	Molecular Cloning of Exo β -D-Galactosidase I Derived from <i>Trichoderma Reesei</i> Strain L27. 1983 , 1, 691-696		189
1930	Structure and transcription of the nopaline synthase gene region of T-DNA. 1983 , 11, 369-85		305
1929	Interactions of thyroid hormone, growth hormone, and high carbohydrate, fat-free diet in regulating several rat liver messenger ribonucleic acid species. <i>Biochemistry</i> , 1983 , 22, 213-21	3-2	92
1928	Three different fibronectin mRNAs arise by alternative splicing within the coding region. 1983 , 35, 421-31		690
1927	Analysis of FBJ-MuSV provirus and c-fos (mouse) gene reveals that viral and cellular fos gene products have different carboxy termini. 1983 , 32, 1241-55		536
1926	Independent mechanisms involved in suppression of the Moloney leukemia virus genome during differentiation of murine teratocarcinoma cells. 1983 , 32, 1105-13		200
1925	Characterization of cloned cDNA representing rat myelin basic protein: absence of expression in brain of shiverer mutant mice. 1983 , 34, 799-806		367
1924	Sexual differentiation of rat liver carbonic anhydrase III. 1983 , 760, 335-42		36
1923	Inherited protein C deficiency and coumarin-responsive chronic relapsing purpura fulminans in a newborn infant. 1983 , 2, 1165-8		242
1922	Diarrhoea in vipoma patients associated with cosecretion of a second active peptide (peptide histidine isoleucine) explained by single coding gene. 1983 , 2, 1163-5		108
1921	Identification of two distinct regulatory regions adjacent to the human beta-interferon gene. 1983 , 34, 865-79		1098
1920	A cDNA cloning vector that permits expression of cDNA inserts in mammalian cells. 1983 , 3, 280-9		956
1919	Four unique genes required for beta tubulin expression in vertebrates. 1983 , 32, 713-24		109
1918	Transcripts of the six <i>Drosophila</i> actin genes accumulate in a stage- and tissue-specific manner. 1983 , 33, 115-23		459

1917	Tissue-specific control of alpha 2u globulin gene expression: constitutive synthesis in the submaxillary gland. 1983 , 32, 453-60	70
1916	DNA sequences bound specifically by glucocorticoid receptor in vitro render a heterologous promoter hormone responsive in vivo. 1983 , 33, 489-99	704
1915	The messenger RNA for alcohol dehydrogenase in <i>Drosophila melanogaster</i> differs in its 5' end in different developmental stages. 1983 , 33, 125-33	435
1914	DNA clones and RNA transcripts of four lampbrush loops from the Y chromosome of <i>Drosophila hydei</i> . 1983 , 32, 191-9	52
1913	Synthesis and assembly of spectrin during avian erythropoiesis: stoichiometric assembly but unequal synthesis of alpha and beta spectrin. 1983 , 32, 1081-91	102
1912	Structure and function of the yeast URA3 gene. Differentially regulated expression of hybrid beta-galactosidase from overlapping coding sequences in yeast. 1983 , 170, 883-904	119
1911	Rapid and selective shutoff of plasma protein production in herpes simplex virus type 2-infected hepatoma cells. 1983 , 126, 548-62	13
1910	A method for isolation of intact, translationally active ribonucleic acid. 1983 , 2, 329-35	1431
1909	A simple and very efficient method for generating cDNA libraries. 1983 , 25, 263-9	4573
1908	Construction of a retrovirus packaging mutant and its use to produce helper-free defective retrovirus. 1983 , 33, 153-9	1725
1907	The human c-myc oncogene: structural consequences of translocation into the IgH locus in Burkitt lymphoma. 1983 , 34, 779-87	719
1906	Differences in abundance of individual RNAs in normal and animalized sea urchin embryos. 1983 , 96, 520-8	16
1905	Transcripts of paternal and maternal actin gene alleles are present in interspecific sea urchin embryo hybrids. 1983 , 100, 190-6	13
1904	Conserved pattern of embryonic actin gene expression in several sea urchins and a sand dollar. 1983 , 98, 429-36	13
1903	cDNA clones encoding cytoplasmic poly(A)+ RNAs which first appear at detectable levels in haploid phases of spermatogenesis in the mouse. 1983 , 98, 455-64	138
1902	Immunoelectron microscopic study of somatostatin biosynthesis in dog pancreas. 1983 , 15, 259-69	3
1901	Rise and fall of the delta globin gene. 1983 , 164, 513-28	54
1900	Effects of glucagon on biosynthesis of the mitochondrial enzyme, carbamoyl-phosphate synthase I, in primary hepatocytes and Morris hepatoma 5123D. 1983 , 741, 47-54	12

1899	Bovine seminal ribonuclease precursor synthesized in vitro. 1983 , 741, 303-7	10
1898	Use of <i>Trypanosoma equiperdum</i> infected rabbits as a source of splenic mRNA; construction of cDNA clones and identification of a rabbit mu heavy chain clone. 1983 , 20, 89-99	9
1897	A foreign beta-globin gene in transgenic mice: integration at abnormal chromosomal positions and expression in inappropriate tissues. 1983 , 34, 343-58	250
1896	Cell-specific regulation of the c-myc gene by lymphocyte mitogens and platelet-derived growth factor. 1983 , 35, 603-10	2221
1895	Isolation, sequence analysis, and intron-exon arrangement of the gene encoding bovine rhodopsin. 1983 , 34, 807-14	655
1894	Multiple origins of transcription in the 4.5 Kb upstream of the epsilon-globin gene. 1983 , 35, 187-97	112
1893	Preparation and characterization of mRNAs from rat heart muscle. 1983 , 65, 65-70	35
1892	Tissue-specific expression of two mRNA species transcribed from a single vimentin gene. 1983 , 35, 411-20	114
1891	Biosynthesis and processing of placental alkaline phosphatase. 1983 , 111, 611-8	19
1890	The isolation of a clone for human alpha 1-antitrypsin and the detection of alpha 1-antitrypsin in mRNA from liver and leukocytes. 1983 , 116, 375-82	58
1889	In vitro translation of canine mitochondrial creatine kinase messenger RNA. 1983 , 110, 967-72	21
1888	The presence of the milk protein, alpha-lactalbumin and its mRNA in the rat epididymis. 1983 , 117, 306-12	16
1887	Identification of an Mr 77,000 - 80,000 product of in vitro translation of rat liver mRNA using antibody to glycogen synthase. 1983 , 117, 332-9	6
1886	Increased histone mRNA levels during inhibition of protein synthesis. 1983 , 114, 131-7	45
1885	Genetic evidence that the multiple apolipoprotein A-1 isoforms are encoded by a common structural gene. 1983 , 114, 275-81	4
1884	An essential role for glucocorticoid in casein gene expression in rat mammary explants. 1983 , 114, 380-7	26
1883	The human hypothalamic LHRH precursor is the same size as that in rat and mouse hypothalamus. 1983 , 117, 872-7	19
1882	Regulation of methionine-enkephalin precursor messenger RNA in rat striatum by haloperidol and lithium. 1983 , 113, 391-9	107

1881	Localization and direct quantitation of 3H-labeled proteins and RNAs in slab gels by a new detection system. 1983 , 113, 703-9	2
1880	Induction of rat liver malic enzyme messenger RNA activity by insulin and by fructose. 1983 , 112, 176-82	19
1879	cDNA cloning of human apoA-I: amino acid sequence of preproapoA-I. 1983 , 112, 257-64	78
1878	Coordinate induction of multiple mRNAs specific for rat liver phenobarbital-inducible cytochromes P-450. 1983 , 225, 854-60	16
1877	Hepatic ligandin subunits and mRNAs during development. 1983 , 225, 886-91	8
1876	Isolation and characterization of a DNA sequence complementary to rat liver glutathione S-transferase B mRNA. 1983 , 221, 89-98	13
1875	Molecular induction by phenobarbital of a rat hepatic form of cytochrome P-450: expression of a 4-kilobase messenger RNA. 1983 , 227, 478-93	17
1874	The alteration of gene expression in rat liver during chemical carcinogenesis. 1983 , 222, 310-20	19
1873	Temperature-dependent inactivation of nucleic acid binding and aggregation of the 1,25-dihydroxyvitamin D3 receptor. 1983 , 222, 504-17	29
1872	Biosynthesis and processing of rat alpha 1-antitrypsin. 1983 , 223, 149-57	9
1871	Changes in transcriptional activity of chronically stimulated fast twitch muscle. 1983 , 151, 211-4	25
1870	A single-step procedure for the isolation of individual mRNA species from crude lysates of Physarum polycephalum. 1983 , 155, 73-80	21
1869	Human liver RNA-programmed in vitro synthesis of a polypeptide related to human apolipoprotein B. 1983 , 156, 63-6	9
1868	Isolation and characterization of the mouse corticotropin-beta-lipotropin precursor gene and a related pseudogene. 1983 , 156, 67-71	88
1867	Characterization of a cDNA clone for a rare mRNA modulated by ovariectomy in mammary carcinomas. 1983 , 164, 281-5	2
1866	Biosynthetic relationship between the major matrix proteins of adrenal chromaffin granules. 1983 , 164, 383-8	43
1865	Cloning of interleukin 2 mRNAs from human tonsils. 1983 , 115, 1040-7	32
1864	Effect of 5-azacytidine on rat liver alpha-fetoprotein gene expression. 1983 , 116, 939-44	9

1863	Essentiality of insulin and prolactin for accumulation of rat casein mRNAs. 1983 , 116, 994-9	23
1862	Molecular cloning of human interleukin 2 cDNA and its expression in E. coli. 1983 , 11, 4307-23	277
1861	Temperature-sensitive fetal liver cells: a model for hepatocellular differentiation. 1983 , 417, 308-20	1
1860	Post-transcriptional control of human cytomegalovirus gene expression. 1983 , 124, 390-402	67
1859	Analysis of viral RNA isolated from tobacco leaf tissue infected with tobacco etch virus. 1983 , 131, 473-81	29
1858	Absence of parathyroid hormone messenger RNA in nonparathyroid tumors associated with hypercalcemia. 1983 , 309, 325-30	127
1857	Cell-free synthesis of porcine proopiomelanocortin: two distinct primary translation products. 1983 , 61, 333-9	8
1856	Differential expression of cloned mouse metallothionein sequences in Escherichia coli. 1983 , 2, 23-30	10
1855	Molecular cloning of the rat metallothionein 1 (MT-1) mRNA sequence. 1983 , 2, 15-22	77
1854	Construction of a synthetic messenger RNA encoding a membrane protein. 1983 , 96, 1464-9	5
1853	T and B cells that recognize the same antigen do not transcribe similar heavy chain variable region gene segments. 1983 , 158, 192-209	51
1852	Cell-free translation of human liver apolipoprotein AI and AII mRNA. Processing of primary translation products. 1983 , 364, 227-37	53
1851	Cloning of cDNA for pyruvate, Pi dikinase from maize leaves. 1983 , 11, 4853-65	41
1850	The nucleotide sequence of the chick cytoplasmic beta-actin gene. 1983 , 11, 8287-301	327
1849	Three T cell hybridomas do not contain detectable heavy chain variable gene transcripts. 1983 , 158, 210-27	47
1848	Isolation and translation of mRNA coding for the variant surface antigens of Paramecium. 1983 , 11, 7375-85	2
1847	Cloning and analysis of cDNA sequences coding for two 16 kilodalton heat shock proteins (hsps) in Caenorhabditis elegans: homology with the small hsps of Drosophila. 1983 , 11, 3187-205	74
1846	Transcription of c-onc genes c-rasKi and c-fms during mouse development. 1983 , 3, 1062-9	187

1845	Nicotinamide and its derivatives increase growth hormone and prolactin synthesis in cultured GH3 cells: role for ADP-ribosylation in modulating specific gene expression. 1983 , 2, 195-203	28
1844	Construction and characterization of type II collagen complementary deoxyribonucleic acid clones. 1983 , 11, 6021-39	23
1843	Isolation of cDNA clones for basal lamina components: type IV procollagen. 1983 , 11, 6199-209	95
1842	In vitro translation of elastin mRNA and processing of the translated products and the signal sequence of elastin a. 1983 , 61, 274-86	21
1841	Cloning and sequence analysis of cDNA for the precursor of human growth hormone-releasing factor, somatocrinin. 1983 , 80, 4311-4	136
1840	Glucocorticoids and chromosomal position modulate murine mammary tumor virus transcription by affecting efficiency of promoter utilization. 1983 , 3, 551-61	75
1839	Amplification and hormone-regulated expression of a mouse mammary tumor virus-Eco gpt fusion plasmid in mouse 3T6 cells. 1983 , 3, 1421-9	33
1838	Cloning of a human complement component C4 gene. 1983 , 80, 264-7	91
1837	Cloning and sequence analysis of cDNA for human renin precursor. 1983 , 80, 7405-9	248
1836	H2A.F: an extremely variant histone H2A sequence expressed in the chicken embryo. 1983 , 80, 2819-23	72
1835	Molecular cloning of human gastrin cDNA: evidence for evolution of gastrin by gene duplication. 1983 , 80, 2866-9	185
1834	Isolation and characterization of cDNA clones for human and bovine fibronectins. 1983 , 80, 3218-22	175
1833	Regulation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase mRNA levels in rat liver. 1983 , 80, 3305-8	73
1832	Sequential expression of new gene programs in inducer T-cell clones. 1983 , 80, 4094-8	38
1831	Growth-related changes in specific mRNAs of cultured mouse cells. 1983 , 80, 4271-5	193
1830	Nucleotide sequence of the cDNA encoding the precursor of the beta subunit of rat lutropin. 1983 , 80, 4649-53	83
1829	Identification of glucocorticoid-induced genes in rat hepatoma cells by isolation of cloned cDNA sequences. 1983 , 80, 5042-6	15
1828	Glucocorticoids regulate proopiomelanocortin gene expression in vivo at the levels of transcription and secretion. 1983 , 80, 6982-6	168

1827	Regulation of sea urchin glycoprotein mRNAs during embryonic development. 1983 , 80, 1028-32	15
1826	Kpn I family of long interspersed repeated DNA sequences in primates: polymorphism of family members and evidence for transcription. 1983 , 80, 3966-70	87
1825	Two classes of mutant mammary tumor virus-infected HTC cell with defects in glucocorticoid-regulated gene expression. 1983 , 3, 149-60	32
1824	Design of a retrovirus-derived vector for expression and transduction of exogenous genes in mammalian cells. 1983 , 3, 1123-32	58
1823	Identification of clones that encode chicken tropomyosin by direct immunological screening of a cDNA expression library. 1983 , 80, 31-5	279
1822	Control of H-2 antigen and beta 2-microglobulin gene expression in mouse trophoblast cell clones. 1983 , 80, 5597-601	12
1821	Molecular map of the murine S region. 1983 , 80, 6947-51	171
1820	Molecular cloning of a vitamin D-dependent calcium-binding protein mRNA sequence from chick intestine. 1983 , 80, 4228-32	47
1819	Bacterio-opsin mutants of Halobacterium halobium. 1983 , 80, 1416-20	48
1818	Cloning and sequence analysis of cDNA for rat angiotensinogen. 1983 , 80, 2196-200	199
1817	Expression and amplification of engineered mouse dihydrofolate reductase minigenes. 1983 , 3, 257-66	61
1816	Amplification of a cloned Chinese hamster dihydrofolate reductase gene after transfer into a dihydrofolate reductase-deficient cell line. 1983 , 3, 1274-82	42
1815	Primary structures of bovine liver low molecular weight kininogen precursors and their two mRNAs. 1983 , 80, 90-4	69
1814	Increase of proenkephalin mRNA and enkephalin content of rat striatum after daily injection of haloperidol for 2 to 3 weeks. 1983 , 80, 3841-4	210
1813	Viral nucleic acid synthesis and antigen accumulation in pancreas and kidney of Pekin ducks infected with duck hepatitis B virus. 1983 , 80, 4865-9	94
1812	Transcriptionally active c-myc oncogene is contained within NIARD, a DNA sequence associated with chromosome translocations in B-cell neoplasia. 1983 , 80, 519-23	230
1811	Isolation of cDNA clones for the light subunit of rat liver ferritin: evidence that the light subunit is encoded by a multigene family. 1983 , 80, 1265-9	55
1810	In vitro synthesis of thymosin beta 4 encoded by rat spleen mRNA. 1983 , 80, 1811-5	18

1809	An African trypanosome variant surface glycoprotein gene whose expression is not activated by duplication. 1983 , 11, 8343-57	8
1808	Isolation of Poly A(+) RNA from Schistosoma mansoni and Immunoprecipitation of Its In vitro Translation Products. 1983 , 69, 486	6
1807	The effect of phenobarbital on the transcriptional activity of liver. 1983 , 210, 599-606	6
1806	Biosynthesis of sarcoplasmic reticulum proteins. 1983 , 96, 570-9	9
1805	Methods for the preparation of messenger RNA. 1983 , 96, 24-38	56
1804	[45] In Vitro reconstitution of synthesis, uptake, and assembly of cytoplasmically synthesized chloroplast proteins. 1983 , 97, 502-509	35
1803	Synthesis and intracellular transport of mitochondrial matrix proteins in rat liver: studies in vivo and in vitro. 1983 , 97, 396-408	19
1802	Techniques for studying the cell-free synthesis of the major lens fiber membrane polypeptide. 1983 , 98, 510-9	1
1801	Studies on the biogenesis of cell-cell channels. 1983 , 98, 537-45	1
1800	Methods for the study of protein translocation across the RER membrane using the reticulocyte lysate translation system and canine pancreatic microsomal membranes. 1983 , 96, 94-111	45
1799	Methods for study of the synthesis and maturation of the erythrocyte anion transport protein. 1983 , 96, 257-67	2
1798	REGULATION OF MITOCHONDRIAL TRANSCRIPTION IN RAT LIVER: DETERMINATION OF MITOCHONDRIAL TRANSCRIPTS CONCENTRATION IN ADULT AND DEVELOPING RAT. 1983 , 127-140	1
1797	Molecular cloning and expression of the mouse ornithine decarboxylase gene. 1984 , 81, 540-4	189
1796	Frequency and sequence complexity of liver poly(A)+ mRNAs from rats fed fat-free or high fat diets. 1984 , 114, 1917-23	1
1795	Expression of plasmid R388-encoded type II dihydrofolate reductase as a dominant selective marker in Saccharomyces cerevisiae. 1984 , 4, 407-14	51
1794	Nucleotide sequence of a Sendai virus genome region covering the entire M gene and the 3' proximal 1013 nucleotides of the F gene. 1984 , 12, 7965-73	55
1793	Expression of functional GABA, glycine and glutamate receptors in Xenopus oocytes injected with rat brain mRNA. 1984 , 310, 318-21	118
1792	Genes encoding alpha-heavy chains of rabbit IgA: characterization of cDNA encoding IgA-g subclass alpha-chains. 1984 , 12, 1657-70	27

1791	Transcriptional control of HLA-A,B,C antigen in human placental cytotrophoblast isolated using trophoblast- and HLA-specific monoclonal antibodies and the fluorescence-activated cell sorter. 1984 , 160, 633-51	56
1790	Transcription in vivo of an Alu family member upstream from the human epsilon-globin gene. 1984 , 12, 1193-200	51
1789	Increased abundance of a normal cell mRNA sequence accompanies the conversion of rat mammary cuboidal epithelial cells to elongated myoepithelial-like cells in culture. 1984 , 12, 8097-114	38
1788	Analysis of full-length cDNA clones carrying GAL1 of <i>Saccharomyces cerevisiae</i> : a model system for cDNA expression. 1984 , 12, 6397-414	30
1787	Methylation of satellite sequences in mouse spermatogenic and somatic DNAs. 1984 , 12, 2807-22	77
1786	Functional roles of two polypeptide chains that compose an antigen-specific suppressor T cell factor. 1984 , 159, 1096-104	18
1785	Functional analysis of the steroid hormone control region of mouse mammary tumor virus. 1984 , 12, 4191-206	83
1784	Only three of the seven human chorionic gonadotropin beta subunit genes can be expressed in the placenta. 1984 , 12, 8415-36	65
1783	Intron bypass: a rapid procedure for eliminating introns from cloned genomic DNA and its application to a cellulase gene. 1984 , 12, 5879-95	7
1782	Pyruvate orthophosphate dikinase mRNA organ specificity in wheat and maize. 1984 , 76, 278-80	47
1781	Programmed expression of beta-tubulin genes during development and differentiation of the chicken. 1984 , 99, 1927-35	76
1780	Denervation supersensitivity in skeletal muscle: analysis with a cloned cDNA probe. 1984 , 99, 332-5	184
1779	Developmental regulation of albumin and alpha-fetoprotein gene expression in the rat. 1984 , 12, 6751-62	52
1778	Characterization of a halobacterial gene affecting bacterio-opsin gene expression. 1984 , 12, 7949-59	107
1777	Stimulation of lymphokine release from T lymphoblasts. Requirement for mRNA synthesis and inhibition by cyclosporin A. 1984 , 160, 1792-802	162
1776	DNA sequence and transcription of a DNA minicircle isolated from male-fertile sugar beet mitochondria. 1984 , 12, 4747-56	55
1775	Sequence of a highly divergent beta tubulin gene reveals regional heterogeneity in the beta tubulin polypeptide. 1984 , 99, 1754-60	67
1774	Incorporation of N-Benzyladenine into Messenger Poly(A)-RNA of Tobacco Cells Incubated at Stimulatory or Cytostatic Cytokinin Concentration. 1984 , 74, 669-74	10

1773	Alternative sites of transcription initiation upstream of the canonical cap site in human gamma-globin and beta-globin genes. 1984 , 12, 1811-20	51
1772	Transcription and promoter usage of the myc gene in normal somatic and spermatogenic cells. 1984 , 226, 707-10	138
1771	Autoimmunity and increased c-myc transcription. 1984 , 226, 1087-9	91
1770	Expression of cellular oncogenes in human malignancies. 1984 , 224, 256-62	777
1769	Chromogenic immunodetection of human serum albumin and alpha-L-fucosidase clones in a human hepatoma cDNA expression library. 1984 , 3, 437-47	84
1768	Human fibronectin: cell specific alternative mRNA splicing generates polypeptide chains differing in the number of internal repeats. 1984 , 12, 5853-68	211
1767	Expression and hormonal regulation of the rat growth hormone gene in transfected mouse L cells. 1984 , 3, 147-55	33
1766	Radioautographic visualization of differences in the pattern of [3H]uridine and [3H]orotic acid incorporation into the RNA of migrating columnar cells in the rat small intestine. 1984 , 98, 1619-29	31
1765	A system for the translation of receptor messenger-RNA and the study of the assembly of functional receptors. 1984 , 4, 681-704	12
1764	Characterization of human B-cell lines harbouring both adult T-cell leukaemia (ATL) virus and Epstein-Barr virus derived from ATL patients. 1984 , 65 (Pt 10), 1781-9	5
1763	Are there major developmentally regulated H4 gene classes in Xenopus?. 1984 , 12, 4939-58	13
1762	Acyl-Coa oxidase and hydratase-dehydrogenase, two enzymes of the peroxisomal beta-oxidation system, are synthesized on free polysomes of clofibrate-treated rat liver. 1984 , 99, 2241-6	83
1761	Light-regulated gene expression during maize leaf development. 1984 , 98, 558-64	198
1760	Amplification and enhanced expression of the epidermal growth factor receptor gene in A431 human carcinoma cells. 1984 , 224, 417-9	351
1759	The 46,000-dalton tyrosine protein kinase substrate is widespread, whereas the 36,000-dalton substrate is only expressed at high levels in certain rodent tissues. 1984 , 98, 487-97	98
1758	Differentiation of murine erythroleukemia cells results in the rapid repression of vimentin gene expression. 1984 , 99, 306-14	47
1757	Auxin-induced regulation of protein synthesis in tobacco mesophyll protoplasts cultivated in vitro: I. Characteristics of auxin-sensitive proteins. 1984 , 75, 1027-33	33
1756	Inducible expression of amplified human beta interferon genes in CHO cells. 1984 , 4, 166-72	96

1755	Molecular cloning and characterization of the glucoamylase gene of <i>Aspergillus awamori</i> . 1984 , 4, 2306-15	164
1754	Altered transcription of the c-abl oncogene in K-562 and other chronic myelogenous leukemia cells. 1984 , 225, 72-4	175
1753	Nucleotide sequence and transcription analysis of a linear DNA plasmid associated with the killer character of the yeast <i>Kluyveromyces lactis</i> . 1984 , 12, 6011-30	126
1752	The structure of rat preproatrial natriuretic factor as defined by a complementary DNA clone. 1984 , 225, 324-6	215
1751	Structure and expression of a complementary DNA for the nuclear coded precursor of human mitochondrial ornithine transcarbamylase. 1984 , 224, 1068-74	273
1750	Essential role of insulin in transcription of the rat 25,000 molecular weight casein gene. 1984 , 226, 1326-8	52
1749	Characterization and localization of proopiomelanocortin messenger RNA in the adult rat testis. 1984 , 225, 632-4	169
1748	Detection of c-sis transcripts and synthesis of PDGF-like proteins by human osteosarcoma cells. 1984 , 226, 972-4	116
1747	Spontaneous mammary adenocarcinomas in transgenic mice that carry and express MTV/myc fusion genes. 1984 , 38, 627-37	829
1746	Electrophoresis and recovery of active mRNA from composite ultra low/medium gelling temperature agarose gels. 1984 , 5, 73-76	4
1745	Polyadenylated-RNA during the development of <i>Ceratitidis capitata</i> . 1984 , 14, 307-311	5
1744	Isolation, fractionation and analysis of intact, translatable RNA from walled algal cells. 1984 , 2, 24-28	18
1743	Molecular mechanisms of extinction of liver-specific functions in mouse hepatoma rat fibroblast hybrids: extinction of alpha-fetoprotein gene. 1984 , 10, 541-5	11
1742	Efficient DNA-mediated transfer of selectable genes and unselected sequences into differentiated and undifferentiated mouse melanoma clones. 1984 , 10, 139-51	48
1741	Isolation of genomic clones homologous to transcribed sequences from human X chromosome. 1984 , 10, 561-71	22
1740	Human renin gene is on chromosome 1. 1984 , 10, 415-21	24
1739	Characterisation and translation studies of messenger RNA from the human malaria parasite <i>Plasmodium falciparum</i> and construction of a cDNA library. 1984 , 10, 269-85	35
1738	Regulation of major histocompatibility gene expression in teratocarcinoma 402AX cells. 1984 , 15, 221-7	2

1737	An embryonal carcinoma cell line as a model system to study developmentally regulated genes during myogenesis. 1984 , 15, 275-9	4
1736	Molecular cloning of cDNA for murine interleukin-3. 1984 , 307, 233-7	438
1735	Construction, expression and recognition of an H-2 molecule lacking its carboxyl terminus. 1984 , 307, 432-6	83
1734	A variant translocation places the lambda immunoglobulin genes 3' to the c-myc oncogene in Burkitt's lymphoma. 1984 , 307, 752-5	146
1733	A human T cell-specific cDNA clone encodes a protein having extensive homology to immunoglobulin chains. 1984 , 308, 145-9	1103
1732	Identity of angiotensinogen precursors of rat brain and liver. 1984 , 308, 206-8	120
1731	Single base deletion in the vasopressin gene is the cause of diabetes insipidus in Brattleboro rats. 1984 , 308, 705-9	371
1730	Cloning and sequence analysis of the cDNA for the rat atrial natriuretic factor precursor. 1984 , 309, 719-22	248
1729	Structure of rat atrial natriuretic factor precursor deduced from cDNA sequence. 1984 , 309, 722-4	238
1728	Cloning and sequence analysis of cDNA encoding a precursor for human atrial natriuretic polypeptide. 1984 , 309, 724-6	304
1727	Human epidermal growth factor receptor cDNA is homologous to a variety of RNAs overproduced in A431 carcinoma cells. 1984 , 309, 806-10	273
1726	mRNA sequence for human cardiodilatin-atrial natriuretic factor precursor and regulation of precursor mRNA in rat atria. 1984 , 310, 699-701	182
1725	The structure, rearrangement and expression of D beta gene segments of the murine T-cell antigen receptor. 1984 , 311, 344-50	282
1724	Molecular cloning and expression of cDNAs for the human interleukin-2 receptor. 1984 , 311, 626-31	831
1723	Primary structure of Electrophorus electricus sodium channel deduced from cDNA sequence. 1984 , 312, 121-7	1173
1722	Cloning and expression of murine interleukin-1 cDNA in Escherichia coli. 1984 , 312, 458-62	776
1721	Two steroid 21-hydroxylase genes are located in the murine S region. 1984 , 312, 465-7	128
1720	Analysis of persistent virus infections by in situ hybridization to whole-mouse sections. 1984 , 312, 555-8	71

1719	Evolutionary origin of a calcium-dependent protease by fusion of genes for a thiol protease and a calcium-binding protein?. 1984 , 312, 566-70	331
1718	Tissue-specific generation of two preprotachykinin mRNAs from one gene by alternative RNA splicing. 1984 , 312, 729-34	548
1717	Dietary regulation of levels of active mRNA coding for amylase and serine protease zymogens in the rat pancreas. 1984 , 139, 381-7	56
1716	Regulation of ribosome synthesis in <i>Tetrahymena pyriformis</i> . 3. Analysis by translation in vitro of RNA isolated during nutritional shift-down and nutritional shift-up. 1984 , 140, 485-92	14
1715	Primary activation of cytosolic phosphoenolpyruvate carboxykinase gene in fetal rat liver and the biogenesis of its mRNA. 1984 , 141, 199-203	25
1714	Tissue distribution of messenger RNAs coding for opioid peptide precursors and related RNA. 1984 , 142, 441-7	52
1713	Evidence for a structural relationship between apoB75kDa and human plasma apolipoprotein B 100, from translation of human liver mRNA in vitro and immunochemical studies with monoclonal and polyclonal antibodies. 1984 , 143, 101-7	10
1712	Primary structure of gamma subunit precursor of calf-muscle acetylcholine receptor deduced from the cDNA sequence. 1984 , 143, 109-15	75
1711	Cell-free synthesis of ornithine decarboxylase. Changes in mRNA activity in the liver of thioacetamide-treated rats. 1984 , 144, 35-9	20
1710	Regulation of glucose-6-phosphate dehydrogenase mRNA by insulin and the glucocorticoids in primary cultures of rat hepatocytes. 1984 , 144, 497-502	38
1709	The effect of haemin on RNA synthesis and stability in differentiating rabbit erythroblasts. 1984 , 144, 589-96	15
1708	Effects of glucagon, dexamethasone and triiodothyronine on phosphoenolpyruvate carboxykinase (GTP) synthesis and mRNA level in rat liver cells. 1984 , 145, 489-97	21
1707	A reproducible microanalytical method for the detection of specific RNA sequences by dot-blot hybridization. 1984 , 137, 15-9	233
1706	Recovery of cyclic nucleotide regulation in protein-kinase-defective adrenal cells through somatic cell fusion. 1984 , 121, 483-9	5
1705	Application of recombinant DNA technologies to studies on chicken growth hormone. 1984 , 232, 465-73	94
1704	Organization and nucleotide sequence of rainbow trout histone H2A and H3 genes. 1984 , 20, 236-50	20
1703	The electric organ of <i>Discopyge tschudii</i> : its innervated face and the biology of acetylcholinesterase. 1984 , 4, 125-42	13
1702	Isolation of biologically active mRNA. 1984 , 12, 22-25	9

1701	Unusual organization and lack of recombination in the ribosomal RNA genes of <i>Coprinus cinereus</i> . 1984 , 8, 607-13		80
1700	Developmental and nutritional regulation of the messenger RNAs for fatty acid synthase, malic enzyme and albumin in the livers of embryonic and newly-hatched chicks. <i>Molecular and Cellular Biochemistry</i> , 1984 , 64, 63-8	4.2	36
1699	Molecular and genetic studies on the euchromatin-heterochromatin transition region of the X chromosome of <i>Drosophila melanogaster</i> . 1. A cloned entry point near to the uncoordinated (<i>unc</i>) locus. 1984 , 89, 218-27		29
1698	Molecular biology of C4 photosynthesis in <i>Zea mays</i> : differential localization of proteins and mRNAs in the two leaf cell types. 1984 , 3, 431-44		81
1697	A high degree of DNA strain polymorphism associated with the major heat shock gene in <i>Caenorhabditis elegans</i> . 1984 , 195, 329-35		15
1696	Sequence of a cDNA coding for a rat class II A alpha chain: extensive DNA and protein sequence identity to H-2 A alpha and HLA-DC1 alpha chains. <i>Immunogenetics</i> , 1984 , 19, 53-62	3.2	21
1695	T3 stimulates the synthesis of a specific mRNA in primary hepatocyte culture. 1984 , 123, 1122-9		26
1694	Modulation of c-myc expression in the HL-60 cell line. 1984 , 119, 473-80		68
1693	FBR murine osteosarcoma virus. I. Molecular analysis and characterization of a 75,000-Da gag-fos fusion product. 1984 , 135, 218-28		101
1692	FBR murine osteosarcoma virus. II. Nucleotide sequence of the provirus reveals that the genome contains sequences acquired from two cellular genes. 1984 , 135, 229-43		116
1691	Genome subunit reassortment among Bunyaviruses analysed by dot hybridization using molecularly cloned complementary DNA probes. 1984 , 135, 244-56		51
1690	Characterization of the infections of permissive and nonpermissive cells by host range mutants of vesicular stomatitis virus defective in RNA methylation. 1984 , 138, 1-15		37
1689	A novel bovine papillomavirus (BPV-6) causing true epithelial papillomas of the mammary gland skin: a member of a proposed new BPV subgroup. 1984 , 136, 255-64		76
1688	Mouse mammary tumor virus DNA methylation: tissue-specific variation. 1984 , 136, 69-77		14
1687	Regulation of <i>Drosophila</i> alpha- and beta-tubulin genes during development. 1984 , 104, 187-98		80
1686	Differential expression of albumin and alpha-fetoprotein genes in fetal tissues of mouse and rat. 1984 , 102, 51-60		74
1685	Maternal inheritance of the mouse mitochondrial genome is not mediated by a loss or gross alteration of the paternal mitochondrial DNA or by methylation of the oocyte mitochondrial DNA. 1984 , 102, 452-61		119
1684	Transcription of a long, interspersed, highly repeated DNA element in <i>Xenopus laevis</i> . 1984 , 105, 518-25		9

1683	Hormonal control of carbonic anhydrase III. 1984 , 429, 287-301	23
1682	Differential expression of the actin gene family of <i>Strongylocentrotus purpuratus</i> . 1984 , 101, 295-306	96
1681	Activation of a heterologous promoter in response to dexamethasone and cadmium by metallothionein gene 5'-flanking DNA. 1984 , 36, 371-9	196
1680	The major intrinsic protein (MIP) of the bovine lens fiber membrane: characterization and structure based on cDNA cloning. 1984 , 39, 49-59	494
1679	Cloning and transcriptional analysis of the segmentation gene fushi tarazu of <i>Drosophila</i> . 1984 , 37, 825-31	125
1678	In vitro infection of human B lymphocytes with adult T-cell leukemia virus. 1984 , 22, 11-21	12
1677	Expression of hemolytically active murine fourth component of complement in transfected L cells. 1984 , 37, 569-76	37
1676	Measles virus gene expression in subacute sclerosing panencephalitis. 1984 , 1, 585-95	49
1675	HMG CoA reductase: a negatively regulated gene with unusual promoter and 5' untranslated regions. 1984 , 38, 275-85	538
1674	Molecular cloning of a cDNA for Chinese hamster ovary asparagine synthetase. 1984 , 30, 1-9	27
1673	Cloning cDNAs corresponding to the 5' end of messenger RNAs using specific DNA primers. 1984 , 66, 673-9	
1672	Differential response of multiple epsilon-globin cap sites to cis- and trans-acting controls. 1984 , 38, 399-407	52
1671	Cloning and expression of a yeast copper metallothionein gene. 1984 , 27, 23-33	75
1670	Blocking of in vitro translation of <i>Paramecium</i> messenger RNAs is due to messenger RNA primary structure. 1984 , 66, 403-12	31
1669	Transcriptional and posttranscriptional regulation of interferon-induced gene expression in human cells. 1984 , 38, 745-55	696
1668	The expression of the myc proto-oncogene in a dimethylsulfoxide resistant HL-60 cell line. 1984 , 22, 55-63	4
1667	Spatial and temporal pattern of cellular myc oncogene expression in developing human placenta: implications for embryonic cell proliferation. 1984 , 38, 585-96	199
1666	Transcription and expression of the herpes simplex virus tk gene inserted into proviral sequences of feline leukemia virus. 1984 , 32, 389-98	6

1665	Tissue-specific expression of the rat pancreatic elastase I gene in transgenic mice. 1984 , 38, 639-46		227
1664	Expression and demethylation of germinally-transmitted BALB/c mouse mammary tumor virus DNA in Abelson MuLV B-lymphoid cell lines. 1984 , 1, 381-400		23
1663	The conserved nucleotide sequences of Bkm, which define Sxr in the mouse, are transcribed. 1984 , 36, 111-20		125
1662	Requirement of a downstream sequence for generation of a poly(A) addition site. 1984 , 37, 993-9		284
1661	Translation in <i>Xenopus</i> oocytes of messenger RNA from A431 cells for human epidermal growth factor receptor proteins. 1984 , 3, 393-9		16
1660	Heat shock-induced translational control of HSP70 and globin synthesis in chicken reticulocytes. 1984 , 4, 2437-48		112
1659	Primary structure of human preangiotensinogen deduced from the cloned cDNA sequence. <i>Biochemistry</i> , 1984 , 23, 3603-9	3.2	139
1658	Transcriptional modulation of human T-cell growth factor gene by phorbol ester and interleukin 1. <i>Biochemistry</i> , 1984 , 23, 6685-90	3.2	26
1657	Evidence that the folate-requiring enzymes of de novo purine biosynthesis are encoded by individual mRNAs. <i>Biochemistry</i> , 1984 , 23, 6704-10	3.2	6
1656	Characterization of bovine prothrombin mRNA and its translation product. <i>Biochemistry</i> , 1984 , 23, 1626-34		85
1655	Isolation and sequence analysis of three cloned cDNAs for rabbit liver proteins that are related to rabbit cytochrome P-450 (form 2), the major phenobarbital-inducible form. <i>Biochemistry</i> , 1984 , 23, 204-10 ²		95
1654	The control of transferrin receptor synthesis in mitogen-stimulated human lymphocytes. 1984 , 154, 510-20		24
1653	<i>Xenopus</i> oocytes can synthesise but do not secrete the Z variant of human alpha 1-antitrypsin. 1984 , 168, 84-8		54
1652	Human apolipoprotein A-II: complete nucleic acid sequence of preproapo A-II. 1984 , 175, 159-64		34
1651	Human neuropeptide Y, somatostatin and vasopressin precursors identified in cell-free translations of hypothalamic mRNA. 1984 , 177, 175-8		14
1650	Malic enzyme and fatty acid synthase in the uropygial gland and liver of embryonic and neonatal ducklings. Tissue-specific regulation of gene expression. 1984 , 230, 82-92		34
1649	Cell-free translation of mouse liver mRNA coding for two forms of UDP glucuronosyltransferase. 1984 , 230, 676-80		18
1648	Rat major acute-phase protein: biosynthesis and characterization of cDNA clone. 1984 , 233, 624-35		29

1647	5-Bromo-2'-deoxyuridine induces placental alkaline phosphatase biosynthesis in cultured choriocarcinoma cells. 1984 , 233, 830-7	3
1646	Evidence for the synthesis of multiple pro-opiomelanocortin-like precursors in murine Leydig tumor cells. 1984 , 232, 197-201	13
1645	Rat liver DT-diaphorase: regulation of functional mRNA levels by 3-methylcholanthrene, trans-stilbene oxide, and phenobarbital. 1984 , 232, 408-13	28
1644	Effects of compactin on the levels of 3-hydroxy-3-methylglutaryl coenzyme A reductase in compactin-resistant C100 and wild-type cells. 1984 , 232, 549-61	40
1643	Superinduction of human interleukin-2 messenger RNA by inhibitors of translation. 1984 , 123, 842-8	44
1642	Detection of renin mRNA in mouse testis by hybridization with renin cDNA probe. 1984 , 125, 662-7	39
1641	Effects of estrogen-depletion on rat casein gene expression. 1984 , 125, 682-9	5
1640	Molecular cloning of cDNA for rat glycine methyltransferase. 1984 , 124, 44-50	12
1639	Isolation of an evolutionarily conserved epidermal growth factor receptor cDNA from human A431 carcinoma cells. 1984 , 124, 125-32	21
1638	Partial cDNA sequence of the gamma subunit of transducin. 1984 , 124, 250-5	26
1637	Regulation of mRNA levels of rat liver carbamoylphosphate synthetase by glucocorticosteroids and cyclic AMP as estimated with a specific cDNA. 1984 , 124, 882-8	38
1636	Cleavage of nascent UDP glucuronosyltransferase from rat liver by dog pancreatic microsomes. 1984 , 122, 1441-9	45
1635	Tissue specific control of alpha-fetoprotein gene expression. 1984 , 120, 677-85	18
1634	Thyroid hormone regulation of poly(adenylate) polymerase activities in neuronal nuclei of developing rat brain cortex. 1984 , 125, 931-7	3
1633	Identification of the mRNA coding for prolactin in the human decidua. 1984 , 124, 530-7	10
1632	Synthesis of active firefly luciferase by in vitro translation of RNA obtained from adult lanterns. 1984 , 124, 592-6	59
1631	Influence of cytokinins on the biosynthesis of light-harvesting chlorophyll proteins in tobacco cell suspensions: Detection by radioimmunological assay. 1984 , 33, 201-212	16
1630	Absence of photoregulation of abundant mRNA levels in Euglena. 1984 , 35, 61-66	30

1629	Cloning and sequence analysis of a cDNA for the alpha-globin mRNA of carp, <i>Cyprinus carpio</i> . 1984 , 783, 265-71	12
1628	Cloning and characterization of the complementary DNA for the B chain of normal human serum C1q. 1984 , 306, 345-54	15
1627	Transcriptional and post-transcriptional control of specific messenger RNAs in adult and embryonic liver. 1984 , 179, 21-35	109
1626	Gene expression during liver regeneration. 1984 , 179, 37-53	90
1625	Identification of a development-specific promoter of <i>Myxococcus xanthus</i> . 1984 , 174, 113-20	23
1624	The rudimentary locus of <i>Drosophila melanogaster</i> . 1984 , 175, 1-17	51
1623	DNA binding protein profiles in Alzheimer's disease. 1984 , 66, 201-8	7
1622	Cell-free synthesized precursor to somatostatin-28 from the rat hypothalamus. 1984 , 292, 93-8	4
1621	In vivo splicing products of the rabbit beta-globin pre-mRNA. 1984 , 39, 589-602	228
1620	Activation and somatic mutation of the translocated c-myc gene in burkitt lymphoma cells. 1984 , 36, 339-48	336
1619	Tumorigenesis by mouse mammary tumor virus: proviral activation of a cellular gene in the common integration region int-2. 1984 , 37, 529-36	341
1618	Site-specific polyadenylation in a cell-free reaction. 1984 , 36, 581-91	225
1617	Introduction of a mu immunoglobulin gene into the mouse germ line: specific expression in lymphoid cells and synthesis of functional antibody. 1984 , 38, 647-58	307
1616	Purification and molecular cloning of rat Ia antigens. 1984 , 108, 558-81	6
1615	Inhibition of protein synthesis stabilizes histone mRNA. 1984 , 4, 2082-90	120
1614	Abundant constitutive expression of the immediate-early 94K protein from cytomegalovirus (Colburn) in a DNA-transfected mouse cell line. 1984 , 4, 2214-23	26
1613	Number and organization of collagen genes in <i>Caenorhabditis elegans</i> . 1984 , 4, 2389-95	72
1612	Differential expression of the <i>Xenopus laevis</i> tadpole and adult beta-globin genes when injected into fertilized <i>Xenopus laevis</i> eggs. 1984 , 4, 567-70	33

1611	Effects of 5-azacytidine on methylation and expression of specific DNA sequences in C3H 10T1/2 cells. 1984 , 4, 634-41	41
1610	Glucocorticoid-mediated induction of alpha 1-acid glycoprotein: evidence for hormone-regulated RNA processing. 1984 , 81, 4241-5	199
1609	Nucleotide sequence of a growth-related mRNA encoding a member of the prolactin-growth hormone family. 1984 , 81, 4255-9	161
1608	Differential DNase I sensitivity of the albumin and alpha-fetoprotein genes in chromatin from rat tissues and cell lines. 1984 , 81, 5031-5	23
1607	Isolation and characterization of a cDNA clone for bovine cytochrome c oxidase subunit IV. 1984 , 81, 6295-9	55
1606	Characterization of epidermal growth factor receptor gene expression in malignant and normal human cell lines. 1984 , 81, 7308-12	194
1605	Characterization of a human liver cytochrome P-450 involved in the oxidation of debrisoquine and other drugs by using antibodies raised to the analogous rat enzyme. 1984 , 81, 7348-52	57
1604	An unusual 5' splice sequence is efficiently utilized in vivo. 1984 , 81, 2733-7	39
1603	Identification and expression in Escherichia coli of merozoite stage-specific genes of the human malarial parasite Plasmodium falciparum. 1984 , 81, 3690-4	15
1602	Cloning, characterization, and DNA sequence of a human cDNA encoding neuropeptide tyrosine. 1984 , 81, 4577-81	242
1601	High-efficiency gene transfer into mammalian cells: generation of helper-free recombinant retrovirus with broad mammalian host range. 1984 , 81, 6349-53	365
1600	Rat liver asialoglycoprotein receptor lacks a cleavable NH2-terminal signal sequence. 1984 , 81, 7338-42	116
1599	Isolation and characterization of a mouse cDNA clone that expresses mast-cell growth-factor activity in monkey cells. 1984 , 81, 1070-4	306
1598	Isolation of cDNA clones for human complement component C2. 1984 , 81, 1212-5	66
1597	Construction of a cDNA clone corresponding to mouse alpha 1(IV) procollagen. 1984 , 12, 2035-46	7
1596	Rapid qualitative changes in mRNA populations in cultured human lymphocytes: comparison of the effects of cycloheximide and concanavalin A. 1984 , 62, 859-64	15
1595	Expression of specific mRNAs during adipose differentiation: identification of an mRNA encoding a homologue of myelin P2 protein. 1984 , 81, 5468-72	301
1594	Alternative splicing of a Drosophila tropomyosin gene generates muscle tropomyosin isoforms with different carboxy-terminal ends. 1984 , 4, 2828-36	96

1593	70-Kilodalton heat shock polypeptides from rainbow trout: characterization of cDNA sequences. 1984 , 4, 1785-91	47
1592	Cloned cDNA to cholecystokinin mRNA predicts an identical preprocholecystokinin in pig brain and gut. 1984 , 81, 4307-10	108
1591	Bacterio-opsin mRNA in wild-type and bacterio-opsin-deficient <i>Halobacterium halobium</i> strains. 1984 , 81, 125-9	112
1590	Guinea pig preproinsulin gene: an evolutionary compromise?. 1984 , 81, 5046-50	73
1589	Expression of a biologically active fragment of human IgE epsilon chain in <i>Escherichia coli</i> . 1984 , 81, 5369-73	38
1588	Expression of the <i>sis</i> gene by endothelial cells in culture and in vivo. 1984 , 81, 6772-4	200
1587	Expression of the beta-nerve growth factor gene correlates with the density of sympathetic innervation in effector organs. 1984 , 81, 7951-5	416
1586	Cloned <i>Drosophila</i> alcohol dehydrogenase genes are correctly expressed after transfection into <i>Drosophila</i> cells in culture. 1984 , 81, 1701-5	39
1585	Mapping of DNase I-hypersensitive sites in the upstream DNA of human embryonic epsilon-globin gene in K562 leukemia cells. 1984 , 81, 2718-22	118
1584	Complete amino acid sequence for human aldolase B derived from cDNA and genomic clones. 1984 , 81, 2738-42	93
1583	Cloning of DNA corresponding to rare transcripts of rat brain: evidence of transcriptional and post-transcriptional control and of the existence of nonpolyadenylated transcripts. 1984 , 4, 2187-97	26
1582	Three sea urchin actin genes show different patterns of expression: muscle specific, embryo specific, and constitutive. 1984 , 4, 840-5	37
1581	Isolation of cloned cDNA encoding mammalian ornithine decarboxylase. 1984 , 81, 3645-9	185
1580	Locus unlinked to alpha-fetoprotein under the control of the murine <i>raf</i> and <i>Rif</i> genes. 1984 , 81, 5523-7	239
1579	Xenopsin: the neurotensin-like octapeptide from <i>Xenopus</i> skin at the carboxyl terminus of its precursor. 1984 , 81, 380-4	74
1578	Transcriptional induction of two genes in human cells by beta interferon. 1984 , 81, 6733-7	217
1577	Cloning and sequencing of the genes encoding the alpha and beta subunits of C-phycoerythrin from the cyanobacterium <i>Agmenellum quadruplicatum</i> . 1984 , 81, 6983-7	76
1576	Synthesis of a major integral membrane polypeptide of rat liver peroxisomes on free polysomes. 1984 , 81, 7127-31	173

1575	Nucleotide sequence of human monocyte interleukin 1 precursor cDNA. 1984 , 81, 7907-11	856
1574	Interaction of the 1 alpha,25-dihydroxyvitamin D3 receptor with RNA and synthetic polyribonucleotides. 1984 , 81, 2337-41	16
1573	Human T-cell growth factor: partial amino acid sequence, cDNA cloning, and organization and expression in normal and leukemic cells. 1984 , 81, 2543-7	94
1572	Regulation of glutathione transferase and DT-diaphorase mRNAs in persistent hepatocyte nodules during chemical hepatocarcinogenesis. 1984 , 81, 5091-5	39
1571	Primary structure of the gene encoding rat preprosomatostatin. 1984 , 81, 3337-40	134
1570	Identification and characterization of cDNA clones specific for cholesterol side-chain cleavage cytochrome P-450. 1984 , 81, 5628-32	103
1569	Cloning and characterization of cDNAs encoding human gastrin-releasing peptide. 1984 , 81, 5699-703	205
1568	Expression of cellular oncogenes during embryonic and fetal development of the mouse. 1984 , 81, 7141-5	120
1567	Molecular cloning and nucleotide sequence of cDNA for rat ornithine carbamoyltransferase precursor. 1984 , 81, 7412-6	84
1566	Expression of the src and abl cellular oncogenes during development of <i>Drosophila melanogaster</i> . 1984 , 4, 982-4	48
1565	Amphotropic retrovirus vector system for human cell gene transfer. 1984 , 4, 1730-7	105
1564	Nucleotide sequence and the encoded amino acids of human apolipoprotein A-I mRNA. 1984 , 81, 66-70	96
1563	Inhibition of protein synthesis stimulates the transcription of human beta-interferon genes in Chinese hamster ovary cells. 1984 , 81, 3964-8	112
1562	Gamma-interferon induces expression of the HLA-D antigens on normal and leukemic human myeloid cells. 1984 , 81, 4080-4	65
1561	Cell-specified expression of a selectable hybrid gene. 1984 , 81, 4657-61	65
1560	Human renin gene: structure and sequence analysis. 1984 , 81, 5026-30	137
1559	Vasopressin gene is expressed at low levels in the hypothalamus of the Brattleboro rat. 1984 , 81, 5296-9	33
1558	Isolation of cDNA clones for the chicken neural cell adhesion molecule (N-CAM). 1984 , 81, 5584-8	60

1557	Cloning of terminal transferase cDNA by antibody screening. 1984 , 81, 5836-40	64
1556	Isolation of cDNA clones specifying the fourth component of mouse complement and its isotype, sex-limited protein. 1984 , 81, 6822-6	34
1555	Enhancer-dependent expression of human kappa immunoglobulin genes introduced into mouse pre-B lymphocytes by electroporation. 1984 , 81, 7161-5	838
1554	Denervation of rat adrenal glands markedly increases preproenkephalin mRNA. 1984 , 81, 7221-3	59
1553	Isolation of the gene encoding the human T-lymphocyte differentiation antigen Leu-2 (T8) by gene transfer and cDNA subtraction. 1984 , 81, 7688-92	97
1552	Cloning and sequence analysis of a cDNA encoding rat preprocholecystinin. 1984 , 81, 726-30	302
1551	Variations in DNA methylation during mouse cell differentiation in vivo and in vitro. 1984 , 81, 2275-9	173
1550	Tissue-specific expression of major urinary protein (MUP) genes in mice: characterization of MUP mRNAs by restriction mapping of cDNA and by in vitro translation. 1984 , 4, 2259-65	17
1549	Transcription of Dictyostelium discoideum transposable element DIRS-1. 1984 , 4, 2332-40	21
1548	Structure and expression of the oncogene c-myc in fresh tumor material from patients with hematopoietic malignancies. 1984 , 4, 1096-103	118
1547	Tissue specificity of type I collagen gene expression is determined at both transcriptional and post-transcriptional levels. 1984 , 4, 1843-52	108
1546	Rapid regulation of L-type pyruvate kinase mRNA by fructose in diabetic rat liver. 1984 , 96, 1457-62	27
1545	Immunochemical characterization of the androgen-dependent spermine-binding protein of the rat ventral prostate. 1984 , 218, 563-71	20
1544	Heating RNA before cell-free translation is essential for the efficient and reproducible synthesis of several peroxisomal proteins. 1984 , 223, 547-50	14
1543	Design and synthesis of a consensus signal sequence that inhibits protein translocation into rough microsomal vesicles. 1984 , 224, 317-25	56
1542	Towards the cloning of the calf prochymosin gene. 1984 , 12, 487-488	1
1541	2 DNA Reassociation and RNA Hybridisation of Bacterial Nucleic Acids. 1985 , 18, 33-74	41
1540	H-2Ld antigen encoded by a recombinant retrovirus genome is expressed on the surface of infected cells. 1985 , 5, 1379-84	4

1539	Pretranslational regulation of tyrosine aminotransferase and phosphoenolpyruvate carboxykinase (GTP) synthesis by glucagon and dexamethasone in adult rat hepatocytes. 1985 , 225, 77-84	29
1538	Molecular cloning of a bovine cathepsin. 1985 , 225, 707-12	38
1537	Effect of thyroid state on cyclic AMP-mediated induction of hepatic phosphoenolpyruvate carboxykinase. 1985 , 226, 67-73	14
1536	Synthesis of 3-ketoacyl-CoA thiolase of rat liver peroxisomes on free polyribosomes as a larger precursor. Induction of thiolase mRNA activity by clofibrate. 1985 , 226, 697-704	80
1535	Studies of translatable mRNA for rabbit C-reactive protein. 1985 , 227, 759-65	13
1534	Quantitative aspects of mucus glycoprotein biosynthesis in rat gastric mucosa. 1985 , 228, 227-32	15
1533	Molecular cloning and characterization of the cDNA coding for C4b-binding protein, a regulatory protein of the classical pathway of the human complement system. 1985 , 230, 133-41	159
1532	Strain-specific differences in the proline-rich proteins and glycoproteins induced in rat salivary glands by chronic isoprenaline treatment. 1985 , 230, 369-78	16
1531	A novel two-dimensional polyacrylamide-gel pattern, which may be due to allelic genes, of phenylalanine hydroxylase in monkeys. 1985 , 231, 197-9	4
1530	Specific identification of tissue kallikrein in exocrine tissues and in cell-free translation products with monoclonal antibodies. 1985 , 231, 721-8	21
1529	Molecular cloning and characterization of the complementary DNA and gene coding for the B-chain of subcomponent C1q of the human complement system. 1985 , 231, 729-35	76
1528	Changes in gene expression during foetal development of the guinea-pig small intestine. 1985 , 13, 779-780	
1527	Effect of the peroxisome proliferator tiadenol on levels of mRNA for fatty acid-binding protein. 1985 , 13, 896-897	7
1526	Effect of lipids on the urea cycle in cafeteria-diet fed rats. 1985 , 13, 897-898	2
1525	Pancreatic stone protein. I. Evidence that it is encoded by a pancreatic messenger ribonucleic acid. 1985 , 89, 381-6	50
1524	Increased type I procollagen mRNA levels and in vitro protein synthesis in the baboon model of chronic alcoholic liver disease. 1985 , 89, 1123-31	62
1523	Cloning of 11 alpha-tubulin gene sequences from the genome of Chinese hamster ovary cells. 1985 , 63, 511-8	15
1522	Antigen-specific suppressor T cells and their soluble products. 1985 , 116, 311-25	1

1521	Chapter 10 Molecular Cloning and Characterization of a Mouse Ouabain Resistance Gene: A Genetic Approach to the Analysis of the Na ⁺ ,K ⁺ -ATPase. 1985 , 177-198	
1520	Human apolipoprotein B: identification of cDNA clones and characterization of mRNA. 1985 , 13, 6937-53	49
1519	Interleukin 2 (IL-2) augments transcription of the IL-2 receptor gene. 1985 , 82, 4230-4	236
1518	Amino acid sequence of the alpha subunit of transducin deduced from the cDNA sequence. 1985 , 82, 4311-5	191
1517	A putative Ca ²⁺ -binding protein: structure of the light subunit of porcine calpain elucidated by molecular cloning and protein sequence analysis. 1985 , 82, 6075-9	90
1516	Interleukin 2 receptor gene expression in normal human T lymphocytes. 1985 , 82, 6281-5	148
1515	Molecular cloning of rat brain Na,K-ATPase alpha-subunit cDNA. 1985 , 82, 6357-61	79
1514	Structure of canine pulmonary surfactant apoprotein: cDNA and complete amino acid sequence. 1985 , 82, 6379-83	159
1513	The cellular defect in alpha 1-proteinase inhibitor (alpha 1-PI) deficiency is expressed in human monocytes and in <i>Xenopus</i> oocytes injected with human liver mRNA. 1985 , 82, 6918-21	90
1512	Nucleotide sequence of a t(14;18) chromosomal breakpoint in follicular lymphoma and demonstration of a breakpoint-cluster region near a transcriptionally active locus on chromosome 18. 1985 , 82, 7439-43	794
1511	Cloning and expression of the human erythropoietin gene. 1985 , 82, 7580-4	881
1510	Identification of a partial cDNA clone for the human receptor for complement fragments C3b/C4b. 1985 , 82, 7711-5	76
1509	Genes selectively expressed in proliferating <i>Dictyostelium</i> amoebae. 1985 , 82, 8540-4	9
1508	Tissue-specific levels of human glucose-6-phosphate dehydrogenase correlate with methylation of specific sites at the 3' end of the gene. 1985 , 82, 1465-9	61
1507	Isolation of a cDNA clone encoding pancreatic polypeptide. 1985 , 82, 1536-9	39
1506	Two tissue-specific isozymes of creatine kinase have closely matched amino acid sequences. 1985 , 82, 2310-4	51
1505	Expression of <i>Plasmodium falciparum</i> surface antigens in <i>Escherichia coli</i> . 1985 , 82, 2518-22	26
1504	Effect of regional DNA methylation on gene expression. 1985 , 82, 2560-4	210

1503	Surprising S1-resistant trimolecular hybrids: potential complication in interpretation of S1 mapping analyses. 1985 , 5, 2842-6	29
1502	Isolation and characterization of genes differentially expressed during conidiation of <i>Neurospora crassa</i> . 1985 , 5, 849-55	119
1501	Control of types I and II collagen and fibronectin gene expression in chondrocytes delineated by viral transformation. 1985 , 5, 1002-8	51
1500	Suppression of the hypomethylated Moloney leukemia virus genome in undifferentiated teratocarcinoma cells and inefficiency of transformation by a bacterial gene under control of the long terminal repeat. 1985 , 5, 2325-31	22
1499	Constitutively expressed rat mRNA encoding a 70-kilodalton heat-shock-like protein. 1985 , 5, 3476-83	172
1498	Enhancer-dependent expression of the rat preproinsulin gene in bovine papillomavirus type 1 vectors. 1985 , 5, 3507-16	15
1497	Malignant transformation and tumor promoter treatment increase levels of a transcript for a secreted glycoprotein. 1985 , 5, 466-73	44
1496	Expression of c-Ki-ras, c-Ha-ras, and c-myc in specific cell types during hepatocarcinogenesis. 1985 , 5, 780-6	127
1495	Protein changes during the asexual cycle of <i>Neurospora crassa</i> . 1985 , 5, 839-48	40
1494	Alterations in chromatin structure associated with glucocorticoid-induced expression of endogenous mouse mammary tumor virus genes. 1985 , 5, 1104-10	21
1493	Regulation of c-myc mRNA levels in normal human lymphocytes by modulators of cell proliferation. 1985 , 82, 4221-4	130
1492	Cloning and expression of apolipoprotein B, the major protein of low and very low density lipoproteins. 1985 , 82, 4597-601	74
1491	Olfactory neuron-specific protein is translated from a large poly(A)+ mRNA. 1985 , 82, 5218-22	12
1490	The propeptide of rat bone gamma-carboxyglutamic acid protein shares homology with other vitamin K-dependent protein precursors. 1985 , 82, 6109-13	178
1489	Hybrid selection of messenger ribonucleoprotein for serum albumin: analysis of specific message-bound proteins. 1985 , 82, 7327-9	5
1488	Mutations that impair a posttranscriptional step in expression of HLA-A and -B antigens. 1985 , 82, 8183-7	171
1487	Upstream promoter element of the human metallothionein-IIA gene can act like an enhancer element. 1985 , 82, 8572-6	126
1486	Plasmid pT181 replication is regulated by two countertranscripts. 1985 , 82, 638-42	108

1485	Expression of the alpha 1-proteinase inhibitor gene in human monocytes and macrophages. 1985 , 82, 795-9	185
1484	Immunoglobulin VH gene structure and diversity in <i>Heterodontus</i> , a phylogenetically primitive shark. 1985 , 82, 2082-6	78
1483	A lethal deletion on mouse chromosome 7 affects regulation of liver-cell-specific functions: posttranscriptional control of serum protein and transcriptional control of aldolase B synthesis. 1985 , 82, 2442-6	21
1482	Molecular analysis of an EL4 cell line that expresses H-2Db but not H-2Kb or beta 2-microglobulin. 1985 , 82, 2950-4	32
1481	Autoregulation plus upstream positive and negative control regions associated with transcriptional activation of the mouse P1(450) gene. 1985 , 13, 7269-88	186
1480	Development of myokinase mRNA during embryogenesis of the chick. 1985 , 98, 1091-5	11
1479	Transcription of novel open reading frames of AIDS retrovirus during infection of lymphocytes. 1985 , 229, 1388-90	60
1478	Apolipoprotein E mRNA is abundant in the brain and adrenals, as well as in the liver, and is present in other peripheral tissues of rats and marmosets. 1985 , 82, 203-7	411
1477	Use of a cDNA expression vector for isolation of mouse interleukin 2 cDNA clones: expression of T-cell growth-factor activity after transfection of monkey cells. 1985 , 82, 68-72	162
1476	Structure of human ferritin light subunit messenger RNA: comparison with heavy subunit message and functional implications. 1985 , 82, 3139-43	40
1475	Isolation and characterization of mouse Thy-1 genomic clones. 1985 , 82, 3819-23	27
1474	Alternative splicing patterns in an aberrantly rearranged immunoglobulin kappa-light-chain gene. 1985 , 82, 4045-9	14
1473	Liver mRNA probes disclose two cytochrome P-450 genes duplicated in tandem with the complement C4 loci of the mouse H-2S region. 1985 , 82, 4453-7	51
1472	Cloning and sequence analysis of cDNA for human cathepsin D. 1985 , 82, 4910-4	284
1471	Epidermal keratin gene expressed in embryos of <i>Xenopus laevis</i> . 1985 , 82, 5413-7	212
1470	Differential expression of the mouse cholecystikinin gene during brain and gut development. 1985 , 82, 5593-7	47
1469	A third viral nuclear protein in lymphoblasts immortalized by Epstein-Barr virus. 1985 , 82, 5944-8	74
1468	Apolipoprotein multigene family: tandem organization of human apolipoprotein AI, CIII, and AIV genes. 1985 , 82, 6374-8	322

1467	Sequence of a second human asialoglycoprotein receptor: conservation of two receptor genes during evolution. 1985 , 82, 6465-9	172
1466	The human Thy-1 gene: structure and chromosomal location. 1985 , 82, 6657-61	86
1465	Human apolipoprotein B cDNA clone isolation and demonstration that liver apolipoprotein B mRNA is 22 kilobases in length. 1985 , 82, 6825-9	67
1464	cDNA of the immunoglobulin kappa chain of an Epstein-Barr virus-transformed human lymphoid cell line: partial sequence determination and bacterial expression. 1985 , 82, 7025-9	
1463	IgM RNA switch from membrane to secretory form is prevented by adding antireceptor antibody to bacterial lipopolysaccharide-stimulated murine primary B-cell cultures. 1985 , 82, 7384-8	48
1462	Expression of preproenkephalin-like mRNA and its peptide products in mammalian testis and ovary. 1985 , 82, 7467-9	84
1461	Expression of rat apolipoprotein A-IV and A-I genes: mRNA induction during development and in response to glucocorticoids and insulin. 1985 , 82, 8242-6	213
1460	Expression of human adenosine deaminase using a transmissible murine retrovirus vector system. 1985 , 82, 703-7	34
1459	Adult and fetal human globin genes are expressed following chromosomal transfer into MEL cells. 1985 , 82, 780-4	15
1458	Isolation of cDNA clones coding for the beta subunit of human beta-hexosaminidase. 1985 , 82, 1184-8	103
1457	Developmental expression of nuclear genes that encode mitochondrial proteins: insect cytochromes c. 1985 , 82, 1964-8	20
1456	Analysis of a transgenic mouse containing simian virus 40 and v-myc sequences. 1985 , 5, 642-8	52
1455	Collagen expression in embryonic chicken chondrocytes treated with phorbol myristate acetate. 1985 , 5, 1415-24	56
1454	Expression of ras cellular oncogenes during development of <i>Drosophila melanogaster</i> . 1985 , 5, 1540-2	30
1453	Structure and localization of genes encoding aberrant and normal epidermal growth factor receptor RNAs from A431 human carcinoma cells. 1985 , 5, 1722-34	162
1452	Construction of a cDNA to the hamster CAD gene and its application toward defining the domain for aspartate transcarbamylase. 1985 , 5, 1735-42	72
1451	Expression of human beta-globin genes in transgenic mice: effects of a flanking metallothionein-human growth hormone fusion gene. 1985 , 5, 1977-83	35
1450	The proto-oncogene c-ets is preferentially expressed in lymphoid cells. 1985 , 5, 2993-3000	96

1449	Structure and developmental regulation of a wheat gene encoding the major chlorophyll a/b-binding polypeptide. 1985 , 5, 1370-8	133
1448	Alternate utilization of two regulatory domains within the Moloney murine sarcoma virus long terminal repeat. 1985 , 5, 1959-68	25
1447	Characterization and sequence of the promoter region of the human epidermal growth factor receptor gene. 1985 , 82, 4920-4	361
1446	Developmental expression of rat transforming growth factor-alpha mRNA. 1985 , 5, 3644-6	162
1445	Identification of genes for the constant region of rabbit T-cell receptor beta chains. 1985 , 82, 4498-502	18
1444	A partial cDNA clone for human apolipoprotein B. 1985 , 82, 4983-6	58
1443	Molecular cloning and amino acid sequence of the precursor form of bovine adrenodoxin: evidence for a previously unidentified COOH-terminal peptide. 1985 , 82, 5705-9	115
1442	Cloning and sequence analysis of a cDNA encoding porcine mitochondrial aspartate aminotransferase precursor. 1985 , 82, 6065-9	59
1441	A v-erbB-related protooncogene, c-erbB-2, is distinct from the c-erbB-1/epidermal growth factor-receptor gene and is amplified in a human salivary gland adenocarcinoma. 1985 , 82, 6497-501	511
1440	Mapping of steroid 21-hydroxylase genes adjacent to complement component C4 genes in HLA, the major histocompatibility complex in man. 1985 , 82, 521-5	324
1439	Electroconvulsive shock increases preproenkephalin messenger RNA abundance in rat hypothalamus. 1985 , 82, 589-93	44
1438	Cloned cDNA for rabbit erythrocyte carbonic anhydrase I: A novel erythrocyte-specific probe to study development in erythroid tissues. 1985 , 82, 663-7	22
1437	Multiple duplications of complement C4 gene correlate with H-2-controlled testosterone-independent expression of its sex-limited isoform, C4-Slp. 1985 , 82, 1746-50	61
1436	Isolation of a cDNA clone for the liver cell adhesion molecule (L-CAM). 1985 , 82, 2809-13	31
1435	Characterization of a continuous T-cell line susceptible to the cytopathic effects of the acquired immunodeficiency syndrome (AIDS)-associated retrovirus. 1985 , 82, 4539-43	281
1434	Cell-type-specific pattern of myc protooncogene expression in developing human embryos. 1985 , 82, 5050-4	91
1433	Molecular cloning of Lyt-2, a membrane glycoprotein marking a subset of mouse T lymphocytes: molecular homology to its human counterpart, Leu-2/T8, and to immunoglobulin variable regions. 1985 , 82, 5126-30	99
1432	Nonsense mutations in the Chlamydomonas chloroplast gene that codes for the large subunit of ribulosebiphosphate carboxylase/oxygenase. 1985 , 82, 5460-4	108

1431	Structural analysis of TL genes of the mouse. 1985 , 82, 5475-9	56
1430	Cloning and characterization of two cDNAs coding for human von Willebrand factor. 1985 , 82, 6394-8	255
1429	A developmentally regulated mRNA from 3T3 adipocytes encodes a novel serine protease homologue. 1985 , 82, 6480-4	128
1428	Location of cis-acting regulatory sequences in the human T-cell leukemia virus type I long terminal repeat. 1985 , 82, 6502-6	120
1427	Molecular cloning and nucleotide sequence of human glucocerebrosidase cDNA. 1985 , 82, 7289-93	186
1426	Cloning of firefly luciferase cDNA and the expression of active luciferase in Escherichia coli. 1985 , 82, 7870-3	431
1425	Isolation of cDNA clones encoding a T-cell receptor beta-chain from a beef insulin-specific hybridoma. 1985 , 82, 8163-7	10
1424	Epidermal growth factor regulates the expression of its own receptor. 1985 , 82, 8374-8	218
1423	Human T-cell growth factor (interleukin 2) and gamma-interferon genes: expression in human T-lymphotropic virus type III- and type I-infected cells. 1985 , 82, 8691-5	22
1422	Bovine papillomavirus contains multiple transforming genes. 1985 , 82, 1030-4	253
1421	Polyadenylation of sea urchin histone RNA sequences in transfected COS cells. 1985 , 82, 1094-8	16
1420	The Ca ²⁺ -binding protein parvalbumin: molecular cloning and developmental regulation of mRNA abundance. 1985 , 82, 1414-8	53
1419	From monoclonal antibody to gene for a neuron-specific glycoprotein in Drosophila. 1985 , 82, 1855-9	50
1418	The gene coding for carbamoyl-phosphate synthetase I was formed by fusion of an ancestral glutaminase gene and a synthetase gene. 1985 , 82, 2244-6	43
1417	Mouse major histocompatibility class I gene expression begins at midsomite stage and is inducible in earlier-stage embryos by interferon. 1985 , 82, 2427-31	179
1416	Developmental and hormonal regulation of alpha 2u-globulin gene transcription. 1985 , 82, 2579-82	62
1415	Differential expression of three alpha-tubulin genes in Chinese hamster ovary cells. 1985 , 5, 236-41	34
1414	Family of developmentally regulated, maternally expressed Drosophila RNA species detected by a v-myc probe. 1985 , 5, 7-16	13

1413	Growth-dependent synthesis of c-myc-encoded proteins: early stimulation by serum factors in synchronized mouse 3T3 cells. 1985 , 5, 2903-12	58
1412	Burkitt lymphoma cell line carrying a variant translocation creates new DNA at the breakpoint and violates the hierarchy of immunoglobulin gene rearrangement. 1985 , 5, 3199-207	67
1411	Augmented expression of normal c-myc is sufficient for cotransformation of rat embryo cells with a mutant ras gene. 1985 , 5, 3345-56	122
1410	Characterization, expression, and evolution of the mouse embryonic zeta-globin gene. 1985 , 5, 1025-33	47
1409	Molecular cloning and in vitro expression of a cDNA clone for human cellular tumor antigen p53. 1985 , 5, 1601-10	169
1408	Reconstruction of appropriate tubulin and actin gene regulation after transient transfection of cloned beta-tubulin and beta-actin genes. 1985 , 5, 1611-20	24
1407	Transcriptional regulation of a gene encoding the small subunit of ribulose-1,5-bisphosphate carboxylase in soybean tissue is linked to the phytochrome response. 1985 , 5, 1910-7	92
1406	Amplification of the gene for histidyl-tRNA synthetase in histidinol-resistant Chinese hamster ovary cells. 1985 , 5, 2381-8	26
1405	Apparent gene conversion between beta-tubulin genes yields multiple regulatory pathways for a single beta-tubulin polypeptide isotype. 1985 , 5, 2454-65	51
1404	Insulin-related genes expressed in human placenta from normal and diabetic pregnancies. 1985 , 82, 3868-70	22
1403	Isolation of cDNA for a human granulocyte-macrophage colony-stimulating factor by functional expression in mammalian cells. 1985 , 82, 4360-4	222
1402	Identification of immediate early genes from herpes simplex virus that transactivate the virus thymidine kinase gene. 1985 , 82, 5265-9	234
1401	Glucocorticoid regulation of mouse mammary tumor virus sequences in transgenic mice. 1985 , 82, 5880-4	58
1400	Induction of the proto-oncogene fos by nerve growth factor. 1985 , 82, 7330-4	325
1399	Expression of murine 21-hydroxylase in mouse adrenal glands and in transfected Y1 adrenocortical tumor cells. 1985 , 82, 7860-4	61
1398	Cloning and expression of cDNA for rat heme oxygenase. 1985 , 82, 7865-9	408
1397	"Transactivation" control signals in the promoter of the herpesvirus thymidine kinase gene. 1985 , 82, 1002-6	50
1396	Interferon regulates c-myc gene expression in Daudi cells at the post-transcriptional level. 1985 , 82, 1151-4	151

1395	Complete primary structures of two major murine serum amyloid A proteins deduced from cDNA sequences. 1985 , 82, 2915-9		115
1394	A domain of methylation change at the albumin locus in rat hepatoma cell variants. 1985 , 5, 214-25		30
1393	Liver-specific RNA metabolism in hepatoma cells: variations in transcription rates and mRNA levels. 1985 , 5, 2633-41		101
1392	Abundant nuclear ribonucleoprotein form of CAD RNA. 1985 , 5, 569-75		54
1391	<i>Saccharomyces cerevisiae</i> exhibits a sporulation-specific temporal pattern of transcript accumulation. 1985 , 5, 751-61		88
1390	Mouse testes contain two size classes of actin mRNA that are differentially expressed during spermatogenesis. 1985 , 5, 1649-54		75
1389	Recombinant interleukin 2 regulates levels of c-myc mRNA in a cloned murine T lymphocyte. 1985 , 5, 3361-8		74
1388	A defect in the regulation of major histocompatibility complex class II gene expression in human HLA-DR negative lymphocytes from patients with combined immunodeficiency syndrome. 1985 , 76, 381-5		76
1387	Transcriptional step is necessary for induction of pathogenesis-related proteins.. 1985 , 61, 486-489		4
1386	Evaluation of rat insulin messenger RNA in pancreatic and extrapancreatic tissues. <i>Diabetologia</i> , 1985 , 28, 343-7	10.3	51
1385	A study of restriction fragment length polymorphisms at the human alpha-1-antitrypsin locus. 1985 , 69, 263-7		26
1384	Rat alpha 2u-globulin mRNA expression in the preputial gland. 1985 , 23, 281-90		14
1383	An Ia-positive mouse T-cell clone is functional in presenting antigen to other T cells. <i>Immunogenetics</i> , 1985 , 22, 123-30	3.2	25
1382	Nucleotide sequence of a spectinomycin adenylyltransferase AAD(9) determinant from <i>Staphylococcus aureus</i> and its relationship to AAD(3") (9). 1985 , 200, 33-9		105
1381	Identification of two forms of the Ly-6.2 antigen showing differential expression. <i>Immunogenetics</i> , 1985 , 21, 539-47	3.2	16
1380	Free Ia E alpha chain expression in the E+ alpha : E- beta recombinant strain A.TFR5. <i>Immunogenetics</i> , 1985 , 22, 523-32	3.2	31
1379	Organ-specific expression of three leaf/stem specific cDNAs from potato is regulated by light and correlated with chloroplast development. 1985 , 199, 216-224		57
1378	Cytokinins modulate the expression of genes encoding the protein of the light-harvesting chlorophyll a/b complex. 1985 , 5, 155-63		74

1377	Effects of hemin on a lymphoblastoid cell line that expresses the human epsilon- and gamma-globin genes. <i>Molecular and Cellular Biochemistry</i> , 1985 , 68, 11-22	4.2
1376	Expression of heat shock genes in fetal and maternal rabbit brain. 1985 , 10, 1277-84	31
1375	Use of synthetic oligonucleotide and recombinant DNA probes to study renin gene expression. 1985 , 12, 199-203	3
1374	Molecular genetics of Kr β pel, a gene required for segmentation of the <i>Drosophila</i> embryo. 1985 , 313, 27-32	218
1373	Mouse prepro-epidermal growth factor synthesis by the kidney and other tissues. 1985 , 313, 228-31	533
1372	Structural organization of the rat thy-1 gene. 1985 , 313, 485-7	59
1371	Cloning and sequence analysis of a cDNA for rat transforming growth factor-alpha. 1985 , 313, 489-91	362
1370	Ontogeny of the T-cell antigen receptor within the thymus. 1985 , 313, 592-5	232
1369	Specific expression of an elastase-human growth hormone fusion gene in pancreatic acinar cells of transgenic mice. 1985 , 313, 600-2	240
1368	Rearrangement and transcription of the beta-chain genes of the T-cell antigen receptor in different types of murine lymphocytes. 1985 , 313, 647-53	171
1367	Levels of c-myc oncogene mRNA are invariant throughout the cell cycle. 1985 , 314, 363-6	412
1366	Specific expression of a foreign beta-globin gene in erythroid cells of transgenic mice. 1985 , 314, 377-80	231
1365	Gene rearrangement in cells with natural killer activity and expression of the beta-chain of the T-cell antigen receptor. 1985 , 314, 631-3	70
1364	Rearrangements of the cellular p53 gene in erythroleukaemic cells transformed by Friend virus. 1985 , 314, 633-6	320
1363	Structural analysis of murine genes containing homoeo box sequences and their expression in embryonal carcinoma cells. 1985 , 314, 713-8	208
1362	A short conserved sequence is involved in the light-inducibility of a gene encoding ribulose 1,5-bisphosphate carboxylase small subunit of pea. 1985 , 315, 200-204	192
1361	Expression of T-cell antigen receptor genes during fetal development in the thymus. 1985 , 315, 232-3	278
1360	Primary structure of the alpha-subunit of transducin and its relationship to ras proteins. 1985 , 315, 242-5	296

1359	Identification of scrapie prion protein-specific mRNA in scrapie-infected and uninfected brain. 1985 , 315, 331-3	426
1358	Developmental regulation of a cloned adult beta-globin gene in transgenic mice. 1985 , 315, 338-40	206
1357	Expression of human growth hormone-releasing factor in transgenic mice results in increased somatic growth. 1985 , 315, 413-6	226
1356	Gamma-interferon transcriptionally regulates an early-response gene containing homology to platelet proteins. 1985 , 315, 672-6	837
1355	Expression of genes of the T-cell antigen receptor complex in precursor thymocytes. 1985 , 315, 765-8	123
1354	Expression of the c-fms proto-oncogene during human monocytic differentiation. 1985 , 316, 64-6	242
1353	The class I major histocompatibility antigen gene activated in a line of SV40-transformed mouse cells is H-2Dd, not Qa/Tla. 1985 , 316, 162-3	40
1352	Primary structure and transmembrane orientation of the murine anion exchange protein. 1985 , 316, 234-8	524
1351	Amino-acid sequence of the catalytic subunit of the (Na ⁺ + K ⁺)ATPase deduced from a complementary DNA. 1985 , 316, 691-5	744
1350	Light-regulated and organ-specific expression of a wheat Cab gene in transgenic tobacco. 1985 , 316, 750-2	121
1349	Amplification of P-glycoprotein genes in multidrug-resistant mammalian cell lines. 1985 , 316, 817-9	731
1348	Expression of insulin-like growth factor-II transcripts in Wilms' tumour. 1985 , 317, 258-60	317
1347	Sequence of protein disulphide isomerase and implications of its relationship to thioredoxin. 1985 , 317, 267-70	586
1346	Amplification and altered expression of the c-myc oncogene in A-MuLV-transformed fibroblasts. 1985 , 317, 440-3	45
1345	Post-transcriptional control of myc and p53 expression during differentiation of the embryonal carcinoma cell line F9. 1985 , 317, 636-9	265
1344	A mouse homoeo box gene is expressed during embryogenesis and in adult kidney. 1985 , 317, 745-8	119
1343	L-myc, a new myc-related gene amplified and expressed in human small cell lung cancer. 1985 , 318, 69-73	556
1342	Elevation of RNA coding for tyrosine hydroxylase in rat adrenal gland by reserpine treatment and exposure to cold. 1985 , 45, 1030-3	108

1341	Developmental expression of the myelin-associated glycoprotein in the peripheral nervous system is different from that in the central nervous system. 1985 , 45, 1308-10	31
1340	Molecular organization of dinoflagellate ribosomal DNA: evolutionary implications of the deduced 5.8 S rRNA secondary structure. 1985 , 18, 307-19	43
1339	A rapid microprocedure for isolating RNA from multiple samples of human and rat brain. 1985 , 15, 165-74	55
1338	Bovine elastin cDNA clones: evidence for the occurrence of a new elastin-related protein in fetal calf ligamentum nuchae. 1985 , 5, 633-41	4
1337	Post-meiotic transcription of phosphoglycerate-kinase 2 in mouse testes. 1985 , 5, 1087-91	13
1336	Long-term culture and passage of human fetal liver cells that synthesize albumin. 1985 , 21, 216-20	25
1335	Chinese hamster cells deficient in ornithine decarboxylase activity: reversion by gene amplification and by azacytidine treatment. 1985 , 11, 11-23	59
1334	Reduced translatable messenger RNA activities in leaves of barley infected with <i>Erysiphe graminis</i> f.sp. hordei. 1985 , 26, 297-308	21
1333	Study of the levels of expression of two oncogenes, c-myc and c-myb, in acute and chronic leukemias of both lymphoid and myeloid lineage. 1985 , 9, 833-42	55
1332	Isolation and characterization of DNA from <i>Tritrichomonas foetus</i> and <i>Trichomonas vaginalis</i> . 1985 , 14, 323-35	39
1331	Translation of <i>Schistosoma mansoni</i> antigens in <i>Xenopus</i> oocytes microinjected with mRNA from adult worms. 1985 , 15, 171-88	12
1330	In vitro synthesis of a 28 kilodalton antigen present on the surface of the schistosomulum of <i>Schistosoma mansoni</i> . 1985 , 17, 105-14	48
1329	Hamster hepatic cytochrome b5: purifications, immunochemical properties, and in vitro synthesis. 1985 , 830, 11-9	4
1328	Immunological analysis of rat pancreatic prokallikrein activation. 1985 , 829, 408-14	6
1327	Nucleocytoplasmic RNA transport. <i>Molecular and Cellular Biochemistry</i> , 1985 , 67, 87-99	4.2 29
1326	Resolution of the subunit composition of a cytokinin-binding protein from wheat embryos. 1985 , 27, 100-104	23
1325	Probing in vitro translation products with monoclonal antibodies to a 15.2 kD polypeptide subunit of photosystem I. 1985 , 50, 211-221	15
1324	Translation and functional expression of cell-cell channel mRNA in <i>Xenopus</i> oocytes. 1985 , 87, 253-68	45

1323	Molecular characterization of a mutant hybridoma secreting truncated IgM. 1985 , 10, 303-6	2
1322	Expression of human c-fes onc-gene occurs at detectable levels in myeloid but not in lymphoid cell populations. 1985 , 59, 21-5	30
1321	Induction of glycoporphin gene expression in cultured murine erythroleukemia cells. 1985 , 29, 268-74	9
1320	Sheep keratins: characterization of cDNA clones for the glycine + tyrosine-rich wool proteins using a synthetic probe. 1985 , 146, 89-93	14
1319	Amino acid sequence of the non-collagenous globular domain (NC1) of the alpha 1(IV) chain of basement membrane collagen as derived from complementary DNA. 1985 , 147, 217-24	153
1318	Cell-free synthesis and co-translational processing of the human asialoglycoprotein receptor. 1985 , 150, 409-14	7
1317	Induction of cytochrome P-450b,e-type isozymes by polychlorinated biphenyls in rat liver. Molecular cloning of induced mRNAs. 1985 , 151, 67-73	10
1316	Multiple-level caerulein control of the gene expression of secretory proteins in the rat pancreas. 1985 , 151, 461-6	33
1315	Plant small nuclear RNAs. Nucleolar U3 snRNA is present in plants: partial characterization. 1985 , 152, 259-66	52
1314	Expression of nuclear genes encoding the urea cycle enzymes, carbamoyl-phosphate synthetase I and ornithine carbamoyl transferase, in rat liver and intestinal mucosa. 1985 , 152, 287-92	53
1313	Molecular cloning and expression of human tumor necrosis factor and comparison with mouse tumor necrosis factor. 1985 , 152, 515-22	184
1312	Studies on the formation of intrachain disulphide bonds in newly biosynthesised bovine prolactin. Role of protein-disulphide isomerase. 1985 , 153, 167-78	38
1311	Simultaneous banding of rat embryo DNA, RNA, and protein in cesium trifluoroacetate gradients. 1985 , 148, 376-83	28
1310	Screening of lambda library for differentially expressed genes using in vitro transcripts. 1985 , 150, 429-41	22
1309	Structure of the murine anion exchange protein. 1985 , 29, 1-17	56
1308	Transcription of ribosomal RNA is differentially controlled in resting and growing BALB/c 3T3 cells. 1985 , 124, 160-4	8
1307	Reversible effects of dibutyryl cAMP on laminin and type IV collagen secretion from retinoic acid treated F9 cells. 1985 , 125, 263-72	8
1306	The regulatory locus r lambda 1 affects the level of lambda 1 light chain synthesis in lipopolysaccharide-activated lymphocytes but not the frequency of lambda 1-positive B cell precursors. 1985 , 15, 66-72	11

1305	Anti-IgM treatment influences immunoglobulin heavy and light chain mRNA levels in mitogen-stimulated B lymphocytes. 1985 , 15, 641-3	19
1304	Oncogene expression in human tumors. 1985 , 35, 731-6	30
1303	Quantification of thyroglobulin messenger RNA by in situ hybridization in differentiated thyroid cancers. Difference between well-differentiated and moderately differentiated histologic types. 1985 , 56, 345-50	29
1302	Control functions of adenovirus transformation region E1A gene products in rat and human cells. 1985 , 5, 1933-9	54
1301	Expression of the Drosophila white gene under the control of the hsp70 heat shock promoter. 1985 , 4, 3765-3772	40
1300	Direct effect of insulin on albumin gene expression in primary cultures of rat hepatocytes. 1985 , 249, E447-53	17
1299	Molecular genetic analysis of the V kappa Ser group associated with two mouse light chain genetic markers. Complementary DNA cloning and southern hybridization analysis. 1985 , 162, 713-28	25
1298	Thyroid hormone regulation of thyrotropin alpha- and beta-subunit gene transcription. 1985 , 4, 301-7	39
1297	A simple and rapid procedure for high-yield isolation of essentially undegraded free and membrane-bound polysomes from rat liver. 1985 , 97, 1447-59	20
1296	Structural comparisons between mouse and human prealbumin. 1985 , 98, 1707-14	59
1295	Molecular cloning of mouse mammary gland kappa-casein: comparison with rat kappa-casein and rat and human gamma-fibrinogen. 1985 , 4, 263-71	32
1294	ACETYLCHOLINESTERASE OF MUSCLE AND NERVE. 1985 , 595-618	6
1293	Location of the c-yes gene on the human chromosome and its expression in various tissues. 1985 , 227, 1038-40	85
1292	T-cell receptor beta-chain expression: dependence on relatively few variable region genes. 1985 , 229, 566-70	179
1291	Modulation of the sis gene transcript during endothelial cell differentiation in vitro. 1985 , 228, 882-5	115
1290	Active T-cell receptor genes have intron deoxyribonuclease hypersensitive sites. 1985 , 229, 528-34	37
1289	Deregulation of c-myc gene expression in human colon carcinoma is not accompanied by amplification or rearrangement of the gene. 1985 , 5, 1969-76	213
1288	Replacement variant histone genes contain intervening sequences. 1985 , 5, 1307-17	117

1287	Structure of the human vasoactive intestinal polypeptide gene. 1985 , 4, 293-300	98
1286	Isolation of monoclonal antibodies specific for human c-myc proto-oncogene product. 1985 , 5, 3610-6	2359
1285	Differential Expression of Messenger RNAs for Mononuclear Cell Factor from Stimulated Human Monocyte-macrophage Cultures. 1985 , XXIV, 77-81	4
1284	The structure and evolution of a 461 amino acid human protein C precursor and its messenger RNA, based upon the DNA sequence of cloned human liver cDNAs. 1985 , 13, 5233-47	126
1283	Study of the expression of myelin proteolipid protein (lipophilin) using a cloned complementary DNA. 1985 , 13, 7413-25	66
1282	Developmental and tissue-specific expression of a family of transcripts related to rat insulin-like growth factor II mRNA. 1985 , 13, 1119-34	136
1281	A macrophage factor inhibits adipocyte gene expression: an in vitro model of cachexia. 1985 , 229, 867-9	483
1280	Hormonal regulation of a polyoma virus middle-size T-antigen gene linked to growth hormone control sequences. 1985 , 66 (Pt 10), 2147-60	4
1279	2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) promotes the transformation of C3H/10T1/2 cells. 1985 , 6, 651-3	42
1278	Molecular cloning of mouse PSP mRNA. 1985 , 13, 1-13	116
1277	Functional analysis of the regulatory region of polyoma mutant F9-1 DNA. 1985 , 13, 4789-809	36
1276	Proto-oncogene expression during two-stage carcinogenesis in mouse skin. 1985 , 6, 655-7	34
1275	Tissue specific transcription of the human epsilon-globin gene following transfection into the embryonic erythroid cell line K562. 1985 , 13, 6125-36	15
1274	Organization, structure and expression of murine interferon alpha genes. 1985 , 13, 791-804	92
1273	Isolation and sequence of cDNA clones coding for a member of the family of high mobility group proteins (HMG-T) in trout and analysis of HMG-T-mRNA's in trout tissues. 1985 , 13, 4871-88	62
1272	Changes of chromatin conformation around mouse interferon-beta gene associated with induction of interferon synthesis. 1985 , 13, 5157-72	15
1271	A cDNA clone for the precursor of rat mitochondrial ornithine transcarbamylase: comparison of rat and human leader sequences and conservation of catalytic sites. 1985 , 13, 943-52	69
1270	Differential expression of the ribulose biphosphate carboxylase large subunit gene in bundle sheath and mesophyll cells of developing maize leaves is influenced by light. 1985 , 79, 1072-6	92

1269	Dexamethasone inhibits alpha-fetoprotein gene transcription in neonatal rat liver and isolated nuclei. 1985 , 13, 3873-90	26
1268	Vasopressin-neurophysin II gene expression in the ovary: studies in Sprague-Dawley, Long-Evans and Brattleboro rats. 1985 , 105, 317-21	25
1267	Multiple polyadenylation sites in a Drosophila tropomyosin gene are used to generate functional mRNAs. 1985 , 13, 1763-76	21
1266	Primary sequence and partial secondary structure of the 12S kinetoplast (mitochondrial) ribosomal RNA from Leishmania tarentolae: conservation of peptidyl-transferase structural elements. 1985 , 13, 2337-56	62
1265	A gastrin gene is expressed in both porcine pituitary and antral mucosal tissues. 1985 , 13, 7299-305	21
1264	Biosynthesis and Degradation of a Wheat Embryo Cytokinin-Binding Protein during Embryogenesis and Germination. 1985 , 79, 706-10	39
1263	Messenger RNAs from the Scutellum and Aleurone of Germinating Barley Encode (1-->3,1-->4)-beta-d-Glucanase, alpha-Amylase and Carboxypeptidase. 1985 , 79, 867-71	49
1262	The pattern of expression of the Xenopus laevis tadpole alpha-globin genes and the amino acid sequence of the three major tadpole alpha-globin polypeptides. 1985 , 13, 5407-21	43
1261	Isolation and partial characterization of the entire human pro alpha 1(II) collagen gene. 1985 , 13, 2207-25	89
1260	The human apolipoprotein All gene: structural organization and sites of expression. 1985 , 13, 6387-98	44
1259	Selection of sequence elements that substitute for the standard AATAAA motif which signals 3' processing and polyadenylation of late simian virus 40 mRNAs. 1985 , 13, 8053-63	28
1258	Transcription of mouse rDNA and associated formation of the nucleolus organizer region after gene transfer and amplification in Chinese hamster cells. 1985 , 5, 2943-50	15
1257	Nucleotide sequence of the respiratory syncytial virus phosphoprotein gene. 1985 , 66 (Pt 7), 1607-12	20
1256	Glucocorticoid regulation of adipocyte differentiation: hormonal triggering of the developmental program and induction of a differentiation-dependent gene. 1985 , 101, 1227-35	118
1255	Stage-specific patterns of collagen gene expression during development of Caenorhabditis elegans. 1985 , 5, 363-72	72
1254	Pretranslational modulation of acute phase hepatic protein synthesis by murine recombinant interleukin 1 (IL-1) and purified human IL-1. 1985 , 162, 930-42	398
1253	Nonproportional changes in plasma renin concentration, renal renin content, and rat renin messenger RNA. 1985 , 7, 855-9	76
1252	Functional RNA polymerase II promoters in solitary retroviral long terminal repeats (LTR-IS elements). 1985 , 13, 2631-45	10

1251	Tropomyosin isoforms in chicken embryo fibroblasts: purification, characterization, and changes in Rous sarcoma virus-transformed cells. 1985 , 100, 692-703	123
1250	Definition of essential sequences and functional equivalence of elements downstream of the adenovirus E2A and the early simian virus 40 polyadenylation sites. 1985 , 5, 2975-83	121
1249	Selective protection of in vitro synthesized cDNA against nucleases by incorporation of phosphorothioate-analogues. 1985 , 13, 7663-72	8
1248	Complete nucleotide sequence of mRNA for caerulein precursor from <i>Xenopus</i> skin: the mRNA contains an unusual repetitive structure. 1985 , 13, 1817-28	25
1247	A novel giant secretion polypeptide in <i>Chironomus</i> salivary glands: implications for another Balbiani ring gene. 1985 , 101, 1044-51	38
1246	Decrease in Three Messenger RNA Species Coding for Chloroplast Proteins in Leaves of Barley Infected with <i>Erysiphe graminis</i> f. sp. <i>hordei</i> . 1985 , 78, 891-4	25
1245	Cloning and characterization of the cDNAs for human and rabbit interleukin-1 precursor. 1985 , 13, 5869-82	210
1244	Superinduction of <i>c-fos</i> by nerve growth factor in the presence of peripherally active benzodiazepines. 1985 , 229, 1265-8	476
1243	Impaired insulin biosynthetic capacity in a rat model for non-insulin-dependent diabetes. Studies with dexamethasone. 1985 , 34, 235-40	31
1242	Alpha-amanitin insensitive transcription of the human epsilon-globin gene. 1985 , 13, 7993-8005	11
1241	Induction of liver apolipoprotein A-IV mRNA in porphyric mice. 1985 , 13, 1953-63	6
1240	Human kidney kallikrein: cDNA cloning and sequence analysis. 1985 , 4, 445-50	78
1239	Antinucleic acid antibodies, gene expression, and autoimmune mice. 1985 , 56, 101-9	2
1238	The generation of stable human T-cell hybridomas which constitutively produce interleukin-2 and chemotactic factor. 1985 , 4, 211-22	2
1237	Human J chain gene. Structure and expression in B lymphoid cells. 1985 , 161, 832-49	91
1236	Mutational analyses of the Moloney murine sarcoma virus enhancer. 1985 , 4, 193-202	15
1235	Structure and expression of the human gene encoding major heat shock protein HSP70. 1985 , 5, 330-41	449
1234	Genetic elements used for a murine lupus anti-DNA autoantibody are closely related to those for antibodies to exogenous antigens. 1985 , 161, 805-15	92

1233	Differential expression of H-2Dd and H-2Ld histocompatibility antigens. 1985 , 161, 356-65	16
1232	The T-cell-independent immune response to the hapten NP uses a large repertoire of heavy chain genes. 1985 , 43, 715-20	114
1231	Evidence from cDNA clones that the rat leukocyte-common antigen (T200) spans the lipid bilayer and contains a cytoplasmic domain of 80,000 Mr. 1985 , 41, 83-93	131
1230	Pure alpha-subunit producing tumor derived from a thyrotropic tumor: impaired regulation of alpha-subunit and its mRNA by thyroid hormone. 1985 , 39, 161-5	14
1229	Oncogene expression in rat hepatomas and during hepatocarcinogenesis. 1985 , 26, 121-7	62
1228	Rumen papillomas in sheep. 1985 , 10, 219-29	6
1227	Efficient production of human tumour necrosis factor in Escherichia coli. 1985 , 3, 141-153	41
1226	Tissue-specific posttranslational processing of pre-prosomatostatin encoded by a metallothionein-somatostatin fusion gene in transgenic mice. 1985 , 41, 211-9	106
1225	Sequence and structure of a human glucose transporter. 1985 , 229, 941-5	1375
1224	Redesigning trypsin: alteration of substrate specificity. 1985 , 228, 291-7	337
1223	A novel ras-related gene family. 1985 , 41, 31-40	408
1222	High-level expression in Escherichia coli of biologically active bovine growth hormone. 1985 , 4, 273-81	51
1221	Molecular cloning of bovine viral diarrhea viral sequences. 1985 , 4, 429-38	49
1220	Molecular cloning, sequencing, and expression in Escherichia coli of human preprourokinase cDNA. 1985 , 4, 139-46	22
1219	The human urokinase-plasminogen activator gene and its promoter. 1985 , 13, 2759-71	206
1218	Structure and expression of Ri T-DNA from Agrobacterium rhizogenes in Nicotiana tabacum. Organ and phenotypic specificity. 1985 , 186, 557-64	105
1217	Autoregulation of tubulin synthesis in enucleated cells. 1985 , 317, 648-51	103
1216	Expression of genes on human chromosome 21. 1985 , 450, 43-54	6

1215	Identification of complementary DNA clones that encode rat androgen binding protein. 1985 , 6, 392-5	38
1214	Regulation of proteolytic enzyme activities and mRNA concentrations in rat pancreas by food content. 1985 , 127, 937-42	45
1213	Expression of long terminal repeat (LTR) sequences in carcinogen-induced murine skin carcinomas. 1985 , 127, 391-8	20
1212	Analysis of the proteins in the rhesus monkey lens. 1985 , 41, 323-34	7
1211	Changes in polyadenylated RNA sequences associated with fruiting body morphogenesis in <i>Coprinus cinereus</i> . 1985 , 84, 215-226	24
1210	Effects of changes in water-sodium balance on levels of atrial natriuretic factor messenger RNA and peptide in rats. 1985 , 36, 1843-8	71
1209	Shope papillomavirus transcription in benign and malignant rabbit tumors. 1985 , 146, 120-9	24
1208	Studies on human parainfluenza virus 3: characterization of the structural proteins and in vitro synthesized proteins coded by mRNAs isolated from infected cells. 1985 , 143, 45-54	39
1207	Mapping of Epstein-Barr virus proteins on the genome by translation of hybrid-selected RNA from induced P3HR1 cells and induced Raji cells. 1985 , 141, 1-13	34
1206	Establishment of cell lines persistently infected with foot-and-mouth disease virus. 1985 , 145, 24-35	110
1205	Expression of proto-oncogenes in normal and papovavirus-transformed or -infected rat fibroblasts. 1985 , 147, 154-68	10
1204	Mouse mammary tumor virus gene expression regulated in trans by <i>Lps</i> locus. 1985 , 147, 210-3	11
1203	Molecular cloning of Lassa virus RNA: nucleotide sequence and expression of the nucleocapsid protein gene. 1985 , 144, 363-72	32
1202	Oncogene expression in murine splenic T cells and in murine T-cell neoplasms. 1985 , 144, 115-26	25
1201	A new retrovirus produced by tissue culture cell line from mammary tumor of a house musk shrew, <i>Suncus murinus</i> . 1985 , 144, 273-8	6
1200	Cloned DNA of defective avian sarcoma virus mutant LA46 encodes the cis-acting temperature-sensitive defect in replication. 1985 , 143, 684-9	1
1199	Perturbation of differentiated functions during viral infection in vivo. II. Viral reassortants map growth hormone defect to the S RNA of the lymphocytic choriomeningitis virus genome. 1985 , 142, 175-82	38
1198	Quantitation of type II procollagen mRNA levels during chick limb cartilage differentiation. 1985 , 108, 164-72	82

1197	Developmental and functional analysis of Jonah gene expression. 1985 , 108, 355-68	17
1196	Developmental changes in expression of the <i>Drosophila melanogaster</i> epidermal growth factor receptor gene. 1985 , 110, 499-502	22
1195	Repetitive sequence transcripts and U1 RNA in mouse oocytes and eggs. 1985 , 109, 15-24	16
1194	Developmental changes in keratin patterns during epidermal maturation. 1985 , 112, 329-37	66
1193	Blastoderm-differential and blastoderm-specific genes of <i>Drosophila melanogaster</i> . 1985 , 109, 476-88	20
1192	Successful immune reconstitution in severe combined immunodeficiency despite Epstein-Barr virus and cytomegalovirus infections. 1985 , 34, 48-59	5
1191	Properties of rat and mouse beta-glucuronidase mRNA and cDNA, including evidence for sequence polymorphism and genetic regulation of mRNA levels. 1985 , 36, 15-25	47
1190	Pleiotropic mutants of NIH 3T3 cells with altered regulation in the expression of both type I collagen and fibronectin. 1985 , 41, 201-9	35
1189	In situ hybridization histochemistry with synthetic oligonucleotides: strategies and methods. 1985 , 6 Suppl 2, 75-87	127
1188	Characterization of <i>Streptomyces</i> promoter sequences using the <i>Escherichia coli</i> galactokinase gene. 1985 , 40, 191-201	29
1187	Mammary tumorigenesis in C3Hf/Ki mice: examination of germinal mouse mammary tumor viruses and the int-1 and int-2 putative proto-oncogenes. 1985 , 2, 231-43	9
1186	The isolation and sequence of the gene encoding T8: a molecule defining functional classes of T lymphocytes. 1985 , 40, 237-46	321
1185	c-myc gene expression is stimulated by agents that activate protein kinase C and does not account for the mitogenic effect of PDGF. 1985 , 43, 243-51	333
1184	Chromosomal mapping of mouse myelin basic protein gene and structure and transcription of the partially deleted gene in shiverer mutant mice. 1985 , 42, 149-55	311
1183	Isolation and sequence of a cDNA encoding the major structural protein of peripheral myelin. 1985 , 40, 501-8	503
1182	Rapid induction of the expression of proto-oncogene fos during human monocytic differentiation. 1985 , 40, 209-17	380
1181	Cloning the chromosomal breakpoint of t(14;18) human lymphomas: clustering around JH on chromosome 14 and near a transcriptional unit on 18. 1985 , 41, 899-906	1010
1180	Processing of rat and human angiotensinogen precursors by microsomal membranes. 1985 , 43, 31-40	8

1179	Human beta-interferon gene expression is regulated by an inducible enhancer element. 1985 , 41, 509-20	294
1178	Developmental changes in the pattern of larval beta-globin gene expression in <i>Xenopus laevis</i> . Identification of two early larval beta-globin mRNA sequences. 1985 , 184, 611-20	29
1177	Expression of the human c-fms proto-oncogene in hematopoietic cells and its deletion in the 5q-syndrome. 1985 , 42, 421-8	164
1176	Structural and transcriptional properties associated with a member of a new family of conserved short dispersed repeated elements in human DNA. 1985 , 39, 255-61	4
1175	The location of cis-acting regulatory sequences in the human T cell lymphotropic virus type III (HTLV-III/LAV) long terminal repeat. 1985 , 41, 813-23	829
1174	Human alphoid family of tandemly repeated DNA. Sequence of cloned tetrameric fragments and analysis of familial divergence. 1985 , 186, 31-41	28
1173	Clustered homeo boxes are differentially expressed during murine development. 1985 , 43, 39-45	169
1172	Characterization of two class I major histocompatibility rat cDNA clones, one of which contains a premature termination codon. 1985 , 34, 227-33	31
1171	Coordinate transcription of variant surface glycoprotein genes and an expression site associated gene family in <i>Trypanosoma brucei</i> . 1985 , 42, 173-82	178
1170	Kallikrein gene expression in the rat anterior pituitary. 1985 , 39, 99-105	41
1169	Molecular cloning of cDNA for human von Willebrand factor: authentication by a new method. 1985 , 41, 49-56	142
1168	Cytotoxic T cells recognize fragments of the influenza nucleoprotein. 1985 , 42, 457-67	622
1167	The isolation and nucleotide sequence of a cDNA encoding the T cell surface protein T4: a new member of the immunoglobulin gene family. 1985 , 42, 93-104	662
1166	Homeo box gene complex on mouse chromosome 11: molecular cloning, expression in embryogenesis, and homology to a human homeo box locus. 1985 , 43, 9-18	150
1165	Cell-free and cellular synthesis of chromogranin A and B of bovine adrenal medulla. 1985 , 14, 735-46	79
1164	Weak androgen reduces the rate constant of beta-glucuronidase induction. 1985 , 41, 179-85	5
1163	Rous sarcoma virus encodes a transcriptional activator. 1985 , 40, 537-46	70
1162	The role of cap methylation in the translational activation of stored maternal histone mRNA in sea urchin embryos. 1985 , 42, 691-700	36

1161	V beta gene polymorphism and a major polyclonal T cell receptor idiotype. 1985 , 42, 89-92	69
1160	The promoter of the long terminal repeat of feline leukemia virus is effective for expression of a mouse H-2 histocompatibility gene in mouse and human cells. 1985 , 34, 27-38	5
1159	Use of the deoxyinosine-containing probe to isolate and sequence cDNA encoding the fusion (F) glycoprotein of Sendai virus (HVJ). 1985 , 38, 271-4	28
1158	Molecular probes for the development and plasticity of neural crest derivatives. 1985 , 42, 649-62	184
1157	A lymphocyte-specific protein-tyrosine kinase gene is rearranged and overexpressed in the murine T cell lymphoma LSTRA. 1985 , 43, 393-404	537
1156	Molecular cloning of cDNA coding for human preprourokinase. 1985 , 36, 183-8	37
1155	Platelet-derived growth factor and double-stranded ribonucleic acids stimulate expression of the same genes in 3T3 cells. 1985 , 43, 793-800	271
1154	Cell-type specificity of immunoglobulin gene expression is regulated by at least three DNA sequence elements. 1985 , 41, 885-97	619
1153	Rearranged beta T cell receptor genes in a helper T cell clone specific for lysozyme: no correlation between V beta and MHC restriction. 1985 , 40, 859-67	120
1152	In vitro study of the biological activity of RNAs after incubation of hog liver, heart and brain tissue at room temperature. 1985 , 67, 657-61	7
1151	The effect of aging on the structure and function of liver messenger RNA. 1985 , 32, 99-111	15
1150	Molecular cloning of human LDL apolipoprotein B cDNA. Evidence for more than one gene per haploid genome. 1985 , 58, 277-89	73
1149	Fasciola hepatica: comparison of immature and mature immunoreactive glycoproteins. 1985 , 7, 643-57	13
1148	alpha-Fetoprotein and albumin gene expression in brain and other tissues of fetal and adult rats. 1985 , 354, 49-53	29
1147	Phytochrome control of gene expression in radish seedlings I. Far-red light mediated stimulation of polyribosome formation and appearance of translatable mRNAs. 1985 , 37, 227-234	6
1146	Messenger RNA turnover during bone marrow erythroid cell differentiation. 1985 , 825, 316-25	7
1145	Evolutionary conservation of ribosomal protein mRNA sequences: application for expansion of corresponding cDNA and gene libraries. 1985 , 825, 393-7	7
1144	Expression of carbamoyl-phosphate synthetase I mRNA in Reuber hepatoma H-35 cells. Regulation by glucocorticoid and insulin. 1985 , 825, 148-53	17

1143	P31, a mammalian housekeeping protein encoded by a multigene family containing a high proportion of pseudogenes. 1985 , 826, 137-46		16
1142	Expression of the cytochrome b-URF6-URF5 region of the mouse mitochondrial genome. <i>Biochemistry</i> , 1985 , 24, 5818-25	3.2	21
1141	Nucleotide sequence of cloned cDNA for human pancreatic kallikrein. <i>Biochemistry</i> , 1985 , 24, 8037-43	3.2	137
1140	The molecular basis for genetic deficiency of the second component of human complement. 1985 , 313, 11-6		51
1139	The isolation of mRNA from the basidiomycete fungi <i>Phanerochaete chrysosporium</i> and <i>Coprinus cinereus</i> and its in vitro translation. 1985 , 4, 155-162		7
1138	Kallikrein-related mRNAs of the rat submaxillary gland: nucleotide sequences of four distinct types including tonin. <i>Biochemistry</i> , 1985 , 24, 4512-20	3.2	100
1137	Thyroid hormone regulates transcription of the gene for cytosolic phosphoenolpyruvate carboxykinase (GTP) in rat liver. <i>Biochemistry</i> , 1985 , 24, 4509-12	3.2	84
1136	MDA-468, a human breast cancer cell line with a high number of epidermal growth factor (EGF) receptors, has an amplified EGF receptor gene and is growth inhibited by EGF. 1985 , 128, 898-905		280
1135	Glycerol-3-phosphate dehydrogenase mRNA content in cultured 3T3-L1 adipocytes: regulation by dibutyl cyclic AMP. 1985 , 131, 1193-7		11
1134	Human c-myc and N-ras expression during induction of HL-60 cellular differentiation. 1985 , 126, 999-1005		46
1133	Retinoic acid treatment of human neuroblastoma cells is associated with decreased N-myc expression. 1985 , 126, 1189-95		50
1132	Characterization of fatty acid synthetase cDNA clone and its mRNA. 1985 , 126, 1235-41		18
1131	Effects of K ⁺ concentration on inhibition of protein synthesis by trimer and tetramer triphosphates of 2',5'-oligoadenylates in rabbit reticulocyte lysates. 1985 , 130, 821-7		3
1130	Evidence for a single rat thyrotropin-beta-subunit gene: thyroidectomy increases its mRNA. 1985 , 128, 1152-8		30
1129	Increased levels of myosin mRNAs in spontaneously hypertensive rat heart. 1985 , 132, 820-8		6
1128	Switching in levels of translatable mRNAs for enolase isozymes during development of chicken skeletal muscle. 1985 , 133, 868-72		25
1127	The effects of insulin and concanavalin A on the accumulation of a specific mRNA in rat hepatoma cells. 1985 , 133, 1168-74		12
1126	Partial characterization of intra- and extracellular forms of the glycoprotein hemopexin in liver cell culture and cell-free translation. 1985 , 131, 593-9		1

1125	Bleomycin selectively elevates mRNA levels for procollagen and fibronectin following acute lung injury. 1985 , 131, 836-43	47
1124	Amplified, overexpressed and rearranged epidermal growth factor receptor gene in a human astrocytoma cell line. 1985 , 131, 207-15	71
1123	S-antigen is coded by [poly A+] mRNA from bovine retina. 1985 , 132, 934-8	1
1122	Localization of the human prealbumin gene to chromosome 18. 1985 , 129, 753-8	102
1121	Plasma protein and liver mRNA levels of two closely related murine alpha 1-protease inhibitors during the acute phase reaction. 1985 , 239, 112-9	8
1120	3-Methylcholanthrene-induced expression of the cytochrome P-450c gene. 1985 , 239, 137-46	22
1119	In vitro synthesis and assembly of a 68 kDa outer mitochondrial membrane protein from rat liver. 1985 , 814, 35-42	10
1118	Polychlorinated biphenyls interfere with the regulation of hydroxymethylglutaryl-coenzyme A reductase activity in rat liver via enzyme-lipid interaction and at the transcriptional level. 1985 , 837, 85-93	16
1117	Regulation of rat liver cell 3-hydroxy-3-methylglutaryl coenzyme A reductase by methoxypolyoxyethylated cholesterol. 1985 , 837, 163-72	4
1116	Diurnal variations of lipogenic enzymes, their substrate and effector levels, and lipogenesis from tritiated water in rat liver. 1985 , 835, 163-8	25
1115	Analysis of protein synthesis in rat salivary glands after chronic treatment with beta-receptor agonists and phosphodiesterase inhibitors. 1985 , 34, 4229-37	14
1114	Comparison of aryl hydrocarbon hydroxylase and acetanilide 4-hydroxylase induction by polycyclic aromatic compounds in human and mouse cell lines. 1985 , 34, 2721-31	56
1113	Ascorbate-generated endogenous extracellular matrix affects cell protein synthesis in calf aortic smooth muscle cells. 1985 , 160, 307-18	11
1112	Replication of non-repetitive DNA during early, middle and late S phase. The general class and the subset transcribed. 1985 , 158, 333-41	3
1111	Molecular duality of DNA ligase in axolotl corresponds to distinctive transcriptional information. 1985 , 161, 209-18	5
1110	Primary structure of the beta-subunit of bovine transducin deduced from the cDNA sequence. 1985 , 191, 235-40	138
1109	Expression of the vasopressin and oxytocin genes in human hypothalami. 1985 , 193, 12-6	28
1108	Molecular cloning of a full-length cDNA encoding the hemagglutinin-neuraminidase glycoprotein of Sendai virus. 1985 , 188, 112-6	26

1107	Nucleotide sequence divergence and functional constraint in VIP precursor mRNA evolution between human and rat. 1985 , 183, 55-9	188
1106	Conservation from rat to human of cytosolic phosphoenolpyruvate carboxykinase and the control of its gene expression. 1985 , 180, 175-80	7
1105	Regulation of the production of granulocyte-macrophage colony-stimulating factor by macrophage-like tumour cell lines. 1985 , 180, 271-4	1
1104	Involvement of Ca ²⁺ in platelet-derived growth factor-induced expression of c-myc oncogene in Swiss 3T3 fibroblasts. 1985 , 187, 43-6	32
1103	Ovulation triggers oxytocin gene expression in the bovine ovary. 1985 , 190, 263-7	75
1102	C-ras expression decreases during in vitro senescence in human fibroblasts. 1986 , 137, 917-21	9
1101	Cloning and expression in Escherichia coli of cDNA for arginase of rat liver. 1986 , 136, 955-61	28
1100	Cytoplasmic RNA complementary to pre-albumin intron V. 1986 , 136, 989-94	1
1099	V-fos stimulates expression of the alpha 1(III) collagen gene in NIH 3T3 cells. 1986 , 136, 1042-8	13
1098	Suppression of glutathione S-transferases in rat seminal vesicles or pituitary glands. 1986 , 136, 1057-62	5
1097	Nucleotide sequence of chick 14K beta-galactoside-binding lectin mRNA. 1986 , 134, 51-6	96
1096	mRNA for the three human alcohol dehydrogenase subunits: size heterogeneity and developmental changes. 1986 , 140, 1020-7	23
1095	Expression of c-mos proto-oncogene in undifferentiated teratocarcinoma cells. 1986 , 140, 477-84	13
1094	Localization of a human gene homologous to the PrP gene on the p arm of chromosome 20 and detection of PrP-related antigens in normal human brain. 1986 , 140, 758-65	60
1093	Expression of c-myc oncogene in human fibroblasts during in vitro senescence. 1986 , 135, 105-9	15
1092	Oncogene expression in human hepatoma cells PLC/PRF/5. 1986 , 135, 262-8	13
1091	Dissociation of cytochrome P-450 inactivation and induction. 1986 , 251, 514-24	25
1090	Regulation of cytochrome P-450c by glucocorticoids and polycyclic aromatic hydrocarbons in cultured fetal rat hepatocytes. 1986 , 246, 439-48	45

1089	Biosynthesis and processing of a variant surface glycoprotein from <i>Trypanosoma brucei brucei</i> . 1986 , 246, 460-8	6
1088	Import and processing of P-450SCC and P-450(11) beta precursors by corpus luteal mitochondria: a processing pathway recognizing homologous and heterologous precursors. 1986 , 250, 456-60	15
1087	The induction of mitochondrial L-3-glycerophosphate dehydrogenase by thyroid hormone. 1986 , 851, 49-56	11
1086	Cell-free synthesis of high-molecular-weight small intestinal polypeptides. 1986 , 861, 197-200	1
1085	Effects of dietary nutrients on lipogenic enzyme and mRNA activities in rat liver during induction. 1986 , 877, 350-8	25
1084	Human fibronectin is synthesized as a pre-propolypeptide. 1986 , 207, 145-8	16
1083	cDNA clones coding for the beta-subunit of human liver alcohol dehydrogenase have differently sized 3'-non-coding regions. 1986 , 194, 327-32	50
1082	Primary structure of the alpha-subunit of bovine adenylate cyclase-stimulating G-protein deduced from the cDNA sequence. 1986 , 195, 220-4	78
1081	Complete characterization of the human IGF-I nucleotide sequence isolated from a newly constructed adult liver cDNA library. 1986 , 196, 108-12	54
1080	Thyrotropin and cyclic AMP regulation of ras proto-oncogene expression in cultured thyroid cells. 1986 , 196, 305-8	16
1079	c-rasH and ornithine decarboxylase are induced by oestradiol-17 beta in the mouse uterine luminal epithelium independently of the proliferative status of the cell. 1986 , 196, 309-14	25
1078	Primary structure of the beta-subunit of <i>Torpedo californica</i> (Na ⁺ + K ⁺)-ATPase deduced from the cDNA sequence. 1986 , 196, 315-20	115
1077	The human osteosarcoma cell line U-2 OS expresses a 3.8 kilobase mRNA which codes for the sequence of the PDGF-B chain. 1986 , 198, 344-8	20
1076	Effects of gibberellic acid and abscisic acid on levels of translatable mRNA (1->3,1->4)-D-glucanase in barley aleurone. 1986 , 198, 349-352	22
1075	Differences in cathepsin B mRNA levels in rat tissues suggest specialized functions. 1986 , 201, 251-6	26
1074	Isolation of partial cDNAs for rat liver and muscle glycogen phosphorylase isozymes. 1986 , 202, 282-8	16
1073	Cloning of rat brain protein kinase C complementary DNA. 1986 , 203, 111-5	101
1072	Identification of a rat liver cDNA and mRNA coding for the 28 kDa gap junction protein. 1986 , 205, 56-60	40

1071	Complete amino acid sequence of the large subunit of the low-Ca ²⁺ -requiring form of human Ca ²⁺ -activated neutral protease (muCANP) deduced from its cDNA sequence. 1986 , 205, 313-7	115
1070	Evidence for the repetitive domain structure of pig calpastatin as demonstrated by cloning of complementary DNA. 1986 , 208, 199-202	32
1069	Isolation and characterization of a cDNA clone for porcine thyroid peroxidase. 1986 , 208, 391-6	19
1068	Structure and expression of the human calcitonin/CGRP genes. 1986 , 209, 97-103	118
1067	Primary structure of porcine cardiac muscarinic acetylcholine receptor deduced from the cDNA sequence. 1986 , 209, 367-72	302
1066	Identification by molecular cloning of two forms of the alpha-subunit of the human liver stimulatory (GS) regulatory component of adenylyl cyclase. 1986 , 206, 36-42	87
1065	Beta-subunits of the human liver Gs/Gi signal-transducing proteins and those of bovine retinal rod cell transducin are identical. 1986 , 207, 187-92	105
1064	Involvement of three intracellular messenger systems, protein kinase C, calcium ion and cyclic AMP, in the regulation of c-fos gene expression in Swiss 3T3 cells. 1986 , 208, 39-42	83
1063	cDNA sequence of human beta-preprotachykinin, the common precursor to substance P and neurokinin A. 1986 , 208, 67-72	82
1062	all-trans-Retinoic acid inhibits the appearance of two phorbol ester-induced ornithine decarboxylase mRNAs in mouse epidermis. 1986 , 208, 151-4	9
1061	Induction of UDP-glucuronyl transferase mRNA in embryonic chick livers by phenobarbital. 1986 , 35, 1191-8	18
1060	Aryl hydrocarbon hydroxylase activity and cytochrome P1-450 gene expression in newly established human lymphoblastoid lines. 1986 , 35, 2069-72	9
1059	The major nucleoside triphosphatase of nuclear scaffold is distinct from actin. 1986 , 167, 559-62	1
1058	Expression of extracellular matrix genes in relation to myogenesis and neoplastic transformation. 1986 , 166, 526-34	11
1057	The induction of Alu-sequence transcripts by glucocorticoid in rat liver cells. 1986 , 25, 201-7	8
1056	Neither a germ line-specific nor several somatically expressed genes are lost or rearranged during embryonic chromatin diminution in the nematode <i>Ascaris lumbricoides</i> var. <i>suum</i> . 1986 , 118, 141-7	40
1055	Isolation and fractionation of total nucleic acids from tissues and cells. 1986 , 12, 29-36	27
1054	Transmission of (LTR, v-src, LTR) without recombination with a helper virus. 1986 , 153, 314-7	17

1053	Mapping of the varicella zoster virus deoxypyrimidine kinase gene and preliminary identification of its transcript. 1986 , 149, 1-9	42
1052	Organization and expression of the major genes from the long inverted repeat of the human cytomegalovirus genome. 1986 , 155, 160-71	33
1051	Characterization of a major early gene from the human cytomegalovirus long inverted repeat; predicted amino acid sequence of a 30-kDa protein encoded by the 1.2-kb mRNA. 1986 , 155, 172-82	18
1050	Mouse mammary tumor virus mediated transfer and expression of neomycin resistance to infected cultured cells. 1986 , 155, 236-48	29
1049	Persistent infection of <i>Aedes albopictus</i> C6/36 cells by Bunyamwera virus. 1986 , 150, 21-32	40
1048	A cryptic transcription promoter in the myb oncogene of avian myeloblastosis virus. 1986 , 150, 252-9	
1047	Synthesis of herpes simplex virus proteins and nucleic acids in interferon-treated macrophages. 1986 , 150, 411-8	27
1046	Identification and structure of the gene encoding gpII, a major glycoprotein of varicella-zoster virus. 1986 , 152, 181-91	94
1045	Accumulated measles virus mutations in a case of subacute sclerosing panencephalitis: interrupted matrix protein reading frame and transcription alteration. 1986 , 154, 97-107	129
1044	alpha-Fetoprotein synthesis in transformed fetal rat liver cells. 1986 , 135, 844-51	18
1043	Evidence for a change in molecular for of DNA ligase in early development of the sea urchin <i>Psammechinus miliaris</i> . 1986 , 116, 8-14	7
1042	Expression of beta keratin genes during skin development in normal and <i>sc/sc</i> chick embryos. 1986 , 116, 15-22	19
1041	Trophoblastic differentiation of human teratocarcinoma cell line HT-H1. 1986 , 116, 510-8	36
1040	Differential expression of keratin genes during mouse development. 1986 , 113, 282-7	10
1039	3B55: a repetitious sequence family which is transcribed and proportionately replicated in germ-line polyploid nuclei of <i>Calliphora erythrocephala</i> . 1986 , 115, 398-406	4
1038	Differential responses of the dopa decarboxylase gene to 20-OH-ecdysone in <i>Drosophila melanogaster</i> . 1986 , 114, 141-50	46
1037	Genetic and molecular analysis of <i>fs(1)h</i> , a maternal effect homeotic gene in <i>Drosophila</i> . 1986 , 114, 161-9	87
1036	Opacity genes in <i>Neisseria gonorrhoeae</i> : control of phase and antigenic variation. 1986 , 47, 61-71	403

1035	Ecdysteroid-regulated heat-shock gene expression during <i>Drosophila melanogaster</i> development. 1986 , 115, 434-8	54
1034	Glucocorticoids and cyclic AMP synergistically regulate the abundance of preproenkephalin messenger RNA in neuroblastoma-glioma hybrid cells. 1986 , 139, 1-10	76
1033	Expression of IL-1 genes in human and bovine chondrocytes: a mechanism for autocrine control of cartilage matrix degradation. 1986 , 141, 904-11	107
1032	Bovine angiotensin-converting enzyme: amino-terminal sequence analysis and preliminary characterization of a hybridization-selected primary translation product. 1986 , 141, 968-72	13
1031	Enhancement of cmyc mRNA concentration in dog thyrocytes initiating DNA synthesis in response to thyrotropin, forskolin, epidermal growth factor and phorbol myristate ester. 1986 , 141, 1066-76	29
1030	Characterization of rodent epidermal growth factor receptor transcripts using a mouse genomic probe. 1986 , 141, 1109-15	21
1029	Molecular cloning of the chicken nerve growth factor gene: mRNA distribution in developing and adult tissues. 1986 , 141, 1116-22	21
1028	Effects of oral glucose administration on preproinsulin mRNA in rats in vivo. 1986 , 141, 1201-6	7
1027	Biosynthesis of porcine kidney D-amino acid oxidase. 1986 , 141, 1222-8	17
1026	Thyroglobulin gene activation by thyrotropin and cAMP in hormonally depleted FRTL-5 thyroid cells. 1986 , 141, 1261-6	26
1025	Expression of the proto-oncogenes C-H-ras and N-ras in early second trimester human fetal tissues. 1986 , 141, 510-6	9
1024	Lysates of two established human tumor lines contain heparin-binding growth factors related to bovine acidic brain fibroblast growth factor. 1986 , 139, 861-7	21
1023	mRNA from human colon tumor and mucosa related to the pol gene of an endogenous A-type retrovirus. 1986 , 139, 1071-7	8
1022	Novel prolactin related mRNAs in rat pituitary cells. 1986 , 138, 1015-22	4
1021	Demonstration of elevated type I and type III procollagen mRNA levels in cutaneous wounds treated with helium-neon laser. Proposed mechanism for enhanced wound healing. 1986 , 138, 1123-8	140
1020	Inhibin A-subunit gene expression in the ovaries of immature female rats is stimulated by pregnant mare serum gonadotrophin. 1986 , 138, 1191-5	62
1019	Molecular cloning of rat mitochondrial glutamic oxaloacetic transaminase mRNA and regulation of its expression in regenerating liver. 1986 , 134, 803-11	20
1018	Transcriptional and post-transcriptional roles of glucocorticoid in the expression of the rat 25,000 molecular weight casein gene. 1986 , 134, 812-8	46

1017	ApoE deficiency: markedly decreased levels of cellular ApoE mRNA. 1986 , 134, 937-43	12
1016	Bovine cardiac mitochondrial ADP/ATP-carrier: two distinct mRNAs and an unusually short 3'-noncoding sequence. 1986 , 138, 850-7	21
1015	Transcriptional regulation of the transferrin receptor in differentiating HL-60 leukemic cells. 1986 , 138, 995-1000	10
1014	Structure of integrin, a glycoprotein involved in the transmembrane linkage between fibronectin and actin. 1986 , 46, 271-82	718
1013	Isolation of the bovine and human genes for Müllerian inhibiting substance and expression of the human gene in animal cells. 1986 , 45, 685-98	808
1012	The T4 gene encodes the AIDS virus receptor and is expressed in the immune system and the brain. 1986 , 47, 333-48	1829
1011	Regulation and structure of murine malic enzyme mRNA. 1986 , 478, 77-92	5
1010	Tissue-specific expression of pancreatic genes in transgenic mice. 1986 , 478, 131-46	14
1009	Modulation of mRNA Levels for Urea Cycle Enzymes in Rat Liver by Diet and Hormones. 1986 , 478, 292-294	8
1008	Biosynthesis of electroplax sodium channels. 1986 , 479, 356-63	10
1007	Reconstruction of tubulin gene regulation in cultured mammalian cells. 1986 , 466, 75-88	14
1006	Connective tissue biochemistry of neurofibromas. 1986 , 486, 271-86	17
1005	Oncogene expression in neurofibromatosis. 1986 , 486, 327-32	5
1004	Recombination between an expressed immunoglobulin heavy-chain gene and a germline variable gene segment in a Ly 1+ B-cell lymphoma. 1986 , 322, 843-6	295
1003	A cis-acting element within the 5' leader of a cytomegalovirus beta transcript determines kinetic class. 1986 , 46, 865-72	114
1002	The tumour promoter TPA enhances the transformation to the TK+ phenotype of Ia cells transfected with chimaeric plasmids without interaction with the bovine papillomavirus regulatory sequences. 1986 , 137, 27-35	
1001	Consequences of widespread deregulation of the c-myc gene in transgenic mice: multiple neoplasms and normal development. 1986 , 45, 485-95	407
1000	Regulation of cholesterol side-chain cleavage cytochrome P-450 gene expression in adrenal cells in monolayer culture. 1986 , 45, 197-204	23

999	cDNA Cloning Of Physarumpolycephalum Stage-Specific mRNAs. 1986 , 315-327		5
998	Human renin gene of renin-secreting tumor. 1986 , 49, 139-45		23
997	Detection of mRNA encoding calcitonin, calcitonin gene related peptide and proopiomelanocortin in human tumors. 1986 , 47, 125-30		42
996	Molecular structure of human lymphocyte receptor for immunoglobulin E. 1986 , 47, 657-65		343
995	Rat insulin-like growth factor II gene. A single gene with two promoters expressing a multitranscript family. 1986 , 192, 737-52		178
994	The cDNA sequence for the protein-tyrosine kinase substrate p36 (calpactin I heavy chain) reveals a multidomain protein with internal repeats. 1986 , 46, 201-12		289
993	Nerve growth factor mRNA in peripheral and central rat tissues and in the human central nervous system: lesion effects in the rat brain and levels in Alzheimer's disease. 1986 , 387, 85-92		278
992	Human type III collagen gene expression is coordinately modulated with the type I collagen genes during fibroblast growth. <i>Biochemistry</i> , 1986 , 25, 1408-13	3.2	114
991	Effects of 5-fluorouracil on globin mRNA synthesis in murine erythroleukemia cells. <i>Biochemistry</i> , 1986 , 25, 2703-7	3.2	12
990	Promoter region of interleukin-2 gene undergoes chromatin structure changes and confers inducibility on chloramphenicol acetyltransferase gene during activation of T cells. 1986 , 6, 3042-9		169
989	Bovine steroid 21-hydroxylase: regulation of biosynthesis. <i>Biochemistry</i> , 1986 , 25, 2846-53	3.2	61
988	Transcriptional switch from albumin to alpha-fetoprotein and changes in transcription of other genes during carbon tetrachloride induced liver regeneration. <i>Biochemistry</i> , 1986 , 25, 1414-20	3.2	123
987	Multiplicity of glutathione S-transferase genes in the rat and association with a type 2 Alu repetitive element. <i>Biochemistry</i> , 1986 , 25, 993-1002	3.2	57
986	Half-life of synovial cell collagenase mRNA is modulated by phorbol myristate acetate but not by all-trans-retinoic acid or dexamethasone. <i>Biochemistry</i> , 1986 , 25, 6378-84	3.2	137
985	Structure, evolution, and tissue-specific synthesis of human apolipoprotein AIV. <i>Biochemistry</i> , 1986 , 25, 3962-70	3.2	92
984	Developmental regulation of Dictyostelium discoideum actin gene fusions carried on low-copy and high-copy transformation vectors. 1986 , 6, 3973-83		220
983	Properties of an intermediate-sized androgen receptor: association with RNA. <i>Biochemistry</i> , 1986 , 25, 6988-95	3.2	20
982	Characterization of a cDNA coding for human factor XII (Hageman factor). <i>Biochemistry</i> , 1986 , 25, 1525-8	3.2	37

981	Molecular and cell biology of lipoprotein biosynthesis. 1986 , 128, 41-70		8
980	Cloning and characterization of the gene for rabbit C-reactive protein. <i>Biochemistry</i> , 1986 , 25, 7834-9	3.2	27
979	hsp108,,,,, a novel heat shock inducible protein of chicken. <i>Biochemistry</i> , 1986 , 25, 6252-8	3.2	54
978	Diversity, rearrangement, and expression of murine T cell gamma genes. 1986 , 45, 733-42		372
977	Rapid reprogramming of globin gene expression in transient heterokaryons. 1986 , 46, 591-602		214
976	Cloning and characterization of a cDNA specific for bovine retina. 1986 , 3, 300-10		1
975	Glutamine synthetase mRNA in cultured 3T3-L1 adipocytes. Complexity, content and hormonal regulation. 1986 , 47, 49-57		20
974	Differential expression of thyrotropin hormone genes by GH3 cells and the normal rat pituitary. 1986 , 47, 145-51		3
973	Homology between cellulase genes of <i>Trichoderma reesei</i> : complete nucleotide sequence of the endoglucanase I gene. 1986 , 45, 253-63		267
972	Quantitation of muscle glycogen phosphorylase mRNA and enzyme amounts in adult rat tissues. 1986 , 880, 78-90		57
971	gamma-Aminobutyric acid (GABA) uptake by <i>Xenopus</i> oocytes injected with rat brain mRNA. 1986 , 387, 97-100		17
970	Multiple independent activations of the neu oncogene by a point mutation altering the transmembrane domain of p185. 1986 , 45, 649-57		973
969	A transcriptional terminator is a novel element of the promoter of the mouse ribosomal RNA gene. 1986 , 47, 891-900		144
968	Conservation of a large protein domain in the segmentation gene paired and in functionally related genes of <i>Drosophila</i> . 1986 , 47, 1033-40		457
967	Identification of cDNA clones for the human microtubule-associated protein tau and chromosomal localization of the genes for tau and microtubule-associated protein 2. 1986 , 387, 271-80		359
966	Multiple opsin mRNA species in bovine retina. 1986 , 387, 251-60		18
965	Monkey erythropoietin gene: cloning, expression and comparison with the human erythropoietin gene. 1986 , 44, 201-9		55
964	Cloning and structural analysis of cDNAs for bcl-2 and a hybrid bcl-2/immunoglobulin transcript resulting from the t(14;18) translocation. 1986 , 47, 19-28		1071

963	Complete amino acid sequence of rat liver alcohol dehydrogenase deduced from the cDNA sequence. 1986 , 48, 287-91	48
962	Transforming potential of the v-myb oncogene from avian myeloblastosis virus: alterations in the oncogene product may reveal a new target specificity. 1986 , 68, 969-80	8
961	Regulated expression of human A gamma-, beta-, and hybrid gamma beta-globin genes in transgenic mice: manipulation of the developmental expression patterns. 1986 , 46, 89-94	272
960	Human chromosome 21-encoded cDNA clones. 1986 , 49, 361-9	45
959	Expression of the enkephalin precursor gene in C6 rat glioma cells: regulation by beta-adrenergic agonists and glucocorticoids. 1986 , 387, 75-83	77
958	Developmental potential and dynamic behavior of hematopoietic stem cells. 1986 , 45, 917-27	738
957	The structure of the termini of the Epstein-Barr virus as a marker of clonal cellular proliferation. 1986 , 47, 883-9	777
956	Co-ordinate regulation of herpes simplex virus gene expression is mediated by the functional interaction of two immediate early gene products. 1986 , 191, 395-409	97
955	c-fos expression is neither sufficient nor obligatory for differentiation of monomyelocytes to macrophages. 1986 , 45, 497-504	173
954	A non-responsive alpha-secreting thyrotropic tumor contains T3 receptors and a TSH beta gene. 1986 , 44, 279-84	9
953	Transcriptional and post-transcriptional inhibition of albumin gene expression by estrogen in <i>Xenopus</i> liver. 1986 , 44, 201-9	37
952	Human papillomavirus type-16 homologous DNA in normal human ectocervix. 1986 , 2, 157-8	56
951	Bacterio-opsin gene expression in <i>Halobacterium halobium</i> . 1986 , 7, 83-89	11
950	Segmental homology between the promoter region of the human renin gene and the mouse ren1 and ren2 promoter regions. 1986 , 41, 85-92	31
949	Androgen induction of alcohol dehydrogenase in mouse kidney. Studies with a cDNA probe confirmed by nucleotide sequence analysis. 1986 , 41, 217-24	32
948	Skin closure by Nd:YAG laser welding. 1986 , 14, 810-4	49
947	The nucleotide sequences of baboon chorionic gonadotropin beta-subunit genes have diverged from the human. 1986 , 46, 161-9	37
946	A cDNA for a human microtubule associated protein 2 epitope in the Alzheimer neurofibrillary tangle. 1986 , 387, 193-6	36

945	The early region of human papovavirus JC induces dysmyelination in transgenic mice. 1986 , 46, 13-8	147
944	A novel calmodulin-like gene from the nematode <i>Caenorhabditis elegans</i> . 1986 , 190, 281-9	31
943	Correlation between presence of lactate dehydrogenase-elevating virus RNA and antigens in motor neurons and paralysis in infected C58 mice. 1986 , 6, 195-209	21
942	Strain-specific differences in levels of the mRNA for the epinephrine synthesizing enzyme phenylethanolamine N-methyltransferase. 1986 , 387, 63-73	8
941	Isolation of a cytochrome P-450 structural gene from <i>Saccharomyces cerevisiae</i> . 1986 , 45, 237-45	95
940	In vitro translation of nitrate reductase messenger RNA from maize and tobacco and detection with an antibody directed against the enzyme of maize. 1986 , 44, 191-203	12
939	Phytochrome control of gene expression in radish seedlings. III. Evidence for a rapid control of the ribulose 1,5 biphosphate carboxylase small subunit gene expression by red light. 1986 , 44, 183-190	6
938	The effects of androgen on the transcription of specific genes in guinea pig seminal vesicle epithelium. 1986 , 46, 205-14	8
937	HTLV-III expression and production involve complex regulation at the levels of splicing and translation of viral RNA. 1986 , 46, 807-17	667
936	Molecular cloning and nucleotide sequence of human alpha 1 acid glycoprotein cDNA. 1986 , 44, 127-31	25
935	Mapping transcription start points on cloned genomic DNA with T4 DNA polymerase: a precise and convenient technique. 1986 , 42, 21-9	40
934	Protein glycosylation regulates the externalization of two distinct classes of glucocorticoid-induced glycoproteins in rat hepatoma cells. 1986 , 884, 520-30	5
933	Expression of the Epstein-Barr virus major membrane proteins in Chinese hamster ovary cells. 1986 , 44, 353-9	13
932	Developmentally regulated rearrangement and expression of genes encoding the T cell receptor-T3 complex. 1986 , 46, 75-87	177
931	Complete nucleotide sequence and mRNA-mapping of the large subunit gene of ribulose-1,5-bisphosphate carboxylase/oxygenase (Rubisco) from <i>Chlamydomonas moewusii</i> . 1986 , 50, 259-70	29
930	Chromosomal position or virus mutation permits retrovirus expression in embryonal carcinoma cells. 1986 , 47, 391-9	216
929	Muscle-specific activation of a methylated chimeric actin gene. 1986 , 46, 409-16	123
928	Identification of a novel Y branch structure as an intermediate in trypanosome mRNA processing: evidence for trans splicing. 1986 , 47, 517-25	342

927	Sex dimorphism and hormonal regulation of rat tissue kallikrein mRNA. 1986 , 867, 16-23	27
926	The RNA transcripts of <i>Drosophila melanogaster</i> src gene are differentially regulated during development. 1986 , 867, 144-151	6
925	Splicing and polyadenylation at cryptic sites in RNA transcribed from pSV2-neo. 1986 , 867, 152-62	12
924	Cloning and sequence analysis of cDNA for mouse prolactin. 1986 , 868, 30-8	10
923	Immunological identification of rat tissue kallikrein cDNA and characterization of the kallikrein gene family. 1986 , 866, 1-14	54
922	Developmental and hormonal regulation of carbamoyl-phosphate synthase gene expression in rat liver: evidence for control mechanisms at different levels in the perinatal period. 1986 , 866, 61-7	45
921	Isolation of the cDNA for human prostaglandin H synthase. 1986 , 32, 829-45	50
920	Monoclonal IgM/A hybrid antibodies: artifacts due to anti-idiotypic (T15) antibodies in commercial anti-alpha sera. 1986 , 23, 909-16	13
919	A pre-translational defect in a case of human mu heavy chain disease. 1986 , 23, 725-32	7
918	Motoneurone survival factor produced by muscle increases in parallel with messenger RNA sequences homologous to beta NGF-cDNA. 1986 , 390, 153-6	15
917	Ecdysterone and heat shock induction of transfecting and endogenous heat shock genes in cultured <i>Drosophila</i> cells. 1986 , 191, 563-7	5
916	Cell-cycle-directed regulation of thymidylate synthase messenger RNA in human diploid fibroblasts stimulated to proliferate. 1986 , 190, 559-67	120
915	Characterization of a member of the highly repeated long interspersed rat DNA family with long open reading frames. 1986 , 192, 489-502	3
914	Dosage compensation at the sgs4 locus of <i>Drosophila melanogaster</i> . 1986 , 187, 529-36	15
913	Amplification of human argininosuccinate synthetase pseudogenes. 1986 , 192, 221-33	15
912	Expression of the prokaryotic gene for chloramphenicol acetyl transferase in <i>Drosophila</i> under the control of larval serum protein 1 gene promoters. 1986 , 189, 13-24	46
911	Effect of dichloroacetic acid on rat hepatic messenger RNA activity profiles. 1986 , 35, 452-6	17
910	Bovine interstitial retinol-binding protein (IRBP)--isolation and sequence analysis of cDNA clones, characterization and in vitro translation of mRNA. 1986 , 26, 1645-53	30

909	Effect of advanced age on the induction by androgen or thyroid hormone of epidermal growth factor and epidermal growth factor mRNA in the submandibular glands of C57BL/6 male mice. 1986 , 34, 175-89	15
908	The effect of age on the induction of tyrosine aminotransferase and tryptophan oxygenase genes by physiological stress. 1986 , 34, 203-17	14
907	Genetic expression of complement factors and alpha 1-acid glycoprotein by liver tissue during senescence. 1986 , 35, 245-54	8
906	Synthesis of specific brain proteins is influenced by testosterone at mRNA level in the neonatal rat. 1986 , 370, 223-31	31
905	Pharmacological characterization of serotonin receptor induced by rat brain messenger RNA in <i>Xenopus</i> oocytes. 1986 , 362, 199-203	11
904	Differential co-expression of alpha-actin genes within the human heart. 1986 , 18, 993-6	19
903	Human IL-3 (multi-CSF): identification by expression cloning of a novel hematopoietic growth factor related to murine IL-3. 1986 , 47, 3-10	645
902	Cell-surface expression of influenza virus haemagglutinin in insect cells using a baculovirus vector. 1986 , 5, 43-59	129
901	Differential expression of genes during legume seed development. 1986 , 314, 367-384	51
900	Recombinant human granulocyte colony stimulating factor: molecular and biological characterization. 1986 , 172, 175-84	116
899	Expression of atrial natriuretic factor gene in heart ventricular tissue. 1986 , 7, 1147-52	108
898	The structure of the mouse glutathione peroxidase gene: the selenocysteine in the active site is encoded by the termination codon, TGA.. 1986 , 5, 1221-1227	465
897	Changes in plasma albumin concentration, synthesis rate, and mRNA level during acute inflammation. 1986 , 251, C928-34	34
896	Primary structure of the alpha-subunit of human Na,K-ATPase deduced from cDNA sequence. 1986 , 100, 389-97	135
895	Sequence, topography and protein coding potential of mouse int-2: a putative oncogene activated by mouse mammary tumour virus.. 1986 , 5, 919-924	163
894	Alternative processing of H-2Dd pre-mRNAs results in membrane expression of differentially phosphorylated protein products.. 1986 , 5, 2477-2483	23
893	The lysozyme enhancer: cell-specific activation of the chicken lysozyme gene by a far-upstream DNA element.. 1986 , 5, 719-724	72
892	Expression of a mutant vasopressin gene: differential polyadenylation and read-through of the mRNA 3' end in a frame-shift mutant.. 1986 , 5, 971-977	60

- 891 Phytochrome-controlled expression of a wheat Cab gene in transgenic tobacco seedlings. **1986**, 5, 1119-1124 51
- 890 Differential regulation of papilloma virus early gene expression in transformed fibroblasts and carcinoma cell lines.. **1986**, 5, 1945-1950 26
- 889 Isolation of a cDNA copy of an RNA species expressed in murine pre-B cells.. **1986**, 5, 2139-2147 44
- 888 Sequential expression of murine homeo box genes during F9 EC cell differentiation.. **1986**, 5, 2209-2215 77
- 887 An intron in a ribosomal protein gene from Tetrahymena. **1986**, 5, 2711-2717 23
- 886 The sex-determining gene tra of Drosophila: molecular cloning and transformation studies.. **1986**, 5, 3607-3613 43
- 885 Expression of rat alpha 2-macroglobulin gene during pregnancy. **1986**, 100, 989-93 25
- 884 The mouse E beta 2 gene: a class II MHC beta gene with limited intraspecies polymorphism and an unusual pattern of transcription.. **1986**, 5, 2469-2476 26
- 883 A mutational hot-spot within an intron of the mouse beta 2-microglobulin gene.. **1986**, 5, 103-111 18
- 882 Molecular cloning of bovine and chick nerve growth factor (NGF): delineation of conserved and unconserved domains and their relationship to the biological activity and antigenicity of NGF.. **1986**, 5, 1489-1493 90
- 881 Autocrine growth and progression of murine X-ray-induced T cell lymphomas.. **1986**, 5, 1775-1782 7
- 880 c-myc and c-fos expression in differentiating mouse primary keratinocytes.. **1986**, 5, 2853-2857 84
- 879 A human villin cDNA clone to investigate the differentiation of intestinal and kidney cells in vivo and in culture.. **1986**, 5, 3119-3124 63
- 878 Phenylethanolamine N-methyltransferase-containing neurons in rat retina: immunohistochemistry, immunochemistry, and molecular biology. **1986**, 6, 1108-13 45
- 877 Vasopressin mRNA regulation in individual hypothalamic nuclei: a northern and in situ hybridization analysis. **1986**, 6, 1685-94 173
- 876 Monocot and dicot pre-mRNAs are processed with different efficiencies in transgenic tobacco. **1986**, 5, 2419-2425 118
- 875 Cloning of the human cDNA for the U1 RNA-associated 70K protein.. **1986**, 5, 3209-3217 163
- 874 C-myc expression is dissociated from DNA synthesis and cell division in Xenopus oocyte and early embryonic development.. **1986**, 5, 3571-3577 40

873	Direct introduction of genes into rats and expression of the genes. 1986 , 83, 9551-5	88
872	The suffix sequence is involved in processing the 3' ends of different mRNAs in <i>Drosophila melanogaster</i> . 1986 , 5, 2341-2347	17
871	The primary structure of bovine chromogranin A: a representative of a class of acidic secretory proteins common to a variety of peptidergic cells.. 1986 , 5, 1495-1502	181
870	Construction of a porcine adrenal medullary cDNA library and nucleotide sequence analysis of two clones encoding a galanin precursor. 1986 , 83, 6287-91	150
869	Molecular characterization of mutant actin genes which induce heat-shock proteins in <i>Drosophila</i> flight muscles. 1986 , 5, 589-596	44
868	A negative transcriptional control element located upstream of the murine c-myc gene.. 1986 , 5, 899-904	89
867	Translocation of c-myc into the immunoglobulin heavy-chain locus in human acute B-cell leukemia. A molecular analysis.. 1986 , 5, 905-911	22
866	Cloning and structural characterization of a human non-erythroid band 3-like protein.. 1986 , 5, 1205-1214	112
865	Isolation of the human gene for bone gla protein utilizing mouse and rat cDNA clones.. 1986 , 5, 1885-1890	295
864	T cell receptor genes in an alloreactive CTL clone: implications for rearrangement and germline diversity of variable gene segments.. 1986 , 5, 2149-2155	49
863	Stable gene transfer and tissue-specific expression of a human globin gene using adenoviral vectors.. 1986 , 5, 2377-2385	23
862	Isolation of a murine Ly-6 cDNA reveals a new multigene family.. 1986 , 5, 3227-3234	82
861	The first exon of the c-myc proto-oncogene contains a novel positive control element.. 1986 , 5, 3553-3562	60
860	Regulation of myeloperoxidase gene expression by the tumor promoter 12-O-tetradecanoylphorbol-13-acetate in human leukemia HL-60 cells. 1986 , 100, 381-8	12
859	Isolation and characterization of the cDNAs corresponding to mRNAs abundant in undifferentiated mouse embryonal teratocarcinoma stem cells, but not in differentiated mouse parietal endoderm cells. 1986 , 100, 1185-92	5
858	A cDNA clone used to study mRNA inducible in human tonsillar lymphocytes by a tumor promoter. 1986 , 99, 885-94	110
857	Structure and expression of a cloned cDNA for human (2'-5')oligoadenylate synthetase. 1986 , 99, 1455-64	31
856	Non-Hodgkin's lymphoma after treatment of Hodgkin's disease: association with Epstein-Barr virus. 1986 , 105, 668-73	39

855	Human basic fibroblast growth factor: nucleotide sequence and genomic organization.. 1986 , 5, 2523-2528	437
854	Structure and expression of the chicken beta nerve growth factor gene.. 1986 , 5, 1483-1487	99
853	The mouse glucocorticoid receptor: mapping of functional domains by cloning, sequencing and expression of wild-type and mutant receptor proteins.. 1986 , 5, 2513-2522	267
852	Activated v-myc and v-ras oncogenes do not transform normal human lymphocytes. 1986 , 6, 3410-7	43
851	Configuration and expression of the T cell receptor beta chain gene in human T-lymphotrophic virus I-infected cells. 1986 , 163, 383-99	19
850	Isolation and characterization of expressible cDNA clones encoding the M1 and M2 subunits of mouse ribonucleotide reductase. 1986 , 6, 3433-42	150
849	Nucleotide sequence and expression of a phosphate-regulated gene encoding a secreted hemolysin of <i>Pseudomonas aeruginosa</i> . 1986 , 167, 291-8	76
848	Expression of a secreted transplantation antigen gene during murine embryogenesis. 1986 , 6, 3397-400	10
847	T cell-specific gamma genes in C57BL/10 mice. Sequence and expression of new constant and variable region genes. 1986 , 163, 1203-12	152
846	Double isotype production by a neoplastic B cell line. I. Cellular and biochemical characterization of a variant of BCL1 that expresses and secretes both IgM and IgG1. 1986 , 164, 548-61	26
845	Isolation of <i>Bacillus subtilis</i> genes transcribed in vitro and in vivo by a major sporulation-induced, DNA-dependent RNA polymerase. 1986 , 166, 472-8	20
844	Changes in the Expression of Host Genes Located in Specific Restriction Endonuclease Fragments of Wheat DNA during Rust Infection. 1986 ,	
843	A protein associated with axon growth, GAP-43, is widely distributed and developmentally regulated in rat CNS. 1986 , 6, 1843-55	410
842	Detection of a high-molecular-weight LHRH precursor by cell-free translation of mRNA from human, rat, and mouse hypothalamus. 1986 , 124, 318-35	2
841	Measurement of apolipoprotein mRNA by DNA-excess solution hybridization with single-stranded probes. 1986 , 128, 671-89	77
840	Cloning of the cDNA for rat and human apolipoprotein E mRNA. 1986 , 128, 801-11	1
839	Cloning and expression of the human apolipoprotein E gene. 1986 , 128, 811-23	2
838	The presence of extralenticular crystallins and its relationship with transdifferentiation to lens. 1986 , 20, 137-51	29

837	Cloning of mRNA sequences from the human colon: preliminary characterisation of defined mRNAs in normal and neoplastic tissues. 1986 , 54, 791-8	12
836	Analysis of multiple restriction fragment length polymorphisms of the gene for the human complement receptor type I. Duplication of genomic sequences occurs in association with a high molecular mass receptor allotype. 1986 , 164, 1531-46	38
835	Analysis of transcripts of aminoglycoside phosphotransferase II and nopaline synthase in <i>Nicotiana glauca</i> transformants mediated by recombinant Ti plasmid.. 1986 , 61, 491-501	3
834	Sequences encoding two trypsin inhibitors occur in strikingly similar genomic environments. 1986 , 233, 443-50	30
833	Regulation of concentrations of mRNA for amylase, trypsinogen I and chymotrypsinogen B in rat pancreas by secretagogues. 1986 , 235, 305-8	42
832	Tropoelastin production and tropoelastin messenger RNA activity. Relationship to copper and elastin cross-linking in chick aorta. 1986 , 237, 17-23	11
831	Neural control of gene expression in skeletal muscle. Effects of chronic stimulation on lactate dehydrogenase isoenzymes and citrate synthase. 1986 , 239, 115-20	67
830	Primary structure of human complement component C2. Homology to two unrelated protein families. 1986 , 239, 339-45	155
829	DNA sequences of human papillomavirus types 11, 16, and 18 in lesions of the uterine cervix in the west of Scotland. 1986 , 293, 93-6	25
828	Effects of dietary proteins on lipogenic enzymes in rat liver. 1986 , 116, 190-7	73
827	Structural analysis of the X-linked gene encoding human glucose 6-phosphate dehydrogenase.. 1986 , 5, 1849-1855	127
826	Trans-activation of the human immunodeficiency virus long terminal repeat sequence by DNA viruses. 1986 , 83, 9759-63	331
825	Alpha 1-antitrypsin deficiency and emphysema caused by homozygous inheritance of non-expressing alpha 1-antitrypsin genes. 1986 , 314, 762-6	78
824	Molecular cloning of partial cDNAs for rabbit liver apolipoprotein B and the regulation of its mRNA levels by dietary cholesterol. 1986 , 83, 5071-5	34
823	Characterization of cDNA coding for human factor XIIIa. 1986 , 83, 8024-8	120
822	trans activation of an Epstein-Barr viral transcriptional enhancer by the Epstein-Barr viral nuclear antigen 1. 1986 , 6, 3838-46	344
821	Rat-brain Na,K-ATPase beta-chain gene: primary structure, tissue-specific expression, and amplification in ouabain-resistant HeLa C+ cells. 1986 , 6, 3884-90	132
820	Multiple hormone-inducible enhancers as mediators of differential transcription. 1986 , 6, 4526-38	35

819	A specific DNA sequence controls termination of transcription in the gastrin gene. 1986 , 6, 1032-43	97
818	Oncogene-induced transformation of a rat embryo fibroblast cell line is enhanced by tumor promoters. 1986 , 6, 1943-50	44
817	Saccharomyces cerevisiae PHO5 promoter region: location and function of the upstream activation site. 1986 , 6, 2613-23	41
816	Multiple mechanisms are responsible for altered expression of ornithine decarboxylase in overproducing variant cells. 1986 , 6, 2865-71	74
815	Selective expression of rat pancreatic genes during embryonic development. 1986 , 83, 110-4	78
814	Glucocorticoid-mediated induction of glucocorticin: a rapid primary response common to major target tissues. 1986 , 83, 72-6	22
813	The A+T-rich genome of Herpesvirus saimiri contains a highly conserved gene for thymidylate synthase. 1986 , 83, 3604-8	59
812	T-cell receptor variable region gene usage in T-cell populations. 1986 , 83, 3987-91	48
811	Cloning and sequencing of cDNA of bovine N-acetylglucosamine (beta 1-4)galactosyltransferase. 1986 , 83, 4720-4	167
810	Trans regulation of the phosphoenolpyruvate carboxykinase (GTP) gene, identified by deletions in chromosome 7 of the mouse. 1986 , 83, 5184-8	46
809	A partial genomic DNA clone for the alpha subunit of the mouse complement receptor type 3 and cellular adhesion molecule Mac-1. 1986 , 83, 5644-8	16
808	Cloning and characterization of a cDNA encoding the rat brain glucose-transporter protein. 1986 , 83, 5784-8	520
807	Isolation and characterization of a human interleukin cDNA clone, homologous to mouse B-cell stimulatory factor 1, that expresses B-cell- and T-cell-stimulating activities. 1986 , 83, 5894-8	438
806	Down-regulation of glucocorticoid receptor mRNA by glucocorticoid hormones and recognition by the receptor of a specific binding sequence within a receptor cDNA clone. 1986 , 83, 5899-903	206
805	Alternative protein products with different carboxyl termini from a single class I gene, H-2Kb. 1986 , 83, 6084-8	31
804	Induction of c-sis gene expression and synthesis of platelet-derived growth factor in human myeloid leukemia cells during monocytic differentiation. 1986 , 83, 6455-9	52
803	Nucleic acid sequence of an internal image-bearing monoclonal anti-idiotypic and its comparison to the sequence of the external antigen. 1986 , 83, 6578-82	146
802	RNA polymerase specificity of mRNA production and enhancer action. 1986 , 83, 6677-81	36

801	Cloning and sequence analysis of cDNA encoding urotensin I precursor. 1986 , 83, 308-12	31
800	Isolation and characterization of DNA sequences amplified in multidrug-resistant hamster cells. 1986 , 83, 337-41	193
799	T-cell antigen-receptor genes in autoimmune mice. 1986 , 83, 7865-9	22
798	Cardiac myocyte hypertrophy is associated with c-myc protooncogene expression. 1986 , 83, 8348-50	218
797	Expression of insulin-like growth factor II in human placentas from normal and diabetic pregnancies. 1986 , 83, 9179-82	58
796	Elevated levels of mRNA can account for the trans-activation of human immunodeficiency virus. 1986 , 83, 9734-8	298
795	Increased mRNA for low density lipoprotein receptor in livers of rabbits treated with 17 alpha-ethinyl estradiol. 1986 , 83, 792-6	174
794	Human small-cell lung cancers show amplification and expression of the N-myc gene. 1986 , 83, 1092-6	251
793	Isolation of a cDNA clone encoding the amino-terminal region of human apolipoprotein B. 1986 , 83, 1467-71	49
792	Isolation and characterization of human glycophorin A cDNA clones by a synthetic oligonucleotide approach: nucleotide sequence and mRNA structure. 1986 , 83, 1665-9	120
791	Isolation and characterization of a mouse interleukin cDNA clone that expresses B-cell stimulatory factor 1 activities and T-cell- and mast-cell-stimulating activities. 1986 , 83, 2061-5	463
790	A DNA insertion/deletion necessitates an aberrant RNA splice accounting for a mu heavy chain disease protein. 1986 , 83, 2689-93	53
789	Two insulin-like growth factor I messenger RNAs are expressed in human liver. 1986 , 83, 77-81	227
788	Activation of gene expression is adversely affected at high multiplicities of linked simian virus 40 enhancer. 1986 , 83, 3199-203	26
787	Molecular cloning of a functional bovine interleukin 2 cDNA. 1986 , 83, 3228-32	66
786	Identification of three forms of human myelin basic protein by cDNA cloning. 1986 , 83, 4962-6	138
785	Expression of proenkephalin messenger RNA by mouse spermatogenic cells. 1986 , 83, 5015-8	72
784	Enhanced expression of epidermal growth factor receptor correlates with alterations of chromosome 7 in human pancreatic cancer. 1986 , 83, 5141-4	154

783	Complete cDNA sequence of a cytochrome P-450 inducible by glucocorticoids in human liver. 1986 , 83, 5311-5	120
782	Characterization of a cDNA encoding the heparin and collagen binding domains of human thrombospondin. 1986 , 83, 5449-53	64
781	Products of two common alleles at the locus for human placental alkaline phosphatase differ by seven amino acids. 1986 , 83, 5597-601	79
780	Inhibin A-subunit cDNAs from porcine ovary and human placenta. 1986 , 83, 5849-53	186
779	Isolation and characterization of a complementary DNA specific for human aromatase-system cytochrome P-450 mRNA. 1986 , 83, 6387-91	66
778	Expression of T3 in association with a molecule distinct from the T-cell antigen receptor heterodimer. 1986 , 83, 6998-7002	149
777	Isolation and characterization of the cDNA for murine granulocyte colony-stimulating factor. 1986 , 83, 7633-7	146
776	Human liver apolipoprotein B-100 cDNA: complete nucleic acid and derived amino acid sequence. 1986 , 83, 8142-6	158
775	Molecular cloning of mouse placental lactogen cDNA. 1986 , 83, 8496-500	88
774	Reflex splanchnic nerve stimulation increases levels of proenkephalin A mRNA and proenkephalin A-related peptides in the rat adrenal medulla. 1986 , 83, 9245-9	83
773	Isolation of a cDNA for human acid alpha-glucosidase and detection of genetic heterogeneity for mRNA in three alpha-glucosidase-deficient patients. 1986 , 83, 9641-4	100
772	Molecular cloning of human ornithine aminotransferase mRNA. 1986 , 83, 1203-7	82
771	Cloning of two genes that are specifically expressed in activated cytotoxic T lymphocytes. 1986 , 83, 1448-52	78
770	Bovine galactosyltransferase: identification of a clone by direct immunological screening of a cDNA expression library. 1986 , 83, 1573-7	174
769	Genomic and cDNA clones for maize phosphoenolpyruvate carboxylase and pyruvate,orthophosphate dikinase: Expression of different gene-family members in leaves and roots. 1986 , 83, 2884-8	76
768	A temperature-dependent pBR322 copy number mutant resulting from a Tn5 position effect. 1986 , 83, 7381-5	22
767	Chromosomal localization of the human apolipoprotein B gene and detection of homologous RNA in monkey intestine. 1986 , 83, 419-22	29
766	Contrasting levels of transferrin gene activity in cultured rat Sertoli cells and intact seminiferous tubules. 1986 , 83, 8177-81	17

765	Biogenesis of the platelet receptor for fibrinogen: evidence for separate precursors for glycoproteins IIb and IIIa. 1986 , 83, 1480-4	92
764	The complete sequence of the mouse skeletal alpha-actin gene reveals several conserved and inverted repeat sequences outside of the protein-coding region. 1986 , 6, 15-25	103
763	Characterization of two nonallelic pairs of late histone H2A and H2B genes of the sea urchin: differential regulation in the embryo and tissue-specific expression in the adult. 1986 , 6, 3746-54	39
762	Characterization of myelin proteolipid mRNAs in normal and jimpy mice. 1986 , 6, 3755-62	87
761	Chromosome-mediated gene transfer of multidrug resistance. 1986 , 6, 3785-90	37
760	Structure, expression, and chromosomal location of the human c-fgr gene. 1986 , 6, 511-7	83
759	Tissue-specific expression of the mouse dioxin-inducible P(1)450 and P(3)450 genes: differential transcriptional activation and mRNA stability in liver and extrahepatic tissues. 1986 , 6, 1471-7	178
758	Anemia induces accumulation of erythropoietin mRNA in the kidney and liver. 1986 , 6, 2731-3	193
757	Murine myb protooncogene mRNA: cDNA sequence and evidence for 5' heterogeneity. 1986 , 83, 3204-8	121
756	Genetic alteration of the c-myc protooncogene (MYC) in human primary breast carcinomas. 1986 , 83, 4834-8	343
755	Three distinct signals can induce class II gene expression in a murine pre-B-cell line. 1986 , 83, 4878-82	42
754	Early regions of JC virus and BK virus induce distinct and tissue-specific tumors in transgenic mice. 1986 , 83, 8288-92	131
753	Regulation of insulin-like growth factor I gene expression by growth hormone. 1986 , 83, 9343-7	454
752	Development and regional expression of beta nerve growth factor messenger RNA and protein in the rat central nervous system. 1986 , 83, 817-21	429
751	Frequent lambda light chain gene rearrangement and expression in a Ly-1 B lymphoma with a productive kappa chain allele. 1986 , 83, 1438-42	77
750	Heat shock locus 93D of <i>Drosophila melanogaster</i> : a spliced RNA most strongly conserved in the intron sequence. 1986 , 83, 1812-6	47
749	Cell-type-specific synthesis of murine immunoglobulin mu RNA from an adenovirus vector. 1986 , 6, 123-33	32
748	Multiple C4/Slp genes distinguished by expression after transfection. 1986 , 6, 134-41	14

747	Mouse apolipoprotein A-IV gene: nucleotide sequence and induction by a high-lipid diet. 1986 , 6, 3807-14	47
746	Deregulation of the c-myc oncogene in virus-induced thymic lymphomas of AKR/J mice. 1986 , 6, 4088-92	38
745	Expression of the c-myc proto-oncogene during development of <i>Xenopus laevis</i> . 1986 , 6, 4499-508	84
744	Transcriptional control of the mouse alpha 2(I) collagen gene: functional deletion analysis of the promoter and evidence for cell-specific expression. 1986 , 6, 347-54	102
743	Activation of the human beta-interferon gene requires an interferon-inducible factor. 1986 , 6, 801-10	246
742	Adenovirus E1A coding sequences that enable ras and pmt oncogenes to transform cultured primary cells. 1986 , 6, 887-99	174
741	Estrogen regulation of the avian transferrin gene in transgenic mice. 1986 , 6, 1010-4	22
740	Regulated expression of a murine class I gene in transgenic mice. 1986 , 6, 1339-42	63
739	Simultaneous expression of salivary and pancreatic amylase genes in cultured mouse hepatoma cells. 1986 , 6, 969-75	19
738	P transposons controlled by the heat shock promoter. 1986 , 6, 1640-9	105
737	Tumor necrosis factor type alpha stimulates human endothelial cells to produce granulocyte/macrophage colony-stimulating factor. 1986 , 83, 7467-71	243
736	Transcriptional activation encoded by the v-fos gene. 1986 , 83, 3213-7	144
735	Complete cDNA sequence of human preceruloplasmin. 1986 , 83, 5086-90	119
734	Rat cellular retinol-binding protein II: use of a cloned cDNA to define its primary structure, tissue-specific expression, and developmental regulation. 1986 , 83, 5779-83	138
733	Pks, a raf-related sequence in humans. 1986 , 83, 6312-6	29
732	Cloning and DNA sequence analysis of the cDNA for the precursor of the beta chain of bovine follicle stimulating hormone. 1986 , 83, 6618-21	45
731	Recombinant murine retroviruses containing avian v-myc induce a wide spectrum of neoplasms in newborn mice. 1986 , 83, 6868-72	30
730	Messenger RNA coding for only the alpha subunit of the rat brain Na channel is sufficient for expression of functional channels in <i>Xenopus</i> oocytes. 1986 , 83, 7503-7	181

729	Epidermal growth factor-nonresponsive 3T3 variants do not contain epidermal growth factor receptor-related antigens or mRNA. 1986 , 83, 333-6		34
728	Coding sequence of the precursor of the beta subunit of rat propionyl-CoA carboxylase. 1986 , 83, 8049-53		49
727	A single gene in mast cells encodes the core peptides of heparin and chondroitin sulfate proteoglycans. 1986 , 83, 9207-10		80
726	The human prothymosin alpha gene is polymorphic and induced upon growth stimulation: evidence using a cloned cDNA. 1986 , 83, 9403-7		173
725	Murine T-cell receptor mutants with deletions of beta-chain variable region genes. 1986 , 83, 767-71		271
724	Developmental regulation of a gene that encodes a cysteine-rich intestinal protein and maps near the murine immunoglobulin heavy chain locus. 1986 , 83, 2516-20		86
723	Myeloma mutant with a novel 3' flanking region: loss of normal sequence and insertion of repetitive elements leads to decreased transcription but normal processing of the alpha heavy-chain gene products. 1986 , 6, 1903-16		56
722	Partial amino acid sequence of human thrombospondin as determined by analysis of cDNA clones: homology to malarial circumsporozoite proteins. <i>Biochemistry</i> , 1986 , 25, 8418-25	3.2	53
721	Cloning and sequence analysis of cDNA species coding for the two subunits of inhibin from bovine follicular fluid. 1986 , 83, 3091-5		219
720	Human inhibitor of the first component of complement, C1: characterization of cDNA clones and localization of the gene to chromosome 11. 1986 , 83, 3161-5		87
719	Formal proof that different-size Lyt-2 polypeptides arise from differential splicing and post-transcriptional regulation. 1986 , 83, 3422-6		39
718	Mapping of brain areas expressing RNA homologous to two different acetylcholine receptor alpha-subunit cDNAs. 1986 , 83, 4076-80		94
717	Change in antigen specificity of cytotoxic T lymphocytes is associated with the rearrangement and expression of a T-cell receptor beta-chain gene. 1986 , 83, 4441-5		14
716	Amino acid sequence of mammalian elongation factor 2 deduced from the cDNA sequence: homology with GTP-binding proteins. 1986 , 83, 4978-82		142
715	Detection of proopiomelanocortin mRNA by in situ hybridization with an oligonucleotide probe. 1986 , 83, 5419-23		71
714	Secretion and processing of insulin precursors in yeast. 1986 , 83, 6766-70		193
713	Nucleotide sequence of rat preputial gland beta-glucuronidase cDNA and in vitro insertion of its encoded polypeptide into microsomal membranes. 1986 , 83, 7292-6		61
712	Localization of a lymphocyte-specific protein tyrosine kinase gene (lck) at a site of frequent chromosomal abnormalities in human lymphomas. 1986 , 83, 7400-4		82

711	The 28-kDa vitamin D-dependent calcium-binding protein has a six-domain structure. 1986 , 83, 7578-82	91
710	RNA polymerase II transcription terminates at a specific DNA sequence in a HeLa cell-free reaction. 1986 , 83, 7623-7	44
709	Structure and replication of the genome of the hepatitis delta virus. 1986 , 83, 8774-8	281
708	Developmental regulation of glutamine synthetase and carbonic anhydrase II in neural retina. 1986 , 83, 9060-4	69
707	Molecular cloning of protein 4.1, a major structural element of the human erythrocyte membrane skeleton. 1986 , 83, 9512-6	163
706	Developmental and tissue-specific expression directed by the alpha 2 type I collagen promoter in transgenic mice. 1986 , 83, 725-9	71
705	Transcription regulation of peroxisomal fatty acyl-CoA oxidase and enoyl-CoA hydratase/3-hydroxyacyl-CoA dehydrogenase in rat liver by peroxisome proliferators. 1986 , 83, 1747-51	293
704	Proenkephalin mRNA in rat heart. 1986 , 83, 1960-3	115
703	Transforming activity of human papillomavirus type 16 DNA sequence in a cervical cancer. 1986 , 83, 2200-3	100
702	Structure and sequence of the human c-sis/platelet-derived growth factor 2 (SIS/PDGF2) transcriptional unit. 1986 , 83, 2392-6	106
701	Cellular promoters incorporated into the adenovirus genome: cell specificity of albumin and immunoglobulin expression. 1986 , 6, 3791-7	80
700	Sequence and expression of the chicken beta 5- and beta 4-tubulin genes define a pair of divergent beta-tubulins with complementary patterns of expression. 1986 , 6, 4409-18	65
699	A distinct glucocorticoid hormone response regulates phosphoprotein maturation in rat hepatoma cells. 1986 , 6, 574-85	29
698	Cell-specific expression of the human parathyroid hormone gene in rat pituitary cells. 1986 , 6, 1830-3	30
697	Phorbol ester induces c-sis gene transcription in stem cell line K-562. 1986 , 6, 1847-50	104
696	Expression of the erythropoietin gene. 1986 , 6, 2571-5	148
695	Beta-adrenergic stimulation of c-fos gene expression in the mouse submandibular gland. 1986 , 6, 2984-9	67
694	Molecular analysis of a deletion mutant provirus of type I human T-cell lymphotropic virus: evidence for a doubly spliced x-lor mRNA. 1986 , 83, 38-42	21

693	Regulation of rat insulin 1 gene expression: evidence for negative regulation in nonpancreatic cells. 1986 , 83, 3180-4	189
692	Link protein cDNA sequence reveals a tandemly repeated protein structure. 1986 , 83, 3761-5	69
691	Sequential expression of protooncogenes during lectin-stimulated mitogenesis of normal human lymphocytes. 1986 , 83, 3982-6	301
690	Cloning of cDNA for the contact site A glycoprotein of Dictyostelium discoideum. 1986 , 83, 4248-52	35
689	Oocyte-specific gene expression: molecular characterization of a cDNA coding for ZP-3, the sperm receptor of the mouse zona pellucida. 1986 , 83, 4341-5	84
688	Expression of cellular oncogenes in primary cells from human acute leukemias. 1986 , 83, 4394-8	54
687	Nerve growth factor rapidly induces c-fos mRNA in PC12 rat pheochromocytoma cells. 1986 , 83, 4789-93	190
686	Nucleotide sequences of mRNAs encoding Epstein-Barr virus nuclear proteins: a probable transcriptional initiation site. 1986 , 83, 5096-100	196
685	Isolation of a cDNA clone encoding the leader peptide of prion protein and expression of the homologous gene in various tissues. 1986 , 83, 6377-81	111
684	Trans-activation of a methylated adenovirus promoter by a frog virus 3 protein. 1986 , 83, 7688-92	24
683	Tissue-specific expression and developmental regulation of the rat apolipoprotein B gene. 1986 , 83, 8102-6	131
682	Mevinolin, an inhibitor of cholesterol synthesis, induces mRNA for low density lipoprotein receptor in livers of hamsters and rabbits. 1986 , 83, 8370-4	280
681	Dinoflagellate 17S rRNA sequence inferred from the gene sequence: Evolutionary implications. 1986 , 83, 8644-8	89
680	Molecular cloning of cDNA for human prothymosin alpha. 1986 , 83, 8926-8	97
679	Negative regulation of the major histocompatibility class I gene in undifferentiated embryonal carcinoma cells. 1986 , 83, 9537-41	118
678	Mutational analysis of the immunoglobulin heavy chain promoter region. 1986 , 83, 9626-30	98
677	Heat shock causes destabilization of specific mRNAs and destruction of endoplasmic reticulum in barley aleurone cells. 1986 , 83, 1354-8	107
676	Isolation and characterization of Caenorhabditis elegans DNA sequences homologous to the v-abl oncogene. 1986 , 83, 2172-6	49

675	Developmental regulation of two genes encoding ribulose-bisphosphate carboxylase small subunit in pea and transgenic petunia plants: Phytochrome response and blue-light induction. 1986 , 83, 2358-62	181
674	Pancreatic expression of human insulin gene in transgenic mice. 1986 , 83, 2511-5	72
673	Nonmuscle and muscle tropomyosin isoforms are expressed from a single gene by alternative RNA splicing and polyadenylation. 1986 , 6, 3582-95	195
672	Transcriptional control signals of a herpes simplex virus type 1 late (gamma 2) gene lie within bases -34 to +124 relative to the 5' terminus of the mRNA. 1986 , 6, 3652-66	116
671	Multidrug resistance of DNA-mediated transformants is linked to transfer of the human <i>mdr1</i> gene. 1986 , 6, 4039-45	154
670	Multidrug-resistant phenotype cosegregates with an amplified gene in somatic cell hybrids of drug-resistant Chinese hamster ovary cells and drug-sensitive murine cells. 1986 , 6, 4268-73	8
669	Modulation of novel-length DOPA decarboxylase transcripts by 20-OH-ecdysone in a <i>Drosophila melanogaster</i> Kc cell subline. 1986 , 6, 4433-9	5
668	Transcriptional control of the mouse prealbumin (transthyretin) gene: both promoter sequences and a distinct enhancer are cell specific. 1986 , 6, 4697-708	155
667	Transcriptional regulation of the human cytomegalovirus major immediate-early gene is associated with induction of DNase I-hypersensitive sites. 1986 , 6, 452-61	94
666	The adenovirus E1B-55K transforming polypeptide modulates transport or cytoplasmic stabilization of viral and host cell mRNAs. 1986 , 6, 470-6	274
665	Molecular cloning of cDNA for rat argininosuccinate lyase and its expression in rat hepatoma cell lines. 1986 , 6, 1722-8	24
664	The <i>Drosophila melanogaster</i> actin 5C gene uses two transcription initiation sites and three polyadenylation sites to express multiple mRNA species. 1986 , 6, 2080-8	102
663	Amplification of DNA sequences coding for the Na,K-ATPase alpha-subunit in ouabain-resistant C+ cells. 1986 , 6, 2476-81	32
662	Downstream sequences affect transcription initiation from the adenovirus major late promoter. 1986 , 6, 2684-94	96
661	Expression of multiple proliferin genes in mouse cells. 1986 , 6, 3283-6	36
660	Post-transcriptional control of 26 k casein genes during lactogenesis in mouse mammary glands. 1986 , 99, 1639-43	6
659	Isolation and expression in <i>Escherichia coli</i> of a cDNA clone encoding porcine pancreatic elastase. 1986 , 99, 1707-12	17
658	Isolation of human glucose-6-phosphate dehydrogenase (G6PD) cDNA clones: primary structure of the protein and unusual 5' non-coding region. 1986 , 14, 2511-22	213

657	Nitrogen-Regulated Accumulation of mRNA and Protein for Photosynthetic Carbon Assimilating Enzymes in Maize. 1986,	1
656	Structure of the carboxyl-terminal half of human alpha 2-plasmin inhibitor deduced from that of cDNA. 1986, 100, 1399-402	24
655	Establishment of an assay system for the detection of translated materials of T-cell-replacing factor mRNA in <i>Xenopus</i> oocytes. 1986, 30, 789-98	2
654	Thyrotropin-releasing hormone precursor: characterization in rat brain. 1986, 231, 159-61	326
653	Immortalization of human T lymphocytes after transfection of Epstein-Barr virus DNA. 1986, 233, 980-4	52
652	Molecular characterization of antigens of lymphatic filarial parasites. 1986, 92 Suppl, S15-38	34
651	Isolation and characterization of milk protein nuclear RNAs in rat mammary gland. 1986, 153, 211-20	2
650	Recovery of biologically functional messenger RNA from agarose gels by passive elution. 1986, 156, 508-14	2
649	Northern hybridization analysis of RNA using diethylpyrocarbonate-treated nonfat milk. 1986, 159, 82-7	48
648	Increased proto-oncogene expression in peripheral blood lymphocytes from patients with systemic lupus erythematosus and other autoimmune diseases. 1986, 29, 755-60	50
647	Deficient gamma-interferon production in patients with systemic lupus erythematosus. 1986, 29, 1210-5	59
646	Characterization of rabbit genes for synovial cell collagenase. 1986, 29, 1301-15	7
645	Regulated expression of the c-myb and c-myc oncogenes during erythroid differentiation. 1986, 32, 11-21	60
644	Posttranscriptional regulation of ornithine decarboxylase activity. 1986, 126, 371-8	58
643	Necessity of transferrin for RNA synthesis in chick myotubes. 1986, 127, 349-56	23
642	Regulation of the expression of the SV40 T-antigen coding gene under the control of an rDNA promoter. 1986, 127, 357-65	9
641	Control of type IV collagen production in rat mammary epithelial and myoepithelial-like cells. 1986, 128, 76-84	15
640	Sensitivity of preadipose 3T3 cells to growth hormone. 1986, 128, 293-8	15

639	MC3T3-G2/PA6 preadipocytes support in vitro proliferation of hemopoietic stem cells through a mechanism different from that of interleukin 3. 1986 , 129, 20-6	43
638	Glucocorticoid agonists as well as antagonists are effective inducers of mouse mammary tumor virus RNA in mouse mammary tumor cells treated with inhibitors of ADP-ribosylation. 1986 , 129, 36-42	13
637	Thermic effects on the expression of human lymphocyte genes. 1986 , 4, 35-40	8
636	Hepatic alpha 1-antitrypsin mRNA content in cirrhosis with normal and abnormal protease inhibitor phenotypes. 1986 , 6, 1252-8	7
635	Inability of autoimmune mice with the lpr gene to spontaneously produce interleukin 3. 1986 , 16, 464-7	8
634	Recognition of exon-shuffled class II molecules by T helper cells. 1986 , 16, 671-8	5
633	Immunoglobulin heavy chain gene rearrangements in X-linked agammaglobulinemia. 1986 , 16, 963-7	51
632	Modulation of c-fos and c-myc mRNA levels in normal human lymphocytes by calcium ionophore A23187 and phorbol ester. 1986 , 16, 1217-21	37
631	Leukemic cells arise from cloned cytotoxic lymphocytes during cell culture. 1986 , 16, 1269-76	5
630	Activation of lymphokine genes during stimulation of cloned T cells. 1986 , 16, 1533-8	19
629	Sequence homology between tyrosine hydroxylase mRNA and a rat adrenal medullary cDNA. 1986 , 16, 3-12	7
628	Isolation and sequence of cDNA clones coding for the precursor to the gamma subunit of mouse muscle nicotinic acetylcholine receptor. 1986 , 16, 37-49	59
627	Changes in the dynamic state of brain proenkephalin-derived peptides during amygdaloid kindling. 1986 , 16, 75-87	55
626	A biomolecular approach to the study of the expression of specific genes in the retina. 1986 , 16, 157-65	10
625	An efficient approach for the selective isolation of specific transcripts from complex brain mRNA populations. 1986 , 16, 167-81	36
624	Isolation and characterization of a cDNA coding for a novel human 17.3K myelin basic protein (MBP) variant. 1986 , 16, 227-38	52
623	Extensive postmortem stability of RNA from rat and human brain. 1986 , 16, 267-80	192
622	Regional distribution of messenger RNAs in postmortem human brain. 1986 , 16, 311-24	36

621	Carbamyl phosphate synthetase I deficiency with no detectable mRNA activity. 1986 , 145, 406-8		3
620	DNA sequence evidence for polymorphic forms of human serum amyloid A (SAA). 1986 , 24, 795-803		58
619	In vitro translation of rat liver and Novikoff hepatoma cytokeratin mRNAs. <i>Molecular and Cellular Biochemistry</i> , 1986 , 70, 77-88	4.2	5
618	Isolation of transcribed DNA sequences from chromosome 21 using mouse fetal cDNA. 1986 , 74, 137-42		9
617	The two genes for the small subunit of RuBP Carboxylase/oxygenase are closely linked in <i>Chlamydomonas reinhardtii</i> . 1986 , 6, 13-21		59
616	Correlation between an HLA-DQ alpha length polymorphism of messenger RNA and serologically defined specificities (DQw1, DRw53, DR3+5). <i>Immunogenetics</i> , 1986 , 23, 111-4	3.2	14
615	Purification and properties of an endospermic protein of maize associated with the Opaque-2 and Opaque-6 genes. 1986 , 167, 587-94		28
614	Postsynaptic alpha-neurotoxin gene of the spitting cobra, <i>Naja naja sputatrix</i> : structure, organization, and phylogenetic analysis. <i>Genome Research</i> , 1999 , 9, 259-66	9.7	12
613	Stress-induced, tissue-specific enrichment of hsp70 mRNA accumulation in <i>Xenopus laevis</i> embryos. 2000 , 5, 36-44		9
612	Complete cDNA sequence of rat atrial myosin light chain 1: patterns of expression during development and with hypertension. 1990 , 18, 1581-6		11
611	Characterization of unr; a gene closely linked to N-ras. 1990 , 18, 4891-9		38
610	Ca(2+)-induced Ca2+ release in myocytes from dyspedic mice lacking the type-1 ryanodine receptor. 1995 , 14, 2999-3006		42
609	Mice deficient for the lysosomal proteinase cathepsin D exhibit progressive atrophy of the intestinal mucosa and profound destruction of lymphoid cells. 1995 , 14, 3599-608		124
608	The meiosis-specific Xmr gene product is homologous to the lymphocyte Xlr protein and is a component of the XY body. 1994 , 13, 100-9		22
607	Paroxysmal nocturnal haemoglobinuria (PNH) is caused by somatic mutations in the PIG-A gene. 1994 , 13, 110-7		76
606	Alternative promoter usage of the Fos-responsive gene Fit-1 generates mRNA isoforms coding for either secreted or membrane-bound proteins related to the IL-1 receptor. 1994 , 13, 1176-88		94
605	Stch encodes the 'ATPase core' of a microsomal stress 70 protein. 1994 , 13, 1216-25		20
604	Expression of LIF in transgenic mice results in altered thymic epithelium and apparent interconversion of thymic and lymph node morphologies. 1994 , 13, 1375-85		21

603	VIP36, a novel component of glycolipid rafts and exocytic carrier vesicles in epithelial cells. 1994 , 13, 1729-40	48
602	Cloning and characterization of seven human forkhead proteins: binding site specificity and DNA bending. 1994 , 13, 5002-12	145
601	Chicken oocyte growth is mediated by an eight ligand binding repeat member of the LDL receptor family. 1994 , 13, 5165-75	41
600	HIV-1 Tat potentiates TNF-induced NF-kappa B activation and cytotoxicity by altering the cellular redox state. 1995 , 14, 546-54	106
599	Targeting gene expression to haemopoietic stem cells: a chromatin-dependent upstream element mediates cell type-specific expression of the stem cell antigen CD34. 1995 , 14, 564-74	12
598	Amino acid sequence of mouse nidogen, a multidomain basement membrane protein with binding activity for laminin, collagen IV and cells. 1989 , 8, 65-72	50
597	Cloning and sequencing of a calcium-binding protein regulated by cyclic AMP in the thyroid. 1989 , 8, 111-6	14
596	Rapid induction of transcription of unrearranged S gamma 1 switch regions in activated murine B cells by interleukin 4. 1989 , 8, 483-8	41
595	Molecular characterization of a new immunoglobulin superfamily protein with potential roles in opioid binding and cell contact. 1989 , 8, 489-95	24
594	T cell tolerance to Mlsa encoded antigens in T cell receptor V beta 8.1 chain transgenic mice. 1989 , 8, 719-27	56
593	The product of a novel growth factor activated gene, fos B, interacts with JUN proteins enhancing their DNA binding activity. 1989 , 8, 805-13	186
592	cDNA sequence of the rat U snRNP-associated protein N: description of a potential Sm epitope. 1989 , 8, 1177-81	19
591	Characterization of junD: a new member of the jun proto-oncogene family. 1989 , 8, 1433-9	144
590	Isolation of dynein heavy chain cDNAs from trout testis which predict an extensive carboxyl-terminal alpha-helical coiled-coil domain. 1989 , 8, 1727-34	3
589	Peyer's patch-specific lymphocyte homing receptors consist of a VLA-4-like alpha chain associated with either of two integrin beta chains, one of which is novel. 1989 , 8, 1735-41	59
588	Transient induction of IL-2 receptor in cultured T cell lines by HTLV-1 LTR-linked tax-1 gene. 1989 , 8, 1953-8	9
587	Molecular characterization of a gene of the 'EGF family' expressed in undifferentiated human NTERA2 teratocarcinoma cells. 1989 , 8, 1987-91	63
586	Interactions of alpha- and gamma-interferon in the transcriptional regulation of the gene encoding a guanylate-binding protein. 1989 , 8, 2009-14	78

585	Leucine zipper structure of the protein CRE-BP1 binding to the cyclic AMP response element in brain. 1989 , 8, 2023-8	152
584	vav, a novel human oncogene derived from a locus ubiquitously expressed in hematopoietic cells. 1989 , 8, 2283-90	171
583	Identification of multiple HTF-island associated genes in the human major histocompatibility complex class III region. 1989 , 8, 2305-12	76
582	cDNA clones of the auxin-binding protein from corn coleoptiles (<i>Zea mays</i> L.): isolation and characterization by immunological methods. 1989 , 8, 2463-7	34
581	Molecular cloning and expression of the functional gene encoding the M2 subunit of mouse ribonucleotide reductase: a new dominant marker gene. 1989 , 8, 2475-9	11
580	Novel metabolism of several beta zero-thalassemic beta-globin mRNAs in the erythroid tissues of transgenic mice. 1989 , 8, 2613-9	32
579	Demonstration of an endocrine signaling circuit for insulin in the sponge <i>Geodia cydonium</i> . 1989 , 8, 2905-9	7
578	Proenkephalin A is expressed in mesodermal lineages during organogenesis. 1989 , 8, 2917-23	17
577	Transcriptional enhancement by upstream activators is brought about by different molecular mechanisms for class I and II RNA polymerase genes. 1989 , 8, 3011-7	4
576	Cell cycle-specific action of nerve growth factor in PC12 cells: differentiation without proliferation. 1989 , 8, 3319-25	54
575	Structure, mapping and expression of a growth factor inducible gene encoding a putative nuclear hormonal binding receptor. 1989 , 8, 3327-35	67
574	Tissue-specific and hormonal regulation of angiotensinogen minigenes in transgenic mice. 1989 , 8, 3337-43	7
573	Expression of the DBA/2J Ren-2 gene in the adrenal gland of transgenic mice. 1989 , 8, 4065-72	9
572	Multiple zones in the sequence of calreticulin (CRP55, calregulin, HACBP), a major calcium binding ER/SR protein. 1989 , 8, 3581-6	68
571	Alpha-actinin synthesis can be modulated by antisense probes and is autoregulated in non-muscle cells. 1989 , 8, 3587-93	5
570	Differential regulation of three sodium channel messenger RNAs in the rat central nervous system during development. 1989 , 8, 3611-6	107
569	Human IgG Fc receptor (hFcRII; CD32) exists as multiple isoforms in macrophages, lymphocytes and IgG-transporting placental epithelium. 1989 , 8, 3657-66	41
568	EGF induces differentiation of an IL-3-dependent cell line expressing the EGF receptor. 1989 , 8, 3677-84	10

567	Post-transcriptional control of negative acute phase genes by transforming growth factor beta. 1989 , 8, 3767-71	15
566	A human homologue of the yeast GST1 gene codes for a GTP-binding protein and is expressed in a proliferation-dependent manner in mammalian cells. 1989 , 8, 3807-14	50
565	Characterization of a guanine nucleotide dissociation stimulator for a ras-related GTPase. 1993 , 12, 339-47	44
564	Fusion between a novel Krüppel-like zinc finger gene and the retinoic acid receptor-alpha locus due to a variant t(11;17) translocation associated with acute promyelocytic leukaemia. 1993 , 12, 1161-7	162
563	Clustered organization of homologous KRAB zinc-finger genes with enhanced expression in human T lymphoid cells. 1993 , 12, 1363-74	41
562	A novel gene product associated with mu chains in immature B cells. 1993 , 12, 1827-34	7
561	Murine c-mpl: a member of the hematopoietic growth factor receptor superfamily that transduces a proliferative signal. 1993 , 12, 2645-53	28
560	Kettin, a large modular protein in the Z-disc of insect muscles. 1993 , 12, 2863-71	37
559	Synthesis of staphylococcal virulence factors is controlled by a regulatory RNA molecule. 1993 , 12, 3967-75	449
558	Editing of the chloroplast rpoB transcript is independent of chloroplast translation and shows different patterns in barley and maize. 1993 , 12, 4291-6	36
557	Mutations in the conserved loop of human U5 snRNA generate use of novel cryptic 5' splice sites in vivo. 1993 , 12, 5181-9	39
556	Targeted disruption of the mouse cation-dependent mannose 6-phosphate receptor results in partial missorting of multiple lysosomal enzymes. 1993 , 12, 5225-35	21
555	DNA repair domains within a human gene: selective repair of sequences near the transcription initiation site. 1996 , 15, 675-83	37
554	Low level expression of glycine receptor beta subunit transgene is sufficient for phenotype correction in spastic mice. 1996 , 15, 1275-82	15
553	Translational regulation of human p53 gene expression. 1996 , 15, 4392-401	44
552	Aspartylglucosaminuria: cDNA encoding human aspartylglucosaminidase and the missense mutation causing the disease. 1991 , 10, 51-8	32
551	Multiple isoforms of the mouse retinoic acid receptor alpha are generated by alternative splicing and differential induction by retinoic acid. 1991 , 10, 59-69	110
550	Regulated expression and structure of T cell receptor gamma/delta transcripts in human thymic ontogeny. 1991 , 10, 83-91	28

549	TNF induces c-fos via a novel pathway requiring conversion of arachidonic acid to a lipoxygenase metabolite. 1991 , 10, 109-15	27
548	Novel downstream elements upregulate transcription initiated from an Epstein-Barr virus latent promoter. 1991 , 10, 143-51	11
547	A role of the latent TGF-beta 1-binding protein in the assembly and secretion of TGF-beta 1. 1991 , 10, 1091-101	146
546	Pax-3, a novel murine DNA binding protein expressed during early neurogenesis. 1991 , 10, 1135-47	211
545	The orphan receptor cDNA RDC7 encodes an A1 adenosine receptor. 1991 , 10, 1677-82	45
544	An indicator gene for detection of germline retrotransposition in transgenic <i>Drosophila</i> demonstrates RNA-mediated transposition of the LINE I element. 1991 , 10, 1927-37	54
543	Axonal transport of neuropeptide encoding mRNAs within the hypothalamo-hypophyseal tract of rats. 1991 , 10, 2419-24	51
542	The ontogeny of diversification at the immunoglobulin heavy chain locus in <i>Xenopus</i> . 1991 , 10, 2461-70	11
541	Characterization of the mouse junD promoter--high basal level activity due to an octamer motif. 1991 , 10, 2523-32	9
540	The ltk gene encodes a novel receptor-type protein tyrosine kinase. 1991 , 10, 2911-9	6
539	Different mechanisms regulate muscle-specific AChR gamma- and epsilon-subunit gene expression. 1991 , 10, 2957-64	22
538	Anatomy of the parp gene promoter of <i>Trypanosoma brucei</i> . 1991 , 10, 3379-86	45
537	The CCAAT/enhancer binding protein and its role in adipocyte differentiation: evidence for direct involvement in terminal adipocyte development. 1991 , 10, 3787-93	50
536	A component of the multisynthetase complex is a multifunctional aminoacyl-tRNA synthetase. 1991 , 10, 4267-77	34
535	Primary structure of the human, membrane-associated Ca ²⁺ -binding protein p68 a novel member of a protein family. 1988 , 7, 21-7	29
534	A gene encoding a protein with zinc fingers is activated during G0/G1 transition in cultured cells. 1988 , 7, 29-35	154
533	Gene organization and transcription of duplicated MBP genes of myelin deficient (shi(mld)) mutant mouse. 1988 , 7, 77-83	11
532	Proliferation of both somatic and germ cells is affected in the <i>Drosophila</i> mutants of raf proto-oncogene. 1988 , 7, 775-81	39

531	Structure of U2 snRNA genes of <i>Arabidopsis thaliana</i> and their expression in electroporated plant protoplasts. 1988 , 7, 791-9	53
530	A survey of the alpha-tubulin gene family in chicken: unexpected sequence heterogeneity in the polypeptides encoded by five expressed genes. 1988 , 7, 931-40	8
529	Primary structure of c-kit: relationship with the CSF-1/PDGF receptor kinase family--oncogenic activation of v-kit involves deletion of extracellular domain and C terminus. 1988 , 7, 1003-11	167
528	Multiple RNAs expressed from the int-2 gene in mouse embryonal carcinoma cell lines encode a protein with homology to fibroblast growth factors. 1988 , 7, 1013-22	40
527	Two distinct genetic loci regulating class II gene expression are defective in human mutant and patient cell lines. 1988 , 7, 1965-72	29
526	Complete structure and organization of immunoglobulin heavy chain constant region genes in a phylogenetically primitive vertebrate. 1988 , 7, 1979-88	37
525	Transcription of unrearranged antigen receptor genes in scid mice. 1988 , 7, 2019-24	8
524	A progesterone responsive element maps to the far upstream steroid dependent DNase hypersensitive site of chicken lysozyme chromatin. 1988 , 7, 2063-73	18
523	Tenascin: cDNA cloning and induction by TGF-beta. 1988 , 7, 2977-82	88
522	Villin expression in the visceral endoderm and in the gut anlage during early mouse embryogenesis. 1988 , 7, 3321-9	22
521	A novel oncogene related to c-mil is transduced in chicken neuroretina cells induced to proliferate by infection with an avian lymphomatosis virus. 1988 , 7, 3369-73	16
520	Synergistic action of the glucocorticoid receptor with transcription factors. 1988 , 7, 3389-95	127
519	Recombination within the upstream gene of duplicated myelin basic protein genes of myelin deficient shimld mouse results in the production of antisense RNA. 1988 , 7, 3407-12	8
518	Cytolytic T cells recognize a chimeric MHC class I antigen expressed in influenza A infected transgenic mice. 1988 , 7, 3423-31	6
517	Searching for coding sequences in the mammalian genome: the H-2K region of the mouse MHC is replete with genes expressed in embryos. 1988 , 7, 3441-9	44
516	Germline antibody V regions as determinants of clonal persistence and malignant growth in the B cell compartment. 1988 , 7, 3693-703	40
515	Male sterility of transgenic mice carrying exogenous mouse interferon-beta gene under the control of the metallothionein enhancer-promoter. 1988 , 7, 3757-62	16
514	Differential regulation of octamer-containing cellular genes by the herpes simplex virus virion protein Vmw65 is mediated by sequence differences in the octamer element. 1988 , 7, 4239-44	16

513	In vivo import of plastocyanin and a fusion protein into developmentally different plastids of transgenic plants. 1988 , 7, 2631-35	23
512	Nucleotide sequences of chimpanzee MHC class I alleles: evidence for trans-species mode of evolution. 1988 , 7, 2765-74	99
511	Multiple mechanisms regulate c-myc gene expression during normal T cell activation. 1988 , 7, 2787-94	61
510	Temperature effects on molecular processes which lead to stage differentiation in Leishmania. 1988 , 7, 2895-901	30
509	Differential distribution of beta-tubulin isotypes in cerebellum. 1988 , 7, 2311-9	41
508	Human lysosomal acid phosphatase: cloning, expression and chromosomal assignment. 1988 , 7, 2343-50	33
507	Cell lineage specificity of chromatin configuration around the immunoglobulin heavy chain enhancer. 1988 , 7, 2393-9	12
506	A variant nuclear protein in dedifferentiated hepatoma cells binds to the same functional sequences in the beta fibrinogen gene promoter as HNF-1. 1988 , 7, 2485-93	66
505	Molecular structure and spatial expression of a homeobox gene from the labial region of the Antennapedia-complex. 1988 , 7, 2569-78	38
504	The achaete-scute gene complex of <i>Drosophila melanogaster</i> comprises four homologous genes. 1988 , 7, 2585-91	91
503	The intergenic region of maize streak virus contains promoter elements involved in rightward transcription of the viral genome. 1988 , 7, 1589-96	22
502	Comparison of the in vitro transforming activities of human papillomavirus types. 1988 , 7, 1815-20	102
501	The primary structure of the murine multifinger gene mKr2 and its specific expression in developing and adult neurons. 1988 , 7, 1345-53	16
500	Selective degradation of mRNA: the role of short-lived proteins in differential destabilization of insulin-induced creatine phosphokinase and myosin heavy chain mRNAs during rat skeletal muscle L6 cell differentiation. 1988 , 7, 1489-95	18
499	The mouse ribosomal gene terminator consists of three functionally separable sequence elements. 1988 , 7, 1497-502	24
498	Identification of sequences responsible for positive and negative regulation by E1A in the promoter of H-2Kbm1 class I MHC gene. 1990 , 9, 127-35	22
497	Induction of a variety of tumors by c-erbB2 and clonal nature of lymphomas even with the mutated gene (Val659---Glu659). 1990 , 9, 181-90	22
496	Post-transcriptional events are responsible for low expression of myelin basic protein in myelin deficient mice: role of natural antisense RNA. 1990 , 9, 401-6	14

495	Expression of a human 7S K RNA gene in vivo requires a novel pol III upstream element. 1990, 9, 711-8	21
494	Members of the RCK potassium channel family are differentially expressed in the rat nervous system. 1990, 9, 777-82	42
493	The regulation of proenkephalin expression in a distinct population of glial cells. 1990, 9, 791-6	24
492	Distinct positive and negative elements control the limited hepatocyte and choroid plexus expression of transthyretin in transgenic mice. 1990, 9, 869-78	44
491	The int-2 gene product acts as an epithelial growth factor in transgenic mice. 1990, 9, 907-13	73
490	Constant and hypervariable regions in conotoxin propeptides. 1990, 9, 1015-20	62
489	Negative autoregulation of c-myc transcription. 1990, 9, 1113-21	92
488	Malignant transformation of immortalized transgenic hepatocytes after transfection with hepatitis B virus DNA. 1990, 9, 1137-45	58
487	The segment-specific gene Krox-20 encodes a transcription factor with binding sites in the promoter region of the Hox-1.4 gene. 1990, 9, 1209-18	55
486	HIV-1 replication is controlled at the level of T cell activation and proviral integration. 1990, 9, 1551-60	343
485	Two distinct estrogen-regulated promoters generate transcripts encoding the two functionally different human progesterone receptor forms A and B. 1990, 9, 1603-14	376
484	Cloning and expression of a human voltage-gated potassium channel. A novel member of the RCK potassium channel family. 1990, 9, 1749-56	40
483	Molecular bases of dominant negative and loss of function mutations at the murine c-kit/white spotting locus: W37, Wv, W41 and W. 1990, 9, 1805-13	180
482	Ectopic expression of c-jun leads to differentiation of P19 embryonal carcinoma cells. 1990, 9, 1831-7	25
481	Extracellular transport of cholera toxin B subunit using Neisseria IgA protease beta-domain: conformation-dependent outer membrane translocation. 1990, 9, 1991-9	61
480	OP-1 cDNA encodes an osteogenic protein in the TGF-beta family. 1990, 9, 2085-93	93
479	The human muscle nicotinic acetylcholine receptor alpha-subunit exist as two isoforms: a novel exon. 1990, 9, 2101-6	26
478	Hepatocyte dedifferentiation and extinction is accompanied by a block in the synthesis of mRNA coding for the transcription factor HNF1/LFB1. 1990, 9, 2257-63	59

477	The ltk receptor tyrosine kinase is expressed in pre-B lymphocytes and cerebral neurons and uses a non-AUG translational initiator. 1990 , 9, 2279-87	34
476	Light regulation of the 22 kd heat shock gene transcription and its translation product accumulation in <i>Chlamydomonas reinhardtii</i> . 1990 , 9, 2657-61	10
475	Heterogeneity of <i>Drosophila</i> nicotinic acetylcholine receptors: SAD, a novel developmentally regulated alpha-subunit. 1990 , 9, 2671-7	14
474	Cloning and expression of two distinct high-affinity receptors cross-reacting with acidic and basic fibroblast growth factors. 1990 , 9, 2685-92	131
473	Cloning and expression of eukaryotic initiation factor 4B cDNA: sequence determination identifies a common RNA recognition motif. 1990 , 9, 2783-90	52
472	The product of the <i>c-ets-1</i> proto-oncogene and the related Ets2 protein act as transcriptional activators of the long terminal repeat of human T cell leukemia virus HTLV-1. 1990 , 9, 3137-44	73
471	Alternatively spliced transcripts of the sex-determining gene <i>tra-2</i> of <i>Drosophila</i> encode functional proteins of different size. 1990 , 9, 3619-29	40
470	Increased eIF-2 alpha expression in mitogen-activated primary T lymphocytes. 1990 , 9, 3831-7	15
469	Elucidation of amidating reaction mechanism by frog amidating enzyme, peptidylglycine alpha-hydroxylating monooxygenase, expressed in insect cell culture. 1990 , 9, 4259-65	9
468	Synergistic trans-activation of the human C-reactive protein promoter by transcription factor HNF-1 binding at two distinct sites. 1990 , 9, 4467-75	56
467	A conserved element in the leader mediates post-meiotic translation as well as cytoplasmic polyadenylation of a <i>Drosophila</i> spermatocyte mRNA. 1990 , 9, 4519-25	25
466	Molecular cloning and expression of glycogen synthase kinase-3/factor A. 1990 , 9, 2431-8	444
465	DNA sequences required for transcription in vivo of the human corticotropin-beta-lipotropin precursor gene. 1982 , 1, 1533-8	9
464	Glutamine synthetase genes of pea encode distinct polypeptides which are differentially expressed in leaves, roots and nodules. 1987 , 6, 1-9	82
463	Identification of early proteins of the human papilloma viruses type 16 (HPV 16) and type 18 (HPV 18) in cervical carcinoma cells. 1987 , 6, 139-44	82
462	Trans-activation of an upstream early gene promoter of bovine papilloma virus-1 by a product of the viral E2 gene. 1987 , 6, 145-52	81
461	Translational efficiency of polycistronic mRNAs and their utilization to express heterologous genes in mammalian cells. 1987 , 6, 187-93	45
460	Expression and rescuing of a cloned human tumour necrosis factor gene using an EBV-based shuttle cosmid vector. 1987 , 6, 355-61	25

459	An opsin gene that is expressed only in the R7 photoreceptor cell of <i>Drosophila</i> . 1987 , 6, 443-51	28
458	Superinduction of the human gene encoding immune interferon. 1987 , 6, 585-9	9
457	Overexpression of the EGF receptor-related proto-oncogene <i>erbB-2</i> in human mammary tumor cell lines by different molecular mechanisms. 1987 , 6, 605-10	187
456	Negative control of liver-specific gene expression: cloned human retinol-binding protein gene is repressed in HeLa cells. 1987 , 6, 631-6	73
455	Characterization and expression of a murine gene homologous to human EPA/TIMP: a virus-induced gene in the mouse. 1987 , 6, 651-7	16
454	Altered transcription of a defective measles virus genome derived from a diseased human brain. 1987 , 6, 681-8	80
453	Perforin is present only in normal activated Lyt2+ T lymphocytes and not in L3T4+ cells, but the serine protease granzyme A is made by both subsets. 1987 , 6, 933-8	18
452	A temperature-sensitive mutant of Abelson murine leukemia virus confers inducibility of IgM expression to transformed lymphoid cells. 1987 , 6, 951-6	9
451	Differential promoter utilization by the bovine papillomavirus in transformed cells and productively infected wart tissues. 1987 , 6, 1027-35	93
450	Cellular basis for the differential response of mouse kallikrein genes to hormonal induction. 1987 , 6, 1705-13	9
449	Human papillomavirus type 16 DNA cooperates with activated ras in transforming primary cells. 1987 , 6, 1741-6	114
448	Structure and expression of human thrombomodulin, a thrombin receptor on endothelium acting as a cofactor for protein C activation. 1987 , 6, 1891-7	64
447	Analysis of two benzo[a]pyrene-resistant mutants of the mouse hepatoma Hepa-1 P(1)450 gene via cDNA expression in yeast. 1987 , 6, 1929-33	7
446	The human homologue of the mouse t-complex gene, TCP1, is located on chromosome 6 but is not near the HLA region. 1987 , 6, 1967-74	22
445	A processed gene coding for a sarcomeric actin in <i>Xenopus laevis</i> and <i>Xenopus tropicalis</i> . 1987 , 6, 1989-95	7
444	Differential splicing yields novel adenovirus 5 E1A mRNAs that encode 30 kd and 35 kd proteins. 1987 , 6, 2027-35	62
443	Transcriptional regulation of proliferin gene expression in response to serum in transfected mouse cells. 1987 , 6, 2281-8	12
442	Activity of two different silencer elements of the chicken lysozyme gene can be compensated by enhancer elements. 1987 , 6, 2297-303	77

441	Transformed human cells produce a new fibronectin isoform by preferential alternative splicing of a previously unobserved exon. 1987 , 6, 2337-42	92
440	Organization of the fibronectin gene provides evidence for exon shuffling during evolution. 1987 , 6, 2565-72	24
439	Multiple sites of alternative splicing of the rat fibronectin gene transcript. 1987 , 6, 2573-80	76
438	Human CSF-1: gene structure and alternative splicing of mRNA precursors. 1987 , 6, 2693-8	41
437	Regulation of pp56lck during T-cell activation: functional implications for the src-like protein tyrosine kinases. 1987 , 6, 2727-34	50
436	Cis- and trans-acting elements responsible for the cell-specific expression of the human alpha 1-antitrypsin gene. 1987 , 6, 2759-66	83
435	The human alpha 1-antitrypsin gene is transcribed from two different promoters in macrophages and hepatocytes. 1987 , 6, 2767-71	66
434	The transcription unit of the Drosophila engrailed locus: an unusually small portion of a 70,000 bp gene. 1987 , 6, 2803-9	12
433	A novel promoter in the mouse rDNA spacer is active in vivo and in vitro. 1987 , 6, 3487-92	36
432	Neuronal localization of amyloid beta protein precursor mRNA in normal human brain and in Alzheimer's disease. 1987 , 6, 3627-32	66
431	Molecular cloning of the lymphocyte activation marker Blast-1. 1987 , 6, 3695-701	14
430	A secretory protease inhibitor requires androgens for its expression in male sex accessory tissues but is expressed constitutively in pancreas. 1987 , 6, 3711-7	11
429	The upstream regulatory region of the human papilloma virus-16 contains an E2 protein-independent enhancer which is specific for cervical carcinoma cells and regulated by glucocorticoid hormones. 1987 , 6, 3735-43	82
428	Differential expression of nicotinic acetylcholine receptor genes in innervated and denervated chicken muscle. 1987 , 6, 3917-21	20
427	Inducible and tissue-specific expression of human C-reactive protein in transgenic mice. 1987 , 6, 4017-22	42
426	cDNA cloning and complete primary structure of the alpha subunit of a leukocyte adhesion glycoprotein, p150,95. 1987 , 6, 4023-8	54
425	The sequence of rat leukosialin (W3/13 antigen) reveals a molecule with O-linked glycosylation of one third of its extracellular amino acids. 1987 , 6, 4029-34	40
424	The ras-related ypt protein is an ubiquitous eukaryotic protein: isolation and sequence analysis of mouse cDNA clones highly homologous to the yeast YPT1 gene. 1987 , 6, 4049-53	46

423	Driven by the same Ig enhancer and SV40 T promoter ras induced lung adenomatous tumors, myc induced pre-B cell lymphomas and SV40 large T gene a variety of tumors in transgenic mice. 1987 , 6, 4055-65	51
422	Study of a growth hormone-regulated protein secreted by rat hepatocytes: cDNA cloning, anti-protease activity and regulation of its synthesis by various hormones. 1987 , 6, 1225-32	4
421	Structural variants of human T200 glycoprotein (leukocyte-common antigen). 1987 , 6, 1251-7	83
420	Lymphocyte specific heterogeneity in the rat leucocyte common antigen (T200) is due to differences in polypeptide sequences near the NH ₂ -terminus. 1987 , 6, 1259-64	53
419	Transcription of H-2 and Qa genes in embryonic and adult mice. 1987 , 6, 1265-71	32
418	Amino acid sequence of rabbit kidney neutral endopeptidase 24.11 (enkephalinase) deduced from a complementary DNA. 1987 , 6, 1317-22	54
417	Sequence of the bovine mitochondrial phosphate carrier protein: structural relationship to ADP/ATP translocase and the brown fat mitochondria uncoupling protein. 1987 , 6, 1367-73	61
416	Transformation and rescue of a flightless <i>Drosophila</i> tropomyosin mutant. 1987 , 6, 1375-85	14
415	The yeast ubiquitin genes: a family of natural gene fusions. 1987 , 6, 1429-39	169
414	The use of nuclear-encoded sequences to direct the light-regulated synthesis and transport of a foreign protein into plant chloroplasts. 1985 , 4, 25-32	82
413	Co-transcribed 3' host sequences augment expression of integrated hepatitis B virus DNA. 1985 , 4, 249-55	12
412	Bone marrow pre-B lymphocytes synthesize immunoglobulin mu chains of membrane type with different properties and intracellular pathways. 1985 , 4, 361-8	14
411	Nucleotide sequences of five anti-lysozyme monoclonal antibodies. 1985 , 4, 393-8	12
410	Two functions encoded by adenovirus early region 1A are responsible for the activation and repression of the DNA-binding protein gene. 1985 , 4, 707-13	36
409	The human ubiquitin multigene family: some genes contain multiple directly repeated ubiquitin coding sequences. 1985 , 4, 755-9	120
408	Cloning of the extra sex combs gene of <i>Drosophila</i> and its identification by P-element-mediated gene transfer. 1985 , 4, 979-87	19
407	A new member of the prolactin-growth hormone gene family expressed in mouse placenta. 1985 , 4, 1419-23	10
406	Chromosome translocations clustered 5' of the murine c-myc gene qualitatively affect promoter usage: implications for the site of normal c-myc regulation. 1985 , 4, 1441-7	32

405	Primary structure of human fibronectin: differential splicing may generate at least 10 polypeptides from a single gene. 1985 , 4, 1755-9	198
404	Human 2-5A synthetase: characterization of a novel cDNA and corresponding gene structure. 1985 , 4, 1761-8	39
403	The presence of bovine papillomavirus type 4 DNA is not required for the progression to, or the maintenance of, the malignant state in cancers of the alimentary canal in cattle. 1985 , 4, 1819-25	17
402	Mediation of anion transport in oocytes of <i>Xenopus laevis</i> by biosynthetically inserted band 3 protein from mouse spleen erythroid cells. 1985 , 4, 1927-31	8
401	Structure and cell-specific expression of a cloned human retinol binding protein gene: the 5'-flanking region contains hepatoma specific transcriptional signals. 1985 , 4, 1981-9	39
400	Molecular cloning of cDNAs for the nerve-cell specific phosphoprotein, synapsin I. 1985 , 4, 1997-2002	10
399	Dependence of hepatocyte-specific gene expression on cell-cell interactions in primary culture. 1985 , 4, 2487-91	44
398	Structure of the chromosomal gene for granulocyte-macrophage colony stimulating factor: comparison of the mouse and human genes. 1985 , 4, 2561-8	75
397	Isolation and structural organization of the <i>Neurospora crassa</i> copper metallothionein gene. 1985 , 4, 2665-8	25
396	Chromatin structure of transcriptionally active and inactive human c-myc alleles. 1985 , 4, 2885-91	25
395	Isolation of caudal, a <i>Drosophila</i> homeo box-containing gene with maternal expression, whose transcripts form a concentration gradient at the pre-blastoderm stage. 1985 , 4, 2961-9	61
394	Structure and regulated expression of genes encoding fructose biphosphate aldolase in <i>Trypanosoma brucei</i> . 1985 , 4, 2997-3003	47
393	Photoregulated expression of a pea rbcS gene in leaves of transgenic plants. 1985 , 4, 3063-8	53
392	Identification of a set of genes expressed during the G0/G1 transition of cultured mouse cells. 1985 , 4, 3145-51	246
391	Transposon Tn554: complete nucleotide sequence and isolation of transposition-defective and antibiotic-sensitive mutants. 1985 , 4, 3357-65	62
390	Two genes encoding the bovine mitochondrial ATP synthase proteolipid specify precursors with different import sequences and are expressed in a tissue-specific manner. 1985 , 4, 3519-24	40
389	Light-regulated protein and poly(A)+ mRNA synthesis in <i>Neurospora crassa</i> . 1985 , 4, 3649-53	8
388	Expression of foreign genes from retroviral vectors in mouse teratocarcinoma chimaeras. 1985 , 4, 3701-9	17

387	Expression of the <i>Drosophila</i> white gene under the control of the hsp70 heat shock promoter. 1985 , 4, 3765-72	27
386	The cloning and expression of the gene encoding organ-specific esterase S from the genome of <i>Drosophila virilis</i> . 1983 , 2, 1-7	4
385	Blue light inhibits slime mold differentiation at the mRNA level. 1983 , 2, 261-7	2
384	Complete sequence of an HLA-dR beta chain deduced from a cDNA clone and identification of multiple non-allelic DR beta chain genes. 1983 , 2, 389-94	106
383	Transfer of the Epstein-Barr virus genes coding for small RNAs to human lymphoid cells with a vector carrying a dominant selectable marker. 1983 , 2, 839-44	2
382	The murine immunoglobulin alpha gene expresses multiple transcripts from a unique membrane exon. 1983 , 2, 887-98	27
381	Molecular cloning of human haptoglobin cDNA: evidence for a single mRNA coding for alpha 2 and beta chains. 1983 , 2, 1003-7	18
380	The chromosomal arrangement of six soybean leghemoglobin genes. 1983 , 2, 1165-8	13
379	Analysis of recombinant DNA clones specific for the murine p53 cellular tumor antigen. 1983 , 2, 1633-9	28
378	Repression of glycoprotein synthesis and release of surface coat during transformation of <i>Trypanosoma brucei</i> . 1983 , 2, 1721-8	40
377	Human-mouse hybrids with an embryonal carcinoma phenotype continue to transcribe HLA-A,B,C. 1983 , 2, 1963-8	5
376	The isolation of cDNA clones for human apolipoprotein E and the detection of apoE RNA in hepatic and extra-hepatic tissues. 1983 , 2, 2369-73	11
375	Transcriptional control in hepatocytes of normal and c14CoS albino deletion mice. 1992 , 11, 127-33	10
374	The upstream region of the human homeobox gene HOX3D is a target for regulation by retinoic acid and HOX homeoproteins. 1992 , 11, 265-77	32
373	Dysregulation of gene expression in mouse trisomy 16, an animal model of Down syndrome. 1992 , 11, 619-27	18
372	Transfection of wild-type CFTR into cystic fibrosis lymphocytes restores chloride conductance at G1 of the cell cycle. 1992 , 11, 875-83	12
371	Modulation of homeobox gene expression alters the phenotype of human hematopoietic cell lines. 1992 , 11, 983-9	12
370	Comparison of mouse and human HOX-4 complexes defines conserved sequences involved in the regulation of Hox-4.4. 1992 , 11, 1459-68	14

369	Regulation of polyadenylation in human immunodeficiency virus (HIV): contributions of promoter proximity and upstream sequences. 1992 , 11, 1513-24	37
368	Overexpression of GRP78 mitigates stress induction of glucose regulated proteins and blocks secretion of selective proteins in Chinese hamster ovary cells. 1992 , 11, 1563-71	101
367	Primary structure and functional expression of the Na/Ca,K-exchanger from bovine rod photoreceptors. 1992 , 11, 1689-95	31
366	A fungal mating type protein that regulates sexual and asexual development contains a POU-related domain. 1992 , 11, 1805-13	24
365	Empty spiracles, a gap gene containing a homeobox involved in Drosophila head development. 1992 , 11, 2247-59	42
364	Regulation of CFTR expression and function during differentiation of intestinal epithelial cells. 1992 , 11, 2487-94	23
363	Brain 4: a novel mammalian POU domain transcription factor exhibiting restricted brain-specific expression. 1992 , 11, 2551-61	41
362	Alternative polyadenylation of the amyloid protein precursor mRNA regulates translation. 1992 , 11, 3099-103	17
361	Two regulatory proteins that bind to the basic transcription element (BTE), a GC box sequence in the promoter region of the rat P-4501A1 gene. 1992 , 11, 3663-71	106
360	A new gene, BCM, on chromosome 16 is fused to the interleukin 2 gene by a t(4;16)(q26;p13) translocation in a malignant T cell lymphoma. 1992 , 11, 3897-904	48
359	Chilling sensitivity of Arabidopsis thaliana with genetically engineered membrane lipids. 1992 , 11, 4685-92	38
358	Molecular cloning of human growth inhibitory factor cDNA and its down-regulation in Alzheimer's disease. 1992 , 11, 4843-50	33
357	Development and function of T cells in mice with a disrupted CD2 gene. 1992 , 11, 4329-36	40
356	Laminin A chain: expression during Drosophila development and genomic sequence. 1992 , 11, 4519-27	37
355	The 55 kDa regulatory subunit of protein phosphatase 2A plays a role in the activation of the HPV16 long control region in human cells with a deletion in the short arm of chromosome 11. 1992 , 11, 4601-6	10
354	Regulated expression of genes injected into early Drosophila embryos. 1984 , 3, 165-73	32
353	Human fibronectin: molecular cloning evidence for two mRNA species differing by an internal segment coding for a structural domain. 1984 , 3, 221-6	73
352	Translation of HTLV (human T-cell leukemia virus) RNA in a nuclease-treated rabbit reticulocyte system. 1984 , 3, 321-5	6

351	Isolation and characterization of the human prolactin gene. 1984 , 3, 429-37	29
350	DNA binding properties of glucocorticosteroid receptors bound to the steroid antagonist RU-486. 1984 , 3, 751-5	28
349	Structure of the murine Ia-associated invariant (Ii) chain as deduced from a cDNA clone. 1984 , 3, 873-7	22
348	The gene structure of human anti-haemophilic factor IX. 1984 , 3, 1053-60	118
347	Glucoamylases G1 and G2 from <i>Aspergillus niger</i> are synthesized from two different but closely related mRNAs. 1984 , 3, 1097-102	44
346	Co-transfection of normal NIH/3T3 DNA and retroviral LTR sequences: a novel strategy for the detection of potential c-onc genes. 1984 , 3, 1121-7	18
345	Genomic structure of HTLV (human T-cell leukemia virus): detection of defective genome and its amplification in MT-2 cells. 1984 , 3, 1339-43	22
344	Developmentally regulated plant genes: the nucleotide sequence of a wheat gliadin genomic clone. 1984 , 3, 1409-15	30
343	Regulation of amylase messenger RNA concentration in rat pancreas by food content. 1984 , 3, 1521-4	15
342	Eo: a history of a mutation. 1984 , 3, 1647-54	23
341	Tissue-specific and light-regulated expression of a pea nuclear gene encoding the small subunit of ribulose-1,5-bisphosphate carboxylase. 1984 , 3, 1671-9	137
340	Transcription of the soybean leghemoglobin genes during nodule development. 1984 , 3, 1691-5	37
339	Differential expression of c-fos in hematopoietic cells: correlation with differentiation of monomyelocytic cells in vitro. 1984 , 3, 1887-90	42
338	Relaxin gene expression in human ovaries and the predicted structure of a human preprorelaxin by analysis of cDNA clones. 1984 , 3, 2333-9	24
337	A glyceraldehyde-3-phosphate dehydrogenase pseudogene on the short arm of the human X chromosomes defines a multigene family. 1984 , 3, 2635-40	25
336	Activation of immunoglobulin mu gene expression involves stepwise demethylation. 1984 , 3, 3013-21	9
335	Isolation and characterization of a human p53 cDNA clone: expression of the human p53 gene. 1984 , 3, 3257-62	93
334	Low molecular weight RNAs with homologies to cellular DNA at sites of adenovirus DNA insertion in hamster or mouse cells. 1984 , 3, 3263-9	9

333	The mutant vasopressin gene from diabetes insipidus (Brattleboro) rats is transcribed but the message is not efficiently translated. 1984 , 3, 3289-93	20
332	Dietary-induced pre-translational control of rat fatty acid synthase. 1990 , 266, 793-7	17
331	Characterization of the mRNAs encoding the gene 2 sarcoplasmic/endoplasmic-reticulum Ca ²⁺ pump in pig smooth muscle. 1990 , 266, 901-7	41
330	Atrial-natriuretic-factor mRNA is developmentally regulated in heart ventricles and actively expressed in cultured ventricular cardiac muscle cells of rat and human. 1988 , 255, 617-20	36
329	A mutational hot-spot within an intron of the mouse beta 2-microglobulin gene. 1986 , 5, 103-11	12
328	The chromosomal gene structure and two mRNAs for human granulocyte colony-stimulating factor. 1986 , 5, 575-81	39
327	Molecular characterization of mutant actin genes which induce heat-shock proteins in <i>Drosophila</i> flight muscles. 1986 , 5, 589-96	27
326	The lysozyme enhancer: cell-specific activation of the chicken lysozyme gene by a far-upstream DNA element. 1986 , 5, 719-24	64
325	A negative transcriptional control element located upstream of the murine c-myc gene. 1986 , 5, 899-904	71
324	Translocation of c-myc into the immunoglobulin heavy-chain locus in human acute B-cell leukemia. A molecular analysis. 1986 , 5, 905-11	14
323	Sequence, topography and protein coding potential of mouse int-2: a putative oncogene activated by mouse mammary tumour virus. 1986 , 5, 919-24	70
322	Expression of a mutant vasopressin gene: differential polyadenylation and read-through of the mRNA 3' end in a frame-shift mutant. 1986 , 5, 971-7	11
321	Phytochrome-controlled expression of a wheat Cab gene in transgenic tobacco seedlings. 1986 , 5, 1119-24	35
320	Cloning and structural characterization of a human non-erythroid band 3-like protein. 1986 , 5, 1205-14	32
319	The structure of the mouse glutathione peroxidase gene: the selenocysteine in the active site is encoded by the 'termination' codon, TGA. 1986 , 5, 1221-7	143
318	Structure and expression of the chicken beta nerve growth factor gene. 1986 , 5, 1483-7	24
317	Molecular cloning of bovine and chick nerve growth factor (NGF): delineation of conserved and unconserved domains and their relationship to the biological activity and antigenicity of NGF. 1986 , 5, 1489-93	25
316	The primary structure of bovine chromogranin A: a representative of a class of acidic secretory proteins common to a variety of peptidergic cells. 1986 , 5, 1495-502	54

315	Autocrine growth and progression of murine X-ray-induced T cell lymphomas. 1986 , 5, 1775-82	4
314	Structural analysis of the X-linked gene encoding human glucose 6-phosphate dehydrogenase. 1986 , 5, 1849-55	77
313	Isolation of the human gene for bone gla protein utilizing mouse and rat cDNA clones. 1986 , 5, 1885-90	67
312	Differential regulation of papilloma virus early gene expression in transformed fibroblasts and carcinoma cell lines. 1986 , 5, 1945-50	15
311	Isolation of a cDNA copy of an RNA species expressed in murine pre-B cells. 1986 , 5, 2139-47	32
310	T cell receptor genes in an alloreactive CTL clone: implications for rearrangement and germline diversity of variable gene segments. 1986 , 5, 2149-55	41
309	Sequential expression of murine homeo box genes during F9 EC cell differentiation. 1986 , 5, 2209-15	35
308	Mammalian single-stranded DNA binding protein UP I is derived from the hnRNP core protein A1. 1986 , 5, 2267-73	48
307	The suffix sequence is involved in processing the 3' ends of different mRNAs in <i>Drosophila melanogaster</i> . 1986 , 5, 2341-2347	9
306	Stable gene transfer and tissue-specific expression of a human globin gene using adenoviral vectors. 1986 , 5, 2377-85	12
305	Monocot and dicot pre-mRNAs are processed with different efficiencies in transgenic tobacco. 1986 , 5, 2419-25	80
304	The mouse E beta 2 gene: a class II MHC beta gene with limited intraspecies polymorphism and an unusual pattern of transcription. 1986 , 5, 2469-76	18
303	Alternative processing of H-2Dd pre-mRNAs results in membrane expression of differentially phosphorylated protein products. 1986 , 5, 2477-83	19
302	The mouse glucocorticoid receptor: mapping of functional domains by cloning, sequencing and expression of wild-type and mutant receptor proteins. 1986 , 5, 2513-22	78
301	Human basic fibroblast growth factor: nucleotide sequence and genomic organization. 1986 , 5, 2523-8	131
300	An intron in a ribosomal protein gene from <i>Tetrahymena</i> . 1986 , 5, 2711-7	15
299	c-myc and c-fos expression in differentiating mouse primary keratinocytes. 1986 , 5, 2853-7	44
298	A human villin cDNA clone to investigate the differentiation of intestinal and kidney cells in vivo and in culture. 1986 , 5, 3119-24	30

297	Cloning of the human cDNA for the U1 RNA-associated 70K protein. 1986 , 5, 3209-17	98
296	Isolation of a murine Ly-6 cDNA reveals a new multigene family. 1986 , 5, 3227-34	53
295	The first exon of the c-myc proto-oncogene contains a novel positive control element. 1986 , 5, 3553-62	46
294	C-myc expression is dissociated from DNA synthesis and cell division in <i>Xenopus</i> oocyte and early embryonic development. 1986 , 5, 3571-7	20
293	The sex-determining gene <i>tra</i> of <i>Drosophila</i> : molecular cloning and transformation studies. 1986 , 5, 3607-13	21
292	Regulation of corticosteroid receptor gene expression in depression and antidepressant action. 1999 , 24, 25-39	35
291	Expression and subcellular localization of the ryanodine receptor in rat pancreatic acinar cells. 1999 , 337 (Pt 2), 305-9	26
290	Complete sequence of the human mucin MUC4: a putative cell membrane-associated mucin. 1999 , 338 (Pt 2), 325-33	71
289	Regulation of UDP-N-acetylglucosamine:dolichyl-phosphate N-acetylglucosamine-1-phosphate transferase by retinoic acid in P19 cells. 1999 , 338 (Pt 2), 561-8	2
288	Glucose and thyroid hormone co-regulate the expression of the intestinal fructose transporter GLUT5. 1999 , 339 (Pt 2), 233-9	16
287	Expression and targeting to the plasma membrane of xClC-K, a chloride channel specifically expressed in distinct tubule segments of <i>Xenopus laevis</i> kidney. 1999 , 340 (Pt 3), 737-43	4
286	Analysis of DNase-I-hypersensitive sites at the 3' end of the cystic fibrosis transmembrane conductance regulator gene (CFTR). 1999 , 341 (Pt 3), 601-11	20
285	Immunodetection and molecular cloning of a bile-salt-dependent lipase isoform in HepG2 cells. 1999 , 342 (Pt 1), 179-87	1
284	Molecular cloning and cell-cycle-dependent expression of the acetyl-CoA synthetase gene in <i>Tetrahymena</i> cells. 1999 , 343 Pt 2, 479-85	2
283	Human cystathionine gamma-lyase: developmental and in vitro expression of two isoforms. 2000 , 347 Pt 1, 291-5	34
282	Control of pancreatic bile-salt-dependent-lipase secretion by the glucose-regulated protein of 94 kDa (Grp94). 2000 , 352 Pt 3, 865-74	11
281	Nuclear factor kappaB-dependent mechanisms coordinate the synergistic effect of PMA and cytokines on the induction of superoxide dismutase 2. 2001 , 353, 147-156	39
280	Trilateral retinoblastoma in transgenic mice. 1989 , 87, 301-22; discussion 322-6	12

279	Chlorpromazine inhibits tumour necrosis factor synthesis and cytotoxicity in vitro. 1995 , 86, 416-21	15
278	Down-regulation of transforming growth factor-beta gene expression by antisense oligodeoxynucleotides increases recombinant interferon-gamma-induced nitric oxide synthesis in murine peritoneal macrophages. 1995 , 85, 114-9	11
277	An increase in number of T-cell receptor gamma/delta-bearing T cells in athymic nude mice treated with complete Freund's adjuvants. 1990 , 70, 61-5	16
276	Gene expression and production of tumour necrosis factor by a rat basophilic leukaemia cell line (RBL-2H3) with IgE receptor triggering. 1990 , 70, 88-93	32
275	Expression of genes for interleukin-1 alpha and tumour necrosis factor-alpha in newborn mice. 1990 , 70, 136-7	5
274	Prevalence of the 1.8 kb complement factor H mRNA in human lung. 1990 , 70, 150-4	2
273	Different expression of T-cell receptor beta-chain variable region genes in lymph nodes of lpr mice with different alleles of the major histocompatibility complex. 1990 , 70, 216-22	1
272	Contrasting effects of interferon-gamma and interleukin-4 on the interleukin-6 activity of stimulated human monocytes. 1990 , 71, 70-5	62
271	A limited role of IL-1 in immune-enhancement by adjuvants. 1990 , 71, 251-7	12
270	Regulation of interleukin-1 and tumour necrosis factor gene expression in myelomonocytic cell lines by 1,25-dihydroxyvitamin D3. 1991 , 72, 61-4	23
269	Induction of interleukin-1 production by ligands binding to the scavenger receptor in human monocytes and the THP-1 cell line. 1991 , 74, 432-8	38
268	1,25-Dihydroxyvitamin D3 down-regulation of HLA-DR on human peripheral blood monocytes. 1992 , 75, 349-54	34
267	Inability of mitogen-stimulated spleen cells from newborn mice to synthesize interleukin-2 receptors. 1990 , 71, 497-501	9
266	Expression of H-2 class I genes in murine extra-embryonic tissues. 1988 , 64, 479-85	23
265	Rearrangements of T-cell antigen receptor gamma and delta chain genes are detected in the long-term cultured bone marrow cells of athymic nude mice but not in those of euthymic mice. 1989 , 66, 512-6	2
264	C-myc expression in lymphocytes of MRL/MP-lpr mice activated by A23187 and TPA. 1988 , 64, 93-6	3
263	Presence of tumour necrosis factor or a related factor in human basophil/mast cells. 1989 , 66, 445-50	64
262	Murine lymphocytes with natural killer activity express CTL-derived serine protease genes. 1989 , 67, 269-73	1

261	Construction of a rat T-cell hybridoma cDNA expression library and isolation of a cDNA clone for the rat T-cell differentiation marker RT6.2. 1989 , 67, 344-50	9
260	Mouse bone marrow-derived IL-3-dependent mast cells and autonomous sublines produce IL-6. 1989 , 67, 408-13	37
259	Presence of a very small population of Thy-1+, L3T4+ cells producing large amounts of IL-3 in young athymic nude mice. 1989 , 68, 557-63	3
258	Production of tumour necrosis factor by mastocytoma P815 cells. 1990 , 69, 312-5	18
257	IL-1 transcriptionally activates the neutrophil chemotactic factor/IL-8 gene in endothelial cells. 1990 , 69, 548-53	121
256	A monoclonal antibody to Ly-6 gene product inhibits generation of functionally active T cells and recognizes single antigenic specificity whose expression is up-regulated in virus-transformed rat fibroblast. 1990 , 69, 558-63	3
255	Tumour-bearing animals synthesize a decreased level of mRNA for the inducible 55,000 MW interleukin-2 receptor. 1990 , 69, 626-8	1
254	Clonal analysis of infiltrating T lymphocytes in liver tissue in viral hepatitis A. 1990 , 69, 14-9	51
253	Developmentally regulated effects of lipopolysaccharide on biosynthesis of the third component of complement and factor B in human fibroblasts and monocytes. 1994 , 82, 314-20	11
252	Nitrite production by macrophages derived from BCG-resistant and -susceptible congenic mouse strains in response to IFN-gamma and infection with BCG. 1994 , 82, 457-64	38
251	Regulation of synthesis of complement protein C4 in human fibroblasts: cell- and gene-specific effects of cytokines and lipopolysaccharide. 1994 , 82, 509-15	23
250	Transcription of HLA-G transgenes commences shortly after implantation during embryonic development in mice. 1994 , 83, 324-8	7
249	Peritoneal macrophages show increased cytokine gene expression following haemorrhagic shock. 1994 , 83, 378-83	15
248	Aphidicolin-induced proliferative arrest of murine mast cells: morphological and biochemical changes are not accompanied by alterations in cytokine gene induction. 1992 , 76, 413-21	8
247	Phorbol ester synergizes with Ca ²⁺ ionophore in activation of protein kinase C (PKC)alpha and PKC beta isoenzymes in human T cells and in induction of related cellular functions. 1992 , 76, 465-71	33
246	Characterization of T-cell receptor gamma delta T cells appearing at the early phase of murine <i>Listeria monocytogenes</i> infection. 1993 , 78, 22-7	21
245	Interleukin-2- and interferon-gamma-secreting T cells in normal and diseased human intestinal mucosa. 1993 , 78, 127-31	238
244	Murine complement receptor gene expression: Cr2 gene transcripts are depressed during a high dose microbial challenge. 1993 , 79, 82-8	4

243	Chloroquine inhibits macrophage tumour necrosis factor-alpha mRNA transcription. 1993 , 80, 122-6	36
242	V delta 5+ T cells of BALB/c mice recognize the murine heat shock protein 60 target cell specificity. 1994 , 81, 240-6	10
241	Prostaglandins inhibit lipoprotein lipase gene expression in macrophages. 1994 , 81, 605-10	10
240	Establishment and characterization of a permanent T-cell line producing an antigen non-specific suppressor factor. 1985 , 56, 275-83	7
239	Expression of MHC class II antigens in human B-cell leukaemia, and increased levels of class II antigens and DR-specific mRNA after stimulation with 12-O-tetradecanoyl phorbol-13-acetate. 1986 , 57, 181-8	10
238	1,25-Dihydroxyvitamin D3 transcriptionally regulates tumour necrosis factor mRNA during HL-60 cell differentiation. 1988 , 63, 43-6	19
237	Synthesis of classical pathway complement components by chondrocytes. 1996 , 88, 648-56	56
236	Complement biosynthesis in human synovial tissue. 1989 , 78, 54-60	22
235	Murine leukaemia virus gene product as an acute phase protein: complete suppression of serum gp70 synthesis in hepatocytes of B10.S mice. 1989 , 78, 484-7	1
234	Phenotype and immunoglobulin gene configuration of blood B cells from patients with multiple myeloma. 1991 , 84, 435-9	11
233	Quantification of lupus anti-ribosome P antibodies using a recombinant P2 fusion protein and determination of the predicted amino acid sequence of the autoantigen in patients' mononuclear cells. 1989 , 76, 165-71	18
232	Expression and sequences of T cell receptor beta-chain variable genes in the enlarged lymph nodes of C57BL/6-lpr/lpr mice. 1989 , 77, 130-6	5
231	Regulation of interleukin 2 and interleukin 2 receptor gene expression in human T cells: I. Effect of Ca ²⁺ -ionophore on phorbol myristate acetate co-stimulated cells. 1987 , 69, 433-40	13
230	Occurrence of a 2-bp (AT) deletion allele and a nonsense (G-to-T) mutant allele at the E2 (DBT) locus of six patients with maple syrup urine disease: multiple-exon skipping as a secondary effect of the mutations. 1993 , 52, 414-24	40
229	A biochemically distinct form of cytochrome oxidase (COX) deficiency in the Saguenay-Lac-Saint-Jean region of Quebec. 1993 , 53, 481-7	76
228	A nonsense mutation in the LDL receptor gene leads to familial hypercholesterolemia in the Druze sect. 1992 , 50, 427-33	26
227	Point mutation in the DNA binding domain of the androgen receptor in two families with Reifenstein syndrome. 1992 , 50, 1318-27	46
226	Molecular analysis of mutations in a patient with purine nucleoside phosphorylase deficiency. 1992 , 51, 763-72	29

225	A pseudodeficiency allele common in non-Jewish Tay-Sachs carriers: implications for carrier screening. 1992 , 51, 793-801	57
224	Cytochrome b558-negative, autosomal recessive chronic granulomatous disease: two new mutations in the cytochrome b558 light chain of the NADPH oxidase (p22-phox). 1992 , 51, 1127-35	39
223	Substitution of arginine for glycine 325 in the collagen alpha 5 (IV) chain associated with X-linked Alport syndrome: characterization of the mutation by direct sequencing of PCR-amplified lymphoblast cDNA fragments. 1992 , 51, 135-42	51
222	Nonsense-codon mutations of the ornithine aminotransferase gene with decreased levels of mutant mRNA in gyrate atrophy. 1992 , 51, 81-91	53
221	A human gene homologous to the formin gene residing at the murine limb deformity locus: chromosomal location and RFLPs. 1991 , 48, 687-95	15
220	Tay-Sachs disease in Moroccan Jews: deletion of a phenylalanine in the alpha-subunit of beta-hexosaminidase. 1991 , 48, 412-9	25
219	Evidence for WT1 as a Wilms tumor (WT) gene: intragenic germinal deletion in bilateral WT. 1991 , 48, 997-1003	118
218	Identification of RNA splicing errors resulting in human ornithine transcarbamylase deficiency. 1991 , 48, 1105-14	53
217	Isolation and characterization of the CRIPTO autosomal gene and its X-linked related sequence. 1991 , 49, 555-65	36
216	Molecular characterization of the human delta-aminolevulinate dehydratase 2 (ALAD2) allele: implications for molecular screening of individuals for genetic susceptibility to lead poisoning. 1991 , 49, 757-63	90
215	Homozygosity for a newly identified missense mutation in a patient with very severe combined immunodeficiency due to adenosine deaminase deficiency (ADA-SCID). 1991 , 49, 878-85	18
214	delta-Aminolevulinate dehydratase deficient porphyria: identification of the molecular lesions in a severely affected homozygote. 1991 , 49, 167-74	42
213	Genomic structure of the human prion protein gene. 1991 , 49, 320-9	87
212	Occurrence of a Tyr393----Asn (Y393N) mutation in the E1 alpha gene of the branched-chain alpha-keto acid dehydrogenase complex in maple syrup urine disease patients from a Mennonite population. 1991 , 49, 429-34	31
211	Human monoamine oxidase A gene determines levels of enzyme activity. 1991 , 49, 383-92	183
210	A high proportion of ADA point mutations associated with a specific alanine-to-valine substitution. 1989 , 45, 354-61	20
209	Norrie disease gene is distinct from the monoamine oxidase genes. 1989 , 45, 424-34	25
208	The putative testis-determining factor and related genes are expressed as discrete-sized transcripts in adult gonadal and somatic tissues. 1989 , 45, 942-52	33

207	Control of lactase in human adult-type hypolactasia and in weaning rabbits and rats. 1989 , 45, 489-97	67
206	Heterogeneous alleles and expression of methylmalonyl CoA mutase in mut methylmalonic acidemia. 1990 , 46, 539-47	38
205	The human arylsulfatase-C isoenzymes: two distinct genes that escape from X inactivation. 1990 , 46, 729-37	17
204	Sequence of the E1 alpha subunit of branched-chain alpha-ketoacid dehydrogenase in two patients with thiamine-responsive maple syrup urine disease. 1990 , 46, 843-6	9
203	Extensive genetic heterogeneity in patients with acid alpha glucosidase deficiency as detected by abnormalities of DNA and mRNA. 1990 , 47, 73-8	33
202	The French and North American phenotypes of pyruvate carboxylase deficiency, correlation with biotin containing protein by 3H-biotin incorporation, 35S-streptavidin labeling, and Northern blotting with a cloned cDNA probe. 1987 , 40, 50-9	34
201	Identification of point mutations in the steroid sulfatase gene of three patients with X-linked ichthyosis. 1992 , 50, 483-91	48
200	Isolation of a cDNA clone for the human laminin-B1 chain and its gene localization. 1987 , 41, 605-15	7
199	Homocystinuria: biogenesis of cystathionine beta-synthase subunits in cultured fibroblasts and in an in vitro translation system programmed with fibroblast messenger RNA. 1984 , 36, 452-9	17
198	Molecular cloning of the human UMP synthase gene and characterization of point mutations in two hereditary orotic aciduria families. 1997 , 60, 525-39	42
197	The molecular basis of partial penetrance of splicing mutations in cystic fibrosis. 1997 , 60, 87-94	115
196	Cloning and chromosomal localization of human genes encoding the three chains of type VI collagen. 1988 , 42, 435-45	96
195	Steady-state levels of uroporphyrinogen decarboxylase mRNA in lymphoblastoid cell lines from patients with familial porphyria cutanea tarda and their relatives. 1988 , 42, 847-53	6
194	Introduction and expression of the human Bs-globin gene in transgenic mice. 1988 , 42, 585-91	9
193	Analysis of UMP synthase gene and mRNA structure in hereditary orotic aciduria fibroblasts. 1988 , 43, 86-94	9
192	Inheritance of ornithine aminotransferase gene, mRNA, and enzyme defect in a family with gyrate atrophy of the choroid and retina. 1989 , 44, 353-7	12
191	Analysis of liver/bone/kidney alkaline phosphatase mRNA, DNA, and enzymatic activity in cultured skin fibroblasts from 14 unrelated patients with severe hypophosphatasia. 1989 , 44, 686-94	26
190	Human nidogen: cDNA cloning, cellular expression, and mapping of the gene to chromosome 1q43. 1989 , 44, 876-85	33

189	The molecular basis of homocystinuria due to cystathionine beta-synthase deficiency in Italian families, and report of four novel mutations. 1995 , 56, 1324-33	116
188	Molecular cloning of a full-length cDNA for dentatorubral-pallidoluysian atrophy and regional expressions of the expanded alleles in the CNS. 1995 , 57, 1050-60	49
187	Differential allelic expression of the type II collagen gene (COL2A1) in osteoarthritic cartilage. 1995 , 56, 1186-93	16
186	A single amino acid substitution within the mature sequence of ornithine aminotransferase obstructs mitochondrial entry of the precursor. 1995 , 57, 284-91	22
185	Regulatory effects of interleukin-6 in immunoglobulin G immune-complex-induced lung injury. 1997 , 151, 193-203	35
184	Evidence for clonal origin of neoplastic neuronal and glial cells in gangliogliomas. 1997 , 151, 565-71	34
183	Expression of fibronectin splicing variants in organ transplantation: a differential pattern between rat cardiac allografts and isografts. 1997 , 150, 1757-72	33
182	Analysis of chronic rejection and obliterative arteriopathy. Possible contributions of donor antigen-presenting cells and lymphatic disruption. 1997 , 150, 563-78	70
181	Sp1-mediated transactivation of LamC1 promoter and coordinated expression of laminin-gamma1 and Sp1 in human hepatocellular carcinomas. 1997 , 151, 1663-72	36
180	Differential expression of extracellular matrix remodeling genes in a murine model of bleomycin-induced pulmonary fibrosis. 1998 , 152, 821-8	89
179	Gene expression, immunolocalization, and secretion of human defensin-5 in human female reproductive tract. 1998 , 152, 1247-58	214
178	Expression of extracellular matrix proteoglycans perlecan and decorin in carbon-tetrachloride-injured rat liver and in isolated liver cells. 1996 , 148, 1463-71	37
177	Expression and distribution of amyloid precursor protein-like protein-2 in Alzheimer's disease and in normal brain. 1996 , 149, 1087-95	17
176	Aromatase in human common epithelial ovarian neoplasms. 1996 , 149, 45-51	25
175	The MDM2 oncoprotein is overexpressed in rhabdomyosarcoma cell lines and stabilizes wild-type p53 protein. 1996 , 149, 143-51	53
174	Identification of differentially expressed genes in rat aortic allograft vasculopathy. 1996 , 149, 597-611	18
173	Retarded skeletal development in transgenic mice with a type II collagen mutation. 1996 , 149, 2169-82	21
172	Basic fibroblast growth factor regulates type I collagen and collagenase gene expression in human smooth muscle cells. 1995 , 146, 764-71	34

171	Regulatory roles of tumor necrosis factor-alpha and interleukin-1 beta in monocyte chemoattractant protein-1-mediated pulmonary granuloma formation in the rat. 1995 , 146, 450-62	38
170	De novo CD5-positive and Richter's syndrome-associated diffuse large B cell lymphomas are genotypically distinct. 1995 , 147, 207-16	63
169	Modulation of urokinase and urokinase receptor gene expression in human renal cell carcinoma. 1995 , 147, 183-92	24
168	Monocyte chemotactic protein expression during schistosome egg granuloma formation. Sequence of production, localization, contribution, and regulation. 1995 , 146, 130-8	57
167	Rodent model of reproductive tract leiomyomata. Establishment and characterization of tumor-derived cell lines. 1995 , 146, 1568-79	117
166	Acetylcholine receptor alpha-subunit and myogenin mRNAs in thymus and thymomas. 1995 , 146, 1320-4	21
165	Hepatocytic differentiation of cultured rat pancreatic ductal epithelial cells after in vivo implantation. 1995 , 147, 707-17	22
164	Chromogranin A and B gene expression in carcinomas of the breast. Correlation of immunocytochemical, immunoblot, and hybridization analyses. 1990 , 136, 319-27	27
163	Intercellular adhesion molecule-1 (ICAM-1) expression is upregulated in autoimmune murine lupus nephritis. 1990 , 136, 441-50	145
162	Transformation of rabbit vascular smooth muscle cells by transfection with the early region of SV40 DNA. 1990 , 136, 297-306	18
161	Role of tumor necrosis factor-alpha in lipopolysaccharide-induced pathologic alterations. 1990 , 136, 49-60	133
160	Increased tau messenger RNA in Alzheimer's disease hippocampus. 1990 , 137, 497-502	36
159	Differential expression of laminin chains and receptor (LBP-32) in fetal and neoplastic hepatocytes compared to normal adult hepatocytes in vivo and in culture. 1990 , 137, 701-9	33
158	Early proto-oncogene expression in rat aortic smooth muscle cells following endothelial removal. 1990 , 137, 761-5	83
157	Cytokine-activated human endothelial cells synthesize and secrete a monocyte chemoattractant, MCP-1/JE. 1990 , 136, 1229-33	360
156	Tumor necrosis factor alpha and lymphotoxin production in Hodgkin's disease. 1990 , 137, 341-51	33
155	Neutrophil chemotactic factor (IL-8) gene expression by cytokine-treated retinal pigment epithelial cells. 1990 , 136, 745-50	160
154	Reversibility of hepatic fibrosis in experimentally induced cholestasis in rat. 1990 , 137, 1333-42	88

153	Study of neu-protein expression in mammary Paget's disease with and without underlying breast carcinoma and in extramammary Paget's disease. 1990 , 137, 1305-9	43
152	Human growth hormone and prolactin secreting pituitary adenomas analyzed by in situ hybridization. 1989 , 134, 605-13	73
151	Enhanced MHC class II expression in renal proximal tubules precedes loss of renal function in MRL/lpr mice with lupus nephritis. 1989 , 134, 45-51	77
150	Role of periductal and ductular epithelial cells of the adult rat pancreas in pancreatic hepatocyte lineage. A change in the differentiation commitment. 1989 , 134, 1069-86	104
149	Establishment of a human in vitro mesothelial cell model system for investigating mechanisms of asbestos-induced mesothelioma. 1989 , 134, 979-91	97
148	Cellular localization of laminin gene transcripts in normal and fibrotic human liver. 1989 , 134, 1175-82	51
147	Multinucleated giant cells generated in vitro. Terminally differentiated macrophages with down-regulated c-fms expression. 1988 , 130, 232-43	63
146	Weight loss in obese mice persistently infected with lymphocytic choriomeningitis virus is not associated with elevated tumor necrosis factor/cachectin activity in peritoneal macrophages. 1988 , 132, 586-92	4
145	The effects of estrogens on tumor growth and on prolactin and growth hormone mRNA expression in rat pituitary tissues. 1988 , 133, 397-406	43
144	Immunohistochemical demonstration of cytoplasmic and membrane-associated tumor necrosis factor in murine macrophages. 1988 , 133, 564-72	71
143	Transforming growth factor-beta production in anti-glomerular basement membrane disease in the rabbit. 1991 , 138, 223-34	91
142	Hyperexpression of interferon-gamma-induced MHC class II genes associated with reorganization of the cytoskeleton. 1991 , 139, 287-96	4
141	Interleukin-1 gene expression in rabbit vascular tissue in vivo. 1991 , 138, 1005-14	68
140	Biologic and immunohistochemical analysis of interleukin-6 expression in vivo. Constitutive and induced expression in murine polymorphonuclear and mononuclear phagocytes. 1992 , 140, 649-57	35
139	Rapid induction of apoptosis in rat liver by cycloheximide. 1992 , 140, 545-9	56
138	Glomerular basement membrane expansion in passive Heymann nephritis. Absence of increased synthesis of type IV collagen, laminin, or fibronectin. 1991 , 138, 465-75	23
137	Oval cell proliferation and the origin of small hepatocytes in liver injury induced by D-galactosamine. 1991 , 139, 535-52	223
136	Characterization of human vascular smooth muscle cells transformed by the early genetic region of SV40 virus. 1991 , 139, 629-40	12

135	The effects of estrogen on prolactin gene methylation in normal and neoplastic rat pituitary tissues. 1992 , 140, 207-14	12
134	Effect of norepinephrine on myocardial collagen gene expression and response of cardiac fibroblasts after norepinephrine treatment. 1991 , 139, 1131-42	64
133	Cytokine expression in T-cell lymphomas and Hodgkin's disease. Its possible implication in autocrine or paracrine production as a potential basis for neoplastic growth. 1991 , 139, 1173-80	71
132	Heterogeneity in expression of S100 beta mRNA in human melanoma and pleomorphic adenoma demonstrated by in situ hybridization. 1991 , 139, 1151-6	4
131	Analysis of T cells and major histocompatibility complex class I and class II mRNA and protein content and distribution in antiglomerular basement membrane disease in the rabbit. 1991 , 139, 1021-35	8
130	Interleukin-4 induces the synthesis and secretion of MCP-1/JE by human endothelial cells. 1991 , 138, 1315-9	116
129	Detection of intratumoral aromatase in breast carcinomas. An immunohistochemical study with clinicopathologic correlation. 1992 , 140, 337-43	91
128	Cytokine-induced gene expression of interleukin-8 in human transitional cell carcinomas and renal cell carcinomas. 1992 , 140, 365-73	32
127	AIDS-associated Kaposi's sarcoma-derived cells in long-term culture express and synthesize smooth muscle alpha-actin. 1991 , 139, 1251-8	57
126	Expression of macrophage inflammatory protein-2 and KC mRNA in pulmonary inflammation. 1992 , 141, 981-8	121
125	Morphologic effects of hGRH gene expression on the pituitary, liver, and pancreas of MT-hGRH transgenic mice. An in situ hybridization analysis. 1992 , 141, 895-906	37
124	Expression of IP-10, a lipopolysaccharide- and interferon-gamma-inducible protein, in murine mesangial cells in culture. 1993 , 142, 433-9	34
123	Gap junctional communication between vascular cells. Induction of connexin43 messenger RNA in macrophage foam cells of atherosclerotic lesions. 1993 , 142, 593-606	60
122	Renal extracellular matrix accumulation in acute puromycin aminonucleoside nephrosis in rats. 1992 , 141, 1381-96	77
121	Regulated expression of vascular cell adhesion molecule-1 in human malignant melanoma. 1992 , 141, 1323-30	14
120	Media conditioned by smooth muscle cells cultured in a variety of hypoxic environments stimulates in vitro angiogenesis. A relationship to transforming growth factor-beta 1. 1992 , 141, 1507-16	36
119	Tumor necrosis factor-alpha induces cell type and tissue-specific expression of chemoattractant cytokines in vivo. 1993 , 142, 861-70	91
118	Macrophages and fibroblasts express embryonic fibronectins during cutaneous wound healing. 1993 , 142, 793-801	146

117	Detection of a neuron-specific 9.0-kb transcript which shares homology with antisense transcripts of HIV-1 gag gene in patients with and without HIV-1 infection. 1993 , 142, 25-31	5
116	Distribution and origin of the basement membrane component perlecan in rat liver and primary hepatocyte culture. 1993 , 142, 199-208	52
115	Clear cell sarcoma of the kidney expresses insulinlike growth factor-II but not WT1 transcripts. 1993 , 142, 39-47	17
114	In vitro and in vivo expressions of transforming growth factor-alpha and tyrosine kinase receptors in human non-small-cell lung carcinomas. 1993 , 142, 1155-62	25
113	Multiple tumor types appear in a transgenic mouse with the ras oncogene. 1993 , 142, 1199-207	38
112	Comparative lymphokine secretion by cultured normal human cervical keratinocytes, papillomavirus-immortalized, and carcinoma cell lines. 1993 , 142, 1544-55	80
111	Immunoreactivity and expression of amylin in gastroenteropancreatic endocrine tumors. 1993 , 143, 283-91	10
110	Expression of intercellular adhesion molecule-1 on transitional cell cancer. Possible significance in immunity against tumor cells. 1993 , 143, 191-8	26
109	Development of functional diversity in mouse macrophages. Mutual exclusion of two phenotypic states. 1993 , 143, 587-97	28
108	Alpha B-crystallin and 27-kd heat shock protein are regulated by stress conditions in the central nervous system and accumulate in Rosenthal fibers. 1993 , 143, 487-95	124
107	Expression of osteopontin messenger RNA by macrophages in atherosclerotic plaques. A possible association with calcification. 1993 , 143, 1003-8	192
106	Differential expression of matrix-metalloproteinase-1 and -2 genes in normal and fibrotic human liver. 1994 , 144, 528-37	182
105	Expression of alpha 2-macroglobulin receptor/low density lipoprotein receptor-related protein and the 39-kd receptor-associated protein in human trophoblasts. 1994 , 144, 383-92	25
104	Temporal expression of autocrine growth factors corresponds to morphological features of mesangial proliferation in Habu snake venom-induced glomerulonephritis. 1993 , 143, 1366-76	42
103	Deficient differentiation of mast cells in the skin of mi/mi mice. Usefulness of in situ hybridization for evaluation of mast cell phenotype. 1993 , 143, 1337-47	39
102	All histological types of primary human rhabdomyosarcoma express alpha-cardiac and not alpha-skeletal actin messenger RNA. 1994 , 144, 836-46	13
101	Chemokine gene expression in the murine renal cell carcinoma, RENCA, following treatment in vivo with interferon-alpha and interleukin-2. 1994 , 144, 747-55	26
100	Overexpression and abnormal modification of the stress proteins alpha B-crystallin and HSP27 in Alexander disease. 1993 , 143, 1743-53	100

99	Melanocyte lineage-specific antigens recognized by monoclonal antibodies NKI-beteb, HMB-50, and HMB-45 are encoded by a single cDNA. 1993 , 143, 1579-85	70
98	Chemokine gene expression and secretion by cytokine-activated human microvascular endothelial cells. Differential regulation of monocyte chemoattractant protein-1 and interleukin-8 in response to interferon-gamma. 1994 , 145, 913-21	100
97	Expression of monocyte chemotactic protein-1 by monocytes and endothelial cells exposed to thrombin. 1994 , 144, 975-85	148
96	Characterization of the molecular defect in a feline model for type II GM2-gangliosidosis (Sandhoff disease). 1994 , 144, 1109-18	94
95	Isolation, propagation, and characterization of rat liver serosal mesothelial cells. 1994 , 145, 1432-43	18
94	Presence and expression of human papillomavirus sequences in human cervical carcinoma cell lines. 1985 , 119, 361-6	421
93	The third component of complement is transcribed and secreted by cultured human endothelial cells. 1987 , 129, 9-13	42
92	Guanidinoacetate methyltransferase deficiency: the first inborn error of creatine metabolism in man. 1996 , 58, 914-22	157
91	Mucopolysaccharidosis VI (Maroteaux-Lamy syndrome): six unique arylsulfatase B gene alleles causing variable disease phenotypes. 1994 , 54, 454-63	47
90	Frequent NF2 gene transcript mutations in sporadic meningiomas and vestibular schwannomas. 1994 , 54, 1022-9	100
89	Four novel PEPD alleles causing prolidase deficiency. 1994 , 54, 1014-21	21
88	Mutations participating in interallelic complementation in propionic acidemia. 1994 , 55, 51-8	33
87	Cerebrotendinous xanthomatosis in the Israeli Druze: molecular genetics and phenotypic characteristics. 1994 , 55, 907-15	42
86	Molecular basis of maple syrup urine disease: novel mutations at the E1 alpha locus that impair E1(alpha 2 beta 2) assembly or decrease steady-state E1 alpha mRNA levels of branched-chain alpha-keto acid dehydrogenase complex. 1994 , 55, 297-304	27
85	Uniparental isodisomy for paternal 7p and maternal 7q in a child with growth retardation. 1994 , 55, 253-65	58
84	A compound-heterozygous Marfan patient: two defective fibrillin alleles result in a lethal phenotype. 1994 , 55, 1083-91	43
83	Increase of cross(auto)-reactive antibodies after immunization in aged mice: a cellular and molecular study. <i>International Journal of Experimental Pathology</i> , 1994 , 75, 123-30	2.8 10
82	Biosynthesis of interleukin-I beta at inflammatory site in rabbits: kinetics and producing cells. <i>British Journal of Experimental Pathology</i> , 1989 , 70, 597-606	10

81	R-loop mapping of RNA transcripts from bovine papillomavirus type 4. <i>The British Journal of Cancer Supplement</i> , 1988 , 9, 85-8		
80	The beta c component of the granulocyte-macrophage colony-stimulating factor (GM-CSF)/interleukin 3 (IL-3)/IL-5 receptor interacts with a hybrid GM-CSF/erythropoietin receptor to influence proliferation and beta-globin mRNA expression. <i>Molecular Medicine</i> , 1996 , 2, 766-73	6.2	
79	Expression of amphiphysin I, an autoantigen of paraneoplastic neurological syndromes, in breast cancer. <i>Molecular Medicine</i> , 1998 , 4, 29-39	6.2	14
78	Down-regulation of laminin-5 in breast carcinoma cells. <i>Molecular Medicine</i> , 1998 , 4, 602-13	6.2	27
77	In vivo analysis of DNase I hypersensitive sites in the human CFTR gene. <i>Molecular Medicine</i> , 1999 , 5, 211-23	6.2	6
76	Frequent N addition and clonal relatedness among immunoglobulin lambda light chains expressed in rheumatoid arthritis synovia and PBL, and the influence of V lambda gene segment utilization on CDR3 length. <i>Molecular Medicine</i> , 1998 , 4, 525-53	6.2	9
75	Pharmacogenomics of the cystic fibrosis transmembrane conductance regulator (CFTR) and the cystic fibrosis drug CPX using genome microarray analysis. <i>Molecular Medicine</i> , 1999 , 5, 753-67	6.2	13
74	RDP1258, a new rationally designed immunosuppressive peptide, prolongs allograft survival in rats: analysis of its mechanism of action. <i>Molecular Medicine</i> , 1999 , 5, 820-32	6.2	3
73	A malaria sporozoite surface antigen distinct from the circumsporozoite protein. <i>Bulletin of the World Health Organization</i> , 1990 , 68 Suppl, 152-7	8.2	20
72	Induction of ornithine decarboxylase activity by growth and differentiation factors in FRTL-5 cells. <i>Yale Journal of Biology and Medicine</i> , 1989 , 62, 435-44	2.4	3
71	Optimization of RNA extraction from rat pancreatic tissue. <i>Iranian Journal of Medical Sciences</i> , 2014 , 39, 282-8	1.2	9
70	Molecular characterization of IgA- and/or IgG-switched chronic lymphocytic leukemia B cells. <i>Blood</i> , 1997 , 89, 1732-9	2.2	4
69	Transcription factor Sp1 inhibition, memory, and cytokines in a mouse model of Alzheimer's disease. <i>American Journal of Neurodegenerative Disease</i> , 2015 , 4, 40-8	2.5	20
68	Phorbol ester modulates interleukin 6- and interleukin 1-regulated expression of acute phase plasma proteins in hepatoma cells. <i>Journal of Biological Chemistry</i> , 1988 , 263, 17390-6	5.4	63
67	Developmental expression, cellular localization, and testosterone regulation of alpha 1-antitrypsin in <i>Mus caroli</i> kidney. <i>Journal of Biological Chemistry</i> , 1987 , 262, 12641-6	5.4	9
66	Muscle acetylcholine receptor biosynthesis. Regulation by transcript availability. <i>Journal of Biological Chemistry</i> , 1987 , 262, 4911-6	5.4	80
65	The start site of the <i>Acanthamoeba castellanii</i> ribosomal RNA transcription unit. <i>Gene Expression</i> , 1992 , 2, 71-8	3.4	11
64	Four sarcomeric myosin heavy chain genes are expressed by human fetal skeletal muscle cells differentiating in culture. <i>Gene Expression</i> , 1992 , 2, 49-58	3.4	3

63	Sequences within the R region of the long terminal repeat activate basal transcription from the HIV-1 promoter. <i>Gene Expression</i> , 1992 , 2, 215-30	3-4	13
62	Mouse F9 teratocarcinoma stem cells expressing the stably transfected homeobox gene Hox 1.6 exhibit an altered morphology. <i>Gene Expression</i> , 1992 , 2, 147-60	3-4	7
61	Positional and temporal regulation of lipogenic gene expression in mouse liver. <i>Gene Expression</i> , 1993 , 3, 265-78	3-4	6
60	Isolation of the human peroxisome proliferator activated receptor gamma cDNA: expression in hematopoietic cells and chromosomal mapping. <i>Gene Expression</i> , 1995 , 4, 281-99	3-4	251
59	Tissue specificity of L-pyruvate kinase transgenes results from the combinatorial effect of proximal promoter and distal activator regions. <i>Gene Expression</i> , 1996 , 5, 315-30	3-4	15
58	DNA binding proteins from keloid fibroblasts form unique complexes with the human fibronectin promoter. <i>Gene Expression</i> , 1996 , 5, 269-83	3-4	2
57	Independence and interdependence of the three human aldolase A promoters in transgenic mice. <i>Gene Expression</i> , 1996 , 6, 1-14	3-4	3
56	Characterization of mouse fibronectin alternative mRNAs reveals an unusual isoform present transiently during liver development. <i>Gene Expression</i> , 1996 , 6, 139-49	3-4	5
55	Pituitary adenylate cyclase activating peptide receptors regulate the growth of non-small cell lung cancer cells. <i>Cancer Research</i> , 1995 , 55, 4886-91	10.1	56
54	Postsynaptic Neurotoxin Gene of the Spitting Cobra, <i>Naja naja sputatrix</i> : Structure, Organization, and Phylogenetic Analysis. <i>Genome Research</i> , 1999 , 9, 259-266	9-7	39
53	Detection of Viroid RNA and vd-siRNA in <i>N. benthamiana</i> Plants: Northern Blot Analyses for Viroid and vd-siRNAs. <i>Methods in Molecular Biology</i> , 2022 , 2316, 287-312	1.4	
52	STEM mass mapping of type VI collagen microfibrils: Implications for chain composition and alternative splicing. <i>Journal of Chemical Sciences</i> , 1999 , 111, 147-157	1.8	1
51	RNA Extraction from Plant Tissue with Homemade Acid Guanidinium Thiocyanate Phenol Chloroform (AGPC).. <i>Current Protocols</i> , 2022 , 2, e351		0
50	Gut commensal bacteria enhance pathogenesis of a tumorigenic murine retrovirus.		0
49	Oncogene expression in endocrine pancreatic tumors. <i>Virchows Archiv B, Cell Pathology Including Molecular Pathology</i> , 1988 , 55, 355-61		13
48	Application of biotinylated oligonucleotide probes to the detection of pituitary hormone mRNA using northern blot analysis, in situ hybridization at the light- and electron-microscope levels. <i>The Histochemical Journal</i> , 1994 , 26, 771-7		13
47	In situ localization with digoxigenin-labelled probes of tau-related mRNAs in the rat pancreas. <i>The Histochemical Journal</i> , 1995 , 27, 565-74		2
46	Cardiac hypertrophy: old concepts, new perspectives. <i>Molecular and Cellular Biochemistry</i> , 1997 , 176, 273-9	4.2	4

45	Antioxidant enzyme gene expression in congestive heart failure following myocardial infarction. <i>Molecular and Cellular Biochemistry</i> , 2003 , 251, 9-15	4.2	28
44	A double deletion prevents replication of the pestivirus bovine viral diarrhea virus in the placenta of pregnant heifers. <i>PLoS Pathogens</i> , 2021 , 17, e1010107	7.6	0
43	The RAG cell line defines a new complementation group of MHC class II deficiency. <i>Immunogenetics</i> , 1996 , 43, 352-359	3.2	
42	Cloning and expression of cathepsin L-like proteinases in the hepatopancreas of the shrimp <i>Penaeus vannamei</i> during the intermolt cycle. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 1996 , 166, 310-318	2.2	2
41	Effect of dexamethasone on the synthesis and degradation of insulin receptor mRNA in cultured IM-9 cells. <i>Diabetologia</i> , 1987 , 30, 899-901	10.3	6
40	Protocols for Isolation of Genetic Materials from RNA Viruses. <i>Springer Protocols</i> , 2022 , 49-66	0.3	
39	Stimulatory effects of insulin-like growth factors on DNA synthesis in the human embryonic cornea. 1986 , 98, 71-83		0
38	Characterization of an intelectin-1 (Itln1) knockout mouse model. 13,		
37	Development of Magnetic Deep Eutectic Solvent-Based Liquid-Liquid Extraction for the Selective Extraction and Separation of RNA. 2022 , 38, 10934-10942		0
36	IFN- γ and IL-18 exert opposite regulatory effects on the IL-12 receptor expression and IL-12-induced IFN- γ production in mouse macrophages: novel pathways in the regulation of the inflammatory response of macrophages. 2000 , 68, 707-714		14
35	Gut commensal bacteria enhance pathogenesis of a tumorigenic murine retrovirus. 2022 , 40, 111341		1
34	Molecular Biology, Genetics, and Translational Models of Human Cancer. 1-34		0
33	RNA isolation strategies. 2023 , 77-120		0
32	Interaction Between β_1 Integrin and Secreted Fibronectin Is Involved in Macrophage Differentiation of Human HL-60 Myeloid Leukemia Cells. 1999 , 162, 407-414		10
31	The Mast Cell as Site of Tissue-Type Plasminogen Activator Expression and Fibrinolysis. 1999 , 162, 1032-1041		10
30	An Intronic Silencer Regulates B Lymphocyte Cell- and Stage-Specific Expression of the Human Complement Receptor Type 2 (CR2, CD21) Gene. 1998 , 160, 1268-1278		12
29	Triggering of Peritoneal Macrophages with IFN- γ Attenuates the Expression of Inducible Nitric Oxide Synthase Through a Decrease in NF- κ B Activation. 1998 , 160, 2889-2895		13
28	Discoordinate Surface Expression of IFN- γ -Induced HLA Class II Proteins in Nonprofessional Antigen-Presenting Cells with Absence of DM and Class II Colocalization. 1998 , 160, 3207-3216		6

27	IL-12 Modulates Expression of Hypersensitivity Pneumonitis. 1998 , 161, 991-999	15
26	Respiratory Syncytial Virus-Induced RANTES Production from Human Bronchial Epithelial Cells Is Dependent on Nuclear Factor- κ B Nuclear Binding and Is Inhibited by Adenovirus-Mediated Expression of Inhibitor of κ B. 1998 , 161, 1007-1016	26
25	The CXC Chemokines IP-10 and Mig Are Necessary for IL-12-Mediated Regression of the Mouse RENCA Tumor. 1998 , 161, 927-932	61
24	Transcription of a Minimal Promoter from the NF-IL6 Gene Is Regulated by CREB/ATF and SP1 Proteins in U937 Promonocytic Cells. 1998 , 161, 2267-2275	6
23	Urocanic Acid Enhances IL-10 Production in Activated CD4 ⁺ T Cells. 1998 , 161, 3237-3241	8
22	Expression and Participation of Eotaxin During Mycobacterial (Type 1) and Schistosomal (Type 2) Antigen-Elicited Granuloma Formation. 1998 , 161, 4276-4282	14
21	Experimental Murine Trypanosoma congolense Infections. I. Administration of Anti-IFN- γ Antibodies Alters Trypanosome-Susceptible Mice to a Resistant-Like Phenotype. 1998 , 161, 5507-5515	13
20	High Frequency of Specific CD8 ⁺ T Cells in the Tumor and Blood Is Associated with Efficient Local IL-12 Gene Therapy of Cancer. 1999 , 162, 609-617	10
19	Opsonic Complement Component C3 in the Solitary Ascidian, Halocynthia roretzi. 1999 , 162, 387-391	19
18	Immune-Mediated Destruction of Melanocytes in Halo Nevi Is Associated with the Local Expansion of a Limited Number of T Cell Clones. 1999 , 162, 1789-1794	12
17	T Cell Repertoire Alterations of Vascularized Xenografts. 1999 , 162, 3367-3377	8
16	Deficiency of Human Complement Protein C4 Due to Identical Frameshift Mutations in the C4A and C4B Genes. 1999 , 162, 3687-3693	7
15	Differential Regulation of 4E-BP1 and 4E-BP2, Two Repressors of Translation Initiation, During Human Myeloid Cell Differentiation. 1999 , 162, 3491-3497	8
14	Two Constituents of the Initiation Complex of the Mannan-Binding Lectin Activation Pathway of Complement Are Encoded by a Single Structural Gene. 1999 , 162, 3481-3490	34
13	HIV-1 Nef Expression Inhibits the Activity of a Ca ²⁺ -Dependent K ⁺ Channel Involved in the Control of the Resting Potential in CEM Lymphocytes. 1999 , 162, 5359-5366	5
12	Viral Infection Modulates Expression of Hypersensitivity Pneumonitis. 1999 , 162, 7397-7401	5
11	Virus Infection Activates IL-1 α and IL-18 Production in Human Macrophages by a Caspase-1-Dependent Pathway. 1999 , 162, 7322-7329	55
10	Differential Expression and Cross-Regulatory Function of RANTES During Mycobacterial (Type 1) and Schistosomal (Type 2) Antigen-Elicited Granulomatous Inflammation. 1999 , 163, 165-173	17

9	Glucocorticosteroids Inhibit mRNA Expression for Eotaxin, Eotaxin-2, and Monocyte-Chemotactic Protein-4 in Human Airway Inflammation with Eosinophilia. 1999 , 163, 1545-1551	18
8	Attenuation of MHC Class II Expression in Macrophages Infected with Mycobacterium bovis Bacillus Calmette-Guerin Involves Class II Transactivator and Depends on the Nramp1 Gene. 1999 , 163, 2688-2696	15
7	Construction and Preliminary Characterization of a Series of Mouse and Rat Testis cDNA Libraries. 1999 , 20, 635-639	2
6	Lymphoid Transcription of the Murine CD21 Gene Is Positively Regulated by Histone Acetylation. 1999 , 163, 2697-2703	2
5	T Cell Infiltration into Class II MHC-Disparate Allografts and Acute Rejection Is Dependent on the IFN- γ -Induced Chemokine Mig. 1999 , 163, 4878-4885	41
4	The Rat and Mouse Homologues of MASP-2 and MAP19, components of the Lectin Activation Pathway of Complement. 1999 , 163, 6848-6859	5
3	RNA Extraction from Cartilage: Issues, Methods, Tips. 2023 , 24, 2120	0
2	Mapping of mouse gamma crystallin genes on chromosome 1. 1988 , 26, 557-570	0
1	A conventional PKC critical for both the light-dependent and the light-independent regulation of the actin cytoskeleton in Drosophila photoreceptors. 2023 , 104822	0