

Determination of the initial ¹⁴C activity of review of the existing models and a new approach

Water Resources Research

15, 399-413

DOI: [10.1029/wr015i002p00399](https://doi.org/10.1029/wr015i002p00399)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Carbon-14 and Carbon-13 in Soil Co ₂ . Radiocarbon, 1980, 22, 909-918.	1.8	96
2	ENVIRONMENTAL ISOTOPES IN GROUNDWATER HYDROLOGY. , 1980, , 75-140.		83
3	Recharge in northern clime calcareous sandy soils: soil water chemical and carbon-14 evolution. Geochimica Et Cosmochimica Acta, 1980, 44, 1723-1735.	3.9	34
4	Gaseous nitrogen as evidence for denitrification in groundwater. Journal of Hydrology, 1981, 50, 191-200.	5.4	206
5	The Madrid Basin aquifer: Preliminary isotopic reconnaissance. Journal of Hydrology, 1981, 54, 151-166.	5.4	4
6	Radiocarbon dating of groundwater of the aquifer confined in the Lower Triassic sandstones of the Lorraine region, France. Journal of Hydrology, 1981, 54, 167-183.	5.4	24
7	Radiocarbon Dating of Groundwater of the Aquifer Confined in the Lower Triassic Sandstones of the Lorraine Region, France. Developments in Water Science, 1982, , 167-183.	0.1	0
8	Isotopic evidence of paleowaters in the Po sedimentary basin (Northern Italy).. Geochemical Journal, 1982, 16, 51-61.	1.0	14
9	The Madrid Basin Aquifer: Preliminary Isotopic Reconnaissance. Developments in Water Science, 1982, 16, 151-166.	0.1	1
10	LES DATATIONS AU ¹⁴ C SUR ROCHES CARBONATÉES EN ZONE ARIDE: CORRECTIONS A APPLIQUER ET INCERTITUDES. Archaeometry, 1982, 24, 85-96.	1.3	2
11	Determining the turnover time of groundwater systems with the aid of environmental tracers. Journal of Hydrology, 1982, 57, 207-231.	5.4	659
12	REPLY TO the preceding Discussion by E. P. Wright of "A Quantitative Model to Predict a Safe Yield for Well Fields in Kufra and Sarir Basins, Libya". Ground Water, 1983, 21, 766-767.	1.3	0
13	Tracer techniques in hydrology. The International Journal of Applied Radiation and Isotopes, 1983, 34, 451-475.	0.7	17
14	Stable-isotopic composition of soil carbon dioxide in the Tucson basin, Arizona, U.S.A.. Chemical Geology, 1983, 41, 219-236.	3.3	10
15	A Contribution to the Interpretation of ¹⁴ C Groundwater Ages Considering the Example of a Partially Confined Sandstone Aquifer. Radiocarbon, 1983, 25, 347-356.	1.8	95
16	Ground-Water Circulation in the Meade Thrust Allochthon Evaluated by Radiocarbon Techniques. Radiocarbon, 1983, 25, 357-372.	1.8	5
17	Tracer Techniques in Hydrology. , 1983, , 451-475.		0
18	Originalarbeiten Isotopenhydrologische Untersuchungen â€œ Arbeiten aus dem GSF-Institut fÃ¼r Radiohydrometrie. Isotopes in Environmental and Health Studies, 1984, 20, 247-259.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Retardation of dissolved radiocarbon through a carbonated matrix. <i>Geochimica Et Cosmochimica Acta</i> , 1985, 49, 683-693.	3.9	30
20	On the theory of tracer experiments in fissured rocks with a porous matrix. <i>Journal of Hydrology</i> , 1985, 79, 333-358.	5.4	259
21	Traçage par ^{13}C , ^2H , ^{18}O et uranine dans la nappe de la craie éocène en écoulement radial convergent (Bâthune, France). <i>Journal of Hydrology</i> , 1985, 78, 379-392.	5.4	38
22	Chlorine 36 dating of very old groundwater: 2. Milk River Aquifer, Alberta, Canada. <i>Water Resources Research</i> , 1986, 22, 2003-2016.	4.2	111
23	On the Initial ^{14}C Activity of Karst Aquifers with Short Mean Residence Time. <i>Radiocarbon</i> , 1986, 28, 436-440.	1.8	20
24	^{13}C Variation in Limestone On An Aquifer-Wide Scale and Its Effects On Groundwater ^{14}C Dating Models. <i>Radiocarbon</i> , 1986, 28, 1041-1054.	1.8	13
25	The Effects of Contamination of Calcareous Sediments on their Radiocarbon Ages. <i>Radiocarbon</i> , 1986, 28, 510-514.	1.8	16
26	Analyse pollinique et datation ^{14}C de concrétions stalagmitiques holocènes : apports complémentaires des deux méthodes. <i>Géographie Physique Et Quaternaire</i> , 1986, 40, 185-196.	0.2	14
27	Paleoclimatic Inferences from an Isotopic Investigation of Groundwater in the Central San Juan Basin, New Mexico. <i>Quaternary Research</i> , 1986, 26, 179-193.	1.7	69
28	MATHEMATICAL MODELS FOR THE INTERPRETATION OF ENVIRONMENTAL RADIOISOTOPES IN GROUNDWATER SYSTEMS. , 1986, , 1-59.		57
29	ISOTOPE GEOCHEMISTRY OF CARBONATES IN THE WEATHERING ZONE. , 1986, , 239-269.		46
30	RADIOACTIVE NOBLE GASES IN THE TERRESTRIAL ENVIRONMENT. , 1986, , 481-506.		1
31	Diagenesis of carbonate cements in Permo-Triassic sandstones in the Wessex and East Yorkshire-Lincolnshire Basins, UK: a stable isotope study. <i>Geological Society Special Publication</i> , 1987, 36, 173-190.	1.3	17
32	Application of Isotopic Technique for Groundwater Studies. <i>Journal of Geography (Chigaku Zasshi)</i> , 1987, 95, 455-462.	0.3	0
33	Baseline geochemical conditions in the Chalk aquifer, Berkshire, U.K.: a basis for groundwater quality management. <i>Applied Geochemistry</i> , 1987, 2, 251-274.	3.0	160
34	Mass transfer and problems of secondary porosity creation in deeply buried hydrocarbon reservoirs. <i>Marine and Petroleum Geology</i> , 1987, 4, 188-204.	3.3	155
35	Isotopic approach to calcite dissolution and precipitation in soils under semi-arid conditions. <i>Chemical Geology: Isotope Geoscience Section</i> , 1987, 66, 307-314.	0.6	21
36	Comparison of the ^{14}C activity of groundwater and recent Tufa from Karst areas in Yugoslavia and Czechoslovakia. <i>Radiocarbon</i> , 1989, 31, 884-892.	1.8	26

#	ARTICLE	IF	CITATIONS
37	Investigating Gas-Water-Rock Carbon Isotope Exchange in the Field. Radiocarbon, 1989, 31, 934-939.	1.8	2
38	Precise Determination of $^{13}\text{C}/^{12}\text{C}$ and CO_2 Concentration in Minute Samples of Soil Air by Mass Spectrometry. Isotopes in Environmental and Health Studies, 1989, 25, 349-351.	0.2	3
39	Groundwater ^{14}C activity as affected by initial water-rock interactions in the Judean Mountains, Israel. Chemical Geology: Isotope Geoscience Section, 1989, 79, 259-274.	0.6	8
40	Characterization and isotopic composition of organic and inorganic carbon in the Milk River Aquifer. Water Resources Research, 1989, 25, 1893-1905.	4.2	68
41	An isotopic investigation of groundwater in the Central San Juan Basin, New Mexico: Carbon 14 dating as a basis for numerical flow modeling. Water Resources Research, 1989, 25, 2259-2273.	4.2	58
42	The isotope geochemistry of carbon in groundwater at Stripa. Geochimica Et Cosmochimica Acta, 1989, 53, 1765-1775.	3.9	69
43	Groundwater chemistry and palaeorecharge in the Amadeus Basin, Central Australia. Journal of Hydrology, 1989, 109, 237-266.	5.4	25
44	Isotopic geochemistry of carbon in groundwater at Stripa. Geochimica Et Cosmochimica Acta, 1989, 53, 1765-1775.	3.9	69
45	Source of Ground Water in the Deserts of Northern Chile: Evidence of Deep Circulation of Ground Water from the Andes. Ground Water, 1990, 28, 513-517.	1.3	77
47	Geochemical Modeling of the Madison Aquifer in Parts of Montana, Wyoming, and South Dakota. Water Resources Research, 1990, 26, 1981-2014.	4.2	352
48	Carbon dioxide retention and carbon exchange on unsaturated Quaternary sediments. Geochimica Et Cosmochimica Acta, 1990, 54, 2277-2283.	3.9	20
49	Chemical and isotopic evidence for hydrogeochemical processes occurring in the Lincolnshire Limestone. Journal of Hydrology, 1990, 121, 293-320.	5.4	41
50	Radiocarbon in Dissolved Organic Carbon, A Possible Groundwater Dating Method: Case Studies From Western Canada. Water Resources Research, 1991, 27, 1975-1986.	4.2	52
51	Influence of Matrix Diffusion and Exchange Reactions on Radiocarbon Ages in Fissured Carbonate Aquifers. Water Resources Research, 1991, 27, 1937-1945.	4.2	94
52	Hydrogeochemistry of a Clayey Till: 2. Sources of CO_2 . Water Resources Research, 1991, 27, 2555-2564.	4.2	29
53	10. Literature Cited. Studies in Environmental Science, 1991, 43, 421-439.	0.0	0
54	Recharge mechanism and groundwater age in the Tiaree Basin, Northern Territory. Australian Journal of Earth Sciences, 1991, 38, 299-306.	1.0	13
55	Effects of Parameter Uncertainty in Modeling ^{14}C in Groundwater. , 1992, , 262-275.		11

#	ARTICLE	IF	CITATIONS
56	Reaction-Path Formulation of a Simple Dissolution Model for Radiocarbon Dating Groundwater. Radiocarbon, 1992, 34, 646-653.	1.8	4
57	Dissolved Organic and Inorganic ¹⁴ C Concentrations and Ages for Coastal Plain Aquifers in Southern Maryland. Radiocarbon, 1992, 34, 654-663.	1.8	35
58	¹⁴ C Dating of Groundwater Containing Microbial CH ₄ . Radiocarbon, 1992, 34, 686-695.	1.8	13
59	Principles and practice of calibration and validation of mathematical models for the interpretation of environmental tracer data in aquifers. Advances in Water Resources, 1993, 16, 173-190.	3.8	101
60	Dissolved organic carbon and methane in a regional confined aquifer, southern Ontario, Canada: Carbon isotope evidence for associated subsurface sources. Applied Geochemistry, 1993, 8, 483-493.	3.0	104
61	Atmospheric and subsurface sources of stable and radioactive nuclides used for groundwater dating. Water Resources Research, 1993, 29, 2027-2040.	4.2	100
62	Isotopic Analysis of Groundwater and Carbonate System in the Surdulica Geothermal Aquifer. Radiocarbon, 1993, 35, 277-286.	1.8	5
63	Isotope palaeohydrology and the prediction of long-term repository behaviour. Terra Nova, 1994, 6, 20-36.	2.1	7
64	Matrix porosity as the most important parameter of fissured rocks for solute transport at large scales. Journal of Hydrology, 1994, 158, 19-46.	5.4	61
65	Strontium isotopes as indicators of the dissolving phase in a carbonate aquifer: implications for ¹⁴ C dating of groundwater. Journal of Hydrology, 1994, 154, 301-321.	5.4	24
66	Stable carbon isotopes in groundwater: a review. Journal of Hydrology, 1994, 158, 19-46.	7.2	121
67	Radiocarbon and delta ¹³ C Values Related to Ground-Water Recharge and Mixing. Ground Water, 1995, 33, 227-234.	1.3	30
68	A 30,000 yr Continental Paleotemperature Record Derived from Noble Gases Dissolved in Groundwater from the San Juan Basin, New Mexico. Quaternary Research, 1995, 43, 209-220.	1.7	114
69	Estimating Flow and Recharge Rates of Groundwater in Western Taiwan Using Radiocarbon and Tritium. Radiocarbon, 1995, 37, 531-542.	1.8	10
70	Radiocarbon Concentration and Origin of Thermal Karst Waters in the Region of the Bükk Mountains, Northeastern Hungary. Radiocarbon, 1995, 37, 543-550.	1.8	2
71	Apports des techniques isotopiques à la connaissance des gisements d'eau minérale. Houille Blanche, 1995, 81, 51-58.	0.3	5
72	Solute and isotopic geochemistry and ground water flow in the central Wasatch Range, Utah. Journal of Hydrology, 1995, 172, 31-59.	5.4	263
73	The stable isotopic composition and measurement of carbon in soil CO ₂ . Geochimica Et Cosmochimica Acta, 1995, 59, 2485-2489.	3.9	124

#	ARTICLE	IF	CITATIONS
74	Cooling of Tropical Brazil (5°S) During the Last Glacial Maximum. <i>Science</i> , 1995, 269, 379-383.	12.6	537
75	Estimating ¹⁴ C Groundwater Ages in a Methanogenic Aquifer. <i>Water Resources Research</i> , 1995, 31, 2307-2317.	4.2	103
76	Geochemistry and ¹⁴ C dating of groundwaters from Jurassic aquifers of North Aquitaine Basin (France). <i>Applied Geochemistry</i> , 1996, 11, 433-445.	3.0	25
77	Isotope hydrology of voluminous cold springs in fractured rock from an active volcanic region, northeastern California. <i>Journal of Hydrology</i> , 1996, 179, 207-236.	5.4	86
78	Influence of freezing and thawing on the carbon isotope composition in soil CO ₂ . <i>Geoderma</i> , 1996, 69, 209-216.	5.1	21
79	Radiocarbon Assessment of Aerobic Petroleum Bioremediation in the Vadose Zone and Groundwater at an AS/SVE Site. <i>Environmental Science & Technology</i> , 1997, 31, 3363-3370.	10.0	31
80	Geochemistry and residence time estimation of groundwater from the upper aquifer of the Chihuahua desert (Comarca Lagunera, Northern Mexico). <i>Applied Geochemistry</i> , 1997, 12, 775-786.	3.0	20
81	¹⁴ C and ²³⁴ U-Excess Dating of Groundwater in the Haifa Bay Region Israel. <i>Radiocarbon</i> , 1997, 40, 945-951.	1.8	8
82	On the Isotopic Composition of Dissolved Inorganic Carbon in Rivers and Shallow Groundwater: A Diagrammatic Approach to Process Identification and A More Realistic Model of the Open System. <i>Radiocarbon</i> , 1997, 39, 251-268.	1.8	12
83	Bomb ¹⁴ C Recorded in Laminated Speleothems: Calculation of Dead Carbon Proportion. <i>Radiocarbon</i> , 1997, 39, 33-48.	1.8	85
84	Identification et caractérisation d'un biseau salin dans l'aquifère côtier du Bajocien-Bathonien de la région de Caen (France). <i>Comptes Rendus De L'Académie Des Sciences Earth & Planetary Sciences Série II, Sciences De La Terre Et Des Planètes</i> , 1998, 326, 539-544.	0.2	1
85	Residence time of Chalk groundwaters in the Paris Basin and the North German Basin: a geochemical approach. <i>Applied Geochemistry</i> , 1998, 13, 593-606.	3.0	61
86	Genetic and temporal relations between formation waters and biogenic methane: Upper Devonian Antrim Shale, Michigan Basin, USA. <i>Geochimica Et Cosmochimica Acta</i> , 1998, 62, 1699-1720.	3.9	263
87	Soil respiration and georespiration distinguished by transport analyses of vadose CO ₂ , ¹³ CO ₂ , and ¹⁴ CO ₂ . <i>Global Biogeochemical Cycles</i> , 1998, 12, 361-372.	4.9	77
88	Carbon dioxide respiration in the deep vadose zone: Implications for groundwater age dating. <i>Water Resources Research</i> , 1998, 34, 3069-3077.	4.2	31
89	Radiometric Methods for Dating Groundwater. , 1998, , 425-451.		0
90	Climate and Groundwater Recharge During the Last Glaciation in an Ice-Covered Region. , 1998, 282, 731-734.		97
91	Responses of ground water in the Black Mesa basin, northeastern Arizona, to paleoclimatic changes during the late Pleistocene and Holocene. <i>Geology</i> , 1998, 26, 127.	4.4	37

#	ARTICLE	IF	CITATIONS
92	Tropical climates at the Last Glacial Maximum: a new synthesis of terrestrial palaeoclimate data. I. Vegetation, lake-levels and geochemistry. <i>Climate Dynamics</i> , 1999, 15, 823-856.	3.8	300
93	Assessment of recharge to groundwater systems in the arid southwestern part of Northern Territory, Australia, using chlorine-36. <i>Hydrogeology Journal</i> , 1999, 7, 393-404.	2.1	21
94	Isotope hydrology of southern Nevada groundwater: Stable isotopes and radiocarbon. <i>Water Resources Research</i> , 1999, 35, 279-294.	4.2	69
95	An Overview of ¹⁴ C Analysis in the Study of Groundwater. <i>Radiocarbon</i> , 2000, 42, 99-114.	1.8	121
96	Inverse chemical modeling and radiocarbon dating of palaeogroundwaters: The Tertiary Ledo-Paniselian Aquifer in Flanders, Belgium. <i>Water Resources Research</i> , 2000, 36, 1277-1287.	4.2	26
97	ISOTOPE HYDROLOGY DYNAMICS OF RIVERINE WETLANDS IN THE KANKAKEE WATERSHED, INDIANA. <i>Journal of the American Water Resources Association</i> , 2000, 36, 771-790.	2.4	13
98	Mechanisms Controlling the Distribution and Transport of ¹⁴ C in a Clay-Rich Till Aquitard. <i>Ground Water</i> , 2000, 38, 343-349.	1.3	32
99	On Radiocarbon Dating of Ground Water. <i>Ground Water</i> , 2000, 38, 802-804.	1.3	20
100	Performance of Models for Radiocarbon Dating of Groundwater: An Appraisal using Selected Irish Aquifers. <i>Radiocarbon</i> , 2000, 42, 235-248.	1.8	16
101	¹⁴ C dating of Gorleben groundwater. <i>Applied Geochemistry</i> , 2000, 15, 583-597.	3.0	39
102	Hydrochemical and isotopic characterisation of the Bathonian and Bajocian coastal aquifer of the Caen area (northern France). <i>Applied Geochemistry</i> , 2000, 15, 791-805.	3.0	79
103	Comparison of ⁴ He ages and ¹⁴ C ages in simple aquifer systems: implications for groundwater flow and chronologies. <i>Applied Geochemistry</i> , 2000, 15, 1137-1167.	3.0	114
104	Development of climatic and vegetation conditions and the geochemical and isotopic composition in the Franconian Albvorland aquifer system. <i>Applied Geochemistry</i> , 2000, 15, 1191-1201.	3.0	15
105	Chemical evolution of coal mine drainage in a non-acid producing environment, Wasatch Plateau, Utah, USA. <i>Journal of Hydrology</i> , 2000, 236, 1-16.	5.4	39
106	Sources of chloride and implications for ³⁶ Cl dating of old groundwater, Southwestern Great Artesian Basin, Australia. <i>Water Resources Research</i> , 2000, 36, 1561-1574.	4.2	86
107	Estimate of recharge from radiocarbon dating of groundwater and numerical flow and transport modeling. <i>Water Resources Research</i> , 2000, 36, 2607-2620.	4.2	75
108	Atmospheric Noble Gases. , 2000, , 349-377.		65
109	Différence entre vitesses hydrauliques et vitesses radiométriques des eaux d'un réservoir profond : proposition d'explication pour l'aquifère miocène du bassin de Valras (Sud-Est de la France). <i>Comptes Rendus De L'Académie Des Sciences Earth & Planetary Sciences Série II, Sciences De La Terre Et Des Planètes</i> =, 2001, 333, 163-170.	0.2	3

#	ARTICLE	IF	CITATIONS
110	Climatological signals of the paleogroundwater in Jordan. <i>Journal of Hydrology</i> , 2001, 243, 133-147.	5.4	49
111	Radiocarbon dating of dissolved inorganic carbon in groundwater from confined parts of the Upper Floridan aquifer, Florida, USA. <i>Hydrogeology Journal</i> , 2001, 9, 127-150.	2.1	129
112	Apports des analyses chimiques et isotopiques À la connaissance du fonctionnement des aquifères plio-quadernaire et turonien de la zone synclinale d'Essaouira, Maroc occidental. <i>Journal of African Earth Sciences</i> , 2001, 32, 819-835.	2.0	30
113	The Ribe Formation in western Denmark – Holocene and Pleistocene groundwaters in a coastal Miocene sand aquifer. <i>Geological Society Special Publication</i> , 2001, 189, 29-48.	1.3	14
114	Palaeowaters from the Glatt Valley, Switzerland. <i>Geological Society Special Publication</i> , 2001, 189, 155-162.	1.3	5
115	Palaeowaters in the aquifers of the coastal regions of southern and eastern England. <i>Geological Society Special Publication</i> , 2001, 189, 71-92.	1.3	17
116	Evidence for palaeowaters in the coastal aquifers of France. <i>Geological Society Special Publication</i> , 2001, 189, 93-106.	1.3	11
117	Palaeowater in coastal aquifers of Spain. <i>Geological Society Special Publication</i> , 2001, 189, 107-138.	1.3	22
118	Stable isotope compositions of waters in the Great Basin, United States 3. Comparison of groundwaters with modern precipitation. <i>Journal of Geophysical Research</i> , 2002, 107, ACL 16-1.	3.3	32
119	A paleotemperature record derived from dissolved noble gases in groundwater of the Aquia Aquifer (Maryland, USA). <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 797-817.	3.9	111
120	Geochemical evolution of groundwater beneath Mexico City. <i>Journal of Hydrology</i> , 2002, 258, 1-24.	5.4	169
121	Hydrogeochemistry of arsenic and other inorganic constituents in groundwaters from La Pampa, Argentina. <i>Applied Geochemistry</i> , 2002, 17, 259-284.	3.0	497
122	Effects of sulphate reduction and geogenic CO ₂ incorporation on the determination of ¹⁴ C groundwater ages – a case study of the Palaeogene groundwater system in north-eastern Syria. <i>Hydrogeology Journal</i> , 2002, 10, 495-508.	2.1	15
123	Groundwater dating with radiocarbon: application to an aquifer under semi-arid conditions in the south of Morocco (Guelmime). <i>Applied Radiation and Isotopes</i> , 2002, 56, 637-647.	1.5	11
124	Title is missing!. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2003, 255, 369-373.	1.5	11
125	Salinization of a Fresh Palaeo-Ground Water Resource by Enhanced Recharge. <i>Ground Water</i> , 2003, 41, 84-92.	1.3	50
126	Geochemical evidence for efficient aquifer isolation over geological timeframes. <i>Nature</i> , 2003, 425, 55-58.	27.8	63
127	A mixed groundwater system at Midway, UT: discriminating superimposed local and regional discharge. <i>Journal of Hydrology</i> , 2003, 273, 119-138.	5.4	30

#	ARTICLE	IF	CITATIONS
128	Differences in the ^{14}C age, $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of Holocene tufa and speleothem in the Dinaric Karst. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003, 193, 139-157.	2.3	77
129	Paleoclimatic interpretation of the past 30 ka from isotopic studies of the deep confined aquifer of the North China plain. <i>Applied Geochemistry</i> , 2003, 18, 997-1009.	3.0	138
130	Active and inactive groundwater flow systems: Evidence from a stratified, mountainous terrain. <i>Bulletin of the Geological Society of America</i> , 2003, 115, 1456.	3.3	36
131	Groundwater circulation patterns and isotope geochemistry in the Chalk of Northern Ireland. <i>Quarterly Journal of Engineering Geology and Hydrogeology</i> , 2003, 36, 59-73.	1.4	5
132	Groundwater Dating and Residence-time Measurements. , 2003, , 451-497.		32
133	The origin of increased salinity in the Cambrian-Vendian aquifer system on the Kopli Peninsula, northern Estonia. <i>Hydrogeology Journal</i> , 2004, 12, 424.	2.1	42
134	A late Pleistocene-Holocene noble gas paleotemperature record in southern Michigan. <i>Geophysical Research Letters</i> , 2004, 31, .	4.0	43
135	Age and flow pattern of groundwater in a Jurassic limestone aquifer and related Tertiary sands derived from combined isotope, noble gas and chemical data. <i>Journal of Hydrology</i> , 2004, 286, 87-112.	5.4	60
136	Hydrogeology of Palm Valley, central Australia; a Pleistocene flora refuge?. <i>Journal of Hydrology</i> , 2004, 293, 20-46.	5.4	16
137	Alabama Gulf Coast groundwaters: ^4He and ^{14}C as groundwater-dating tools. <i>Geology</i> , 2004, 32, 289.	4.4	11
138	Isotopes and Sustainability of Ground Water Resources, North China Plain. <i>Ground Water</i> , 2005, 43, 485-493.	1.3	89
139	Geochemistry and the understanding of ground-water systems. <i>Hydrogeology Journal</i> , 2005, 13, 263-287.	2.1	196
140	Cross-formational flow and salinity sources inferred from a combined study of helium concentrations, isotopic ratios, and major elements in the Marshall aquifer, southern Michigan. <i>Geochemistry, Geophysics, Geosystems</i> , 2005, 6, n/a-n/a.	2.5	34
141	ISOTOPES IN WATER. , 2006, , 1-66.		68
142	^4He dating of groundwater associated with hydrocarbon reservoirs. <i>Chemical Geology</i> , 2006, 226, 309-327.	3.3	70
143	Helium, radon and radiocarbon studies on a regional aquifer system of the North Gujarat "Cambay region, India. <i>Chemical Geology</i> , 2006, 228, 209-232.	3.3	24
144	Paleowaters in Silurian-Devonian carbonate aquifers: Geochemical evolution of groundwater in the Great Lakes region since the Late Pleistocene. <i>Geochimica Et Cosmochimica Acta</i> , 2006, 70, 2454-2479.	3.9	102
145	Interbasin flow revisited: The contribution of local recharge to high-discharge springs, Death Valley, CA. <i>Journal of Hydrology</i> , 2006, 323, 276-302.	5.4	34

#	ARTICLE	IF	CITATIONS
146	Mixing of shallow and deep groundwater as indicated by the chemistry and age of karstic springs. Hydrogeology Journal, 2006, 14, 827-847.	2.1	24
147	Environmental isotopic study on the recharge and residence time of groundwater in the Heihe River Basin, northwestern China. Hydrogeology Journal, 2006, 14, 1635-1651.	2.1	94
149	¹⁴ C Groundwater Age and the Importance of Chemical Fluxes Across Aquifer Boundaries in Confined Cretaceous Aquifers of North Carolina, USA. Radiocarbon, 2007, 49, 1181-1203.	1.8	19
150	Hydrogeochemical and isotope evidence of groundwater evolution and recharge in Minqin Basin, Northwest China. Journal of Hydrology, 2007, 333, 239-251.	5.4	143
151	Delineation of the coastal aquifer of Israel based on repetitive analysis of ¹⁴ C and tritium. Journal of Hydrology, 2007, 343, 56-70.	5.4	20
152	Constraining the age distribution of highly mixed groundwater using ³⁹ Ar: A multiple environmental tracer (³ H/ ³ He, ⁸⁵ Kr, ³⁹ Ar, and ¹⁴ C) study in the semiconfined Fontainebleau Sands Aquifer (France). Water Resources Research, 2007, 43, .	4.2	94
153	Groundwater flow patterns in the San Luis Valley, Colorado, USA revisited: an evaluation of solute and isotopic data. Hydrogeology Journal, 2007, 15, 383-408.	2.1	21
154	Groundwater origin and flow along selected transects in Ethiopian rift volcanic aquifers. Hydrogeology Journal, 2008, 16, 55-73.	2.1	83
155	The hydrochemical characteristics and evolution of groundwater and surface water in the Heihe River Basin, northwest China. Hydrogeology Journal, 2008, 16, 167-182.	2.1	106
156	The use of environmental isotopic and hydrochemical tracers to characterize the functioning of karst systems in the Tlemcen Mountains, northwest Algeria. Hydrogeology Journal, 2008, 16, 531-546.	2.1	20
157	Some possible evolutionary scenarios suggested by ³⁶ Cl measurements in Guarani aquifer groundwaters. Applied Radiation and Isotopes, 2008, 66, 1160-1174.	1.5	18
158	Tectonic Influences on Ground Water Quality: Insight from Complementary Methods. Ground Water, 2008, 46, 354-371.	1.3	11
159	Comparison of ⁸⁵ Kr and ³ H Apparent Groundwater Ages for Source Water Vulnerability in the Collyer River Catchment, Maine. Journal of the American Water Resources Association, 2008, 44, 14-26.	2.4	2
160	Isotopic evidence of aquifer recharge during the last ice age in Portugal. Journal of Hydrology, 2008, 361, 291-308.	5.4	15
161	Groundwater characterisation and modelling of water-rock interaction in an argillaceous formation (Tournemire, France). Applied Geochemistry, 2008, 23, 2182-2197.	3.0	57
162	Radiocarbon application in dating complex hot and cold CO ₂ -rich mineral water systems: A review of case studies ascribed to the northern Portugal. Applied Geochemistry, 2008, 23, 2817-2828.	3.0	32
163	Groundwater Age and Groundwater Age Dating. Annual Review of Earth and Planetary Sciences, 2008, 36, 121-152.	11.0	240
164	Subsurface Microbial Diversity in Deep-Granitic-Fracture Water in Colorado. Applied and Environmental Microbiology, 2008, 74, 143-152.	3.1	122

#	ARTICLE	IF	CITATIONS
165	Environmental isotopes investigation on recharge processes and hydrodynamics of the coastal sedimentary aquifers of Tiruvadanaï, Tamilnadu State, India. <i>Journal of Hydrology</i> , 2009, 364, 23-39.	5.4	29
166	Palaeorecharge conditions of the deep aquifers of the Northern Aquitaine region (France). <i>Journal of Hydrology</i> , 2009, 368, 1-16.	5.4	24
167	Mean recharge times and chemical modelling transfers from shallow groundwater to mineralized thermal waters at Montrond-les-Bains, Eastern Massif Central, France. <i>Journal of Hydrology</i> , 2009, 376, 1-15.	5.4	14
168	Paleo-climate of the Boise area, Idaho from the last glacial maximum to the present based on groundwater $\delta^2\text{H}$ and $\delta^{18}\text{O}$ compositions. <i>Quaternary Research</i> , 2009, 71, 172-180.	1.7	12
169	Isotope Hydrogeological Study of Karst Water in the Lu' an Mining District and the Xin' ancun Spring Basin, Shanxi. <i>Acta Geologica Sinica</i> , 1994, 7, 311-327.	1.4	2
170	The groundwater age in the Middle-Upper Devonian aquifer system, Lithuania. <i>Hydrogeology Journal</i> , 2009, 17, 871-889.	2.1	19
171	Use of mathematical modeling to investigate inter-aquifer contamination by organic-rich water through an unplugged well (central Wielkopolska, Poland). <i>Hydrogeology Journal</i> , 2009, 17, 1257-1264.	2.1	3
172	Estimaci3n de las propiedades de flujo de agua de agua subterr3nea a escala regional en la cuenca de Bengala en India y Bangladesh. <i>Hydrogeology Journal</i> , 2009, 17, 1329-1346.	2.1	91
173	Environmental isotopic and hydrochemical study of groundwater in the Ejina Basin, northwest China. <i>Environmental Geology</i> , 2009, 58, 601-614.	1.2	47
174	Identification of hydrogeochemical zones in postglacial buried valley aquifer (Wielkopolska Buried) Tj ETQq1 1 0.784314 rgBT /Overlock	1.2	12
175	A Black Hills4Madison Aquifer Origin for Dakota Aquifer Groundwater in Northeastern Nebraska. <i>Ground Water</i> , 2010, 48, 448-464.	1.3	5
176	A record of temperature and monsoon intensity over the past 404kyr from groundwater in the North China Plain. <i>Chemical Geology</i> , 2009, 259, 168-180.	3.3	57
177	Inorganic carbon isotope systematics in soil profiles undergoing silicate and carbonate weathering (Southern Michigan, USA). <i>Chemical Geology</i> , 2009, 264, 139-153.	3.3	40
178	Carbon isotopes in pore water of the unsaturated zone and their relevance for initial ^{14}C activity in groundwater in the coastal aquifer of Israel. <i>Chemical Geology</i> , 2009, 268, 189-196.	3.3	19
179	Impact of recharge variations on water quality as indicated by excess air in groundwater of the Kalahari, Botswana. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 911-922.	3.9	9
180	Open to closed system transition traced through the TDIC isotopic signature at the aquifer recharge stage, implications for groundwater ^{14}C dating. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 6488-6501.	3.9	36
181	A new correction model for ^{14}C ages in aquifers with complex geochemistry 44 Application to the Neogene Aquifer, Belgium. <i>Applied Geochemistry</i> , 2009, 24, 768-776.	3.0	44
182	Geochemistry44TM's vital contribution to solving water resource problems. <i>Applied Geochemistry</i> , 2009, 24, 1058-1073.	3.0	113

#	ARTICLE	IF	CITATIONS
183	Twenty years of groundwater evolution in the Triassic sandstone aquifer of Lorraine: Impacts on baseline water quality. <i>Applied Geochemistry</i> , 2009, 24, 1198-1213.	3.0	37
184	Etude géochimique et isotopique des aquifères dans la zone de Maicao (Colombie) / Study of the geochemistry and isotopic composition of aquifers in the Maicao region (Columbia). <i>Hydrological Sciences Journal</i> , 2009, 54, 538-555.	2.6	6
185	The hardwater effect in AMS 14C dating of food crusts on pottery. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2010, 268, 995-998.	1.4	27
186	Chemical evolution of shallow playa groundwater in response to post-pluvial isostatic rebound, Honey Lake Basin, California—Nevada, USA. <i>Hydrogeology Journal</i> , 2010, 18, 725-747.	2.1	7
187	Geochemical and isotopic characterization of groundwater from the Paleogene limestone aquifer of the Upper Jezireh, Syria. <i>Environmental Earth Sciences</i> , 2010, 59, 1065-1078.	2.7	20
188	Reconstruction of groundwater flows and chemical water evolution in an amagmatic hydrothermal system (La L�ch�re, French Alps). <i>Journal of Hydrology</i> , 2010, 381, 189-202.	5.4	14
189	Using groundwater geochemistry and environmental isotopes to assess the correction of 14C ages in a silicate-dominated aquifer system. <i>Journal of Hydrology</i> , 2010, 382, 174-187.	5.4	42
190	Recharge history and controls on groundwater quality in the Yuncheng Basin, north China. <i>Journal of Hydrology</i> , 2010, 385, 216-229.	5.4	96
191	Groundwater flow regime, recharge and regional-scale solute transport in the semi-arid Kalahari of Botswana derived from isotope hydrology and hydrochemistry. <i>Journal of Hydrology</i> , 2010, 388, 291-303.	5.4	32
192	Uncertainty in 14C model ages of saturated zone waters: The influence of soil gas in terranes dominated by C3 plants. <i>Journal of Hydrology</i> , 2010, 392, 83-95.	5.4	11
194	Spatial Radiocarbon and Stable Carbon Isotope Variability of Mineral and Thermal Waters in Slovakia. <i>Radiocarbon</i> , 2010, 52, 1056-1067.	1.8	10
195	Establishing constraints on groundwater ages with 36Cl, 14C, 3H, and noble gases: A case study in the eastern Paris basin, France. <i>Applied Geochemistry</i> , 2010, 25, 123-142.	3.0	36
196	A new groundwater radiocarbon correction approach accounting for palaeoclimate conditions during recharge and hydrochemical evolution: The Ledo-Paniselian Aquifer, Belgium. <i>Applied Geochemistry</i> , 2010, 25, 437-455.	3.0	30
197	Geochemical and isotopic evidence for palaeo-seawater intrusion into the south coast aquifer of Laizhou Bay, China. <i>Applied Geochemistry</i> , 2011, 26, 863-883.	3.0	163
198	Caract�risation et suivi isotopique des eaux de la nappe semi-captive du Maestrichtien de la C�te d'Ivoire. <i>International Journal of Biological and Chemical Sciences</i> , 2011, 5, .	0.2	0
199	NETPATH-WIN: An Interactive User Version of the Mass-Balance Model, NETPATH. <i>Ground Water</i> , 2011, 49, 593-599.	1.3	38
200	Flow pattern and residence time of groundwater within the south-eastern Taoudeni sedimentary basin (Burkina Faso, Mali). <i>Journal of Hydrology</i> , 2011, 409, 423-439.	5.4	54
201	Identifying the recharge sources and age of groundwater in the Songnen Plain (Northeast China) using environmental isotopes. <i>Hydrogeology Journal</i> , 2011, 19, 163-176.	2.1	42

#	ARTICLE	IF	CITATIONS
202	On some methodological problems in the use of environmental tracers to estimate hydrogeologic parameters and to calibrate flow and transport models. <i>Hydrogeology Journal</i> , 2011, 19, 53-69.	2.1	62
203	Age structure and recharge conditions of a coastal aquifer (northern Germany) investigated with ^{39}Ar , ^{14}C , ^3H , He isotopes and Ne. <i>Hydrogeology Journal</i> , 2011, 19, 221-236.	2.1	44
204	Using geochemical indicators to investigate groundwater mixing and residence time in the aquifer system of Djeffara of Medenine (southeastern Tunisia). <i>Hydrogeology Journal</i> , 2011, 19, 209-219.	2.1	38
205	A comparison of recharge rates in aquifers of the United States based on groundwater-age data. <i>Hydrogeology Journal</i> , 2011, 19, 779-800.	2.1	109
206	Stable water isotope climate archives in springs from the Olympic Mountains, Washington. <i>Environmental Earth Sciences</i> , 2011, 62, 569-580.	2.7	3
207	Hydrological and isotopic characterization of river water, groundwater, and groundwater recharge in the Heihe River basin, northwestern China. <i>Hydrological Processes</i> , 2011, 25, 1271-1283.	2.6	53
208	Controls on ^{13}C and ^{14}C variability in soil CO_2 . <i>Geoderma</i> , 2012, 189-190, 431-441.	5.1	25
209	Old groundwater in parts of the upper Patapsco aquifer, Atlantic Coastal Plain, Maryland, USA: evidence from radiocarbon, chlorine-36 and helium-4. <i>Hydrogeology Journal</i> , 2012, 20, 1269-1294.	2.1	43
210	Relationship between Senonian and deep aquifers in Southern Tunisia. <i>Quaternary International</i> , 2012, 257, 13-26.	1.5	14
211	Recharge and paleorecharge of the deep groundwater aquifer system in the Zeroud Basin (Kairouan) Tj ETQq1 1 0.784314 rgBT /Overbo	1.5	9
212	A graphical method to evaluate predominant geochemical processes occurring in groundwater systems for radiocarbon dating. <i>Chemical Geology</i> , 2012, 318-319, 88-112.	3.3	67
214	Constraining groundwater flow, residence times, inter-aquifer mixing, and aquifer properties using environmental isotopes in the southeast Murray Basin, Australia. <i>Applied Geochemistry</i> , 2012, 27, 1698-1709.	3.0	71
215	Groundwater residence time and paleorecharge conditions in the deep confined aquifers of the coastal watershed, South-East Tanzania. <i>Journal of Hydrology</i> , 2012, 466-467, 127-140.	5.4	19
216	Using ^{14}C and ^3H to delineate a recharge "window" into the Perth Basin aquifers, North Gngangara groundwater system, Western Australia. <i>Science of the Total Environment</i> , 2012, 414, 456-469.	8.0	43
217	Geochemical and isotopic (oxygen, hydrogen, carbon, strontium) constraints for the origin, salinity, and residence time of groundwater from a carbonate aquifer in the Western Anti-Atlas Mountains, Morocco. <i>Journal of Hydrology</i> , 2012, 438-439, 97-111.	5.4	56
218	^{14}C dating of deep groundwater in the Bengal Aquifer System, Bangladesh: Implications for aquifer anisotropy, recharge sources and sustainability. <i>Journal of Hydrology</i> , 2012, 444-445, 209-220.	5.4	55
219	Geochemical and isotopic characterization of groundwater from shallow and deep limestone aquifers system of Aleppo basin (north Syria). <i>Environmental Earth Sciences</i> , 2012, 65, 1157-1168.	2.7	21
220	Characterizing the groundwater renewability and evolution of the strongly exploited aquifers of the North China Plain by major ions and environmental tracers. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2013, 296, 1263-1274.	1.5	28

#	ARTICLE	IF	CITATIONS
221	A combined geological, hydrochemical, and geophysical approach to understanding a disease contamination hazard in groundwaters at a state fish hatchery. <i>Natural Hazards</i> , 2013, 69, 545-571.	3.4	4
222	Hydrogeochemical and isotopic evidence of groundwater evolution and recharge in aquifers in Beijing Plain, China. <i>Environmental Earth Sciences</i> , 2013, 69, 2167-2177.	2.7	34
223	Analysis of environmental isotopes in groundwater to understand the response of a vulnerable coastal aquifer to pumping: Western Port Basin, south-eastern Australia. <i>Hydrogeology Journal</i> , 2013, 21, 1413-1427.	2.1	19
224	Mechanisms of subglacial groundwater recharge as derived from noble gas, ^{14}C , and stable isotopic data. <i>Earth and Planetary Science Letters</i> , 2013, 369-370, 78-85.	4.4	18
225	Dating groundwater in the Bohemian Cretaceous Basin: Understanding tracer variations in the subsurface. <i>Applied Geochemistry</i> , 2013, 29, 189-198.	3.0	16
226	Revision of Fontes & Garnier's model for the initial ^{14}C content of dissolved inorganic carbon used in groundwater dating. <i>Chemical Geology</i> , 2013, 351, 105-114.	3.3	83
227	Geochemical and isotopic study of surface and groundwaters in Ain Bou Mourra basin, central Tunisia. <i>Quaternary International</i> , 2013, 303, 210-227.	1.5	26
228	Recharge and mineralization of groundwater of the Upper Cretaceous aquifer in Orontes basin, Syria. <i>Hydrological Sciences Journal</i> , 2013, 58, 452-467.	2.6	4
229	Groundwater recharge and evolution in the Dunhuang Basin, northwestern China. <i>Applied Geochemistry</i> , 2013, 28, 19-31.	3.0	75
230	Hydrogeochemistry of the Middle Rio Grande aquifer system – Fluid mixing and salinization of the Rio Grande due to fault inputs. <i>Chemical Geology</i> , 2013, 351, 281-298.	3.3	38
231	Hydrogeochemical and isotopic evidence for trans-formational flow in a sedimentary basin: Implications for CO_2 storage. <i>Applied Geochemistry</i> , 2013, 30, 4-15.	3.0	25
232	Using ^3H and ^{14}C to constrain the degree of closed-system dissolution of calcite in groundwater. <i>Applied Geochemistry</i> , 2013, 32, 118-128.	3.0	25
233	Effect of source integration on the geochemical fluxes from springs. <i>Applied Geochemistry</i> , 2013, 28, 32-54.	3.0	24
234	Profiles of geochemical and isotopic signatures from the Helan Mountains to the eastern Tengger Desert, northwestern China. <i>Journal of Arid Environments</i> , 2013, 90, 77-87.	2.4	11
235	Carbon-14 age and chemical evolution of $\text{Ca}(\text{HCO}_3)_2$ -type groundwater of age less than 8,000 years in a confined sandy and muddy Pleistocene aquifer, Japan. <i>Hydrogeology Journal</i> , 2013, 21, 1289-1305.	2.1	5
236	Identifying origins of and pathways for spring waters in a semiarid basin using He, Sr, and C isotopes: Cuatrociénegas Basin, Mexico. , 2013, 9, 113-125.		41
237	Evolution of Radiocarbon in a Sandy Aquifer Across Large Temporal and Spatial Scales: Case Study from Southern Poland. <i>Radiocarbon</i> , 2013, 55, 905-919.	1.8	6
238	Radiocarbon and Stable Isotopes as Groundwater Tracers in the Danube River Basin of SW Slovakia. <i>Radiocarbon</i> , 2013, 55, 1017-1028.	1.8	10

#	ARTICLE	IF	CITATIONS
239	Groundwater age distributions at a public drinking water supply well field derived from multiple age tracers (^{85}Kr , ^3H / ^3He , and ^{39}Ar). <i>Water Resources Research</i> , 2013, 49, 7778-7796.	4.2	77
240	Principles and Applications of the Noble Gas Paleothermometer. <i>Geophysical Monograph Series</i> , 0, , 89-100.	0.1	74
241	Radiocarbon and Stable Isotopes as Groundwater Tracers in the Danube River Basin of SW Slovakia. <i>Radiocarbon</i> , 2013, 55, .	1.8	1
242	Radiocarbon and Other Environmental Isotopes in the Groundwater of the Sites for a Planned New Nuclear Power Plant in Lithuania. <i>Radiocarbon</i> , 2013, 55, 951-962.	1.8	8
243	Groundwater residence time in a dissected and weathered sandstone plateau: Kulnuraâ€Mangrove Mountain aquifer, NSW, Australia. <i>Australian Journal of Earth Sciences</i> , 2014, 61, 475-499.	1.0	24
244	Innovative Environmental Tracer Techniques for Evaluating Sources of Spring Discharge from a Carbonate Aquifer Bisected by a River. <i>Ground Water</i> , 2014, 52, 71-83.	1.3	5
245	Geochemistry and residence time estimation of groundwater from Mioceneâ€Pliocene and Upper Cretaceous aquifers of Southern Tunisia. <i>Quaternary International</i> , 2014, 338, 59-70.	1.5	17
246	A multi-tracer study of groundwater origin and transit-time in the aquifers of the Venice region (Italy). <i>Applied Geochemistry</i> , 2014, 50, 177-198.	3.0	38
247	Carbon isotopes and geochemical processes in CO ₂ -rich cold mineral water, N-Portugal. <i>Environmental Earth Sciences</i> , 2014, 71, 2941-2953.	2.7	11
248	Environmental isotopes as the indicators of the groundwater recharge in Tunisian Chotts region. <i>Carbonates and Evaporites</i> , 2014, 29, 221-238.	1.0	5
249	A multiple-tracer approach to understanding regional groundwater flow in the Snake Valley area of the eastern Great Basin, USA. <i>Applied Geochemistry</i> , 2014, 45, 33-49.	3.0	26
250	The role of interbasin groundwater transfers in geologically complex terranes, demonstrated by the Great Basin in the western United States. <i>Hydrogeology Journal</i> , 2014, 22, 807-828.	2.1	18
251	Application of water chemistry as a hydrological tracer in a volcano catchment area: A case study of the Tatun Volcano Group, North Taiwan. <i>Journal of Hydrology</i> , 2014, 511, 825-837.	5.4	8
252	Occurrence of old groundwater in a volcanic island on a continental shelf; an example from Nakano-shima Island, Oki-Dozen, Japan. <i>Journal of Hydrology</i> , 2014, 511, 295-309.	5.4	9
253	Use of hydrochemistry and environmental isotopes for assessment of groundwater resources in the intermediate aquifer of the Sfax basin (Southern Tunisia). <i>Carbonates and Evaporites</i> , 2014, 29, 177-192.	1.0	10
254	Lower Groundwater ^{14}C Age by Atmospheric CO_2 Uptake During Sampling and Analysis. <i>Ground Water</i> , 2014, 52, 20-24.	1.3	39
255	A review of methods for modelling environmental tracers in groundwater: Advantages of tracer concentration simulation. <i>Journal of Hydrology</i> , 2014, 519, 3674-3689.	5.4	88
256	The curved ^{14}C vs. ^{13}C relationship in dissolved inorganic carbon: A useful tool for groundwater age- and geochemical interpretations. <i>Chemical Geology</i> , 2014, 387, 111-125.	3.3	25

#	ARTICLE	IF	CITATIONS
257	Factors affecting carbon-14 activity of unsaturated zone CO ₂ and implications for groundwater dating. <i>Journal of Hydrology</i> , 2014, 519, 465-475.	5.4	28
258	Groundwater Dating and Residence-Time Measurements. , 2014, , 361-400.		3
259	Isotope geochemistry and modelling of the multi-aquifer system in the eastern part of Lithuania. <i>Hydrogeology Journal</i> , 2014, 22, 925-941.	2.1	11
260	Application of isotopic tracers as a tool for understanding hydrodynamic behavior of the highly exploited Diass aquifer system (Senegal). <i>Journal of Hydrology</i> , 2014, 511, 443-459.	5.4	23
261	Groundwater recharge and evolution of water quality in China's Jilantai Basin based on hydrogeochemical and isotopic evidence. <i>Environmental Earth Sciences</i> , 2014, 72, 3491-3506.	2.7	6
262	Paleoclimate record in the Nubian Sandstone Aquifer, Sinai Peninsula, Egypt. <i>Quaternary Research</i> , 2014, 81, 158-167.	1.7	48
263	Tracer applications of noble gas radionuclides in the geosciences. <i>Earth-Science Reviews</i> , 2014, 138, 196-214.	9.1	119
264	Noble gas, CFC and other geochemical evidence for the age and origin of the Bath thermal waters, UK. <i>Applied Geochemistry</i> , 2014, 40, 155-163.	3.0	12
265	A general reactive transport modeling framework for simulating and interpreting groundwater ¹⁴ C age and δ ¹³ C. <i>Water Resources Research</i> , 2015, 51, 359-376.	4.2	10
266	³ H/ ³ He, ¹⁴ C and (U/Th)/He groundwater ages in the St. Lawrence Lowlands, Quebec, Eastern Canada. <i>Chemical Geology</i> , 2015, 413, 94-106.	3.3	20
267	Quantification of anthropogenic impact on groundwater-dependent terrestrial ecosystem using geochemical and isotope tools combined with 3-D flow and transport modelling. <i>Hydrology and Earth System Sciences</i> , 2015, 19, 1015-1033.	4.9	14
268	Groundwater evolution and recharge determination of the Quaternary aquifer in the Shule River basin, Northwest China. <i>Hydrogeology Journal</i> , 2015, 23, 1745-1759.	2.1	34
269	Evidence of groundwater degassing in a deep confined aquifer: noble gas concentrations with hydrogen, oxygen and carbon isotope data. <i>Environmental Earth Sciences</i> , 2015, 74, 4439-4451.	2.7	8
270	Hydrochemical and ¹⁴ C constraints on groundwater recharge and interbasin flow in an arid watershed: Tule Desert, Nevada. <i>Journal of Hydrology</i> , 2015, 523, 297-308.	5.4	23
271	Paleo-environment from isotopes and hydrochemistry of groundwater in East Junggar Basin, Northwest China. <i>Journal of Hydrology</i> , 2015, 529, 650-661.	5.4	37
272	Vertical carbon-14 profiles for resolving spatial variability in recharge in arid environments. <i>Journal of Hydrology</i> , 2015, 520, 134-142.	5.4	17
273	A conceptual model for groundwater flow and geochemical evolution in the southern Outaouais Region, Québec, Canada. <i>Applied Geochemistry</i> , 2015, 58, 62-77.	3.0	11
274	Impact of managed aquifer recharge on the chemical and isotopic composition of a karst aquifer, Wala reservoir, Jordan. <i>Hydrogeology Journal</i> , 2015, 23, 1027-1040.	2.1	19

#	ARTICLE	IF	CITATIONS
275	Origin of the groundwater salinity and geochemical processes in detrital and carbonate aquifers: Case of Chougafiya basin (Central Tunisia). <i>Journal of Hydrology</i> , 2015, 530, 508-532.	5.4	73
276	Modeling past and present activity of a subarctic hydrothermal system using O, H, C, U and Th isotopes. <i>Applied Geochemistry</i> , 2015, 63, 93-104.	3.0	9
277	Quality and Age of Shallow Groundwater in the Bakken Formation Production Area, Williston Basin, Montana and North Dakota. <i>Ground Water</i> , 2015, 53, 81-94.	1.3	28
278	Evolution of chemical and isotopic composition of inorganic carbon in a complex semi-arid zone environment: Consequences for groundwater dating using radiocarbon. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 188, 352-367.	3.9	27
279	Field Methods for the Evaluation of Groundwater and Surface-Water Interactions. , 2016, , 749-767.		0
280	Constraining groundwater flow in the glacial drift and saginaw aquifers in the Michigan Basin through helium concentrations and isotopic ratios. <i>Geofluids</i> , 2016, 16, 3-25.	0.7	12
281	Radiocarbon dating and the $^{36}\text{Cl}/\text{Cl}$ evolution of three Great Artesian Basin wells at Dalhousie, South Australia. <i>Hydrogeology Journal</i> , 2016, 24, 987-1000.	2.1	2
282	Isotope signatures and hydrochemistry as tools in assessing groundwater occurrence and dynamics in a coastal arid aquifer. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	2.7	26
283	Hydrological and climatological controls on radiocarbon concentrations in a tropical stalagmite. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 194, 233-252.	3.9	28
284	Groundwater flow and residence time in a karst aquifer using ion and isotope characterization. <i>International Journal of Environmental Science and Technology</i> , 2016, 13, 2579-2596.	3.5	13
285	A multi-tracer approach to delineate groundwater dynamics in the Rio Actopan Basin, Veracruz State, Mexico. <i>Hydrogeology Journal</i> , 2016, 24, 1953-1966.	2.1	2
286	Use of hydrochemistry as a standalone and complementary groundwater age tracer. <i>Journal of Hydrology</i> , 2016, 543, 127-144.	5.4	13
287	Recharge of low-arsenic aquifers tapped by community wells in Araihasar, Bangladesh, inferred from environmental isotopes. <i>Water Resources Research</i> , 2016, 52, 3324-3349.	4.2	19
288	Nitrate vulnerability projections from Bayesian inference of multiple groundwater age tracers. <i>Journal of Hydrology</i> , 2016, 543, 167-181.	5.4	28
289	Hydrogeochemical processes constrained by multivariate statistical methods and isotopic evidence of groundwater recharge in the aquifer of Figuig, Eastern High Atlas of Morocco. <i>Arabian Journal of Geosciences</i> , 2016, 9, 1.	1.3	5
290	Constraining the groundwater flow system and aquifer properties using major ions, environmental traces and a simple physical model in China's Jilantai Basin. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	2.7	2
291	A review of single-sample-based models and other approaches for radiocarbon dating of dissolved inorganic carbon in groundwater. <i>Earth-Science Reviews</i> , 2016, 152, 119-142.	9.1	88
292	Groundwater isotopic data as potential proxy for Holocene paleohydroclimatic and paleoecological models in NE Brazil. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 469, 92-103.	2.3	10

#	ARTICLE	IF	CITATIONS
293	Stable isotopes, carbon-14 and hydrochemical composition from a basaltic aquifer in São Paulo State, Brazil. <i>Environmental Earth Sciences</i> , 2017, 76, 1.	2.7	7
294	Insights into Andean slope hydrology: reservoir characteristics of the thermal Pica spring system, Pampa del Tamarugal, northern Chile. <i>Hydrogeology Journal</i> , 2017, 25, 1833-1852.	2.1	21
295	Groundwater recharge mechanism in an integrated tableland of the Loess Plateau, northern China: insights from environmental tracers. <i>Hydrogeology Journal</i> , 2017, 25, 2049-2065.	2.1	53
296	Understanding the dynamics and contamination of an urban aquifer system using groundwater age (^{14}C , ^3H , CFCs) and chemistry. <i>Hydrological Processes</i> , 2017, 31, 2365-2380.	2.6	16
297	Groundwater residence time in basement aquifers of the Ochi-Narkwa Basin in the Central Region of Ghana. <i>Journal of African Earth Sciences</i> , 2017, 134, 590-599.	2.0	6
298	Carbon isotopes of dissolved inorganic carbon reflect utilization of different carbon sources by microbial communities in two limestone aquifer assemblages. <i>Hydrology and Earth System Sciences</i> , 2017, 21, 4283-4300.	4.9	45
299	Groundwater flowpaths and residence times inferred by ^{14}C , ^{36}Cl and ^4He isotopes in the Continental Intercalaire aquifer (North-Western Africa). <i>Journal of Hydrology</i> , 2018, 560, 11-23.	5.4	28
300	Importance of river water recharge to the San Joaquin Valley groundwater system. <i>Hydrological Processes</i> , 2018, 32, 1202-1213.	2.6	17
301	Geochemical and isotopic evidence on the recharge and circulation of geothermal water in the Tangshan Geothermal System near Nanjing, China: implications for sustainable development. <i>Hydrogeology Journal</i> , 2018, 26, 1705-1719.	2.1	27
302	Hydrogeological and hydrochemical investigation of groundwater using environmental isotopes (^{18}O , ^2H , ^3H , ^{14}C) and chemical tracers: a case study of the intermediate aquifer, Sfax, southeastern Tunisia. <i>Hydrogeology Journal</i> , 2018, 26, 983-1007.	2.1	23
303	Characterising alluvial aquifers in a remote ephemeral catchment (Flinders River, Queensland) using a direct push tracer approach. <i>Journal of Hydrology</i> , 2018, 556, 600-610.	5.4	3
304	^{14}C age reassessment of groundwater from the discharge zone due to cross-flow mixing in the deep confined aquifer. <i>Journal of Hydrology</i> , 2018, 560, 572-581.	5.4	8
305	Using environmental isotopes to evaluate the renewable capacity of a typical karst groundwater system in northern China. <i>Environmental Earth Sciences</i> , 2018, 77, 1.	2.7	3
306	Impact of irrigated agriculture on groundwater resources in a temperate humid region. <i>Science of the Total Environment</i> , 2018, 613-614, 1302-1316.	8.0	25
307	Influence of the paleogeographic evolution on the groundwater salinity in a coastal aquifer. Cabo de Gata aquifer, SE Spain. <i>Journal of Hydrology</i> , 2018, 557, 55-66.	5.4	19
308	Characterization of a carbonate karstic aquifer flow system using multiple radioactive noble gases (^3H - ^3He , ^{85}Kr , ^{39}Ar) and ^{14}C as environmental tracers. <i>Geochimica Et Cosmochimica Acta</i> , 2018, 242, 213-232.	3.9	19
309	Hydro-geochemical characteristics of the groundwater resources in the southern part of the Red River's Delta plain, Vietnam. <i>Environmental Earth Sciences</i> , 2018, 77, 1.	2.7	4
310	Determining the origin, circulation path and residence time of geothermal groundwater using multiple isotopic techniques in the Heyuan Fault Zone of Southern China. <i>Journal of Hydrology</i> , 2018, 567, 339-350.	5.4	38

#	ARTICLE	IF	CITATIONS
311	The circulation of the Dead Sea brine in the regional aquifer. <i>Earth and Planetary Science Letters</i> , 2018, 493, 242-261.	4.4	21
312	Isotopic and geochemical methods for studying water-rock interaction and recharge mode: application to the Cenomanian-Turonian and Plio-Quaternary aquifers of Essaouira Basin, Morocco. <i>Marine and Freshwater Research</i> , 2018, 69, 1290.	1.3	20
313	Groundwater age dating and recharge mechanism of Arusha aquifer, northern Tanzania: application of radioisotope and stable isotope techniques. <i>Hydrogeology Journal</i> , 2018, 26, 2693-2706.	2.1	8
314	Groundwater Flow Processes and Human Impact along the Arid US-Mexican Border, Evidenced by Environmental Tracers: The Case of Tecate, Baja California. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 887.	2.6	14
315	Impact of additional dead carbon on the circulation estimation of thermal springs exposed from deep-seated faults in the Dongguan basin, southern China. <i>Journal of Volcanology and Geothermal Research</i> , 2018, 361, 1-11.	2.1	19
316	Tracing groundwater recharge conditions based on environmental isotopes and noble gases, Lom depression, Bulgaria. <i>Journal of Hydrology: Regional Studies</i> , 2019, 24, 100611.	2.4	2
317	Evaluation of Groundwater Sources, Flow Paths, and Residence Time of the Gran Desierto Pozos, Sonora, Mexico. <i>Geosciences (Switzerland)</i> , 2019, 9, 378.	2.2	5
318	Calculating ^{14}C mean residence times of inorganic carbon derived from oxidation of organic carbon in groundwater using the principles of $^{87}\text{Sr}/^{86}\text{Sr}$ and cation ratio mixing. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 267, 322-340.	3.9	2
319	Study on ^{14}C dating analysis of deep groundwater resources on islands. <i>Journal of Environmental Radioactivity</i> , 2019, 208-209, 105994.	1.7	4
320	The Control of Groundwater Flow Systems and Geochemical Processes on Groundwater Chemistry: A Case Study in Wushenzhao Basin, NW China. <i>Water (Switzerland)</i> , 2019, 11, 790.	2.7	23
321	Using tritium and radiocarbon to determine groundwater age and delineate the flow regime in the Taiyuan Basin, China. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1.	1.3	6
322	Hydrochemistry and isotopic studies of carbonatite groundwater systems: the alkaline-carbonatite complex of Barreiro, southeastern Brazil. <i>Environmental Earth Sciences</i> , 2019, 78, 1.	2.7	0
323	Paleoclimate variations and impact on groundwater recharge in multi-layer aquifer systems using a multi-tracer approach (northern Aquitaine basin, France). <i>Hydrogeology Journal</i> , 2019, 27, 1439-1457.	2.1	3
324	Construction of a conceptual model for confined groundwater flow in the Gunii Khooloi Basin, Southern Gobi Region, Mongolia. <i>Hydrogeology Journal</i> , 2019, 27, 1581-1596.	2.1	4
325	Isotopes in groundwater (^2H , ^{18}O , ^{14}C) revealed the climate and groundwater recharge in the Northern China. <i>Science of the Total Environment</i> , 2019, 666, 298-307.	8.0	28
326	Overexploitation hazards and salinization risks in crucial declining aquifers, chemo-isotopic approaches. <i>Journal of Hazardous Materials</i> , 2019, 369, 150-163.	12.4	24
327	Hot spring hydrochemistry of the Rio Grande rift in northern New Mexico reveals a distal geochemical connection between Valles Caldera and Ojo Caliente. <i>Journal of Volcanology and Geothermal Research</i> , 2019, 387, 106663.	2.1	13
328	Springwater provenance and flowpath evaluation in Blue Lake, Bonneville basin, Utah. <i>Chemical Geology</i> , 2019, 529, 119280.	3.3	4

#	ARTICLE	IF	CITATIONS
329	Investigation into Groundwater Resources in Southern Part of the Red River's Delta Plain, Vietnam by the Use of Isotopic Techniques. <i>Water (Switzerland)</i> , 2019, 11, 2120.	2.7	3
330	Using regional datasets of isotope geochemistry to resolve complex groundwater flow and formation connectivity in northeastern Alberta, Canada. <i>Applied Geochemistry</i> , 2019, 101, 140-159.	3.0	25
331	Dating of glacial palaeogroundwater in the Ordovician-Cambrian aquifer system, northern Baltic Artesian Basin. <i>Applied Geochemistry</i> , 2019, 102, 64-76.	3.0	8
332	Investigation of paleoclimate signatures in Sfax deep groundwater (Southeastern Tunisia) using environmental isotopes and noble gases. <i>Quaternary International</i> , 2020, 547, 208-219.	1.5	3
333	Recharge and paleo-recharge of groundwater in different basins in Tunisia. <i>Quaternary International</i> , 2020, 547, 152-165.	1.5	8
334	Dating of hot springs at Attri, Tarabalo and Athmalik sites in Odisha, India using radiocarbon technique. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2020, 323, 1227-1235.	1.5	6
335	A review of the use of radiocarbon to estimate groundwater residence times in semi-arid and arid areas. <i>Journal of Hydrology</i> , 2020, 580, 124247.	5.4	39
336	The relation of geogenic contaminants to groundwater age, aquifer hydrologic position, water type, and redox conditions in Atlantic and Gulf Coastal Plain aquifers, eastern and south-central USA. <i>Science of the Total Environment</i> , 2020, 723, 137835.	8.0	22
337	Evaluation of soil zone processes and a novel radiocarbon correction approach for groundwater with mixed sources. <i>Journal of Hydrology</i> , 2020, 588, 124766.	5.4	1
338	Geochemical evolution, residence times and recharge conditions of the multilayered Tubarão aquifer system (State of São Paulo - Brazil) as indicated by hydrochemical, stable isotope and ¹⁴ C data. <i>Isotopes in Environmental and Health Studies</i> , 2020, 56, 495-512.	1.0	4
339	Paleoclimatic investigations using isotopic signatures of the Late Pleistocene-Holocene groundwater of the stratified aquifers in Kuwait. <i>Journal of Hydrology</i> , 2020, 588, 125111.	5.4	16
340	Carbon isotopes in dissolved inorganic carbon as tracers of carbon sources in karst waters of the Plitvice Lakes, Croatia. <i>Geological Society Special Publication</i> , 2020, , SP507-2020-49.	1.3	6
341	¹⁴ C Dating Model for Groundwater Affected by CO ₂ Inputs From Deep Underground Formations. <i>Water Resources Research</i> , 2020, 56, e2019WR025155.	4.2	10
342	Chronology and characteristics of groundwater along the United Arab Emirates-Oman arid region: a guide for regional sustainability. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2020, 323, 1055-1070.	1.5	5
343	Uranium isotopes as tracers of groundwater evolution in the Complexe Terminal aquifer of southern Tunisia. <i>Quaternary International</i> , 2020, 547, 33-49.	1.5	8
344	Hydrogeology of desert springs in the Panamint Range, California, USA : Geologic controls on the geochemical kinetics, flowpaths, and mean residence times of springs. <i>Hydrological Processes</i> , 2020, 34, 2923-2948.	2.6	5
345	Groundwater dating with dissolved organic radiocarbon: A promising approach in carbonate aquifers. <i>Applied Geochemistry</i> , 2021, 125, 104827.	3.0	7
346	Groundwater contributions to surface water in the Assiniboine Delta Aquifer (ADA): A water quantity and quality perspective. <i>Journal of Great Lakes Research</i> , 2021, 47, 788-797.	1.9	3

#	ARTICLE	IF	CITATIONS
347	Hydro-biogeochemical processes of surface water leakage into groundwater in large scale karst water system: A case study at Jinci, northern China. <i>Journal of Hydrology</i> , 2021, 596, 125691.	5.4	17
348	Environmental Protection: Managing Fresh Water Resources. , 2021, , 465-484.		1
350	Coastal Aquifer Salinization in Semi-Arid Regions: The Case of Grombalia (Tunisia). <i>Water (Switzerland)</i> , 2021, 13, 129.	2.7	19
351	Chemical and isotopic characteristics and origins of thermal springs in the Jiangcang Basin, China. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	1.3	2
352	Influence of an anticline structure on hydrogeological functioning and aquifer interactions in a multilayered aquifer system: the case of Villagrains-Landiras anticline (Gironde, France). <i>Hydrogeology Journal</i> , 2021, 29, 1711-1732.	2.1	4
353	Groundwater residence time estimates obscured by anthropogenic carbonate. <i>Science Advances</i> , 2021, 7, .	10.3	10
354	$\delta^{13}C$ and $\delta^{14}C$ activity of groundwater DOC and DIC in the volcanically active and arid Loa Basin of northern Chile. <i>Journal of Hydrology</i> , 2021, 595, 125987.	5.4	14
357	Paleoclimatic proxies from global closed basins and the possible beginning of Anthropocene. <i>Journal of Chinese Geography</i> , 2021, 31, 765-785.	3.9	0
358	Depthâ€“Sequential Investigation of Major Ions, $\delta^{18}O$, δ^2H and $\delta^{13}C$ in Fractured Aquifers of the St. Lawrence Lowlands (Quebec, Canada) Using Passive Samplers. <i>Water (Switzerland)</i> , 2021, 13, 1806.	2.7	2
359	A multi-isotopic study of the groundwaters from the Lower Triassic Sandstones aquifer of northeastern France: Groundwater origin, mixing and flowing velocity. <i>Applied Geochemistry</i> , 2021, 131, 105012.	3.0	4
360	Multi-method geochemical characterization of groundwater from a hypogene karst system. <i>Hydrogeology Journal</i> , 2021, 29, 1129-1152.	2.1	4
361	Contribution of Isotopic and Nuclear Tracers to Study of Groundwaters. , 2005, , 171-192.		6
362	Dating of Old Groundwater â€” History, Potential, Limits and Future. , 2005, , 221-241.		10
363	Radiocarbon Dating of Groundwater Systems. , 2000, , 111-144.		61
364	Chemical and Isotopic Constraints on ^{14}C Dating of Groundwater. , 1992, , 242-261.		38
365	Numerical Modeling with Groundwater Ages. , 1992, , 276-287.		1
366	Climate Change and Groundwater. , 2011, , 97-117.		9
367	Krypton-81 dating of the deep Continental Intercalaire aquifer with implications for chlorine-36 dating. <i>Earth and Planetary Science Letters</i> , 2020, 535, 116120.	4.4	18

#	ARTICLE	IF	CITATIONS
368	The NAGRA investigation project for the assessment of repositories for high-level radioactive waste in geological formations. Mineralogical Magazine, 1985, 49, 281-288.	1.4	3
369	Genesis and Quality of Groundwater in the Southeastern Region of Southern Vietnam. Journal of Environmental Science and Engineering - A, 2017, 6, .	0.2	3
372	Radiocarbon and Other Environmental Isotopes in the Groundwater of the Sites for a Planned New Nuclear Power Plant in Lithuania. Radiocarbon, 2013, 55, .	1.8	2
379	Flow Pattern and Residence Time of Groundwater within Volta River Basin in Benin (Northwestern) Tj ETQq1 1 0.784314 rgBT ₁ /Overlo	0.8	1
380	Depth to water table correction for initial carbon-14 activities in groundwater mean residence time estimation. Hydrology and Earth System Sciences, 2021, 25, 5415-5424.	4.9	2
387	Groundwater studies using isotopes and noble gases as a tracer: Review and prospect. Journal of Japanese Association of Hydrological Sciences, 2007, 37, 221-252.	0.2	10
388	Isotope studies of a groundwater-flow system in granite, Middle Hungary. , 2007, , 343-353.		1
395	Sampling and Analysis. , 2015, , 399-420.		0
396	Paleotemperature reconstruction using environmental isotopes and noble gases in groundwater in Morocco. Hydrogeology Journal, 2020, 28, 973-986.	2.1	6
397	Study of the groundwater salinity and modeling the recharge and the renewal rate based on stable and radioactive isotopes in El Haouaria aquifer, Tunisia. Arabian Journal of Geosciences, 2021, 14, 1.	1.3	2
398	Principles and uncertainties of ¹⁴ C age estimations for groundwater transport and resource evaluation. Isotopes in Environmental and Health Studies, 2021, 57, 111-141.	1.0	6
399	Analytical Expressions of Radiocarbon Distribution in Transient State Unconfined Aquifers and Their Application to Determination of Past and Present Recharges of North Africa Aquifers. Water Resources Research, 2021, 57, .	4.2	2
400	Long and short-term cation exchange linked to a negative hydraulic barrier in a coastal aquifer. Science of the Total Environment, 2022, 819, 152013.	8.0	0
401	Central Hoggar groundwaters and the role of shear zones: ⁸⁷ Sr/ ⁸⁶ Sr, ¹⁸ O, ² H and ¹⁴ C isotopes, geochemistry and water-rock interactions. Applied Geochemistry, 2022, 137, 105179.	3.0	3
402	The genesis of saline geothermal groundwater in the coastal area of Guangdong Province: Insight from hydrochemical and isotopic analysis. Journal of Hydrology, 2022, 605, 127345.	5.4	11
403	8. Transport de contaminants, temps de résidence, prévention et remédiation. , 2020, , 211-304.		0
404	Use of ¹⁸ O, ¹³ C and NO ₃ ⁻ to identify hydrogeochemical processes related to contamination in an aquifer located in central Mexico. Acta Geochimica, 2022, 41, 367-392.	1.7	4
405	Geochemistry and Provenance of Springs in a Baja California Sur Mountain Catchment. Ground Water, 2022, 60, 295-308.	1.3	3

#	ARTICLE	IF	CITATIONS
406	Isotope implications of groundwater recharge, residence time and hydrogeochemical evolution of the Longdong Loess Basin, Northwest China. <i>Journal of Arid Land</i> , 2022, 14, 34-55.	2.3	7
407	Hydrochemical and age constraints of the Chapada dos Veadeiros geothermal reservoir, central Brazil. <i>Groundwater for Sustainable Development</i> , 2022, 17, 100724.	4.6	0
408	Saline groundwater evolution in the Luanhe River delta (China) during the Holocene: hydrochemical, isotopic, and sedimentary evidence. <i>Hydrology and Earth System Sciences</i> , 2022, 26, 1341-1356.	4.9	7
409	Paleoclimatic interpretation in southern Laizhou Bay since the late Pleistocene: Evidence from groundwater and sedimentary strata. <i>Continental Shelf Research</i> , 2022, 237, 104676.	1.8	4
410	Development of a graphical resilience framework to understand a coupled human-natural system in a remote arid highland of Baja California Sur. <i>Sustainability Science</i> , 2022, 17, 1059-1076.	4.9	3
411	Provenance of Inorganic Carbon Sinks in Closed Basins. <i>Water Resources Research</i> , 2022, 58, .	4.2	2
412	Groundwater fluoride and arsenic mobilization in a typical deep aquifer system within a semi-arid basin. <i>Journal of Hydrology</i> , 2022, 609, 127767.	5.4	16
413	Delineation of spring capture zones in southern Great Basin, USA based on modeling results and geochemical data. <i>Water Science and Engineering</i> , 2021, , .	3.2	1
415	A conceptual model for correcting groundwater ^{14}C age. <i>Applied Geochemistry</i> , 2022, 143, 105360.	3.0	2
416	Regional-Scale Distribution of Helium Isotopes in Aquifers: How Informative Are They as Groundwater Tracers and Chronometers?. <i>Water (Switzerland)</i> , 2022, 14, 1940.	2.7	1
417	Combining ^{14}C DOC and ^{81}Kr with hydrochemical data to identify recharge processes in the South German Molasse Basin. <i>Journal of Hydrology</i> , 2022, 612, 128020.	5.4	2
418	Geochemical and isotopic multi-tracing (^{18}O , ^2H , ^{13}C , ^{14}C) of groundwater flow dynamics and mixing patterns in the volcanoclastic aquifer of the semiarid San Juan del R�o Basin in central Mexico. <i>Hydrogeology Journal</i> , 2022, 30, 2073-2095.	2.1	3
419	Using Tritium and Radiocarbon Activities to Constrain Regional Modern and Fossil Groundwater Mixing in Southern Africa. <i>Journal of Hydrology</i> , 2022, , 128570.	5.4	0
420	Interconnected multi-layer aquifer with evaporitic fossil waters in Chott-El-Gharbi endorheic basin (Western high plateaus, Algeria): Hydrochemistry, environmental and strontium isotopes. <i>Applied Geochemistry</i> , 2023, 148, 105537.	3.0	2
421	Using environmental tracers to evaluate the preservation of palaeoclimate signals in aquifers of the London Basin, UK. <i>Journal of Hydrology</i> , 2023, 617, 128972.	5.4	1
422	EVALUATION OF AQUEOUS GASTROPOD SHELLS AS GROUNDWATER RADIOCARBON PROXIES ACROSS SPECIES AND SITES. <i>Radiocarbon</i> , 0, , 1-20.	1.8	0
423	Hydrogeochronology: Resetting the timestamp for subsurface groundwaters. <i>Geochimica Et Cosmochimica Acta</i> , 2023, 348, 221-238.	3.9	3
424	Evidence for Groundwater Salinity Origin Based on Hydrogeochemical and Isotopic (^2H , ^{18}O , ^{37}Cl , ^3H , ^{14}C) Tj ETQq1 1,0,784314 rgBT /Ove	2.7	1

#	ARTICLE	IF	CITATIONS
425	Influences of paleoclimatic environment and hydrogeochemical evolution on groundwater salinity in an arid inland plain in northwestern China. <i>Applied Geochemistry</i> , 2023, 154, 105688.	3.0	2
426	Synecological response of spring benthic prokaryotes and macroinvertebrates to Paleozoic roof pendant derived calcium. <i>Ecosphere</i> , 2023, 14, .	2.2	0
427	Paleohydrogeology of the Horonobe area, Northern Hokkaido, Japan: Groundwater flow conditions during glacial and postglacial periods estimated from chemical and isotopic data for fracture and pore water. <i>Applied Geochemistry</i> , 2023, 155, 105737.	3.0	0
428	St. Lawrence River (3H/3He, 85Kr, SF6, CFC-12, 14C) and f. Hydrogeology Journal, 0, .		
430	Hydrogeology Journal, 0, .		
431	Study the Upper Pleistocene groundwater dynamic in the Nambo Plain for sustainable management of groundwater resources by isotope techniques. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2023, 332, 3559-3570.	1.5	0
432	Using ⁸¹ Kr and isotopic tracers to characterise old groundwater in the Bangkok metropolitan and vicinity areas. <i>Isotopes in Environmental and Health Studies</i> , 2023, 59, 426-453.	1.0	0
433	Establishing a water baseline for the unconventional gas industry: A multiple environmental isotopes assessment (18O, 2H, 3H, 13C, and 14C) of surface and groundwater in the São Francisco Basin, Brazil. <i>Applied Geochemistry</i> , 2023, , 105818.	3.0	0
434	Groundwater Resources of the Transboundary Quaternary Aquifer of the Lake Chad Basin: Towards a Better Management via Isotope Hydrology. <i>Resources</i> , 2023, 12, 138.	3.5	1
435	Geochemical evolution of geothermal waters in the Pearl River Delta region, South China: Insights from water chemistry and isotope geochemistry. <i>Journal of Hydrology: Regional Studies</i> , 2024, 51, 101670.	2.4	0
436	Hydrogeochemical and isotopic insights into the genesis and mixing behaviors of geothermal water in a faults-controlled geothermal field on Tibetan Plateau. <i>Journal of Cleaner Production</i> , 2024, 442, 140980.	9.3	1
437	Multienvironmental tracers in coastal aquifer (Morocco): A window into groundwater mixing and risk to contamination. <i>Water Environment Research</i> , 2024, 96, .	2.7	0
439	Hydrogeochemical and environmental isotope study of Topusko thermal waters, Croatia. <i>Environmental Geochemistry and Health</i> , 2024, 46, .	3.4	0