

# CITATION REPORT

List of articles citing

A new depression scale designed to be sensitive to change

DOI: 10.1192/bjp.134.4.382

British Journal of Psychiatry, 1979, 134, 382-9.

**Source:** <https://exaly.com/paper-pdf/14256039/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2290	Construction of a new psychiatric rating instrument, the Comprehensive Psychopathological Rating Scale (CPRS). <b>1979</b> , 3, 405-12		43
2289	Depressive symptoms in acute schizophrenia. <b>1979</b> , 3, 429-33		39
2288	Cortisol in the CSF of depressed and suicidal patients. <b>1980</b> , 37, 761-7		99
2287	Clomipramine treatment of obsessive-compulsive disorder. I. A controlled clinical trial. <b>1980</b> , 37, 1281-5		367
2286	A self-rating scale for depression designed to be sensitive to change. <b>1980</b> , 19, 1211-2		1
2285	Measurement of serum drug levels in the assessment of antidepressants. <b>1980</b> , 10, 411-6		17
2284	Platelet MAO activity and monoamine metabolites in cerebrospinal fluid in depressed and suicidal patients and in healthy controls. <b>1981</b> , 4, 21-9		252
2283	The Hamilton depression scale. Evaluation of objectivity using logistic models. <b>1981</b> , 63, 290-9		296
2282	THE NORTHWICK PARK ECT TRIAL. <b>1981</b> , 317, 283-284		2
2281	A depot neuroleptic withdrawal study. A controlled study of the clinical effects of the withdrawal of depot fluphenazine decanoate and depot flupenthixol decanoate in chronic schizophrenic patients. <b>1981</b> , 64, 65-84		96
2280	The antidepressant efficacy of zimelidine and maprotiline. <b>1981</b> , 290, 219-24		31
2279	A double blind comparison of zimelidine and amitriptyline in endogenous depression. <b>1981</b> , 290, 314-27		88
2278	Tables and References. <b>1981</b> , 64, 73-91		
2277	Serotonin and noradrenaline uptake inhibitors in the treatment of depression—relationship to 5-HIAA in spinal fluid. <b>1981</b> , 290, 209-18		5
2276	A geriatric rating scale empirically derived from three rating scales for geriatric behaviour. <b>1981</b> , 64, 054-063		5
2275	Rating scales. <i>British Journal of Psychiatry</i> , <b>1981</b> , 138, 512-4	5.4	63
2274	An experimental study of the clinical judgment of general physicians in evaluating and prescribing for depression. <i>British Journal of Psychiatry</i> , <b>1981</b> , 138, 100-9	5.4	45

2273	Monoamine metabolites in CSF and suicidal behavior. <b>1981</b> , 38, 631-6		570
2272	A comparison of depression rating scales. <i>British Journal of Psychiatry</i> , <b>1982</b> , 141, 45-9	5-4	238
2271	Gradients of monoamine metabolites and cortisol in cerebrospinal fluid of psychiatric patients and healthy controls. <b>1982</b> , 6, 77-83		49
2270	Rorschach ratings in depressed and suicidal patients with low levels of 5-hydroxyindoleacetic acid in cerebrospinal fluid. <b>1982</b> , 7, 229-43		91
2269	Pharmacological prevention of suicidal behaviour. <b>1982</b> , 4, 291-8		175
2268	On evaluating the severity of depression: an experimental study of psychiatrists. <i>British Journal of Psychiatry</i> , <b>1982</b> , 140, 378-83	5-4	23
2267	The cholinolytic biperiden in depression. An acute placebo controlled study. <b>1982</b> , 231, 213-20		28
2266	Reminiscing As A Therapy For Depressed Psycho-Geriatric Inpatients. <b>1983</b> , 2, 11-13		3
2265	Reverse T3 levels in affective disorders. <b>1983</b> , 10, 1-9		21
2264	Serial dexamethasone suppression test results during antidepressant therapy: relationship to diagnosis and clinical change. <b>1983</b> , 10, 165-74		17
2263	Psychogenic facial pain: presentation and treatment. <b>1983</b> , 27, 403-10		47
2262	The prevention of recurrent suicidal acts. <b>1983</b> , 15 Suppl 2, 183S-188S		82
2261	Plasma levels and clinical response with imipramine in a study comparing efficacy with mianserin and nomifensine. <b>1983</b> , 15 Suppl 2, 205S-211S		14
2260	Comparison between zimeldine and amitriptyline of efficacy and adverse symptoms--a combined analysis of four British clinical trials in depression. <b>1983</b> , 308, 55-69		21
2259	Lithium carbonate addition in tricyclic antidepressant-resistant unipolar depression. Correlations with the neurobiologic actions of tricyclic antidepressant drugs and lithium ion on the serotonin system. <b>1983</b> , 40, 1327-34		249
2258	Comparative double-blind study of flupenthixol decanoate and fluphenazine decanoate in the treatment of patients relapsing in a schizophrenic symptomatology. <b>1983</b> , 67, 378-88		23
2257	Advances with antidepressants; clinical experiences with mianserin. <b>1983</b> , 302, 90-4		3
2256	A double-blind comparison of zimeldine and desipramine in endogenous depression. <b>1983</b> , 68, 22-30		26

2255	Nomifensine and amitriptyline in the treatment of depression. A multi-centre double-blind comparison. <b>1983</b> , 68, 212-20		3
2254	Anxiety as part of depression. <b>1983</b> , 308, 171-4		3
2253	The efficacy of zimeldine in preventing depressive episodes in recurrent major depressive disorders--a double-blind placebo-controlled study. <b>1983</b> , 308, 182-9		28
2252	Hemodialysis in schizophrenics. A double-blind study. <b>1983</b> , 40, 211-4		6
2251	Dexamethasone suppression test. <i>British Journal of Psychiatry</i> , <b>1984</b> , 144, 552-3	5-4	
2250	Drug-responsive symptoms in melancholia. <b>1984</b> , 41, 663-8		45
2249	Dexamethasone suppression test in depressive illness: its relation to anxiety symptoms. <i>British Journal of Psychiatry</i> , <b>1984</b> , 144, 181-4	5-4	17
2248	Humeur. <b>1984</b> , 1, 23-64		
2247	Mood. <b>1984</b> , 1, 23-64		
2246	Effect of the H2-receptor antagonist ranitidine on depression and anxiety in duodenal ulcer patients. <b>1984</b> , 60, 353-5		13
2245	The brief scale for anxiety: a subdivision of the comprehensive psychopathological rating scale. <b>1984</b> , 47, 970-5		206
2244	Psychological aspects of breast reconstruction following mastectomy. <b>1984</b> , 18, 317-25		13
2243	Comparison of trazodone and mianserin in depressive illness. <b>1984</b> , 9, 253-8		8
2242	Cognitive therapy for major depressive disorder in primary care. <i>British Journal of Psychiatry</i> , <b>1984</b> , 144, 400-6	5-4	210
2241	Zimelidine-induced variations in alcohol intake by nondepressed heavy drinkers. <b>1984</b> , 35, 374-81		204
2240	Effects of sulpiride and chlorpromazine on depressive symptoms in schizophrenic patients--relationship to drug concentrations. <b>1984</b> , 84, 237-41		27
2239	An evaluation of two doses of isocarboxazid in depression. <b>1984</b> , 6, 201-7		12
2238	CSF monoamine metabolites of depressed patients during illness and after recovery. <b>1984</b> , 69, 333-42		68

2237	Effects of perforated appendicitis in girls on subsequent fertility. <b>1984</b> , 288, 25-6		13
2236	Electroconvulsive therapy: results in depressive illness from the Leicestershire trial. <b>1984</b> , 288, 22-5		121
2235	CSF monoamine metabolites in melancholia. <b>1984</b> , 69, 201-19		240
2234	The Newcastle Endogenous Depression Diagnostic Index: validity and reliability. <b>1984</b> , 69, 220-30		16
2233	Psychogenic facial pain: presentation and treatment. <b>1984</b> , 288, 436-8		145
2232	A rating scale for emotional distress in patients with malignant diseases. <b>1984</b> , 70, 378-88		2
2231	Presentation of a subscale for the rating of depression and some additional items to the Comprehensive Psychopathological Rating Scale. <b>1984</b> , 70, 261-74		29
2230	Twenty-four-hour serum levels of TSH in affective disorders. <b>1984</b> , 69, 491-502		49
2229	Clinical evaluation of sulpiride in schizophrenic patients--a double-blind comparison with chlorpromazine. <b>1984</b> , 311, 7-30		69
2228	Covariation of depressive symptoms over time. <b>1984</b> , 14, 451-5		8
2227	The Nottingham ECT Study. A double-blind comparison of bilateral, unilateral and simulated ECT in depressive illness. <i>British Journal of Psychiatry</i> , <b>1985</b> , 146, 520-4	5.4	88
2226	Clinical and neuroendocrine features of endogenous unipolar and bipolar depression. <b>1985</b> , 320, 30-7		1
2225	Citalopram versus mianserin. A controlled, double-blind trial in depressed patients. <b>1985</b> , 72, 89-96		48
2224	Decreased concentrations of delta-sleep inducing peptide in plasma and cerebrospinal fluid from depressed patients. <b>1985</b> , 39, 63-67		8
2223	Profiles of antidepressant activity with the Montgomery-Asberg Depression Rating Scale. <b>1985</b> , 320, 38-42		39
2222	A double blind study in out-patients with primary non-agitated depression treated with imipramine in combination with placebo, diazepam or dixyrazine. <b>1985</b> , 72, 334-40		9
2221	Serum melatonin in relation to clinical variables in patients with major depressive disorder and a hypothesis of a low melatonin syndrome. <b>1985</b> , 71, 319-30		174
2220	Comparative analysis of observer depression scales. <b>1985</b> , 72, 239-45		109

2219	Alaproclate a novel antidepressant? A biochemical and clinical comparison with zimeldine. <b>1985</b> , 71, 256-68	23
2218	Relationship between clinical effects, serum drug concentration and serotonin uptake inhibition in depressed patients treated with citalopram. A double-blind comparison of three dose levels. <b>1985</b> , 28, 553-7	84
2217	[Dimensions of the Hamilton Depression Scale. Factor analysis studies]. <b>1985</b> , 234, 417-22	41
2216	Effects of sulpiride and chlorpromazine on autistic and positive psychotic symptoms in schizophrenic patients--relationship to drug concentrations. <b>1985</b> , 85, 8-13	61
2215	Clinical and biochemical effects of citalopram, a selective 5-HT reuptake inhibitor--a dose-response study in depressed patients. <b>1985</b> , 87, 253-9	46
2214	Efficacy of trazodone as an anti obsessional agent. <b>1985</b> , 22, 347-8	17
2213	Normalisation of the dexamethasone suppression test: a correlate of clinical improvement in primary depressives. <i>British Journal of Psychiatry</i> , <b>1985</b> , 147, 30-5	5-4 25
2212	Longitudinal changes in time estimation in affective disorders: a preliminary study. <b>1985</b> , 60, 179-88	1
2211	The tolerance and antidepressive activity of fluvoxamine as a single dose compared to a twice daily dose. <b>1985</b> , 9, 681-90	12
2210	Irritability: definition, assessment and associated factors. <i>British Journal of Psychiatry</i> , <b>1985</b> , 147, 127-36	5.4 163
2209	Homicide, suicide and CSF 5-HIAA. <b>1985</b> , 71, 230-6	229
2208	Rating scales for depression and anxiety: a current perspective. <b>1985</b> , 19 Suppl 1, 17S-20S	76
2207	What does the dexamethasone suppression test identify?. <b>1985</b> , 20, 957-64	25
2206	The clinical interview for depression. Development, reliability and validity. <b>1985</b> , 9, 85-96	143
2205	Neurovegetative symptoms in chronic pain and depression. <b>1985</b> , 9, 213-8	29
2204	Outcome with desipramine therapy in subtypes of nonpsychotic major depression. <b>1985</b> , 9, 149-54	18
2203	Chronic pain and depression. I. Classification of depression in chronic low back pain patients. <b>1985</b> , 22, 279-287	86
2202	Elevated 3,4-dihydroxyphenylethyleneglycol (DHPG) excretion in dexamethasone resistant depressed patients. <b>1985</b> , 9, 661-4	7

2201	Delta-sleep inducing peptide in cerebrospinal fluid from schizophrenics, depressives and healthy volunteers. <b>1985</b> , 9, 83-90	15
2200	Lower 3H-imipramine binding in platelets from untreated depressed patients compared to healthy controls. <b>1985</b> , 16, 131-9	82
2199	Abnormal escape from dexamethasone suppression in agoraphobia with panic attacks. <b>1985</b> , 15, 301-11	40
2198	Effect of TRH on TSH and prolactin levels in affective disorders. <b>1985</b> , 14, 353-63	45
2197	Pain relief by antidepressants: possible modes of action. <b>1985</b> , 23, 1-8	183
2196	The significance of the neurotic symptoms of bulimia nervosa. <b>1985</b> , 19, 135-40	37
2195	Psychotherapy for bulimia: A controlled study. <b>1985</b> , 19, 473-478	36
2194	Influence of personality on response to monoamine oxidase inhibitors and tricyclic antidepressants. <b>1985</b> , 19, 557-62	22
2193	A comparison of two psychological treatments for bulimia nervosa. <b>1986</b> , 24, 629-43	219
2192	Construct validity of the DSM-III and RDC classification of melancholia (endogenous depression). <b>1986</b> , 20, 289-99	10
2191	Depression as a psychopathological disorder in chronic low back pain patients. <b>1986</b> , 30, 127-33	30
2190	Unipolar depression in the elderly. Reoccurrence on discontinuation of tricyclic antidepressants. <b>1986</b> , 10, 91-4	28
2189	Preliminary study of carbamazepine in post-traumatic stress disorder. <b>1986</b> , 27, 849-54	157
2188	Oestrogen-stimulated neurophysin and outcome after electroconvulsive therapy. <b>1986</b> , 1, 1411-4	30
2187	Membrane stabilising activity: a major cause of fatal poisoning. <b>1986</b> , 1, 1414-7	69
2186	The Inventory for Depressive Symptomatology (IDS): preliminary findings. <b>1986</b> , 18, 65-87	617
2185	Reliability and validity of the symptoms of major depressive illness. <b>1986</b> , 43, 451-6	86
2184	Hypomania following cognitive therapy. <i>British Journal of Psychiatry</i> , <b>1986</b> , 148, 103-4	5-4 3

2183	A comparison of the antidepressant action of citalopram and amitriptyline. <i>British Journal of Psychiatry</i> , <b>1986</b> , 149, 515-7	5.4	36
2182	Biological aspects of depression: a review of the etiology and mechanisms of action and clinical assessment of antidepressants. <b>1986</b> , 28, 183-239		6
2181	Changes in mood, appetite and psychomotor retardation in depressed patients given ECT. <i>British Journal of Psychiatry</i> , <b>1986</b> , 149, 371-3	5.4	15
2180	The depressive symptoms of bulimia nervosa. <i>British Journal of Psychiatry</i> , <b>1986</b> , 148, 268-74	5.4	99
2179	Relationship of mood alterations to bingeing behaviour in bulimia. <i>British Journal of Psychiatry</i> , <b>1986</b> , 149, 479-85	5.4	116
2178	Monitoring of long-term motor activity in depressed patients. <i>British Journal of Psychiatry</i> , <b>1986</b> , 149, 288-93	5.4	38
2177	Twenty-four-hour serum levels of T4 and T3 in relation to decreased TSH serum levels and decreased TSH response to TRH in affective disorders. <b>1986</b> , 73, 358-65		52
2176	Grade scores of the Montgomery-Asberg Depression and the Clinical Anxiety Scales. <i>British Journal of Psychiatry</i> , <b>1986</b> , 148, 599-601	5.4	269
2175	A comparison of DSM-III and ICD-8 diagnoses for major affective disorders and the use of biological markers for depression. <b>1986</b> , 328, 35-44		12
2174	Prediction of outcome in depression by negative symptoms. <b>1986</b> , 74, 183-6		24
2173	Experiments on clinical observation and judgement in the assessment of depression: profiled videotapes and Judgement Analysis. <b>1986</b> , 16, 873-83		27
2172	(Des-tyr <sup>1</sup> )-gamma-endorphin (DTE) in the treatment of depression: Double-blind placebo-controlled trial. <b>1986</b> , 1, 99-102		1
2171	Effects of mianserin in neuroleptic-induced parkinsonism. <b>1986</b> , 88, 109-11		13
2170	Withdrawal reaction after long-term therapeutic use of benzodiazepines. <b>1986</b> , 315, 854-9		310
2169	Mood, memory, and motor performance and the severity of tardive dyskinesia. <b>1986</b> , 63, 1037-8		3
2168	The Montgomery-Asberg Depression Scale: reliability and validity. <b>1986</b> , 73, 544-8		146
2167	Bulimia and depression: A review of the affective variant hypothesis.. <b>1987</b> , 102, 150-158		63
2166	The concepts of mild depression. <i>British Journal of Psychiatry</i> , <b>1987</b> , 150, 387-93	5.4	116



2165	Biochemical and clinical effects of amiflamine-determined by the debrisoquine hydroxylation phenotype?. <b>1987</b> , 41, 141-148		
2164	Response of depressive symptoms to nortriptyline, phenelzine and placebo. <i>British Journal of Psychiatry</i> , <b>1987</b> , 151, 102-6	5.4	45
2163	Depression assessment in Brazil. The first application of the Montgomery-Asberg Depression Rating Scale. <i>British Journal of Psychiatry</i> , <b>1987</b> , 150, 797-800	5.4	56
2162	Mood swings associated with the 'on-off' phenomenon in Parkinson's disease. <b>1987</b> , 17, 899-904		110
2161	A double-blind comparison of citalopram (Lu 10-171) and amitriptyline in depressed patients. <b>1987</b> , 75, 478-86		38
2160	Comparison of the serum levels in primary non-agitated depressed out-patients treated with imipramine in combination with placebo, diazepam or dixyrazine. <b>1987</b> , 75, 435-40		6
2159	A comparative trial of a new antidepressant, fluoxetine. <i>British Journal of Psychiatry</i> , <b>1987</b> , 150, 653-5	5.4	38
2158	Citalopram versus maprotiline: a controlled, clinical multicentre trial in depressed patients. <b>1987</b> , 76, 583-92		41
2157	Low-dose trazodone for symptomatic patients with esophageal contraction abnormalities. A double-blind, placebo-controlled trial. <b>1987</b> , 92, 1027-36		298
2156	Depression and outcome in acute myocardial infarction. <b>1987</b> , 294, 219-20		51
2155	Effects of antidepressant treatments on platelet tritiated imipramine binding in major depressive disorder. <b>1987</b> , 44, 870-7		39
2154	The prognosis of primary depressive illness. Its relationship to the dexamethasone suppression test. <i>British Journal of Psychiatry</i> , <b>1987</b> , 150, 787-90	5.4	7
2153	The effect of carbamazepine and lithium on remission from affective illness. <i>British Journal of Psychiatry</i> , <b>1987</b> , 150, 180-2	5.4	97
2152	Unaltered 24 h serum PRL levels and PRL response to TRH in contrast to decreased 24 h serum TSH levels and TSH response to TRH in major depressive disorder. <b>1987</b> , 75, 131-8		17
2151	Henoch-Schönlein purpura associated with Legionnaires' disease. <b>1987</b> , 294, 220		10
2150	Psychiatric morbidity and personality characteristics of battered women. <b>1987</b> , 76, 678-83		36
2149	Regional brain glucose metabolism in drug free schizophrenic patients and clinical correlates. <b>1987</b> , 76, 628-41		109
2148	Psychiatric morbidity and platelet monoamine oxidase activity in cancer patients. <b>1987</b> , 22, 111-6		5

2147	A validation study of three anxiety and depression self-assessment scales. <b>1987</b> , 31, 261-8	190
2146	Carbamazepine in obsessive-compulsive disorder. <b>1987</b> , 22, 1169-71	16
2145	A controlled trial of methylene blue in severe depressive illness. <b>1987</b> , 22, 657-9	61
2144	The risk-benefit assessment of antidepressant drugs. <b>1987</b> , 2, 445-62	21
2143	Education in a folk high school for younger aphasic people. <b>1987</b> , 1, 263-266	2
2142	The relationship between antidepressant response and tricyclic antidepressant plasma concentrations. A retrospective analysis of the literature using logistic regression analysis. <b>1987</b> , 13, 381-92	58
2141	Five-Year follow up of Patients Treated with Inpatient Psychotherapy at the Cassel Hospital for Nervous Diseases. <b>1987</b> , 80, 549-555	20
2140	Serotonin uptake inhibition during treatment of depression with nortriptyline caused by parent drug and not by 10-hydroxymetabolites. <b>1987</b> , 92, 169-72	12
2139	Growth and survival of <i>Eisenia fetida</i> (Sav.) (Oligochaeta: Lumbricidae) in relation to temperature, moisture and presence of <i>Enchytraeus albidus</i> (Henle) (Enchytraeidae). <b>1987</b> , 3-3, 99	10
2138	Cognitive therapy for depression: Individual differences and the process of change. <b>1987</b> , 11, 253-271	168
2137	Depression in old age: Prognosis after ECT. <b>1987</b> , 2, 19-24	62
2136	Validation of the hospital anxiety and depression rating scale (HADS) in an elderly psychiatric population. <b>1987</b> , 2, 189-193	29
2135	The association between burning mouth syndrome and psychosocial disorders. <b>1987</b> , 64, 171-4	103
2134	Clinical and biochemical effects during treatment of depression with nortriptyline: the role of 10-hydroxynortriptyline. <b>1987</b> , 42, 10-9	40
2133	Cognitive-behavioural treatment for benzodiazepine dependence: a comparison of gradual versus abrupt cessation of drug intake. <b>1987</b> , 82, 1317-27	20
2132	Antidepressive effect of amitriptyline treatment with plasma drug levels controlled within three different ranges. <b>1988</b> , 94, 197-205	12
2131	Neuroendocrine evidence for serotonin receptor hypersensitivity in panic disorder. <b>1988</b> , 96, 360-4	172
2130	GSRS—a clinical rating scale for gastrointestinal symptoms in patients with irritable bowel syndrome and peptic ulcer disease. <b>1988</b> , 33, 129-34	901

2129	Improving depression severity assessment--I. Reliability, internal validity and sensitivity to change of three observer depression scales. <b>1988</b> , 22, 3-12	73
2128	Improving depression severity assessment--II. Content, concurrent and external validity of three observer depression scales. <b>1988</b> , 22, 13-9	45
2127	A new validation of the Hamilton Rating Scale for Depression. <b>1988</b> , 22, 21-8	149
2126	Neuropeptide Y and peptide YY as possible cerebrospinal fluid markers for major depression and schizophrenia, respectively. <b>1988</b> , 22, 69-79	226
2125	EEG sleep studies in patients with generalized anxiety disorder. <b>1988</b> , 26, 183-90	73
2124	Treatment of narcolepsy with L-tyrosine. <b>1988</b> , 2, 1458-9	15
2123	Biological challenges in obsessive compulsive disorder. <b>1988</b> , 12, 269-75	5
2122	The relationship of chronic pain, mental illness and organic disorders. <b>1988</b> , 32, 185-195	43
2121	Clinical multicentre study of citalopram compared double-blindly with mianserin in depressed patients in Finland. <b>1988</b> , 42, 201-210	15
2120	Possible relationship between neuropeptide Y (NPY) and major depression - evidence from human and animal studies. <b>1988</b> , 42, 131-137	24
2119	Delta sleep-inducing peptide in CSF of patients with affective illness is elevated by lithium treatment. <b>1988</b> , 24, 112-6	7
2118	The Manchester Nurse Rating Scales for the daily simultaneous assessment of depressive and manic ward behaviours. <b>1988</b> , 15, 45-54	16
2117	Monoamine metabolites, corticotropin releasing factor and somatostatin as CSF markers in depressed patients. <b>1988</b> , 14, 99-107	64
2116	Sleep EEG recordings in generalized anxiety disorder with significant depression. <b>1988</b> , 15, 113-8	22
2115	The Northwick Park "functional" psychosis study: diagnosis and treatment response. <b>1988</b> , 2, 119-25	132
2114	Evaluation of simple clinical signs for the diagnosis of acute lower respiratory tract infection. <b>1988</b> , 2, 125-8	105
2113	The Nottingham study of neurotic disorder: comparison of drug and psychological treatments. <b>1988</b> , 2, 235-40	115
2112	Depression in Elderly Hospitalized Patients With Medical Illness. <b>1988</b> , 148, 1929	171

2111	A comparative clinical trial of fluoxetine, mianserin and placebo in depressed outpatients. <b>1988</b> , 78, 384-90		98
2110	Controlled trial of psychotherapy for bulimia nervosa. <b>1988</b> , 296, 521-5		85
2109	Immunoreactive somatomedin B is increased in serum in patients with major depressive disorder. <b>1988</b> , 78, 536-40		
2108	Hypothalamic-pituitary-gonadal axis in major depressive disorders. <b>1988</b> , 78, 138-46		45
2107	Adrenocorticotropin and cortisol response to lysine vasopressin in relation to the outcome of the dexamethasone suppression test in major depressive disorder. <b>1988</b> , 77, 404-10		2
2106	Relationships between clinical symptoms and monoamine metabolite concentrations in biochemically defined subgroups of depressed patients. <b>1988</b> , 78, 720-9		13
2105	Total sleep deprivation in patients with obsessive-compulsive disorder. <b>1988</b> , 77, 483-7		15
2104	Withdrawal reactions to diazepam in combined imipramine/diazepam treatment of primary nonagitated depressed outpatients. <b>1988</b> , 78, 341-7		7
2103	Negative cognition and the persistence of depression.. <b>1988</b> , 97, 29-34		88
2102	Psychiatric morbidity of a long stay hospital population with chronic schizophrenia and implications for future community care. <b>1988</b> , 297, 819-22		50
2101	Thyrotropin and prolactin responses to different doses of thyrotropin-releasing hormone in depression. <b>1989</b> , 20, 120-5		1
2100	The differentiation of anxiety and depression by rating scales. <b>1988</b> , 77, 133-8		68
2099	Non-psychotic psychiatric disorder after childbirth. A prospective study of prevalence, incidence, course and nature. <i>British Journal of Psychiatry</i> , <b>1988</b> , 152, 799-806	5.4	351
2098	The long-term psychiatric consequences of accidental injury. A longitudinal study of 107 adults. <i>British Journal of Psychiatry</i> , <b>1988</b> , 153, 810-8	5.4	179
2097	The Predictive Value of the Dexamethasone Suppression Test: A Placebo-Controlled Study. <i>British Journal of Psychiatry</i> , <b>1989</b> , 155, 667-672	5.4	6
2096	REM sleep latency and morbidity risk of affective disorders in depressive illness. <b>1989</b> , 22, 14-7		3
2095	Clinical assessment and performance tasks in depression: a comparison of amitriptyline and trazodone. <i>British Journal of Psychiatry</i> , <b>1989</b> , 155, 479-82	5.4	14
2094	Negative Symptoms, Tardive Dyskinesia and Depression in Chronic Schizophrenia. <i>British Journal of Psychiatry</i> , <b>1989</b> , 155, 99-103	5.4	28

2093	A double-blind placebo-controlled study of rolipram in depressed in-patients. <b>1989</b> , 3, 169-74	2
2092	Primary care treatment of depression in the elderly: a double-blind, multi-centre study of flupenthixol ('Fluanxol') and sustained-release amitriptyline. <b>1989</b> , 11, 593-9	14
2091	Antidepressant use in elderly medical inpatients: lessons from an attempted clinical trial. <b>1989</b> , 4, 498-505	55
2090	Arginine vasopressin, but not corticotropin releasing factor, is a potent stimulator of adrenocorticotrophic hormone following electroconvulsive treatment. <b>1989</b> , 75, 101-9	26
2089	Relationship between primitive reflexes, extra-pyramidal signs, reflective apraxia and severity of cognitive impairment in dementia of the Alzheimer type. <b>1989</b> , 79, 38-46	65
2088	Controlled comparison of milnacipran (F2207) 200 mg and amitriptyline in endogenous depressive inpatients. <b>1989</b> , 4, 221-227	20
2087	Anxiety as an outcome symptom of depression in elderly and middle-aged adults. <b>1989</b> , 4, 273-278	24
2086	Effects of sulpiride and chlorpromazine on regional cerebral glucose metabolism in schizophrenic patients as determined by positron emission tomography. <b>1989</b> , 97, 309-18	53
2085	Controlled comparison of two doses of milnacipran (F 2207) and amitriptyline in major depressive inpatients. <b>1989</b> , 98, 163-8	64
2084	Calcium carbimide in alcoholism treatment. Part 2: Medical findings of a short-term, placebo-controlled, double-blind clinical trial. <b>1989</b> , 84, 1359-66	6
2083	Battered wives and female alcoholics: a comparative social and psychiatric study. <b>1989</b> , 14, 727-34	25
2082	Calcium carbimide in alcoholism treatment. Part 1: A placebo-controlled, double-blind clinical trial of short-term efficacy. <b>1989</b> , 84, 877-87	27
2081	Differential effects of viqualine on alcohol intake and other consummatory behaviors. <b>1989</b> , 46, 301-9	73
2080	The dexamethasone suppression test: its relationship to diagnoses, severity of depression and response to treatment. <b>1989</b> , 13, 99-117	13
2079	Central post-stroke pain--a controlled trial of amitriptyline and carbamazepine. <b>1989</b> , 36, 27-36	263
2078	Diminished TSH release after a course of ECT: altered monoamine function or seizure activity?. <b>1989</b> , 14, 425-31	6
2077	Dysphoric and depressive symptoms in chronic schizophrenia. <b>1989</b> , 2, 259-64	66
2076	Somatostatin and beta-endorphin levels in cerebrospinal fluid of nonmedicated and medicated patients with epileptic seizures. <b>1989</b> , 13, 9-15	18

2075	Diagnostic determinants of response to treatment with tricyclic antidepressants: a polydiagnostic approach. <b>1989</b> , 30, 83-93		14
2074	Comparing aerobic with nonaerobic forms of exercise in the treatment of clinical depression: a randomized trial. <b>1989</b> , 30, 324-31		166
2073	Transient post-partum thyroid dysfunction and postnatal depression. <b>1989</b> , 17, 243-9		72
2072	Relative response of endogenous and non-endogenous symptoms to electroconvulsive therapy. <b>1989</b> , 16, 59-64		17
2071	Depressive symptoms in bulimic, depressed, and non-psychiatric control subjects. <b>1989</b> , 16, 93-9		5
2070	The Depression Screening Instrument (DSI): a device for the detection of depressive disorders in general practice. <b>1989</b> , 16, 269-81		7
2069	Treatment outcome, seizure duration, and the neurophysin response to ECT. <b>1989</b> , 25, 585-97		23
2068	Postviral fatigue syndrome and the VP-1 antigen. <b>1989</b> , 2, 1160-1		11
2067	The psychiatric consequences of spontaneous abortion. <i>British Journal of Psychiatry</i> , <b>1989</b> , 155, 810-3	5.4	133
2066	Long-term psychological sequelae of mastectomy and breast conserving treatment for breast cancer. <b>1989</b> , 28, 13-8		91
2065	The incidence of negative symptoms in early schizophrenia, mania and other psychoses. <b>1989</b> , 79, 613-8		23
2064	Comparison of six depression rating scales in geriatric stroke patients. <b>1989</b> , 20, 1190-4		206
2063	The hormonal environment of post-natal depression. <i>British Journal of Psychiatry</i> , <b>1989</b> , 154, 660-7	5.4	85
2062	Psychopathology during long-term lithium treatment of patients with major affective disorders. A prospective study. <b>1989</b> , 80, 375-88		21
2061	The prevalence of psychiatric disorder among female new referrals to a migraine clinic. <b>1989</b> , 19, 919-25		23
2060	Acute response to rape--a PTSD variant. <b>1989</b> , 355, 56-62		45
2059	A placebo-controlled, double-blind, clinical trial of paroxetine in depressed outpatients. <b>1989</b> , 350, 117-23		44
2058	Fluoxetine treatment of depression. Clinical effects, drug concentrations and monoamine metabolites and N-terminally extended substance P in cerebrospinal fluid. <b>1989</b> , 79, 586-96		77

2057	Subjective bias in reports of poor work adjustment in depressed patients. <b>1989</b> , 80, 541-7		14
2056	Characteristics of patients with major depression in combination with dysthymic or cyclothymic disorders. Childhood and precipitating events. <b>1989</b> , 79, 11-8		24
2055	Calcium and magnesium concentrations in affective disorder: difference between plasma and serum in relation to symptoms. <b>1989</b> , 80, 527-37		45
2054	Personality and personality disorders among patients with major depression in combination with dysthymic or cyclothymic disorders. <b>1989</b> , 79, 363-9		31
2053	A factor analytical study of the Comprehensive Psychopathological Rating Scale among patients with anxiety and depressive disorders. <b>1989</b> , 80, 492-8		19
2052	Comparative assessment of efficacy and withdrawal symptoms after 6 and 12 weeks' treatment with diazepam or buspirone. <i>British Journal of Psychiatry</i> , <b>1989</b> , 154, 529-34	5.4	58
2051	The use of rating scales to identify post-natal depression. <i>British Journal of Psychiatry</i> , <b>1989</b> , 154, 813-7	5.4	329
2050	Maternity Blues: III. Associations with Obstetric, Psychological, and Psychiatric Factors. <i>British Journal of Psychiatry</i> , <b>1989</b> , 155, 367-373	5.4	46
2049	The nature and prevalence of depression in chronic schizophrenic in-patients. <i>British Journal of Psychiatry</i> , <b>1989</b> , 154, 486-91	5.4	142
2048	Effect of concurrent medical illness on dexamethasone suppression test results in depressed inpatients. <b>1990</b> , 35, 31-5		1
2047	A multicentre double-blind comparative trial of fluvoxamine versus lorazepam in mixed anxiety and depression treated in general practice. <b>1990</b> , 81, 185-9		39
2046	Efficacy of reversible inhibitors of monoamine oxidase-A in various forms of depression. <b>1990</b> , 360, 18-23		44
2045	Prevalence and course of depressive disorders in hospitalized stroke patients. <b>1990</b> , 20, 349-64		161
2044	ABSTRACT. <b>1990</b> , 82, 1-57		
2043	Violent and nonviolent suicide attempts--a controlled Rorschach study. <b>1990</b> , 82, 30-9		15
2042	Heart Rate Oscadian Rhythm as a Biological Marker of Desynchronization in Major Depression: A Methodological and Preliminary Report. <b>1990</b> , 7, 305-316		39
2041	Neuropsychological deficits and CT scan changes in elderly depressives. <b>1990</b> , 20, 507-20		242
2040	A pilot study of the effects of early intervention on clinical symptoms and social functioning in psychiatric emergencies. <b>1990</b> , 7, 132-134		12

2039	Obsessive-compulsive disorder: a clinical, neuropsychological and positron emission tomography study. <b>1990</b> , 82, 233-42		226
2038	Development and validation of a computer-administered version of the Hamilton Depression Rating Scale.. <b>1990</b> , 2, 56-63		41
2037	Tacrine (tetrahydroaminoacridine; THA) and lecithin in senile dementia of the Alzheimer type: a multicentre trial. Groupe Français d'Etude de la Tetrahydroaminoacridine. <b>1990</b> , 300, 495-9		128
2036	A double-blind placebo-controlled study of buspirone in diazepam withdrawal in chronic benzodiazepine users. <i>British Journal of Psychiatry</i> , <b>1990</b> , 157, 232-8	5-4	57
2035	Sleep stage physiology, mood, and vigilance responses to total sleep deprivation in healthy 80-year-olds and 20-year-olds. <b>1990</b> , 27, 677-85		143
2034	Fluoxetine differentially alters alcohol intake and other consummatory behaviors in problem drinkers. <b>1990</b> , 47, 490-8		187
2033	Relationships between clinical effects and monoamine metabolites and amino acids in sulpiride-treated schizophrenic patients. <b>1990</b> , 101, 324-31		30
2032	Agoraphobia, depression, mental health locus of control, and attributional styles. <b>1990</b> , 14, 343-351		26
2031	Cholinergic deficiency and frontal dysfunction in Parkinson's disease. <b>1990</b> , 28, 117-21		106
2030	Depression in geriatric patients with chronic medical illness. <b>1990</b> , 5, 187-192		19
2029	Clinical evaluation of alprazolam in patients with panic disorder: A double-blind comparison with imipramine. <b>1990</b> , 5, 159-163		10
2028	Efficacy of combined antidepressant therapy in resistant neurotic disorder. <i>British Journal of Psychiatry</i> , <b>1990</b> , 156, 115-8	5-4	5
2027	Group Cognitive Therapy for Depression Produces Clinically Significant Reliable Change in Community-based Settings*. <b>1990</b> , 18, 1-19		52
2026	Electrode placement in ECT: cognitive effects. <b>1990</b> , 20, 335-44		71
2025	Thyroid hormone elevations during acute psychiatric illness: relationship to severity and distinction from hyperthyroidism. <b>1990</b> , 16, 415-47		55
2024	A Meta-Analysis of the Antidepressant Properties of Serotonin Reuptake Inhibitors. <b>1990</b> , 2, 207-211		8
2023	The clinical efficacy of citalopram in treatment of emotional disturbances in dementia disorders. A Nordic multicentre study. <i>British Journal of Psychiatry</i> , <b>1990</b> , 157, 894-901	5-4	313
2022	Cerebrospinal fluid monoamine metabolites and neuropeptides in patients with panic disorder. <b>1990</b> , 22, 237-9		8



2021	Long Term Efficacy and Clinical Safety of Tianeptine in Depressed Alcoholic Patients after Alcohol Withdrawal. <b>1990</b> , 2, 225-234	2
2020	Extensive Study of Tianeptine in General Practice. <b>1990</b> , 2, 268-272	1
2019	A double-blind, randomized comparison of fluvoxamine with mianserin in depressive illness. <b>1990</b> , 12, 234-41	27
2018	Screening for adjustment disorders and major depressive disorders in cancer in-patients. <i>British Journal of Psychiatry</i> , <b>1990</b> , 156, 79-83	5.4 432
2017	A double-blind comparison of fluvoxamine, desipramine and placebo in outpatients with depression. <b>1990</b> , 14, 929-39	28
2016	Early response with clomipramine in obsessive compulsive disorder--a placebo controlled study. <b>1990</b> , 14, 719-27	9
2015	Therapeutic sleep deprivation in depressives, restricted to the two nocturnal hours between 3:00 and 5:00. <b>1990</b> , 14, 37-47	19
2014	The Nottingham Study of Neurotic Disorder: relationship between personality status and symptoms. <b>1990</b> , 20, 423-31	56
2013	Disorders of decision in affective disease: an effect of beta-adrenergic dysfunction?. <b>1990</b> , 27, 813-33	56
2012	Cardiovascular response to unilateral electroconvulsive therapy. <b>1990</b> , 28, 758-66	18
2011	Psychological test characteristics of depressed and panic patients. <b>1990</b> , 31, 179-92	22
2010	The duration, nature and recurrence rate of brief depressions. <b>1990</b> , 14, 729-35	24
2009	Measurement of neurotic symptoms by self-report questionnaire: validity of the SCL-90R. <b>1990</b> , 20, 873-9	106
2008	Anhedonia, suicide ideation and dexamethasone nonsuppression in depressed patients. <b>1990</b> , 24, 25-35	27
2007	Mood changes, obstetric experience and alterations in plasma cortisol, beta-endorphin and corticotrophin releasing hormone during pregnancy and the puerperium. <b>1990</b> , 34, 53-69	92
2006	Depression increases mortality and morbidity in acute life-threatening medical illness. <b>1990</b> , 34, 651-7	61
2005	Changes in depression scores following life-threatening illness. <b>1990</b> , 34, 659-63	22
2004	Database. <b>1990</b> , 12, 13-53	

2003	Effects of fluoxetine treatment of platelet 3H-imipramine binding, 5-HT uptake and 5-HT content in major depressive disorder. <b>1990</b> , 20, 101-13	47
2002	Quantifying depressive symptomatology: inter-rater reliability and inter-item correlations. <b>1990</b> , 20, 143-9	27
2001	Disappearance of memory deficits in outpatient depressives responding to imipramine. <b>1991</b> , 21, 173-83	116
2000	The relationship between post-natal depression and mother-child interaction. <i>British Journal of Psychiatry</i> , <b>1991</b> , 158, 46-52	5.4 297
1999	Interest of a loading dose of milnacipran in endogenous depressive inpatients. Comparison with the standard regimen and with fluvoxamine. <b>1991</b> , 1, 113-21	21
1998	Citalopram. A review of its pharmacodynamic and pharmacokinetic properties, and therapeutic potential in depressive illness. <b>1991</b> , 41, 450-77	155
1997	Tripartite model of anxiety and depression: Psychometric evidence and taxonomic implications.. <b>1991</b> , 100, 316-336	2957
1996	Cerebrospinal fluid levels of monoamine metabolites in panic disorder. <b>1991</b> , 36, 243-51	30
1995	Improvement in depressive illness is not associated with altered release of neurophysins over a course of ECT. <b>1991</b> , 36, 65-73	14
1994	Epstein-Barr virus antibodies and severity of depression. <b>1991</b> , 29, 621-3	6
1993	Lack of association between HLA-DR antigens and sleep-onset REM periods in major depression. <b>1991</b> , 30, 1199-204	4
1992	Memory effects of clomipramine treatment: relationship to CSF monoamine metabolites and drug concentrations in plasma. <b>1991</b> , 30, 1075-92	25
1991	PHYSICAL TREATMENTS FOR DEPRESSION. <b>1991</b> , 47-76	2
1990	Clinical target syndromes in psychiatry: latent structure analysis versus factor analysis. <b>1991</b> , 6, 301-306	3
1989	Sleep, dexamethasone suppression test, and response to somatic therapies in an atypical affective state presenting as erotomania: a case report. <b>1991</b> , 6, 269-271	
1988	Emotional blunting and sensation seeking in HIV-infected individuals. <b>1991</b> , 6, 99-102	7
1987	Widlöcher's Depressive Retardation Scale and Montgomery Asberg's Depression Rating Scale: an inter-rater study. <b>1991</b> , 6, 47-52	4
1986	The relationship between the perception of social support and post-stroke depression in hospitalized patients. <b>1991</b> , 54, 306-16	90

1985	Psychological morbidity associated with local recurrence of breast cancer. <b>1991</b> , 21, 149-55	74
1984	Electric stimulus energy and the clinical response to electroconvulsive therapy. <b>1991</b> , 36, 637-44	5
1983	Personality and Personality Disorders Among Patients with Various Affective Disorders. <b>1991</b> , 5, 107-121	32
1982	A comparison of paroxetine, imipramine and placebo in depressed out-patients. <i>British Journal of Psychiatry</i> , <b>1991</b> , 159, 394-8	5-4 145
1981	Effects of clomipramine treatment on cerebrospinal fluid monoamine metabolites and platelet 3H-imipramine binding and serotonin uptake and concentration in major depressive disorder. <b>1991</b> , 83, 125-33	44
1980	Zuclopenthixol decanoate and haloperidol decanoate in chronic schizophrenia: a double-blind multicentre study. <b>1991</b> , 84, 14-21	24
1979	Gender differences in the incidence of definite schizophrenia and atypical psychosis--focus on negative symptoms of schizophrenia. <b>1991</b> , 84, 489-96	73
1978	The interrater reliability of a Dutch version of the Comprehensive Psychopathological Rating Scale. <b>1991</b> , 83, 202-5	24
1977	Blunting of neuroendocrine responses to infusion of L-tryptophan in women with perimenstrual mood change. <b>1991</b> , 21, 305-12	105
1976	Cognitive impairment and dementia in Parkinson's disease: a controlled study. <b>1991</b> , 21, 911-21	21
1975	Diagnosis of illness presentation in the elderly. <b>1991</b> , 39, 117-23	101
1974	Biopsychosocial aspects of chronic fatigue syndrome (myalgic encephalomyelitis). <b>1991</b> , 23, 263-9	20
1973	Enalapril effects on alcohol intake and other consummatory behaviors in alcoholics. <b>1991</b> , 50, 96-106	16
1972	Neuropsychological findings and depressive symptoms in patients with Huntington's disease. <b>1991</b> , 32, 275-83	14
1971	Which elderly depressives will respond to ECT?. <b>1991</b> , 6, 159-163	8
1970	Depression in the general hospital setting. <b>1991</b> , 6, 363-370	14
1969	Is there a therapeutic window for plasma concentration of mianserin plus desmethylmianserin?. <b>1991</b> , 6, 243-248	12
1968	Clinical significance of 5-HT uptake inhibitors. <b>1991</b> , 6, S3-S7	13

1967	Treatment of depression with E-10-hydroxynortriptyline--a pilot study on biochemical effects and pharmacokinetics. <b>1991</b> , 103, 287-90		19
1966	Over-reporting of maladjustment by depressed subjects. Findings from retesting after recovery. <b>1991</b> , 26, 68-74		16
1965	A comparison of sulphiride, dothiepin, diazepam and placebo in the treatment of depressed out-patients. <b>1991</b> , 5, 259-62		2
1964	The World Health Organization's cross-cultural study on neuropsychiatric aspects of infection with the human immunodeficiency virus 1 (HIV-1). Preparation and pilot phase. <i>British Journal of Psychiatry</i> , <b>1991</b> , 159, 351-6	5-4	39
1963	Double-blind comparative multicentre study of fluvoxamine and mianserin in the treatment of major depressive episode in elderly people. <b>1991</b> , 83, 476-9		60
1962	Assessment of depression in patients with chronic fatigue syndrome. <b>1991</b> , 13 Suppl 1, S114-8		11
1961	The pharmacologic treatment of depression. <b>1991</b> , 325, 633-42		173
1960	Suicidprevention i den psykiatriska v�den. <b>1991</b> , 45, 81-91		1
1959	The Northwick Park 'Functional' Psychosis Study. Phase 2: maintenance treatment. <b>1991</b> , 5, 388-95		12
1958	Salivary testosterone levels and major depressive illness in men. <i>British Journal of Psychiatry</i> , <b>1992</b> , 161, 629-32	5-4	39
1957	The Impact of Three Gross Irn Bru on an Out-Patient Clinic for Depressed Men. <b>1992</b> , 20, 73-78		
1956	A controlled, longitudinal study of dementia in Parkinson's disease. <b>1992</b> , 55, 566-71		88
1955	Pterin metabolism in depression: an extension of the amine hypothesis and possible marker of response to ECT. <b>1992</b> , 22, 863-9		30
1954	Citalopram decreases desirability, liking, and consumption of alcohol in alcohol-dependent drinkers. <b>1992</b> , 51, 729-39		94
1953	Chemical dependency and psychiatric disorder in imprisoned wife-beaters. <b>1992</b> , 3, 487-495		3
1952	Do not forget the battered male! A comparative study of family and non-family violence victims. <b>1992</b> , 20, 179-83		1
1951	A brief depression scale for use in the medically ill. <b>1992</b> , 22, 183-95		79
1950	Royal Academy of Medicine in Ireland, Psychiatric Section: Registrars' Research Competition. <b>1992</b> , 9, 25-25		

1949	Plasma homocysteine in vascular disease and in nonvascular dementia of depressed elderly people. <b>1992</b> , 86, 386-90	113
1948	The anatomy of melancholia--focal abnormalities of cerebral blood flow in major depression. <b>1992</b> , 22, 607-15	614
1947	Emotionalism in Parkinson's disease. <b>1992</b> , 9, 24-25	5
1946	The Northwick Park 'Functional' Psychosis Study: diagnosis and outcome. <b>1992</b> , 22, 331-46	48
1945	Depressive symptomatology and cognitive functioning: an epidemiological survey in an elderly community sample in France. <b>1992</b> , 22, 159-72	93
1944	A rating scale for assessment of alcohol withdrawal psychopathology (AWIP). <b>1992</b> , 16, 241-9	23
1943	A controlled multicenter clinical study of citalopram and placebo in elderly depressed patients with and without concomitant dementia. <b>1992</b> , 86, 138-45	214
1942	The general neurotic syndrome: a coaxial diagnosis of anxiety, depression and personality disorder. <b>1992</b> , 85, 201-6	94
1941	The Relationship between Risk Factors for Affective Disorder and Poststroke Depression in Hospitalised Stroke Patients. <b>1992</b> , 26, 208-217	44
1940	HPA-related CSF neuropeptides in suicide attempters. <b>1992</b> , 2, 99-106	67
1939	The Relationship Between Risk Factors for Affective Disorder and Poststroke Depression in Hospitalised Stroke Patients. <b>1992</b> , 26, 208-217	24
1938	A Controlled Study of Viloxazine 300mg Sustained Release Capsules in Depressed Patients. <b>1992</b> , 4, 83-88	4
1937	Suicide and antidepressants. <b>1992</b> , 43 Suppl 2, 24-30; discussion 30-1	21
1936	Depression in Benin: an assessment using the Comprehensive Psychopathological Rating Scale and the principal component analysis. <b>1992</b> , 25, 173-80	19
1935	A comparison between delusional and non-delusional depressives. <b>1992</b> , 25, 129-38	37
1934	Post partum blues: depressive disease or pseudoneurasthenic syndrome. <b>1992</b> , 25, 47-52	17
1933	The Galway Study of Panic Disorder. I: Clomipramine and lofepramine in DSM III-R panic disorder: a placebo controlled trial. <b>1992</b> , 25, 63-75	49
1932	Dexamethasone suppression test in alcohol withdrawal: relationship to depression and liver function. <b>1992</b> , 30, 175-9	7

1931	Pickled vegetables in the aetiology of oesophageal cancer in Hong Kong Chinese. <b>1992</b> , 339, 1314-8		98
1930	A new measure of quality of life in depression: testing the reliability and construct validity of the QLDS. <b>1992</b> , 22, 321-30		69
1929	Early intervention in psychiatric emergencies: a controlled clinical trial. <b>1992</b> , 339, 1311-4		127
1928	MAO-B activity in depression and anxiety disorders. <b>1992</b> , 31, 634-8		5
1927	Antinuclear and gastric parietal cell autoantibodies in schizophrenic patients. <b>1992</b> , 32, 735-8		22
1926	Clinical features of depressed patients who do and do not improve with placebo. <b>1992</b> , 41, 203-14		82
1925	Neuroendocrine evidence for decreased function of alpha 2-adrenergic receptor after electroconvulsive therapy. <b>1992</b> , 41, 257-65		6
1924	Crisis intervention response and long-term outcome: a pilot study. <b>1992</b> , 33, 388-96		8
1923	Is old-fashioned electroconvulsive therapy more efficacious? A randomised comparative study of bilateral brief-pulse and bilateral sine-wave treatments. <i>British Journal of Psychiatry</i> , <b>1992</b> , 160, 360-4	5.4	18
1922	The clinical evaluation of a new community psychiatric service based on general practice psychiatric clinics. <i>British Journal of Psychiatry</i> , <b>1992</b> , 160, 493-7	5.4	21
1921	Moclobemide versus clomipramine in endogenous depression. A double-blind randomised clinical trial. <i>British Journal of Psychiatry</i> , <b>1992</b> , 160, 519-24	5.4	54
1920	A review of treatment studies of minor depression: 1980-1991. <b>1992</b> , 46, 58-74		20
1919	Long-Term Use of Tianeptine in 380 Depressed Patients. <i>British Journal of Psychiatry</i> , <b>1992</b> , 160, 61-65	5.4	25
1918	Efficacy of Tianeptine in Comparative Trials versus Reference Antidepressants An Overview. <i>British Journal of Psychiatry</i> , <b>1992</b> , 160, 72-75	5.4	29
1917	Long-Term Administration of Tianeptine in Depressed Patients after Alcohol Withdrawal. <i>British Journal of Psychiatry</i> , <b>1992</b> , 160, 66-71	5.4	23
1916	Depression and Physical Illness in the Elderly. <b>1992</b> , 8, 275-287		29
1915	Reliability and validity of a health-related quality of life battery for evaluating outpatient antidepressant treatment. <b>1992</b> , 1, 257-66		37
1914	Acoustic analysis in the differentiation of Parkinson's disease and major depression. <b>1992</b> , 21, 383-9		69

1913	Major depression in hospitalized medically ill older men: Documentation, management, and outcome. <b>1992</b> , 7, 25-34	50
1912	Community psychiatry of old age: A UK perspective. <b>1992</b> , 7, 757-766	25
1911	Assessing the severity of depressive illness. <b>1992</b> , 48, 455-62	3
1910	Outcome and prognostic variables in bulimia nervosa. <b>1993</b> , 14, 135-45	50
1909	A double blind comparison of the effects of fluoxetine and amitriptyline on cognitive function in elderly depressed patients. <b>1993</b> , 8, 41-47	123
1908	Pilot study of flesinoxan, a 5-HT <sub>1A</sub> agonist, in major depression: Effects on sleep REM latency and body temperature. <b>1993</b> , 8, 279-283	20
1907	Evaluation of the hospital anxiety and depression scale as a screening instrument in geriatric medical inpatients. <b>1993</b> , 8, 165-169	35
1906	The prevalence of psychiatric illness in acute geriatric admissions. <b>1993</b> , 8, 171-174	31
1905	Predictors of depressive symptoms and low self-esteem in a follow-up study of elderly people over 10 years. <b>1993</b> , 8, 343-349	16
1904	Age and the effects of ect. <b>1993</b> , 8, 401-406	41
1903	The treatment of diffuse lewy body disease: A pilot study. <b>1993</b> , 8, 731-739	14
1902	Predictive performance of population pharmacokinetic parameters of tianeptine as applied to plasma concentrations from a post-marketing study. <b>1993</b> , 45, 123-8	6
1901	Exactly what does the Hamilton Depression Rating Scale measure?. <b>1993</b> , 27, 259-73	172
1900	Reduction of cerebellar volume in major depression: A controlled MRI study. <b>1993</b> , 1, 156-158	38
1899	MAO inhibitors in panic disorder: clinical effects of treatment with brofaromine. A double blind placebo controlled study. <b>1993</b> , 112, 483-9	40
1898	A randomized double-blind placebo-controlled study of tropisetron in the treatment of outpatients with generalized anxiety disorder. <b>1993</b> , 112, 129-33	62
1897	The long-term outcome of facial pain treatment. <b>1993</b> , 37, 381-7	18
1896	A study comparing paroxetine placebo and imipramine in depressed patients. <b>1993</b> , 28, 71-9	71

1895	99mTc-HMPAO single photon emission tomography in late life depression: a pilot study of regional cerebral blood flow at rest and during a verbal fluency task. <b>1993</b> , 28, 233-40	48
1894	Can disulfiram potentiate the dexamethasone suppression test in depressive patients?. <b>1993</b> , 28, 241-7	
1893	Relationship between depressive and positive symptoms in schizophrenia. <b>1993</b> , 28, 61-9	28
1892	Do reversed depressive symptoms occur together as a syndrome?. <b>1993</b> , 27, 131-4	2
1891	Psychological distress during puerperium: A novel therapeutic approach using S-adenosylmethionine. <b>1993</b> , 53, 707-716	26
1890	Mirror reading in Alzheimer's disease: normal skill learning and acquisition of item-specific information. <b>1993</b> , 15, 789-804	28
1889	Coping and depression in chronically ill hospitalized elderly patients. <b>1993</b> , 47, 85-94	6
1888	Antidepressant drugs and the emergence of suicidal tendencies. <b>1993</b> , 8, 186-212	99
1887	Increased soluble interleukin-2 receptor concentrations in suicide attempters. <b>1993</b> , 88, 48-52	98
1886	Findings of electroencephalographic brain mapping in mild to moderate dementia of the Alzheimer type during resting, motor, and music-perception conditions. <b>1993</b> , 50, 163-76	17
1885	A study of relapses in subjects with mood disorder on lithium treatment. <b>1993</b> , 3, 103-10	37
1884	Figure drawing and psychomotor retardation: preliminary report. <b>1993</b> , 29, 263-6	29
1883	Emotional and psychopathological disturbances in HIV-infection. <b>1993</b> , 17, 927-37	10
1882	Hypercortisolemia and hippocampal changes in depression. <b>1993</b> , 47, 163-73	221
1881	The dexamethasone suppression test and quantitative cerebral anatomy in depression. <b>1993</b> , 33, 442-9	24
1880	The interface between thyroid activity, magnesium, and depression: a pilot study. <b>1993</b> , 33, 133-5	19
1879	CSF corticotropin-releasing factor is not affected in panic disorder. <b>1993</b> , 33, 136-8	43
1878	Association of negative symptoms with tardive dyskinesia in schizophrenic patients. <b>1993</b> , 27, 228-32	4



1877	Emotional lability after stroke. <b>1993</b> , 27, 601-5		74
1876	Personality disorder and treatment response in bulimia nervosa. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 765-70	5.4	38
1875	Diurnal effects of motor activity and fatigue in Parkinson's disease. <b>1993</b> , 56, 874-7		71
1874	Impulsivity and eating disorders. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 193-7	5.4	129
1873	Depression in the elderly: Treatment strategies. <b>1993</b> , 47, 75-81		
1872	The composition of the negative syndrome of chronic schizophrenia. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 744-50	5.4	83
1871	Suitable screening tests for cognitive impairment and depression in the terminally ill--a prospective prevalence study. <b>1993</b> , 7, 213-8		40
1870	Depression, introversion and mortality following stroke. <b>1993</b> , 27, 443-9		78
1869	Depression in acute and chronic aphasia: symptoms, pathoanatomical-clinical correlations and functional implications. <b>1993</b> , 56, 672-8		64
1868	Do psychosocial factors influence outcome in severely depressed female psychiatric in-patients?. <i>British Journal of Psychiatry</i> , <b>1993</b> , 163, 747-54	5.4	60
1867	Lithium augmentation therapy in tricyclic-resistant depression. A controlled trial using lithium in low and normal doses. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 634-40	5.4	98
1866	A placebo-controlled trial of d-fenfluramine in bulimia nervosa. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 597-603	5.4	44
1865	How Long Should the Elderly Take Antidepressants?: A Double-Blind Placebo-Controlled Study of Continuation/Prophylaxis Therapy with Dothiepin. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 175-182	5.4	141
1864	Mood disorders: developmental and precipitating events. <b>1993</b> , 38, 217-24		8
1863	References. <b>1993</b> , 87, 65-81		1
1862	Loss of brain 5-HT <sub>2</sub> receptors in Alzheimer's disease. In vivo assessment with positron emission tomography and [18F]setoperone. <b>1993</b> , 116 ( Pt 3), 497-510		144
1861	Treatment of winter depression in Norway. II. A comparison of the selective monoamine oxidase A inhibitor moclobemide and placebo. <b>1993</b> , 88, 372-80		34
1860	The relative efficacy of high-dose buspirone and alprazolam in the treatment of panic disorder: a double-blind placebo-controlled study. <b>1993</b> , 88, 1-11		100

1859	Prospective evaluation of the serotonin syndrome in depressed inpatients treated with clomipramine. <b>1993</b> , 88, 369-71		33
1858	The Nottingham study of neurotic disorder. Effect of personality status on response to drug treatment, cognitive therapy and self-help over two years. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 219-26	5-4	83
1857	Depression and the experience of psychological deficits in schizophrenia. <b>1993</b> , 88, 243-7		38
1856	Physical management of depression in the elderly. <b>1993</b> , 5, 417-426		
1855	Cognitive impairments in patients with seasonal affective disorder. <i>British Journal of Psychiatry</i> , <b>1993</b> , 163, 338-43	5-4	51
1854	What do depression rating scales measure?. <i>British Journal of Psychiatry</i> , <b>1993</b> , 163, 293-8	5-4	117
1853	Treatment of winter depression in Norway. I. Short- and long-term effects of 1500-lux white light for 6 days. <b>1993</b> , 88, 292-9		19
1852	Caffeine: use and effects in long-stay psychiatric patients. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 543-5	5-4	27
1851	Therapeutic advantage of bifrontal electrode placement in ECT. <b>1993</b> , 23, 349-60		113
1850	Tianeptine: clinical properties. <b>1993</b> , 8, 103s-109s		3
1849	Long-term efficacy of tianeptine on alcoholic relapses in non-depressed alcoholic patients. Preliminary results. <b>1993</b> , 8, 125s-129s		1
1848	Machado-Joseph disease of Azorean ancestry in Brazil: the Catarina kindred. Neurological, neuroimaging, psychiatric and neuropsychological findings in the largest known family, the "Catarina" kindred. <b>1993</b> , 51, 21-30		28
1847	The onset and rate of the antidepressant effect of electroconvulsive therapy. A neglected topic of research. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 725-32	5-4	11
1846	Predicting Therapeutic Results with Levoprotiline and Maprotiline in Major Depression: The Role of the Outcome Criteria. <i>British Journal of Psychiatry</i> , <b>1993</b> , 163, 35-38	5-4	3
1845	Efficacy of tianeptine in the treatment of major depression and depressed bipolar disorders. Illustration of the interest of surveillance of a European multicentre double-blind study in progress: tianeptine versus placebo and imipramine. <b>1993</b> , 8, 111s-115s		
1844	Reconstruction of MADRS in Benin: a contribution to the study of its cross-cultural validity. <b>1993</b> , 8, 79-83		1
1843	Efficacy and acceptability of tianeptine in the elderly: a review of clinical trials. <b>1993</b> , 8, 117s-124s		1
1842	A review of the safety of paroxetine. <b>1993</b> , 8, 25s-30s		1

1841	Comparison of the efficacy of moclobemide and fluvoxamine in elderly patients with a severe depressive episode. <b>1993</b> , 8, 319-324		20
1840	Diagnostic Assessment. <b>1993</b> , 16, 431-441		14
1839	Literatur / Sachregister. <b>1994</b> , 166, 118-138		
1838	Comparison of long-term benzodiazepine users in three settings. <i>British Journal of Psychiatry</i> , <b>1994</b> , 165, 792-6	5-4	11
1837	Long-Term Treatment of Depression. <i>British Journal of Psychiatry</i> , <b>1994</b> , 165, 31-36	5-4	41
1836	Transcultural approach of depression. Comparative study of the diagnostic performance of the dexamethasone suppression test in São Paulo (Brazil) and Liège (Belgium). <b>1994</b> , 9, 195-200		1
1835	WHO Neuropsychiatric AIDS study, cross-sectional phase I. Study design and psychiatric findings. <b>1994</b> , 51, 39-49		149
1834	Major affective disorders: Prospective clinical course during a 5- to 7-year follow-up in relation to neuroendocrine function tests. <b>1994</b> , 48, 131-137		3
1833	High serum trimipramine concentration during fluvoxamine treatment: A case report. <b>1994</b> , 48, 333-335		2
1832	The dissociation of explicit and implicit memory in depressed patients. <b>1994</b> , 24, 239-45		71
1831	Semi-structured depression scale sensitive to change with treatment for use in the elderly. <i>British Journal of Psychiatry</i> , <b>1994</b> , 164, 522-7	5-4	15
1830	A double-blind controlled comparison of fluoxetine and lofepramine in major depressive illness. <b>1994</b> , 8, 98-103		23
1829	Relation of anosognosia to frontal lobe dysfunction in Alzheimer's disease. <b>1994</b> , 57, 805-9		164
1828	The efficacy of selective serotonin re-uptake inhibitors in depression: a meta-analysis of studies against tricyclic antidepressants. <b>1994</b> , 8, 238-49		218
1827	Prevalence of depressive symptoms and depressive disorder in primary care patients over 65 years of age. <b>1994</b> , 11, 80-4		31
1826	Correlates of cognitive impairment and depressive mood disorder in multiple sclerosis. <b>1994</b> , 89, 117-21		145
1825	Benzodiazepine-alcohol withdrawal seizures occurring during buspirone treatment: A case report. <b>1994</b> , 48, 187-188		
1824	Mianserin added to tricyclic antidepressants in depressed patients not responding to a tricyclic antidepressant alone: A randomized, placebo-controlled, double-blind study. <b>1994</b> , 48, 355-358		17

1823	Lack of efficacy of fluoxetine in recurrent brief depression and suicidal attempts. <b>1994</b> , 244, 211-5	28
1822	Controlled comparison of nefazodone and amitriptyline in major depressive inpatients. <b>1994</b> , 115, 254-60	18
1821	Platelet 5-HT uptake sites, labelled with [3H] paroxetine, in controls and depressed patients before and after treatment with fluoxetine or lofepramine. <b>1994</b> , 115, 261-4	21
1820	Platelet intracellular calcium in patients with recurrent affective disorders. <b>1994</b> , 114, 375-81	25
1819	An open clinical and biochemical study of ritanserin in acute patients with schizophrenia. <b>1994</b> , 114, 31-8	81
1818	Controlled comparison of milnacipran and fluoxetine in major depression. <b>1994</b> , 114, 131-7	46
1817	The clinimetrics of hypokinesia in Parkinson's disease: subjective versus objective assessment. <b>1994</b> , 8, 117-21	12
1816	Effects of tetrabamate and of diazepam on sleep polygraphy during subacute withdrawal in alcohol-dependent patients. <b>1994</b> , 9, 191-195	8
1815	SSRIs: Well tolerated treatment for depression. <b>1994</b> , 9, S7-S10	6
1814	Correlation between hospital anxiety depression (HAD) scale and other measures of anxiety and depression in geriatric inpatients. <b>1994</b> , 9, 61-63	11
1813	The effectiveness of real versus simulated electroconvulsive therapy in depressed elderly patients. <b>1994</b> , 9, 567-571	21
1812	Referrals from general practitioners to old age psychiatrists. <b>1994</b> , 9, 829-833	1
1811	Outcome of admission to an acute psychiatric facility for older people: A pluralistic evaluation. <b>1994</b> , 9, 835-840	8
1810	Lithium augmentation in geriatric depressed outpatients: A clinical report. <b>1994</b> , 9, 995-1002	8
1809	Discordant twins with Parkinson's disease: positron emission tomography and early signs of impaired cognitive circuits. <b>1994</b> , 36, 176-82	71
1808	Characteristics of imprisoned wife-beaters. <b>1994</b> , 65, 157-67	15
1807	Antidepressant drugs. <b>1994</b> , 2, 1-19	17
1806	Sleep deprivation and bright light as potential augmenters of antidepressant drug treatment--neurobiological and psychometric assessment of course. <b>1994</b> , 28, 381-99	93

1805	Experimental evidence for two dimensions of cognitive disorders in depressives. <b>1994</b> , 28, 401-11	28
1804	The role of nonspecific factors in cognitive-behavior therapy for depression.. <b>1994</b> , 1, 138-156	331
1803	Subnormal growth hormone responses to acutely administered dexamethasone in depression. <b>1994</b> , 40, 623-7	13
1802	Clinical efficacy of the 5-HT <sub>3</sub> antagonist ondansetron in alcohol abuse and dependence. <b>1994</b> , 18, 879-85	152
1801	A comparison of the effects of imipramine and fluvoxamine on the thyroid axis. <b>1994</b> , 36, 778-9	12
1800	A comparison of plasma homovanillic acid in the deficit and nondeficit subtypes of schizophrenia. <b>1994</b> , 36, 230-6	39
1799	A comparison of propofol and methohexital as anesthetic agents for ECT: effects on seizure duration, therapeutic outcome, and memory. <b>1994</b> , 35, 179-89	53
1798	Predictors of short-term treatment response in 66 patients with panic disorder. <b>1994</b> , 30, 233-41	47
1797	Geniculocalcarine hyperintensities on brain magnetic resonance imaging associated with visual hallucinations in the elderly. <b>1994</b> , 54, 283-93	9
1796	Latency to rapid eye movement sleep as a predictor of treatment response to fluoxetine and placebo in nonpsychotic depressed outpatients. <b>1994</b> , 52, 327-39	27
1795	Circadian pattern of motor activity in major depressed patients undergoing antidepressant therapy: relationship between actigraphic measures and clinical course. <b>1994</b> , 52, 85-98	79
1794	Loss of control of pre-motor activation in anxious agitated and impulsive depressives. A clinical and ERP study. <b>1994</b> , 18, 1037-50	12
1793	Double-blind study of mirtazapine and placebo in hospitalized patients with major depression. <b>1994</b> , 4, 145-50	24
1792	[Depressive pseudodementia. Diagnostic importance of quantified EEG]. <b>1994</b> , 24, 343-56	1
1791	The effect of low dose lofepramine in depressed elderly patients in general medical wards. <b>1994</b> , 37, 321-4	24
1790	Moclobemide and fluoxetine in atypical depression: a double-blind trial. <b>1994</b> , 32, 169-77	63
1789	A brief self-report depression measure assessing mood state and social impairment. <b>1994</b> , 30, 133-42	14
1788	Neuroendocrine responses to intravenous L-tryptophan in obsessive compulsive disorder. <b>1994</b> , 32, 97-104	11

1787	Response patterns of depressed outpatients with and without melancholia: a double-blind, placebo-controlled trial of fluoxetine versus placebo. <b>1994</b> , 30, 163-73		38
1786	A 24-month follow-up study of unipolar subjects: a comparison between lithium and fluvoxamine. <b>1994</b> , 32, 225-31		26
1785	Improvement in major depression after low subcutaneous doses of MIF-1. <b>1994</b> , 31, 227-33		38
1784	Explicit memory, procedural learning and lexical priming in Alzheimer's disease. <b>1994</b> , 30, 113-26		95
1783	Biological markers as classifiers for depression: a multivariate study. <b>1994</b> , 18, 899-914		10
1782	Fast-Acting Antidepressants. <b>1994</b> , 2, 120-131		17
1781	Serotonin Syndrome. <b>1994</b> , 2, 132-143		29
1780	Depression in stroke patients with left and right hemisphere lesions. A study in geriatric rehabilitation in-patients. <b>1994</b> , 6, 49-56		13
1779	Affective symptoms in women attending a menopause clinic. <i>British Journal of Psychiatry</i> , <b>1994</b> , 164, 513-6	5.4	124
1778	Semantic memory is both impaired and anomalous in schizophrenia. <b>1994</b> , 24, 193-202		130
1777	Neuroendocrine and clinical effects of electroconvulsive therapy and their relationship to treatment outcome. <b>1994</b> , 24, 547-55		16
1776	The differentiation of depression from dementia by temporal lobe magnetic resonance imaging. <b>1994</b> , 24, 633-40		53
1775	The effect of personality disorder on clinical outcome, social networks and adjustment: a controlled clinical trial of psychiatric emergencies. <b>1994</b> , 24, 731-40		59
1774	La traduction d'instruments de mesure pour la recherche gfontologique en langue franãise: critères mtrologiques et inventaire*. <b>1994</b> , 13, 392-405		10
1773	Preconditions for communication in the care of bilingual demented persons. <b>1994</b> , 6, 105-20		21
1772	WHO Neuropsychiatric AIDS study, cross-sectional phase II. Neuropsychological and neurological findings. <b>1994</b> , 51, 51-61		186
1771	The effect of citalopram in panic disorder and agoraphobia:A pilot study. <b>1994</b> , 48, 13-17		14
1770	Biological correlates of deliberate self-harm behaviour: a study of electroencephalographic, biochemical and psychological variables in parasuicide. <b>1994</b> , 90, 316-23		22

1769	Comparison of the efficacy, safety and withdrawal of alpidem and alprazolam in anxious patients. <i>British Journal of Psychiatry</i> , <b>1994</b> , 165, 94-100	5.4	7
1768	Early responses to electroconvulsive therapy. <i>British Journal of Psychiatry</i> , <b>1994</b> , 165, 119-20	5.4	2
1767	An overview of paroxetine in the elderly. <b>1994</b> , 40 Suppl 1, 21-7		14
1766	Central D2 receptors and negative symptoms of schizophrenia. <i>British Journal of Psychiatry</i> , <b>1994</b> , 164, 27-34	5.4	50
1765	Authorotation test abnormalities of the horizontal and vertical vestibulo-ocular reflexes in panic disorder. <b>1994</b> , 110, 259-69		24
1764	A 12-week double-blind multi-centre study of paroxetine and imipramine in hospitalized depressed patients. <b>1994</b> , 89, 382-9		26
1763	A new self-rating scale for depression and anxiety states based on the Comprehensive Psychopathological Rating Scale. <b>1994</b> , 89, 21-8		470
1762	Physical activity and depression: clinical experience. <b>1994</b> , 377, 23-7		88
1761	Personality disorders in patients with winter depression. <b>1994</b> , 90, 413-9		11
1760	Uptake of 99mTc-exametazime shown by single photon emission computerized tomography in obsessive-compulsive disorder compared with major depression and normal controls. <b>1994</b> , 90, 298-303		34
1759	Temperamental vulnerability in attempted suicide. <b>1995</b> , 92, 155-60		96
1758	Classification of patients with affective disorders using platelet monoamine oxidase activity, serum melatonin and post-dexamethasone cortisol. <b>1995</b> , 91, 313-21		18
1757	A double-blind comparison of moclobemide and doxepin in depressed general practice patients. <b>1995</b> , 92, 125-31		9
1756	Behavioural style in Patients with Chronic Non-Alcoholic Liver Disease: A Pilot Study of 29 Patients Evaluated for Liver Transplantation. <b>1995</b> , 49, 423-428		2
1755	Effects of major depression on the cognitive function of younger and older subjects. <b>1995</b> , 25, 285-95		96
1754	Effects of early treatment of poststroke depression on neuropsychological rehabilitation. <b>1995</b> , 7, 547-60		92
1753	The use of the hospital anxiety and depression scale in an outpatient alcohol treatment clinic. <b>1995</b> , 12, 101-102		1
1752	Recurrent brief depression: A review. <b>1995</b> , 49, 39-41		

1751	Reliability and validity of the Hamilton Depression Inventory: A paper-and-pencil version of the Hamilton Depression Rating Scale Clinical Interview.. <b>1995</b> , 7, 472-483	93
1750	Placebo-controlled trial of lithium augmentation of fluoxetine and lofepramine. <i>British Journal of Psychiatry</i> , <b>1995</b> , 166, 80-6	5-4 141
1749	Section Review Central & Peripheral Nervous Systems: Mirtazapine - a novel antidepressant compound currently undergoing clinical evaluation. <b>1995</b> , 4, 945-954	2
1748	Personality neuroticism and depression after stroke. <b>1995</b> , 25, 93-102	22
1747	Mitogen-stimulated interleukin-2 production in never-medicated, first-episode schizophrenic patients. The influence of age at onset and negative symptoms. <b>1995</b> , 52, 668-72	117
1746	Does the enhancement of cholinergic neurotransmission influence brain glucose kinetics and clinical symptomatology in progressive supranuclear palsy?. <b>1995</b> , 118 ( Pt 6), 1485-95	28
1745	Social phobia: the clinical efficacy and tolerability of the monoamine oxidase -A and serotonin uptake inhibitor brofaromine. A double-blind placebo-controlled study. <b>1995</b> , 92, 351-8	95
1744	Assessment of depression: comparison between Beck Depression Inventory and subscales of Comprehensive Psychopathological Rating Scale. <b>1995</b> , 92, 460-3	31
1743	Effects of cerebral electrical stimulation on alcoholism: a pilot study. <b>1995</b> , 19, 1004-10	5
1742	Clues about the functional neuroanatomy of verbal working memory: a study of resting brain glucose metabolism in Parkinson's disease. <b>1995</b> , 2, 83-94	20
1741	A prospective study of depression in French patients with Parkinson's disease. The Depar study. <b>1995</b> , 2, 455-61	2
1740	Characteristics of familial aggregation in early-onset Alzheimer's disease: evidence of subgroups. <b>1995</b> , 60, 221-7	6
1739	Occurrence of the Cys311 DRD2 variant in a pedigree multiply affected with panic disorder. <b>1995</b> , 60, 332-4	14
1738	A reversible monoamine oxidase A inhibitor (moclobemide) facilitates smoking cessation and abstinence in heavy, dependent smokers. <b>1995</b> , 58, 444-52	134
1737	A multicentre, double-blind, clomipramine-controlled efficacy and safety study of org 3770. <b>1995</b> , 10, 263-271	53
1736	Paroxetine increases serum trimipramine concentration. A report of two cases. <b>1995</b> , 10, 345-347	12
1735	A controlled comparison of sertraline and fluoxetine in acute and continuation treatment of major depression. <b>1995</b> , 10, 393-405	44
1734	Org 3770 (mirtazapine) versus trazodone: A placebo controlled trial in depressed elderly patients. <b>1995</b> , 10, S125-S133	68



1733	A group therapy programme for depressed and anxious elderly inpatients. <b>1995</b> , 10, 37-40	6
1732	An investigation of the effects of comorbid Axis II pathology on outcome of inpatient treatment for unipolar depression. <b>1995</b> , 17, 305-321	10
1731	A double-blind, randomized, placebo-controlled, multi-center study of brofaromine in the treatment of post-traumatic stress disorder. <b>1995</b> , 122, 386-9	91
1730	Multicenter double blind study of paroxetine and amitriptyline in elderly depressed inpatients. <b>1995</b> , 119, 277-81	52
1729	ECT in Parkinson's disease. Changes in motor symptoms, monoamine metabolites and neuropeptides. <b>1995</b> , 10, 129-40	29
1728	PET imaging of neocortical monoaminergic terminals in Parkinson's disease. <b>1995</b> , 9, 55-71	36
1727	Dementia of frontal lobe type due to adult polyglucosan body disease. <b>1995</b> , 242, 512-6	29
1726	Depression in individuals with spinal cord injury: methodological issues. <b>1995</b> , 33, 377-80	16
1725	A subtle disturbance in the feedback regulation of the hypothalamic-pituitary-adrenal axis in the early phase of Alzheimer's disease. <b>1995</b> , 20, 211-20	53
1724	Abnormalities in adrenal androgens, but not of glucocorticoids, in early Alzheimer's disease. <b>1995</b> , 20, 83-94	35
1723	Environmental and health-related quality of life: conceptual and methodological similarities. <b>1995</b> , 41, 1373-82	69
1722	Anosognosia, intrusions and 'frontal' functions in Alzheimer's disease and depression. <b>1995</b> , 33, 247-59	112
1721	Selective serotonin reuptake inhibitors: Therapeutic alternatives to the tricyclics in the treatment of major depression. <b>1995</b> , 3, 215-224	
1720	Monthly Update Central & Peripheral Nervous Systems: Nefazodone - a summary of the available data on a new antidepressant agent. <b>1995</b> , 4, 131-137	1
1719	Early intervention study of psychiatric emergencies. <b>1995</b> , 55-64	1
1718	Evaluation of psychiatric services: the merits of regular review. <b>1995</b> , 65-72	
1717	Cognitive deficit and depressive symptoms in a community group of elderly people: a preliminary study. <b>1995</b> , 29, 444-50	7
1716	Nefazodone: a new antidepressant. <b>1995</b> , 52, 2799-812	29

1715	The difficult elderly patient: curable hostile depression or personality disorder?. <b>1995</b> , 7 Suppl, 95-111		19
1714	Long-term effects of cognitive-behavioural therapy and lithium therapy on depression in the elderly. <i>British Journal of Psychiatry</i> , <b>1995</b> , 167, 653-8	5-4	28
1713	The depressions of Alzheimer's disease: sorting, pharmacotherapy, and clinical advice. <b>1995</b> , 8 Suppl 1, S40-51		5
1712	Neuropsychological pattern of striatonigral degeneration: comparison with Parkinson's disease and progressive supranuclear palsy. <b>1995</b> , 58, 174-9		114
1711	In vivo D2 dopamine receptor density in psychotic and nonpsychotic patients with bipolar disorder. <b>1995</b> , 52, 471-7		196
1710	Which factors predict cognitive decline in Parkinson's disease?. <b>1995</b> , 58, 51-5		46
1709	Comparison of two forms of intensive speech treatment for Parkinson disease. <b>1995</b> , 38, 1232-51		243
1708	Neuropsychological function in manic-depressive psychosis. Evidence for persistent deficits in patients with chronic, severe illness. <i>British Journal of Psychiatry</i> , <b>1995</b> , 167, 51-7	5-4	76
1707	Dementia in Parkinson's disease: a population-based study in ambulatory and institutionalized individuals. <b>1995</b> , 45, 705-8		73
1706	A scale for the assessment of hedonic tone the Snaith-Hamilton Pleasure Scale. <i>British Journal of Psychiatry</i> , <b>1995</b> , 167, 99-103	5-4	874
1705	Time course of prefrontal lobe dysfunction in severely depressed in-patients: a longitudinal neuropsychological study. <b>1995</b> , 25, 79-85		197
1704	Memory disorders in probable Alzheimer's disease: the role of hippocampal atrophy as shown with MRI. <b>1995</b> , 58, 590-7		158
1703	[Suicidal children and adolescents]. <b>1995</b> , 2, 130-5		6
1702	Predictors of response to amine-specific antidepressants. <b>1995</b> , 35, 97-106		30
1701	Retardation of mentation in depressives: Posner's covert orientation of visual attention test. <b>1995</b> , 35, 107-15		12
1700	The neuroendocrine response to d-fenfluramine in women with premenstrual depression. <b>1995</b> , 36, 57-64		26
1699	Chart review of rate of weight gain in eating disorder patients treated with tricyclic antidepressants or fluoxetine. <b>1995</b> , 19, 223-228		2
1698	Stressful life events and coping styles in relation to dysthymia and major depressive disorder: variations associated with alleviation of symptoms following pharmacotherapy. <b>1995</b> , 19, 637-53		52

1697	A comparison of two psychological treatments for bulimia nervosa: implications for models of maintenance. <b>1995</b> , 33, 875-85	59
1696	Seizure threshold in electroconvulsive therapy (ECT) II. The anticonvulsant effect of ECT. <b>1995</b> , 37, 777-88	97
1695	Cerebrospinal fluid gamma-aminobutyric acid in patients with panic disorder. <b>1995</b> , 38, 737-41	17
1694	Monoamine oxidase A and B activities in heavy smokers. <b>1995</b> , 38, 756-61	119
1693	Seizure threshold in electroconvulsive therapy: I. Initial seizure threshold. <b>1995</b> , 37, 713-20	114
1692	A double-blind placebo-controlled study of Org 3770 in depressed outpatients. <b>1995</b> , 34, 165-71	57
1691	Antidepressant effect of 5-methoxypsoralen: The melatonin synchronizer hypothesis. <b>1995</b> , 10, 142-54	6
1690	Use of midazolam for ECT anesthesia: effects on antidepressive efficacy and seizure duration. Preliminary findings. <b>1995</b> , 10, 312-6	7
1689	Emotional deficit: an adaptative and evolutive process in HIV infection. <b>1995</b> , 10, 345-51	5
1688	Reduction of suicidal thoughts with paroxetine in comparison with reference antidepressants and placebo. <b>1995</b> , 5, 5-13	78
1687	Refractory depression: a review with particular reference to the use of lithium augmentation. <b>1995</b> , 5 Suppl, 109-13	12
1686	A double-blind study comparing the efficacy and tolerability of mirtazapine and doxepin in patients with major depression. <b>1995</b> , 5, 441-446	28
1685	P-2-109 Effect of clomipramine versus placebo on social adjustment in residual depression. <b>1995</b> , 5, 311-312	
1684	P-2-110 Fluoxetine in therapy of persons with PTSD. <b>1995</b> , 5, 312	0
1683	P-2-111 Neuroleptics in the therapy of delusional depression. <b>1995</b> , 5, 312	
1682	P-2-112 The influence of doxepine treatment upon the changes of triglycerides and cholesterol level in anorexic patients. <b>1995</b> , 5, 312-313	
1681	Epidemiology and treatment of post-stroke depression. <b>1995</b> , 7, 298-309	53
1680	Active hydroxymetabolites of antidepressants. Emphasis on E-10-hydroxy-nortriptyline. <b>1995</b> , 28, 26-40	47

1679	Measuring quality of life in patients with depression or anxiety. <b>1995</b> , 8, 305-15	19
1678	Mirtazapine. <b>1995</b> , 4, 39-48	31
1677	Recurrent Brief Depression. <b>1995</b> , 4, 222-229	5
1676	Dysthymia. <b>1995</b> , 4, 422-431	7
1675	Treatment of major depression with metyrapone and hydrocortisone. <b>1995</b> , 33, 123-8	99
1674	Which depressed patients respond to ECT? The Nottingham results. <b>1995</b> , 33, 245-50	32
1673	Improving the Clinical Recognition of Very Mild Dementia Using Multiple Levels of Assessment. <b>1995</b> , 3, 34-42	4
1672	Cross-form priming in normal aging and in mild dementia of the Alzheimer type. <b>1995</b> , 31, 699-710	13
1671	Definition and epidemiology of treatment-resistant depression. <b>1996</b> , 19, 179-200	524
1670	Use of the Hamilton and Montgomery-Asberg Depression Scales in Institutionalized Elderly Patients. <b>1996</b> , 4, 237-246	11
1669	A double-blind comparison of tianeptine, imipramine and placebo in the treatment of major depressive episodes. <b>1996</b> , 11, 254-9	24
1668	A randomized, double-blind study of alpidem vs placebo in the prevention and treatment of benzodiazepine withdrawal syndrome. <b>1996</b> , 11, 93-9	4
1667	Long-term studies in depression - relapse versus remission. Long-term studies with antidepressants - methodological aspects for consideration. <b>1996</b> , 11, 116-9	1
1666	Double-blind comparison of fluoxetine versus clomipramine in the treatment of obsessive compulsive disorder. <b>1996</b> , 6, 111-8	47
1665	Combined pharmacotherapy (Tramadol and mianserin) in chronic pain syndrome. <b>1996</b> , 6, S4-78-S4-79	
1664	Time-blind assessment of antidepressant efficacy in depressed patients. <b>1996</b> , 6, S4-79	
1663	Reduced 5-HT in CSF: Trait or state marker for suicidality?. <b>1996</b> , 6, S4-79-S4-80	1
1662	Hypertonic hemolysis in patients with a mood disorder. <b>1996</b> , 39, 11-5	1

1661	Blunted adrenocorticotropin and increased adrenal steroid response to human corticotropin-releasing hormone in Alzheimer's disease. <b>1996</b> , 39, 311-8	54
1660	Alternation learning in obsessive-compulsive disorder. <b>1996</b> , 39, 733-8	87
1659	Depression as a dynamical disease. <b>1996</b> , 39, 991-9	73
1658	TRH stimulation and dexamethasone suppression in borderline personality disorder. <b>1996</b> , 40, 412-8	30
1657	Computer-based cognitive training in Alzheimer's disease patients. <b>1996</b> , 777, 249-54	19
1656	Body dysmorphic disorder. A survey of fifty cases. <i>British Journal of Psychiatry</i> , <b>1996</b> , 169, 196-201	5-4 445
1655	Fluvoxamine, placebo, and cognitive behaviour therapy used alone and in combination in the treatment of panic disorder and agoraphobia. <b>1996</b> , 10, 219-242	75
1654	Amitriptyline in combination with repeated late sleep deprivation versus amitriptyline alone in major depression. A randomised study. <b>1996</b> , 37, 31-41	56
1653	Comorbidity of personality disorders and unipolar major depression: a review. <b>1996</b> , 37, 157-70	130
1652	Counselling of postnatal depression: a controlled study on a population based Swedish sample. <b>1996</b> , 39, 209-16	175
1651	Anxiety and autonomic regulation in major depressive disorder: an exploratory study. <b>1996</b> , 40, 61-71	39
1650	Primary dysthymia: a study of several psychosocial, endocrine and immune correlates. <b>1996</b> , 40, 73-84	40
1649	Platelet monoamine oxidase activity in patients with winter seasonal affective disorder. <b>1996</b> , 62, 273-80	15
1648	Effect of ECT treatment number on the ictal EEG. <b>1996</b> , 62, 179-89	27
1647	A double-blind comparison of venlafaxine and fluoxetine for treatment of major depression in outpatients. <b>1996</b> , 20, 57-71	106
1646	Concise assessment for depression (CAD): a brief screening approach to depression in the medically ill. <b>1996</b> , 41, 161-70	21
1645	Body dysmorphic disorder: a cognitive behavioural model and pilot randomised controlled trial. <b>1996</b> , 34, 717-29	284
1644	Number of symptoms, quantification, and qualification of depression. <b>1996</b> , 37, 307-15	38

1643	Cognitive and emotional deficits in early stages of HIV infection: an event-related potentials study. <b>1996</b> , 20, 1303-14	9
1642	Dopamine agonist amineptine prevents the antidepressant effect of sleep deprivation. <b>1996</b> , 65, 179-84	43
1641	Membrane fatty acids, niacin flushing and clinical parameters. <b>1996</b> , 55, 9-15	73
1640	Venlafaxine: a novel antidepressant that has a dual mechanism of action. <b>1996</b> , 4, 48-56	64
1639	Neuropsychological impairments in unipolar depression: the influence of perceived failure on subsequent performance. <b>1996</b> , 26, 975-89	373
1638	Computer-administered clinical rating scales. A review. <b>1996</b> , 127, 291-301	71
1637	Initial monoamine oxidase-A inhibition by moclobemide does not predict the therapeutic response in patients with major depression. A double blind, randomized study. <b>1996</b> , 127, 370-6	9
1636	A double-blind, fixed blood-level study comparing mirtazapine with imipramine in depressed in-patients. <b>1996</b> , 127, 231-237	30
1635	Effects of the 5-HT <sub>1A</sub> receptor agonist flesinoxan in panic disorder. <b>1996</b> , 127, 174-80	36
1634	A double-blind, fixed blood-level study comparing mirtazapine with imipramine in depressed in-patients. <b>1996</b> , 127, 231-237	25
1633	Computer-administered clinical rating scales. <b>1996</b> , 127, 291-301	57
1632	Initial monoamine oxidase-A inhibition by moclobemide does not predict the therapeutic response in patients with major depression. <b>1996</b> , 127, 370-376	8
1631	Prospects for the development of new treatments with a rapid onset of action in affective disorders. <b>1996</b> , 52, 477-82	7
1630	Sleep disturbance. A component of health status. <b>1996</b> , 10 Suppl 1, 25-8	12
1629	Paroxetine versus clomipramine in the treatment of obsessive-compulsive disorder. OCD Paroxetine Study Investigators. <i>British Journal of Psychiatry</i> , <b>1996</b> , 169, 468-74	5-4 197
1628	De Widlöhher Remmingsschaal, een Nederlandse Schaal Voor het Meten van Psychomotorische Remming. <b>1996</b> , 8, 56-63	8
1627	Brainstem auditory evoked potentials of panic disorder patients. <b>1996</b> , 33, 164-7	4
1626	Managing depression in older people. <b>1996</b> , 2, 178-185	3

1625	Depressive Syndromes and Symptoms in Subjects with Human Immunodeficiency Virus (HIV) Infection. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 117-122	5-4	37
1624	The nature of 'transient' and 'partial' psychoses: findings from the Northwick Park 'Functional' Psychosis Study. <b>1996</b> , 26, 361-9		9
1623	Are blunted dexamethasone-induced growth hormone responses unique to depression?. <b>1996</b> , 26, 1053-9		5
1622	Depressive illness and the possibilities of somatic antidepressant treatment. <b>1996</b> , 12, 554-72		2
1621	Cognitive performance in tests sensitive to frontal lobe dysfunction in the elderly depressed. <b>1996</b> , 26, 591-603		393
1620	Dose-response relationship with venlafaxine. <b>1996</b> , 16, 215-26S; discussion 26S-28S		34
1619	Negative symptoms, neurological signs and neuropsychological impairments in 204 Hong Kong Chinese patients with schizophrenia. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 227-33	5-4	60
1618	Aspects of perinatal psychiatric illness. <i>British Journal of Psychiatry</i> , <b>1996</b> , 169, 555-62	5-4	37
1617	The Nottingham Study of Neurotic Disorder: influence of cognitive therapists on outcome. <i>British Journal of Psychiatry</i> , <b>1996</b> , 169, 93-7	5-4	40
1616	Episodic remembering in a population-based sample of nonagenarians: Does major depression exacerbate the memory deficits seen in Alzheimer's disease?. <b>1996</b> , 11, 649-657		19
1615	The relationship between the effects of metyrapone treatment on depressed mood and urinary steroid profiles. <b>1996</b> , 21, 277-86		51
1614	Memory for spatial location is affected in Parkinson's disease. <b>1996</b> , 34, 77-85		49
1613	Delayed response tasks in basal ganglia lesions in man: further evidence for a striato-frontal cooperation in behavioural adaptation. <b>1996</b> , 34, 709-21		113
1612	Non-response to citalopram in depressive patients: pharmacokinetic and clinical consequences of a fluvoxamine augmentation. <b>1996</b> , 128, 421-5		56
1611	A subscale for negative symptoms from the Comprehensive Psychopathological Rating Scale (CPRS): a comparison with the Schedule for Assessment of Negative Symptoms (SANS). <b>1996</b> , 246, 219-23		7
1610	Auditory event-related potentials before and after treatment with nasal continuous positive airway pressure in sleep apnea syndrome. <b>1996</b> , 3, 29-35		18
1609	Moclobemide and fluoxetine in treatment of seasonal affective disorder. <b>1996</b> , 41, 93-9		53
1608	Response to light therapy in seasonal affective disorder: personality disorders and temperament as predictors of outcome. <b>1996</b> , 41, 101-10		24

1607	A randomized, double-blind comparison of a rapidly escalating dose of venlafaxine and imipramine in inpatients with major depression and melancholia. <b>1996</b> , 30, 441-51	88
1606	Interactive computer-based cognitive training in patients with Alzheimer's disease. <b>1996</b> , 30, 493-501	51
1605	The effect of fluoxetine on anxiety and depression symptoms in cancer patients. <b>1996</b> , 94, 205-10	137
1604	Determinants of self-rating and expert rating concordance in psychiatric out-patients, using the affective subscales of the CPRS. <b>1996</b> , 94, 386-96	61
1603	A naturalistic 6-year follow-up study of patients with panic disorder. <b>1996</b> , 93, 181-3	23
1602	A double-blind multicentre comparison of mirtazapine and amitriptyline in elderly depressed patients. <b>1996</b> , 93, 184-90	84
1601	Carbamates and Benzodiazepines have different effects on detoxified alcoholics' sleep polygraphy. <b>1996</b> , 11, 205-210	1
1600	Controlled Comparison of Tianeptine, Alprazolam and Mianserin in the Treatment of Adjustment Disorders with Anxiety and Depression. <b>1996</b> , 11, 293-298	26
1599	A validation study of The Geriatric Depression Scale short form. <b>1996</b> , 11, 457-460	128
1598	CRIME-RELATED POST-TRAUMATIC STRESS DISORDER IN ELDERLY PSYCHIATRIC PATIENTS: A CASE SERIES. <b>1996</b> , 11, 879-882	5
1597	CEREBRAL CHANGES IN OLD AGE DEPRESSION: A CASE REPORT WITH FINDINGS ON SINGLE PHOTON EMISSION TOMOGRAPHY. <b>1996</b> , 11, 919-923	
1596	VALIDATION OF THE HOSPITAL ANXIETY AND DEPRESSION SCALE AS A MEASURE OF SEVERITY OF GERIATRIC DEPRESSION. <b>1996</b> , 11, 991-994	14
1595	Managing rapid metabolizers of antidepressants. <b>1996</b> , 4, 320-7	13
1594	Comparison of fluvoxamine, imipramine, and placebo in the treatment of outpatients with panic disorder. <b>1996</b> , 2, 192-8	32
1593	Double-blind comparative study of the antidepressant, unwanted and cardiac effects of minaprine and amitriptyline. <b>1996</b> , 42, 491-498	13
1592	Patient characteristics, MRI examination, and dopaminergic drug response in clinical possible Parkinson's disease. <b>1996</b> , 9, 157-63	
1591	Depression after surgery for acoustic neuroma. <b>1996</b> , 61, 403-6	15
1590	The Short-Term Effects of Relocation on Continuing-Care Clients with a Psychiatric Disability. <b>1996</b> , 6, 179-192	3



1589	Cardiff puerperal mood and hormone study. III. Postnatal depression at 5 to 6 weeks postpartum, and its hormonal correlates across the peripartum period. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 739-44	5.4	81
1588	An open-label evaluation of the long-term safety of oral venlafaxine in depressed elderly patients. <b>1996</b> , 8, 169-78		20
1587	A multicentre, double-blind, amitriptyline-controlled study of mirtazapine in patients with major depression. <b>1996</b> , 10, 235-40		25
1586	Moclobemide in elderly patients with cognitive decline and depression: an international double-blind, placebo-controlled trial. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 149-57	5.4	136
1585	Attitudes of Elderly Patients and Their Families Toward Physician-Assisted Suicide. <b>1996</b> , 156, 2240		22
1584	Frequency of dementia in Parkinson disease. <b>1996</b> , 53, 538-42		235
1583	Minor depression: a review of the literature. <b>1996</b> , 26, 177-209		62
1582	Clinical and magnetic resonance imaging correlates of hypothalamic-pituitary-adrenal axis function in depression and Alzheimer's disease. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 679-87	5.4	129
1581	Paracetamol self-poisoning. Characteristics, prevention and harm reduction. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 43-8	5.4	107
1580	Functional Impairment, Physical Disease, and Depression in Older Adults. <b>1996</b> , 161-184		7
1579	Emergence of adverse events following discontinuation of treatment with extended-release venlafaxine. <b>1997</b> , 154, 1760-2		142
1578	The African-American Health Project (AAHP): study overview and select findings on high risk behaviors and psychiatric disorders in African American men. <b>1997</b> , 2, 183-96		10
1577	Using aspects of study design in sample size estimation. <b>1997</b> , 7, 215-26		4
1576	Natural killer cell activity and csf monoamine metabolites in suicide attempters. <b>1997</b> , 3, 153-169		
1575	Depression in North India comparison of symptoms and life events with other patient groups. <b>1997</b> , 1, 83-7		16
1574	Importance of local differences in comparing hospital and community psychiatric services. <b>1997</b> , 6, 137-44		
1573	The effect of citalopram in panic disorder. <i>British Journal of Psychiatry</i> , <b>1997</b> , 170, 549-53	5.4	127
1572	Functional effects of striatal dysfunction in Parkinson disease. <b>1997</b> , 54, 145-50		87

1571	Putting trials on trial--the costs and consequences of small trials in depression: a systematic review of methodology. <b>1997</b> , 51, 354-8		73
1570	Olanzapine versus haloperidol in the treatment of schizophrenia and schizoaffective and schizophreniform disorders: results of an international collaborative trial. <b>1997</b> , 154, 457-65		74 <sup>2</sup>
1569	Abnormal response to negative feedback in unipolar depression: evidence for a diagnosis specific impairment. <b>1997</b> , 63, 74-82		203
1568	An open study of sertraline in acute and continuation treatment of depressed out-patients. <b>1997</b> , 25, 340-53		3
1567	The State Hospital survey: A description of psychiatric patients in conditions of special security in Scotland. <b>1997</b> , 8, 263-284		39
1566	Aggressive behaviour in schizophrenia: the role of psychopathology. <b>1997</b> , 31, 62-7		34
1565	Lack of relapse with tryptophan depletion following successful treatment with ECT. <b>1997</b> , 154, 1151-2		17
1564	Double-blind comparison of sertraline, imipramine, and placebo in the treatment of dysthymia: psychosocial outcomes. <b>1997</b> , 154, 390-5		95
1563	Prefrontal dysfunction in depressed patients performing a complex planning task: a study using positron emission tomography. <b>1997</b> , 27, 931-42		224
1562	Modeling relapse in unipolar depression: The effects of dysfunctional cognitions and personality disorders.. <b>1997</b> , 65, 381-391		84
1561	Assessment of depression in patients with brain pathology: the case of stroke. <b>1997</b> , 122, 132-52		69
1560	Syntactic and semantic processing in schizophrenic patients evaluated by lexical-decision tasks.. <b>1997</b> , 11, 498-505		50
1559	Intensive in-patient and community intervention versus routine care after attempted suicide. A randomised controlled intervention study. <i>British Journal of Psychiatry</i> , <b>1997</b> , 171, 35-41	5-4	95
1558	Clinical and Immunological Characteristics of a Subgroup of Patients Suffering from Schizophrenia. <b>1997</b> , 18, 35-43		4
1557	Selective Serotonin Reuptake Inhibitors. <b>1997</b> , 7, 452-467		26
1556	The assessment and management of behavioural manifestations of dementia: a review and results of a controlled trial. <b>1997</b> , 1, 157-68		6
1555	Citalopram and Fluoxetine in Major Depression. <b>1997</b> , 14, 77-89		25
1554	Aggressive behaviour and platelet 3H-paroxetine binding in schizophrenia. <b>1997</b> , 23, 61-7		13

1553	Rating scale for the assessment of communication disorders in schizophrenics. <b>1997</b> , 12, 352-61	17
1552	Are there differential effects of fluoxetine in retarded/blunted affect versus agitated/anxious depressives? A clinical study. <b>1997</b> , 12, 21-7	9
1551	A double-blind placebo-controlled multicentre study of sertraline in the acute and continuation treatment of major depression. <b>1997</b> , 12, 34-41	19
1550	Methodological issues raised by clinical trials on dysthymia: assessment instruments and response criteria. <b>1997</b> , 12, 183-9	3
1549	Citalopram. <b>1997</b> , 8, 410-431	60
1548	Ten-year follow-up of young aphasic participants in a 34-week course at a Folk High School. <b>1997</b> , 11, 709-715	25
1547	Mental health screening by self-report questionnaire among community adolescents in southern Brazil. <b>1997</b> , 20, 232-7	24
1546	Fatigue in Parkinson's disease is not associated with reduced physical activity. <b>1997</b> , 3, 51-4	6
1545	Body dysmorphic disorder:pilot randomized controlled trial of treatment; implications for nurse therapy research and practice. <b>1997</b> , 1, 38-43	8
1544	DSM-III-R personality disorders in seasonal affective disorder: change associated with depression. <b>1997</b> , 38, 43-8	10
1543	Efficacy of tianeptine in major depressive disorders with or without melancholia. <b>1997</b> , 7 Suppl 3, S341-5	8
1542	Tianeptine and alcohol dependence. <b>1997</b> , 7 Suppl 3, S347-51	14
1541	Efficacy and tolerability of reboxetine compared with imipramine in a double-blind study in patients suffering from major depressive off-sodes. <b>1997</b> , 7 Suppl 1, S37-47; discussion S71-3	83
1540	Do noradrenaline and serotonin differentially affect social motivation and behaviour?. <b>1997</b> , 7 Suppl 1, S49-55; discussion S71-3	62
1539	Development and validation of a social functioning scale, the Social Adaptation Self-evaluation Scale. <b>1997</b> , 7 Suppl 1, S57-70; discussion S71-3	215
1538	Efficacy of venlafaxine in depressive illness in general practice. <b>1997</b> , 95, 485-93	66
1537	Psychophysiological and clinical value of event-related potentials in obsessive-compulsive disorder. <b>1997</b> , 42, 46-56	49
1536	Electrodermal activity in nonmedicated hyperthyroid patients having no depressive symptoms. <b>1997</b> , 42, 1024-9	9

1535	Increased intra-abdominal fat deposition in patients with major depressive illness as measured by computed tomography. <b>1997</b> , 41, 1140-2		130
1534	Psychosocial and physical correlates of chronic depression. <b>1997</b> , 72, 149-59		59
1533	Effects of antidepressant treatment on corticotropin-induced cortisol responses in patients with melancholic depression. <b>1997</b> , 73, 27-32		28
1532	Discrimination and response bias in memory: effects of depression severity and psychomotor retardation. <b>1997</b> , 70, 95-103		24
1531	La dépression et les troubles de l'affectivité ont-ils un retentissement sur la rééducation de l'hémiparétique et faut-il les traiter?. <b>1997</b> , 40, 481-501		7
1530	Effects of past history of major depression on smoking characteristics, monoamine oxidase-A and -B activities and withdrawal symptoms in dependent smokers. <b>1997</b> , 45, 31-7		32
1529	'Are life events related to the onset of breast cancer?'. <b>1997</b> , 27, 497-8		2
1528	Diagnosis of 'ME', which makes an external attribution for fatigue. <b>1997</b> , 27, 498-9		3
1527	Treatment, outcome and predictors of response in elderly depressed in-patients. <i>British Journal of Psychiatry</i> , <b>1997</b> , 170, 436-40	5.4	22
1526	Episodic memory functioning in population-based samples of very old adults with Alzheimer's disease and vascular dementia. <b>1997</b> , 8, 376-83		13
1525	Long-acting injectable bromocriptine does not reduce relapse in alcoholics. <b>1997</b> , 92, 969-978		31
1524	A combination of plant extracts in the treatment of outpatients with adjustment disorder with anxious mood: controlled study versus placebo. <b>1997</b> , 11, 127-32		58
1523	Suicide and antidepressants. <b>1997</b> , 836, 329-38		16
1522	Meta-analysis of randomized, double-blind, placebo-controlled, efficacy and safety studies of mirtazapine versus amitriptyline in major depression. <b>1997</b> , 391, 22-30		32
1521	Citalopram in the treatment of obsessive-compulsive disorder: an open pilot study. <b>1997</b> , 96, 343-6		51
1520	Long-term efficacy and safety of milnacipran compared to clomipramine in patients with major depression. <b>1997</b> , 96, 497-504		35
1519	Memory for spatial location in 'de novo' parkinsonian patients. <b>1997</b> , 35, 221-8		56
1518	The Major Depression Rating Scale (MDS). Inter-rater reliability and validity across different settings in randomized moclobemide trials. Danish University Antidepressant Group. <b>1997</b> , 42, 39-48		41

1517	Amisulpride versus imipramine and placebo in dysthymia and major depression. Amisulpride Study Group. <b>1997</b> , 43, 95-103	107
1516	Quantitative magnetic resonance imaging in geriatric depression and primary degenerative dementia. <b>1997</b> , 42, 69-83	110
1515	Hopelessness and suicidal behavior. <b>1997</b> , 42, 137-44	53
1514	Prevalence of bipolar II disorder in outpatient depression: a 203-case study in private practice. <b>1997</b> , 43, 163-6	175
1513	Clinical characteristics and biological parameters in temperamental clusters of suicide attempters. <b>1997</b> , 44, 45-55	37
1512	Serotonergic autoreceptor blockade in the reduction of antidepressant latency: personality variables and response to paroxetine and pindolol. <b>1997</b> , 44, 101-9	79
1511	Citalopram and viloxazine in the treatment of depression by means of slow drop infusion. A double-blind comparative trial. <b>1997</b> , 46, 51-8	18
1510	Antidepressant-associated hypomania in outpatient depression: a 203-case study in private practice. <b>1997</b> , 46, 73-7	114
1509	Effects of comorbidity and polypharmacy on the clinical usefulness of sertraline in elderly depressed patients: an open multicentre study. <b>1997</b> , 46, 285-91	15
1508	The efficacy, safety and tolerability of antidepressants in late life depression: a meta-analysis. <b>1997</b> , 46, 191-217	109
1507	Post-partum blues and mild depressive symptomatology at days three and five after delivery, A French cross sectional study. <b>1997</b> , 44, 1-4	22
1506	Natural killer cell activity and CSF monoamine metabolites in suicide attempters. <b>1997</b> , 3, 153-169	
1505	Douleur chez les patients âgés déments: intérêt d'une échelle comportementale d'évaluation. <b>1997</b> , 10, 169-172	1
1504	Moclobemide in social phobia. <b>1997</b> , 247, 71-80	59
1503	Interleukin-6-(IL-6) plasma levels in depression and schizophrenia: comparison between the acute state and after remission. <b>1997</b> , 247, 228-33	278
1502	Quality of life in patients with ischaemic heart disease: a prospective controlled study. <b>1997</b> , 242, 239-47	76
1501	Milnacipran: The Clinical Properties of a Selective Serotonin and Noradrenaline Reuptake Inhibitor (SNRI). <b>1997</b> , 12, S127-S134	9
1500	The Place of Milnacipran in the Treatment of Depression. <b>1997</b> , 12, S135-S141	6

1499	Does age predict the long-term outcome of depression treated with ECT? (a prospective study of the long-term outcome of ECT-treated depression with respect to age). <b>1997</b> , 12, 45-51	14
1498	Clinical, magnetic resonance imaging and endocrinological differences between delusional and non-delusional depression in the elderly. <b>1997</b> , 12, 211-8	24
1497	Pre-operative [correction of Properative] psychological variables predict immunological status in patients with operable breast cancer. <b>1997</b> , 6, 311-20	40
1496	Efficacy of ondansetron in the treatment of generalized anxiety disorder. <b>1997</b> , 5, 140-1	24
1495	Substance use and psychopathology in African American men at risk for HIV infection. <b>1997</b> , 25, 353-370	14
1494	Mother and infant affective involvement states and maternal depression. <b>1997</b> , 18, 350-363	32
1493	Using fuzzy logic to predict response to citalopram in alcohol dependence. <b>1997</b> , 62, 209-24	28
1492	Quality of life assessment in psychiatry: the Subjective Quality of Life Profile (SQLP)--first results of a new instrument. <b>1998</b> , 34, 525-35	11
1491	Differential diagnosis of the major progressive dementias and depression in middle and late adulthood: a summary of the literature of the early 1990s. <b>1998</b> , 8, 109-67	45
1490	Milnacipran, a Well-Tolerated Specific Serotonin and Norepinephrine Reuptake Inhibiting Antidepressant. <b>1998</b> , 4, 137-148	6
1489	A double-blind randomised placebo controlled trial of postnatal norethisterone enanthate: the effect on postnatal depression and serum hormones. <b>1998</b> , 105, 1082-90	97
1488	Screening for Depression by the Nursing Staff in an Acute Psychogeriatric Unit. <b>1998</b> , 17, 81-84	2
1487	Is impaired memory for spatial location in Parkinson's disease domain specific or dependent on 'strategic' processes?. <b>1998</b> , 36, 1-9	77
1486	Efficacy of once-daily venlafaxine extended release (XR) for symptoms of anxiety in depressed outpatients. <b>1998</b> , 47, 55-62	47
1485	A protocol for the pharmacologic treatment of major depression. A field test of a potential prototype. <b>1998</b> , 47, 87-96	11
1484	Should thyroid augmentation precede lithium augmentation--a pilot study. <b>1998</b> , 49, 235-9	18
1483	Signs and symptoms of mania in pure and mixed episodes. <b>1998</b> , 50, 187-201	150
1482	The clinical pharmacologic profile of reboxetine: does it involve the putative neurobiological substrates of wellbeing?. <b>1998</b> , 51, 313-22	18

1481	Calgary Depression Scale for Schizophrenia: a study of the validity of a French-language version in a population of schizophrenic patients. <b>1998</b> , 97, 36-41	40
1480	Early neuropsychological impairment in HIV-seropositive intravenous drug users: evidence from the Italian Multicentre Neuropsychological HIV Study. <b>1998</b> , 97, 132-8	31
1479	Double-blind study of the efficacy and safety of milnacipran and imipramine in elderly patients with major depressive episode. <b>1998</b> , 97, 157-65	45
1478	Dawn simulation vs. lightbox treatment in winter depression: a comparative study. <b>1998</b> , 98, 73-80	26
1477	Clinical efficacy of reboxetine: a comparative study with desipramine, with methodological considerations. <b>1998</b> , 13, S29-S39	39
1476	Is there an association between the effects of clozapine on the production of reactive oxygen metabolites by blood monocytes and clinical outcome in neuroleptic-resistant schizophrenia?. <b>1998</b> , 13, 231-237	2
1475	A double-blind comparison of the efficacy and safety of paroxetine and imipramine in the treatment of depression with dementia. <b>1998</b> , 13, 100-8	97
1474	Late-life depression in private practice depressed outpatients: a 203-case study. <b>1998</b> , 13, 145-8	12
1473	Rating depression severity in the elderly physically ill patient: reliability and factor structure of the Hamilton and the Montgomery-Asberg Depression Rating Scales. <b>1998</b> , 13, 257-61	54
1472	A preliminary report: a new scale to identify the pseudodementia syndrome. <b>1998</b> , 13, 389-99	14
1471	A 10-item Hamilton Depression Rating Scale to measure major depressive episode severity in outpatients. <b>1998</b> , 13, 570-1	5
1470	Comparison of the Global Assessment of Functioning scale and the Montgomery-Asberg Depression Rating Scale in elderly depressed patients. <b>1998</b> , 13, 573-4	2
1469	Late-life depression and functional disability: the role of goal-focused group psychotherapy. <b>1998</b> , 13, 707-16	70
1468	Analysis of depressive symptomatology in mood disorders. <b>1998</b> , 8, 80-85	29
1467	Six-month outcomes for MRI-related vascular depression. <b>1998</b> , 8, 142-6	48
1466	Assessment of locus of control in patients with anxiety and depressive disorders. <b>1998</b> , 54, 509-15	28
1465	Efaroxan, an alpha-2 antagonist, in the treatment of progressive supranuclear palsy. <b>1998</b> , 13, 673-6	31
1464	Validation of the Impulsivity Rating Scale and relationship with anxiety in healthy French adolescents. <b>1998</b> , 7, 128-135	10

1463	PET study and neuropsychological assessment of a long-lasting post-encephalitic parkinsonism. <b>1998</b> , 105, 489-95	12
1462	Quality of life measurements in patients with Parkinson's disease: A community-based study. <b>1998</b> , 5, 443-450	74
1461	The effects of postpartum depression on child development: a meta-analysis. <b>1998</b> , 12, 12-20	356
1460	Measuring depression in hospitalized, medically ill, older adults. <b>1998</b> , 12, 209-18	8
1459	Suicidal thoughts and dementia. <b>1998</b> , 26, 33-38	3
1458	Fluoxetine and amitriptyline in elderly depressed patients. A 10-week, double-blind study on course of neurocognitive adverse events and depressive symptoms. <b>1998</b> , 26, 125-140	15
1457	Dehydroepiandrosterone sulphate and dementia. <b>1998</b> , 26, 423-426	7
1456	Antioxidant vitamins and dementia. <b>1998</b> , 26, 431-434	
1455	The assessment of depression in peri-menopausal women. <b>1998</b> , 29, 33-9	19
1454	Tianeptine therapy for depression in the elderly. <b>1998</b> , 22, 319-29	16
1453	Dimensional assessment of onset of action of antidepressants: a comparative study of moclobemide vs. clomipramine in depressed patients with blunted affect and psychomotor retardation. <b>1998</b> , 79, 267-75	16
1452	Improvement predictors in obsessive-compulsive disorder. An event-related potential study. <b>1998</b> , 81, 87-96	18
1451	Direct assessment of improvement in winter depression with a visual analogue scale: high reliability and validity. <b>1998</b> , 81, 387-92	30
1450	Divided attention in major depression. <b>1998</b> , 81, 309-22	13
1449	Actualit�s cliniques et nosographiques de la d�pression. <b>1998</b> , 41, 443-448	1
1448	Placebo-controlled multicentre randomised trial of interferon �b in treatment of secondary progressive multiple sclerosis. <b>1998</b> , 352, 1491-1497	837
1447	A randomized, open-label comparison of venlafaxine and fluoxetine in depressed outpatients. <b>1998</b> , 20, 467-76	35
1446	Early onset of antidepressant action of venlafaxine: pattern analysis in intent-to-treat patients. <b>1998</b> , 20, 517-26	28



1445	The neuropsychological profile in unipolar depression. <b>1998</b> , 2, 447-54	131
1444	How much, and by what mechanisms, does growth hormone replacement improve the quality of life in GH-deficient adults?. <b>1998</b> , 12, 261-79	15
1443	Magnetic-resonance morphometry in patients with major depression. <b>1998</b> , 84, 7-15	104
1442	Priming for new associations in normal aging and in mild dementia of the Alzheimer type. <b>1998</b> , 34, 357-73	14
1441	Depletion of omega-3 fatty acid levels in red blood cell membranes of depressive patients. <b>1998</b> , 43, 315-9	464
1440	High delta sleep-inducing peptide-like immunoreactivity in plasma in suicidal patients with major depressive disorder. <b>1998</b> , 43, 734-9	13
1439	Adrenal responsivity in normal aging and mild to moderate Alzheimer's disease. <b>1998</b> , 43, 401-7	23
1438	Whole blood serotonin content, tryptophan concentrations, and impulsivity in anorexia nervosa. <b>1998</b> , 43, 188-95	34
1437	Neuroendocrine and clinical characteristics of major depressed patients exhibiting sleep-onset REM. <b>1998</b> , 43, 817-21	7
1436	Plasma melatonin and cortisol in patients with obsessive-compulsive disorder: relationship with axillary temperature, physical activity, and clinical symptoms. <b>1998</b> , 44, 874-81	25
1435	Plasma arginine vasopressin and motor activity in major depression. <b>1998</b> , 43, 196-204	62
1434	Assessment of serotonergic function in major depression using d-fenfluramine: relation to clinical variables and antidepressant response. <b>1998</b> , 44, 555-61	39
1433	Event-related potentials to stimuli with emotional impact in posttraumatic stress patients. <b>1998</b> , 44, 1045-53	35
1432	Magnetic resonance imaging correlates of depression in early- and late-onset Alzheimer's disease. <b>1998</b> , 44, 592-9	19
1431	Selective serotonin reuptake inhibitor discontinuation syndrome: a randomized clinical trial. <b>1998</b> , 44, 77-87	397
1430	Toward a generalizable model of symptoms in major depressive disorder. <b>1998</b> , 44, 959-72	69
1429	Cost-utility of mianserin (Lexapro) in the prevention of recurrent depression. <b>1998</b> , 8, S136	
1428	IDS-C and IDS-SR: Psychometric properties in depressed in-patients. <b>1998</b> , 8, S136	1

1427	Differences between clinician-ratings and self-ratings of depressive symptoms: Implication of personality and other psychiatric symptoms. <b>1998</b> , 8, S136	
1426	Quality of life in long-term survivors of adult-onset cancers. <b>1998</b> , 90, 656-67	256
1425	Mood Disorders in Late Life. <b>1998</b> , 193-229	6
1424	Sleep Deprivation in social phobia and generalized anxiety disorder. <b>1998</b> , 43, 840-2	21
1423	Depression rating scales can be related to each other by simple equations. <b>1998</b> , 2, 215-9	17
1422	The Effect of Paradigm on Alpha Frequency in Schizophrenia. <b>1998</b> , 96, 63-72	5
1421	Clinical and economic comparison of sertraline and fluoxetine in the treatment of depression. A 6-month double-blind study in a primary-care setting in France. <b>1998</b> , 13, 157-69	37
1420	Correspondence. <b>1998</b> , 9, 513-515	
1419	Is the Assessment of Coping Capacity Useful in the Treatment of Obesity?. <b>1998</b> , 6, 241-251	
1418	Adolescents who take overdoses: outcome in terms of changes in psychopathology and the adolescents' attitudes to care and to their overdose. <b>1998</b> , 21, 209-18	32
1417	Functional recovery and social outcome after cerebral infarction in young adults. <b>1998</b> , 8, 296-302	142
1416	Milnacipran. A review of its use in depression. <b>1998</b> , 56, 405-27	47
1415	Initiation and supervisory processes in schizophrenia and depression. <b>1998</b> , 34, 49-57	28
1414	Rating antidepressant efficacy with naturalistic live versus structured videotaped interviews. <b>1998</b> , 13, 225-30	0
1413	Inter-rater reliability of two depression rating scales, MADRS and DRRS, based on videotape records of structured interviews. <b>1998</b> , 13, 264-6	5
1412	Measures of anhedonia and hedonic responses to sucrose in depressive and schizophrenic patients in comparison with healthy subjects. <b>1998</b> , 13, 303-9	126
1411	Psychotic depression in private practice outpatients. <b>1998</b> , 13, 320-1	4
1410	Early predictors of two month response with mianserin and selective serotonin reuptake inhibitors and influence of definition of outcome on prediction. <b>1998</b> , 13, 138-42	6

1409	Responsiveness of observer rating scales by analysis of number of days until improvement in patients with major depression. <b>1998</b> , 13, 143-5	5
1408	Are depression and denutrition good predictors of dexamethasone suppression test (DST) in anorexia nervosa?. <b>1998</b> , 13, 411-8	1
1407	Analyzing the relation between self-esteem and eating disorders: differential effects of self-liking and self-competence. <b>1998</b> , 3, 95-9	22
1406	Dysmorphic concern: prevalence and associations with clinical variables. <b>1998</b> , 32, 129-32	158
1405	A randomized, double-blind, parallel-group comparison of venlafaxine and clomipramine in outpatients with major depression. <b>1998</b> , 12, 273-8	20
1404	Are cognitive changes the first symptoms of Huntington's disease? A study of gene carriers. <b>1998</b> , 64, 172-7	101
1403	Psychopathological and emotional deficits in myotonic dystrophy. <b>1998</b> , 65, 353-6	53
1402	Dysprosody after severe closed head injury: an acoustic analysis. <b>1998</b> , 64, 482-5	12
1401	A clinical, pharmacologic, and polysomnographic study of sleep benefit in Parkinson's disease. <b>1998</b> , 50, 1332-9	82
1400	Frequency and clinical determinants of poststroke depression. <b>1998</b> , 29, 2311-7	226
1399	Prevalence of dementia, delirium and psychiatric symptoms in various care settings for the elderly. <b>1998</b> , 26, 56-62	56
1398	Combination therapy with nefazodone and lithium: Safety and tolerability in fourteen patients. <b>1998</b> , 2, 251-4	2
1397	Comparison of aerobic exercise, clomipramine, and placebo in the treatment of panic disorder. <b>1998</b> , 155, 603-9	241
1396	Prevalence of severe depression in private practice depressed outpatients. <b>1998</b> , 2, 261-4	
1395	Randomised controlled trial of two models of care for discharged psychiatric patients. <b>1998</b> , 316, 106-9	61
1394	Suicidal behaviors in depressed men with a family history of suicide: Effects of psychosocial factors and age. <b>1998</b> , 2, 286-299	9
1393	Nursing staff and screening for depression among acutely ill geriatric inpatients: A pilot study. <b>1998</b> , 2, 71-74	7
1392	Spectral electroencephalogram and clinical follow-up during alprazolam and imipramine treatment in panic disorder. <b>1998</b> , 52, 245-249	1

1391	Double-blind, fixed-dose, placebo-controlled study of paroxetine in the treatment of panic disorder. <b>1998</b> , 155, 36-42	188
1390	Cognitive behaviour therapy via interactive video. <b>1998</b> , 4 Suppl 1, 53-5	46
1389	Depressive signs and symptoms in schizophrenia: a prospective blinded trial of olanzapine and haloperidol. <b>1998</b> , 55, 250-8	218
1388	Sample Size Estimation when Comparing More than Two Treatment Groups. <b>1998</b> , 32, 193-199	2
1387	Depression and dementia: comorbidities, identification, and treatment. <b>1998</b> , 11, 201-5	29
1386	Cognitive alterations in non-demented CADASIL patients. <b>1998</b> , 8, 97-101	66
1385	Maintenance phase efficacy of sertraline for chronic depression: a randomized controlled trial. <b>1998</b> , 280, 1665-72	112
1384	Letters to the Editor. <b>1998</b> , 43, 644-647	5
1383	Changes in seizure threshold over the course of electroconvulsive therapy affect therapeutic response and are detected by ictal EEG ratings. <b>1998</b> , 10, 178-86	72
1382	Experience of negative symptoms: comparison of schizophrenic patients to patients with a depressive disorder and to normal subjects. <b>1998</b> , 155, 350-4	38
1381	Clock tests in depression, Alzheimer's disease, and elderly controls. <b>1998</b> , 28, 437-47	25
1380	Short-term augmentation of fluoxetine with clonazepam in the treatment of depression: a double-blind study. <b>1998</b> , 155, 1339-45	67
1379	The importance of lesion location in poststroke depression: a critical review. <b>1998</b> , 43, 921-7	71
1378	Attention, frailty, and falls: the effect of a manual task on basic mobility. <b>1998</b> , 46, 758-61	174
1377	[Parkinson syndrome and depression]. <b>1998</b> , 66, 303-12	9
1376	Neuropsychological performance and plasma cortisol, arginine vasopressin and oxytocin in patients with major depression. <b>1998</b> , 28, 275-84	49
1375	Three- to 5-year prospective follow-up of outcome in major depression. <b>1998</b> , 28, 731-5	102
1374	Abnormal neural response to feedback on planning and guessing tasks in patients with unipolar depression. <b>1998</b> , 28, 559-71	145

1373	Is subcortical disease associated with a poor response to antidepressants? Neurological, neuropsychological and neuroradiological findings in late-life depression. <b>1998</b> , 28, 1015-26		225
1372	Prediction of outcome in neurotic disorder: a 5-year prospective study. <b>1998</b> , 28, 1149-57		69
1371	Alterations in mood after changing to a low-fat diet. <b>1998</b> , 79, 23-30		50
1370	Obsessive-compulsive disorder in the elderly. <b>1998</b> , 11, 117-121		18
1369	PSYCHOLOGIST, PATIENT, AND GENERAL PRACTITIONER RATINGS OF OUTCOME OF PHARMACOLOGICAL AND PSYCHOLOGICAL TREATMENTS FOR PANIC DISORDER AND AGORAPHOBIA IN PRIMARY CARE. <b>1998</b> , 26, 13-27		10
1368	Depression in people with first-episode schizophrenia. <i>British Journal of Psychiatry</i> , <b>1998</b> , 172, 90-92	5.4	243
1367	Letters to the Editor. <b>1998</b> , 43, 954-958		1
1366	Olanzapine: Psychopharmacology, Clinical Efficacy, and Adverse Effects. <b>1999</b> , 34, 423-436		2
1365	Psychopharmacology of olanzapine: A review. <i>British Journal of Psychiatry</i> , <b>1999</b> , 174, 52-58	5.4	36
1364	Emergency treatment of depression. <b>1999</b> , 5, 3-10		5
1363	Predictors of quality of life in people with severe mental illness. Study methodology with baseline analysis in the UK700 trial. <i>British Journal of Psychiatry</i> , <b>1999</b> , 175, 426-32	5.4	76
1362	The effect of structured consent on recall of information pre- and post-electroconvulsive therapy: a pilot study. <b>1999</b> , 23, 471-474		8
1361	Letters to the Editor. <b>1999</b> , 44, 1049-1053		3
1360	Mental well-being in alcohol withdrawal: relationship to alpha2-adrenoceptor function. <b>1999</b> , 34, 718-25		6
1359	Winter depression with spring exacerbation: A frequent occurrence in women with seasonal affective disorder. <b>1999</b> , 32, 301-7		3
1358	Fish oils and bipolar disorder: a promising but untested treatment. <b>1999</b> , 56, 413-4; discussion 415-6		21
1357	Current Perspectives on the Management of Seasonal Affective Disorder. <b>1999</b> , 39, 822-829		4
1356	Gender Differences in Bipolar II and Unipolar Depressed Outpatients: A 557-Case Study. <b>1999</b> , 11, 55-59		36

1355	Author's reply. <i>British Journal of Psychiatry</i> , <b>1999</b> , 175, 287-287	5-4
1354	Prevalence and clinical correlates of psychotic symptoms in Parkinson disease: a community-based study. <b>1999</b> , 56, 595-601	313
1353	Amantadine revisited: an open trial of amantadinesulfate treatment in chronically depressed patients with Borna disease virus infection. <b>1999</b> , 32, 142-7	38
1352	The use of dexamethasone in elderly patients with antidepressant-resistant depressive illness. <b>1999</b> , 13, 196-7	12
1351	Prediction of the depressive effects of interferon alfa therapy by the patient's initial affective state. <b>1999</b> , 340, 1370	134
1350	Does a four-week delay in the introduction of medication alter the course of functional psychosis?. <b>1999</b> , 13, 238-44	19
1349	Therapeutic efficacy of right prefrontal slow repetitive transcranial magnetic stimulation in major depression: a double-blind controlled study. <b>1999</b> , 56, 315-20	410
1348	A 24-week randomized trial of controlled-release physostigmine in patients with Alzheimer's disease. <b>1999</b> , 52, 1146-52	57
1347	Indirect modulation of dopamine D2 receptors as potential pharmacotherapy for schizophrenia: I. Adenosine agonists. <b>1999</b> , 33, 480-8	23
1346	Response and remission criteria for clinical trials in lupus-what can we learn from other diseases?. <b>1999</b> , 8, 627-31	5
1345	Amisulpride in medium-term treatment of dysthymia: a six-month, double-blind safety study versus amitriptyline. AMILONG investigators. <b>1999</b> , 13, 248-54	34
1344	Amisulpride versus amineptine and placebo for the treatment of dysthymia. <b>1999</b> , 39, 25-32	58
1343	Effects of fluoxetine and dothiepin on 24-hour activity in depressed patients. <b>1999</b> , 39, 44-8	19
1342	Double-blind controlled investigation of transcranial magnetic stimulation for the treatment of resistant major depression. <b>1999</b> , 156, 946-8	203
1341	Predictors of nursing home placement among elderly public housing residents. <b>1999</b> , 39, 559-68	58
1340	White matter lesions on magnetic resonance imaging in dementia with Lewy bodies, Alzheimer's disease, vascular dementia, and normal aging. <b>1999</b> , 67, 66-72	290
1339	Electrodermal activity in hypothyroid patients and healthy subjects. <b>1999</b> , 9, 787-90	7
1338	Blood folate, vitamin B12, and their relationships with cerebrospinal fluid monoamine metabolites, depression, and personality in suicide attempters. <b>1999</b> , 53, 131-137	5

1337	A preliminary study of the association between changes in mood and cognition in a mixed geriatric psychiatry sample. <b>1999</b> , 54, P94-9	11
1336	Rapid transcranial magnetic stimulation and normalization of the dexamethasone suppression test. <b>1999</b> , 53, 33-7	60
1335	The Montgomery Asberg Depression Rating Scale in bipolar II and unipolar out-patients: a 405-patient case study. <b>1999</b> , 53, 429-31	9
1334	Bipolar II disorder is common among depressed outpatients. <b>1999</b> , 53, 607-9	17
1333	Migraine polypharmacy and the tolerability of sumatriptan: a large-scale, prospective study. <b>1999</b> , 19, 668-75	41
1332	A double-blind, multicentre study to assess the tolerability and efficacy of paroxetine compared with amitriptyline in the treatment of depressed patients in Australian general practice. <b>1999</b> , 33, 416-21	9
1331	The evaluation of depression in inpatients with HIV disease. <b>1999</b> , 33, 344-52	29
1330	An open study of sertraline in patients with major depression who failed to respond to moclobemide. <b>1999</b> , 33, 889-95	4
1329	Quality of life after cerebrovascular stroke: a systematic study of patients' preferences for different functional outcomes. <b>1999</b> , 246, 309-16	70
1328	Self and identity in advanced old age: validation of theory through longitudinal case analysis. <b>1999</b> , 67, 819-49	22
1327	Olanzapine versus haloperidol in the treatment of schizophrenia and other psychotic disorders: quality of life and clinical outcomes of a randomized clinical trial. <b>1999</b> , 8, 417-26	104
1326	Clomipramine concentration as a predictor of delayed response: a naturalistic study. <b>1999</b> , 54, 895-902	17
1325	The effect of m-CPP on tics and obsessive-compulsive phenomena in Gilles de la Tourette syndrome. <b>1999</b> , 144, 137-43	15
1324	Maintenance ECT in Parkinson's disease. <b>1999</b> , 106, 737-41	28
1323	Irritability: the forgotten dimension of female-specific mood disorders. <b>1999</b> , 2, 153-167	17
1322	Prevalence of bipolar II disorder in atypical depression. <b>1999</b> , 249, 62-5	91
1321	Impairment of the supervisory attentional system in early untreated patients with Parkinson's disease. <b>1999</b> , 246, 783-8	87
1320	Early- versus late-onset dythymic disorder: comparison in out-patients with superimposed major depressive episodes. <b>1999</b> , 52, 187-96	42

1319	Impulsivity: a relevant dimension in depression regarding suicide attempts?. <b>1999</b> , 53, 211-5	126
1318	Temperament traits in seasonal affective disorder, suicide attempters with non-seasonal major depression and healthy controls. <b>1999</b> , 54, 55-65	27
1317	On the validity of the Bech-Rafaelsen Melancholia Scale (BRMS). <b>1999</b> , 54, 119-28	18
1316	Outcome in refractory depression. <b>1999</b> , 54, 287-94	13
1315	Bipolar versus unipolar psychotic outpatient depression. <b>1999</b> , 55, 63-6	23
1314	Temperament in bipolar illness: impact on prognosis. <b>1999</b> , 56, 103-8	41
1313	Efficacy and safety of tianeptine in the treatment of depressive disorders in comparison with fluoxetine. <b>1999</b> , 56, 109-18	41
1312	IDS-C and IDS-sr: psychometric properties in depressed in-patients. <b>1999</b> , 56, 95-101	56
1311	Delineating psychopathologic clusters within dysthymia: a study of 512 out-patients without major depression. <b>1999</b> , 56, 17-25	42
1310	A double-blind, randomized, placebo-controlled trial of once-daily venlafaxine extended release (XR) and fluoxetine for the treatment of depression. <b>1999</b> , 56, 171-81	135
1309	The Calgary Depression Rating Scale for Schizophrenia: development and interrater reliability of a German version (CDSS-G). <b>1999</b> , 33, 433-43	58
1308	Bulimia nervosa: A meta-analysis of psychosocial and pharmacological treatments. <b>1999</b> , 30, 117-135	125
1307	Chronic atypical major depressive episode in private practice: unipolar and bipolar II. <b>1999</b> , 100, 418-23	16
1306	Ziprasidone 80 mg/day and 160 mg/day in the acute exacerbation of schizophrenia and schizoaffective disorder: a 6-week placebo-controlled trial. Ziprasidone Study Group. <b>1999</b> , 20, 491-505	285
1305	Fatigue in patients with Parkinson's disease. <b>1999</b> , 14, 237-41	191
1304	Core assessment program for surgical interventional therapies in Parkinson's disease (CAPSIT-PD). <b>1999</b> , 14, 572-84	600
1303	Personality and the prediction of weight loss and relapse in the treatment of obesity. <b>1999</b> , 25, 301-9	31
1302	Predicting treatment outcome for panic disorder and agoraphobia in primary care. <b>1999</b> , 6, 336-348	13



- 1301 Clozapine-induced decrease in the production of reactive oxygen metabolites by monocytes in vitro may predict clinical response to clozapine in treatment-resistant schizophrenia. **1999**, 14, 203-209
- 1300 Anxiolytic effect of hydroxyzine: a double-blind trial versus placebo and buspirone. **1999**, 14, S94-S102
- 1299 Sertraline in stroke-associated lability of mood. **1999**, 14, 681-685 87
- 1298 Short versions of the geriatric depression scale: a study of their validity for the diagnosis of a major depressive episode according to ICD-10 and DSM-IV. **1999**, 14, 858-65 725
- 1297 Mental symptoms in Parkinson's disease are important contributors to caregiver distress. **1999**, 14, 866-874 377
- 1296 Chronic depression subtypes: A 257 case study. **1999**, 10, 81-84 7
- 1295 The efficacy and safety of moclobemide compared to clomipramine in the treatment of panic disorder. **1999**, 249 Suppl 1, S19-24 22
- 1294 The validation of the short form of the Geriatric Depression Scale (GDS) in Greece. **1999**, 11, 367-72 134
- 1293 Cognitive distortions in panic disorder and major depression: Specificity for depressed mood. **1999**, 53, 459-464 9
- 1292 Social and depressive stress suffered by spouses of patients with mild dementia. **1998**, 16, 242-6 17
- 1291 Atypical antipsychotics. Part I: Pharmacology, pharmacokinetics, and efficacy. **1999**, 33, 73-85 166
- 1290 Development and initial validation of a brief mental health outcome measure. **1999**, 73, 359-73 146
- 1289 Dopamine transporter availability and depressive symptoms during alcohol withdrawal. **1999**, 90, 153-7 53
- 1288 Dopamine D2 receptor occupancy by olanzapine or risperidone in young patients with schizophrenia. **1999**, 92, 33-44 34
- 1287 A PET activation study of dynamic mechanical allodynia in patients with mononeuropathy. **1999**, 83, 459-470 135
- 1286 Platelet serotonin functions in untreated major depression. **1999**, 85, 189-98 46
- 1285 Prevalence and clinical features of atypical depression in depressed outpatients: a 467-case study. **1999**, 86, 259-65 84
- 1284 Agreement between 'time-blind' and 'time-non-blind' assessments of depressive symptomatology. **1999**, 86, 251-8 0

1283	Repetitive transcranial magnetic stimulation (rTMS) in pharmacotherapy-refractory major depression: comparative study of fast, slow and sham rTMS. <b>1999</b> , 88, 163-71	235
1282	Evaluation of depression in schizophrenia: psychometric properties of a French version of the Calgary Depression Scale. <b>1999</b> , 89, 123-32	25
1281	Executive functioning and verbal memory in young patients with unipolar depression and schizophrenia. <b>1999</b> , 89, 171-87	183
1280	Frontal reactivity and sensation seeking an ERP study in skydivers. <b>1999</b> , 23, 447-63	15
1279	Candidate neuroanatomic substrates of psychosis in old-aged depression. <b>1999</b> , 23, 793-807	33
1278	Blood concentrations of vasopressin, neuropeptide FF and prolactin are increased by high-dose right unilateral ECT. <b>1999</b> , 20, 319-26	6
1277	Intensive versus standard case management for severe psychotic illness: a randomised trial. UK 700 Group. <b>1999</b> , 353, 2185-9	273
1276	Comparison of extended-release venlafaxine, selective serotonin reuptake inhibitors, and tricyclic antidepressants in the treatment of depression: a meta-analysis of randomized controlled trials. <b>1999</b> , 21, 296-308	81
1275	Alterations of corticotropin releasing hormone (CRH) and neuropeptide Y (NPY) plasma levels in mood disorder patients with a recent suicide attempt. <b>1999</b> , 9, 205-11	92
1274	Is severe depression a separate indication? ECNP Consensus Meeting September 20, 1996, Amsterdam. European College of Neuropsychopharmacology. <b>1999</b> , 9, 259-64	28
1273	Orbitofrontal cortex dysfunction in obsessive-compulsive disorder? I. Alternation learning in obsessive-compulsive disorder: male-female comparisons. <b>1999</b> , 9, 407-13	30
1272	Atypical depression in private practice depressed outpatients: a 203-case study. <b>1999</b> , 40, 80-3	44
1271	Bipolar II versus unipolar chronic depression: a 312-case study. <b>1999</b> , 40, 418-21	15
1270	Three dimensions of depression in patients with acute psychotic disorders: a replication study. <b>1999</b> , 40, 449-57	9
1269	Long-term outcome of hypochondriacal personality disorder. <b>1999</b> , 46, 177-85	21
1268	The differentiation of DSM-III-R psychotic depression in later life from nonpsychotic depression: comparisons of brain changes measured by multispectral analysis of magnetic resonance brain images, neuropsychological findings, and clinical features. <b>1999</b> , 45, 193-204	48
1267	The cortical serotonin <sub>2</sub> receptors studied with positron-emission tomography and [ <sup>18</sup> F]-setoperone during depressive illness and antidepressant treatment with clomipramine. <b>1999</b> , 45, 180-6	107
1266	Low blood cholesterol and low platelet serotonin levels in violent suicide attempters. <b>1999</b> , 45, 1066-9	74

1265	A rapid-cycling bipolar patient treated with long nights, bedrest, and light. <b>1999</b> , 45, 1075-7		75
1264	Comparative efficacy of olanzapine and haloperidol for patients with treatment-resistant schizophrenia. <b>1999</b> , 45, 403-11		112
1263	CSF 5-HIAA levels are lower in impulsive as compared to nonimpulsive violent suicide attempters and control subjects. <b>1999</b> , 45, 1572-9		72
1262	A review of the efficacy of serotonergic and noradrenergic reuptake inhibitors for treatment of major depression. <b>1999</b> , 46, 1301-8		108
1261	Interleukin-1 beta production in dysthymia before and after pharmacotherapy. <b>1999</b> , 46, 1649-55		85
1260	Systematic review and guide to selection of selective serotonin reuptake inhibitors. <b>1999</b> , 57, 507-33		264
1259	Correlates of insight and insight change in schizophrenia. <b>1999</b> , 35, 247-53		108
1258	Psychotic versus nonpsychotic bipolar outpatient depression. <b>1999</b> , 14, 458-61		12
1257	Cognitive function in primary progressive and transitional progressive multiple sclerosis: a controlled study with MRI correlates. <b>1999</b> , 122 ( Pt 7), 1341-8		192
1256	Paroxetine: a review of its pharmacology, pharmacokinetics and utility in the treatment of a variety of psychiatric disorders. <b>1999</b> , 8, 417-41		21
1255	Neuropsychological Correlates of Major Depression: A Short-term Follow-up. <b>1999</b> , 4, 333-341		46
1254	Acute and long-term administration of anticholinergics in Parkinson's disease: specific effects on the subcortico-frontal syndrome. <b>1999</b> , 40, 289-313		56
1253	Changes in personality traits during treatment with sertraline or citalopram. <i>British Journal of Psychiatry</i> , <b>1999</b> , 174, 444-8	5.4	52
1252	Anhedonia in the deficit syndrome of schizophrenia. <b>1999</b> , 32, 207-19		20
1251	Prevalence and characteristics of patients with severe mental illness and borderline intellectual functioning. Report from the UK700 randomised controlled trial of case management. <i>British Journal of Psychiatry</i> , <b>1999</b> , 175, 135-40	5.4	35
1250	A comparison of the 'Hamilton Rating Scale for Depression' and the 'Montgomery-Asberg Depression rating Scale'. <b>1999</b> , 11, 34-7		4
1249	The Norwegian naturalistic treatment study of depression in general practice (NORDEP)-I: randomised double blind study. <b>1999</b> , 318, 1180-4		67
1248	Psychological well-being 3 years after severe stroke. <b>1999</b> , 30, 567-72		61

1247	Olanzapine versus haloperidol treatment in first-episode psychosis. <b>1999</b> , 156, 79-87		181
1246	Treatment of primary dysthymia with group cognitive therapy and pharmacotherapy: clinical symptoms and functional impairments. <b>1999</b> , 156, 1608-17		95
1245	Magnetic resonance assessment of cerebral perfusion in depressed cardiac patients: preliminary findings. <b>1999</b> , 156, 1641-3		22
1244	[Diagnostic and treatment strategies for depressive disorders in alcohol dependence]. <b>1999</b> , 67, 131-41		8
1243	Use of the Arizona Battery for Communication Disorders of Dementia in an Australian context. <b>1999</b> , 4, 93-107		10
1242	Apathy and depressed mood in acquired brain damage: relationship to lesion localization and psychophysiological reactivity. <b>1999</b> , 29, 447-56		186
1241	Emotional bias and inhibitory control processes in mania and depression. <b>1999</b> , 29, 1307-21		526
1240	Psychopathology in alcohol withdrawal: relationship to alpha2-adrenoceptor function. <b>1999</b> , 34, 750-9		10
1239	Safety and efficacy of ECT in patients with head injury: a case series. <b>1999</b> , 11, 32-7		27
1238	Olanzapine versus haloperidol in the treatment of schizoaffective disorder. Acute and long-term therapy. <i>British Journal of Psychiatry</i> , <b>1999</b> , 174, 15-22	5-4	53
1237	Experimental Studies of the Program of Assertive Community Treatment (PACT): A Meta-Analysis. <b>1999</b> , 10, 53-89		19
1236	Comparison of intensive and standard case management for patients with psychosis. Rationale of the trial. UK700 Group. <i>British Journal of Psychiatry</i> , <b>1999</b> , 174, 74-8	5-4	70
1235	Ziprasidone for schizophrenia and severe mental illness. <b>2000</b> , CD001945		11
1234	Cognitive deficit induced by acute tryptophan depletion in patients with Alzheimer's disease. <b>2000</b> , 157, 638-40		55
1233	Bipolar II Depression with Melancholic Features. <b>2000</b> , 12, 29-33		7
1232	High doses of levothyroxine for refractory rapid cycling. <b>2000</b> , 157, 1704-5		5
1231	Dr. Wu and Colleagues Reply. <b>2000</b> , 157, 1704-b-1704		
1230	Double-blind comparison of sertraline, imipramine, and placebo in the treatment of dysthymia: effects on personality. <b>2000</b> , 157, 1436-44		58

1229	Open trial of citalopram in adults with post-traumatic stress disorder. <b>2000</b> , 3, 135-140	27
1228	Letters to the Editor. <b>2000</b> , 45, 196-202	0
1227	Predictors of nursing home placement in Parkinson's disease: a population-based, prospective study. <b>2000</b> , 48, 938-42	517
1226	Cognitive-behavioural techniques for general psychiatrists in the management of patients with psychoses. <i>British Journal of Psychiatry</i> , <b>2000</b> , 177, 101-6	5-4 78
1225	Distress attributed to negative symptoms in schizophrenia. <b>2000</b> , 26, 737-44	59
1224	Cognitive therapy by allocation versus cognitive therapy by preference in the treatment of panic disorder. <b>2000</b> , 69, 240-3	25
1223	Nefazodone in the adjunctive therapy of schizophrenia: an open-label exploratory study. <b>2000</b> , 23, 222-5	8
1222	Electrical dose and seizure threshold: relations to clinical outcome and cognitive effects in bifrontal, bitemporal, and right unilateral ECT. <b>2000</b> , 16, 361-9	46
1221	Efficacy and cognitive effects of right unilateral electroconvulsive therapy. <b>2000</b> , 16, 370-9	48
1220	Prediction of the utility of a switch from unilateral to bilateral ECT in the elderly using treatment 2 ictal EEG indices. <b>2000</b> , 16, 327-37	18
1219	The development and retrospective testing of an electroencephalographic seizure quality-based stimulus dosing paradigm with ECT. <b>2000</b> , 16, 338-49	18
1218	Population pharmacokinetics of clomipramine, desmethylclomipramine, and hydroxylated metabolites in patients with depression receiving chronic treatment: model evaluation. <b>2000</b> , 22, 701-11	10
1217	Measuring the outcomes of care in older people: a non-critical review of patient-based measures. II. Mental status, depression and psychological wellbeing instruments. <b>2000</b> , 10, 123-132	1
1216	Agranulocytosis associated with lamotrigine. <b>2000</b> , 157, 1704	18
1215	Factors associated with neuropsychological performance in HIV-seropositive subjects without AIDS. <b>2000</b> , 30, 205-17	49
1214	Melancholic features and response to lithium prophylaxis in mood disorders. <b>2000</b> , 11, 73-9	13
1213	Longitudinal study of the influence of life events and personality status on diagnostic change in three neurotic disorders. <b>2000</b> , 11, 105-113	12
1212	Therapist contact in cognitive behaviour therapy for panic disorder and agoraphobia in primary care. <b>2000</b> , 7, 37-46	14

1211	Late-life chronic depression: a 399-case study in private practice. <b>2000</b> , 15, 1-6	8
1210	Alzheimer's disease, depression and normal ageing: merit of simple psychomotor and visuospatial tasks. <b>2000</b> , 15, 31-9	7
1209	A randomised, double-blind comparison of the efficacy and safety of citalopram compared to mianserin in elderly, depressed patients with or without mild to moderate dementia. <b>2000</b> , 15, 295-305	48
1208	Comparing time to onset of response in antidepressant clinical trials using the cure model and the Cramer-von Mises test. <b>2000</b> , 19, 2169-84	6
1207	Clinical problems in non-fluctuating patients with Parkinson's disease: a community-based study. <b>2000</b> , 15, 826-9	32
1206	Relationship between clinical effects, serum drug concentration, and concurrent drug interactions in depressed patients treated with citalopram, fluoxetine, clomipramine, paroxetine or venlafaxine. <b>2000</b> , 15, 453-459	31
1205	The impact of antidepressants on sleep and anxiety: a comparative study of fluoxetine and dothiepin using the Leeds Sleep Evaluation Questionnaire. <b>2000</b> , 15, 529-534	12
1204	The validity of the Hamilton and Montgomery-Asberg depression rating scales as screening and diagnostic tools for depression in Parkinson's disease. <b>2000</b> , 15, 644-9	234
1203	Depression and anxiety in elderly outpatients with chronic obstructive pulmonary disease: prevalence, and validation of the BASDEC screening questionnaire. <b>2000</b> , 15, 1090-6	217
1202	The prognostic significance of abnormalities seen on magnetic resonance imaging in late life depression: clinical outcome, mortality and progression to dementia at three years. <b>2000</b> , 15, 1097-104	18
1201	Validation of the Hamilton Depression Rating Scale and Montgomery and Asberg Rating Scales in terms of AGE-CAT depression cases. <b>2000</b> , 15, 1113-9	65
1200	Completeness of response and quality of life in mood and anxiety disorders. <b>2000</b> , 12 Suppl 1, 95-101	21
1199	Substitution of rapid transcranial magnetic stimulation treatments for electroconvulsive therapy treatments in a course of electroconvulsive therapy. <b>2000</b> , 12, 118-23	60
1198	The Inventory of Depressive Symptomatology (IDS): Clinician (IDS-C) and Self-Report (IDS-SR) ratings of depressive symptoms. <b>2000</b> , 9, 45-59	251
1197	Characteristics of bipolar II patients with interpersonal rejection sensitivity. <b>2000</b> , 54, 499-501	6
1196	Similar subcortical pattern of cognitive impairment in AIDS patients with and without dementia. <b>2000</b> , 7, 151-8	18
1195	Cognitive processes involved in delayed non-matching-to-sample performance in Parkinson's disease. <b>2000</b> , 7, 473-83	19
1194	Verbal fluency in schizophrenia: reduction in semantic store. <b>2000</b> , 34, 43-8	39

1193	The Mobility Interaction Fall chart. <b>2000</b> , 5, 190-201	35
1192	Inositol as an add-on treatment for bipolar depression. <b>2000</b> , 2, 47-55	76
1191	Reboxetine: its effects as measured by the Social Adaptation Self-evaluation Scale. <b>2000</b> , 402, 45-51	12
1190	Psychopathology in treated Wilson's disease determined by means of CPRS expert and self-ratings. <b>2000</b> , 101, 104-9	34
1189	Existe-t-il des facteurs pronostiques qui pr̄disent le devenir d'un malade ḡapr̄s la pose d'une gastrostomie percutan̄e endoscopique (GPE)?. <b>2000</b> , 14, 126-128	
1188	Cardiovascular responses to clonidine in alcohol withdrawal: are they related to psychopathology and mental well-being?. <b>2000</b> , 21, 231-7	4
1187	Vagus nerve stimulation is associated with mood improvements in epilepsy patients. <b>2000</b> , 42, 203-10	261
1186	Increased cerebrospinal fluid levels of neurotrophin 3 (NT-3) in elderly patients with major depression. <b>2000</b> , 5, 510-3	52
1185	The association between white matter lesions on magnetic resonance imaging and noncognitive symptoms. <b>2000</b> , 903, 482-9	66
1184	Prenatal diagnosis of fetal abnormality: psychological effects on women in low-risk pregnancies. <b>2000</b> , 14, 731-47	67
1183	Does increasing dose improve efficacy in patients with poor antidepressant response: a review. <b>2000</b> , 101, 343-8	36
1182	Gender differences in the presentation of depressed outpatients: a comparison of descriptive variables. <b>2000</b> , 61, 59-67	60
1181	Discontinuation of antidepressant drugs during electroconvulsive therapy: a controlled study. <b>2000</b> , 58, 37-41	23
1180	Lymphocyte proliferation among major depressive and dysthymic patients with typical or atypical features. <b>2000</b> , 58, 1-10	32
1179	Depression in the carers of dementia sufferers: a comparison of the carers of patients suffering from dementia with Lewy bodies and the carers of patients with Alzheimer's disease. <b>2000</b> , 59, 61-5	30
1178	Venlafaxine monotherapy in women with bipolar II and unipolar major depression. <b>2000</b> , 59, 225-9	77
1177	Gender differences in chronic major and double depression. <b>2000</b> , 60, 1-11	312
1176	Moderate and severe depression. Gradations for the Montgomery-Asberg Depression Rating Scale. <b>2000</b> , 60, 137-40	79

1175	Early-onset versus late-onset atypical depression: unipolar and bipolar II. <b>2000</b> , 61, 95-9		15
1174	Relation of subjective and received social support to clinical and self-report assessments of depressive symptoms in an elderly population. <b>2000</b> , 61, 41-50		23
1173	Treatment of separation anxiety in dogs with clomipramine: results from a prospective, randomized, double-blind, placebo-controlled, parallel-group, multicenter clinical trial. <b>2000</b> , 67, 255-275		122
1172	The responsiveness of the Hamilton Depression Rating Scale. <b>2000</b> , 34, 3-10		196
1171	Comparison of risk of orthostatic hypotension in elderly depressed hypertensive women treated with nortriptyline and thiazides versus elderly depressed normotensive women treated with nortriptyline. <b>2000</b> , 85, 1156-8, A9		13
1170	Intestinal reactivity to words with emotional content and brain information processing in irritable bowel syndrome. <b>2000</b> , 45, 1160-5		19
1169	Rectal tone and brain information processing in irritable bowel syndrome. <b>2000</b> , 45, 1153-9		9
1168	Nonlinear EEG Changes Associated with Clinical Improvement in Depressed Patients. <b>2000</b> , 4, 203-218		24
1167	Citalopram in patients with fibromyalgia--a randomized, double-blind, placebo-controlled study. <b>2000</b> , 4, 27-35		127
1166	Striatal and temporal cortical D2/D3 receptor occupancy by olanzapine and sertindole in vivo: a [123I]epidepride single photon emission tomography (SPET) study. <b>2000</b> , 150, 132-40		62
1165	Component structure of the positive and negative syndrome scale (PANSS) in patients with recent-onset schizophrenia and spectrum disorders. <b>2000</b> , 150, 399-403		72
1164	d-Fenfluramine in panic disorder: a dual role for 5-hydroxytryptamine. <b>2000</b> , 149, 251-8		39
1163	ECT in Parkinson's disease-dopamine transporter visualised by [123I]-beta-CIT SPECT. <b>2000</b> , 107, 997-1008		18
1162	Depression with DSM-IV atypical features: a marker for bipolar II disorder. <b>2000</b> , 250, 53-5		63
1161	Cognitive impairment in systemic lupus erythematosus: a follow-up study. <b>2000</b> , 247, 273-9		93
1160	The evaluation of mood and behavior in patients with focal brain lesions. <b>2000</b> , 21-47		
1159	Striatal and extra-striatal D(2)/D(3) dopamine receptor occupancy by quetiapine in vivo. [(123I)]-epidepride single photon emission tomography(SPET) study. <i>British Journal of Psychiatry</i> , <b>2000</b> , 177, 408-15	5.4	72
1158	Predictive value of pharmacological activity for the relative efficacy of antidepressant drugs. Meta-regression analysis. <i>British Journal of Psychiatry</i> , <b>2000</b> , 177, 292-302	5.4	74



1157	ECT stimulus intensity: are present ECT devices too limited?. <b>2000</b> , 157, 963-7	39
1156	Atypical bipolar II depression compared with atypical unipolar depression and nonatypical bipolar II depression. <b>2000</b> , 33, 100-2	6
1155	Antidepressant efficacy of sertraline and imipramine for the treatment of major depression in elderly outpatients. <b>2000</b> , 118, 99-104	13
1154	Transtornos depressivos na doena de Alzheimer: diagnstico e tratamento. <b>2000</b> , 22, 87-95	5
1153	Personality disorders and depressive symptoms in late luteal phase dysphoric disorder. <b>2000</b> , 69, 27-34	19
1152	Early depressive symptoms in cancer patients receiving interleukin 2 and/or interferon alfa-2b therapy. <b>2000</b> , 18, 2143-51	245
1151	Double-blind comparison of venlafaxine and amitriptyline in outpatients with major depression with or without melancholia. <b>2000</b> , 14, 61-6	30
1150	Physical Illness and Depression in Older Adults. <b>2000</b> ,	41
1149	MRI volumetric study of dementia with Lewy bodies: a comparison with AD and vascular dementia. <b>2000</b> , 54, 1304-9	234
1148	The correlation between ventricular diameter measured by transcranial sonography and clinical disability and cognitive dysfunction in patients with multiple sclerosis. <b>2000</b> , 57, 1289-92	54
1147	A 10-year study of the incidence of and factors predicting dementia in Parkinson's disease. <b>2000</b> , 54, 1596-602	307
1146	Pain complaints in depressed inpatients. <b>2000</b> , 33, 307-9	124
1145	Cost-utility analysis in depression: the McSad utility measure for depression health states. <b>2000</b> , 51, 1171-6	39
1144	Estrogen for Alzheimer's disease in women: randomized, double-blind, placebo-controlled trial. <b>2000</b> , 54, 295-301	478
1143	Olanzapine: an atypical antipsychotic for schizophrenia. <b>2000</b> , 1, 305-23	13
1142	Non-reactive mood in outpatient depression: A 557-case study. <b>2000</b> , 4, 119-21	
1141	[Expressions of depression in Alzheimer's disease. The current scientific debate]. <b>2000</b> , 9, 126-39	1
1140	Quality of life during the first 6 months of interferon-beta treatment in patients with MS. <b>2000</b> , 6, 338-42	49

1139	Neuropsychiatric symptoms associated with hepatitis C and interferon alpha: A review. <b>2000</b> , 157, 867-76	359
1138	Deinstitutionalisation for long-term mental illness: a 2-year clinical evaluation. <b>2000</b> , 34, 476-83	32
1137	Female depression before and after menopause. <b>2000</b> , 69, 280-3	23
1136	Depression in schizophrenia: perspective in the era of "Atypical" antipsychotic agents. <b>2000</b> , 157, 1379-89	325
1135	The use of St John's Wort in the treatment of depression. <b>2000</b> , 24, 232-234	5
1134	Perceptual hyperreactivity to auditory stimuli in patients with irritable bowel syndrome. <b>2000</b> , 35, 583-9	30
1133	Associations between plasma glucose and DSM-III-R cluster B personality traits in psychiatric outpatients. <b>2000</b> , 41, 79-87	6
1132	A randomized controlled trial of cognitive-behavioral therapy for persistent symptoms in schizophrenia resistant to medication. <b>2000</b> , 57, 165-72	453
1131	Slowed reaction time in HIV-1-seropositive intravenous drug users without AIDS. <b>2000</b> , 44, 72-8	10
1130	Use of three depression scales for evaluation of pretreatment severity and of improvement after treatment. <b>2000</b> , 87, 389-94	5
1129	Computer Assessment of Depression: Automating the Hamilton Depression Rating Scale. <b>2000</b> , 34, 145-156	15
1128	Safety and tolerability assessment of intrastriatal neural allografts in five patients with Huntington's disease. <b>2000</b> , 161, 194-202	113
1127	Vagus nerve stimulation (VNS) for treatment-resistant depressions: a multicenter study. <b>2000</b> , 47, 276-86	482
1126	Efficacy of naftidrofuryl in patients with vascular or mixed dementia: results of a multicenter, double-blind trial. <b>2000</b> , 22, 834-44	14
1125	Subsensitive alpha-2-adrenoceptor function in male alcohol-dependent individuals during 6 months of abstinence. <b>2000</b> , 57, 255-60	17
1124	Relationship between impulsivity and platelet serotonin content in adolescents. <b>2000</b> , 94, 19-28	41
1123	A comparison of alternative assessments of depressive symptom severity: a pilot study. <b>2000</b> , 95, 55-65	6
1122	Semantic verbal fluency deficit as a familial trait marker in schizophrenia. <b>2000</b> , 95, 133-48	68

1121	Diurnal variation of cortisol in panic disorder. <b>2000</b> , 95, 245-50	43
1120	No evident neuronal damage after electroconvulsive therapy. <b>2000</b> , 96, 157-65	74
1119	A comparison of alternative assessments of depressive symptom severity: a pilot study. <b>2000</b> , 96, 269-79	28
1118	The impact of comorbid mood and personality disorders in the cognitive-behavioral treatment of panic disorder. <b>2000</b> , 20, 339-57	66
1117	Evolution of plasma homovanillic acid (HVA) levels during treatment in schizo-affective disorder. <b>2000</b> , 24, 1319-28	3
1116	Functional brain imaging and pharmacotherapy in social phobia: single photon emission computed tomography before and after treatment with the selective serotonin reuptake inhibitor citalopram. <b>2000</b> , 24, 419-38	47
1115	Female vs. male outpatient depression: a 448-case study in private practice. <b>2000</b> , 24, 475-81	5
1114	Parasuicide, anhedonia, and depression. <b>2000</b> , 41, 369-72	11
1113	The relationship between pain and depression in a trial using paroxetine in sufferers of chronic low back pain. <b>2000</b> , 41, 490-9	72
1112	Clinical predictors of discrepancy between self-ratings and examiner ratings for negative symptoms. <b>2000</b> , 41, 191-6	21
1111	Borderline personality disorder and bipolar II disorder in private practice depressed outpatients. <b>2000</b> , 41, 106-10	109
1110	Mini mental state examination in geriatric stroke patients. Validity, differences between subgroups of patients, and relationships to somatic and mental variables. <b>2000</b> , 12, 439-44	21
1109	Reboxetine, the first selective noradrenaline reuptake inhibitor antidepressant: Efficacy and tolerability in 2613 patients. <b>2000</b> , 4, 201-8	3
1108	Hypericum Perforatum - St. John's Wort Chemical, Pharmacological and Clinical Aspects. <b>2000</b> , 22, 643-716	9
1107	Depressive symptoms among obese children. <b>2000</b> , 5, 43-5	33
1106	$\alpha$ 2-Adrenoreceptor antagonism and serotonin reuptake inhibition in patients with Parkinson disease and depression. <b>2000</b> , 54, 411-415	6
1105	Fluoxetine in early poststroke depression: a double-blind placebo-controlled study. <b>2000</b> , 31, 1829-32	213
1104	Functional and neuroanatomic correlations in poststroke depression: the Sunnybrook Stroke Study. <b>2000</b> , 31, 637-44	153

1103	Late-Life Atypical Major Depressive Episode: A 358-Case Study In Outpatients. <b>2000</b> , 8, 117-122	15
1102	Rating depressed patients: observer- vs self-assessment. <b>2000</b> , 15, 160-72	80
1101	Evaluation of the supervisory system in elderly subjects with and without disinhibition. <b>2000</b> , 15, 407-15	10
1100	The suicide assessment scale: an instrument assessing suicide risk of suicide attempters. <b>2000</b> , 15, 416-23	49
1099	Valpromide increases amplitude of heart rate circadian rhythm in remitted bipolar and unipolar disorders. A placebo-controlled study. <b>2000</b> , 15, 424-32	8
1098	Changes of cerebrospinal fluid monoamine metabolites during long-term antidepressant treatment. <b>2000</b> , 10, 341-9	10
1097	Hippocampal volume in geriatric depression. <b>2000</b> , 48, 301-9	301
1096	Methodological issues in developing new acute treatments for patients with bipolar illness. <b>2000</b> , 48, 615-24	19
1095	Placebo-controlled comparison of the selective serotonin reuptake inhibitors citalopram and sertraline. <b>2000</b> , 48, 894-901	113
1094	Reduction of orbital frontal cortex volume in geriatric depression. <b>2000</b> , 48, 971-5	175
1093	Coping strategies in patients with acquired brain injury: relationships between coping, apathy, depression and lesion location. <b>2000</b> , 14, 887-905	168
1092	Selective serotonin reuptake inhibitors: a review of efficacy and tolerability in depression. <b>2000</b> , 1, 917-33	41
1091	Depression, anxiety and quality of life among scheduled cosmetic surgery patients: multicentre prospective study. <b>2001</b> , 29, 177-180	32
1090	Relationships between depression and psychotic symptoms of schizophrenia during an acute episode and stable period. <b>2001</b> , 47, 135-40	54
1089	Dopamine transporter density in young patients with schizophrenia assessed with [123]FP-CIT SPECT. <b>2001</b> , 47, 59-67	70
1088	Bipolar sensation seeking is associated with a propensity to abuse rather than to temperamental characteristics. <b>2001</b> , 16, 289-92	20
1087	Weak 24-h periodicity of body temperature and increased plasma vasopressin in melancholic depression. <b>2001</b> , 11, 7-14	27
1086	ECNP Consensus Meeting March 2000 Nice: guidelines for investigating efficacy in bipolar disorder. European College of Neuropsychopharmacology. <b>2001</b> , 11, 79-88	28

1085	A follow up study of suicide attempters: increase of CSF-somatostatin but no change in CSF-CRH. <b>2001</b> , 11, 135-43	17
1084	Reactivity of serotonin in whole blood: relationship with drug response in obsessive-compulsive disorder. <b>2001</b> , 49, 360-8	26
1083	Significantly reduced docosahexaenoic and docosapentaenoic acid concentrations in erythrocyte membranes from schizophrenic patients compared with a carefully matched control group. <b>2001</b> , 49, 510-22	147
1082	Increased glucocorticoid production and altered cortisol metabolism in women with mild to moderate Alzheimer's disease. <b>2001</b> , 49, 547-52	84
1081	Performance feedback deficit in geriatric depression. <b>2001</b> , 50, 358-63	58
1080	Poststroke dementia: incidence and relationship to prestroke cognitive decline. <b>2001</b> , 57, 1216-22	258
1079	Mood Changes in Epilepsy Patients Treated with Vagus Nerve Stimulation. <b>2001</b> , 2, S17-S20	7
1078	Fatigue in multiple sclerosis is associated with abnormal cortical activation to voluntary movement--EEG evidence. <b>2001</b> , 13, 1186-92	110
1077	Electroconvulsive therapy for depression in a cardiac transplant patient. <b>2001</b> , 42, 362-4	10
1076	Hippocampal volume discriminates between normal cognition; questionable and mild dementia in the elderly. <b>2001</b> , 22, 177-86	130
1075	Factor analysis of the Montgomery Asberg Depression Rating Scale in 251 bipolar II and 306 unipolar depressed outpatients. <b>2001</b> , 25, 1369-76	22
1074	Fluvoxamine in the treatment of panic disorder: a multi-center, double-blind, placebo-controlled study in outpatients. <b>2001</b> , 103, 1-14	49
1073	Decreased platelet [3H]paroxetine binding sites in suicide attempters. <b>2001</b> , 103, 125-31	13
1072	Problem-solving abilities in unipolar depressed patients: comparison of performance on the modified version of the Wisconsin and the California sorting tests. <b>2001</b> , 104, 145-56	44
1071	Immunotherapy with interferon-alpha in patients affected by chronic hepatitis C induces an intercorrelated stimulation of the cytokine network and an increase in depressive and anxiety symptoms. <b>2001</b> , 105, 45-55	185
1070	Dopaminergic augmentation of sleep deprivation effects in bipolar depression. <b>2001</b> , 104, 239-46	33
1069	[The shoulder-hand syndrome after stroke: clinical factors of severity and value of prognostic score of Perrigot]. <b>2001</b> , 44, 326-32	6
1068	La dépression dans la démence de type Alzheimer et ses liens avec la conscience des troubles mnésiques. <b>2001</b> , 159, 605-611	

1067	Dreams in obsessive-compulsive disorder: an analysis of semantic and emotional content compared to controls. <b>2001</b> , 51, 451-7		9
1066	[Spanish language adaptation and validation of the Pfeiffer's questionnaire (SPMSQ) to detect cognitive deterioration in people over 65 years of age]. <b>2001</b> , 117, 129-34		190
1065	The treatment of postnatal depression: A comprehensive literature review. <b>2001</b> , 19, 215-248		53
1064	Evaluating geriatric medical outpatients with the Beck Depression Inventory-Fastscreen for medical patients. <b>2001</b> , 5, 143-8		35
1063	A review of health-related quality-of-life measures in stroke. <b>2001</b> , 19, 155-85		35
1062	Severe depression: is there a best approach?. <b>2001</b> , 15, 765-76		58
1061	Third-generation antidepressants: do they offer advantages over the SSRIs?. <b>2001</b> , 15, 941-54		40
1060	The relationship between severity of dementia and subjective well-being. <b>2001</b> , 5, 191-6		28
1059	Randomised controlled general practice trial of sertraline, exposure therapy and combined treatment in generalised social phobia. <i>British Journal of Psychiatry</i> , <b>2001</b> , 179, 23-30	5-4	173
1058	Emotional Problems. <b>2001</b> , 9, 107-118		
1057	. <b>2001</b> ,		5
1056	Diagnosis of Depressive Disorders: A Review. <b>2001</b> , 1-87		4
1055	2 Verlässlichkeit. <b>2001</b> ,		0
1054	Pharmacological Treatment of Depressive Disorders: A Review. <b>2001</b> , 89-159		5
1053	Cytokines, Stress, and Depressive Illness. <b>2001</b> , 217-238		
1052	Relatives of patients with severe psychotic disorders: factors that influence contact frequency. Report from the UK700 trial. <i>British Journal of Psychiatry</i> , <b>2001</b> , 178, 248-54	5-4	21
1051	Clinical Testing of Anxiolytic Drugs. 325-337		1
1050	La Escala de Evaluación del Suicidio: un instrumento que evalúa el riesgo de suicidio de personas que han intentado quitarse la vida. <b>2001</b> , 8, 54-62		

1049	Post stroke depression. <b>2001</b> , 62, 268-73	10
1048	The effect of alcohol consumption on the circadian control of human core body temperature is time dependent. <b>2001</b> , 281, R52-5	60
1047	Post-stroke depression. <b>2001</b> , 8, 252-257	3
1046	La valpromida aumenta la amplitud del ritmo circadiano de la frecuencia cardíaca en los trastornos bipolares y unipolares en remisión. Un estudio controlado con placebo. <b>2001</b> , 8, 38-47	
1045	Decision-making cognition in mania and depression. <b>2001</b> , 31, 679-93	237
1044	Outcome of women admitted to hospital for depressive illness: factors in the prognosis of severe depression. <b>2001</b> , 31, 115-25	19
1043	The prevalence of depression in relation to cerebral atrophy and cognitive performance in 70- and 74-year-old women in Gothenburg. The Women's Health Study. <b>2001</b> , 31, 39-49	33
1042	Suicidal behaviour in psychosis: prevalence and predictors from a randomised controlled trial of case management: report from the UK700 trial. <i>British Journal of Psychiatry</i> , <b>2001</b> , 178, 255-60	5-4 40
1041	Outcome of patients with HIV-1-related cognitive impairment on highly active antiretroviral therapy. <b>2001</b> , 15, 195-200	66
1040	Sustained response to open-label venlafaxine in drug-resistant major depression. <b>2001</b> , 21, 185-9	26
1039	Mirtazapine versus venlafaxine in hospitalized severely depressed patients with melancholic features. <b>2001</b> , 21, 425-31	84
1038	Timing and specificity of the cognitive changes induced by interleukin-2 and interferon-alpha treatments in cancer patients. <b>2001</b> , 63, 376-86	111
1037	Ziprasidone in the short-term treatment of patients with schizoaffective disorder: results from two double-blind, placebo-controlled, multicenter studies. <b>2001</b> , 21, 27-35	61
1036	Effect on sexual function of long-term treatment with selective serotonin reuptake inhibitors in depressed patients treated in primary care. <b>2001</b> , 21, 154-60	42
1035	Fluoxetine treatment in patients with recurrent brief depression. <b>2001</b> , 16, 221-6	15
1034	Characteristics of responders and nonresponders to brief-pulse right unilateral ECT in a controlled clinical trial. <b>2001</b> , 17, 118-23	3
1033	Relation between frontal 3-7 Hz MEG activity and the efficacy of ECT in major depression. <b>2001</b> , 17, 136-40	43
1032	Dysthymic disorder: integrating research findings into clinical treatment. <b>2001</b> , 7, 298-309	6

1031	Citalopram 20 mg, 40 mg and 60 mg are all effective and well tolerated compared with placebo in obsessive-compulsive disorder. <b>2001</b> , 16, 75-86	117
1030	A 28-week, double-blind, placebo-controlled study with Cerebrolysin in patients with mild to moderate Alzheimer's disease. <b>2001</b> , 16, 253-63	36
1029	Serotonergic function in major depression and effect of sertraline and paroxetine treatment. <b>2001</b> , 16, 93-101	20
1028	Antidepressant efficacy and tolerability of milnacipran, a dual serotonin and noradrenaline reuptake inhibitor: a comparison with fluvoxamine. <b>2001</b> , 16, 145-51	49
1027	Faster response on amisulpride 50 mg versus sertraline 50-100 mg in patients with dysthymia or double depression: a randomized, double-blind, parallel group study. <b>2001</b> , 16, 317-24	41
1026	Severity of subcortical gray matter hyperintensity predicts ECT response in geriatric depression. <b>2001</b> , 17, 45-9	57
1025	Decreased presynaptic dopamine function in the left caudate of depressed patients with affective flattening and psychomotor retardation. <b>2001</b> , 158, 314-6	144
1024	Nasal continuous positive airway pressure in stroke patients with sleep apnoea: a randomized treatment study. <b>2001</b> , 18, 630-4	137
1023	Interventions for emotionalism after stroke. <b>2001</b> ,	2
1022	Antidepressant-induced mania in bipolar patients: identification of risk factors. <b>2001</b> , 62, 249-55	116
1021	Descriptive diagnostic assessment of depression Categorical diagnosis, dimensional assessment, and instruments. <b>2001</b> , 13, 2-12	2
1020	Accuracy of a single question in screening for depression in a cohort of patients after stroke: comparative study. <b>2001</b> , 323, 1159	70
1019	Use of Olanzapine for Elderly Patients With Psychotic Disorders: A Review. <b>2001</b> , 13, 201-213	9
1018	The clinical picture of bipolar II outpatient depression in private practice. <b>2001</b> , 34, 81-4	5
1017	Correlation between cortical theta activity and hippocampal volumes in health, mild cognitive impairment, and mild dementia. <b>2001</b> , 18, 178-84	80
1016	A model for handling missing items on two depression rating scales. <b>2001</b> , 16, 205-14	6
1015	Phobic anxiety changes the function of brain-gut axis in irritable bowel syndrome. <b>2001</b> , 63, 959-65	34
1014	Intellectual functioning and outcome of patients with severe psychotic illness randomised to intensive case management. Report from the UK700 trial. <i>British Journal of Psychiatry</i> , <b>2001</b> , 178, 166-71 <sup>5.4</sup>	62



1013	Tryptophan depletion in lithium-stabilized patients with affective disorder. <b>2001</b> , 4, 329-36	10
1012	Transcranial magnetic stimulation in the treatment of mood disorder: a review and comparison with electroconvulsive therapy. <b>2001</b> , 46, 720-7	52
1011	Prophylactic effect of citalopram in unipolar, recurrent depression: placebo-controlled study of maintenance therapy. <i>British Journal of Psychiatry</i> , <b>2001</b> , 178, 304-10	5.4 58
1010	Relatives of patients with severe psychotic illness: factors that influence appraisal of caregiving and psychological distress. <b>2001</b> , 36, 456-61	46
1009	Quality of life outcome in a randomized controlled trial of case management. <b>2001</b> , 36, 249-55	36
1008	Compounds with affinity for serotonergic receptors in the treatment of premenstrual dysphoria: a comparison of buspirone, nefazodone and placebo. <b>2001</b> , 155, 292-8	45
1007	In vivo 5-HT <sub>2A</sub> receptor blockade by quetiapine: an R91150 single photon emission tomography study. <b>2001</b> , 157, 60-6	48
1006	Amisulpride: efficacy in the management of chronic patients with predominant negative symptoms of schizophrenia. <b>2001</b> , 251, 217-24	21
1005	The PHQ-9: validity of a brief depression severity measure. <b>2001</b> , 16, 606-13	19738
1004	Sleep apnea, delirium, depressed mood, cognition, and ADL ability after stroke. <b>2001</b> , 49, 391-7	120
1003	Toward individualized evidence-based medicine: five "N of 1" trials of methylphenidate in geriatric patients. <b>2001</b> , 49, 474-6	37
1002	Course and outcome of bipolar II disorder: a retrospective study. <b>2001</b> , 55, 67-70	14
1001	Early Childhood Nurse-Delivered Cognitive Behavioural Counselling for Post-Natal Depression. <b>2001</b> , 9, 255-259	45
1000	A randomized, controlled trial of a brief interventional package for schizophrenic out-patients. <b>2001</b> , 103, 362-9	42
999	Moclobemide vs. imipramine in bipolar depression: a multicentre double-blind clinical trial. <b>2001</b> , 104, 104-9	65
998	Subject and observer-rated quality of life in schizophrenia. <b>2001</b> , 103, 387-92	130
997	Maastricht Assessment of Coping Strategies (MACS-I): a brief instrument to assess coping with psychotic symptoms. <b>2001</b> , 103, 453-9	30
996	Evaluation of three nurse-administered depression rating scales on acute admission and continuing care geriatric psychiatry wards. <b>2001</b> , 10, 43-51	1

995	Cognitive therapy versus moclobemide in social phobia: a controlled study. <b>2001</b> , 8, 263-273	27
994	Strategies for the rapid treatment of depression. <b>2001</b> , 16, 125-132	6
993	Efficacy and safety of tianeptine in the treatment of depressive disorders in comparison with fluoxetine*. <b>2001</b> , 16, S31-S38	7
992	Personality pathology, depression and HPA axis functioning. <b>2001</b> , 16, 303-308	14
991	Social phobia subtyping with the MMPI-2. <b>2001</b> , 57, 1489-502	5
990	The comparison of burden between caregiving spouses of depressive and demented patients. <b>2001</b> , 16, 387-93	43
989	Regional cerebral volume measurements in late-life depression: relationship to clinical correlates, neuropsychological impairment and response to treatment. <b>2001</b> , 16, 469-76	36
988	Bupropion SR in the naturalistic treatment of elderly patients with major depression. <b>2001</b> , 16, 862-5	13
987	A feasibility study of antidepressant drug therapy in depressed elderly patients with chronic obstructive pulmonary disease. <b>2001</b> , 16, 451-4	97
986	The role of tests of frontal executive function in the detection of mild dementia. <b>2001</b> , 16, 18-26	35
985	Differential subtyping of depression. <b>2001</b> , 13, 11-7	31
984	Early-onset versus late-onset bipolar II chronic depression. <b>2001</b> , 13, 45-9	3
983	Assessment of state and trait anxiety in subjects with anxiety and depressive disorders. <b>2001</b> , 72, 263-76	116
982	Defense styles and Personality dimensions of research subjects with anxiety and depressive disorders. <b>2001</b> , 72, 251-62	42
981	The ability of the Symptom Checklist SCL-90 to differentiate various anxiety and depressive disorders. <b>2001</b> , 72, 277-88	33
980	Treatment of depression in patients with breast cancer: a comparison between paroxetine and amitriptyline. <b>2001</b> , 70, 1-10	92
979	The impact of cholesterol lowering on patients' mood. <b>2001</b> , 24, 517-36	8
978	The efficacy of group psychotherapy for depression: A meta-analysis and review of the empirical research.. <b>2001</b> , 8, 98-116	111

977	Corticospinal inhibition appears normal in patients with chronic fatigue syndrome. <b>2001</b> , 86, 547-50	3
976	Treatment with interferon-alpha (IFN alpha) of hepatitis C patients induces lower serum dipeptidyl peptidase IV activity, which is related to IFN alpha-induced depressive and anxiety symptoms and immune activation. <b>2001</b> , 6, 475-80	85
975	A comparison between the Beck Depression Inventory (BDI) and the self-rating version of the Montgomery Asberg Depression Rating Scale (MADRS). <b>2001</b> , 64, 203-16	302
974	Melatonin response to clonidine administration in depression: indication of presynaptic alpha2-adrenoceptor dysfunction. <b>2001</b> , 65, 307-13	14
973	Sertraline versus imipramine to prevent relapse in chronic depression. <b>2001</b> , 65, 27-36	49
972	SPECT and neuropsychological performance in severe depression treated with ECT. <b>2001</b> , 66, 47-58	57
971	Treatment of mood-congruent psychotic depression with imipramine. <b>2001</b> , 66, 165-74	17
970	Olanzapine versus haloperidol in schizoaffective disorder, bipolar type. <b>2001</b> , 67, 133-40	22
969	Bipolar II depression in late life: prevalence and clinical features in 525 depressed outpatients. <b>2001</b> , 66, 13-8	63
968	Depression in acutely medically ill elderly inpatients: a pilot study of early identification and intervention by formal psychogeriatric consultation. <b>2001</b> , 62, 233-40	14
967	Cortisol response in the combined dexamethasone/CRH test as predictor of relapse in patients with remitted depression. a prospective study. <b>2001</b> , 35, 83-94	297
966	Lowered serum dipeptidyl peptidase IV activity is associated with depressive symptoms and cytokine production in cancer patients receiving interleukin-2-based immunotherapy. <b>2001</b> , 24, 130-40	39
965	Vagus nerve stimulation (VNS) for treatment-resistant depression: efficacy, side effects, and predictors of outcome. <b>2001</b> , 25, 713-28	358
964	Novel treatments for anxiety and depression: hurdles in bringing them to the market. <b>2001</b> , 6, 1220-1230	23
963	Association between immune activation and early depressive symptoms in cancer patients treated with interleukin-2-based therapy. <b>2001</b> , 26, 797-808	168
962	A placebo-controlled trial of omega-3 fatty acid (ethyl eicosapentaenoic acid) supplementation for residual symptoms and cognitive impairment in schizophrenia. <b>2001</b> , 158, 2071-4	225
961	A randomized, double-blind controlled comparison of nefazodone and paroxetine in the treatment of depression: safety, tolerability and efficacy in continuation phase treatment. <b>2001</b> , 15, 161-5	11
960	Health from the patient's point of view. How does it relate to the physician's judgement?. <b>2001</b> , 18, 174-80	42

959	Mania resulting from continuous positive airways pressure in a depressed man with sleep apnea syndrome. <b>2001</b> , 43, 221-4	6
958	Tools and Techniques for Evaluating Depression. <b>2001</b> , 14, 448-452	4
957	Depressive symptoms in hypothyroid disorder with some observations on biochemical correlates. <b>2001</b> , 43, 70-4	14
956	Risk of dementia in Parkinson's disease: a community-based, prospective study. <b>2001</b> , 56, 730-6	538
955	Posttraumatic stress disorder: diagnosis and epidemiology, comorbidity and social consequences, biology and treatment. <b>2001</b> , 43, 150-62	169
954	Apathy, anhedonia, and psychomotor retardation in elderly psychiatric patients and healthy elderly individuals. <b>2001</b> , 14, 11-6	28
953	Cerebral blood flow and glucose metabolism in hypothyroidism: a positron emission tomography study. <b>2001</b> , 86, 3864-70	117
952	Correlation between inhibition, working memory and delimited frontal area blood flow measure by 99mTc-Bicisate SPECT in alcohol-dependent patients. <b>2001</b> , 36, 556-63	75
951	Length of hospital stay, functional independence and life satisfaction after stroke. <b>2001</b> , 24, 73-8	2
950	Magnetic seizure therapy of major depression. <b>2001</b> , 58, 303-5	145
949	Retest effects and cognitive decline in longitudinal follow-up of patients with early HD. <b>2001</b> , 56, 1052-8	77
948	Anxiety and depression as risk factors for oral lichen planus. <b>2001</b> , 203, 303-7	63
947	Efficacy of estradiol for the treatment of depressive disorders in perimenopausal women: a double-blind, randomized, placebo-controlled trial. <b>2001</b> , 58, 529-34	540
946	Amitriptyline v. the rest: still the leading antidepressant after 40 years of randomised controlled trials. <i>British Journal of Psychiatry</i> , <b>2001</b> , 178, 129-44	5-4 152
945	Remission rates during treatment with venlafaxine or selective serotonin reuptake inhibitors. <i>British Journal of Psychiatry</i> , <b>2001</b> , 178, 234-41	5-4 647
944	A novel augmentation strategy for treating resistant major depression. <b>2001</b> , 158, 131-4	392
943	Depression and social change. From transcultural psychiatry to a constructivist model. <b>2001</b> , 10, 46-58	12
942	Decision-making in mania: a PET study. <b>2001</b> , 124, 2550-63	182

941	Sertraline treatment of generalized social phobia: a 20-week, double-blind, placebo-controlled study. <b>2001</b> , 158, 275-81	139
940	Psychopathology and personality characteristics in relation to blood serotonin in Tourette's syndrome and obsessive-compulsive disorder. <b>2001</b> , 15, 111-9	40
939	Comparison between noradrenergic and serotonergic medications using the social adjustment scale: is drive enhancement necessary for recovery of social functioning?. <b>2001</b> , 15, 257-64	2
938	Efficacy and safety of paroxetine treatment for chronic PTSD: a fixed-dose, placebo-controlled study. <b>2001</b> , 158, 1982-8	319
937	Supervisory attentional system in nonamnesic alcoholic men. <b>2001</b> , 58, 1152-8	135
936	[Post-stroke depression: diagnosis and therapy]. <b>2001</b> , 69, 581-91	16
935	Review of the role of progesterone in the management of postnatal mood disorders. <b>2001</b> , 22, 49-55	19
934	Cost-utility of risperidone compared with standard conventional antipsychotics in chronic schizophrenia. <b>2001</b> , 4, 137-156	22
933	Diagnosis and measurement of adolescent depression: a review of commonly utilized instruments. <b>2001</b> , 11, 341-76	114
932	Association between -1438G/A promoter polymorphism in the 5-HT(2A) receptor gene and fluvoxamine response in Japanese patients with major depressive disorder. <b>2002</b> , 46, 136-40	64
931	Insomnia in ischemic stroke patients. <b>2002</b> , 14, 90-7	166
930	Bupropion as add-on strategy in difficult-to-treat bipolar depressive patients. <b>2002</b> , 45 Suppl 1, 33-6	26
929	Effects of mirtazapine on sleep polygraphic variables in major depression. <b>2002</b> , 46, 197-201	44
928	Reported sleep patterns in obsessive compulsive disorder (OCD). <b>2002</b> , 6, 15-21	35
927	A dose-ranging study of the effects of ethyl-eicosapentaenoate in patients with ongoing depression despite apparently adequate treatment with standard drugs. <b>2002</b> , 59, 913-9	454
926	The neural basis of mood-congruent processing biases in depression. <b>2002</b> , 59, 597-604	355
925	Relation between medial temporal atrophy and functional brain activity during memory processing in Alzheimer's disease: a combined MRI and SPECT study. <b>2002</b> , 73, 508-16	53
924	Depression after stroke: a review of the evidence base to inform the development of an integrated care pathway. Part 1: Diagnosis, frequency and impact. <b>2002</b> , 16, 231-47	117

923	Venlafaxine: the relationship between dose, plasma concentration and clinical response in depressive patients. <b>2002</b> , 16, 369-72		36
922	Contribution of frontal cerebral blood flow measured by (99m)Tc-Bicisate spect and executive function deficits to predicting treatment outcome in alcohol-dependent patients. <b>2002</b> , 37, 347-54		97
921	Depression is a risk factor for suboptimal adherence to highly active antiretroviral therapy. <b>2002</b> , 31 Suppl 3, S136-9		213
920	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders, Part 1: Acute and continuation treatment of major depressive disorder. <b>2002</b> , 3, 5-43		252
919	Fluoxetine v. placebo in prevention of relapse in post-traumatic stress disorder. <i>British Journal of Psychiatry</i> , <b>2002</b> , 181, 315-20	5.4	98
918	The effect of fluoxetine on the pharmacokinetics and safety of risperidone in psychotic patients. <b>2002</b> , 35, 50-6		59
917	Efficacy of St. John's wort extract WS 5570 in major depression: a double-blind, placebo-controlled trial. <b>2002</b> , 159, 1361-6		149
916	Evaluation of geriatric day care units: effects on patients and caregivers. <b>2002</b> , 57, P348-57		72
915	Effectiveness of a brief cognitive-behavioural therapy intervention in the treatment of schizophrenia. <i>British Journal of Psychiatry</i> , <b>2002</b> , 180, 523-7	5.4	252
914	A common P-glycoprotein polymorphism is associated with nortriptyline-induced postural hypotension in patients treated for major depression. <b>2002</b> , 2, 191-6		171
913	Efficacy and tolerability of venlafaxine compared with selective serotonin reuptake inhibitors and other antidepressants: a meta-analysis. <i>British Journal of Psychiatry</i> , <b>2002</b> , 180, 396-404	5.4	360
912	Effects of rapid tryptophan depletion on salivary and plasma cortisol in Alzheimer's disease and the healthy elderly. <b>2002</b> , 16, 73-8		12
911	Mortality predictors in disabling chronic obstructive pulmonary disease in old age. <b>2002</b> , 31, 137-40		71
910	Rating scales in old age psychiatry. <i>British Journal of Psychiatry</i> , <b>2002</b> , 180, 161-7	5.4	87
909	Measurement Issues. 25-36		5
908	Cognitive behaviour therapy for schizophrenia. <b>2000</b> , CD000524		17
907	Social adjustment in depressed patients treated with venlafaxine and amitriptyline. <b>2002</b> , 17, 171-5		12
906	Randomised trial of thyroxine to prevent postnatal depression in thyroid-antibody-positive women. <i>British Journal of Psychiatry</i> , <b>2002</b> , 180, 327-30	5.4	64

905	Global Benefit-risk Evaluation of Antidepressant Action: Comparison of Pooled Data for Venlafaxine, SSRIs, and Placebo. <b>2002</b> , 7, 882-888		10
904	The pragmatic randomised controlled trial. <b>2002</b> , 8, 326-333		121
903	Efficacy of citalopram in the prevention of recurrent depression in elderly patients: placebo-controlled study of maintenance therapy. <i>British Journal of Psychiatry</i> , <b>2002</b> , 181, 29-35	5.4	78
902	Clinical factors in the prognosis of complex regional pain syndrome type I after stroke: a prospective study. <b>2002</b> , 81, 34-9		48
901	Relationship between plasma concentrations of trazodone and its active metabolite, m-chlorophenylpiperazine, and its clinical effect in depressed patients. <b>2002</b> , 24, 563-6		29
900	Effect of citalopram treatment on relationship between platelet serotonin functions and the Karolinska scales of personality in panic patients. <b>2002</b> , 22, 400-5		8
899	Discontinuation symptoms: comparison of brief interruption in fluoxetine and paroxetine treatment. <b>2002</b> , 17, 217-25		60
898	Determination of the dose of agomelatine, a melatonergic agonist and selective 5-HT(2C) antagonist, in the treatment of major depressive disorder: a placebo-controlled dose range study. <b>2002</b> , 17, 239-47		271
897	Two items on the Hamilton Depression rating scale are effective predictors of remission: comparison of selective serotonin reuptake inhibitors with the combined serotonin/norepinephrine reuptake inhibitor, venlafaxine. <b>2002</b> , 17, 273-80		19
896	Reboxetine, a new noradrenaline selective antidepressant, is at least as effective as fluoxetine in the treatment of depression. <b>2002</b> , 22, 393-9		39
895	Moclobemide is effective and well tolerated in the long-term pharmacotherapy of social anxiety disorder with or without comorbid anxiety disorder. <b>2002</b> , 17, 161-70		42
894	Differences in resting state regional cerebral blood flow assessed with 99mTc-HMPAO SPECT and brain atlas matching between depressed patients with and without tinnitus. <b>2002</b> , 23, 429-39		29
893	SSRI efficacy-finding the right dose. <b>2002</b> , 8, 33-40		7
892	Increased depressive ratings in patients with hepatitis C receiving interferon-alpha-based immunotherapy are related to interferon-alpha-induced changes in the serotonergic system. <b>2002</b> , 22, 86-90		317
891	Efficacy and safety of amisulpride 50 mg versus paroxetine 20 mg in major depression: a randomized, double-blind, parallel group study. <b>2002</b> , 17, 27-32		46
890	Escitalopram 10 mg/day is effective and well tolerated in a placebo-controlled study in depression in primary care. <b>2002</b> , 17, 95-102		159
889	Inhibition of norepinephrine uptake in patients with major depression treated with paroxetine. <b>2002</b> , 159, 1702-10		85
888	Theta-power differences in patients with mild cognitive impairment under rest condition and during haptic tasks. <b>2002</b> , 16, 40-8		53

887	Assessment and treatment of comorbid psychiatric disorders in opioid-dependent patients. <b>2002</b> , 18, S14-27	86
886	Relative sensitivity of the Montgomery-Asberg Depression Rating Scale, the Hamilton Depression rating scale and the Clinical Global Impressions rating scale in antidepressant clinical trials. <b>2002</b> , 17, 281-5	108
885	Efficacy comparison of escitalopram and citalopram in the treatment of major depressive disorder: pooled analysis of placebo-controlled trials. <b>2002</b> , 7, 40-4	136
884	Elevation of the cortisol-dehydroepiandrosterone ratio in drug-free depressed patients. <b>2002</b> , 159, 1237-9	165
883	Higher incidence of falls in long-term stroke survivors than in population controls: depressive symptoms predict falls after stroke. <b>2002</b> , 33, 542-7	325
882	Escitalopram: efficacy and tolerability in the treatment of depression. <b>2002</b> , 63, 668-71	8
881	Amisulpride for schizophrenia. <b>2002</b> , CD001357	22
880	Dimensional personality profiles of borderline personality disorder in comparison with other personality disorders and healthy controls. <b>2002</b> , 16, 135-47	51
879	Clinical predictive factors of subthalamic stimulation in Parkinson's disease. <b>2002</b> , 125, 575-83	332
878	Efficacy and tolerability of oral and intramuscular S-adenosyl-L-methionine 1,4-butanedisulfonate (SAME) in the treatment of major depression: comparison with imipramine in 2 multicenter studies. <b>2002</b> , 76, 1172S-1176S	49
877	Predisposing and precipitating factors for falls among older people in residential care. <b>2002</b> , 116, 263-271	80
876	Double-blind switch study of imipramine or sertraline treatment of antidepressant-resistant chronic depression. <b>2002</b> , 59, 233-9	97
875	Randomised controlled study of sleep after nefazodone or paroxetine treatment in out-patients with depression. <i>British Journal of Psychiatry</i> , <b>2002</b> , 180, 528-35	5.4 68
874	A Hope-based Group Treatment for Depressed Older Adult Outpatients. <b>2002</b> , 295-310	6
873	APOE genotype and hippocampal volume change in geriatric depression. <b>2002</b> , 51, 426-9	57
872	Vagus nerve stimulation (VNS) for major depressive episodes: one year outcomes. <b>2002</b> , 51, 280-7	224
871	A polymorphism in the dopamine beta-hydroxylase gene is associated with "paranoid ideation" in patients with major depression. <b>2002</b> , 51, 365-9	41
870	Comparative efficacy between venlafaxine and SSRIs: a pooled analysis of patients with depression. <b>2002</b> , 52, 1166-74	118



869	Lexical decision tasks in depressive patients: semantic priming before and after clinical improvement. <b>2002</b> , 17, 69-74	9
868	A meta-analysis of randomized controlled trials of tianeptine versus SSRI in the short-term treatment of depression. <b>2002</b> , 17 Suppl 3, 331-40	116
867	Temperament in schizophrenia: a study of the tridimensional personality questionnaire (TPQ). <b>2002</b> , 17, 379-83	40
866	The impact of side-effects of antipsychotic agents on life satisfaction of schizophrenia patients: a naturalistic study. <b>2002</b> , 12, 31-8	85
865	Carbamazepine augmentation in depressive patients non-responding to citalopram: a pharmacokinetic and clinical pilot study. <b>2002</b> , 12, 255-60	41
864	Does concurrent psychopathology at presentation influence response to treatment for bulimia nervosa?. <b>2002</b> , 7, 168-81	17
863	[Validation of the Spanish versions of the Montgomery-Asberg depression and Hamilton anxiety rating scales]. <b>2002</b> , 118, 493-9	157
862	Rehabilitaci3n en caso de accidente cerebrovascular. Estudio general y tratamiento. <b>2002</b> , 23, 1-26	
861	Exercise and the treatment of clinical depression in adults: recent findings and future directions. <b>2002</b> , 32, 741-60	289
860	Allelic Differences in the Serotonin Transporter-Linked Polymorphic Region in Geriatric Depression. <b>2002</b> , 10, 185-191	21
859	Fluoxetine for acute treatment of depression in children and adolescents: a placebo-controlled, randomized clinical trial. <b>2002</b> , 41, 1205-15	431
858	A double-blind, randomised comparative trial of amisulpride versus olanzapine in the treatment of schizophrenia: short-term results at two months. <b>2002</b> , 18, 355-62	50
857	Lamotrigine in the treatment of bipolar disorder. <b>2002</b> , 3, 1513-9	30
856	Early supported discharge of patients with acute stroke: a randomized controlled trial. <b>2002</b> , 24, 348-55	48
855	Discontinuation syndrome in dysthymic patients treated with selective serotonin reuptake inhibitors: a clinical investigation. <b>2002</b> , 16, 273-83	50
854	Risk assessment for people with mental health problems: a pilot study of reliability in working practice. <b>2002</b> , 6, 73-81	12
853	Depression, antidepressant therapies, and erectile dysfunction: clinical trials of sildenafil citrate (Viagra) in treated and untreated patients with depression. <b>2002</b> , 60, 58-66	58
852	The validity of the Hospital Anxiety and Depression Scale. An updated literature review. <b>2002</b> , 52, 69-77	6333

851	A rating scale for fibromyalgia and chronic fatigue syndrome (the FibroFatigue scale). <b>2002</b> , 52, 501-9	98
850	Functional magnetic resonance imaging correlates of fatigue in multiple sclerosis. <b>2002</b> , 15, 559-67	293
849	Patterns of Cerebral Atrophy in Dementia with Lewy Bodies Using Voxel-Based Morphometry. <b>2002</b> , 17, 618-630	167
848	The Metabolic Substrates of Bradykinesia and Tremor in Uncomplicated Parkinson's Disease. <b>2002</b> , 17, 688-699	35
847	Assessing psychological distress in psychiatric patients: validation of the Talbieh Brief Distress Inventory. <b>2002</b> , 43, 229-34	45
846	Autobiographical memory specificity and the course of major depressive disorder. <b>2002</b> , 43, 344-50	118
845	Assessing the performance of a new depression screener for primary care (PC-SAD). <b>2002</b> , 55, 164-75	49
844	Improvement in depression associated with partial epilepsy in patients treated with lamotrigine. <b>2002</b> , 3, 510-516	27
843	[Spatial orienting of attention: a study of reaction time during pointing movement]. <b>2002</b> , 32, 361-8	6
842	[Clinical factors associate with shoulder subluxation in stroke patients]. <b>2002</b> , 45, 505-9	7
841	Early and delayed personality changes associated with depression recovery? A one-year follow-up study. <b>2002</b> , 109, 17-25	53
840	Decreased serum brain-derived neurotrophic factor levels in major depressed patients. <b>2002</b> , 109, 143-8	931
839	Utility scores of symptom profiles in major depression. <b>2002</b> , 110, 189-97	13
838	Interaction of lithium with 5-HT(1B) receptors in depressed unipolar patients treated with clomipramine and lithium versus clomipramine and placebo: preliminary results. <b>2002</b> , 111, 117-24	13
837	A variable number of tandem repeats in the serotonin transporter gene does not affect the antidepressant response to fluvoxamine. <b>2002</b> , 111, 235-9	85
836	Schizophrenic patients without neuropsychological deficits: subgroup, disease severity or cognitive compensation?. <b>2002</b> , 112, 1-11	64
835	A comparison of paroxetine versus paroxetine plus amisulpride in the treatment of dysthymic disorder: efficacy and psychosocial outcomes. <b>2002</b> , 112, 145-52	12
834	Depression and anxiety symptoms in relation to anthropometry and metabolism in men. <b>2002</b> , 112, 101-10	78

833	Hedonic response to sucrose solutions and the fear of weight gain in patients with eating disorders. <b>2002</b> , 113, 173-80	77
832	Neuroendocrine response to meta-chlorophenylpiperazine and ipsapirone in relation to anxiety and aggression. <b>2002</b> , 113, 29-40	24
831	Treatment of comorbid opiate addiction and attention-deficit hyperactivity disorder (residual type) with moclobemide: a case report. <b>2002</b> , 26, 609-11	7
830	Neuropsychiatric aspects of HIV disease progression: impact of traditional herbs on adult patients in Zimbabwe. <b>2002</b> , 26, 451-6	9
829	Influence of the serotonin transporter gene-linked polymorphic region on the antidepressant response to fluvoxamine in Japanese depressed patients. <b>2002</b> , 26, 383-6	183
828	Different neuroendocrine profiles of remitted and nonremitted schizophrenic patients. <b>2002</b> , 26, 579-84	19
827	Functional brain imaging and pharmacotherapy in trichotillomania. Single photon emission computed tomography before and after treatment with the selective serotonin reuptake inhibitor citalopram. <b>2002</b> , 26, 885-90	35
826	Platelet serotonergic markers in posttraumatic stress disorder. <b>2002</b> , 26, 1193-8	18
825	Monoamine oxidase: A gene polymorphism, tryptophan hydroxylase gene polymorphism and antidepressant response to fluvoxamine in Japanese patients with major depressive disorder. <b>2002</b> , 26, 1279-83	66
824	A single-site, double-blind, placebo-controlled, dose-ranging study of YKP10A--a putative, new antidepressant. <b>2002</b> , 26, 1333-8	21
823	Greater Depression Severity Associated With Less Improvement in Depression-Associated Cognitive Deficits in Older Subjects. <b>2002</b> , 10, 632-635	10
822	Time-to-Remission From Geriatric Depression: Psychosocial and Clinical Factors. <b>2002</b> , 10, 551-559	43
821	Hippocampal Volume and Incident Dementia in Geriatric Depression. <b>2002</b> , 10, 62-71	79
820	The phenomenology of depression after brain injury. <b>2002</b> , 17, 105-113	15
819	References. <b>2002</b> , 179-224	
818	Vagus nerve stimulation and mood. <b>2002</b> , 283-296	2
817	The antidepressant debate. <i>British Journal of Psychiatry</i> , <b>2002</b> , 180, 193-4	5-4 38
816	Diagnosis, phenomenology and treatment of poststroke depression. <b>2002</b> , 24, 44-49	2

815	[Cognitive rehabilitation in Alzheimer's disease patients: multidisciplinary team report]. <b>2002</b> , 60, 70-9	23
814	Prevalence and prognostic significance of psychiatric disorders in patients evaluated for recurrent unexplained syncope. <b>2002</b> , 89, 530-5	58
813	Influence of age and executive functioning on verbal memory of inpatients with depression. <b>2002</b> , 68, 261-71	121
812	How does the threshold score to enter a major depression trial influence the size of the available patient population for study?. <b>2002</b> , 71, 181-7	2
811	Sertraline and/or interpersonal psychotherapy for patients with dysthymic disorder in primary care: 6-month comparison with longitudinal 2-year follow-up of effectiveness and costs. <b>2002</b> , 68, 317-30	133
810	The temperament and character inventory in major depression. <b>2002</b> , 70, 219-23	71
809	The effects of reboxetine on human sleep architecture in depression: preliminary results. <b>2002</b> , 71, 273-5	14
808	Stress, coping, uplifts, and quality of life in subtypes of depression: a conceptual frame and emerging data. <b>2002</b> , 71, 121-30	81
807	Effects of social support during weekend leave on cortisol and depression ratings: a pilot study. <b>2002</b> , 71, 153-7	30
806	A randomised, controlled trial of fluoxetine in methadone maintenance patients with depressive symptoms. <b>2002</b> , 72, 85-90	26
805	A randomised, double-blind comparison of milnacipran and imipramine in the treatment of depression. <b>2002</b> , 72, 21-31	28
804	Defining remission by cut off score on the MADRS: selecting the optimal value. <b>2002</b> , 72, 177-84	157
803	The grief experiences and needs of bereaved relatives and friends of older people dying through suicide: a descriptive and case-control study. <b>2002</b> , 72, 185-94	85
802	A dose-ranging exploratory study of the effects of ethyl-eicosapentaenoate in patients with persistent schizophrenic symptoms. <b>2002</b> , 36, 7-18	243
801	Relation between responses to repetitive transcranial magnetic stimulation and partial sleep deprivation in major depression. <b>2002</b> , 36, 131-5	21
800	A critical examination of the sensitivity of unidimensional subscales derived from the Hamilton Depression Rating Scale to antidepressant drug effects. <b>2002</b> , 36, 437-48	67
799	Motivation, reward, and Parkinson's disease: influence of dopatherapy. <b>2002</b> , 40, 2257-67	284
798	Self-criticism in generalized social phobia and response to cognitive-behavioral treatment. <b>2002</b> , 33, 479-491	37

797	Treatment strategies in achieving remission in major depressive disorder. <b>2002</b> , 106, 18-23	10
796	A staging approach to measuring patient-centred subjective outcomes. <b>2002</b> , 106, 5-40	34
795	Enhancing the technology of clinical trials and the trials model to evaluate newly developed, targeted antidepressants. <b>2002</b> , 27, 319-28	19
794	Repetitive transcranial magnetic stimulation (rTMS) in major depression: relation between efficacy and stimulation intensity. <b>2002</b> , 27, 638-45	52
793	A transcranial magnetic stimulation study of inhibitory deficits in the motor cortex in patients with schizophrenia. <b>2002</b> , 114, 11-22	86
792	Procedural learning and striatofrontal dysfunction in Parkinson's disease. <b>2002</b> , 17, 265-73	45
791	Deep brain stimulation for Parkinson's disease: patient selection and evaluation. <b>2002</b> , 17 Suppl 3, S94-101	121
790	Preliminary Support for a Cognitive Remediation Intervention for Women During the Menopausal Transition: A Pilot Study.. <b>2021</b> , 2, 741539	
789	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials.. <b>2021</b> ,	10
788	A double-blind, fixed blood-level study comparing mirtazapine with imipramine in depressed in-patients. <b>1996</b> , 127, 231-7	12
787	The International Multicenter Clinical Trial Group on Moclobemide in Social Phobia. Moclobemide in social phobia. A double-blind, placebo-controlled clinical study. <b>1997</b> , 247, 71-80	20
786	Illness narratives and preferences for treatment among older veterans living with treatment-resistant depression and insomnia. <b>2020</b> , 32, 81-89	
785	A study of flotation-REST (restricted environmental stimulation therapy) as an insomnia treatment.. <b>2022</b> , 15, 361-368	0
784	Secular trends in prevalent mild cognitive impairment: Data from the Swedish population-based study Good Aging in Skåne.. <b>2022</b> , 8, e12260	
783	Aberrant salience relationship with first rank symptoms.. <b>2022</b> , 21, 8	0
782	Investigating biological rhythms disruptions across the menstrual cycle in women with comorbid bipolar disorder and premenstrual dysphoric disorder.. <b>2022</b> , 25, 345	0
781	Is Therapeutic Drug Monitoring Relevant for Antidepressant Drug Therapy? Implications From a Systematic Review and Meta-Analysis With Focus on Moderating Factors.. <b>2022</b> , 13, 826138	2
780	Investigating the Effects of Auditory and Vibrotactile Rhythmic Sensory Stimulation on Depression: An EEG Pilot Study.. <b>2022</b> , 14, e22557	0

779 Late-life depression. **2022**, 892-903

778 The effects of intranasal esketamine on on-road driving performance in patients with major depressive disorder or persistent depressive disorder.. **2022**, 2698811221078764 1

777 The prodromal phase: Differences in prodromal symptoms, risk factors and markers of vulnerability in first episode mania versus first episode psychosis with onset in late adolescence or adulthood.. **2022**, 0

776 Psychometric and Clinical Evaluation of the Clinician (VQIDS-C) and Self-Report (VQIDS-SR) Versions of the Very Quick Inventory of Depressive Symptoms.. **2022**, 18, 289-302 0

775 Motor symptom asymmetry predicts non-motor outcome and quality of life following STN DBS in Parkinson's disease.. **2022**, 12, 3007 0

774 High S100B levels predict antidepressant response in patients with major depression even when considering inflammatory and metabolic markers.. **2022**, 0

773 Circadian and Sleep Modulation of Dreaming in Women with Major Depression.. **2022**, 4, 114-128

772 Application of Mass Multivariate Analysis on Neuroimaging Data Sets for Precision Diagnostics of Depression.. **2022**, 12, 1

771 The Effect of the NorGeP-NH on Quality of Life and Drug Prescriptions in Norwegian Nursing Homes: A Randomized Controlled Trial.. **2022**, 10,

770 Heart rate variability as biomarker for bipolar disorder. 0

769 The Efficacy of Cariprazine on Cognition: A Post Hoc Analysis From Phase II/III Clinical Trials in Bipolar Mania, Bipolar Depression, and Schizophrenia.. **2022**, 1-30 1

768 Imaging the effect of ketamine on synaptic density (SV2A) in the living brain.. **2022**, 1

767 Therapeutic Potential of Vortioxetine for Anhedonia-Like Symptoms in Depression: A Post Hoc Analysis of Data from a Clinical Trial Conducted in Japan.. **2022**, 18, 363-373 0

766 The Relationship Between Depression and Pain During Acute Electroconvulsive Therapy and Follow-Up Period for Patients With Treatment-Resistant Depression.. **2022**,

765 Energy Delivered by Subthalamic Deep Brain Stimulation for Parkinson Disease Correlates With Depressive Personality Trait Shift.. **2022**,

764 Differential response to three antidepressants in patients with major depressive episode who suffered Covid-19-related trauma.. **2022**, 0

763 National Network of Depression Centers' Recommendations on Harmonizing Clinical Documentation of Electroconvulsive Therapy. **2022**, Publish Ahead of Print, 0

762 Low omega-3 polyunsaturated fatty acids predict reduced response to standard antidepressants in patients with major depressive disorder.. **2022**, 0

761	Pharmacotherapy for post traumatic stress disorder (PTSD).. <b>2022</b> , 3, CD002795	1
760	Machine learning based prediction and the influence of complement - coagulation pathway proteins on clinical outcome: results from the NEURAPRO trial.. <b>2022</b> ,	
759	Pretreatment anxious depression as a predictor of side effect frequency and severity in escitalopram and aripiprazole adjunctive therapy.. <b>2022</b> , e2555	1
758	Outcomes of the Tree Theme Method versus regular occupational therapy: A longitudinal follow-up.. <b>2022</b> ,	2
757	Pilot study of repeated blood-brain barrier disruption in patients with mild Alzheimer's disease with an implantable ultrasound device.. <b>2022</b> , 14, 40	0
756	Evaluation of the effect of transcranial direct current stimulation on language impairments in the behavioural variant of frontotemporal dementia.. <b>2022</b> , 4, fcac050	
755	Multidisciplinary Management of Suspected Lyme Borreliosis: Clinical Features of 569 Patients, and Factors Associated with Recovery at 3 and 12 Months, a Prospective Cohort Study.. <b>2022</b> , 10,	0
754	Identifying Changes of Brain Regional Homogeneity and Cingulo-Opercular Network Connectivity in First-Episode, Drug-Naïve Depressive Patients With Suicidal Ideation.. <b>2022</b> , 16, 856366	0
753	Disrupted default mode network and executive control network are associated with depression severity on structural network.. <b>2022</b> , 33, 227-235	0
752	Association of 1-year change in neuroticism and 3-year change in cognitive performance among older depressed adults.. <b>2022</b> , 1-6	0
751	Prediction and early biomarkers of cognitive decline in Parkinson disease and atypical parkinsonism: a population-based study.. <b>2022</b> , 4, fcac040	0
750	Beneficial effects of Silexan on co-occurring depressive symptoms in patients with subthreshold anxiety and anxiety disorders: randomized, placebo-controlled trials revisited.. <b>2022</b> , 1	1
749	BDNF blood levels after electroconvulsive therapy in patients with mood disorders: an updated systematic review and meta-analysis.. <b>2022</b> , 1-29	1
748	Clinical effectiveness of music interventions for dementia and depression in elderly care (MIDDEL): Australian cohort of an international pragmatic cluster-randomised controlled trial. <b>2022</b> , 3, e153-e165	9
747	Efficacy and Safety of Electroconvulsive Therapy in Patients With Deep Brain Stimulation. <b>2022</b> , Publish Ahead of Print,	0
746	Suicidality and Quality of Life in Treatment-Resistant Depression Patients in Latin America: Secondary Interim Analysis of the TRAL Study.. <b>2022</b> , 13, 812938	0
745	Antenatal depression among women with gestational diabetes mellitus: a pilot study.. <b>2022</b> , 19, 71	2
744	A Multimodal Omics Exploration of the Motor and Non-Motor Symptoms of Parkinson's Disease. <b>2022</b> , 2, 97-112	0

- 743 Predictors of Treatment Response to an Internet-Delivered Intervention Targeting Residual Cognitive Symptoms After Major Depressive Disorder.. **2022**, 13, 795698
- 742 Pre-treatment Pain Symptoms Influence Antidepressant Response to Ketamine in Depressive Patients.. **2022**, 13, 793677 ○
- 741 Suicidal ideation and ECT, ECT and suicidal ideation: a register study.. **2022**, 1 ○
- 740 Longitudinal Changes in Structural Connectivity in Young People at High Genetic Risk for Bipolar Disorder.. **2022**, appiajp21010047 1
- 739 Detecting depression in persons living in long-term care: a systematic review and meta-analysis of diagnostic test accuracy studies.. **2022**, 51, 1
- 738 Default mode network connectivity and treatment response in geriatric depression.. **2022**, e2475 ○
- 737 Clinical- and cost-effectiveness of a technology-supported and solution-focused intervention (DIALOG+) in treatment of patients with chronic depression-study protocol for a multi-site, cluster randomised controlled trial [TACK].. **2022**, 23, 237
- 736 Does psychological treatment of major depression reduce cardiac risk biomarkers? An exploratory randomized controlled trial.. **2022**, 1-15 1
- 735 Deep brain stimulation of the "medial forebrain bundle": sustained efficacy of antidepressant effect over years.. **2022**, 1 ○
- 734 Perceived Stress, Cortical GABA, and Functional Connectivity Correlates: A Hypothesis-Generating Preliminary Study.. **2022**, 13, 802449
- 733 A DSM-5-based tool to monitor concurrent mood and premenstrual symptoms: the McMaster Premenstrual and Mood Symptom Scale (MAC-PMSS).. **2022**, 22, 96 ○
- 732 Effect of nighttime bedroom light exposure on mood episode relapses in bipolar disorder.. **2022**, 1
- 731 Supportive Evidence: Brief Supportive Psychotherapy as Active Control and Clinical Intervention.. **2022**, apppsychotherapy202120210041
- 730 Association between social isolation and reduced mental well-being in Swedish older adults during the first wave of the COVID-19 pandemic: the role of cardiometabolic diseases.. **2022**, 14, ○
- 729 Augmented T-cell mitochondrial reactive oxygen species in adults with major depressive disorder.. **2022**, 322, H568-H574 ○
- 728 The Impact of Music on Stress Biomarkers: Protocol of a Substudy of the Cluster-Randomized Controlled Trial Music Interventions for Dementia and Depression in ELderly Care (MIDDEL).. **2022**, 12, 1
- 727 Telomere length and mitochondrial DNA copy number in bipolar disorder: identification of a subgroup of young individuals with accelerated cellular aging.. **2022**, 12, 135 2
- 726 Omega-3 fatty acids in bipolar patients with a low omega-3 index and reduced heart rate variability: the "BIPO-3" trial.. **2022**, 10, 9



725	Concordance of self- and informant-rated depressive symptoms in nursing home residents with Dementia: cross-sectional findings.. <b>2022</b> , 22, 241	0
724	Guidelines for Diagnosis and Treatment of Depression in Older Adults: a Report from the Japanese Society of Mood Disorders.. <b>2022</b> ,	1
723	A novel joint index based on peripheral blood CD4+/CD8+ T cell ratio, albumin level, and monocyte count to determine the severity of major depressive disorder.. <b>2022</b> , 22, 248	0
722	Musical interaction in music therapy for depression treatment. 030573562210843	
721	Ketamine and esketamine for crisis management in patients with depression: Why, whom, and how?. <b>2022</b> , 57, 88-104	0
720	Neurocognition and Metacognition in Anxiety Disorders. 025371762110724	
719	Longitudinal patterns of comorbidity between anxiety, depression and binge eating symptoms among patients with obesity: A path analysis.. <b>2022</b> , 303, 255-263	0
718	Examining relationships between state and trait psychotic symptoms and quality of life in schizophrenia spectrum disorders.. <b>2022</b> , 310, 114450	0
717	Factors associated with physical activity reduction in Swedish older adults during the first COVID-19 outbreak: a longitudinal population-based study.. <b>2022</b> , 19, 9	1
716	Theory of mind performance in depression: A meta-analysis.. <b>2022</b> , 303, 233-244	1
715	Sick leave duration as a potential marker of functionality and disease severity in depression.. <b>2022</b> , 1-11	1
714	Adjunctive antidepressants for the acute treatment of bipolar depression: A systematic review and meta-analysis.. <b>2022</b> , 311, 114468	3
713	Associations between heart rate variability, peripheral inflammatory markers and major depressive disorder.. <b>2022</b> , 304, 93-101	0
712	The Effectiveness of Repeated Intravenous Ketamine on Subjective and Objective Psychosocial Function in Patients with Treatment-Resistant Depression and Suicidal Ideation.. <b>2022</b> ,	0
711	Clinical and treatment predictors of relapse during a three-year follow-up of a cohort of first episodes of schizophrenia.. <b>2022</b> , 243, 32-42	1
710	A systematic review of pharmacologic treatment efficacy for depression in older patients with cancer.. <b>2022</b> , 21, 100449	3
709	Correlates of clinical variables on early-stage visual processing in schizophrenia and bipolar disorder.. <b>2022</b> , 149, 323-330	1
708	CYP2C19 slow metabolizer phenotype is associated with lower antidepressant efficacy and tolerability.. <b>2022</b> , 312, 114535	0

- 707 The anticholinergic burden is not associated with cognitive impairments in patients treated by electroconvulsive therapy for treatment-resistant depression.. **2022**, 150, 87-95 0
- 706 The efficacy and tolerability of memantine for depressive symptoms in major mental diseases: A systematic review and updated meta-analysis of double-blind randomized controlled trials.. **2022**, 306, 182-189 0
- 705 Health-Related Quality of Life Over 6 Months in Patients With Major Depressive Disorder Who Started Antidepressant Monotherapy.. **2022**, 30, 127-133
- 704 Is there an association between inflammatory/anti-oxidant markers and the presence of psychotic symptoms or severity of illness in mood and psychotic disorders? A multi-centric study on a drug-free sample.. **2022**, 22, 100453 1
- 703 Mobile facial affect recognition and real-time social experiences in serious mental illness.. **2022**, 29, 100253
- 702 AGEADJUSTED NORMATIVE DATA AND DISCRIMINATIVE VALIDITY OF COGNITIVE TESTS IN THE UKRAINIAN ADULT PATIENTS WITH MAJOR DEPRESSIVE DISORDER. **2021**, 4-14
- 701 Pilot testing in the wild: Feasibility, acceptability, usage patterns and efficacy of an integrated web/smartphone platform for bipolar II disorder (Preprint).
- 700 Depression Severity Detection Using Read Speech with a Divide-and-Conquer Approach. **2021**, 2021, 633-637 0
- 699 Sensory gating, neurocognition, social cognition and real-life functioning: a 2-year follow-up of early psychosis. 1-13 0
- 698 Are All Anxieties Created Equal? Stress-related Networks and Anxiety Phenotypes in Old Age.. **2021**, , 0
- 697 State of the art of patient-reported outcomes in acromegaly or GH deficiency: a systematic review and meta-analysis. **2021**, 0
- 696 P.0686 Cognitive performance in depressive patients treated with electroconvulsive therapy. **2021**, 53, S501-S502
- 695 Reliability and Validity of the Cornell Scale for Depression in Dementia and Invariance Between Black Versus White Residents in Nursing Homes.. **2021**,
- 694 Racemic Ketamine as an Alternative to Electroconvulsive Therapy for Unipolar Depression: A Randomized, Open-Label, Non-Inferiority Trial (KetECT).. **2021**, 3
- 693 Anxiety and Depression Mediate the Relationship of Medication-Resistant PTSD to Quality of Life in Service Members. 1-9 0
- 692 Feasibility and acceptability of transcranial stimulation in obsessive-compulsive symptoms (FEATSOCS): study protocol for a randomised controlled trial of transcranial direct current stimulation (tDCS) in obsessive-compulsive disorder (OCD). **2021**, 7, 213 1
- 691 Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics.. **2021**, 12, 795666 0
- 690 Pharmacological treatment for psychotic depression. **2021**, 12, CD004044 3

689	Childhood Trauma Associations With the Interpersonal Psychological Theory of Suicide and Social Cognitive Biases in Psychotic Disorders.. <b>2021</b> ,	0
688	Antidepressant efficacy of low-frequency repetitive transcranial magnetic stimulation in antidepressant-nonresponding bipolar depression: a single-blind randomized sham-controlled trial. <b>2021</b> , 9, 40	0
687	Yohimbine-Induced Reactivity of Heart Rate Variability in Unmedicated Depressed Patients With and Without Adverse Childhood Experience.. <b>2021</b> , 12, 734904	
686	Effects of adjunctive brexpiprazole on calmness and life engagement in major depressive disorder: post hoc analysis of patient-reported outcomes from clinical trial exit interviews. <b>2021</b> , 5, 128	1
685	Mental Health Signs Relevant for an Assessment Tool Suitable for Student and Novice Nurses: A Document Analysis.. <b>2021</b> , 1-12	1
684	Cholecystokinin B receptor gene polymorphism (rs2941026) is associated with anxious personality and suicidal thoughts in a longitudinal study.. <b>2021</b> , 1-33	
683	Safety and effectiveness of ulotaront (SEP-363856) in schizophrenia: results of a 6-month, open-label extension study. <b>2021</b> , 7, 63	7
682	Dose-Response Relationship in Selective Serotonin and Norepinephrine Reuptake Inhibitors in the Treatment of Major Depressive Disorder: A Meta-Analysis and Network Meta-Analysis of Randomized Controlled Trials.. <b>2021</b> , 1-10	3
681	Serum concentration of zinc is elevated in clinically stable bipolar disorder patients.. <b>2021</b> , e2472	1
680	Differential potency of venlafaxine, paroxetine, and atomoxetine to inhibit serotonin and norepinephrine reuptake in patients with major depressive disorder.. <b>2021</b> ,	1
679	Is transcranial direct current stimulation, alone or in combination with antidepressant medications or psychotherapies, effective in treating major depressive disorder? A systematic review and meta-analysis.. <b>2021</b> , 19, 319	1
678	One-Year Change in Locus of Control among People with Dementia.. <b>2021</b> , 11, 298-305	0
677	Depression and Anxiety Disorders. 305-450	
676	Suppressing visual hallucinations in an adolescent by occipital transcranial magnetic stimulation: A single-case experimental research design.. <b>2021</b> , 1-10	
675	The Role of Dopaminergic Genes in Probabilistic Reinforcement Learning in Schizophrenia Spectrum Disorders.. <b>2021</b> , 12,	0
674	EEG as a Functional Marker of Nicotine Activity: Evidence From a Pilot Study of Adults With Late-Life Depression.. <b>2021</b> , 12, 721874	1
673	Self-blame in major depression: a randomised pilot trial comparing fMRI neurofeedback with self-guided psychological strategies. <b>2021</b> , 1-11	0
672	Differential aberrant connectivity of precuneus and anterior insula may underpin the diagnosis of schizophrenia and mood disorders.. <b>2021</b> , 11, 1274-1287	0

- 671 Suppressed activity of the rostral anterior cingulate cortex as a biomarker for depression remission. 1-8 0
- 670 Placebo Responses and Their Clinical Implications in Fibromyalgia: A Meta-Analysis Using SSRI and SNRI Trials.. **2021**, 2, 750523 0
- 669 A Clinical Case Series of Acute and Maintenance Home Administered Transcranial Direct Current Stimulation in Treatment-Resistant Depression. **2021**, Publish Ahead of Print, 0
- 668 Functional connectivity between the habenula and default mode network and its association with the antidepressant effect of ketamine.. **2021**, 0
- 667 Interleukin-1 Beta in Peripheral Blood Mononuclear Cell Lysates as a Longitudinal Biomarker of Response to Antidepressants: A Pilot Study.. **2021**, 12, 801738
- 666 Predictors of Psychotic and Depressive Symptoms in Metamphetamine Users.
- 665 The Greek translation and validation of the electronic version of the Meno-D rating scale for post-menopausal depression.. **2022**, 28, 14604582221080100
- 664 Location-Based Mobile Gaming and Local Depression Trends: A Study of Pok mon Go. **2022**, 39, 68-101 0
- 663 [Anxiety-depressive disorders and stress factors in patients with systemic lupus erythematosus and antiphospholipid syndrome].. **2022**, 122, 65-71
- 662 The role of gender in a large international OCD sample: A Report from the International College of Obsessive-Compulsive Spectrum Disorders (ICOCS) Network.. **2022**, 116, 152315 1
- 661 Which Actigraphy Dimensions Predict Longitudinal Outcomes in Bipolar Disorders?. **2022**, 11,
- 660 Long-term Cognitive Outcomes and Socioprofessional Attainment in People With Multiple Sclerosis With Childhood Onset.. **2022**, 98, e1626-e1636 0
- 659 Depressive symptoms due to stroke are strongly predicted by the volume and location of the cerebral infarction, white matter hyperintensities, hypertension, and age: A precision nomothetic psychiatry analysis.. **2022**, 2
- 658 Revisiting the theoretical and methodological foundations of depression measurement. 10
- 657 Neural correlates of emotional reactivity predict response to cognitive-behavioral therapy in obsessive-compulsive disorder.. **2022**, 0
- 656 Neuroinflammatory biomarkers in the cerebrospinal fluid from 106 patients with recent onset depression compared to 106 individually matched healthy controls. **2022**, 1
- 655 Practical Advice for Primary Care Clinicians on the Safe and Effective Use of Vortioxetine for Patients with Major Depressive Disorder (MDD).. **2022**, 18, 867-879 1
- 654 White Matter Network Disruption Is Associated With Melancholic Features in Major Depressive Disorder.. **2022**, 13, 816191

653	Dysfunction of Inflammatory Pathways and Their Relationship With Psychological Factors in Adult Female Patients With Eating Disorders.. <b>2022</b> , 13, 846172	0
652	Symptom Severity Mixture in Older-age Bipolar Disorder: Analyses from the Global Aging & Geriatric Experiments in Bipolar Disorder Database (GAGE-BD). <b>2022</b> ,	0
651	Therapeutic Drug Monitoring of Long-Acting Injectable Antipsychotics as a Predictor of Relapse in Schizophrenia Spectrum Disorders: A One-Year Pilot Study.. <b>2022</b> ,	0
650	Regional and Sex-specific Alterations in the Visual Cortex of Individuals with Psychosis Spectrum Disorders. <b>2022</b> ,	0
649	Clinical and Imaging Determinants of Neurocognitive Disorders in Post-Acute COVID-19 Patients with Cognitive Complaints.. <b>2022</b> ,	1
648	Efficacy of Augmentation of Cognitive Behavioral Therapy With Transcranial Direct Current Stimulation for Depression: A Randomized Clinical Trial.. <b>2022</b> ,	1
647	Which cognitive behavioral therapy delivery formats work for depressive symptoms in dementia caregivers? - A systematic review and network meta-analysis of randomized controlled trials.. <b>2022</b> ,	1
646	Pain severity and pain interference during major depressive episodes treated with escitalopram and aripiprazole adjunctive therapy: a CAN-BIND-1 report.. <b>2022</b> , 312, 114557	
645	Neurocognitive effects of repeated ketamine infusions in comorbid posttraumatic stress disorder and major depressive disorder.. <b>2022</b> ,	1
644	Lithium in the treatment of acute bipolar depression: A systematic review and meta-analysis.. <b>2022</b> ,	3
643	Brain-derived neurotrophic factor in war veterans with or without a history of suicide attempt.. <b>2022</b> ,	
642	Bipolar Disorder. <b>2006</b> , 131-141	
641	Data_Sheet_1.pdf. <b>2020</b> ,	
640	fdata-03-00015.pdf. <b>2020</b> ,	
639	fdata-03-00015.xml. <b>2020</b> ,	
638	fdata-03-00015-g0001.tif. <b>2020</b> ,	
637	Data_Sheet_1.pdf. <b>2018</b> ,	
636	Table_1.PDF. <b>2018</b> ,	

635 Data\_Sheet\_1.DOC. **2018**,

634 Data\_Sheet\_1.PDF. **2019**,

633 Data\_Sheet\_2.PDF. **2019**,

632 Table\_1.XLSX. **2019**,

631 Table\_2.XLSX. **2019**,

630 Data\_Sheet\_1.docx. **2019**,

629 Data\_Sheet\_2.docx. **2019**,

628 Data\_Sheet\_1.pdf. **2019**,

627 Data\_Sheet\_1.PDF. **2018**,

626 Image\_1.pdf. **2020**,

625 Image\_2.pdf. **2020**,

624 Image\_3.pdf. **2020**,

623 Table\_1.docx. **2020**,

622 Data\_Sheet\_1.PDF. **2018**,

621 Data\_Sheet\_1.pdf. **2020**,

620 Table\_1.docx. **2020**,

619 DataSheet\_1.docx. **2020**,

618 DataSheet\_1.docx. **2020**,

617 Data\_Sheet\_1.PDF. **2020**,

616 Data\_Sheet\_1.docx. **2020**,

615 Data\_Sheet\_2.xlsx. **2020**,

614 Data\_Sheet\_1.docx. **2019**,

613 Data\_Sheet\_2.docx. **2019**,

612 Table\_1.doc. **2020**,

611 Data\_Sheet\_1.docx. **2020**,

610 Data\_Sheet\_1.DOCX. **2020**,

609 Image\_1.tif. **2019**,

608 DataSheet\_1.docx. **2019**,

607 DataSheet\_1.pdf. **2020**,

606 DataSheet\_1.xlsx. **2020**,

605 Table\_1.xlsx. **2020**,

604 Data\_Sheet\_1.docx. **2019**,

603 Table\_1.docx. **2019**,

602 Table\_2.docx. **2019**,

601 Table\_3.docx. **2019**,

600 Table\_4.docx. **2019**,

599	Psychological treatments for depression and anxiety in dementia and mild cognitive impairment.. <b>2022</b> , 4, CD009125	0
598	Childhood maltreatment and self-hatred as distinguishing characteristics of psychiatric patients with self-harm. A comparison with clinical and healthy controls.. <b>2022</b> ,	0
597	In-patient major depression: is rolipram as effective as amitriptyline?. <b>1991</b> , 40, 127-9	44
596	Interaction effects of diabetes and brain-derived neurotrophic factor on suicidal ideation in patients with acute coronary syndrome.. <b>2022</b> , 12, 6602	
595	Benefit of cognitive behavioral therapy for post-traumatic stress disorder and obsessive-compulsive disorders in Huntington's disease: a case report.. <b>2022</b> , 1-6	
594	Electroconvulsive Therapy for Unipolar Depression in Older Adults: Overall Outcomes and Clinical Trajectories of Nonresponders.. <b>2022</b> ,	0
593	Preliminary Assessment of Pre-Electroconvulsive Therapy Evaluation Practices in European Countries: The Need for Guidelines.. <b>2022</b> ,	0
592	Hierarchical Denoising of Ordinal Time Series of Clinical Scores.. <b>2022</b> , PP,	1
591	NeuroBlu, an electronic health record (EHR) trusted research environment (TRE) to support mental healthcare analytics with real-world data.. <b>2022</b> , 12, e057227	1
590	Improvement of schizophrenic patients with primary negative symptoms treated with amisulpride. Amisulpride Study Group. <b>1999</b> , 156, 610-6	99
589	Identifying patient-specific behaviors to understand illness trajectories and predict relapses in bipolar disorder using passive sensing and deep anomaly detection: protocol for a contactless cohort study.. <b>2022</b> , 22, 288	0
588	Efficacy and safety of scopolamine compared to placebo in individuals with bipolar disorder who are experiencing a depressive episode (SCOPE-BD): study protocol for a randomised double-blind placebo-controlled trial.. <b>2022</b> , 23, 339	0
587	Mixed Methods Thematic Analysis of a Randomised Controlled Trial of Adjunctive Mitochondrial Agents for Bipolar Depression.. <b>2022</b> , 20, 300-310	
586	Protein Biomarkers in Monocytes and CD4 Lymphocytes for Predicting Lithium Treatment Response of Bipolar Disorder: a Feasibility Study with Tyramine-Based Signal-Amplified Flow Cytometry.. <b>2022</b> , 52, 8-35	0
585	Making Sense of the Matrix: A Qualitative Assessment and Commentary on Connecting Psychiatric Symptom Scale Items to the Research Domain Criteria (RDoC).. <b>2022</b> , 19, 26-32	
584	Supporting Self-Management and Quality of Life in Bipolar Disorder with the PolarUs App (Alpha): Protocol for a Mixed-Methods Study (Preprint).	
583	Efficacy of Intravenous Ketamine in Adolescent Treatment-Resistant Depression: A Randomized Midazolam-Controlled Trial. <b>2022</b> , 20, 241-251	0
582	Suicide versus Accidental Death by Autoerotic Asphyxiation in a Patient Receiving Intravenous Ketamine for Depression.. <b>2022</b> , 2022, 1104668	0



581	Preliminary Evidence of Efficacy and Target Engagement of Pramipexole in Anhedonic Depression. n/a-n/a	1
580	Phubbing among Lebanese young adults: Scale validation and association with mental health (depression, anxiety, and stress).. <b>2022</b> , 1-12	2
579	Confidence, accuracy judgments and feedback in schizophrenia and bipolar disorder: a time series network analysis.. <b>2022</b> , 1-10	0
578	Behavioral Activation, Depression, and Promotion of Health Behaviors: A Scoping Review.. <b>2022</b> , 10901981221090157	0
577	Music therapeutic emotional processing (MEP): Expression, awareness, and pain predict therapeutic outcome. 030573562210874	0
576	Distinguishing relapse from antidepressant withdrawal: clinical practice and antidepressant discontinuation studies. 1-15	1
575	Continuous Theta Burst Stimulation to the Right Dorsolateral Prefrontal Cortex may increase Potentiated Startle in healthy individuals. <b>2022</b> ,	0
574	WITHDRAWN: Long-term outcomes of Major Depression treatment with hypnotherapy or cognitive-behavioral therapy in a randomized controlled trial. <b>2022</b> , 114576	0
573	Cortical and Subcortical Structural Morphometric Profiles in Individuals with Non-Affective and Affective Early Illness Psychosis.	0
572	Protocol for the Ketamine for Postoperative Avoidance of Depressive Symptoms (K-PASS) feasibility study: A randomized clinical trial. 11, 510	0
571	Long-term effect of a care manager on work ability for patients with depression -the PRIM-CARE RCT.. <b>2022</b> ,	0
570	A game changer for bipolar disorder diagnosis using RNA editing-based biomarkers.. <b>2022</b> , 12, 182	1
569	Craving and addictive potential of esketamine as side effects?. <b>2022</b> , 1-10	0
568	Treatment of post-psychotic depression in first-episode psychosis. A systematic review.. <b>2022</b> , 1-9	0
567	Cognitive Function Mediates the Anti-suicide Effect of Repeated Intravenous Ketamine in Adult Patients With Suicidal Ideation.. <b>2022</b> , 13, 779326	0
566	Evaluating the role of maladaptive personality traits in schema therapy and cognitive behavioural therapy for depression.. <b>2022</b> , 1-10	0
565	The recording of personality strengths: An analysis of the impact of positive personality features on the long-term outcome of common mental disorders.. <b>2022</b> ,	0
564	The association of momentary sad moods, concurrent productive behaviour, and global functional outcomes: a 30-day ecological momentary assessment study of people with bipolar illness.. <b>2022</b> , 1-14	0

- 563 The Cognitive Sequelae of Transient Ischemic Attacks-Recent Insights and Future Directions.. **2022**, 11, 0
- 562 SMAD: SMart assistant during and after a medical emergency case based on deep learning sentiment analysis: The pandemic COVID-19 case.. **2022**, 1-11
- 561 The P300, loneliness, and depression in older adults.. **2022**, 171, 108339 1
- 560 Efficacy and Tolerability of Repetitive Transcranial Magnetic Stimulation on Suicidal Ideation: A Systemic Review and Meta-Analysis. **2022**, 13, 0
- 559 Blue-Light Therapy for Seasonal and Non-Seasonal Depression: A Systematic Review and Meta-Analysis of Randomized Controlled Trials.. **2022**, 7067437221097903 1
- 558 Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study.. **2022**, 13, 813256
- 557 The impact of post-traumatic stress disorder in pharmacological intervention outcomes for adults with bipolar disorder: a protocol for a systematic review and meta-analysis.
- 556 Early multidisciplinary prevention program of post-stroke shoulder pain: A randomized clinical trial.. **2022**, 2692155221098733 1
- 555 A Feasibility Study of Patients with Major Depression and Substance Use Disorders: Vortioxetine as Maintenance Treatment.. **2022**, 18, 965-976
- 554 Transcutaneous Electrical Cranial-Auricular Acupoint Stimulation vs. Escitalopram for Patients With Mild-to-Moderate Depression (TECAS): Study Design for a Randomized Controlled, Non-inferiority Trial. **2022**, 13, 1
- 553 Parkinson's disease clinical milestones and mortality.. **2022**, 8, 58 0
- 552 Cognitive control, interference inhibition, and ordering of information during working memory in younger and older healthy adults.. **2022**, 1
- 551 Physical exercise, depression, and anxiety in 2190 affective disorder subjects.. **2022**, 309, 172-177
- 550 Intranasal Esketamine versus Intravenous Ketamine: An observational pilot study assessing efficacy and tolerability of two novel 'standard of care' treatments for treatment resistant depression in naturalistic clinical practice. Protocol for an observational pilot study (Preprint).
- 549 Determining the optimal exercise intensity level for adjunctive treatment of major depressive disorder. **2022**, 8,
- 548 Prevalence and prospective evaluation of cognitive dysfunctions after SARS due to SARS-CoV-2 virus. The COgnitiVID study. **2022**, 0
- 547 Accounting for Patient Engagement in Randomized Controlled Trials Evaluating Digital Cognitive Behavioral Therapies. **2022**, 12, 4952
- 546 Actigraphically measured psychomotor slowing in depression: systematic review and meta-analysis.. **2022**, 1-14 0

545 Bibliographie. **1989**, 269-286

544 Effect of esketamine on perioperative depressive symptoms in major surgery patients (PASSION II): study protocol for a randomised controlled trial.. **2022**, 12, e056713

543 Shaped before birth: Obstetric complications identify a more severe clinical phenotype among patients presenting a first affective or non-affective episode of psychosis. **2022**,

542 The Effect of SMS Reminders on Adherence in a Self-Guided Internet-Delivered Intervention for Adults With ADHD. **2022**, 4,

541 Adolescents With Non-Suicidal Self-Harm-Who Among Them Has Attempted Suicide?. **2022**, 1-14

540 Predicting treatment outcome in depression: an introduction into current concepts and challenges.. **2022**,

539 Altered hippocampus and amygdala subregion connectome hierarchy in major depressive disorder.. **2022**, 12, 209

538 Predictive Value of Acute Neuroplastic Response to rTMS in Treatment Outcome in Depression: A Concurrent TMS-fMRI Trial.. **2022**, appiajp21050541

537 Effect of AXS-05 (Dextromethorphan-Bupropion) in Major Depressive Disorder: A Randomized Double-Blind Controlled Trial.. **2022**, appiajp21080800

536 Males and females differ in reported sexual functioning with escitalopram treatment for major depressive disorder: A CAN-BIND-1 study report.. **2022**, 36, 604-613

535 Decoding Depression Severity from Intracranial Neural Activity.

534 Severity of alcohol use disorder influences sex differences in sleep, mood and brain functional connectivity impairments.

533 Exekutive Probleme bei geriatrischen Patienten und Patientinnen. **2022**, 33, 97-108

532 Impact of Sleep Disorders and Disease Duration on Neurotrophins Levels in Cocaine Use Disorder.

531 Efficacy and Safety of Repeated Subcutaneous Ketamine Injections for Treatment Resistant Depression - The KADS Study: A Randomised, Double-Blind, Comparator-Controlled Trial.

530 Change of Circulating Vascular Endothelial Growth Factor Level and Reduction of Anhedonia Are Associated in Patients With Major Depressive Disorder Treated With Repetitive Transcranial Magnetic Stimulation. **2022**, 13,

529 Resting state effective connectivity abnormalities of the Papez circuit and cognitive performance in multiple sclerosis.

528 Long-term Outcome Following Electroconvulsive Therapy for Late-Life Depression: Five-Year Follow-up Data From the MODECT Study. **2022**,

- 527 Associations between circadian misalignment and telomere length in BD: an actigraphy study. **2022**, 10, 1
- 526 Efficacy and safety of vortioxetine in treatment of patients with major depressive disorder and common co-morbid physical illness. **2022**, 0
- 525 Metabolomic Signatures of Intravenous Racemic Ketamine Associated Remission in Treatment-Resistant Depression: A Pilot Hypothesis Generating Study. **2022**, 114655 0
- 524 Factor structure of the 19-item Comprehensive Psychopathological Rating Scale Self-rating Scale for Affective Syndromes in a Swedish nationwide clinical sample of eating disorder patients. 0
- 523 Exaggerated Amygdala Response to Threat and Association with Immune Hyperactivity in Depression. **2022**, 0
- 522 Dynamic Effective Connectivity Patterns During Rapid Face Stimuli Presentation in Body Dysmorphic Disorder. **2022**, 16, 0
- 521 Intermittent theta burst stimulation (iTBS) versus 10-Hz high-frequency repetitive transcranial magnetic stimulation (rTMS) to alleviate treatment-resistant unipolar depression: A randomized controlled trial (THETA-DEP). **2022**, 1
- 520 A study protocol for an ongoing multi-arm, randomized, double-blind, sham-controlled clinical trial with digital features, using portable transcranial electrical stimulation and internet-based behavioral therapy for major depression disorders: The PSYLECT study. 0
- 519 RELATIONSHIP BETWEEN COGNITIVE DISTURBANCES AND SLEEP DISORDERS IN MULTIPLE SCLEROSIS IS MODULATED BY PSYCHIATRIC SYMPTOMS. **2022**, 103936 1
- 518 Patterns of activity correlate with symptom severity in major depressive disorder patients. **2022**, 12, 1
- 517 ANT-DBS in epilepsy shows no effect on selected neuropsychiatric tests. 0
- 516 Neurocircuit dynamics of arbitration between decision-making strategies across obsessive-compulsive and related disorders. **2022**, 103073 0
- 515 Rhythmicity of sleep and clinical outcomes in major depressive disorder: A CAN-BIND-1 report. **2022**, 9, 100370 0
- 514 The DEP-6: A Brief Multi-Diagnostic Measure of Depression. **2022**, 13, 853-871 0
- 513 Prefrontal-amygdala emotion regulation and depression in multiple sclerosis. **2022**, 4, 0
- 512 Facilitators and Barriers of Medication Adherence Based on Beliefs of Persons with Bipolar Disorder: A Qualitative Study. **2022**, 19, 7633 1
- 511 Magnetoencephalography biomarkers of suicide attempt history and antidepressant response to ketamine in treatment-resistant major depression. **2022**, 0
- 510 Phantasmia and psychogenic non-epileptic seizures in a patient with burning mouth syndrome suffering from severe depression. **2022**, 15, e249843 0

- 509 Repeated subcutaneous racemic ketamine in treatment-resistant depression: case series. Publish Ahead of Print, 0
- 508 Outcomes of psychiatric interviews and self-rated symptom scales in people on sick leave for common mental disorders: an observational study. **2022**, 12, e057745
- 507 Suicide and Epilepsy. 0
- 506 Exploring the digital footprint of depression: a PRISMA systematic literature review of the empirical evidence. **2022**, 22, 0
- 505 Thinking of Me or Thinking of You? Behavioral Correlates of Self vs. Other Centered Worry and Reappraisal in Late-Life. 13, 1
- 504 Pre-pandemic physical function and social network in relation to COVID-19-associated depressive burden in older adults in Sweden.
- 503 Microstates imbalance is associated with a functional dysregulation of the resting-state networks in obsessive-compulsive disorder: a high-density electrical neuroimaging study using the TESS method.
- 502 The sociodemographic and clinical phenotype of European patients with major depressive disorder undergoing first-line antidepressant treatment with NaSSAs. **2022**, 1
- 501 Euthymic patients with predominantly manic polarity avoid happy faces in a dot probe task. **2022**, 10,
- 500 Successful psychopharmacotherapy of anxiety and depressive disorders improve functional limitations in patients with rheumatoid arthritis. **2022**, 94, 616-621
- 499 Vilazodone for Major Depression in Adults: Pharmacological Profile and an Updated Review for Clinical Practice. Volume 18, 1175-1193 0
- 498 Depressive Symptoms Have Distinct Relationships With Neuroimaging Biomarkers Across the Alzheimer's Clinical Continuum. 14, 0
- 497 Characterizing the longitudinal course of symptoms and functioning in bipolar disorder. 1-11 0
- 496 Abnormal white-matter rich-club organization in obsessive-compulsive disorder. 0
- 495 Montgomery-Åsberg Depression Rating Scale factors in treatment-resistant depression at onset of treatment: Derivation, replication, and change over time during treatment with esketamine. 0
- 494 Automatic depression recognition by intelligent speech signal processing: A systematic survey. 0
- 493 Use of Clinical Global Impressions-Severity (CGI-S) to Assess Response to Antidepressant Treatment in Patients with Treatment-Resistant Depression. Volume 18, 1127-1132
- 492 Perivascular spaces as a marker of psychological trauma in depression: A 7-Tesla MRI study. 32598 0

- 491 Grouping affective psychoses in early intervention: Justification for specific treatment guidelines. **2022**, 314, 114690
- 490 Chronic musculoskeletal pain in degenerative changes of the spine in young and middle-aged patients. **2022**, 122, 77
- 489 BOrderliNe symptoms and suicide-related outcomes: proTOcol for a systematic review/meta-analysis and an individual patient data meta-analysis (BONITO study). **2022**, 12, e056492
- 488 Cognitive phenotypes in late-life depression. 1-13
- 487 Association of Molecular Senescence Markers in Late-Life Depression With Clinical Characteristics and Treatment Outcome. **2022**, 5, e2219678 ○
- 486 Mitochondrial modulators for obsessive-compulsive and related disorders: a systematic review and meta-analysis. **2022**, 12, I
- 485 Integrating proteomic and clinical data to discriminate major psychiatric disorders: Applications for major depressive disorder, bipolar disorder, and schizophrenia. **2022**, 12, ○
- 484 Suppressors of Cytokine Signaling Are Decreased in Major Depressive Disorder Patients. **2022**, 12, 1040 ○
- 483 Depression and suicidality severity among TRD patients after 1-year under standard of care: Findings from the TRAL study, a multicenter, multinational, observational study in Latin America. **2022**,
- 482 Pro-inflammatory cytokines and cognitive dysfunction among patients with bipolar disorder and major depression. ○
- 481 Correlates of Non-suicidal Self-Injury in Adolescent Psychiatric Patients in China. 13, ○
- 480 Computerized Working Memory Training in Remission From Major Depressive Disorder: Effects on Emotional Working Memory, Processing Speed, Executive Functions, and Associations With Symptoms. 16, ○
- 479 Rivastigmine for ECT-induced cognitive adverse effects in late life depression (RECALL study): A multicenter, randomized, double blind, placebo-controlled, cross-over trial in patients with depression aged 55 years or older: Rationale, objectives and methods. 13,
- 478 Residual cognitive and psychosocial functional impairment in outpatients in Greece who responded to conventional antidepressant monotherapy treatments for major depressive disorder (MDD). **2022**, ○
- 477 A systematic review and meta-analysis of treatments for rapid cycling bipolar disorder. I
- 476 Sleep Disturbances in Patients with Alcohol Dependence with and without Tobacco Use. **2022**, 20, 68-78
- 475 Assessing the meaningful change threshold of Quality of Life in Depression Scale using data from two phase 3 studies of esketamine nasal spray. **2022**, 6,
- 474 Deep Brain Stimulation for Depression. ○

473	Affective Symptoms and Oropharyngeal Dysphagia in Head-and-Neck Cancer Patients: A Systematic Review.	0
472	The role of comorbid depressive symptoms on long-range temporal correlations in resting EEG in adults with ADHD.	0
471	Demographic and clinical profile of residents living with dementia and depressive symptoms in Australian private residential aged care: Data from the Music Interventions for Dementia and Depression in ELderly care ( MIDDEL ) cluster-randomised controlled trial.	2
470	Prevalence of Sexual Dysfunction in Women With Depression: Need for Psychosexual Health Promotion Approach. 263183182211078	
469	Interactive effects of polygenic risk and cognitive subtype on brain morphology in schizophrenia spectrum and bipolar disorders.	
468	Efficacy of benzodiazepines and related drugs in patients over 75 years of age and impact on cognition.	
467	Retinal markers of therapeutic responses in major depressive disorder: Effects of antidepressants on retinal function. <b>2022,</b>	
466	Psychometric evaluation of a Swedish version of the Impaired Control Scale for individuals with alcohol use disorder. 145507252211101	1
465	Predicting Escitalopram Treatment Response from Pre-treatment and Early Response Resting State fMRI in a Multi-site Sample: A CAN-BIND-1 Report. <b>2022,</b> 103120	0
464	Patterns of Alcohol Consumption and Associated Factors in a Population-Based Sample of 70-Year-Olds: Data from the Gothenburg H70 Birth Cohort Study 2014-2016. <b>2022,</b> 19, 8248	0
463	Predictors of outcome following a body image treatment based on acceptance and commitment therapy for patients with an eating disorder. <b>2022,</b> 10,	
462	Cognitive impairment in the co-occurrence of alcohol dependence and major depression: Neuropsychological assessment and event-related potentials analyses.. <b>2022,</b> e09899	0
461	Demographic and clinical characteristics of lithium-treated older adults with bipolar disorder.	0
460	Efficacy and Safety of Intranasal Esketamine in Patients With Treatment-Resistant Depression and Comorbid Chronic Post-traumatic Stress Disorder: Open-Label Single-Arm Pilot Study. 13,	1
459	Impact of sleep disorders and disease duration on neurotrophins levels in cocaine use disorder. <b>2022,</b> 136805	0
458	Efficacy and Safety of Transcranial Electric Stimulation during the Perinatal Period: A Systematic Literature Review and Three Case Reports. <b>2022,</b> 11, 4048	0
457	Impaired socio-affective, but intact socio-cognitive skills in patients with treatment-resistant, recurrent depression. <b>2022,</b> 153, 206-212	
456	Clinically sufficient classification accuracy and key predictors of treatment failure in a randomized controlled trial of Internet-delivered Cognitive Behavior Therapy for Insomnia. <b>2022,</b> 29, 100554	0

- 455 Acute and chronic stress predict anti-depressant treatment outcome and naturalistic course of major depression: A CAN-BIND report. **2022**, 313, 8-14
- 454 Epigenetic GrimAge acceleration and cognitive impairment in bipolar disorder. **2022**, 62, 10-21 ○
- 453 Effect of detoxification on N3 sleep correlates with brain functional but not structural changes in alcohol use disorder. **2022**, 238, 109545
- 452 Antianhedonic effects of serial intravenous subanaesthetic ketamine in anxious versus nonanxious depression. **2022**, 313, 72-76 ○
- 451 Association between peripheral inflammation and free-water imaging in Major Depressive Disorder before and after ketamine treatment – A pilot study. **2022**, 314, 78-85 ○
- 450 A randomized, double-blind, placebo-controlled, 12-week trial of vitamin D augmentation in major depressive disorder associated with vitamin D deficiency. **2022**, 314, 143-149 1
- 449 Comparing continuous and harmonized measures of depression severity in older adults with bipolar disorder: Relationship to functioning. **2022**, 314, 44-49 ○
- 448 Psychiatric Morbidity in Adults with Hypopituitarism. **1994**, 87, 445-447 9
- 447 Thyroid Autoimmune Antibodies and Major Depressive Disorder in Women. **2015**, 44, 284-289 6
- 446 Brain age and cognitive functioning in first-episode bipolar disorder. 1-9
- 445 An Intelligent Learning System for Unbiased Prediction of Dementia Based on Autoencoder and Adaboost Ensemble Learning. **2022**, 12, 1097 4
- 444 Association between Individual Norepinephrine Transporter (NET) Availability and Response to Pharmacological Therapy in Adults with Attention-Deficit/Hyperactivity Disorder (ADHD). **2022**, 12, 965 ○
- 443 Cognitive behavioural therapy (group) for schizophrenia. **2022**, 2022, 1
- 442 Relapse Prevention Intervention after Suicidal Event (RISE): Feasibility study of a psychotherapeutic short-term program for inpatients after a recent suicide attempt. 13,
- 441 Disruption of sleep continuity during the perimenopause: Associations with female reproductive hormone profiles. ○
- 440 Hippocampal cingulum white matter increases over time in young people at high genetic risk for bipolar disorder. **2022**,
- 439 Blood miR-144-3p: a novel diagnostic and therapeutic tool for depression. 2
- 438 A comprehensive approach to predicting weight gain and therapy response in psychopharmacologically treated major depressed patients: A cohort study protocol. **2022**, 17, e0271793



- 437 Intramuscular ketamine vs. escitalopram and aripiprazole in acute and maintenance treatment of patients with treatment-resistant depression: A randomized double-blind clinical trial. 13,
- 436 Comparison of the efficacy and safety of quetiapine and lithium for bipolar depression: A systematic review and meta-analysis of randomized controlled trials. ○
- 435 Identification of Endocannabinoid Predictors of Treatment Outcomes in Major Depressive Disorder: A Secondary Analysis of the First Canadian Biomarker Integration Network in Depression (CAN-BIND 1) Study.
- 434 Design and Methods of a Prospective Smartphone App-Based Study for Digital Phenotyping of Mood and Anxiety Symptoms Mixed With Centralized and Decentralized Research Form: The Search Your Mind (S.Y.M., ?) Project. **2022**, 19, 588-594 ○
- 433 Constructing prediction models for excessive daytime sleepiness by nomogram and machine learning: A large Chinese multicenter cohort study. 14, ○
- 432 Initial Psychometric Properties of 7 NeuroUX Remote Ecological Momentary Cognitive Tests Among People With Bipolar Disorder: Validation Study. **2022**, 24, e36665 ○
- 431 Resting-State Functional Connectivity Characteristics of Resilience to Traumatic Stress in Dutch Police Officers. 16,
- 430 Development and initial validation of a clinical measure to assess symptoms of post-stroke depression in stroke patients at the rehabilitation stage. 13,
- 429 The Ketogenic Diet for Refractory Mental Illness: A Retrospective Analysis of 31 Inpatients. 13, ○
- 428 Remission of symptoms is not equal to functional recovery: Psychosocial functioning impairment in major depression. 13, ○
- 427 Goal Setting and Health-Related Outcomes in Chronic Diseases: A Systematic Review and Meta-Analysis of the Literature From 2000 to 2020. 107755872211132 1
- 426 Emotional blunting with bupropion and serotonin reuptake inhibitors in three randomized controlled trials for acute major depressive disorder. **2022**,
- 425 The utility of the Sydney Melancholia Prototype Index (SMPI) for predicting response to electroconvulsive therapy in depression: A CARE Network study. **2022**,
- 424 Associated factors and abnormal dorsal raphe nucleus connectivity patterns of freezing of gait in Parkinson's disease. ○
- 423 "I was young, I wanted to return to sport, and re-ruptured my ACL" – Young active female patients' voices on the experience of sustaining an ACL re-rupture, a qualitative study. **2022**, 23,
- 422 Change in reflective functioning in interpersonal psychotherapy and cognitive behavioral therapy for major depressive disorder. 1-8
- 421 A randomized controlled trial of customized adherence enhancement (CAE-E): study protocol for a hybrid effectiveness-implementation project. **2022**, 23,
- 420 Research on depression in Parkinson disease: A bibliometric and visual analysis of studies published during 2012–2021. **2022**, 101, e29931 1

- 419 An exploratory study of pro-inflammatory cytokines in individuals with alcohol use disorder: MCP-1 and IL-8 associated with alcohol consumption, sleep quality, anxiety, depression, and liver biomarkers. 13, ○
- 418 Assessment of objective and subjective cognitive function in patients with treatment-resistant depression undergoing repeated ketamine infusions. ○
- 417 Real-world effectiveness of vortioxetine in outpatients with major depressive disorder: functioning and dose effects. **2022**, 22, ○
- 416 Pharmacological interventions for depression in adults with chronic hepatitis B or C. **2022**, 2022, ○
- 415 Effectiveness of family psychoeducation for major depressive disorder: systematic review and meta-analysis. **2022**, 8, ○
- 414 The Use of Brexpiprazole Combined With a Stimulant in Adults With Treatment-Resistant Attention-Deficit/Hyperactivity Disorder. Publish Ahead of Print, ○
- 413 Late-Life Depression is Associated with Increased Levels of GDF-15, a Pro-Aging Mitokine. **2022**, ○
- 412 Long-term prognosis after a first myocardial infarction: eight years follow up of the case-control study PAROKRANK. **2022**, 56, 337-342 ○
- 411 Development and evaluation of the HRSD-D, an image-based digital measure of the Hamilton rating scale for depression. **2022**, 12, ○
- 410 Differences between bipolar disorder types 1 and 2 support the DSM two-syndrome concept. **2022**, 10, ○
- 409 Reduced glucocorticoid receptor expression in blood mononuclear cells of patients with borderline personality disorder. 13, ○
- 408 Predicting Antidepressant Effects of Ketamine: The Role of the Pregenual Anterior Cingulate Cortex as a Multimodal Neuroimaging Biomarker. ○
- 407 Machine learning, pharmacogenomics, and clinical psychiatry: predicting antidepressant response in patients with major depressive disorder. 1-18 ○
- 406 Efficacy of computer- and/or internet-based cognitive-behavioral guided self-management for depression in adults and adolescents: a systematic review and meta-analysis of randomized controlled trials. ○
- 405 The longitudinal course of anxiety, depression and apathy through two years after stroke. **2022**, 111016 1
- 404 Does the change in glutamate to GABA ratio correlate with change in depression severity? A randomized, double-blind clinical trial. ○
- 403 Impaired quality of life, but not cognition, is linked to a history of chronic hypercortisolism in patients with Cushing's disease in remission. 13, ○
- 402 Clinical effectiveness of care managers in collaborative primary health care for patients with depression: 12- and 24-month follow-up of a pragmatic cluster randomized controlled trial. **2022**, 23, ○

- 401 Osteocalcin levels decrease during the treatment of an acute depressive episode. 13, 0
- 400 Neural and behavioral effects of modification of visual attention in body dysmorphic disorder. **2022**, 12, 0
- 399 Comprehensive geriatric assessment is associated with increased antidepressant treatment in frail older people with unplanned hospital admissions—results from the randomised controlled study CGA-Swed. **2022**, 22, 0
- 398 Suicidal behaviors are associated with loneliness and decrease during inpatient CBASP treatment for persistent depressive disorder. **2022**, 154, 139-144 0
- 397 Which residual symptoms predict relapse after successful electroconvulsive therapy for late-life depression?. **2022**, 154, 111-116 0
- 396 Reduced task-evoked pupillary response in preparation for an executive cognitive control response among individuals across the psychosis spectrum. **2022**, 248, 79-88 0
- 395 Association between baseline cognitive symptoms and the subsequent presenteeism and global function in patients with major depressive disorder. **2022**, 154, 324-331 0
- 394 Efficacy of adjunctive brexpiprazole on symptom clusters of major depressive disorder: A post hoc analysis of four clinical studies. **2022**, 316, 201-208 1
- 393 Bipolar disorder predicted shorter and borderline personality disorder symptoms longer time to remission —A prospective cohort study of major depressive patients. **2022**, 316, 161-168 0
- 392 Repeated intravenous esketamine treatment in patients with ECT-resistant major depressive disorder. **2022**, 10, 100400 0
- 391 Alterations in the neural correlates of affective inhibitory control following cognitive behavioral therapy for depression: A Canadian biomarker integration network for depression (CAN-BIND) study. **2022**, 10, 100413 0
- 390 Monospot and VP1 Tests in Chronic Fatigue Syndrome and Major Depression. **1992**, 85, 537-540 0
- 389 Two-Dimensional Convolutional Neural Network for Depression Episodes Detection in Real Time Using Motor Activity Time Series of Depresjon Dataset. **2022**, 9, 458 0
- 388 Impact of spiritual healing on moderate depression in adults: a study protocol of a pilot randomised controlled trial (RCT). **2022**, 12, e062683 0
- 387 Effectiveness of Standard Sequential Bilateral Repetitive Transcranial Magnetic Stimulation vs Bilateral Theta Burst Stimulation in Older Adults With Depression. 2
- 386 Relapse of first-episode schizophrenia patients and neurocognitive impairment: The role of dopaminergic and anticholinergic burden. **2022**, 248, 331-340 0
- 385 Electrophysiological and behavioral effects of unilateral and bilateral rTMS; A randomized clinical trial on rumination and depression. **2022**, 317, 360-372 0
- 384 Cranial electrotherapy stimulation in the treatment of posttraumatic stress disorder: A feasibility, safety, and preliminary efficacy study. **2022**, 35-36, 100096 0

- 383 Influence of chronotype on the incidence and severity of perinatal depression in the "Life-ON" study. **2022**, 317, 245-255 ○
- 382 Relationship between baseline cognition and 18-month treatment response in bipolar disorder. **2022**, 318, 224-230 ○
- 381 The moderating effect of cognitive function on the association between social support and depressive symptoms among community-dwelling older adults: Cross-sectional and longitudinal analyses. **2022**, 318, 185-190 ○
- 380 Association of total peripheral inflammation with lower frontal and temporal lobe volumes in early-stage bipolar disorder: A proof-of-concept study. **2022**, 319, 229-234 ○
- 379 Low doses of quetiapine (Seroquel) as an impulsivity corrector in patients with bipolar affective disorder in remission. **2022**, 122, 120 ○
- 378 Error-related activity of the sensorimotor network contributes to the prediction of response to cognitive-behavioral therapy in obsessive-compulsive disorder. **2022**, 36, 103216 ○
- 377 Differential Role of mGluR5 in Cognitive Processes in Posttraumatic Stress Disorder and Major Depression. **2022**, 6, 247054702211058 1
- 376 Associations between locus coeruleus integrity and diagnosis, age, and cognitive performance in older adults with and without late-life depression: An exploratory study. **2022**, 36, 103182 ○
- 375 Executive dysfunction in eating disorders: Relationship with clinical features. **2023**, 120, 110649 ○
- 374 Functional connectivity differences in the amygdala are related to the antidepressant efficacy of ketamine in patients with anxious depression. **2023**, 320, 29-36 ○
- 373 Effect of a Physical-Strengthening Exercise Program on Physical Fitness, Depression, and Cognitive Function in Older Patients with Parkinson's Disease: A Cross-Sectional Study. **2022**, 24, 278-290 ○
- 372 Experience of Stanford neuromodulation therapy in patients with treatment-resistant depression. **2022**, ○
- 371 Hair cortisol level might be indicative for a 3PM approach towards suicide risk assessment in depression: comparative analysis of mentally stable and depressed individuals versus individuals after completing suicide. ○
- 370 La dépression aux urgences psychiatriques: une expérience quotidienne. **2022**, ○
- 369 Efficacy and Safety of Subcutaneous Esketamine in the Treatment of Suicidality in Major Depressive Disorder and Bipolar Depression. **2022**, 42, 865-873 ○
- 368 Assessing Suicidal Ideation in Young People With Depression: Factor Structure of the Suicidal Ideation Questionnaire. 003022282211243 ○
- 367 Depression in multiple system atrophy: Views on pathological, clinical and imaging aspects. 13, ○
- 366 Suicidality and relief of depressive symptoms with intermittent theta burst stimulation in a sham-controlled randomized clinical trial. ○

365	Quality of life in patients with schizophrenia: A 2-year cohort study in primary mental health care in rural China. 10,	0
364	Bipolar disorders and retinal electrophysiological markers (BiMAR): Study protocol for a comparison of electroretinogram measurements between subjects with bipolar disorder and a healthy control group. 13,	0
363	Evaluation of brain structure and metabolism in currently depressed adults with a history of childhood trauma. 2022, 12,	0
362	Investigation of Neurofunctional Changes Over the Course of Electroconvulsive Therapy.	0
361	International pooled patient-level meta-analysis of ketamine infusion for depression: In search of clinical moderators.	1
360	Association of intranasal esketamine, a novel "standard of care" treatment and outcomes in the management of patients with treatment-resistant depression: protocol of a prospective cohort observational study of naturalistic clinical practice. 2022, 12, e060967	0
359	Does fluoxetine reduce apathetic and depressive symptoms after stroke? An analysis of the Efficacy of Fluoxetine" randomized Controlled Trial in Stroke trial data set. 174749302211247	1
358	Objective assessment of motor activity in a clinical sample of adults with attention-deficit/hyperactivity disorder and/or cyclothymic temperament. 2022, 22,	0
357	A Scoping Review of the Measurement of Depression in Older Adults with Cognitive Impairment. 1-13	0
356	Evaluation of Early Ketamine Effects on Belief-Updating Biases in Patients With Treatment-Resistant Depression.	1
355	Effect of Minocycline on Depressive Symptoms in Patients With Treatment-Resistant Depression. 2022, 5, e2230367	2
354	Anger, a Result and Cause of Stroke: A Narrative Review. 2022, 24, 311-322	0
353	Depressive symptoms anticipate behavioral and emotional factors among older adults: A prospective cross-lagged panel design.	0
352	Effects of adjunctive brexpiprazole on sleep-wake and circadian parameters in youth with depressive disorders: study protocol for a clinical trial. 2022, 12, e056298	0
351	Predicting remission after internet-delivered psychotherapy in patients with depression using machine learning and multi-modal data. 2022, 12,	0
350	A Novel, Brief, Fully Automated Intervention to Extend the Antidepressant Effect of a Single Ketamine Infusion: A Randomized Clinical Trial.	3
349	Supra-second interval timing deficits and abnormal frontal theta oscillations in individuals with bipolar disorder.	0
348	Severity of depression is inversely associated with effortful processing in unipolar depression. 2022 , 63,	0

- 347 Adjunctive Bright Light Therapy for Non-Seasonal Major Depressive Disorder: A Randomized Controlled Trial. **2022**, 19, 12430 ○
- 346 Application of Dialectical Behaviour Therapy in treating common psychiatric disorders: study protocol for a scoping review. **2022**, 12, e058565 ○
- 345 Effects of omega-3 polyunsaturated fatty acid supplementation on cognitive functioning in youth at ultra-high risk for psychosis: secondary analysis of the NEURAPRO randomised controlled trial. **2022**, 8, ○
- 344 Treating depression with hypnotherapy: a systematic review of randomized controlled trials. **2022**, 63, ○
- 343 Validity and Reliability of the Depression Attitude Questionnaire: Korean Version. **2022**, 31, 318-326 ○
- 342 Treatments for Depression in Bipolar II Disorder. **2022**, 179, 688-690 ○
- 341 Guided Internet-Delivered Treatment for Depression: Scoping Review. **2022**, 9, e37342 ○
- 340 Telomere length and mitochondrial DNA copy number in bipolar disorder: a sibling study.. 1-25 ○
- 339 Serotonin and dopamine transporter availability in social anxiety disorder after combined treatment with escitalopram and cognitive-behavioral therapy. **2022**, 12, ○
- 338 Test-retest reliability of the Childhood Trauma Questionnaire in psychotic disorders. **2022**, ○
- 337 Association between cholesterol and response to escitalopram and nortriptyline in patients with major depression: Study combining clinical and register-based information. **2022**, 100057 ○
- 336 The Impact of Systemic Treatment for Atopic Dermatitis on Depressive Symptoms: A Prospective Clinical Cohort Study. ○
- 335 Home-based transcranial direct current stimulation in dual active treatments for symptoms of depression and anxiety: A case series. 13, ○
- 334 Cognitive trajectories during and after electroconvulsive therapy in patients with MDE: Taking different perspectives. **2022**, ○
- 333 Evidence that a working memory cognitive phenotype within schizophrenia has a unique underlying biology.. **2022**, 114873 ○
- 332 Global prevalence of smoking among individuals with obsessive-compulsive disorder and symptoms: a systematic review and meta-analysis. 1-15 ○
- 331 Melancholic features and typical neurovegetative symptoms of major depressive disorder show specific polygenic patterns. **2022**, ○
- 330 Real-world experience of esketamine use to manage treatment-resistant depression: A multicentric study on safety and effectiveness (REAL-ESK study). **2022**, 319, 646-654 1

- 329 Aripiprazole and Cariprazine for Bipolar Disorder?. **2022**, 11, 254-273 ○
- 328 A cohort study of adolescents with depression in China: tracking multidimensional outcomes and early biomarkers for intervention. **2022**, 35, e100782 ○
- 327 Antidepressant Effects of a Multimodal Group Therapy Program for Mild Dementia: A Retrospective Evaluation of Clinical Routine Data. **2022**, 1-13 ○
- 326 Neurocognitive function of patients with melancholic and non-melancholic major depressive episodes: An exploratory study. 000486742211337 ○
- 325 The Antidepressant Advisor (ADeSS): A Decision Support System for Antidepressant Treatment for Depression in UK primary care – a feasibility study. ○
- 324 Statistical Versus Clinical Significance. Publish Ahead of Print, ○
- 323 Disentangling the relationship of subjective cognitive decline and depressive symptoms in the development of cognitive decline and dementia. ○
- 322 Neurobehavioral and neurochemical basis of compulsive behavior: A 7T magnetic resonance spectroscopy study in humans. ○
- 321 Reliable Cognitive Decline in Late-Life Major Depression. ○
- 320 Efficacy of Adjunctive D-Cycloserine to Intermittent Theta-Burst Stimulation for Major Depressive Disorder. 2
- 319 When the patient is making the (wrong?) diagnosis: a biographical approach to patients consulting for presumed Lyme disease. ○
- 318 Evaluation of Prefrontal  $\gamma$ -Aminobutyric Acid and Glutamate Levels in Individuals With Major Depressive Disorder Using Proton Magnetic Resonance Spectroscopy. ○
- 317 Monoaminergic network abnormalities: a marker for multiple sclerosis-related fatigue and depression. jnnp-2022-330109 ○
- 316 Psychotic Symptom, Mood, and Cognition-associated Multimodal MRI Reveal Shared Links to the Salience Network Within the Psychosis Spectrum Disorders. ○
- 315 VACS: VAccination disComfort Scale. ○
- 314 Clinical research diagnostic criteria for bipolar illness (CRDC-BP): rationale and validity. **2022**, 10, ○
- 313 Polygenic heterogeneity in antidepressant treatment and placebo response. **2022**, 12, ○
- 312 Multi-omic modeling of antidepressant response implicates dynamic immune and inflammatory changes in individuals who respond to treatment. ○

- 311 Resting-State Functional Connectivity Impairment in Patients with Major Depressive Episode. **2022**, 19, 14045 0
- 310 Depressive symptoms in cognitively unimpaired older adults are associated with lower structural and functional integrity in a frontolimbic network. 1
- 309 The effect of vitamin B supplementation on neuronal injury in people living with HIV: a randomized controlled trial. **2022**, 4, 0
- 308 Association of anhedonia and suicidal ideation in patients with treatment-refractory depression after intravenous ketamine infusions. 1-6 0
- 307 Study protocol for "MDMA-assisted therapy as a treatment for major depressive disorder: A proof of principle study" 13, 0
- 306 Behavioral pathway to a broken heart: The link between adverse childhood experiences, depression, physical exercise and cardiovascular health. 13, 0
- 305 A longitudinal study of the association between pro-inflammatory cytokines and mood symptoms in bipolar disorder. 0
- 304 Influence of clinical and neurocognitive factors in psychosocial functioning after a first episode non-affective psychosis: Differences between males and females. 13, 0
- 303 Gamification improves antidepressant effects of cognitive control training—a pilot trial. 4, 0
- 302 Examining the synergistic effects of a cognitive control video game and a home-based, self-administered non-invasive brain stimulation on alleviating depression: the DiSCoVeR trial protocol. 0
- 301 An Open-Label Rater-Blinded Randomized Trial of Vilazodone versus Escitalopram in Major Depression. 025371762211271 0
- 300 White matter microstructure and sleep-wake disturbances in individuals at ultra-high risk of psychosis. 16, 0
- 299 Real-time Emotion Detection by Quantitative Facial Motion Analysis. 0
- 298 Life-weariness, wish to die, active suicidal ideation, and all-cause mortality in population-based samples of older adults. **2022**, 0
- 297 Adjunctive accelerated repetitive transcranial magnetic stimulation for older patients with depression: A systematic review. 14, 0
- 296 Characterization of medication side effects in patients with mostly resistant depression in a real-world setting. 1-36 0
- 295 Single-Dose Psilocybin for a Treatment-Resistant Episode of Major Depression. **2022**, 387, 1637-1648 9
- 294 Premature discontinuation among individuals with epilepsy participating in epilepsy self-management research interventions. **2022**, 187, 107034 0



293	Does Problematic Substance Use Moderate Efficacy of Cognitive Behavioral Therapy for Adherence and Depression in HIV?.	0
292	Clinical correlates of late-onset versus early-onset bipolar disorder in a global sample of older adults. <b>2022</b> , 37,	0
291	Validation and Functional Relevance of the Short Form of the Perceived Deficits Questionnaire for Depression for Japanese Patients with Major Depressive Disorder. Volume 18, 2507-2517	1
290	Transcranial direct current stimulation for bipolar depression: systematic reviews of clinical evidence and biological underpinnings. <b>2022</b> , 110672	0
289	Mania associated olfactory dysfunction: A comparison between bipolar subjects in mania and remission. <b>2022</b> , 156, 330-338	0
288	Glutamate receptor 4 as a fluid biomarker for the diagnosis of psychiatric disorders. <b>2022</b> , 156, 390-397	0
287	Assessing in-session rumination and its effects on CBT for depression. <b>2022</b> , 159, 104209	0
286	Memory Clinicsaa Guide to Implementation and Evaluation. <b>2003</b> , 828-843	0
285	Antidepressants: Indications, Contraindications, Interactions, and Side Effects. <b>2022</b> , 1135-1172	0
284	Body Dysmorphic Disorder in Females. <b>2022</b> , 261-275	0
283	Randomized Controlled Trials and the Efficacy of Psychotropic Medications. <b>2022</b> , 305-359	0
282	Psychopathology: Rating Scales for the Assessment of Mental Status. <b>2022</b> , 245-267	0
281	Tactile, Olfactory, and Gustatory Hallucinations in Psychotic Disorders: A Descriptive Study. <b>2009</b> , 38, 383-387	10
280	Serotonin modifies the impact of sleep disturbance on suicidality in patients with acute coronary syndrome. 13,	0
279	Differences in quantification of the metabotropic glutamate receptor 5 (mGluR5) across bipolar disorder and major depressive disorder. <b>2022</b> ,	1
278	A Revision on the Effectiveness of Omega-3 Polyunsaturated Fatty Acids as Monotherapy in the Treatment of Major Depressive Disorder. <b>2022</b> , 2022, 1-10	0
277	Psychometric properties of the Swedish version of the Reynolds Adolescent Depression Scale second edition (RADS-2) in a clinical sample. 1-10	0
276	Poor Agreement between Responses to the International Physical Activity Questionnaire and Objective ActiGraph Data among Persons with Major Depressive or Bipolar Disorders. <b>2022</b> , 19, 14913	0

- 275 Shared decision-making interventions for people with mental health conditions. **2022**, 2022, 0
- 274 Pharmacological interventions for people with borderline personality disorder. **2022**, 2022, 1
- 273 Interventions for helping people recognise early signs of recurrence in bipolar disorder. **2022**, 2022, 0
- 272 Bipolar I and bipolar II subtypes in older age: Results from the Global Aging & Geriatric Experiments in Bipolar Disorder ( GAGE-BD ) project. 0
- 271 The motivation and energy inventory (MEI): Analysis of the clinically relevant response threshold in patients with major depressive disorder and emotional blunting using data from the COMPLETE study. **2022**, 0
- 270 Ecological Momentary Assessment of Social Approach and Avoidance Motivations in Serious Mental Illness: Connections to Suicidal Ideation and Symptoms. 1-18 0
- 269 Internet delivered cognitive behavioral therapy for adults with ADHD -A randomized controlled trial. **2022**, 100588 0
- 268 The effects of transient receptor potential cation channel inhibition by BI 1358894 on cortico-limbic brain reactivity to negative emotional stimuli in major depressive disorder. **2022**, 65, 44-51 0
- 267 Accuracy of immediate self-assessment of neurocognitive test performance: Associations with psychiatric diagnosis and longitudinal psychotic symptoms. **2022**, 156, 594-601 0
- 266 Association between the Epigenetic Lifespan Predictor GrimAge and History of Suicide Attempt in Bipolar Disorder. 0
- 265 Variability and symmetry of gait kinematics under dual-task performance of older patients with depression. 0
- 264 Pharmaceutical interventions for emotionalism after stroke. **2022**, 2022, 0
- 263 Apathy in depression: An arterial spin labeling perfusion MRI study. **2022**, 0
- 262 Personality traits and coping strategies in recent-onset psychosis: Associations with symptom severity and psychosocial functioning. **2022**, 250, 143-151 0
- 261 The effectiveness of off-label dopamine stimulating agents in depressive disorder: A systematic review and meta-analysis. **2023**, 319, 115010 0
- 260 "Drugs of Abuse" as "New Antidepressants"- Medical and Philosophical Considerations in Treatment. **2022**, 61, 254 0
- 259 Transcranial alternating current stimulation and its effects on cognition and the treatment of psychiatric disorders: a systematic review and meta-analysis. **2022**, 13, 204062232211403 1
- 258 Processing speed "A potential candidate cognitive endophenotype for bipolar disorder. **2023**, 11, 100459 0

- 257 Caffeine levels and dietary intake in smokers with schizophrenia and bipolar disorder. **2023**, 319, 114989 ○
- 256 Lack of speeded disengagement from facial expressions of disgust in remitted major depressive disorder: Evidence from an eye-movement study. **2023**, 160, 104231 ○
- 255 Cognitive performance among older adults with psychotic depression compared to non-psychotic depression. **2023**, 319, 114996 ○
- 254 Associations of systemic inflammation and social support with suicidal ideation in patients with acute coronary syndrome and stroke. **2023**, 323, 101-107 ○
- 253 Patients' recovery and non-recovery narratives after intravenous ketamine for treatment-resistant depression. **2023**, 323, 534-539 1
- 252 Predicting treatment outcomes of the Empowerment group intervention for refugees with affective disorders: Findings from the MEHIRA project. **2023**, 323, 241-250 ○
- 251 Is suboptimal effort an issue? A systematic review on neuropsychological performance validity in major depressive disorder. **2023**, 323, 731-740 ○
- 250 A preliminary investigation of the clinical and cognitive correlates of circulating vitamin D in bipolar disorder. **2023**, 320, 115013 ○
- 249 Depressive symptoms anticipate behavioral and emotional factors among older adults: A prospective cross-lagged panel design. **2023**, 3, 100096 ○
- 248 Relapse, cognitive reserve, and their relationship with cognition in first episode schizophrenia: a 3-year follow-up study. **2023**, 67, 53-65 ○
- 247 Habitual light exposure and circadian activity rhythms in bipolar disorder: A cross-sectional analysis of the APPLE cohort. **2023**, 323, 762-769 ○
- 246 Effects of neuronavigation-guided rTMS on serum BDNF, TrkB and VGF levels in depressive patients with suicidal ideation. **2023**, 323, 617-623 ○
- 245 Gene expression of circadian genes and CIART in bipolar disorder: A preliminary case-control study. **2023**, 122, 110691 ○
- 244 Increased cortical surface area but not altered cortical thickness or gyrification in bipolar disorder following stabilisation from a first episode of mania. **2023**, 122, 110687 ○
- 243 Mild Cognitive Impairment, Reversion Rates, and Associated Factors: Comparison of Two Diagnostic Approaches. **2022**, 1-17 ○
- 242 The efficacy and safety of esketamine in the treatment of major depressive disorder with suicidal ideation: study protocol for a randomized controlled trial. **2022**, 22, ○
- 241 Investigation of the Effects of the Covid-19 Pandemic on Caregiver Burden in Disabled Nursing Homes. ○
- 240 The neurocognitive disorder cohort RIFADE: Aims, methods, first results showing cognitive improvement in a subgroup. ○

- 239 Relations between clinical characteristics and cognitive deficits among adult patients diagnosed with major depressive disorder. 1-13 ○
- 238 Structured Physical Exercise for Bipolar Depression: An open-label, proof-of concept study. ○
- 237 Efficacy of computer- and/or internet-based cognitive-behavioral guided self-management for depression in adults: a systematic review and meta-analysis of randomized controlled trials. **2022**, 22, ○
- 236 Impact of the Timing of Maternal Peripartum Depression on Infant Social and Emotional Development at 18 Months. **2022**, 11, 6919 ○
- 235 Orexin Receptor Antagonists in the Treatment of Depression: A Leading Article Summarising Pre-clinical and Clinical Studies. ○
- 234 Neuroimaging-derived biomarkers of the antidepressant effects of ketamine. **2022**, ○
- 233 Menopause: Questions and Answers for Improving Homeopathic Clinical Practice. ○
- 232 Examining the evidence on complementary and alternative therapies to treat peripartum depression in pregnant or postpartum women: study protocol for an umbrella review of systematic reviews and meta-analyses. **2022**, 12, e057327 ○
- 231 Comparative efficacy and acceptability of pharmacotherapies for postpartum depression: A systematic review and network meta-analysis. 13, 1
- 230 Impulsivity and aggression in suicide ideators and suicide attempters of high and low lethality. **2022**, 22, 1
- 229 Moderators of ayahuasca's biological antidepressant action. 13, ○
- 228 A pilot randomized sham controlled trial of bilateral iTBS for depression and executive function in older adults. **2023**, 38, ○
- 227 Blood MAPT expression and methylation status in Alzheimer's disease. **2022**, 1, ○
- 226 Single-dose psilocybin for treatment-resistant obsessive-compulsive disorder: A case report. **2022**, 8, e12135 ○
- 225 A unique case of very low-dose subcutaneous ketamine use: Maintenance option of ketamine for treatment-resistant depression. **2022**, 10, ○
- 224 Alterations in the serum proteome following electroconvulsive therapy for a major depressive episode: a longitudinal multicenter study. **2022**, ○
- 223 The effectiveness of psychological interventions for anxiety in the perinatal period: A systematic review and meta-analysis. ○
- 222 Efficacy and safety of transcranial magnetic stimulation for treating major depressive disorders: An umbrella review and re-analysis of published meta-analyses of randomised-controlled trials. **2022**, 102236 ○

- 221 A comparison of the antianhedonic effects of repeated ketamine infusions in melancholic and non-melancholic depression. 13, ○
- 220 Neuroanatomical dimensions in medication-free individuals with major depressive disorder and treatment response to SSRI antidepressant medications or placebo. ○
- 219 Transcranial Direct Current Stimulation as Treatment for Major Depression in a Home Treatment Setting (HomeDC Trial): Study Design and Methodology of a Double-blind, Placebo-controlled Pilotstudy. ○
- 218 Free water diffusion magnetic resonance imaging differentiates suicidal ideation from suicide attempt in treatment-resistant depression. 2022, ○
- 217 The impact of sulfur mustard on quality of life and mental health in Kurdish survivors in Sweden, thirty years after exposure. 2022, 20, ○
- 216 A closer look at avolition in schizophrenia and bipolar disorder: Persistence of different types of activities over time. 2022, 250, 188-195 ○
- 215 Macrophage Migration Inhibitory Factor in Major Depressive Disorder: A Multilevel Pilot Study. 2022, 23, 15460 ○
- 214 Electroconvulsive therapy in children and adolescents: results from a population-based study utilising the Swedish National Quality Register. ○
- 213 Intravenous Ketamine for Late-Life Treatment-Resistant Depression: A Pilot Study of Tolerability, Safety, Clinical Benefits, and Effect on Cognition. 2022, ○
- 212 White Matter Microstructure Associated with the Antidepressant Effects of Deep Brain Stimulation in Treatment-Resistant Depression: A Review of Diffusion Tensor Imaging Studies. 2022, 23, 15379 ○
- 211 A lower sleep regularity index (SRI) is associated with relapse in individuals with alcohol use disorder following inpatient treatment. 2022, 12, ○
- 210 Investigating the Clinical Profile of Suicide Attempters Who Used a Violent Suicidal Means. 2022, 11, 7170 ○
- 209 Validation of the Longitudinal Interval Follow-Up Evaluation for the Long-Term Measurement of Mood Symptoms in Bipolar Disorder. 2022, 12, 1717 ○
- 208 Influences of resting-state intrinsic functional brain connectivity on the antidepressant treatment response in late-life depression. 1-10 ○
- 207 Cumulative trauma in bipolar disorder: An examination of prevalence and outcomes across the lifespan. 2022, ○
- 206 Transcutaneous electrical cranial-auricular acupoint stimulation versus escitalopram for mild-to-moderate depression: An assessor-blinded, randomized, non-inferiority trial. ○
- 205 The Risk for Loneliness and Major Depression among Solo Agers. 073346482211467 ○
- 204 VACS: VAccination disComfort Scale. 2022, 12, 1078-1091 ○

- 203 Proof-of-concept randomized controlled trial of single-session nitrous oxide treatment for refractory bipolar depression: Focus on cerebrovascular target engagement. ○
- 202 Apathy in patients with Alzheimer's disease is a cost-driving factor. ○
- 201 A standardized workflow for long-term longitudinal actigraphy data processing: One year of continuous actigraphy from the CAN-BIND Wellness Monitoring Study. ○
- 200 A head-to-head randomised controlled trial of aripiprazole versus quetiapine as augmenting agents in treatment-resistant depression. **2022**, 12, 307 ○
- 199 Detailed assessment of suicidal ideation in youth with bipolar disorder versus major depressive disorder. ○
- 198 Tryptophan metabolites predict response after cognitive behavioral therapy for depression: A single-arm trial.. **2023**, 11, 100464 ○
- 197 Antidepressant medications in dementia: evidence and potential mechanisms of treatment-resistance. 1-14 ○
- 196 Effectiveness of vortioxetine in patients with major depressive disorder and comorbid Alzheimer's disease in routine clinical practice: An analysis of a post-marketing surveillance study in South Korea. 14, ○
- 195 A diagnostic test to examine early improvement as a predictor of later response to lurasidone in bipolar depression. ○
- 194 A Phase II, Open-Label Clinical Trial of Intranasal Ketamine for Depression in Patients with Cancer Receiving Palliative Care (INKeD-PC Study). **2023**, 15, 400 ○
- 193 Clinical characteristics associated with discrepancies between self- and clinician-rated suicidal ideation in patients with bipolar disorder (FACE-BD cohort). **2023**, 115055 ○
- 192 Divergent Directionality of Immune Cell-Specific Protein Expression between Bipolar Lithium Responders and Non-Responders Revealed by Enhanced Flow Cytometry. **2023**, 59, 120 ○
- 191 Predictors of suicidal ideation severity among treatment-seeking young people with major depressive disorder: The role of state and trait anxiety. 000486742211442 ○
- 190 Into the Unknown: Exploration of Search Engines's Responses to Users with Depression and Anxiety. ○
- 189 Alternative metrics for characterizing longer-term clinical outcomes in difficult-to-treat depression: I. Association with change in quality of life. 1-13 ○
- 188 Hope and resilience among patients affected by unipolar and bipolar depression. 002076402211471 ○
- 187 Negative mood states as a correlate of cognitive performance and self-assessment of cognitive performance in bipolar disorder versus schizophrenia. **2023**, 252, 1-9 ○
- 186 Kynurenine pathway abnormalities are state-specific but not diagnosis-specific in schizophrenia and bipolar disorder. **2023**, 27, 100584 ○

- 185 Differential response of positive valence systems to psychotherapy for late-life depression: A pilot study. **2023**, 324, 206-209 ○
- 184 The efficacy of lumateperone on symptoms of depression in bipolar I and bipolar II disorder: Secondary and post hoc analyses. **2023**, 68, 78-88 ○
- 183 Reduced eye gaze during facial emotion recognition in chronic depression: Effects of intranasal oxytocin. **2023**, 159, 50-56 ○
- 182 Successful use of ketamine to treat severe depression with suicidality post-COVID-19 – A case report. **2023**, 2, 100100 ○
- 181 Is quality of life a useful concept for companion animals?. **2007**, 16, 55-65 3
- 180 Work-focused versus generic internet-based interventions for employees with stress-related disorders: A randomized controlled trial (Preprint). ○
- 179 The Psychiatric Interview of Older Adults. **2022**, ○
- 178 Clinical Psychiatry in the Nursing Home. **2022**, ○
- 177 A Data-Driven Approach for the Analysis of Behavioral Disorders With a Focus on Classification and Severity Estimation. **2022**, ○
- 176 Structural and functional correlates of the response to deep brain stimulation at ventral capsule/ventral striatum region for treatment-resistant depression. jnnp-2022-329702 ○
- 175 Auditory hallucinations, childhood sexual abuse, and limbic gray matter volume in a transdiagnostic sample of people with psychosis. **2022**, 8, ○
- 174 The factor structure of the cardiac anxiety questionnaire, and validation in a post-MI population. **2022**, 22, ○
- 173 Characteristics of Depression Clinical Trials Registered on ClinicalTrials.gov. Volume 15, 8787-8796 ○
- 172 Early-Onset Effectiveness of Adjunctive Aripiprazole in Patients With Depression With Inadequate Response to First-Line Antidepressants. **2022**, 52, 518-526 ○
- 171 Delphi panel to obtain clinical consensus regarding the importance of rapid reduction in depressive symptoms in patients with major depressive disorder with acute suicidal ideation or behavior (MDSI). ○
- 170 Cognitive behavioral therapy (CBT) plus attention bias modification (ABM) reduces anxiety sensitivity and depressive symptoms in panic disorder: A pilot randomized trial. ○
- 169 The Role of Lifestyle on Adherence to Treatment in a Sample of Patients with Unipolar and Bipolar Depression. **2023**, 20, 1994 ○
- 168 Nicotine Use and Metabotropic Glutamate Receptor 5 in Individuals With Major Depressive and Posttraumatic Stress Disorders. **2023**, 7, 247054702311548 ○

- 167 Safety and Tolerability of the Acute Ketamine Treatment in Treatment-Resistant Depression: Focus on Comorbidities Interplay with Dissociation and Psychomimetic Symptoms. **2023**, 16, 173 ○
- 166 Pharmacological Treatment of Bipolar Depression: A Review of Observational Studies. **2023**, 16, 182 ○
- 165 High levels of kappa free light chain synthesis predict cognitive decline in relapsing-remitting multiple sclerosis. 14, ○
- 164 Personalized symptom clusters that predict depression treatment outcomes: A replication of machine learning methods. **2023**, 11, 100470 ○
- 163 Ketamine-Associated Change in Anhedonia and mTOR Expression in Treatment-Resistant Depression. **2023**, ○
- 162 Functional connectivity changes between amygdala and prefrontal cortex after ECT are associated with improvement in distinct depressive symptoms. ○
- 161 A comparison of sleep restriction and sleep compression on objective measures of sleep: A sub-sample from a large randomised controlled trial. ○
- 160 Nonpharmacologic and Pharmacologic Treatments of Adults in the Acute Phase of Major Depressive Disorder: A Living Clinical Guideline From the American College of Physicians. ○
- 159 Vortioxetine in patients with major depressive disorder and high levels of anxiety symptoms: An updated analysis of efficacy and tolerability. **2023**, ○
- 158 Cost-Utility Analysis of Esketamine for Patients with Treatment-Resistant Depression in Italy. **2023**, 41, 209-225 ○
- 157 Risk factors for violent behaviors in patients with schizophrenia: 2-year follow-up study in primary mental health care in China. 13, ○
- 156 The Influence of Probiotic Supplementation on the Severity of Anxiety and Depressive Symptoms; Function and Composition of Gut Microbiota; and Metabolic, Inflammation, and Oxidative Stress Markers in Patients with Depression—A Study Protocol. **2023**, 13, 182 ○
- 155 Correspondence among gray matter atrophy and atlas-based neurotransmitter maps is clinically relevant in multiple sclerosis. ○
- 154 AI-based dimensional neuroimaging system for characterizing heterogeneity in brain structure and function in major depressive disorder: COORDINATE-MDD consortium design and rationale. **2023**, 23, ○
- 153 Pharmacologic treatment of depression in Alzheimer’s disease. Publish Ahead of Print, ○
- 152 Sequential production of motor-action verb subtypes in Parkinson’s disease patients. 17, ○
- 151 To engage or not engage: Early incentive motivation prevents symptoms of chronic post-stroke depression —A longitudinal study. **2023**, 37, 103360 ○
- 150 Zuranolone and its role in treating major depressive disorder: a narrative review. **2022**, ○



- 149 Latent anxiety and depression dimensions differ amongst patients with eating disorders: A Swedish nationwide investigation. ○
- 148 Psychological impact of COVID-19 containment on CADASIL patients. ○
- 147 Pre- and Postpsychotherapy Assessment of a Patient With Retrograde Amnesia. **2023**, 44, 59-83 ○
- 146 Essential data dimensions for prospective international data collection in older age bipolar disorder ( OABD ): Recommendations from the GAGE-BD group. ○
- 145 Deep phenotyping as a contribution to personalized depression therapy: the GEPaD and DaCFail protocols. ○
- 144 Reliability and validity of the telephone-based version of the Montgomery-Asberg depression rating scale for assessing depression in individuals with primary brain tumour. 1-9 ○
- 143 Establishment and Utility of SwedAD: A Nationwide Swedish Registry for Patients with Atopic Dermatitis Receiving Systemic Pharmacotherapy. 103, adv7312 ○
- 142 Assessment of patient life engagement in major depressive disorder using items from the Inventory of Depressive Symptomatology Self-Report (IDS-SR). **2023**, 161, 132-139 ○
- 141 Diurnal symptoms of sleepiness and dysfunction predict future suicidal ideation in a French cohort of outpatients (FACE-DR) with treatment resistant depression: A 1-year prospective study about sleep markers. **2023**, 329, 369-378 ○
- 140 Associations between indices of 24-hour heart rate variability and inflammation in individuals with major depressive disorder. **2023**, 188, 72-78 ○
- 139 BrainAge of patients with severe late-life depression referred for electroconvulsive therapy. **2023**, 330, 1-6 ○
- 138 Playing with a full dex of cards: Treatment resistant depression with suicidality responds to inpatient dextromethorphan therapy. **2023**, 2, 100105 ○
- 137 Treatment response with ketamine in chronic suicidality: An open label functional connectivity study. **2023**, 331, 92-100 ○
- 136 The role of social connections and support in the use of emergency care among older adults. **2023**, 111, 105010 ○
- 135 Evaluation of the cognitive outcome after out-of-hospital cardiac arrest: the role of thalamus. ○
- 134 Brain-based Sex Differences in Depression: A Systematic Review of Neuroimaging Studies. ○
- 133 Arketamine as adjunctive therapy for treatment-resistant depression: A placebo-controlled pilot study. **2023**, 330, 7-15 ○
- 132 Real-world characteristics of European patients receiving SNRIs as first-line treatment for major depressive disorder. **2023**, 332, 105-114 ○

- 131 Effects of COVID-19 pandemic on depression in patients with schizophrenia: A mini-review of the current evidence. **2023**, 332, 143-149 ○
- 130 Social network and severe lower respiratory tract infections in older adults: findings from a Swedish longitudinal population-based study. **2023**, 128, 176-183 ○
- 129 Dorsal anterior cingulate cortex activity during cognitive challenge in social anxiety disorder. **2023**, 442, 114304 ○
- 128 Chronic Nonspecific Back Pain. **2022**, 48, 968-974 ○
- 127 Distinguishing apathy from depression: A review differentiating the behavioral, neuroanatomic, and treatment-related aspects of apathy from depression in neurocognitive disorders. **2023**, 38, ○
- 126 Childhood trauma and real-world social experiences in psychosis. **2023**, 252, 279-286 ○
- 125 Serum claudin-5 levels among patients with unipolar and bipolar depression in relation to the pro-inflammatory cytokine tumor necrosis factor-alpha levels. **2023**, 109, 162-167 ○
- 124 Real world transcranial magnetic stimulation for major depression: A multisite, naturalistic, retrospective study. **2023**, 326, 26-35 ○
- 123 Feasibility, acceptability and practicality of transcranial stimulation in obsessive compulsive symptoms (FEATSOCS): A randomised controlled crossover trial. **2023**, 122, 152371 ○
- 122 Efficacy and Safety of Escitalopram, Desvenlafaxine, and Vortioxetine in the Acute Treatment of Anxious Depression: A Randomized Rater-blinded 6-week Clinical Trial. **2023**, 21, 135-146 ○
- 121 Depressive symptoms are specifically related to speech pauses in schizophrenia spectrum disorders. **2023**, 321, 115079 ○
- 120 Trajectories of Efficacy and Cognitive Function During Electroconvulsive Therapy Course in Young Adults with Treatment-Resistant Depression. Volume 19, 267-281 ○
- 119 The efficacy of short-term individual interpersonal psychotherapy in augmentation with pharmacotherapy in major depressive disorder. **2022**, 43, 178 ○
- 118 Complement system changes in blood in Parkinson's disease and progressive Supranuclear Palsy/Corticobasal Syndrome. **2023**, 108, 105313 ○
- 117 Reconsidering "dissociation" as a predictor of antidepressant efficacy for esketamine. **2023**, 240, 827-836 2
- 116 Early Prediction of Dementia Using Feature Extraction Battery (FEB) and Optimized Support Vector Machine (SVM) for Classification. **2023**, 11, 439 1
- 115 The relationship between sleep disturbance and cognitive impairment in mood disorders: A systematic review. **2023**, 327, 207-216 ○
- 114 Functional Connectivity of the Cerebellar Vermis in Bipolar Disorder and Associations with Mood. ○

- 113 Late-life depression and multimorbidity trajectories: the role of symptom complexity and severity. **2023**, 52, ○
- 112 A systematic review on the effectiveness of dialectical behavior therapy for improving mood symptoms in bipolar disorders. **2023**, 11, ○
- 111 Single-dose psilocybin for a treatment-resistant episode of major depression: Impact on patient-reported depression severity, anxiety, function, and quality of life. **2023**, 327, 120-127 ○
- 110 Latent class analysis of psychotic-affective disorders with data-driven plasma proteomics. **2023**, 13, ○
- 109 Validation of the Arabic version of the Assessing Emotions Scale measuring emotional intelligence in a Lebanese sample. ○
- 108 Meta-analysis of the effects of adjuvant drugs in co-occurring bipolar and substance use disorder. **2023**, ○
- 107 Artificial intelligence approach for the analysis of placebo-controlled clinical trials in major depressive disorders accounting for individual propensity to respond to placebo. ○
- 106 Detection of Depression from IoMT Time Series Data using UMAP features. **2022**, ○
- 105 Impact of treatment with dimethyl fumarate on sleep quality in patients with relapsing-remitting multiple sclerosis: A multicentre Italian wearable tracker study. **2023**, 9, 205521732211442 ○
- 104 Anger in Post-illness: The Example of Stroke. **2022**, 1-17 ○
- 103 Adjunctive lumateperone ( ITI -007) in the treatment of bipolar depression: Results from a randomized placebo-controlled clinical trial. ○
- 102 Concurrent Transcranial Magnetic Stimulation and Electroencephalography Measures are Associated with Antidepressant Response from rTMS Treatment for Depression. ○
- 101 The Differential Relation of Emotional, Physical, and Sexual Abuse Histories to Antidepressant Treatment Remission and Persistence of Anhedonia in Major Depression: A CAN-BIND-1 Report. 070674372311562 1
- 100 Interactions between mood and paranoid symptoms affect suicidality in first-episode affective psychoses. **2023**, 254, 62-67 ○
- 99 Effect of transcranial direct current stimulation on postpartum depression: A study protocol for a randomized controlled trial. 14, ○
- 98 Adjunctive Cariprazine for the Treatment of Patients With Major Depressive Disorder: A Randomized, Double-Blind, Placebo-Controlled Phase 3 Study. **2023**, 180, 241-251 2
- 97 Differences in intracellular protein levels in monocytes and CD4+ lymphocytes between bipolar depressed patients and healthy controls: A pilot study with tyramine-based signal-amplified flow cytometry. **2023**, 328, 116-127 ○
- 96 Motor Symptom Asymmetry Predicts Cognitive and Neuropsychiatric Profile Following Deep Brain Stimulation of the Subthalamic Nucleus in Parkinson's Disease: a 5-Year Longitudinal Study. ○

- 95 The Relationship Between Acute Dissociative Effects Induced by Ketamine and Treatment Response in Adolescent Patients with Treatment-Resistant Depression. **2023**, 33, 20-26 ○
- 94 Childhood Adversity, Cognition, and Response to Cognitive Remediation in Major Depressive Disorder. **2023**, 211, 362-368 ○
- 93 A randomized controlled trial of surf and hike therapy for U.S. active duty service members with major depressive disorder. **2023**, 23, ○
- 92 Neuroimaging features of depressionâ€œfrailty phenotype in older adults: a pilot study. 1-7 ○
- 91 Long-term health-related quality of life after trauma with and without traumatic brain injury: a prospective cohort study. **2023**, 13, ○
- 90 Effect of Adjunctive Simvastatin on Depressive Symptoms Among Adults With Treatment-Resistant Depression. **2023**, 6, e230147 ○
- 89 Contact Heat in Magnetoencephalography: A Systematic Review. 1-8 ○
- 88 Amygdala substructure volumes and serotonin transporter in first-episode, drug-naïve major depressive disorder: A pilot study. **2023**, 160, 210-216 ○
- 87 Inflammatory and oxidative endophenotypes in borderline personality disorder: A biomarker cluster analysis. 1-8 ○
- 86 The Relationship between Mood Symptom Severity and Perfectionism Subtypes in Mood Disorders: A Systematic Review and Meta-Analysis. **2023**, 13, 377 ○
- 85 Estimating Depressive Symptom Class from Voice. **2023**, 20, 3965 ○
- 84 Opioid Receptor Plasma Levels Are Associated With Sex and Diagnosis of Major Depressive Disorder But Not Response to Ketamine. **2023**, 43, 89-96 ○
- 83 Action-sequence learning, habits and automaticity in obsessive-compulsive disorder. ○
- 82 Clinical Characteristics of Melancholic and Nonmelancholic Depressions. **2023**, 211, 248-252 ○
- 81 Adolescent and Family-Focused Cognitive-Behavioral Therapy for Pediatric Bipolar Disorders: An Open Trial and Individual Trajectories Study in Routine Psychiatric Care. ○
- 80 Recognition of Facial Emotion Expressions in Patients with Depressive Disorders: A Functional MRI Study. **2023**, 9, 529-540 ○
- 79 Motivation as a Measurable Outcome in Stroke Rehabilitation: A Systematic Review of the Literature. **2023**, 20, 4187 ○
- 78 Digital phenotyping for mental disorders monitoring: a systematic review (Preprint). ○

- 77 Hyperthyroidism and depression: a clinical case of atypical thyrotoxicosis manifestation. Publish Ahead of Print,
- 76 Psychiatric symptomatology in skin-restricted lupus patients without axis I psychiatric disorders: A post-hoc analysis. **2023**, 18, e0282079
- 75 Dynamic Feedback Between Antidepressant Placebo Expectancies and Mood. **2023**, 80, 389
- 74 The effect of environmental change on the long-term outcome of common mental disorders.
- 73 Safety and effectiveness of vortioxetine for major depressive disorder: Real-world evidence from a population-based study in South Korea. 14,
- 72 Local Injection for Treating Mood Disorders (LIFT-MOOD): A Pilot Feasibility RCT of Stellate Ganglion Block for Treatment-Resistant Depression. **2023**, 7, 247054702311603
- 71 Choice of Outcome Measure Predicts Anti-Inflammatory Treatment Efficacy in Major Depressive Disorder [Letter]. Volume 19, 515-517
- 70 Neurophysiological and other features of working memory in older adults at risk for dementia.
- 69 Serum angioneurin levels following electroconvulsive therapy for mood disorders.
- 68 Collaborative Care and Geriatric Psychiatry. **2023**, 1-15
- 67 Association between the epigenetic lifespan predictor GrimAge and history of suicide attempt in bipolar disorder.
- 66 A randomized controlled trial of social cognition and interaction training for persons with first episode psychosis in Hong Kong. 14,
- 65 The Chinese Version of Oxford Depression Questionnaire: A Validation Study in Patients with Mood Disorders. Volume 19, 547-556
- 64 Resting-state frontal, frontolateral, and parietal alpha asymmetry: A pilot study examining relations with depressive disorder type and severity. 14,
- 63 Pharmacotherapy. **2023**,
- 62 From the Inner Circle to Rebuilding Social Networks: A Grounded Theory Longitudinal Study Exploring the Experience of Close Personal Relationships from the Perspective of People with Post Stroke Aphasia. 1-20
- 61 Real-time emotion detection by quantitative facial motion analysis. **2023**, 18, e0282730
- 60 Antidepressants and quality of life in patients with major depressive disorder â Systematic review and meta-analysis of double-blind, placebo-controlled RCTs.

- 59 Depression core network-based individualized targeting for transcranial magnetic stimulation. **2023**, 16, 619-627 ○
- 58 Retrospective analysis of quantitative electroencephalography changes in a dissimulating patient after dying by suicide: A single case report. 14, ○
- 57 PRO-DEMET Randomized Controlled Trial on Probiotics in DepressionâPilot Study Results. **2023**, 15, 1400 ○
- 56 Examining resting-state network connectivity in children exposed to perinatal maternal adversity using anatomically weighted functional connectivity (awFC) analyses; A preliminary report. 17, ○
- 55 The Evolving Role of Animal Models in the Discovery and Development of Novel Treatments for Psychiatric Disorders. **2023**, 37-99 ○
- 54 Culturally sensitive stepped care for adolescent refugees: efficacy and costâutility of a multicentric randomized controlled trial. ○
- 53 Long-Term Outcomes of Depression Treatment With Hypnotherapy or Cognitive Behavioral Therapy. Publish Ahead of Print, ○
- 52 The Relationship Between Somatization and Depression Types: Comparison of Unipolar Depression and Bipolar Depression. ○
- 51 Major depression, physical health and molecular senescence markers abnormalities. **2023**, 1, 200-209 ○
- 50 HTR1A, TPH2, and 5-HTTLPR Polymorphisms and Their Impact on the Severity of Depressive Symptoms and on the Concentration of Tryptophan Catabolites during Hepatitis C Treatment with Pegylated Interferon- $\alpha$  and Oral Ribavirin (PEG-IFN- $\alpha$ /RBV). **2023**, 12, 970 ○
- 49 An Observational Pilot Study using a Digital Phenotyping Approach in Patients with Major Depressive Disorder Treated with Trazodone. 14, ○
- 48 Bone, cognitive, and anthropometric profiles and their relation to fracture sites in fallers: a cross-sectional study. **2023**, 34, 901-913 ○
- 47 Gut microbiota and its relation to inflammation in patients with bipolar depression: a cross-sectional study. ○
- 46 A Randomized, Open-Label, Multiple-Dose, Parallel-Arm, Pivotal Study to Evaluate the Safety, Tolerability, and Pharmacokinetics of Aripiprazole 2-Month Long-Acting Injectable in Adults With Schizophrenia or Bipolar I Disorder. ○
- 45 Age or age of onset: which is the best criterion to classify late-life depression?. Publish Ahead of Print, ○
- 44 Effect of group education and person-centered support in primary health care on mental health and quality of life in women aged 45â60 years with symptoms commonly associated with stress: a randomized controlled trial. **2023**, 23, ○
- 43 Lurasidone and risk of metabolic syndrome: results from short and long-term studies in patients with bipolar depression. 1-8 ○
- 42 Improving Identification and Treatment Outcomes of Treatment-Resistant Depression Through Measurement-Based Care. **2023**, ○

- 41 Emotion regulation in bipolar disorder type-I: multivariate analysis of fMRI data. **2023**, 11, ○
- 40 Trait repetitive negative thinking in depression is associated with functional connectivity in negative thinking state, not resting state. ○
- 39 Dectin-1 signaling on colonic T cells promotes psychosocial stress responses. **2023**, 24, 625-636 ○
- 38 Effectiveness of Repetitive Transcranial Magnetic Stimulation (rTMS) Add-On Therapy to a Standard Treatment in Individuals with Multiple Sclerosis and Concomitant Symptoms of Depression—Results from a Randomized Clinical Trial and Pilot Study. **2023**, 12, 2525 ○
- 37 The risks of adverse events with venlafaxine and mirtazapine versus “active placebo” placebo, or no intervention for adults with major depressive disorder: a protocol for two separate systematic reviews with meta-analysis and Trial Sequential Analysis. **2023**, 12, ○
- 36 The impact of treatment resistance on outcome and course of electroconvulsive therapy in major depressive disorder. ○
- 35 Efficacy and Safety of Flexibly Dosed Esketamine Nasal Spray Plus a Newly Initiated Oral Antidepressant in Adult Patients with Treatment-Resistant Depression: A Randomized, Double-Blind, Multicenter, Active-Controlled Study Conducted in China and USA. Volume 19, 693-707 ○
- 34 Antidepressants for the treatment of depression in people with cancer. **2023**, 2023, ○
- 33 Long-Term Changes in Poststroke Depressive Symptoms: Effects of Functional Disability and Social Support. ○
- 32 DSM-5 Non-Suicidal Self-Injury Disorder in a Clinical Sample of Adolescents with Recurrent Self-Harm Behavior. 1-14 ○
- 31 Comparisons of 25 cerebrospinal fluid cytokines in a case-control study of 106 patients with recent-onset depression and 106 individually matched healthy subjects. **2023**, 20, ○
- 30 Psychodynamic Psychotherapy for Postpartum Depression: A Systematic Review. ○
- 29 Investigating the relationship between early life adversity, inflammation and alcohol use. **2023**, 28, ○
- 28 The body of evidence of late-life depression: the complex relationship between depressive symptoms, movement, dyspnea and cognition. 1-16 ○
- 27 Gut Microbiota in Anxiety and Depression: Unveiling the Relationships and Management Options. **2023**, 16, 565 ○
- 26 Effects of adjunctive brexpiprazole on patient life engagement in major depressive disorder: Post hoc analysis of Inventory of Depressive Symptomatology Self-Report Data. **2023**, ○
- 25 Lofepamine versus dothiepin in the treatment of depression in elderly patients. **1989**, 43, 55-60 1
- 24 A DOUBLE-BLIND, RANDOMISED COMPARISON OF FLUVOXAMINE WITH DOTHIEPIN IN THE TREATMENT OF DEPRESSION IN ELDERLY PATIENTS. **1991**, 45, 255-258 2

23	THE EFFECTS OF PSYCHOMOTOR PERFORMANCE OF FLUVOXAMINE VERSUS MIANSERIN IN DEPRESSED PATIENTS IN GENERAL PRACTICE. <b>1991</b> , 45, 259-262	2
22	Anorexia Nervosa With Comorbid Severe Depression. Publish Ahead of Print,	○
21	Designing Clinical Trials to Assess the Impact of Pharmacological Treatment for Suicidal Ideation/Behavior: Issues and Potential Solutions.	○
20	Pharmacologic Approaches to Suicide Prevention. <b>2023</b> , 21, 137-144	○
19	Machine learning predictions of outcome in Internet-based cognitive behavioral therapy: methodological choices and clinical usefulness.	○
18	Risk of Depression in a Suburban Primary Care Setting Before and During the COVID-19 Pandemic. <b>2023</b> , 14, 215013192311671	○
17	Comparative analysis of anticholinergic burden scales to explain iatrogenic cognitive impairment and self-reported side effects in the euthymic phase of bipolar disorders: results from the FACE-BD cohort.	○
16	Brain structural abnormalities and trait impulsivity in suicidal and non-suicidal patients with bipolar disorder. <b>2023</b> , 333, 10-17	○
15	Left-Behind Children—Positive and Negative Social Adjustment: A qualitative Study in China. <b>2023</b> , 13, 341	○
14	Pramipexole Augmentation for Treatment-Resistant Unipolar and Bipolar Depression in the Real World: A Systematic Review and Meta-Analysis. <b>2023</b> , 13, 1043	○
13	Genomics of severe and treatment-resistant obsessive-compulsive disorder treated with deep brain stimulation: a preliminary investigation.	○
12	Socioeconomic differences in older adults—Unplanned hospital admissions: the role of health status and social network. <b>2023</b> , 52,	○
11	An Interim Analysis of a Randomized, Open-Label Study of Vilazodone, Escitalopram, or Vortioxetine for Major Depressive Disorder. <b>2023</b> ,	○
10	Exploring the influence of functional architecture on cortical thickness networks in early psychosis —a longitudinal study. <b>2023</b> , 120127	○
9	Structured physical exercise for bipolar depression: an open-label, proof-of concept study. <b>2023</b> , 11,	○
8	Assessment of Depression in Adults and Youth. 107319112311674	○
7	A critical evaluation of QIDS-SR-16 using data from a trial of psilocybin therapy versus escitalopram treatment for depression. 026988112311678	○
6	Deep Brain Stimulation of the Medial Forebrain Bundle for Treatment-Resistant Depression: A Systematic Review Focused on the Long-Term Antidepressive Effect. <b>2023</b> ,	○



- 5 Childhood maltreatment contributes to the medical morbidity of individuals with bipolar disorders. 1-9 ○
- 4 Evaluation of expressed self-contempt in psychotherapy: an exploratory study. 1-16 ○
- 3 Pain mediates the improvement of social functions of repeated intravenous ketamine in patients with unipolar and bipolar depression. **2023**, 334, 152-158 ○
- 2 Mindfulness-based stress reduction for autistic adults: A feasibility study in an outpatient context. 136236132311728 ○
- 1 Convergent imaging-transcriptomic evidence for disturbed iron homeostasis in Gilles de la Tourette syndrome. ○