## Acute Toxicity of Copper, Cadmium and Zinc to Three S

Marine and Freshwater Research 30, 63 DOI: 10.1071/mf9790063

Citation Report

CITATION REPORT

#	Article	IF	CITATIONS
1	The effect of emersion on cadmium accumulation by Mytilus edulis. Marine Pollution Bulletin, 1980, 11, 359-362.	5.0	16
2	Toxicity of zinc, cadmium and copper to the shrimp Callianassa australiensis. I. Effects of individual metals. Marine Biology, 1981, 64, 299-304.	1.5	67
3	Differentiation of the sensitivity to copper and cadmium in different life stages of a copepod. Marine Pollution Bulletin, 1982, 13, 123-125.	5.0	47
4	The Influence of Temperature and Salinity Upon the Acute Toxicity of Heavy Metals to the Banana Prawn (Penaeus merguiensisde Man). Chemistry and Ecology, 1982, 1, 131-143.	1.6	31
5	Acute toxicity of bis(tributyltin) oxide to a marine copepod. Marine Pollution Bulletin, 1983, 14, 303-306.	5.0	111
6	Variable tolerance to Copper in two species from San Francisco bay. Marine Environmental Research, 1983, 10, 209-222.	2.5	31
7	Toxicity of copper to the marine amphipod Allorchestes compressa in the presence of water-and lipid-soluble ligands. Marine Biology, 1984, 84, 41-45.	1.5	71
8	Effect of selenite and seleniferous fly-ash leachate on growth and viability of the marine amphipod Allorchestes compressa. Marine Biology, 1985, 89, 245-248.	1.5	10
9	Absence of histopathological response to cadmium in gill and digestive diverticula of the mussel,Mytilus edulis. Bulletin of Environmental Contamination and Toxicology, 1986, 36, 146-149.	2.7	0
10	Acute toxicity of cadmium, copper, mercury and zinc to <i>Tropocyclops prasinus mexicanus</i> (Cyclopoida, copepoda) from three quebec lakes. Environmental Toxicology and Chemistry, 1986, 5, 95-102.	4.3	10
11	Sensitivity of Asellus aquaticus (L.) and Proasellus coxalis Dollf. (Crustacea, Isopoda) to Copper. Hydrobiologia, 1987, 146, 63-69.	2.0	16
12	Effects of sublethal concentration of zinc on survival and fertility in four successive generations of Tisbe. Marine Pollution Bulletin, 1988, 19, 162-166.	5.0	16
13	Individual and combined effects of zinc, cadmium and copper on the marine amphipod Allorchestes compressa. Marine and Freshwater Research, 1988, 39, 33.	1.3	21
14	Sublethal effects and bioaccumulation of cadmium, chromium, copper and zinc in the marine amphipodAllorchestes compressa. Marine Biology, 1991, 108, 59-65.	1.5	67
15	Sympatric Sibling Species Within the Genus Acartia (Copepoda: Calanoida): a Case Study From Westernport and Port Phillip Bays, Australia. Journal of Crustacean Biology, 1992, 12, 239-259.	0.8	25
16	Susceptibility of larval and juvenile instars of the sand crab, Portunus pelagicus (L.), to sea water contaminated by chromium, nickel or copper. Marine and Freshwater Research, 1994, 45, 1107.	1.3	13
17	Effect of copper on survival and osmoregulation of various developmental stages of the shrimp Penaeus japonicus bate (Crustacea, Decapoda). Aquatic Toxicology, 1995, 33, 125-139.	4.0	75
18	Harming local species or preventing the transfer of exotics? Possible negative and positive effects of using zinc anodes for corrosion protection of ballast water tanks. Water Research, 2000, 34, 1937-1940.	11.3	19

#	Article	IF	Citations
19	The responses of Patuxent River upper trophic levels to nutrient and trace element induced changes in the lower food web. Estuaries and Coasts, 2003, 26, 365-384.	1.7	11
20	Acute toxicities of trace metals and common xenobiotics to the marine copepod <i>Tigriopus japonicus</i> : Evaluation of its use as a benchmark species for routine ecotoxicity tests in Western Pacific coastal regions. Environmental Toxicology, 2007, 22, 532-538.	4.0	85
21	Heavy metal exposure reduces hatching success of Acartia pacifica resting eggs in the sediment. Journal of Environmental Sciences, 2007, 19, 733-737.	6.1	32
22	Chemical use in salmon aquaculture: A review of current practices and possible environmental effects. Aquaculture, 2010, 306, 7-23.	3.5	631
23	Acute toxicity testing with the tropical marine copepod Acartia sinjiensis: Optimisation and application. Ecotoxicology and Environmental Safety, 2013, 97, 86-93.	6.0	23
24	Sensitivity of six subantarctic marine invertebrates to common metal contaminants. Environmental Toxicology and Chemistry, 2016, 35, 2245-2251.	4.3	20
25	Development of acute and chronic toxicity bioassays using the pelagic copepod Gladioferens pectinatus. Ecotoxicology and Environmental Safety, 2019, 174, 611-617.	6.0	8
26	Warming and pollutants interact to modulate octocoral immunity and shape disease outcomes. Ecological Applications, 2020, 30, e02024.	3.8	11
27	The Effect of Zinc on Survivability of Some Mysid, Decapod, and Copepod Species from Peter the Great Bay, Sea of Japan. Russian Journal of Marine Biology, 2020, 46, 215-220.	0.6	2
28	Severe Toxic Effects on Pelagic Copepods from Maritime Exhaust Gas Scrubber Effluents. Environmental Science & Technology, 2021, 55, 5826-5835.	10.0	21
29	Reduction of population growth in Tisbe holothuriae Humes (Copepoda : Harpacticoida) exposed to low cadmium concentrations. Marine and Freshwater Research, 1986, 37, 475.	1.3	6
31	Cadmium exposure experiments on calanoid copepods reveal significant shortfall in water quality criteria for managing coastal marine ecosystems in West Africa. Journal of Coastal Conservation, 2024, 28, .	1.6	0

CITATION REPORT