

The use of social interaction as a method for detecting a chlordiazepoxide-like drugs

Journal of Neuroscience Methods

2, 219-238

DOI: [10.1016/0165-0270\(80\)90012-6](https://doi.org/10.1016/0165-0270(80)90012-6)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Naloxone reduces social and exploratory activity in the rat. <i>Psychopharmacology</i> , 1980, 71, 41-44.	1.5	107
2	The sensitivity of the rat corticosterone response to environmental manipulations and to chronic chlordiazepoxide treatment. <i>Physiology and Behavior</i> , 1980, 25, 753-758.	1.0	91
3	Effects of benzodiazepines and naloxone on food intake and food preference in the rat. <i>Appetite</i> , 1980, 1, 215-224.	1.8	19
5	BENZODIAZEPINES REDUCE GASTRIC ULCERS INDUCED IN RATS BY STRESS. <i>British Journal of Pharmacology</i> , 1981, 74, 593-599.	2.7	62
7	Effects of a piperazine derivative, piribedil, on exploration, locomotor activity and social behaviour in the rat. <i>Progress in Neuro-Psychopharmacology & Biological Psychiatry</i> , 1981, 5, 245-255.	0.6	12
8	Contrasting effects of org 2766 and $\hat{I}\pm$ -MSH on social and exploratory behavior in the rat. <i>Peptides</i> , 1981, 2, 255-260.	1.2	41
9	Infundibular ACTH can be excluded as a critical mediator in social behaviours. <i>Brain Research Bulletin</i> , 1981, 6, 39-46.	1.4	2
10	Chapter 4. Anti-Anxiety Agents, Anticonvulsants, and Sedative-Hypnotics. <i>Annual Reports in Medicinal Chemistry</i> , 1981, 16, 31-40.	0.5	0
11	Food preference following acute or chronic chlordiazepoxide administration: Tolerance to an antineophobic action. <i>Psychopharmacology</i> , 1981, 73, 70-74.	1.5	37
12	Neuropharmacologic specificity of a simple animal model for the behavioral actions of benzodiazepines. <i>Pharmacology Biochemistry and Behavior</i> , 1981, 15, 695-699.	1.3	465
13	On mapping anxiety. <i>Behavioral and Brain Sciences</i> , 1982, 5, 506-534.	0.4	26
14	Anxiety: Dysfunction of transmission or modulation?. <i>Behavioral and Brain Sciences</i> , 1982, 5, 484-484.	0.4	0
15	Homunculus in the subiculum. <i>Behavioral and Brain Sciences</i> , 1982, 5, 485-486.	0.4	0
16	Integrating the literature on anxiety, memory, and the hippocampus. <i>Behavioral and Brain Sciences</i> , 1982, 5, 487-488.	0.4	0
17	The evolution of hesitation, doubt, and map-making. <i>Behavioral and Brain Sciences</i> , 1982, 5, 488-489.	0.4	0
18	Putting anxiety in its place?. <i>Behavioral and Brain Sciences</i> , 1982, 5, 489-489.	0.4	0
19	Conditioned suppression and behavioural inhibition. <i>Behavioral and Brain Sciences</i> , 1982, 5, 489-490.	0.4	1
20	Some questions of strategy in neuropsychological research on anxiety. <i>Behavioral and Brain Sciences</i> , 1982, 5, 490-491.	0.4	1

#	ARTICLE	IF	CITATIONS
21	Noradrenaline: Attention or anxiety?. Behavioral and Brain Sciences, 1982, 5, 491-492.	0.4	1
22	Gray's<i>Neuropsychology of anxiety</i>: An enquiry into the functions of septohippocampal theories. Behavioral and Brain Sciences, 1982, 5, 492-493.	0.4	31
23	On novelty, places, and the septo-hippocampal system. Behavioral and Brain Sciences, 1982, 5, 493-494.	0.4	1
24	Functions of the septo-hippocampal system. Behavioral and Brain Sciences, 1982, 5, 494-495.	0.4	1
25	Anxiety viewed from the upper brain stem: Though panic and fear yield trepidation, should both be called anxiety?. Behavioral and Brain Sciences, 1982, 5, 495-496.	0.4	3
26	The anatomy of anxiety?. Behavioral and Brain Sciences, 1982, 5, 496-498.	0.4	3
27	The relationship between memory and anxiety. Behavioral and Brain Sciences, 1982, 5, 498-499.	0.4	0
28	The dynamics of action and the neuropsychology of anxiety. Behavioral and Brain Sciences, 1982, 5, 499-499.	0.4	2
29	Does hippocampal theta tell us anything about the neuropsychology of anxiety?. Behavioral and Brain Sciences, 1982, 5, 500-502.	0.4	5
30	Inferring anxiety and antianxiety effects in animals. Behavioral and Brain Sciences, 1982, 5, 502-503.	0.4	1
31	Substrates of anxiety: But if the starting point is wrong?. Behavioral and Brain Sciences, 1982, 5, 503-504.	0.4	0
32	The septo-hippocampal system and behavior: Difficulties in finding the exit. Behavioral and Brain Sciences, 1982, 5, 504-504.	0.4	1
33	Leaping up the phylogenetic scale in explaining anxiety: Perils and possibilities. Behavioral and Brain Sciences, 1982, 5, 505-506.	0.4	40
34	Inhibition, attention, and the hippocampus. Behavioral and Brain Sciences, 1982, 5, 484-485.	0.4	1
35	â€œAntianxiety and opiatesâ€• Behavioral and Brain Sciences, 1982, 5, 486-487.	0.4	1
36	The anxiogenic action of benzodiazepine antagonists. Neuropharmacology, 1982, 21, 1033-1037.	2.0	266
37	Colony aggression: Effects of benzodiazepines on intruder behavior. Physiological Psychology, 1982, 10, 413-416.	0.8	20
38	The rat corticosterone response: Habituation and modification by chlordiazepoxide. Physiology and Behavior, 1982, 29, 91-95.	1.0	79

#	ARTICLE	IF	CITATIONS
39	Effects of acth, benzodiazepines and 5-ht antagonists on escape from periaqueductal grey stimulation in the rat. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1982, 6, 27-35.	2.5	26
40	PrÄ©cis of<i>The neuropsychology of anxiety: An enquiry into the functions of the septo-hippocampal system</i>. <i>Behavioral and Brain Sciences</i> , 1982, 5, 469-484.	0.4	1,550
41	Selective neurotoxin lesions of the lateral septum: Changes in social and aggressive behaviours. <i>Pharmacology Biochemistry and Behavior</i> , 1982, 17, 623-628.	1.3	62
42	A possible olfactory component in the effects of diazepam on social behavior of mice. <i>Psychopharmacology</i> , 1982, 77, 246-252.	1.5	38
43	Further characterization of a simple, automated exploratory model for the anxiolytic effects of benzodiazepines. <i>Pharmacology Biochemistry and Behavior</i> , 1983, 18, 37-40.	1.3	109
44	Quinolines and anxiety: Anxiogenic effects of CGS 8216 and partial anxiolytic profile of PK 9084. <i>Pharmacology Biochemistry and Behavior</i> , 1983, 18, 185-188.	1.3	69
45	Interactions of ethyl-Î²-carboline-3-carboxylate and Ro 15-1788 with CGS 8216 in an animal model of anxiety. <i>Neuroscience Letters</i> , 1983, 39, 91-94.	1.0	70
46	Social and exploratory behaviour in the rat after septal administration of ORG 2766 and ACTH4â€“10. <i>Psychoneuroendocrinology</i> , 1983, 8, 343-350.	1.3	17
47	Changes in social behaviour of rats following chronic treatment with Î³-endorphin antiserum injected into the nucleus accumbens. <i>Neuropharmacology</i> , 1983, 22, 819-826.	2.0	4
48	Purnergic control of anxiety: direct behavioral evidence in the rat. <i>Neuroscience Letters</i> , 1983, 43, 333-337.	1.0	18
49	POSTER COMMUNICATIONS. <i>British Journal of Pharmacology</i> , 1983, 80, 650P.	2.7	2
50	Prenatal treatment with clomipramine has an anxiolytic profile in the adolescent rat. <i>Physiology and Behavior</i> , 1983, 31, 57-61.	1.0	14
51	Normalizing effect of an adrenocorticotrophic hormone (4-9) analog ORG 2766 on disturbed social behavior in rats. <i>Science</i> , 1983, 221, 960-962.	6.0	45
52	Effects of zometapine, A structurally novel antidepressant, in an animal model of depression. <i>Pharmacology Biochemistry and Behavior</i> , 1984, 21, 487-490.	1.3	17
53	A social interaction model of anxiety sensitive to acutely administered benzodiazepines. <i>Drug Development Research</i> , 1984, 4, 207-216.	1.4	53
54	Characteristics of an atypical benzodiazepine, Ro 5-4864. <i>Neuroscience and Biobehavioral Reviews</i> , 1984, 8, 405-413.	2.9	28
55	Prenatal treatment with clomipramine: effects on the behaviour of male and female adolescent rats. <i>Psychopharmacology</i> , 1984, 82, 221-224.	1.5	23
56	Multiple sites of action for anxiogenic drugs: Behavioural, electrophysiological and biochemical correlations. <i>Psychopharmacology</i> , 1984, 83, 304-315.	1.5	136

#	ARTICLE	IF	CITATIONS
57	The staircase test in mice: A simple and efficient procedure for primary screening of anxiolytic agents. <i>Psychopharmacology</i> , 1984, 84, 48-53.	1.5	147
58	Analysis of the facilitatory effect of the ACTH-(4-9) analog ORG 2766 on active social contact in rats. <i>Life Sciences</i> , 1984, 34, 961-970.	2.0	27
59	Lasting behavioral effects after treating rats with CGS 8216 on postnatal days 9 to 21. <i>Physiology and Behavior</i> , 1984, 32, 351-355.	1.0	9
60	Solitary and social behavior of male rats in the open-field. <i>Physiology and Behavior</i> , 1984, 32, 941-944.	1.0	23
61	Sex and strain related effects of melatonin and 5-methoxytryptophol on open field behaviour in paired mice. <i>Behavioural Brain Research</i> , 1984, 13, 107-113.	1.2	4
62	Chronic neonatal treatment with CGS 8216: Effects on the behaviour of adolescent rats. <i>Behavioural Brain Research</i> , 1984, 11, 197-204.	1.2	6
63	Behavioural pharmacology of benzodiazepines. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1984, 8, 19-31.	2.5	35
64	Anxiolytic-like properties of fominoben. <i>European Journal of Pharmacology</i> , 1984, 97, 277-281.	1.7	9
65	Behavioural actions of Ro 5-4864: A peripheral-type benzodiazepine?. <i>Life Sciences</i> , 1984, 35, 229-240.	2.0	68
66	Do the reductions in social interaction produced by picrotoxin and pentylentetrazole indicate anxiogenic actions?. <i>Neuropharmacology</i> , 1984, 23, 793-796.	2.0	92
67	Repeated electroconvulsive shock has no specific anxiolytic effect but reduces social interaction and exploration in rats. <i>Neuropharmacology</i> , 1984, 23, 95-99.	2.0	8
68	Intrinsic behavioural actions of n-propyl Î ² -carboline-3-carboxylate. <i>Neuropharmacology</i> , 1984, 23, 463-466.	2.0	20
69	Behavioural effects of drugs acting at the picrotoxin site. <i>Neuropharmacology</i> , 1984, 23, 823-824.	2.0	5
70	The anxiogenic action of Ro 15-1788 is reversed by chronic, but not by acute, treatment with chlordiazepoxide. <i>Brain Research</i> , 1984, 310, 154-156.	1.1	34
71	Pharmacological Characterisation of a Modified Social Interaction Model of Anxiety in the Rat. <i>Neuropsychobiology</i> , 1985, 13, 194-200.	0.9	127
72	Exploratory behavior models of anxiety in mice. <i>Neuroscience and Biobehavioral Reviews</i> , 1985, 9, 37-44.	2.9	653
73	Can drug effects on anxiety and convulsions be separated?. <i>Neuroscience and Biobehavioral Reviews</i> , 1985, 9, 55-73.	2.9	56
74	Benzodiazepines and the developing rat: A critical review. <i>Neuroscience and Biobehavioral Reviews</i> , 1985, 9, 101-111.	2.9	63

#	ARTICLE	IF	CITATIONS
75	Tolerance to the behavioral actions of benzodiazepines. <i>Neuroscience and Biobehavioral Reviews</i> , 1985, 9, 113-121.	2.9	191
76	Animal models for the study of anti-anxiety agents: A review. <i>Neuroscience and Biobehavioral Reviews</i> , 1985, 9, 203-222.	2.9	406
77	Validation of open : closed arm entries in an elevated plus-maze as a measure of anxiety in the rat. <i>Journal of Neuroscience Methods</i> , 1985, 14, 149-167.	1.3	4,817
78	The anxiogenic action of RO 5-4864 in the social interaction test: effect of chlordiazepoxide, RO 15-1788 and CGS 8216. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1985, 328, 225-228.	1.4	23
79	The effects of PK 11195, a ligand for benzodiazepine binding sites, in animal tests of anxiety and stress. <i>Pharmacology Biochemistry and Behavior</i> , 1985, 23, 737-741.	1.3	34
80	Chlordiazepoxide enhances the anxiogenic action of CGS 8216 in the social interaction test: Evidence for benzodiazepine withdrawal?. <i>Pharmacology Biochemistry and Behavior</i> , 1985, 23, 33-36.	1.3	19
81	Effects of the $\hat{1}^2$ -carboline, FG 7142, in the social interaction test of anxiety and the holeboard: Correlations between behaviour and plasma concentrations. <i>Pharmacology Biochemistry and Behavior</i> , 1985, 22, 941-944.	1.3	84
82	The effects of triazolobenzodiazepines in two animal tests of anxiety and in the holeboard. <i>British Journal of Pharmacology</i> , 1985, 86, 729-735.	2.7	117
83	The effects of methyl $\hat{1}^2$ -carboline- $\hat{3}$ -carboxylate on social interaction and locomotor activity when microinjected into the nucleus raph $\hat{1}$ dorsalis of the rat. <i>British Journal of Pharmacology</i> , 1985, 86, 753-761.	2.7	22
84	Central effects of nicotinamide and inosine which are not mediated through benzodiazepine receptors. <i>British Journal of Pharmacology</i> , 1985, 84, 689-696.	2.7	22
85	Triazolobenzodiazepines antagonize the effects of anxiogenic drugs mediated at three different central nervous system sites. <i>Neuroscience Letters</i> , 1985, 61, 115-119.	1.0	25
86	Are the anxiogenic effects of yohimbine mediated by its action at benzodiazepine receptors?. <i>Neuroscience Letters</i> , 1985, 55, 5-9.	1.0	93
87	Anxiolytic activity of an endogenous adrenal steroid. <i>Brain Research</i> , 1986, 398, 382-385.	1.1	306
88	Anxiolytic action of CGS 9896 on mouse exploratory behavior. <i>European Journal of Pharmacology</i> , 1986, 132, 259-262.	1.7	12
89	Aversive and appetitive properties of anxiogenic and anxiolytic agents. <i>Behavioural Brain Research</i> , 1986, 21, 189-194.	1.2	91
90	Caffeine and copulatory experience: Interactive effects on social investigatory behavior. <i>Physiology and Behavior</i> , 1986, 36, 707-711.	1.0	4
92	Naturalistic behavioral assessment of anxiolytic properties of benzodiazepines and ethanol in mice. <i>Neuroscience Letters</i> , 1986, 63, 265-270.	1.0	11
93	Evidence that the $\hat{1}^2$ -carboline, ZK 91296, can reduce anxiety in animals at doses well below those causing sedation. <i>Brain Research</i> , 1986, 363, 174-177.	1.1	32

#	ARTICLE	IF	CITATIONS
94	The effects of tofisopam, a 3,4-benzodiazepine, in animal models of anxiety, sedation, and convulsions. Drug Development Research, 1986, 7, 61-73.	1.4	13
95	Behavioral pharmacology of the pyrazoloquinoline CGS 9896, a novel putative anxiolytic. Drug Development Research, 1986, 7, 245-253.	1.4	11
96	A comparative study of the effects of ritanserin (R 55 667) and chlordiazepoxide on rat open field behavior. Drug Development Research, 1986, 8, 197-204.	1.4	25
97	Stretched attend posture, a non-social form of ambivalence, is sensitive to a conflict-reducing drug action. Psychopharmacology, 1986, 89, 31-7.	1.5	75
98	The shock probe conflict procedure. A new assay responsive to benzodiazepines, barbiturates and related compounds. Psychopharmacology, 1986, 88, 445-50.	1.5	62
99	Actions of the γ -carboline ZK 93426 in an animal test of anxiety and the holeboard: Interactions with Ro 15-1788. Journal of Neural Transmission, 1986, 65, 103-114.	1.4	24
100	Effect on hypothalamic self-stimulation of the novel γ -carbolines ZK 93 426 (a benzodiazepine receptor) Tj ETQq0 0,0rgBT /Oyerlock 10	1.4	8
101	The role of adenosinergic, GABAergic and benzodiazepine systems in hyperemotionality and ulcer formation in stressed rats. Psychopharmacology, 1986, 89, 472-476.	1.5	17
102	Anxiety and the Benzodiazepine Receptor. Progress in Brain Research, 1986, 65, 73-90.	0.9	8
103	The contribution of behavioural studies to the neuropharmacology of anxiety. Neuropharmacology, 1987, 26, 877-886.	2.0	128
104	Actions of sulpiride and tiapride in a simple model of anxiety in mice. Neuropharmacology, 1987, 26, 195-200.	2.0	86
105	Activity of some benzodiazepine receptor ligands with reduced sedative and muscle relaxant properties on stress-induced electrocorticogram arousal in sleeping rats. Journal of Pharmacological Methods, 1987, 18, 47-54.	0.7	14
106	Separation distress in infant rhesus monkeys: effects of diazepam and Ro 15-1788. Brain Research, 1987, 408, 192-198.	1.1	39
107	Corticotropin-releasing factor has an anxiogenic action in the social interaction test. Hormones and Behavior, 1987, 21, 193-202.	1.0	228
111	Behavioral pharmacology of minor tranquilizers. , 1987, 35, 265-290.		28
112	The search for novel anxiolytics. Trends in Neurosciences, 1987, 10, 461-463.	4.2	15
113	Effects of $\hat{\gamma}^2$ -carbolines in animal models of anxiety. Brain Research Bulletin, 1987, 19, 293-299.	1.4	62
114	Anxiogenic effects in benzodiazepine withdrawal are linked to the development of tolerance. Brain Research Bulletin, 1987, 19, 607-610.	1.4	61

#	ARTICLE	IF	CITATIONS
115	Modulation of anxiety by $\hat{1}^2$ -carbolines and other benzodiazepine receptor ligands: Relationship of pharmacological to biochemical measures of efficacy. <i>Brain Research Bulletin</i> , 1987, 19, 309-318.	1.4	78
116	Comparing benzodiazepines using the staircase test in mice. <i>Psychopharmacology</i> , 1987, 92, 106-109.	1.5	35
117	The usefulness of social behavior in behavioral pharmacology. <i>Drug Development Research</i> , 1987, 11, 1-17.	1.4	1
118	Pharmacological evaluation of HP 370, a potential atypical antipsychotic agent: 1. In vivo profile. <i>Drug Development Research</i> , 1987, 11, 157-168.	1.4	17
119	Beyond the benzodiazepines: The search for new anxiolytics. A summary of pre-clinical approaches. <i>Human Psychopharmacology</i> , 1987, 2, 151-158.	0.7	5
120	Diazepam and caffeine administration during the first week of life: Changes in neonatal and adolescent behavior. <i>Neurotoxicology and Teratology</i> , 1987, 9, 9-16.	1.2	17
121	Low level lead exposure during lactation increases rough and tumble play fighting of juvenile rats. <i>Neurotoxicology and Teratology</i> , 1987, 9, 51-57.	1.2	25
122	A new method for screening anxiolytic drugs in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1987, 26, 111-117.	1.3	7
123	Can animal tests of anxiety detect panic-promoting agents?. <i>Human Psychopharmacology</i> , 1988, 3, 149-152.	0.7	17
124	Pharmacological profiles in vivo of benzodiazepine receptor ligands. <i>Drug Development Research</i> , 1988, 12, 1-28.	1.4	59
125	The effects of novelty, isolation, light and ethanol on the social behavior of mice. <i>Psychopharmacology</i> , 1988, 96, 181-7.	1.5	66
126	Anxiolytic and anxiogenic drugs: Changes in behaviour and endocrine responses. <i>Stress and Health</i> , 1988, 4, 221-230.	0.7	42
127	Behavioral effects of acute and chronic administration of caffeine in the rat. <i>Pharmacology Biochemistry and Behavior</i> , 1988, 30, 809-815.	1.3	63
128	Thigmotaxis as a test for anxiolytic activity in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1988, 31, 959-962.	1.3	549
129	Steroid modulation of the GABA/benzodiazepine receptor-linked chloride ionophore. <i>Molecular Neurobiology</i> , 1988, 2, 291-317.	1.9	182
130	RO 15-4513 and FG 7142 reverse the reduction in social behavior caused by ethanol in mice. <i>European Journal of Pharmacology</i> , 1988, 154, 109-113.	1.7	14
131	Behavioural and biochemical consequences following activation of 5HT ₁ -like and GABA receptors in the dorsal raphe nucleus of the rat. <i>Neuropharmacology</i> , 1988, 27, 993-1001.	2.0	179
132	Effects of ipsapirone on the behaviour of mice during social encounters. <i>Neuropharmacology</i> , 1988, 27, 1039-1044.	2.0	19

#	ARTICLE	IF	CITATIONS
133	Comparison of Adaptive Responses in Familiar and Novel Environments: Modulatory Factors. <i>Annals of the New York Academy of Sciences</i> , 1988, 525, 69-79.	1.8	44
134	Profiles of the antipanic compounds, triazolobenzodiazepines and phenelzine, in two animal tests of anxiety. <i>Psychiatry Research</i> , 1988, 25, 81-90.	1.7	36
135	Functional in vivo correlates of the benzodiazepine agonist-inverse agonist continuum. <i>Progress in Neurobiology</i> , 1988, 31, 425-476.	2.8	65
136	Measures of anxiety and stress in the rat following chronic treatment with yohimbine. <i>Journal of Psychopharmacology</i> , 1988, 2, 33-38.	2.0	30
137	The potential anxiolytic activity of GR38032F, a 5-HT ₃ receptor antagonist. <i>British Journal of Pharmacology</i> , 1988, 93, 985-993.	2.7	324
139	POSTER COMMUNICATIONS. <i>British Journal of Pharmacology</i> , 1988, 95, 792P.	2.7	19
141	Anxiety and the Amygdala: Pharmacological and Anatomical Analysis of the Fear-Potentiated Startle Paradigm. <i>Psychology of Learning and Motivation - Advances in Research and Theory</i> , 1988, 21, 263-305.	0.5	66
142	Sex differences in investigatory and grooming behaviors of laboratory rats (<i>Rattus norvegicus</i>) following exposure to novelty.. <i>Journal of Comparative Psychology (Washington, D C: 1983)</i> , 1988, 102, 188-192.	0.3	32
143	Antagonizing the behavioural effects of drugs: a discussion with specific reference to benzodiazepines and alcohol. <i>Journal of Psychopharmacology</i> , 1989, 3, 21-28.	2.0	3
144	Exploration of mice in a black and white test box: Validation as a model of anxiety. <i>Pharmacology Biochemistry and Behavior</i> , 1989, 32, 777-785.	1.3	459
145	Yohimbine's anxiogenic action: Evidence for noradrenergic and dopaminergic sites. <i>Pharmacology Biochemistry and Behavior</i> , 1989, 32, 151-156.	1.3	90
146	Caffeine-induced angiogenesis: The role of adenosine, benzodiazepine and noradrenergic receptors. <i>Pharmacology Biochemistry and Behavior</i> , 1989, 32, 181-186.	1.3	77
147	Anticonvulsant and other effects of diazepam grow with time after a single treatment. <i>Pharmacology Biochemistry and Behavior</i> , 1989, 33, 31-39.	1.3	22
148	Behavioral consequences of prenatal exposure to the organophosphate insecticide sumithion. <i>Neurotoxicology and Teratology</i> , 1989, 11, 321-324.	1.2	14
149	Flumazenil prevents the development of chlordiazepoxide withdrawal in rats tested in the social interaction test of anxiety. <i>Psychopharmacology</i> , 1989, 97, 424-426.	1.5	32
150	Specific modulation of social memory in rats by cholinomimetic and nootropic drugs, by benzodiazepine inverse agonists, but not by psychostimulants. <i>Psychopharmacology</i> , 1989, 97, 262-268.	1.5	109
151	Flumazenil but not nitrendipine reverses the increased anxiety during ethanol withdrawal in the rat. <i>Psychopharmacology</i> , 1989, 98, 262-264.	1.5	114
152	Neuropharmacological and physiological validation of a computer-controlled two-compartment black and white box for the assessment of anxiety. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1989, 13, 963-IN6.	2.5	124

#	ARTICLE	IF	CITATIONS
153	A two-compartment exploratory model to study anxiolytic/anxiogenic effects of drugs in the rat. <i>Pharmacological Research</i> , 1989, 21, 595-602.	3.1	43
154	The GABA/benzodiazepine receptor complex in the central amygdalar nucleus and stress ulcers in rats. <i>Behavioral and Neural Biology</i> , 1989, 51, 262-269.	2.3	19
155	Opioid systems in the amygdala can serve as substrate for the behavioral effects of the ACTH-(4-â€“9) analog ORG 2766. <i>Neuropeptides</i> , 1989, 14, 129-136.	0.9	16
156	Sodium phenobarbitone reverses the anxiogenic effects of compounds acting at three different central sites. <i>Neuropharmacology</i> , 1989, 28, 83-88.	2.0	15
157	Effect of 5-HT1A agonists on stress-induced deficit in open field locomotor activity of rats: Evidence that this model identifies anxiolytic-like activity. <i>Neuropharmacology</i> , 1989, 28, 471-476.	2.0	75
158	Antagonistic effects of caffeine and yohimbine in animal tests of anxiety. <i>European Journal of Pharmacology</i> , 1989, 159, 211-215.	1.7	73
159	Effects of 5-HT1A receptor agonists and NMDA receptor antagonists in the social interaction test and the elevated plus maze. <i>European Journal of Pharmacology</i> , 1989, 169, 1-10.	1.7	206
160	Effects of caffeine on social behavior, exploration and locomotor activity: Interactions with ethanol. <i>Life Sciences</i> , 1989, 44, 543-553.	2.0	28
161	Epilepsy and behaviour of the Mongolian gerbil: An ethological study. <i>Physiology and Behavior</i> , 1989, 46, 561-566.	1.0	14
163	A Conflict Procedure Not Requiring Deprivation: Evidence That Chronic Ethanol Treatment Induces Tolerance to the Anticonflict Action of Ethanol and Chlordiazepoxide. <i>Alcoholism: Clinical and Experimental Research</i> , 1989, 13, 680-685.	1.4	27
164	Serotonergic mechanisms and psychiatric disorders. <i>Nordic Journal of Psychiatry</i> , 1989, 43, 53-59.	0.2	1
165	Comparison between BALB/cj and BALB/cByj mice in tests of social behavior and residentâ€™intruder aggression. <i>Aggressive Behavior</i> , 1989, 15, 273-280.	1.5	12
166	The effect of ketotifen in rodent models of anxiety and on the behavioural consequences of withdrawing from treatment with drugs of abuse. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1990, 341, 547-51.	1.4	19
167	Ethological analysis of the effects of MK-801 upon aggressive male mice: Similarity to chlordiazepoxide. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 37, 101-106.	1.3	28
168	Effects of captopril and SQ29,852 on anxiety-related behaviours in rodent and marmoset. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 36, 13-20.	1.3	64
169	Ondansetron inhibits a behavioural consequence of withdrawing from drugs of abuse. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 36, 339-344.	1.3	107
170	The differential activities of R(+)- and S(â€“) -zacopride as 5-HT3 receptor antagonists. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 37, 717-727.	1.3	55
171	Ketotifen and its analogues reduce aversive responding in the rodent. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 37, 785-793.	1.3	28

#	ARTICLE	IF	CITATIONS
172	Behavioral deficits due to prenatal exposure to cadmium chloride in CFY rat pups. <i>Neurotoxicology and Teratology</i> , 1990, 12, 169-172.	1.2	32
173	Differential effects of six structurally related benzodiazepines on some ethological measures of timidity, aggression and locomotion in mice. <i>Psychopharmacology</i> , 1990, 101, 396-402.	1.5	35
174	Chronic administration of the 5-HT ₃ receptor antagonist BRL 43694; effects on reflex epilepsy and social behaviour of the Mongolian gerbil. <i>Psychopharmacology</i> , 1990, 101, 244-249.	1.5	21
175	The use of flumazenil in prevention of Diazepam dependence in the rat. <i>Human Psychopharmacology</i> , 1990, 5, 57-61.	0.7	19
176	Gonadal hormones during puberty organize environment-related social interaction in the male rat. <i>Hormones and Behavior</i> , 1990, 24, 311-323.	1.0	97
177	Behavioral and neuroendocrine response to psychosocial stress in male rats: The effects of the 5-HT _{1A} agonist ipsapirone. <i>Hormones and Behavior</i> , 1990, 24, 554-567.	1.0	40
178	Ethologically-based animal models of anxiety disorders. , 1990, 46, 321-340.		682
179	Interactions of anxiolytic and antidepressant drugs with hormones of the hypothalamic-pituitary-adrenal axis. , 1990, 46, 357-375.		27
180	Animal models of anxiety based on classical conditioning: The conditioned emotional response (CER) and the fear-potentiated startle effect. , 1990, 47, 147-165.		167
181	The psychopharmacology of 5-HT ₃ receptors. , 1990, 47, 181-202.		226
182	Effects of alprazolam on fear-related behavioral, hormonal, and catecholamine responses in infant Rhesus monkeys. <i>Life Sciences</i> , 1991, 49, 2031-2044.	2.0	16
183	Sex differences in animal tests of anxiety. <i>Physiology and Behavior</i> , 1991, 49, 245-250.	1.0	522
184	The early acquisition of two-way (shuttle-box) avoidance as an anxiety-mediated behavior: Psychopharmacological validation. <i>Brain Research Bulletin</i> , 1991, 26, 173-176.	1.4	119
185	Behavioural effects of deltorphins in rats. <i>European Journal of Pharmacology</i> , 1991, 209, 163-168.	1.7	51
186	Central administration of oxytocin modulates the infant rats response to social isolation. <i>European Journal of Pharmacology</i> , 1991, 203, 149-152.	1.7	163
187	Experience influences environmental modulation of function at the benzodiazepine (BZD)/GABA receptor chloride channel complex. <i>Brain Research</i> , 1991, 545, 257-264.	1.1	36
188	Gonadal status and pubertal age influence the responsiveness of the benzodiazepine/GABA receptor complex to environmental challenge in male rats. <i>Brain Research</i> , 1991, 561, 299-306.	1.1	32
189	Anxiolytic activity of the progesterone metabolite 5 α -pregnan-3 α -ol-20-one. <i>Brain Research</i> , 1991, 565, 263-268.	1.1	287

#	ARTICLE	IF	CITATIONS
190	Functional role of brain CCK receptors. <i>Neuropeptides</i> , 1991, 19, 45-56.	0.9	98
191	Effects of the benzodiazepine receptor inverse agonist, DMCM, on the behaviour of mice: An ethopharmacological study. <i>Neuropharmacology</i> , 1991, 30, 1255-1261.	2.0	4
192	An ethological study of the effects of buspirone and the 5-HT ₃ receptor antagonist, BRL 43694 (granisetron) on behaviour during social interactions in female and male mice. <i>Neuropharmacology</i> , 1991, 30, 299-306.	2.0	28
193	Pharmacological Evaluation of Potential Animal Models for the Study of Antipanic and Panicogenic Treatment Effects. , 1991, , 199-232.		3
194	Resident-Intruder Paradigms and Antiaggressive Drugs: Some Further Data. <i>Psychological Record</i> , 1991, 41, 255-269.	0.6	0
195	Ovarian endocrine status modulates the anxiolytic potency of diazepam and the efficacy of γ -aminobutyric acid-benzodiazepine receptor-mediated chloride ion transport.. <i>Behavioral Neuroscience</i> , 1991, 105, 653-662.	0.6	108
196	Effects of yohimbine on isolation-induced aggression, social attraction, and conspecific odor preference in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1991, 40, 781-785.	1.3	21
197	Effects of eltoprazine hydrochloride on exploratory behavior and social attraction in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1991, 38, 759-762.	1.3	7
198	Measuring anxiety in nonhuman primates: Effect of lorazepam on macaque scratching. <i>Pharmacology Biochemistry and Behavior</i> , 1991, 38, 889-891.	1.3	78
199	The effects of umespirone as a potential anxiolytic and antipsychotic agent. <i>Pharmacology Biochemistry and Behavior</i> , 1991, 40, 89-96.	1.3	23
200	Animal Models of Anxiety and the Screening and Development of Novel Anxiolytic Drugs. , 1991, , 147-198.		8
201	Effects of tianeptine in animal models of anxiety and on learning and memory. <i>Drug Development Research</i> , 1991, 23, 47-56.	1.4	33
202	LY 171555-induced hyperdefensiveness in the mouse does not implicate benzodiazepine receptors. <i>Psychopharmacology</i> , 1991, 103, 449-454.	1.5	12
203	Low but not high doses of buspirone reduce the anxiogenic effects of diazepam withdrawal. <i>Psychopharmacology</i> , 1991, 105, 578-582.	1.5	58
204	Diazepam withdrawal responses measured in the social interaction test of anxiety and their reversal by baclofen. <i>Psychopharmacology</i> , 1991, 104, 62-66.	1.5	41
205	Evidence that the amygdala is involved in the disinhibitory effects of 5-HT ₃ receptor antagonists. <i>Psychopharmacology</i> , 1991, 104, 545-551.	1.5	81
206	GABAmimetic agents display anxiolytic-like effects in the social interaction and elevated plus maze procedures. <i>Psychopharmacology</i> , 1991, 104, 312-316.	1.5	74
207	Central and peripheral benzodiazepine receptors: Involvement in an organism's response to physical and psychological stress. <i>Neuroscience and Biobehavioral Reviews</i> , 1991, 15, 277-298.	2.9	86

#	ARTICLE	IF	CITATIONS
208	Behavioral consequences in animal tests of anxiety and exploration of exposure to cat odor. <i>Brain Research Bulletin</i> , 1992, 29, 381-388.	1.4	202
209	The neuroanatomical basis of anxiety. , 1992, 55, 149-181.		71
210	Effects of acute administration of the 5-HT ₃ receptor antagonist, BRL 46470A, on the behaviour of mice in a two compartment light-dark box and during social interactions in their home cage and an unfamiliar neutral cage. <i>Neuropharmacology</i> , 1992, 31, 743-748.	2.0	31
211	Effects of sub-chronic treatment with chlordiazepoxide, buspirone and the 5-HT ₃ receptor antagonist, BRL 46470, on the social behaviour of mice. <i>Neuropharmacology</i> , 1992, 31, 207-213.	2.0	19
212	The MSH/ACTH analog ORG 2766 in anxiety disorders. <i>Peptides</i> , 1992, 13, 109-112.	1.2	12
213	Yohimbine does not impair performance on an olfactory discrimination. <i>Bulletin of the Psychonomic Society</i> , 1992, 30, 81-82.	0.2	1
214	Approach, avoidance, and contact behavior of individually recognized animals automatically quantified with an imaging technique. <i>Physiology and Behavior</i> , 1992, 51, 747-752.	1.0	58
215	The interaction of R(+)- and S(-)-zacopride with PCPA to modify rodent aversive behaviour. <i>European Journal of Pharmacology</i> , 1992, 218, 15-25.	1.7	30
216	Preclinical evidence for the anxiolytic activity of 5-HT ₃ receptor antagonists: A review. <i>Stress and Health</i> , 1992, 8, 117-136.	0.7	9
217	The Role of the Amygdala in Fear and Anxiety. <i>Annual Review of Neuroscience</i> , 1992, 15, 353-375.	5.0	2,100
218	Role of anxiety in subordinate male mice sexual behavior. <i>Pharmacology Biochemistry and Behavior</i> , 1992, 43, 181-185.	1.3	16
219	Are there changes in sensitivity to 5-HT ₃ receptor ligands following chronic diazepam treatment?. <i>Psychopharmacology</i> , 1992, 108, 333-337.	1.5	27
220	Effect of 5-HT _{1A} receptor agonists in two models of anxiety after dorsal raphe injection. <i>Psychopharmacology</i> , 1992, 106, 261-267.	1.5	82
221	Anxiolytic Potential of 5-HT ₃ Receptor Antagonists. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1992, 70, 157-162.	0.0	102
222	The Psychopharmacology of 5-HT ₃ Receptors [*] . <i>Basic and Clinical Pharmacology and Toxicology</i> , 1992, 71, 401-415.	0.0	49
223	Ontogeny of amicable social behavior in the mouse: Gender differences and ongoing isolation outcomes. <i>Developmental Psychobiology</i> , 1993, 26, 467-481.	0.9	146
224	Stressor controllability, social interaction, and benzodiazepine systems. <i>Pharmacology Biochemistry and Behavior</i> , 1993, 45, 827-835.	1.3	106
225	Benzodiazepine receptor-mediated behavioral effects of nitrous oxide in the rat social interaction test. <i>Pharmacology Biochemistry and Behavior</i> , 1993, 46, 161-165.	1.3	21

#	ARTICLE	IF	CITATIONS
226	BRL 46470A: a highly potent, selective and long acting 5-HT ₃ receptor antagonist with anxiolytic-like properties. <i>Psychopharmacology</i> , 1993, 110, 257-264.	1.5	69
227	Low and high doses of midazolam differentially affect hypoalgesia in rats conditioned to a heat stressor. <i>Psychopharmacology</i> , 1993, 111, 62-68.	1.5	14
228	Social interaction and elevated plus-maze tests: Changes in release and uptake of 5-HT and GABA. <i>Neuropharmacology</i> , 1993, 32, 217-221.	2.0	68
229	Effects of acute and subchronic administration of ritanserin on the social behaviour of mice. <i>Neuropharmacology</i> , 1993, 32, 265-272.	2.0	22
230	Buspirone increases social investigation in pair-housed male mice; comparison with the effects of chlordiazepoxide. <i>Neuropharmacology</i> , 1993, 32, 429-437.	2.0	24
231	Shock-induced ultrasonic vocalization in young adult rats: a model for testing putative anti-anxiety drugs. <i>European Journal of Pharmacology</i> , 1993, 249, 331-339.	1.7	161
232	The effect of the 5-HT ₃ receptor antagonist, RS-42358-197, in animal models of anxiety. <i>European Journal of Pharmacology</i> , 1993, 234, 91-99.	1.7	59
233	The interplay of learning and anxiety in the elevated plus-maze. <i>Behavioural Brain Research</i> , 1993, 58, 199-202.	1.2	288
234	Some critical determinants of the behaviour of rats in the elevated plus-maze. <i>Behavioural Processes</i> , 1993, 29, 37-47.	0.5	120
235	Effects of beta-adrenoceptor ligands in the elevated X-maze 'anxiety' model and antagonism of the 'anxiogenic' response to 8-OH-DPAT. <i>Journal of Psychopharmacology</i> , 1993, 7, 173-180.	2.0	12
236	Effects of chlordiazepoxide on odor-induced risk assessment behaviors in mice. <i>Bulletin of the Psychonomic Society</i> , 1993, 31, 314-316.	0.2	7
237	Overview: Recent Developments in Anxiolytics. <i>Current Opinion in Therapeutic Patents</i> , 1993, 3, 101-128.	0.2	7
238	The role of the amygdala and dorsal raphe nucleus in mediating the behavioral consequences of inescapable shock.. <i>Behavioral Neuroscience</i> , 1993, 107, 377-388.	0.6	159
239	Recent developments in the psychopharmacology of social phobia. <i>Acta Neuropsychiatrica</i> , 1993, 5, 76-82.	1.0	0
240	Psychotropic screening procedures. <i>Handbook of Behavioral Neuroscience</i> , 1993, , 23-51.	0.0	23
241	Conflict behaviors as animal models for the study of anxiety. <i>Handbook of Behavioral Neuroscience</i> , 1993, , 443-474.	0.0	14
242	Overview Central & Peripheral Nervous System: 5-HT ₄ receptor antagonists. <i>Expert Opinion on Therapeutic Patents</i> , 1994, 4, 323-332.	2.4	9
243	Anxiolytic properties of (+) s 20499, a novel serotonin 5-HT _{1A} full agonist, in the elevated plus-maze and social interaction tests. <i>Drug Development Research</i> , 1994, 32, 183-190.	1.4	17

#	ARTICLE	IF	CITATIONS
244	Effect of cholecystokinin receptor antagonists on voluntary food intake in chickens. <i>Applied Animal Behaviour Science</i> , 1994, 40, 319-323.	0.8	9
245	Responders and nonresponders to cat odor do not differ in other tests of anxiety. <i>Pharmacology Biochemistry and Behavior</i> , 1994, 49, 219-222.	1.3	38
246	F 2692: Flumazenil-reversible anxiolytic effects but inactive on [3H]-Ro 15-4513 binding. <i>Pharmacology Biochemistry and Behavior</i> , 1994, 48, 223-227.	1.3	2
247	Anxiolytic effect of neuropeptide FMRFamide in rats. <i>Neuropeptides</i> , 1994, 27, 105-108.	0.9	7
248	Effects of treatment with imipramine and clonazepam on an animal model of panic disorder. <i>Biological Psychiatry</i> , 1994, 36, 745-758.	0.7	64
249	Chronic administration of flumazenil increases life span and protects rats from age-related loss of cognitive functions: A benzodiazepine/GABAergic hypothesis of brain aging. <i>Neurobiology of Aging</i> , 1994, 15, 69-84.	1.5	33
250	Paradoxical differences in animal models of anxiety among the Roman rat lines. <i>Neuroscience Letters</i> , 1994, 182, 217-221.	1.0	44
251	Recent advances in the psychopharmacology of social phobia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1994, 18, 625-645.	2.5	12
252	Alterations in behavioral responses to stressors following excitotoxin lesions of dorsomedial hypothalamic regions. <i>Brain Research</i> , 1994, 633, 151-161.	1.1	34
253	Contrasting behavioural effects of 8-OH DPAT in the dorsal raphe nucleus and ventral hippocampus. <i>Neuropharmacology</i> , 1994, 33, 343-348.	2.0	63
254	Effects of chlorisondamine and restraint on cortical [3H]ketanserin binding, 5-HT _{2A} receptor-mediated head shakes, and behaviours in models of anxiety. <i>Neuropharmacology</i> , 1994, 33, 449-456.	2.0	32
255	Effects of acute and chronic administration of the antidepressants, imipramine, phenelzine and mianserin, on the social behaviour of mice. <i>Neuropharmacology</i> , 1994, 33, 813-824.	2.0	18
256	Effects of repeated 2-deoxy-D-glucose administration on ingestive, psychological, and 5-HT-related behaviours in the rat. <i>Neuropharmacology</i> , 1994, 33, 693-703.	2.0	15
257	The pharmacological properties of Z3684, a benzodiazepine receptor partial agonist. <i>British Journal of Pharmacology</i> , 1994, 111, 1170-1178.	2.7	31
259	Social and non-social open field behaviour of rats under light and noise stimulation. <i>Behavioural Processes</i> , 1994, 31, 257-267.	0.5	18
260	Influence of physical exercise on 5-HT _{1A} receptor- and anxiety-related behaviours. <i>Neuroscience Letters</i> , 1994, 176, 226-230.	1.0	32
261	Fear and Fearfulness in Animals. <i>Quarterly Review of Biology</i> , 1995, 70, 165-191.	0.0	580
262	Section Review "Central & Peripheral Nervous Systems: 5-HT ₃ Receptor Antagonists in Development As-Anxiolytics. Expert Opinion on Investigational Drugs, 1995, 4, 333-342.	1.9	15

#	ARTICLE	IF	CITATIONS
263	Sertindole: A limbic selective neuroleptic with potent anxiolytic effects. <i>Drug Development Research</i> , 1995, 34, 19-29.	1.4	15
264	Recent developments in the psychopharmacology of social phobia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1995, 244, 309-316.	1.8	9
265	Cerebral tryptophan hydroxylase activity, and 5-HT _{1A} receptor, 5-HT _{2A} receptor, and 5-HT transporter binding in grouped and isolated Roman RHA and RLA rats: relationships with behaviours in two models of anxiety. <i>Psychopharmacology</i> , 1995, 121, 385-395.	1.5	21
266	Automation of the social interaction test by a video-tracking system: behavioural effects of repeated phencyclidine treatment. <i>Journal of Neuroscience Methods</i> , 1995, 59, 157-167.	1.3	138
267	Dorsomedial hypothalamic GABA regulates anxiety in the social interaction test. <i>Pharmacology Biochemistry and Behavior</i> , 1995, 50, 253-258.	1.3	75
268	Play behavior and stress responsivity in periadolescent offspring exposed prenatally to cocaine. <i>Pharmacology Biochemistry and Behavior</i> , 1995, 52, 367-374.	1.3	61
269	Regulation of anxiety by GABA _A receptors in the rat amygdala. <i>Pharmacology Biochemistry and Behavior</i> , 1995, 52, 701-706.	1.3	270
270	Patent Update: Central & Peripheral Nervous Systems: Agents for the treatment of neurodegenerative diseases: part 5. <i>Expert Opinion on Therapeutic Patents</i> , 1995, 5, 1027-1059.	2.4	0
271	GABAergic Deafferentation Hypothesis of Brain Aging and Alzheimer's Disease; Pharmacologic Profile of the Benzodiazepine Antagonist, Flumazenil. <i>Reviews in the Neurosciences</i> , 1995, 6, 221-58.	1.4	18
272	Behavioral, neurochemical, anatomical and electrophysiological correlates of panic disorder: multiple transmitter interaction and neuropeptide colocalization. <i>Progress in Neurobiology</i> , 1995, 47, 371-423.	2.8	31
273	Mating in the monogamous male: Behavioral consequences. <i>Physiology and Behavior</i> , 1995, 57, 615-627.	1.0	224
274	Behavioural interactions between 5-HT _{1A} hydroxytryptophan, neuroleptic agents and 5-HT _{2A} receptor antagonists in modifying rodent responding to aversive situations. <i>British Journal of Pharmacology</i> , 1995, 116, 2989-2999.	2.7	40
275	Effects of site-selective NMDA receptor antagonists in an elevated plus-maze model of anxiety in mice. <i>European Journal of Pharmacology</i> , 1995, 294, 101-107.	1.7	104
276	Anxiolytic effects of chlordiazepoxide blocked by injection of GABA _A and benzodiazepine receptor antagonists in the region of the anterior basolateral amygdala of rats. <i>Biological Psychiatry</i> , 1995, 37, 473-476.	0.7	86
277	Anxiolytic effect of the 5-HT _{1A} compounds 8-hydroxy-2-(di-n-propylamino) tetralin and ipsapirone in the social interaction paradigm: Evidence of a presynaptic action. <i>Brain Research Bulletin</i> , 1995, 37, 169-175.	1.4	47
278	Synthesis and Structure-Activity Relationships of a New Model of Arylpiperazines. 1. 2-[[4-(o-Methoxyphenyl)piperazin-1-yl]methyl]-1,3-dioxoperhydroimidazo[1,5-a]pyridine: A Selective 5-HT _{1A} Receptor Agonist. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 4439-4450.	2.9	66
279	Exposure to the social interaction test in rats induces changes in defensive burying. <i>Behavioural Processes</i> , 1996, 37, 75-84.	0.5	7
280	Differential effects of restraint and novelty on the social behaviour of female rats. <i>Behavioural Processes</i> , 1996, 37, 209-215.	0.5	1

#	ARTICLE	IF	CITATIONS
281	Perinatal cannabinoid exposure modifies the sociosexual approach behavior and the mesolimbic dopaminergic activity of adult male rats. <i>Behavioural Brain Research</i> , 1996, 75, 91-98.	1.2	62
282	Social isolation increases aggressive behaviour and alters the effects of diazepam in the rat social interaction test. <i>Behavioural Brain Research</i> , 1996, 75, 27-32.	1.2	192
283	Enforced water drinking induces changes in burying behavior and social interaction test in rats. <i>Physiology and Behavior</i> , 1996, 60, 823-827.	1.0	3
284	Appropriate end points for the characterization of behavioral changes in developmental toxicology.. <i>Environmental Health Perspectives</i> , 1996, 104, 307-315.	2.8	25
285	Comparative Study of Pre- and Postsynaptic 5-HT1A Receptor Modulation of Anxiety in Two Ethological Animal Tests. <i>Journal of Neuroscience</i> , 1996, 16, 4810-4815.	1.7	212
286	A review of the validity and variability of the Elevated Plus-Maze as an animal model of anxiety. <i>Pharmacology Biochemistry and Behavior</i> , 1996, 54, 21-30.	1.3	979
287	5-HT1A and benzodiazepine receptors in the basolateral amygdala modulate anxiety in the social interaction test, but not in the elevated plus-maze. <i>Brain Research</i> , 1996, 732, 145-153.	1.1	192
288	Dorsomedial hypothalamic GABA dysfunction produces physiological arousal following sodium lactate infusions. <i>Pharmacology Biochemistry and Behavior</i> , 1996, 55, 249-256.	1.3	99
289	Short-term rebound anxiolytic effects and long-term changes in platelet benzodiazepine binding after pentylenetetrazole-kindling in two strains of rat. <i>Anxiety</i> , 1996, 2, 109-116.	0.5	17
290	Anxiogenic activity of quinolinic acid and kynurenine in the social interaction test in mice. <i>Journal of Psychopharmacology</i> , 1996, 10, 246-249.	2.0	29
291	Differential changes in induced seizures after hippocampal treatment of rats with an antisense oligodeoxynucleotide to the GABAA receptor $\beta 2$ subunit. <i>European Journal of Pharmacology</i> , 1997, 340, 153-160.	1.7	6
292	A Proposed Test Battery and Constellations of Specific Behavioral Paradigms to Investigate the Behavioral Phenotypes of Transgenic and Knockout Mice. <i>Hormones and Behavior</i> , 1997, 31, 197-211.	1.0	522
293	Anxiogenic effects of high illumination levels assessed with the acoustic startle response in rats. <i>Biological Psychiatry</i> , 1997, 42, 461-471.	0.7	193
294	A multiple-test study of anxiety-related behaviours in six inbred rat strains. <i>Behavioural Brain Research</i> , 1997, 85, 57-69.	1.2	431
295	A Five Minute Experience in the Elevated Plus-Maze Alters the State of the Benzodiazepine Receptor in the Dorsal Raphe Nucleus. <i>Journal of Neuroscience</i> , 1997, 17, 1505-1511.	1.7	104
296	The Circumventricular Organs Form a Potential Neural Pathway for Lactate Sensitivity: Implications for Panic Disorder. <i>Journal of Neuroscience</i> , 1997, 17, 9726-9735.	1.7	88
297	Opposite Effects of Ro 15-4513 on Acquisition and Maintenance of Ethanol Drinking Behavior in Male Wistar Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 1667-1675.	1.4	14
298	Anti-sexual and anxiogenic behavioral consequences of corticotropin-releasing factor overexpression are centrally mediated. <i>Psychoneuroendocrinology</i> , 1997, 22, 215-224.	1.3	108

#	ARTICLE	IF	CITATIONS
299	Decreased 5-HT1A and increased 5-HT2A receptor binding after chronic corticosterone associated with a behavioural indication of depression but not anxiety. <i>Psychoneuroendocrinology</i> , 1997, 22, 477-491.	1.3	103
300	Excitatory amino acid receptors in the basolateral amygdala regulate anxiety responses in the social interaction test. <i>Brain Research</i> , 1997, 764, 262-264.	1.1	96
301	Behavioural Effects in Mice of Subchronic Chlordiazepoxide, Maprotiline, and Fluvoxamine. I. Social Interactions. <i>Pharmacology Biochemistry and Behavior</i> , 1997, 57, 119-125.	1.3	17
302	Interactions of Ginkgo biloba Extract (EGb 761), Diazepam and Ethyl Î ² -Carboline-3-Carboxylate on Social Behavior of the Rat. <i>Pharmacology Biochemistry and Behavior</i> , 1997, 56, 333-339.	1.3	25
303	Effect of Aversive Stimulation on 5-Hydroxytryptamine and Dopamine Metabolism in the Rat Brain. <i>Pharmacology Biochemistry and Behavior</i> , 1997, 58, 775-783.	1.3	35
304	Anxiolytic Action of a Neurokinin1 Receptor Antagonist in the Social Interaction Test. <i>Pharmacology Biochemistry and Behavior</i> , 1997, 58, 747-752.	1.3	111
305	Behavioral reactivity to social and nonsocial stimulations: a multivariate analysis of six inbred rat strains. <i>Behavior Genetics</i> , 1997, 27, 155-166.	1.4	108
306	Evidence that the median raphÃ© nucleus - dorsal hippocampal pathway mediates diazepam withdrawal-induced anxiety. <i>Psychopharmacology</i> , 1997, 130, 228-234.	1.5	59
307	Neonatal lesions of the rat ventral hippocampus result in hyperlocomotion and deficits in social behaviour in adulthood. <i>Psychopharmacology</i> , 1997, 132, 303-310.	1.5	320
308	Differential effects of chlordiazepoxide on aggressive behavior in male mice: the influence of social factors. <i>Psychopharmacology</i> , 1997, 134, 258-265.	1.5	45
309	Stress and emotionality: a multidimensional and genetic approach. <i>Neuroscience and Biobehavioral Reviews</i> , 1997, 22, 33-57.	2.9	428
310	Receptor binding profile and anxiolytic-type activity of deramciclane (EGIS-3886) in animal models. <i>Drug Development Research</i> , 1997, 40, 333-348.	1.4	34
311	Stressor Controllability, Anxiety, and Serotonin. <i>Cognitive Therapy and Research</i> , 1998, 22, 595-613.	1.2	103
312	Effect of Pentylenetetrazole on Ethanol Intake, Ethanol Kinetics, and Social Behavior in Male Wistar Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 428-436.	1.4	8
313	Effects of Moderate Alcohol Consumption on the Central Nervous System*. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 998-1040.	1.4	558
314	Biological bases of anxiety. <i>Neuroscience and Biobehavioral Reviews</i> , 1998, 22, 623-633.	2.9	123
315	Effects of diazepam, citalopram, methadone and naloxone on PCP-induced stereotyped behaviour and social isolation in the rat social interaction test. <i>Neuroscience and Biobehavioral Reviews</i> , 1998, 23, 287-293.	2.9	33
316	Selectively Bred Lines of Rats Differ in Social Interaction and Hippocampal 5-HT1A Receptor Function: A Link Between Anxiety and Depression?. <i>Pharmacology Biochemistry and Behavior</i> , 1998, 59, 787-792.	1.3	67

#	ARTICLE	IF	CITATIONS
317	Social Learning of a Food Preference in Male and Female Mongolian Gerbils is Facilitated by the Anxiolytic, Chlordiazepoxide. <i>Pharmacology Biochemistry and Behavior</i> , 1998, 60, 575-584.	1.3	40
318	A New Approach to the Light/Dark Test Procedure in Mice. <i>Pharmacology Biochemistry and Behavior</i> , 1998, 60, 645-653.	1.3	144
319	A Test of the Predictive Validity of Animal Models of Schizophrenia Based on Phencyclidine and D-Amphetamine. <i>Neuropsychopharmacology</i> , 1998, 18, 293-304.	2.8	94
320	Effects of dopamine agonists and antagonists on PCP-induced stereotyped behaviour and social isolation in the rat social interaction test. <i>Psychopharmacology</i> , 1998, 135, 182-193.	1.5	60
321	Dissociation of consummatory and vocal components of feeding in squirrel monkeys treated with benzodiazepines and alcohol. <i>Psychopharmacology</i> , 1998, 139, 117-127.	1.5	4
322	Stimulation of benzodiazepine receptors in the dorsal hippocampus and median raphe nucleus reveals differential GABAergic control in two animal tests of anxiety. <i>European Journal of Neuroscience</i> , 1998, 10, 3673-3680.	1.2	70
323	GABAergic Deafferentation Hypothesis of Brain Aging and Alzheimer's Disease Revisited. <i>Brain Research Bulletin</i> , 1998, 45, 341-379.	1.4	112
324	Are different parts of the extended amygdala involved in fear versus anxiety?. <i>Biological Psychiatry</i> , 1998, 44, 1239-1247.	0.7	517
325	Preclinical pharmacology of B-20991, a 5-HT1A receptor agonist with anxiolytic activity. <i>European Journal of Pharmacology</i> , 1998, 344, 127-135.	1.7	13
326	The nitric oxide synthesis inhibitor L-NAME produces anxiogenic-like effects in the rat elevated plus-maze test, but not in the social interaction test. <i>Journal of Psychopharmacology</i> , 1998, 12, 268-272.	2.0	48
327	Long-term effects of early diazepam exposure on social differentiation in adult male rats subjected to the diving-for-food situation.. <i>Behavioral Neuroscience</i> , 1998, 112, 1209-1217.	0.6	5
328	Phencyclidine in the Social Interaction Test: An Animal Model of Schizophrenia with Face and Predictive Validity. <i>Reviews in the Neurosciences</i> , 1999, 10, 59-90.	1.4	148
329	Chapter 4.11 Measuring rodent exploratory behavior. <i>Handbook of Behavioral Neuroscience</i> , 1999, , 738-749.	0.0	39
330	Stimulation of nicotinic receptors in the lateral septal nucleus increases anxiety. <i>European Journal of Neuroscience</i> , 1999, 11, 3957-3962.	1.2	66
331	The Extended Amygdala: Are the Central Nucleus of the Amygdala and the Bed Nucleus of the Stria Terminalis Differentially Involved in Fear versus Anxiety?. <i>Annals of the New York Academy of Sciences</i> , 1999, 877, 281-291.	1.8	319
332	The effect of treatment regimen on the development of tolerance to the sedative and anxiolytic effects of diazepam. <i>Psychopharmacology</i> , 1999, 145, 251-259.	1.5	54
333	Male olfactory cues affect mothers' behavior in mice: effects of benzodiazepines. <i>Psychopharmacology</i> , 1999, 146, 297-302.	1.5	7
334	Pharmacological characterization of LB50016, N-(4-amino) butyl 3-phenylpyrrolidine derivative, as a new 5-HT1A receptor agonist. <i>Archives of Pharmacal Research</i> , 1999, 22, 157-164.	2.7	7

#	ARTICLE	IF	CITATIONS
335	The role of corticotropin-releasing factor and urocortin in the modulation of ingestive behavior. <i>Neuropeptides</i> , 1999, 33, 350-359.	0.9	165
336	Dizocilpine does not prevent the development of tolerance to the anxiolytic effects of diazepam in rats. <i>Brain Research</i> , 1999, 815, 431-434.	1.1	22
337	Amygdalar neuropeptide Y Y1 receptors mediate the anxiolytic-like actions of neuropeptide Y in the social interaction test. <i>European Journal of Pharmacology</i> , 1999, 368, 143-147.	1.7	215
338	Specific Behavioral Effects Related to Age and Cerebral Ischemia in Rats. <i>Pharmacology Biochemistry and Behavior</i> , 1999, 62, 673-682.	1.3	37
339	Chronic Fluoxetine in Tests of Anxiety in Rat Lines Selectively Bred for Differential 5-HT1A Receptor Function. <i>Pharmacology Biochemistry and Behavior</i> , 1999, 62, 695-701.	1.3	68
340	Antibodies and Antisense Oligonucleotide for Probing the Distribution and Putative Functions of Central 5-HT6 Receptors. <i>Neuropsychopharmacology</i> , 1999, 21, 68S-76S.	2.8	150
341	Olfactory memory in rats, cholinergic agents and benzodiazepine receptor ligands. <i>Journal of Physiology (Paris)</i> , 1999, 93, 225-232.	2.1	11
342	Anxiogenic-like effects and reduced stereological counting of immunolabelled 5-hydroxytryptamine6 receptors in rat nucleus accumbens by antisense oligonucleotides. <i>Neuroscience</i> , 1999, 92, 1001-1009.	1.1	52
343	Developmental brain injury associated with abnormal play behavior in neonatally Borna disease virus-infected Lewis rats: a model of autism. <i>Behavioural Brain Research</i> , 1999, 100, 43-50.	1.2	118
344	Role of corticotropin-releasing factor and urocortin within the basolateral amygdala of rats in anxiety and panic responses. <i>Behavioural Brain Research</i> , 1999, 100, 207-215.	1.2	173
345	Possible Anxiogenic Effects of Fenvalerate, A Type II Pyrethroid Pesticide, in Rats. <i>Physiology and Behavior</i> , 1999, 67, 611-615.	1.0	26
346	Long-lasting increase in anxiety after electrolytic lesions of the pedunculopontine tegmental nucleus.. <i>Behavioral Neuroscience</i> , 1999, 113, 550-557.	0.6	13
347	Chapter 4.6 Evaluating anxiety in rodents. <i>Handbook of Behavioral Neuroscience</i> , 1999, , 667-673.	0.0	7
349	Behavioural effects of a benzodiazepine receptor partial agonist, Ro 19-8022, in the social conflict test in mice. <i>Behavioural Pharmacology</i> , 2000, 11, 143-151.	0.8	12
350	Age effects on the social interaction test in early adulthood male rats. <i>Depression and Anxiety</i> , 2000, 12, 226-231.	2.0	12
351	The role of 5-HT1A receptors in mediating the anxiogenic effects of nicotine following lateral septal administration. <i>European Journal of Neuroscience</i> , 2000, 12, 3797-3802.	1.2	46
352	Latency to paroxetine-induced anxiolysis in the rat is reduced by co-administration of the 5-HT1A receptor antagonist WAY100635. <i>British Journal of Pharmacology</i> , 2000, 130, 1713-1719.	2.7	40
353	Croton zehntneri essential oil: effects on behavioral models related to depression and anxiety. <i>Phytomedicine</i> , 2000, 7, 477-481.	2.3	26

#	ARTICLE	IF	CITATIONS
354	Effect of Flumazenil and Diazepam on Transient Actions in Defensive Burying Elicited by the Social Interaction Experience in Rats. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 66, 265-273.	1.3	12
355	Pontine Tegmentum Lesions Increase Anxiety-Like Behavior in Rats. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 65, 267-273.	1.3	14
356	Fear and anxiety: animal models and human cognitive psychophysiology. <i>Journal of Affective Disorders</i> , 2000, 61, 137-159.	2.0	976
357	Repetitive transcranial magnetic stimulation induces active coping strategies and attenuates the neuroendocrine stress response in rats. <i>Journal of Psychiatric Research</i> , 2000, 34, 265-276.	1.5	67
358	Neurobiological mechanisms by which nicotine mediates different types of anxiety. <i>European Journal of Pharmacology</i> , 2000, 393, 231-236.	1.7	98
359	Arestressin, a corticotropin releasing factor antagonist, reverses the anxiogenic effects of urocortin when administered into the basolateral amygdala. <i>Brain Research</i> , 2000, 877, 226-234.	1.1	46
360	Medial prefrontal transection enhances social interaction. <i>Brain Research</i> , 2000, 887, 7-15.	1.1	64
361	Sodium lactate elicits anxiety in rats after repeated GABA receptor blockade in the basolateral amygdala. <i>European Journal of Pharmacology</i> , 2000, 394, 265-273.	1.7	57
362	(\pm)-3,4-Methylenedioxymethamphetamine (MDMA, "Ecstasy") increases social interaction in rats. <i>European Journal of Pharmacology</i> , 2000, 408, 41-49.	1.7	98
363	The selective serotonin (5-HT)1A receptor ligand, S15535, displays anxiolytic-like effects in the social interaction and Vogel models and suppresses dialysate levels of 5-HT in the dorsal hippocampus of freely-moving rats. <i>Psychopharmacology</i> , 2000, 152, 55-66.	1.5	59
364	NKP608, an NK1 receptor antagonist, has an anxiolytic action in the social interaction test in rats. <i>Psychopharmacology</i> , 2000, 152, 105-109.	1.5	70
365	Unconditioned anxiety and social behaviour in two rat lines selectively bred for high and low anxiety-related behaviour. <i>Behavioural Brain Research</i> , 2000, 111, 153-163.	1.2	125
366	Measuring fear and anxiety in the marmoset (<i>Callithrix penicillata</i>) with a novel predator confrontation model: effects of diazepam. <i>Behavioural Brain Research</i> , 2000, 108, 205-211.	1.2	77
367	Hippocampal and septal injections of nicotine and 8-OH-DPAT distinguish among different animal tests of anxiety. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2000, 24, 1053-1067.	2.5	75
368	Anxiogenic effects of nicotine in the dorsal hippocampus are mediated by 5-HT1A and not by muscarinic M1 receptors. <i>Neuropharmacology</i> , 2000, 39, 300-307.	2.0	56
369	LY354740, a potent group II metabotropic glutamate receptor agonist prevents lactate-induced panic-like response in panic-prone rats. <i>Neuropharmacology</i> , 2000, 39, 1139-1146.	2.0	116
370	Enduring effects of prenatal cocaine administration on emotional behavior in rats. <i>Physiology and Behavior</i> , 2000, 70, 149-156.	1.0	65
371	5-HT3 receptor antagonists and anxiety; a preclinical and clinical review. <i>European Neuropsychopharmacology</i> , 2000, 10, 77-95.	0.3	92

#	ARTICLE	IF	CITATIONS
372	Important Hints in Behavioural Teratology of Rodents. <i>Current Pharmaceutical Design</i> , 2000, 6, 99-126.	0.9	9
373	Neuropeptide Y Y1 receptor-mediated anxiolysis in the dorsocaudal lateral septum: functional antagonism of corticotropin-releasing hormone-induced anxiety. <i>Neuroscience</i> , 2001, 104, 799-806.	1.1	78
374	Analysis of mouse plus-maze behavior modulated by ovarian steroids. <i>Behavioural Brain Research</i> , 2001, 119, 41-47.	1.2	66
375	Anxiolytic effect of Kami-Shoyo-San (TJ-24) in mice Possible mediation of neurosteroid synthesis. <i>Life Sciences</i> , 2001, 69, 2167-2177.	2.0	46
376	Tolerance to midazolam's anxiolytic effects after short-term nicotine treatment. <i>Neuropharmacology</i> , 2001, 40, 710-716.	2.0	17
377	SB-243213; a selective 5-HT _{2C} receptor inverse agonist with improved anxiolytic profile: lack of tolerance and withdrawal anxiety. <i>Neuropharmacology</i> , 2001, 41, 186-199.	2.0	96
378	Stress-induced increment on total bronchoalveolar cell count in OVA-sensitized rats. <i>Physiology and Behavior</i> , 2001, 72, 415-420.	1.0	32
379	Factors influencing behavior of group-housed male rats in the social interaction test. <i>Physiology and Behavior</i> , 2001, 74, 277-282.	1.0	38
380	Hyperactivity and Intact Hippocampus-Dependent Learning in Mice Lacking the M ₁ Muscarinic Acetylcholine Receptor. <i>Journal of Neuroscience</i> , 2001, 21, 5239-5250.	1.7	344
381	The effect of cytotoxic lesions of the hippocampus on recognition memory in the rat: Effects of stimulus size.. <i>Behavioral Neuroscience</i> , 2001, 115, 1193-1203.	0.6	5
382	The molecular neurobiology of stress – evidence from genetic and epigenetic models. <i>Behavioural Pharmacology</i> , 2001, 12, 381-427.	0.8	31
383	Nicotine self-administration and withdrawal: modulation of anxiety in the social interaction test in rats. <i>Psychopharmacology</i> , 2001, 153, 315-320.	1.5	67
384	The dorsal raphe nucleus is a crucial structure mediating nicotine's anxiolytic effects and the development of tolerance and withdrawal responses. <i>Psychopharmacology</i> , 2001, 155, 78-85.	1.5	106
386	Tracing from the dorsal preammyllary nucleus prosencephalic systems involved in the organization of innate fear responses. <i>Neuroscience and Biobehavioral Reviews</i> , 2001, 25, 661-668.	2.9	76
387	Social isolation modifies nicotine's effects in animal tests of anxiety. <i>British Journal of Pharmacology</i> , 2001, 132, 1389-1395.	2.7	68
388	Behavioral effects of buspirone in the marmoset employing a predator confrontation test of fear and anxiety. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 68, 255-262.	1.3	29
389	Different treatment regimens and the development of tolerance to nicotine's anxiogenic effects. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 68, 769-776.	1.3	29
390	The anxiolytic-like effect of MCI-225, a selective NA reuptake inhibitor with 5-HT ₃ receptor antagonism. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 68, 677-683.	1.3	33

#	ARTICLE	IF	CITATIONS
391	Antagonism of the anxiolytic effect of nicotine in the dorsal raphe nucleus by dihydro- β -erythroidine. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 70, 491-496.	1.3	42
392	Diazepam and nicotine increase social interaction in gerbils: a test for anxiolytic action. <i>Brain Research</i> , 2001, 888, 311-313.	1.1	42
393	Development of tolerance to nicotine's anxiogenic effect in the social interaction test. <i>Brain Research</i> , 2001, 894, 95-100.	1.1	20
394	Anxiolytic actions of the substance P (NK1) receptor antagonist L-760735 and the 5-HT1A agonist 8-OH-DPAT in the social interaction test in gerbils. <i>Brain Research</i> , 2001, 915, 170-175.	1.1	77
395	Neuropeptide Y Y5 receptor antagonist CGP71683A: the effects on food intake and anxiety-related behavior in the rat. <i>European Journal of Pharmacology</i> , 2001, 414, 215-224.	1.7	44
396	Anxiolytic effects of aniracetam in three different mouse models of anxiety and the underlying mechanism. <i>European Journal of Pharmacology</i> , 2001, 420, 33-43.	1.7	55
397	Transcranial magnetic stimulation as a therapeutic tool in psychiatry: what do we know about the neurobiological mechanisms?. <i>Journal of Psychiatric Research</i> , 2001, 35, 193-215.	1.5	208
398	Increased anxiety and impaired memory in rats 3 months after administration of 3,4-methylenedioxymethamphetamine (Ecstasy). <i>European Journal of Pharmacology</i> , 2001, 433, 91-99.	1.7	120
399	In Adolescence, Female Rats Are More Sensitive to the Anxiolytic Effect of Nicotine Than Are Male Rats. <i>Neuropsychopharmacology</i> , 2001, 25, 601-607.	2.8	77
400	Effect of nicotine and nicotinic receptors on anxiety and depression. <i>NeuroReport</i> , 2002, 13, 1097-1106.	0.6	396
401	Anxiolytic effects of cytotoxic hippocampal lesions in rats.. <i>Behavioral Neuroscience</i> , 2002, 116, 494-497.	0.6	100
402	The Fawn-Hooded (FH/Wjd) rat: a genetic animal model of comorbid depression and alcoholism. <i>Psychiatric Genetics</i> , 2002, 12, 1-16.	0.6	85
403	Memantine does not block antiaggressive effects of morphine in mice. <i>Behavioural Pharmacology</i> , 2002, 13, 249-252.	0.8	11
404	Double dissociation of function within the hippocampus: Spatial memory and hyponeophagia.. <i>Behavioral Neuroscience</i> , 2002, 116, 884-901.	0.6	274
405	The Experimental Pharmacotherapy of Benzodiazepine Withdrawal. <i>Current Pharmaceutical Design</i> , 2002, 8, 23-43.	0.9	16
406	Neuropeptide Y receptor subtypes in the basolateral nucleus of the amygdala modulate anxiogenic responses in rats. <i>Neuropharmacology</i> , 2002, 43, 1165-1172.	2.0	130
407	Exploration and motor activity in juvenile and adult rats exposed to hypergravity at 1.8 G during development. <i>Physiology and Behavior</i> , 2002, 76, 617-622.	1.0	10
408	Stress reactivity of the brain noradrenergic system in three rat strains differing in their neuroendocrine and behavioral responses to stress: implications for susceptibility to stress-related neuropsychiatric disorders. <i>Neuroscience</i> , 2002, 115, 229-242.	1.1	220

#	ARTICLE	IF	CITATIONS
409	Genetic basis of anxiety-like behaviour: a critical review. <i>Brain Research Bulletin</i> , 2002, 57, 57-71.	1.4	142
410	Anxiolytic effect of NKP608, a NK1-receptor antagonist, in the social investigation test in gerbils. <i>Behavioural Brain Research</i> , 2002, 133, 363-368.	1.2	30
411	Increased anxiety in rats after 3,4-methylenedioxyamphetamine: association with serotonin depletion. <i>European Journal of Pharmacology</i> , 2002, 446, 89-96.	1.7	88
412	Acute and carryover effects in mice of MDMA (‘ecstasy’) administration during periadolescence. <i>European Journal of Pharmacology</i> , 2002, 448, 31-38.	1.7	26
413	Neuropeptide Y-Y2 receptors mediate anxiety in the amygdala. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 71, 419-423.	1.3	115
414	The medial hypothalamic defensive system: Hodological organization and functional implications. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 71, 481-491.	1.3	360
415	Modulatory Effects of Galanin in the Lateral Bed Nucleus of the Stria Terminalis on Behavioral and Neuroendocrine Responses to Acute Stress. <i>Neuropsychopharmacology</i> , 2002, 27, 25-34.	2.8	72
416	The influence of competitive status (winner/loser) on the behavior of male rats in three models of anxiety. <i>Aggressive Behavior</i> , 2002, 28, 164-171.	1.5	7
417	The neurocircuitry and receptor subtypes mediating anxiolytic-like effects of neuropeptide Y. <i>Neuroscience and Biobehavioral Reviews</i> , 2002, 26, 259-283.	2.9	316
418	Acute Effects of Ethanol on Social Behavior of Adolescent and Adult Rats: Role of Familiarity of the Test Situation. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1502-1511.	1.4	245
419	Accentuated Decrease in Social Interaction in Rats Subjected to Repeated Ethanol Withdrawals. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1259-1268.	1.4	142
420	The consequences of beer consumption in rats: acute anxiolytic and ataxic effects and withdrawal-induced anxiety. <i>Psychopharmacology</i> , 2003, 166, 51-60.	1.5	41
421	The soya isoflavone content of rat diet can increase anxiety and stress hormone release in the male rat. <i>Psychopharmacology</i> , 2003, 167, 46-53.	1.5	64
422	Corticotropin releasing factor antagonist, $\hat{1}\pm$ -helical CRF9‘41, reverses nicotine-induced conditioned, but not unconditioned, anxiety. <i>Psychopharmacology</i> , 2003, 167, 251-256.	1.5	36
423	A 5-HT1A agonist and a 5-HT2c antagonist reduce social interaction deficit induced by multiple ethanol withdrawals in rats. <i>Psychopharmacology</i> , 2003, 167, 344-352.	1.5	83
424	Effects from prenatal exposure to alprazolam on the social behavior of mice offspring. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 1452-1457.	0.7	3
425	Anxiolysis followed by anxiogenesis relates to coping and corticosterone after medial prefrontal cortical damage in rats. <i>Brain Research</i> , 2003, 992, 96-103.	1.1	30
426	Subchronic phencyclidine administration alters central vasopressin receptor binding and social interaction in the rat. <i>Brain Research</i> , 2003, 992, 239-245.	1.1	38

#	ARTICLE	IF	CITATIONS
427	Modulation of social learning in rats by brain corticotropin-releasing factor. <i>Brain Research</i> , 2003, 994, 107-114.	1.1	30
428	Comparative behavioral changes between male and female postpubertal rats following neonatal excitotoxic lesions of the ventral hippocampus. <i>Brain Research</i> , 2003, 973, 285-292.	1.1	63
429	A review of 25 years of the social interaction test. <i>European Journal of Pharmacology</i> , 2003, 463, 35-53.	1.7	635
430	NPI-031G (puerarin) reduces anxiogenic effects of alcohol withdrawal or benzodiazepine inverse or 5-HT _{2C} agonists. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 75, 619-625.	1.3	45
431	Behavioral effects of neuropeptide Y in F344 rat substrains with a reduced dipeptidyl-peptidase IV activity. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 75, 869-879.	1.3	45
432	Behavioral effects of type II pyrethroid cyhalothrin in rats. <i>Toxicology and Applied Pharmacology</i> , 2003, 191, 167-176.	1.3	68
433	Age-associated sex differences in response to food deprivation in two animal tests of anxiety. <i>Neuroscience and Biobehavioral Reviews</i> , 2003, 27, 155-161.	2.9	65
434	Neonatal perturbation of neurotrophic signaling results in abnormal sensorimotor gating and social interaction in adults: implication for epidermal growth factor in cognitive development. <i>Molecular Psychiatry</i> , 2003, 8, 19-29.	4.1	100
435	Divergent Stress Responses and Coping Styles in Psychogenetically Selected Roman High-(RHA) and Low-(RLA) Avoidance Rats: Behavioural, Neuroendocrine and Developmental Aspects. <i>Stress</i> , 2003, 6, 87-100.	0.8	212
436	Anxiolytic effects of <i>Stachys lavandulifolia</i> Vahl on the elevated plus-maze model of anxiety in mice. <i>Journal of Ethnopharmacology</i> , 2003, 89, 271-276.	2.0	114
437	Phosphorylated cyclic AMP response element binding protein expression induced in the periaqueductal gray by predator stress: its relationship to the stress experience, behavior and limbic neural plasticity. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 1243-1267.	2.5	89
438	Extreme reduction of dipeptidyl peptidase IV activity in F344 rat substrains is associated with various behavioral differences. <i>Physiology and Behavior</i> , 2003, 80, 123-134.	1.0	55
439	Methylphenidate treatment during pre- and periadolescence alters behavioral responses to emotional stimuli at adulthood. <i>Biological Psychiatry</i> , 2003, 54, 1317-1329.	0.7	234
440	Depressive-like behavioral alterations and c-fos expression in the dopaminergic brain regions in WAG/Rij rats with genetic absence epilepsy. <i>Behavioural Brain Research</i> , 2003, 144, 211-226.	1.2	95
441	Do different mechanisms underlie two anxiogenic effects of systemic nicotine?. <i>Behavioural Pharmacology</i> , 2003, 14, 323-329.	0.8	14
442	Measurement of Panic-Like Responses Following Intravenous Infusion of Sodium Lactate in Panic-Prone Rats. <i>Current Protocols in Neuroscience</i> , 2003, 24, Unit 9.17.	2.6	4
443	Possible Role of Nitric Oxide in Anxiety Following Transient Cerebral Ischemia in Mice. <i>Journal of Pharmacological Sciences</i> , 2003, 91, 47-52.	1.1	39
444	Stress Sensitization of Ethanol Withdrawal-Induced Reduction in Social Interaction: Inhibition by CRF-1 and Benzodiazepine Receptor Antagonists and a 5-HT _{1A} -Receptor Agonist. <i>Neuropsychopharmacology</i> , 2004, 29, 470-482.	2.8	112

#	ARTICLE	IF	CITATIONS
445	Non-specific Effect of Fear Conditioning and Specific Effect of Social Defeat on Social Recognition Memory Performance in Female Rats. <i>Stress</i> , 2004, 7, 63-72.	0.8	9
446	(+) MK-801 and Phencyclidine Induced Neurotoxicity do Not Cause Enduring Behaviours Resembling the Positive and Negative Symptoms of Schizophrenia in the Rat. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2004, 95, 241-246.	1.2	25
447	Habenula lesions cause impaired cognitive performance in rats: implications for schizophrenia. <i>European Journal of Neuroscience</i> , 2004, 19, 2551-2560.	1.2	132
448	Antianxiety and antidepressant-like effects of AC-5216, a novel mitochondrial benzodiazepine receptor ligand. <i>British Journal of Pharmacology</i> , 2004, 142, 1059-1072.	2.7	115
449	Acute Ethanol Withdrawal (Hangover) and Social Behavior in Adolescent and Adult Male and Female Sprague-Dawley Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 40-50.	1.4	148
451	The NPY system in stress, anxiety and depression. <i>Neuropeptides</i> , 2004, 38, 213-224.	0.9	534
452	Interactions between NPY and CRF in the amygdala to regulate emotionality. <i>Neuropeptides</i> , 2004, 38, 225-234.	0.9	161
453	Modulation of multiple ethanol withdrawal-induced anxiety-like behavior by CRF and CRF1 receptors. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 77, 405-413.	1.3	158
454	Unconditioned and conditioned anxiogenic effects of the cannabinoid receptor agonist CP 55,940 in the social interaction test. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 77, 567-573.	1.3	86
455	Anxiolytic effects of diazepam and ethanol in two behavioral models: comparison of males and females. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 445-458.	1.3	116
456	Similar anxiety-like responses in male and female rats exposed to repeated withdrawals from ethanol. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 459-464.	1.3	52
457	Behavioral reactivity to a noradrenergic challenge after chronic oral methylphenidate (Ritalin [®] ; 1/2) in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 79, 641-649.	1.3	17
458	Antidepressant effects of citalopram and CRF receptor antagonist CP-154,526 in a rat model of depression. <i>European Journal of Pharmacology</i> , 2004, 492, 195-201.	1.7	88
459	Antidepressant-like effects of CRF1 receptor antagonist SSR125543 in an animal model of depression. <i>European Journal of Pharmacology</i> , 2004, 497, 49-53.	1.7	99
460	Effects of novel anxiolytic 4-butyl-alpha-agarofuran on levels of monoamine neurotransmitters in rats. <i>European Journal of Pharmacology</i> , 2004, 504, 39-44.	1.7	38
461	Anxiolytic effects of <i>Echium amoenum</i> on the elevated plus-maze model of anxiety in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 75, 457-464.	1.1	69
462	Social approach-avoidance behavior of inbred mouse strains towards DBA/2 mice. <i>Brain Research</i> , 2004, 1002, 151-157.	1.1	160
463	Effects of nicotine and a cannabinoid receptor agonist on negative contrast: distinction between anxiety and disappointment?. <i>Psychopharmacology</i> , 2004, 177, 93-99.	1.5	22

#	ARTICLE	IF	CITATIONS
464	Estragole-induced behavioural changes in rats. <i>Phytotherapy Research</i> , 2004, 18, 921-924.	2.8	10
465	Amygdala and Ventral Hippocampus Contribute Differentially to Mechanisms of Fear and Anxiety.. <i>Behavioral Neuroscience</i> , 2004, 118, 63-78.	0.6	320
466	Animal Tests of Anxiety. <i>Current Protocols in Neuroscience</i> , 2004, 26, Unit 8.3.	2.6	80
467	Neuropeptide Y and Related Peptides. <i>Handbook of Experimental Pharmacology</i> , 2004, , .	0.9	17
468	Animal Tests of Anxiety. <i>Current Protocols in Pharmacology</i> , 2004, 27, Unit 5.38.	4.0	19
469	Chronic cannabinoid exposure produces lasting memory impairment and increased anxiety in adolescent but not adult rats. <i>Journal of Psychopharmacology</i> , 2004, 18, 502-508.	2.0	215
470	Decreased social interaction in aged rats may not reflect changes in anxiety-related behaviour. <i>Behavioural Brain Research</i> , 2004, 151, 1-8.	1.2	74
471	Different effects of subchronic doses of 17- β estradiol in two ethologically based models of anxiety utilizing female rats. <i>Hormones and Behavior</i> , 2004, 46, 158-164.	1.0	55
472	Anxiogenic-like activity of 3,4-methylenedioxy-methamphetamine (Ecstasy) in the social interaction test is accompanied by an increase of c-fos expression in mice amygdala. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 249-254.	2.5	43
473	Cannabinoids prevent the acute hyperthermia and partially protect against the 5-HT depleting effects of MDMA (Ecstasy) in rats. <i>Neuropharmacology</i> , 2004, 46, 954-965.	2.0	52
474	Perinatal inflammatory cytokine challenge results in distinct neurobehavioral alterations in rats: implication in psychiatric disorders of developmental origin. <i>Neuroscience Research</i> , 2004, 50, 67-75.	1.0	76
475	Modulation of Affect After Chronic Exposure to the Anabolic Steroid 17 β -Methyltestosterone in Adult Mice.. <i>Behavioral Neuroscience</i> , 2004, 118, 1071-1079.	0.6	21
476	Chronic cannabinoid exposure produces lasting memory impairment and increased anxiety in adolescent but not adult rats. <i>Journal of Psychopharmacology</i> , 2004, 18, 502-508.	2.0	238
478	Neural circuit changes mediating lasting brain and behavioral response to predator stress. <i>Neuroscience and Biobehavioral Reviews</i> , 2005, 29, 1225-1241.	2.9	106
479	Anxiolytic-like effect of a serotonergic ligand with high affinity for 5-HT1A, 5-HT2A and 5-HT3 receptors. <i>European Journal of Pharmacology</i> , 2005, 511, 9-19.	1.7	20
480	Effects of prenatal stress on anxiety and social interactions in adult rats. <i>Developmental Brain Research</i> , 2005, 160, 265-274.	2.1	91
481	NC-1900, an arginine vasopressin analogue, ameliorates social behavior deficits and hyperlocomotion in MK-801-treated rats: Therapeutic implications for schizophrenia. <i>Brain Research</i> , 2005, 1053, 131-136.	1.1	37
482	Anxiolytic-like effect of a selective and non-peptidergic melanocortin 4 receptor antagonist, MCL0129, in a social interaction test. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 80, 395-400.	1.3	32

#	ARTICLE	IF	CITATIONS
483	The effects of angelica essential oil in social interaction and hole-board tests. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 81, 838-842.	1.3	21
484	Effects of methyl-eugenol administration on behavioral models related to depression and anxiety, in rats. <i>Phytotherapy Research</i> , 2005, 12, 294-298.	2.3	39
485	Conceptual framework for the etiology of alcoholism: a ?kindling?/stress hypothesis. <i>Psychopharmacology</i> , 2005, 178, 367-380.	1.5	145
486	Hydroalcohol extract and fractions of <i>Stachys lavandulifolia</i> vahl: effects on spontaneous motor activity and elevated plus-maze behaviour. <i>Phytotherapy Research</i> , 2005, 19, 854-858.	2.8	35
487	Comparative behavioral changes in postpubertal rats after neonatal excitotoxic lesions of the ventral hippocampus and the prefrontal cortex. <i>Synapse</i> , 2005, 56, 147-153.	0.6	40
488	Prior Multiple Ethanol Withdrawals Enhance Stress-Induced Anxiety-Like Behavior: Inhibition by CRF1- and Benzodiazepine-Receptor Antagonists and a 5-HT1a-Receptor Agonist. <i>Neuropsychopharmacology</i> , 2005, 30, 1662-1669.	2.8	117
489	Modulation of short-term social memory in rats by adenosine A1 and A2A receptors. <i>Neuroscience Letters</i> , 2005, 376, 160-165.	1.0	70
490	Anxiolytic effect of <i>Gardeniae Fructus</i> -extract containing active ingredient from Kamishoyosan (KSS), a Japanese traditional Kampo medicine. <i>Life Sciences</i> , 2005, 77, 3010-3020.	2.0	61
491	Impaired cognitive performance in rats after complete epithalamus lesions, but not after pinealectomy alone. <i>Behavioural Brain Research</i> , 2005, 161, 276-285.	1.2	9
492	Role of NMDA receptors in the lateralized potentiation of amygdala afferent and efferent neural transmission produced by predator stress. <i>Physiology and Behavior</i> , 2005, 86, 75-91.	1.0	57
493	Role of NMDA receptors in the syndrome of behavioral changes produced by predator stress. <i>Physiology and Behavior</i> , 2005, 86, 233-243.	1.0	42
494	(+)-MK-801 induced social withdrawal in rats; a model for negative symptoms of schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 827-832.	2.5	162
495	Serotonin (1A) receptor involvement in acute 3,4-methylenedioxymethamphetamine (MDMA) facilitation of social interaction in the rat. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 648-657.	2.5	61
496	The neuropsychology of stress. <i>Handbook of Behavioral Neuroscience</i> , 2005, 15, 25-42.	0.0	18
497	Repeated cannabinoid exposure during perinatal, adolescent or early adult ages produces similar longlasting deficits in object recognition and reduced social interaction in rats. <i>Journal of Psychopharmacology</i> , 2006, 20, 611-621.	2.0	213
499	Protein synthesis and the mechanisms of lasting change in anxiety induced by severe stress. <i>Behavioural Brain Research</i> , 2006, 167, 270-286.	1.2	56
500	Effects of permethrin given before mating on the behavior of F1-generation in mice. <i>NeuroToxicology</i> , 2006, 27, 421-428.	1.4	8
501	Injections of urocortin 1 into the basolateral amygdala induce anxiety-like behavior and c-Fos expression in brainstem serotonergic neurons. <i>Neuroscience</i> , 2006, 138, 1265-1276.	1.1	67

#	ARTICLE	IF	CITATIONS
502	Aniracetam: Its Novel Therapeutic Potential in Cerebral Dysfunctional Disorders Based on Recent Pharmacological Discoveries. <i>CNS Neuroscience & Therapeutics</i> , 2002, 8, 70-89.	4.0	23
503	Infusions of 5 α -Pregnan-3 α -Ol-20-One (3 α ,5 α -THP) to the Ventral Tegmental Area, but not the Substantia Nigra, Enhance Exploratory, Anti-Anxiety, Social and Sexual Behaviours and Concomitantly Increase 3 α ,5 α -THP Concentrations in the Hippocampus, Diencephalon and Cortex of Ovariectomised Oestrogen-Primed Rats. <i>Journal of Neuroendocrinology</i> , 2006, 18, 960-975.	1.2	55
504	Previous experience of ethanol withdrawal increases withdrawal-induced c-fos expression in limbic areas, but not withdrawal-induced anxiety and prevents withdrawal-induced elevations in plasma corticosterone. <i>Psychopharmacology</i> , 2006, 185, 188-200.	1.5	34
505	Relationship of the predatory attack experience to neural plasticity, pCREB expression and neuroendocrine response. <i>Neuroscience and Biobehavioral Reviews</i> , 2006, 30, 356-375.	2.9	81
506	Anxiolytic activity of a novel potent serotonin 5-HT _{2C} receptor antagonist FR260010: A comparison with diazepam and buspirone. <i>European Journal of Pharmacology</i> , 2006, 553, 171-184.	1.7	71
507	Differences in the social consequences of ethanol emerge during the course of adolescence in rats: Social facilitation, social inhibition, and anxiolysis. <i>Developmental Psychobiology</i> , 2006, 48, 146-161.	0.9	91
508	Progesterin Concentrations Are Increased following Paced Mating in Midbrain, Hippocampus, Diencephalon, and Cortex of Rats in Behavioral Estrus, but Only in Midbrain of Diestrous Rats. <i>Neuroendocrinology</i> , 2006, 83, 336-347.	1.2	36
509	The Anxiogenic Drug Yohimbine Reinstates Palatable Food Seeking in a Rat Relapse Model: a Role of CRF1 Receptors. <i>Neuropsychopharmacology</i> , 2006, 31, 2188-2196.	2.8	141
510	Panic-Prone State Induced in Rats with GABA Dysfunction in the Dorsomedial Hypothalamus Is Mediated by NMDA Receptors. <i>Journal of Neuroscience</i> , 2006, 26, 7093-7104.	1.7	81
511	Bombesin Receptors as a Novel Anti-Anxiety Therapeutic Target: BB1 Receptor Actions on Anxiety through Alterations of Serotonin Activity. <i>Journal of Neuroscience</i> , 2006, 26, 10387-10396.	1.7	68
512	Angiotensin-II Is a Putative Neurotransmitter in Lactate-Induced Panic-Like Responses in Rats with Disruption of GABAergic Inhibition in the Dorsomedial Hypothalamus. <i>Journal of Neuroscience</i> , 2006, 26, 9205-9215.	1.7	75
513	SB-649915-B, a Novel 5-HT _{1A/B} Autoreceptor Antagonist and Serotonin Reuptake Inhibitor, is Anxiolytic and Displays Fast Onset Activity in the Rat High Light Social Interaction Test. <i>Neuropsychopharmacology</i> , 2007, 32, 2163-2172.	2.8	44
514	Influence of housing on the consequences of chronic mild stress in female rats. <i>Stress</i> , 2007, 10, 283-293.	0.8	42
515	The Selective mGlu ₅ Receptor Antagonist MTEP, Similar to NMDA Receptor Antagonists, Induces Social Isolation in Rats. <i>Neuropsychopharmacology</i> , 2007, 32, 562-576.	2.8	73
517	Neonatal amygdala lesions: Co-occurring impact on social/fear-related behavior and cocaine sensitization in adult rats.. <i>Behavioral Neuroscience</i> , 2007, 121, 1316-1327.	0.6	6
518	Antisocial and seizure susceptibility phenotypes in an animal model of epilepsy are normalized by impairment of brain corticotropin-releasing factor. <i>Epilepsy and Behavior</i> , 2007, 10, 8-15.	0.9	19
519	Toxoplasma gondii infection lower anxiety as measured in the plus-maze and social interaction tests in rats. <i>Behavioural Brain Research</i> , 2007, 177, 70-79.	1.2	77
520	Enriched environments influence depression-related behavior in adult mice and the survival of newborn cells in their hippocampi. <i>Behavioural Brain Research</i> , 2007, 180, 69-76.	1.2	71

#	ARTICLE	IF	CITATIONS
521	Drug Effects on Learning and Memory. , 2007, , 877-942.		1
522	Psychotropic and Neurotropic Activity. , 2007, , 565-876.		6
523	Stress amplifies memory for social hierarchy. <i>Frontiers in Neuroscience</i> , 2007, 1, 175-184.	1.4	65
524	Hypolocomotion, anxiety and serotonin syndrome-like behavior contribute to the complex phenotype of serotonin transporter knockout mice. <i>Genes, Brain and Behavior</i> , 2007, 6, 389-400.	1.1	174
525	Behavioral effects of the α_2 adrenoceptor agonist SR58611A: Is it the putative prototype of a new class of antidepressant/anxiolytic drugs?. <i>European Journal of Pharmacology</i> , 2007, 573, 139-147.	1.7	51
526	Effects of oral exposure of synthetic pyrethroid, cypermethrin on the behavior of F1-progeny in mice. <i>Reproductive Toxicology</i> , 2007, 23, 560-567.	1.3	28
527	Heightened aggression after chronic flunitrazepam in male rats: potential links to cortical and caudate "putamen-binding sites. <i>Psychopharmacology</i> , 2008, 197, 309-318.	1.5	13
528	Behavioural Assays to Model Cognitive and Affective Dimensions of Depression and Anxiety in Rats. <i>Journal of Neuroendocrinology</i> , 2008, 20, 1115-1137.	1.2	155
529	Hormesis and medicine. <i>British Journal of Clinical Pharmacology</i> , 2008, 66, 594-617.	1.1	208
530	Estrogen is necessary for 5α -pregnan- 3β -ol- 20α -one ($3\beta,5\alpha$ -THP) infusion to the ventral tegmental area to facilitate social and sexual, but neither exploratory nor affective behavior of ovariectomized rats. <i>Pharmacology Biochemistry and Behavior</i> , 2008, 91, 261-270.	1.3	15
531	An Assessment of Anxiolytic Drug Screening Tests: Hormetic Dose Responses Predominate. <i>Critical Reviews in Toxicology</i> , 2008, 38, 489-542.	1.9	116
532	The putative antipsychotic alstonine reverses social interaction withdrawal in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1449-1452.	2.5	30
533	Behavioral measures in animal studies: Relevance to patients with epilepsy. <i>Epilepsy and Behavior</i> , 2008, 12, 612-621.	0.9	5
534	Social interactions in adolescent and adult Sprague "Dawley rats: Impact of social deprivation and test context familiarity. <i>Behavioural Brain Research</i> , 2008, 188, 398-405.	1.2	186
535	Repeated Lipopolysaccharide (LPS) or Cytokine Treatments Sensitize Ethanol Withdrawal-Induced Anxiety-Like Behavior. <i>Neuropsychopharmacology</i> , 2008, 33, 867-876.	2.8	98
536	Neural Pathways Underlying Lactate-Induced Panic. <i>Neuropsychopharmacology</i> , 2008, 33, 2093-2107.	2.8	79
537	Disruption of GABAergic tone in the dorsomedial hypothalamus attenuates responses in a subset of serotonergic neurons in the dorsal raphe nucleus following lactate-induced panic. <i>Journal of Psychopharmacology</i> , 2008, 22, 642-652.	2.0	77
538	Repeated Stimulation of CRF Receptors in the BNST of Rats Selectively Induces Social but not Panic-Like Anxiety. <i>Neuropsychopharmacology</i> , 2008, 33, 2586-2594.	2.8	81

#	ARTICLE	IF	CITATIONS
539	Chapter 3.2 Neural systems activated in response to predators and partial predator stimuli. Handbook of Behavioral Neuroscience, 2008, 17, 125-140.	0.7	5
540	Anxiety-Related Behaviors in Mice. <i>Frontiers in Neuroscience</i> , 2008, , 77-101.	0.0	76
541	Effects of central administration of gonadotropin-releasing hormone agonists and antagonist on elevated plus-maze and social interaction behavior in rats. <i>Behavioural Pharmacology</i> , 2008, 19, 308-316.	0.8	20
542	The Effects of <i>Astragalus Membranaceus</i> on Repeated Restraint Stress-induced Biochemical and Behavioral Responses. <i>Korean Journal of Physiology and Pharmacology</i> , 2009, 13, 315.	0.6	18
543	Restricted Cortical and Amygdaloid Removal of Vesicular Glutamate Transporter 2 in Preadolescent Mice Impacts Dopaminergic Activity and Neuronal Circuitry of Higher Brain Function. <i>Journal of Neuroscience</i> , 2009, 29, 2238-2251.	1.7	59
545	Increasing $3\beta,5\alpha$ -THP following inhibition of neurosteroid biosynthesis in the ventral tegmental area reinstates anti-anxiety, social, and sexual behavior of naturally receptive rats. <i>Reproduction</i> , 2009, 137, 119-128.	1.1	28
546	A selective ALDH-2 inhibitor reduces anxiety in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2009, 94, 255-261.	1.3	33
547	The effects of selective breeding for differential rates of 50kHz ultrasonic vocalizations on emotional behavior in rats. <i>Developmental Psychobiology</i> , 2009, 51, 34-46.	0.9	84
548	Behavioral abnormalities in synapsin II knockout mice implicate a causal factor in schizophrenia. <i>Synapse</i> , 2009, 63, 662-672.	0.6	44
549	Effects of yokukansan, a traditional Japanese medicine, on aggressiveness induced by intracerebroventricular injection of amyloid β protein into mice. <i>Phytotherapy Research</i> , 2009, 23, 1175-1181.	2.8	35
550	Animal Models of Anxiety and Anxiolytic Drug Action. <i>Current Topics in Behavioral Neurosciences</i> , 2009, 2, 121-160.	0.8	45
551	Voluntary exercise in C57 mice is anxiolytic across several measures of anxiety. <i>Behavioural Brain Research</i> , 2009, 197, 31-40.	1.2	119
552	Male but not female Wistar rats show increased anxiety-like behaviour in response to bright light in the defensive withdrawal test. <i>Behavioural Brain Research</i> , 2009, 202, 303-307.	1.2	15
553	Scopolamine-induced deficits in social memory in mice: Reversal by donepezil. <i>Behavioural Brain Research</i> , 2009, 204, 217-225.	1.2	74
554	Anxiety-like behavior is modulated by a discrete subpopulation of interneurons in the basolateral amygdala. <i>Neuroscience</i> , 2009, 160, 284-294.	1.1	79
555	Chronic estradiol treatment increases CA1 cell survival but does not improve visual or spatial recognition memory after global ischemia in middle-aged female rats. <i>Hormones and Behavior</i> , 2009, 55, 442-453.	1.0	22
556	Impaired social motivation and increased aggression in rats subchronically exposed to phencyclidine. <i>Physiology and Behavior</i> , 2009, 96, 394-398.	1.0	19
557	The social behavior of male rats administered an adult-onset calorie restriction regimen. <i>Physiology and Behavior</i> , 2009, 96, 581-585.	1.0	12

#	ARTICLE	IF	CITATIONS
558	Social and non-social anxiety in adolescent and adult rats after repeated restraint. <i>Physiology and Behavior</i> , 2009, 97, 484-494.	1.0	169
559	Involvement of NO-cGMP pathway in anti-anxiety effect of aminoguanidine in stressed mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1502-1507.	2.5	47
560	Metallothionein-3 deficient mice exhibit abnormalities of psychological behaviors. <i>Neuroscience Letters</i> , 2009, 467, 11-14.	1.0	24
561	Voluntary physical exercise alters attentional orienting and social behavior in a rat model of attention-deficit/hyperactivity disorder.. <i>Behavioral Neuroscience</i> , 2009, 123, 599-606.	0.6	28
562	Current pharmacological models of social withdrawal in rats. <i>Behavioural Pharmacology</i> , 2010, 21, 690-709.	0.8	49
564	Genetic Mapping of Social Interaction Behavior in B6/MSM Consomic Mouse Strains. <i>Behavior Genetics</i> , 2010, 40, 366-376.	1.4	27
565	Effects of inhaled Linalool in anxiety, social interaction and aggressive behavior in mice. <i>Phytomedicine</i> , 2010, 17, 679-683.	2.3	203
566	GABAergic and nitriergic modulation by curcumin for its antianxiety-like activity in mice. <i>Brain Research</i> , 2010, 1352, 167-175.	1.1	61
567	Sensitization to social anxiolytic effects of ethanol in adolescent and adult Sprague-Dawley rats after repeated ethanol exposure. <i>Alcohol</i> , 2010, 44, 99-110.	0.8	30
568	The EL mouse: A natural model of autism and epilepsy. <i>Epilepsia</i> , 2011, 52, 347-357.	2.6	21
569	Effects of <i>Glycyrrhizae Radix</i> on Repeated Restraint Stress-induced Neurochemical and Behavioral Responses. <i>Korean Journal of Physiology and Pharmacology</i> , 2010, 14, 371.	0.6	36
570	Animal models of anxiety disorders: behavioral and genetic approaches. , 0, , 156-167.		1
571	Corticotropin-Releasing Factor (CRF) Sensitization of Ethanol Withdrawal-Induced Anxiety-Like Behavior is Brain Site Specific and Mediated by CRF-1 Receptors: Relation to Stress-Induced Sensitization. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 298-307.	1.3	103
572	Mutant Mouse Models: Genotype-Phenotype Relationships to Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2010, 36, 271-288.	2.3	66
573	Changes in Central Sodium and not Osmolarity or Lactate Induce Panic-Like Responses in a Model of Panic Disorder. <i>Neuropsychopharmacology</i> , 2010, 35, 1333-1347.	2.8	29
574	Electroacupuncture to ST36 ameliorates behavioral and biochemical responses to restraint stress in rats. <i>Neurological Research</i> , 2010, 32, 111-115.	0.6	16
575	Anti-anxiety Activity of <i>Cymbopogon citratus</i> (dc.) stapf Leaves Extracts on the Elevated Plus-Maze Model of Anxiety in Mice. <i>Pharmacognosy Journal</i> , 2010, 2, 45-50.	0.3	3
576	Social Recognition Assay in the Rat. <i>Current Protocols in Neuroscience</i> , 2010, 53, Unit 8.5I.	2.6	8

#	ARTICLE	IF	CITATIONS
577	Behavioral effects of neuropeptides in rodent models of depression and anxiety. <i>Peptides</i> , 2010, 31, 736-756.	1.2	185
578	PAOPA, a potent analogue of Pro-Leu-glycinamide and allosteric modulator of the dopamine D2 receptor, prevents NMDA receptor antagonist (MK-801)-induced deficits in social interaction in the rat: Implications for the treatment of negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2011, 125, 88-92.	1.1	29
579	Administration of kynurenine during adolescence, but not during adulthood, impairs social behavior in rats. <i>Schizophrenia Research</i> , 2011, 133, 156-158.	1.1	27
580	Thymoquinone produced antianxiety-like effects in mice through modulation of GABA and NO levels. <i>Pharmacological Reports</i> , 2011, 63, 660-669.	1.5	86
581	Effects of group exposure on single injection-induced behavioral sensitization to drugs of abuse in mice. <i>Drug and Alcohol Dependence</i> , 2011, 118, 349-359.	1.6	18
582	Vogel conflict test: Sex differences and pharmacological validation of the model. <i>Behavioural Brain Research</i> , 2011, 218, 174-183.	1.2	30
583	Chronic URB597 treatment at adulthood reverted most depressive-like symptoms induced by adolescent exposure to THC in female rats. <i>Neuropharmacology</i> , 2011, 60, 235-243.	2.0	117
584	Yokukansan, a traditional Japanese medicine, ameliorates memory disturbance and abnormal social interaction with anti-aggregation effect of cerebral amyloid β proteins in amyloid precursor protein transgenic mice. <i>Neuroscience</i> , 2011, 180, 305-313.	1.1	60
585	Chronic variable physical stress during the peripubertal-juvenile period causes differential depressive and anxiogenic effects in the novelty-seeking phenotype: functional implications for hippocampal and amygdalar brain-derived neurotrophic factor and the mossy fibre plasticity. <i>Neuroscience</i> , 2011, 192, 334-344.	1.1	27
586	A selective, non-peptide CRF receptor 1 antagonist prevents sodium lactate-induced acute panic-like responses. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 355-365.	1.0	19
587	Zacopride: anxiolytic profile in rodent and primate models of anxiety. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 40, 302-305.	1.2	141
588	The age of anxiety: role of animal models of anxiolytic action in drug discovery. <i>British Journal of Pharmacology</i> , 2011, 164, 1129-1161.	2.7	220
589	Domain interplay in mice and men: New possibilities for the "natural kinds" theory of emotion. <i>New Ideas in Psychology</i> , 2011, 29, 49-56.	1.2	7
590	Hydration State Controls Stress Responsiveness and Social Behavior. <i>Journal of Neuroscience</i> , 2011, 31, 5470-5476.	1.7	76
591	Molecular Genetic Models Related to Schizophrenia and Psychotic Illness: Heuristics and Challenges. <i>Current Topics in Behavioral Neurosciences</i> , 2011, 7, 87-119.	0.8	12
592	Anti-anxiety activity of <i>Coriandrum sativum</i> assessed using different experimental anxiety models. <i>Indian Journal of Pharmacology</i> , 2011, 43, 574.	0.4	57
593	Animal models of psychiatric disorders. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2012, 106, 137-166.	1.0	37
594	MAGE-D1 Regulates Expression of Depression-Like Behavior through Serotonin Transporter Ubiquitylation. <i>Journal of Neuroscience</i> , 2012, 32, 4562-4580.	1.7	71

#	ARTICLE	IF	CITATIONS
596	Physical exercise and catecholamine reuptake inhibitors affect orienting behavior and social interaction in a rat model of attention-deficit/hyperactivity disorder.. Behavioral Neuroscience, 2012, 126, 762-771.	0.6	26
597	Effects of morning compared with evening bright light administration to ameliorate short-photoperiod induced depression- and anxiety-like behaviors in a diurnal rodent model. Journal of Neural Transmission, 2012, 119, 1241-1248.	1.4	24
598	Exercise offers anxiolytic potential: A role for stress and brain noradrenergic-galaninergic mechanisms. Neuroscience and Biobehavioral Reviews, 2012, 36, 1965-1984.	2.9	98
599	Role of neuropeptide Y Y1 and Y2 receptors on behavioral despair in a rat model of depression with co-morbid anxiety. Neuropharmacology, 2012, 62, 200-208.	2.0	48
600	The effects of gonadectomy on sex- and age-typical responses to novelty and ethanol-induced social inhibition in adult male and female Sprague-Dawley rats. Behavioural Brain Research, 2012, 227, 224-232.	1.2	40
601	Maternal deprivation in the middle of a stress hypo-responsive period decreases hippocampal calcineurin expression and causes abnormal social and cognitive behaviours in adult male Wistar rats: Relevance to negative symptoms of schizophrenia. Behavioural Brain Research, 2012, 232, 306-315.	1.2	37
602	The selective neuropeptide Y Y5 agonist [cPP1â€“7,NPY19â€“23,Ala31,Aib32,Gln34]hPP differently modulates emotional processes and body weight in the rat. Behavioural Brain Research, 2012, 233, 298-304.	1.2	16
603	Effects of Stachys tibetica essential oil in anxiety. European Journal of Integrative Medicine, 2012, 4, e169-e176.	0.8	25
604	Orexin 1 receptors are a novel target to modulate panic responses and the panic brain network. Physiology and Behavior, 2012, 107, 733-742.	1.0	95
605	Orexin-A induces anxiety-like behavior through interactions with glutamatergic receptors in the bed nucleus of the stria terminalis of rats. Physiology and Behavior, 2012, 107, 726-732.	1.0	98
606	Behavioral effects of non-viral mediated RNA interference of synapsin II in the medial prefrontal cortex of the rat. Schizophrenia Research, 2012, 137, 32-38.	1.1	12
607	Reversal of memory deficits by ethanolic extract of Mimusops elengi Linn. in mice. Pharmacognosy Journal, 2012, 4, 30-39.	0.3	2
608	ELEVATED tph2 mRNA EXPRESSION IN A RAT MODEL OF CHRONIC ANXIETY. Depression and Anxiety, 2012, 29, 307-319.	2.0	49
609	Chronic non-invasive corticosterone administration abolishes the diurnal pattern of tph2 expression. Psychoneuroendocrinology, 2012, 37, 645-661.	1.3	66
610	APP transgenic mice for modelling behavioural and psychological symptoms of dementia (BPSD). Neuroscience and Biobehavioral Reviews, 2012, 36, 1357-1375.	2.9	60
611	Increases in anxiety-like behavior induced by acute stress are reversed by ethanol in adolescent but not adult rats. Pharmacology Biochemistry and Behavior, 2012, 100, 440-450.	1.3	57
612	Chronic administration of the neurotrophic agent cerebrolysin ameliorates the behavioral and morphological changes induced by neonatal ventral hippocampus lesion in a rat model of schizophrenia. Journal of Neuroscience Research, 2012, 90, 288-306.	1.3	54
613	Sex differences in anxiety and emotional behavior. Pflugers Archiv European Journal of Physiology, 2013, 465, 601-626.	1.3	263

#	ARTICLE	IF	CITATIONS
614	50 years of hurdles and hope in anxiolytic drug discovery. <i>Nature Reviews Drug Discovery</i> , 2013, 12, 667-687.	21.5	334
615	Animal models of anxiety: A comprehensive review. <i>Journal of Pharmacological and Toxicological Methods</i> , 2013, 68, 175-183.	0.3	95
616	Acute Prosocial Effects of Oxytocin and Vasopressin When Given Alone or in Combination with 3,4-Methylenedioxymethamphetamine in Rats: Involvement of the V1A Receptor. <i>Neuropsychopharmacology</i> , 2013, 38, 2249-2259.	2.8	112
617	Mood and memory-associated behaviors in neuropeptide Y5 knockout mice. <i>Neuropeptides</i> , 2013, 47, 75-84.	0.9	8
618	Mining the brain metabolome to understand behavioural disruptions induced in mouse fed <i>Hypochoeris radicata</i> (L.), a neurotoxic plant for horse. <i>NeuroToxicology</i> , 2013, 38, 74-83.	1.4	5
619	Angiotensin II's role in sodium lactate-induced panic-like responses in rats with repeated urocortin 1 injections into the basolateral amygdala. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 44, 248-256.	2.5	16
620	The effect of transient increases in kynurenic acid and quinolinic acid levels early in life on behavior in adulthood: Implications for schizophrenia. <i>Schizophrenia Research</i> , 2013, 150, 392-397.	1.1	36
621	Anxiolytic effects of the GABAA receptor partial agonist, L-838,417: Impact of age, test context familiarity, and stress. <i>Pharmacology Biochemistry and Behavior</i> , 2013, 109, 31-37.	1.3	15
622	Anterior olfactory organ removal produces anxiety-like behavior and increases spontaneous neuronal firing rate in basal amygdala. <i>Behavioural Brain Research</i> , 2013, 252, 101-109.	1.2	8
623	Group II metabotropic glutamate receptor type 2 allosteric potentiators prevent sodium lactate-induced panic-like response in panic-vulnerable rats. <i>Journal of Psychopharmacology</i> , 2013, 27, 152-161.	2.0	22
624	The Successive Alleys Test of Anxiety in Mice and Rats. <i>Journal of Visualized Experiments</i> , 2013, , .	0.2	25
625	Neural mechanisms underlying stress resilience in <i>Ahi1</i> knockout mice: relevance to neuropsychiatric disorders. <i>Molecular Psychiatry</i> , 2014, 19, 243-252.	4.1	21
626	Individual and combined effects of physical exercise and methylphenidate on orienting behavior and social interaction in spontaneously hypertensive rats.. <i>Behavioral Neuroscience</i> , 2014, 128, 703-712.	0.6	19
627	Effects Of A Post-Weaning Cafeteria Diet In Young Rats: Metabolic Syndrome, Reduced Activity And Low Anxiety-Like Behaviour. <i>PLoS ONE</i> , 2014, 9, e85049.	1.1	76
628	Glucocorticoid receptor deletion from the dorsal raphe nucleus of mice reduces dysphoria-like behavior and impairs hypothalamic-pituitary-adrenocortical axis feedback inhibition. <i>European Journal of Neuroscience</i> , 2014, 39, 1671-1681.	1.2	32
629	Chronic intermittent ethanol exposure during adolescence: Effects on social behavior and ethanol sensitivity in adulthood. <i>Alcohol</i> , 2014, 48, 433-444.	0.8	83
630	Neonatal olfactory bulbectomy enhances locomotor activity, exploratory behavior and binding of NMDA receptors in pre-pubertal rats. <i>Neuroscience</i> , 2014, 259, 84-93.	1.1	15
631	Rearrangement of the dendritic morphology of the neurons from prefrontal cortex and hippocampus after subthalamic lesion in Sprague-Dawley rats. <i>Synapse</i> , 2014, 68, 114-126.	0.6	10

#	ARTICLE	IF	CITATIONS
632	Simvastatin Treatment Highlights a New Role for the Isoprenoid/Cholesterol Biosynthetic Pathway in the Modulation of Emotional Reactivity and Cognitive Performance in Rats. <i>Neuropsychopharmacology</i> , 2014, 39, 841-854.	2.8	43
633	Influence of procedural variables on rat inhibitory avoidance and escape behaviors generated by the elevated T-maze. <i>Behavioural Brain Research</i> , 2014, 273, 45-51.	1.2	7
634	Two weeks of predatory stress induces anxiety-like behavior with co-morbid depressive-like behavior in adult male mice. <i>Behavioural Brain Research</i> , 2014, 275, 120-125.	1.2	33
635	Forebrain glucocorticoid receptor gene deletion attenuates behavioral changes and antidepressant responsiveness during chronic stress. <i>Brain Research</i> , 2014, 1583, 109-121.	1.1	13
636	The effects of an acute challenge with the NMDA receptor antagonists, MK-801, PEAQX, and ifenprodil, on social inhibition in adolescent and adult male rats. <i>Psychopharmacology</i> , 2014, 231, 1797-1807.	1.5	30
637	Oxytocin in the prelimbic medial prefrontal cortex reduces anxiety-like behavior in female and male rats. <i>Psychoneuroendocrinology</i> , 2014, 45, 31-42.	1.3	82
638	Social interaction and social withdrawal in rodents as readouts for investigating the negative symptoms of schizophrenia. <i>European Neuropsychopharmacology</i> , 2014, 24, 759-773.	0.3	103
639	A male-specific QTL for social interaction behavior in mice mapped with automated pattern detection by a hidden Markov model incorporated into newly developed freeware. <i>Journal of Neuroscience Methods</i> , 2014, 234, 127-134.	1.3	20
640	Long-term feeding on powdered food causes hyperglycemia and signs of systemic illness in mice. <i>Life Sciences</i> , 2014, 103, 8-14.	2.0	17
641	Effects of MK-801 treatment across several pre-clinical analyses including a novel assessment of brain metabolic function utilizing PET and CT fused imaging in live rats. <i>Neuropharmacology</i> , 2014, 77, 325-333.	2.0	9
642	Strain- and context-dependent effects of the anandamide hydrolysis inhibitor URB597 on social behavior in rats. <i>European Neuropsychopharmacology</i> , 2014, 24, 1337-1348.	0.3	53
643	Possible involvement of GABAergic and nitriergic systems for antianxiety-like activity of piperine in unstressed and stressed mice. <i>Pharmacological Reports</i> , 2014, 66, 885-891.	1.5	16
644	Tryptophan and Kynurenic Acid May Produce an Amplified Effect in Central Fatigue Induced by Chronic Sleep Disorder. <i>International Journal of Tryptophan Research</i> , 2014, 7, IJTR.S14084.	1.0	21
645	Effects of Prenatal Cocaine Exposure on Social Development in Mice. <i>Developmental Neuroscience</i> , 2014, 36, 338-346.	1.0	11
646	Quantifying Social Motivation in Mice Using Operant Conditioning. <i>Journal of Visualized Experiments</i> , 2015, , e53009.	0.2	18
647	Cross-fostering differentially affects ADHD-related behaviors in spontaneously hypertensive rats. <i>Developmental Psychobiology</i> , 2015, 57, 226-236.	0.9	11
648	Improvement of ketamine-induced social withdrawal in rats. <i>Behavioural Pharmacology</i> , 2015, 26, 766-775.	0.8	22
649	Modeling autism-relevant behavioral phenotypes in rats and mice. <i>Behavioural Pharmacology</i> , 2015, 26, 522-540.	0.8	63

#	ARTICLE	IF	CITATIONS
650	Cerebrospinal Fluid Neuropeptide Y Levels in Major Depression and Reported Childhood Trauma. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu023-pyu023.	1.0	17
651	Preclinical evidence implicating corticotropin-releasing factor signaling in ethanol consumption and neuroadaptation. <i>Genes, Brain and Behavior</i> , 2015, 14, 98-135.	1.1	44
652	Voluntary exercise enhances activity rhythms and ameliorates anxiety- and depression-like behaviors in the sand rat model of circadian rhythm-related mood changes. <i>Physiology and Behavior</i> , 2015, 151, 441-447.	1.0	28
653	Pharmacological depletion of serotonin in the basolateral amygdala complex reduces anxiety and disrupts fear conditioning. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 138, 174-179.	1.3	48
654	Social consequences of ethanol: Impact of age, stress, and prior history of ethanol exposure. <i>Physiology and Behavior</i> , 2015, 148, 145-150.	1.0	54
655	Chlorella sorokiniana Extract Improves Short-Term Memory in Rats. <i>Molecules</i> , 2016, 21, 1311.	1.7	18
656	Stress-Induced Anxiety- and Depressive-Like Phenotype Associated with Transient Reduction in Neurogenesis in Adult Nestin-CreERT2/Diphtheria Toxin Fragment A Transgenic Mice. <i>PLoS ONE</i> , 2016, 11, e0147256.	1.1	46
657	Small Nettle: Evaluation of Its Anxiolytic Effect in the Elevated Plus-Maze and Open Field. <i>Annals of Clinical and Laboratory Research</i> , 2016, 4, .	0.1	0
658	Presence and Absence of Sex Differences in Structure and Function of the Brain Oxytocin System: Implications for Understanding the Regulation of Social Behavior. , 2016, , 247-295.		4
659	Treatment of anxiety and depression: medicinal plants in retrospect. <i>Fundamental and Clinical Pharmacology</i> , 2016, 30, 198-215.	1.0	103
660	Hoarding in users of online classified advertisements. <i>European Neuropsychopharmacology</i> , 2016, 26, S622-S623.	0.3	0
662	Acute prenatal exposure to ethanol on gestational day 12 elicits opposing deficits in social behaviors and anxiety-like behaviors in Sprague Dawley rats. <i>Behavioural Brain Research</i> , 2016, 310, 11-19.	1.2	36
663	Age-related changes in behavior in C57BL/6J mice from young adulthood to middle age. <i>Molecular Brain</i> , 2016, 9, 11.	1.3	342
664	Comprehensive behavioral phenotyping of a new Semaphorin 3A mutant mouse. <i>Molecular Brain</i> , 2016, 9, 15.	1.3	28
665	Effects of ethanol on social avoidance induced by chronic social defeat stress in mice. <i>Stress</i> , 2017, 20, 85-91.	0.8	10
666	Ability of palatable food consumption to buffer against the short- and long-term behavioral consequences of social defeat exposure during juvenility in rats. <i>Physiology and Behavior</i> , 2017, 177, 113-121.	1.0	24
667	Animal to human translational paradigms relevant for approach avoidance conflict decision making. <i>Behaviour Research and Therapy</i> , 2017, 96, 14-29.	1.6	82
668	Adversity in early adolescence promotes an enduring anxious phenotype and increases serotonergic innervation of the infralimbic medial prefrontal cortex. <i>Neuroscience</i> , 2017, 364, 15-27.	1.1	7

#	ARTICLE	IF	CITATIONS
669	Effect of maternal renin-angiotensin-aldosterone system activation on social coping strategies and gene expression of oxytocin and vasopressin in the brain of rat offspring in adulthood. <i>General Physiology and Biophysics</i> , 2017, 36, 391-398.	0.4	1
670	Juvenile social defeat stress exposure persistently impairs social behaviors and neurogenesis. <i>Neuropharmacology</i> , 2018, 133, 23-37.	2.0	50
671	Repeated fluvoxamine treatment recovers early postnatal stress-induced hypersociability-like behavior in adult rats. <i>Journal of Pharmacological Sciences</i> , 2018, 136, 1-8.	1.1	3
672	Animals, anxiety, and anxiety disorders: How to measure anxiety in rodents and why. <i>Behavioural Brain Research</i> , 2018, 352, 81-93.	1.2	70
673	Proximity as a predictor of social behavior in rats. <i>Journal of Neuroscience Methods</i> , 2018, 293, 37-44.	1.3	13
674	Consequences of continuous social defeat stress on anxiety- and depressive-like behaviors and ethanol reward in mice. <i>Hormones and Behavior</i> , 2018, 97, 154-161.	1.0	63
675	Anxiety Assessment in Pre-clinical Tests and in Clinical Trials: A Critical Review. <i>Current Topics in Medicinal Chemistry</i> , 2018, 18, 1656-1676.	1.0	23
676	Palatable Food Dampens the Long-Term Behavioral and Endocrine Effects of Juvenile Stressor Exposure but May Also Provoke Metabolic Syndrome in Rats. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 216.	1.0	7
677	Modulation of Rat 50-kHz Ultrasonic Vocalizations by Glucocorticoid Signaling: Possible Relevance to Reward and Motivation. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 73-83.	1.0	18
678	Anxiolytic actions of <i>Nardostachys jatamansi</i> via GABA benzodiazepine channel complex mechanism and its biodistribution studies. <i>Metabolic Brain Disease</i> , 2018, 33, 1533-1549.	1.4	11
679	Animal Models to Investigate Social Support Induced Anxiety Reductions. , 2018, , 224-240.		1
680	Edible birdâ€™s nest improves motor behavior and protects dopaminergic neuron against oxidative and nitrosative stress in Parkinsonâ€™s disease mouse model. <i>Journal of Functional Foods</i> , 2018, 48, 576-585.	1.6	14
681	Orexin signaling during social defeat stress influences subsequent social interaction behaviour and recognition memory. <i>Behavioural Brain Research</i> , 2019, 356, 444-452.	1.2	24
682	Risperidone Ameliorates Prefrontal Cortex Neural Atrophy and Oxidative/Nitrosative Stress in Brain and Peripheral Blood of Rats with Neonatal Ventral Hippocampus Lesion. <i>Journal of Neuroscience</i> , 2019, 39, 8584-8599.	1.7	29
683	Progressive Alterations in Synaptic Transmission and Plasticity of Area CA1 Precede the Cognitive Impairment Associated with Neonatal Administration of MK-801. <i>Neuroscience</i> , 2019, 404, 205-217.	1.1	9
684	The reverse translation of a quantitative neuropsychiatric framework into preclinical studies: Focus on social interaction and behavior. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 96-111.	2.9	19
685	Red white and blue â€œ bright light effects in a diurnal rodent model for seasonal affective disorder. <i>Chronobiology International</i> , 2019, 36, 919-926.	0.9	14
686	Aromatic Bromination Abolishes the Psychomotor Features and Pro-social Responses of MDMA (â€œEcstasyâ€) in Rats and Preserves Affinity for the Serotonin Transporter (SERT). <i>Frontiers in Pharmacology</i> , 2019, 10, 157.	1.6	2

#	ARTICLE	IF	CITATIONS
687	Inhibited Personality Temperaments Translated Through Enhanced Avoidance and Associative Learning Increase Vulnerability for PTSD. <i>Frontiers in Psychology</i> , 2019, 10, 496.	1.1	13
688	Serotonin 5-HT _{1A} Receptor Biased Agonists Display Differential Anxiolytic Activity in a Rat Social Interaction Model. <i>ACS Chemical Neuroscience</i> , 2019, 10, 3101-3107.	1.7	22
689	Prenatal immune challenge induces behavioral deficits, neuronal remodeling, and increases brain nitric oxide and zinc levels in the male rat offspring. <i>Neuroscience</i> , 2019, 406, 594-605.	1.1	19
690	Antihypernociceptive and neuroprotective effects of Combretin A and Combretin B on streptozotocin-induced diabetic neuropathy in mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019, 392, 697-713.	1.4	10
691	A computationally inspired in-vivo approach identifies a link between amygdalar transcriptional heterogeneity, socialization and anxiety. <i>Translational Psychiatry</i> , 2019, 9, 336.	2.4	22
692	Glucocorticoid receptor deletion from locus coeruleus norepinephrine neurons promotes depression-like social withdrawal in female but not male mice. <i>Brain Research</i> , 2019, 1710, 82-91.	1.1	9
693	Free Dyadic Social Interaction Test in Mice. <i>Methods in Molecular Biology</i> , 2019, 1916, 93-97.	0.4	7
694	Orexin/hypocretin receptor modulation of anxiolytic and antidepressive responses during social stress and decision-making: Potential for therapy. <i>Brain Research</i> , 2020, 1731, 146085.	1.1	38
695	Panic results in unique molecular and network changes in the amygdala that facilitate fear responses. <i>Molecular Psychiatry</i> , 2020, 25, 442-460.	4.1	9
696	Crh receptor priming in the bed nucleus of the stria terminalis (BNST) induces tph2 gene expression in the dorsomedial dorsal raphe nucleus and chronic anxiety. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 96, 109730.	2.5	15
697	Selective effects of dorsal raphe nucleus glucocorticoid receptor deletion on depression-like behavior in female C57BL/6j mice. <i>Neuroscience Letters</i> , 2020, 717, 134697.	1.0	1
698	Intrathecal Oxytocin Improves Spontaneous Behavior and Reduces Mechanical Hypersensitivity in a Rat Model of Postoperative Pain. <i>Frontiers in Pharmacology</i> , 2020, 11, 581544.	1.6	5
699	Cerebellum-Specific Deletion of the GABAA Receptor γ Subunit Leads to Sex-Specific Disruption of Behavior. <i>Cell Reports</i> , 2020, 33, 108338.	2.9	32
700	Using loss- and gain-of-function approaches to target amygdala-projecting serotonergic neurons in the dorsal raphe nucleus that enhance anxiety-related and conditioned fear behaviors. <i>Journal of Psychopharmacology</i> , 2020, 34, 400-411.	2.0	7
701	In Vitro and In Vivo Models for the Investigation of Potential Drugs Against Schizophrenia. <i>Biomolecules</i> , 2020, 10, 160.	1.8	15
702	Hypersensitivity to cold stimulation associated with regional osteoporotic changes in tail-suspended mice. <i>Journal of Bone and Mineral Metabolism</i> , 2020, 38, 469-480.	1.3	3
703	Effects of acute and chronic arecoline in adult zebrafish: Anxiolytic-like activity, elevated brain monoamines and the potential role of microglia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 104, 109977.	2.5	36
704	“Live together, die alone”: The effect of re-socialization on behavioural performance and social-affective brain-related proteins after a long-term chronic social isolation stress. <i>Neurobiology of Stress</i> , 2021, 14, 100289.	1.9	12

#	ARTICLE	IF	CITATIONS
705	Antihypernociceptive and Neuroprotective Effects of the Aqueous and Methanol Stem-Bark Extracts of <i>Nuclea pobeguini</i> (Rubiaceae) on STZ-Induced Diabetic Neuropathic Pain. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-17.	0.5	5
707	In situ-gelling starch nanoparticle (SNP)/O-carboxymethyl chitosan (CMCh) nanoparticle network hydrogels for the intranasal delivery of an antipsychotic peptide. Journal of Controlled Release, 2021, 330, 738-752.	4.8	36
708	New insights on nitric oxide: Focus on animal models of schizophrenia. Behavioural Brain Research, 2021, 409, 113304.	1.2	15
709	Ventral hippocampus mediates the context-dependence of two-way signaled avoidance in male rats. Neurobiology of Learning and Memory, 2021, 183, 107458.	1.0	11
711	Psychotropic and neurotropic activity1. , 2002, , 385-593.		9
712	Drug effects on learning and memory1. , 2002, , 595-643.		4
713	The Implication of Noradrenaline in Anxiety. , 1991, , 347-365.		6
714	Psychopharmacology of Repeated Seizures: Possible Relevance to the Mechanism of Action of Electroconvulsive Therapy. , 1987, , 375-419.		29
715	Rat Pup Ultrasonic Vocalizations: An Ethologically Relevant Behaviour Responsive to Anxiolytics. , 1991, , 15-36.		26
716	Neuropeptide Y and Its Receptor Subtypes in the Central Nervous System: Emphasis on Their Role in Animal Models of Psychiatric Disorders. Handbook of Experimental Pharmacology, 2004, , 101-136.	0.9	9
717	Behavioral Effects of Neuropeptide Y. Handbook of Experimental Pharmacology, 2004, , 251-282.	0.9	1
718	Behavioral Effects of Corticotropin-Releasing Factor. Current Topics in Neuroendocrinology, 1990, , 1-14.	0.9	13
719	Animal Models of the Alcohol Addiction Process. Handbook of Experimental Pharmacology, 1995, , 185-229.	0.9	11
720	Psychotropic and neurotropic activity. , 1997, , 204-316.		13
721	The Role of Vasopressin in Anxiety and Depression. , 2016, , 667-685.		7
722	Pro-Aggressive Actions of Benzodiazepines. Topics in the Neurosciences, 1987, , 187-206.	0.2	12
723	ANIMAL TESTS OF ANXIETY. , 1981, , 241-251.		7
724	INTERACTIONS OF ANXIOLYTIC AND ANTIDEPRESSANT DRUGS WITH HORMONES OF THE HYPOTHALAMIC-PITUITARY-ADRENAL AXIS. , 1991, , 29-55.		4

#	ARTICLE	IF	CITATIONS
725	ETHOLOGICALLY BASED ANIMAL MODELS OF ANXIETY DISORDERS. , 1991, , 155-185.		12
726	ANIMAL MODELS OF ANXIETY BASED ON CLASSICAL CONDITIONING: THE CONDITIONED EMOTIONAL RESPONSE AND THE FEAR-POTENTIATED STARTLE EFFECT. , 1991, , 187-212.		4
727	Benzodiazepines and the Developing Nervous System: Laboratory Findings and Clinical Implications. , 1992, , 283-321.		16
728	Chronic pain impact on rodentsâ€™ behavioral repertoire. Neuroscience and Biobehavioral Reviews, 2020, 119, 101-127.	2.9	23
729	Tianeptine counteracts the anxiogenic effects of benzodiazepine withdrawal, but not those of exposure to cat odour. European Psychiatry, 1993, 8, 75s-80s.	0.1	5
730	Axon-sparing lesions of the medial nucleus of the amygdala decrease affiliative behaviors in the prairie vole (<i>Microtus ochrogaster</i>): behavioral and anatomical specificity. Behavioral Neuroscience, 1994, 108, 501-13.	0.6	52
731	Endogenous acetylcholine in the dorsal hippocampus reduces anxiety through actions on nicotinic and muscarinic1 receptors. Behavioral Neuroscience, 1998, 112, 352-9.	0.6	31
732	Bimodal modulation by nicotine of anxiety in the social interaction test: role of the dorsal hippocampus. Behavioral Neuroscience, 1998, 112, 1423-9.	0.6	90
733	Anxiolytic effects of cytotoxic hippocampal lesions in rats. Behavioral Neuroscience, 2002, 116, 494-7.	0.6	58
734	Double dissociation of function within the hippocampus: spatial memory and hyponeophagia. Behavioral Neuroscience, 2002, 116, 884-901.	0.6	141
735	Acute Effects of Ethanol on Social Behavior of Adolescent and Adult Rats: Role of Familiarity of the Test Situation. Alcoholism: Clinical and Experimental Research, 2002, 26, 1502-1511.	1.4	1
736	Anatomic and Physiologic Substrates of Emotion in an Animal Model. Journal of Clinical Neurophysiology, 1998, 15, 378-387.	0.9	82
737	A Controlled Trial of Ondansetron, a 5-HT3 Antagonist, in Benzodiazepine Discontinuation. Journal of Clinical Psychopharmacology, 1998, 18, 121-131.	0.7	33
738	Accentuated decrease in social interaction in rats subjected to repeated ethanol withdrawals. Alcoholism: Clinical and Experimental Research, 2002, 26, 1259-68.	1.4	96
740	GNB3 overexpression causes obesity and metabolic syndrome. PLoS ONE, 2017, 12, e0188763.	1.1	11
741	Testosterone enhancement during pregnancy influences social coping and gene expression of oxytocin and vasopressin in the brain of adult rats. Acta Neurobiologiae Experimentalis, 2018, 78, 264-270.	0.4	9
742	Animal models of anxiety disorders in rats and mice: some conceptual issues. Dialogues in Clinical Neuroscience, 2011, 13, 495-506.	1.8	157
743	Anxiolytic Effect of Voluntarily Consumed Alcohol in Sardinian Alcohol-Preferring Rats Exposed to the Social Interaction Test. Journal of Alcoholism and Drug Dependence, 2013, 01, .	0.2	3

#	ARTICLE	IF	CITATIONS
744	Scientific Interest of Social Behaviour in Animal Models of Human Diseases. Neuroscience and Medicine, 2013, 04, 50-58.	0.2	1
745	Anxiolytic Effects of Total Saponin Fraction from Ginseng Radix Rubra on the Elevated Plus-Maze Model in Mice. Journal of Ginseng Research, 2004, 28, 132-135.	3.0	7
746	GABAergic and nitriergic influence in antianxiety-like Activity of Garlic in Mice. Journal of Applied Pharmaceutical Science, 0, , 077-085.	0.7	4
747	Animal Models of Anxiety and Stress-Induced Behavior. Frontiers in Neuroscience, 2003, ,	0.0	0
748	Investigation of the anxiolytic effects of Kampo formulation, Kamishoyosan, used for treating menopausal psychotic syndromes in women. , 2009, , 183-189.		0
749	Short term exposure to cigarette smoke on general activity and anxiety. Medical Express, 2014, 1, .	0.2	1
750	Behavioral and Neurochemical Effects of ACTH. , 1985, , 375-412.		7
751	Verhaltensmodelle beim Tier zur Erfassung einer anxiolytischen Wirkung. , 1986, , 321-327.		0
752	Behavioral Analysis of Anxiolytic Drug Action. , 1987, , 263-297.		5
753	Therapie: Theoretische Grundlagen und klinische Praxis. , 1988, , 179-258.		0
754	Steroid Modulation of the GABA/Benzodiazepine Receptor-Linked Chloride Ionophore. , 1989, , 291-317.		0
755	Influence of 5-HT3 Receptor Antagonists on Limbic-Cortical Circuitry. , 1991, , 430-438.		2
756	(Pharmako-)Biologische und psychologische Grundlagenforschung. , 1992, , 67-130.		0
757	Tests for Anxiolytic Activity. , 2015, , 1-175.		0
758	Tests for Anxiolytic Activity. , 2016, , 1069-1214.		0
759	Evaluation of toxicological and behavioral symptoms on deltamethrin treated albino rats. MOJ Anatomy & Physiology, 2018, 5, .	0.2	0
761	Impact of Prenatal Hypoxia on the Development and Behavior of the Rat Offspring. Physiological Research, 0, , S649-S659.	0.4	7
766	A Lack of tolerance to the anxiolytic action of Echium amoenum. Research in Pharmaceutical Sciences, 2011, 6, 101-6.	0.6	7

#	ARTICLE	IF	CITATIONS
767	Effects of L. leaves extract on anxiety, depression and memory. Avicenna Journal of Phytomedicine, 2016, 6, 696-710.	0.1	6
768	Comparing behavior following binge ethanol in adolescent and adult DBA/2J mice. Behavioural Brain Research, 2022, 419, 113703.	1.2	4
769	Impact of prenatal hypoxia on the development and behavior of the rat offspring. Physiological Research, 2020, 69, S649-S659.	0.4	1
771	Ovarian endocrine status modulates the anxiolytic potency of diazepam and the efficacy of gamma-aminobutyric acid-benzodiazepine receptor-mediated chloride ion transport. Behavioral Neuroscience, 1991, 105, 653-62.	0.6	37
772	The role of the amygdala and dorsal raphe nucleus in mediating the behavioral consequences of inescapable shock. Behavioral Neuroscience, 1993, 107, 377-88.	0.6	77
773	The effect of cytotoxic lesions of the hippocampus on recognition memory in the rat: effects of stimulus size. Behavioral Neuroscience, 2001, 115, 1193-203.	0.6	2
774	The contrasting effects of diazepam and yohimbine on conditioned defensive burying in rats. Cognitive, Affective and Behavioral Neuroscience, 1988, 16, 213-217.	1.2	42
776	Assessing Dyadic Social Interactions in Rodent Models of Neurodevelopmental Disorders. Neuromethods, 2022, , 193-216.	0.2	2
777	Impaired Ghrelin Signaling Does Not Lead to Alterations of Anxiety-like Behaviors in Adult Mice Chronically Exposed to THC during Adolescence. Biomedicines, 2023, 11, 144.	1.4	2
778	Liposaccharide-induced sustained mild inflammation fragments social behavior and alters basolateral amygdala activity. Psychopharmacology, 2023, 240, 647-671.	1.5	1
779	The Effect of Earthing Mat on Stress-Induced Anxiety-like Behavior and Neuroendocrine Changes in the Rat. Biomedicines, 2023, 11, 57.	1.4	1
781	Insights into the endocannabinoid system from investigations of the development of social behavior in rodents of both sexes. , 2023, , 123-135.		0